

Oracle® Secure Enterprise Search

Release Notes

10g Release 1 (10.1.8) for All Platforms

B32261-01

December 2006

Oracle Secure Enterprise Search (SES) 10g Release 1 (10.1.8) Release Notes includes the following topics:

- [Version Information](#)
- [Supported Platforms for Enterprise Content Sources](#)
- [Known Issues](#)
- [Documentation Errata](#)
- [Documentation Accessibility](#)

Version Information

To identify detailed version information for your Oracle SES installation, run the following:

```
% $ORACLE_HOME/jdk/bin/jar -xvf $ORACLE_HOME/search/lib/search_query.jar  
"oracle/search/query/buildinfo.properties"
```

```
% cd ./oracle/search/query
```

The `buildinfo.properties` file contains detailed build information that can be provided upon request to Oracle Technical Support.

Note: `$ORACLE_HOME` represents the directory where Oracle SES was installed.

Supported Platforms for Enterprise Content Sources

Oracle SES 10.1.8 supports the following platforms:

- Linux x86
 - Red Hat Linux 3
 - Red Hat Linux 4
 - SUSE Linux Enterprise Server 9
- Linux x86-64
 - Red Hat Linux 3
 - Red Hat Linux 4
 - SuSE Linux Enterprise Server 9

- Solaris SPARC (64-bit)
 - Solaris 8, 64-bit
 - Solaris 9, 64-bit
 - Solaris 10, 64-bit
- HP-UX PA-RISC (64-bit)
 - HP-UX 11.11
 - HP-UX 11.23
- AIX 5L Based Systems (64-bit)
 - AIX 5.2 ML01 (64-bit)
 - AIX 5.3 (64-bit)
- HP-UX Itanium
 - HP-UX 11i v2 (11.23)
- Windows 2003 Server

Note: Microsoft Exchange is supported on Windows 2003 Server Standard Edition and higher versions with the latest Service Pack.

Known Issues

For updated information on bugs, workarounds, and best practices, see:
<http://www.oracle.com/technology/products/oses/index.html>

This section contains the following topics:

- [Installation Issues](#)
- [UNIX Issues](#)
- [Microsoft Windows Issues](#)
- [Generic Issues](#)
- [OracleAS Portal Source Issues](#)
- [EMC Documentum Content Server Source Issues](#)
- [FileNet Content Engine Source Issues](#)
- [NTFS Source Issues](#)
- [Open Text Livelink Source Issues](#)
- [Oracle Calendar Source Issues](#)
- [Microsoft Exchange Source Issues](#)
- [Oracle E-Business Suite Source Issues](#)
- [Upgrade Issues](#)

Installation Issues

- On Red Hat Linux 4 Update 2, the included CPU patch fails.

Workaround: Oracle strongly recommends that you upgrade to Red Hat 4 Update 3 or higher to avoid this error. Or, if "Secure Enterprise Search One-off Patch" fails:

1. Go to `ORACLE_HOME/.patch_storage`.
2. Delete `patch_locked`.
3. Re-run "Secure Enterprise Search One-off Patch".
4. Repeat steps 1 and 2 if the patch fails again.

This is tracked with Oracle bug 5674128.

- On Red Hat Linux 4.0 Update 2, there is an intermittent issue with install failure, as described in bug 5674128. This issue also affects silent installations.

Workaround: Oracle strongly recommends that you upgrade to Red Hat 4 Update 3 or higher to avoid this error.

This is tracked with Oracle bug 5682135.

- On Red Hat Linux 4, the Oracle Universal Installer incorrectly reports that it is Red Hat Linux 3 and fails all prerequisite checks. The snippet from the `installActions` log is as follows:

```
"Expected result: One of
redhat-2.1,redhat-3,redhat-4,UnitedLinux-1.0,SuSE-8,SuSE-9
Actual Result: redhat-3
Check complete. The overall result of this check is: Passed"
```

However, the Actual Result should be `redhat-4`.

Workaround: No action is necessary. Ignore these messages and continue with the installation.

This is tracked with Oracle bug 5683421.

- The installation can hang at the point of hardening listener.

Workaround:

1. Click **Stop** in Oracle Universal Installer. Do not quit from Oracle Universal Installer.
2. Go to `$ORACLE_HOME/bin`.
3. Set the `$ORACLE_HOME` and `$ORACLE_SID`.
4. Execute the following:

```
./lsnrctl start
```

5. Return to Oracle Universal Installer and press **Retry**.

This is tracked with Oracle bug 5631752.

See Also: Appendix A, "10.1.6 to 10.1.8 Upgrade" in *Oracle Secure Enterprise Search Administrator's Guide* for upgrade issues, including information about federated search with a 10.1.6 and 10.1.8 instance

UNIX Issues

- On Linux only, in high I/O situations the system may hang if a large number of document conversion errors are encountered.

Workaround: Turn off core file generation at the operating system level.

This is tracked with Oracle bug 5199037.

- On some UNIX platforms, the installation returns an error message: Skipping systeminfo.h: not a file or directory. This is because the systeminfo.h file is no longer present.

Workaround: No action is necessary. This message is harmless.

This is tracked with Oracle bug 5638453.

- After installing Oracle SES on UNIX to a port number less than 1024, the Admin Web Services application is not available.
(`http://<host>:<port>/search/ws/admin/SearchAdmin`)

Workaround: When installing, choose a port greater than or equal to 1024. After installation, follow the instructions in the *Oracle Secure Enterprise Search Installation and Upgrade Guide* to change to the port less than 1024.

This is tracked with Oracle bug 5587565.

Microsoft Windows Issues

Attention Windows Laptop Users: If you frequently connect and disconnect your laptop from the network, or if you have your machine set to dynamically determine its IP address (DHCP protocol), then you must install a loopback adapter. See the Pre-Installation Steps in the *Oracle Secure Enterprise Search Installation and Upgrade Guide for Microsoft Windows (32-Bit)*.

- On Windows only: You must be part of the Administrators group on Windows to install Oracle SES.

Workaround: Log on as a user with Administrator privileges to install.

This is tracked with Oracle bug 5471204.

- On Windows only, Oracle SES cannot allocate memory (SGA + PGA) correctly if the machine has more than 2G physical memory. The maximum memory usage Oracle SES can allocate is 800M.

Workaround: You can manually increase the maximum memory usage to 40% of the machine physical memory. Detailed instructions for this workaround are provided in the "Post-Installation Tasks" section of the *Oracle Secure Enterprise Search Installation and Upgrade Guide for Microsoft Windows (32-Bit)*.

This is tracked with Oracle bug 4620102.

- On Windows, the command `searchctl restart` could hang in the command prompt at the following position:

```
The requested service has already been started.  
More help is available by typing NET HELPMSG 2182.
```

Workaround: Press Ctrl + C to exit. Wait several minutes, then try `searchctl restart` again. To confirm that it works, check the `OC4J.log` file. It should have "initialized" or "debug=false" as the last line.

This is tracked with Oracle bug 5697392.

Generic Issues

- There are query performance issues when the index optimization job coincides with the database GATHER_STATS_JOB.

Workaround: Download the Oracle SES patch for bug 5646872 to disable the GATHER_STATS_JOB.

This is tracked with Oracle bug 5643632.

- The **Home - Statistics - Summary of Crawler Activity** page may show an Oracle SES error if the browser locale is set to Italian, Brazilian Portuguese, German, or French.

Workaround: Change the browser locale to another language.

This is tracked with Oracle bug 5675933.

- Oracle SES does not support a default entity to attribute mapping mechanism for XML content.

Workaround: A custom crawler plug-in is required to crawl and index XML. (see the *Oracle Secure Enterprise Search Administrator's Guide* for details).

This is tracked with Oracle bug 4501161.

- The e-mail message browser in the default query application is unable to display attached HTML files for crawled e-mail messages that were originally sent from certain mail clients (for example, Mozilla Thunderbird). An `UnsupportedEncodingException` will be shown instead.

This is tracked by Oracle bug 5104659.

- When title fallback is configured in the `crawler.dat` file, Oracle SES does not pick up expected Microsoft Office documents.
 - Font sizes 14 and 16 in Microsoft Word correspond to normalized font sizes 4 and 5 (respectively) in converted HTML. The Oracle SES crawler only picks up strings with normalized font size greater than 4 as the fallback title.
 - Title should usually contain more than five characters.

This is tracked with Oracle bug 5618033.

- Table sources cannot handle quoted identifiers for the table or column names. For example, table or column names containing spaces, lowercase characters, or non-alphabetic characters other than underscore (`_`), dollar sign (`$`), and pound sign (`#`) are not supported.

Workaround: Create a view using nonquoted identifiers on top of the table having quoted identifiers. Then crawl that view.

This is tracked with Oracle bug 5093512.

- Limitations in the range of characters that can be used in the Suggested Links feature: Suggested links does not support keywords with a hyphen, such as e-travel. The characters `+! '~` in a query string are ignored while matching suggested links, and the characters `~!@#%^(*)_+-=[\]{}|;:?,./<>'&` should be ignored in suggested links.

This is tracked with Oracle bugs 4434993, 4280409, and 4280437.

- When an end user changes the credentials (user name/password) for a subscribed (self service) source after it has been crawled, the previous documents crawled with the old credentials remain in the index. This may cause unexpected behavior for e-mail sources, in which the old documents may share the same URL with new e-mail documents from the most recent e-mail account. In this situation, some e-mail messages from the most recent crawl using the new credentials may not be indexed if an old message shares the same folder and message IDs.

Workaround: Update the crawler re-crawl policy to **Process All Documents** on the **Home - Schedules - Edit Schedules** page, and re-crawl the source.

This is tracked with Oracle bug 5048374.

- After the crawler re-crawl policy is changed to **Process All Documents**, the matched hit count in the top right corner on end user Browse page is increased every time the schedule is run.

Workaround: View the correct hit count in parentheses following the source group name.

This is tracked with Oracle bug 5647166.

- The documented restrictions about changing ACL policies only work if the **Authorization** page for the source in the administration tool is current. If the page is not current, then you may be able to update the ACL policy in a way that should be disallowed.

Workaround: Before updating the ACL policy, ensure that the **Authorization** page is current by clicking the browser **Refresh** button.

This is tracked with Oracle bug 5065426.

- The **Authorization** page does not load if you activate the Oracle Internet Directory identity plug-in, create Oracle SES ACLs on a source, and then deactivate the identity plug-in.

Workaround: If the intent is only temporary deactivation, then the page will load correctly when the identity plug-in is re-activated. If the intent is permanent deactivation, or if the plug-in will be reactivated with different parameters, then before deactivation follow the steps in the section "Restrictions on Changing the Oracle Internet Directory Identity Plug-in" in the *Oracle Secure Enterprise Search Administrator's Guide*. If the identity plug-in has been deactivated already, then reactivate it and follow those steps.

This is tracked with Oracle bug 5645676.

- When using the Active Directory identity plug-in, protected documents cannot be searched for up to 15 minutes after a forced re-crawl completes.

This is tracked with Oracle bug 5638235.

- If a source is configured to use the user-defined security model, then the AuthorizationManager plug-in class name and jar file name cannot be modified. This restriction is in place for security reasons.

Workaround: If the AuthorizationManager plug-in details must be changed, then security for that source must be turned off to allow the change. After the ACL setting is changed to "No Access Control List" and applied, the AuthorizationManager details can be edited. **Warning:** While security is turned off, any user can access documents in the affected source. In addition,

the new AuthorizationManager should share the same security attribute model as the previous one.

This is tracked with Oracle bug 5602289.

- Wildcard search inside a phrase is not supported.

This is tracked with Oracle bug 4451462.

- The Boolean OR operator is not supported between advanced search operators; for example, a site/filetype restricted term and other search terms.

This is tracked with Oracle bug 4451445.

- Very long search terms cause an exception in the Web service query interface.

This is tracked with Oracle bug 4446793.

- Browse results do not include file sources.

This is tracked with Oracle bug 4285489.

- There are issues with federated search in a load balancer configuration when requests from the broker instance are routed to a different endpoint instance between invocations within a session.

This is tracked with Oracle bug 5515249.

- Oracle SES does not give any results if looping with different machines is configured for federated search.

This is tracked with Oracle bug 5461897.

- Non-ASCII (for example, Japanese or Chinese) attachments in plain text or HTML format cannot be searched in e-mail sources. Attachments in other formats (such as pdf, doc, ppt) can be searched.

This is tracked with Oracle bug 5191238.

- The administration environment language is reset to English after having been set to another language if not properly logged out.

This is tracked with Oracle bug 4424711.

- Browse categories render incorrectly in BIDI.

This is tracked with Oracle bug 4198113.

- If the correct environment parameter (LANG, NLS_LANG and LC_ALL) was not set when Oracle SES was installed, then the following error occurs when a search result is clicked that contains data on a file source:

```
Error : status = ERROR get file exception: file not found:
...file.encoding=EUC-JP-LINUX
```

Workaround:

1. Run the following command:

```
$ORACLE_HOME/bin/searchctl stopall
```

2. Set the correct environment parameter. See the section "Crawling File Sources with Non-ASCII" in the *Oracle Secure Enterprise Search Administrator's Guide*.

3. Run the following command:

```
$ORACLE_HOME/bin/searchctl startall
```

4. Update the crawler re-crawl policy to **Process All Documents** on the **Home - Schedules - Edit Schedules** page, and re-crawl the file source.

However, if the `file.encoding` value listed in the error message is incorrect, then run the following procedure:

1. Logon to SQL*Plus as eqsys/<SES admin password>
2. Run the following command:

```
exec eq_adm.use_instance('eq_inst')
```

3. Run the following command to force Oracle SES to pick up `file.encoding` from the current setting:

```
exec eq_util.set_os_file_encoding
```

4. Verify the result:

```
SELECT ccd_pvalue FROM eq$crawler_config_default WHERE ccd_pname='CC_
FILE_ENCODING';
```

If step 3 does not set `file.encoding` to the correct value, then override it with the following command:

```
exec eq_util.set_os_file_encoding('IBM-943') (On AIX5L)
```

5. Run `searchctl restartall` to initialize `file.encoding` for Oracle JVM.

This is tracked with Oracle bugs 5105043 and 5689407.

- The **Global Settings - Source Types** page displays the source type descriptions that were preloaded when Oracle SES was installed or entered when the source type was created. Not all source type descriptions are translated.

This is tracked with Oracle bug 5636034.

- The `logUserClick` operation is not supported.

This is tracked with Oracle bug 5090058.

- When editing user-defined sources, the following pages in the administration tool do not apply to the crawler plug-in:

- **Authentication** page
- **Crawling Parameters** page: Only the following fields on this page can be set for user-defined sources: **Number of Crawler Threads**, **Enable Language Detection**, **Default Language**, **Maximum Document Size**.

- In previous releases, crawler plug-ins were located in the `$ORACLE_HOME/search/lib/agent/` directory. In 10.1.8, they are located in the `$ORACLE_HOME/search/lib/plugins` directory.

OracleAS Portal Source Issues

- Secure OracleAS Portal crawling requires the latest version of OracleAS Portal.

Workaround: The following table lists patch information necessary for each version of OracleAS Portal for which Oracle SES certifies. You can apply the one-off patch on top of the listed version, or you can wait to upgrade to the next patchset indicated. The one-off patches are available on Oracle Metalink at <http://metalink.oracle.com>. Enter the bug number for the appropriate OracleAS Portal release to get the patch.

Table 1 OracleAS Portal Patch Necessary for Secure OracleAS Portal Crawling

OracleAS Portal Release	Patchset to Upgrade	One-off Patch
9.0.4	9.0.4.3.0	This is tracked with Oracle bug 4637116. This should be applied on top of 9.0.4.2.0.
10.1.2	10.1.2.2.0	This is tracked with Oracle bug 4637116. This should be applied on top of 10.1.2.0.2.
10.1.4	10.1.4.1.0	#1: This is tracked with Oracle bug 4995600. This should be applied on top of 10.1.4.0.0.
	Not available	#2: This is tracked with Oracle bug 5448253. This should be applied on top of 10.1.4.0.0.

- In a Portal crawl, if the crawler user specified in the **Home - Sources - Authentication** page does not have privileges to see certain Portal pages, then on subsequent incremental crawls, when privileges are granted to the user, the content is not picked up by the crawler.

Workaround: Update the crawler re-crawl policy to **Process All Documents** on the **Home - Schedules - Edit Schedules** page, and restart the crawl.

This is tracked with Oracle bug 5665224.

EMC Documentum Content Server Source Issues

- EMC Documentum Content Server source creation fails.

Workaround:

1. Create the folder \$ORACLE_HOME/search/lib/plugins/dcs/dcsOthers.
2. Copy (not move) \$ORACLE_HOME/search/lib/plugins/dcs/dfc.properties to \$ORACLE_HOME/search/lib/plugins/dcs/dcsOthers.
3. In the oc4j/j2ee/OC4J_SEARCH/config/application.xml file, change the following line:

```
<library path="../../../search/lib/plugins/dcs/" />
```

to:

```
<library path="../../../search/lib/plugins/dcs/dcsOthers" />
```

4. Run the following command:

```
$ORACLE_HOME/bin/searchctl restartall
```

This is tracked with Oracle bug 5664924.

- On AIX 5L Based Systems (64-bit), crawl of a Documentum source requires C++ runtime version of 6.0, 8.0 or higher to be installed on the system. Version 7.0 of the C++ runtime library is not certified. If this version is installed on the system, consider upgrading to version 8.0 instead.

This is a requirement of the Documentum Foundation Classes (DFC). Check the DFC documentation for the latest available certification information.

FileNet Content Engine Source Issues

- FileNet Content Engine sources cannot be created from the **Home - Sources** page.

Workaround:

1. Go to **Global Settings - Source Types** page.
2. Delete the **FileNet Content Engine** source type.
3. Click **Create**.
4. Enter the following values:
 - **Name:** FileNet Content Engine
 - **Description:** FileNet Content Engine source type
 - **Plug-in Manager Java Class Name:**
oracle.search.plugin.ce.CECrawlerPluginManager
 - **Plug-in Jar File Name:** fnetce/CEPlugin.jar
5. Click **Next**.
6. Click **Finish**.
7. Create a source from the dropdown list on the **Home - Sources** page.

This is tracked with Oracle bug 5673542.

NTFS Source Issues

- The **Use local display URL** option, when used for both a file source and an NTFS source, does not work for files with multibyte characters in the path or file name when you use a non-Internet Explorer (such as FireFox) browser.

This is tracked with Oracle bug 5704288.

- With NTFS sources, non-ASCII (such as Japanese) path and file names show as hexadecimal letters on the subgroup, such as %e3%81%ab%e3%81%bb.

This is tracked with Oracle bug 5660243.

- On Windows, the Oracle SES process must be run as domain administrator to crawl remote machines on the domain. This is an important prerequisite to crawl remote machines for NTFS. Follow these steps to run the Oracle SES process as the domain administrator:
 1. Go to %ORACLE_HOME%\NETWORK\ADMIN.
 2. Edit sqlnet.ora by changing "SQLNET.AUTHENTICATION_SERVICES= (NTS) " to "SQLNET.AUTHENTICATION_SERVICES= (NONE) ".
 3. Go to **Control Panel - Administrative Tools - Services**.

4. Select the process **OracleService<Search Server Name that you specified during installation>**.
5. Stop this process.
6. Right-click and select **Properties**.
7. Select the **Log on** tab.
8. Select the **This account** option and enter the domain administrator name and password.
9. Restart Oracle SES with `searchctl startall`.

If the following error appears:

ORA-01017: invalid username/password; logon denied please issue the following statements during startup and shutdown:

Enter the following statement if the error appears after Oracle SES startup:

```
> sqlplus eqsys/<admin passwd>
> EXECUTE eq_adm.del_passwd_cleanup;
```

Or, enter the following statement if the error appears before Oracle SES shutdown:

```
> sqlplus eqsys/<admin passwd>
> EXECUTE eqsys.eq_crw.stop_all_schedules(60,5);
```

This is tracked with Oracle bug 5601413.

Open Text Livelink Source Issues

- Open Text Livelink sources cannot be created from the **Home - Sources** page.

Workaround:

1. Go to the **Global Settings - Source Types** page.
2. Delete the **Open Text Live Link CS** source type.
3. Click **Create**.
4. Enter the following values:
 - **Name:** Open Text Live Link CS
 - **Description:** Open Text Live Link CS source type
 - **Plug-in Manager Java Class Name:**
oracle.search.plugin.llcs.LLCSCrawlerPluginManager
 - **Plug-in Jar File Name:** llcs/LLCSCrawlerPlugin.jar
5. Click **Next**.
6. Click **Finish**.
7. Create a source from the dropdown list on the **Home - Sources** page.

This is tracked with Oracle bug 5685118.

Oracle Calendar Source Issues

With Oracle Calendar sources, when a proxy server is set on the **Global Settings - Proxy Settings** page, even with proper domain exclusion, the crawler fails. This is because the LDAP connection closes every 15 - 20 minutes.

Workaround: Remove the proxy setting.

This is tracked with Oracle bug 5643451.

Microsoft Exchange Source Issues

Following the instructions in the *Oracle SES Administrator's Guide* to configure the Exchange Agent to connect to native Exchange Server store, step 4d cannot be completed as required. It gives an error message.

Workaround: Edit the `web.config` file with the following:

```
<appSettings>
  <add key="ExchangeServer" value="<ExchangeServerName>" />
  <add key="Superuser" value="Administrator" />
  <add key="ExserverUrl" value="http://<host>/exchsange" />
  <add key="PublicFolderUrl" value="http://<host>/public" />
  <add key="ServiceUserName" value="Service" />
  <add key="ServicePassword" value="Service" />
  <add key="tempFolder" value="" />
</appSettings>
```

This is tracked with Oracle bug 5706524.

Oracle E-Business Suite Source Issues

- To search Oracle Human Capital Management (HCM), see Note 400258.1 on Oracle Metalink:

<http://metalink.oracle.com>

- To search Oracle iProcurement, download ARU patch number 5608131.

Upgrade Issues

- When an Oracle SES instance is upgraded to 10.1.8, documents in upgraded file sources are not shown in the browse hierarchy. (Documents in newly created file sources *are* shown in the browse hierarchy). This is due to bug fix 5486092 included in 10.1.8.

Workaround: To make an upgraded file source consistent with a newly created file source, re-crawl the upgraded file source with the re-crawl policy set to **Process All Documents**.

This is tracked with Oracle bug 5682329.

- The upgrade can hang at the point of hardening listener.

Workaround:

1. Click **Stop** in Oracle Universal Installer. Do not quit from Oracle Universal Installer.
2. Go to the new `$ORACLE_HOME/bin`.

3. Set the \$ORACLE_HOME and \$ORACLE_SID.

4. Execute the following:

```
./lsnrctl start
```

5. Return to Oracle Universal Installer and press **Retry**.

This is tracked with Oracle bug 5631752.

- When running a silent upgrade, the log file displays the following message:

```
Warning:*** Alert: A configuration script needs to be run as root for the
installation to be complete. Please run
/scratch/aime/SESHome/1018a/root.sh as root at the end of install. ***
```

Workaround: No action is necessary. This warning is harmless.

This is tracked with Oracle bug 5383095.

- When an Oracle SES instance is upgraded from 10.1.6 to 10.1.8, uppercase STRING type attribute values, such as "ORACLE", cannot be searched in the advanced attribute search with the EQUALS (=) operator.
 - New installations are not affected.
 - Upgrade of an instance with all lowercase attribute values is not affected.
 - Upgrade of an instance with some uppercase attributes values with other operators, like CONTAINS, is not affected.

Workarounds: After upgrade, either:

- Update the crawler re-crawl policy to **Process All Documents** on the **Home - Schedules - Edit Schedules** page, and re-crawl the sources.
- Use CONTAINS instead of EQUALS (=) in the advanced attribute search.

This is tracked with Oracle bug 5616119.

- A Siebel 8 source cannot be created in an upgraded instance of Oracle SES from the **Home - Sources** page.

Workaround:

1. On the **Global Settings - Source Types** page, edit the **Siebel 8** source type.
2. Delete the parameter **Max. no. of connection attempts**.
3. Click **Add parameter** to add the following parameter:
 - **Name:** Maximum number of connection attempts
 - **Description:** Maximum number of connection attempts to access data feed or upload status feed
 - **Encrypt Parameter:** No
4. Click **Apply**.

This is tracked with Oracle bug 5673588.

- Upgraded environments do not include all document types that Oracle SES can process. Oracle SES 10.1.8 can process the following document types:
 - Dca-Rft Document

- Freelance Document
- GNU ZIP Archive
- JustSystems Ichitaro
- Lotus 123 Document
- Lotus Word Pro
- Microsoft Access Document
- Microsoft Project
- Microsoft Visio
- Microsoft Works Word Processor Document
- MsWrite Document
- Quattro Pro for DOS Document
- Quattro Pro for Windows Document
- RTF Document
- StarOffice Calc Document
- StarOffice Impress Document
- Word Perfect 5.1 Document
- Word Perfect 6 Document
- X-Ami Document
- XML
- ZIP Archive

Workaround: After upgrade:

1. Go to `$ORACLE_HOME/search/admin`.
2. Launch SQL*Plus and connect as EQSYS user.
3. Execute `eq0pop1.sql`.

If any exceptions are thrown, no action is necessary. These messages are harmless.

This is tracked with Oracle bug 5664707.

- Upgraded environments do not include all default character sets that Oracle SES supports; for example, upgraded environments do not include Standard UTF-16 and Windows Japanese.

Workaround: After upgrade:

1. Go to `$ORACLE_HOME/search/admin`.
2. Launch SQL*Plus and connect as EQSYS user.
3. Execute `eq0pop1.sql`.

This is tracked with Oracle bug 5705232.

Documentation Errata

This section corrects errors in the existing documentation.

Installation and Upgrade Guide for Linux x86

Under "Changing the Oracle SES Middle Tier Port", running the following step is incorrect:

```
chown -R <user> $ORACLE_HOME/oc4j/j2ee $ORACLE_HOME/search/opmn
$ORACLE_HOME/persistence
```

The correct step to run is as follows:

```
chown -R <user> $ORACLE_HOME/search/opmn
$ORACLE_HOME/oc4j/j2ee/OC4J_SEARCH/persistence
```

Administrator's Guide

- Chapter 4, "Activating an Identity Plug-in" should include the following important note:

The Active Directory identity plug-in requires that Oracle SES be installed on a machine that is part of the Windows domain. Check the `/etc/hosts` file for a full name entry for the local machine. Running the `domainname` command as root sets the domain name correctly. If necessary, add the IP address and Windows domain name map to this file.

- Chapter 5, "Important Notes for EMC Documentum Content Server Sources" lists the following required task:
 - For UNIX, copy `libdmcl40.so` from `<DFC destination directory>/dfc` to `ORACLE_HOME/product/<version>/<SES Instance Name>/lib`.

This is incorrect. Instead, copy the Documentum Foundation Classes (DFC) according to the following table:

Table 2 DFC Files to Copy for UNIX Platforms

Platform	Copy File	From	To
Linux x86	<code>libdmcl40.so</code>	<code><DFC destination directory>/dfc</code>	<code>ORACLE_HOME/lib</code>
Linux x86-64	<code>libdmcl40.so</code>	<code><DFC destination directory>/dfc</code>	<code>ORACLE_HOME/lib32</code>
Solaris SPARC (64-bit)	<code>libdmcl40.so</code>	<code><DFC destination directory>/dfc</code>	<code>ORACLE_HOME/lib32</code>
HP-UX PA-RISC (64-bit)	<code>libdmcl40.sl</code>	<code><DFC destination directory>/dfc</code>	<code>ORACLE_HOME/lib32</code>
AIX 5L Based Systems (64-bit)	<code>libdmcl40.so</code>	<code><DFC destination directory>/dfc</code>	<code>ORACLE_HOME/lib32</code>
HP-UX Itanium	<code>libdmcl40.so</code>	<code><DFC destination directory>/dfc</code>	<code>ORACLE_HOME/lib32</code>

- Chapter 5, "Important Notes for EMC Documentum Content Server Sources" includes the following note:

Note: The environment variables `DOCUMENTUM_SHARED` (DFC Program root) and `DOCUMENTUM` (DFC user directory) must be created before installing DFC on UNIX. See the DFC installation guide for more information.

This note should also contain the following information:

You must declare `DOCUMENTUM` and `DOCUMENTUM_SHARED` before restarting the middle tier with `searchctl restartall`.

- Chapter 5, "Setting Up Secure NTFS Sources for Windows" should include the following item as Step 4 under "Required Tasks":

4.) Copy `dsofile.dll` and `Interop.Dsofile.dll` to `$ORACLE_HOME/search/lib/plugins/NTFS`.

- Chapter 5, "Setting Up Secure NTFS Sources for UNIX" lists the following parameter descriptions:
 - **USER NAME:** User name to authenticate between Oracle SES and Microsoft Exchange: (configuration parameters similar to Exchange Agent in IIS)
 - **PASSWORD:** Password to authenticate between Oracle SES and Microsoft Exchange: (configuration parameters similar to Exchange Agent in IIS)

This is incorrect. The following parameter descriptions are correct:

- **USER NAME:** User name to authenticate between Oracle SES and NTFS (configuration parameters same as NTFS Agent in IIS)
- **PASSWORD:** Password to authenticate between Oracle SES and NTFS (configuration parameters same as NTFS Agent in IIS)
- Chapter 5, "Creating an Open Text Livelink Source" should include the following parameter required for Open Text Livelink sources:

Livelink URL: The Livelink URL for viewing objects from the Livelink Server. For example, for Windows, the URL should be (http or) `https://<host_name>/<livelink_service>/livelink.exe`. For other application servers like Weblogic, Tomcat, and WebSphere, the URL should be (http or) `https://<host_name>:<port>/<livelink_service>/livelink`.

- Chapter 6, "Tips for Using File Sources" should include the following items:
 - For file protocol-based sources, such as file or NTFS source types, you can control where to retrieve the file when a user clicks the search result. By default, the file is retrieved by Oracle SES and delivered to the browser. You can change this to redirect the file URL to the local browser and let the browser retrieve it from the local machine. Using a local browser for fetching the file will work for Internet Explorer if the browser and the file are in the same domain. If they are in different domains, then depending on the domain security setting, this option may not work. For all other browsers, this option only works for file URLs when the browser and the file are in the same domain, and the file name and path consist only of ASCII characters.

- The **Use local display URL** option set to false does not work if Oracle SES is installed on a UNIX platform. This option does work if Oracle SES is installed on Windows, as long as the client browser is on a Windows machine with the same domain as the file system.
- In Appendix A, "10.1.6 to 10.1.8 Upgrade", the section "Oracle SES 10.1.6 federating to Oracle SES 10.1.8" is incorrect.

The following steps are correct:

1. Get an entity name(DN) and password that is the application entity created for the Oracle SES 10.1.6 instance in Oracle Internet Directory. If the application entity is not found in Oracle Internet Directory, then connect the federation broker to the directory. For example, the application entity of the federation broker is:

```
orclApplicationCommonName=oesEntity_
broker,cn=OES,cn=Products,cn=OracleContext,dc=us,dc=oracle,dc=com
```

The password for this entity is same as the Oracle SES admin password when Oracle SES was connected to the directory.

2. Create a federation trusted entity on the endpoint instance with the entity name and password obtained from the previous step. The Authentication Attribute should be the name of the attribute (in the directory to which endpoint is connected) corresponding to the `orclguid` attribute (in the Oracle Internet Directory the broker instance is connected to). If both broker and endpoint instance are connected to same Oracle Internet Directory, then the name of the attribute is `orclguid`.

Only authentication by password will be used for this entity.

Online Help

- The online help for the **Global Settings - Source Types - Create Source Types** page says the following: "In either case, the jar file or class files must be placed in the `search/lib/agent` directory under the Oracle SES installed location. If the class files are in a jar file, then you can create a subdirectory under this directory. For example, put the plug-in jar `sample.jar` in `search/lib/agent/sample`." This is incorrect. The correct directory is `search/lib/plugins`.

The section should say the following: "In either case, the jar file or class files must be placed in the `search/lib/plugins` directory under the Oracle SES installed location. If the class files are in a jar file, then you can create a subdirectory under this directory. For example, put the plug-in jar `sample.jar` in `search/lib/plugins/sample`."

- The **Home - Sources - Create Table Source** page states, "The following data types are supported for table sources: BLOB, CLOB, CHAR, VARCHAR, VARCHAR2." The BFILE data type is also supported.
- Links to the Copyright in the online help pages of the in the end user search page and in the installation do not work. Here is the correct copyright notice:

Copyright Notice

Copyright © 2006, Oracle. All rights reserved.

Trademark Notice

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible, with good usability, to the disabled community. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Accessibility standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For more information, visit the Oracle Accessibility Program Web site at

<http://www.oracle.com/accessibility/>

Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

TTY Access to Oracle Support Services

Oracle provides dedicated Text Telephone (TTY) access to Oracle Support Services within the United States of America 24 hours a day, seven days a week. For TTY support, call 800.446.2398.

Oracle Secure Enterprise Search Release Notes, 10g Release 1 (10.1.8) for All Platforms
B32261-01

Copyright © 2006, Oracle. All rights reserved.

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software—Restricted Rights (June 1987). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, and PeopleSoft are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.