

---

# PeopleSoft Enterprise Human Resources 9.0 PeopleBook: Administer Company Cars

---

**December 2006**

PeopleSoft Enterprise Human Resources 9.0 PeopleBook: Administer Company Cars  
SKU HRCS9HCC-B 1206  
Copyright © 1988-2006, Oracle. All rights reserved.

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

### **U.S. GOVERNMENT RIGHTS**

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are “commercial computer software” or “commercial technical data” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee’s responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

### **Open Source Disclosure**

Oracle takes no responsibility for its use or distribution of any open source or shareware software or documentation and disclaims any and all liability or damages resulting from use of said software or documentation. The following open source software may be used in Oracle’s PeopleSoft products and the following disclaimers are provided.

#### *Apache Software Foundation*

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Copyright © 2000-2003. The Apache Software Foundation. All rights reserved. Licensed under the Apache License, Version 2.0 (the “License”); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

#### *OpenSSL*

Copyright © 1998-2005 The OpenSSL Project. All rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>).

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT “AS IS” AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#### *Loki Library*

Copyright © 2001 by Andrei Alexandrescu. This code accompanies the book: Alexandrescu, Andrei. “Modern C++ Design: Generic Programming and Design Patterns Applied”. Copyright © 2001 Addison-Wesley. Permission to use, copy, modify, distribute and sell this software for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

#### *Helma Project*

Copyright © 1999-2004 Helma Project. All rights reserved. THIS SOFTWARE IS PROVIDED “AS IS” AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE HELMA PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Helma includes third party software released under different specific license terms. See the licenses directory in the Helma distribution for a list of these license.

#### *Sarissa*

Copyright © 2004 Manos Batsis.

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA.

#### *ICU*

ICU License - ICU 1.8.1 and later COPYRIGHT AND PERMISSION NOTICE Copyright © 1995-2003 International Business Machines Corporation and others. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation. THE SOFTWARE IS PROVIDED "AS IS," WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

*Sun's JAXB Implementation – JSDK 1.5 relaxngDatatype.jar 1.0 License*

Copyright © 2001, Thai Open Source Software Center Ltd, Sun Microsystems. All rights reserved.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#### *W3C IPR SOFTWARE NOTICE*

Copyright © 2000 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

Note: The original version of the W3C Software Copyright Notice and License could be found at <http://www.w3.org/Consortium/Legal/copyright-software-19980720>.

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS. COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

# Contents

## General Preface

**About This PeopleBook Preface** .....ix

PeopleSoft Enterprise Application Prerequisites.....ix

Application Fundamentals.....ix

Documentation Updates and Printed Documentation.....x

    Obtaining Documentation Updates.....x

    Downloading and Ordering Printed Documentation.....x

Additional Resources.....xi

Typographical Conventions and Visual Cues.....xii

    Typographical Conventions.....xii

    Visual Cues.....xiii

    Country, Region, and Industry Identifiers.....xiii

    Currency Codes.....xiv

Comments and Suggestions.....xiv

Common Elements Used in PeopleBooks.....xiv

## Preface

**PeopleSoft Enterprise Human Resources Administer Company Cars Preface**.....xvii

PeopleSoft Applications.....xvii

PeopleSoft Enterprise HRMS Application Fundamentals.....xvii

PeopleBook Structure.....xvii

## Chapter 1

**Getting Started with Administer Company Cars**.....1

Administer Company Cars Overview.....1

Administer Company Cars Business Processes.....2

Administer Company Cars Integrations.....3

Administer Company Cars Implementation.....3

## Chapter 2

**Setting Up Administer Company Cars**.....5

Setting Up the Company Car Benefit Plan.....5

    Pages Used to Set Up the Company Car Benefit Plan.....5

Creating and Naming the Company Car Benefit Plan.....5

Entering Company Car Benefit Information.....6

Adding the Company Car Benefit Plan to Benefit Programs.....7

Setting Up Company Car Fleet Information.....8

Common Element Used in This Section.....8

Pages Used to Set Up Company Car Fleet Information.....9

Tracking Company Cars.....9

Entering Location Information.....10

Entering a Car Profile.....11

Recording Allocation Information and Tracking Car Pooling Information.....13

Recording Maintenance History.....13

**Chapter 3**

**Administering Company Cars for a Workforce.....17**

Allocating Company Cars.....17

Pages Used to Allocate Company Cars.....17

Enrolling Employees in Company Car Plans.....17

Allocating Company Cars.....18

(GBR) Tracking Company Cars and Vehicle Incidents.....20

Understanding Tracking Functionality.....21

Pages Used to Track Company Cars and Vehicle Incidents.....21

Calculating P11D Information Benefit Amounts.....21

Verifying P11D Information Calculation Results Online.....22

Running Company Car Reports.....24

Pages Used to Run Company Car Reports.....24

**Chapter 4**

**(GBR) Defining Tax Percentages and Engine Types.....25**

Understanding Emissions Taxes.....25

Defining Tax Percentages and Engine Types.....25

Pages Used to Tax Percentages and Engine Types.....25

Defining Tax Percentages.....26

Defining Engine Types.....26

**Glossary of PeopleSoft Enterprise Terms.....29**

**Index .....55**



# About This PeopleBook Preface

PeopleSoft Enterprise PeopleBooks provide you with the information that you need to implement and use PeopleSoft Enterprise applications from Oracle.

This preface discusses:

- PeopleSoft Enterprise application prerequisites.
- Application fundamentals.
- Documentation updates and printed documentation.
- Additional resources.
- Typographical conventions and visual cues.
- Comments and suggestions.
- Common elements in PeopleBooks.

---

**Note.** PeopleBooks document only elements, such as fields and check boxes, that require additional explanation. If an element is not documented with the process or task in which it is used, then either it requires no additional explanation or it is documented with common elements for the section, chapter, PeopleBook, or product line. Elements that are common to all PeopleSoft Enterprise applications are defined in this preface.

---

---

## PeopleSoft Enterprise Application Prerequisites

To benefit fully from the information that is covered in these books, you should have a basic understanding of how to use PeopleSoft Enterprise applications.

You might also want to complete at least one introductory training course, if applicable.

You should be familiar with navigating the system and adding, updating, and deleting information by using PeopleSoft Enterprise menus, pages, or windows. You should also be comfortable using the World Wide Web and the Microsoft Windows or Windows NT graphical user interface.

These books do not review navigation and other basics. They present the information that you need to use the system and implement your PeopleSoft Enterprise applications most effectively.

---

## Application Fundamentals

Each application PeopleBook provides implementation and processing information for your PeopleSoft Enterprise applications.

For some applications, additional, essential information describing the setup and design of your system appears in a companion volume of documentation called the application fundamentals PeopleBook. Most product lines have a version of the application fundamentals PeopleBook. The preface of each PeopleBook identifies the application fundamentals PeopleBooks that are associated with that PeopleBook.

The application fundamentals PeopleBook consists of important topics that apply to many or all PeopleSoft Enterprise applications. Whether you are implementing a single application, some combination of applications within the product line, or the entire product line, you should be familiar with the contents of the appropriate application fundamentals PeopleBooks. They provide the starting points for fundamental implementation tasks.

---

## Documentation Updates and Printed Documentation

This section discusses how to:

- Obtain documentation updates.
- Download and order printed documentation.

### Obtaining Documentation Updates

You can find updates and additional documentation for this release, as well as previous releases, on Oracle's PeopleSoft Customer Connection website. Through the Documentation section of Oracle's PeopleSoft Customer Connection, you can download files to add to your PeopleBooks Library. You'll find a variety of useful and timely materials, including updates to the full line of PeopleSoft Enterprise documentation that is delivered on your PeopleBooks CD-ROM.

---

**Important!** Before you upgrade, you must check Oracle's PeopleSoft Customer Connection for updates to the upgrade instructions. Oracle continually posts updates as the upgrade process is refined.

---

### See Also

Oracle's PeopleSoft Customer Connection, [http://www.oracle.com/support/support\\_peoplesoft.html](http://www.oracle.com/support/support_peoplesoft.html)

### Downloading and Ordering Printed Documentation

In addition to the complete line of documentation that is delivered on your PeopleBook CD-ROM, Oracle makes PeopleSoft Enterprise documentation available to you via Oracle's website. You can:

- Download PDF files.
- Order printed, bound volumes.

#### Downloading PDF Files

You can download PDF versions of PeopleSoft Enterprise documentation online via the Oracle Technology Network. Oracle makes these PDF files available online for each major release shortly after the software is shipped.

See Oracle Technology Network, <http://www.oracle.com/technology/documentation/psftent.html>.

#### Ordering Printed, Bound Volumes

You can order printed, bound volumes of selected documentation via the Oracle Store.

See Oracle Store, [http://oraclestore.oracle.com/OA\\_HTML/ibeCCtpSctDspRte.jsp?section=14021](http://oraclestore.oracle.com/OA_HTML/ibeCCtpSctDspRte.jsp?section=14021)

## Additional Resources

The following resources are located on Oracle's PeopleSoft Customer Connection website:

Resource	Navigation
Application maintenance information	Updates + Fixes
Business process diagrams	Support, Documentation, Business Process Maps
Interactive Services Repository	Support, Documentation, Interactive Services Repository
Hardware and software requirements	Implement, Optimize + Upgrade; Implementation Guide; Implementation Documentation and Software; Hardware and Software Requirements
Installation guides	Implement, Optimize + Upgrade; Implementation Guide; Implementation Documentation and Software; Installation Guides and Notes
Integration information	Implement, Optimize + Upgrade; Implementation Guide; Implementation Documentation and Software; Pre-Built Integrations for PeopleSoft Enterprise and JD Edwards EnterpriseOne Applications
Minimum technical requirements (MTRs)	Implement, Optimize + Upgrade; Implementation Guide; Supported Platforms
Documentation updates	Support, Documentation, Documentation Updates
PeopleBooks support policy	Support, Support Policy
Prerelease notes	Support, Documentation, Documentation Updates, Category, Release Notes
Product release roadmap	Support, Roadmaps + Schedules
Release notes	Support, Documentation, Documentation Updates, Category, Release Notes
Release value proposition	Support, Documentation, Documentation Updates, Category, Release Value Proposition
Statement of direction	Support, Documentation, Documentation Updates, Category, Statement of Direction
Troubleshooting information	Support, Troubleshooting
Upgrade documentation	Support, Documentation, Upgrade Documentation and Scripts

---

## Typographical Conventions and Visual Cues

This section discusses:

- Typographical conventions.
- Visual cues.
- Country, region, and industry identifiers.
- Currency codes.

### Typographical Conventions

This table contains the typographical conventions that are used in PeopleBooks:

Typographical Convention or Visual Cue	Description
<b>Bold</b>	Indicates PeopleCode function names, business function names, event names, system function names, method names, language constructs, and PeopleCode reserved words that must be included literally in the function call.
<i>Italics</i>	Indicates field values, emphasis, and PeopleSoft Enterprise or other book-length publication titles. In PeopleCode syntax, italic items are placeholders for arguments that your program must supply.  We also use italics when we refer to words as words or letters as letters, as in the following: Enter the letter <i>O</i> .
KEY+KEY	Indicates a key combination action. For example, a plus sign (+) between keys means that you must hold down the first key while you press the second key. For ALT+W, hold down the ALT key while you press the W key.
Monospace font	Indicates a PeopleCode program or other code example.
“ ” (quotation marks)	Indicate chapter titles in cross-references and words that are used differently from their intended meanings.
. . . (ellipses)	Indicate that the preceding item or series can be repeated any number of times in PeopleCode syntax.
{ } (curly braces)	Indicate a choice between two options in PeopleCode syntax. Options are separated by a pipe ( ).

Typographical Convention or Visual Cue	Description
[ ] (square brackets)	Indicate optional items in PeopleCode syntax.
& (ampersand)	<p>When placed before a parameter in PeopleCode syntax, an ampersand indicates that the parameter is an already instantiated object.</p> <p>Ampersands also precede all PeopleCode variables.</p>

## Visual Cues

PeopleBooks contain the following visual cues.

### Notes

Notes indicate information that you should pay particular attention to as you work with the PeopleSoft Enterprise system.

---

**Note.** Example of a note.

---

If the note is preceded by *Important!*, the note is crucial and includes information that concerns what you must do for the system to function properly.

---

**Important!** Example of an important note.

---

### Warnings

Warnings indicate crucial configuration considerations. Pay close attention to warning messages.

---

**Warning!** Example of a warning.

---

### Cross-References

PeopleBooks provide cross-references either under the heading “See Also” or on a separate line preceded by the word *See*. Cross-references lead to other documentation that is pertinent to the immediately preceding documentation.

## Country, Region, and Industry Identifiers

Information that applies only to a specific country, region, or industry is preceded by a standard identifier in parentheses. This identifier typically appears at the beginning of a section heading, but it may also appear at the beginning of a note or other text.

Example of a country-specific heading: “(FRA) Hiring an Employee”

Example of a region-specific heading: “(Latin America) Setting Up Depreciation”

### Country Identifiers

Countries are identified with the International Organization for Standardization (ISO) country code.

## Region Identifiers

Regions are identified by the region name. The following region identifiers may appear in PeopleBooks:

- Asia Pacific
- Europe
- Latin America
- North America

## Industry Identifiers

Industries are identified by the industry name or by an abbreviation for that industry. The following industry identifiers may appear in PeopleBooks:

- USF (U.S. Federal)
- E&G (Education and Government)

## Currency Codes

Monetary amounts are identified by the ISO currency code.

---

## Comments and Suggestions

Your comments are important to us. We encourage you to tell us what you like, or what you would like to see changed about PeopleBooks and other Oracle reference and training materials. Please send your suggestions to your product line documentation manager at Oracle Corporation, 500 Oracle Parkway, Redwood Shores, CA 94065, U.S.A. Or email us at [appsdoc@us.oracle.com](mailto:appsdoc@us.oracle.com).

While we cannot guarantee to answer every email message, we will pay careful attention to your comments and suggestions.

---

## Common Elements Used in PeopleBooks

<b>As of Date</b>	The last date for which a report or process includes data.
<b>Business Unit</b>	An ID that represents a high-level organization of business information. You can use a business unit to define regional or departmental units within a larger organization.
<b>Description</b>	Enter up to 30 characters of text.
<b>Effective Date</b>	The date on which a table row becomes effective; the date that an action begins. For example, to close out a ledger on June 30, the effective date for the ledger closing would be July 1. This date also determines when you can view and change the information. Pages or panels and batch processes that use the information use the current row.

<b>Once, Always, and Don't Run</b>	<p>Select Once to run the request the next time the batch process runs. After the batch process runs, the process frequency is automatically set to Don't Run.</p> <p>Select Always to run the request every time the batch process runs.</p> <p>Select Don't Run to ignore the request when the batch process runs.</p>
<b>Process Monitor</b>	<p>Click to access the Process List page, where you can view the status of submitted process requests.</p>
<b>Report Manager</b>	<p>Click to access the Report List page, where you can view report content, check the status of a report, and see content detail messages (which show you a description of the report and the distribution list).</p>
<b>Request ID</b>	<p>An ID that represents a set of selection criteria for a report or process.</p>
<b>Run</b>	<p>Click to access the Process Scheduler request page, where you can specify the location where a process or job runs and the process output format.</p>
<b>SetID</b>	<p>An ID that represents a set of control table information, or TableSets. TableSets enable you to share control table information and processing options among business units. The goal is to minimize redundant data and system maintenance tasks. When you assign a setID to a record group in a business unit, you indicate that all of the tables in the record group are shared between that business unit and any other business unit that also assigns that setID to that record group. For example, you can define a group of common job codes that are shared between several business units. Each business unit that shares the job codes is assigned the same setID for that record group.</p>
<b>Short Description</b>	<p>Enter up to 15 characters of text.</p>
<b>User ID</b>	<p>An ID that represents the person who generates a transaction.</p>



# PeopleSoft Enterprise Human Resources Administer Company Cars Preface

This preface discusses:

- PeopleSoft applications.
- PeopleSoft Enterprise HRMS Application Fundamentals.
- PeopleBook structure.

---

## PeopleSoft Applications

This PeopleBook refers to the following PeopleSoft application: PeopleSoft Enterprise Human Resources Administer Company Cars.

---

## PeopleSoft Enterprise HRMS Application Fundamentals

Additional, essential information describing the setup and design of your system appears in a companion volume of documentation called *PeopleSoft Enterprise HRMS 9.0 Application Fundamentals PeopleBook*. Each PeopleSoft line of applications has its own version of this documentation.

---

**Note.** One or more pages in Administer Company Cars operate in deferred processing mode. Deferred processing is described in the preface in the *PeopleSoft Enterprise HRMS 9.0 Application Fundamentals PeopleBook*.

---

### See Also

*PeopleSoft Enterprise HRMS 9.0 Application Fundamentals PeopleBook*, “PeopleSoft Enterprise HRMS Application Fundamentals Preface”

---

## PeopleBook Structure

PeopleSoft PeopleBooks follow a common structure. By understanding this structure, you can use this PeopleBook more efficiently.

The PeopleBooks structure conveys a task-based hierarchy of information. Each chapter describes a process that is required to set up or use the application. Chapter sections describe each task in the process. Subsections within a section describe a single step in the process task.

Some PeopleBooks may also be divided into parts. PeopleBook parts can group together similar implementation or business process chapters within an application or group together two or more applications that integrate into one overall business solution. When a book is divided into parts, each part is divided into chapters.

The following table provides the order and descriptions of chapters in a PeopleBook:

Chapters	Description
Preface	<p>This is the chapter you're reading now. It explains:</p> <ul style="list-style-type: none"> <li>• How to use the Application Fundamentals book.</li> <li>• How PeopleBooks are structured.</li> <li>• Common elements used in the PeopleBook, if necessary.</li> </ul>
Getting Started With...	<p>This chapter discusses implementation guidelines. It explains:</p> <ul style="list-style-type: none"> <li>• The business processes documented within the book.</li> <li>• Integrations between the application and other applications.</li> <li>• A high-level description of how our documentation maps to the overall implementation process; it doesn't offer step-by-step guidance on how to perform an actual implementation.</li> </ul>
Navigation	<p>(Optional) Some PeopleSoft applications provide modified navigation pages that contain groupings of folders that support a specific business process, task, or user role. When an application contains modified navigation pages, this chapter provides basic navigation information for these pages.</p> <p><b>Note.</b> Not all applications have delivered modified navigation pages.</p>
Understanding...	<p>(Optional) This is an introductory chapter that broadly explains the application and the functionality within the application.</p>

Chapters	Description
Setup and Implementation	<p>This can be one or more chapters. These chapters contain documentation to assist you in setting up and implementing the application. For example, if functionality X is part of an application, this chapter would be devoted to explaining how to set up functionality X, not necessarily how to use functionality X. You would look to the corresponding business process chapter to learn how to use the functionality.</p> <p><b>Note.</b> There may be times when a small amount of business process information is included in a setup chapter if the amount of business process documentation was insufficient to create a separate section in the book.</p>
Business Process	<p>This can be one or more chapters. These chapters contain documentation that addresses specific business processes with each chapter generally devoted to a specific functional area. For example, if functionality X is part of an application, this chapter would be devoted to explain how the functionality works, not necessarily how to set up functionality X. You would look to the corresponding setup and implementation chapter to learn how to set up the functionality.</p> <p><b>Note.</b> There may be times when a small amount of setup and implementation information is included in a business process chapter if the amount of setup and implementation documentation was insufficient to create a separate chapter in the book.</p>
Appendixes	<p>(Optional) If the book requires it, one or more appendixes might be included in the book. Appendixes contain information considered supplemental to the primary documentation.</p>
Delivered Workflow Appendix	<p>(Optional) The delivered workflow appendix describes all of the workflows that are delivered for the application.</p> <p><b>Note.</b> Not all applications have delivered workflows.</p>
Reports Appendix	<p>(Optional) This appendix contains an abbreviated list of all of the application's reports. The detailed documentation on the use of these reports is usually included in the related business process chapter.</p>



# CHAPTER 1

## Getting Started with Administer Company Cars

This chapter discusses:


- Administer Company Cars overview.
- Administer Company Cars business processes.
- Administer Company Cars integrations.
- Administer Company Cars implementation.

---

### Administer Company Cars Overview

Administer Company Cars enables you to set up and administer company cars for an organization. Setup tasks include defining company car benefit plans and fleet data. Administration tasks include allocating and tracking company cars and defining tax percentages and engine types.

This diagram illustrates the Administer Company Cars business process:



Administer Company Cars business process

## Administer Company Cars Business Processes

Administer Company Cars provides these business processes:

- Set up company car benefit plans and car fleet data.
- Allocate and track company cars.
- (GBR) Define tax percentages and engine types.

This documentation discusses these business processes in the business process chapters in this PeopleBook.

---

## Administer Company Cars Integrations

Administer Company Cars integrates with these PeopleSoft applications:

- PeopleSoft Enterprise HRMS applications.
- Other PeopleSoft applications.
- Third-party applications.

This documentation discusses integration considerations in the implementation chapters in this PeopleBook.

Supplemental information about third-party application integrations is located on the PeopleSoft Customer Connection website.

### See Also

Interactive Services Repository on Customer Connection.

---

## Administer Company Cars Implementation

PeopleSoft Enterprise Setup Manager enables you to generate a list of setup tasks for your organization based on the features that you are implementing. The setup tasks include the components that you must set up, listed in the order in which you must enter data into the component tables, and links to the corresponding PeopleBook documentation.

### Other Sources of Information

In the planning phase of your implementation, take advantage of all PeopleSoft sources of information, including the installation documentation, table-loading sequences, data models, and business process maps.

### See Also

*PeopleSoft Enterprise HRMS 9.0 Application Fundamentals PeopleBook*, “PeopleSoft Enterprise HRMS Application Fundamentals Preface”

*Enterprise PeopleTools PeopleBook: PeopleSoft Setup Manager*



## CHAPTER 2

# Setting Up Administer Company Cars

This chapter discusses how to:

- Set up the company car benefit plan.
- Set up company car fleet information.

---

**Note.** This chapter is required. To implement Administer Company Cars, you must complete the tasks discussed in this chapter.

---

## Setting Up the Company Car Benefit Plan

To set up the company car benefit plan, use the Benefit Plan Table (BENEFIT\_PLAN\_TABLE) and Company Car Plan Table (CAR\_PLAN\_TABLE) components.

This section discusses how to:

- Create and name the company car benefit plan.
- Enter company car benefit information.
- Add the company car benefit plan to benefit programs.

---

**Note.** PeopleSoft considers a company car a benefit; therefore, some of the standard benefit plan codes and tables define the company car benefit.

Use the Benefit Plan table to set up all types of benefits, not just company cars.

---

## Pages Used to Set Up the Company Car Benefit Plan

Page Name	Object Name	Navigation	Usage
Benefit Plan Table	BENEFIT_PLAN_TABLE	Set Up HRMS, Product Related, Workforce Administration, Company Cars, Benefit Plan Table	Create and name company car benefit plans.
Company Car Plan Table	CAR_PLAN_TABLE	Set Up HRMS, Product Related, Workforce Administration, Company Cars, Company Car Plan Table	Enter company car benefit information that is specific to each company car benefit plan.

## Creating and Naming the Company Car Benefit Plan

Access the Benefit Plan Table page.

**Benefit Plan Table**

**Plan Type:** 5A      **Company Car**      **Benefit Plan:** KNCAR

**Benefit Plans**      Find | View All      First 1 of 1 Last

\*Effective Date: 01/01/1980

\*Description: Standard Car Scheme      **Short Description:** Car

SetID: NLD01

Vendor ID:

SPD URL ID:

Group Number:

Default Deduction Code: KN5A01 Company Car

Self-Service Plan Description:

**Internal Administrative Contacts**      First 1 of 1 Last

	*Contact Type	*Contact ID	Contact Description
1			

Benefit Plan Table page

**Plan Type and Benefit Plan**      Displays the plan type and benefit plan that you entered. Leave the remaining fields blank.

**See Also**

*PeopleSoft Enterprise Human Resources 9.0 PeopleBook: Manage Base Benefits*

**Entering Company Car Benefit Information**

Access the Company Car Plan Table page.

Company Car Plan Table		
<b>Plan Type:</b>	5A Company Car	
<b>Benefit Plan:</b>	KNCAR Standard Car Scheme	
Find   View All First 1 of 1 Last		
<b>*Effective Date:</b>	03/06/2006	
<b>Qualifying Period:</b>	<input type="text"/> Months	
<b>Allowance Amount:</b>	<input type="text"/> <input type="text"/>	
Price Range		
	<b>Minimum:</b>	<b>Maximum:</b>
<b>Purchase:</b>	<input type="text"/> 7000.00	<input type="text"/> 55,000.00
<b>Lease:</b>	<input type="text"/> 500.00	<input type="text"/> 1000.00
<b>Contract Hire:</b>	<input type="text"/> 500.00	<input type="text"/> 1000.00

Company Car Plan Table page

**Qualifying Period**

Enter the waiting or qualifying period for participating in this plan, if applicable. Select a unit by which to measure time and enter the number of those units.

**Allowance Amount**

If you offer an allowance amount instead of a car, enter the amount and the currency code for that amount. The currency code appears by default from the base currency code defined in the Installation table. If you change the currency code here, the new code applies to the other currency-related fields on this page.

**Price Range**

Use the fields in this group box to define the price range of a car. For example, a worker enrolled in the KGCAR benefit plan might have a car with a minimum list price of 7,000 and a maximum price of 55,000.

**Purchase**

List the minimum and maximum amount of purchase. Specify the currency of these amounts by entering a currency code next to Allowance Amount. This code controls all amount fields on this page.

**Lease and Contract Hire**

List minimum and maximum amount of lease or contract hire. Specify the currency of these amounts by entering a currency code to the right of the Allowance Amount field. This code controls all amount fields on this page.

**Adding the Company Car Benefit Plan to Benefit Programs**

To enable workers to use the car benefit plan, assign the plan to benefit programs and then assign benefit programs to workers.

To add the company car benefit plan to one of the organization's benefit and deduction programs, use the Benefit/Deduction Program Table pages. Select Set Up HRMS, Product Related, Workforce Administration, Company Cars, Ben/Ded Program Tbl. Use these same pages to define Benefit/Deduction Programs in the Benefit Program table.

### See Also

*PeopleSoft Enterprise Human Resources 9.0 PeopleBook: Manage Base Benefits*, "Building Base Benefit Programs," Building Benefit Programs

---

## Setting Up Company Car Fleet Information

To set up company car fleet information, use the Car Model Table (CAR\_MODEL\_TABLE), Car Management Location (CAR\_MG\_LOC\_TBL) , and Car Data (CAR\_DATA) components.

This section lists common elements and discusses how to:

- Track company cars.
- Enter location information.
- Enter a car profile.
- Record allocation information and track car pooling information.
- Record maintenance history.

Setting up car fleet information involves entering information about the cars, car models, car pool information, and vehicle maintenance. This information enables you to administer the allocation and tracking of company cars.

### Common Element Used in This Section

#### Car ID

Displays an identification code for a specific vehicle.

---

**Note.** To prevent numbering errors, always assign a number or let the system assign one automatically.

---

## Pages Used to Set Up Company Car Fleet Information

Page Name	Object Name	Navigation	Usage
Car Model Data	CAR_MODEL_DATA	Set Up HRMS, Product Related, Workforce Administration, Company Cars, Car Model Table, Car Model Table	Track company cars.
Car Management Location	CAR_MG_LOC_TBL	Set Up HRMS, Product Related, Workforce Administration, Company Cars, Car Management Location, Car Management Location	Enter location information detailing where car maintenance, leasing, and management occurs.
Car Profile	CAR_DATA1	Set Up HRMS, Product Related, Workforce Administration, Company Cars, Car Data, Car Profile	Enter details such as a profile of the car and accessories information.
Allocation	CAR_DATA2	Set Up HRMS, Product Related, Workforce Administration, Company Cars, Car Pool and Maint, Allocation	View allocation information, track car pool information, and enter comments about the car.
Maintenance	CAR_MAINT	Set Up HRMS, Product Related, Workforce Administration, Company Cars, Car Pool and Maint, Maintenance	Record a company car's car pool and maintenance history.

## Tracking Company Cars

Access the Car Model Data page.

Car Model Data

**Manufacturer:** BMW  
**Model:** 323i SE  
**Engine Type:** PET

Costs

**\*Effective Date:** 01/01/1980 Find | View All First 1 of 1 Last

**\*Status:** Active + -

**\*Engine Capacity:** 2500 Cubic Centimeters ▼

**High Insurance Risk**

**CO2 Emissions:**

**List Cost:**

**Lease Cost:**   ▼

**Contract Hire Cost:**

**Description:**

Car Model Data page

<b>Model</b>	Displays the manufacturer and model of the car.
<b>Engine Type</b>	Displays the engine type.
<b>Engine Capacity</b>	Enter the engine capacity for the model.
<b>High Insurance Risk</b>	Select this check box if this is a high-insurance car.
<b>CO2 Emissions g/km</b> (carbon dioxide emissions in grams per kilometer)	In the U.K., vehicle tax is based on carbon dioxide emissions. Enter the grams per kilometer emissions provided by the manufacturer in accordance with government guidelines.
<b>List Cost</b>	Enter the list cost. This is a required field that the system uses for tax purposes when performing P11D calculations. The currency code field next to the List Cost field applies to all amount fields on the page.
<b>Lease Cost</b>	For lease costs, select <i>Daily</i> , <i>Weekly</i> , <i>Monthly</i> , or <i>Yearly</i> .
<b>Contract Hire Cost</b>	For contract hire costs, enter the amount in the field.

## Entering Location Information

Access the Car Management Location page.

**Car Management Location**

**Location:** ABC Motor Group

---

**Location Type:** Garage

**Country:** GBR United Kingdom

**Address:** 55 Turnpike Road  
Shipham  
Somerset BS251TX [Edit Address](#)

**Telephone:**

**Description:**

Car Management Location page

**Location Type**

Values include:

*Garage:* Select for a car maintenance facility.

*Internal Management Center:* Select for a location within the company that manages a car.

*Lease Company:* Select for a company from which you lease cars for use in the program.

## Entering a Car Profile

Access the Car Profile page.

The screenshot shows the 'Car Profile' page for Car ID 0000010. The 'Car Details' section includes the following fields:

- \*Effective Date:** 01/01/1990
- \*Status:** Active
- Registration No.:** T451 RBI
- VIN:** 1997745 AX 8821
- \*Make:** Ford
- Model:** Mondeo 1.8 GLX
- Registration Date:** 03/01/1999
- Color:** Silver
- Provision Method:** Purchase
- Cost:** 17,000.00
- Currency Code:** GBP
- Management Location:** (empty)
- Country:** GBR (United Kingdom)
- County:** BERKS (Berkshire)

Car Profile page (1 of 2)

The screenshot shows the second page of the 'Car Profile' page. It includes the following fields:

- United Kingdom** (selected)
- Tax Renewal Date:** (empty)
- Age of Car:** 7
- Classic Car:**

The 'Accessories' table is also visible:

*Description	Cost	Installed	Removed
Kenwood Stereo	210.00	06/16/1999	

Car Profile page (2 of 2)

**Registration No.**  
(registration number) and  
**VIN** (vehicle identification  
number)

Enter the vehicle’s registration number and VIN.

**Make and Model**

Provide information in these required fields. Define values for make in the Translate table, and define values for model in the Car Model table.

**Registration Date and Color**

Enter the car’s registration date and select a color.

**Provision Method and Cost**

Select a provision method using the purchase, lease, and contract hire costs that you defined in the Car Model table. The system displays the car’s cost in the appropriate currency based on the provision method that you select. You can override these amounts.

**Management Location**

Select a management location for this vehicle. This field is optional. Car management locations are stored on the Car Management Locations page.

**(GBR) United Kingdom**

**Tax Renewal Date**

Enter a date. The date that you enter is for informational purposes only.

**Age of Car** Displays the car’s age calculated from the registration date that you entered on the Car Profile page.

**Classic Car** Select for cars that are 15 years or older.

**Accessories**

For each accessory, complete the fields in this group box.

## Recording Allocation Information and Tracking Car Pooling Information

Access the Allocation page.

Allocation page

**Registration No. and VIN** Displays the registration number and VIN that you entered on the Car Profile page.

**Currently Allocated To** Displays the ID and name of an individual if the car is assigned to a worker on the Company Car Allocation table.

**Car Pool**

Enter the start date and the end date of the car pool, and then enter the EmplID of the person who is responsible for the company car.

## Recording Maintenance History

Access the Maintenance page.

Allocation		Maintenance	
<b>Car ID:</b>	0000010	<b>Registration No.:</b>	T451 RBI
		<b>VIN:</b>	1997745 AX 8821
<b>Car Details</b> <span style="float: right;">Find First 1 of 3 Last</span>			
<b>*Maintenance Date:</b>	04/11/2000	Goto Row + -	
<b>Location:</b>	Cradock Garage		
<b>Action Code:</b>	Full Service		
<b>Present Distance:</b>	30,000 Miles		
<b>Comments:</b>			
<b>Next Service</b>			
<b>Distance:</b>	40,000	<b>Date:</b>	01/08/2001
<b>Car Details Mexico</b> <span style="float: right;">Find View All First 1 of 1 Last</span>			
<div style="border: 1px solid black; padding: 2px;"> <span style="font-size: small;">Mexico</span> </div>			
<b>*Effective Date</b>	03/09/2006	+ -	
<b>Inspection Type:</b>		<b>Stop Day:</b>	

Maintenance page

- Maintenance Date** Enter the date when the car was serviced.
- Location** Select a location from the list of locations that you defined on the Car Management Location table. *Garage* is the only location type that appears here.
- Action Code** Select a value from the available options.
- Present Distance** Enter the car's odometer reading as of the service date. Select *Miles* or *Kms* (kilometers).
- Next Service** If you selected *Full Service* as the action code, enter the distance and date for the car's next service. To enter additional car maintenance and service events, insert a new data row and enter a new maintenance date, if appropriate.

### (MEX) Mexico

Because of high pollution levels in Mexico, there are legal requirements for car inspections.

- Inspection Type** Values include:  
*Multiple Stop Day (2)*, *New Cars (00)*, *No Stop Day (0)*, and *One Stop Day (1)*.
- For example, if a car has an inspection type of *One Stop*, the car must not be used one day of the week.

**Stop Day**

Depending on the result of the inspection, you may need to specify a stop day when the car cannot be in use.

Values include:

*Monday, Tuesday, Wednesday, Thursday, and Friday.*



## CHAPTER 3

# Administering Company Cars for a Workforce

This chapter discusses how to:

- Allocate company cars.
- (GBR) Track company cars and vehicle incidents.
- Run company car reports.

---

## Allocating Company Cars

To allocate company cars, use the Select Type of Benefits (CAR\_PLAN) and Assign Type of Car/Dates (CAR\_ALLOCATION) components.

This section discusses how to:

- Enroll employees in company car plans.
- Allocate company cars.

Before allocating cars to employees, enroll them in the benefit plan.

## Pages Used to Allocate Company Cars

Page Name	Object Name	Navigation	Usage
Company Car Benefit	CAR_PLAN	Benefits, Provide Company Cars, Select Type of Benefits, Company Car Benefit	Enroll workers in the car benefit plan.
Company Car Allocation	CAR_ALLOCATION	Benefits, Provide Company Cars, Assign Type of Car/Dates, Company Car Allocation	Allocate company cars to workers.

## Enrolling Employees in Company Car Plans

Access the Company Car Benefit page.

Company Car Benefit	
Dewi Hopkins	Employee
ID: KG0002	Benefit Rcd Nbr: 0
Plan Type	
Find   View All First 1 of 1 Last	
Plan Type: 5A	Company Car
Coverage Details	
Find   View All First 1 of 1 Last	
Coverage Begin Date:	01/11/1990
Coverage Election:	<input checked="" type="radio"/> Elect <input type="radio"/> Waive <input type="radio"/> Terminate         *Elect Date: 01/11/1990
*Benefit Plan:	KGCAR Company Car Plan - UK
<input type="checkbox"/> Allowance Taken	Amount: <input type="text"/>
Status:	Active
Description:	UK Base Benefits
	Currency: GBP

Company Car Benefit page

<b>Plan Type</b>	Displays the default value of <i>Company Car</i> .
<b>Coverage Begin Date</b>	Enter the start date for the worker's coverage under this plan.
<b>Coverage Election</b>	Indicate whether the worker chooses to Elect, Waive, or Terminate their coverage.
<b>Elect Date</b>	Enter the date on which the worker elected this coverage.
<b>Benefit Plan</b>	Enter a benefit plan from the plans that you set up in the Benefit Plan Table page. Only benefit plans that are in this worker's benefit program are available here.
<b>Allowance Taken</b>	Select if this worker chooses an allowance instead of a car.
<b>Amount</b>	Displays the allowance amount from the Company Car Plan page. You can override the amount, the currency, or both. Workers who choose the allowance can't have company cars allocated in the Company Car Allocation page.

**See Also**

[Chapter 2, "Setting Up Administer Company Cars," Setting Up the Company Car Benefit Plan, page 5](#)

**Allocating Company Cars**

Access the Company Car Allocation page.

**Company Car Allocation**

Dewi Hopkins                      EMP                      ID: KG0002                      Empl Rcd #: 0

Find | View All    First ◀ 1 of 1 ▶ Last

**Benefit Plan:** KGCAR    Company Car Plan - UK + -

**Effective Date:** 01/11/1990

**Allocation**

Find | View All    First ◀ 1 of 1 ▶ Last

\*Car Identification: 0000010 + -

T451 RBI    Ford Mondeo 1.8 GLX

**Start Date:** 01/11/1990 + -      **Car Type:** Other

**End Date:** + -

▼ **United Kingdom**

**Capital Contribution:** + -       Fuel Provided     Fuel Cost Reimbursed     P46 Submitted

**Payments Towards Private Use**

Find    First ◀ 1 of 1 ▶ Last

Payment Date	Amount	Frequency Type
<input type="text"/>	<input type="text"/>	<input type="radio"/> Annual <input type="radio"/> Quarterly <input checked="" type="radio"/> Monthly <input type="radio"/> Weekly

**Unavailability**

Find    First ◀ 1 of 1 ▶ Last

Start Date	End Date	Reason
<input type="text"/>	<input type="text"/>	<input type="text"/>

Company Car Allocation page (1 of 2)

**Annualized Business Mileage**

Find    First ◀ 1 of 1 ▶ Last

Tax Year End	Mileage	Type
Year Ending 5th of April 1999	18000+	Actual

Company Car Allocation page (2 of 2)

**Car Identification**                      Enter the code of the car that you want to allocate to the worker. Define values for this field in the Car Data table. Only cars that aren't already allocated or assigned to carpools as of the effective date are available.

**Start Date**                                      Enter the start date of the allocation.

**Car Type**                                      Select from these values:  
*Primary Car, Replacement Car, Secondary Car, or Other.*

The car type is used in the P46 (Car) report that is provided with Global Payroll for the U.K.

**End Date**                                      Enter a date when the worker is scheduled to (or does) return the car.

**(GBR) United Kingdom**

This information is required for the P46 (Car) report that is provided in PeopleSoft Enterprise Global Payroll for the U.K.

<b>Capital Contribution</b>	Enter the amount and the currency code if the worker makes any capital contributions toward the car.
<b>Fuel Provided</b>	Select if you supply fuel to the worker for private use.
<b>Fuel Cost Reimbursed</b>	Select if the worker reimburses the total cost.
<b>P46 Submitted</b>	Select if you've submitted the P46 (Car) report to the Inland Revenue. If you have Global Payroll for the U.K., you can generate this report automatically.

### Payments Towards Private Use

Complete this group box if the worker makes any payments for private use of the car.

<b>Payment Date and Amount</b>	Enter the date on which the worker started making payments and enter the amount of each payment.
<b>Frequency Type</b>	Select the frequency of the worker's payments.

### Unavailability

Indicate any period when the car is unavailable.

### Annualized Business Mileage

Track the distance that the car is driven on business. Only mileage ranges are required for tax purposes.

<b>Tax Year End and Mileage</b>	To identify the mileage for a particular tax year, select the Tax Year End value and the range of business mileage
---------------------------------	--

<b>Type</b>	Values are:  <i>Actual:</i> Select at the end of the tax year when a more accurate value is available.  <i>Expected:</i> Select to enter an estimate for the current tax year.
-------------	--

---

## (GBR) Tracking Company Cars and Vehicle Incidents

This section provides an overview of tracking functionality and discusses how to:

- Calculate P11D Information benefit amounts.
- Verify P11D Information calculation results online.

---

**Note.** To track company cars and vehicle incidents, use the Calculate P11D Information (CALC\_P11D\_SEC\_A) and Verify P11D Information (VIEW\_P11D\_SEC\_A) components.

---

## Understanding Tracking Functionality

To use the PeopleSoft Enterprise Human Resources Monitor Health and Safety application to track vehicle incidents related to company cars, you must define each car as an item of company property. Do this on the Company Property Table Setup page. Once you define a car as company property, use the Incident Data and Vehicle/Equipment Detail pages to record details of any incidents involving the employee and the car, or use the Monitor Health and Safety menus.

You can allocate a company car, without transfer of property, to a director or worker earning more than the statutory threshold. This car is then also available to the worker or director for private use.

There are various tax implications when you allocate a company car to a worker. Companies pay tax in the form of Class 1A National Insurance Contributions (NICs). Workers pay income tax based on their tax codes, which is adjusted to take into account the taxable benefit of the car. In both cases, the taxable benefit is based on the list price, business mileage, age, and periods of unavailability of the car. To find out more about legal requirements, contact the Inland Revenue.

### See Also

*PeopleSoft Enterprise Human Resources 9.0 PeopleBook: Monitor Health and Safety*, “Creating and Tracking Incidents,” Entering Health and Safety Incident Details

[Chapter 2, “Setting Up Administer Company Cars,” Setting Up the Company Car Benefit Plan, page 5](#)

## Pages Used to Track Company Cars and Vehicle Incidents

Page Name	Object Name	Navigation	Usage
Calculate P11D Information	RUNCTL_COMPCAR001	Benefits, Provide Company Cars, Calculate P11D Information, Calculate P11D Information	To calculate the P11D Information amounts, run the CAR001 process. You can run the report for one worker at a time or for all eligible workers.
Verify P11D Information	P11D_SEC_A_UK	Benefits, Provide Company Cars, Verify P11D Information, Verify P11D Information	Verify P11D Information calculation results online.
Process Notes	P11D_NOTES_UK	Benefits, Provide Company Cars, Verify P11D Information, Process Notes	View benefit calculation details.

## Calculating P11D Information Benefit Amounts

Access the Calculate P11D Information page.

**Calculate P11D Information**

**Run Control ID:** BUILDTIME01 [Report Manager](#) [Process Monitor](#) Run

**Report Request Parameters**

**\*Tax Year End:**  Year Ending 5th of April 2005

**Empl ID:**  Leave blank for all employees

**Employment Record Number:**  Leave blank for all records

Calculate P11D Information page

<b>Run Control ID</b>	Displays the run control ID that you entered.
<b>Tax Year End</b>	Define values on the Translate table
<b>Empl ID</b> (employee identification)	Leave this field blank to run the report for all eligible workers, or enter an ID to run the report for only one worker.
<b>Employment Record Number</b>	Leave this field blank to run the report for all worker records, or enter an employment record number to run the report for only one worker record.
<b>Run</b>	Click this button to calculate P11D Information.

## Verifying P11D Information Calculation Results Online

Access the Verify P11D Information page.

Verify P11D Information		Process Notes	
<b>ID:</b>	KG0002	<b>Empl Rcd Nbr:</b>	0
Find   View All   First 1 of 1 Last			
<b>Tax Year End:</b>	1999		
<b>Make and Model:</b>	Ford Mondeo 1.8 GLX	<b>Car ID:</b>	0000010
<b>Registration Date:</b>	03/01/1999		
<b>Car available from:</b>	01/11/1990	<b>To:</b>	
<b>CO2 Emissions g/km:</b>	000	<b>Tax Percentage:</b>	00
<b>Business Mileage:</b>	<input type="checkbox"/> 2,499 or less	<input type="checkbox"/> 2,500 - 17,999	<input checked="" type="checkbox"/> 18,000 or more
<b>Payment received - private use:</b>	0.00		
<b>List Price:</b>	17,000.00		
<b>Accessories-before car avail.:</b>	0.00		
<b>Total = car + accessories:</b>	17,000.00		
<b>Accessories-after car avail.:</b>	0.00		
<b>Capital Contribution:</b>	0.00		
<b>Car Benefit Charge:</b>	<input type="text" value="1,983.33"/>		

**Fuel**

Fuel provided for private use

Full cost of fuel reimbursed

**Engine Type:** Petrol

**Engine Size:**  1400cc or less  
 1401cc - 2000cc  
 over 2000cc

**Fuel Benefit Charge:**

Verify P11D Information page

Each data row relates to a car for the worker per tax year. If a worker had two cars during the tax year, there are two data rows for that worker. If a worker had the same car for two tax years, there are also two rows of data. Use the scroll arrows to move between rows.

If you find errors in the display-only fields on the page, update the core data and rerun CAR001.

- Tax Year End, Car available from and Payment received - private use**      Display values that you defined on the Company Car Allocation page.
- Make and Model and Registration Date**      Display values that you defined on the Car Profile page.
- CO2 Emissions g/km** (carbon dioxide emissions in grams per kilometer) and **Tax Percentage**      Displays value that you defined on the Emissions Data UK page.
- Business Mileage**      Select from: *2,499 or less*, *2,500 – 17,999*, or *18,000 or more*.
- List Price**      Displays the value that you defined on the Car Model page.
- Accessories-before car avail.** (accessories-before car available), **Total = car + accessories**, and **Accessories-after car avail.** (accessories after car available)      Displays values that you defined on the Car Profile page.
- Capital Contribution**      Display values that you defined on the Company Car Allocation page.

**Car Benefit Charge** Adjust benefit charge amounts that require complex manual calculations.

## Fuel

**Fuel provided for private use and Full cost of fuel reimbursed** Display values that you defined on the Company Car Allocation page.

**Engine Type and Engine Size** Displays values that you defined on the Car Model page.  
Values are: *1400cc or less*, *1401cc – 2000cc*, and *over 2000cc*

**Fuel Benefit Charge** Adjust benefit charge amounts that require complex manual calculations.

## See Also

*PeopleSoft Enterprise Human Resources 9.0 PeopleBook: Monitor Health and Safety*, “Creating and Tracking Incidents,” Entering Incident Data for Vehicles and Equipment

# Running Company Car Reports

This section discusses how to run company car reports.

## Pages Used to Run Company Car Reports

Page Name	Object Name	Navigation	Usage
Car List	PRCSRUNCNTL	Benefits, Provide Company Cars, Create List of Cars, Car List	Run the Car List report (CAR003) that produces a list of cars in the company’s fleet and list basic information.
Print P11D Information	RUNCTL_COMPCAR001	Benefits, Provide Company Cars, Print P11D Information	Run the Print P11D Information report (CAR002) to print the results from the CAR001 process in a format similar to the UK government form P11D. You can run the report for a selected employee or all eligible employees in a given tax year.  Before using this page, you must have run the CAR001 report process.

## CHAPTER 4

# (GBR) Defining Tax Percentages and Engine Types

This chapter provides an overview of emissions taxes and discusses how to define tax percentages and engine types.

---

## Understanding Emissions Taxes

In the United Kingdom, the government bases the automobile tax charge on a percentage of the car price graduated according to the level of the car's carbon dioxide (CO<sub>2</sub>) emissions. See the CO<sub>2</sub> Emissions Tax Table on the Inland Revenue site for appropriate charges.

Use the emissions data table to add new rates or adjust the values of rates that are already defined in the system.

The system also contains predetermined data for engine types and the associated discounts. Use the engine type table to add new engine types and discounts or adjust the values already defined in the system.

These discounts apply only to cars that were first registered on January 1, 1998 or later.

---

## Defining Tax Percentages and Engine Types

To define tax percentages and engine types, use the Define Emissions Data (EMISSIONS\_DATA) and Define Engine Type (ENGINE\_TYPE) components.

This section discusses how to:

- Define tax percentages.
- Define engine types.

## Pages Used to Tax Percentages and Engine Types

Page Name	Object Name	Navigation	Usage
Emissions Data UK	EMISSIONS_DATA_UK	Benefits, Provide Company Cars, Define Emissions Data, Emissions Data UK	Define tax percentages by year and gram per kilometer emissions per regulations.
Engine Type UK	ENGINE_TYPE_UK	Benefits, Provide Company Cars, Define Engine Type, Engine Type UK	Define engine types and determine the associated tax discounts per regulations.

## Defining Tax Percentages

Access the Emissions Data UK page.

The screenshot shows a web interface titled "Emissions Data UK". Below the title bar, there are three input fields: "Tax Percentage" with the value "16", "Tax Year End" with the value "2005" and a magnifying glass icon, and "CO2 Emissions g/km" with the value "170". A search bar is also visible with the text "Year Ending 5th of April 2005". At the top right of the search area, there are navigation controls: "Find | View All", "First", "1 of 1", and "Last".

Emissions Data UK page

- Tax Percentage** Displays the tax percentage that you entered to access the page.
- Tax Year End** Enter the tax year that defines the taxation rate.
- CO2 Emissions g/km** Enter the associated carbon dioxide emissions as grams per kilometer.

## Defining Engine Types

Access the Engine Type UK page.

The screenshot shows a web interface titled "Engine Type UK". Below the title bar, there are six input fields: "\*Engine Type" with the value "GAS", "\*Engine Type Long Description" with the value "Gas Cars", "\*Engine Type Short Description" with the value "Gas", "Base Discount %" with the value "1", "Emissions Discount %" with the value "1", and "Emissions Discount gms" with the value "20".

Engine Type UK page

- Engine Type** Displays the engine type that you entered to access the page.
- Base Discount % (base discount percentage)** Enter the base discount that is associated with this engine type.
- Emissions Discount % (emissions discount percentage)** Enter an additional emissions discount if one is applicable.

**Emissions Discount gms**  
(emissions discount grams)

For hybrid-electric vehicles, enter an additional discount. The discount calculates as 1 percent of the price for each full 20g/km by which the CO<sub>2</sub> emissions figure is below the qualifying level for the minimum charge for the year.



# Glossary of PeopleSoft Enterprise Terms

<b>absence entitlement</b>	This element defines rules for granting paid time off for valid absences, such as sick time, vacation, and maternity leave. An absence entitlement element defines the entitlement amount, frequency, and entitlement period.
<b>absence take</b>	This element defines the conditions that must be met before a payee is entitled to take paid time off.
<b>academic career</b>	In PeopleSoft Enterprise Campus Solutions, all course work that a student undertakes at an academic institution and that is grouped in a single student record. For example, a university that has an undergraduate school, a graduate school, and various professional schools might define several academic careers—an undergraduate career, a graduate career, and separate careers for each professional school (law school, medical school, dental school, and so on).
<b>academic institution</b>	In PeopleSoft Enterprise Campus Solutions, an entity (such as a university or college) that is independent of other similar entities and that has its own set of rules and business processes.
<b>academic organization</b>	In PeopleSoft Enterprise Campus Solutions, an entity that is part of the administrative structure within an academic institution. At the lowest level, an academic organization might be an academic department. At the highest level, an academic organization can represent a division.
<b>academic plan</b>	In PeopleSoft Enterprise Campus Solutions, an area of study—such as a major, minor, or specialization—that exists within an academic program or academic career.
<b>academic program</b>	In PeopleSoft Enterprise Campus Solutions, the entity to which a student applies and is admitted and from which the student graduates.
<b>accounting class</b>	In PeopleSoft Enterprise Performance Management, the accounting class defines how a resource is treated for generally accepted accounting practices. The Inventory class indicates whether a resource becomes part of a balance sheet account, such as inventory or fixed assets, while the Non-inventory class indicates that the resource is treated as an expense of the period during which it occurs.
<b>accounting date</b>	The accounting date indicates when a transaction is recognized, as opposed to the date the transaction actually occurred. The accounting date and transaction date can be the same. The accounting date determines the period in the general ledger to which the transaction is to be posted. You can only select an accounting date that falls within an open period in the ledger to which you are posting. The accounting date for an item is normally the invoice date.
<b>accounting split</b>	The accounting split method indicates how expenses are allocated or divided among one or more sets of accounting ChartFields.
<b>accumulator</b>	You use an accumulator to store cumulative values of defined items as they are processed. You can accumulate a single value over time or multiple values over time. For example, an accumulator could consist of all voluntary deductions, or all company deductions, enabling you to accumulate amounts. It allows total flexibility for time periods and values accumulated.
<b>action reason</b>	The reason an employee's job or employment information is updated. The action reason is entered in two parts: a personnel action, such as a promotion, termination, or change from one pay group to another—and a reason for that action. Action reasons are used by PeopleSoft Enterprise Human Resources, PeopleSoft Enterprise Benefits

	Administration, PeopleSoft Enterprise Stock Administration, and the COBRA Administration feature of the Base Benefits business process.
<b>action template</b>	In PeopleSoft Enterprise Receivables, outlines a set of escalating actions that the system or user performs based on the period of time that a customer or item has been in an action plan for a specific condition.
<b>activity</b>	<p>In PeopleSoft Enterprise Learning Management, an instance of a catalog item (sometimes called a class) that is available for enrollment. The activity defines such things as the costs that are associated with the offering, enrollment limits and deadlines, and waitlisting capacities.</p> <p>In PeopleSoft Enterprise Performance Management, the work of an organization and the aggregation of actions that are used for activity-based costing.</p> <p>In PeopleSoft Enterprise Project Costing, the unit of work that provides a further breakdown of projects—usually into specific tasks.</p> <p>In PeopleSoft Workflow, a specific transaction that you might need to perform in a business process. Because it consists of the steps that are used to perform a transaction, it is also known as a step map.</p>
<b>address usage</b>	In PeopleSoft Enterprise Campus Solutions, a grouping of address types defining the order in which the address types are used. For example, you might define an address usage code to process addresses in the following order: billing address, dormitory address, home address, and then work address.
<b>adjustment calendar</b>	In PeopleSoft Enterprise Campus Solutions, the adjustment calendar controls how a particular charge is adjusted on a student's account when the student drops classes or withdraws from a term. The charge adjustment is based on how much time has elapsed from a predetermined date, and it is determined as a percentage of the original charge amount.
<b>administrative function</b>	In PeopleSoft Enterprise Campus Solutions, a particular functional area that processes checklists, communication, and comments. The administrative function identifies which variable data is added to a person's checklist or communication record when a specific checklist code, communication category, or comment is assigned to the student. This key data enables you to trace that checklist, communication, or comment back to a specific processing event in a functional area.
<b>admit type</b>	In PeopleSoft Enterprise Campus Solutions, a designation used to distinguish first-year applications from transfer applications.
<b>agreement</b>	In PeopleSoft Enterprise eSettlements, provides a way to group and specify processing options, such as payment terms, pay from a bank, and notifications by a buyer and supplier location combination.
<b>allocation rule</b>	In PeopleSoft Enterprise Incentive Management, an expression within compensation plans that enables the system to assign transactions to nodes and participants. During transaction allocation, the allocation engine traverses the compensation structure from the current node to the root node, checking each node for plans that contain allocation rules.
<b>alternate account</b>	A feature in PeopleSoft Enterprise General Ledger that enables you to create a statutory chart of accounts and enter statutory account transactions at the detail transaction level, as required for recording and reporting by some national governments.
<b>analysis database</b>	In PeopleSoft Enterprise Campus Solutions, database tables that store large amounts of student information that may not appear in standard report formats. The analysis database tables contain keys for all objects in a report that an application program can use to reference other student-record objects that are not contained in the printed report. For instance, the analysis database contains data on courses that are considered

for satisfying a requirement but that are rejected. It also contains information on courses captured by global limits. An analysis database is used in PeopleSoft Enterprise Academic Advisement.

<b>Application Messaging</b>	PeopleSoft Application Messaging enables applications within the PeopleSoft Enterprise product family to communicate synchronously or asynchronously with other PeopleSoft Enterprise and third-party applications. An application message defines the records and fields to be published or subscribed to.
<b>AR specialist</b>	Abbreviation for <i>receivables specialist</i> . In PeopleSoft Enterprise Receivables, an individual in who tracks and resolves deductions and disputed items.
<b>arbitration plan</b>	The arbiter when multiple price rules match the transaction. This plan determines the order in which the price rules are applied to the transaction base price.
<b>assessment rule</b>	In PeopleSoft Enterprise Receivables, a user-defined rule that the system uses to evaluate the condition of a customer's account or of individual items to determine whether to generate a follow-up action.
<b>asset class</b>	An asset group used for reporting purposes. It can be used in conjunction with the asset category to refine asset classification.
<b>attribute/value pair</b>	In PeopleSoft Enterprise Directory Interface, relates the data that makes up an entry in the directory information tree.
<b>auction event</b>	In PeopleSoft Strategic Sourcing, a sourcing event where bidders actively compete against one another to achieve the best price or score.
<b>audience</b>	In PeopleSoft Enterprise Campus Solutions, a segment of the database that relates to an initiative, or a membership organization that is based on constituent attributes rather than a dues-paying structure. Examples of audiences include the Class of '65 and Undergraduate Arts & Sciences.
<b>authentication server</b>	A server that is set up to verify users of the system.
<b>base time period</b>	In PeopleSoft Enterprise Business Planning, the lowest level time period in a calendar.
<b>benchmark job</b>	In PeopleSoft Enterprise Workforce Analytics Solution, a benchmark job is a job code for which there is corresponding salary survey data from published, third-party sources.
<b>bid response</b>	In PeopleSoft Strategic Sourcing, the response by a bidder to an event.
<b>billing career</b>	In PeopleSoft Enterprise Campus Solutions, the one career under which other careers are grouped for billing purposes if a student is active simultaneously in multiple careers.
<b>bio bit or bio brief</b>	In PeopleSoft Enterprise Campus Solutions, a report that summarizes information stored in the system about a particular constituent. You can generate standard or specialized reports.
<b>book</b>	In PeopleSoft Enterprise Asset Management, used for storing financial and tax information, such as costs, depreciation attributes, and retirement information on assets.
<b>branch</b>	A tree node that rolls up to nodes above it in the hierarchy, as defined in PeopleSoft Tree Manager.
<b>budgetary account only</b>	An account used by the system only and not by users; this type of account does not accept transactions. You can only budget with this account. Formerly called "system-maintained account."

<b>budget check</b>	In commitment control, the processing of source transactions against control budget ledgers, to see if they pass, fail, or pass with a warning.
<b>budget control</b>	In commitment control, budget control ensures that commitments and expenditures don't exceed budgets. It enables you to track transactions against corresponding budgets and terminate a document's cycle if the defined budget conditions are not met. For example, you can prevent a purchase order from being dispatched to a vendor if there are insufficient funds in the related budget to support it.
<b>budget period</b>	The interval of time (such as 12 months or 4 quarters) into which a period is divided for budgetary and reporting purposes. The ChartField allows maximum flexibility to define operational accounting time periods without restriction to only one calendar.
<b>business activity</b>	The name of a subset of a detailed business process. This might be a specific transaction, task, or action that you perform in a business process.
<b>business event</b>	In PeopleSoft Enterprise Receivables, defines the processing characteristics for the Receivable Update process for a draft activity.  In PeopleSoft Enterprise Sales Incentive Management, an original business transaction or activity that may justify the creation of a PeopleSoft Enterprise Incentive Management event (a sale, for example).
<b>business process</b>	A standard set of 17 business processes are defined and maintained by the PeopleSoft Enterprise product families and are supported by the Business Process Engineering group. An example of a business process is Order Fulfillment, which is a business process that manages sales orders and contracts, inventory, billing, and so forth.  <i>See also detailed business process.</i>
<b>business unit constraints</b>	In PeopleSoft Strategic Sourcing, these constraints apply to a selected Strategic Sourcing business unit. Spend is tracked across all of the events within the selected Strategic Sourcing business unit.
<b>business task</b>	The name of the specific function depicted in one of the business processes.
<b>business unit</b>	A corporation or a subset of a corporation that is independent with regard to one or more operational or accounting functions.
<b>buyer</b>	In PeopleSoft Enterprise eSettlements, an organization (or business unit, as opposed to an individual) that transacts with suppliers (vendors) within the system. A buyer creates payments for purchases that are made in the system.
<b>buy event</b>	In PeopleSoft Strategic Sourcing, for event creators, the purchase of goods or services, most typically associated with a request for quote, proposal, or reverse auction. For bidders, the sale of goods or services.
<b>campus</b>	In PeopleSoft Enterprise Campus Solutions, an entity that is usually associated with a distinct physical administrative unit, that belongs to a single academic institution, that uses a unique course catalog, and that produces a common transcript for students within the same academic career.
<b>cash drawer</b>	A repository for monies and payments taken locally.
<b>catalog item</b>	In PeopleSoft Enterprise Learning Management, a specific topic that a learner can study and have tracked. For example, "Introduction to Microsoft Word." A catalog item contains general information about the topic and includes a course code, description, categorization, keywords, and delivery methods. A catalog item can have one or more learning activities.
<b>catalog map</b>	In PeopleSoft Enterprise Catalog Management, translates values from the catalog source data to the format of the company's catalog.

<b>catalog partner</b>	In PeopleSoft Enterprise Catalog Management, shares responsibility with the enterprise catalog manager for maintaining catalog content.
<b>categorization</b>	Associates partner offerings with catalog offerings and groups them into enterprise catalog categories.
<b>category</b>	In PeopleSoft Enterprise Campus Solutions, a broad grouping to which specific comments or communications (contexts) are assigned. Category codes are also linked to 3C access groups so that you can assign data-entry or view-only privileges across functions.
<b>channel</b>	In PeopleSoft MultiChannel Framework, email, chat, voice (computer telephone integration [CTI]), or a generic event.
<b>ChartField</b>	A field that stores a chart of accounts, resources, and so on, depending on the PeopleSoft Enterprise application. ChartField values represent individual account numbers, department codes, and so forth.
<b>ChartField balancing</b>	You can require specific ChartFields to match up (balance) on the debit and the credit side of a transaction.
<b>ChartField combination edit</b>	The process of editing journal lines for valid ChartField combinations based on user-defined rules.
<b>ChartKey</b>	One or more fields that uniquely identify each row in a table. Some tables contain only one field as the key, while others require a combination.
<b>checkbook</b>	In PeopleSoft Enterprise Promotions Management, enables you to view financial data (such as planned, incurred, and actual amounts) that is related to funds and trade promotions.
<b>checklist code</b>	In PeopleSoft Enterprise Campus Solutions, a code that represents a list of planned or completed action items that can be assigned to a staff member, volunteer, or unit. Checklists enable you to view all action assignments on one page.
<b>claimback</b>	In the wholesale distribution industry, a contract between supplier and distributor, in which monies are paid to the distributor on the sale of specified products or product groups to targeted customers or customer groups.
<b>class</b>	In PeopleSoft Enterprise Campus Solutions, a specific offering of a course component within an academic term.  See also <i>course</i> .
<b>Class ChartField</b>	A ChartField value that identifies a unique appropriation budget key when you combine it with a fund, department ID, and program code, as well as a budget period. Formerly called <i>sub-classification</i> .
<b>clearance</b>	In PeopleSoft Enterprise Campus Solutions, the period of time during which a constituent in PeopleSoft Enterprise Contributor Relations is approved for involvement in an initiative or an action. Clearances are used to prevent development officers from making multiple requests to a constituent during the same time period.
<b>clone</b>	In PeopleCode, to make a unique copy. In contrast, to <i>copy</i> may mean making a new reference to an object, so if the underlying object is changed, both the copy and the original change.
<b>cohort</b>	In PeopleSoft Enterprise Campus Solutions, the highest level of the three-level classification structure that you define for enrollment management. You can define a cohort level, link it to other levels, and set enrollment target numbers for it.  See also <i>population</i> and <i>division</i> .

<b>collection</b>	To make a set of documents available for searching in Verity, you must first create at least one collection. A collection is set of directories and files that allow search application users to use the Verity search engine to quickly find and display source documents that match search criteria. A collection is a set of statistics and pointers to the source documents, stored in a proprietary format on a file server. Because a collection can only store information for a single location, PeopleTools maintains a set of collections (one per language code) for each search index object.
<b>collection rule</b>	In PeopleSoft Enterprise Receivables, a user-defined rule that defines actions to take for a customer based on both the amount and the number of days past due for outstanding balances.
<b>comm key</b>	See <i>communication key</i> .
<b>communication key</b>	In PeopleSoft Enterprise Campus Solutions, a single code for entering a combination of communication category, communication context, communication method, communication direction, and standard letter code. Communication keys (also called <i>comm keys</i> or <i>speed keys</i> ) can be created for background processes as well as for specific users.
<b>compensation object</b>	In PeopleSoft Enterprise Incentive Management, a node within a compensation structure. Compensation objects are the building blocks that make up a compensation structure's hierarchical representation.
<b>compensation structure</b>	In PeopleSoft Enterprise Incentive Management, a hierarchical relationship of compensation objects that represents the compensation-related relationship between the objects.
<b>component interface</b>	A component interface is a set of application programming interfaces (APIs) that you can use to access and modify PeopleSoft Enterprise database information using a program instead of the PeopleSoft client.
<b>condition</b>	In PeopleSoft Enterprise Receivables, occurs when there is a change of status for a customer's account, such as reaching a credit limit or exceeding a user-defined balance due.
<b>configuration parameter catalog</b>	Used to configure an external system with PeopleSoft Enterprise. For example, a configuration parameter catalog might set up configuration and communication parameters for an external server.
<b>configuration plan</b>	In PeopleSoft Enterprise Incentive Management, configuration plans hold allocation information for common variables (not incentive rules) and are attached to a node without a participant. Configuration plans are not processed by transactions.
<b>constituents</b>	In PeopleSoft Enterprise Campus Solutions, friends, alumni, organizations, foundations, or other entities affiliated with the institution, and about which the institution maintains information. The constituent types delivered with PeopleSoft Enterprise Contributor Relations Solutions are based on those defined by the Council for the Advancement and Support of Education (CASE).
<b>constraint</b>	A business policy or rule that affects how a sourcing event is awarded. There are three types of constraints: business, global, and event.
<b>content reference</b>	Content references are pointers to content registered in the portal registry. These are typically either URLs or iScripts. Content references fall into three categories: target content, templates, and template pagelets.
<b>context</b>	In PeopleCode, determines which buffer fields can be contextually referenced and which is the current row of data on each scroll level when a PeopleCode program is running.  In PeopleSoft Enterprise Campus Solutions, a specific instance of a comment or communication. One or more contexts are assigned to a category, which you link to

3C access groups so that you can assign data-entry or view-only privileges across functions.

In PeopleSoft Enterprise Incentive Management, a mechanism that is used to determine the scope of a processing run. PeopleSoft Enterprise Incentive Management uses three types of context: plan, period, and run-level.

<b>control table</b>	Stores information that controls the processing of an application. This type of processing might be consistent throughout an organization, or it might be used only by portions of the organization for more limited sharing of data.
<b>cost plus contract line</b>	A rate-based contract line associated with a fee component of Award, Fixed, Incentive, or Other. Rate-based contract lines associated with a fee type of None are not considered cost-plus contract lines.
<b>cost plus pricing</b>	In PeopleSoft Enterprise Pricer, a pricing method that begins with cost of goods as the basis.
<b>cost profile</b>	A combination of a receipt cost method, a cost flow, and a deplete cost method. A profile is associated with a cost book and determines how items in that book are valued, as well as how the material movement of the item is valued for the book.
<b>cost row</b>	A cost transaction and amount for a set of ChartFields.
<b>counter sale</b>	A face-to-face customer transaction where the customer typically selects items from the storefront or picks up products that they ordered ahead of time. Customers pay for the goods at the counter and take the goods with them instead of having the goods shipped from a warehouse.
<b>course</b>	In PeopleSoft Enterprise Campus Solutions, a course that is offered by a school and that is typically described in a course catalog. A course has a standard syllabus and credit level; however, these may be modified at the class level. Courses can contain multiple components such as lecture, discussion, and lab.  See also <i>class</i> .
<b>course share set</b>	In PeopleSoft Enterprise Campus Solutions, a tag that defines a set of requirement groups that can share courses. Course share sets are used in PeopleSoft Enterprise Academic Advisement.
<b>current learning</b>	In PeopleSoft Enterprise Learning Management, a self-service repository for all of a learner's in-progress learning activities and programs.
<b>data acquisition</b>	In PeopleSoft Enterprise Incentive Management, the process during which raw business transactions are acquired from external source systems and fed into the operational data store (ODS).
<b>data cube</b>	In PeopleSoft Analytic Calculation Engine, a data cube is a container for one kind of data (such as Sales data) and works with in tandem with one or more dimensions. Dimensions and data cubes in PeopleSoft Analytic Calculation Engine are unrelated to dimensions and online analytical processing (OLAP) cubes in PeopleSoft Cube Manager.
<b>data elements</b>	Data elements, at their simplest level, define a subset of data and the rules by which to group them.  For Workforce Analytics, data elements are rules that tell the system what measures to retrieve about your workforce groups.
<b>dataset</b>	A data grouping that enables role-based filtering and distribution of data. You can limit the range and quantity of data that is displayed for a user by associating dataset rules with user roles. The result of dataset rules is a set of data that is appropriate for the user's roles.

<b>delivery method</b>	<p>In PeopleSoft Enterprise Learning Management, identifies the primary type of delivery method in which a particular learning activity is offered. Also provides default values for the learning activity, such as cost and language. This is primarily used to help learners search the catalog for the type of delivery from which they learn best. Because PeopleSoft Enterprise Learning Management is a blended learning system, it does not enforce the delivery method.</p> <p>In PeopleSoft Enterprise Supply Chain Management, identifies the method by which goods are shipped to their destinations (such as truck, air, and rail). The delivery method is specified when creating shipment schedules.</p>
<b>delivery method type</b>	In PeopleSoft Enterprise Learning Management, identifies how learning activities can be delivered—for example, through online learning, classroom instruction, seminars, books, and so forth—in an organization. The type determines whether the delivery method includes scheduled components.
<b>detailed business process</b>	A subset of the business process. For example, the detailed business process named Determine Cash Position is a subset of the business process called Cash Management.
<b>dimension</b>	<p>In PeopleSoft Analytic Calculation Engine, a dimension contains a list of one kind of data that can span various contexts, and it is a basic component of an analytic model. Within the analytic model, a dimension is attached to one or more data cubes.</p> <p>In PeopleSoft Cube Manager, a dimension is the most basic component of an OLAP cube and specifies the PeopleSoft metadata to be used to create the dimension's rollup structure. Dimensions and data cubes in PeopleSoft Analytic Calculation Engine are unrelated to dimensions and OLAP cubes in PeopleSoft Cube Manager.</p>
<b>direct receipt</b>	Items shipped from a warehouse or vendor to another warehouse.
<b>direct ship</b>	Items shipped from the vendor or warehouse directly to the customer (formerly referred to as <i>drop ship</i> ).
<b>directory information tree</b>	In PeopleSoft Enterprise Directory Interface, the representation of a directory's hierarchical structure.
<b>division</b>	<p>In PeopleSoft Enterprise Campus Solutions, the lowest level of the three-level classification structure that you define in PeopleSoft Enterprise Recruiting and Admissions for enrollment management. You can define a division level, link it to other levels, and set enrollment target numbers for it.</p> <p>See also <i>population</i> and <i>cohort</i>.</p>
<b>document sequencing</b>	A flexible method that sequentially numbers the financial transactions (for example, bills, purchase orders, invoices, and payments) in the system for statutory reporting and for tracking commercial transaction activity.
<b>dynamic detail tree</b>	A tree that takes its detail values—dynamic details—directly from a table in the database, rather than from a range of values that are entered by the user.
<b>edit table</b>	A table in the database that has its own record definition, such as the Department table. As fields are entered into a PeopleSoft Enterprise application, they can be validated against an edit table to ensure data integrity throughout the system.
<b>effective date</b>	A method of dating information in PeopleSoft Enterprise applications. You can predate information to add historical data to your system, or postdate information in order to enter it before it actually goes into effect. By using effective dates, you don't delete values; you enter a new value with a current effective date.
<b>EIM ledger</b>	Abbreviation for <i>Enterprise Incentive Management ledger</i> . In PeopleSoft Enterprise Incentive Management, an object to handle incremental result gathering within the scope of a participant. The ledger captures a result set with all of the appropriate traces to the data origin and to the processing steps of which it is a result.

<b>elimination set</b>	In PeopleSoft Enterprise General Ledger, a related group of intercompany accounts that is processed during consolidations.
<b>entry event</b>	In PeopleSoft Enterprise General Ledger, Receivables, Payables, Purchasing, and Billing, a business process that generates multiple debits and credits resulting from single transactions to produce standard, supplemental accounting entries.
<b>equitization</b>	In PeopleSoft Enterprise General Ledger, a business process that enables parent companies to calculate the net income of subsidiaries on a monthly basis and adjust that amount to increase the investment amount and equity income amount before performing consolidations.
<b>equity item limit</b>	In PeopleSoft Enterprise Campus Solutions, the amounts of funds set by the institution to be awarded with discretionary or gift funds. The limit could be reduced by amounts equal to such things as expected family contribution (EFC) or parent contribution. Students are packaged by Equity Item Type Groups and Related Equity Item Types. This limit can be used to assure that similar student populations are packaged equally.
<b>event</b>	<p>A predefined point either in the Component Processor flow or in the program flow. As each point is encountered, the event activates each component, triggering any PeopleCode program that is associated with that component and that event. Examples of events are FieldChange, SavePreChange, and RowDelete.</p> <p>In PeopleSoft Enterprise Human Resources, also refers to an incident that affects benefits eligibility.</p>
<b>event constraints</b>	In PeopleSoft Strategic Sourcing, these constraints are associated with a specific sourcing event. Spend is tracked within the selected event.
<b>event propagation process</b>	In PeopleSoft Enterprise Sales Incentive Management, a process that determines, through logic, the propagation of an original PeopleSoft Enterprise Incentive Management event and creates a derivative (duplicate) of the original event to be processed by other objects. PeopleSoft Enterprise Enterprise Sales Incentive Management uses this mechanism to implement splits, roll-ups, and so on. Event propagation determines who receives the credit.
<b>exception</b>	In PeopleSoft Enterprise Receivables, an item that either is a deduction or is in dispute.
<b>exclusive pricing</b>	In PeopleSoft Enterprise Order Management, a type of arbitration plan that is associated with a price rule. Exclusive pricing is used to price sales order transactions.
<b>fact</b>	In PeopleSoft Enterprise applications, facts are numeric data values from fields from a source database as well as an analytic application. A fact can be anything you want to measure your business by, for example, revenue, actual, budget data, or sales numbers. A fact is stored on a fact table.
<b>financial aid term</b>	In PeopleSoft Enterprise Campus Solutions, a combination of a period of time that the school determines as an instructional accounting period and an academic career. It is created and defined during the setup process. Only terms eligible for financial aid are set up for each financial aid career.
<b>financial sanctions</b>	<p>For U.S. based companies and their foreign subsidiaries, a federal regulation from the Office of Foreign Assets Control (OFAC) requires that vendors be validated against a Specially Designated Nationals (SDN) list prior to payment.</p> <p>For PeopleSoft Payables, eSettlements, Cash Management, and Order to Cash, you can validate your vendors against any financial sanctions list (for example, the SDN list, a European Union list, and so on).</p>
<b>forecast item</b>	A logical entity with a unique set of descriptive demand and forecast data that is used as the basis to forecast demand. You create forecast items for a wide range of uses, but they ultimately represent things that you buy, sell, or use in your organization and for which you require a predictable usage.

<b>fund</b>	In PeopleSoft Enterprise Promotions Management, a budget that can be used to fund promotional activity. There are four funding methods: top down, fixed accrual, rolling accrual, and zero-based accrual.
<b>gap</b>	In PeopleSoft Enterprise Campus Solutions, an artificial figure that sets aside an amount of unmet financial aid need that is not funded with Title IV funds. A gap can be used to prevent fully funding any student to conserve funds, or it can be used to preserve unmet financial aid need so that institutional funds can be awarded.
<b>generic process type</b>	In PeopleSoft Process Scheduler, process types are identified by a generic process type. For example, the generic process type SQR includes all SQR process types, such as SQR process and SQR report.
<b>gift table</b>	In PeopleSoft Enterprise Campus Solutions, a table or so-called <i>donor pyramid</i> describing the number and size of gifts that you expect will be needed to successfully complete the campaign in PeopleSoft Enterprise Contributor Relations. The gift table enables you to estimate the number of donors and prospects that you need at each gift level to reach the campaign goal.
<b>GDS</b>	Abbreviation for <i>Global Distribution System</i> . Broad-based term to describe all computer reservation systems for making travel plans.
<b>GL business unit</b>	Abbreviation for <i>general ledger business unit</i> . A unit in an organization that is an independent entity for accounting purposes. It maintains its own set of accounting books.  See also <i>business unit</i> .
<b>GL entry template</b>	Abbreviation for <i>general ledger entry template</i> . In PeopleSoft Enterprise Campus Solutions, a template that defines how a particular item is sent to the general ledger. An item-type maps to the general ledger, and the GL entry template can involve multiple general ledger accounts. The entry to the general ledger is further controlled by high-level flags that control the summarization and the type of accounting—that is, accrual or cash.
<b>GL Interface process</b>	Abbreviation for <i>General Ledger Interface process</i> . In PeopleSoft Enterprise Campus Solutions, a process that is used to send transactions from PeopleSoft Enterprise Student Financials to the general ledger. Item types are mapped to specific general ledger accounts, enabling transactions to move to the general ledger when the GL Interface process is run.
<b>global constraints</b>	In PeopleSoft Strategic Sourcing, these constraints apply across multiple Strategic Sourcing business units. Spend is tracked across all of the events from the multiple Strategic Sourcing business units.
<b>group</b>	In PeopleSoft Enterprise Billing and Receivables, a posting entity that comprises one or more transactions (items, deposits, payments, transfers, matches, or write-offs).  In PeopleSoft Enterprise Human Resources Management and Supply Chain Management, any set of records that are associated under a single name or variable to run calculations in PeopleSoft business processes. In PeopleSoft Enterprise Time and Labor, for example, employees are placed in groups for time reporting purposes.
<b>ideal response</b>	In PeopleSoft Strategic Sourcing, a question that requires the response to match the ideal value for the bid to be considered eligible for award. If the response does not match the ideal value, you can still submit the bid, but it will be disqualified and ineligible for award.
<b>incentive object</b>	In PeopleSoft Enterprise Incentive Management, the incentive-related objects that define and support the PeopleSoft Enterprise Incentive Management calculation process and results, such as plan templates, plans, results data, and user interaction objects.

<b>incentive rule</b>	In PeopleSoft Enterprise Sales Incentive Management, the commands that act on transactions and turn them into compensation. A rule is one part in the process of turning a transaction into compensation.
<b>incur</b>	In PeopleSoft Enterprise Promotions Management, to become liable for a promotional payment. In other words, you owe that amount to a customer for promotional activities.
<b>initiative</b>	In PeopleSoft Enterprise Campus Solutions, the basis from which all advancement plans are executed. It is an organized effort targeting a specific constituency, and it can occur over a specified period of time with specific purposes and goals. An initiative can be a campaign, an event, an organized volunteer effort, a membership drive, or any other type of effort defined by the institution. Initiatives can be multipart, and they can be related to other initiatives. This enables you to track individual parts of an initiative, as well as entire initiatives.
<b>inquiry access</b>	In PeopleSoft Enterprise Campus Solutions, a type of security access that permits the user only to view data.  See also <i>update access</i> .
<b>institution</b>	In PeopleSoft Enterprise Campus Solutions, an entity (such as a university or college) that is independent of other similar entities and that has its own set of rules and business processes.
<b>integration</b>	A relationship between two compatible integration points that enables communication to take place between systems. Integrations enable PeopleSoft Enterprise applications to work seamlessly with other PeopleSoft Enterprise applications or with third-party systems or software.
<b>integration point</b>	An interface that a system uses to communicate with another PeopleSoft Enterprise application or an external application.
<b>integration set</b>	A logical grouping of integrations that applications use for the same business purpose. For example, the integration set <code>ADVANCED_SHIPPING_ORDER</code> contains all of the integrations that notify a customer that an order has shipped.
<b>item</b>	In PeopleSoft Enterprise Inventory, a tangible commodity that is stored in a business unit (shipped from a warehouse).  In PeopleSoft Enterprise Demand Planning, Inventory Policy Planning, and Supply Planning, a noninventory item that is designated as being used for planning purposes only. It can represent a family or group of inventory items. It can have a planning bill of material (BOM) or planning routing, and it can exist as a component on a planning BOM. A planning item cannot be specified on a production or engineering BOM or routing, and it cannot be used as a component in a production. The quantity on hand will never be maintained.  In PeopleSoft Enterprise Receivables, an individual receivable. An item can be an invoice, a credit memo, a debit memo, a write-off, or an adjustment.
<b>item shuffle</b>	In PeopleSoft Enterprise Campus Solutions, a process that enables you to change a payment allocation without having to reverse the payment.
<b>itinerary</b>	In PeopleSoft Expenses, a collection of travel reservations. Itineraries can have reservations that are selected and reserved with the travel vendor. These itineraries are not yet paid for and can be referred to as <i>pending reservations</i> . Reservations that have been paid for are referred to as <i>confirmed reservations</i> .
<b>joint communication</b>	In PeopleSoft Enterprise Campus Solutions, one letter that is addressed jointly to two people. For example, a letter might be addressed to both Mr. Sudhir Awat and Ms. Samantha Mortelli. A relationship must be established between the two individuals in the database, and at least one of the individuals must have an ID in the database.

<b>keyword</b>	In PeopleSoft Enterprise Campus Solutions, a term that you link to particular elements within PeopleSoft Enterprise Student Financials, Financial Aid, and Contributor Relations. You can use keywords as search criteria that enable you to locate specific records in a search dialog box.
<b>KPI</b>	An abbreviation for <i>key performance indicator</i> . A high-level measurement of how well an organization is doing in achieving critical success factors. This defines the data value or calculation upon which an assessment is determined.
<b>KVI</b>	Abbreviation for <i>Known Value Item</i> . Term used for products or groups of products where the selling price cannot be reduced or increased.
<b>landlord</b>	In PeopleSoft Real Estate Management, an entity that owns real estate and leases the real estate to tenants.
<b>LDIF file</b>	Abbreviation for <i>Lightweight Directory Access Protocol (LDAP) Data Interchange Format file</i> . Contains discrepancies between PeopleSoft Enterprise data and directory data.
<b>learner group</b>	In PeopleSoft Enterprise Learning Management, a group of learners who are linked to the same learning environment. Members of the learner group can share the same attributes, such as the same department or job code. Learner groups are used to control access to and enrollment in learning activities and programs. They are also used to perform group enrollments and mass enrollments in the back office.
<b>learning components</b>	In PeopleSoft Enterprise Learning Management, the foundational building blocks of learning activities. PeopleSoft Enterprise Learning Management supports six basic types of learning components: web-based, session, webcast, test, survey, and assignment. One or more of these learning component types compose a single learning activity.
<b>learning environment</b>	In PeopleSoft Enterprise Learning Management, identifies a set of categories and catalog items that can be made available to learner groups. Also defines the default values that are assigned to the learning activities and programs that are created within a particular learning environment. Learning environments provide a way to partition the catalog so that learners see only those items that are relevant to them.
<b>learning history</b>	In PeopleSoft Enterprise Learning Management, a self-service repository for all of a learner's completed learning activities and programs.
<b>lease</b>	In PeopleSoft Real Estate Management, a legally binding agreement between a landlord and a tenant, where the tenant rents all or part of a physical property from the landlord.
<b>lease abstract</b>	In PeopleSoft Real Estate Management, a summarized version of the complete lease contract with only the important terms. The lease abstract usually fits on one page and does not include legal terminology.
<b>ledger mapping</b>	You use ledger mapping to relate expense data from general ledger accounts to resource objects. Multiple ledger line items can be mapped to one or more resource IDs. You can also use ledger mapping to map dollar amounts (referred to as <i>rates</i> ) to business units. You can map the amounts in two different ways: an actual amount that represents actual costs of the accounting period, or a budgeted amount that can be used to calculate the capacity rates as well as budgeted model results. In PeopleSoft Enterprise Warehouse, you can map general ledger accounts to the EW Ledger table.
<b>library section</b>	In PeopleSoft Enterprise Incentive Management, a section that is defined in a plan (or template) and that is available for other plans to share. Changes to a library section are reflected in all plans that use it.
<b>line</b>	In PeopleSoft Strategic Sourcing, an individual item or service upon which there can be a bid.

<b>linked section</b>	In PeopleSoft Enterprise Incentive Management, a section that is defined in a plan template but appears in a plan. Changes to linked sections propagate to plans using that section.
<b>linked variable</b>	In PeopleSoft Enterprise Incentive Management, a variable that is defined and maintained in a plan template and that also appears in a plan. Changes to linked variables propagate to plans using that variable.
<b>LMS</b>	Abbreviation for <i>learning management system</i> . In PeopleSoft Enterprise Campus Solutions, LMS is a PeopleSoft Enterprise Student Records feature that provides a common set of interoperability standards that enable the sharing of instructional content and data between learning and administrative environments.
<b>load</b>	In PeopleSoft Enterprise Inventory, identifies a group of goods that are shipped together. Load management is a feature of PeopleSoft Enterprise Inventory that is used to track the weight, the volume, and the destination of a shipment.
<b>local functionality</b>	In PeopleSoft Enterprise HRMS, the set of information that is available for a specific country. You can access this information when you click the appropriate country flag in the global window, or when you access it by a local country menu.
<b>location</b>	Locations enable you to indicate the different types of addresses—for a company, for example, one address to receive bills, another for shipping, a third for postal deliveries, and a separate street address. Each address has a different location number. The primary location—indicated by a <i>1</i> —is the address you use most often and may be different from the main address.
<b>logistical task</b>	In PeopleSoft Enterprise Services Procurement, an administrative task that is related to hiring a service provider. Logistical tasks are linked to the service type on the work order so that different types of services can have different logistical tasks. Logistical tasks include both preapproval tasks (such as assigning a new badge or ordering a new laptop) and postapproval tasks (such as scheduling orientation or setting up the service provider email). The logistical tasks can be mandatory or optional. Mandatory preapproval tasks must be completed before the work order is approved. Mandatory postapproval tasks, on the other hand, must be completed before a work order is released to a service provider.
<b>market template</b>	In PeopleSoft Enterprise Incentive Management, additional functionality that is specific to a given market or industry and is built on top of a product category.
<b>mass change</b>	In PeopleSoft Enterprise Campus Solutions, mass change is a SQL generator that can be used to create specialized functionality. Using mass change, you can set up a series of Insert, Update, or Delete SQL statements to perform business functions that are specific to the institution.  See also <i>3C engine</i> .
<b>match group</b>	In PeopleSoft Enterprise Receivables, a group of receivables items and matching offset items. The system creates match groups by using user-defined matching criteria for selected field values.
<b>MCF server</b>	Abbreviation for <i>PeopleSoft MultiChannel Framework server</i> . Comprises the universal queue server and the MCF log server. Both processes are started when <i>MCF Servers</i> is selected in an application server domain configuration.
<b>merchandising activity</b>	In PeopleSoft Enterprise Promotions Management, a specific discount type that is associated with a trade promotion (such as off-invoice, billback or rebate, or lump-sum payment) that defines the performance that is required to receive the discount. In the industry, you may know this as an offer, a discount, a merchandising event, an event, or a tactic.

<b>meta-SQL</b>	Meta-SQL constructs expand into platform-specific SQL substrings. They are used in functions that pass SQL strings, such as in SQL objects, the SQLExec function, and PeopleSoft Application Engine programs.
<b>metastring</b>	Metastrings are special expressions included in SQL string literals. The metastrings, prefixed with a percent (%) symbol, are included directly in the string literals. They expand at run time into an appropriate substring for the current database platform.
<b>multibook</b>	In PeopleSoft Enterprise General Ledger, multiple ledgers having multiple-base currencies that are defined for a business unit, with the option to post a single transaction to all base currencies (all ledgers) or to only one of those base currencies (ledgers).
<b>multicurrency</b>	The ability to process transactions in a currency other than the business unit's base currency.
<b>national allowance</b>	In PeopleSoft Enterprise Promotions Management, a promotion at the corporate level that is funded by nondiscretionary dollars. In the industry, you may know this as a national promotion, a corporate promotion, or a corporate discount.
<b>NDP</b>	Abbreviation for <i>Non-Discountable Products</i> . Term used for products or groups of products where the selling price cannot be decreased.
<b>need</b>	In PeopleSoft Enterprise Campus Solutions, the difference between the cost of attendance (COA) and the expected family contribution (EFC). It is the gap between the cost of attending the school and the student's resources. The financial aid package is based on the amount of financial need. The process of determining a student's need is called <i>need analysis</i> .
<b>node-oriented tree</b>	A tree that is based on a detail structure, but the detail values are not used.
<b>Optimization Engine</b>	A PeopleTools component that Strategic Sourcing leverages to evaluate bids and determine an ideal award allocation. The award recommendation is based on maximizing the value while adhering to purchasing and company objectives and constraints.
<b>pagelet</b>	Each block of content on the home page is called a pagelet. These pagelets display summary information within a small rectangular area on the page. The pagelet provide users with a snapshot of their most relevant PeopleSoft Enterprise and non-PeopleSoft Enterprise content.
<b>participant</b>	In PeopleSoft Enterprise Incentive Management, participants are recipients of the incentive compensation calculation process.
<b>participant object</b>	Each participant object may be related to one or more compensation objects. See also <i>compensation object</i> .
<b>partner</b>	A company that supplies products or services that are resold or purchased by the enterprise.
<b>pay cycle</b>	In PeopleSoft Enterprise Payables, a set of rules that define the criteria by which it should select scheduled payments for payment creation.
<b>payment shuffle</b>	In PeopleSoft Enterprise Campus Solutions, a process allowing payments that have been previously posted to a student's account to be automatically reapplied when a higher priority payment is posted or the payment allocation definition is changed.
<b>pending item</b>	In PeopleSoft Enterprise Receivables, an individual receivable (such as an invoice, a credit memo, or a write-off) that has been entered in or created by the system, but hasn't been posted.

<b>PeopleCode</b>	PeopleCode is a proprietary language, executed by the PeopleSoft Enterprise component processor. PeopleCode generates results based on existing data or user actions. By using various tools provided with PeopleTools, external services are available to all PeopleSoft Enterprise applications wherever PeopleCode can be executed.
<b>PeopleCode event</b>	See <i>event</i> .
<b>PeopleSoft Pure Internet Architecture</b>	The fundamental architecture on which PeopleSoft 8 applications are constructed, consisting of a relational database management system (RDBMS), an application server, a web server, and a browser.
<b>performance measurement</b>	In PeopleSoft Enterprise Incentive Management, a variable used to store data (similar to an aggregator, but without a predefined formula) within the scope of an incentive plan. Performance measures are associated with a plan calendar, territory, and participant. Performance measurements are used for quota calculation and reporting.
<b>period context</b>	In PeopleSoft Enterprise Incentive Management, because a participant typically uses the same compensation plan for multiple periods, the period context associates a plan context with a specific calendar period and fiscal year. The period context references the associated plan context, thus forming a chain. Each plan context has a corresponding set of period contexts.
<b>person of interest</b>	A person about whom the organization maintains information but who is not part of the workforce.
<b>personal portfolio</b>	In PeopleSoft Enterprise Campus Solutions, the user-accessible menu item that contains an individual's name, address, telephone number, and other personal information.
<b>phase</b>	A level 1 task, meaning that if a task had subtasks, the level 1 task would be considered the phase.
<b>pickup quantity</b>	The product quantity that the customer is taking with them from the counter sales environment.
<b>plan</b>	In PeopleSoft Enterprise Sales Incentive Management, a collection of allocation rules, variables, steps, sections, and incentive rules that instruct the PeopleSoft Enterprise Incentive Management engine in how to process transactions.
<b>plan context</b>	In PeopleSoft Enterprise Incentive Management, correlates a participant with the compensation plan and node to which the participant is assigned, enabling the PeopleSoft Enterprise Incentive Management system to find anything that is associated with the node and that is required to perform compensation processing. Each participant, node, and plan combination represents a unique plan context—if three participants are on a compensation structure, each has a different plan context. Configuration plans are identified by plan contexts and are associated with the participants that refer to them.
<b>plan template</b>	In PeopleSoft Enterprise Incentive Management, the base from which a plan is created. A plan template contains common sections and variables that are inherited by all plans that are created from the template. A template may contain steps and sections that are not visible in the plan definition.
<b>planned learning</b>	In PeopleSoft Enterprise Learning Management, a self-service repository for all of a learner's planned learning activities and programs.
<b>planning instance</b>	In PeopleSoft Enterprise Supply Planning, a set of data (business units, items, supplies, and demands) constituting the inputs and outputs of a supply plan.
<b>population</b>	In PeopleSoft Enterprise Campus Solutions, the middle level of the three-level classification structure that you define in PeopleSoft Enterprise Recruiting and

Admissions for enrollment management. You can define a population level, link it to other levels, and set enrollment target numbers for it.

See also *division* and *cohort*.

<b>portal registry</b>	In PeopleSoft Enterprise applications, the portal registry is a tree-like structure in which content references are organized, classified, and registered. It is a central repository that defines both the structure and content of a portal through a hierarchical, tree-like structure of folders useful for organizing and securing content references.
<b>predecessor task</b>	A task that you must complete before you start another task.
<b>price breaks</b>	In PeopleSoft Strategic Sourcing, a price discount or surcharge that a bidder may apply based on the quantity awarded.
<b>price components</b>	In PeopleSoft Strategic Sourcing, the various components, such as material costs, labor costs, shipping costs, and so on that make up the overall bid price.
<b>price list</b>	Enables you to select products and conditions for which the price list applies to a transaction. During a transaction, the system either determines the product price based on the predefined search hierarchy for the transaction or uses the product's lowest price on any associated, active price lists. This price is used as the basis for any further discounts and surcharges.
<b>price rule</b>	The conditions that must be met for adjustments to be applied to the base price. Multiple rules can apply when conditions of each rule are met.
<b>price rule conditions</b>	Conditions that select the price-by fields, the values for the price-by fields, and the operator that determines how the price-by fields relate to the transaction.
<b>price rule key</b>	The fields that are available to define price rule conditions (which are used to match a transaction) on the price rule.
<b>primacy number</b>	In PeopleSoft Enterprise Campus Solutions, a number that the system uses to prioritize financial aid applications when students are enrolled in multiple academic careers and academic programs at the same time. The Consolidate Academic Statistics process uses the primacy number indicated for both the career and program at the institutional level to determine a student's primary career and program. The system also uses the number to determine the primary student attribute value that is used when you extract data to report on cohorts. The lowest number takes precedence.
<b>primary name type</b>	In PeopleSoft Enterprise Campus Solutions, the name type that is used to link the name stored at the highest level within the system to the lower-level set of names that an individual provides.
<b>process category</b>	In PeopleSoft Process Scheduler, processes that are grouped for server load balancing and prioritization.
<b>process group</b>	In PeopleSoft Enterprise Financials, a group of application processes (performed in a defined order) that users can initiate in real time, directly from a transaction entry page.
<b>process definition</b>	Process definitions define each run request.
<b>process instance</b>	A unique number that identifies each process request. This value is automatically incremented and assigned to each requested process when the process is submitted to run.
<b>process job</b>	You can link process definitions into a job request and process each request serially or in parallel. You can also initiate subsequent processes based on the return code from each prior request.

<b>process request</b>	A single run request, such as a Structured Query Report (SQR), a COBOL or Application Engine program, or a Crystal report that you run through PeopleSoft Process Scheduler.
<b>process run control</b>	A PeopleTools variable used to retain PeopleSoft Process Scheduler values needed at runtime for all requests that reference a run control ID. Do not confuse these with application run controls, which may be defined with the same run control ID, but only contain information specific to a given application process request.
<b>product</b>	A PeopleSoft Enterprise or third-party product. PeopleSoft organizes its software products into product families and product lines. Interactive Services Repository contains information about every release of every product that PeopleSoft sells, as well as products from certified third-party companies. These products appear with the product name and release number.
<b>product adds</b>	The pricing functionality where buying product A gets product B for free or at a price (formerly referred to as <i>giveaways</i> ).
<b>product bidding</b>	In PeopleSoft Strategic Sourcing, the placing of a bid on behalf of the bidder, up or down to the bidder's specified amount, so that the bidder can be the leading bidder.
<b>product category</b>	In PeopleSoft Enterprise Incentive Management, indicates an application in the PeopleSoft Enterprise Incentive Management suite of products. Each transaction in the PeopleSoft Enterprise Incentive Management system is associated with a product category.
<b>product family</b>	A group of products that are related by common functionality. The family names that can be searched using Interactive Service Repository are Oracle's PeopleSoft Enterprise, PeopleSoft EnterpriseOne, PeopleSoft World, and third-party, certified partners.
<b>product line</b>	The name of a PeopleSoft Enterprise product line or the company name of a third-party certified partner. Integration Services Repository enables you to search for integration points by product line.
<b>programs</b>	In PeopleSoft Enterprise Learning Management, a high-level grouping that guides the learner along a specific learning path through sections of catalog items. PeopleSoft Enterprise Learning Systems provides two types of programs—curricula and certifications.
<b>progress log</b>	In PeopleSoft Enterprise Services Procurement, tracks deliverable-based projects. This is similar to the time sheet in function and process. The service provider contact uses the progress log to record and submit progress on deliverables. The progress can be logged by the activity that is performed, by the percentage of work that is completed, or by the completion of milestone activities that are defined for the project.
<b>project transaction</b>	In PeopleSoft Enterprise Project Costing, an individual transaction line that represents a cost, time, budget, or other transaction row.
<b>promotion</b>	In PeopleSoft Enterprise Promotions Management, a trade promotion, which is typically funded from trade dollars and used by consumer products manufacturers to increase sales volume.
<b>prospects</b>	In PeopleSoft Enterprise Campus Solutions, students who are interested in applying to the institution.  In PeopleSoft Enterprise Contributor Relations, individuals and organizations that are most likely to make substantial financial commitments or other types of commitments to the institution.
<b>proxy bidding</b>	In PeopleSoft Strategic Sourcing, the placing of a bid on behalf of the bidder, up or down to the bidder's specified amount, so that the bidder can be the leading bidder.

<b>publishing</b>	In PeopleSoft Enterprise Incentive Management, a stage in processing that makes incentive-related results available to participants.
<b>rating components</b>	In PeopleSoft Enterprise Campus Solutions, variables used with the Equation Editor to retrieve specified populations.
<b>record group</b>	A set of logically and functionally related control tables and views. Record groups help enable TableSet sharing, which eliminates redundant data entry. Record groups ensure that TableSet sharing is applied consistently across all related tables and views.
<b>record input VAT flag</b>	Abbreviation for <i>record input value-added tax flag</i> . Within PeopleSoft Enterprise Purchasing, Payables, and General Ledger, this flag indicates that you are recording input VAT on the transaction. This flag, in conjunction with the record output VAT flag, is used to determine the accounting entries created for a transaction and to determine how a transaction is reported on the VAT return. For all cases within Purchasing and Payables where VAT information is tracked on a transaction, this flag is set to Yes. This flag is not used in PeopleSoft Enterprise Order Management, Billing, or Receivables, where it is assumed that you are always recording only output VAT, or in PeopleSoft Enterprise Expenses, where it is assumed that you are always recording only input VAT.
<b>record output VAT flag</b>	Abbreviation for <i>record output value-added tax flag</i> . See <i>record input VAT flag</i> .
<b>recname</b>	The name of a record that is used to determine the associated field to match a value or set of values.
<b>recognition</b>	In PeopleSoft Enterprise Campus Solutions, the recognition type indicates whether the PeopleSoft Enterprise Contributor Relations donor is the primary donor of a commitment or shares the credit for a donation. Primary donors receive hard credit that must total 100 percent. Donors that share the credit are given soft credit. Institutions can also define other share recognition-type values such as memo credit or vehicle credit.
<b>reference data</b>	In PeopleSoft Enterprise Sales Incentive Management, system objects that represent the sales organization, such as territories, participants, products, customers, and channels.
<b>reference object</b>	In PeopleSoft Enterprise Incentive Management, this dimension-type object further defines the business. Reference objects can have their own hierarchy (for example, product tree, customer tree, industry tree, and geography tree).
<b>reference transaction</b>	In commitment control, a reference transaction is a source transaction that is referenced by a higher-level (and usually later) source transaction, in order to automatically reverse all or part of the referenced transaction's budget-checked amount. This avoids duplicate postings during the sequential entry of the transaction at different commitment levels. For example, the amount of an encumbrance transaction (such as a purchase order) will, when checked and recorded against a budget, cause the system to concurrently reference and relieve all or part of the amount of a corresponding pre-encumbrance transaction, such as a purchase requisition.
<b>regional sourcing</b>	In PeopleSoft Enterprise Purchasing, provides the infrastructure to maintain, display, and select an appropriate vendor and vendor pricing structure that is based on a regional sourcing model where the multiple ship to locations are grouped. Sourcing may occur at a level higher than the ship to location.
<b>relationship object</b>	In PeopleSoft Enterprise Incentive Management, these objects further define a compensation structure to resolve transactions by establishing associations between compensation objects and business objects.
<b>remote data source data</b>	Data that is extracted from a separate database and migrated into the local database.

<b>REN server</b>	Abbreviation for <i>real-time event notification server</i> in PeopleSoft MultiChannel Framework.
<b>requester</b>	In PeopleSoft Enterprise eSettlements, an individual who requests goods or services and whose ID appears on the various procurement pages that reference purchase orders.
<b>reservations</b>	In PeopleSoft Expenses, travel reservations that have been placed with the travel vendor.
<b>reversal indicator</b>	In PeopleSoft Enterprise Campus Solutions, an indicator that denotes when a particular payment has been reversed, usually because of insufficient funds.
<b>RFI event</b>	In PeopleSoft Strategic Sourcing, a request for information.
<b>RFx event</b>	In PeopleSoft Strategic Sourcing, a request for proposal or request for a quote event when bidders submit their overall best bids and during which bidders do not actively compete against one another.
<b>role</b>	Describes how people fit into PeopleSoft Workflow. A role is a class of users who perform the same type of work, such as clerks or managers. Your business rules typically specify what user role needs to do an activity.
<b>role user</b>	A PeopleSoft Workflow user. A person's role user ID serves much the same purpose as a user ID does in other parts of the system. PeopleSoft Workflow uses role user IDs to determine how to route worklist items to users (through an email address, for example) and to track the roles that users play in the workflow. Role users do not need PeopleSoft user IDs.
<b>roll up</b>	In a tree, to roll up is to total sums based on the information hierarchy.
<b>run control</b>	A run control is a type of online page that is used to begin a process, such as the batch processing of a payroll run. Run control pages generally start a program that manipulates data.
<b>run control ID</b>	A unique ID to associate each user with his or her own run control table entries.
<b>run-level context</b>	In PeopleSoft Enterprise Incentive Management, associates a particular run (and batch ID) with a period context and plan context. Every plan context that participates in a run has a separate run-level context. Because a run cannot span periods, only one run-level context is associated with each plan context.
<b>saved bid</b>	In PeopleSoft Strategic Sourcing, a bid that has been created but not submitted. Only submitted bids are eligible for award.
<b>score</b>	In PeopleSoft Strategic Sourcing, the numerical sum of answers (percentages) to bid factors on an event. Scores appear only to bidders on auction events.
<b>SCP SCBM XML message</b>	Abbreviation for <i>Supply Chain Planning Supply Chain Business Modeler Extensible Markup Language message</i> . Supply Chain Business Modeler uses XML as the format for all data that it imports and exports.
<b>search query</b>	You use this set of objects to pass a query string and operators to the search engine. The search index returns a set of matching results with keys to the source documents.
<b>search/match</b>	In PeopleSoft Enterprise Campus Solutions and PeopleSoft Enterprise Human Resources Management Solutions, a feature that enables you to search for and identify duplicate records in the database.
<b>seasonal address</b>	In PeopleSoft Enterprise Campus Solutions, an address that recurs for the same length of time at the same time of year each year until adjusted or deleted.

<b>section</b>	In PeopleSoft Enterprise Incentive Management, a collection of incentive rules that operate on transactions of a specific type. Sections enable plans to be segmented to process logical events in different sections.
<b>security event</b>	In commitment control, security events trigger security authorization checking, such as budget entries, transfers, and adjustments; exception overrides and notifications; and inquiries.
<b>sell event</b>	In PeopleSoft Strategic Sourcing, for event creators, the sale of goods or services most typically associated with forward auctions. For bidders, the purchase of goods or services.
<b>serial genealogy</b>	In PeopleSoft Enterprise Manufacturing, the ability to track the composition of a specific, serial-controlled item.
<b>serial in production</b>	In PeopleSoft Enterprise Manufacturing, enables the tracing of serial information for manufactured items. This is maintained in the Item Master record.
<b>service impact</b>	In PeopleSoft Enterprise Campus Solutions, the resulting action triggered by a service indicator. For example, a service indicator that reflects nonpayment of account balances by a student might result in a service impact that prohibits registration for classes.
<b>service indicator</b>	In PeopleSoft Enterprise Campus Solutions, indicates services that may be either withheld or provided to an individual. Negative service indicators indicate holds that prevent the individual from receiving specified services, such as check-cashing privileges or registration for classes. Positive service indicators designate special services that are provided to the individual, such as front-of-line service or special services for disabled students.
<b>session</b>	<p>In PeopleSoft Enterprise Campus Solutions, time elements that subdivide a term into multiple time periods during which classes are offered. In PeopleSoft Enterprise Contributor Relations, a session is the means of validating gift, pledge, membership, or adjustment data entry. It controls access to the data entered by a specific user ID. Sessions are balanced, queued, and then posted to the institution's financial system. Sessions must be posted to enter a matching gift or pledge payment, to make an adjustment, or to process giving clubs or acknowledgements.</p> <p>In PeopleSoft Enterprise Learning Management, a single meeting day of an activity (that is, the period of time between start and finish times within a day). The session stores the specific date, location, meeting time, and instructor. Sessions are used for scheduled training.</p>
<b>session template</b>	In PeopleSoft Enterprise Learning Management, enables you to set up common activity characteristics that may be reused while scheduling a PeopleSoft Enterprise Learning Management activity—characteristics such as days of the week, start and end times, facility and room assignments, instructors, and equipment. A session pattern template can be attached to an activity that is being scheduled. Attaching a template to an activity causes all of the default template information to populate the activity session pattern.
<b>setup relationship</b>	In PeopleSoft Enterprise Incentive Management, a relationship object type that associates a configuration plan with any structure node.
<b>share driver expression</b>	In PeopleSoft Enterprise Business Planning, a named planning method similar to a driver expression, but which you can set up globally for shared use within a single planning application or to be shared between multiple planning applications through PeopleSoft Enterprise Warehouse.
<b>short-term customer</b>	A customer not in the system who is entered during sales order entry using a template.

<b>single signon</b>	With single signon, users can, after being authenticated by a PeopleSoft Enterprise application server, access a second PeopleSoft Enterprise application server without entering a user ID or password.
<b>source key process</b>	In PeopleSoft Enterprise Campus Solutions, a process that relates a particular transaction to the source of the charge or financial aid. On selected pages, you can drill down into particular charges.
<b>source transaction</b>	In commitment control, any transaction generated in a PeopleSoft Enterprise or third-party application that is integrated with commitment control and which can be checked against commitment control budgets. For example, a pre-encumbrance, encumbrance, expenditure, recognized revenue, or collected revenue transaction.
<b>sourcing objective</b>	For constraints, the option to designate whether a business rule is required (mandatory) or is only recommended (target).
<b>speed key</b>	See <i>communication key</i> .
<b>SpeedChart</b>	A user-defined shorthand key that designates several ChartKeys to be used for voucher entry. Percentages can optionally be related to each ChartKey in a SpeedChart definition.
<b>SpeedType</b>	A code representing a combination of ChartField values. SpeedTypes simplify the entry of ChartFields commonly used together.
<b>staging</b>	A method of consolidating selected partner offerings with the offerings from the enterprise's other partners.
<b>standard letter code</b>	In PeopleSoft Enterprise Campus Solutions, a standard letter code used to identify each letter template available for use in mail merge functions. Every letter generated in the system must have a standard letter code identification.
<b>statutory account</b>	Account required by a regulatory authority for recording and reporting financial results. In PeopleSoft Enterprise, this is equivalent to the Alternate Account (ALTACCT) ChartField.
<b>step</b>	In PeopleSoft Enterprise Sales Incentive Management, a collection of sections in a plan. Each step corresponds to a step in the job run.
<b>storage level</b>	In PeopleSoft Enterprise Inventory, identifies the level of a material storage location. Material storage locations are made up of a business unit, a storage area, and a storage level. You can set up to four storage levels.
<b>subcustomer qualifier</b>	A value that groups customers into a division for which you can generate detailed history, aging, events, and profiles.
<b>Summary ChartField</b>	You use summary ChartFields to create summary ledgers that roll up detail amounts based on specific detail values or on selected tree nodes. When detail values are summarized using tree nodes, summary ChartFields must be used in the summary ledger data record to accommodate the maximum length of a node name (20 characters).
<b>summary ledger</b>	An accounting feature used primarily in allocations, inquiries, and PS/nVision reporting to store combined account balances from detail ledgers. Summary ledgers increase speed and efficiency of reporting by eliminating the need to summarize detail ledger balances each time a report is requested. Instead, detail balances are summarized in a background process according to user-specified criteria and stored on summary ledgers. The summary ledgers are then accessed directly for reporting.
<b>summary time period</b>	In PeopleSoft Enterprise Business Planning, any time period (other than a base time period) that is an aggregate of other time periods, including other summary time periods and base time periods, such as quarter and year total.

<b>summary tree</b>	A tree used to roll up accounts for each type of report in summary ledgers. Summary trees enable you to define trees on trees. In a summary tree, the detail values are really nodes on a detail tree or another summary tree (known as the <i>basis</i> tree). A summary tree structure specifies the details on which the summary trees are to be built.
<b>syndicate</b>	To distribute a production version of the enterprise catalog to partners.
<b>system function</b>	In PeopleSoft Enterprise Receivables, an activity that defines how the system generates accounting entries for the general ledger.
<b>system source</b>	<p>The system source identifies the source of a transaction row in the database. For example, a transaction that originates in PeopleSoft Enterprise Expenses contains a system source code of BEX (Expenses Batch).</p> <p>When PeopleSoft Enterprise Project Costing prices the source transaction row for billing, the system creates a new row with a system source code of PRP (Project Costing pricing), which represents the system source of the new row. System source codes can identify sources that are internal or external to the PeopleSoft Enterprise system. For example, processes that import data from Microsoft Project into PeopleSoft Enterprise applications create transaction rows with a source code of MSP (Microsoft Project).</p>
<b>TableSet</b>	A means of sharing similar sets of values in control tables, where the actual data values are different but the structure of the tables is the same.
<b>TableSet sharing</b>	Shared data that is stored in many tables that are based on the same TableSets. Tables that use TableSet sharing contain the SETID field as an additional key or unique identifier.
<b>target currency</b>	The value of the entry currency or currencies converted to a single currency for budget viewing and inquiry purposes.
<b>task</b>	A deliverable item on the detailed sourcing plan.
<b>tax authority</b>	In PeopleSoft Enterprise Campus Solutions, a user-defined element that combines a description and percentage of a tax with an account type, an item type, and a service impact.
<b>template</b>	A template is HTML code associated with a web page. It defines the layout of the page and also where to get HTML for each part of the page. In PeopleSoft Enterprise, you use templates to build a page by combining HTML from a number of sources. For a PeopleSoft Enterprise portal, all templates must be registered in the portal registry, and each content reference must be assigned a template.
<b>tenant</b>	In PeopleSoft Real Estate Management, an entity that leases real estate from a landlord.
<b>territory</b>	In PeopleSoft Enterprise Sales Incentive Management, hierarchical relationships of business objects, including regions, products, customers, industries, and participants.
<b>third party</b>	A company or vendor that has extensive PeopleSoft Enterprise product knowledge and whose products and integrations have been certified and are compatible with PeopleSoft Enterprise applications.
<b>tiered pricing</b>	Enables different portions of a schedule to be priced differently from one another.
<b>time span</b>	A relative period, such as year-to-date or current period, that various PeopleSoft General Ledger functions and reports can use when a rolling time frame, rather than a specific date, is required.
<b>total cost</b>	In PeopleSoft Strategic Sourcing, the estimated dollar cost (sum of real price dollars and potential “soft” or non-price dollars) of a particular award approach.

<b>travel group</b>	In PeopleSoft Expenses, the organization's travel rules and policies that are associated with specific business units, departments, or employees. You must define at least one travel group when setting up the PeopleSoft Expenses travel feature. You must define and associate at least one travel group with a travel vendor.
<b>travel partner</b>	In PeopleSoft Expenses, the travel vendor with which the organization has a contractual relationship.
<b>3C engine</b>	Abbreviation for <i>Communications, Checklists, and Comments engine</i> . In PeopleSoft Enterprise Campus Solutions, the 3C engine enables you to automate business processes that involve additions, deletions, and updates to communications, checklists, and comments. You define events and triggers to engage the engine, which runs the mass change and processes the 3C records (for individuals or organizations) immediately and automatically from within business processes.
<b>3C group</b>	Abbreviation for <i>Communications, Checklists, and Comments group</i> . In PeopleSoft Enterprise Campus Solutions, a method of assigning or restricting access privileges. A 3C group enables you to group specific communication categories, checklist codes, and comment categories. You can then assign the group inquiry-only access or update access, as appropriate.
<b>trace usage</b>	In PeopleSoft Enterprise Manufacturing, enables the control of which components will be traced during the manufacturing process. Serial- and lot-controlled components can be traced. This is maintained in the Item Master record.
<b>transaction allocation</b>	In PeopleSoft Enterprise Incentive Management, the process of identifying the owner of a transaction. When a raw transaction from a batch is allocated to a plan context, the transaction is duplicated in the PeopleSoft Enterprise Incentive Management transaction tables.
<b>transaction state</b>	In PeopleSoft Enterprise Incentive Management, a value assigned by an incentive rule to a transaction. Transaction states enable sections to process only transactions that are at a specific stage in system processing. After being successfully processed, transactions may be promoted to the next transaction state and "picked up" by a different section for further processing.
<b>Translate table</b>	A system edit table that stores codes and translate values for the miscellaneous fields in the database that do not warrant individual edit tables of their own.
<b>tree</b>	The graphical hierarchy in PeopleSoft Enterprise systems that displays the relationship between all accounting units (for example, corporate divisions, projects, reporting groups, account numbers) and determines roll-up hierarchies.
<b>tuition lock</b>	In PeopleSoft Enterprise Campus Solutions, a feature in the Tuition Calculation process that enables you to specify a point in a term after which students are charged a minimum (or <i>locked</i> ) fee amount. Students are charged the locked fee amount even if they later drop classes and take less than the normal load level for that tuition charge.
<b>unclaimed transaction</b>	In PeopleSoft Enterprise Incentive Management, a transaction that is not claimed by a node or participant after the allocation process has completed, usually due to missing or incomplete data. Unclaimed transactions may be manually assigned to the appropriate node or participant by a compensation administrator.
<b>universal navigation header</b>	Every PeopleSoft Enterprise portal includes the universal navigation header, intended to appear at the top of every page as long as the user is signed on to the portal. In addition to providing access to the standard navigation buttons (like Home, Favorites, and signoff) the universal navigation header can also display a welcome message for each user.
<b>update access</b>	In PeopleSoft Enterprise Campus Solutions, a type of security access that permits the user to edit and update data.

See also *inquiry access*.

<b>user interaction object</b>	In PeopleSoft Enterprise Sales Incentive Management, used to define the reporting components and reports that a participant can access in his or her context. All PeopleSoft Enterprise Sales Incentive Management user interface objects and reports are registered as user interaction objects. User interaction objects can be linked to a compensation structure node through a compensation relationship object (individually or as groups).
<b>variable</b>	In PeopleSoft Enterprise Sales Incentive Management, the intermediate results of calculations. Variables hold the calculation results and are then inputs to other calculations. Variables can be plan variables that persist beyond the run of an engine or local variables that exist only during the processing of a section.
<b>VAT exception</b>	Abbreviation for <i>value-added tax exception</i> . A temporary or permanent exemption from paying VAT that is granted to an organization. This term refers to both VAT exoneration and VAT suspension.
<b>VAT exempt</b>	Abbreviation for <i>value-added tax exempt</i> . Describes goods and services that are not subject to VAT. Organizations that supply exempt goods or services are unable to recover the related input VAT. This is also referred to as exempt without recovery.
<b>VAT exoneration</b>	Abbreviation for <i>value-added tax exoneration</i> . An organization that has been granted a permanent exemption from paying VAT due to the nature of that organization.
<b>VAT suspension</b>	Abbreviation for <i>value-added tax suspension</i> . An organization that has been granted a temporary exemption from paying VAT.
<b>warehouse</b>	A PeopleSoft Enterprise data warehouse that consists of predefined ETL maps, data warehouse tools, and DataMart definitions.
<b>weight or weighting</b>	In PeopleSoft Strategic Sourcing, how important the line or question is to the overall event. Weighting is used to score and analyze bids. For RFx and RFI events, weightings may or may not appear to bidders.
<b>work order</b>	In PeopleSoft Enterprise Services Procurement, enables an enterprise to create resource-based and deliverable-based transactions that specify the basic terms and conditions for hiring a specific service provider. When a service provider is hired, the service provider logs time or progress against the work order.
<b>worker</b>	A person who is part of the workforce; an employee or a contingent worker.
<b>workset</b>	A group of people and organizations that are linked together as a set. You can use worksets to simultaneously retrieve the data for a group of people and organizations and work with the information on a single page.
<b>worksheet</b>	A way of presenting data through a PeopleSoft Enterprise Business Analysis Modeler interface that enables users to do in-depth analysis using pivoting tables, charts, notes, and history information.
<b>worklist</b>	The automated to-do list that PeopleSoft Workflow creates. From the worklist, you can directly access the pages you need to perform the next action, and then return to the worklist for another item.
<b>XML link</b>	The XML Linking language enables you to insert elements into XML documents to create a links between resources.
<b>XML schema</b>	An XML definition that standardizes the representation of application messages, component interfaces, or business interlinks.
<b>XPI</b>	Abbreviation for <i>eXtended Process Integrator</i> . PeopleSoft XPI is the integration infrastructure that enables both real-time and batch communication with JD Edwards EnterpriseOne applications.

**yield by operation**

In PeopleSoft Enterprise Manufacturing, the ability to plan the loss of a manufactured item on an operation-by-operation basis.

**zero-rated VAT**

Abbreviation for *zero-rated value-added tax*. A VAT transaction with a VAT code that has a tax percent of zero. Used to track taxable VAT activity where no actual VAT amount is charged. Organizations that supply zero-rated goods and services can still recover the related input VAT. This is also referred to as exempt with recovery.



# Index

## A

- additional documentation x
- Administer Company Cars
  - business process overview 1
  - implementation 3
  - integrations 3
- allocation information 13
- Allocation page 9, 13
- Allowance Amount field 7
- annualized business mileage 20
- application fundamentals ix
- Assign Type of Car/Dates
  - (CAR\_ALLOCATION) component 17

## B

- Benefit Plan Table (BENEFIT\_PLAN\_TABLE) component 5
- Benefit Plan Table page 5
- benefit programs, adding company car to 7
- BENEFIT\_PLAN\_TABLE component 5

## C

- Calculate P11D Information (GBR)
  - page 21
- car accessories 13
- car benefit 5
- Car Data (CAR\_DATA) component 8
- Car ID 8
- car inspections (MEX) 14
- Car List page 24
- Car Management Location
  - (CAR\_MG\_LOC\_TBL) component 8
- Car Management Location page 9, 10
- Car Model Data page 9
- Car Model Table (CAR\_MODEL\_TABLE) component 8
- Car Profile page 9, 11
- CAR\_ALLOCATION component 17
- CAR\_DATA component 8
- CAR\_MG\_LOC\_TBL component 8
- CAR\_MODEL\_TABLE component 8
- CAR\_PLAN component 17
- CAR\_PLAN\_TABLE component 5

- CAR003 24
- cars 1
- comments, submitting xiv
- common elements xiv
- Company Car Allocation page 17, 18
- Company Car Benefit page 17
- company car benefits
  - adding to benefit programs 7
  - creating and naming 5
  - entering information 6
  - setting up 5
- Company Car Plan Table
  - (CAR\_PLAN\_TABLE) component 5
- Company Car Plan Table page 5, 6
- company car plans, enrolling employees in 17, 18
- company car reports 24
- company cars
  - administering for the workforce 17
  - allocating 13, 17, 18
  - reports 24
  - setting up fleet information 8
  - specifying details 9
    - See Also* company car benefit tracking 20
- contact information xiv
- contract hire amounts, minimum and maximum 7
- cross-references xiii
- Customer Connection website x

## D

- documentation
  - printed x
  - related x
  - updates x

## E

- Emissions Data UK page 25, 26
- Engine Type UK page 25, 26
- engine types (GBR) 25

## F

- fleet information, setting up 8

**G**

glossary 29

**I**

identification codes for cars 8  
 implementation 3

**L**

lease amounts, minimum and maximum 7  
 local functionality (GBR) 21  
 location types 11  
 location, car management 10

**M**

maintenance history 13  
 Maintenance page 9, 13  
 Mexico, tracking car inspections 14

**N**

notes xiii

**P**

P11D information requirements (GBR)  
   calculating benefit amounts 21  
   verifying information results online 22  
 P46 (Car) (GBR) report 19  
 PeopleBooks  
   ordering x  
 PeopleCode, typographical  
   conventions xii  
 PeopleSoft Enterprise Setup Manager 3  
 prerequisites ix  
 Print P11D Information (GBR) page 24  
 printed documentation x  
 Process Notes page 21  
 purchase amounts, minimum and  
   maximum 7

**Q**

Qualifying Period field 7

**R**

registration number 12  
 related documentation x  
 reports 24

**S**

Select Type of Benefits (CAR\_PLAN)  
 component 17

Setup Manager 3  
 suggestions, submitting xiv

**T**

tax percentages (GBR) 25  
 terms 29  
 third-party integrations 3  
 typographical conventions xii

**U**

United Kingdom  
   calculating P11D benefit amounts 21  
   defining engine types 25  
   defining tax percentages 25  
   entering tax renewal date 12  
   tracking annualized business  
     mileage 20  
   tracking functionality 21  
   verifying P11D information results  
     online 22

**V**

Vehicle Identification Number (VIN) 11  
 vehicle incidents 20  
 Verify P11D Information (GBR) page 21,  
 22  
 VIN, *See* Vehicle Identification Number  
 (VIN)  
 visual cues xiii

**W**

warnings xiii