



Installation Guide

Telco e-Billing Manager

**Microsoft Windows 2003® Operating System
and the BEA WebLogic® Server**

**V4.5
Document ID: TBMJ-03-4.5-01
Data Published: 8.30.2004**

© Copyright 1997-2004 edocs®, Inc. All Rights Reserved. edocs is Reg. U.S. Pat. & Tm. Off.

edocs, Inc., One Apple Hill Dr., Natick, MA 01760

The information contained in this document is the confidential and proprietary information of edocs, Inc. and is subject to change without notice.

This material is protected by U.S. and international copyright laws.

No part of this publication may be reproduced or transmitted in any form or by any means without the prior written permission of edocs, Inc.

edocs' Telco e-Billing Manager and edocs' Telco Application Suite, are trademarks of edocs, Inc. in the United States and other countries.

All other trademark, company, and product names used herein are trademarks of their respective companies.

Printed in the USA.

Table of Contents

Preface	7
1 Getting Started	13
Before You Install; Preparing Your Platform	13
Overview of the Installation Process.....	13
Configuring Your Database Server	14
Configuring Your Application Server	14
Customizing and Deploying J2EE Applications.....	14
TBM System Requirements.....	14
edocs' Platform Services and TBM Consumer (Windows/SQL Server/WebLogic)	14
edocs' Tools (Windows)	15
2 Installing TBM for Windows	17
Installing TBM.....	17
edocs Platform Services and TBM Consumer (Windows)	17
Tools (Windows).....	19
The TBM Directory Structure	19
Where to Find Database Components	19
Where to Find Application Server Components	19
Where to Find Input and Output Data	20
3 Configuring Your Database Server	21
Overview	21
SQL Server Database Server Environment Variables.....	21
Using Database Partitioning with TBM.....	22
4 Configuring TBM for Windows	23
Configuring a New SQL Server Database for Windows	23
Increasing the Default Width for SQL Server Numeric Columns	23
Using the DBConfigTool	25
What to Do if Database Configuration Fails	27
Start and Test Your Database Server	28
5 Configuring the WebLogic Server for Windows	31
Overview	31
About the Sample Windows Domain Used in this Guide	32
Starting and Stopping WebLogic Server	32
About Sourcing Your Configuration	32
Starting and Stopping an Active Application Server.....	32
Capturing Your Windows Environment for TBM.....	33
Using <i>edx_env.bat</i> and <i>edx_load.config.bat</i> to Store Environment Data.....	33

Passing Windows Environment Data to WebLogic	34
Passing Your Configuration to WebLogic Running as a Windows Service	35
Passing Your Configuration in a Startup Script for WebLogic.....	37
Windows Services for TBM.....	39
Setting Up a WebLogic Server Instance as a Windows Service.....	39
Setting Up the eaDirect Scheduler as a Windows Service	39
Troubleshooting Tips for WebLogic on Windows	40
6 Configuring Java Resources for WebLogic	41
Overview	41
Configuring Java Database Connectivity (JDBC) for TBM	41
About JDBC Connections for TBM.....	41
Configuring JDBC Connections for WebLogic	42
Configuring Java Messaging Services (JMS) for TBM	43
About JMS Resources for TBM.....	43
Configuring JMS Resources for WebLogic	44
Deploying TBM.....	44
Starting the Scheduler	45
Where to Go From Here	46
7 Preparing to Install Payment.....	47
Installation Overview	47
System Prerequisites.....	47
8 Installing and Configuring Payment.....	49
Installing the Payment Software	49
Installing the Payment Database Components:	49
Installing the Payment application server components:	50
9 Configuring the Payment Database	53
Creating a New Database.....	53
Running the Database Creation Script for MSSQL:	53
10 Configuring WebLogic for Windows (Payment).....	55
Configuring the Application Server	55
Updating the Payment and TBM configuration files:	55
Updating the Platform Services EAR files:	55
Deploying the Payment EAR files:	55
JTA timeout configuration	56
11 Post-Payment Installation Configuration.....	59
Configuring Support for VeriSign Processing.....	59
WebLogic.....	59
Configuring java security	59
Preparing for a System Failure	60
Appendix A: WebLogic Reference	61
Java DataBase Connectivity (JDBC)	61
WebLogic Environment Variables.....	61
JDBC – WebLogic for Windows.....	62
Java Messaging Services for WebLogic	63
JMS Connection Factories	64
JMS (JDBC) Stores	64

JMS Servers	64
JMS Topics	64
JMS Session Pools and Consumers for Annotation and Dispute	65
JMS Session Pools and Consumers for Logging	65
Appendix B: Uninstalling TBM.....	69
Uninstalling TBM	69
Uninstalling Windows Services	70
Uninstalling WebLogic Server as a Windows Service	70
Uninstalling the TBM Scheduler as a Windows Service	70
Uninstalling Payment.....	71
Removing the Payment Database.....	71
Uninstalling Payment.....	71
Index	73

About This Guide

This guide is intended for system administrators and other IT professionals and describes how to install and, configure the third-party platforms that support the TBM production environment and deploy TBM J2EE web applications. See “TBM System Requirements” on page 14 for details on the platforms this guide is intended for.

It assumes in-depth understanding of and practical experience with system administrator responsibilities, including:

Operating System Administration Requirements

- Start up and shut down the system
- Log in and out of the system
- Determine software patch/pack levels
- Install software & patches/packs
- Navigate the file system
- Manipulate text files
- Create files and directories
- Change permissions of files and directories
- Use basic network commands
- Transfer files with FTP
- Monitor processes & system resource usage
- Perform system backups and recovery
- Implement system security

Database Administration Requirements

- Install and configure your database server
- Start and stop your database server and database instances
- Use administrative tools

- Manage users, privileges, and resources
- Create an operational database
- Manage database files
- Manage tables and indexes
- Back up and restore databases
- Monitor database performance

Application Server Administration Requirements

- Install and configure your application server
- Start and stop your application server
- Use administrative tools
- Manage users, privileges, and resources
- Configure Java resources
- Package and deploy web applications
- Monitor application server performance

This guide does *not* describe general UNIX or Windows system administration. See the appropriate UNIX or Windows user documentation.

If you are unfamiliar with any of these tasks, please consult the related documentation for your system requirements.

Related Documentation

A PDF version of this guide is also available.

Online	How to Access
A PDF of this guide	A PDF of this guide is available on the product CD-ROM.

This guide is part of the TBM documentation set. For more information about using TBM, see the following guides:

<i>TBM SDK</i>	How to customize J2EE web applications for deployment with TBM.
<i>Telco e-Billing Manager Data Definition Guide</i>	How to create Data Definition Files (DDFs) for use in indexing your application and extracting data for live presentment.
<i>Telco e-Billing Manager Presentation Design Guide</i>	How to create Application Logic Files (ALFs) to present statement data for dynamic online display.

<i>TBM Administration Guide</i>	How to set up and run a live TBM application in a J2EE environment.
---------------------------------	---

Obtaining edocs Software and Documentation

You can download edocs software and documentation directly from Customer Central at <https://support.edocs.com>. After you log in, click the Downloads button on the left. When the next page appears, a table displays all of the available downloads. To search for specific items, select the Version and/or Category and click the Search Downloads button. If you download software, an email from edocs Technical Support will automatically be sent to you (the registered owner) with your license key information.

If you received an edocs product installation CD, load it on your system and navigate from its root directory to the folder where the software installer resides for your operating system. You can run the installer from that location, or you can copy it to your file system and run it from there. The product documentation included with your CD is in the Documentation folder located in the root directory. The license key information for the products on the CD is included with the package materials shipped with the CD.

If You Need Help

Technical Support is available to customers who have an active maintenance and support contract with edocs. Technical Support engineers can help you install, configure, and maintain your edocs application.

This guide contains general troubleshooting guidelines intended to empower you to resolve problems on your own. If you are still unable to identify and correct an issue, contact Technical Support for assistance.

Information to provide

Before contacting edocs Technical Support, try resolving the problem yourself using the information provided in this guide. If you cannot resolve the issue on your own, be sure to gather the following information and have it handy when you contact technical support. This enables your edocs support engineer to more quickly assess your problem and get you back up and running more quickly.

Please be prepared to provide Technical Support the following information:

Contact information:

- Your name and role in your organization.
- Your company's name
- Your phone number and best times to call you
- Your e-mail address

Product and platform:

- In which edocs product did the problem occur?
- What version of the product do you have?
- What is your operating system version? RDBMS? Other platform information?

Specific details about your problem:

- Did your system crash or hang?
- What system activity was taking place when the problem occurred?
- Did the system generate a screen error message? If so, please send us that message. (Type the error text or press the Print Screen button and paste the screen into your email.)
- Did the system write information to a log? If so, please send us that file. For more information, see the *TBM Troubleshooting Guide*.
- How did the system respond to the error?
- What steps have you taken to attempt to resolve the problem?
- What other information would we need to have (supporting data files, steps we'd need to take) to replicate the problem or error?
- **Problem severity:**
- Clearly communicate the impact of the case (Severity I, II, III, IV) as well as the Priority (Urgent, High, Medium, Low, No Rush).
- Specify whether the problem occurred in a production or test environment.

Contacting edocs Technical Support

You can contact Technical Support online, by email, or by telephone.

edocs provides global Technical Support services from the following Support Centers:

US Support Center

Natick, MA
Mon-Fri 8:30am – 8:00pm US EST
Telephone: 508-652-8400

Europe Support Center

London, United Kingdom
Mon-Fri 9:00am – 5:00 GMT
Telephone: +44 20 8956 2673

Asia Pac Rim Support Center

Melbourne, Australia
Mon-Fri 9:00am – 5:00pm AU
Telephone: +61 3 9909 7301

Customer Central

<https://support.edocs.com>

Email Support

<mailto:support@edocs.com>

Escalation process

edocs managerial escalation ensures that critical problems are properly managed through resolution including aligning proper resources and providing notification and frequent status reports to the client.

edocs escalation process has two tiers:

1. **Technical Escalation** - edocs technical escalation chain ensures access to the right technical resources to determine the best course of action.
2. **Managerial Escalation** - All severity 1 cases are immediately brought to the attention of the Technical Support Manager, who can align the necessary resources for resolution. Our escalation process ensures that critical problems are properly managed to resolution, and that clients as well as edocs executive management receive notification and frequent status reports.

By separating their tasks, the technical resources remain 100% focused on resolving the problem while the Support Manager handles communication and status.

To escalate your case, ask the Technical Support Engineer to:

1. Raise the severity level classification
2. Put you in contact with the Technical Support Escalation Manager
3. Request that the Director of Technical Support arrange a conference call with the Vice President of Services
4. Contact VP of Services directly if you are still in need of more immediate assistance.



Getting Started

Before You Install; Preparing Your Platform

Before installing TBM, verify that your platform is ready:

- Install and test required hardware and software for your platform.
- Define required user and group permissions for your database server and application server.
- Start and test your database server. For details, see your server documentation.
- Start and test your application server. For details, see your server documentation.
- For distributed environments, make sure you have any required database client software installed on your application server and any other client machines of your database server.
- Install Xwindows software on your database, application servers, and Windows machine (for Tools) to support the InstallAnywhere GUI.

Overview of the Installation Process

The process of installing and setting up Telco e-Billing Manager includes the following steps:

1. Installing edocs Platform Services and TBM Consumer on your database and application servers using InstallAnywhere. You can install these individually, running InstallAnywhere twice (once to install each feature), or together using the Custom install feature.
2. Installing edocs Tools on a Windows 2000 machine. Run InstallAnywhere here and exclusively install Tools.
3. Configuring the database server.
4. Configuring the application server.

Follow the chapters in this guide in sequence, consulting your third-party documentation as needed.

Once you successfully install TBM and configure your database and application servers, you can customize and deploy your J2EE application.

If you want to deploy and configure edocs Payment after installing TBM, see “Preparing to Install Payment” on page 47 and subsequent chapters for instructions.

Configuring Your Database Server

Configuring your database server requires you to:

1. Define database server environment variables.
2. Create and configure the TBM database with DBConfigTool.jar.
3. Connect to your TBM database before configuring your application server.

Configuring Your Application Server

Configuring your application server requires you to:

1. Define application server environment variables.
2. Configure JDBC resources for TBM on your application server.
3. Configure JMS resources for TBM on your application server.
4. Install Windows Services for your application server and the TBM Scheduler.

Customizing and Deploying J2EE Applications

After installing TBM and configuring your database and application servers, you can:

1. Customize your J2EE web application(s) for TBM.
2. Deploy J2EE web applications for TBM.
3. Deploy your custom J2EE web application.

TBM System Requirements

edocs' Platform Services and TBM Consumer (Windows/SQL Server/WebLogic)

This guide assumes you are installing TBM on a Windows 2003 Server operating system, SQL Server 2000 database, and WebLogic application server.

OPERATING SYSTEM

- Microsoft Windows 2003 Server

HARDWARE

- CD-ROM
- Disk space (database) 2.6 GB
- Disk space (software) 60 MB
- Intel Pentium or compatible processor at 850 MHz or higher
- Swap space 512 MB per CPU (1 GB recommended)
- RAM 512 MB per CPU (1 GB recommended)

JAVA/C++

- Sun Java 2 SDK Standard Edition 1.4.1 (version shipped with WebLogic 8)

SUPPORTED DATABASE SERVER

- Microsoft SQL Server 2000 SP3

SUPPORTED APPLICATION SERVERS

- BEA WebLogic Server 8.1 SP3

SUPPORTED BROWSERS

- Netscape Navigator 6.2
- Microsoft Internet Explorer 5.5 SP2 or 6 (on networked PC)

edocs' Tools (Windows)**OPERATING SYSTEM**

- Microsoft Windows 2000/Server SP4

2

Installing TBM for Windows

This chapter provides a step-by-step guide to installing TBM with InstallAnywhere. It assumes that you have an in-depth understanding of and practical experience with administrating your operating system. Consult your system documentation as necessary.

Installing TBM

InstallAnywhere is a graphical cross-platform wizard that lets you install TBM in a distributed environment:

- **edocs Platform Services** (UNIX) – Install on all database and application servers.
- **TBM Consumer** (UNIX) – Install on all application servers.
- **edocs Tools** – Install on a Windows machine accessible to the UNIX servers on your network.

edocs recommends that you install and configure TBM in the same top-level directory structure, first on the **database server**, then on the **application servers**.

edocs Platform Services and TBM Consumer (Windows)

You must install both edocs Platform Services and TBM Consumer using InstallAnywhere. You can install them individually or create a custom install to install at once.

To install edocs Platform Services and/or TBM Consumer with InstallAnywhere:


1. Obtain and locate the InstallAnywhere installer as described in “Obtaining edocs Software and Documentation” on page 9.
2. Launch InstallAnywhere by double-clicking the **TBMins.exe** icon.
3. **INTRODUCTION:** InstallAnywhere recommends that you quit all programs before installing.
4. **LICENSE AGREEMENT:** Review the License Agreement and click “**I accept the terms of the License Agreement**” to accept the terms.

5. ENTER SERIAL NUMBER provided when you purchased TBM. If lost, contact edocs Technical Support at <http://support.edocs.com/>
6. CHOOSE INSTALL FOLDER: Click **Next** to accept the default or specify another directory. edocs recommends that you install and configure TBM in the same top-level directory structure, first on the database server, then on the application server.
7. CHOOSE PRODUCT FEATURES: Choose which feature you want to install first, or click **Custom** and choose to install TBM Consumer and edocs Platform services at the same time.

TBM Consumer - Installs all components for Telco e-Billing Manager Consumer Edition.

Platform Services (default) - Installs the components for edocs Core Services only, including e-Billing, Hierarchy, Payment, and Reporting.

edocs' Tools - Installs DefTool and Composer (on a Windows machine only)



8. CHOOSE SHORTCUT FOLDER: Click **Next** to install TBM in the edocs program group.
9. PRE-INSTALLATION SUMMARY: Review the screen to confirm your product and version, install folder, product components, and disk space required and available and click **Install**.
InstallAnywhere sets up a directory hierarchy on each server and copies files to the appropriate directories.
10. INSTALL COMPLETE: If installation is successful, you see a congratulatory message. Click **Done**.
11. Repeat the installation for other TBM servers on your network as necessary.

Tools (Windows)

To install edocs' Tools on a Windows 2000-based machine on your network:

1. Obtain and locate the InstallAnywhere installer as described in “Obtaining edocs Software and Documentation” on page 9.
2. Launch InstallAnywhere by double-clicking the **TBMins.exe** icon.
3. Follow the steps in the procedure above for installing TBM, selecting the edocs' Tools feature to install.

The TBM Directory Structure

The TBM home directory contains all the files you need to create and configure the TBM production database. When you install TBM components, InstallAnywhere prompts you to specify a destination directory. You can use the default or specify another directory.

The default TBM installation directories are:

- TBM Consumer: `\edocs\TBM\`
- Platform Services: `\edocs\TBM\estatement`
- Edocs Tools: `\edocs\TBM\estatement\bin`



Tip

edocs recommends that you install TBM in the same top-level directory on both the database server and the application servers.

Where to Find Database Components

`edocs\TBM\estatement\db` contains platform-specific subdirectories for database creation and configuration.

Where to Find Application Server Components

`edocs\TBM\estatement\J2EEApps` contains platform-specific subdirectories for edocs J2EE and web applications to be deployed to your application server. Be sure to deploy the correct version for your platform.

Where to Find Input and Output Data

edocs\TBM\estatement\AppProfiles stores information on each new TBM application created in the Command Center. *edocs\TBM\estatement\Input* is the default input directory used by each Command Center job. *edocs\TBM\estatement\Data* stores data processed by the TBM Command Center. *edocs\TBM\estatement\Output* stores the output of jobs.

An additional directory, *edocs/TBM/estatement/Store*, appears when the first Command Center job runs. The *Store* directory holds temporary files created during job run time. When the job completes, TBM automatically cleans up these temporary files.

3

Configuring Your Database Server

Overview

This chapter assumes in-depth understanding of and practical experience with database administration. Consult your database documentation as necessary. For distributed environments, make sure you have any required database client software installed on your application server and any other client machines of your database server.

edocs recommends that you install and configure TBM in the same top-level directory structure, first on the database server, then the application server.

This chapter provides instructions for configuring your database server to support a **new** TBM database. It includes:

- Windows environment variables for your database server
- Using database partitioning with TBM



The installation and configuration examples shown in this guide use default TBM pathnames, privileges, and permissions. If you choose not to accept the default values, make sure your values are consistent on all servers across your installation of TBM.

SQL Server Database Server Environment Variables

VARIABLE	DESCRIPTION	WINDOWS	CUSTOM
ADMIN_NAME	Admin name	sa	
ADMIN_PASSWD	Admin password	Leave blank	
DB_USERNAME	Database user name	edx_dba	
DB_PASSWD	Database password	edx	
DB_NAME	Database name	edx0	
SERVER_NAME	Server name	localhost	

VARIABLE	DESCRIPTION	WINDOWS	CUSTOM
EDX_HOME	TBM home path	c:\edocs\TBM	
DB_DATAPATH	Database Data File Path	c:\sqldir\data	
LOG	Database Log File Path	c:\sqldir\log	

Using Database Partitioning with TBM

Database partitioning (partition splitting) reduces the number of tables the system must scan when indexing your data. You specify the number of partitions when you create a DDN in the Command Center. At the first run of the Indexer job, TBM creates and populates a set of partitioned index tables to maintain your dynamic data.

SQL Server supports partitioned views. Index tables are created with a check-constraint, and the view is created on the underlying index tables. edocs recommends using 4 or 12 partitions for quarterly or monthly index tables. 12 partitions are recommended for maximum performance.

For more information on using partitions with your DDNs, see the *TBM Administration Guide*.

4

Configuring TBM for Windows

Configuring a New SQL Server Database for Windows

Windows administrators need to complete two steps (and a third for WebSphere) to create and configure your eaDirect database:


- Increasing the Default Width for SQL Server Numeric Columns
- Using the DBConfigTool

Increasing the Default Width for SQL Server Numeric Columns


The SQL Server default width for numeric columns is 28 characters. However, TBM requires a minimum width of **38 characters** for numeric columns. You must increase these defaults **before** creating the database.

To increase the default width of numeric columns:


1. From the Start menu, select **Programs** and **Microsoft SQL Server**, and click **Enterprise Manager**. The SQL Enterprise Manager window appears.
2. In the left pane, expand **Microsoft SQL Servers** and **SQL Server Group** to show your server. The sample screen shows a SQL server named DOC_HUGHES.




3. In the left pane, highlight your SQL server by right clicking on its name, and then click **Properties** from the menu.




The SQL Server Properties dialog appears.



4. Click **Startup Parameters** at the bottom of the dialog. The Startup Parameters dialog appears showing the name of the server.
5. Enter the startup parameter **-p** in the Parameter text field.



6. Click **Add**. The new startup parameter is added to the list of existing parameters.



7. Click **OK** to close the dialog.
8. Stop and start your SQL server for the new startup parameter to take effect.

Using the DBConfigTool

Windows administrators use the Java database configuration tool, **DBConfigTool.jar**, to create and configure the production database. This wizard guides you to specify information about the database including the username and password needed to access it, the name of the database, the server on which it is installed, and the pathnames for the SQL Data and Log files

The DBConfigTool requires a Java SDK installed on the machine that runs it.



Caution

When installing Microsoft SQL Server 2000, select **Mixed Mode (Windows Authentication and SQL Server Authentication)** as your default authentication mode. Selecting only Windows Authentication Mode might cause database creation and configuration to fail.

To configure a new TBM database for SQL Server on Windows:

1. Open a Command Prompt window and change directory to your TBM database home directory. For example:

```
C:\> cd edocs\TBM\estatement\db\mssql
```

2. Run the Java database creation and configuration tool **DBConfigTool.jar**. For example:

```
\bea\jdk141_05\bin\java -jar DBConfigTool.jar
```

Note that the above java command example uses the JDK provided by WebLogic 8. Your JDK location may differ.

The Database Configuration screen appears.

3. Select **Create and configure new database** (default), and then click **Next**. The Database Configuration screen appears.
4. Click **Next**. The Database Administrator Information screen appears.

The screenshot shows a Java-based window titled "Database Configuration". On the left is a dark blue sidebar with the "edocs" logo. The main content area has a white background and is titled "Database Administrator Information". Below the title, it says "Provide the database Administrator name and the password". There are two text input fields: "Admin Name" which contains the text "sa", and "Admin Password" which is empty. At the bottom of the window, there is a grey bar containing three buttons: "BACK" with a left arrow, "NEXT", and "CANCEL" with a red X icon.

5. Enter the Admin Name and Admin Password (if your database has one) for the SQL database. If you are using the default values provided by SQL Server, the Admin Name is **sa** and the default password is left blank as shown in the example. Please consult for SQL Sever DBA for the correct values for your database server.

Click **Next**. The Database Information screen appears.

6. Enter your database user name, password, database name, and the name of your database server, as shown in the example above (your server name will differ).
Click **Next**. The Database Path Information screen appears.
7. Enter the pathname to the database installation directory, location of the SQL data file, and the location of the SQL log file. By default those values are as follows:
 - TBM home path: `c:\edocs\TBM`
 - Database Data File Path: `c:\sqldir\data`
 - Database Log File Path: `c:\sqldir\log`
8. Click **Finish**. The DBConfigTool will create your database.
9. A Success screen appears if the database creation process completed without errors.
10. If a Failed screen appears, see the next section.


What to Do if Database Configuration Fails

If you encounter errors during database creation and configuration, you must first remove the partially configured database before configuring the database again.


To recover from a failed database configuration for SQL Server:

1. Make sure your database server is running.
2. From the Start menu, select **Programs** and **Microsoft SQL Server**, and click **Enterprise Manager**. The Enterprise Manager screen opens.

3. Expand the SQL Server Group and click the **Database** folder.
4. Right-click the name of the newly created database (for example, **edx0**) and delete it from the list of installed databases.



5. Scroll down to the **Security** folder and expand it to show **Logins**. Delete the database user (for example, **edx_dba**) for the database that you just deleted.



6. Open a command line window and run the database configuration tool again, making sure that the values on each screen are correct before proceeding to the next screen.

Start and Test Your Database Server

Start and test your database server using the server documentation for your platform. If you encounter any errors, double-check the steps in these chapters before proceeding.

Once your database server starts successfully with the TBM database installed, you can proceed to configure your application server.

5

Configuring the WebLogic Server for Windows

Overview

This chapter assumes in-depth understanding of and practical experience with application server administration. Consult WebLogic Server documentation at <http://bea.com> as necessary.

You must start your WebLogic Server instance and bring up the Administrative Console before you begin this chapter.



Caution If you cannot bring up the WebLogic Console, you will be unable to proceed with configuring your application server for TBM.

edocs recommends that you install and configure TBM in the same top-level directory structure, first on the database server, then the application server.

If you have not already installed database server components and configured the database server for TBM, do so now.

For distributed environments, ensure that you have any required **database client software** installed on WebLogic Server and any other client machines of your database server.

This chapter provides instructions for configuring WebLogic Server to support TBM. It includes:

- Starting and Stopping WebLogic Server
- Capturing your Windows environment for TBM
- Passing Windows Environment Data to WebLogic
- Windows Services for TBM



Caution The installation and configuration examples shown in this guide use default TBM pathnames, privileges, and permissions. If you choose not to accept the default values, make sure your values are consistent on all servers across your installation of TBM.

About the Sample Windows Domain Used in this Guide

This guide uses the default WebLogic domain

`%WL_HOME%\user_projects\domains\mydomain` (`%WL_HOME%` is the directory path where you installed WebLogic). WebLogic users may use the Domain Configuration Wizard to create this domain or replace these pathnames with a custom domain created by your system administrator.



If you use a custom domain, the examples in this guide must be changed accordingly or they may not work. edocs does not recommend that you accept the default path of `\user_projects`.

Starting and Stopping WebLogic Server

Developers and system administrators need to be familiar with how to stop and start WebLogic Server and any active web applications for your platform. Consult your BEA WebLogic documentation for instructions on how to do this.

About Sourcing Your Configuration

Before you start your server instance, you must edit its WebLogic Server startup script to **source** your customized version of the configuration file `edx.config`, which passes your TBM environment to WebLogic Server at startup.

Starting and Stopping an Active Application Server

Improperly starting or stopping an application server in an active TBM production environment can produce unexpected and unintended results. You can create custom startup and shutdown scripts that include all your command parameters, as well as the command used to start or stop the Scheduler, to schedule and run jobs in the TBM Command Center.

The default command-line startup shell scripts are fine for an inactive production environment where there are no running jobs. However, the startup process will stop immediately if you enter a `Ctrl+C` (often used to force a hard shutdown of the server) in the startup directory, or if you close the terminal session.

By default, if you use the Windows Control Panel to stop a server instance, the Windows Service Control Manager (SCM) kills the server's Java Virtual Machine (JVM). If you kill the JVM, the server immediately stops all processing. Any session data is lost. If you kill the JVM for an Administration Server while the server is writing to the `config.xml` file, you can corrupt the `config.xml` file. See BEA Documentation for Enabling Graceful Shutdowns from the Control Panel at:

<http://e-docs.bea.com/wls/docs70/adminguide/startstop.html#1107060>

Capturing Your Windows Environment for TBM

TBM installs several configuration files that you use to define your TBM environment. These configuration scripts are required **only on the application server**:

<code>%EDX_HOME%\config\edx_env.bat</code>	editable configuration file stores environment variables required by your application server
<code>%EDX_HOME%\config\edx_load.config.bat</code>	editable configuration file stores database Java options required by your application server
<code>%EDX_HOME%\config\edx.config.bat</code>	shell script passes the environment data in <code>edx_env.bat</code> and <code>edx_load.config.bat</code> to your application server when called in your startup script

This section describes how to run `edx_config` to capture your environment variables and store them in `edx_env`.

Using `edx_env.bat` and `edx_load.config.bat` to Store Environment Data

You must edit the configuration file `edx_env.bat` to set values for your TBM home, application server home, and Java home directories.

You must also edit the configuration file `edx_load.config.bat` to set values for your database user, password, and server name. This file is called by `edx_env.bat`.

Use the Appendix Quick Reference to enter application server environment variables for your platform for each of the specified parameters. You may want to print the *Environment Variables* sections for easy reference. You can accept the default values, if appropriate, or enter your own.

To edit Windows environment data with `edx_env.bat`:

1. Navigate to `%EDX_HOME%\config` and open `edx_env.bat`.
2. Modify the default settings to reflect your TBM environment. For example:

```
@rem define APP_SERVER
@set APP_SERVER=w1
@rem define APP_SERVER

@rem define EDX_HOME
@set EDX_HOME=C:\edocs\TBM
@rem define EDX_HOME
```

```

@rem define JAVA_HOME
@set JAVA_HOME=C:\bea\jdk141_05
@rem define JAVA_HOME

@rem define WL_HOME
@set WL_HOME=C:\bea\weblogic81
@rem define WL_HOME

```



Make sure you set all paths to the appropriate point releases/patches for WebLogic Server and JDK, if necessary. Check the Release Notes and your system documentation for updated requirements.

3. Save and close the file.

To edit Windows Java Options with **edx_load.config.bat**:

1. Navigate to %EDX_HOME%\config and open **edx_load.config.bat**.
2. Modify the default settings for **com.edocs.tasks.loader** to reflect your database user, password, and server name. Use the settings for your database as described in the previous chapter. For example:

```

@set JAVA_OPTIONS=%JAVA_OPTIONS% -Dcom.edocs.tasks.loader.user=edx_dba
@set JAVA_OPTIONS=%JAVA_OPTIONS% -Dcom.edocs.tasks.loader.password=edx
@set JAVA_OPTIONS=%JAVA_OPTIONS% -Dcom.edocs.tasks.loader.alias=localhost

```

3. Save and close the file.



Make sure you set all paths to the appropriate point releases/patches for WebLogic Server and JDK, if necessary. Check the Release Notes and your system documentation for updated requirements.

Passing Windows Environment Data to WebLogic

edx.config.bat is a shell script that you call and process in your application server startup script to pass your TBM environment (stored in **edx_env.bat** and **edx_load.config.bat**) to WebLogic.



Do not confuse **edx.config.bat** with **edx_env.bat**, in which you enter the environment data to pass to the server.

This section describes how to use **edx.config.bat** to pass your environment data to WebLogic at server startup.

To pass your TBM environment to WebLogic (overview):

1. Determine whether you wish to start WebLogic as a Windows Service or directly from the startup script. Use the appropriate procedure for your service or startup scripts.

2. In your **domain** service or startup script, set your TBM home directory, **%EDX_HOME%**.
3. In your **domain** service or startup script, call and process the configuration script **edx.config.bat**. This procedure is called **sourcing** your configuration.
4. In the **master** service or startup script, set your CLASSPATH, to use the classpath defined in **edx.config.bat**.

**Tip**

edx_env.bat calls **edx_load.config.bat**, so you need not source this database config file directly in your startup script.

Passing Your Configuration to WebLogic Running as a Windows Service

edocs recommends installing WebLogic Server as a Windows Service, and modifying the script that calls that service. For WebLogic, this file is **%WL_HOME%\user_projects\domains\mydomain\InstallService.cmd**. This script calls the master startup script **InstallSvc.cmd**.

Before editing either of these files, be sure to save a backup copy **in a different directory**.

Example InstallService.cmd for WebLogic:

Bold indicates text that you should add or change from the default.

```
.
.
.

@rem Set WLS_USER equal to your system username and WLS_PW equal
@rem to your system password for no username and password prompt
@rem during server startup. Both are required to bypass the startup
@rem prompt.

set WLS_USER=
set WLS_PW=

.
.
.

set EDX_HOME=C:\edocs\TBM
call %EDX_HOME%\config\edx.config.bat

@rem Set JAVA_OPTIONS to the java flags you want to pass to the vm. i.e.:
@rem set JAVA_OPTIONS=-Dweblogic.attribute=value -Djava.attribute=value
set JAVA_OPTIONS=%JAVA_OPTIONS%

@rem Set JAVA_VM to the java virtual machine you want to run. For instance
@rem set JAVA_VM=-server
set JAVA_VM=

@rem Set MEM_ARGS to the memory args you want to pass to java. For instance
@rem set MEM_ARGS=-Xms32m -Xmx200m
```

```

set MEM_ARGS="-ms128m -mx128m -Xss1m -noclassgc"

.
.
.

:installSvc

rem *** Set up extrapath for win32 and win64 platform separately

if not "%WL_USE_64BITDLL%" == "true" set
EXTRAPATH=%WL_HOME%\server\bin;%JAVA_HOME%\jre\bin;%JAVA_HOME%\bin;%WL_HOME%\server\bin\oci920_8;%EDX_HOME%\lib

if "%WL_USE_64BITDLL%" == "true" set
EXTRAPATH=%WL_HOME%\server\bin\win64;%WL_HOME%\server\bin;%JAVA_HOME%\jre\bin;%JAVA_HOME%\bin;%WL_HOME%\server\bin\win64\oci920_8;%EDX_HOME%\lib

rem *** Install the service

"%WL_HOME%\server\bin\beasvc" -install -svcname:"beasvc
%DOMAIN_NAME% %SERVER_NAME%" -javahome:"%JAVA_HOME%" -
execdir:"%USERDOMAIN_HOME%" -extrapath:"%EXTRAPATH%" -password:"%WLS_PW%"
-cmdline:%CMDLINE%

:finish

ENDLOCAL

```

To edit InstallService.cmd for WebLogic:

See the example above for default settings. Make sure to change these as needed for your environment.



Make sure you set all paths to the appropriate point releases/patches for WebLogic Server and JDK, if necessary. Check the Release Notes and your system documentation for updated requirements.

1. Stop WebLogic Server and all application server instances.
2. Navigate to the `%WL_HOME%\user_project\domains\mydomain` subdirectory of your application server home directory.
3. Open `InstallService.cmd` by right clicking on its name, and selecting **Edit**.
4. Before the `JAVA_OPTIONS` definition, set `EDX_HOME` and call `edx.config.bat`. For example:

```

set EDX_HOME=C:\edocs\TBM
call %EDX_HOME%\config\edx.config.bat

```
5. Set `JAVA_OPTIONS` to `%JAVA_OPTIONS%`.
6. Set `JAVA_VM` to null.
7. Optimize JVM Memory by increasing the memory arguments allocated to the Java Virtual Machine (JVM) on the application server. For example (quotes are optional):

```

set MEM_ARGS="-ms128m -mx128m -Xss1m -noclassgc"

```
8. Add your TBM `\lib` directory to the `EXTRAPATH` setting. See the examples above.

9. (Optional) You can set your application server user and password in the script (to bypass entering it in a console window) by specifying them for **WLS_USER** and **WLS_PW**.
10. Save and close **InstallService.cmd**.

To edit InstallSvc.cmd for WebLogic:



Caution

This procedure is required by a defect in WebLogic that does not correctly pass classpath settings from the domain to the master when the master script is called. Consult your WebLogic administrator when editing scripts that control multiple domains.

1. Stop WebLogic Server and all application server instances.
2. Navigate to the **%WL_HOME%\weblogicXX\server\bin** subdirectory of your application server home directory, where **XX** is the version of WebLogic installed.
3. Open **InstallSvc.cmd** by right clicking on its name, and selecting **Edit**.
4. Set your TBM home directory and call your TBM environment script right after the CLASSPATH setting. For example:


```
set EDX_HOME=C:\edocs\TBM
call %EDX_HOME%\config\edx.config.bat
```
5. Save and close **InstallSvc.cmd**.

Passing Your Configuration in a Startup Script for WebLogic

You can also choose to start WebLogic Server directly by modifying the server startup script to source your configuration. WebLogic recommends that you start up the server from your domain, using

```
%WL_HOME%\user_projects\domains\mydomain\startWebLogic.cmd.
```

Before editing either of these files, be sure to save a backup copy **in a different directory**.

Example startWebLogic.cmd for WebLogic:

```
.
.
.

@REM Initialize the common environment.

set WL_HOME=C:\bea\weblogic81
for %%i in ("%WL_HOME%") do set WL_HOME=%%~fsi

set PRODUCTION_MODE=true

set JAVA_VENDOR=Sun

set JAVA_HOME=C:\bea\jdk141_05
for %%i in ("%JAVA_HOME%") do set JAVA_HOME=%%~fsi
```

```

set MEM_ARGS=-ms128m -mx128m -Xss1m -noclassgc

@REM Call commEnv here AFTER setting the java_vendor to get common
environmental settings.

call "%WL_HOME%\common\bin\commEnv.cmd"

@REM Set SERVER_NAME to the name of the server you wish to start up.

set SERVER_NAME=myserver

set CLASSPATH=%WEBLOGIC_CLASSPATH%;%POINTBASE_CLASSPATH%;%JAVA_HOME%\jre\
lib\rt.jar;%WL_HOME%\server\lib\webservices.jar;%WL_HOME%\common\lib\3rdp
arty.jar;%CLASSPATH%

set EDX_HOME=C:\edocs\TBM
call %EDX_HOME%\config\edx.config.bat

.
.
.

```

To edit startWebLogic.cmd for WebLogic :

See the example above for default settings. Make sure to change these as needed for your environment.

1. Stop WebLogic Server and all application server instances.
2. Edit %WL_HOME%\user_projects\domains\mydomain\startWebLogic.cmd.
3. Optimize JVM Memory by increasing the memory arguments allocated to the Java Virtual Machine (JVM) on the application server. For example (quotes are optional):

```
set MEM_ARGS=-ms128m -mx128m -Xss1m -noclassgc
```

4. Edit the CLASSPATH statement to include the following path:

```
%WL_HOME%\common\lib\3rdparty.jar;
```

5. Set your edocs home directory %EDX_HOME% and call **edx.config.bat** just after the set CLASSPATH statement. For example:

```
set EDX_HOME=C:\edocs\TBM
call %EDX_HOME%\config\edx.config.bat
```

6. Add the **classpath** parameter to the **java** command at the end so it uses the paths to the TBM classes. For example:

```
%JAVA_HOME%\bin\java %JAVA_VM% %MEM_ARGS% %JAVA_OPTIONS% -classpath
"%CLASSPATH%" -Dweblogic.Name=%SERVER_NAME% -
Dweblogic.ProductionModeEnabled=%PRODUCTION_MODE% -
Djava.security.policy="%WL_HOME%\server\lib\weblogic.policy"
weblogic.Server
```

7. Save and close **startWebLogic.cmd**.

Windows Services for TBM

Setting Up a WebLogic Server Instance as a Windows Service

If you want a WebLogic Server instance to start automatically when you boot a Windows host computer, you can set up the server as a Windows service.

For detailed instructions on setting up WebLogic Server as a Windows Service, see the BEA documentation.

Setting Up the eaDirect Scheduler as a Windows Service

After all TBM EAR files have been deployed to the application server **and** WebLogic is running, you must start the TBM Scheduler in order to schedule and run jobs in the TBM Command Center. If you attempt to run a new job with the Scheduler not running, the job will not run and you will see 'Not yet started' as its status.

To install the Scheduler as a Windows Service, you must modify the Scheduler template file **SCH.txt**, installed to the **bin** directory for TBM.

To install the Scheduler as a Windows Service:

1. Navigate to the **bin** directory for TBM, or **%EDX_HOME%\bin**.
2. Open the Scheduler template file **SCH.txt** and modify the Java classpath to reflect your active Java environment. For example:

```
classpath=c:\jdk131\lib\tools.jar;c:\bea\wlserver\lib\weblogic.jar;c:\edocs\TBM\lib\edx_client.jar;c:\edocs\TBM\lib\edx_common.jar
```



Caution

Make sure you set all paths to the appropriate point releases/patches for WebLogic Server and JDK, if necessary. Check the Release Notes and your system documentation for updated requirements.

3. Confirm that the following line of code is present in the file for your host and port:

```
-Djava.naming.provider.url=t3://localhost:7001
```
4. If you want the Scheduler to log information to a file rather than to the console, add the following value in **SCH.txt**:

```
-Dcom.edocs.pwc.debug=true scheduler_logfile_name
```
5. Confirm that all the directory references in **SCH.txt** are correct.
6. Save and close **SCH.txt**.
7. Open a command prompt window, and then change directory to **%EDX_HOME%\bin**. Use the **schedulersvc** command to install the Scheduler as a Windows Service, for example:

```
C:\> schedulersvc -install C:\edocs\TBM\bin\SCH.txt
```

8. If the Scheduler service is installed successfully, a confirmation message appears.

Troubleshooting Tips for WebLogic on Windows

If the WebLogic service is unable to find *edx_load.config.bat* at startup:

Add the path `-extrapath:C:\bea\weblogicXX\server\bin;%PATH%` to `installNtService.cmd` (substituting your drive where necessary). For example

```
"C:\bea\weblogic81\server\bin\beasvc" -install -svcname:myserver  
-javahome:"%JAVA_HOME%" -execdir:"C:\bea\weblogic81"  
-extrapath:"C:\bea\weblogic81\server\bin;%PATH%" -cmdline:%CMDLINE%  
-password:lovelyday
```

If you encounter problems when running customized Web pages:

1. From your domain in the WebLogic Server Console, select **Servers** and **myserver**. A tabbed dialog with the name of your server appears in the right pane.
2. On the Configuration/Compilers tab, change the Java Compiler value from the default **javac** to the location of **javac** in the JDK installed **with WebLogic Server**.
3. Restart WebLogic Server.



Make sure you set all paths to the appropriate point releases/patches for WebLogic Server and JDK, if necessary. Check the Release Notes and your system documentation for updated requirements.

6

Configuring Java Resources for WebLogic

Overview

This chapter assumes in-depth understanding of and practical experience with application server administration. It is designed for experienced WebLogic administrators and primarily presents only the steps and settings specific to TBM.

See WebLogic Server documentation at <http://bea.com> for detailed step-by-step instructions on Java resource configuration, performance, and tuning. You must also consult your application server administrator for settings that may be specific to your configuration.

You must start your WebLogic Server instance and bring up the Administrative Console before you begin this chapter.



If you cannot bring up the WebLogic Console, you will be unable to proceed with configuring your application server for TBM.

Configuring Java Database Connectivity (JDBC) for TBM

After you have successfully configured the TBM database, you must configure Java Database Connectivity (JDBC) resources on the TBM application server. JDBC Connections on the application server support data retrieval from relational databases and other data sources.

About JDBC Connections for TBM

JDBC connection pools contain named groups of JDBC Connections that are created when the connection pool is registered, usually when starting up WebLogic Server. WebLogic Server opens JDBC Connections to the database during startup and adds these connections to the pool. A J2EE web application borrows a connection from the pool, uses it, and then returns it to the pool by closing it.

JDBC data sources enable JDBC clients to obtain a connection to a Database Management System (DBMS). Each data source points to the value specified for the Name attribute when a JDBC connection pool was configured.

TBM requires three sets of **JDBC Connection Pools** and related **JDBC Data Sources**:

- **edxAdmin** supports the Command Center through the TBM web application
- **edxLogger** supports TBM logging through the TBM web application
- **edxUser** supports user data retrieval through custom web applications

For more details on configuring JDBC Connections, please see the JDBC documentation for your application and database servers.



edxAdmin connection pools support concurrency for scheduling multiple jobs. Tuning **edxAdmin** connection capacity and threads can improve TBM email performance.

Configuring JDBC Connections for WebLogic

You must create three sets of JDBC connection pools and three sets of transaction datasources. Their names are specific to edocs across all platforms, but JDBC properties vary by both application server and database server.

See Appendix A for appropriate WebLogic JDBC configuration settings for SQL Server.

You must enter the same information six times: one connection pool and one data source each for **Admin**, **User**, and **Logger**. Make sure you have chosen the correct properties for your application server and database server, and that each datasource and its properties maps to the connection pool of the same name.



Make sure you are using the correct properties for your combination of application server, database, and JDBC resource.

For more details on how to configure JDBC connections, see WebLogic Server documentation at <http://bea.com>.

To configure JDBC Connections for WebLogic:

1. Create a JDBC Connection Pool each for **edxAdmin**, **edxLogger**, and **edxUser**. Use the appropriate JDBC values for your database server.
2. Create a JDBC Data Source each for **edxAdmin**, **edxLogger**, and **edxUser**. Use the appropriate JDBC values for your database server.
3. Review your connections. Each data source should target the connection pool of the same name (**Admin**, **User**, or **Logger**).
4. When you are finished, proceed to the next section to configure Java Messaging Services (JMS) for TBM.

Configuring Java Messaging Services (JMS) for TBM

After you have successfully configured JDBC Connections, you must now configure Java Messaging Services (JMS) on the application server for TBM. TBM requires three sets of JMS resources:

- **edxAnnotation** supports Line Item Dispute and Annotation features
- **edxDispute** supports Line Item Dispute and Annotation features
- **edxLogger** supports TBM logging through the TBM web application. It requires **five** JMS consumers and session pools.



Tip

If your web application does not implement Line Item Dispute and Annotation, you need only configure JMS resources for **edxLogger**.

To configure each set of JMS resources, see Appendix A for JMS Resources settings for WebLogic Server.

About JMS Resources for TBM

JMS enable web application components to asynchronously send and receive messages.

- **JMS Connection Factories** are data objects that enable Java Messaging Service (JMS) clients to create JMS connections. You define and configure one or more connection factories to create connections with predefined attributes. WebLogic Server adds the connection factories to the JNDI space during startup, and each J2EE web application retrieves a connection factory using the JNDI on the application server.
- **JMS Stores** store persistent messages in a database accessed through a designated JDBC connection pool. The JMS database can be any database that is accessible through a WebLogic-supported JDBC driver. When creating a JMS Store, you must define the name of the **backing store**, and the **JDBC connection pool** and **database table name prefix** for use with multiple instances
- **JMS Servers** manage connections and message requests on behalf of clients.
- **JMS Topics** can be one of two destinations that you can configure for a JMS server. The other destination is a JMS queue. WebLogic Server allows you to configure one or more destinations for the JMS server. You can configure destinations explicitly or with a **destination template** (useful for multiple destinations with similar attribute values).
- **JMS Session Pools** allow a JMS listener (called a **Consumer** in WebLogic) to have multiple threads that improve performance under heavy load. Each JMS consumer requires its own session pool.

Configuring JMS Resources for WebLogic

You must enter very similar information many times: one set of JMS resources each for annotation and dispute, and FIVE sets for logging. Make sure you have chosen the correct properties for the resource you are creating, and that each resource maps to others of the **same name**.

Use the JMS settings in Appendix A to configure JMS settings for WebLogic Server. For general information about configuring Java resources for WebLogic, see WebLogic Server documentation at <http://bea.com>.



Tip

If your web application does not use Line Item Dispute and Annotation, you need only configure JMS for `edxLogger`.

To configure JMS for WebLogic:

1. Create one JMS Connection Factory each for `edxAnnotation`, `edxDispute`, and `edxLogger`
2. Create one JMS Store each for each for `edxAnnotation`, `edxDispute`, and `edxLogger`.
3. Create one JMS Server each for each for `edxAnnotation`, `edxDispute`, and `edxLogger`.
4. Create one JMS Topic each for the JMS servers of each for `edxAnnotation`, `edxDispute`, and `edxLogger`.
5. Create one JMS Session Pool each for `edxAnnotation` and `edxDispute`.
6. Create one JMS Consumer each for `edxAnnotation` and `edxDispute`.
7. Create FIVE session pools and consumers for `edxLogger` as listed.

Deploying TBM

After configuring your WebLogic domain server, you can deploy the EAR files to the appropriate servers:

- **Application servers:** Deploy the edocs Platform Services (ear-eStatement.ear) and the TBM ears.
- **Database servers:** Deploy edocs Platform Services (ear-eStatement.ear).

The ear files are located at:

Feature	Location	File Name
Edocs Platform Services	%EDX_HOME%\J2EEApps\estatement\	ear-eStatement.ear
TBM	%EDX_HOME%\J2EEApps\tbm\	TBM Consumer: ear-tbm.ear TBM Business: ear-tbm-b2b.ear
TBM CSR	%EDX_HOME%\J2EEApps\tbm-csr\	ear-tbm-csr.ear

Consult your BEA WebLogic documentation on how to deploy applications.

After successfully deploying the application, you can log into the TBM Command Center:

1. In your browser, point to <http://localhost:7001/edocs> (where localhost:7001 is your server name if you are on a different machine). The initial default Administrator ID is **admin** and the Password is **edocs**.
2. Once in the Command Center, change your password. Click the Help button in the Command Center for information changing passwords.

Starting the Scheduler

You can start the Scheduler from a command line or as a Windows service (as described in the previous chapter)

To start the Scheduler from a Windows command prompt:




1. Open a command prompt window and change directory to the **bin** directory of your TBM installation, **%EDX_HOME%\bin**.
2. Run the Scheduler command for WebLogic Server (**wl_scheduler**), host, and port. This example shows the Scheduler command for WebLogic:

```
C:\> wl_scheduler -start -url t3://localhost:7001
```

3. If the Scheduler starts successfully, a start-up message with the name of the log file appears in the command prompt window. **Do not close this window while TBM is running**, as closing it will stop the Scheduler. A log file is created in **%EDX_HOME%\Logs**.
4. You can stop the Scheduler by replacing the **-start** parameter with the **-stop** parameter, or simply by closing the command prompt window.

To start the TBM Scheduler as a Windows Service:

1. Install the Scheduler as a Windows Service if you have not already done so.
2. Start WebLogic Server if it is not already running.
3. From the Start menu, select **Settings>Control Panel**.
4. Double-click **Administrative Tools**, then double-click **Services**.
5. Right-click **Scheduler Service** and select **Start**. You may also click the Start icon.

	Routing and Remote Access	Offers routing services to businesses in local area an...	Disabled	LocalSystem
	RunAs Service	Enables starting processes under alternate credentials	Started	Automatic
	Scheduler Service	eDocs Scheduler service	Started	Manual

6. To start the Scheduler automatically at startup, right-click the service and select **Properties**. From the Startup Type menu, select **Automatic**.

Where to Go From Here

Once you have successfully configured the WebLogic Server and deployed the TBM application, you can proceed to deploying any custom J2EE applications. This requires customizing each web application's deployment code for your environment and platform. For details, see WebLogic Server documentation at <http://bea.com> and *Deploying and Customizing J2EE Applications*.

If you want to deploy and configure edocs Payment, proceed to the next chapter.



Preparing to Install Payment

Installation Overview

Before you can install the payment package, you must install TBM and configure the TBM database to interact with Payment.

These procedures assume that you have the application server and database server on different systems.

The steps required to implement online bill payment are:

1. Install TBM along with the required software.
2. Install Payment and configure system wide options.
Install the Payment application, first on the database server, then on the application server. Then follow the Post-Installation instructions to complete the installation.
3. Configure a payment gateway for online check and/or credit card processing.
4. Enroll customers for online bill viewing and payment.
5. Set up Payment jobs to process payments and optionally send reminders.

See the *TBM Administration Guide* for information about configuring a payment gateway, enrolling customers and other operational issues.

System Prerequisites

Before installing Payment, you must install TBM along with its required software components.



Client browsers connecting to any edocs product must be enabled to run Javascript. To check whether Javascript is enabled for:

IE - Under Internet Options, on the Advanced tab, under Microsoft VM, make sure that "JIT Compiler for virtual machine enabled" is checked.

Netscape - Under Edit, then Preferences, click on **Advanced**, and make sure "Enable Javascript" is checked.

For the latest software and hardware requirements, see the release notes that came with your distribution.

8

Installing and Configuring Payment

Installing the Payment Software

Follow the steps below to install Payment on your system. Before you begin, verify that the database server is started.

By default, Payment is installed in:

Platform	Default Path
Windows	<i>C:\edocs\TBM\Payment</i> (The default installation path for Payment is also referred to as <i>PAYMENT_HOME</i> , or <i>EDX_HOME</i> /Payment)

You can change the default installation directory when prompted during the installation procedure. This guide uses the generic term `PAYMENT_HOME` to define the installation directory in the examples.

During the installation procedure, you are prompted to enter the user and group identifier of the Web Application Server owner. edocs recommends you use the default Web Application Server owner and group accounts.

Installing the Payment Database Components:

1. After you obtain and locate the Payment software installer as described in the Preface of this guide, you can run it as follows:

For Unix (Solaris, HP/UX or AIX), enter `./Payins.bin` from a command prompt at the directory location where the installer resides.

For Windows, double-click the `Payins.exe` installer application at the directory location where it resides.

2. On the Introduction screen, read the Payment introductory information. Click **Next** to continue.
3. On the License Agreement screen, carefully read the licensing agreement, select the acceptance button, and then click **Next**.

4. On the Enter Serial Number screen, enter your product serial number. It is stapled to the inside front cover of this guide (if your serial number has been misplaced, contact edocs Technical Support). Then click **Next**.
5. On the Choose Install Folder screen, accept the default installation folder or click **Choose** and enter the directory where you want to install the Payment files and directories. This document refers to that directory as PAYMENT_HOME. Click the **Next** button to continue.
6. On the Choose Product Features screen, click **Database**. Then click **Next**.
7. On the Pre-Installation Summary screen, verify that the information is correct, and click on **Install**. To correct any entries, click **Previous**, and then return here.

At this point, the Payment database server components are copied to the designated installation folder. A status bar on the bottom of the screen shows each database server component being installed. No user intervention is required.
8. The release notes display inside the installer window.
9. The Install Complete screen reports a successful installation and the directory that contains the database server components.
10. Click **Next** to view the release notes. Click **Next** when you are done reading the release notes.
11. Click **Done** to exit the installer.

If the installation fails, determine the cause of the problem and run InstallAnywhere again to reinstall Payment. If you need to contact edocs Technical Support, see the Preface.

Installing the Payment application server components:

1. After you obtain and locate the Payment software installer as described in the Preface of this guide, you can run it as follows:

For Unix (Solaris, HP/UX or AIX), enter `./Payins.bin` from a command prompt at the directory location where the installer resides.

For Windows, double-click the `Payins.exe` installer application at the directory location where it resides.
2. On the Introduction screen, read the Payment introductory information. Click **Next** to continue.
3. On the License Agreement screen, carefully read the licensing agreement, select the acceptance button, and then click **Next**.
4. On the Enter Serial Number screen, enter your product serial number. It is stapled to the inside front cover of this guide (if your serial number has been misplaced, contact edocs Technical Support). Then click **Next**.

5. On the Choose Install Folder screen, accept the default installation folder or click **Choose** and enter the directory where you want to install the Payment files and directories. This document refers to that directory as PAYMENT_HOME. Click the **Next** button to continue.

6. On the Choose Product Features screen, click **Application Server**. Then click **Next**.

7. On the Pre-Installation Summary screen, verify that the information is correct, and click on **Install**. To correct any entries, click **Previous**, and then return here.

At this point, the Payment application server components are copied to the designated installation folder. A status bar on the bottom of the screen shows each database server component being installed. No user intervention is required.

8. You may be asked to specify which version of the application server you are using.

9. The release notes display inside the installer window.

10. The Install Complete screen reports a successful installation and the directory that contains the database server components.

11. Click **Next** to view the release notes. Then click Next when you are done reading the release notes.

12. Click **Done** to exit the installer.

If the installation fails, determine the cause of the problem and run InstallAnywhere again to reinstall Payment.

Configuring the Payment Database

Creating a New Database

Configuring the Payment database consists of running a script that creates tables and indexes in the TBM database that Payment uses.

Running the Database Creation Script for MSSQL:

1. In the directory `%PAYMENT_HOME%\db\mssql`, edit `set_isql_options.bat` and enter the correct information for the database, user name and password (Payment uses the same database as TBM) on the line that starts with:
`set ISQL_OPTIONS.....`
2. Run `%PAYMENT_HOME%\db\mssql\create_payment_db.bat` to create payment databases.

**Tip**

If you run the database creation script from a command prompt, you will see the database creation process and messages.

3. Restart the system.

10

Configuring WebLogic for Windows (Payment)

Configuring the Application Server

Updating the Payment and TBM configuration files:

1. Log on as the WebLogic server owner, and change your working directory to `%PAYMENT_HOME%\config`, for example:

```
cd \edocs\TBM\Payment\config
```
2. If you are not using the default TBM and Payment directories, then edit the `edx_payment.config` file, and correct the entry that defines `PAYMENT_HOME`.
3. Copy the updated `edx_payment.config` file to `%EDX_HOME%\config`.

Updating the Platform Services EAR files:

The `ear-eStatement.ear` file must be updated for Payment. Payment installs a file called `ear-payment.ear`, which must be merged into the `ear-eStatement.ear` file.

Before you start, please make a backup copy of the original `ear-eStatement.ear`.

1. Edit `%PAYMENT_HOME%\bin\merge_eapay_wl.bat` to update the locations for the home and source directories, if needed. Also set `JAVA_HOME` in the script or in your shell.
2. Run the edited shell script.
3. The batch file creates a new `ear-eStatement.ear` file in the `%PAYMENT_HOME%\J2EEApps\weblogic` directory.

Deploying the Payment EAR files:

Payment requires that the Platform Services EAR be re-deployed, since it was updated in the previous step. You also want to deploy your site's application, as created by edocs Professional Services, or by your development team.

The following steps describe how to deploy an EAR file.

1. Make sure the WebLogic server is running. If it is not running, start it.
2. Open a URL to the WebLogic console.
3. Select **Mydomain**, then **Deployments**, then **Applications**, and click on **Install New Application**.
4. Browse to a copy of the *ear-eStatement.ear* file for Payment. If you are using a browser from a different system than the Windows system that the files are on, you will have to copy the EAR from *%PAYMENT_HOME%\J2EEApps\weblogic* on the Windows host to the system where you are running the browser. Then click **Upload**. WebLogic will upload the *ear-eStatement.ear* file, install it over the existing *ear-eStatement.ear* file, and (usually) re-deploy the EAR file and its components.

Tip

You should check to make sure all the EJB and WAR Deployments under the *ear-eStatement.ear* application in WebLogic properly deployed. If not, check **Deployed**, and click on **Apply**. Also, check that the Targets tab for each EJB deployment shows that the server is chosen. If not, move the server into the Chosen column, and click **Apply**.

5. Restart the WebLogic server by stopping it, and then restarting as described in step 1.

JTA timeout configuration


If *pmtCheckSubmit* will process a large number of checks, the JTA timeout value in WebLogic must be increased to keep the connection open long enough to process all the checks. For every 1500 checks to be processed, the timeout value should be increased by 30 seconds.

The JTA timeout value allows the system to recover a "lost" transaction. Your application code should handle commit and rollback of database transactions. But, if there is a programming error such that transactions are not committed or rolled back, a timeout provides a way for the application server to release those transactions.

The default timeout (30 seconds) is fine for web-based transactions, but it is too small for batch based transactions.

To configure the JTA Timeout setting:

1. Enter the URL to log on to the WebLogic console
4. Click on the **JTA** in the left window, and a screen similar to the following appears:



The screenshot shows the 'Configuration' tab in the WebLogic console, with the 'JTA' sub-tab selected. The 'General' sub-tab is also visible. The 'JTA' tab contains a text area with the following text: 'Transaction management provides you with a way to guarantee that database changes are completed accurately and that they take on all the ACID (Atomicity, Consistency, Isolation, and Durability) properties of a high-performance transaction. This page allows you to define the Java Transaction API (JTA) configuration of this WebLogic Server domain. (These settings apply to all the servers within this domain, but monitoring and logging tasks for JTA must be specified for each server under Logging > JTA and Monitoring > JTA, respectively.)' Below this text is a 'Timeout Seconds' field with a value of '30'. A description below the field states: 'The transaction timeout seconds (between 1 and a positive 32-bit integer) for active transactions, before the prepared state.'

Configuration | Monitoring | Control | Notes

General | **JTA** | SNMP | Logging

Transaction management provides you with a way to guarantee that database changes are completed accurately and that they take on all the ACID (Atomicity, Consistency, Isolation, and Durability) properties of a high-performance transaction. This page allows you to define the Java Transaction API (JTA) configuration of this WebLogic Server domain. (These settings apply to all the servers within this domain, but monitoring and logging tasks for JTA must be specified for each server under Logging > JTA and Monitoring > JTA, respectively.)

Timeout Seconds:

The transaction timeout seconds (between 1 and a positive 32-bit integer) for active transactions, before the prepared state.

2. Change the Timeout Seconds field to the multiple of 30 seconds that you require, and click the **Apply** button.



Post-Payment Installation Configuration

Configuring Support for VeriSign Processing

WebLogic

If you are going to use a VeriSign credit card gateway, then you must edit the classpath in your application server startup script, and configure your java security file.

To edit the classpath in the application server startup script

Edit the startup script for your application server to add *jsse.jar*, *jnet.jar* and *jcet.jar*. These files are located in the JSEE subdirectory of your JDK 1.4 installation.

These JSEE JAR files must be added to the classpath **before** the WebLogic JAR files. For example,

For Windows:

```
set
CLASSPATH=<JSSE_PATH>\jsse.jar;<JSSE_PATH>\jcet.jar;<JSSE_PATH>\jnet.jar;%CLASSPATH%
```

For Unix:

```
$CLASSPATH=<JSSE_PATH>\jsse.jar:<JSSE_PATH>\jcet.jar:<JSSE_PATH>\jnet.jar:$CLASSPATH
```

Where <JSSE_PATH> is the path to the JSEE JAR files.

Configuring java security

Modify the java.security file to configure Java to use the JSSE, which is located in *JAVAHOME/jre/lib/security/java.security* to add the following entries:

```
security.provider.1=sun.security.provider.Sun
security.provider.2=com.sun.net.ssl.internal.ssl.Provider
```

If the file already uses the numbers shown above, then use the next available numbers that maintain a contiguous sequence.



Be sure that you edit the correct java security file. Many installations have more than one JDK installed. Edit the one that the application server uses.

Preparing for a System Failure

The database for Payment should be backed-up regularly, for example nightly, to maximize the recovery effort in the event of a system failure. For example, if the Payment Database Server failed for some reason, the database administrator could restore from the latest backed-up version. A failure to the Payment Database Server also requires that the database administrator restart the Payment services in order to reestablish the database connection pool.

Payment will automatically handle single transaction failures by rolling back to the transaction's original state. This happens because each Payment operation is handled within its own transaction context.

Appendix A: WebLogic Reference

Java DataBase Connectivity (JDBC)

You must enter the same information six times: one connection pool and one Tx data source each for **Admin**, **User**, and **Logger**. Make sure you have chosen the correct properties for your application server and database server, and that each datasource and its properties maps to the connection pool of the same name.

For details of how to configure JDBC connections, see your application server documentation. For the procedure to create connections for TBM, see “Configuring Java Messaging Services (JMS) for TBM” on page 43.

**Caution**

Make sure you are using the correct properties for your application server, database, and JDBC resource.

WebLogic Environment Variables

**Caution**

Make sure you set all paths to the appropriate point releases/patches for WebLogic Server and JDK, if necessary. Check the Release Notes and your system documentation for updated requirements to these environment variables.

VARIABLE	DESCRIPTION	WINDOWS
APP_PORT	app server port	7001
ADMIN_PORT	app server admin port	7002
JAVA_HOME	Java home directory	%WLHOME%\jdk141_05

JDBC – WebLogic for Windows

**Tip**

You may save time by **cloning** additional Java resources. Right-click a resource and select **Clone <name>**, then change the resource name and properties as required.

JDBC Connection Pools for WebLogic 8

Create three JDBC Connection Pools, using WebLogic Server documentation at <http://bea.com>. Use the same **Properties** for all three connection pools. Make sure to deploy them to the server you are configuring for TBM (in the examples of this guide, the default **myserver**).

WebLogic 8 creates a new JDBC Connection Pool using a wizard. Follow the prompts, and enter:

- **Database type** = MS SQL Server
- **Database Driver** = Other

For each of three connection pools, using the following names and properties:

Pool 1: Admin	Pool 2: User	Pool 3: Logger
edxAdminConnectionPool	edxUserConnectionPool	edxLoggerConnectionPool

General Tab	
URL	jdbc:inetpool:inetdae7://localhost:1433
Driver Classname	com.inet.pool.PoolDriver
Database User	Enter the database user name. This document uses edx_dba .
Password	Enter the password for the database user. This document uses edx .

After the wizard completes, go to the Configuration page to make adjustments using the values shown in the following table (on the Connections tab, click **Show** for Advanced Options):

Connections Tab	
Initial Capacity	1
Maximum Capacity	20
Capacity Increment	5
Login Delay	1
Statement Cache Size	300
Test Frequency	60
Allow Shrinking	True (box checked)
Shrink Frequency	15

Connections Tab	
Test Reserved Connections	TRUE (checked)
Test Released Connections	FALSE (unchecked)
Test Table Name	job

Click **Apply** to save these values for each connection pool.

JDBC Data Sources for WebLogic 8

Create three transaction data sources, using WebLogic Server documentation at <http://bea.com>.

	Datasource 1: Admin	Datasource 2: User	Datasource 3: Logger
Name	edxAdminDataSource	edxUserDataSource	edxLoggerDataSource
JNDI Name	edx.databasePool	edx.user.databasePool	edx.logger.databasePool
Pool Name	edxAdminConnectionPool	edxUserConnectionPool	edxLoggerConnectionPool

Configuration Tab - Advanced Options (use defaults)	
Emulate Two-Phase Commit for non-XA Driver	FALSE (unchecked)
Row Prefetch Enabled	FALSE (unchecked)
Stream Chunk Size: bytes	256

On the **Targets** tab, select the server that will use this Data Source.

Java Messaging Services for WebLogic



Tip

You may **clone** additional Java resources. Right-click a resource and select **clone <name>**, then change the resource name and properties as required.

You must enter very similar information many times: one set of JMS resources each for annotation and dispute, and FIVE sets for logging. Make sure you have chosen the correct properties for the resource you are creating, and that each resource maps to others of the **same name**.

JMS Connection Factories

Create three JMS connection factories, using WebLogic Server documentation at <http://bea.com>. You may accept the default **Properties** for all three connection factories, or consult your application server administrator to tune these values.

	1: Annotation	2: Dispute	3: Logger
Name	edxAnnotationTCF	edxDisputeTCF	edxLoggerTCF
JNDI Name	edx/tcf/annotate	edx/tcf/dispute	edx/tcf/log

On the Targets tab, select the Servers that will use each JMS Connection Factory.

JMS (JDBC) Stores

Create three JMS JDBC Stores, using WebLogic Server documentation at <http://bea.com>. You may accept the default **Prefix Name=<NULL>** for all three stores, or consult your application server administrator to tune these values.

Name (of JMS Store)	Connection Pool
edxAnnotationStore	edxUserConnectionPool
edxDisputeStore	edxUserConnectionPool
edxLoggerStore	edxLoggerConnectionPool

JMS Servers

Create three JMS Servers, using WebLogic Server documentation at <http://bea.com>. You may accept the default **Properties** for all three servers, or consult your application server administrator to tune these values.

	1: Annotation	2: Dispute	3: Logger
Name	edxAnnotationServer	edxDisputeServer	edxLoggerServer
(Persistent) Store	edxAnnotationStore	edxDisputeStore	edxLoggerStore

Targets Tab	
Targets-Server	[select myserver from drop-down menu]

JMS Topics

Create three JMS Topics, using WebLogic Server documentation at <http://bea.com>. For WebLogic 7 select **Destinations** under each defined Server, then click on **Configure a new JMSTopic**. Make sure to create the matching topic for each server.

	1: Annotation	2: Dispute	C3: Logger
Name	<code>edxAnnotationTopic</code>	<code>edxDisputeTopic</code>	<code>edxLoggerTopic</code>
JNDI Name	<code>edx/jms/annotate</code>	<code>edx/jms/dispute</code>	<code>edx/jms/log</code>
Enable Store	True		

JMS Session Pools and Consumers for Annotation and Dispute


Tip

If your deployment does not use annotation and dispute, you can skip to configuring session pools and consumers for Logger.

Create one pair of JMS Session Pools and Consumers each for Annotation and Dispute, using WebLogic Server documentation at <http://bea.com>. Set **Acknowledge Mode** to **auto** and **Sessions Maximum** to **-1** for all three Session Pools.

Session Pool	1: Annotation	2: Dispute
Name	<code>edxAnnotationPool</code>	<code>edxDisputePool</code>
Connection Factory	<code>edx/tcf/annotate</code>	<code>edx/tcf/dispute</code>
Listener Class	<code>com.edocs.services.annotation.Listener</code>	<code>com.edocs.services.dispute.Listener</code>


Tip

For each session pool, -1 specifies no session maximum. Tune each Session Maximum to the maximum number of threads for each pool.

Consumer	1: Annotation	2: Dispute
Name	<code>edxAnnotationConsumer</code>	<code>edxDisputeConsumer</code>
Messages Maximum	10	10
Selector	<code>JMSType='USER'</code>	<code>JMSType='USER'</code>
Destination	<code>edx/jms/annotate</code>	<code>edx/jms/dispute</code>

JMS Session Pools and Consumers for Logging

Create FIVE pairs of **JMS Session Pools and Consumers** for **Logger**, using WebLogic Server documentation at <http://bea.com>. Set **Acknowledge Mode** to **auto** and **Sessions Maximum** to **-1** for all five Session Pools.


Tip

For each session pool, -1 specifies no session maximum. Tune each Session Maximum to the maximum number of threads for each pool.

1) Admin Activity**JMS session pool - Configuration Tab**

Property	Value
Name	<code>edxLoggerAdminActivityPool</code>
Connection Factory	<code>edx/tcf/log</code>
Listener Class	<code>com.edocs.fs.logging.sub.AdminActivityListener</code>
Acknowledge Mode	<code>auto</code>
Sessions Maximum	<code>-1</code>

JMS Consumer- Configuration Tab

Property	Value
Name	<code>edxLoggerAdminActivityConsumer</code>
Messages Maximum	<code>10</code>
Selector	<code>JMSType= 'ADM'</code>
Destination	<code>edx/jms/log</code>

2) CSR Activity**JMS session pool- Configuration Tab**

Property	Value
Name	<code>edxLoggerCSRActivityPool</code>
Connection Factory	<code>edx/tcf/log</code>
Listener Class	<code>com.edocs.fs.logging.sub.CSRActivityListener</code>
Acknowledge Mode	<code>auto</code>
Sessions Maximum	<code>-1</code>

JMS consumer- Configuration Tab

Property	Value
Name	<code>edxLoggerCSRActivityConsumer</code>
Messages Maximum	<code>10</code>
Selector	<code>JMSType= 'CSR'</code>
Destination	<code>edx/jms/log</code>

3) Message Log

JMS session pool- Configuration Tab

Property	Value
Name	<code>edxLoggerMessageLogPool</code>
Connection Factory	<code>edx/tcf/log</code>
Listener Class	<code>com.edocs.fs.logging.sub.MessageLogListener</code>
Acknowledge Mode	<code>auto</code>
Sessions Maximum	<code>-1</code>

JMS consumer- Configuration Tab

Property	Value
Name	<code>edxLoggerMessageLogConsumer</code>
Messages Maximum	<code>10</code>
Selector	<code>JMSType= 'MSG'</code>
Destination	<code>edx/jms/log</code>

4) System Activity

JMS session pool- Configuration Tab

Property	Value
Name	<code>edxLoggerSystemActivityPool</code>
Connection Factory	<code>edx/tcf/log</code>
Listener Class	<code>com.edocs.fs.logging.sub.SystemActivityListener</code>
Acknowledge Mode	<code>auto</code>
Sessions Maximum	<code>-1</code>

JMS consumer

Property	Value
Name	<code>edxLoggerSystemActivityConsumer</code>
Messages Maximum	<code>10</code>
Selector	<code>JMSType= 'SYS'</code>
Destination	<code>edx/jms/log</code>

5) UserActivity

JMS session pool

Property	Value
Name	<code>edxLoggerUserActivityPool</code>
Connection Factory	<code>edx/tcf/log</code>
Listener Class	<code>com.edocs.fs.logging.sub.UserActivityListener</code>
Acknowledge Mode	<code>auto</code>
Sessions Maximum	<code>-1</code>

JMS consumer

Property	Value
Name	<code>edxLoggerUserActivityConsumer</code>
Messages Maximum	<code>10</code>
Selector	<code>JMSType= 'USER '</code>
Destination	<code>edx/jms/log</code>

Appendix B: Uninstalling TBM

Uninstalling TBM

You can uninstall and remove TBM components, deployed J2EE applications, and Windows services using the TBM Uninstaller.

Uninstall TBM from the **database server** first, then the **application server**.

The uninstaller does **not** delete any directories that contain files modified since installation. Instead, it lists these items, which you must then remove manually.

Before uninstalling TBM components, you must:

- Stop your application server.
- Stop your database instance.
- Stop your database server.

To uninstall TBM:

1. Navigate to the **Uninstall** folder of your TBM home directory, `$EDX_HOME`.
2. Windows users may run the command-line script **Uninstall_TBM.exe**, or select **Start Menu>Programs>eaDirect>Uninstall eaDirect**.
3. Click **Uninstall**. A second uninstall screen appears showing TBM components being removed from your machine.

When the uninstaller is finished, a screen appears listing any items that could not be removed.
4. Change the directory to your TBM home directory and manually remove any remaining files and directories as necessary.
5. Click **Done** to close the uninstaller.
6. Repeat this procedure on your application server and any other installations.

Uninstalling Windows Services



Tip

This section applies to all Windows platforms.

Uninstalling WebLogic Server as a Windows Service

Uninstalling this Windows Service will require that you start and stop WebLogic Server from the command line or the administrative console.

To uninstall WebLogic Server as a Windows Service:

1. Open a Command Prompt window, and change directory to the **domain** directory of your application server home directory.

```
C:\> cd %WL_HOME%\config\mydomain
```

2. Uninstall WebLogic Server as a Windows Service with the **uninstallNtService** command:

```
C:\> uninstallNtService.cmd
```

You do not have to specify the WebLogic service name on the command line, because it is named in **uninstallNtService.com**.

Uninstalling the TBM Scheduler as a Windows Service

Uninstalling this Windows Service will require that you start and stop the Scheduler from the command line.

To uninstall the Scheduler as a Windows Service:

1. Open a command prompt window, and change directory to the **\bin** directory of your TBM home directory.

```
C:\> cd %EDX_HOME%\bin
```

2. Uninstall the Scheduler as a Windows Service with the **-remove** command:

```
C:\> Schedulersvc -remove
```

Uninstalling Payment

Removing the Payment Database

Follow the steps below to remove the Payment database tables and indexes. The process involves running an SQL script as the as the owner of the database. You should be aware that this procedure **completely** removes the payment database elements and should be used with care.

**Caution**

If you wish to remove the Payment database tables and indexes, you must do that before removing the Payment database package.

To remove the Payment database for MSSQL:

1. Change your working directory to the *%PAYMENT_HOME\db\mssql* directory.
2. Run the file *drop_payment_db.bat*.

Uninstalling Payment

When uninstalling Payment, you must remove it from each server you installed it on.

Run this procedure on both the database and application servers.

To removing the eaPay application in Windows:

1. Change your working directory to the *%PAYMENT_HOME%\Uninstall* directory.
2. Run *.uninstall.exe*.

Index

A

- Annotation, 43
- Application Server Components, 19
- Attributes, 43

C

- Command Center, 20, 32, 39

D

- Database Components, 19
- Database Configuration Fails, 27
- Database Connectivity, 41
- Database Server, 14
- DBConfigTool, 25
- DBConfigTool.jar, 14
- Dispute, 43
- documentation, 8

E

- edxAdmin, 42
- edxLogger, 42, 43
- edxUser, 42
- Environment Data
 - Application Server, Windows, 33

H

- Help
 - documentation, 8
 - technical support, 9

I

- Input and Output Data, 20
- Installing Payment on the Database Server, 49

J

- JDBC, 41
- JMS, 43
- JTA timeout, 56

P

- pmtCheckSubmit
 - and large batches, 56

S

- Scheduling jobs, 32, 39, 45, 70
- Session Pools, 43
- Software Prerequisites, 47
 - BillDirect, 47
- SQL Server
 - Numeric Columns, 23
- Starting and Stopping
 - Application Server, 32

T

- TBM, 7
 - uninstalling, 69
- Troubleshooting
 - WebLogic on Windows, 40

U

- Uninstalling TBM, 69

V

- verisign
 - configuring, 59

W

- Weblogic
 - and pmtCheckSubmit, 56
- WebLogic, 42

