



Administration Guide

eaMarket

Version: 4.0
Document ID: MAGN-04-4.0-01
Date Published: 08.08.2003

© 1997–2003 edocs® Inc. All rights reserved.

edocs, Inc., One Apple Hill Dr., Natick, MA 01760

The information contained in this document is the confidential and proprietary information of edocs, Inc. and is subject to change without notice.

This material is protected by U.S. and international copyright laws. edocs and eaPost are registered in the U.S. Patent and Trademark Office.

No part of this publication may be reproduced or transmitted in any form or by any means without the prior written permission of edocs, Inc.

eaSuite, eaDirect, eaPay, eaCare, eaAssist, eaMarket, and eaXchange are trademarks of edocs, Inc.

All other trademark, company, and product names used herein are trademarks of their respective companies.

Printed in the USA.

Table of Contents

Preface	5
About Customer Self-Service and eaSuite™	5
About eaMarket	8
About this Guide	9
Related Documentation	10
Contacting edocs Technical Support	11
1 Overview of eaMarket Administration	13
Setting up a new eaMarket System	13
Coordinating eaMarket Promotions with eaDirect Production	14
Maintaining an eaMarket System	15
2 Administration Tasks	17
Adding and Maintaining Groups, Users, and Privileges	17
Defining eaDirect Servers, Importing Application and View Information	23
Adding a server	24
Importing applications from an eaDirect server manually	27
Assigning application workflow approval	28
Importing view information for an application	29
Editing or deleting a server	33
Creating and Maintaining Data Stores	33
Creating and Maintaining Libraries	37
Setting System Preferences	40
Server Information	42
Agents	43
Content Preview	44
eaMarket Main Database	44
Internationalization	45
Servlets	46
Tracker	47
Web Interface	48

Event Log	49
Email	50
Changing Your Profile Information	52
Viewing Logs	53


Preface

About Customer Self-Service and eaSuite™

edocs has developed the industry's most comprehensive software and services for deploying Customer Self-Service solutions. **eaSuite™** combines electronic presentment and payment (EPP), order management, knowledge management, personalization and application integration technologies to create an integrated, natural starting point for all customer service issues. eaSuite's unique architecture leverages and preserves existing infrastructure and data, and offers unparalleled scalability for the most demanding applications. With deployments across the healthcare, financial services, energy, retail, and communications industries, and the public sector, eaSuite powers some of the world's largest and most demanding customer self-service applications. eaSuite is a standards-based, feature rich, and highly scalable platform, that delivers the lowest total cost of ownership of any self-service solution available.

eaSuite is comprised of four product families:

- Electronic Presentment and Payment (EPP) Applications
- Advanced Interactivity Applications
- Enterprise Productivity Applications
- Development Tools



Electronic Presentment and Payment (EPP) Applications are the foundation of edocs' Customer Self-Service solution. They provide the core integration infrastructure between organizations' backend transactional systems and end users, as well as rich e-billing, e-invoicing and e-statement functionality. Designed to meet the rigorous demands of the most technologically advanced organizations, these applications power Customer Self-Service by managing transactional data and by enabling payments and account distribution.

eaDirect™ is the core infrastructure of enterprise Customer Self-Service solutions for organizations large and small with special emphasis on meeting the needs of organizations with large numbers of customers, high data volumes and extensive integration with systems and business processes across the enterprise. Organizations use eaDirect with its data access layer, composition engine, and security, enrollment and logging framework to power complex Customer Self-Service applications.

eaPay™ is the electronic payment solution that decreases payment processing costs, accelerates receivables and improves operational efficiency. eaPay is a complete payment scheduling and warehousing system with real-time and batch connections to payment gateways for Automated Clearing House (ACH) and credit card payments, and payments via various payment processing service providers.

eaPost® is the account content distribution system that handles all the complexities of enrollment, authentication and secure distribution of summary account information to any endpoint, while also bringing customers back the organization's Website to manage and control their self-service experience.

Advanced Interactivity Applications are a comprehensive set of advanced customer-facing self-service capabilities that enable the full range of business and consumer customer service activities. These sophisticated modules have the flexibility to completely customize the Customer Self-Service solution to meet vertical industry and specific company requirements.

eaCare™ consists of a rich set of sophisticated self-service modules – Dispute Manager, Intelligent Assistant, Hierarchy Manager, Analytics Manager, and Service and Order Manager - for automated assistance, advanced business-to-business applications and account management. These capabilities come together to create a web self-service dashboard for customers to access all service offerings from a single, easy-to-use interface. eaCare's modularity accelerates time to market with components that can be deployed incrementally in a phased approach.

Enterprise Productivity Applications are employee-facing solutions that empower customer service representatives, sales agents, account managers, marketing managers, broker-dealers and channel partners within an organization and external partner organizations to facilitate self-service and to support assisted service. Employees leverage edocs' Customer Self-Service solution to deliver customer service, access information, create and deploy marketing and customer service content, and perform activities for the benefit of customers.

eaAssist™ reduces interaction costs and increases customer satisfaction by enabling enterprise agents – customer service representatives (CSRs), sales agents, broker-dealers and others – to efficiently access critical account data and service-related information to effectively service customers. Through its browser interface designed especially for the enterprise agent, eaAssist enables agents to take advantage of customer-facing online capabilities to provide better service by more efficiently resolving customer account inquiries at the point of customer contact.

eaMarket™ is the personalization, campaign and content management solution that enables organizations to increase revenue and improve customer satisfaction by weaving personalized marketing and customer service messages throughout the Customer Self-Service experience. The transactional account data that provides the foundation for a Customer Self-Service solution – such as transaction activity, service or usage charges, current task and prior service history – bring valuable insight into customers and can help optimize personalized marketing and customer service campaigns. eaMarket leverages that data to present relevant marketing and customer service messages to customers.

edocs' **Development Tools** are visual development environments for designing and configuring edocs' Customer Self-Service solutions. The Configuration Tools encompass data and rules management, workflow authoring, systems integration, and a software development kit that makes it easy to create customer and employee-facing self-service applications leveraging eaSuite.

About eaMarket

eaMarket is the personalization management solution that enables companies to increase revenue and improve customer satisfaction by weaving personalized marketing and customer service messages throughout the online account management experience.

The online statement is the best platform to create recurring one-to-one relationships with your customers, as it provides personal, time-sensitive and financially relevant information. Transactional account data – such as purchase history, investment activity and service and usage charges – allows you to gain the most insight into your customers and optimally personalize your marketing campaigns. With eaMarket, you can deploy targeted marketing and customer service messages based on the customer's dynamic account and transaction data.

Online marketing demands real actions in real time. eaMarket allows your marketing team to design, schedule, evaluate, and manage the entire process from anywhere on your network – all from a browser-based user interface that operates without heavy involvement from your IT department.

Move beyond your competition. Use eaMarket to send your customers personalized e-serts™ instead of envelopes full of one-size-fits-all inserts. Increase cross-sell and up-sell offer acceptance rates with personalized messages that are based on your customer's actual account activity.

With eaMarket, you can deliver the right message to the right customer at the right time.

About this Guide

This guide is intended for system administrators who setup and maintain the eaMarket environment. It assumes you have successfully installed eaMarket and are ready to set it up for use.

Related Documentation

This guide is part of the eaMarket documentation set. For more information about implementing your eaMarket application, see one of the following guides:

Online	How to Access
Help	Select Help from the eaMarket configuration screens.
A PDF of this guide	A PDF of this guide is available on the eaDirect product CD-ROM.

This guide is part of the eaMarket documentation set. For more information about implementing your eaMarket application, see one of the following guides:

Print Document	Description
<i>Campaign Management UserGuide</i>	Explains what you need to know to use the eaMarket application to manage marketing promotions, content, business conditions, and workflow.
<i>eaMarket™ Installation and Configuration Guide: for the Solaris™ Operating Environment™ Software</i>	Explains how to install and configure eaMarket for a Solaris environment.
<i>eaMarket™ Installation and Configuration Guide: for the Windows/NT™ Operating Environment™ Software</i>	Explains how to install and configure eaMarket for a Windows environment.
<i>eaDirect Installation and Configuration Guide</i>	How to install eaDirect and configure it in a distributed environment.
<i>Data Presentation Production Guide</i>	How to set up and run a live eaDirect application in a J2EE environment.
<i>Deploying and Customizing J2EE Applications</i>	How to customize J2EE web applications for deployment with the eaSuite.

The eaSuite products eaDirect, eaPost, eaPay, and eaAssist provide their own documentation.

Contacting edocs Technical Support

Technical support is available to customers who have valid maintenance and support contracts with edocs. Technical support engineers can help you install, configure, and maintain your edocs application.

edocs provides global Technical Support services from the following Support Centers:

US Support Center

Natick, MA

Mon-Fri 8:30am – 8:00pm US EST

Telephone: 508-652-8400

Europe Support Center

London, United Kingdom

Mon-Fri 9:00am – 5:00 GMT

Telephone: +44 20 8956 2673

Asia Pac Rim Support Center

Melbourne, Australia

Mon-Fri 9:00am – 5:00pm AU

Telephone: +61 3 9909 7301

Customer Central

<https://support.edocs.com>

Email Support

<mailto:support@edocs.com>

When you report a problem, please be prepared to provide us the following information:

- What is your name and role in your organization?
- What is your company's name?
- What is your phone number and best times to call you?
- What is your e-mail address?

Preface

- In which edocs product did a problem occur?
- What is your Operating System version?
- What were you doing when the problem occurred?
- How did the system respond to the error?
- If the system generated a screen message, please send us that screen message.
- If the system wrote information to a log file, please send us that log file.

If the system crashed or hung, please tell us.

Overview of eaMarket Administration



Setting up a new eaMarket System

Once you have installed eaMarket, you must specify various system administration parameters to set up the new eaMarket system for your organization.

In eaMarket, a “user” is anyone who uses eaMarket, including system administrators.

To set up a new eaMarket application, you must:

1. Create groups of users and grant workflow approval and other privileges for each group.
2. Create users and assign users to one or more groups.
3. Set up the eaDirect servers in eaMarket, and register and import eaDirect applications from the servers.
4. Create a data store in eaMarket (after configuring your database and web application server to support data stores during installation).
5. Specify various eaMarket system settings (preferences) such as default style and operational model.
6. Create libraries and populate them with content.

Follow the instructions in the next chapter to complete each administrative setup task.

You must have the appropriate user privileges to perform system administration tasks. eaMarket provides a default group and user to help you get started. The default user is called “administrator” with password “admin” and is assigned to the SuperAdministrators group, which has all privileges.

Coordinating eaMarket Promotions with eaDirect Production

For promotions to appear in the intended statements, you must coordinate with the eaDirect system administrator and the eaDirect production schedule.

In eaDirect, the system administrator ordinarily uses the eaDirect Command Center to publish new version sets (statement design files, including marketing content files) whenever statement design or content changes. eaMarket lets you automatically publish promotion content files to the eaDirect production environment according to the specified deployment schedule. However, deploying a promotion in eaMarket is only part of the larger production process required to enable content to appear in the intended statements during the scheduled time period.

For promotions to deploy successfully, marketing must coordinate directly with the eaDirect system administrator who manages the entire production environment. The eaDirect system administrator carefully times the placement of regularly generated data input files, such as monthly statements, on the application’s production input directory and the running of the corresponding Indexer batch job with the publishing of the version sets those data input files require.

These production events are highly date- and time-interdependent and your eaDirect system administrator must manage this process.

See the *Data Presentation Production Guide* for more information.

Maintaining an eaMarket System

You may periodically need to perform the following administration tasks to maintain an ongoing eaMarket system:

- Import application information from an eaDirect server if it changes
- Add or delete users
- Modify assigned eaMarket system privileges
- Edit content libraries
- Change your password (profile)
- View system logs and reports to troubleshoot failures in eaMarket
- Edit eaMarket system settings (preferences)

Adding and Maintaining Groups, Users, and Privileges

To set up a new eaMarket system, you must first set up groups, define privileges for each group, then set up users and assign them to a group.

Define groups according to the type of activities they perform and the corresponding types of privileges they need. You can grant any combination of the following eaMarket management privileges to a group:

- Server management: Add, remove, modify, or search a server, or import applications
- Data store management: Add, remove, or modify a data store
- User management: Manage groups and/or users
- Library management: Add, remove, or modify a library
- Category management: Add, remove, or modify a category
- Content management: Add, remove, modify, or search for content
- Promotion management: Add, remove, modify, search, or stage promotions, no approval required, or view Dashboard. If a group has “No approval required” privilege, the promotions those users create do not go through the workflow process for approval, but are immediately eligible for deployment.
- Administration: View log, clear log, hold agent, resume agent

You can grant a group privileges to add, remove, and/or modify libraries, categories, or content, but you must assign a group access to individual libraries to enable them to open the library (otherwise the Open button does not appear on the Content Library screen). When you set up a library you specify which groups can access the library.

Also, some privileges are hierarchical. If a user belongs to a group with the privilege to delete libraries, they automatically have privileges to delete categories and content. Similarly, if a user has the privilege to delete data stores, they automatically have the privilege to delete libraries, categories, and content as well.

Here are some factors to consider when creating groups and assigning privileges:


- Set up approval groups around functional groups.
- Assign users to only one group to avoid complications that could occur due to conflicting group privileges.
- A user's level in the organization may determine their level of privileges.
- Consider your organization's workflow and volume of ads to be approved; does each promotion need to have all groups' approval every time? Consider what your default workflow should be, then manually add other groups to the workflow for each promotion.
- During server setup, you assign groups to each server, enabling users to work with applications on that server (users cannot import from the server, however).

eaMarket comes with two default groups, SuperAdministrators and Administrators, which have identical privileges (all privileges) and a default user. The default user is called "administrator" with password "admin" and is assigned to SuperAdministrators. You cannot customize the default groups.

Once you set up your eaMarket users, you can search the user list by user ID or name, or edit a user's information.

To add a group:

1. On the eaMarket menu, click **Administration**. The eaMarket Administration screen appears:



2. Select **eaMarket Users**. The eaMarket Users screen appears:

User Id	First Name	Last Name	Description
ADMINISTRATOR			eaMarket Super System Administrator
BARRY	Barry	Alt	
BECCA	Becca	Adams	Manager, marketing collateral
JED	Jed	Rice	Content creation
JFOLEY	Jeff	Foley	eaMarket Admin
JPATTERSON	Jeff	Patterson	Distribution manager
MWATTS	Mark	Watts	Southern New England regional sales
RWALL	Rich	Wall	Northern New England regional sales
TFORCIER	Tom	Forcier	Head of IT department
TMORGAN	Ted	Morgan	VP of Marketing and final signoff

3. Click the **Add User** button. In the Add User screen, click the **Add Group** button. The Add Group screen appears:

Administration Tasks

Add Group

Group Name

Description

Privileges

☐ **Select All Privileges**

☐ **Server Management**

☐ Add Server ☐ Remove Server ☐ Modify Server

☐ Search Server ☐ Import Application

☐ **DataStore Management**

☐ Add DataStore ☐ RemoveDataStore ☐ Modify DataStore

☐ **User Management**

☐ Group Management ☐ User Management

☐ **Library Management**

☐ Add Library ☐ Remove Library ☐ Modify Library

☐ **Category Management**

☐ Add Category ☐ Remove Category ☐ Modify Category

☐ **Content Management**

☐ Add Content ☐ Remove Content ☐ Modify Content

☐ Search Content

☐ **Promotion Management**

☐ Add Promotion ☐ Remove Promotion ☐ Modify Promotion

☐ Search Promotion ☐ Stage Promotion ☐ No Approval Required

☐ View Dashboard

☐ **Administration**

☐ View Log ☐ Clear Log

☐ Hold Agent ☐ Resume Agent

4. Enter the group name and description, and select the group privileges. You can give all privileges to the group by selecting the **Select All Privileges** check box.

5. Click **Save**.

To add a user:

1. In the eaMarket Users screen, click the **Add User** button. The Add User screen appears:

Add User

Add New User.

1

Provide personal Information

First Name

Last Name

User ID

Description

E-mail Address

Password

Confirm Password

2

Add this user to one or more groups.

Group Name	Description	
<input type="checkbox"/> Graphic Design	Designers responsible for creating content and promotions	X
<input type="checkbox"/> IT	Responsible for server management and administration	X
<input type="checkbox"/> Marketing	Marketing department	X
<input type="checkbox"/> Sales	Sales department	X
<input type="checkbox"/> SuperAdministrators	Super system administrators having complete access rights to the eaMarket server	X
<input type="checkbox"/> VP of Marketing	Final sign-off of promotions	X
<input type="checkbox"/> Webmaster	Final sign-off on all promotions	X

Add Group

- Enter the personal information for the user.
- Assign the user to one or more groups and click **Save**.

To search for a list of users (run a query):

To query the list of eaMarket users:

- In the eaMarket Users screen, enter the search criteria in the Query User text boxes and click **search**. The results of your query appear:

Administration Tasks

eaMarket Users

Query User

User id starts with:

First name starts with:

Last name starts with:

Search **Reset**

Registered users. Click user from the list to edit.

User Id	First Name	Last Name	Description
<u>GUEST</u>			eaMarket Guest

Add User **Help**

To edit a user:

1. In the eaMarket Users screen, click the ID of the user you want to edit. The Edit User screen appears.

Edit User

Edit User.

STEP 1 Provide user personal Information

First Name:

Last Name:

User ID:

Description:

E-mail Address:

Password:

Confirm Password:

STEP 2 Add this user to one or more groups.


Group Name	Description
<input type="checkbox"/> Administrators	System administrators
<input type="checkbox"/> Guests	Guests for the system
<input checked="" type="checkbox"/> SuperAdministrators	Super system administrators having complete access rights to the eaMarket server

Add Group

Save **Cancel** **Help**

2. Make changes to the user's information. (You can also add groups from the Edit User screen; click the **Add Group** button.)
3. Click **save** when finished.

To delete a user:

In the eaMarket Users screen, click the  button next to the user name. eaMarket removes the user from your list.

Defining eaDirect Servers, Importing Application and View Information

After setting up groups and users for a new eaMarket system, you must:


1. **Define your eaDirect servers in eaMarket**, import (register) eaDirect applications from the servers. (Before defining your eaDirect servers, you must define groups and users, and specify their corresponding privileges.)
2. **Import all eaDirect applications on the eaDirect server.** Importing all applications available on an eaDirect server registers the application names in the eaMarket database. Once you have imported an application you can specify groups you want to assign as default approvers for the various stages of an application's workflow or specify whether promotion creators must specify which groups must review and approve promotions. If you add any new applications to the eaDirect server in the future, you must import again.
3. **Import the views or ALFs of the required applications (information about business conditions, sections, and templates for each application).** eaMarket needs information about all sections and business conditions defined in an Application Logic File (ALF) to enable you to design promotions for the view. Importing the view adds information about an ALF's sections and business conditions along with the names of the associated templates to the eaMarket database. eaMarket uses the templates to let you preview a promotion in a statement. (An ALF is created by a developer or eaDirect statement designer using eaDirect's Composer tool, and contains the rules for presenting data extracted from the data input source in a template on the web or email, along with any business logic, or conditional statements.)

Once your eaMarket system is set up and in use, if an application's ALF file changes, you must import the view information into eaMarket again. Developers or eaDirect statement designers may change an ALF file using the eaDirect Composer tool, and the marketing department must coordinate with or accommodate these changes.


Adding a server

To add a server:

1. On the eaMarket menu, click **Administration**. The eaMarket Administration screen appears:



2. Select **eaDirect Servers**. eaMarket displays the eaDirect Servers screen:



3. In the eaDirect Servers screen, click **Add server**. The Add Server page appears.

4. Specify a server name and the URL of the eaDirect server, such as `http://pluto:9080`.
5. If necessary, specify the URL for the eaMarket Tracking Component.
6. Specify “administrator” as the user name and “admin” as the password. (This user name and password are required for the current implementation of eaDirect).
7. Specify the web root folder on the eaDirect system. This is the same folder name given in the *edx_mwi.config* file. For example:

Application Server	Folder
WebSphere	/opt/IBMHTTPD/htdocs/en_US/
WebLogic 6.1	C:\bea\wlserver6.1\config\mydomain\applications\DefaultWebApp
WebLogic 7.0	C:\bea\weblogic700\config\mydomain\applications\DefaultWebApp

This is the main folder where eaMarket promotion contents deploy.

8. Specify *images/* as the content upload path. (This helps organize content being deployed on the eaDirect server. When deploying content, eaMarket copies content to this subfolder.)
9. Specify the web path. This should be / for Solaris and / for Windows.
10. Specify the platform of the eaDirect server.

STEP
2

Choose the platform

☐ Windows
 ☒ Unix


11. Select the groups you want to be able to access the server.

STEP
4


Select groups to access this server :

Group Name	Description	Privileges	
<input type="checkbox"/> <u>Graphic Design</u>	Designers responsible for creating content and promotions	Svr.Add, Svr.Rem, Svr.Edt, Svr.Srch, App.Imprt, DtStor.Add, DtStor.Rem, DtStor.Edt, Manage.Group, Manage.User, Lib.Add, Lib.Rem, Lib.Edt, Cat.Add, Cat.Rem, Cat.Edt, Cont.Add, Cont.Rem, Cont.Edt, Cont.Srch, Prom.Add, Prom.Rem, Prom.Edt, Prom.Srch, Prom.Stage, Dashbd.View, Log.View, Log.Clear, Hold.Agent, Resume.Agent	✗
<input type="checkbox"/> <u>IT</u>	Responsible for server management and administration	Svr.Add, Svr.Rem, Svr.Edt, Svr.Srch, App.Imprt, DtStor.Add, DtStor.Rem, DtStor.Edt, Log.View, Log.Clear, Hold.Agent, Resume.Agent, Def.Appr	✗
<input type="checkbox"/> <u>Marketing</u>	Marketing department	Svr.Add, Svr.Rem, Svr.Edt, Svr.Srch, App.Imprt, DtStor.Add, DtStor.Rem, DtStor.Edt, Manage.Group, Manage.User, Lib.Add, Lib.Rem, Lib.Edt, Cat.Add, Cat.Rem, Cat.Edt, Cont.Add, Cont.Rem, Cont.Edt, Cont.Srch, Prom.Add, Prom.Rem, Prom.Edt, Prom.Srch, Prom.Stage, Prom.Deply, Dashbd.View, Def.Appr	✗
<input type="checkbox"/> <u>Sales</u>	Sales department	DtStor.Add, DtStor.Rem, DtStor.Edt, Cont.Add, Cont.Rem, Cont.Edt, Cont.Srch, Prom.Add, Prom.Rem, Prom.Edt, Prom.Srch, Prom.Stage, Prom.Deply, Dashbd.View	✗
<input type="checkbox"/> <u>SuperAdministrators</u>	Super system administrators having complete access rights to the eaMarket server	Svr.Add, Svr.Rem, Svr.Edt, Svr.Srch, App.Imprt, DtStor.Add, DtStor.Rem, DtStor.Edt, Manage.Group, Manage.User, Lib.Add, Lib.Rem, Lib.Edt, Cat.Add, Cat.Rem, Cat.Edt, Cont.Add, Cont.Rem, Cont.Edt, Cont.Srch, Cont.Move, Prom.Add, Prom.Rem, Prom.Edt, Prom.Srch, Not available, Prom.Stage, Prom.Deply, Dashbd.View, Log.View, Log.Clear, Startup, Shutdown, Hold.Agent, Resume.Agent, Shut.Agent, Settings, Administration, Def.Appr	✗
<input type="checkbox"/> <u>VP of Marketing</u>	Final sign-off of promotions	Cont.Add, Cont.Rem, Cont.Edt, Cont.Srch, Prom.Add, Prom.Rem, Prom.Edt, Prom.Srch, Prom.Stage, Prom.Deply, Dashbd.View, Def.Appr	✗
<input type="checkbox"/> <u>Webmaster</u>	Final sign-off on all promotions	Prom.Add, Prom.Rem, Prom.Edt, Prom.Srch, Prom.Stage, Prom.Deply, Dashbd.View, Log.View, Log.Clear, Hold.Agent, Resume.Agent, Def.Appr	✗

12. Select **Do Not Import** or **Import Later**. It is easier to select Do Not Import and manually import the server applications later. Do Not Import does not import any information from the eaDirect server, but adds an entry for the server in eaMarket. This option lets you choose to import information about only those applications you are interested in. If you select Import Later, you must specify a date and time to automatically import all information about *all* applications on the server (by the Application Import Agent).



Import Schedule

 If you do not specify time to import, select Do not Import. Else select Import Later


☒ Do Not Import


☐ Import Later on Date : Time : : :

13. Click **Save**.

Importing applications from an eaDirect server manually

To import (register) applications from an eaDirect server:

1. In the eaDirect Servers screen, click the  button next to the name of the server you want to import from:




eaDirect Servers

Registered eaDirect Servers

eaDirect Server Name	Platform	Deployment	Import Schedule	Status	
dusky	UNIX	YES	None	NA	<input type="button" value="Import"/> <input type="button" value="X"/>

eaDirect displays the following warning: “Importing an eaDirect application will overwrite any changes made to Business Conditions since the last promotion deployment. Make sure that other users do not have pending business condition modifications before you import an application. Do you want to continue?”



2. Click **OK** to proceed or **Cancel**. eaMarket immediately adds the names of all eaDirect applications on the selected server to the eaMarket database and lists them on the eaDirect Servers screen:

Registered Applications				
dusky				
Application Name	Status	Views	Import	
National	Good	Views	Import	
training	Good	Views	Import	

Assigning application workflow approval

To assign application-wide default approval groups and/or enable the promotion creator to control the workflow approval process:

1. In the eaDirect Servers screen, click the name of the application. eaMarket displays the Application Configuration screen showing the default reviewer groups and their stage in the approval process for an application’s workflow.

Application Configuration

Application Name:

Description:

Approval Stage	Default Approval	Application Access	Group Name	Description	
1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Graphic Design	Designers responsible for creating content and promotions	X
3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	IT	Responsible for server management and administration	X
2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Marketing	Marketing department	X
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Sales	Sales department	X
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	SuperAdministrators	Super system administrators having complete access rights to the eaMarket server	X
4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	VP of Marketing	Final sign-off of promotions	X
4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Webmaster	Final sign-off on all promotions	X

- To assign a group to be a default approver, forcing all promotion creators to include this group in the workflow review process, click the **Default Approval** column next for the group. Or click **Application Access** to give the promotion creator the option to select that group as a member in the approval workflow process. Note that if a promotion creator belongs to a group that has been given the special privilege of "No approval required" eaMarket skips the approval process for the promotions created by that user.
- Click **Save**.


Importing view information for an application

To import view section, business condition, and template information for an application:




Re-importing an application overwrites any previously imported business condition information. Be sure to deploy any promotions that require the current business conditions before re-importing new business conditions in an application.

1. In the eaDirect Server screen, select the application you want to import and click **Import**. To import all the applications select the **Select All** check box and click **Import**. (Import the application from the eaDirect server if you haven't already.)



eaDirect displays the following warning: “Importing an eaDirect application will overwrite any changes made to Business Conditions since the last promotion deployment. Make sure that other users do not have pending business condition modifications before you import an application. Do you want to continue?”



2. Click **OK** to proceed or **Cancel**. eaMarket imports information about the ALF sections and business conditions along with the associated template names to the eaMarket database.

To display a list of views or detailed view/ALF information (sections, business conditions, and or templates) for an application:

- In the eaDirect Servers screen, click the **Views** button next to the name of the application, along with the type of the view (web/email) and current status:

eaDirect Views

eaDirect Server :	nurse
eaDirect Application :	email

View Name	Type	Status	Description
<u>E</u> Notification	Email	Good	

[Save](#)
[Back](#)
[Help](#)

To display information about the view's ALFs, click on the name of the view:

eaDirect ALFs

Server :	edocs
Application :	email
View :	ENotification

ALF Name	Templates	Sections	Business Conditions
Training.alf	View	View	View

[Back](#)
[Help](#)

To list the templates, sections or business conditions defined in an ALF, click on the corresponding **View** button:

Administration Tasks

eaDirect Templates

Server : dusky
Application : National
View : NW_LocSummary
ALF : NW_LocSummary.alf

HTML Templates	
Template Name	Template File Name
Default_Template	C:\EDCSbd\samples\NatlWireless\NW_LocSummary.htm

Page No : 1

eaDirect Sections

Server : ella
Application : NatlWireless
View : HtmlDetail
ALF : NatlWireless.alf

Sections		
Section Name	Template Name	Contents
TopLeftNav	Default_Template	IF Eastern THEN INSERT LDPhoneAd ELSE IF Central THEN INSERT FreePhoneCardAd ELSE IF Western THEN INSERT edocsLogo
HeaderMsgTxt	Default_Template	IF (FirstStrmIndicator,F) S!= NULL THEN INSERT NewCustMsg ELSE IF (LastStrmIndicator,F) S!= NULL THEN INSERT LastStrmMsg
BottomLeftNav	Default_Template	IF BigSpender THEN INSERT HawaiiAd

Page No : 1

eaDirect Business Conditions

Server : yamani
Application : test
View : HtmlDetail
ALF : NatlWireless.alf

Business Conditions	
	Business Condition Name
	FirstStrmIndicator
	LastStrmIndicator
	CurrencyCharges
	BigSpender
	Eastern
	Central
	Western
	NegativeRed
	NegativefontRed
	PTest


Page No : 1


Editing or deleting a server

To edit a server's information:

1. In the eaDirect Servers screen, click the name of the eaDirect server you want to edit. The Edit Server screen displays the server's information.
2. Make changes, and click **Save**.

To delete a server:

1. In the eaDirect Servers screen, click the  button next to the name of the server you want to delete. eaMarket deletes the server.
2. The following message box will be displayed:



3. Click **OK**.

Creating and Maintaining Data Stores


A data store is the location of the database where you store your eaMarket content.

Configure your database and web application server to support data stores during installation, then create, or add, a data store in eaMarket. After creating a data store for your system, you can proceed to create one or more libraries for organizing content.

You can add, edit, and delete data stores.

To add a data store:

1. On the eaMarket menu, click **Administration**. The eaMarket Administration screen appears:



2. Select **Data Stores**. The Data Stores screen displays a list of data stores present in the system (if any):

Data Stores					
List of data stores present in the system					
Name	Description	Type	Images in	Status	
Primary	The main repository of promotional content.	Oracle Database	Database		
<div>Add Data Store</div> <div>Help</div>					

3. In the Data Stores screen, click **Add Data Store**. The Add Data Store screen appears:

Add Data Store

STEP 1 Data Store Information

Name: eamDS

Description: eaMarketDataStore

STEP 2 Select the type of database

☐ MS SQL Database ☒ Oracle Database

STEP 3 Specify the Data Source

JNDI Data Source name: jdbc/eaMarket

Save Cancel Help

4. Enter a name and description for the data store.
5. Specify the type of database the data store uses. If you haven't already added the database/table space to the database server, do so. Be sure to assign permissions to the database. (Refer to the *eaMarket Installation and Configuration Guide* for details on configuring a data store.)
6. Specify the JNDI data source. (Refer to the *eaMarket Installation and Configuration Guide* for details on configuring a data store.)
7. Click **Save**.




If you're using MS SQL Server, you must associate data stores with a separate database from eaMarket.

To delete a data store:

8. In the eaMarket Administration screen, click the **Data Stores** icon. The Data Stores screen displays a list of data stores present in the system (if any).

Administration Tasks

9. In the Data Stores screen, click the  button next to the data store you want to delete. eaMarket removes the data store from your list.

Creating and Maintaining Libraries

When setting up a new eaMarket system, you must create libraries to organize and store your content. A library is the framework for storing content on a data store, similar to a file system. Content is the promotional text message or graphic intended for a particular audience, view, and timeframe.


Once you create libraries for a new eaMarket system, you must populate them with your content.

Be sure to set up groups before defining libraries so that you can specify which groups can use a particular library. When defining or editing a library, you can grant individual groups the privilege to view its content. A group can see content in a library only if you grant them this privilege.


The Content option on the eaMarket menu lets users create and control categories within a library.

You can add, edit, or remove content libraries as needed.


To add a library:

1. In the eaMarket menu, click . The eaMarket Administration screen appears:

Administration Tasks



- Click the **Library Settings** icon. The Library Settings screen displays a list of your content libraries:



- In the Library Settings screen, click **Add Library** to create a new library. The Add Library screen appears:

Add Library

1 Library Details

Name

Description

2 Select a Data Store

Data Store

3 Select the Group


Group Name	Description	Privileges	
<input type="checkbox"/> <u>Graphic Design</u>	Designers responsible for creating content and promotions	Svr.Add, Svr.Rem, Svr.Edt, Svr.Srch, App.Imprt, DtStor.Add, DtStor.Rem, DtStor.Edt, Manage.Group, Manage.User, Lib.Add, Lib.Rem, Lib.Edt, Cat.Add, Cat.Rem, Cat.Edt, Cont.Add, Cont.Rem, Cont.Edt, Cont.Srch, Prom.Add, Prom.Rem, Prom.Edt, Prom.Srch, Prom.Stage, Dashbd.View, Log.View, Log.Clear, Hold.Agent, Resume.Agent	✗
<input type="checkbox"/> <u>IT</u>	Responsible for server management and administration	Svr.Add, Svr.Rem, Svr.Edt, Svr.Srch, App.Imprt, DtStor.Add, DtStor.Rem, DtStor.Edt, Log.View, Log.Clear, Hold.Agent, Resume.Agent, Def.Appr	✗
<input type="checkbox"/> <u>Marketing</u>	Marketing department	Svr.Add, Svr.Rem, Svr.Edt, Svr.Srch, App.Imprt, DtStor.Add, DtStor.Rem, DtStor.Edt, Manage.Group, Manage.User, Lib.Add, Lib.Rem, Lib.Edt, Cat.Add, Cat.Rem, Cat.Edt, Cont.Add, Cont.Rem, Cont.Edt, Cont.Srch, Prom.Add, Prom.Rem, Prom.Edt, Prom.Srch, Prom.Stage, Prom.Deply, Dashbd.View, Def.Appr	✗
<input type="checkbox"/> <u>Sales</u>	Sales department	DtStor.Add, DtStor.Rem, DtStor.Edt, Cont.Add, Cont.Rem, Cont.Edt, Cont.Srch, Prom.Add, Prom.Rem, Prom.Edt, Prom.Srch, Prom.Stage, Prom.Deply, Dashbd.View	✗
<input type="checkbox"/> <u>SuperAdministrators</u>	Super system	Svr.Add, Svr.Rem, Svr.Edt, Svr.Srch, App.Imprt	✗

4. Under Library Details, type the library name and description.
5. Select a data store from the drop down menu.
6. In the Select the Group region, select the user groups you want to grant access to the library.
7. Click **save** or **Add Group** to add a new group.

To edit a library:

1. In the eaMarket Administration screen, click the **Library Settings** icon. The Library Settings screen displays a list of your content libraries.
2. In the Library Settings screen, click the name of the library you want to edit. The Edit Library screen appears.
3. Edit the information for the selected library.
4. Click **save** or click **Add Group** to add a group.

To delete a library:

1. In the eaMarket Administration screen, click the **Library Settings** icon. The Library Settings screen displays a list of your content libraries.
2. In the Library Settings screen, click the  button next to the name of the library you want to remove. eaMarket removes the library from your list.

Setting System Preferences

To set up a new eaMarket system, you must specify your eaMarket system configuration preferences to control how eaMarket works system-wide. Only your most secure group should have privileges to change preferences; most groups should not be able to change system preferences.

If you are using WebLogic, changing configuration parameters requires you to restart WebLogic since the eaMarket agents will be running within a separate JVM. If you are using WebSphere, changing configuration parameters requires you to restart the eaMarket server. You must also restart the eaMarket agents to implement configuration changes.

You can set up preferences for the following system information:

- Servers
- Agents
- Content preview
- Main database
- Internationalization
- Servlets
- Tracker
- Web interface

- Event log
- Email

To specify or edit your eaMarket configuration (preferences):

1. On the eaMarket menu, click **Administration**. The eaMarket Administration screen appears:



2. Select **Preferences**. The Configuration screen appears.
3. Specify the necessary configuration preferences, described below. To clear all the changes you made before saving, click **Reset to Defaults**.
4. When you have finished changing configuration preferences, click **Save**.

Server Information

You can edit your eaMarket server name, paths, temporary buffer size, and other information, described below, under the “Server Information” region on the eaMarket Configuration screen. See the *eaMarket Installation and Configuration Guide* for more information about configuring eaMarket.

The screenshot shows the 'eaMarket Preference' window with the 'eaMarket configuration' tab selected. Under the 'Server Information' section, the following settings are visible:

- Version: 3.4
- Server name: eaMarket
- Temporary path: /export/home/EDCSmk
- File cache path: /export/home/EDCSmk
- Mnemonic prefix: eaMarketMnemonic
- Temporary buffer size: 16384 bytes
- Keep resources in temporary files if larger than: 16384 bytes
- Additional settings file path(s): /export/home/EDCSmk/
- The full qualified class name of the current XML parser: org.apache.crimson.jaxp.SAXParserFactoryImpl
- ☒ Show me only Business Conditions when adding promotions

Server name – Name of the eaDirect server.

Temporary path – The pathname used to store temporary files generated by eaMarket.

File cache path – The pathname used for cached files.

Mnemonic prefix – This string is inserted in the ALF file to indicate that an eaDirect condition's action is controlled by eaMarket. For example, in ALFs modified in eaMarket, you can see statements similar to "If BigSpenders == TRUE then eaMarketMnemonic_12_1" which corresponds to content specified by eaMarket. Change only with caution.

Temporary buffer size – Buffer Size when using buffered I/O. Change only with caution.

Keep resources in temporary files if larger than – Any resources (files, etc.) smaller than the size specified are kept in memory; large resources are written to files. Change only with caution.

Additional settings file paths – See the *eaMarket Installation and Configuration Guide* for configuration information.


The full qualified class name of the current XML parser – Do not modify. This is the Apache SAX parser factory class, a development option that makes it easier to test various parsers.

Import business conditions and sections which are named from the eaDirect applications – If you select this option, eaMarket shows only business conditions and hides conditions when you are adding promotions.

Agents

You can specify the delays eaMarket uses before running the Application Import, Promotion Deployment, and Work Flow agents in the Agents region of the eaMarket Configuration screen.

A delay determines how long the agents poll to complete these tasks. Smaller numbers make the tasks complete faster but require more total computing time. The default, 10 minutes, works reasonably well.


 Agents		
Application import delay	<input type="text" value="10"/>	Minutes
Promotion deployment delay	<input type="text" value="10"/>	Minutes
Performance tracking delay	<input type="text" value="10"/>	Minutes
Work Flow delay	<input type="text" value="10"/>	Minutes

Do not modify the Performance tracking delay.

Content Preview

You can specify parameters for previewing content, including where to store the temporary files previewing generates, a prefix for the file name, and the number of content items to display in each search result page in the Contents Preview region of the eaMarket Configuration screen.

See the *eaMarket Installation and Configuration Guide* for more information about configuring eaMarket.



The screenshot shows a configuration window titled "Content Preview" with a yellow sphere icon. It contains three input fields: "Store temporary files in" with the value "/opt/EDCSmkt/temp", "and prefix file name with" with the value "~cp", and "Display" with the value "20". The text "contents in every content search result page." follows the "Display" field.

Store temporary files in – The temporary content file cache path.


Prefix file name with – Temporary content file extension.

Display (x) contents in every content search result page – The number of contents to be shown in a single web page when searching. Change only with caution.

eaMarket Main Database

Specify settings to use for the main eaMarket database in the eaMarket Main Database region of the Configuration screen.

See the *eaMarket Installation and Configuration Guide* for more information about configuring eaMarket.



eaMarket Main Database

Select the type of data store

☐ MS SQL Database ☒ Oracle Database

JNDI Data Source name

Database retry delay Milliseconds

Database retry count

Data store name – Do not modify this field.

Select the type of data store – See the *eaMarket Installation and Configuration Guide* for more information about configuring eaMarket.

JNDI Data Source name – JNDI name of the eaMarket data source.


Database retry delay – Retry to connect to the database after this amount of time on error. Change only with caution.

Database retry count – The maximum number of retry attempts before throwing an exception. Change only with caution.

Internationalization

You can change the date format you use with eaMarket in the Internationalization region of the eaMarket Configuration screen.

Do not modify the Locale; only U.S. English is supported for this release.



Internationalization

Locale

Date Format

1. Click on the drop down arrow to select a locale:




2. Select a date format from the drop-down list:




Servlets

The Servlet region of the configuration screen is primarily for development, QA and troubleshooting purposes. You do not need to edit these values.

 Servlets	
eaDirect interface servlet name	<input type="text" value="/eaDirect/CBDInterfaceServlet?app=Interface"/>
eaMarket main servlet name	<input type="text" value="/eaMarket/CeaMarketMainServlet"/>
On click tracking servlet name	<input type="text" value="/eaMarket/CTrackOnClickServlet"/>
On impression tracking servlet name	<input type="text" value="/eaMarket/CTrackOnImpressionServlet"/>
Analysis chart servlet name	<input type="text" value="/eaMarket/CAnalysisChartServlet"/>
Content preview servlet name	<input type="text" value="/eaMarket/CContentPreviewServlet"/>
eaMarket tracking servlet name	<input type="text" value="/eaMarket/CTrackingServlet"/>

Tracker

You can specify preferences to use for tracking, including number of track records to store, where to store them, queue size and where to log errors in the Tracker region of the Configuration screen:



Tracker

Store track records in memory before consolidating and on failure increase the queue size by and log error messages to

Transfer track summary to the eaMarket server whose URL is at intervals of minutes with the maximum number of attempts being and in case of a failure write the track summary to

Store (x) track records in memory before consolidating – Track the specified number of click/impression records to keep in the memory buffer. Change only with caution.

on failure increase the queue size by – Increase the in-memory tracking information store by this amount if necessary. Change only with caution.

log messages to – Name of the error log for tracking. Change only with caution.

Transfer track summary to the eaMarket server whose URL is – Name of the eaMarket server URL to send tracking information. Change only with caution. See the *eaMarket Installation and Configuration Guide* for more information about configuring eaMarket.

at intervals of (x) minutes – Delay after which tracking information is periodically sent. Change only with caution.

maximum number of attempts – The maximum number of attempts to retry on failures. Change only with caution.

in case of a failure write the track summary to – Name of local file to send back tracking information on failure.

Web Interface

To use the eaMarket virtual web directory, you must specify the Action, Tag and Destinations file names, HTML template path, HTML message template and content upload information in the Web Interface region of the Configuration screen.

See the *eaMarket Installation and Configuration Guide* for more information about configuring eaMarket.

Web Interface	
eaMarket virtual web directory	<input type="text" value="eaMarket"/>
Action file name	<input type="text" value="eaMarket.actions.xml"/>
Tag file name	<input type="text" value="eaMarket.tags.xml"/>
Destinations file name	<input type="text" value="eaMarket.destinations.xml"/>
HTML template path	<input type="text" value="/export/home/EDCSmkt/Templates/"/>
HTML message template	<input type="text" value="ADM_Msg.html.template"/>
When uploading contents accept upto	<input type="text" value="100"/> MB of file size and store temporarily
in	<input type="text" value="/export/home/EDCSmkt/temp"/> with file name prefixed with <input type="text" value="~uf"/>

eaMarket virtual web directory – Do not modify.

Action file name – Do not modify.

Tag file name – Do not modify.

Destinations file name – Do not modify.

HTML template path – Template file path.

HTML message template – Do not modify.


When uploading contents accept up to (x) MB of file size – The maximum content upload size. Change only with caution.

Store temporarily in – Temporary folder for uploaded content.

with file name prefixed with – The name of the extension for uploaded contents. Change only with caution.

Event Log

You can specify which messages appear in the logs, whether to store log messages in a separate file or in the eaMarket database, and additional log information and criteria in the Event Log region of the Configuration screen:



Event Log

☐ Log debug messages

☐ log XML messages

☐ Verbose debug info

Send log output into ☒ File ☐ Database

Display event messages in every event log search page.

Check for event logger every milliseconds if not connected.

Keep logs in memory before writing to

Log debug messages – Enables logging of eaMarket debug messages; this debugs all trace level messages. Change only with caution.

Log XML messages – Enables logging of *complete* XML messages. Change only with caution.

Verbose debug info – Shows verbose debug messages in agents log files. Change only with caution.

Send log output into file or database – Specifies where to send log event information. Be cautious if changing to database; this can fill up the database tables if log entries are not cleared periodically.

Display (x) event messages in every event log search page – Specifies the number of log entries to show in a single web page. Change only with caution.

Check for event logger every (x) milliseconds if not connected – The connect time to try for the event logger. Do not change.

Keep (x) logs in memory – The number of log entries to keep in memory (buffered). Change only with caution.

before writing to – The name of the Event Log file. Change only with caution.

Email

Specify standard SMTP (Simple Mail Transfer Protocol) values to connect to your company's email distribution server if you intend to email promotions internally for approval.



Email	
SMTP Host	smtp.yourcompany.com
Reply Address	administratormname@yourcompar
Administrator Address	administratormname@yourcompar
Retry Interval	5 seconds
Number of Retries	1

Save Reset to Defaults Help

Mail server name – The name of your SMTP mail server name or IP address (modifiable).

Port number – The port number to use to connect to the email server (modifiable).

User ID, Password – User ID and password if your email server requires authentication to connect to the SMTP server (modifiable).

Reply address – The email reply address (modifiable).

Administrator address – The email address of the eaMarket system administrator (modifiable)

Retry interval – Email retry interval on failures. Change only with caution.

Number of Retries – Number of times to retry sending an email message. Change only with caution.

To configure agents:

You can change an agent's configuration to put a hold on, stop, or resume any of the following agents:

- Application import agent
- Promotion deployment agent
- Unique ID generator
- eaMarket event logger
- Workflow agent
- Notification agent

1. Click the **Configure Agents** button on the Preferences screen. The Configure Agents screen appears:

The screenshot shows the 'Configure Agents' window with a title bar. It contains a list of five agents, each with a yellow status indicator, a name, control buttons, and a status field.

Agent Name	Buttons	Status
Unique id generator	Refresh	Started
Promotion deployment agent	Hold, Refresh, Resume	Started
Application import agent	Hold, Refresh, Resume	Started
eaMarket event logger	Hold, Refresh, Resume	Started
WorkFlow Agent	Hold, Refresh, Resume	Started


2. Click the appropriate button to hold, refresh, or resume the agent. The status changes.
3. Click **Back** to return to the Configuration screen.

Changing Your Profile Information

The My Profile Administration option lets you change your eaMarket password or email address.

To change your password or email address (profile):

1. On the eaMarket menu, click **Administration**. The eaMarket Administration screen appears:



2. Select **My Profile**. The Security screen appears:

The screenshot shows a web interface for changing a password. It has a 'Security' header and a 'Change password' sub-header. The form contains the following elements:

- User ID:** A text box containing 'ADMINISTRATOR'.
- Old Password:** A password input field.
- New Password:** A password input field.
- Confirm Password:** A password input field.
- Email Address:** A text input field.
- Update Password:** A checkbox.
- Update Email Address:** A checkbox.
- Save:** A yellow button.
- Help:** A yellow button.


3. To change the password, type your old password in the “Old Password” field, enter the new password in the “New Password” field, and reenter the new password in the “Confirm Password” field.
4. To change the email address, enter the new email address in the “Email Address” field.
5. Depending on what you changed, select the **Update Password** check box or the **Update Email Address** checkbox. If you changed both, select both check boxes.
6. Click **Save**.

Viewing Logs

You can view system logs to help troubleshoot failures in eaMarket. You can create a filtered log showing messages generated by one or more event types (error, debug, event, warning, or SQL debug) over a selected time period for one or more eaMarket application modules.

To create an eaMarket log:

1. On the eaMarket menu, click **Administration**. The eaMarket Administration screen appears:



2. Select **Logs**. The eaMarket Log screen appears:

eaMarket Log

Event Types

☒ ALL ☒ Debug ☒ Warning

☒ Error ☒ Event ☒ SQL Debug

Timestamp

Start Date: 2001-11-14 Time: 18:24:37
 YYYY-MM-DD HH : MM : SS

End Date: 2001-11-14 Time: 18:24:37

Module

☒ ALL ☒ Common ☒ Content

☒ Promotion ☒ Administration ☒ Security

☒ Analysis ☒ Web Interface ☒ eaDirect

☒ Workflow

Code	Type	Date	Module	User/Agent	Description
Page No: 1					

3. Select your criteria and click **search** to execute the query. (Clicking the **clear** button removes log entries within the period specified. It is good practice to clear eaMarket log events regularly.) eaMarket displays your query results:

Administration Tasks

Code	Type	Date	Module	User/Agent	Description
37	Event	2000-07-05 13:33:57	Content	__IDGENERATOR	Request to retrieve the datastore
38	Event	2000-07-05 13:33:57	Content	__IDGENERATOR	Successfully retrieved the datastore
18	Event	2000-07-05 13:34:08	Security	__APPIMPORT	Request to check the access to resources
57	Event	2000-07-05 13:34:09	Security	__APPIMPORT	Request to retrieve the servers list from the database
58	Event	2000-07-05 13:34:09	Security	__APPIMPORT	Successfully retrieved the servers list from the database
18	Event	2000-07-05 13:34:27	Security	__DEPLOYER	Request to check the access to resources
105	Event	2000-07-05 13:34:27	Promotion	__DEPLOYER	Request to retrieve the information for a promotion
106	Event	2000-07-05 13:34:27	Promotion	__DEPLOYER	Successfully retrieved the information of the promotion
18	Event	2000-07-05 13:34:27	Security	__DEPLOYER	Request to check the access to resources
57	Event	2000-07-05 13:34:27	Security	__DEPLOYER	Request to retrieve the servers list from the database
58	Event	2000-07-05 13:34:27	Security	__DEPLOYER	Successfully retrieved the servers list from the database
18	Event	2000-07-05 13:34:41	Security	__TRACKER	Request to check the access to resources
57	Event	2000-07-05 13:34:41	Security	__TRACKER	Request to retrieve the servers list from the database
58	Event	2000-07-05 13:34:41	Security	__TRACKER	Successfully retrieved the servers list from the database
11	Event	2000-07-05 13:35:01	Security	ADMINISTRATOR	ADMINISTRATOR is now login into the system
12	Event	2000-07-05 13:35:02	Security	ADMINISTRATOR	Login of ADMINISTRATOR is successful
18	Event	2000-07-05 13:35:02	Security	ADMINISTRATOR	Request to check the access to resources
18	Event	2000-07-05 13:35:02	Security	ADMINISTRATOR	Request to check the access to resources
18	Event	2000-07-05 13:35:02	Security	ADMINISTRATOR	Request to check the access to resources
18	Event	2000-07-05 13:35:02	Security	ADMINISTRATOR	Request to check the access to resources
Page No : 1					
Next					

- Click **next** if your results continue on another page.

Index

A

- Adding
 - a data store, 33
 - a group, 16
 - a library, 37
 - a server, 22, 36
 - a user, 18
- Agents
 - configuring, 50
 - setting preferences, 42
- Applications
 - default approvers, 22, 27
 - importing automatically, 25
 - importing manually, 26
- Approval process, 22, 27

C

- Changing your profile information, 52
- Configuring agents, 50
- Content
 - preview, setting preferences, 43
 - storing, 33

D

- Data stores, 11, 33
 - adding, 33
 - deleting, 35
- Database, setting preferences, 43
- Deleting
 - a data store, 35
 - a library, 39
 - a server, 32
 - a user, 21

E

- eaDirect, 7
- eaMarket, 8
 - main database, 43
 - users, 15
- eaPay, 7
- eaPost, 8
- eaService, 7
- eaSuite, 6
- Editing
 - a library, 38
 - a server, 31
 - a user, 20

	Email, setting preferences, 49		
	Event log preferences, 48		
	type log, 53		
G			
	Groups, 11, 15		
	adding, 16		
H			
	Help documentation, 8		
	technical support, 9		
I			
	Importing applications, 26		
	Importing applications, 25		
	Importing views, 29		
	Internationalization setting preferences, 44		
L			
	Libraries, 11, 13, 36		
	adding, 37		
	deleting, 39		
	editing, 38		
	Logs, 13, 53		
M			
	Main database, setting preferences, 43		
	Modules, querying logs by, 53		
	My profile, 52		
		P	
			Passwords, 13
			Preferences, 11, 13, 39
			agents, 42
			content preview, 43
			eaMarket main database, 43
			email, 49
			event log, 48
			internationalization, 44
			server information, 41
			servlets, 45
			tracker, 46
			web interface, 47
			Privileges, 15
			Profile, 13
			Profile Information changing, 52
			Promotion approval, 22, 27
		Q	
			Querying users, 20
		S	
			Servers, 11, 13
			adding, 22, 32, 36
			editing, 31
			setting preferences, 41
			Servlets, setting preferences, 45
			Storing content, 33
			System preferences, setting, 39

T

Timestamps, querying
logs by, 53
Tracker, setting
preferences, 46
Troubleshooting, 53

U

Users, 11, 13, 15
adding, 18
deleting, 21

editing, 20
querying, 20

V

Views, importing, 29

W

Web interface, setting
preferences, 47
Workflow approval
process, 22, 27