



# **eaDirect™ Installation and Configuration Guide**

**eaDirect is a member of the eaSuite™ product line**

**Sun Solaris Operating Environment™ Software  
and the BEA WebLogic® Server**

**V3.4  
Document ID: DISO-03-3.4-02  
Date Published: 2.11.2003**

© 1997–2003 edocs® Inc. All rights reserved.

edocs, Inc., Two Apple Hill, 598 Worcester Road, Natick, MA 01760

The information contained in this document is the confidential and proprietary information of edocs, Inc. and is subject to change without notice.

This material is protected by U.S. and international copyright laws. edocs and eaPost are registered in the U.S. Patent and Trademark Office.

No part of this publication may be reproduced or transmitted in any form or by any means without the prior written permission of edocs, Inc.

eaSuite, eaDirect, eaPay, eaCare, eaAssist, eaMarket, and eaXchange are trademarks of edocs, Inc.

All other trademark, company, and product names used herein are trademarks of their respective companies.

Printed in the USA.

# Table of Contents

- Preface .....7**
  - About Customer Self-Service and eaSuite™ .....7
  - About This Guide ..... 10
  - Related Documentation ..... 11
  - If You Need Help ..... 11
- 1 Preparing to Install eaDirect..... 13**
  - Hardware and Software Requirements ..... 13
  - Installing eaDirect Product Components ..... 14
  - Installing eaDirect in Console Mode..... 17
  - Installing the eaDirect Composition Tools ..... 17
  - Installing eaDirect on a Single Machine ..... 19
  - Recommended User and Group Permissions ..... 20
  - Where to Go From Here ..... 21
- 2 Setting Up a Database Server for eaDirect..... 23**
  - Overview ..... 23
    - Required User Privileges ..... 23
    - Defining Environment Variables (Oracle)..... 24
  - Installing eaDirect Database Server Components..... 25
  - Understanding the eaDirect Directory Structure on a Database Server..... 27
  - Creating and Configuring Your eaDirect Database ..... 27
    - Creating and Configuring the eaDirect Database with edx\_admin.sh ..... 28
    - Recovering from a Failed Database Configuration..... 37
    - Creating Database Tables for Order Capture ..... 39
  - Connecting to the eaDirect Database ..... 39
- 3 Setting Up an Application Server for eaDirect..... 43**
  - Overview ..... 43
    - Required User Privileges ..... 44
    - User and Group Accounts..... 44

Defining Your eaDirect Environment.....	44
Capturing Environment Data with <i>edx_config</i> .....	45
Passing Environment Data to Your Application Server .....	46
Starting and Stopping Your Application Server .....	48
Starting WebLogic Server in an eaDirect Production Environment .....	48
Stopping WebLogic Server in an eaDirect Production Environment .....	49
Installing eaDirect Application Server Components.....	50
Understanding the eaDirect Directory Structure on an Application Server .....	52
Configuring Java Resources for eaDirect.....	54
Starting the WebLogic Server Console.....	54
Configuring JDBC Connection Pools.....	56
Configuring JDBC Transaction (Tx) Data Sources .....	63
Configuring JMS Connection Factories .....	65
Configuring JMS Stores .....	68
Configuring JMS Servers .....	70
Configuring JMS Topics .....	72
Configuring Session Pools and Consumers .....	75
Connecting to the eaDirect Database .....	83
Testing Connectivity to the eaDirect Production Database .....	84
Deploying J2EE Web Applications for eaDirect.....	85
Web Applications Included with eaDirect.....	86
Starting the eaDirect Scheduler .....	89
Logging In to the Command Center .....	90
Troubleshooting Tips .....	92
<b>4 Migrating To A New Version of eaDirect.....</b>	<b>95</b>
Migrating eaDirect Databases.....	95
Preparing to Migrate an eaDirect Database .....	95
Migrating a Database .....	95
Checking for Errors and Resetting Permissions.....	97
Checking .log files for errors .....	97
Resetting Permissions After a Database Migration .....	98
Migrating eaDirect Applications.....	98
Migrating To a Custom Data Source.....	98
<b>5 Uninstalling eaDirect Components .....</b>	<b>101</b>
Uninstalling the eaDirectDatabase Server Components .....	101
Uninstalling the eaDirect Application Server Components .....	103

<b>Appendix A: Using eaSample</b> .....	<b>105</b>
About eaSample .....	105
Setting Up NatlWireless .....	106
Viewing NatlWireless Statements in eaSample.....	119
Where to Go From Here .....	123
<b>Index</b> .....	<b>125</b>



## About Customer Self-Service and eaSuite™

### eaSuite


edocs has developed the industry's most comprehensive software and services for deploying Customer Self-Service solutions. eaSuite™ combines electronic presentment and payment (EPP), order management, knowledge management, personalization and application integration technologies to create an integrated, natural starting point for all customer service issues. eaSuite's unique architecture leverages and preserves existing infrastructure and data, and offers unparalleled scalability for the most demanding applications. With deployments across the healthcare, financial services, energy, retail, and communications industries, and the public sector, eaSuite powers some of the world's largest and most demanding customer self-service applications. eaSuite is a standards-based, feature rich, and highly scalable platform, that delivers the lowest total cost of ownership of any self-service solution available.

eaSuite is designed to support how organizations approach designing and deploying Customer Self-Service applications:

**Customer-Facing Solutions** present customers with the sophisticated functionality to meet customers' self-service needs. eaSuite offers a full set of capabilities to enable the range of business and consumer customer service activities, along with the flexibility to completely customize the solution to meet vertical industry and specific company requirements.

**Enterprise-Facing Solutions** empower employees within an organization and external partners to leverage the edocs platform to facilitate self-service and to support assisted service. Customer service representatives (CSRs), sales agents, account managers, marketing managers, broker-dealers and channel partners all play a role in delivering customer service, creating content, accessing information and performing activities for the benefit of customers.

**Platform and Development Tools** are designed to meet the rigorous infrastructure demands of the most technologically advanced organizations. These components of the eaSuite power edocs solutions with the functionality and development tools necessary to make account data available, and to create the customer- and enterprise-facing applications that enable customer self-service.



### **eaAssist**

eaAssist™ reduces interaction costs and increases customer satisfaction by enabling enterprise agents – customer service representatives (CSRs), sales agents, broker-dealers and others – to efficiently access critical account data and service-related information to effectively service customers. Through its browser interface designed especially for the enterprise agent, eaAssist enables agents to take advantage of customer-facing online capabilities to provide better service by more efficiently resolving customer account inquiries at the point of customer contact.



**eaMarket**

eaMarket™ is the personalization, campaign and content management solution that enables organizations to increase revenue and improve customer satisfaction by weaving personalized marketing and customer service messages throughout the Customer Self-Service experience. The transactional account data that provides the foundation for a Customer Self-Service solution – such as transaction activity, service or usage charges, current task and prior service history – bring valuable insight into customers and can help optimize personalized marketing and customer service campaigns. eaMarket leverages that data to present relevant marketing and customer service messages to customers.

**eaDirect**

eaDirect™ is the core infrastructure of enterprise Customer Self-Service solutions for organizations large and small with special emphasis on meeting the needs of organizations with large numbers of customers, high data volumes and extensive integration with systems and business processes across the enterprise. Organizations use eaDirect with its data access layer, composition engine, and security, enrollment and logging framework to power complex Customer Self-Service applications.

**eaPay**

eaPay™ is the electronic payment solution that decreases payment processing costs, accelerates receivables and improves operational efficiency. eaPay is a complete payment scheduling and warehousing system with real-time and batch connections to payment gateways for Automated Clearing House (ACH) and credit card payments, and payments via various payment processing service providers.

**eaPost**

eaPost® is the account content distribution system that handles all the complexities of enrollment, authentication and secure distribution of summary account information to any endpoint, while also bringing customers back the organization's Website to manage and control their self-service experience.

## Development Tools

eaSuite Development Tools™ are visual development applications that provide intuitive graphical user interface (GUI) environments for designing and developing Customer Self-Service solutions. The Development Tools encompass data management, workflow authoring, rules management and accounts receivable integration, as well as a full Software Developers Kit for custom application development.

## About This Guide

This guide describes how to install eaDirect and configure the third-party applications that make up the eaDirect production environment. This guide is intended for system administrators and other technical personnel responsible for installing, configuring, and maintaining eaDirect. It contains the following chapters:

*Preparing to Install eaDirect* describes the hardware and software requirements for supporting products, walks you through the **InstallAnywhere** installation process, and discusses the recommended user and group accounts you need to create for your environment.

*Setting Up a Database Server for eaDirect* provides instructions for installing eaDirect on your database server and configuring your database server environment.

*Setting Up an Application Server for eaDirect* provides instructions for installing eaDirect on your application server and configuring your application server environment.

*Migrating To a New Version of eaDirect* describes how to migrate previous versions of an eaDirect database, check for errors, reset directory permissions, and migrate existing eaDirect applications.

*Uninstalling eaDirect Components* describes how to uninstall eaDirect on your database and application servers.

*Appendix A: Using eaSample* describes how to deploy and view the sample application and data provided with eaDirect.

## Related Documentation

Online Help (for Composition Tools) and a PDF of this guide are also available.

Online	How to Access
Help	Select Help > Help Topics in DefTool or Composer.
A PDF of this guide	A PDF of this guide is available on the eaDirect product CD-ROM.

This guide is part of the eaDirect documentation set. For more information about implementing your eaDirect application, see one of the following guides:

Print Document	Description
eaDirect Installation and Configuration Guide	How to install eaDirect and configure it in a distributed environment.
eaDirect Production Guide	How to set up and run a live eaDirect application in a J2EE environment.
eaDirect Developer's Guide	Provided with the eaDirect Software Developer's Kit (SDK), describes eaDirect application server components and related applications; defines the public interfaces for customizing and extending the functionality of an eaDirect application.

## If You Need Help

Technical support is available to customers who have valid maintenance and support contracts with edocs. Technical support engineers can help you install, configure, and maintain your edocs application.

To reach the U.S. Service Center, located in Natick, MA (Monday through Friday 8:00am to 8:00pm EST):

- Telephone: 508.652.8400
- Toll Free: 877.336.3362

## Preface

- E-support: [support.edocs.com](http://support.edocs.com) (This requires a one-time online registration)
- E-mail: [support@edocs.com](mailto:support@edocs.com)

When you report a problem, please be prepared to provide us the following information:

- What is your name and role in your organization?
- What is your company's name?
- What is your phone number and best times to call you?
- What is your e-mail address?
- In which edocs product did a problem occur?
- What is your Operating System version?
- What were you doing when the problem occurred?
- How did the system respond to the error?
- If the system generated a screen message, please send us that screen message.
- If the system wrote information to a log file, please send us that log file.

If the system crashed or hung, please tell us.

# Preparing to Install eaDirect



Before installing eaDirect, you must confirm that your system meets or exceeds recommended hardware and software requirements. During installation, you will ensure that all supporting software is correctly configured and functioning smoothly and that your environment is set up properly for eaDirect.

Follow the steps in this guide carefully and in sequence to ensure a successful installation of eaDirect.

## Hardware and Software Requirements

Confirm that your system meets or exceeds the minimum recommended hardware and software requirements for installing eaDirect. Check the release notes for any updates to these requirements.

Type	Vendor	Product	Version	Notes
OS	Sun	Solaris	2.6 or 8	with patches 108434-09 and 108435-09 for Solaris 8, 105591-16 for Solaris 2.6
	Microsoft	Windows	2000 or NT	supported for Windows composition tools only
HARDWARE	Sun	SPARC platform		
HARDWARE		CD-ROM	for Solaris	
HARDWARE		disk space (database)	2.2 GB	
HARDWARE		disk space (software)	60 MB	
HARDWARE		RAM	512 MB	per CPU (1 GB recommended)
HARDWARE		Swap space	512 MB	per CPU (1 GB recommended)

Type	Vendor	Product	Version	Notes
JAVA/C++	Sun	C++ runtime packages	SUNWesu, SUNWlibC	
		Java 2 SDK Standard Edition	1.3.1	shipped with your application server
DATABASE SERVER	Oracle	client software	8i 8.1.7	
		JDBC driver	8i 8.1.7.1	
		Oracle	8i 8.1.7	
APPLICATION SERVER	BEA	WebLogic Server	6.1	SP3
BROWSER (either)	Microsoft	Internet Explorer	5.5 SP2 or 6	(on client machines)
	Netscape	Navigator	6.2	
XWINDOWS		Xserver OR Xvfb		to support charting and reporting

## Installing eaDirect Product Components

The installation of eaDirect product components is done through the InstallAnywhere installer. The tool is provided with eaDirect on its distribution CD-ROM.




---

To use the InstallAnywhere GUI on a UNIX machine, you will need Xwindows software installed. You will also need to set the DISPLAY environment variable for your machine.

---

The following screen shows where you select the eaDirect components to install. Note that the features you will see depends on which features you purchased.



With the InstallAnywhere easy-to-follow graphical user interface, you can choose to do a full or custom install of eaDirect components on a single server or on multiple servers in a distributed environment. The following tables describe the various eaDirect installation options:

Installation Option	Components Installed
Full	<p>Installs eaDirect application server components, eaDirect database server components, application server J2EE files for eaDirect, eaDirect composition tools, and online product Help. This is the default installation option for eaDirect.</p> <p><b>Note:</b> Use this installation option to install eaDirect on a single machine. See <i>Installing eaDirect on a Single Machine</i>.</p>
Database	<p>Installs the eaDirect database server components and online product Help.</p>
App Server	<p>Installs eaDirect application server components, application server J2EE files for eaDirect, sample applications (as licensed), and online product Help.</p>
Custom	<p>Gives users the option to install eaDirect application server components, eaDirect database server components, eaDirect J2EE applications, eaDirect composition tools, and sample eaDirect applications.</p>
SDK	<p>Provides Javadoc, documentation and samples for the eaDirect API. This component will only appear if you have purchased a license for the SDK.</p>

InstallAnywhere copies eaDirect files from the distribution CD-ROM to the appropriate directories, and sets up the directory hierarchy for database server and application server components.

A Windows installation (for Composition Tools) also adds icons (including the tool to uninstall eaDirect) to the eaDirect program group in the Windows Start menu.

For details about installing eaDirect components using InstallAnywhere, see the topics: *Installing the eaDirect Composition Tools*, *Installing the eaDirect Database Components* and *Installing the eaDirect Application Server Components*.



## Installing eaDirect in Console Mode

You can choose one of two InstallAnywhere installation modes to install eaDirect:

- GUI Mode (default)
- Console Mode

The installation procedures in this guide show eaDirect being installed using the InstallAnywhere GUI. Console Mode is an interactive character-based installation where you are prompted to respond to several installation questions.

### To install eaDirect in Console Mode:

1. From the installation CD-ROM, navigate to the subdirectory for your platform (for example `\Windows`, `/Solaris`, or `/AIX`) and run the command to invoke InstallAnywhere, using the `-i console` flag. For example:

```
# ./Dirins.bin -i console
```

InstallAnywhere displays the banner:

```
Preparing CONSOLE Mode Installation...
```

2. Respond to each prompt to proceed to the next step in the installation. If you want to change something on a previous step, type **back**.

3. A successful installation displays the message:

```
Congratulations! eaDirect 3.4 has been successfully
installed to:
/opt/EDCSbd
```

## Installing the eaDirect Composition Tools

The installation of the eaDirect Composition Tools (DefTool and Composer) is separate from a UNIX installation of eaDirect. To install these Windows-based composition tools, you must run InstallAnywhere for Windows (provided on the eaDirect distribution CD-ROM), and choose the **Tools** installation option.

The eaDirect composition tools can be installed on a Windows machine, or a remote or dial-up server.

**To install the eaDirect composition tools (Windows):**

1. From the `\Windows` subdirectory on the eaDirect installation CD-ROM, double-click the command to invoke InstallAnywhere:  
`Dirins.exe`  
A start-up screen appears.
2. On the Introduction screen, read the eaDirect introductory information. Then click **Next**.
3. On the License Agreement screen, read and accept the terms of the agreement (use the scroll bars to move up and down on the screen) by clicking the appropriate radio button. Then click **Next**.
4. On the Enter Serial Number screen, enter your product serial number. It is stapled to the inside front cover of this guide (if your serial number has been misplaced, contact edocs Technical Support). Then click **Next**.
5. On the Choose Install Folder screen, accept the default installation folder or click **Choose** to specify another installation folder. Then click **Next**.
6. On the Choose Product Features screen, click **Tools**. Then click **Next**.
7. On the Choose Shortcut Folder screen, decide whether you want to create product icons and where. Then click **Next**.
8. On the Pre-Installation Summary screen, confirm that the information is accurate. Then click **Install**.  
  
At this point, the eaDirect composition tools are copied to the designated installation folder. A status bar on the bottom of the screen shows the composition tools being installed. No user intervention is required.
9. The Install Complete screen reports a successful installation and the directory that contains the composition tools.
10. Click **Done** to exit the installer.

## Installing eaDirect on a Single Machine

This guide is organized to show how to install eaDirect in a distributed environment that has at least one dedicated database server and application server. However, using the InstallAnywhere 'Full' installation option, you can choose to install all the eaDirect product components on a single machine. The following procedure describes how to do this.

### To install eaDirect on a single machine:

1. From the installation CD-ROM, navigate to the subdirectory for your platform (for example `\Windows`, `/Solaris`, or `/AIX`) and run the command to invoke InstallAnywhere. For example:  

```
# ./Dirins.bin
```

Windows users may double-click the `Dirins.exe` icon.

A start-up screen appears.
2. On the Introduction screen, read the eaDirect introductory information. Then click **Next**.
3. On the License Agreement screen, carefully read and accept the terms of the license agreement (use the scroll bars to move up and down on the screen) by clicking the appropriate radio button. Then click **Next**.
4. On the Enter Serial Number screen, enter your product serial number. It is stapled to the inside front cover of this guide (if your serial number has been misplaced, contact edocs Technical Support). Then click **Next**.
5. On the Owner of Web Application Server screen, enter the name of the application server owner (the recommended 'owner' is *nobody*). Then click **Next**.
6. On the Group of Web Application Server screen, enter the name of the group for the application server (the recommended group is *nobody*). Then click **Next**.

7. On the Choose Install Folder screen, accept the default installation folder (*opt/EDCSbd*), or click **Choose** to specify another installation folder. Then click **Next**.
8. On the Choose Product Features screen, click **Full**. Then click **Next**.
9. On the Pre-Installation Summary screen, confirm that the information is accurate. Then click **Install**.

At this point, the eaDirect database and application server components are copied to the designated installation folder. A status bar on the bottom of the screen shows each server component being installed. No user intervention is required.

10. The Install Complete screen reports a successful installation and the directory that contains the eaDirect database and application server components.
11. Click **Done** to exit the installer.

## Recommended User and Group Permissions

During the installation of your application server, you are prompted to specify user and group permissions for files and directories. edocs recommends that you use the default application server permissions *nobody:nobody* with the eaSuite. However, if your UNIX system administrator uses custom user and group permissions at installation, you can set these permissions with the **chown** command.

### To change user and group permissions:

1. Switch to *root* user, for example:  

```
$ su root
```
2. Change directory to your application server home directory (*\$WL\_HOME*). For example:  

```
$ cd /export/home/bea
```

3. Recursively change the user id and group id permissions of the application server installation directory and any subdirectories to the default, which is **nobody:nobody**. For example:

```
$ chown -R nobody:nobody /export/home/bea
```

## Where to Go From Here

If you have installed eaDirect using the ‘Full’ installation option, you can ignore the database server components installation procedure at the beginning of Chapter 2, and proceed directly to the topic *Configuring Your Database for eaDirect*. Similarly, you can ignore the application server components installation procedure in Chapter 3.



# Setting Up a Database Server for eaDirect

# 2

## Overview

This chapter provides instructions for installing eaDirect on a database server and configuring the third-party software that supports it. Setting up a database server to support eaDirect involves completing the following tasks:

- Confirm that the Oracle database is installed
- Install the eaDirect database server components
- Confirm that the required environment variables are defined
- Configure the Oracle database for eaDirect
- Enable access to the Oracle database

It is recommended that you configure the database server first, then the application server.

The installation and configuration examples shown in this chapter use default eaDirect pathnames. If you choose not to accept the default pathnames, make sure your pathnames are consistent throughout the installation of eaDirect on the database and application servers.

## Required User Privileges

In order to install eaDirect and manipulate Oracle files and scripts (including eaDirect database server components), you will need *root* and *oracle* administrator privileges. Specifically, you will need *root* privilege to install the eaDirect database server components, and *oracle* administrator privilege to run the eaDirect database configuration script.

By default, the database files copied to */db* are assigned the user and group account *oracle:dba*. It is recommended that you use the default user and group account to help ensure a successful installation. The Oracle examples in this guide also show the default user and group account *oracle:dba*.

Throughout this installation guide, you will be prompted to switch to the appropriate user privilege when necessary.

## Defining Environment Variables (Oracle)

Before you configure an Oracle database to support eaDirect, you must define several environment variables for the Oracle user account. You must also configure Oracle database access to enable eaDirect to communicate with it.

The table below lists the Oracle environment variables that must be defined for the Oracle account:

Variable	Description
<i>ORACLE_BASE</i>	Specifies the top-level directory for the Oracle product installation and administrative file structure. The OFA-recommended value is <i>software_mount_point/app/oracle</i> . For example, <i>/u01/app/oracle</i>
<i>ORACLE_HOME</i>	Specifies the directory containing the Oracle software for a particular release. The OFA-recommended value is <i>&lt;\$ORACLE_BASE&gt;/product/release</i> . For example, <i>/u01/app/oracle/product/8.1.7</i>
<i>LD_LIBRARY_PATH</i>	Required for Oracle products that use shared libraries. This variable must include <i>\$ORACLE_HOME/lib</i> . For example, <i>LD_LIBRARY_PATH=\$ORACLE_HOME/lib</i>
<i>ORACLE_SID</i>	Specifies the Oracle instance name or system identifier (SID) of the Oracle database server. The SID must be unique for Oracle instances running on the same machine, and can be any combination of alphanumeric characters up to <b>eight</b> characters long. For example, <i>edx0</i>



The syntax for defining environment variables depends on which Unix shell you are using, as shown in the following examples.

**To define environment variables in the Bourne or Korn shell:**

```
ORACLE_BASE=/u01/app/oracle
export ORACLE_BASE
ORACLE_HOME=$ORACLE_BASE/product/8.1.7
export ORACLE_HOME
LD_LIBRARY_PATH=$ORACLE_HOME/lib
export LD_LIBRARY_PATH
ORACLE_SID=<db_instance>
export ORACLE_SID
```

**To define environment variables in the C shell:**

```
setenv ORACLE_BASE=/u01/app/oracle
setenv ORACLE_HOME=$ORACLE_BASE/product/8.1.7
setenv LD_LIBRARY_PATH=$ORACLE_HOME/lib
setenv ORACLE_SID=<db_instance>
```

## Installing eaDirect Database Server Components

If you have not completed the tasks in *What You Need to Know Before Installing eaDirect*, do so now. This will help to ensure a smooth and successful installation.



**Tip**

In order to use the InstallAnywhere GUI on a UNIX machine, you will need Xwindows software installed. You will also need to set the DISPLAY environment variable for your machine.

By default, eaDirect is installed in */opt/EDCSbd*. You can change the default installation directory when prompted during installation.

edocs recommends that you install eaDirect in the same top-level directory on both the database server and the application server.

**To install the eaDirect database server components:**

1. From the */Solaris* subdirectory on the eaDirect installation CD-ROM, run the command to invoke the InstallAnywhere GUI:

```
# ./Dirins.bin
```

A start-up screen appears.

2. On the Introduction screen, read the eaDirect introductory information. Then click **Next**.
3. On the License Agreement screen, carefully read and accept the terms of the license agreement (use the scroll bars to move up and down on the screen) by clicking the appropriate radio button. Then click **Next**.
4. On the Enter Serial Number screen, enter your product serial number. It is stapled to the inside front cover of this guide (if your serial number has been misplaced, contact edocs Technical Support). Then click **Next**.
5. On the Owner of Web Application Server screen, enter the name of the application server owner (the recommended 'owner' is *nobody*). Then click **Next**.
6. On the Group of Web Application Server screen, enter the name of the group for the application server (the recommended group is *nobody*). Then click **Next**.
7. On the Choose Install Folder screen, accept the default installation folder (*/opt/EDCSbd*) or click **Choose** to specify another installation folder. Then click **Next**.
8. On the Choose Product Features screen, click **Database**. Then click **Next**.
9. On the Pre-Installation Summary screen, confirm that the information is accurate. Then click **Install**.

At this point, the eaDirect database server components are copied to the designated installation folder. A status bar on the bottom of the screen shows each database server component being installed. No user intervention is required.

10. The Install Complete screen reports a successful installation and the directory that contains the database server components.
11. Click **Done** to exit the installer.

## Understanding the eaDirect Directory Structure on a Database Server

The eaDirect home directory on the database server contains all the files needed to create and configure the eaDirect production database. When you install the eaDirect database server components, you are prompted to specify a ‘destination’ directory. By default, this directory is *opt/EDCSbd*, which has a pre-defined hierarchical directory structure.

At the top of the directory hierarchy is *EDCSbd*. Below *EDCSbd* is the subdirectory */db/oracle*, which contains several levels of subdirectories and files used for database creation, configuration. */db/oracle* also contains a subdirectory named *migration*, which contains migration scripts.

```
<EDCSbd>
  /db/oracle
  /db/oracle/migration
```

To designate a different destination directory for the eaDirect database server components, enter the pathname to the directory when prompted during installation.

edocs recommends that you install eaDirect in the same top-level directory on both the database server and the application server.

## Creating and Configuring Your eaDirect Database

Before you configure your database to support eaDirect, you must define several environment variables for your database user account. After running the configuration script, you will also need to configure database access to eaDirect.

## Creating and Configuring the eaDirect Database with `edx_admin.sh`

You create and configure the eaDirect production database by running the `edx_admin.sh` database configuration script. This script issues a series of prompts; some require user input, while others execute automatically.

Before running `edx_admin.sh`, confirm that you have a minimum of 2.2 GB free disk space. Insufficient disk space can cause database configuration to fail.

If you have to abort the database setup procedure before it successfully completes, see *Recovering from an Aborted Database Configuration Procedure*.



### Caution

Make sure that you adhere to the strict character limit for the Oracle SID, which can be any combination of alphanumeric characters up to **eight** characters long.

Entering an Oracle SID with more than eight characters causes the database configuration procedure to fail.

### To create and configure the eaDirect database:

1. Switch to `oracle` user and change directory to `$EDX_HOME/db/oracle`. For example:

```
$ su - oracle
$ cd /opt/EDCSbd/db/oracle
```

2. Enter the following command at the prompt:

```
$/edx_admin.sh
```

3. The eaDirect Server Administration Main Menu appears. Select Option 1, **Sign in Menu**.

---

edocs eaDirect Server Administration Main Menu Version 1.0

-----  
[1] Sign in Menu  
[2] Capture Database File Locations  
[3] Install edocs eaDirect  
[4] Initial Data Population  
[5] Database Version Migration

---

---

[Q] Quit

-----  
 Enter Your Selection: **1**

---

A second sign-in screen appears. You will be prompted to enter a username, password, and Oracle SID for the Oracle database.

The following example shows sample values for database username, database password, and database SID; however, you can specify other values if so desired.

---

SIGN IN MENU

-----  
 [1] Enter Database USERNAME...> **edx\_dba**  
 [2] Enter Database PASSWORD...> **edx**  
 [3] Enter ORACLE\_SID ...> **edx0**

---

Press **Enter** to return to the edocs eaDirect Server Administration Main Menu.

4. Select option 2, **Capture Database File Locations**.

---

edocs eaDirect Server Administration Main Menu Version 1.0

-----  
 [1] Sign in Menu  
 [2] Capture Database File Locations  
 [3] Install edocs eaDirect  
 [4] Initial Data Population  
 [5] Database Version Migration  
 [Q] Quit

-----  
 Enter Your Selection: **2**

---

This option specifies the absolute pathname for the various files that comprise the eaDirect production database. The location of these files depends on the type of file structure you are using. This installation process assumes the Oracle Optimal Flexible Architecture (OFA) for the database files.

During this option, you will be prompted to provide absolute pathnames for a variety of database files, including:

- Redo-Log file
- System tablespace file
- Temporary tablespace file
- Rollback tablespace file
- edocs data tablespace file
- edocs index data tablespace file
- Application data tablespace file
- Application index data tablespace file
- Detail extractor data tablespace file
- Detail extractor index tablespace file
- FS data tablespace file
- FS index tablespace file
- Order capture data tablespace file
- Order capture index tablespace file
- Database control file

For the database control file, you will be prompted to enter up to three locations. The control file is important because, among other functions, it allows access to the database. Therefore, by specifying additional locations for the control file, you are providing a means of ‘backup’ if a database control file is accidentally deleted or becomes corrupted.

Database files can reside wherever you want them to. If you plan to use only one disk location, specifying a pathname similar to the following for the database software and files is appropriate. Note that the environment variable, *\$ORACLE\_HOME*, represents the directory on your machine where the Oracle distribution is installed.

`$ORACLE_HOME/oradata`

The configuration process checks the validity of the specified locations and displays the following message if no problems are encountered:

Capture of Database file locations completed.

Upon completion of this step, press **Enter** to return to the edocs eaDirect Server Administration Main Menu.

5. Select Option 3, **Install edocs eaDirect**. The Install edocs eaDirect menu appears.
6. Select Option 1, **Initialize Oracle Database I**.

---

Install edocs eaDirect

```
-----
[1] Initialize Oracle Database I
[2] Shutdown Database
[3] Startup Database
[4] Initialize Oracle Database II
[5] Install Application Database I
[6] Install Application Database II
[7] View Status Log Directory
-----
```

[R] Return to previous menu

SELECT YOUR OPTION: **1**

---

The options on this menu are used to initialize the eaDirect database by:

- Creating a new database initialization file from the installation template *init.ora* file. The name of the newly created initialization file combines the 'init' prefix followed by the Oracle SID.
- Creation of the script, *create\_ora\_db.sh*, which contains the Oracle command that is used to create a database.
- Execution of the two files above.

During the execution of this step, you should see output similar to the following:

---

```
BASE=/u01/app/oracle
INIT=initedx0.ora
```

```
Please wait, this may take a few moments
"--> Database Definition occurring..."
```

---

---

```
ORACLE instance started.  
Total System Global Area 53047456 bytes  
Fixed Size 73888 bytes  
Variable Size 52064256 bytes  
Database Buffers 819200 bytes  
Redo Buffers 90112 bytes  
Database created.
```

---

Press **Enter** to return to the Install edocs eaDirect menu.

7. Select Option 2, **Shutdown Database.**

---

```
Oracle Server Manager Release 3.1.7.0.0 – Production  
  
Copyright (c) 1997, 1999, Oracle Corporation. All Rights Reserved.  
  
Oracle8i Enterprise Edition Release 8.1.7.0.0 – Production With the Partitioning option  
  
JServer Release 8.1.7.0.0 - Production  
  
SVRMGR> Connected.  
  
Database closed.  
Database dismounted.  
ORACLE instance shut down.  
SVRMGR> Server Manager complete.  
  
Oracle Server Manager Release 3.1.7.0.0 - Production
```

---

8. Select Option 3, **Startup Database.**



---

Copyright (c) 1997, 1999, Oracle Corporation. All Rights Reserved.

Oracle8i Enterprise Edition Release 8.1.7.0.0 – Production With the Partitioning option

JServer Release 8.1.7.0.0 - Production

SVRMGR> Connected.

SVRMGR> ORACLE instance started.

Total System Global Area 53047456 bytes

Fixed Size 73888 bytes

Variable Size 52064256 bytes

Database Buffers 819200 bytes

Redo Buffers 90112 bytes

Database mounted.

Database opened.

SVRMGR> Server Manager complete.

---

Press **Enter** to return to the Install edocs eaDirect menu.

#### 9. Select Option 4, **Initialize Oracle Database II.**

---

Install edocs eaDirect

-----  
[1] Initialize Oracle Database I

[2] Shutdown Database

[3] Startup Database

[4] Initialize Oracle Database II

[5] Install Application Database I

[6] Install Application Database II

[7] View Status Log Directory

-----  
[R] Return to previous menu

SELECT YOUR OPTION: **4**

---

This option executes several scripts that define the data dictionary for the new database and create a stored procedure. The stored procedure is modified to contain the absolute pathnames that were defined in Option 2, **Capture Database File Locations**.

The newly created stored procedure creates the various database tablespaces and rollback segment data files that the eaDirect database requires.

This option will take approximately 20 minutes to complete. Towards the end of this process informational messages are displayed, indicating that the utility scripts and the stored procedures are executing. A final message will indicate whether the processing was successful.

No user input is required for this option. Press **Enter** to return to the Install edocs eaDirect menu.

10. Select Option 5, **Install Application Database I.**

---

```
Install edocs eaDirect
-----
[1] Initialize Oracle Database I
[2] Shutdown Database
[3] Startup Database
[4] Initialize Oracle Database II
[5] Install Application Database I
[6] Install Application Database II
[7] View Status Log Directory
-----
[R] Return to previous menu
SELECT YOUR OPTION: 5
```

---

This option creates the eaDirect database tables and indexes using a SQL script named *create\_tables.sql*. No user input is required for this option.

The error messages that are briefly displayed at the start of the step are an expected part of the process and can be ignored. Press **Enter** to return to the Install edocs eaDirect menu.

11. Select Option 6, **Install Application Database II.**

---

```
Install edocs eaDirect
-----
[1] Initialize Oracle Database I
[2] Shutdown Database
[3] Startup Database
[4] Initialize Oracle Database II
[5] Install Application Database I
[6] Install Application Database II
[7] View Status Log Directory
-----
[R] Return to previous menu
SELECT YOUR OPTION: 6
```

---

This option compiles the application-defined stored procedures. These stored procedures constitute the database processing for eaDirect. During the processing, informational messages are displayed indicating the successful compilation of the individual program modules.

No user input is required for this step. Press **Enter** to return to the Install edocs eaDirect menu.



Option 7, View Status Log Directory, allows you to view several log files that are created during the database configuration procedure. The files are copied to *\$EDX\_HOME/db/oracle*.

This step is not necessary for the database configuration procedure to complete successfully.

12. Select **Return to Previous Menu**. The eaDirect Server Administration Main Menu appears.

13. Select Option 4, **Initial Data Population**.

---

edocs eaDirect Server Administration Main Menu Version 1.0

- 
- [1] Sign in Menu
  - [2] Capture Database File Locations
  - [3] Install edocs eaDirect
  - [4] Initial Data Population
  - [5] Database Version Migration
  - [Q] Quit
- 

Enter Your Selection: **4**

---

The Initial Data Population Menu appears.

14. Select Option 1, **Import Initial Data Set**.

- 
- Initial Data Population
- 
- [1] Import initial data set
  - [2] Export edocs database data
- 
- [R] Return to previous menu

SELECT YOUR OPTION: **1**

---

This option populates the newly defined database with information from a data file that is loaded into the database. As data is imported into the tables, informational messages are displayed indicating whether the data is being imported correctly.

No user input is required for this option. Upon completion of this step, press **Enter** to return to the Initial Data Population menu.



**Tip**

Step 2, Export edocs database data, is not necessary at this time because the database is still empty.

15. Select Option **R** (Return to Previous Menu), and then press **Enter**.

Initial Data Population

```
-----  
[1] Import initial data set  
[2] Export edocs database data  
-----  
[R] Return to previous menu
```

---

SELECT YOUR OPTION: **R**

---

The eaDirect Server Administration Main Menu appears.

16. Select Option **Q** (Quit), and then press **Enter** to end the eaDirect database creation and configuration procedure.

---

edocs eaDirect Server Administration Main Menu Version 1.0

```
-----  
[1] Sign in Menu  
[2] Capture Database File Locations  
[3] Install edocs eaDirect  
[4] Initial Data Population  
[5] Database Version Migration  
[Q] Quit  
-----
```

Enter Your Selection: **Q**

---



**Tip**

You can ignore Option 5, Database Version Migration, at this time because you are setting up the database for the first time. You should select this option only if you want to migrate a previously installed database so that it can be used with a later version of eaDirect.

---

Ignoring this option will not negatively affect the database configuration procedure in any way. Chapter 5, *Migrating eaDirect Databases*, describes how to migrate a database from one version of eaDirect to another.

---

## Recovering from a Failed Database Configuration

You should only do the steps below if you encountered errors during any part of the database creation and configuration procedure. Before configuring the database again using the *edx\_admin.sh* setup script, you must first do a manual cleanup of the partially configured database on your machine.

### To recover from a failed database configuration:

1. Confirm that the appropriate Oracle SID has been set. As *oracle* user, you can use the Unix echo command to find out the identity of the current Oracle SID. For example:

```
$ echo $ORACLE_SID
edx0
```

If the Oracle SID is incorrect, set it as follows:

```
$ ORACLE_SID=edx0 (where 'edx0' is your Oracle SID)
$ export ORACLE_SID
```

2. Switch to *oracle* user, and shut down the Oracle database and Oracle listener using the following *sqlplus* commands:

---

```
$ su - oracle
$ sqlplus internal

SQL*Plus: Release 8.1.7.0.0 - Production on Wed Feb 13
14:22:43 2002

(c) Copyright 2000 Oracle Corporation. All rights
reserved.

Connected to:
Oracle8i Enterprise Edition Release 8.1.7.0.0 -
Production
With the Partitioning option
JServer Release 8.1.7.0.0 - Production
```

---

```
SQL> shutdown immediate

Database closed.
Database dismounted.
ORACLE instance shut down.

SQL> exit

Disconnected from Oracle8i Enterprise Edition Release
8.1.7.0.0 - Production With the Partitioning option

JServer Release 8.1.7.0.0 - Production
```

---

3. Stop the Oracle listener with the command:

```
$ lsnrctl stop
```

4. Locate all files associated with the Oracle SID you defined. For example:

```
$ find . -name '*edx*' -print
```

The search results should look something like this:

```
./product/8.1.7/dbs/initedx0.ora
./product/oradata/edx0
./product/oradata/edx0/redo/logedx0.log
./product/oradata/edx0/redo/logedx1.log
./product/oradata/edx0/data/sysedx0.dbf
./product/oradata/edx0/data/rbs1edx0.dbf
./product/oradata/edx0/data/usr1edx0.dbf
./product/oradata/edx0/data/tmp1edx0.dbf
./product/oradata/edx0/data/indx1edx0.dbf
./product/oradata/edx0/data/edx_data.dbf
./product/oradata/edx0/data/edx_data_idx.dbf
./product/oradata/edx0/data/edx_app_data.dbf
./product/oradata/edx0/data/edx_app_data_idx.dbf
./admin/edx0
./admin/edx0/bdump/alert_edx0.log
./admin/edx0/pfile/initedx0.ora
```

5. Change directory to the locations of the files containing the Oracle SID you defined, and manually remove them. For example:

```
$ rm -rf '*edx*'
```

## Creating Database Tables for Order Capture

In order to use the Order Capture feature in eaSample, you must manually execute a script **on your database machine** that creates the appropriate database tables for the sample application. The command syntax is:

```
create_demo_oc_table.sh database_name database_username
database_password
```

This procedure must be done **before** you deploy the sample application. For more information about order capture, see *eaSDK: Order Capture and Management*.

### To create database tables for Order Capture:

1. Switch user to your database owner, for example *nobody*.
2. Change directory to `$EDX_HOME/samples/eaSample/db/oracle`
3. Run the `Create_demo_oc_table.sh` file providing the database username, database SID, and database password. For example:

```
# create_demo_oc_table.sh edx0 edx_dba edx
```

This script connects to the database, drops any existing order capture schema objects, and creates a new order capture schema for your database.

4. When the script has completed, you are returned to the command prompt. No additional user input is required.

## Connecting to the eaDirect Database

The next step in setting up the database server is to edit two Oracle configuration files to ensure proper access to the eaDirect production database. They are:

- *listener.ora*
- *tnsnames.ora*

Both Oracle configuration files are described in the following table:

Configuration File	Description
<i>listener.ora</i>	<p>The configuration file for the Oracle listener. It resides on the database server and includes service names and address of all listeners on a computer, the SIDs of the databases for which they listen, and various control parameters that the listener uses. This file is installed with the Oracle installation.</p> <p>The default directory for this file is <i>\$ORACLE_HOME/network/admin</i>.</p>
<i>tnsnames.ora</i>	<p>This file includes a list of service names of network databases that are mapped to connect descriptors. It is used by clients and distributed database servers to identify potential server destinations.</p> <p>The default directory for this file is <i>\$ORACLE_HOME/network/admin</i>.</p>

**To connect to the eaDirect production database:**

1. Switch user to *oracle* and change directory to *\$ORACLE\_HOME/network/admin*. For example:  

```
$ cd /export/home/oracle/product/8.1.7/network/admin
```
2. Open *listener.ora* and edit the *SID\_LIST\_LISTENER* section so that it correctly identifies your Oracle SID (as specified during the database configuration procedure) and your Oracle ‘home’ pathname. For example:

---

```
(SID_DESC =
(SID_NAME = edx0)
(ORACLE_HOME = /export/home/oracle/product/8.1.7)
)
```

---

3. Save and close *listener.ora*.



4. In the same directory, open *tnsnames.ora* and edit it so that eaDirect is able to communicate with the Oracle database. A sample section from *tnsnames.ora* is shown below for an installed Oracle database that uses the service name **edx.db** (your service name might be different), and is installed on a database server named audi.

---

```

edx.db =
  (DESCRIPTION =
    (ADDRESS_LIST =
      (ADDRESS = (PROTOCOL = TCP) (HOST = audi) (PORT = 1521))
    )
    (CONNECT_DATA =
      (SID = edx0)
    )
  )

```

---

5. Save and close *tnsnames.ora*.
6. Stop and restart the Oracle listener. For example:

```

$ lsnrctl stop

LSNRCTL for Solaris: Version 8.1.7.0.0 - Production on
16-JAN-2002 17:37:32

(c) Copyright 1998 Oracle Corporation. All rights
reserved.

Connecting to
(DESCRIPTION=(ADDRESS=(PROTOCOL=IPC) (KEY=EXTPROC)))

The command completed successfully

$ lsnrctl start

LSNRCTL for Solaris: Version 8.1.7.0.0 - Production on
16-JAN-2002 17:37:46

(c) Copyright 1998 Oracle Corporation. All rights
reserved.

```

## Setting Up a Database Server for eaDirect

```
Starting /export/home/oracle/product/8.1.7/bin/tnslsnr:  
please wait...
```

```
.  
. .  
. .
```

```
Services Summary...
```

```
PLSExtProc has 1 service handler(s)
```

```
edx0 has 1 service handler(s)
```

```
The command completed successfully
```

7. After the Oracle listener has been restarted,, you should see a service handler for the eaDirect instance. In the preceding example, the service handler is labeled edx0, but it should match the name you entered for the Oracle SID during the database configuration procedure. See *Configuring the Oracle Database for eaDirect* for more information.



### Tip

After the application server components have been installed, you will be able to connect to the Oracle database as described in Chapter 3.

---

# Setting Up an Application Server for eaDirect

# 3

## Overview

This chapter provides instructions for installing eaDirect on an application server and configuring supporting software. Configuring an application server for eaDirect involves the following tasks:

- Confirm that third-party software is correctly installed and configured
- Install the eaDirect application components using InstallAnywhere
- Define your eaDirect environment
- Configure Java resources for eaDirect
- Enable connectivity to the database

The installation and configuration examples shown in this chapter use default pathnames for eaDirect, for example */opt/EDCSbd*.

To designate a different destination directory for the eaDirect application server components, enter the pathname to the directory when prompted during installation.

edocs recommends that you install eaDirect in the same top-level directory on both the database server and the application server.



Tip

If you have not already installed the database server components and configured the database server for eaDirect, do so now.

---

## Required User Privileges

You will need *root* privilege on each server in the eaDirect environment in order to install eaDirect components, required software packages and patches, and the third-party software applications that work with eaDirect. You will be reminded to set *root* privilege if the installation or configuration procedure requires it.

## User and Group Accounts

WebLogic installation will prompt you to specify user and group account (ownership) for WebLogic directories and files. The default WebLogic user and group account is *nobody:nobody*.

edocs recommends that you use this default user and group account when you install WebLogic. The examples in this guide use the user and group account *nobody:nobody*.

## Defining Your eaDirect Environment

eaDirect provides several configuration files that you use to define your environment. The files, *edx\_config* and *edx.config*, are included among the application components that you installed earlier, and are copied to *\$EDX\_HOME/bin* and *\$EDX\_HOME/config* respectively.

Defining the eaDirect environment for WebLogic Server involves performing the following tasks:

- Run *edx\_config* to capture information about your eaDirect environment
- Pass your eaDirect environment to WebLogic Server at server startup
- Modify the *JAVA\_OPTIONS* parameter in *startWebLogic.sh*

The following topics describe how to define your eaDirect environment and pass it to WebLogic Server.

## Capturing Environment Data with *edx\_config*

When you run *edx\_config*, it prompts you to enter values for the Java and Oracle database installation. These values take the form of absolute directory pathnames or user identification information. You should run this command anytime you need to modify your eaDirect environment (note that this procedure is only required on the application server).

The values that are specified during this session are copied to the file *edx\_env* in *\$EDX\_HOME/config*.



Be sure the time zone (TZ) for your server is set to your system time zone. eaDirect jobs can fail if Java system time does not match actual system time.

### To capture information about your eaDirect environment:

1. Switch user to *nobody*, and navigate to *\$EDX\_HOME/bin*. For example:

```
# su - nobody
$ cd /opt/EDCSbd/bin
```

2. Run *edx\_config*.

```
$ ./edx_config
```

3. Provide values for the following parameters. You can accept default values, if appropriate.

```
Enter Oracle home
directory: [/export/home/oracle/product/8.1.7] [q]
/export/home/oracle/product/8.1.7
Oracle DB username: [edx_dba] [q]/edx_dba
Oracle password: [edx] [q]edx
Oracle DB alias (tnsname): [edx.db] [q]edx.db
Enter the application server to use, weblogic (wl) or
WebLogic (ws) : [q]wl
Enter Java root directory: [/opt/WebLogic/AppServer/java]
[q] /opt/WebLogic/AppServer/java
Enter WebLogic Application Server root
directory: [/opt/WebLogic/AppServer]
[q] /opt/WebLogic/AppServer
```

4. Make sure that the database values are the same values that you specified during the database configuration procedure, as described in the topic *Configuring the Oracle Database for eaDirect*.
5. The values you specify during this session are copied to the configuration file *edx\_env* in *\$EDX\_HOME/config*.



**Caution**

Be sure the time zone (TZ) for your server is set to your system time zone. eaDirect jobs can fail if Java system time does not match actual system time.

## Passing Environment Data to Your Application Server

You pass your eaDirect environment to WebLogic Server by ‘sourcing’ (that is, having WebLogic call and process a file) the configuration file, *edx.config*, in the WebLogic Server start up command.

### To pass your eaDirect environment to WebLogic Server:

1. Switch user to WebLogic owner.
2. Change directory to *\$WL\_HOME/config/mydomain* and stop the WebLogic server.
3. Open *startWebLogic.sh* for editing. Note that upgrading WebLogic from SP2 to SP3 overwrites any edits you may have made to this file.
4. In the ‘Set user-defined variables’ section, define and export the *\$EDX\_HOME* environment variable. For example:

---

```
Set user-defined variables.  
EDX_HOME=/opt/EDCSbd  
export EDX_HOME
```

---

5. In the ‘Set user-defined variables’ section, modify the *Java\_Options* parameter to help improve performance by increasing the memory allocated to the JVM on the application server. For example:

```
JAVA_OPTIONS="-ms128m -mx128m -Xss1m -noclassgc"
```

For example:

---

```
Set user-defined variables.
EDX_HOME=/opt/EDCSbd
export EDX_HOME
JAVA_HOME=/export/home/bea/jdk131
export JAVA_HOME
WL_HOME=/export/home/bea/wlserver6.1
export WL_HOME
JAVA_OPTIONS="-ms128m -mx128m -Xss1m -noclassgc"
WLS_PW=documentation
```

---

Parameter	Description
-ms	Sets the initial Java heap size
-mx	Sets the maximum Java heap size
-Xss	Sets the maximum native stack size for any thread
-noclassgc	Disables the Java class garbage collection

When allocating memory to the JVM, be careful not to over allocate because it could lead to performance degradation, as some processes such as the ‘garbage collector’ will take longer to complete. During this time, WebLogic Server will not be able to respond to other requests.

- In the same file, source *edx.config* just before the command to start the Java Virtual Machine (JVM). The dot and space preceding the pathname are a required part of the syntax. For example:

```
. $EDX_HOME/config/edx.config
java $JAVA_OPTIONS -classpath $CLASSPATH
-Dweblogic.Domain=mydomain
-Dweblogic.Name=your_server_name
-Dbea.home=/export/home/weblogic
-Djava.security.policy==/export/home/weblogi
c/wlserver6.1/lib/weblogic.policy
-Dweblogic.management.password=$WLS_PW
weblogic.Server
```

- Save and close *startWebLogic.sh*.



---

You can also set *WLS\_PW* with the password that you specified during installation of WebLogic Server. This will stop the command line startup from prompting for a password to boot the application server each time you start it.

---

## Starting and Stopping Your Application Server

The following topics provide recommendations for starting and shutting down WebLogic Server from a command line while running in an eaDirect production environment. Improperly starting and shutting down WebLogic Server in an active eaDirect production environment could result in unexpected and unintended results.



---

You can use the procedures below to create startup and shutdown scripts with your command parameters, and the command used to start or stop the Scheduler.

---

### Starting WebLogic Server in an eaDirect Production Environment

WebLogic provides the *startWebLogic.sh* command for starting the server from a command line, in *\$WL\_HOME/config/mydomain*.

This command works fine for starting your application server in an inactive production environment where there are no running jobs. However, the startup process will stop immediately if a **Ctrl+C**--which is often used to force a hard shutdown of the server-- is entered in the directory where the application server was started, or when the terminal session is closed.

It is therefore recommended that you use a startup command similar to the one below when starting your application server in an active eaDirect production environment. You should run the command as the application server owner.

```
$ nohup ./startWebLogic.sh &
```



This command will not stop the WebLogic process if **ctrl+c** is entered, or stop the process when you close the terminal session. Using this startup command helps to ensure a more stable and trouble-free production environment.



In order for this command to work properly, you must edit the shell script to include your application server password.

```
# Set WLS_PW equal to your system password for no
password prompt server startup.
```

```
WLS_PW=<your_Weblogic_server_password>
```

## Stopping WebLogic Server in an eaDirect Production Environment

When shutting down WebLogic Server, you should be careful not to use a shutdown command that will interfere with the normal operation of the application server while jobs are being processed in the Command Center.

### To stop WebLogic Server:

1. Switch user to the WebLogic owner (for example *nobody*).
2. Change directory to \$WL\_HOME/config/mydomain
3. Set your active environment by running the following command in the same directory where you start WebLogic Server:

```
$ . ./setEnv.sh
```

4. Next, run the following command, using parameters from the table below:

```
$ java weblogic.Admin -url host:port SHUTDOWN -username
adminname -password password
```

Parameter	Description
host	The name or IP address of your application server.
port	Your WebLogic listener port. The default is port 7001.
adminname	Username with admin privileges to shut down the application server. Default administrator name is 'system'.

Parameter	Description
password	The Administrator password specified when WebLogic Server was installed.

For example:

```
$ java weblogic.Admin -url audi:7001 SHUTDOWN -username
system -password documentation

Shutdown initiated
The shutdown sequence has been initiated.
```

## Installing eaDirect Application Server Components

If you have not completed the tasks in *What You Need to Know Before Installing eaDirect*, do so now. This will help to ensure a smooth and successful installation.



Tip

In order to use the InstallAnywhere GUI on a UNIX machine, you will need Xwindows software installed. You will also need to set the DISPLAY environment variable for your machine.

By default, eaDirect is installed in */opt/EDCSbd*. You can change the default installation directory when prompted during installation.

edocs recommends that you install eaDirect in the same top-level directory on both the database server and the application server.

### To install the eaDirect application server components:

1. From the */Solaris* subdirectory on the eaDirect installation CD-ROM, run the command to invoke the InstallAnywhere GUI:

```
# ./Dirins.bin
```

A start-up screen appears.

2. On the Introduction screen, read the eaDirect introductory information. Then click **Next**.

3. On the License Agreement screen, read and accept the terms of the agreement (use the scroll bars to move up and down on the screen) by clicking the appropriate radio button. Then click **Next**.
4. On the Enter Serial Number screen, enter your product serial number. It is stapled to the inside front cover of this guide (if your serial number has been misplaced, contact edocs Technical Support). Then click **Next**.
5. On the Owner of Web Application Server screen, enter the name of the application server owner (the recommended 'owner' is *nobody*). Then click **Next**.
6. On the Group of Web Application Server screen, enter the name of the group for the application server (the recommended group is *nobody*). Then click **Next**.
7. On the Choose Install Folder screen, accept the default installation folder or click **Choose** to specify a different installation folder. Then click **Next**.
8. On the Choose Product Features screen, click **App Server**. Then click **Next**.
9. On the Pre-Installation Summary screen, confirm that the information is accurate. Then click **Install**.  

At this point, the eaDirect application server components are copied to the designated installation folder. A status bar on the bottom of the screen shows each server component being installed. No user intervention is required.
10. The Install Complete screen reports a successful installation and the directory that contains the application server components.
11. Click **Done** to exit the installer.

## Understanding the eaDirect Directory Structure on an Application Server

The eaDirect home directory on the application server is where all the files needed and created by the eaDirect application are contained. When you install the eaDirect application server components, you are prompted to specify a 'destination' directory. By default, this directory is *opt/EDCSbd*, which has a pre-defined hierarchical structure.

At the top of the directory hierarchy is *EDCSbd*. Below *EDCSbd* are several subdirectories that are grouped by functionality and contain the eaDirect J2EE applications, libraries, executables, log files, configuration files, and samples (as licensed).

The following screen shows a sample directory hierarchy that is created on an application server in a distributed environment. Note that during the eaDirect installation several files (such as the product Release Notes and the eaDirect installation log file) are copied to *EDCSbd*. These files are not shown in the sample screen.

```
<EDCSbd>
/AppProfiles
/bin
/config
/Data
/Input
/J2EEApps
/jre
/lib
/logs
/Output
/samples (only if J2EE sample apps are installed)
/Uninstall
```

---

**Tip**

When installing eaDirect on a single machine with the InstallAnywhere 'Full' option, the database subdirectories (as mentioned in the topic *Understanding the Directory Structure on a Database Server* in Chapter 2) are included in the eaDirect directory hierarchy shown above.

---

<b>EDCSbd Directory</b>	<b>Contents</b>
AppProfiles	Contains Version Sets (configuration and HTML template files) that are published to the production environment.
bin	Contains scripts used to start the Scheduler ( <i>wl_scheduler</i> ).
config	Contains configuration files that are used to define the eaDirect environment.
Data	Contains the input data files that are copied to this directory after the Scanner finds them in the Input directory for an application and moves them here (other production tasks use these files to process the input data from a service provider). Also contains intermediate representation ( <i>.ir</i> ) and log files for an application.
Input	Contains the input data files from a service provider that are needed by the Scanner production task.
J2EEApps	Contains the eaDirect J2EE EAR file <i>ear-eadirect.ear</i> . This file also contains the WAR files for the eaPay, eaPost, and eaXchange add-on modules.
jre	Contains library and binary files that are used by the Java Runtime Environment.
lib	Contains JAR files used by the application sever.
logs	Contains application log files generated by activity in the production environment.
Output	Contains output files from Batch XML and HTML jobs running in the eaDirect Command Center.
samples	Contains sample web applications and data files.
ReleaseNotes.html	A HTML file that contains additional information about the current eaDirect release that is not in the product installation and configuration guide.
Uninstall	Contains the eaDirect uninstall command and other files pertaining to uninstalling eaDirect.

## Configuring Java Resources for eaDirect

After you have successfully configured the Oracle database for eaDirect, you must now configure Java Database Connectivity (JDBC) and Java Messaging Service (JMS) resources on the application server for eaDirect. Among other functions, the Java resources enable the manipulation of existing data from relational databases and other data sources, and enables application components to asynchronously send and receive messages.

Specifically, you will be doing the following:

- Configure JDBC Connection Pools
- Configure JDBC Transaction (Tx) Data Sources
- Configure JMS Connection Factories
- Configure JMS Stores
- Configure JMS Servers
- Configure JMS Topics

### Starting the WebLogic Server Console

You configure WebLogic Java resources through the web-based WebLogic Server Console. By default, WebLogic copies the Java configuration settings to `$WL_HOME/config/mydomain/config.xml`.



When entering required attribute values for Java resources, be particularly mindful of case sensitivity. Failure to heed case sensitivity can result in problems later on, including not being able to log into the eaDirect Command Center.

---

#### To connect to the WebLogic Server Console:

1. Start WebLogic Server, if it isn't already running (see the topic *Starting and Stopping WebLogic Server in an Active eaDirect Production Environment* for instructions)
2. Open a web browser and enter a URL with the syntax:

`http://host:port/console`

For example:


`http://audi:7001/console`

The Enter Network Password dialog appears. Note that the dialog might take a few seconds to display.

3. Enter your WebLogic Server user name and password. The default user name is 'system' and the password is the one you specified during installation of WebLogic Server.



4. Click **OK**. The WebLogic Server Console main menu appears.



## Configuring JDBC Connection Pools

A connection pool contains named groups of JDBC connections that are created when the connection pool is registered, usually when starting up WebLogic Server. WebLogic Server opens JDBC connections to the database during the startup process and adds the connections to the pool.

Your application borrows a connection from the pool, uses it, and then returns it to the pool by closing it. For more information about how WebLogic Server uses JDBC connection pools, refer to the WebLogic programming and user documentation at <http://bea.com>.


You will create three JDBC Connection Pools. The next section describes how to create the first JDBC Connection Pool. After that procedure, the values for the remaining two connection pools are listed. Create those connection pools following the procedure shown for the first connection pool.

### To configure the first JDBC connection pool:

1. From your domain in the left pane, select **Services** and **JDBC and Connection Pools**.



- In the right pane, click the **Configure a New JDBC Connection Pool** link. A tabbed dialog for configuring a new connection pool appears.



- On the Configuration/General tab, enter values for the Name, URL, Driver Classname, and Properties attributes as shown in the following table:


Name	Value
Name	edxUserConnectionPool
URL	jdbc:oracle:thin:@<servername>:1521:<db instance>  For example: jdbc:oracle:thin:@audi:1521:edx0
Driver Classname	oracle.jdbc.driver.OracleDriver

Name	Value
Properties	<p><b>user=&lt;db_username&gt;</b>  <b>password=&lt;db_password&gt;</b></p> <p>The user and password values correspond to the <i>username:password</i> combination specified during the eaDirect database configuration procedure.</p>

4. Click **Create** to create a JDBC connection pool instance named `edxUserConnectionPool`. The new instance is added to your domain under the Connection Pools node in the left pane.




5. In the right pane, click **Connections**. A tabbed dialog for configuring connection attributes appears.



- On the Connections tab, enter values for the attributes shown in the following table:

Name	Value
Initial Capacity	1
Maximum Capacity	20
Capacity Increment	5
Login Delay Seconds	1
Refresh Period	1
Supports Local Transaction	False (box unchecked)
Allow Shrinking	True (box checked)
Shrink Period	15
Prepared Statement Cache Size	300


- Click **Apply** for the attribute values to take effect the next time you restart WebLogic Server.
- In the right pane, click the **Testing** link. A tabbed dialog for configuring testing appears.



- On the Configuration/Testing tab, enter values for the Test Table Name and Test Reserved Connections attributes as shown in the following table:

Name	Value
Test Table Name	dua1
Test Reserved Connections	True (checked)

- Click **Apply** for the attribute values to take effect the next time you restart WebLogic Server.
- On the Targets/Servers tab, move the target server from **Available** to **Chosen**.



- Click **Apply** for the new value to take effect the next time you restart WebLogic Server.

**To configure additional pools:**

Configure the next two pools, **edxLoggerConnectionPool** and **edxAdminConnectionPool**, with the following settings.



**Tip**

Remember to move the Targets-Server from Available to Chosen for each pool as you configure it.

**edxLoggerConnectionPool Configuration/General Tab**

Name	Value
Name	edxLoggerConnectionPool

Name	Value
URL	<code>jdbc:oracle:thin:@&lt;servername&gt;:1521:&lt;dbinstance&gt;</code> For example: <code>jdbc:oracle:thin:@audi:1521:edx0</code>
Driver Classname	<code>oracle.jdbc.driver.OracleDriver</code>
Properties	<code>user=&lt;db_username&gt;</code> <code>password=&lt;db_password&gt;</code>  The user and password values correspond to the <i>username:password</i> combination specified during the eaDirect database configuration procedure.

#### edxLoggerConnectionPool Configuration/Connections Tab

Name	Value
Initial Capacity	1
Maximum Capacity	10
Capacity Increment	2
Login Delay Seconds	1
Refresh Period	1
Allow Shrinking	<b>true</b> (checked)
Shrink Period	15
Prepared Statement Cache Size	300

#### edxLoggerConnectionPool Configuration/Testing Tab

Name	Value
Test Table Name	<code>dual</code>
Test Reserved Connections	<b>true</b> (checked)

#### edxAdminConnectionPool Configuration/General Tab

Name	Value
Name	<code>edxAdminConnectionPool</code>
URL	<code>jdbc:oracle:thin:@&lt;servername&gt;:1521:&lt;dbinstance&gt;</code>  For example: <code>jdbc:oracle:thin:@audi:1521:edx0</code>
Driver Classname	<code>oracle.jdbc.driver.OracleDriver</code>
Properties	<code>user=&lt;db_username&gt;</code> <code>password=&lt;db_password&gt;</code>  The user and password values correspond to the <i>username:password</i> combination specified during the eaDirect database configuration procedure.

#### **edxAdminConnectionPool Configuration/Connections Tab**

Name	Value
Initial Capacity	1
Maximum Capacity	10
Capacity Increment	2
Login Delay Seconds	1
Refresh Period	1
Allow Shrinking	true (checked)
Shrink Period	15
Prepared Statement Cache Size	300

#### **edxAdminConnectionPool Configuration/Testing Tab**

Name	Value
Test Table Name	<code>dual</code>
Test Reserved Connections	true (checked)

## Configuring JDBC Transaction (Tx) Data Sources

A transaction data source enables JDBC clients to obtain a connection to a Database Management System (DBMS). Each data source points to the value specified for the Name attribute when a JDBC connection pool was configured. For more information about how WebLogic Server uses transaction data sources, see the WebLogic programming and user documentation at <http://bea.com>.

You will configure three TX Data Sources. After that procedure, the values for the remaining two TX Data Sources are listed. Create those TX Data Sources following the procedure shown for the first TX Data Sources.

### To configure the first JDBC transaction data source:


1. From your domain in the left pane, select **Services** and **JDBC** and **Tx Data Sources**.
2. In the right pane, click **Configure a New JDBC Tx Data Source** link. A tabbed dialog for configuring a new transaction data source appears.

Configuration	Targets	Notes
<p><b>Name:</b> edxUserDataSource</p> <p><b>JNDI Name:</b> <input type="text" value="edx.user.databasePool"/></p> <p><b>Pool Name:</b> <input type="text" value="edxUserConnectionPool"/></p> <p><input type="checkbox"/> <b>Enable Two-Phase Commit</b></p> <p><input type="checkbox"/> <b>Row Prefetch Enabled</b></p> <p><b>Row Prefetch Size:</b> <input type="text" value="48"/></p> <p><b>Stream Chunk Size:</b> <input type="text" value="256"/> bytes</p> <p style="text-align: right;"><input type="button" value="Apply"/></p>		

3. On the Configuration tab, enter values for the Name, Java Naming and Directory Interface (JNDI) Name, and Pool Name attributes as shown in the table below.

Name	Value
Name	<code>edxUserDataSource</code>
JNDI Name	<code>edx.user.databasePool</code>
Pool Name	<code>edxUserConnectionPool</code>

- Click **Create** to create a JDBC transaction data source instance named `edxUserDataSource`. The new instance is added to your domain under the Tx Data Sources node in the left pane.



- On the Targets/Servers tab, move the target server from Available to Chosen.



- Click **Apply** for the new value to take effect the next time you restart WebLogic Server.
- Configure two more data sources, using the procedures shown for `edxUserDataSource`.



**Tip**

Remember to move the Targets-Server from Available to Chosen for each data source as you configure it.

**edxLoggerDataSource**

<b>Name</b>	<b>Value</b>
Name	<code>edxLoggerDataSource</code>
JNDI Name	<code>edx.logger.databasePool</code>
Pool Name	<code>edxLoggerConnectionPool</code>

**edxAdminDataSource**

<b>Name</b>	<b>Value</b>
Name	<code>edxAdminDataSource</code>
JNDI Name	<code>edx.databasePool</code>
Pool Name	<code>edxAdminConnectionPool</code>

## Configuring JMS Connection Factories

Connection factories are data objects that enable Java Messaging Service (JMS) clients to create JMS connections. You define and configure one or more connection factories to create connections with predefined attributes. WebLogic Server adds the connection factories to the JNDI space during startup, and the application retrieves a connection factory using WebLogic JNDI.

For more information about how WebLogic Server uses JMS connection factories, see the WebLogic programming and user documentation at <http://bea.com>.

### To configure a JMS connection factory:

1. From your domain in the left pane, select **Services** and **JMS** and **Connection Factories**.

- In the right pane, click the **Configure a New JMS Connection Factory** link. A tabbed dialog for configuring a connection factory appears.


The screenshot shows a configuration dialog with the following fields and values:

- Name: edxLoggerTCF
- JNDIName: edx/tcf/log
- Client Id: (empty)
- Default Priority: 4
- Default Time To Live: 0
- Default Time To Deliver: 0
- Default Delivery Mode: Persistent
- Default Redelivery Delay: 0
- Messages Maximum: 10
- Overrun Policy: Keep Old
- Allow Close In On Message:
- Acknowledge Policy: All

- On the Configuration/General tab, enter values for the Name and JNDI Name attributes as shown in the following table:

Name	Value
Name	edxLoggerTCF
JNDI Name	edx/tcf/log


- Click **create** to create a JMS connection factory instance named edxLoggerTCF. The new instance is added to your domain under the Connection Factories node in the left pane.
- On the Targets/Servers tab, move the target server from Available to Chosen.



6. Click **Apply** for the new value to take effect the next time you restart WebLogic Server.
7. Configure two more connection factories, one for annotations and one for disputes, repeating Steps 1 to 6. In Step 3, replace the values for the Name and JNDI Name attributes with those in the following table:

Name	Value
Name JNDI Name	<b>edxAnnotationTCF</b> <b>edx/tcf/annotate</b>
Name JNDI Name	<b>edxDisputeTCF</b> <b>edx/tcf/dispute</b>

8. Click **Create** on the Configuration/General tab after configuring each additional JMS connection factory. Move the target server from Available to Chosen on the Targets/Servers tab, and then click **Apply**. The new instances are added to your domain under the Connection Factories node in the left pane.



## Configuring JMS Stores

With JDBC, JMS enables you to store persistent messages in a database, which is accessed through a designated JDBC connection pool. The JMS database can be any database that is accessible through a WebLogic-supported JDBC driver.


When creating a JMS Store, you must define the following configuration attributes:

- Name of the backing store
- JDBC connection pool and database table name prefix for use with multiple instances

For detailed information about creating JMS Stores, see the WebLogic Server 6.1 programming and user documentation at <http://bea.com>.

### To configure a JMS Store:

1. From your domain in the left pane, select **Services** and **JMS** and **Stores**.
2. In the right pane, click the **Configure a new JMSJDBCStore** link. A tabbed dialog for configuring a new JMS store appears.




- On the Configuration tab, enter values for the Name and Connection Pool attributes as shown in the following table:

Name	Value
Name	<code>edxAnnotationStore</code>
Connection Pool	<code>edxUserConnectionPool</code> (selected from Connection Pool drop-down menu)

- Click **Create** to create a JMS store instance named `edxAnnotationStore`. The new instance is added to your domain under the Stores node in the left pane.
- Configure two more JMS stores, `edxDisputeStore` and `edxLoggerStore`, repeating Steps 1 to 4. In Step 3, replace the values for the Name and Connection Pool attributes with those in the following table:

Name	Value
Name Connection Pool	<code>edxDisputeStore</code> <code>edxUserConnectionPool</code>
Name Connection Pool	<code>edxLoggerStore</code> <code>edxLoggerConnectionPool</code>

- Click **Create** on the Configuration tab after configuring each additional JMS store. The new instances are added to your domain under the Stores node in the left pane.




## Configuring JMS Servers

A JMS server manages connections and message requests on behalf of clients. For more information about how WebLogic Server uses JMS Servers, see the WebLogic programming and user documentation at <http://bea.com>.

### To configure a JMS server:

1. From your domain in the left pane, select **Services** and **JMS** and **Servers**.
2. In the right pane, click **Configure a new JMSServer**. A tabbed dialog for configuring a new JMS server appears.



3. On the Configuration/General tab, enter a value for the Name and Store attributes, as shown in the table below.

Name	Value
Name	<b>edxLoggerServer</b>
Store	<b>edxLoggerStore</b> (selected from the Store drop-down menu)


- Click **Create** to create a JMS server instance named **edxLoggerServer**. The new instance is added to your domain under the JMS Servers node in the left pane. By default, a JMS Destinations node and a Session Pools node are automatically added under the new server instance.
- On the Targets/Servers tab, select the target server from the Target drop-down menu.



- Click **Apply** for the new value to take effect the next time you restart WebLogic Server.
- Configure two more JMS servers, **edxAnnotationServer** and **edxDisputeServer**, repeating Steps 1 to 6. In Step 3, replace the values for the Name and Store attributes with those in the following table.

Name	Value
Name Store	edxAnnotationServer edxAnnotationStore
Name Store	edxDisputeServer edxDisputeStore

- Click **Create** on the Configuration/General tab after configuring each additional JMS server. Move the target server from Available to Chosen on the Targets/Servers tab, and then click **Apply**. The new instances are added to your domain under the **Servers** node in the left pane.



## Configuring JMS Topics

Before you can configure a JMS Topic, you must have first created a JMS server as described in *Configuring a JMS Server*.

A JMS topic can be one of two destinations that you can configure for a JMS server. The other destination is a JMS queue. WebLogic Server allows you to configure one or more destinations for the JMS server.



You can configure destinations explicitly (as is done in this topic), or by way of configuring a destination template that can be used to define multiple destinations with similar attribute values. For more information about how WebLogic Server 6.1 uses JMS destinations, see the WebLogic programming and user documentation at <http://bea.com>.


**To configure a JMS Topic:**

1. From your domain in the left pane, select **Services** and **JMS and Servers**.
2. Select the server for which you want to configure a JMS Topic, in this example **edxLoggerServer**, and select **Destinations**.



When configuring additional JMS Topics, make sure that you select the matching JMS Server. For example, select **edxAnnotationServer** to configure **edxAnnotationTopic**, and **edxDisputeServer** to configure **edxDisputeTopic**.


3. In the right pane, click the **Configure a new JMSTopic** link. A tabbed dialog for configuring a new JMS topic appears.



- On the Configuration/General tab, enter values for the Name, JNDI Name, and Enable Store attributes, as shown in the table below.

Name	Value
Name	<b>edxLoggerTopic</b>
JNDI Name	<b>edx/jms/log</b>
Enable Store	<b>True</b> (selected from the drop-down menu)

- Click **Create**. The new instance is added to your domain under the Destinations node in the left pane.



- Repeat Steps 2 to 5 to configure two more JMS Topics, **edxAnnotationTopic** and **edxDisputeTopic**. In Step 2, be sure to select **edxAnnotationServer** to configure **edxAnnotationTopic**, and **edxDisputeServer** to configure **edxDisputeTopic**.

In Step 4, use the values in the following table:

Name	Value
Name JNDI Name Enable Store	<code>edxAnnotationTopic</code> <code>edx/jms/annotate</code> <code>true</code>
Name JNDI Name Enable Store	<code>edxDisputeTopic</code> <code>edx/jms/dispute</code> <code>true</code>

## Configuring Session Pools and Consumers

A session pool will allow a listener (called a Consumer in WebLogic) to have multiple threads that will improve performance under heavy load. A session pool must be created for each Consumer.



If you upgraded WebLogic 6.1 SP2 to SP3, you may encounter a known issue in the WebLogic Server Console when configuring a session pool. You may see an `InstanceNotFoundException` message. If an exception occurs, try to configure the session pool again.

If the exception still occurs, you may need to restart the WebLogic server. However, you can also try clicking on the left pane and refreshing it. If you see that the session pool has been added, then you do not need to restart the server. You should now be able to add the consumer.

This issue does not apply if did the full installation of WebLogic 6.1 SP3, and did not upgrade from SP2.

There are currently seven Consumers in eaDirect. There are five for logging, one for disputes, and one for annotations. The following provides an example of how to configure a session pool and connection consumer for annotations:

### To configure a session pool:

1. From your domain in the left pane, select **Services** and **JMS** and **Servers**, and expand the `edxAnnotationServer` node. Then click **Session Pools**.

- Click the **Configure a new JMS Session Pool** link. A tabbed dialog for configuring a new JMS session pool appears.


- On the Configuration tab, enter values for the Name, JNDI Name, Listener Class, Acknowledge Mode, and Sessions Maximum attributes as shown in the following table:

Name	Value
Name	<b>edxAnnotationPool</b>
Connection Factory	<b>edx/tcf/annotate</b>
Listener Class	<b>com.edocs.services.annotation.Listener</b>
Acknowledge Mode	<b>Auto</b>
Sessions Maximum	<b>-1</b> <b>Note:</b> Session Maximum is set to the number of sessions. -1 indicates there is no session maximum. This attribute should be adjusted to accommodate the maximum number of threads for this pool.

- Click **Create** to create a JMS session pool instance named `edxAnnotationPool`. The new instance is added under the Session Pools node in the left pane.

**To create a JMS Connection Consumer:**

1. From your domain in the left pane, select **Services** and **JMS** and **Servers** and **edxAnnotationServer** and **Session Pools** and **edxAnnotationPool**, and then click the **Consumers** node.
2. Click the **Configure a new JMS Connection Consumer** link. A tabbed dialog for configuring a new JMS connection consumer appears.



3. Enter values for the Name, Messages Maximum, Selector, and Destination attributes as shown in the following table:

Name	Value
Name	<b>edxAnnotationConsumer</b>
Messages Maximum	<b>10</b>
Selector	<b>JMSType= 'USER'</b>
Destination	<b>edx/jms/annotate</b>

4. Click **Create** to create a JMS connection consumer instance named **edxAnnotationConsumer**. The new instance is added under the **Consumers** node in the left pane.
5. Repeat the procedures above to configure JMS session pools and connection consumers for **edxDisputeServer** and **edxLoggerServer**, using the values in the tables below. After configuring each additional session pool and connection consumer, remember to click **Create** on the **Configuration** tab.

### edxDisputeServer

Session Pool Configuration	
Name	edxDisputePool
Connection Factory	edx/tcf/dispute
Listener Class	com.edocs.services.dispute.Listener
Acknowledge Mode	Auto
Sessions Maximum	-1

Consumer Configuration	
Name	edxDisputeConsumer
Messages Maximum	10
Selector	JMSType= 'USER'
Destination	edx/jms/dispute

### edxLoggerServer

Five session pools must be created, each with its own Consumer.

### edxLoggerAdminActivityPool

Session Pool Configuration	
Name	edxLoggerAdminActivityPool
Connection Factory	edx/tcf/log
Listener Class	com.edocs.fs.logging.sub.AdminActivityListener
Acknowledge Mode	Auto
Sessions Maximum	-1

<b>Consumer Configuration</b>	
Name	<code>edxLoggerAdminActivityConsumer</code>
Messages Maximum	10
Selector	<code>JMSType= 'ADM'</code>
Destination	<code>edx/jms/log</code>

### **edxLoggerCSRActivityPool**

<b>Session Pool Configuration</b>	
Name	<code>edxLoggerCSRActivityPool</code>
Connection Factory	<code>edx/tcf/log</code>
Listener Class	<code>com.edocs.fs.logging.sub.CSRActivityListener</code>
Acknowledge Mode	Auto
Sessions Maximum	-1

<b>Consumer Configuration</b>	
Name	<code>edxLoggerCSRActivityConsumer</code>
Messages Maximum	10
Selector	<code>JMSType= 'CSR'</code>
Destination	<code>edx/jms/log</code>

### **edxLoggerMessageLogPool**

<b>Session Pool Configuration</b>	
Name	<code>edxLoggerMessageLogPool</code>
Connection Factory	<code>edx/tcf/log</code>
Listener Class	<code>com.edocs.fs.logging.sub.MessageLogListener</code>
Acknowledge Mode	<code>Auto</code>
Sessions Maximum	<code>-1</code>

<b>Consumer Configuration</b>	
Name	<code>edxLoggerMessageLogConsumer</code>
Messages Maximum	<code>10</code>
Selector	<code>JMSType= 'MSG'</code>
Destination	<code>edx/jms/log</code>



### edxLoggerSystemActivityPool

Session Pool Configuration	
Name	edxLoggerSystemActivityPool
Connection Factory	edx/tcf/log
Listener Class	com.edocs.fs.logging.sub.SystemActivityListene r
Acknowledge Mode	Auto
Sessions Maximum	-1

Consumer Configuration	
Name	edxLoggerSystemActivityConsumer
Messages Maximum	10
Selector	JMSType= 'SYS'
Destination	edx/jms/log


### edxLoggerUserActivityPool

Session Pool Configuration	
Name	edxLoggerUserActivityPool
Connection Factory	edx/tcf/log
Listener Class	com.edocs.fs.logging.sub.UserActivityListener
Acknowledge Mode	Auto
Sessions Maximum	-1

<b>Consumer Configuration:</b>	
Name	<code>edxLoggerUserActivityConsumer</code>
Messages Maximum	10
Selector	<code>JMSType= 'USER'</code>
Destination	<code>edx/jms/log</code>

This completes the configuration of WebLogic Server Java resources for eaDirect. You must now stop and restart WebLogic Server in order for the new Java configuration settings to take effect.

To stop WebLogic Server, expand your domain and right click `myserver`. Then select **Stop this server** from the menu.



You can also stop WebLogic Server from a command line window, as described in the topic *Shutting Down WebLogic Server in an eaDirect Production Environment*.

## Connecting to the eaDirect Database

To enable connectivity by eaDirect to the Oracle database, you might have to edit *tnsnames.ora* to reflect the SID for the database and the address of the database server that it resides on. The file *tnsnames.ora* includes a list of service names of network databases that are mapped to connect descriptors. It is used by clients and distributed database servers to identify potential server destinations.

The address of the database server in *tnsnames.ora* is the same as the address of the listener for a server in *listener.ora*. Similarly, the address in *tnsnames.ora* includes the SID (SID\_NAME), which is required in *listener.ora*.

The file *tnsnames.ora* is created during the Oracle installation and, by default, is copied to *\$ORACLE\_HOME/network/admin*.



### Tip

If you are using a single machine as your database and application server, and have already modified *tnsnames.ora* as described in the topic *Configuring Connectivity to the eaDirect Production Database* in Chapter 2, you can ignore this procedure.

### To enable connectivity to the Oracle database:

1. Switch to *oracle* user with `$ su - oracle`, and change directory to *\$ORACLE\_HOME/network/admin*.
2. Open *tnsnames.ora* and edit the following variables for your Oracle database, for example:

```
edx.db =
  (DESCRIPTION =
    (ADDRESS_LIST =
      (ADDRESS = (PROTOCOL = TCP) (HOST = audi) (PORT = 1521))
    )
    (CONNECT_DATA =
      (SID = edx0)
    )
  )
```

Note that the Oracle SID should be the same as the one you entered when you ‘signed in’ to the database configuration procedure. You can also provide an IP Address in place of the host name.

3. Save and close *tnsnames.ora*.

## Testing Connectivity to the eaDirect Production Database

Now that you have set up both servers to support eaDirect, you can validate connectivity to the production database by running the following commands. Note that in order for this test to work, WebLogic Server must be aware of your environment, as described in the topic *Defining the eaDirect Environment for WebLogic Server*.

1. Switch to *oracle* user with `$ su - oracle`.
2. Run the `sqlplus` command on the database that was configured in Chapter 2. The command takes as arguments the database's username, password, and connection string (database alias).

```
sqlplus dbuser/dbpassword@connection_string
```

For example, the following command connects to an eaDirect database on a remote database server (as is typical in an eaDirect distributed environment):

```
$ su - oracle
$ sqlplus edx_dba/edx@edx.db
SQL*Plus: Release 8.1.7.0.0 - Production on Thu Aug 23
18:16:36 2001
```

```
(c) Copyright 2000 Oracle Corporation. All rights
reserved.
```

```
Connected to: Oracle8i Enterprise Edition Release
8.1.7.0.0 - Production With the Partitioning option
```

```
JServer Release 8.1.7.0.0 - Production
```

```
SQL>
```

3. At the SQL prompt, enter a command that performs a database query, such as the following:

```
SQL> show parameters db_name
NAME TYPE VALUE
-----
db_name string edx0
```

```
SQL> exit
```

```
Disconnected from Oracle8i Enterprise Edition Release  
8.1.7.0.0 - Production With the Partitioning option  
JServer Release 8.1.7.0.0 - Production
```

## Deploying J2EE Web Applications for eaDirect

When you install eaDirect, you will find Enterprise Application Archives (EAR files) for sample web applications in the `/EDCSbd/samples/j2eeapps` directory of your eaDirect installation. You deploy these applications using your application server's administrative console.

In general, deploying a web application involves three distinct phases:

1. Component creation, typically done by application developers
2. Application assembly, typically done by application developers (although they may not have participated in the 'component creation' phase)
3. Application deployment, typically done by both application developers and system administrators

During development and testing, it is common for web developers to deploy their own applications. However, when the application has been assembled and is ready for production, a system administrator most likely will deploy it.

## Web Applications Included with eaDirect

J2EE Application	Description
<i>ear-eadirect.ear</i>	<p>Core functionality of eaDirect, including the Command Center and the eaDirect engine. Also contains placeholder files for other components of the eaSuite.</p> <p>By default, installed to: <i>\$EDX_HOME/J2EEApps/weblogic</i></p>
<i>ear-easample.ear</i>	<p>Demonstrates the core features of eaDirect, including non-hierarchical enrollment model using edocs Common Directory Access (CDA); content access to statement summary and detail data; line item dispute and annotation; order capture and management.</p> <p><b>Note:</b> In order to use the eaSample application, you must first run the file <i>create_demo_oc_table.sh</i>, which creates the database tables for Order Capture. See <i>Appendix A: Using eaSample</i> for more information.</p>
<i>ear-eatraining.ear</i>	<p>Demonstrates more advanced features of eaDirect, including hierarchical user enrollment using edocs Common Directory Access (CDA).</p>
<i>ear-hierarchySample.ear</i>	<p>Contains the Hierarchy Console, an intuitive user interface for enterprise profile management. Administrators can use the Hierarchy Console to organize and edit accounts and subaccounts into account groups that can control access privileges, statement viewing, editing user profiles, and other online account management. <b>Requires a separate license.</b></p>
<i>ear-reportSample.ear</i>	<p>Supports customized reports on account data for phone call usage. <i>WebLogic only.</i></p>
<i>ear-umfsample.ear</i>	<p>Implements a non-directory enrollment model that customizes the edocs user management framework as an interface to enrollment information already stored in a separate repository. <b>Requires a separate license.</b></p>

**To deploy a web application to your application server:**

1. Start WebLogic Server, if it isn't already running (see the topic *Starting and Stopping WebLogic Server in an Active eaDirect Production Environment* for instructions)

2. Open a web browser and enter a URL with the syntax:

`http://host:port/console`

For example:

`http://audi:7001/console`


The Enter Network Password dialog appears. (Note that the dialog might take a few seconds to display.)

3. Enter your WebLogic Server user name and password. The default user name is 'system' and the password is the one you specified during installation of WebLogic Server.



4. Click **OK**. The WebLogic Server Console main menu appears.

Setting Up an Application Server for eaDirect



5. From your domain in the left pane, select **Deployment** and **Applications**.
6. Click the **Install a New Application** link.
7. On the Install or Update an Application screen, use the Browse button to locate the eaDirect J2EE application *ear-eadirect.ear*. By default, this file is located in *\$EDX\_HOME/J2EEApps/weblogic*.
8. Upload *ear-eadirect.ear*. It is added to the list of 'Application files currently installed' at the bottom of the screen.

**Upload and Install an Application**

Click on the 'browse' button below to locate an application archive on your local hard drive. When you have located the file, click 'upload' to install it on this WebLogic Administration Server. The following types of application files may be uploaded:

- A **.jar** containing EJBs (Enterprise Java Beans)
- A **.war** (Web Application Archive) containing JSPs and Servlets
- A **.rar** (Resource Adapter Archive) containing a JCA Connector module
- An **.ear** (J2EE Enterprise Application Archive) containing any of the above

Note: if you browse for the file, you may have to adjust the file-type filter to 'All' in order to find .jar, .war, .rar and .ear files.

C:\TEMP\ear-eadirect.ear



---

**Caution** If you are using a Windows machine for browser access, you will have to FTP the data files to the local Windows machine in order to access them.

---

9. After *ear-eadirect.ear* has been uploaded and installed, the Deployments folder in the left pane should look like:




---

**Caution** If you choose to deploy eaSample at this time, you must first run *create\_demo\_oc\_table.sh*, which creates the database tables needed for the Order Capture feature. Failure to do so will result in errors when you start WebLogic Server. See *Appendix A: Using eaSample* for more information.

---

10. Exit the WebLogic Server Console.

Before leaving the WebLogic Server Console, you might want to take time to make sure that all required EJBs and WAR files have been deployed to the target server. Doing this can possibly prevent database configuration problems from arising later that can interfere with the normal operation of eaDirect.

Expand each J2EE application in the left pane to show its EJBs and WAR file. Click on either an EJB or the WAR file, and then click the **Targets/Servers** tab in the dialog that appears in the right pane. If necessary, move the target server from Available to Chosen. Click **Apply** for the change to take effect the next time the server is started.

## Starting the eaDirect Scheduler

After all the eaDirect EAR files have been deployed to the application server, you must start the eaDirect Scheduler in order to schedule and run jobs in the eaDirect Command Center. If you attempt to run a new job with the Scheduler not running, the job will not run and you will see 'Not yet started' as its status.

### To start the Scheduler:

1. Switch user to the application server owner, for example *nobody*.
2. Change directory to *\$EDX\_HOME/bin*.
3. Run the Scheduler command for your application server, host, and port. For example:

```
$ ./wl_scheduler -start -url t3://audi:7001
```

---

**Tip**

This example uses the default port for the administration server. You can specify another port number if necessary, but it must match the port for the admin server.

---

4. You can stop the Scheduler by replacing the *-start* parameter with the *-stop* parameter.

## Logging In to the Command Center

You can test the installation and configuration of eaDirect by logging in to the eaDirect web-based Command Center. The Command Center serves as the administrative ‘hub’ of the eaDirect production environment. From the Command Center, you create applications and the jobs they contain, publish the design and data files that a job needs to run, schedule a time for the job to run, and monitor the status of the job as it is being processed.

### To log in to the Command Center:

1. Confirm that the application and database servers are running.
2. Confirm that the Scheduler is running.
3. Open a web browser and enter the URL to invoke the Command Center, for example:

```
http://audi:7001/eaDirect
```

4. A successful connection displays the Command Center Login Administrator page.



5. Log into the Command Center using the default administrator ID and password:

Administrator ID: **admin**


Password: **edocs**

6. A successful login displays an empty Main Console page until you have created an application and scheduled a job. For detailed information about creating eaDirect applications and jobs, see the *eaDirect Production Guide*.



**Tip**

In order to run jobs in the Command Center, the eaDirect Scheduler **must** be running.



## Troubleshooting Tips

If you are unable to log into the Command Center, click **Service Status** on the menu to determine what the problem is. One of the more common problems that might prevent you from being able to log into the Command Center is an improperly configured database.

**Service Status**  
**There is a database configuration problem.**

Troubleshoot the problem by carefully reviewing the steps you have taken up to this point. In particular, for database configuration problems, you will want to:

- Verify that the Oracle database and the Oracle listener are running. You can test database connectivity by using the Oracle database commands described in the topic, *Testing Connectivity to the Oracle Database*.
- Verify that the database has been configured properly. Sometimes this means re-running the eaDirect database configuration script *edx\_admin.sh*.
- In the WebLogic Administration Console, verify that the Java JDBC and JMS resource settings are correct.
- In the WebLogic Server Console, verify that the eaDirect EAR file (*ear-eadirect.ear*) has been properly deployed and, where appropriate, the target server has been moved or selected.

- In the WebLogic Server Console, verify that all required EAR files, EJBs, and WAR files have been deployed correctly and that a target server has been chosen

After this is done, stop and restart the application server, then log into the Command Center again.

**If the scheduler is running before starting WebLogic:**

When starting WebLogic, if you get the error:

```
<Error> <ConnectionManager>  
<Closing: 'weblogic.rjvm.t3.T3JVMConnection@7387aa'  
because of: 'Server received a message over an  
uninitialized connection: 'JVMMMessage from: 'null''
```

Shut down the eaDirect scheduler and restart WebLogic.



# Migrating To A New Version of eaDirect

# 4

## Migrating eaDirect Databases

To migrate an existing eaDirect database to a newer version, you will use the database setup shell script *edx\_admin.sh*. This script's main menu has a Database Version Migration option that allows you to select from available migration paths for your version and platform.

### Preparing to Migrate an eaDirect Database

Before you run the database admin script *edx\_admin.sh*, you should:

- Make a full backup of your current database.
- Start the database instance that accesses the database you are upgrading.
- Confirm that all login sessions using the eaDirect database user have logged out of the instance.
- Check the status of all user objects. If any of them indicate an INVALID status, contact the database administrator to correct this problem before migrating.
- Have the password for user SYS available. You will need it during the database migration process.

### Migrating a Database



A minimum of 2.2 GB of disk space is required for eaDirect. Make sure you have enough space before migrating.

---

**To migrate an eaDirect database to a newer version:**

1. Switch to the database user, and change directory to the database directory of your eaDirect installation.
2. Run *edx\_admin.sh*. The edocs eaDirect Server Administration Main Menu appears.
3. Select option 5, **Database Version Migration**. The Database Version Migration menu appears.
4. Select a database migration option. Typically, option 1 will migrate your database to the latest version.
5. You will be prompted to enter the Oracle SID for the database (default is **edx0**), and your eaDirect username and password (default is **edx\_dba/edx**).
6. Indicate whether you have already done a full backup of your database (Y/N).  
If you have not backed up your database, you are asked whether you want to continue the migration process (Y/N).
7. Enter your choice to abort the migration process or continue. If **'no'**, you are returned to the Database Version Migration menu where you can select the option to return to the previous menu.  
If **'yes'**, you are returned to the edocs eaDirect Server Administration Main Menu, where you can select **Q** (Quit) to end the database migration session.
8. If you choose to continue with the database migration, the admin script runs the migration script *db\_version\_migrate.sh* and asks you to enter the password for the Oracle SYS user.
9. Enter the password for the Oracle SYS user.
10. At the end of the database migration process, you are prompted to check the session log file for errors.
11. Select Option **R** (Return to previous menu). The Database Version Migration screen appears.



12. Select Option **R** (Return to previous menu). The edocs eaDirect Server Administration Main Menu appears.
13. Select Option **Q** (Quit).

## Checking for Errors and Resetting Permissions

After you migrate a database from a previous release of eaDirect, you should:

- Check *.log* files for errors
- Reset permissions for edocs directories and files

### Checking *.log* files for errors

Upon completion of the database migration process, you should check the following *.log* files for errors:

- *rollback\_segment\_add.log*
- *ddlupdate.log*
- *package\_upgrade.log*
- *docids\_function\_add.log*
- *upgrade\_constrained\_data.log*
- *migrate<xxxxxxxxxx>.log*

When migrating an eaDirect database, a **normal** error is one that does not cause the upgrade process to fail, such as trying to drop an object that does not exist. An **abnormal** error is one that can cause the database migration process to fail, which can have a cascading effect throughout the process. That is, a single abnormal error can lead to many other abnormal errors as the database migration process proceeds.

Although there is no easy way to differentiate between normal and abnormal errors, there is a way to check whether the database upgrade was successful. Typically, if the process does not flag invalid objects or there are no violations of referential constraints, then the operation was successful.

## Resetting Permissions After a Database Migration

After migrating your database, confirm that the owner and group of all the eaDirect directories **except** the */db* directory and its subdirectories is set to the application server owner, for example **nobody/nobody**.

The */db* directory and its subdirectories should have their owner and group set to the database owner, for example **oracle/dba**.

## Migrating eaDirect Applications

When upgrading to a new version of eaDirect, you must migrate your J2EE and Web applications to accommodate the new version. The sample applications provided with each version of eaDirect provide examples of how to use the current features of eaDirect.

- See the *Release Notes* for your version for important information about specific migration requirements and settings.
- See *What's New in eaDirect* for information about new features, and information about how to add support for those features to your application.
- See *eaSDK: Customizing and Deploying Applications* for information about the components that make up the J2EE and Web applications, and the procedures for recreating EAR and WAR files.
- Merge your custom code into the sample application, and rename it. For more information, see *eaSDK: Customizing and Deploying Applications*.
- Redeploy your custom application.

## Migrating To a Custom Data Source

You must specify a datasource EJB for each eaDirect application (DDN) you create in the Command Center. When creating an eaDirect application in the Command Center, a datasource refers to an EJB in your application (EAR file) that specifies summary information and location of your document data.

During database migration, the `edx_admin.sh` script maps DDNs to the default datasource `edx/ejb/EdocsDataSource`, packaged in `ear-eadirect.ear`. For more information about datasource mapping, see *What's New in eaDirect*.

To change the `DataSource` value to point to a custom `DataSource`, or to another `DataSource` in a different deployed application, you can edit and run the SQL script `update_data_source.sql` on the database server. This script is located in the `/migration` subdirectory of the database directory in your eaDirect installation.

---

**Tip**

You do not need to run this script if you are using the default datasource.

---

You will need to edit `update_data_source.sql` to replace the placeholder values for datasource name and document definition name (DDN) with your own values. Since each DDN may now have its own datasource, you can copy and paste the update sequence for each DDN. Save and close `update_data_source.sql` and run this SQL script to update your DDNs.

---

**Caution**

Consult the Release Notes for your version and platform to locate the correct version of `update_data_source.sql`.

---



# Uninstalling eaDirect Components

# 5

This chapter describes several tasks that can be performed anytime after eaDirect has been installed.

## Uninstalling the eaDirectDatabase Server Components

When uninstalling the eaDirect database server components, it is recommended that you repeat the sequence used to install the application. That is, uninstall the database components first, and then uninstall the application server components.

### To uninstall the eaDirect database server components:

1. Confirm that the appropriate Oracle SID has been set. As *oracle* user, you can use the Unix `echo` command to find out the identity of the current Oracle SID. For example:  

```
$ echo $ORACLE_SID  
edx0
```

If the Oracle SID is incorrect, set it as follows:

```
$ ORACLE_SID=edx0 (where edx0 is your Oracle SID)  
$ export ORACLE_SID
```
2. Switch to *oracle* user, and shut down the Oracle database using the following *sqlplus* commands:  

```
$ su - oracle  
$ sqlplus internal
```

## Uninstalling eaDirect Components

```
SQL*Plus: Release 8.1.7.0.0 - Production on Wed Feb 13  
14:22:43 2002
```

```
(c) Copyright 2000 Oracle Corporation. All rights  
reserved.
```

```
Connected to:  
Oracle8i Enterprise Edition Release 8.1.7.0.0 -  
Production  
With the Partitioning option  
JServer Release 8.1.7.0.0 - Production
```

```
SQL> shutdown immediate
```

```
Database closed.  
Database dismounted.  
ORACLE instance shut down.
```

```
SQL> exit
```

```
Disconnected from Oracle8i Enterprise Edition Release  
8.1.7.0.0 - Production With the Partitioning option
```

```
JServer Release 8.1.7.0.0 - Production
```

3. Shut down the Oracle listener with this command:

```
$ lsnrctl stop
```

4. Locate all files associated with the Oracle SID you defined. For example:

```
$ find . -name '*edx*' -print
```

The search results should look something like this:

```
./product/8.1.7/dbs/initedx0.ora
./product/oradata/edx0
./product/oradata/edx0/redo/logedx0.log
./product/oradata/edx0/redo/logedx1.log
./product/oradata/edx0/data/sysedx0.dbf
./product/oradata/edx0/data/rbs1edx0.dbf
./product/oradata/edx0/data/usr1edx0.dbf
./product/oradata/edx0/data/tmp1edx0.dbf
./product/oradata/edx0/data/indx1edx0.dbf
./product/oradata/edx0/data/edx_data.dbf
./product/oradata/edx0/data/edx_data_idx.dbf
./product/oradata/edx0/data/edx_app_data.dbf
./product/oradata/edx0/data/edx_app_data_idx.dbf
./admin/edx0
./admin/edx0/bdump/alert_edx0.log
./admin/edx0/pfile/initedx0.ora
```



**Tip**

There may be additional log files than those that are found. Their locations depend on the pathnames specified when eaDirect was installed.

5. Remove the files and directories using the **rm** command or another appropriate Solaris command.
6. Switch to *root* user, and change directory to *\$EDX\_HOME/Uninstall*.
7. Run the eaDirect uninstall tool. For example:  
# ./Uninstall\_eaDirect
8. Change directory to *\$EDX\_HOME* and manually remove any files that were not removed by the uninstall tool, if necessary.

## Uninstalling the eaDirect Application Server Components

When uninstalling the eaDirect application server components, it is recommended that you repeat the sequence used to install the application. That is, remove eaDirect from the database server first, then the application server.

**To uninstall the eaDirect application server components:**

1. Switch to *root* user.
2. Stop WebLogic Server. See the topic Starting and Stopping WebLogic Server in an Active eaDirect Production Environment for instructions.
3. Change directory to *\$EDX\_HOME/Uninstall* and run the eaDirect uninstall tool. For example:  

```
# cd /opt/EDCSbd/Uninstall  
# ./Uninstall_eaDirect
```
4. Change directory to *\$EDX\_HOME* and manually remove any files that were not removed by the Uninstall tool, if necessary.



# Appendix A: Using eaSample

## About eaSample

eaSample is a sample J2EE application that eaDirect provides as part of its software distribution. You can use it as a framework for developing a custom EJB application, as it contains all the Java Server Pages (JSPs), HTML, image files, scripts, and templates you need to get started. eaSample deploys as *ear-easample.ear*.

You can use eaSample to view the sample NatlWireless, Training, and NW\_LDDetail applications provided with eaDirect. You can use the data and design files in these sample applications to become familiar with eaDirect by creating sample billing applications and jobs, publishing data and design files in the form of *version sets*, and scheduling the jobs to run in the Command Center, the administrative ‘hub’ for the eaDirect production environment.

eaSample demonstrates the following types of data presentment:

- Dynamic HTML views
- Detail data extraction (DetailExtractor job)
- Annotations
- Disputes
- Order capture

The following steps describe how to use **eaSample** to view the sample eaDirect application called **NatlWireless**. NatlWireless is a set of example design and data files that demonstrate the features of an eaDirect presentment application.

You must set up NatlWireless in the eaDirect Command Center (production environment), then enroll and log in to eaSample to view sample bills.

## Setting Up NatlWireless

1. Create a new **application** for NatlWireless in the eaDirect Command Center.
2. Create a new **Indexer job**, publishing the application DDF for the job to use, configure the four tasks that run sequentially as part of the Indexer job, and run the job. Then publish the NatlWireless application (dynamic HTML view) files designed to display the statement summary.
3. Create and configure a **DetailExtractor job**, publishing the DDF, database table XML file, and statement XSLT stylesheet view files designed for the DetailExtractor job, and run the job. Then publish the three dynamic XML Query files (views) designed to display the extracted NatlWireless data and demonstrate the disputes and annotations features.

### To create a new eaDirect application for NatlWireless:


1. Start your application server and the Scheduler, if not already running.
2. Open a web browser and enter the URL to the eaDirect Command Center, for example:  
`http://audi:7001/eaDirect`
3. Create a new application for NatlWireless. Click **Create New Application** at the Main Console. The Create New Application screen appears.

The screenshot shows a web interface for creating a new application. On the left is a blue navigation sidebar with the 'edocs' logo at the top and menu items: Main Console, Service Status, Reporting, Settings, Help, Logout, and Publisher. The main content area has a white background with the title 'Create New Application:'. Below the title is a text input field labeled 'Application Name:'. Underneath the input field are two buttons: 'Create Application and Continue' and 'Help'. At the bottom of the main area, there is a copyright notice: '© Copyright 2000-2002 edocs®, Inc. All Rights Reserved. edocs is Reg. U.S. Pat. & Tm. Off. [Privacy Policy](#)'.

4. Enter **NatlWireless** as the application name. Click **Create Application and Continue**. eaDirect displays the Create New Job screen.

**To create and configure an Indexer job:**

1. The Create New Job screen appears after you create a new application:



2. Enter **Indexer** for the Indexer job name, select the **Indexer** job type from the drop-down menu. Click **Launch Publisher** to publish the design files for NatlWireless. Click **Create**. The Publisher displays the Select a Version Set Type screen:

The screenshot shows the edocs application interface. On the left is a blue sidebar with navigation buttons: Browse, Create, Fetch, Delete, Help, and the website URL www.edocs.com. The main content area is titled 'Select a Version Set Type' and is divided into two sections: 'Dynamic Web Views' and 'Batch Jobs'. Each section contains a table with 'Job Type' and 'Number of Auxiliary Files' columns.

Job Type	Number of Auxiliary Files
HTML	0   1   2   3   <a href="#">more</a>
CSV	0
XML	0
CHART	0
XSLT	0
XMLQuery	0

Job Type	Number of Auxiliary Files
Detail Extractor	0
Email Notification	0   1   2   3   <a href="#">more</a>
HTML Output	0   1   2   3   <a href="#">more</a>
Indexer	0
XML Output	0

- Under Batch Jobs, next to Indexer, click 0 (Number of Auxiliary files). The Publisher displays the Create a Version Set For Indexer screen:

The screenshot shows a web interface for edocs. On the left is a vertical blue navigation menu with buttons for 'Browse', 'Create', 'Fetch', 'Delete', and 'Help'. The main content area is titled 'Create a version set for Indexer'. It contains a form with the following fields: 'Application:' with a dropdown menu set to 'NatlWireless', 'View Name:' with the text 'Indexer', and 'DDF File:' with an empty text box and a 'Browse...' button. Below the form are three buttons: 'Submit', 'Clear', and 'Help'. At the bottom of the main area, there is a copyright notice: '© Copyright 2000-2002 edocs®, Inc. All Rights Reserved. edocs is Reg. U.S. Pat. & Tm. Off. Privacy Policy'. The edocs logo is in the top left corner, and the website URL 'www.edocs.com' is at the bottom left.

4. Select **NatlWireless** from the list of application names, and browse to the *\$EDX\_HOME/samples/NatlWireless* directory and select **NatlWireless.DDF** file for the Indexer job.
5. Click **submit**. The Publisher displays the Submission screen with details about the DDF file. Close the Publisher window.
6. At the Create New Job screen in Command Center, click **Configure Job and Continue**. eaDirect displays the job configuration screen. For each task, specify the configuration parameters listed below:

The screenshot shows the 'edocs' application interface. On the left is a navigation menu with options: Main Console, Service Status, Reporting, Settings, Help, Logout, and Publisher. Below the menu is the website 'www.edocs.com'. The main area is titled 'Application: natlwireless Job: Indexer'. Below the title is a paragraph of instructions: 'From this screen, all parameters of the selected job can be modified. To edit parameters, change the entries in the desired fields and click the Submit Changes and Schedule button. To Reset the fields or for Help click the appropriate button at the top of the screen.' Below this are four buttons: 'Submit Changes and Schedule', 'Refresh', 'Reset', and 'Help'. The configuration is divided into four tasks:

- Task 1: Scanner**
  - Input File Path: c:\edocs\EDCSbd\Input\natlwireless\
  - Input File Name: \*.\*
  - Output File Path: c:\edocs\EDCSbd\Data\natlwireless\
- Task 2: Indexer**
  - DDF Path: c:\edocs\EDCSbd\AppProfiles\natlwireless\DOC\_CONFIG\Indexer\20021112163407\NatlWireless.ddf
  - Doc Date: -----Today's Date-----
  - Index Field List: A list of fields (AmountDue, CallForward\*, CallID\*, CallWait\*, CentState\*) with arrows to move them to a selection box on the right containing 'StatementDate'.
- Task 3: IXLoader**
  - Skip Rows: 0
  - Split Size: 0
  - Optional Field Count: 0
  - Load Method: Direct
- Task 4: AutoIndexVolAccept**
  - Action on Index Volume: Auto Accept

Task 1: Scanner Task Configuration	
Input File Path	Use the default (EDX_HOME/Input/NatlWireless).
Input File Name	Specify NatlWireless.txt.
Output File Path	Use the default (EDX_HOME/Data/NatlWireless).
Task 2: Indexer Task Configuration	
DDF Path	(Not editable.)

Doc Date	(Not editable.)
Index Field List	Select the <b>CustName</b> field for indexing.  To select a field, highlight the field name and click the right arrow button. Use the scroll bar to view more fields. To unselect a field, highlight the field name and click the left arrow button.
<b>Task 3: IXLoader Task Configuration</b>	
Skip Rows	Use the default (0).
Split Size	Use the default (0).
Optional Field Count	Use the default (0)
Load Method	Use the default ( <b>Direct Load</b> )
<b>Task 4: AutoIndexVolAccept Task Configuration</b>	
Action on Index Volume	Use the default ( <b>AutoAccept</b> ).

7. When finished entering the configuration parameters, click **Submit Changes and Schedule**. eaDirect asks “OK to submit this configuration?” Click **OK**. eaDirect submits the job configuration parameters and displays the Schedule screen.
8. In the left pane, click **Main Console**. On the Main Console’s left pane, click **Publisher**, and then click **Create**. The Publisher displays the Select a Version Set Type screen:



The screenshot shows the edocs interface with a blue sidebar on the left containing navigation buttons: Browse, Create, Fetch, Delete, Help, and the website address www.edocs.com. The main content area is titled 'Select a Version Set Type' and is divided into two sections: 'Dynamic Web Views' and 'Batch Jobs'. Each section contains a table with 'Job Type' and 'Number of Auxiliary Files' columns.

Job Type	Number of Auxiliary Files
HTML	<a href="#">0</a>   <a href="#">1</a>   <a href="#">2</a>   <a href="#">3</a>   <a href="#">more</a>
CSV	<a href="#">0</a>
XML	<a href="#">0</a>
CHART	<a href="#">0</a>
XSLT	<a href="#">0</a>
XMLQuery	<a href="#">0</a>

Job Type	Number of Auxiliary Files
Detail Extractor	<a href="#">0</a>
Email Notification	<a href="#">0</a>   <a href="#">1</a>   <a href="#">2</a>   <a href="#">3</a>   <a href="#">more</a>
HTML Output	<a href="#">0</a>   <a href="#">1</a>   <a href="#">2</a>   <a href="#">3</a>   <a href="#">more</a>
Indexer	<a href="#">0</a>
XML Output	<a href="#">0</a>

- Next to HTML under Dynamic Web Views, click 0. The Publisher displays the Create a Version Set for HTML screen:

The screenshot shows the edocs web application interface. On the left is a blue navigation sidebar with buttons for Browse, Create, Fetch, Delete, and Help, and the URL www.edocs.com at the bottom. The main content area is titled "Create a version set for HTML" and contains the following form fields and buttons:

- Application:** A dropdown menu with "Please select" as the current selection.
- View Type:** A text field containing "HTML".
- View Name:** An empty text input field.
- DDF File:** A text input field with a "Browse..." button to its right.
- ALF File :** A text input field with a "Browse..." button to its right.
- HTML Template:** A text input field with a "Browse..." button to its right.
- At the bottom of the form are three buttons: "Submit", "Clear", and "Help".

At the bottom of the page, there is a copyright notice: © Copyright 2000-2002 edocs®, Inc. All Rights Reserved. edocs is Reg. U.S. Pat. & Tm. Off. Privacy Policy.

10. Select **NatlWireless** from the drop-down list of application names. Enter **HtmlDetail** for the view name. Browse to *\$EDX\_HOME/samples/NatlWireless* and select the **NatlWireless.DDF**, **NatlWireless.ALF**, and **NatlWireless.HTM** design files. Then click **Submit**. The Publisher displays the Submission screen showing the files you published:

**edocs**

**Submission**

**Application:** NatlWireless  
**View Type:** HTML  
**View Name:** HTMLDetail  
**Timestamp:** Mon Apr 22 16:56:53 EDT 2002

**This version set contains the following files:**

[NatlWireless/HTML/HTMLDetail/20020422165653/NatlWireless.alf](#)  
[NatlWireless/HTML/HTMLDetail/20020422165653/NatlWireless.ddf](#)  
[NatlWireless/HTML/HTMLDetail/20020422165653/NatlWireless.htm](#)

[www.edocs.com](#)

© Copyright 2000-2002 edocs®, Inc. All Rights Reserved.  
edocs is Reg. U.S. Pat. & Tm. Off. [Privacy Policy](#)

11. Close the Publisher.
12. Move the NatlWireless data file (*NatlWireless.txt*), which is located in *\$EDX\_HOME/samples/NatlWireless/datafile*, to *\$EDX\_HOME/Input/NatlWireless*. This is the same data file that you specified when you configured the job.
13. On the Main Console, click the **Run Now** button next to the NatlWireless Indexer job. Monitor the job's progress by clicking **Refresh** on the Main Console window. The Indexer job completes successfully when the job status on the Main Console changes to "Done."

#### To create and configure a DetailExtractor job:

1. On the Main Console, click the application name, **NatlWireless**, listed under Applications in the table.
2. Click **Add New Job**. eaDirect displays the Create New Job screen.

3. Enter a job name (the job name can be whatever you want it to be), and then select job type **Detail Extractor**.
4. Click **Launch Publisher**. eaDirect displays the Publisher screen. Click **Create**. The Publisher displays the Select a Version Set Type screen.
5. Under Batch Jobs, next to Detail Extractor, click **0** (Number of Auxiliary files). The Publisher displays the Create a Version Set For Detail Extractor screen.
6. Select the **NatlWireless** application from the drop-down list. Enter the view name **dtlextr** (this name is hard coded in several JSPs for detail, disputes, and annotations).
7. Browse to select **NatlWireless.DDF**. (The default location for this file is *\$EDX\_HOME/samples/NatlWireless/NatlWireless.DDF*.)
8. Browse to select **summary\_info.XML**, the database table XML view file created for this job. (The default location for this file is *\$EDX\_HOME/samples/NatlWireless/DetailExtractor*.)
9. Browse to select **summary\_info.XSL**, the statement XSLT stylesheet. The default location for this file is *\$EDX\_HOME/samples/NatlWireless/DetailExtractor*.
10. Click **Submit** and close the Publisher.
11. On the Create New Job screen in the Command Center, click **Configure Job and Continue**. eaDirect displays the Detail Extractor job configuration screen.

**Application: natlwireless Job: DetailExtractor**

From this screen, all parameters of the selected job can be modified. To edit parameters, change the entries in the desired fields and click the Submit Changes and Schedule button. To Reset the fields or for Help click the appropriate button at the top of the screen.

Submit Changes and Schedule Refresh Reset Help

**Task 1: IVNScanner**

Index Volume Status: Accepted

Scan Starting From (Number of Days): 7

**Task 2: StatementsToIR**

View Name: dtlextr

Enroll Model:

Output File Path: /opt/EDCSbd/Data/natlwireless/

**Task 3: DXLoader**

Load Method: Direct

12. Specify the configuration parameters (listed below) for each of the three tasks that run as part of the Detail Extractor job:

Task 1: IVNScanner Task Configuration	
Field	What to enter/select
Index Volume Status	Choose the default, <b>Accepted</b> .
Scan Starting From (Number of Days)	Use the default (7).

Task 2: StatementsToIR Task Configuration	
Field	What to enter/select
View Name	<b>dtlextr</b>
Enroll Model	Leave blank.
Output File Path	Use the default (your data output directory, which you specified in the Scanner task for the Indexer job).

Task 3: DXLoader Configuration	
Field	What to enter/select
Load Method	Use the default ( <b>Direct</b> ).

13. Click **Submit Changes and Schedule**. eaDirect asks “OK to submit this configuration?” Click **OK**. eaDirect submits the job configuration parameters and displays the Schedule screen.
14. On the Schedule screen, click **Run Now**.
15. On the left pane, click **Main Console**.
16. Publish the XMLQuery dynamic web views that use the data extracted by the DetailExtractor; click **Publisher**.
17. Click **Create**. The Publisher displays the Select a Version Set Type screen. Under Dynamic Web Views, click the 0 next to the XML Query job type. The Publisher displays the Create a Version Set for XML Query screen.
18. Select the **Nat1Wireless** application. Enter **DetailQuery** as the view name, and browse *%EDX\_HOME%\samples\Nat1Wireless\XMLQuery* to select the **detail\_sql.xml** XML query file. (The DetailQuery view name is hard coded in your JSP HTML pages as the specific name the Web browser looks for in the code.) Click **Submit**. The Publisher displays the Submission screen
19. Click **Create** and repeat the previous two steps twice to publish two additional XML Query views (both view names are hard coded in your JSP HTML pages as the specific names the Web browser looks for in the code):

View Name	File
DisputeQuery	<i>dispute_sql.xml</i>
AnnotationQuery	<i>annot_sql.xml</i>

20. Close the Publisher. You can proceed to use eaSample to display the data.

21. On the Main Console, monitor the job's progress by clicking **Refresh** on the Main Console window. The DetailExtractor job completes successfully when the job status on the Main Console changes to **Done**.

## Viewing NatlWireless Statements in eaSample

When the Indexer job completes successfully (status changes to "Done"), you are ready to view your online statements in eaSample.

### To use eaSample to view NatlWireless statements:

1. Open a Web browser and access eaSample, substituting your own server name (host) and port number:

```
http://audi:7001/eaSample/User?app=UserMain&jsp=/user/jsp/HistoryList.jsp&ddn=NatlWireless
```

The eaSample User Login page appears.

edocs® ONLINE ACCOUNT MANAGEMENT & BILLING

[Enroll Now](#)

**User Login...** Enter your username, password and click "Submit." If you do not have a username or password, [Enroll Now](#) to sign up for your electronic bill.

Username:

Password:


© Copyright 1997-2002 edocs®, Inc. All Rights Reserved.  
edocs is Reg. U.S. Pat. & Tm. Off. [Privacy Policy](#)

2. Click the **Enroll Now** link. The sample enrollment page appears.


The screenshot shows the edocs ONLINE ACCOUNT MANAGEMENT & BILLING interface. At the top, the edocs logo is on the left and the text 'ONLINE ACCOUNT MANAGEMENT & BILLING' is on the right. Below this is a blue header bar. The main content area contains a form titled 'Please enter the following to enroll:'. The form has five rows, each with a label and a text input field: 'Username:', 'Password:', 'Re-Type password:', 'Email Address:', and 'Account Number:'. Below the form are two buttons: 'Submit' and 'Reset'. At the bottom of the form area, there is a copyright notice: '© Copyright 1997-2002 edocs®, Inc. All Rights Reserved. edocs is Reg. U.S. Pat. & Tm. Off. Privacy Policy'.

3. You can enter any user name and any password. However, you must enter a valid email address and a valid NatlWireless customer account number, such as one of the following: 0331734, 4191463, or 8611250. (Use **Reset** to clear the text fields, if necessary.) Click **Submit** to save the subscription information. eaDirect displays a message to let you know you have subscribed successfully. Click **OK** to display the User Login page.
4. Enter the username (Subscriber ID) and password (the same combination you entered during enrollment).
5. Click **Submit**. The sample statement summary page for the account appears. (**Note:** You must have eaPay, the eaDirect payment module, installed to view the payment screens and functionality.)





6. To view the statement summary, click the View icon



7. To view the Manage Statement page, click


The screenshot shows the 'edocs ONLINE ACCOUNT MANAGEMENT & BILLING' interface. At the top, there is a navigation menu with links for 'Account Summary', 'Payments', 'Order Management', 'Edit Profile', 'Refresh', and 'Logout'. Below the menu is a table with the following columns: 'Comments', 'Summary Info Description', 'Summary Info Amount', and 'Dispute'. Each row in the table has a pencil icon in the 'Comments' column and a green dot in the 'Dispute' column.

Comments	Summary Info Description	Summary Info Amount	Dispute
	PREVIOUS BALANCE	285.12	
	LESS PAYMENTS APPLIED THROUGH 03/24/01	158.37	
	MISCELLANEOUS CREDIT	19.19	
	BEGINNING BALANCE	107.56	
	CURRENT USAGE	.07	
	PRODUCT MONTHLY FEES	4.95	
	CORPORATE CONNECTIONS WAIVER	4.95	
	LIFELINE ASST/TELE RELAY	0.80	
	FEDERAL ACCESS CHARGE	8.62	
	LOCAL USAGE CHARGE	13.68	
	LOCAL SERVICE CHARGE	83.75	
	FEDERAL TAXES - LOCAL SERVICE	2.62	
	STATE TAXES - LOCAL SERVICE	2.15	
	LATE FEE	1.61	

- Click next to an item to display the Add Note page where you can add comments (annotations) regarding that item.

The 'Add note' form is displayed with the following fields and controls:

- Add note:** (Section header)
- Description:** CURRENT USAGE
- Category:** Business (dropdown menu)
- Comment:** (Large text area for input)
- Submit** (button)
- Reset** (button)

- Click  to display the Dispute Your Statement page where you can dispute the item:

Dispute your statement:	
<b>Disputed Item:</b>	Summary Info Amount
<b>Current Amount:</b>	4.95
<b>Adjusted Amount:</b>	<input type="text"/>
<b>Comments:</b>	<input type="text"/>
<input type="button" value="Submit"/> <input type="button" value="Reset"/>	

## Where to Go From Here

For more information about creating design files for publishing data with eaDirect, see the *eaDirect User's Guide*.

For more information about creating and configuring applications and jobs in the Command Center, see the *eaDirect Production Guide*.

For more information about developing a custom web application to work with eaDirect, see the *eaDirect Software Developers Kit (SDK)*.



# Index

## A

About this Guide, 10  
Application Server, 45,  
47, 52, 86, 92, 105,  
106

## C

Capturing Information  
about Your eaDirect  
Environment Using  
*edx\_config*, 47  
CDA, 88  
Checking .log files for  
errors, 99  
Command Center, 91  
Configuring, 13, 23  
    Database Server, 13,  
    23, 103  
    Oracle8i Database, 23  
Configuring the Oracle  
Database for eaDirect,  
28  
Configuring WebLogic  
Server's Java  
Resources for eaDirect,  
56  
Confirming Access to the  
Oracle Database, 40

Confirming Connectivity  
to the Database  
Server, 86  
Creating a new  
application, 109  
Customer Self Service, 7

## D

Database Connectivity,  
86  
Database Server, 23, 25  
    Configuring, 13  
Defining Environment  
Variables, 25  
Defining the eaDirect  
Environment for  
WebLogic Server, 86  
Deploying J2EE eaDirect  
Applications to  
WebLogic Server, 87  
Development Tools,  
eaSuite, 10

## E

eaAssist, 8  
eaDirect, 9, 13, 45, 91  
eaMarket, 9  
eaPay, 9  
eaPost, 9

- eaSample, 39, 40
  - eaSuite, 7
- H**
- Help
    - documentation, 11
    - technical support, 11
- I**
- Installing the eaDirect Application Components, 52
  - Installing the eaDirect Composition Tools, 17
  - interface, 88
- L**
- Logging into the Command Center, 92
- N**
- New application
    - creating, 109
  - NewTopic 3, 97
- O**
- Oracle Environment Variables
    - Defining, 25
  - Oracle8i Database, 23, 29, 37
    - Configuring, 21, 23
- P**
- Passing Your eaDirect Environment to WebLogic Server, 48
- R**
- Preparing to Migrate an eaDirect Database, 97
  - Recovering from an Aborted Database Configuration Session, 38
  - Resetting Permissions for edocs Directories and Files, 100
- S**
- Scheduling jobs, 91
  - SDK, 10
  - Setting User and Group Accounts for the WebLogic Distribution, 20
  - Shutting Down WebLogic Server in an eaDirect Production Environment, 51
  - Starting and Stopping WebLogic Server in an eaDirect Production Environment, 50
  - Starting the Scheduler, 91
  - Starting WebLogic Server in an eaDirect Production Environment, 50
- T**
- Tables, 39

**U**

Understanding the  
Structure of the  
eaDirect Application  
Directory, 28, 54  
Uninstalling eaDirect, 103  
Uninstalling eaDirect 2.0,  
103

**W**

Uninstalling eaDirect from  
the Application Server,  
105  
Uninstalling eaDirect from  
the Database Server,  
103  
  
WebLogic  
errors starting, 95