



Siebel System Requirements and Supported Platforms for the Siebel Business Analytics Platform

Version 7.8.4, Rev. C
August 2006

Copyright © 2005, 2006, Oracle. All rights reserved.

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

PRODUCT MODULES AND OPTIONS. This guide contains descriptions of modules that are optional and for which you may not have purchased a license. Siebel's Sample Database also includes data related to these optional modules. As a result, your software implementation may differ from descriptions in this guide. To find out more about the modules your organization has purchased, see your corporate purchasing agent or your Siebel sales representative.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS. Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Contents

Chapter 1: Introduction

- Product Documentation 6
- Contacting Technical Support 7
- Oracle Welcomes Your Comments 8

Chapter 2: Platform Requirements for Siebel Analytics

- Overview of Supported Environments 9
 - Homogeneous and Heterogeneous Environments 9
- Globalization Requirements 10
- Hardware Requirements 10
 - Hardware Requirements for Siebel Business Analytics Platform 12
 - Hardware Requirements for Cluster Server 14
 - Hardware Requirements for Siebel Mobile Analytics 16
 - Hardware Requirements for Siebel Data Mining 17
- Siebel Advanced Reporting Edition for Windows 18
- Siebel Advanced Reporting Edition for UNIX 19
- Client Environment Requirements 21
 - Supported Web Browsers 21
 - Supported Client Operating Systems 21
- Server Environment Requirements 22
 - Supported Server Operating Systems 22
 - Supported Web Servers 23
 - Siebel Delivers Support for SMTP 23
 - Support for ODBC Open Client Interface 24
- Supported Data Sources 24
 - Supported Databases for Siebel Business Analytics Platform 25
 - Support for Oracle Real Applications Clusters (RAC) 26
 - Support for Multidimensional Data Sources 27
 - Support for ODBC Data Sources 27

Chapter 3: Supported Software and Ancillary Programs

Supported Software 29

Ancillary Programs 29

Apache License Agreement 32

The Apache Software License, Version 1.1 32

Chapter 4: Product and Platform Availability Updates

Product and Feature Availability 35

Chapter 5: Supported Upgrade Paths

1

Introduction

What's New in System Requirements & Supported Platforms for the Siebel Business Analytics Platform, Version 7.8.4, Rev. C

Table 2 describes the changes that are included in this version of the documentation.

Table 1. Changes in System Requirements & Supported Platforms for the Siebel Business Analytics Platform, Version 7.8.4, Rev. C

Topic	Description
Supported Web Browsers	Revised Table 16 on page 21 to include support for Mozilla 1.7.x on Microsoft Windows 2000 and Microsoft Windows XP and to include support for Firefox 1.0.x on Sun Solaris 9 and Sun Solaris 10.

What's New in System Requirements & Supported Platforms for the Siebel Business Analytics Platform, Version 7.8.4, Rev. B

Table 2 describes the changes that are included in this version of the documentation.

Table 2. Changes in System Requirements & Supported Platforms for the Siebel Business Analytics Platform, Version 7.8.4, Rev. B

Topic	Description
Supported Web Browsers	Added support for Firefox to Table 16 on page 21 .
Supported Server Operating Systems	Added support for Solaris 8 to Table 19 on page 22 .
Supported Databases for Siebel Business Analytics Platform	Added support for Oracle 10g Enterprise Server to Table 21 on page 25 .
Support for Oracle Real Applications Clusters (RAC)	Added Table 22 on page 26 to describe support for Oracle RAC.

What's New in System Requirements & Supported Platforms for the Siebel Business Analytics Platform, Version 7.8.4, Rev A

Table 3 describes the changes that are included in this version of the documentation.

Table 3. Changes in System Requirements & Supported Platforms for the Siebel Business Analytics Platform, Version 7.8.4, Rev A

Topic	Description
Siebel Advanced Reporting Edition for UNIX	Added Table 13 on page 19 to describe the requirements for Siebel Advanced Reporting Edition for UNIX.

This book contains the definitive list of system requirements and supported platforms for Release 7.8.4 of Siebel Analytics. Unless otherwise noted herein, the requirements covered in this document apply to all platform and related end-user applications within the Siebel Analytics product line. For more information about Siebel Analytics, see *Siebel Analytics Platform Installation and Configuration Guide*.

This guide contains the following chapters:

- [Chapter 1, "Introduction"](#) (this chapter).
- [Chapter 2, "Platform Requirements for Siebel Analytics,"](#) describes platform and hardware requirements for Siebel Analytics.
- [Chapter 3, "Supported Software and Ancillary Programs,"](#) provides a comprehensive listing of software developed by third-party vendors that is supported by, embedded in, or distributed with Siebel Analytics applications.
- [Chapter 4, "Product and Platform Availability Updates,"](#) provides a list of product availability exceptions for Siebel Analytics.
- [Chapter 5, "Supported Upgrade Paths,"](#) describes the supported upgrade paths to Analytics 7.8.4.

Product Documentation

Siebel documentation, which includes the Siebel Bookshelf, Siebel Data Model Reference, Siebel Data Warehouse Data Model Reference, and Siebel Third-Party Documentation, is provided on CD-ROMs or via FTP with your product.

Additional documentation, including System Requirements & Supported Platforms Guide, Release Notes, Maintenance Release Guides, Documentation Updates, Help Development Kits, Online Help Files, and Statements of Direction, is available only on Siebel SupportWeb.

Updated versions of documentation, including the Siebel Bookshelf, are posted to Siebel SupportWeb regularly.

To access Siebel documentation on SupportWeb

- 1 Go to <http://supportweb.siebel.com> and log in using the login name and password given to you by Siebel Support Services. If you do not have this information, contact Support Services at support@siebel.com.
- 2 Under Self Service, click Browse/Search Knowledge Base.
- 3 In the left pane, click Product Documentation.

Oracle reserves the right to modify the documentation for Siebel Business Applications at any time.

Contacting Technical Support

To maximize your Siebel product implementation success and your return on investment, it is the recommended standard that your designated support contacts are trained representatives of your company. Such training should include initial basic product training and, as needed, supplemental training appropriate for the specific role or implementation phase, specialized product usage, and/or migration. This training ensures that your implementation team has the right level of knowledge to troubleshoot issues and provide the necessary technical information to the Siebel Technical Support team so that we can effectively work with you to resolve your issues quickly.

Designated contacts should attend the following training for Siebel Business Analytics: Data Warehouse Developer, Server Architect for Analytical Applications, or Application Developer.

Your designated contacts are the sole liaisons between you and Siebel Technical Support for technical support of programs. You should establish and maintain the organization and processes to provide first line support for Siebel applications directly to your users. Siebel Technical Support provides second line support to your Siebel-trained designated contacts who have administration access and are able to provide information such as repository files, log files, or database extracts required for issue diagnosis.

To provide efficient, timely support and access to the Technical Support knowledge base:

- Siebel Technical Support is primarily Web-based; it can be accessed through Siebel SupportWeb (<http://business.siebel.com/supportweb/>). Please submit new service requests to us through SupportWeb, where you can also search the knowledge base for solutions.
- Designated contacts receive read/write access to Siebel SupportWeb. Other project team members at your company receive read-only accounts so that they can access the knowledge base.

To register for Siebel training that qualifies an individual to be a designated contact, access http://education.oracle.com/transition/ou_site_selection_siebel.html, select your country, and find the relevant Siebel training.

Please submit your technical issues and updates to Siebel SupportWeb (<http://business.siebel.com/supportweb/>). If you do not have a SupportWeb account, or if you have a question, please contact us at support@siebel.com or call your local Siebel Support Center:

North America:	+1 800 214 0400 or +1 650 341 0700
Brazil (São Paulo):	+55 11 5189 3330
UK (London):	+44 118 92 45678

Germany (Munich):	+49 89 957 18 400
France (Paris):	+44 118 92 45678
Ireland (Galway):	+44 118 92 45678
Japan (Tokyo):	0120 606 750 (toll-free, Japan domestic only), +81 3 5251 8884 (outside of Japan)
Singapore:	+65 6436 1866

Outside of local support center hours, for urgent severity 1 production issues, customers can call:

+1 800 214 0400 or +1 650 341 0700

We appreciate your business and look forward to working with you.

Oracle Welcomes Your Comments

To help us improve our products, we want to know about any corrections or clarifications to this guide that you would find useful. Please include in your message:

- The title and version of the guide (very important)
- The name and version number of the Siebel application you are using
- Your name, job title or functional area, company name, phone number, and email address

Contact us through regular mail or email at:

Oracle
Siebel Technical Publications Department
500 Oracle Parkway
Redwood Shores, CA 94065

Siebeldoc_ww@oracle.com

We appreciate your feedback.

2

Platform Requirements for Siebel Analytics

Overview of Supported Environments

Homogeneous and Heterogeneous Environments

Siebel Analytics Applications are supported in various homogeneous and heterogeneous server environments as defined in Table 4. In homogeneous environments, the Siebel Relationship Management Warehouse, the Data Warehouse Server, the Siebel Analytics Server and the Siebel Analytics Web Server are all deployed on the same platform. In heterogeneous environments, these servers can be deployed on different supported platforms.

Table 4. Supported Homogeneous and Heterogeneous Environments for Siebel Business Analytics Applications

Siebel Relationship Management Warehouse	Siebel Analytics Server	Siebel Analytics Web Server	
IBM DB2 UDB	Microsoft Windows 2000/2003	Microsoft IIS Web Server running on Microsoft Windows 2000/2003	
IBM DB2 ESE	IBM AIX 5L		
IBM DB2 UDB for OS/390 and z/OS	Sun Solaris 8,9		Sun ONE Web Server running on Solaris
	HP-UX 11i		
Oracle 8i Enterprise Server	Microsoft Windows 2000/2003	Apache Tomcat on Microsoft Windows 2000/2003, Solaris, AIX, or HP-UX IBM Websphere on AIX	
Oracle 9i Enterprise Server	IBM AIX 5L		
Oracle 10g Enterprise Server	Sun Solaris 8,9		
	HP-UX 11i ¹		
Microsoft SQL Server 2000	Microsoft Windows 2000/2003		
Microsoft SQL Server 2003			
Microsoft SQL Server 2005			
NCR Teradata	Microsoft Windows 2000/2003		
	IBM AIX 5L		
	Sun Solaris 8,9		
	HP-UX 11i		

1. Note that package 782_5422 is required for Oracle 10g Enterprise Server on HP-UX 11i.

Globalization Requirements

Siebel Analytics support internationalization and localization for specific languages based on customer demand. Siebel Analytics 7.8.4 includes localization support for the languages listed in [Table 5](#). Please contact your Siebel representative for updates on supported languages.

Table 5. Supported Languages for Analytics 7.8.4

Language	Language Code/ Analytics Language Code	Supported Database Code Pages
English	ENU/I_en	Traditional ¹ / Unicode
French	FRA/I_fr	Traditional ¹ / Unicode
German	DEU/I_de	Traditional ¹ / Unicode
Spanish	ESN/I_es	Traditional ¹ / Unicode
Italian	ITA/I_it	Traditional ¹ / Unicode
Danish	DAN/I_da	Traditional ¹ / Unicode
Dutch	NLD/I_nl	Traditional ¹ / Unicode
Swedish	SVE/I_sv	Traditional ¹ / Unicode
Japanese	JPN/I_ja	Traditional ¹ / Unicode
Portuguese (Brazilian)	PTB/I_pt-br	Traditional ¹ / Unicode
Portuguese (European)	PTG/I_pt	Traditional ¹ / Unicode
Chinese (Simplified)	CHS/I_zh	Unicode
Chinese (Traditional)	CHT/I_zh-tw	Unicode
Czech	CSY/I_cs	Unicode
Finnish	FIN/I_fi	Traditional ¹ / Unicode
Korean	KOR/I_ko	Unicode

1. *System Requirements and Supported Platforms*, version 7.8, found on [Siebel SupportWeb](#) lists the Traditional Database Code Pages.

Hardware Requirements

This section describes the hardware and network requirements for Siebel Analytics 7.8.4.

Oracle has certified acceptable performance in these environments; however, performance is improved by using faster processors and additional memory, particularly in environments where users run multiple applications simultaneously.

NOTE: The hardware requirements listed in [Table 6](#), [Table 7](#), [Table 8](#), and [Table 9](#) are *minimum* requirements and should be used only as a guideline, as they do not take into consideration various factors that affect scalability. Please consult your hardware vendor or Siebel Expert Services for capacity planning or sizing assistance.

Hardware Requirements for Siebel Business Analytics Platform

Hardware requirements for Siebel Analytics platform components are described in [Table 6](#) and in [Table 7 on page 13](#).

Table 6. Requirements for Siebel Analytics on Windows

Description	Requirement
Siebel Analytics Server components: Siebel Analytics Server Siebel Analytics Administration Siebel Analytics Scheduler Relational Datasource Adapters	CPU and RAM: 1 GHz, 2 GB RAM, two or more processors recommended. Disk Space: 800 MB of hard disk space, plus appropriate disk space for cache storage and Scheduler results sets (see Temporary Disk Space). Temporary Disk Space: 2 GB
Siebel Analytics Web Server components: Siebel Dashboard Siebel Answers Siebel Delivers	CPU and RAM: 1 GHz, 2 GB RAM, two or more processors recommended. Disk Space: 500 MB of hard disk space, plus appropriate disk space for cache storage and log files (see Temporary Disk Space). Temporary Disk Space: 2 GB

Table 7. Requirements for Siebel Analytics on UNIX

Description	Requirement
Siebel Analytics Server components: Siebel Analytics Server Siebel Analytics Scheduler Relational Datasource Adapters	<p>Combined CPU and RAM: 800 MHz, 2GB or better</p> <p>Disk Space: 2GB, plus appropriate disk space for cache storage and Scheduler results sets (see Temporary Disk Space).</p> <p>Temporary Disk Space: 2 GB</p>
Siebel Analytics Web Server components: Siebel Intelligence Dashboard Siebel Answers Siebel Delivers	<p>Combined CPU: 800 MHz</p> <p>RAM: 2 GB or better</p> <p>Disk Space: 2GB, plus appropriate disk space for cache storage and log files (see Temporary Disk Space).</p> <p>Temporary Disk Space: 2 GB</p>

Hardware Requirements for Cluster Server

Requirements for Cluster Server are described in [Table 8](#) and [Table 9](#) on page 15.

Table 8. Requirements for Cluster Server on Windows

Description	Requirement
A machine hosting a clustered Siebel Analytics Server or a machine hosting both a Siebel Analytics Server and a Cluster Controller	<p>Processor and RAM: 1 GHz; two or more processors recommended, 2 GB recommended</p> <p>Disk Space: 1 GB or better</p>
A machine hosting a Cluster Controller only	<p>Processor and RAM: 500mhz , 256 MB minimum</p> <p>Disk Space: Approximately 100 MB of hard disk space</p>
Shared File System for use as Repository Publishing Directory	<p>When a repository is updated in online mode, it is published to a repository publishing directory that all clustered servers examine upon startup for any repository changes. The location of the repository publishing directory is specified in the "REPOSITORY_PUBLISHING_DIRECTORY" parameter in the NQSConfig.ini file.</p> <p>Characteristics: The repository publishing directory needs to be in a valid location visible to all servers in the cluster. All Siebel Analytics Servers in the cluster (from the parameters "SERVERS" in the NQClusterConfig.ini file) need to have read and write access to this directory.</p>
Shared File System for use as Repository Publishing Directory	<p>Disk Space: Approximately 200 MB of hard disk space.</p> <p>Note that the I/O load imposed on the shared file system by clustering is minimal. There is no recommendation for the type of file system used, other than that it needs to be a sufficiently reliable file system for successful cluster operations.</p>

Table 9. Requirements for Cluster Server on Unix

Description	Requirement
A machine hosting a clustered Siebel Analytics Server or a machine hosting both a Siebel Analytics Server and a Cluster Controller	<p>Combined CPU: 800 MHz</p> <p>RAM: 2 GB or better</p> <p>Disk Space: 2GB</p>
A machine hosting a Cluster Controller only	<p>Combined CPU: 400 MHz</p> <p>RAM: 1 GB or better</p> <p>Disk Space: 2GB</p>
Shared File System for use as Repository Publishing Directory	<p>When a repository is updated in online mode, it is published to a repository publishing directory that all clustered servers examine upon startup for any repository changes. The location of the repository publishing directory is specified in the "REPOSITORY_PUBLISHING_DIRECTORY" parameter in the NQConfig.ini file.</p> <p>Characteristics:</p> <p>The repository publishing directory needs to be in a valid location visible to all servers in the cluster.</p> <p>All Siebel Analytics Servers in the cluster (from the parameters "SERVERS" in the NQClusterConfig.ini file) need to have read and write access to this directory.</p>
Shared File System for use as Repository Publishing Directory	<p>Disk Space:</p> <p>Approximately 200 MB of hard disk space</p> <p>Note that the I/O load imposed on the shared file system by clustering is minimal. There is no recommendation for the type of file system used, only that it be a sufficiently reliable file system for successful cluster operations.</p>

Hardware Requirements for Siebel Mobile Analytics

Requirements for Siebel Mobile Analytics are described in [Table 10](#).

Table 10. Requirements for Mobile Analytics Client on Microsoft Windows/Windows XP

Requirement Description	Processor	Disk Space Available	RAM
Minimum	Intel P3 500 MHZ Celeron 800 MHZ	1 GB	384 MB
Recommended	Intel P3 500 MHZ Celeron 800 MHZ	1 GB	512 MB
Recommended alongside MS Office applications	Intel P3 500 MHZ Celeron 800 MHZ	1 GB	512 MB
Recommended alongside Siebel Remote applications	Intel P3 500 MHZ Celeron 800 MHZ	2 GB	512 MB

Hardware Requirements for Siebel Data Mining

Requirements for Siebel Data Mining are described in [Table 11](#).

Table 11. Requirements for Siebel Data Mining

Description	Requirement
Siebel Data Mining Workbench on Windows	<p>CPU and RAM: 500 MHz or higher Pentium-compatible computer, 256 MB</p> <p>Disk Space: 250 MB Hard Drive</p> <p>Monitor Resolution: 1024x768 or higher</p>
Siebel Miner on UNIX and Windows	<p>CPU and RAM: 800 MHz or higher 512+ MB RAM; More memory generally improves performance</p> <p>Disk Space: 1 GB or higher disk space, 2 x physical memory as swap space</p>
Real-time Siebel Data Mining Engine on Windows	<p>CPU and RAM: 800 MHz or higher 512+ MB RAM; More memory generally improves performance</p> <p>Disk Space: 1 GB or higher disk space, 2 x physical memory as swap space</p>
Shared File System for use of Siebel Miner in 3-tier configuration (Web server and Data Mining Engine on two separate physical machines)	<p>Disk Space: Approximately 500 MB of hard disk space</p> <p>NOTE: The I/O load imposed on the shared file system by the Web server and Data Mining Engine is minimal. There is no recommendation for the type of file system used, other than that it needs to be a sufficiently reliable file system for successful 3-tier operations.</p>

Siebel Advanced Reporting Edition for Windows

Table 12 lists the hardware requirements and operating systems supported by Siebel Advanced Reporting Edition for Windows

Table 12. Hardware, Operating System, and Web Browser Requirements for Siebel Advanced Reporting Edition for Windows

Siebel Product	Corresponding Actuate Product	Operating System	Minimum Hardware Requirements	Web Browser
Siebel Advanced Reporting Engine ¹	iServer and ActivePortal JSP ²	Windows 2000 with SP 3, SP 4 Windows Server 2003 Windows XP Professional with SP 1	Processor: Windows Pentium 300Mhz or higher	Microsoft Internet Explorer 6.0 Mozilla 1.7/ Mozilla Firefox 1.0.6
Siebel Advanced Reporting Workbench ¹	e.Report Designer Professional	Windows 2000 with SP 3, SP 4 Windows Server 2003 Windows XP Professional with SP 1	Processor: Windows Pentium 300 or higher 128 MB RAM 175 MB of free disk space 1024x768, 256 colors	Microsoft Internet Explorer 6.0 Mozilla 1.7/ Mozilla Firefox 1.0.6
Siebel Advanced Reporting User Edition ¹	Viewer	Windows 2000 with SP 3, SP 4 Windows Server 2003 Windows XP Professional with SP 1	Processor: Windows Pentium 133 or higher 256 MB RAM 100 MB of free disk space 800x600, 256 colors	Microsoft Internet Explorer 6.0 Mozilla 1.7/ Mozilla Firefox 1.0.6

1. Siebel Advanced Reporting Edition products are 32-bit applications.

2. The free disk space requirement for iServer is 610 MB, and the free disk space requirement for ActivePortal JSP is 110 MB.

Siebel Advanced Reporting Edition for UNIX

Table 13 lists the hardware requirements and operating systems supported by Siebel Advanced Reporting Edition for UNIX. Refer to “Solaris” on page 19, “HP-UX” on page 20, “AIX” on page 20, and “X Server” on page 20 for further information about Siebel Advanced Reporting Edition for UNIX on these platforms.

Table 13. Hardware, Operating System, and Web Browser Requirements for Siebel Advanced Reporting Edition for UNIX

Siebel Product	Corresponding Actuate Product ¹	Operating System	Minimum Hardware Requirements	Free Disk Space Requirements ²
Siebel Advanced Reporting Engine	iServer and ActivePortal JSP	Solaris 8, 9 AIX 5.1, 5.2 HP-UX 11.0, 11i	Processor: Solaris: UltraSPARC-I, II, III, III HP-UX: PA-RISC 2.0 AIX: Power, Power2, Power3, Power4, Power4+, PowerPC	iServer: Solaris—650 MB AIX—775 MB HP-UX—675 MB Active Portal for JSP: Solaris—150 MB AIX—150 MB HP-UX—175 MB

1. Actuate products are 32-bit applications. 64-bit products that are certified by the vendor to work with 32-bit applications (such as AIX 5.1) are supported if they are listed in this document.
2. The memory and free disk space requirements listed are for Actuate products only. Total memory and free disk space required should include requirements for operating systems and other applications.

Solaris

- Solaris is the marketing name for SunOS.
- For iServer on Solaris, X Windows runtime library (X11.base.lib) is required in conjunction with a running X Server. See Table 15 on page 20 for more information about X Server.
- On Solaris 8, Actuate iServer requires Sun patch # 108434-1.

HP-UX

For HP-UX 11.0, ANSI C++ runtime library component patches PHCO_20765, PHCO_19666, PHSS_16587, and PHSS_26559 (or higher) are required. General Patch Release XSWGR1100 (i.e. B.11.00.47.05) or higher is required. File system library patches PHCO_22453, PHKL_22432, PHKL_20335, and PHKL_22440 or later are required. Actuate uses HP-UX 11.0 HP kernel threads and thus DCE Threads are not required. For HP-UX 11.11, ld(1) and linker tools cumulative patch PHSS_30049 (or higher) is required.

AIX

- For iServer on AIX, X Windows run-time library (X11.base.lib) is required in conjunction with a running X Server. See [Table 15 on page 20](#) for more information about X Server.
- For AIX 5.1, IBM recommends that the kernel parameter tcp_nodelayack be set to 1 by using the following command: "no -o tcp_nodelayack=1" and that Fix IY53226 be applied. For more information visit IBM's supportWeb site at <http://www-1.ibm.com/support/docview.wss?uid=isg1IY53226>.
- For AIX 5.2, IBM recommends that the kernel parameter tcp_nodelayack be set to 1 by using the following command: "no -o tcp_nodelayack=1" and that Fix IY53254 be applied. For more information visit IBM's support Web site at <http://www-1.ibm.com/support/docview.wss?uid=isg1IY53254>.

Java Runtime Environment (JRE)

[Table 14](#) lists JRE supported by iServer.

Table 14. JRE Supported by iServer

Java Runtime Environment	Solaris	AIX	HP-UX
JRE	Sun JRE 1.4.1	IBM JRE 1.4.1	HP JRE 1.4.1

X Server

[Table 15](#) lists X Server versions supported by iServer.

Table 15. X Server Versions Supported by iServer

X Server	Windows Server	Solaris/AIX/HP-UX
X Server	N/A	X11R5, X11R6

Client Environment Requirements

Supported Web Browsers

There are no download requirements for Siebel Analytics. Siebel Analytics supports the Web browsers listed in [Table 16](#).

Table 16. Supported Web Browsers

Client Operating System	Browsers			
	Internet Explorer 6.0	Mozilla 1.7.x	Netscape 7.2.x	Firefox 1.0.x
Microsoft Windows 2000 Professional with SP 3 or above	X	X	X	X
Microsoft Windows XP SP1 or above	X	X	X	X
Sun Solaris 9, Sun Solaris 10		X	X	X

Supported Client Operating Systems

Siebel Analytics supports the client operating systems listed in [Table 17](#).

Table 17. Supported Client Operating Systems

Client Type	Operating System and Patch Level
Siebel Analytics Server Administration Tool	Windows 2000 Professional with SP 3 or above; Windows XP Professional SP 1 or above
Siebel Analytics Catalog Manager	
Siebel Mobile Analytics Client	
Real-time Siebel Data Mining Engine	
Siebel Analytics Briefing Book Reader	
Siebel Excel Plug-In ¹	Windows Office XP or above
1. Note that Siebel Excel Plug-In requires Microsoft .Net Framework 1.1.	

Server Environment Requirements

Supported Server Operating Systems

Siebel Analytics supports the server operating systems listed in [Table 18](#) and the server operating system patch levels listed in [Table 19](#).

Table 18. Supported Server Operating Systems

Client Type	Operating System
Siebel Analytics Server	Microsoft Windows 2000/2003 Server
Siebel Analytics Web Server	Sun Solaris 8, 9, 10 ¹
Siebel Miner	IBM AIX 5L v5.2 IBM AIX 5L v5.3 HP-UX 11.11 (11i)
Real-time Siebel Data Mining Engine	Microsoft Windows 2000/2003 Server

1. Sun Solaris 10 is only certified on AN 7.8.4.2 and above.

NOTE: Siebel Miner also requires the installation of a Java Runtime Environment (JRE) 1.4.2.

Table 19. Supported Server Operating Systems Patch Levels

Server Operating System	Patch Levels
IBM AIX 5L v5.2	C++ Runtime version 6.0.1.1 or above is required
Microsoft Windows 2000 Server/Advanced Server	Service Pack 4 (5.0.2.195)
Microsoft Windows 2003 Enterprise Edition	Not applicable
Sun Solaris 8	Patch 112438
Sun Solaris 9	Recommended Patch Cluster (kernel at level Generic_112233-08 or above). Must include C++ Run time patch level, 111711-06 and Linker Patch level, 112963-09 or above running on UltraSPARC processors compatible with the V8 plus (or later) instruction set or SPARC64™ processor compatible with the V9 plus instruction set
Sun Solaris 10 ¹	N/A

Table 19. Supported Server Operating Systems Patch Levels

Server Operating System	Patch Levels
HP-UX 11.11 (11i)	June 2003 11i Quality Pack Patch Bundle or above (B.11.11) and the following patches: PHSS_30049, PHKL_28384, PHNE_28476, PHKL_28238, PHKL_28122, PHKL_25995, PHKL_25842, PHKL_29911 C++ Runtime PHSS_26946 (included with Quality Pack)
1. Sun Solaris 10 is supported for Mozilla 1.7 only.	

Supported Web Servers

Siebel Analytics Web Server and Siebel Miner also support the Web servers listed in [Table 20](#).

Table 20. Supported Web Servers

Web Server and Patch Level	Server OS			
	Windows (Sun JRE 1.4.2_09)	AIX 5L (IBM JVM 1.4.2)	Solaris 9 (Sun JRE 1.4.2_09)	HP-UX 11i (HP JRE 1.4.2)
Apache Tomcat 5.5.x	X	X	X	X
Microsoft IIS 5.0 on Windows 2000 and IIS 6.0 on Windows 2003	X			
Sun ONE Web Server EE 6.1 SPARC			X ¹	X
Sun ONE Web Server EE 6.1 SP2 x86			X ¹	X
Websphere Application Server 5.1 (IHS 2.0.47)		X ²		

1. Siebel Miner requires Sun ONE Application Server 7.0
2. Siebel Miner only supports Websphere Application Server 5.1.

NOTE: Siebel Analytics Web Server also requires the installation of a Java Runtime Environment (JRE) with the particular recommended versions above depending on platform used.

Siebel Delivers Support for SMTP

Siebel Delivers generates MIME content with aggregate HTML encapsulation in accordance with MIME RFC 2110 and delivers it to SMTP servers through the SMTP protocol. Content rendering is however dependent on the customer's implementation of the email client.

Support for ODBC Open Client Interface

Oracle provides an ODBC client driver so that third-party software products can connect as SQL clients to the Siebel Analytics Server. ODBC 2.0 is supported for this purpose. Although many clients such as MS Access and Business Objects can be used, Oracle has not explicitly certified particular clients.

Supported Data Sources

NOTE: By its very nature, Siebel Analytics is very much linked to specific versions of database software. For this reason, only explicitly tested versions of database client and server software are listed below. In instances where alternative service pack or patch levels have been tested and certified, these will also be indicated.

If a customer running on a higher patch level finds a problem in the use of their Siebel software, then Siebel Support will investigate it as normal. If a defect is found in the Siebel software, the normal support process will be followed to determine if and when the defect will be rectified. In such a case, that defect identified will be considered to be in the higher version of database software, not the Siebel software. It may be possible for Oracle to produce a patch to work around this defect, but this cannot be guaranteed and indeed may not even be technically possible. In this situation, the customer should contact the database vendor to obtain a patch to their database software that rectifies the problem, or should regress their database software back down to a version that does not exhibit this problem when running with Siebel software.

Customers' regression and acceptance tests that will be run after the database upgrades are performed should fully test the range of features and functionality that are expected to be seen in the production environment, to ensure that they are confident there are no significant problems introduced by the upgrade of the database software.

Supported Databases for Siebel Business Analytics Platform

Siebel Business Analytics platform supports the relational databases listed in [Table 21](#). In addition, Siebel Analytics offers connectivity to multidimensional data sources, as detailed in [Table 23 on page 27](#), and ODBC data sources, as detailed in [“Support for ODBC Data Sources” on page 27](#).

Table 21. Supported Databases

Vendor and Product	Version	Connectivity Software	Applicable Siebel Business Analytics Release
Microsoft SQL Server 2000	2000 Service Pack 3, 32-bit	SQL Server ODBC Driver/ Microsoft Data Access Components (MDAC) 2.7	7.7.1 or higher
Microsoft SQL Server 2005 ¹	2005, 32-bit	SQL Server Native Client 2005-99-1355-00/ SQL Server ODBC Driver version 3.70.08.20	7.8.2.3 or higher
IBM DB2 Universal Database (UDB) Enterprise Edition/ Workgroup Edition for Windows and Unix and Linux on IA-32	7.2 with FixPak 10 ²	DB2 Connect with Fixpak 10	7.7.1 or higher
IBM DB2 Universal Database (UDB) Enterprise Edition/ Workgroup Edition for Windows and Unix and Linux on IA-32	8.1 with FixPak 5s	DB2 Connect with Fixpak 5s (including APAR JR19960)	7.7.1 or higher
IBM DB2 Universal Database (UDB) Enterprise Edition/ Workgroup Edition for Windows and Unix and Linux on IA-32	8.2 with FixPak 8 or higher	DB2 SDK 8.2.1	7.8.2.2
IBM DB2 Universal Database (UDB) for OS/390 and z/OS	Version 7 ³	DB2 Connect EE with Fixpak 5s	7.7.1 or higher
IBM DB2 Universal Database (UDB) for OS/390 and z/OS (NFM mode only)	Version 8	IBM DB2 UDB Admin Client	7.8
Oracle 8i Enterprise Server ⁴	8.1.7.4.6 (Windows) 8.1.7.4 on (Unix)	Oracle native client 8.1.7.4.6 (Windows), 8.1.7.4 (Unix)	7.7.1 or higher
Oracle 9i Enterprise Server	9.2.0.6	Oracle native client 9.2.0.6	7.7.1 or higher

Table 21. Supported Databases

Vendor and Product	Version	Connectivity Software	Applicable Siebel Business Analytics Release
Oracle 10g Enterprise Server	10.2.0.1.0 32-bit or 64-bit	Oracle native client 10.2.0.1.0	7.8.2.2 or higher
NCR Teradata	V2R4.1.3, V2R5.0.x ⁵ , V2R5.1.x	Teradata ODBC driver 3.3.0.5 ⁶	7.7.1 or higher
NCR Teradata	V2R6.0 ⁷ , V2R6.1 ⁷	3.05	7.8.4 or higher
SQL Anywhere	8.0.2.4361	Corresponding SQL Anywhere ODBC driver	7.8.2

1. Microsoft recommends using SQL Server Native Client with Microsoft SQL Server 2005.
2. Supported as a data source for the Siebel Analytics Server only.
3. IBM DB2 UDB version 7 is only supported in stand-alone mode. Running in integrated mode with Siebel Business Applications requires IBM DB2 UDB version 8.
4. Oracle 8i is only supported in stand-alone mode. Running in integrated mode with Siebel Business Applications requires Oracle 9i.
5. V2R 5.0.x is supported in stand-alone mode only. Running in integrated mode with Siebel Business Applications requires V2R5.1.x.
6. ODBC 3.3.0.5 is required when connecting to a Teradata database on the HP-UX operating system. Also, note that Teradata ODBC 3.4 or higher is not supported on any platform.
7. This configuration is only supported for Siebel Analytics Server running on Microsoft Windows 2003.

Support for Oracle Real Applications Clusters (RAC)

Table 22 lists support for Oracle RAC.

Table 22. Support for Oracle RAC

Oracle Server Version	Certified Oracle Version
Oracle 9i Enterprise Server	Oracle 9.2.0.6
Oracle 10g Enterprise Server	Oracle 10.2.0.1.0

Support for Multidimensional Data Sources

Siebel Analytics supports the multidimensional data source listed in [Table 23](#).

Table 23. Supported Multidimensional Data Source

Vendor and Product	Version
Microsoft SQL Server Analysis Services	2000 Service Pack 3

Support for ODBC Data Sources

Siebel Analytics support for ODBC allows Siebel Analytic Server, when operating on Windows, to query any relational database management system—either as a data warehouse, an operational data store or as a transactional system—that supports the ODBC 2.0, 2.1 or 3.5 standards.

3

Supported Software and Ancillary Programs

Supported Software

Siebel Business Analytics 7.8.4 supports the third-party software products listed in [Table 24](#). These products must be obtained directly from the vendors that sell them.

Table 24. Supported Software

Vendor and Product	Version	Associated Module	Function
Adobe Acrobat Reader	6.0	Siebel Analytics	Used for viewing portable document format (PDF) documents.
IBM DB2 Cube Views	8.1 with FixPak 7s ¹	Siebel Analytics	Used to integrate Siebel Analytics metadata into DB2 and to accelerate multidimensional analysis.
IBM Directory Server	5.1 or above	Siebel Analytics (LDAP Security Adapter)	LDAP Support (LDAP Security Adapter).
Microsoft Data Access Components (MDAC)	2.7	Siebel Analytics	Includes ODBC drivers for Microsoft Access, Text, Microsoft SQL Server and ADO components.

1. FixPak 7s can be found at: <ftp://ftp.software.ibm.com/ps/products/db2/fixes/english-us/siebel/analytics/>

Ancillary Programs

The ancillary programs listed in [Table 25](#) are provided with Siebel Analytics 7.8.4 through licensing agreements with the vendors that own them. The use of all ancillary programs is governed by the terms of the Software License and Services Agreement (SLSA) between your company and Oracle.

Instructions for installing ancillary programs are provided in the server installation guide for your platform, and in other installation information in the Siebel documentation set.

Your Siebel Business Applications software may include some or all of the ancillary programs listed in [Table 25](#).

Table 25. Ancillary Programs

Vendor and Product	Version	Associated Siebel Analytics Module	Distribution Method and Description	Applicable Analytics Release
Actuate ActivePortal JSP	8 with SP1	Siebel Advanced Reporting Engine	Distributed. Enterprise reporting technology.	7.8.4 or higher
Actuate e.Report Designer Professional	8 with SP1	Siebel Advanced Reporting Workbench	Distributed. Enterprise reporting technology.	7.8.4 or higher
Actuate iServer	8 with SP1	Siebel Advanced Reporting Engine	Distributed. Enterprise reporting technology.	7.8.4 or higher
Actuate Viewer	8 with SP1	Siebel Advanced Reporting User Edition	Distributed. Enterprise reporting technology.	7.8.4 or higher
Angoss KnowledgeSERVER	4.2	Siebel Data Mining Engine	Distributed. Data mining technology.	7.7.1 or higher
Angoss KnowledgeSTUDIO	4.2	Siebel Data Mining Workbench	Distributed. Data mining technology.	7.7.1 or higher
Angoss Mining Manager	2.1	Siebel Miner	Embedded. Data mining technology.	7.7.1 or higher
Apache Software Foundation Formatting Objects Processor	0.20.5	Siebel Analytics Web	Embedded. Used for PDF generation in Siebel Analytics Web.	7.7.1 or higher
Apache Software Foundation Xalan - C++	1.2	Siebel Analytics Server	Embedded. XSLT stylesheet processing.	7.7.1 or higher
Apache Software Foundation Xerces - C++	1.5.1, 1.6.0	Siebel Analytics Server	Embedded. XML Parser.	7.7.1 or higher
Apache Software Foundation Xerces - Java	1.4.4	Siebel Analytics (Installer)	Embedded. XML Parser.	7.7.1 or higher
Concordia PopCharts	5.1	Siebel Analytics Web	Embedded (Unix). Distributed (Windows). Charting Engine.	7.7.1 or higher

Table 25. Ancillary Programs

Vendor and Product	Version	Associated Siebel Analytics Module	Distribution Method and Description	Applicable Analytics Release
DataDirect (Merant) Connect ODBC Driver Manager	4.1	Siebel Analytics Server	Embedded. Loads Siebel Analytics ODBC driver on supported Unix platforms.	7.7.1 or higher
IBM Directory Server component of the Tivoli Access Manager for eBusiness	5.1	Siebel Analytics LDAP Security Adapter	Embedded. Siebel integration with LDAP directory to support external user authentication.	7.7.1 or higher
IBM LDAP (Lightweight Directory Access Protocol) SDK	5.1	Siebel Analytics LDAP Security Adapter	Embedded. Siebel integration with LDAP directory to support external user authentication.	7.7.1 or higher
InstallShield Developer	8.0	Siebel Analytics	Embedded. Used in installing the Siebel Analytics applications on the Windows platforms.	7.7.1 or higher
Mainsoft Visual MainWin	5.0.2	Siebel Analytics Server Extensions for Unix	Embedded. Facilitates development on both Windows and Unix platforms using a single code-base.	7.7.1 or higher
Rogue Wave Stingray Objective Studio redistributable components	R2000	Siebel Analytics Administration Tool	Embedded. UI Components embedded into Siebel Analytics Administration Tool.	7.7.1 or higher
STLport Consulting's STLport Standard Template Library	4.5.1	Siebel Analytics	Embedded. C++ Standard Template Library.	7.7.1 or higher
Sybase Adaptive Server Anywhere (ASA)	8.0.2.4361 (Windows only)	Siebel Mobile Analytics	Embedded. Database engine used by Siebel Analytics Mobile Web Client.	7.7.1 or higher

Table 25. Ancillary Programs

Vendor and Product	Version	Associated Siebel Analytics Module	Distribution Method and Description	Applicable Analytics Release
The Open Group X Window System	x11 R6	Siebel Analytics Server Extensions for Unix	Distributed. OS libraries used for Siebel Object Manager on Unix platforms.	7.7.1 or higher
Zlib	1.1.4	Siebel Mobile Analytics	Embedded. Compresses file attachments, Siebel Remote files and SISNAPI traffic.	7.7.1 or higher

Apache License Agreement

Relevant portions of the License Agreement for the Apache products bundled with this Siebel release is reprinted below.

Siebel Business Applications and other Siebel products include this software, which was developed by the Apache Software Foundation (www.apache.org). The Apache components are subject to the following terms and conditions.

The Apache Software License, Version 1.1

Copyright (c) 1999 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)." Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

4

Product and Platform Availability Updates

Product and Feature Availability

Please note that some features that are generally available in the product may not be available in specific operating environments. In most cases, this is due to third-party product support limitations. In all cases, these limitations should be identified in the Release Notes documentation for the specific product release. However, while an individual feature may not be available in a specific operating environment, the product as a whole will operate as specified.

Siebel Business Analytics 7.8.4 Product Availability Exceptions are listed in [Table 26](#) and supersede the System Requirements and Supported Platforms document. Feature Availability Exceptions are listed in [Table 27](#).

Table 26. Product Availability Exceptions

Siebel Product	Limitation Type	Availability Issue
Siebel Analytics	Directory Service (LDAP)	Siebel Analytics supports Microsoft Active Directory for Authentication purposes only.
Siebel Analytics	Language	Siebel Analytics does not support bidirectional languages including Hebrew and Arabic, nor does it support Thai. This is because of third-party software limitations (Corda).
Siebel Delivers	Platform	Siebel Delivers (the Scheduler database) is not supported on Teradata. The best practice is to use Teradata for your "normal" backend database for queries, and then use Oracle, DB2 or SQL Server for the scheduler database.
Siebel Analytics Server	Platform	Siebel Analytics Server does not support access to a Teradata data source when Siebel Analytics Server is running on Windows 2003. This is due to a limitation with the Teradata ODBC driver for this platform.
Siebel Analytics	Platform	Siebel neither tests nor offer support for Siebel Analytics clustering using third-party clustering products, such as Veritas (12-DS4BN7).
Siebel Analytics	Platform	Siebel Analytics does not support SQL Server 2000 (64-bit) due to third-party software limitations (Informatica).
Siebel Analytics	Language	Siebel Analytics only supports ODBC 2.0 for third-party client query tools that query the Siebel Analytics Server. This implies a limitation of being able to access metadata and data in English or Western-European languages only (12-IHL259).
Siebel Analytics	Language	Siebel Analytics ODBC Client is restricted to English and Western-European languages.

Table 27. Feature Availability Exceptions

Siebel Product	Feature	Limitation Type	Availability Issue
Siebel Analytics	Print-to-PDF	Third Party	Due to limitations with prior versions of Adobe Acrobat Reader, Siebel Analytics PDF functionality is only supported with Adobe Reader version 6.0.
Siebel Delivers	Custom Scripts for iBots	Feature	iBot triggering of custom scripts is not supported on the following platforms: Solaris, AIX and HP-UX. Scripts can however be fired from Windows 2000 machines. This applies to the machine where Siebel Scheduler resides.
Siebel Analytics	Usage Tracking	Feature	Usage Tracking functionality is not supported on the Teradata platform.
Siebel Analytics	Download to Excel in MHTML format	Feature	Analytics 7.7.x only supports Download to Excel for Excel 2002+ (available through the browser). For pre-Excel 2002 configuration options, please see the release notes.
Marketing Server	Create Segment	Feature	The Create Segment link behavior has changed in Analytics 7.7.1. The Create Segment link from an Analytics report does not create Target Group-based segments, as occurred in prior releases v7.5 and v7.7. The Create Segment feature now creates dynamic segment definitions stored in the web catalog. Implementations using Analytics 7.7.1.2 or later in combination with Siebel Marketing 7.5 will require the additional Marketing Segmentation Bridge configuration to support.

5

Supported Upgrade Paths

The Siebel Analytics 7.8.4 *platform*¹ is backward-compatible with any previous Siebel operational product (with the exception of the Marketing Server—see [Table 27 on page 37](#) for more information). As a result, it is recommended that customers upgrade to the latest available version of the Siebel Analytics Enterprise Platform. Upgrade instructions for the platform are described in the *Siebel Analytics Installation and Configuration Guide*.

As opposed to upgrading the platform, upgrading analytic applications should be based on specific business requirements to take advantage of new schema and repository objects, or out of necessity because a repository and schema upgrade is planned for the Siebel operational applications (in the absence of an Analytics Bridge²). An applications upgrade is a much more involved process and requires adequate planning, testing and implementation time. It is highly recommended that customers consider obtaining support from Siebel Professional Services to assist with this type of upgrade.

1. The Siebel Analytics platform includes Siebel Analytics Server, which accesses multiple information sources including Siebel operational applications, data warehouses and data marts, XML files, and other legacy sources, a presentation server that supports interactive dashboards, Siebel Answers (a point-and-click query tool), and Siebel Delivers (a proactive alerts delivery facility).
2. Analytics Bridges allow customers to upgrade their analytic applications without necessarily upgrading their Siebel transactional applications. For example, customers may want to remain on 7.5.2 Siebel transactional applications but upgrade to 7.7 analytic applications using a 7.5.x to 7.7 bridge.

