



# **Siebel Retail Finance - Foundation Services System Requirements and Supported Platforms**

Version 2005, Rev. A  
May 2005

Siebel Systems, Inc., 2207 Bridgepointe Parkway, San Mateo, CA 94404

Copyright © 2005 Siebel Systems, Inc.

All rights reserved.

Printed in the United States of America

No part of this publication may be stored in a retrieval system, transmitted, or reproduced in any way, including but not limited to photocopy, photographic, magnetic, or other record, without the prior agreement and written permission of Siebel Systems, Inc.

Siebel, the Siebel logo, UAN, Universal Application Network, Siebel CRM OnDemand, TrickleSync, Universal Agent, and other Siebel names referenced herein are trademarks of Siebel Systems, Inc., and may be registered in certain jurisdictions.

Other product names, designations, logos, and symbols may be trademarks or registered trademarks of their respective owners.

**PRODUCT MODULES AND OPTIONS.** This guide contains descriptions of modules that are optional and for which you may not have purchased a license. Siebel's Sample Database also includes data related to these optional modules. As a result, your software implementation may differ from descriptions in this guide. To find out more about the modules your organization has purchased, see your corporate purchasing agent or your Siebel sales representative.

**U.S. GOVERNMENT RESTRICTED RIGHTS.** Programs, Ancillary Programs and Documentation, delivered subject to the Department of Defense Federal Acquisition Regulation Supplement, are "commercial computer software" as set forth in DFARS 227.7202, Commercial Computer Software and Commercial Computer Software Documentation, and as such, any use, duplication and disclosure of the Programs, Ancillary Programs and Documentation shall be subject to the restrictions contained in the applicable Siebel license agreement. All other use, duplication and disclosure of the Programs, Ancillary Programs and Documentation by the U.S. Government shall be subject to the applicable Siebel license agreement and the restrictions contained in subsection (c) of FAR 52.227-19, Commercial Computer Software - Restricted Rights (June 1987), or FAR 52.227-14, Rights in Data—General, including Alternate III (June 1987), as applicable. Contractor/licensor is Siebel Systems, Inc., 2207 Bridgepointe Parkway, San Mateo, CA 94404.

**Proprietary Information**

Siebel Systems, Inc. considers information included in this documentation and in Siebel eBusiness Applications Online Help to be Confidential Information. Your access to and use of this Confidential Information are subject to the terms and conditions of: (1) the applicable Siebel Systems software license agreement, which has been executed and with which you agree to comply; and (2) the proprietary and restricted rights notices included in this documentation.

# Contents

## Siebel Retail Finance - Foundation Services System Requirements and Supported Platforms 1

Version 2005, Rev. A 1

April 2005 1

### 1 Introduction 5

How This Book Is Organized	5
Important Changes in the Current Revision	6
Siebel Product Documentation	6
Contacting Technical Support	7
Siebel Systems Welcomes Your Comments	8

### 2 Overview of Supported Environments 9

About This Chapter	9
Server Environment	9

### 3 Globalization Requirements 10

About This Chapter	10
Internationalization and Localization	10

### 4 Environment - Hardware and Network Requirements 11

About This Chapter	11
Siebel Retail Finance Foundation Services –Environment Hardware Requirements	11
Siebel Retail Finance Foundation Services - Client Environment - Hardware Requirements	12

Server Network Requirements	12
Client Network Requirements	12
<b>5 Client Environment - Software Requirements</b>	<b>13</b>
About This Chapter	13
Requirements for Client Applications	13
<b>6 Server Environment – Software Requirements</b>	<b>15</b>
About This Chapter	15
Supported Siebel Retail Finance Foundation Services - Server Operating Systems	15
<b>7 Supported Database Server Platforms</b>	<b>16</b>
About This Chapter	16
Supported Relational Database Management Systems	16
<b>8 Supported Software and Ancillary Programs</b>	<b>17</b>
About This Chapter	17
Microsoft/ IBM/ BEA Service Pack, Hotfix, and Support	17
Supported Software	18
Ancillary Programs	19
Apache License Agreement	20
The Apache Software License, Version 1.1	20
JDOM	22

# 1

## Introduction

### How This Book Is Organized

This book contains the definitive list of system requirements and supported platforms for the Siebel Retail Finance Foundation Services

Throughout this document the Siebel Retail Finance module is referred to as: -

- **Siebel Retail Finance Foundation Services**

This guide contains the following chapters:

Chapter 1, "**Introduction.**"

Chapter 2, "**Overview of Supported Environments,**" describes Siebel Retail Finance Foundation supported environments.

Chapter 3, "**Globalization Requirements,**" describes supported internationalization and localization requirements.

Chapter 4 "**Hardware and Network Requirements,**" describes the hardware and network requirements for the Siebel Retail Finance Foundation Services environment and the Siebel Retail Finance Client environment.

Chapter 5, "**Client Environment – Software Requirements,**" describes the software platform requirements for the Siebel Retail Finance Foundation Services clients.

Chapter 6, "**Server Environment – Software Requirements**" describes the software platform requirements for Siebel Retail Finance Foundation Services.

Chapter 7, "**Supported Database Server**" describes the software platform requirements for the RDBMS, as well as the connectivity and management software that must be installed on each server.

Chapter 8, "**Supported Software and Ancillary Programs**" provides a comprehensive listing of software developed by third-party vendors that is supported by, embedded in, or distributed with Siebel Retail Finance Foundation Services.

## Important Changes in the Current Revision

The table below documents **important** changes made in each revision of the document.

Revision	Chapter	Section	Change

## Siebel Product Documentation

Siebel Retail Finance documentation, which includes the Siebel Retail Finance Bookshelf, Development/ Design Guides and Siebel Third-Party Documentation, is provided on CD-ROMs or via FTP with your product.

Additional documentation, including (this document) System Requirements & Supported Platforms Guide, Release Notes, and Documentation Updates is available only on Siebel SupportWeb.

Updated versions of documentation, including the Siebel Bookshelf, are posted to Siebel SupportWeb regularly.

### ***To access Siebel documentation on SupportWeb:***

Go to <http://supportweb.siebel.com> and log in using the login name and password given to you by Siebel Support Services. If you do not have this information, contact Support Services at [support@siebel.com](mailto:support@siebel.com).

Under Self Service, click Browse/Search Knowledge Base.

In the left pane, click Product Documentation.

Siebel Systems, Inc. reserves the right to modify the documentation for Siebel Retail Finance Foundation Services at any time.

## Contacting Technical Support

Do you know how to access Siebel Technical Support? It is crucial that you understand the requirements for getting support before you encounter technical issues that require Siebel Technical Support's assistance. This will facilitate smooth resolution of your issues. If you have questions, please don't hesitate to contact us.

To maximize your knowledge of Siebel products and your return on investment:

You must attend Siebel training to become a designated contact.

Your Siebel-trained designated contacts provide technical support to your users. Siebel Technical Support provides support directly to your designated contacts only.

To provide efficient, timely support and access to the Technical Support knowledge base:

Siebel Technical Support is primarily Web-based; it can be accessed through Siebel SupportWeb (<http://ebusiness.siebel.com/supportweb/>). Please submit new service requests to us through SupportWeb, where you can also search the knowledge base for solutions.

Designated contacts receive read/write access to Siebel SupportWeb. Other project team members at your company receive read-only accounts so that they can access the knowledge base.

Please submit your technical issues and updates to Siebel SupportWeb

(<http://ebusiness.siebel.com/supportweb/>). If you do not have a SupportWeb account, or if you have a question, please contact us at [support@siebel.com](mailto:support@siebel.com) or call your local Siebel Support Center:

North America:	+1 800 214 0400 or +1 650 341 0700
Brazil (São Paulo):	+55 11 3444 0800
UK (London):	+44 (0) 1784 494949
Germany (Munich):	+49 89 957 18 400
France (Paris):	+44 1784 494949
Ireland (Galway):	+44 1784 494949
Japan (Tokyo):	0120 606 750 (toll-free, Japan domestic only), +81 3 5464 7948 (outside of Japan)
Singapore:	+65 6212 9266

Outside of local support center hours, Gold and Rollout Support Option customers can call:

+1 800 214 0400 or +1 650 295 5724.

We appreciate your business and look forward to working with you.

# Siebel Systems Welcomes Your Comments

To help us improve our products, we want to know about any corrections or clarifications to this guide that you would find useful. Please include in your message:

The title and version of the guide (very important)

The name and version number of the Siebel application you are using

Your name, job title or functional area, company name, phone number, and email address

Contact us through regular mail or email at:

Siebel Systems, Inc.  
Technical Publications Department  
2207 Bridgepointe Parkway  
San Mateo, CA 94404-5009

[doc@siebel.com](mailto:doc@siebel.com)

We appreciate your feedback.



# 2 Overview of Supported Environments

## About This Chapter

This chapter describes Siebel Retail Finance Foundation Services supported server environments. Chapter 4 through Chapter 8 contains a comprehensive list of hardware and software requirements, as well as supported and ancillary third-party software requirements.

## Server Environment

In homogeneous server environments, Application & Web server and the Database are all deployed on the same physical platform. In heterogeneous server environments, the Application / Webserver and the Database can be deployed on different supported platforms.

Supported homogeneous and heterogeneous server environments are defined in Table 1.

**Table 1. Supported Homogeneous and Heterogeneous Server Environments**

AppServer/ WebServer	App/WebServer on Server Operating System	Database Server Software	RDBMS on Server Operating System	Applicable Release
BEA WebLogic 8.1.0	Sun Solaris 9	Oracle 9.2.0.4.0	Sun Solaris 9	2005
IBM WebSphere 5.1.1 (Network Deployment) <sup>1</sup>	IBM AIX 5.2	Oracle 9.2.0.4.0	Sun Solaris 9	2005
IBM WebSphere 5.1.1 (Network Deployment) <sup>2</sup>	IBM AIX 5.2	IBM DB2 UDB 8.1 FixPak 5	IBM AIX 5.2	2005

<sup>1</sup> Please see the Siebel Retail Finance Foundation Services Installation Guide for details of deploying on a clustered environment

# 3 Globalization Requirements

## About This Chapter

This chapter lists internationalization and localization requirements.

## Internationalization and Localization

Siebel Retail Finance Foundation Services support internationalization and localization for specific languages based on customer demand. Siebel Retail Finance Foundation Services 2005 includes localization support for the languages listed in Table 2, where an "X" indicates support. Please contact your Siebel representative for updates on supported languages.

**Table 2. Localized Languages for Siebel Retail Finance Foundation Services Release 2005**

Language Description	Language Code	Siebel Retail Financial Foundation Services	Supported Database Code Pages
English	ENU	X	Traditional*/ Unicode

\* - English language (US) is available on all supported database code pages.

# 4 Environment - Hardware and Network Requirements

## About This Chapter

This chapter describes the hardware and network requirements for the Siebel Retail Finance Foundation Services - Server environment /Client environment

These requirements should be used only as a guideline; they do not take into consideration various factors that affect scalability and performance. Please consult Siebel Global Services or your hardware vendor for capacity planning or sizing assistance.

## Siebel Retail Finance Foundation Services –Environment Hardware Requirements

**Table 3** lists the minimum hardware requirements for the Siebel Retail Finance Foundation Services environment.

**Table 3. Minimum Server Environment Hardware Requirements**

Platform	Server Environment	Hardware Required
IBM AIX 5.2	Application Server	As recommended by the Application Server vendor
	Webserver (comes as part of Appserver, however the WebTier can be deployed separately)	As recommended by the Application Server vendor
	Database Server (RDBMS)	As recommended by the DB vendor
Sun Solaris 9	Application Server	As recommended by the Application Server vendor
	Webserver (comes as part of Appserver, however the WebTier can be deployed separately)	As recommended by the Application Server vendor
	Database Server (RDBMS)	As recommended by the DB vendor

The number of servers and the CPU and memory resources required for operation of Siebel Retail Finance Foundation Services increases with the number and types of users and Siebel Retail Finance Foundation Services deployed.

# Siebel Retail Finance Foundation Services - Client Environment - Hardware Requirements

Table 4. Minimum Hardware Requirements

Client Type	CPU and Storage Requirements	Memory Requirement (MB)
		Windows XP Professional
Siebel Retail Finance Foundation Services JSP Client Application	One 500 MHz X86 class processor, 40 MB of storage	512 minimum, but 1GB recommended.

## Server Network Requirements

Siebel Retail Finance Foundation Services Server machines requirements:

A TCP/IP LAN with a minimum 100Mb/s connection between database hosting the Siebel data and the Siebel Servers, this includes all the Siebel associated server components.

## Client Network Requirements

Siebel Retail Finance Foundation Services clients require:

**Siebel Retail Finance Foundation Services Java Client** - should use a 56kbps modem or better fronting the Siebel application. If lower bandwidth modems are used the application will be functional, however, performance degradation can be expected.

# 5

## Client Environment - Software Requirements

### About This Chapter

This chapter describes the software platform requirements for the Siebel Retail Finance Foundation Services client. Required software included are those products that must be installed separately by the user on the client machine in order to achieve basic Siebel functionality.

### Requirements for Client Applications

This section lists requirements for supported employee / customer applications.

**Table 5** lists the supported web browser and client operating system combinations where an “X” indicates support. See

**Table 6.** for supported versions, required minimum patch levels, and other third party software requirements.

The Siebel Client environments are certified with Windows XP Professional installed.

**Table 5. Supported Clients**

Client Type	Browser	OS System
	<i>IE6</i>	<i>Microsoft XP Professional 2002 sp1</i>
Siebel Retail Finance Foundation Services (Administrator)	<b>X</b>	<b>X</b>

Table 6. Software Requirements for Clients

Third Party Product	Prerequisite and Notes	Applicable Release
Microsoft Windows XP Professional	<p>Service Pack 1 is a prerequisite for customers running Windows 2002 XP Professional.</p> <p>Microsoft makes service packs available at:  <a href="http://www.microsoft.com/downloads/details.aspx?FamilyID=d4d8a9a4-31fc-480b-9cd9-adccb6997ce3&amp;DisplayLang=en">http://www.microsoft.com/downloads/details.aspx?FamilyID=d4d8a9a4-31fc-480b-9cd9-adccb6997ce3&amp;DisplayLang=en</a></p> <p>Additional information regarding fixes in this Service Pack can be found at:  <a href="http://support.microsoft.com/default.aspx?scid=kb:en-us:Q324720">http://support.microsoft.com/default.aspx?scid=kb:en-us:Q324720</a></p>	2005

# 6

## Server Environment – Software Requirements

### About This Chapter

This chapter describes the software platform requirements for Siebel Retail Finance Foundation Services.

### Supported Siebel Retail Finance Foundation Services - Server Operating Systems

Siebel Retail Finance Foundation Services supports the operating systems specified in Table 7.

**Table 7. Operating Systems Supported by Siebel Retail Finance Foundation Services**

Server Operating System	Applicable Release
Sun Solaris 9	2005
IBM AIX 5.2	2005

Table 8 lists the third-party software products that must be installed on the Server(s). These products are not provided by Siebel Systems; they must be obtained by the customer.

**Table 8. Software Requirements for Siebel Retail Finance Foundation Services**

Operating System Supplier and Product	Patch Level	Applicable Release
IBM AIX 5.2	IBM makes Service Pack available at: <a href="http://www-1.ibm.com/servers/eserver/support/pseries/allproducts.html">http://www-1.ibm.com/servers/eserver/support/pseries/allproducts.html</a>	2005
Sun Solaris 9 (32-bit)	For Solaris patch downloads, see <a href="http://www.sun.com/software/download/inter_ecom.html">http://www.sun.com/software/download/inter_ecom.html</a> .	2005

# 7

## Supported Database Server Platforms

### About This Chapter

This chapter describes the software platform requirements for Database Server, and management software that must be installed.

### Supported Relational Database Management Systems

The Siebel Retail Finance Foundation Services supports the relational database management systems listed in Table 9.

**Table 9. Supported Relational Database Management Systems**

Vendor and Product	Version	RDMS OS	Applicable Release
Oracle 9i Enterprise Server	9.2.0.4.0	Sun Solaris 9	2005
IBM DB2 Universal Database (UDB) Enterprise Server Edition for AIX (32 bit)	8.1 with FixPak 5	IBM AIX 5.2	2005

\*\*\* While both 32-bit and 64-bit DB2 v8.1 are supported for database servers, only the 32-bit database client is supported on the Siebel Retail Finance Foundation Services .



# 8

## Supported Software and Ancillary Programs

### About This Chapter

This chapter provides a listing of software developed by third-party vendors that is supported by, embedded in, or distributed with Siebel Retail Finance Foundation Services.

### Microsoft/ IBM/ BEA Service Pack, Hotfix, and Support

Software Vendors often provide new service packs, hot fixes, and patches to address known security issues or defects.

In general, Siebel Systems assumes that new Software Vendor hot fixes and service packs maintain backward compatibility to older versions of these same files as required by Siebel Systems. Based on that fact, Siebel Systems assumes low risk with implementing these security hot fixes and service packs. However, it is recommended that customers perform functional and performance testing prior to deploying these patches in a production environment.

This statement applies to the list of supported Software on **Table 10**:

Please review this Siebel System Requirements and Supported Platforms (SRSP) Guide for a list of minimum requirements for your specific Siebel version. Updates to Siebel 3rd party requirements may occur at any time and are documented regularly in the SRSP guide.

## Supported Software

Siebel Retail Finance Foundation Services support the third-party software products listed in **Table 10**. These products must be obtained directly from the vendors that sell them.

**Table 10. Supported Software**

Vendor and Product	Version	Associated Siebel Module	Description	Applicable Release
BEA WebLogic	8.1.0	<input type="checkbox"/> Siebel Retail Finance Foundation Services	J2EE Application Server (and WebServer)	2005
Sun Java J2SE	1.4.2	<input type="checkbox"/> Siebel Retail Finance Foundation Services	Java software development kit & runtime environment <u>COMES AS STANDARD</u> with WebLogic Application server	2005
IBM WebSphere (Network Deployment)	5.1.1	<input type="checkbox"/> Siebel Retail Finance Foundation Services	J2EE Application Server (and WebServer)	2005
IBM Java J2SE	1.4.2	<input type="checkbox"/> Siebel Retail Finance Foundation Services	Java software development kit & runtime environment <u>COMES AS STANDARD</u> with WebSphere Application server	2005
IBM DB2 UDB	8.1 FixPak 5	<input type="checkbox"/> Siebel Retail Finance Foundation Services	RDBMS	2005
Oracle Database server	9.2.0.4.0	<input type="checkbox"/> Siebel Retail Finance Foundation Services	RDBMS	2005

## Ancillary Programs

The ancillary programs listed in Table 11 are provided with Siebel Retail Finance Foundation Services through licensing agreements with the vendors that own them. The use of all ancillary programs is governed by the terms of the Software License and Services Agreement (SLSA) between your company and Siebel Systems.

Instructions for installing ancillary programs are provided in the server installation guide for your platform, and in other installation information in the Siebel documentation set.

Your Siebel Retail Finance Foundation Services software may include some or all of the ancillary programs listed in **Table 11**.

**Table 11. Ancillary Programs**

Vendor and Product	Version	Associated Siebel Module	Distribution Method and Description	Applicable Release
Sun Microsystems -- J2EE .jar	1.3.1	<input type="checkbox"/> Siebel Retail Finance Foundation Services	<u>Distributed</u> . J2EE class libraries provided by Sun Microsystems.	2005
The JDOM Project -- JDOM	8 9	<input type="checkbox"/> Siebel Retail Finance Foundation Services	<u>Embedded</u> . JDOM is, quite simply, a Java representation of an XML document. JDOM provides a way to represent that document for easy and efficient reading, manipulation, and writing. It has a straightforward API, is lightweight and fast, and is optimized for the Java programmer. It's an alternative to DOM and SAX, although it integrates well with both DOM and SAX.	2005
Apache Software Foundation -- Log4j (Is governed by the Apache License)	1.2.6 1.2.7 1.2.8	<input type="checkbox"/> Siebel Retail Finance Foundation Services	<u>Embedded</u> . From the Jakarta project at apache.org. With log4j it is possible to enable logging at runtime without modifying the application binary. The log4j package is designed so that these statements can remain in shipped code without incurring a heavy performance cost. Logging behavior can be controlled by editing a configuration file, without touching the application binary.	2005

Vendor and Product	Version	Associated Siebel Module	Distribution Method and Description	Applicable Release
Apache Software Foundation -- Ant (Version 1.5.4 is governed by the Apache License )	1.5.4	☐ Siebel Retail Finance Foundation Services	<u>Distributed</u> . This is a Java-based build tool from the Apache ANT project.	2005

## Apache License Agreement

Relevant portions of the License Agreement for the Apache products bundled with this Siebel release are reprinted below.

Siebel Retail Finance Foundation Services and other Siebel products include this software, which was developed by the Apache Software Foundation ([www.apache.org](http://www.apache.org)). The Apache components are subject to the following terms and conditions.

### The Apache Software License, Version 1.1

Copyright (c) 2000 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

The names "Apache" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).

Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

## Supported Software and Ancillary Programs

DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see.

Portions of this software are based upon public domain software originally written at the National Center for Supercomputing Applications, University of Illinois, Urbana-Champaign.

### JDOM

Copyright (C) 2000 Brett McLaughlin & Jason Hunter. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the disclaimer that follows these conditions in the documentation and/or other materials provided with the distribution.

3. The name "JDOM" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [license@jdom.org](mailto:license@jdom.org).

4. Products derived from this software may not be called "JDOM", nor may "JDOM" appear in their name, without prior written permission from the JDOM Project Management ([pm@jdom.org](mailto:pm@jdom.org)).

In addition, we request (but do not require) that you include in the end-user documentation provided with the redistribution and/or in the software itself an acknowledgement equivalent to the following:

"This product includes software developed by the JDOM Project (<http://www.jdom.org/>)."

Alternatively, the acknowledgment may be graphical using the logos available at <http://www.jdom.org/images/logos>.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JDOM AUTHORS OR THE PROJECT CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN

## Supported Software and Ancillary Programs

ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the JDOM Project and was originally created by Brett McLaughlin <brett@jdom.org> and Jason Hunter <jhunter@jdom.org>. For more information on the JDOM Project, please see <<http://www.jdom.org/>>.

**END**