

Oracle® Retail Merchandising System
User Guide
Release 13.0.1

June 2008

Copyright © 2008, Oracle. All rights reserved.

Primary Author: Kris Lange

Contributors: Bob MacPhail

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software—Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Value-Added Reseller (VAR) Language

- (i) the software component known as **ACUMATE** developed and licensed by Lucent Technologies Inc. of Murray Hill, New Jersey, to Oracle and imbedded in the Oracle Retail Predictive Application Server – Enterprise Engine, Oracle Retail Category Management, Oracle Retail Item Planning, Oracle Retail Merchandise Financial Planning, Oracle Retail Advanced Inventory Planning and Oracle Retail Demand Forecasting applications.
- (ii) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (iii) the **SeeBeyond** component developed and licensed by Sun Microsystems, Inc. (Sun) of Santa Clara, California, to Oracle and imbedded in the Oracle Retail Integration Bus application.
- (iv) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Store Inventory Management.
- (v) the software component known as **Crystal Enterprise Professional and/or Crystal Reports Professional** licensed by Business Objects Software Limited (“Business Objects”) and imbedded in Oracle Retail Store Inventory Management.
- (vi) the software component known as **Access Via**TM licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (vii) the software component known as **Adobe Flex**TM licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.
- (viii) the software component known as **Style Report**TM developed and licensed by InetSoft Technology Corp. of Piscataway, New Jersey, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.
- (ix) the software component known as **WebLogic**TM developed and licensed by BEA Systems, Inc. of San Jose, California, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.
- (x) the software component known as **DataBeacon**TM developed and licensed by Cognos Incorporated of Ottawa, Ontario, Canada, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.

Contents

Preface	xix
Related Documents.....	xix
Customer Support.....	xix
Review Patch Documentation.....	xix
Oracle Retail Documentation on the Oracle Technology Network.....	xix
Conventions.....	xx
1 Use the Online Help	1
Introduction.....	1
Know the Styles.....	1
Navigate the Online Help.....	1
Use the Table of Contents.....	1
Use the Search Feature.....	1
Use the Glossary.....	2
2 Navigate RMS.....	3
Log on to and exit RMS.....	3
Log on to RMS.....	3
Exit RMS.....	3
Navigate within a window.....	3
Use a drop-down list.....	3
Use a List of Values button.....	3
Sort information.....	4
3 Foundation Data.....	5
Organizational Hierarchy.....	5
Create the organizational hierarchy.....	5
Set up channels.....	10
Maintain locations.....	11
Stores.....	18
Warehouses.....	38
Define location traits.....	47
Set up location lists.....	52
Maintain location attributes.....	63
Merchandise Hierarchy.....	66
Create merchandise hierarchy.....	66
Set up merchandise hierarchy defaults.....	83
Set up merchandisers.....	85
Maintain value added taxes (VAT).....	89
Maintain user defined attributes.....	96
Maintain item lists.....	108
Maintain item attributes.....	115

Suppliers.....	119
Define supplier traits.....	119
Maintain suppliers.....	124
Maintain supplier attributes.....	148
Maintain partners	151
4 Item Maintenance.....	157
Set up diffs	157
Set Up Diffs.....	157
Add a Diff	157
Diff Group Maintenance Window [diffgrp].....	159
Diff Group Maintenance Detail Window [diffgrpd].....	159
Add a Diff Group.....	159
Add a Diff Type	161
Maintain Diffs.....	162
Copy a Diff Range.....	163
Maintain Diff Types.....	164
Maintain Diff Groups	165
Maintain Diff Ranges.....	167
Create a Diff Range.....	168
Diff Ratio Head Window [dfrthead]	168
Diff Ratio Detail Maintenance Window [dfrtdetl]	168
Diff Ratio Find Window [dfrtfnd]	168
Create a Diff Ratio.....	169
Maintain Diff Ratios	170
Copy a Diff Ratio	171
Search for a Diff Ratio	171
Like Diff Ratio Window [dfrthead]	172
Create a Pack Template.....	172
Diff ID Maintenance Window [diffid]	173
Diff Range Maintenance Window [diffrng]	173
Create a Two Level Item with Diffs.....	173
Diff Type Maintenance Window [difftype].....	175
Diff Distribution Error Summary Window [distlist]	175
Distribution Diff Apply Window [distdiff].....	175
Like Range Selection Window [diffrng]	176
Add a Child or Diff to a Transportation Record for a Purchase Order	176
Define item/location traits	176
Define Item/Location Traits.....	176
Change Item Traits for a Location	176
Change Item Traits for Multiple Locations	177

Create items	178
Create Items	178
Create Like Item Window [itemfind]	179
Maintain an Item	180
Copy an Item	182
Quick Item Entry Window [itemadd]	182
Create an Item Using Quick Item Entry	183
Item Search Window [itemfind]	184
Update Record Status Window [itemchildren]	184
Item Attributes Window [itemattr]	184
Update Record Status Window [itemdiffchildren]	184
Item Retail Price by Zone Window [itemretail]	185
Item Expense Maintenance Window [itemexp]	185
Item Orders Window [itemords]	185
Item Grocery Attributes Window [itemmaster]	185
Item HTS Maintenance Window [itemhts]	185
Item Eligible Tariff Treatment Window [itelitar]	185
Item Number Find Window [fm_itemnumtype]	185
Item Import Attributes Window [itemimpattr]	185
Item Location Window [itemloc]	186
Item Location Traits Window [itemloctrain]	186
Item Location Inventory Window [itlocinv]	186
Item Number List Window [fm_itemnumtype]	187
Item Up Charges Window [itemchrg]	187
Item Upcharge Details Window	187
RCOM Item Attributes Window	187
Item Approval Error Window [itemaper]	187
Maintain Supplier Information for an Item	188
Edit Locations at the Item, Supplier, Origin Country Level	189
Search for an Item by Reference Item or VPN	190
Create a One Level Item	191
Create a Two Level Item without Diffs	192
Create a Three Level Item	193
Create a Transformable Item	193
Create a Deposit Item	195
Create a Concession/Consignment Item	197
Maintain an Origin Country for a Supplier of an Item	197
Return a Submitted Item to Worksheet Status	198
Items Not Added to TPG Window [slnadd]	198
Image View Window [image]	198
Add an Image for an Item	199
Add Locations for an Item	200
Delete an Image for an Item	201

Add RCOM Details to an Item.....	201
Adjust the Average Cost of an Item at a Specified Location.....	201
Edit a Location Associated with an Item	202
Create a Shopping List	202
Define Yield Details for a Sellable Item	203
Delete a Required Document from an Item	203
Delete a Tariff Treatment at the Item Level.....	204
Unavailable Inventory Window [unavlinv].....	204
Edit Attributes for Multiple Locations by Item	205
Edit Replenishment Attributes for an Item or Item List.....	205
Maintain a Unit of Measure for the Supplier of an Item	207
Item VAT Rate - Mass Change Window [mcvatrat]	208
Zone Locations Window [itemretail]	208
Item list.....	208
Substitutes.....	213
Packs	216
EDI	230
Seasons/phases.....	238
Tickets.....	245
UDAs	247
Brackets	251
Item approval process	252
Item Approval Process.....	252
Submit an Item for Approval.....	252
Submit a Child Item for Approval.....	253
Approve an Item	254
Approve List Children	255
Reclassify items	256
Reclassify Items.....	256
Create a Reclassification Event for an Item	257
Create a Reclassification Event for an Item List	258
Search for a Pending Merchandise Hierarchy Change.....	259
Edit the Pending Merchandise Hierarchy	259
Reclassify Item Window [mcmrhier]	259
Delete a Reclassification Event.....	260
Delete an Item from a Reclassification Event.....	260

5 Purchasing	261
Purchase Orders	261
Set up buyers	261
Maintain open to buy amounts	261
Auto generate purchase orders	265
Work orders	267
Packs	270
Manually create a purchase order	273
Add items to a purchase order	305
Distribute a purchase order	306
Purchase order approval process	313
6 Contracts	315
Create contracts	315
Create Contracts	315
Contract Header Window [cntrhead]	316
Create a Type A Contract	316
Create a Type B Contract	320
Create a Type C Contract	324
Create a Type D Contract	325
Edit a Contract	326
Add an Item to a Contract	327
Delete an Item from a Contract	328
Search for a Contract	328
Copy a Contract	328
Print a Contract	329
Contract Cost Maintenance Window [cntrcost]	329
Contract Cost Filter Window [cntrcost]	329
Contract Cost History Window [costhist]	329
List of POs by Contract Window [ordlist]	329
Contracted Items to be Ordered Window [orditem]	329
Contracted Items Order Locations Window [contlocs]	329
Contract Search Window [cntrfind]	330
Contract Header - Dates Window [cntrhead]	330
Contract Parent/Diff Summary Window [ctrscsum]	330
Date Distribution Window [datedist]	330
Distribute Items on a Contract by Commitment Date	330
Distribute Items on a Contract by Location	331
Edit the Quantity Records on a Contract	333
Edit the Status of a Purchase Order Raised Against a Contract	333
Edit the Unit Cost of Items on a Contract	334
Contract Distribution Window [cntrdist]	334
Contract Distribution Filter Window [cntrdist]	334

Contract Detail Filter Window [cntrdetl]	335
Contract Details Maintenance Window [cntrdetl]	335
Filter Item Distribution Records on a Contract.....	335
Filter Quantity Records on a Contract	336
Contract approval process.....	338
Contract Approval Process.....	338
Submit a Contract for Approval	338
Approve a Contract	338
Complete a Contract.....	339
Cancel a Contract.....	339
Reinstate a Cancelled Contract	339
Unapprove a Contract.....	339
7 Complex Deals	341
Create deals.....	341
Create Deals.....	341
Add Deal Item/Location Window [dealmain].....	342
Deal Maintenance Window [dealmain].....	343
Create a Deal.....	345
View Deals for an Item on a Purchase Order.....	347
Delete a Deal.....	348
Search for a Deal	349
Add Deal Components.....	350
Maintain the Components of a Deal.....	351
Add Bill Back Information to a Deal	352
Maintain the Item/Locations of a Deal.....	353
Maintain the Thresholds of a Deal	354
Add Financial Information to a Deal	354
Add Item/Locations to the Deal.....	355
Add Proofs of Performance Definitions.....	355
Add Proofs of Performance Fulfillment Information	357
Create a PO-Specific Deal	357
Deal Promotions Window [dealprom].....	358
Value Added Tax [fixdeal]	358
Define Expected Deal Income	358
Deal Find Window [dealfind]	360
Deal Pass Through Window [dlpsthr].....	360
Edit a Deal Pass Through.....	360
Deal Performance Window [dealperf].....	361
Proofs of Performance Terms Definition Window [poptermsdef].....	361
Maintain Proof of Performance Definitions	361
POP Terms Fulfillment Window [poptermsfulfill]	362

Fixed deals	363
Fixed Deals Window [fixdeal].....	363
Create a Fixed Deal.....	363
Maintain a Fixed Deal	366
Add a Promotion to a Fixed Deal	367
Maintain Promotions for a Fixed Deal.....	367
Fixed Merchandise Window [fixmerch]	368
Fixed Merchandise Locations Window [fixmerch]	368
Deals approval process	368
Deals Approval Process	368
Submit a Deal	368
Approve a Deal	369
Close a Deal	369
Reject a Deal.....	369
8 Cost Management	371
Set up cost changes	371
Set Up Cost Changes	371
Add a Cost Change Reason	371
Add a Cost Zone Group.....	373
Maintain Competitive Pricing Information.....	374
Set up estimated landed costs	375
Set Up Expenses	375
Define a Computation Value Base.....	375
Define an Assessment	376
Define an Expense.....	377
Set up outside locations.....	378
Set Up Outside Locations	378
Create an Outside Location	379
Set up up charges	380
Set Up Up Charges	380
Add an Up Charge to an Item.....	380
Add an Up Charge to Items on an Item List	382
Add Up Charges to Items in a Department	382
Adjust the Unit Costs of an Item Received by Order.....	384
Confirm Performance of Service.....	385

Create a cost change	385
Create a Cost Change	385
Create a Cost Change	386
Edit a Cost Change	388
Delete a Cost Change	389
Search for a Cost Change	390
Edit a Cost Change Reason.....	391
Accept Cost Changes Received Via EDI	393
Delete a Cost Component from a Non-Merchandise Code	394
Add a Cost Component for a Non-Merchandise Code	395
Cost change approval process.....	395
Cost Change Approval Process.....	395
Submit a Cost Change for Approval.....	396
Approve a Cost Change.....	396
Reject a Submitted Cost Change.....	397
Cancel an Approved Cost Change	397
9 Inventory Control.....	399
Shipping	399
Maintain shipment schedules	399
Transfers.....	432
Set up transfers.....	432
Create transfers	433
Create transfers with finishing.....	441
Transfer approval process	444
Mass Returns Transfer.....	445
Create mass return transfers	445
Maintain return to vendor (RTV) shipments	449
Mass returns approval process	453
Inventory adjustments.....	455
Set up inventory adjustments.....	455
Adjust inventory	456
Wholesale/Franchise.....	459
Wholesale and Franchise Orders Window [wforder].....	459
View a Wholesale Stock Order Transfer	459
Distribute Items in a Wholesale/Franchise Order Window [wforder].....	459
Bill to Address Window [wforder].....	459
Set Bill to Address.....	459
Edit Wholesale Franchise Orders	460
Wholesale and Franchise Returns window [wfreturns].....	460
Create Wholesale Franchise Returns.....	460
Edit Wholesale and Franchise Returns	461
Wholesale Franchise Orders and Returns Search window [wfordretfind].....	461

Wholesale Franchise Customer Group Maintenance Window [wfcustomergroup]	461
Wholesale Franchise Customer Maintenance Window [wfcustomer]	461
Edit Wholesale Franchise Customers	462
Search for a Wholesale Franchise Order/Return	462
Distribute a Wholesale Franchise Item	463
Wholesale Stock Order Transfers Window [wfordtsf]	463
Create Wholesale Franchise Order	463
Create Wholesale Franchise Order	463
Edit the Wholesale Cost Relationship Maintenance window	464
Wholesale Franchise Customer Store Window [wfstore]	464
Wholesale Cost Relationship Maintenance Window [costdburel]	465
Item Cost Details Window [wforder]	465
10 Replenishment	467
Set up investment buy parameters	467
Set Up Investment Buy Parameters	467
Add Inventory Management Constraints to a PO at the Order, Item, or Location Level	467
Add Inventory Management Information for a Supplier	470
Add Investment Buy Attributes to a Warehouse	472
Set up replenishment parameters	472
Set Up Replenishment Parameters	472
Add a Delivery Schedule at the Store or Warehouse Level	473
Add a Delivery Schedule for a Supplier	474
Add Inventory Management Constraints to a PO at the Order, Item, or Location Level	475
Add Inventory Management Constraints to a Supplier	478
Add Inventory Management Information for a Supplier	481
Apply replenishment to an item	483
Apply Replenishment to an Item	483
Master Replenishment Attributes Window [replattr]	484
Replenishment Attribute View Window [rplattrv]	484
Add Replenishment Attributes to an Item or Item List	485
Replenishment Attribute Maintenance Window [replattr]	487
Search for Scheduled Replenishment Attributes	487
Add a Substitute Item for an Item on Replenishment	488
Scheduled Replenishment Update Find Window [schrplfind]	488
Review Items on Replenishment	489
Replenishment Results Detail - Costs Window [rplrsltd]	490
Replenishment Results Detail - Forecast Window [rplrsltd]	490
Replenishment Results Detail - Inventory Window [rplrsltd]	490
Replenishment Results Detail - Dates Window [rplrsltd]	490
Replenishment Results Detail Window [rplrsltd]	490

Replenishment Results List Window [rplrsltl]	490
Review recommended order quantities.....	491
Review Recommended Order Quantities.....	491
Create a PO from a Buyer Worksheet	491
Add an Item to the Buyer Worksheet	492
Add an Item to an Existing PO from the Buyer Worksheet.....	492
Filter the Buyer Worksheet.....	492
Split an order by truckload	493
Split an Order by Truckload.....	493
Add Inventory Management Information for a Supplier.....	493
Create a Truck Split at the Order Level	495
11 Financial Management	497
Maintain budgets	497
Maintain Budgets.....	497
Monthly Budget Window [deptbud]	497
Edit a Budget by the Month	497
View Monthly Budget Window [deptbudv].....	498
Edit a Budget by the Half.....	498
Edit an Obligation.....	498
Actual Landed Cost Header Window [alchead]	499
ALC Component Information Window [alcomp]	499
ALC Component Location Information Window [alcomp].....	499
ALC Order Find Window [alcofind].....	499
ALC Order Finalize Window [alcordfn].....	499
ALC Selection Window [alcfind].....	500
Average Cost Adjustment Window [avcstadj]	500
CVB Details Window [cvbmaint]	500
CVB Maintenance Window [cvbmaint].....	500
Transaction Data Detail Window [trandata].....	500
Transaction Data Window [trandata]	500
Error Information Window [iferrors].....	500
Half Budget Information Window [rinvbud]	501
Locations Maintenance Window [oblmain]	501
Obligation Search Window [oblfind]	501
Obligation Maintenance Window [oblmain]	501
Order Item Information Window [alchead].....	501
OTB Budget Maintenance Window [otbbudg].....	502
OTB Forward Limits Maintenance Window [otbfwd]	502
Service Confirmation by Store Window [svcconf]	502
Cost Change Search Window [ccfind]	502
Shipment Detail Window [alchead]	502

Stock Ledger	502
Maintain stock counts	502
Maintain the stock ledger	507
Maintain general ledger cross reference	510
Multiple Set of Books.....	511
Transfer Entity Window - Set of Books [tsfsobs].....	511
Associate a Set of Books with a Transfer Entity.....	511
Sales Taxes	512
Set up sales taxes.....	512
Associate geocodes with a store or tax code	518
Associate tax codes with a merchandise hierarchy	521
12 User Tools	531
Timelines	531
Define a timeline step.....	531
Define a timeline	531
Associate a timeline with an activity.....	539
Document Maintenance	542
Maintain documents.....	542
Associate a document with a RMS element	543
Maintain tickets and labels	545
Maintain Tickets and Labels.....	545
Ticket Items Window [ticket].....	546
Add Ticket Types.....	546
Request Manual Ticketing Window [rqsttckt].....	546
Request Tickets or Labels.....	547
Ticket Types Window [ticket]	547
Edit Ticket Types for an Item	548
Edit Ticket Types for Multiple Items.....	548
13 System Administration.....	551
Maintain system parameters	551
Maintain System Parameters.....	551
Batch	553
Buyers.....	554
Competitors	555
Cost	559
Main menu.....	562
Reports	567
System parameters.....	567
Touch button	574
VAT.....	578
Channel Maintenance Window [channel]	579
Maintain a Channel	579

Banner Maintenance Window [banner].....	579
Maintain a Banner.....	579
Add Item Window [buyerwksht]	580
Unit of Measure Window [uom].....	580
Country Maintenance Window [country]	580
Country Tariff Treatment Window [cnttartr]	580
Like Description Window [tl_shdw].....	580
Maintain an Outside Location.....	580
Store Format Maintenance Window [storefmt]	581
Supplier Availability for Items.....	581
Maintain an Expense Profile for a Country	581
Maintain an Expense Profile for a Supplier.....	582
Freight Size Window [frtsize]	583
Freight Type Window [frttype].....	583
Partner Org Unit window [supporg]	583
Half Window [half].....	583
Inventory Adjustment Reason Code Maintenance Window [rsninvad].....	583
Edit a Non-Merchandise Code.....	584
Non-Merchandise Codes Maintenance Window [nonmerch]	584
Invoicing Attributes Window [partner].....	584
Locations Window [costzone].....	584
Delete a Required Document from a Country	584
Multisearch Editor Window [mfind45]	584
Multiview Edit Window [medit45]	585
Search for a Column on a Multi-View	585
Transfer Work Order - Activity Setup Window [woactivity].....	585
Search for a Product Restriction Configuration.....	585
Search for a Money Order Configuration.....	586
Outside Locations Window [outlocs].....	586
Partner Find Window [partfind].....	586
Partner Maintenance Window [partner]	586
Purchase Order List Window [buyerwksht].....	587
Spilt Supplier Window [buyerwksht]	587
Maintain System Security	587
Maintain System Security	587
Maintain System Security	587
Add a User.....	588
Edit a User.....	588
Add a User Role	589
Edit a User Role.....	589
User Role Privileges Window [rolepriv].....	589
Delete a User Role.....	589
User Attributes Window [usrattr]	589

Security User/Group Link Window [susrgp]	590
Add LOV Restrictions to a User Group	590
Edit LOV Restrictions to a User Group	590
Add a Security Group	591
Add Location Security by Group	591
Edit Location Security by Group	591
Edit a Security Group	592
Add User and Security Group Links	592
Edit User and Security Group Links	593
Security Group Maintenance Window [sgrpattr]	593
Edit a User Defined Attribute	593
Location Security Matrix Window [slocmtrx]	593
Add a Regionality Relationship	594
Internationalize RMS	594
Internationalize RMS	594
Language Maintenance Window [lang]	596
Edit a Value in Multiple Languages	596
Currency Exchange Rates Window [currency]	596
Currency Exchange Type Mapping Window [currxref]	597
Currency Maintenance Window [currency]	597
Edit Currencies	597
Edit Currency Exchange Rates	597
Map Currency Exchange Types	598
Translation Maintenance Window [tl_shdw]	598
Language Translation Window [tl_lang]	598
Edit Translations in a Target Language	598
Edit Languages	599
Edit Countries	599
Add an Expense Profile for a Country	599
POS Configuration	600
Create point of sale configurations	600
Maintain items associated with point of sale configurations	608
Glossary	623
Acronyms	663
Index	673

Preface

The Oracle Retail Merchandising System User Guide describes the application's user interface and how to navigate through it.

Audience

This document is intended for the users and administrators of Oracle Retail Merchandising System. This may include merchandisers, buyers, and business analysts.

Related Documents

For more information, see the following documents in the Oracle Retail Merchandising System Release 13.0.1 documentation set:

- Oracle Retail Merchandising System Release Notes
- Oracle Retail Merchandising System Data Model
- Oracle Retail Merchandising System Online Help
- Oracle Retail Merchandising System Operations Guide (Volumes 1, 2, and 3)
- Oracle Retail Sales Audit User Guide
- Oracle Retail Trade Management User Guide

Oracle Retail Merchandising Batch Schedule Customer Support

<https://metalink.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Review Patch Documentation

For a base release (".0" release, such as 13.0), Oracle Retail strongly recommends that you read all patch documentation before you begin installation procedures. Patch documentation can contain critical information related to the base release, based on new information and code changes that have been made since the base release.

Oracle Retail Documentation on the Oracle Technology Network

In addition to being packaged with each product release (on the base or patch level), all Oracle Retail documentation is available on the following Web site:

http://www.oracle.com/technology/documentation/oracle_retail.html

Documentation should be available on this Web site within a month after a product release. Note that documentation is always available with the packaged code on the release date.

Conventions

Navigate: This is a navigate statement. It tells you how to get to the start of the procedure and ends with a screen shot of the starting point and the statement “the Window Name window opens.”

Note: This is a note. It is used to call out information that is important, but not necessarily part of the procedure.

This is a code sample
It is used to display examples of code

A hyperlink appears like this.

Use the Online Help

Welcome to the online help for Oracle Retail Merchandising System.

Introduction

This help system provides step-by-step procedures as well as other information about using Oracle Retail Merchandising System. This page explains how to use the help system.

Know the Styles

Select the icons below to view the information provided with these icons.

Note: Notes contain additional information about the process or procedure that you are performing.

Navigate: The navigation sections of a procedure provides information about how to access the window that is the starting point of a procedure.

Navigate the Online Help

This help system provides several ways for you to navigate to your topic.

Use the Table of Contents

The table of contents is the most common way that you will navigate to your topic.

1. Select the Contents tab to display the table of contents on the left side of your screen.
2. Select the + sign in front of a book to expand it and view the topics.
3. Select a topic from the table of contents to view it.

Use the Search Feature

Use the search feature to explore the contents of your topics and find matches to queries that you define. There are some basic rules for making queries in full-text searches.

You can type your search in uppercase or lowercase characters. Searches are not case sensitive.

You can search for any combination of letters (a-z) and numbers (0-9).

Punctuation marks such as the period, colon, semicolon, comma, and hyphen are ignored during a search.

Group the elements of your search using double quotes or parentheses.

You cannot search for quotation marks.

Follow this procedure to use the search feature.

1. Select the Search tab to display the search feature on the left side of your screen.
2. In the Search field, enter the word or words that you want to find.
3. Press the Enter key. Topics that match your search criteria display in the left pane.
4. Select a topic to view it.

Use the Glossary

The glossary provides a collection of defined terms. To access a complete list of glossary terms:

1. Select the Contents tab to display the table of contents on the left side of your screen.
2. Select the glossary topic.

Navigate RMS

This section describes how to navigate within RMS.

The following topics are included:

- Instructions to log on to and exit RMS
- Instructions to navigate within a window
- Instructions to sort and filter columns

Log on to and exit RMS

Note: The way that you access RMS depends on how the system is set up at your location. Contact your system administrator for instructions. After you have started RMS, you are prompted to log on to the system.

Log on to RMS

1. On the Login window, enter your user name in the Username field.
2. In the Password field, enter your password.
3. In the Connect String field, enter the connect string for the application.
4. Click **Logon**. The Oracle Retail Enterprise Start window opens.

Exit RMS

1. From the Action menu, select Close.
2. Select Close until the application closes.

Navigate within a window

Use a drop-down list

Some fields can accept values only from a predefined list of options. Such fields have a down arrow  button on the right side of the field.

1. Click the down arrow  button. A drop-down list of options displays.
2. Select a value from the drop-down list. The selected option is entered in the appropriate field.

Use a List of Values button

The List of Values  button is found to the right of a field. The button displays all defined values or options available for the field. The List of Values button is often referred to as a LOV button.

Security in lists of value

Lists of values for items and locations are limited by the security levels assigned to your user group. Other types of lists of values, such as supplier LOVs, are not limited by security levels.

1. Click the LOV  button. A list of options opens.

Note: The list of values is empty if no values are defined for the list.

2. Select an option from the list.
3. Click **OK**. The selected option is entered in the appropriate field.

Note: You may also double click on an option in the list to populate a field.

Sort information

Many windows use column headings that are also buttons. Column heading buttons are used to sort table data.

1. To sort the list, click any column heading button. You can only sort by one column at a time.
2. To reverse the current sort order, click the same column heading button again.

Foundation Data

Organizational Hierarchy

Create the organizational hierarchy

Organizational Hierarchy Overview

The organizational hierarchy allows you to create the relationships that are necessary in order to support the operational structure of a company. You can create a preferred organizational structure to support consolidated reporting at various levels of the company. Also, you can assign responsibility for any level of the hierarchy to a person or persons in order to satisfy internal reporting requirements.

The following default levels are used within RMS:

- **Company:** The highest organizational and merchandise unit defined in RMS. Only one company can be defined.
- **Chain:** The first level below the company level in the organizational hierarchy. The definition of a chain is based on the needs of the company, but a chain can be used to group various store formats, concepts, and geographical locations within the organization.
- **Area:** The second level below the company level in the organizational hierarchy. The definition of an area is based on the needs of the company, but an area is used typically to define a geographical group within the organization. An area can belong to only one chain.
- **Region:** The third level below the company level in the organizational hierarchy. The definition of a region is based on the needs of the company, but a region can be used to group geographical locations within the organization. A region can belong to only one area.
- **District:** The fourth level below the company level in the organizational hierarchy. The definition of a district is based on the needs of the company, but a district is used typically to group geographical locations within the organization. A district can belong to only one region.
- **Channel:** A channel grouping mechanism for a multi-channel environment. You can associate a channel with a location when you create or edit a store or virtual warehouse.


Organization Hierarchy Main Form Window [hierorg]

The Organization Hierarchy Main Form window allows you to create, edit, and view a member of the selected level of the organizational hierarchy.

Create a Chain

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Chain on the tree structure.
2. Click **New**. The Chain Maintenance window opens.



Chain Maintenance Window

3. Click **Add**.
4. On the next available line, enter a unique number in the Chain field.
5. In the Description field, enter the name for the chain.
6. In the Manager field, enter the name of the manager who is responsible for the chain.
7. In the Currency field, enter the currency code, or click the LOV  button and select the currency.
8. Click **OK** to save your changes and close the window.

Create an Area

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Area on the tree structure and click **New**. The Area Maintenance window opens.

The screenshot shows the 'Area Maintenance' window with a table of area records. The table has columns for Area, Description, Manager, Currency, Chain, and Description. The records are as follows:

Area	Description	Manager	Currency	Chain	Description
1000	US - Marketplace	Kelly Grubb	USD	1000	The Marketplace
1001	US - ValueMart	Raymond Pike	USD	1000	The Marketplace
1002	Australia-AussieMart	Raymond Pike	AUD	1002	AussieMart
1003	Canada - Outpost	Kelly Grubb	CAD	1003	Outpost-A.detachment of tr
1004	Arun's Area of Merchandise - Mir Arun Nethala		USD	1004	Arun's Chain of Merchandis
1005	Practice Area	Testing	USD	1005	Practice Chain
4444	Euro Area	Testing	EUR	4444	Euro Chain
5185	DT Area 1	DTsuyo	JPY	5185	DT Chain
5555	Pound Area	Testing	GBP	5555	Pound Chain
6666	Russia Area	Testing	RUR	6666	Russia Chain

At the bottom of the window, there are buttons for 'OK', 'Delete', and 'Cancel'.

Area Maintenance Window

2. Click **Add**.
3. On the next available line, enter a unique number in the Area field.
4. In the Description field, enter the name for the area.
5. In the Manager field, enter the name of the manager who is responsible for the area.
6. In the Currency field, enter the currency code, or click the LOV  button and select the currency.
7. In the Chain field, enter the ID of the chain that is associated with the area, or click the LOV  button and select the chain.
8. Click **OK** to save your changes and close the window.

Create a Region

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Region on the tree structure.
2. Click **New**. The Region Maintenance window opens.

Region	Description	Currency	Manager	Area	Description
1000	Northeast	USD	Steve Johnson	1000	US - Marketplace
1001	Southeast	USD	Wendy Huber	1000	US - Marketplace
1002	Midwest	USD	Heidi Lewis	1000	US - Marketplace
1003	Northwest	USD	Sarah Larson	1000	US - Marketplace
1004	Southwest	USD	Jason Vork	1000	US - Marketplace
1005	Northeast	USD	Kim Anderson	1001	US - ValueMart
1006	Southeast	USD	Bob Meier	1001	US - ValueMart
1007	Midwest	USD	Caroline Carlson	1001	US - ValueMart
1008	Australia	AUD	Caroline Carlson	1002	Australia-AussieMart
1009	Canada	CAD	Bob Meier	1003	Canada - Outpost
1111	India	INR	Puneet Saxena	222222222	Keiths Area
2005	Practice Region	USD	Testing	1005	Practice Area
2211	Hong region1		No Mgr Name	5555	Pound Area
4444	Euro Region	EUR	Testing	4444	Euro Area
5185	Test Region	JPY	Dtsuyo	5185	DT Area 1
5555	Pound Region	GBP	Testing	5555	Pound Area
6211	Hong region6211	USD	No body	6666	Russia Area
6666	Russia Region	RUR	Testing	6666	Russia Area

Region Maintenance Window

3. Click **Add**.
4. On the next available line, enter a unique number in the Region field.
5. In the Description field, enter the name for the region.
6. In the Currency field, enter the currency code, or click the LOV  button and select the currency.
7. In the Manager field, enter the name of the manager who is responsible for the region.
8. In the Area field, enter the ID of the area that is associated with the region, or click the LOV  button and select the area.
9. Click **OK** to save your changes and close the window.

Create a District

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select District on the tree structure and click **New**. The District Maintenance window opens.



District Maintenance Window

2. Click **Add**.
3. On the next available line, enter a unique number in the District field.
4. In the Description field, enter the name for the district.
5. In the Currency field, enter the currency code, or click the LOV  button and select the currency.
6. In the Manager field, enter the name of the manager who is responsible for the district.
7. In the Region field, enter the ID of the region associated with the district, or click the LOV  button and select the region.
8. Click **OK** to save your changes and close the window.

Set up channels


Set Up Channels

In a multi-channel environment, you can set up the channels by which inventory and profitability is to be tracked. When adding a store, you associate the store with a channel. A store may be either a stockholding location, such as a brick-and-mortar location, or a non-stockholding location, such as a web site or catalog.

A physical warehouse must be divided into one or more virtual warehouses. Each virtual warehouse is associated with a channel. To better track the movement of goods by channel, warehouses are restricted to providing goods for stores that are members of the same channel. The physical warehouse is considered a non-stockholding location. The virtual warehouses within the physical warehouse are considered stockholding locations.

Add a Banner

Navigate: From the main menu, select Control > Setup > Banner> Edit. The Banner Maintenance window opens.



Banner Maintenance Window

1. Click **Add**. The next available line is enabled.
2. Enter a unique ID for the new banner.
3. Enter a description for the Banner ID.
4. Click **OK** to save your changes and close the window.

Add a Channel

Navigate: From the main menu, select Control > Setup > Channels > Edit. The Channel Maintenance window opens.

1. Click **Add**. The next available line is enabled.
2. In the Channel ID field, enter a unique ID for the channel.
3. In the Description field, enter the description of the channel.
4. In the Channel Type field, select the type of channel.
5. In the Banner ID field, enter a valid banner ID number, or click the LOV  button and select a banner.
6. Click **OK** to save your changes and close the window.

Maintain locations

Maintain Locations

A location is either a store or a warehouse. The store is usually the physical retail outlet. The store is critical because it is the level at which business transactions are processed. These transactions include sales, receipts, adjustments, and cycle counts. A store can belong to only one district. You can create store formats to help store set up, and you can create store grades to group like stores. In a multi-channel environment, you must associate a channel with the store.

The warehouse is the physical storage, cross-dock, or distribution facility. A warehouse has all of the transaction capability of a store, except for sales and price changes. You can specify at which organizational level the warehouse is to be reported. In a multi-channel environment, you partition a physical warehouse into one or more virtual warehouses. Each virtual warehouse is associated with a channel. At least one of the virtual warehouses must be a replenishable location.

Dynamic Hierarchy Window [dynhier]

The Dynamic Hierarchy window allows you to customize the names of elements in the merchandise, organizational, and supplier hierarchies. The customized labels supersede the default labels throughout the system.

Note: Although you can enter up to 30 characters for a client name, the full 30 characters may not be displayed on most forms. It is recommended that you do not exceed 15 characters for a client name. To display the remaining characters requires customization.

Add an Organizational Unit

Navigate: From the main menu, select Control > Setup > Org Unit > Edit. The Organizational Unit window opens.

1. Click **Add**. The next line on the table enables.
2. In the Org Unit ID field, enter the ID of the organizational unit you are adding.
3. In the Org Unit Name field, enter the name of the organizational unit you are adding.
4. Click **OK** to save any changes and close the window.

Maintain an Area

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

- Select Area on the tree structure and click **Edit**. The Area Maintenance window opens.

Edit an area

1. Edit the Area Description, Manager, Currency, and Chain fields as necessary.
2. Click **OK** to save your changes and close the window.

Delete an area

1. Select a record and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Maintain a Region

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

- Select Region on the tree structure and click **Edit**. The Region Maintenance window opens.

Edit a region

1. Edit the enabled fields as necessary.
2. Click **OK** to save your changes and close the window.

Delete a region

1. Select a record and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Chain Maintenance Window [chain]

The Chain Maintenance window allows you to create, edit, view, and delete a chain in the organizational hierarchy. A chain is below the company and above the area in the organizational hierarchy. You can use the chain level to define a variety of store formats, concepts, or geographical groupings.

Maintain a Chain

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

- Select Chain on the tree structure and click **Edit**. The Chain Maintenance window opens.



Chain Maintenance Window

Edit a chain

1. Edit the Description, Manager, and Currency fields as necessary.
2. Click **OK** to save your changes and close the window.

Delete a chain

1. Select a record and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Company Maintenance Window [company]

The Company Maintenance window allows you to edit and view the name and address of the company. In both the organizational and merchandise hierarchy, the company is the highest level. There can be only one company.

Edit a Company

Navigate: From the main menu, select Action > Organizational Hierarchy or Action > Merchandise Hierarchy.

1. Click **Edit**. The Company Maintenance window opens.



Company Maintenance (company)

Company: 1

Name: Large Retailers Ltd

Address: 801 Nicollet Mall

City: Minneapolis

State: MN (Minnesota)

Postal Code: 55402

Country: US (United States)

OK Cancel

Company Maintenance Window

2. Edit the enabled fields as necessary
3. Click **OK** to save your changes and close the window.

Address Window [addr]

The Address window allows you to add, edit, or view multiple addresses and contact information for either stores, warehouses, suppliers, or partners. You can set up multiple address per address type. Each location or vendor that is added requires that a mandatory address is added. Once you have entered a mandatory address, you cannot delete it. However, you can edit the mandatory address to maintain the correct address. Address types are defined as mandatory and/or permanent in the database.

Oracle Financials

If your organization uses Oracle Financials 11.5.10 or later, you cannot create order or remittance addresses for suppliers in RMS. When you maintain an order or remittance addresses for a supplier, you can only update the contact information. Additional address information is stored in Oracle Financials.

Maintain an Address for a Vendor

Navigate: Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

OR

Search for and retrieve a partner in Edit mode. The Partner Maintenance window opens.

Note: If your organization uses Oracle Financials, version 11.5.10 or later, you can only update the contact information in RMS for order and remittance addresses. Address information must be maintained in Oracle Financials, version 11.5.10 or later.

1. From the Options menu, select Address. The Address window opens.

The screenshot shows the Oracle Address window. At the top, there are fields for Partner (1212), Partner Type (S3), and Wholesaler. Below this is a table with columns: Address Type, Address, City, State, Postal Code, and Country. The table contains three rows of data for address type 01, 02, and 05, all pointing to '1212 Wholesaler' in 'New York, NY, 10019, US'. Below the table is a detailed form for editing an address. The form includes fields for Address Type (01 Business), Address (1212 Wholesaler, abc street), City (New York), State (NY), Postal Code (10019), and Country (US). There are checkboxes for Primary Address Type and Mandatory Address Type. A 'Primary Address' checkbox is checked. To the right, there is a Contact section with fields for Name, Phone, Fax, Pager, and Email, and buttons for Apply, Add, and Delete. At the bottom, there are buttons for OK, Org Unit, and Cancel.

Address Type	Address	City	State	Postal Code	Country
01	1212 Wholesaler	New York	NY	10019	US
02	1212 Wholesaler	New York	NY	10019	US
05	1212 Wholesaler	New York	NY	10019	US

Address Window

2. Select the address you want to update.

In the address area, enter the necessary address information.

If the address is the primary address for an address type, select the Primary Address check box.

Note: The Primary Address check box is only available if you are adding more than one address to an address type.

In the contact area, enter the necessary contact information.

To view the organizational unit assigned to the address type for the supplier:

- a. Click **Org Unit**. The Partner Org Unit window opens.

The screenshot shows a software window titled "Partner Org Unit (supporg)". At the top, there are standard window controls. Below the title bar, there are several icons. The main content area has a "Partner Type" dropdown menu set to "Supplier". Below that is a "Partner" field containing the text "2345670000" and "David Fashion Creations". In the center, there is a table with two columns: "Org Unit ID" and "Description". The table is currently empty. At the bottom of the window, there is an "Org Unit ID" field, an "Apply" button, a "Delete" button, and three buttons: "OK", "Add", and "Cancel".

Partner Org Unit window

- b. Click **OK** to close the window.

Click **Apply**. The address information is updated.

Click **OK** to close the window and save any changes.

Maintain a Location's Address

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Store or Warehouse on the tree structure. The locations appear in the table.
2. Select a store or warehouse and click **Edit**. The Store Maintenance window or Warehouse Maintenance window opens.
3. Click Address. The Address window opens.

Edit an address

1. Select the address you want to maintain.
2. Edit the address and contact information.
3. Click **Apply**.
4. Click **OK** to save any changes and close the window.

Delete an address

1. Select the address you want to delete.
2. Click **Delete**. The address is removed from the table.
3. Click **OK** to save any changes and close the window.

District Maintenance Window [district]

The District Maintenance window allows you to create, edit, view, and delete a district in the organizational hierarchy. A district is below the region and above the store in the organizational hierarchy. Typically, the district is used to define a geographical grouping within the organization. A district can belong to only one region within the organizational hierarchy.

You can associate location traits with a district. Location traits that are applied to a district are applied automatically to the stores within the district.

Districts Associated with Trait Window [disttrm]

The Districts Associated with Trait window allows you to add, edit, and view the districts associated with a location trait. When you associate a trait with a district, the trait is applied automatically to the stores within the district. You can also delete districts from the trait. A trait can be deleted only at the level of the organizational hierarchy with which it was originally associated.

Maintain a District

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

- Select District on the tree structure and click **Edit**. The District Maintenance window opens.

District	Description	Currency	Manager	Region	Description
1000	New England	USD	Kari Bittner	1000	Northeast
1001	New York	USD	Todd Phillips	1000	Northeast
1002	Washington	USD	Robert Clinton	1000	Northeast
1003	Georgia	USD	Lisa Martin	1001	Southeast
1004	Carolinas	USD	Jesse Shrick	1001	Southeast
1005	Florida	USD	Beth James	1001	Southeast
1006	Dakotas	USD	Kevin Zollar	1002	Midwest
1007	Minnesota	USD	George Fisher	1002	Midwest
1008	Wisconsin	USD	Judy Drummond	1002	Midwest
1009	Heartland	USD	Keith Opal	1002	Midwest
1010	Washington	USD	Amy Harris	1003	Northwest
1011	Northern Calif. - Longer Des	USD	Joe Todd	1003	Northwest
1012	Rockies	USD	Alex Crawford	1003	Northwest
1013	Southern Calif.	USD	Bob Jacob	1004	Southwest
1014	Nevada	USD	Frank Hart	1004	Southwest
1015	Rio Grande	USD	Philip Marsh	1004	Southwest
1016	New England	USD	Kristi Gange	1005	Northeast

District Maintenance Window

Edit a district

1. Edit the enabled fields as necessary.
2. Click **OK** to save your changes and close the window.

Delete a district

1. Select a record and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Exceptions Window [srcdlexc]

The Exceptions window allows you to define exceptions to the delivery date of a supplier at a store or warehouse. You specify which items are not to be delivered to the location on a specific delivery day.

Stores

Store Maintenance Window [store]

The Store Maintenance window allows you to create, edit, and view a store in the organizational hierarchy. The store is the lowest level of the organizational hierarchy. The store may be defined as the selling entity. The store is crucial because it is the level at which business transactions are processed. A store can belong to only one district within the organizational hierarchy.

You can access additional windows in order to set up attributes, the square area of the store's departments, location traits, associations with competitors' stores, activity and delivery schedules, and geocodes.

If the Oracle Retail Sales Audit product is installed, you can add, edit, and view closing dates and the reasons for the current store.

Channels

In a multi-channel environment, you must associate a channel with the store. If you choose a default warehouse for the store, the store and warehouse must be associated with the same channel.

The channels are used in inventory and profitability tracking. A store may be either a stockholding location, such as a brick-and-mortar location, or a non-stockholding location, such as a web site or catalog.

Create a Store

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Store on the tree structure.
2. Click **New**. The Store Maintenance window opens.

Store Maintenance Window

3. In the Store Type field, select the store type.
4. In the Store fields, enter a unique ID and description for the store.
5. In the (10 chars) and (3 chars) fields, enter 10-character and 3-character abbreviations for the store.
6. In the Manager field, enter the name of the manager who is responsible for the store.
7. In the VAT Region field, enter the ID of the VAT region, or click the LOV  button and select the VAT region.
8. In the District field, enter the ID of the district, or click the LOV  button and select the district.
9. In the Store Open Date field, enter the date when the store opens, or click the calendar  button and select the date.
10. In the Start Order Days field, enter the number of days before the store opens that merchandise should be ordered.
11. In the Channel field, enter the ID of the channel to which the store belongs, or click the LOV  button and select the channel.

Note: The Channel field is enabled in a multi-channel environment.

12. In the Currency field, enter the currency code, or click the LOV  button and select the currency.
13. In the Language field, enter the language code, or click the LOV  button and select the language.


14. In the Transfer Entity field, enter the transfer entity ID, or click the LOV  button and select the transfer entity.

Note: This field is only available if your organization uses transfer entities.

15. In the Org Unit ID field, enter the org unit ID, or click the LOV  button and select the organizational unit.

Note: This field is only available if your organization uses Oracle Financials, version 11.5.10 or later.

16. Enter optional information in the remaining fields as necessary.
17. Add the address to the store.
18. To associate retail price and cost locations with the store:
 - a. Click **Zoning Locs**. The Zoning Locations window opens.



Zoning Locations Window

- b. In the Pricing Store field, enter the ID of the store with the base retail prices that you want to apply to the current store, or click the LOV  button and select the store.
 - c. In the Cost Location, select Store or Warehouse. Then enter the ID of the location with the base costs that you want to apply to the current store, or click the LOV  button and select the location.
 - d. Click **OK** to exit the Zoning Locations window.
19. Click **OK** to save your changes and close the window.

Maintain a Store

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Store on the tree structure. The stores appear in the table.
2. Select a store and click **Edit**. The Store Maintenance window opens.

Edit a store

1. Edit the enabled fields as necessary.
2. Add an address to a store.
3. Click **OK** to save your changes and close the window.

Delete a store

1. Click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Copy a Store

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Store on the tree structure and click **New**. The Store Maintenance window opens.

The screenshot shows the 'Store Maintenance Window' with the following fields and values:

- Store Type: Franchise
- Store: JT F store
- Manager: bill
- Phone Number: (empty)
- Fax Number: (empty)
- Email Address: (empty)
- VAT Region: 1000 (Vat Region 1000)
- District: 1000 (District 1)
- Transfer Zone: (empty)
- Store Format: (empty)
- Mall Name: (empty)
- Channel: 1 (Brick & Mortar)
- Default Warehouse: 101 (QA CAD virtual 1 B&M)
- Currency: USD (US Dollar)
- Language: 1 (English)
- DUNS Number: (empty)
- Sister Store: (empty)
- Transfer Entity: 1000 (Regular Stores)
- Org Unit ID: 1 (Org Unit 1)
- Customer ID: 1001 (F customer)
- Secondary Name: (empty)
- (10 chars): J1
- (3 chars): J1
- Total Area: (empty) Sq Ft
- Selling Area: (empty) Sq Ft
- Linear Distance: (empty) Feet
- Store Class: Class Stores X
- Store Open Date: 22-NOV-2007
- Start Order Days: 6
- Store Close Date: (empty)
- Stop Order Days: (empty)
- Acquired Date: (empty)
- Remodel Date: (empty)
- Unique Tran.No.By: None
- Integrated POS:
- Stockholding:
- POS Includes VAT?:
- Auto Approve Orders:

Buttons at the bottom: OK, OK + Repeat, Address, Delete, Zoning Locs, Walk Through, Cancel.

Store Maintenance Window

2. Enter information in the required fields: Store, (10 chars), (3 chars), Manager, VAT Region, District, Store Open Date, Start Order Days, Channel, Currency, Language, and Unique Tran. NO. By.
3. Enter information in the optional fields as necessary.
4. Add an address to a the store.

5. To enter the default retail price and cost zone information:
 - a. Click **Zoning Locs**. The Zoning Locations window opens.

Zoning Locations Window

- b. Enter the retail price and cost locations.
 - c. Click **OK** to exit the Zoning Locations window.
6. To copy the item assortment and other information from another store:
 - a. Click **Like Store**. The Like Store window opens.
 - b. In the Like Store field, enter the ID of the store to copy, or click the LOV  button and select the store.
 - c. To copy replenishment information, select the Copy Replenishment Information check box.
 - d. To copy delivery schedules, select the Copy Delivery Schedules check box.
 - e. To copy dates when the store is closed, select the Copy Activity Schedule check box.
 - f. Click **OK** to exit the Like Store window.
7. Click **OK** to save your changes and close the window.


Note: You may receive a notice indicating that the new information will be unavailable until the next batch process is run to add your changes to RMS.

Like Store Window [store]

The Like Store window allows you to create a store with the same assortment of items as another store. Also, you can choose to copy replenishment information, delivery schedules, and dates when closed from the existing store to the new store.

Add a Store Format

Navigate: From the main menu, select Control > Setup > Store Format > Edit. The Store Format Maintenance window opens.




Store Format Maintenance Window

1. Click **Add**.
2. On the next available line, enter a unique number in the Number field.
3. In the Description field, enter the description of the store format.
4. Click **OK** to save your changes and close the window.

Edit a Store Format

Navigate: From the main menu, select Control > Setup > Store Format > Edit. The Store Format Maintenance window opens.




Store Format Maintenance Window

1. In the Description field, edit the description of the format.
2. Click **OK** to save your changes and close the window.

Delete a Store Format

Navigate: From the main menu, select Control > Setup > Store Format > Edit. The Store Format Maintenance window opens.



Store Format Maintenance Window

1. Select a store format and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Geocodes Window [store]

The Geocodes window allows you to associate a geocode with a store. The geocode to which the store belongs determines which tax codes are applied to the items at the store. You can associate the store with a country geocode, a state geocode, a county geocode, a city geocode, or a district geocode.

Conflicting Stores Window [whstrasg]

The Conflicting Stores window allows you to view conflicting assignments. A conflict occurs when you attempt to assign stores to more than one warehouse with the same assignment date. A prompt warns you of the conflict at the time you enter the conflicting assignment.

Add a Store to a Department

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

1. Select Department on the tree structure. The departments appear in the table.
2. Select a department and click **Edit**. The Department Maintenance window opens.
3. From the Options menu, select Store/Department Area. The Store Department Square Footage Area window opens.

Store Department Square Footage Area (stdparea)

Store: 67 ffffffff

Department	Area	Effective Date
[List Icon]		[Date Icon]

Buttons: OK, Add, Delete, Cancel

Store Department Square Footage Area Window

4. Click **Add**.
5. On the next available line, enter the store ID in the Store field, or click the LOV  button and select the store.
6. In the Area field, enter the square area allotted at the store for the current department.
7. In the Effective Date field, enter the date when the square area of the department becomes effective at the store, or click the LOV  button and select the date.
8. Click **OK** to save your changes and close the window.

Add a Department to a Store

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Store on the tree structure. The stores appear in the table.
2. Select a store and click **Edit**. The Store Maintenance window opens.
3. Select Options > Store/Department Area. The Store Department Square Footage Area window opens.

Store Department Square Footage Area (stdparea)

Store: 67 ffffffff

Department	Area	Effective Date

Buttons: OK, Add, Delete, Cancel


Store Department Square Footage Area Window

4. Click **Add**.
5. On the next available line, enter the department ID in the Department field, or click the LOV  button and select the department.
6. In the Area field, enter the square area allotted to the department at the current store.
7. In the Effective Date field, enter the date when the square area of the department becomes effective, or click the LOV  button and select the date.
8. Click **OK** to save your changes and close the window.

Delete a Department from a Store

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Store on the tree structure. The stores appear in the table.
2. Select a store and click **Edit**. The Store Maintenance window opens.
3. From the Options menu, select Store/Department Area. The Store Department Square Footage Area window opens.



Store Department Square Footage Area Window

4. Select a department and click **Delete**.
5. When prompted to delete the record, click **Yes**.
6. Click **OK** to save your changes and close the window.

Store Grade Window [stgrdgrp]

The Store Grade window allows you to add and delete the store grades that you want to include in a store grade group. You must associate stores with a store grade before the store grade becomes useful. Stores are associated with store grades in the Store Grade Store Detail window.

Store Grade Store Detail Window [stgrdgrp]

The Store Grade Store Detail window allows you to add and delete the stores that you want to include in a store grade group. You must associate the stores with a store grade as you add them to the store grade group. Store grades are added to the store grade group in the Store Grade window.

Stores can be added individually or by a variety of grouping mechanisms, such as store class, district, region, promotion zone, transfer zone, zone group, location traits, or location list.

Store Grade Distribution Window [stgrdist]

The Store Grade Distribution window is used to distribute items on a purchase order by store grade.


Store Grade Group Window [stgrdgrp]

The Store Grade Group window allows you to add, edit, and delete the store grade groups that are associated with a buyer. You must add store/store grade combinations to the store grade group before it becomes useful. Store grades are added in the Store Grade window. Store/store grade combinations are added in the Store Grade Store Detail window.

Store grade groups and store grades are a grouping mechanism that a buyer can use in order to place orders for multiple stores more easily.

Add a Store Grade Information

Navigate: From the main menu, select Control > Setup > Store Grade Group > Edit. The Store Grade Group window opens.



Store Grade Group Window

Add stores to a store grade


1. Click **Store**. The Store Grade Store Detail window opens.

The screenshot shows the 'Store Grade Store Detail' window. At the top, there are two input fields: 'Buyer' containing '1502 9E10' and 'Store Grade Group' containing '10 Test'. Below these is a table with three columns: 'Store', 'Store Name', and 'Store Grade'. The table is currently empty. At the bottom of the window, there is a 'Partial View' checkbox, a 'Group Type' dropdown menu, a 'Group' field with a LOV button, a 'Description' field, and a 'Store Grade' field with a LOV button. Action buttons 'Apply', 'Delete', 'OK', 'Add', and 'Cancel' are located at the bottom right.

2. Click **Add**.
3. In the Group Type field, select a group type.
4. In the Group field, enter the ID of a group, or click the LOV  button and select the group.
5. In the Store Grade field, enter the code for the store grade to associate with the group of stores, or click the LOV  button and select the store grade.
6. Click **Apply**. The stores in the group are added to the store grade group.
7. Click **OK** to save any changes and close the window.

Delete a Store Grade Group

Navigate: From the main menu, select Control > Setup > Store Grade Group > Edit. The Store Grade Group window opens.



Store Grade Group Window

1. In the Buyer field, enter the ID of a buyer, or click the LOV  button and select the buyer. Store grade groups for the current buyer appear.
2. Select a store grade group and click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete a Store from a Store Grade Group

Navigate: From the main menu, select Control > Setup > Store Grade Group > Edit. The Store Grade Group window opens.

1. In the Buyer field, enter the ID of a buyer, or click the LOV  button and select the buyer. Store grade groups for the current buyer appear.

Select a store grade group and click **Store**. The Store Grade Store Detail window opens.

Exceptions Window

2. Select the item exception record that you want to delete.
3. Click **Delete**.
4. When prompted to delete the record, click **Yes**.
5. Click **OK** to save your changes and close the window.

Create an Association Between Your Store and a Competitor's Store

Navigate: From the main menu, select Action > Organizational Hierarchy > Store. The Organizational Hierarchy Main Form window opens.

Select a store.

Click **Edit**. The Store Maintenance window opens.

From the Options menu, select Assign Competitors. The Competitor Store Association window opens.

1. In the Competitor field, enter the ID of the competitor, or click the LOV  button and select the competitor.
2. If this competitor is the most likely competitor to drive your competitive pricing strategy, select the Target Competitor check box.
3. In the Competitor Store field, enter the ID of the competitor's store, or click the LOV  button and select the store.
4. To associate an additional competitor store with this store, click **Add Location**.
5. Click **OK** to save your changes and close the window.

Delete the Association Between Your Store and a Competitor's Store

Navigate: From the main menu, select Action > Organizational Hierarchy > Store. The Organizational Hierarchy Main Form window opens.

Select a store.

Click **Edit**. The Store Maintenance window opens.

From the Options menu, select Assign Competitors. The Competitor Store Association window opens.

1. Select the competitor's store record that you want to delete.
2. Click **Delete**. You are prompted to delete the record.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Search for Stores Assigned to a Warehouse

Navigate: From the main menu, select Control > Setup > Warehouse Store Assignment > View Assignments. The Warehouse Store Assignment View window opens.

The screenshot shows the 'Warehouse Store Assignment' window with the following data in the table:

Warehouse	Store	Store Name	City	State	Assign Date
1111111119	1000000008	Boston - largetailers.com	Anycity	MN	04-SEP-2005
1111111119	1000000008	Boston - largetailers.com	Anycity	MN	23-JUL-2002
1111111119	1000000011	lr.com WebStore - Including Longer Name V	Anycity	MN	04-SEP-2005
2222222225	1000000031	Halifax	Anycity	MN	04-SEP-2005
2222222225	1000001001	Eagan	Anycity	MN	04-SEP-2005
2222222226	1000000000	Fargo	Anycity	MN	04-SEP-2005
2222222226	1000000002	Madison - Including Longer Name Value 012	Anycity	MN	04-SEP-2005
2222222226	1000000021	Duluth	Anycity	MN	04-SEP-2005

Below the table, the 'Apply Criteria' section shows:

- Warehouse: 1111111119
- Assign Date: 04-SEP-2005
- Group Type: Store
- Store: 1000000008

Warehouse Store Assignment View Window

1. In the Warehouse field, enter the ID of a warehouse, or click the LOV  button and select the warehouse.
2. In the Assignment Date field, enter the date that you want to search by, or click the calendar  button and select the date.
3. Click **Search**. The stores that match the criteria appear.
4. Click **Refresh** to clear the fields for another search, or click **Close** to exit.

Store Department Square Footage Area Window [stdparea]

The Store Department Square Footage Area window allows you to add, edit, view, or delete the square area of departments. Depending on how this window is accessed, you can add multiple stores to a department (merchandise hierarchy) or multiple departments to a store (organizational hierarchy). You can use these measurements to monitor square area relationships between stores and departments, such as sales per square foot.

Walk-Through Store Window [walkthroughstore]

The Walk-Through Store window allows you to define store locations which contain several stores in one location. Each store may operate as a separate entity, however stores are located in the same physical location. You can associate multiple stores as walk through locations. Walk-through store can be uploaded into the system, or you can add walk through locations to a store. You must set up the stores and then associate one with another.

Zoning Locations Window [store]

The Zoning Locations window allows you to set up a store with the same Pricing Zone/Zone Group records as an existing store and the same Cost Zone/Zone Group as an existing store or warehouse.

Warehouses**Warehouse Maintenance Window [warehse]**

The Warehouse Maintenance window allows you to create, edit, view, and delete a warehouse. The warehouse is the entity within RMS that defines the physical storage, cross-dock, or distribution facility in an organization. The warehouse has all of the transaction capability of the store, except for sales and price changes. You can specify at which organizational level a warehouse is reported.

You also have the option to designate a warehouse as a redistribution warehouse. A redistribution warehouse does not actually hold stock and cannot be used as a distribution center. With the existence of a redistribution warehouse, you can create purchase orders before the distribution center is known. Orders must be redistributed to actual warehouses or stores when the locations become known and before the merchandise is shipped.

You can access additional windows in order to set up attributes, activity schedules, and delivery schedules.

In a multi-channel environment, you can segregate inventory in virtual warehouses. Each virtual warehouse is associated with a channel. The physical warehouse is considered a non-stockholding location, while the virtual warehouses are considered stockholding locations.

Warehouse Attributes Window [whattr]

The Warehouse Attributes window allows you to enter information about a particular warehouse. You can track information specific to the warehouse, such as:

- Total square feet
- Number of loading docks
- Number of unloading docks
- Time zone
- UPS district

Create a Warehouse

Navigate: From the main menu, select Action > Organizational Hierarchy.

The Organization Hierarchy Main Form window opens.

1. Select Warehouse on the tree structure and click **New**. The Warehouse Maintenance window opens.

The screenshot shows the 'Warehouse Maintenance' window with the following fields and values:

- Warehouse: 100 (with a list of organization units: 150.ABCDEFGHIJKLMNOPQRS)
- Secondary Name: Murli warehouse
- Currency Code: USD (with a list: US Dollar)
- Reporting Level (Optional): Store (dropdown)
- VAT Region: 1000 (with a list: Vat Region 1000)
- Primary Virtual Warehouse: (empty)
- Email: test@test.com
- Break Pack Warehouse:
- Redistribution Warehouse:
- Delivery Policy: Next Day (dropdown)
- DUNS Number: 111
- Inbound Handling Days: 0
- DUNS Location: (empty)

Buttons at the bottom: OK, OK + Repeat, Address, Zoning Locs, Delete, Cancel.

Warehouse Maintenance Window

2. In the Warehouse fields, enter a unique ID and description for the warehouse.
3. In the Currency Code field, enter the currency code, or click the LOV  button and select the currency.
4. In the VAT Region field, enter the ID of a VAT region, or click the LOV  button and select the VAT region.
5. In the Org Unit ID field, enter the ID of the org unit, or click the LOV  button and select a organizational unit.


Note: This field is required if your organization uses Oracle Financials, version 11.5.10 or later and you are working in a single channel environment.

6. Add the address information to the warehouse.
7. Enter optional information in the remaining fields as necessary.
 - **Primary Virtual Warehouse:** The virtual warehouse that will be used for all transactions in which a virtual warehouse has not been otherwise specified.
 - **Email:** The email of the primary contact at the warehouse.
 - **Break Pack Warehouse:** When selected, indicates that packs are broken apart at the warehouse.
 - **Redistribution Warehouse:** When selected, indicates that the warehouse is used to receive items on a purchase order when the actual distribution is yet to be determined.

- **Delivery Policy:** The delivery policy of the warehouse when a receiving location is closed. In New and Edit modes, select the appropriate option.
 - **Next day:** Deliver the merchandise on the next day.
 - **Next delivery day:** Deliver on the next regularly scheduled delivery date.
- **Inbound handling days:** The number of days that the warehouse requires to receive any item and get it to the shelf so that it is ready to pick.
- **DUNS Number:** The 9-digit ID number of the company as provided by Dun & Bradstreet.
- **DUNS Location:** The 4-digit ID number of the location as provided by Dun & Bradstreet.

Associate a cost location with the warehouse

1. Click **Zoning Locs**. The Zoning Locations window opens.



Zoning Locations Window

2. In the Cost Location field, select the type of location whose base costs you want to copy to the current warehouse.
3. In the fields next to the Cost Location field, enter the ID of the location, or click the LOV  button and select the location.
4. Click **OK** to close the Zoning Locations window.

Complete the warehouse information

1. Add virtual warehouses as necessary.

Note: Virtual warehouses are required for multi-channel environments only.

2. Add warehouse attributes as necessary.
3. Add delivery schedules as necessary.
4. Add activity schedules as necessary.
5. Click **OK** to save any changes and close the window.

Maintain a Warehouse

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Warehouse on the tree structure. The warehouses appear in the table.
2. Select a warehouse and click **Edit**. The Warehouse Maintenance window opens.

The screenshot shows the 'Warehouse Maintenance' window for warehouse ID 100. The fields and their values are as follows:

Warehouse	100	↳ 150ABCDEFGHIJKLMNQPGRS
Secondary Name	Murli warehouse	
Currency Code	USD	↳ US Dollar
Reporting Level (Optional)	Store	↳ 1000000000 Fargo
VAT Region	1000	↳ Vat Region 1000
Primary Virtual Warehouse		
Email	test@test.com	
Break Pack Warehouse	<input checked="" type="checkbox"/>	
Redistribution Warehouse	<input checked="" type="checkbox"/>	
Delivery Policy	Next Day	Inbound Handling Days: 0
DUNS Number	111	DUNS Location:

Buttons at the bottom: OK, OK + Repeat, Address, Zoning Locs, Delete, Cancel.

Warehouse Maintenance Window

Edit a warehouse

1. Edit the enabled fields as necessary.
2. Click **OK** to save your changes and close the window.

Delete a warehouse

1. Click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Edit Warehouse Assignments

Navigate: From the main menu, select Control > Setup > Warehouse/Store Assignment > Create Assignments > Edit. The current assignments appear in the Warehouse Store Assignment window.

Warehouse Store Assignment (whstrasg)

Filter: Warehouse Assignment Date

Warehouse	Store	Store Name	City	State	Assign Date
1111111119	1000000008	Boston - largeretailers.com	Anycity	MN	04-SEP-2005
1111111119	1000000008	Boston - largeretailers.com	Anycity	MN	23-JUL-2002
1111111119	1000000011	Ir.com WebStore - Including Longer Name V	Anycity	MN	04-SEP-2005
2222222225	1000000031	Halifax	Anycity	MN	04-SEP-2005
2222222225	1000001001	Eagan	Anycity	MN	04-SEP-2005
2222222226	1000000000	Fargo	Anycity	MN	04-SEP-2005
2222222226	1000000002	Madison - Including Longer Name Value 012	Anycity	MN	04-SEP-2005
2222222226	1000000021	Duluth	Anycity	MN	04-SEP-2005

Apply Criteria

Warehouse: Assign Date:

Group Type: Store:

Warehouse Store Assignment Window

1. Click **New**. The fields in the Apply area are cleared.
2. In the Warehouse field, enter the ID of the warehouse, or click the LOV button and select the warehouse.
3. In the Assign Date field, enter the date on which the assignment becomes effective, or click the calendar button and select the date.
4. In the Group Type field, select a grouping mechanism for the locations to be assigned to the warehouse.
5. In the Group field, enter the ID of the specific group or location, or click the LOV button and select the group or location.
6. Click **Apply**. The assignments are added to the table.
7. A prompt opens if you attempt to create any assignments with conflicting assignment dates. To view the conflicting assignments, click **Yes**. The conflicting assignments appear in the Conflicting Stores window.
8. Click **OK** to save your changes and close the window.

Delete an assignment

1. Select an assignment and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Warehouse Department Window [whdept]

The Warehouse Department window allows you to specify investment buy parameters at the warehouse or warehouse/department level. You can set up costs of storage and other parameters for a specific warehouse. Within the warehouse, you can set up several sets of investment buy parameters which are specific for a set of items, such as frozen goods.

Warehouse/Inventory Attributes Window [stkwhattr]

The Warehouse/Inventory Attributes window allows you to indicate how the warehouse is affected by replenishment and investment buy activities.

In a single channel environment, you can indicate whether the current warehouse should be included in forecast calculations. You also indicate whether the warehouse is considered a replenishment warehouse and an investment buy warehouse.

In a multi-channel environment, you can indicate whether the current virtual warehouse should be included in distribution and forecast calculations. You can also identify the virtual warehouse that should receive any excess or short stock based on rounding calculations. If the virtual warehouse is not a replenishment warehouse or an investment buy warehouse, you can link it to other virtual warehouses within the same physical warehouse that have those characteristics.

Virtual Warehouse Maintenance Window [vwh]

The Virtual Warehouse Maintenance window allows you to divide a physical warehouse into one or more virtual warehouses. Virtual warehouses are used in a multi-channel environment to track ownership of inventory by channel. You associate each virtual warehouse with a channel. If the virtual warehouse contains a finishing location, you can indicate an additional virtual warehouse within the channel.

Virtual warehouses are considered stockholding locations, while the physical warehouse is considered a non-stockholding location.

Add a Virtual Warehouse to a Physical Warehouse

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Warehouse on the tree structure. The warehouses appear in the table.
2. Select a warehouse and click Edit. The Warehouse Maintenance window opens.
3. From the Options menu, select Virtual Warehouses. The virtual warehouses appear in the Virtual Warehouse Maintenance window.

The screenshot shows the 'Virtual Warehouse Maintenance' window. At the top, there is a 'Physical Warehouse' field with the value '100'. Below this is a table with columns: Virtual Warehouse, Name, VWH Type, Channel, Channel Description, Pricing Location, Pricing Location Description, Transfer Entity, Transfer Entity Description, Finisher, and Org Unit ID. The table contains one row with the following data: Virtual Warehouse: 101, Name: null, VWH Type: null, Channel: 130, Channel Description: Marketplace Catalog - Long, Pricing Location: null, Pricing Location Description: null, Transfer Entity: 1000, Transfer Entity Description: Test Entity 1000, Finisher: null, Org Unit ID: null. Below the table is a form with fields for Virtual Warehouse (101), Secondary Name, VWH Type, Channel (130), Pricing Location, Transfer Entity (1000), Finisher, and Org Unit ID. There are 'Apply', 'Delete', 'OK', 'Add', and 'Cancel' buttons at the bottom.

Virtual Warehouse Maintenance Window

4. From the Options menu, select Virtual Warehouses. The Virtual Warehouse Maintenance window opens.
5. In the Virtual Warehouse field, enter the unique ID for the virtual warehouse.
6. In the Virtual Warehouse Name field, enter a description for the virtual warehouse.

7. In the Channel field, enter the ID of the channel that is associated with the virtual warehouse, or click the LOV  button and select the channel.
8. In the Transfer Entity field, enter the ID of the transfer entity that is associated with the virtual warehouse, or click the LOV  button and select the transfer entity.

Note: This field is only available if your organization uses transfer entities.

9. In the Finisher field, select the check box to indicate the virtual warehouse is used for finishing.
10. In the Org Unit ID field, enter the ID of the org unit, or click the LOV  button and select an organizational unit.

Note: This field is required if your organization uses Oracle Financials, or later 11.5.10.

11. If you want to set up a virtual warehouse to receive replenishments:

Note: A warehouse can be setup and used in RMS without specifying a replenishable virtual warehouse. You will receive a warning when you close the window. Click **OK** to continue.

- a. Select the desired virtual warehouse.
 - b. From the Options menu, select Warehouse/Inventory Attributes. The Warehouse Inventory Attributes window opens.
 - c. Select the Replenishment Warehouse check box.
 - d. Click **OK** to save any changes and close the window.
12. Click **OK** to save any changes and close the window.

Maintain Virtual Warehouses for a Physical Warehouse

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Warehouse on the tree structure. The warehouses appear in the table.
2. Select a warehouse and click Edit. The Warehouse Maintenance window opens.
3. From the Options menu, select Virtual Warehouses. The virtual warehouses appear in the Virtual Warehouse Maintenance window.

Virtual Warehouse Maintenance Window

Edit a virtual warehouse

1. Edit the description and channel as necessary.
2. Click **OK** to save your changes and close the window.

Delete a virtual warehouse

1. Select a virtual warehouse and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Warehouse Store Assignment Window [whstrasg]

The Warehouse Store Assignment window allows you to view and maintain warehouse assignments. You can assign one or multiple stores to a warehouse. You can assign a store to more than one warehouse; however, the assignment dates cannot conflict. If you attempt to set up a conflicting assignment, you are notified and can choose to view the conflicting assignments.

Effective on the assignment date, the warehouse becomes the default warehouse for the stores assigned to it. The warehouse also becomes the sourcing warehouse for the purpose of replenishing items.

To display additional details, select the appropriate option from the View menu.

Note: You can also assign a default warehouse to a store when you create or edit a store. The assignment remains effective until changed manually or overridden by an assignment entered in the Warehouse Store Assignment window.

Warehouse Store Assignment View Window [whstrasy]

The Warehouse Store Assignment View window allows you to search for and view the stores assigned to a warehouse on a specific date.

To view additional details about the stores, select the appropriate option from the View menu.

Edit Investment Buy Attributes for a Warehouse

Navigate: From the main menu, select Actions > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

Select Warehouse on the tree structure. The warehouses appear in the table. Select a warehouse and click Edit. The Warehouse Maintenance window opens.

In a multi-channel environment:

From the Options menu, select Virtual Warehouse. The Virtual Warehouse Maintenance window opens. From the Options menu, select Warehouse Department Parameters > Edit. The Warehouse Department Parameters window opens.

In a single channel environment:

From the Options menu, select Warehouse Department Parameters>Edit. The Warehouse Department Parameters window opens.

The screenshot shows the 'Warehouse Department Parameters' window. At the top, there are fields for 'Warehouse' (101 murli vwh) and 'Currency' (USD). Below this is a table with columns: Dept., Department Name, Measure, Wh. Storage Cost, Weekly Cost of Wh. Storage, Wh. Storage Cost UOM, Outside Storage Measure, Outside Storage Cost, Weekly Cost of Outside Storage, Outside Storage Cost UOM, Storage Type, Maximum Weeks of Supply, Target ROI, and Cost of Money. The table contains two rows of data.

Dept.	Department Name	Measure	Wh. Storage Cost	Weekly Cost of Wh. Storage	Wh. Storage Cost UOM	Outside Storage Measure	Outside Storage Cost	Weekly Cost of Outside Storage	Outside Storage Cost UOM	Storage Type	Maximum Weeks of Supply	Target ROI	Cost of Money
1414	Activewear	Mass	10.00		CAR	Volume	10.00		CC	Warehouse	2	2.00%	10.00%
101	ABCDEFGHIJKLMNQRSTL	Each	1.00			Stat Case	1.00			Outside	1	1.00%	1.00%

Below the table is a form for editing parameters. It includes fields for Department (1414 Activewear), Wh. Storage Cost Measure (Mass), Wh. Storage Cost UOM (CAR), Weekly Cost of Wh. Storage (10.00), Outside Storage Cost Measure (Volume), Outside Storage Cost UOM (CC), Weekly Cost of Outside Storage (10.00), Storage Type (Warehouse), Maximum Weeks of Supply (2), Target ROI (2.00%), and Cost of Money (10.00%). There are buttons for Apply, Default, Delete, OK, Add, and Cancel.

1. Select a department on the table.
2. In the Apply area, edit the information as appropriate.
3. Click **Add** to enter an additional record, or click **Delete** to remove the department from the table.
4. Click **Apply** to enter the information into the table. This information will be used in investment buy calculations.
5. Click **OK** to save your changes and close the window.

Zoning Locations Window [warehouse]

The Zoning Locations window allows you to set up a warehouse with the same cost zone/zone group as an existing store or warehouse.

Define location traits

Define Location Traits

With location traits, you can group areas, regions, districts, or stores by traits. When a trait is associated with an area, region, or district, the trait is applied automatically to the stores within those entities. A trait can be deleted only at the level of the organizational hierarchy with which it was originally associated. You can create reports based on location traits.

At the store level, location traits can also be used when you:

- Edit store attributes for an item or item list.
- Identify store locations for an item.
- Add stores to a promotion.
- Add stores to a price change event.
- Edit replenishment parameters by item or by item list.
- View replenishment parameters by item.
- Edit the shipping schedule from a warehouse to multiple stores.
- Edit a retail price of a store-priced item.
- Add stores to a store grade in a store grade group.

Add a Location Trait

Navigate: From the main menu, select Control > Traits > Location Traits > Edit. The Location Traits Maintenance window opens.

1. Click **Add Trait**. On the next available line, the Location Trait field is filled in automatically with a unique ID number.
2. In the Description field, enter a description for the trait.
3. In the organization hierarchy field, enter the ID of the member of the hierarchy level, or click the LOV button and select a member.
4. Click **OK** to save your changes and close the window.

Edit a Location Trait

Navigate: From the main menu, select Control > Traits > Location Traits > Edit. The Location Traits Maintenance window opens.

1. Edit the Description field as necessary.
2. Click **OK** to save your changes and close the window.

Delete a Location Trait

Navigate: From the main menu, select Control > Traits > Location Traits > Edit. The Location Traits Maintenance window opens.

1. Select the location trait.
2. Click **Delete**.
3. When prompted to delete the location trait, click **Yes**.
4. Click **OK** to save your changes and close the window.

Area Maintenance Window [area]

The Area Maintenance window allows you to create, edit, view, or delete an area in the organizational hierarchy. Area is below Chain and above Region in the organizational hierarchy. Typically, an area is used to define a geographical grouping within the organization. An area can belong to only one chain within the organizational hierarchy. You can associate location traits with an area. Location traits that are applied to an area are applied automatically to the regions, districts, and stores within the area.

Change Location Traits by Location List

Navigate: From the main menu, select Control > Location Lists. The Location List Search window opens.

Search for and retrieve a location list in Use mode. The Location List Head window opens.

From the Options menu, select Create Location Traits Change. The Location Traits - Mass Change window opens.

1. In the Action field on the first line of the table, select whether you want to add or delete the trait.
2. In the Location Trait field, enter the ID of the trait, or click the LOV  button and select a trait.
3. To add another mass change request for the location list:
 - a. Click **Add**.
 - b. In the Action field, select whether you want to add or delete the trait.
 - c. In the Location Trait field, enter the ID of the trait, or click the LOV  button and select a trait.
4. To delete a mass change request from the location list:
 - a. Select the mass change request.
 - b. Click **Delete**.
5. Click **OK** to save your changes and close the window.

Delete a Location Trait for an Organization Level

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. To delete a location trait for a/n:
 - Area
 - a. Select Area on the tree structure, and click **Edit**. The Area Maintenance window opens.
 - b. Select an area.
 - c. From the Options menu, select Location Traits. The Traits Associated with Areas window opens.
 - Region
 - a. Select Region on the tree structure, and click Edit. The Region Maintenance window opens.
 - b. Select a region.
 - c. From the Options menu, select Location Traits. The Traits Associated with Regions window opens.
 - District
 - a. Select District on the tree structure, and click Edit. The District Maintenance window opens.
 - b. Select a district.
 - c. From the Options menu, select Location Traits. The Traits Associated with Districts opens.
 - Store
 - a. Select Store on the tree structure, and click Edit. The Store Maintenance window opens.
 - b. Select a store.
 - c. From the Options menu, select Location Traits. The Traits Associated with Store window opens.
2. Select a location trait.
3. Click **Delete**.
4. When prompted to delete the location trait, click **Yes**.
5. Click **OK** to save your changes and close the windows.

Delete an Organization Level from a Location Trait

Navigate: From the main menu, select Control > Traits > Location Traits > Edit. The Location Traits Maintenance window opens.

Note: You can delete a trait only at the level of organizational hierarchy with which it was originally associated.

1. Select a location trait.
2. From the Options menu, select the organization level. The appropriate trait window opens.
3. Click **Delete**.
4. When prompted to delete the area, click **OK**.
5. Click **OK** to save your changes and close the window.

Location Exceptions Window [cmclexcp]

The Location Exceptions window allows you to view and maintain the activity schedules for locations that are not closed on the dates that the company is closed. You indicate which locations are open and for which activities. For example, you can specify that a store is open for sales on that date, but it cannot receive shipments. Non-stockholding stores can remain open or closed for sales only. By their nature, they cannot ship or receive items. In a multi-channel environment, changes made to a physical warehouse are applied to the virtual warehouses within the physical warehouse.

When the Use Location Activity Schedule system parameter is selected, the replenishment feature uses the company close and exception schedule to dynamically calculate lead times for the items at a location. When an order cannot be delivered to a location because it is closed, the lead time is calculated by taking the minimum lead time and adding additional days to reach the next valid delivery day. In effect, the lead time is extended until the next delivery day for the location. Extending the lead time increases the number of units required to replenish the item.

Location Traits Maintenance Window [lotr]

The Location Traits Maintenance window allows you to add, edit, and view location traits. You can group areas, regions, districts, or stores by location traits. You can create reports based on location traits.

At the store level, location traits can be used as a grouping mechanism when you:

- Edit store attributes for an item or item list.
- Identify store locations for an item.
- Add stores to a promotion.
- Add stores to a price change event.
- Edit replenishment parameters by item or by item list.
- View replenishment parameters by item.
- Edit the shipping schedule from a warehouse to multiple stores.
- Edit a retail price of a store-priced item.
- Add stores to a store grade in a store grade group.

Regions Associated with Trait Window [regtrm]

The Regions Associated with Trait window allows you to add, edit, and view regions associated with a trait. When you associate a region with a trait, the trait is applied automatically to the districts and stores within the region. You can also delete regions from the trait. A trait can be deleted only at the level of organizational hierarchy with which it was originally associated.

Stores Associated with Trait Window [lotrm]

The Stores Associated with Trait window allows you to add, edit, and view stores associated with a trait. You can also delete stores from the trait. A trait can be deleted only at the level of organizational hierarchy with which it was originally associated.

Traits Associated with Areas Window [aretrlst]

The Traits Associated with Areas window allows you to add, edit, and view traits associated with an area. When you associate a trait with an area, the trait is applied automatically to the regions, districts, and stores within the area. You can delete traits from the area. A trait can be deleted only at the level of organizational hierarchy with which it was originally associated.

Traits Associated with Region Window [regtrlst]

The Traits Associated with Region window allows you to add, edit, and view traits associated with a region. When you associate a trait with a region, the trait is applied automatically to the districts and stores within the region. You can also delete trait from the region. A trait can be deleted only at the level of organizational hierarchy with which it was originally associated.

Traits Associated with Store Window [loctrlst]

The Traits Associated with Store window allows you to add, edit, and view traits associated with a store. You can also delete traits from the store. A trait can be deleted only at the level of organizational hierarchy with which it was originally associated.

Areas Associated with Trait Window [areatrm]

The Areas Associated with Trait window allows you to add, edit, and view areas associated with a trait. When you associate an area with a trait, the trait is applied automatically to the regions, districts, and stores within the area. You can delete areas from the trait. A trait can be deleted only at the level of organizational hierarchy with which it was originally associated.

Associate an Organization Level with a Location Trait

Navigate: From the main menu, select Control > Traits > Location Traits > Edit. The Location Traits Maintenance window opens.

1. Select a location trait.
2. From the Options menu, select the organization level. The appropriate trait window opens.
3. Click **Add**.
4. In the next available line, enter the ID of the organization level, or click the LOV  button and select the area.
5. Click **OK** to save your changes and close the window.

Associate a Location Trait with an Organization Level

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. To associate a location trait with a/n:
 - Area
 - a. Select Area on the tree structure, and click **Edit**. The Area Maintenance window opens.
 - b. Select an area.
 - c. From the Options menu, select Location Traits. The Traits Associated with Areas window opens.
 - Region
 - a. Select Region on the tree structure, and click **Edit**. The Region Maintenance window opens.
 - b. Select a region.
 - c. From the Options menu, select Location Traits. The Traits Associated with Regions window opens.
 - District
 - a. Select District on the tree structure, and click **Edit**. The District Maintenance window opens.
 - b. Select a district.
 - c. From the Options menu, select Location Traits. The Traits Associated with Districts opens.
 - Store
 - a. Select Store on the tree structure, and click Edit. The Store Maintenance window opens.
 - b. Select a store.
 - c. From the Options menu, select Location Traits. The Traits Associated with Store window opens.
2. Click **Add Trait**.
3. In the next available line, enter the ID of the location trait, or click the LOV  button and select the location trait.
4. Click **OK** to save your changes and close the window.

Set up location lists

Set Up Location Lists

The location list feature allows you to create, copy, edit, view, and use a group of locations that are identified by one ID.

You can add locations to a list one by one, or you can enter criteria in order to group the locations. It becomes much simpler to apply changes to multiple locations when the locations are grouped on a location list.

Location List Head Window [lclhead]

The Location List Head window allows you to create, edit, or view basic information about a location list. You can indicate whether the location list is static or dynamic.

Dynamic lists can be rebuilt on demand. You can indicate whether a dynamic location list can also be rebuilt by a scheduled batch program. The ID of the user who created the location list and the date on which it was created appear. You can also view the number of locations that make up the location list.

Create a Location List

Navigate: From the main menu, select Control > Location List.

The Location List Search window opens.

1. In the Action field, select New.
2. Click **OK**. The Location List Head window opens. The ID of the location list is filled in automatically.

The screenshot shows the 'Location List Head' window with the following fields and values:

- List Number: 6701
- Comments: (empty)
- Created By: RMSSEDEV121USEI
- Creation Date: 07-NOV-07
- Area: (empty)
- Location List Type: (dropdown menu)
- Total Locations: 0
- External Ref. No.: (empty)
- Static Ind:
- Batch Rebuild Ind:
- User Security Ind:

Buttons at the bottom: OK, OK + Repeat, Delete, Cancel.

Location List Head Window

3. In the List Number field, enter the description of the location list.
4. In the organization hierarchy field, enter the ID of the member of the hierarchy level, or click the LOV  button and select a member.
5. Enter optional information in the remaining fields as necessary.

Add locations individually

1. From the Options menu, select Locations. The Location List Detail Maintenance window opens.

Location List Detail Maintenance Window

2. Click **Add**.
3. In the Location Type field, select either Store or Warehouse.

Note: Only locations that are in the area associated with the location list can be added to the list.

4. In the Location field, enter the ID of the location, or click the LOV  button and select the location.
5. Click **OK** to save your changes and close the window.

Add locations by group

1. From the Options menu, select Criteria. The Location List Criteria window opens.
2. In the Location Type field, select either Store or Warehouse.
3. Click **Insert**.
4. Enter the criteria in the enabled fields as necessary.

Note: Each record in the table is the equivalent of a condition in the Where clause of a SQL statement.

5. Click **Test SQL** to test the validity of the criteria. You are prompted if any errors occur.

Note: Only locations that are in the area associated with the location list can be added to the list.

6. Click **OK** to save your changes and close the window.

Edit a Location List

Navigate: From the main menu, select Control > Location List. The Location List Search window opens.

Search for and retrieve a location list in Edit mode. The Location List Head window opens.

- Edit the description, comments, and indicators as necessary.

Note: Item list that were created with user security will only be visible to the user who created them.

Edit the locations individually

1. From the Options menu, select Locations. The Location List Detail Maintenance window opens.
2. To add a location, click **Add**. Enter the location information on the next available line.
3. To mark a location for deletion, select the location and click **Delete**.
4. Click **OK** to save your changes and close the window.

Edit locations by group

1. From the Options menu, select Criteria. The Location List Criteria window opens.
2. To add criteria, select a record and click **Insert**. Enter the criteria on the next available line.
3. To delete criteria, select the record and click **Delete**. When prompted to delete the record, click **Yes**.
4. Click **Test SQL** to test the validity of the criteria. You are prompted if any errors occur.
5. Click **OK** to save your changes and close the window.

Review and complete the location list

1. Rebuild the location list.
2. Click **OK** to save your changes and close the window.

Use a Location List

Navigate: From the main menu, select Control > Location List. The Location List Search window opens.

Search for and retrieve a location list in Use mode. The Location List Head window opens.

1. To change the price and cost zones, select Create Price/Cost Zone Change from the Options menu. The Price/Cost Zone - Mass Change window opens.
2. To change the locations traits, select Create Location Trait Change from the Options menu. The Location Traits - Mass Change window opens.
3. To change the store attributes, select Create Store Attribute Change from the Options menu. The Store Attribute - Mass Change window opens.
4. Click **OK** to save your changes and close the window.

Delete a Location List

Navigate: From the main menu, select Control > Location List. The Location List Search window opens.

Search for and retrieve a location list in Edit mode. The Location List Head window opens.

1. Click **Delete**.
2. When prompted to delete the location list, click **Yes**. The location list is deleted and you are returned to the Location List Search window.

Note: If User Security has been applied to this location list, only the user who created this list may delete it.

3. Click **Close** to close the window

Copy a Location List

Navigate: From the main menu, select Control > Location List. The Location List Search window opens.

Search for and retrieve a location list in Create from Existing mode. The Location List Head window opens.

1. Edit the description, comments, and indicators as necessary.
2. Rebuild the location list.

Edit the locations individually

1. From the Options menu, select Locations. The Location List Detail Maintenance window opens.
2. To add a location, click **Add**. Enter the location information on the next available line.
3. To mark a location for deletion, select the location and click **Delete**.
4. Click **OK** to save your changes and close the window.

Edit locations by group

1. From the Options menu, select Criteria. The Location List Criteria window opens.
2. To add criteria, select a record and click **Insert**.
3. Enter the criteria on the next available line.
4. To delete criteria, select the record and click **Delete**. When prompted to delete the record, click **Yes**.
5. Click **Test SQL** to test the validity of the criteria. You are prompted if any errors occur.
6. Click **OK** to save your changes and close the window.

Review and complete the location list

1. Rebuild the location list.
2. Click **OK** to exit

Add Locations to a Location List

Navigate: From the main menu, select Control > Location List. The Location List Search window opens.

Search for and retrieve a location list in Edit mode. The Location List Head window opens.

Add locations individually


1. From the Options menu, select Locations. The Location List Detail Maintenance window opens.
2. Click **Add**.
3. In the Location Type field, select either Store or Warehouse.
4. In the Location field, enter the ID of the location, or click the LOV  button and select the location.
5. Click **Rebuild** to rebuild the location list.
6. Click **OK** to save your changes and close the window.

Add locations by group

1. From the Options menu, select Criteria. The Location List Criteria window opens.
2. In the Location Type field, select either Store or Warehouse.
3. Click **Insert**.
4. Enter the criteria in the enabled fields as necessary.

Note: If the Element is Cost Zone, Price Zone, or Store Grade, you can specify which group (cost zone group, price zone group, or store grade group) the zone or grade is a member of. In the Related Value field, enter the ID of the group, or click the LOV  button and select the group.

5. Click **Test SQL** to test the validity of the criteria. You are prompted if any errors occur.
6. To view the SQL statement, select Results of Last SQL Test from the Options menu. The SQL Statement window opens. Click the comments  button to view the entire statement. Click **OK** to close the SQL Statement window.



SQL Statement Window

7. Click **Build List** to rebuild the location list.
8. Click **OK** to save your changes and close the window.

Delete Locations from a Location List

Navigate: From the main menu, select Control > Location List. The Location List Search window opens.

Search for and retrieve a location list in Edit mode. The Location List Head window opens.

Note: If User Security is applied to this location list, only the creator may view this window to delete items from the list.

Delete locations individually

1. From the Options menu, select Locations. The Location List Detail Maintenance window opens.
2. Select a location and click **Delete**. The record is marked as Delete in the Add/Delete field.
3. Click **Rebuild** to rebuild the location list.
4. Click **OK** to save your changes and close the window.

Delete locations by group

1. From the Options menu, select Criteria. The Location List Criteria window opens.
2. Select a criterion and click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **Build List** to rebuild the location list.
5. Click **OK** to save your changes and close the window.

Location List Criteria Window [lclcrit]

The Location List Criteria window allows you to add, edit, and view the criteria by which locations are grouped on a location list. The criteria that you enter become the conditions of a Where clause in a SQL statement. You can test the criteria and view the SQL statement before they are applied to the location list.

Location List Search Window [lclfind]

The Location List Search Window allows you to enter criteria in order to search for location lists and to view the results. You can create, copy, edit, view, and use a location list. The Use function allows you to make mass changes to store attributes, location traits, price zones, and cost zones.

Functional views

The default view for the Location List Search window opens when you open the window for the first time. You can also create a custom view.

Location List Detail Maintenance Window [lclstwh]

The Location List Detail Maintenance window allows you to add, delete, and view the locations that make up a location list.

Location Close Window [locclose]

The Location Close window allows you to add, edit, and view dates on which a location is closed. You indicate that a group of locations or a single location is closed on a particular date. You can also specify what operations the locations can perform on that date. For example, you can specify that a store cannot perform sales on that date; that is, the store is closed for sales that day, but it can receive and ship shipments. When you view close dates for a group of locations, the locations are listed by date, and only the locations in the group with close dates are displayed. Non-stockholding stores can remain open or closed for sales only. By their nature, they cannot ship or receive items. In a multi-channel environment, changes made to a physical warehouse are applied to the virtual warehouses within the physical warehouse.

When the Use Location Activity Schedule system parameter is selected, the replenishment feature uses the location close schedule to dynamically calculate lead times for the items at the location. When a purchase order cannot be delivered to a location because it is closed, the lead time is calculated by taking the minimum lead time and adding additional days to reach the next valid delivery day. In effect, the lead time is extended until the next delivery day for the location.

Location Distribution Window [locdist]

The Location Distribution window allows you to distribute items on a contract or purchase order by location.

If you do not enter a quantity of items before accessing the window, you distribute the items to the locations by quantity.

If you enter a quantity of items before accessing the window, you are given a choice between distributing the amount of items as a ratio or as a percentage.

Location Traits - Mass Change Window [lclmctrt]

The Location Traits - Mass Change window allows you to add location traits to or delete them from all the stores on a location list. You must search for and retrieve a location list in Use mode in order to perform this task. Although both stores and warehouses can be grouped on the same location list, the changes that you make to the location traits are applied only to the stores.

To change the location traits, you first select the action (Add or Delete) and then the trait to be acted upon.

Price/Cost Zone - Mass Change Window [lclmczn]

The Price/Cost Zone - Mass Change window allows you to:

- Change the price zone for all the stores on a location list.
- Change the cost zone for all stores and warehouses on a location list.

You must search for and retrieve a location list in Use mode in order to perform a mass change to a price or cost zone.

The price zone group must have zone-level pricing. Only the stores with the same currency code as that of the new price zone are updated.

Rebuild Location List Window [lclreblid]


The Rebuild Location List window allows you to rebuild a location list on demand. You cannot rebuild a location list that is defined as a static list. This window is available when you create, copy, edit, or use a location list. Also, whenever you select a location list in any window, you can choose to rebuild the list.

Rebuild a Location List

Navigate: From the main menu, select Control > Location List. The Location List Search window opens.

Search for and retrieve a location list in Edit or Use mode. The Location List Head window opens.

1. From the Options menu, select Rebuild Location List. The Rebuild Location List window opens.



The screenshot shows a window titled "Rebuild Location List (lcrebld)". The window contains the following fields and controls:

- Location List:** A text field containing "2704 F Ordering Test Loc List".
- Last Rebuild Date:** A date field containing "04-DEC-2007".
- Created By:** A text field containing "RMSSE121TSTU\$".
- Static Ind.:** An unchecked checkbox.
- Rebuild Location List:** A checked checkbox.
- Buttons:** "OK" and "Cancel" buttons at the bottom right.

Rebuild Location List Window

2. Select the Rebuild Location List check box.
3. Click **OK** to save your changes and close the window.

Note: If an item list was set up with user security, only the creator is able to rebuild the list.

Search for a Location List

Navigate: From the main menu, select Control > Location List. The Letter of Credit Find window opens.

Letter of Credit Find Window

1. In the Action field, select either View or Edit.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The letters of credit that match the search criteria appear.
4. Select a task:
5. To perform another search, click **Refresh**.
6. To display the letter of credit information, select a record and click **OK**. The Letter of Credit Application Header window opens.

Letter of Credit Application Header Window

7. Click **Close** to close the window.

SQL Statement Window [lclcrit]

The SQL Statement window allows you to view the SQL statement that is created after you test the criteria for a location list.

Store Attribute - Mass Change Window [lclmcsst]

The Store Attribute Mass Change window allows you to edit attributes for all the stores on a location list. You must search for and retrieve a location list in Use mode in order to perform this task. Although both stores and warehouses can be grouped on the same location list, the changes that you make to the attributes are applied to the stores only.

To edit an attribute, you must select the appropriate check box under the Update column and enter the new setting in the related field under the Change Value To column. You can leave the new value blank for the fields not required by stores. However, you must enter a value when you choose to edit the VAT Region, District, Language, Store Class, or Store Open Date fields.

Note: If you select the Update check box for a non-required field and leave the new value blank, the field value is updated to blank.

Traits Associated with Districts Window [dsttrlst]

The Traits Associated with Districts window allows you to add, edit, and view the location traits associated with a district. When you associate a trait with a district, the trait is applied automatically to the stores within the district. You can also delete traits from the district. A trait can be deleted only at the level of the organizational hierarchy with which it was originally associated.

Maintain location attributes

Maintain Location Attributes

The location attributes feature provides a way to record specific information about locations. An attribute may be associated with multiple locations. There are quick ways to make mass changes to attributes for locations:

- Use a location list to change attributes for all stores on the location list.
- Change attributes for all locations that are associated with an item.

Attributes are used to record specific information relating to various elements in RMS. In some cases, attributes affect how the element is handled throughout RMS. In other cases, the attributes feature is an easy way of tracking additional information. Using the reporting feature of RMS, you can create custom reports based on the attributes you record.

Store Attributes Window [strattr]

The Store Attributes window allows you to record and edit information specific to a selected store. The attributes may include warehouse, bank, accounting, location, and pharmacy information.

Record Attributes for a Store

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Store on the tree structure.
2. Select a store on the table and click **Edit**. The Store Maintenance window opens.
3. From the Options menu, select Attributes. The Store Attributes window opens.

The screenshot shows the 'Store Attributes' window with the following fields and sections:

- Store:** 67 ffffffff
- Competition Code:** [Dropdown]
- Store Volume Category:** [Dropdown]
- Warehouse Information:**
 - Staging Area: [Text]
 - Fashion Line Number: [Text]
- Banking Information:**
 - Check Digit: [Text]
 - Routing Number: [Text]
 - Account Number: [Text]
- Accounting Information:**
 - Pay Category: [Dropdown]
 - Accounting Clerk: [Text]
- Location Information:**
 - Time Zone: [Dropdown]
 - UPS District: [Dropdown]
- Pharmacy Information:**
 - Pharmacy Number: [Text]
 - Pay Category: [Dropdown]
 - Leased:**
 - Yes
 - No

Buttons: OK, Cancel

Store Attributes Window

4. Enter or select the attributes that apply to the current store.
5. Click **OK** to save your changes and close the window.

Record Attributes for a Warehouse

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Warehouse on the tree structure.
2. Select a warehouse on the table and click **Edit**. The Warehouse Maintenance window opens.
3. From the Options menu, select Attributes. The Warehouse Attributes window opens.

Warehouse Attributes Window

4. Enter or select the attributes that apply to the current warehouse.
5. Click **OK** to save your changes and close the window.

Edit Attributes at a Warehouse for Inventory Segregation

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

1. Select Warehouse on the tree structure. The warehouses appear in the table.
2. Select a warehouse and click Edit. The Warehouse Maintenance window opens.
 - In a single-channel environment:
 - From the Options menu, select Attributes.
 - In a multi-channel environment:
 - a. Select Virtual Warehouses from the Options menu. The Virtual Warehouse Maintenance window opens.
 - b. From the Options menu, select Warehouse/Inventory Attributes. The current attributes appear in the Warehouse/Inventory Attributes window.

Warehouse/Inventory Attributes Window

3. Select or clear the check boxes next to the appropriate attributes.
4. In a multi-channel environment, enter the ID of the rounding sequence and warehouse links, or click the LOV  buttons and select the rounding sequence and warehouse links as necessary.
5. In a multi-channel environment, enter the order in which inventory is sourced in the Source Order field as necessary.
6. Click **OK** to save your changes and close the window.

Edit Attributes at Multiple Stores by Location List

Navigate: From the main menu, select Control > Location List. The Location List Search window opens.

Search for and retrieve a location list in Use mode. The Location List Head window opens.

1. From the Options menu, select Create Store Attribute Change. The Store Attribute Mass Change window opens.

Store Attribute Mass Change Window

2. Select the check boxes in the Update column next to the fields that you want to change.
3. Select or enter the new values in the Change Value To column.

Note: If you update the VAT Region, District, Language, Store Class, or Store Open Date fields, you must enter a new value. For the other fields, the new value can be left blank.

4. Click **OK** to save your changes and close the window.

Merchandise Hierarchy

Create merchandise hierarchy

Create Merchandise Hierarchy

The merchandise hierarchy allows you to create the relationships that are necessary in order to support the product management structure of a company. You can assign a buyer and merchandiser at the division, group, and department levels of the merchandise hierarchy. You can also link a lower level to the next higher level. For example, you can indicate which group a department belongs to or which division a group belongs to.

The following default levels are used within RMS:

- **Company:** The highest organizational and merchandise unit defined in RMS. Only one company can be defined.
- **Division:** The highest category of merchandise within an organization. Typically, the division is used to signify the overall type of merchandise that a retailer offers, such as hardlines or apparel.
- **Group:** The next level below division in the merchandise hierarchy of a company. A division can have multiple groups.
- **Department:** The next level below group in the merchandise hierarchy of a company. A group can have multiple departments. Key information about how inventory is tracked and reported is stored at the department level.
- **Class:** The next level below department in the merchandise hierarchy of a company. A department can have multiple classes. A class provides the means to group products within a department.
- **Subclass:** The next level below class in the merchandise hierarchy of a company. A class can have multiple subclasses. A subclass provides the means to classify products within a department/class combination.

Class Maintenance Window [class]

The Class Maintenance window allows you to create, edit, view, and delete a class in the merchandise hierarchy. A class is below the department and above the subclass in the merchandise hierarchy.

A class can belong to only one department. A class further defines the type of merchandise sold in a department. For example, a department for Men's Shirts might have the classes Casual, Business, and Formal.


When VAT is enabled at the class level in RMS, you indicate whether the retail price should include the VAT or not. If you choose not to indicate that VAT is included at the class level, then you should indicate to include it at the POS.

Finally, you can associate user defined attributes with a class.

Create a Group

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

1. Select Group on the tree structure and click **New**. The Group Maintenance window opens.



Group Maintenance Window

2. Click **Add Group**.
3. On the next available line, enter a unique number in the Group field.
4. In the Description field, enter the name for the group.
5. In the Division field, enter the ID of the division associated with the group, or click the LOV  button and select the division.
6. In the Buyer field, enter the ID of the buyer who is responsible for the group, or click the LOV  button and select the buyer.
7. In the Merch field, enter the ID of the merchandiser who is responsible for the group, or click the LOV  button and select the merchandiser.
8. Click **OK** to save your changes and close the window.

Maintain a Group

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

- Select Group on the tree structure and click **Edit**. The Group Maintenance window opens.

Edit a group

1. Edit the group description, division, buyer, and merchandiser as necessary.
2. Click **OK** to save your changes and close the window.

Delete a group

1. Select a record and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Create a Class

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

1. Select Class on the tree structure. The Department field opens.
2. Enter the ID of a department, or click the LOV  button and select the department. The classes appear in the table.
3. Click **New**. The Class Maintenance window opens.



Class Maintenance Window

4. Click **Add**.
5. On the next available line, enter a unique number in the Class field.

Note: You cannot enter an ID if your system is set up to automatically generate IDs.

6. In the Description field, enter the name for the class.
7. If VAT at the class level is indicated in the RMS system settings, the **Include VAT in Retail?** field appears. Select the check box to indicate that the retail price includes VAT.

Note: If you choose not to select the check box, you should indicate that VAT should be applied to the retail price at the point of sale when setting up a store.

8. Click **OK** to save your changes and close the window.

Maintain a Class

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

1. Select Class on the tree structure. The Department field opens.
2. In the Department field, enter the ID of a department, or click the LOV  button and select the department. The classes appear in the table.
3. Click **Edit**. The Class Maintenance window opens.

Edit a class

1. Edit the Description field as necessary.
2. Click **OK** to save your changes and close the window.

Delete a class

1. Select a record and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Subclass Maintenance Window [subclass]

The Subclass Maintenance window allows you to create, edit, view, and delete a subclass in the merchandise hierarchy. A subclass is below a class in the merchandise hierarchy. A subclass can belong to only one class. A subclass further defines the type of merchandise sold in a department and class.

You can associate user defined attributes with a subclass.

Create a Subclass

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

1. Select Subclass on the tree structure. The Department and Class fields appear.
2. In the Department field, enter the ID of a department, or click the LOV  button and select the department.
3. In the Class field, enter the ID of a class, or click the LOV  button and select the class. The subclasses appear in the table.
4. Click **Edit**. The Subclass Maintenance window opens.
5. Click **Add**.

Edit a subclass

1. Edit the Description field as necessary.
2. Click **OK** to save your changes and close the window.

Delete a subclass

1. Select a record.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Department Maintenance Window [dept]

The Department Maintenance window allows you to create, edit, view, and delete a department in the merchandise hierarchy. A department is below the group and above the class in the merchandise hierarchy. A department can belong to only one group. Key information about how inventory is tracked and reported is stored at this level. This information includes how profit, open to buy (OTB), markup, and purchases are calculated. You can associate multiple value added tax (VAT) regions to a department. You can associate user defined attributes with a department. Also, you can define the square area of a department at multiple stores within the organization.

Create a Department

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

1. Select Department on the tree structure and click **New**. The Department Maintenance window opens.

The screenshot shows the 'Department Maintenance (dept)' window. It contains several sections for configuring a department:

- Department:** 5 Testing
- Group:** 1000 Homewares
- Markup Calculation Type:** % of Retail
- Profit Calculation Type:** Retail Inventory
- OTB Calculation Type:** Retail Inventory
- Purchase Type:** Normal Merchandise
- Buyer:** 1000 Henry Quinton Gary Maeron Rode
- Merchandiser:** 1000 Craig Swanson
- Include VAT in Retail?
- Markup % of Cost:** 100.00 (USD)
- Markup % of Retail:** 50.00 (USD)
- Total Market Amount (In Thousands):** 100 (USD)
- Max. Average Counter:** 1
- Average Tolerance %:** 1.00

Buttons at the bottom: OK, OK + Repeat, Delete, Cancel.

Department Maintenance Window

2. In the Department fields, enter a unique ID and description for the department.

Note: You cannot enter an ID if your system is set up to automatically generate IDs.

3. In the Group field, enter the ID of the group associated with the department, or click the LOV  button and select the group.
4. Select the appropriate markup, profit, and open to buy (OTB) calculations.
5. In the Purchase Type area, indicate the type of merchandise sold in the department.
 - **Normal:** The items in the department are ordered, invoiced, and recorded in the stock ledger.
 - **Consignment:** The items in the department are ordered, invoiced, and recorded in the stock ledger. Accounts receivable and accounts payable are not recorded for this item type. The consignment rate is recorded at the item/supplier level.
 - **Concession:** The items in the department are ordered, invoiced, and recorded in the stock ledger. Accounts receivable and accounts payable are not recorded for this item type. The concession rate is recorded at the item/supplier level.
6. In the Buyer and Merchandiser fields, enter the ID of the buyer and merchandiser associated with the department, or click the LOV  button and select a buyer and merchandiser.
7. In the Include VAT in Retail? field, select the check box to indicate that all prices include VAT in the retail price for all classes in the department. Clear the check box to indicate that VAT is not included in the retail price at the class level, and is applied at the POS.

Note: The Include VAT in Retail? field is only available if VAT is turned on at the system level and enabled at the class level.

8. Enter the appropriate percentage in either the Markup % of Cost or Markup % of Retail fields.
9. Enter optional information in the remaining fields as necessary.
10. To associate a VAT region with the department (if applicable):
 - a. From the Options menu, select VAT Maintenance. The VAT Department Maintenance window opens.

Filter Level Group Hierarchy Maintenance Window [fltrgrphier]

The Filter Level Group Hierarchy Maintenance window allows you to limit the number of values returned when a user clicks a list of values (LOV) button. You associate all users assigned to a group with the merchandise hierarchy and organizational hierarchy levels. If a group has no merchandise or organization hierarchy levels assigned, the users assigned to the group have access to values for all merchandise and organization hierarchy levels. If a user group is assigned to merchandise or organization hierarchy levels, users are only allowed to maintain values in the assigned hierarchy level. When you make changes to a user group, you must log out of RMS before the changes are applied.

Copy Window [merchdfilt]

The Copy window allows you to select the merchandise hierarchy from which you want to copy merchandise hierarchy defaults.

Merchandise Hierarchy Default Maintenance Window [merchdfilt]

The Merchandise Hierarchy Default Maintenance window allows you to make some item details available and required. These item defaults are based on the department, class, and subclass in which the item resides. The defaults may include a variety of options, such as Harmonized Tariff Schedule (HTS), item attributes, and tickets. You can set up the defaults when creating a department, class, or subclass. For example, you can indicate that items in a selected department cannot be approved unless they have an HTS code. On the other hand, you can make the HTS option unavailable for items in the selected department.

When creating defaults at the department level, you can add information only for the classes and subclasses within that department. For example, if you enter department 1000 and make the default both available and required, every class and subclass within department 1000 inherits the same default settings. If you enter department 2000 and class 3000, every subclass within department 2000 and class 3000 inherits the same default settings.

Merchandise Hierarchy Main Form Window [hiermrch]


The Merchandise Hierarchy Main Form window allows you to create, edit, and view a member of the selected level of the merchandise hierarchy.

Maintain Item Defaults

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

1. Select the hierarchy level you want to add the item default to.
 - Department
 - a. Select Department on the tree structure. The departments appear in the table.
 - b. Select a department and click **Edit**. The Department Maintenance window opens.
 - Class
 - a. Select Class on the tree structure. The Department field opens.
 - b. In the Department field, enter the ID of a department, or click the LOV  button and select the department. The classes appear in the table.
 - c. Click **Edit**. The Class Maintenance window opens.
 - d. Select a class.

- Subclass
 - a. Select Subclass on the tree structure. The Department and Class fields appear.
 - b. In the Department field, enter the ID of a department, or click the LOV  button and select the department.
 - c. In the Class field, enter the ID of a class, or click the LOV  button and select the class. The subclasses appear in the table.
 - d. Click **Edit**. The Subclass Maintenance window opens.
 - e. Select a subclass.
- 2. Select Options > Merchandise Hierarchy Defaults. The Merchandise Hierarchy Default Maintenance window opens.



Merchandise Hierarchy Default Maintenance Window

Edit the item default

1. Select a default.
2. In the Apply area, select or clear the Available and Required check boxes as necessary.
3. Click **Apply**. The edits are added to the table.
4. Click **OK** to save your changes and close the window.

Delete the item default

1. Select a default.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Department Up Charge Window [deptchrg]

The Department Up Charge window displays a department's from/to location combinations and associated up charges. Up Charges are incurred when transferring items within the department or within the from and the to locations.

Note: This window will only be available if the RMS 'Estimated Landed Costs' indicator is set to 'Yes'.

Each Up Charge has a:

- Calculation Basis of either 'Value' or 'Specific.'
- Cost Basis of either 'Weighted Average Cost' (when using Average Cost Method) or 'Unit Cost' (when using Standard Cost Method).
- Component Rate of:
 - Monetary if Calculation Basis = 'Specific.'
 - Percentage if Calculation Basis = 'Value.'
 - Component Currency.
 - Up Charge Group, which is used to group Up Charge Components together to show a total sum on the Transfer Up Charge window.

Maintain Up Charges for a Department

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

Search for and retrieve a department in edit mode. The Department Maintenance window opens.

From the Options menu, select Up Charges. The Department Up Charges window opens.

Department Up Charges Window

Edit locations

1. Click **Add Locations**.
2. Select a value in the From Group Type field of the Apply block.
3. If available, enter a From Group value, or click the LOV  button and select a value.
4. Select a value in the To Group Type field.
5. If available, enter a To Group value, or click the LOV  button and select a value.
6. Click **OK** to save any changes and close the window.

Edit components

1. Select the location to which you are adding a new up charge component.
2. Click **Add Component**.
3. Enter an up charge component in the Component field, or click the LOV  button and select an up charge component.
4. Click **Apply**. The Component table is updated.
5. Click **OK** to save any changes and close the window.

Delete a location from an up charge

1. In the location table, select the row containing the from/to location that you would like to delete from this department up charge.
2. Click **Delete Locations**. You will be prompted to confirm the deletion of all locations displayed in the apply block and their associated components.
3. Click **Yes**.
4. Click **OK** to save any changes and close the window.

Delete a component from an up charge

1. In the component table, select the row containing the component that you would like to delete from the from/to location combination displayed in the apply block.
2. Click **Delete Component**. You will be prompted to confirm the deletion of the component from all locations displayed in the apply block.
3. Click **Yes**.
4. Click **OK** to save any changes and close the window.

Maintain Up Charges for an Item

Navigate: From the main menu, select Items> Items. The Item Search window is displayed.

Search for and retrieve an item in edit mode. The Item Maintenance window opens.

From the Options menu, select Item Up Charges. The Item Up Charges window opens.

Item Up Charges Window

Edit locations

1. Click **Add Locations**.
2. Select a value in the From Group Type field of the Apply block.
3. If available, enter a From Group value, or click the LOV  button and select a value.
4. Select a value in the To Group Type field.
5. If available, enter a To Group value, or click the LOV  button and select a value.
6. Click **OK** to save any changes and close the window.

Edit components

1. Select the location to which you are adding a new up charge component.
2. Click **Add Component**.
3. Enter an up charge component in the Component field, or click the LOV  button and select an up charge component.
4. Click **Apply**. The Component table is updated.
5. Click **OK** to save any changes and close the window.

Delete a location from an up charge

1. In the location table, select the row containing the from/to location that you would like to delete from this department up charge.
2. Click **Delete Locations**. You will be prompted to confirm the deletion of all locations displayed in the apply block and their associated components.
3. Click **Yes**.
4. Click **OK** to save any changes and close the window.

Delete a component from an up charge

1. In the component table, select the row containing the component that you would like to delete from the from/to location combination displayed in the apply block.
2. Click **Delete Component**. You will be prompted to confirm the deletion of the component from all locations displayed in the apply block.
3. Click **Yes**.
4. Click **OK** to save any changes and close the window.

Merchandiser Maintenance Window [merch]

The Merchandiser Maintenance Window allows you to create, edit, view, and delete a merchandiser. In addition to a name and ID, you can enter the merchandiser's telephone and fax numbers. After a merchandiser is entered, you can assign the merchandiser to a division, group, or department.

Pending Merchandise Hierarchy Window [pndmerhier]

The Pending Merchandise Hierarchy window allows you to maintain movements within the merchandise hierarchy. Movements within the merchandise hierarchy will lead to the eventual reclassification of the items within the reclassified level. When an item is reclassified, sales history, purchase orders, inventory, and planning information is reclassified as well.

Only Level 1 items can be reclassified. Any prepacks, Level 2, or Level 3 items associated with the Level 1 item are also reclassified.

Pending Merchandise Hierarchy Search Window [pndmrchfind]

The Pending Merchandise Hierarchy Search window allows you to search for merchandise levels that are in process of being changed within the merchandise hierarchy.

Set up merchandise hierarchy defaults

Set Up Merchandise Hierarchy Defaults

A wide variety of options can be made available regarding items. You can indicate which options are made available and, of those that are available, which are required. Some examples include: diffs, expenses, locations, seasons, and tax codes.


You can set which the default options by department, class, or subclass. If you set a default at the department level, it also becomes the default for all classes and subclasses within the department. Likewise, if you set a default at the class level, it becomes the default for all subclasses with the class.

The required defaults are enforced when you attempt to approve an item in RMS. If have not provided the required details, the system displays a message. At that time, you can either enter the required details or override the requirement.

Add Item Defaults

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

1. Select the hierarchy level you want to add the item default to.
 - Department
 - a. Select Department on the tree structure. The departments appear in the table.
 - b. Select a department and click **Edit**. The Department Maintenance window opens.
 - Class
 - a. Select Class on the tree structure. The Department field opens.
 - b. In the Department field, enter the ID of a department, or click the LOV  button and select the department. The classes appear in the table.
 - c. Click **Edit**. The Class Maintenance window opens.
 - d. Select a class.
 - Subclass
 - a. Select Subclass on the tree structure. The Department and Class fields appear.
 - b. In the Department field, enter the ID of a department, or click the LOV  button and select the department.
 - c. In the Class field, enter the ID of a class, or click the LOV  button and select the class. The subclasses appear in the table.
 - d. Click **Edit**. The Subclass Maintenance window opens.
 - e. Select a subclass.
2. Select Options > Merchandise Hierarchy Defaults. The Merchandise Hierarchy Default Maintenance window opens.




Merchandise Hierarchy Default Maintenance Window

3. Click **Add**. The fields in the Apply area are enabled.
4. In the Info field, enter the code for the default, or click the LOV  button and select the default.
5. In the Subclass field, enter the ID of the subclass as necessary, or click the LOV  button and select the subclass.
6. To make the default available to items in the selected merchandise levels, select the Available check box.
7. To make the default required for items in the selected merchandise levels, select the Required check box.
8. Click **Apply**. The default is added to the table.
9. Click **OK** to save your changes and close the window.

Copy Merchandise Hierarchy Defaults

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

1. Select Subclass on the tree structure. The Department and Class fields appear.
2. In the Department field, enter the ID of a department, or click the LOV  button and select the department.
3. In the Class field, enter the ID of a class, or click the LOV  button and select the class. The subclasses appear in the table.
4. Click **Edit**. The Subclass Maintenance window opens.
5. Select a subclass. From the Options menu, select Merchandise Hierarchy Defaults. The Merchandise Hierarchy Default Maintenance window opens.
6. Click **Copy All**. The Copy window opens.



Copy Window

7. In the merchandise hierarchy fields, enter the IDs of each merchandise level, or click the LOV  button and select the merchandise levels.
8. Click **OK** to exit the Copy window.
9. When prompted to override any existing defaults, click **Yes**. The defaults are copied to the Merchandise Hierarchy Default Maintenance window.
10. Edit the defaults as necessary.
11. Click **OK** to save your changes and close the window.

Set up merchandisers

Set Up Merchandisers

The merchandiser function allow you to create, edit, view, and delete merchandisers. You can record the name, phone number, and fax number for each merchandiser.

Merchandisers are responsible for the selection of brands, products, sizes, and prices for consumer appeal and the point - of - sale.

Because there can be many buyers and merchandisers at the division or group level, you may prefer to record the GMM (general merchandise manager) or DMM (division merchandise manager) at these levels.

Create a Merchandiser

Navigate: From the main menu, select Control > Merchandiser > New. The Merchandiser Maintenance window opens.

The screenshot shows a window titled "Merchandiser Maintenance (merch)". The window has a standard Windows-style title bar with minimize, maximize, and close buttons. Below the title bar is a toolbar with several icons. The main area of the window contains three text input fields. The first field is labeled "Merchandiser" and contains the value "1001". To the right of this field is a small icon of a document with a list. Below the first field are two more fields labeled "Merchandiser Phone" and "Merchandiser Fax", both of which are currently empty. At the bottom of the window, there are four buttons: "OK", "OK + Repeat", "Delete", and "Cancel".


Merchandiser Maintenance Window

1. In the Merchandiser field, the ID is filled in automatically. Enter the merchandiser's name in the field to the right of the ID.
2. In the Merchandiser Phone field, enter the merchandiser's telephone number.
3. In the Merchandiser Fax field, enter the merchandiser's fax number.
4. Click **OK** to save your changes and close the window.

Delete a Store from a Department

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

1. Select Department on the tree structure. The departments appear in the table.
2. Select a department and click **Edit**. The Department Maintenance window opens.
3. From the Options menu, select Store/Department Area. The Store Department Square Footage Area window opens.



Store Department Square Footage Area Window

4. Select a store and click **Delete**.
5. When prompted to delete the record, click **Yes**.
6. Click **OK** to save your changes and close the window.

Transit Times Window [trantime]

The Transit Times window allows you to create, edit, view, and delete transit times records for items at the subclass, class, or department level. You can set item transit times from suppliers, stores, warehouses, or location lists to stores, warehouses, or location lists.

Add Transit Times

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

1. Select the hierarchy level you want to add the transit time to.
 - Department
 - a. Select Department on the tree structure. The departments appear in the table.
 - b. Select a department and click **Edit**. The Department Maintenance window opens.
 - Class
 - a. Select Class on the tree structure. The Department field opens.
 - b. In the Department field, enter the ID of a department, or click the LOV  button and select the department. The classes appear in the table.
 - c. Click **Edit**. The Class Maintenance window opens.
 - d. Select a class.
 - Subclass
 - a. Select Subclass on the tree structure. The Department and Class fields appear.
 - b. In the Department field, enter the ID of a department, or click the LOV  button and select the department.
 - c. In the Class field, enter the ID of a class, or click the LOV  button and select the class. The subclasses appear in the table.
 - d. Click **Edit**. The Subclass Maintenance window opens.
 - e. Select a subclass.
2. Select Options > Transit Times. The Transit Times window opens.

Transit Times Window

3. In the Point of Origin drop down, select the type of location.
4. In the Point of Origin field, enter the ID of the location, or click the LOV  and select the specific origin location.
5. In the Point of Destination drop down, select the type of location.
6. In the Point of Destination field, enter the ID of the location, or click the LOV  and select the specific destination location.
7. Enter the number of days required for transit in the Transit Time in Days field.
8. Click **Apply**. The record is added to the table.
9. Click **OK** to save your changes and close the window.

Maintain value added taxes (VAT)

Maintain Value Added Taxes (VAT)

VAT functionality is optional in RMS. In several countries, value added taxes (VAT) must be considered when determining the retail price of the items. VAT amounts appear in several modules of the system, such as purchase orders, contracts, stock ledger, and invoice matching.

Prior to using the VAT functionality, you must set up a list of VAT regions and VAT codes. For each VAT code, you enter the tax rate to be used in monetary calculations. The following types of VAT regions may be set up:

- **Base EU Region:** The VAT region encompasses the entire European Union. Only one VAT region can be designated as the Base EU Region.
- **EU Member:** The VAT region is located within the European Union.
- **Non-Member:** The VAT region is not located within the European Union.

As you add departments to the system, you must associate one or more VAT regions with the department. Each VAT region must have one or more VAT codes. VAT codes entered at the department level become the default VAT codes for items within the department. You can edit the default VAT codes at the item level.

VAT rates are identified by VAT code. When VAT codes are associated with a VAT region, they are assigned a VAT type. The VAT type indicates where the tax rate is included when determining the price. The VAT type can be included in the:

- **Cost:** The tax rate is applied to cost of the items.
- **Retail Price:** The tax rate is applied to retail price of the items.
- **Both:** The tax rate is applied to the cost and the retail price of the items.

Value added taxes are reflected in the stock ledger when the retail method of accounting is used and the system is set up to include VAT in retail calculations.

As you add stores and warehouses to the system, you must associate a VAT region with each location.

If you indicate that class level VAT will be used, you can indicate by class whether retail prices should be displayed in RMS including or excluding the retail price. For maintenance purposes, you can set the inclusion or exclusion to default to the class level by department.

Edit VAT Codes

Navigate: From the main menu, select Control > Setup > VAT Code Maintenance > Edit. The VAT Code Maintenance window opens.

Edit VAT Codes for a Department

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

1. Select Department on the tree structure. The departments appear on the table.
2. Select a department and click **Edit**. The Department Maintenance window opens.
3. From the Options menu, select VAT Maintenance. The VAT Department Maintenance window opens.
4. Edit the VAT codes as necessary.

Add a VAT region for a department

1. Click **Add**. The next available line is enabled.
2. In the VAT Region field, enter the ID of a VAT region, or click the LOV  button and select the VAT region.
3. In the VAT Type field, select the type of calculations in which VAT amounts should be included.
4. In the VAT Code field, enter the code for the VAT, or click the LOV  button and select the VAT code.
5. Click **OK** to save your changes and close the window.

Delete a VAT region for a department

1. Select a VAT region and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Edit VAT Codes for an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

1. Click on the VAT Maintenance option. The VAT Item Maintenance window opens.

VAT Item Maintenance Window

2. In the VAT Region field, enter the ID of the VAT region, or click the LOV  button and select the VAT region. Any existing VAT codes appear.

Add a VAT code for an item

1. Click **Add VAT Code**. The next available line is enabled.
2. In the VAT Code field, enter the code for the VAT, or click the LOV  button and select the VAT code.
3. In the VAT Type field, select the type of calculations in which VAT amounts should be included.
4. In the Active Date field, enter the date on which the VAT code becomes effective, or click the calendar  button and select the date.
5. Click **OK** to save your changes and close the window.

Delete a VAT code for an item

1. Select a VAT code and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Note: When editing VAT codes for an item above the transaction level, you are prompted to update the VAT codes for the subordinate items down to the transaction level. Click **Yes** or **No** as applicable.

Edit VAT Codes for Multiple Items

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Use mode. The Item List Header window opens.

1. From the Options menu, select Create Mass Item Change > VAT Rates. The Item VAT Rate - Mass Change window opens.

Item VAT Rate - Mass Change Window

2. In the VAT Region field, enter the ID of the VAT region, or click the LOV  button and select the VAT region.
3. In the VAT Type field, select the type of calculations in which VAT amounts should be included.
4. In the VAT Code field, enter the code for the VAT, or click the LOV  button and select the VAT code.
5. In the Active Date field, enter the date on which the VAT code becomes effective, or click the calendar  button and select the date.
6. Click **OK** to save your changes and close the window.

Edit VAT Regions

Navigate: From the main menu, select Control > Setup > VAT Region Maintenance > Edit. Any existing VAT regions appear in the VAT Region Maintenance window.

- Edit the descriptions and types as necessary.

Add a VAT region

1. Click **Add**. The next available line is enabled.
2. In the VAT Region field, enter a unique ID.
3. In the VAT Region Description field, enter a description for the VAT region.
4. In the VAT Region Type field, select the type of VAT region.
5. Click **OK** to save your changes and close the window.

Delete a VAT region

1. Select a VAT region and click **Delete**.
2. When prompted to delete the VAT region, click **Yes**.
3. Click **OK** to save your changes and close the window.

Maintain user defined attributes

Maintain User Defined Attributes


The User Defined Attributes (UDA) feature provides a method for defining attributes and associating the attributes with specific items, items on an item list, or items in a specific department, class, or subclass. UDAs are useful for informational and reporting purposes. Unlike traits or indicators, UDAs are not interfaced with external systems.

UDAs can be displayed in three different types: free form text; date; or list of values. These types can be displayed in alphanumeric, number, or date format.

To use UDAs effectively, you must first add the UDAs to the system. You can then add UDAs to a department, class, subclass, item, or item list. Alternatively, you can add departments, classes, subclasses, or items to a UDA.

Add a User Defined Attribute

Navigate: From the main menu, select Items > User Defined Attributes > Edit. The UDA window opens.



UDA Window

1. Click **Add UDA**. The UDA ID is filled in automatically.
2. In the UDA Description field, enter the description of the user defined attribute.


3. In the Dialog field, select the type of dialog in which you want the attribute to appear.
4. In the Display Type field, select the type of UDA.
5. In the Data Type field, select the type of data that is permitted. This field is enabled when you select List of Values in the Display Type field.
6. In the Data Length field, enter the maximum number of characters that is permitted. This field is disabled when you select Date in the Data Type field.
7. In the merchandise hierarchy fields, enter the ID of the member of each hierarchy level, or click the LOV  button and select a member.
8. If you want to limit the field to a single value, select the Single Value? check box.
9. To add a value to a list of values type of UDA:
10. Click **Add Value**. The ID is filled in automatically.
11. Enter the description of the UDA value.
12. Click **OK** to save any changes and close the window.

Add a Merchandise Level to a User Defined Attribute

Navigate: From the main menu, select Items> User Defined Attributes> Edit. The UDA window open.

Add a department to a user defined attribute

1. Select a user defined attribute.
2. From the Options menu, select Department. The UDA Default Matrix window opens.



The screenshot shows the 'UDA Default Matrix Window' with the following details:

- Window Title: UDA Default Matrix Window (udaidefm)
- User Defined Attribute: 101 Von's UDA test
- Hierarchy Level: Department
- Table Columns: Department, Class, Subclass, Default Value, Req'd
- Table Content: Empty
- Bottom Fields: Department (with LOV button), Default Value (with LOV button), UDA Required? (checkbox)
- Buttons: Apply, Delete, OK, Add Default, Cancel

UDA Default Matrix Window

3. Click **Add Default**. The fields in the Apply area are cleared.
4. In the Department field, enter the ID of the department, or click the LOV  button and select the department.

5. If the UDA is a list of values, enter the ID of the default value in the Default Value field, or click the LOV  button and select the value. This step is optional.
6. If the UDA is a required field, select the UDA Required? check box.
7. Click **Apply**. The department and value information are added to the table.
8. Click **OK** to save your changes and close the window.

Add a class to a user defined attribute


1. Select a user defined attribute.
2. From the Options menu, select Class. The UDA Default Matrix window opens.
3. Click **Add Default**. The fields in the Apply area are cleared.
4. In the Department field, enter the ID of the department, or click the LOV  button and select the department.
5. In the Class field, enter the ID of the class, or click the LOV  button and select the class.
6. If the UDA is a list of values, enter the ID of the default value in the Default Value field, or click the LOV  button and select the value. This step is optional.
7. If the UDA is a required field, select the UDA Required? check box.
8. Click **Apply**. The class and value information are added to the table.
9. Click **OK** to save your changes and close the window.

Add a subclass to a user defined attribute

1. Select a user defined attribute.
2. From the Options menu, select Subclass. The UDA Default Matrix window opens.
3. Click **Add Default**. The fields in the Apply area are cleared.
4. In the Department field, enter the ID of the department, or click the LOV  button and select the department.
5. In the Class field, enter the ID of the class, or click the LOV  button and select the class.
6. In the Subclass field, enter the ID of the subclass, or click the LOV  button and select the subclass.
7. If the UDA is a list of values, enter the ID of the default value in the Default Value field, or click the LOV  button and select the value. This step is optional.
8. If the UDA is a required field, select the UDA Required? check box.
9. Click **Apply**. The subclass and value information are added to the table.
10. Click **OK** to save your changes and close the window.

Add a User Defined Attribute to a Merchandise Level

Navigate: From the main menu, select Action> Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.



Merchandise Hierarchy Main Form Window

Add a user defined attribute to a department

1. Select Department on the tree structure. The departments appear on the table.
2. Select a department and click **Edit**. The Department Maintenance window opens.
3. From the Options menu, select User Defined Attributes. The User Defined Attribute/Item Default List window opens
4. Click **Add UDA**. The fields in the Apply area are cleared.
5. In the UDA field, enter the ID of the UDA, or click the LOV  button and select the UDA.
6. If the UDA is a list of values, enter the ID of the default value, or click the LOV  button and select the default value. This step is optional.
7. To indicate that the UDA is required for all items in the department, select the UDA Required? check box.
8. Click **Apply**. The UDA is added to the table.
9. Click **OK** to save your changes and close the window.

Add a user defined attribute to a class

1. Select Class on the tree structure.
2. In the Department field, enter the ID of the department, or click the LOV  button and select the department.
3. Click **Edit**. The Class Maintenance window opens.
4. Select a class.

5. From the Options menu, select User Defined Attributes. The User Defined Attribute/Item Default List window opens.
6. Click **Add UDA**. The fields in the Apply area are cleared.
7. In the UDA field, enter the ID of the UDA, or click the LOV  button and select the UDA.
8. If the UDA is a list of values, enter the ID of the default value, or click the LOV  button and select the default value. This step is optional.
9. To indicate that the UDA is required for all items in the class, select the UDA Required? check box.
10. Click **Apply**. The UDA is added to the table.
11. Click **OK** to save your changes and close the window.

Add a user defined attribute to a subclass

1. Select Subclass on the tree structure.
2. In the Department field, enter the ID of the department, or click the LOV  button and select the department.
3. In the Class field, enter the ID of the class, or click the LOV  button and select the class.
4. Click **Edit**. The Subclass Maintenance window opens.
5. Select a subclass.
6. From the Options menu, select User Defined Attributes. The User Defined Attribute/Item Default List window opens.
7. Click **Add UDA**. The fields in the Apply area are cleared.
8. In the UDA field, enter the ID of the UDA, or click the LOV  button and select the UDA.
9. If the UDA is a list of values, enter the ID of the default value, or click the LOV  button and select the default value. This step is optional.
10. To indicate that the UDA is required for all items in the subclass, select the UDA Required? check box.
11. Click **Apply**. The UDA is added to the table.
12. Click **OK** to save your changes and close the window.

Add a User Defined Attribute to an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

- Click on the User Defined Attributes option. The Item UDA List window opens.

Add a list of values type of UDA

1. Click **Add Values**.
2. In the User Defined Attributes field, enter the ID of the UDA, or click the LOV  button and select the UDA.
3. In the UDA Value field, enter the ID of the value, or click the LOV  button and select the value.
4. Click **OK** to save your changes and close the window.

Add a date type of UDA

1. Click **Add Dates**.
2. In the User Defined Attributes field, enter the ID of the UDA, or click the LOV  button and select the UDA.
3. In the UDA Date field, enter the date, or click the calendar  button and select the date.
4. Click **OK** to save your changes and close the window.


Add a free form text type of UDA

1. Click **Add Text**.
2. In the User Defined Attributes field, enter the ID of the UDA, or click the LOV  button and select the UDA.
3. In the UDA Text field, enter the text, or click the comments  button and enter the text.
4. Click **OK** to save your changes and close the window.

Add an Item to a User Defined Attribute

Navigate: From the main menu, select Items> User Defined Attributes> Edit. The UDA window opens.

1. Select a user defined attribute.
2. From the Options menu, select Item. The Item UDA Matrix window opens.



Item UDA Matrix Window

3. Click **Add**. The next available line becomes enabled.
4. In the Item field, enter the ID of the item, or click the LOV  button and select the item.
5. Enter the applicable information:
 - a. In the UDA Value field, enter the ID of the default value, or click the LOV  button and select the value.
 - b. In the Date field, enter the default date, or click the calendar  button and select the date.
 - c. In the Comments field, enter the default text, or click the comments  button and enter the text.

Note: The field that opens depends on the type of user defined attribute.

- d. Click **OK** to save your changes and close the window.

Delete a Merchandise Level from a User Defined Attribute

Navigate: From the main menu, select Items> User Defined Attributes> Edit. The UDA window opens.

Delete a department from a user defined attribute

1. Select the user defined attribute.
2. From the Options menu, select Department. The UDA Default Matrix window opens.
3. Select the department and click **Delete**.
4. When prompted to delete the record, click **Yes**.
5. Click **OK** to save your changes and close the window.

Delete a class from a user defined attribute

1. Select the user defined attribute.
2. From the Options menu, select Class. The UDA Default Matrix window opens.
3. Select the class and click **Delete**.
4. When prompted to delete the record, click **Yes**.
5. Click **OK** to save your changes and close the window.

Delete a subclass from a user defined attribute

1. Select the user defined attribute.
2. From the Options menu, select Subclass. The UDA Default Matrix window opens.
3. Select the subclass and click **Delete**.
4. When prompted to delete the record, click **Yes**.
5. Click **OK** to save your changes and close the window.

Delete a Non-Merchandise Code

Navigate: From the main menu, select Control > Setup > Non-Merchandise Codes > Edit. The Non-Merchandise Codes Maintenance window opens.




Non-Merchandise Codes Maintenance Window

Note: You cannot delete the following non-merchandise codes: Escheatment, Tax, and Freight.

1. Select a non-merchandise code.
2. Click **Delete**. You are prompted to delete the code.
3. Click **Yes**.
4. Click **OK** to close the window and save your changes.

Delete a User Defined Attribute from a Merchandise Level


Navigate: From the main menu, select Action> Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.



Merchandise Hierarchy Main Form Window

Delete a user defined attribute from a department

1. Select Department on the tree structure. The departments appear on the table.
2. Select a department and click **Edit**. The Department Maintenance window opens.
3. From the Options menu, select User Defined Attributes. The User Defined Attribute/Item Default List window opens.



User Defined Attribute/Item Default List Window

4. Select a UDA and click **Delete**.
5. When prompted to delete the record, click **Yes**.
6. Click **OK** to exit the User Defined Attribute/Item List window.

Delete a user defined attribute from a class

1. Select Class on the tree structure.
2. In the Department field, enter the ID of the department, or click the LOV  button and select the department.
3. Click **Edit**. The Class Maintenance window opens.
4. Select a class.
5. From the Options menu, select User Defined Attributes. The User Defined Attribute/Item Default List window opens.

Delete a User Defined Attribute from an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

- Click on the User Defined Attributes option. The Item UDA List window opens.

Delete a list of values type of UDA

1. Select the UDA in the List of Values table and click **Delete Value**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Delete a date type of UDA

1. Select the UDA in the Dates table and click **Delete Date**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Delete a free form text type of UDA

1. Select the UDA in the Free Form Text table and click **Delete Text**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Delete an Item from a User Defined Attribute

Navigate: From the main menu, select Items> User Defined Attributes > Edit. The UDA window opens.

1. Select the user defined attribute.
2. From the Options menu, select Item. The Item UDA Matrix window opens.
3. Select the item and click **Delete**.
4. When prompted to delete the record, click **Yes**.
5. Click **OK** to save your changes and close the window.

Maintain item lists

Maintain Item Lists

Item lists are set up by selecting items either individually or by a group characteristic. At any time you may add items to or delete items from an item list. Item lists may also be linked with Location Lists using the Scheduled Item Maintenance window.

You can add items to a list one by one, or you can enter criteria in order to group the items. It becomes much simpler to apply changes to multiple items when the items are grouped on an item list.

The item list feature allows you to create, copy, edit, view, and use a group of items that are identified by one ID.


Create an Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

1. In the Action field, select New.
2. Click **OK**. The Item List Header window opens. The ID of the item list is filled in automatically.
3. Enter the description of the item list.
4. Select the Static Ind, Tax Product Group Ind, and User Security Ind check boxes as necessary.
5. In the organization hierarchy field, enter the ID of the member of the hierarchy level, or click the LOV  button and select a member.
6. To associate an item list with a department:
 - a. In the Group Type field, select the merchandise hierarchy level that you want to use to search for departments.
 - b. In the Group Value field, enter the ID of merchandise hierarchy level that the item list is associated with, or click the LOV  button and select an item list.
 - c. Click **Apply**. The departments that are associated with the item list opens.
7. Enter any additional comments in the comments field, or click the comments  button and enter additional comments.

Add items individually

1. From the Options menu, select Select Items. The Add Items to Item List Individually window opens.



Item	Item Description	Insert ID	Insert Date
100008018	Fashion Item for Enterprise Test:Bright Red-Scarlet:LargeFashion Item	RMSINT120L	14-MAR-2001
100008089	Fashion Item for Enterprise Test:Bright Green-Emerald:Medium	RMSINT120L	14-MAR-2001
100020009	BT Orderable Break to Sell	RMSINT120L	14-MAR-2001
100021001	BT Sellable Break to Sell	RMSINT120L	14-MAR-2001
100022004	BT Catch weight component	RMSINT120L	14-MAR-2001
100023007	BT Catch weight simple pk	RMSINT120L	14-MAR-2001
100024000	BT Deposit Contents	RMSINT120L	14-MAR-2001
100025002	BT Deposit Container	RMSINT120L	14-MAR-2001
100026005	BT Deposit Crate	RMSINT120L	14-MAR-2001
100027008	BT Deposit Returnable	RMSINT120L	14-MAR-2001
100032000	Blair Catchweight simple pack with Blair Catchweight Item 100031007	RMSINT120L	14-MAR-2001
100042005	Blair Deposit contents	RMSINT120L	14-MAR-2001

Add Items to ItemList Individually Window

2. Click **Add**.
3. On the next available line, enter the item number in the Item field, or enter a partial item number and click the LOV  button to select the item from a list.
4. Click **OK** to save your changes and close the window.

Add items by group

1. From the Options menu, select By Group. The Add Items to Item List by Group window opens.
2. Select or enter the criteria in the Criteria fields.
3. Click **Add**. The items that match the criteria are added to the item list.
4. Click **OK** to save your changes and close the window.

Add Items to an Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Edit mode. The Item List Header window opens.

Add items individually

1. From the Options menu, select Select Items. The Add Items to Item List Individually window opens.
2. Click **Add**.
3. On the next available line, enter the item number in the Item field, or enter a partial description and click the LOV  button to select the item.
4. Click **OK** to save your changes and close the window.

Add items by group

1. From the Options menu, select Select By Group. The Add Items to Item List by Group window opens.
2. Select or enter criteria in the Criteria fields.
3. Click **Add**. The items that match the criteria are added to the item list.
4. Click **Exists in Criteria** to calculate the number of items that match the current criteria.
5. Click **Exists in List** to calculate the total number of items that make up the item list.
6. Click **OK** to save your changes and close the windows.

Add an Item List/Location List Link

Navigate: From the main menu, select Items > Scheduled Item Maintenance > New. The Scheduled Item Maintenance window opens.

Scheduled Item Maintenance Window

1. In the Item/Location Link ID field, enter a name for the link you are creating. The ID number will be created by RMS.
2. In the Item List field, enter an item list ID, or click the LOV  button to select an ID.
3. In the Location List field, enter a location list ID, or click the LOV  button to select an ID.

Note: You will only be able to add item and location lists that do not have user security, or were created by you.

4. Click **Add Detail** to highlight the first row in the Detail Information table.
5. In the Effective Date field, click the calendar  button and select the date for this link to become effective in RMS.
6. In the Status field, select the status that will be applied to this link on the effective date.
7. To add another effective date and status for this link, click **Add**.
8. Click **OK** to save your changes and close the window.

Copy an Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Create from Existing mode. The Item List Header window opens.

- Edit the description, comments, and static indicator as necessary.

Add items individually

1. From the Options menu, select Select Items. The Add Items to Item List Individually window opens.
2. Click **Add**.
3. On the next available line, enter the item number in the Item field, or enter a partial description and click the LOV  button to select the item.

Note: Only items that are in the departments associated with the item list will be added to the list.

4. Click **OK** to save your changes and close the window.

Delete items individually

1. From the Options menu, select Select Items. The Add Items to Item List Individually window opens.
2. Select an item and click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Add items by group

1. From the Options menu, select Select By Group. The Add Items to Item List by Group window opens.
2. Select or enter the criteria in the Criteria fields.
3. Click **Add**. The items that match the criteria are added to the item list.

Note: Only items that are in the departments associated with the item list will be added to the list.

4. Click **OK** to save your changes and close the window.

Delete items by group

1. From the Options menu, select View Criteria. The Item List Criteria window opens.
2. Select or enter the criteria in the Criteria fields.
3. Click **Delete**. When prompted to delete the record, click **Yes**. The items that match the criteria are deleted from the item list.
4. Click **OK** to save your changes and close the window.

Rebuild an Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Edit mode. The Item List Header window opens.

1. From the Options menu, select Rebuild Item List. The Rebuild Item List window opens.
2. Select the Rebuild Item List check box.
3. Click **OK** to save your changes and close the windows.

Note: Whenever you select an item list in any window, you can rebuild the list. From the Options menu, select Rebuild Item List. This ensures that all items in a department are included on the list. You cannot rebuild a static item list.

Note: If an item list was set up with user security, only the creator is able to rebuild the list.

Search for an Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

1. In the Action field, select View, Edit, Create from Existing, or Use.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The Item List Search window displays the item lists that match the search criteria.
4. Select a task:
 - To perform another search, click **Refresh**.
 - To display an item list, select a record and click **OK**. The Item List Header window opens.
 - Click **Close** to close the window.

Use an Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Use mode. The Item List Header window opens.

1. To use the item list to make changes to items, from the Options menu, select Create Mass Item Change and select the appropriate change task.
2. Click **OK** to save your changes and close the window.

Delete an Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Edit mode. The Item List Header window opens.

1. Click **Delete**.

Note: If there are location lists linked to this item list, that link will be deleted.

2. When prompted to delete the item list, click **Yes**. The item list is deleted and you are returned to the Item List Search window.

Note: If User Security has been applied to this item list, only there user who created this list may delete it.

3. Click **Close** to save your changes and close the window.

Delete an Item List/Location List Link

Navigate: From the main menu, select Items > Scheduled Item Maintenance > Edit. The Scheduled Item Maintenance window opens.

1. In the Item/Location Link ID field, enter a link ID or click the LOV  button and select a link.
2. Click **Show Detail** to display the details of the link in the Detail Information table.
3. Click **Delete Link**. When prompted to confirm the deletion, click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete Items from an Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Edit mode. The Item List Header window opens.

Note: If User Security is applied to this item list, only the creator may view this window to delete items from the item list.

Delete items individually

1. From the Options menu, select Select Items. The Add Items to Item List Individually window opens. The existing items on the list are listed in this window.
2. Select an item and click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete items by group

1. From the Options menu, select View Criteria. The Item List Criteria window opens.
2. Select or enter the criteria in the Criteria fields.
3. Click **Delete**. When prompted to delete the record, click **Yes**. The items that match the criteria are deleted from the item list.
4. Click **OK** to save your changes and close the window.

Organizational Unit Window [orgunit]

The Organizational Unit window allows you to set up the information necessary to interface RMS to the Oracle financials system. The organizational unit provides a method of mapping suppliers in RMS to vendors in the Oracle financial system.

Note: This window is available only if your organization uses Oracle Financials, version 11.5.10 or later.

Maintain item attributes**Maintain Item Attributes**

The item attributes feature provides a way to record specific information about items. An attribute may be associated with multiple items. There are quick ways to make mass changes to attributes for items:

- Use an item list to change attributes at multiple locations for all items on the item list.
- Use an item list to change attributes for all items on the item list.
- Change attributes for all subordinate items that are associated with a level 1 or level 2 item.

Attributes are used to record specific information relating to various elements in RMS. In some cases, attributes affect how the element is handled throughout RMS. In other cases, the attributes feature is an easy way of tracking additional information. Using the reporting feature of RMS, you can create custom reports based on the attributes you record.

Item Location Attributes Window [mclcn]

The Item Location Attributes window allows you to change the attributes for one or more items at multiple locations.

Whether you change attributes for one item or multiple items depends on how you access the window. When you edit an item, you can change the attributes for the item. When you use an item list, you can change the attributes for all items on the item list.

You can choose from several grouping mechanisms in order to pick the locations for which the attributes must be changed. You can delete locations from the list either individually or by using the grouping mechanisms. The changes to attributes are applied to the locations that remain in the Location List table.

In a multi-channel environment, all changes at the warehouse level are applied at the virtual warehouse level. Each virtual warehouse within a physical warehouse can have a unique set of attributes.

Change Item Indicator Attributes Window [mcitmind]

The Change Item Indicator Attributes window allows you to change the attributes for all items on an item list or for all the subordinate items that are associated with an item.

Whether you change attributes for items on an item list or the subordinate items of an item depends on how you access the window. When you edit a level 1 or level 2 item, you can change the attributes for the subordinate items. When you use an item list, you can change the attributes for all items on the item list.

Edit Attributes for an Item by Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

1. Click on the Mass Change Item option. The Change Item Indicator Attributes window opens.

Change Item Indicator Attributes Window

Note: Items need to be at the transaction level to change the attributes.

2. Select the check boxes in the Update column next to the fields that you want to change.
3. Select or enter the new values in the Change Value To column.
4. To edit attributes for subordinate level items:
 - a. Click on the List Children option. The Item Children window opens
 - b. Click on the Mass Change Item option. The Change Item Indicator Attributes window opens.
 - c. Select the check boxes in the Update column next to the fields that you want to change.
 - d. Select or enter the new values in the Change Value To column.
5. Click OK to save your changes and close the window.

Edit Attributes for Items by Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Use mode. The Item List Header window opens.

1. From the Options menu, select Create Mass Item Change > Item Indicator. The Change Item Indicator Attributes window opens.
2. Select the check boxes in the Update column next to the fields that you want to change.
3. Select or enter the new values in the Change Value To column.
4. Click **OK** to save your changes and close the window.

Record Attributes for an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

1. From the Option list, click the Item Attributes. The Item Attributes window opens.

The screenshot shows the 'Item Attributes' window with the following fields and options:

- Item: 123456789012 t-shirt
- Item Level: Line
- Tran Level: Line
- Test Market: [Empty text box]
- Introduced Date: [Empty date box]
- Tested Date: [Empty date box]
- Adjusted Cost: [Empty text box]
- Saleable Returns
- Defective Returns
- Plan-o-gram Required
- Buttons: OK, Cancel

Item Attributes Window

2. Enter or select the attributes that apply to the current item.
3. Click **OK** to exit.

Record Grocery Attributes for an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

1. Click **Groc Attributes**. The Item Grocery Attributes window opens.



The screenshot shows the 'Item Grocery Attributes' window. The title bar reads 'Item Grocery Attributes (itemmaster)'. The window contains the following fields:

- Package Size: Text input field.
- Package UOM: Text input field with a list icon.
- Retail Label Type: Dropdown menu.
- Retail Label Value: Text input field.
- Handling Sensitivity: Dropdown menu.
- Handling Temp: Dropdown menu.
- Wastage Type: Dropdown menu.
- Default Daily Wastage %: Text input field.
- Wastage Percentage: Text input field.

At the bottom right, there are 'OK' and 'Cancel' buttons.

Item Grocery Attributes Window

2. In the Package Size and Package UOM field, enter the size and unit of measure for a retail package of the current item.
3. In the Retail Label Type and Retail Label Value fields select the type of label applied to the package and its value.
4. In the Handling Sensitivity and Handling Temp fields, select any special handling instructions.
5. In the Wastage Type field, select the type of wastage.
6. In the Default Daily Wastage % field, enter the average percentage of spoilage an item is subject to on a daily basis.
7. In the Wastage Percentage field, enter the average percentage of waste an item is subject to over its shelf life.
8. Click **OK** to save your changes and close the window.

Record Import Attributes for an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

1. From the Options list, select Import Attributes. The Item Import Attributes window opens.

Item Import Attributes Window

2. Enter or edit the attributes that apply to the current item.
3. Click **OK** to save your changes and close the window.

Suppliers

Define supplier traits

Define Supplier Traits

With supplier traits, you can group suppliers based on a trait. You can also group suppliers by associating them with a trait that indicates that they share a master supplier. A master supplier is an outside source that provides merchandise to your suppliers, such as a manufacturer, distributor, or wholesaler. You can also enter an external ID for the master supplier. Based on the traits you associate with your suppliers, you can create reports.

Add a Supplier Trait

Navigate: From the main menu, select Control > Traits > Supplier Traits > Edit. The Supplier Traits Maintenance window open.

Supplier Site: 5678900000 The Furniture Company P/L

Supplier Trait	Description	Master Supplier Code	Master Supplier Indicator
[LOV]			<input type="checkbox"/>

Buttons: OK, Add Trait, Delete, Cancel

Supplier Traits List Window


1. Click **Add Trait**.
2. In the Supplier Trait field on the next available line, enter the ID of the trait, or click the LOV  button and select the trait.
3. Click **OK** to save your changes and close the window.

Associate a Supplier with a Supplier Trait

Navigate: From the main menu, select Control > Traits > Supplier Traits > Edit. The Supplier Traits Maintenance window opens.

Select a supplier trait.

Click **Suppliers**. The Suppliers Associated with Trait window opens.



Suppliers Associated with Trait Window

1. Click **Add Supplier**.
2. In the Supplier field, enter the ID of the supplier, or click the LOV  button and select a supplier.
3. Click **OK** to save your changes and close the window.

Delete a Supplier from a Supplier Trait

Navigate: From the main menu, select Control > Traits > Supplier Traits > Edit. The Supplier Traits Maintenance window opens.

Select a supplier trait.

Click **Suppliers**. The Suppliers Associated with Trait window opens.

1. Select a supplier.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete a Supplier Trait


Navigate: From the main menu, select Control > Traits > Supplier Traits > Edit. The Supplier Traits Maintenance window opens.

1. Select a supplier trait.
2. Click **Delete**.
3. When prompted to delete the trait, click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete a Supplier Trait for a Supplier

Navigate: From the main menu, select Control > Supplier > Maintenance > Edit. The Supplier Maintenance window opens.

From the Options menu, select Supplier Traits. The Supplier Traits List window opens.



Supplier Traits List Window

1. Select a supplier trait.
2. Click **Delete**.
3. When prompted to delete the trait, click **Yes**.
4. Click **OK** to save your changes and close the window.

Maintain suppliers

Supplier Management Overview

The supplier management feature allows you to add, edit, and view the following information about suppliers:

- **Multiple contact persons and addresses:** You can enter multiple addresses of different types, such as business, invoice, order, postal, remittance, and returned goods.
- **Financial arrangements:** You can indicate the payment terms, freight terms, currency, settlement code, and payment method.
- **Inventory management parameters:** You can set up a replenishment cycle, order attributes, scaling attributes and constraints, order minimum constraints, and due order processing. You can also indicate whether quality control checking is required and what percentage of the received goods must be checked.
- **Return to vendor (RTV) requirements:** You can indicate whether returns are allowed, whether an authorization number is required, the minimum value of a return, the preferred courier, and the handling charge.
- **Required documents** You can select which documents, if any, are required by the supplier.
- **Expense profiles:** You can enter the supplier's costs by country or by cost zone.
- **Types of electronic data interchange (EDI) transactions:** You can indicate which EDI transactions the supplier can process.
- **Generic attributes:** You can indicate which attributes apply to the supplier, such as co-op agreement terms, volume rebate terms, whether a PO is required, or whether items are pre-ticketed.
- **Import attributes:** You can enter import-related information such as agent, advising and issuing banks, lading and discharge ports, manufacturer ID, and beneficiary.
- **Invoice matching attributes:** You can indicate when debit memos are sent, whether invoices and debit memos are approved automatically, whether supplier is allowed to charge freight, and whether invoices are pre-paid. (Oracle Retail Invoice Matching must be installed.)
- **Supplier traits:** You can select the traits by which you want to group the supplier with other suppliers.
- **Payment types by store:** You can select the methods by which the supplier can be paid, such as cash, money order, and invoice. You can also indicate the payment type by store.
- **Delivery schedules at stores and warehouses:** After you create a delivery schedule, you can specify which items are not to be delivered to the location on a specific delivery day.

- **Vendor managed inventory (VMI):** Use VMI to allow a supplier to manage the inventory levels of designated product at the warehouse. Inventory data is shared with the supplier, who uses the information to create inbound purchase orders, which will achieve and/or maintain budgeted inventory and service levels in the warehouse.

Supplier Maintenance Window [supvwedt]

The Supplier Maintenance window allows you to create, edit, and view suppliers. Suppliers are vendors that provide your stores and warehouses with merchandise. You can indicate whether the supplier is active or inactive. You can also enter the primary contact, financial, shipping, and payment information.

Create a Supplier

Note: If the Financials module is installed, new suppliers are created via a file transmission. You cannot create a supplier manually.

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

OR

If the Financials module is installed, from the main menu, select Control > Supplier > Maintenance from the main menu.

1. In the Action field, select New.
2. Click **OK**. The Supplier Maintenance window opens.

Supplier Maintenance Window

3. In the Supplier fields, enter an ID and description for the supplier.
4. In the Status field, indicate whether the supplier is active or inactive.
5. In the Contact fields, enter the name, telephone number, fax number, telex, and e-mail for the primary contact person at the supplier's location.
6. In the Details fields, select the payment terms, freight terms, currency, language, VAT region, and shipping method.
7. In the Settlement Code and Payment Method fields, select the appropriate options.
8. In the Lead Time field, enter the amount of time a supplier needs between receiving an order and having the order ready to ship. This value will be defaulted to item/supplier relationships.
9. In the DUNS Supplier Number and DUNS Location Number fields, enter the appropriate Dun and Bradstreet codes to identify the supplier and its location.
10. Select the DSD check box to indicate that the supplier can provide direct store deliveries.
11. If you will be allowing vendor managed inventory with this supplier, select Worksheet or Approved in the VMI Order Status field.
12. In the Inventory Mgmt Info Level, select Supplier, Supplier/Loc, Supplier/Dept, or Supplier/Dept/Loc.

13. Select the appropriate indicators as necessary for the supplier. In the Indicators area:
 - a. Select the QC Required check box, to indicate that goods received from the supplier must be inspected for quality.
 - b. In the QC Pct field, enter what percentage of the goods must be inspected.
 - c. In the QC Freq field, enter how often the items will be inspected.
 - d. Select the Auto Contract Approval check box to indicate that contract orders are created in Approved status.
 - e. Select the Pre-Mark Indicator check box to indicate that the supplier will break orders into separate, marked boxes that can be shipped directly to stores.
 - f. Select the Bracket Costing check box to indicate the this supplier uses bracket costing in its pricing.
 - g. Select the Back Orders check box to indicate the supplier accepts back orders.
14. Add an address for a supplier.
15. Click **OK** to save any changes and close the window.

Edit a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

OR

If the Financials module is installed, from the main menu, select Control > Supplier > Maintenance from the main menu.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

1. Edit the enabled fields as necessary.
2. Update the address information as necessary.
3. Click **OK** to save your changes and close the window.

Supplier Attributes Window [supattr]

The Supplier Attributes window allows you to enter attributes for a particular supplier. You can track the following information about a supplier:

- Pre-ticketed item information
- Coop agreement terms
- Requirement of a PO
- Volume rebate terms

Supplier Search Window [supfind]

The Supplier Search window allows you to enter criteria in order to search for suppliers and view the results.

Functional views

The default view for the Supplier Search window opens when you open the window for the first time. You can also create a custom view.

Search for a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

The screenshot shows the 'Supplier Search Window' with the following fields and controls:

- Action:** A dropdown menu.
- Supplier Level:** A dropdown menu.
- Supplier:** A text input field.
- SupplierSite:** A text input field.
- Division:** A text input field with a list icon.
- Group:** A text input field with a list icon.
- Department:** A text input field with a list icon.
- Class:** A text input field with a list icon.
- Subclass:** A text input field with a list icon.
- Item:** A text input field with a list icon.
- Secondary Name:** A text input field.
- Sup Site Secondary Name:** A text input field.
- DUNS Number:** A text input field.
- DUNS Location:** A text input field.
- Status:** A dropdown menu.
- Order:** A text input field with a list icon.
- Bracket Costing:** A dropdown menu.

At the bottom of the window are five buttons: **OK**, **Search**, **Back**, **Refresh**, and **Close**.

Supplier Search Window

Note: If the Financials module is installed, select Control > Supplier > Maintenance from the main menu.

1. In the Action field, select either Edit or View.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**.
4. Select a task:
5. To perform another search, click **Refresh**.
6. To display the supplier information, select a record and click **OK**. The Supplier Maintenance window opens.
7. Click **Close** to close the window.

Add a Supplier for an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. Restrict the search to items in Worksheet status. The Item Maintenance window opens.

Select Suppliers on the Options list. The Item Supplier window opens.

Add an Address for a Vendor

Navigate: From the Partner Maintenance or Supplier Maintenance window, select Address from the Options menu. The Address window opens.

Address Type	Address	City	State	Postal Code	Country
01	1212 Wholesaler	New York	NY	10019	US
02	1212 Wholesaler	New York	NY	10019	US
05	1212 Wholesaler	New York	NY	10019	US

Address Window

1. In the Address Type field, enter the address type code, or click the LOV  button and select an address type.
2. In the address area, enter the necessary address information.
3. If the address is the primary address for an address type, select the Primary Address check box.

Note: The Primary Address check box is only available if you are adding more than one address to an address type.

4. In the contact area, enter the necessary contact information.
5. Click **Apply**. The address is added to the table.
6. Click **OK** to close the window and save any changes.

Note: You will not be able to close the window until you have added all the mandatory address types.

Record Return Requirements for a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode.

Note: If the Financials module is installed, select Control > Supplier > Maintenance from the main menu.

1. From the Options menu, select Returns. The Supplier Returns window opens.

Supplier Returns Window

2. If the supplier allows goods to be returned, select the Returns Allowed check box.
3. If the supplier requires returned goods to have an authorization number, select the Authorization Required check box.
4. In the Minimum Return Amount field, enter the minimum value of the returned goods that the supplier will accept.
5. In the Courier field, enter the supplier's preferred shipper for returned goods.
6. In the Handling % field, enter the percentage added to the value of the returned goods as a handling charge.
7. To enter the address to which returned goods should be shipped:
 - a. Click **Address**. The Address window opens.
 - b. Enter the address in the Address, City, State, Postal Code, and Country fields.
 - c. In the Contact fields, enter the name, telephone number, fax number, telex, and e-mail for the primary contact person at the supplier's location.
 - d. Click **OK** to exit the Address window.
8. Click **OK** to save your changes and close the window.

Add a Payment Type Configuration for a Supplier

Navigate: From the main menu, select Control > Supplier > Maintenance. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

OR

If the Financials module is installed, from the main menu, select Control > Supplier > Maintenance from the main menu.


Select Options > Supplier Payment Types. The Supplier Payment Types window opens.

Sup. Site Payment Type	Effective Date	Create Date	Create ID	Modify Date	Modify ID	Total Stores
[Dropdown]	[Date Field]	[Calendar Icon]				0
[Dropdown]	[Date Field]	[Calendar Icon]				
[Dropdown]	[Date Field]	[Calendar Icon]				
[Dropdown]	[Date Field]	[Calendar Icon]				
[Dropdown]	[Date Field]	[Calendar Icon]				

Supplier Payment Types Window

1. Click **Add**.
2. In the Supplier Payment Type field, select the type of payment.
3. In the Effective Date field, enter the date on which the payment type is valid, or click the calendar  button and select the date.

4. To associate stores with the payment type configuration:
 - a. Select the payment type configuration.
 - b. Click **Stores**. The Store window opens.



Store Window

- c. In the Location Type field, select Store or the type of store group.
 - d. Enter the ID of the store or the store group that you want to associate with the POS configuration, or click the LOV  button and select the store or store group.
 - e. Click **Apply**.
 - f. Click **OK** to save your changes and close the window.
5. Click **OK** to save your changes and close the window.

Add an Address to a Location

Navigate: From the store or warehouse window, click **Address**. The Address window opens.

In the Address Type field, enter the address type code, or click the LOV  button and select an address type.

In the address area, enter the necessary address information.

If the address is the primary address for an address type, select the Primary Address check box.

Note: The Primary Address check box is only available if you are adding more than one address to an address type.

In the contact area, enter the necessary contact information.

Click **Apply**. The address is added to the table.

Click **OK** to close the window and save any changes.

Note: You will not be able to close the window until you have added all the mandatory address types.

Add an Expense Profile for a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

OR

If the Financials module is installed, from the main menu, select Control > Supplier > Maintenance from the main menu.

From the Options menu, select Expenses. The Expense Profile Maintenance window opens.

Expense Profile Maintenance Window

1. In the Profile Type field, select:
2. **Zone:** Expense profiles are added at the cost zone level for the supplier.
3. **Country:** Expense profiles are added at the country level for the supplier.
4. Click **Add**. The next line in the Expense Profile Header table is enabled.
5. In the Dis Port field, enter the code for the discharge port, or click the LOV  button and select the discharge port.
6. In the Cost Zone Group and Cost Zone fields, enter the ID of the cost zone group and cost zone, or click the LOV  buttons and select them.
7. Click **Add Details**. The next line in the Expense Profile Detail table is enabled.

8. In the Component field, enter the code for the expense component, or click the LOV  button and select the expense component.
9. Enter or edit any default details in the enabled fields.
10. In the Component Nomination fields, select the status of the expense in relation to the other components:
11. Select N/A if the expense is not included in the calculation.
12. Select + (plus sign) to add the expense.
13. Select - (minus sign) to subtract the expense.
14. In the Expense Profile Header table, select the Base Profile check box next to the expense profile that you want to use as the default.
15. Click OK to save your changes and close the window.

Add an Origin Country for a Supplier of an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. Restrict the search to items in Worksheet status. The Item Maintenance window opens.

Click on the Suppliers option on the Options list. The Item Supplier window opens.

Select a supplier.

Click on the Item Supplier Origin Country option on the Options list. The Item Supplier Origin Country window opens.

Item Supplier Origin Country Window

Note: You can add a supplier/origin country for an orderable item.

1. In the Origin Country field, enter the code for the country, or click the LOV  button and select the country.
2. Click **Create**.
3. In the Unit Cost field, enter the cost of the item in the indicated currency.
4. If the country is the primary country, select Yes.
5. Enter location default, ordering, case, and dimension information.
6. To enter dimensions for multiple types of packaging:
 - a. Complete the first package.
 - b. Click **OK + Repeat** in that area.
 - c. Enter the dimensions of another package.
7. To add any other details for the origin country, click on the appropriate option on the Options list.
8. In edit mode, to apply the edits to the subordinate items down to the transaction level, select the Apply Additions and Deletions check box.
9. Click **OK** to save your changes and close the window.
10. If you made the current country the primary country, a prompt cautions you about changing the primary country. Click **Yes** or **No** to continue.

Delete a Required Document from a Supplier


Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and select a supplier in the Edit mode. The Supplier Maintenance window opens.

OR

If the Financials module is installed, from the main menu, select Control > Supplier > Maintenance from the main menu.

From the Options menu, select Documents. The Required Documents window opens.



Required Documents Window

1. Select the document you want to delete.
2. Click **Delete**.
3. When prompted to delete the document record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Edit a Delivery Schedule for a Supplier


Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

OR

If the Financials module is installed, from the main menu, select Control > Supplier > Maintenance from the main menu.

From the Options menu, select Delivery Schedule. The Delivery Schedule window opens.



Delivery Schedule Window

1. Select the location schedule from the table.
2. Edit the fields in the apply area as necessary.

Delete the delivery schedule for a single location

1. In the Group Type field, select Store or Warehouse.
2. In the Group Value field, enter the ID of the location, or click the LOV  button and select a location.
3. Click **Delete**.
4. Click **OK** to save your changes and close the window.

Delete the delivery schedule for multiple locations

1. In the Group Type field, select the type of grouping mechanism for the delivery schedule.
2. In the Group Value field, enter the ID of the grouping mechanism or location for the delivery schedule, or click the LOV  button and select a grouping mechanism or location.
3. Click **Delete**.
4. Click **OK** to save your changes and close the window.

Delete an exception from a delivery schedule

1. Click **Exceptions**. The Exceptions window opens.

The screenshot shows the 'Exceptions' window with the following details:

- Source Type:** Supplier
- Source:** 1234567891 New Supplier site for MSOB
- Loc Type:** Store
- Location:** 99 salins store--dont use

Item	Item Description	Day

At the bottom of the window, there are several controls:

- Item Type:** Item (dropdown)
- Day:** (dropdown)
- Item:** (text input)
- Buttons:** Apply, Delete, Add Exception, Cancel, and OK.

Exceptions Window

2. Select the exception record that you want to delete.
3. Click **Delete**.
4. When prompted to delete the record, click **Yes**.
5. Click **OK** to save your changes and close the window.

Edit a Payment Type Configuration for a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

OR

If the Financials module is installed, from the main menu, select Control > Supplier > Maintenance from the main menu.

From the Options menu, select Supplier Payment Types. The Supplier Payment Types window opens.

Supplier Payment Types Window

- Edit the Supplier Payment Type and Effective Date fields as necessary.

Note: The Effective Date field can be edited until the payment date is valid.

Associate stores with the payment type configuration

1. Select the payment type configuration.
2. Click **Stores**. The Stores window opens.
3. In the Location Type field, select Store or the type of store group.
4. Enter the ID of the store or store group that you want to associate with the POS configuration, or click the LOV button and select the store or store group.
5. Click **Apply**.
6. Click **OK** to save your changes and close the window.

Delete a single store from the payment type configuration

1. Select the payment type configuration.
2. Click **Stores**. The Store window opens.
3. Select the store in the table.
4. Click **Delete**.
5. Click **OK** to save your changes and close the window.

Delete multiple stores from the payment type configuration

1. Select the payment type configuration.
2. Click **Stores**. The Store window opens.
3. In the Location Type field, select the type of group.
4. Enter the ID of the group that you want to delete from the POS configuration, or click the LOV  button and select the group.
5. Click **Delete**.
6. Click **OK** to save your changes and close the window.

Delete a supplier type configuration for a supplier

1. Select a payment type record.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**. The Deleted field is checked automatically.
4. Click **OK** to save your changes and close the window.

Supplier Availability Maintenance Window [supavail]

The Supplier Availability Maintenance window allows you to edit and view the quantities of the items that are available from a supplier. Type A and Type D contracts can be created for items that are available from the supplier.

Supplier Import Attributes Window [supimprt]

The Supplier Import Attributes window allows you to enter import information about a particular supplier. You can track information specific to the supplier, such as:

- Agent
- Factory
- Advising bank
- Issuing bank
- Lading port
- Discharge port
- Manufacturer ID
- Additional partner information
- Beneficiary information

Supplier Inventory Management Constraint Information Window [supivmgt]

The Supplier Inventory Management Constraint Information window allows you to create, maintain, and view inventory management information for a supplier, or for a department and supplier.

Scaling constraints

When you use order scaling, you define two scaling constraints. You select the type of constraint and the minimum and maximum values for the constraint. Depending on the objective of the scaling process, purchase orders are scaled as closely as possible to the maximum or minimum value of the scaling constraint. You can also enter the allowable deviation for the purchase order from the value of the scaling constraint.

Truck splitting constraints

You can define what constraints should be used when splitting orders out by truckload for the supplier. You can specify the type, unit of measure, value, and tolerance for up to two constraints.

Minimum constraints

You can define minimum order requirements for purchase orders for the supplier. You cannot approve purchase orders that do not meet the minimum order requirements of the supplier. You can specify up to two minimum order requirements and indicate whether a purchase order has to meet one or both of the requirements.

Bracket costing constraints

In the grocery industry, the cost of a product is often determined based on purchase order level brackets, or thresholds, that determine the break points at which shipping charges change. Bracket prices constitute the base cost of the item for that purchase order when the supplier delivers the product.

You can define whether or not an order should be scaled up to reach a higher bracket, which would result in a decrease to the cost of the items on the order. You can set bracket costing to scale on certain types and units of measurement, and you can set the bracket costing threshold to a percentage you want to scale from.

For example, if you set the threshold at 90%, and the brackets at 20,000 LBS and 40,000 LBS, then any order of a weight greater than or equal to 38,000 LBS will be scaled to 40,000 LBS.

Supplier Inventory Management Information Window [supivmgt]

The Supplier Inventory Management Information window allows you to add, edit, and view inventory management information for a supplier, supplier/department, supplier/location or supplier/department/location using this form.

You can maintain the following areas:

- Replenishment Attributes
- Due Order Processing
- Investment Buy Attributes
- Scaling Attributes
- Order Attributes
- Rounding Attributes
- Supplier Minimum Attributes
- Truck Splitting Attributes

Delivery Schedule Window [suplocsc]

The Delivery Schedule window allows you to create, edit, and view delivery schedules for items from a supplier or warehouse to stores and warehouses. After you create a delivery schedule, you can define exceptions to the schedule by specifying which items are not to be delivered to the location on a specific delivery day.

When the Use Location Delivery Schedule system parameter is selected, the replenishment feature uses the delivery schedule to calculate lead times for the items at the location. When there is a delivery schedule for a supplier or warehouse at a location, the specified lead times for the item are the minimum amount of time in which a purchase order can be delivered to that location.

When the delivery date of the purchase order does not fall on a delivery day of the supplier or warehouse, the lead time is calculated by taking the minimum lead time and adding additional days to reach the next valid delivery day. In effect, the lead time is extended until the next delivery day of the supplier or warehouse. Extending the lead time increases the number of units required to replenish the item. The lead time is only extended when the replenishment method is Dynamic, Dynamic - Seasonal, Dynamic - Issues, or Floating Point.

Supplier Bracket Costing Window [supbrkt]

On the Supplier Bracket Costing window, you can add and delete primary and secondary bracket values, specify default brackets, or delete the entire bracket structure.

Add Primary and Secondary Bracket Values

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

From the Options menu, select Inventory Management. The Supplier Inventory Management Information window opens.

1. Add inventory management information for a supplier
2. Click **Constraints**. The Supplier Inventory Management Constraint Information window opens.

Supplier Inventory Management Constraint Information Window

3. Click **Bracket Costi....**The Supplier Bracket Costing window opens.

Note: The Bracket Costing check box must be selected in the Indicator area of the Supplier Maintenance window in order to access the Supplier Bracket Costing window.

4. In the Primary Bracket Value column, enter the lower value of the primary bracket.
5. In the Secondary Bracket Value column, enter the lower value of the secondary bracket, if applicable.
6. If the bracket value is a default value for this bracket structure, select the Default check box.
7. Select the Pickup check box to indicate that the bracket pricing uses pickup prices. The pickup price is the price of the goods without shipping costs, as if the goods were picked up at the supplier's location.
8. Click **OK** to save your changes and close the window.

Delete a Bracket Structure

Navigate: From the main menu, select Control > Supplier > Maintenance. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

From the Supplier Maintenance window, select Options > Inventory Management. The Supplier Inventory Management Information window opens.

Click **Constraints**. The Supplier Inventory Management Constraint Information window opens.

Click **Bracket Costing**. The Supplier Bracket Costing window opens.

The screenshot shows the 'Supplier Bracket Costing' window with the following details:

- Supplier Site: 35000 Alice New Supplier site
- Department: (empty)
- Location: (empty)
- Primary Type: Each
- Secondary Type: (empty)
- Primary UOM: (empty)
- Secondary UOM: (empty)
- Threshold %: 80.00
- Table with columns: Default, Primary Bracket Value, Secondary Bracket Value. The first row has a checked checkbox, 30.00, and (empty).
- Buttons: OK, Add, Delete, Delete All, Cancel.

Supplier Bracket Costing Window

1. Click **Delete All**.
2. When prompted to delete the bracket structure, click **Yes**.

3. Select the appropriate option to either default down from the next highest bracket structure (so all current items associated with the deleted bracket structure will inherit the costs from the next highest bracket structure, if one exists), or not to default down.
4. When prompted whether or not to remove the inventory management record as well after deleting the structure, select the appropriate option.
5. Click **OK** to save your changes and close the window.

Delete Primary and Secondary Bracket Values

Navigate: From the main menu, select Control > Supplier > Maintenance. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

From the Supplier Maintenance window, select Options > Inventory Management. The Supplier Inventory Management Information window opens.

Click **Constraints**. The Supplier Inventory Management Constraint Information window opens.

Click **Bracket Costing**. The Supplier Bracket Costing window opens.

1. Select the line of bracket values that you want to delete.
2. Click **Delete**. You are prompted to confirm the deletion.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Cost Change by Supplier Window [suppsku]

The Cost and Retail Change by Supplier window allows you to view and maintain the details of a cost change event at the item/supplier/origin country level.

To create a cost change event, you can access the Cost Change by Supplier window in one of three ways:

- **Pricing:** From the main menu, select Pricing > Cost Change. In the Cost Change Search window, select an action.
- **Items:** From the main menu, select Items > Items. In the Item Search window, select New Cost Change in the Action field.
- **Item Lists:** From the main menu select Items > Item List. In the Item List Search window, select Use in the Action field. From the Item List Header window, select Create Cost Change from the Options menu.

Functional views

The default view for the window opens when you open the window for the first time. You can create a custom view.

Cost Change by Location Window [suppsku]

The Cost Change by Location window allows you to view and maintain the details of a cost change event at the item/supplier/origin country/location level.

In a multi-channel environment, cost changes for items at a warehouse are handled at the physical warehouse level.

Supplier Traits List Window [suptrlst]

The Supplier Traits List window allows you to view supplier traits that have been associated with a specific supplier, to associate supplier traits with a supplier, or to delete a supplier trait from a supplier.

Supplier Traits Maintenance Window [suptr]

The Supplier Traits Maintenance window allows you to add, edit, and view supplier traits. After you create supplier traits, you can then associate suppliers with a trait or associate traits with a supplier.

You can also use traits to indicate which of your suppliers have a master supplier. A master supplier is an outside source that provides merchandise to one or more of your suppliers, such as a manufacturer or distributor. You can enter an external ID for the master supplier as well.

Suppliers Associated with Trait Window [suptrm]

The Suppliers Associated with Trait window allows you to associate a supplier with a supplier trait. You can also delete suppliers from a supplier trait.

Edit a Supplier Trait

Navigate: From the main menu, select Control > Traits > Supplier Traits > Edit. The Supplier Traits Maintenance window opens.

Supplier Returns Window [supvwedt]

The Supplier Returns window allows you to define the return policy for a supplier. If the supplier allows goods to be returned, you can enter the supplier's requirements for accepting the returned goods.

Maintain supplier attributes

Maintain Supplier Attributes

The supplier attributes feature provides a way to record specific information about suppliers.

Attributes are used to record specific information relating to various elements in RMS. In some cases, attributes affect how the element is handled throughout RMS. In other cases, the attributes feature is an easy way of tracking additional information. Using the reporting feature of RMS, you can create custom reports based on the attributes you record.

Record Attributes for a Supplier

Navigate: From the main menu, select Control > Supplier > Maintenance. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

1. From the Options menu, select Attributes. The Supplier Attributes window opens.

The screenshot shows the 'Supplier Attributes Window' with the following details:

- Supplier Site: 35000 Alice New Supplier site
- Attributes:
 - Pre-ticketed Item
 - Coop Agreement
 - No PO Required
 - Volume Rebate
- Terms: Two input fields, each with a dropdown menu.
- Buttons: OK and Cancel.

Supplier Attributes Window

2. Enter or select the attributes that apply to the current supplier.
3. Click **OK** to save your changes and close the window.

Record Invoice Matching Attributes for a Supplier

Navigate: From the main menu, select Control > Supplier > Maintenance. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

1. From the Options menu, select Invoice Matching Attributes. The Invoice Matching Supplier Variables window opens.

Invoice Matching Supplier Variables Window

2. Select the invoice matching attributes that apply to the current supplier.
3. Click **OK** to save your changes and close the window.

Record Import Attributes for a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

1. From the Options menu, select Import Attributes. The Supplier Import Attributes window opens.

Supplier Site: 5678900000 The Furniture Company P/L

Import Attributes

Agent: [] [List Icon] []

Factory: [] [List Icon] []

Advising Bank: [] [List Icon] []

Issuing Bank: [] [List Icon] []

Lading Port: [] [List Icon] []

Discharge Port: [] [List Icon] []

Manufacturer ID: [] Related

Partner Type: [] Partner: [] [List Icon] []

Partner Type: [] Partner: [] [List Icon] []

Partner Type: [] Partner: [] [List Icon] []

Beneficiary Attributes

Beneficiary

With Recourse

Revocable

Variance Percent: []

LC Negotiation Days: []

Place of Expiry: [] [List Icon] []

Drafts At: []

Presentation Terms: []

OK Cancel

Supplier Import Attributes Window

2. Enter or select the import attributes that apply to the current supplier.
3. Click **OK** to save your changes and close the window.

Maintain partners

Maintain Partners

A partner is a person or entity that has an association with your organization in various areas of the procurement process. Partners can include those involved in transporting goods, escheatment, providing credit, and providing services. For bank partners, you can track the status of your line of credit.

Manufacturer, distributor, and wholesaler partners are considered part of the supplier hierarchy. These are default names and can be edited in the Dynamic Hierarchy window.

Create a Partner

Navigate: From the main menu, select Control > Partner. The Partner Find window opens.

The screenshot shows the 'Partner Find' window with the following fields and controls:

- Action:** A dropdown menu.
- Partner Type:** A dropdown menu.
- Partner:** A text input field.
- Description:** A text input field.
- Currency:** A text input field with a list icon.
- Status:** A dropdown menu.
- Principal Country:** A text input field with a list icon.
- Manufacturer ID:** A text input field with a list icon.
- Language:** A text input field with a list icon.
- Buttons:** OK, Search, Back, Refresh, and Close.

Partner Find Window

1. In the Action field, select New.
2. In the Partner Type field, select the type of partner.
3. Click **OK**. The Partner Maintenance window opens.

Partner Maintenance (partner)

Agent 1 Agent

Principal Country US United States

Currency USD US Dollar

Language 1 English

Status Active

Terms 1 01 002.50% 030 060

VAT Region 1000 Vat Region 1000

Contact

Name susan

Phone 987-098-9876

Fax

Telex

Email

Details

Manufacturer ID

Tax ID

OK Comments Delete Cancel

Partner Maintenance Window

4. In the first field, enter an ID and description for the partner.

Note: The label for this field depends on the type of partner.

Note: You cannot enter an ID if your system is set up to automatically generate IDs.

5. In the Currency field, enter the code for the partner's currency, or click the LOV  button and select the currency.
6. In the Language field, enter the ID of the partner's language, or click the LOV  button and select the language.
7. In the Status field, indicate whether the partner is active or inactive.
8. In the Contact fields, enter the name, telephone number, fax number, telex, and e-mail for the primary contact person at the partner's location.

9. If you are creating a Bank partner, enter an amount in the Line of Credit field in the currency of the partner.
10. For all partners but banks, enter the applicable details in the Details area.
11. Add an address for the partner.
12. Click **OK** to save your changes and close the window.

Record Invoice Matching Attributes for a Partner

Navigate: From the main menu, select Control > Partner. The Partner Find window opens.

Search for and retrieve a partner in Edit mode. The Partner Maintenance window opens.

1. From the Options menu, select Invoicing Attributes. The Invoicing Attributes window opens.

Invoicing Attributes Window

2. Select the invoice matching attributes that apply to the current partner.
3. Click **OK** to save your changes and close the window.

Add an Address for a Vendor

Navigate: From the Partner Maintenance or Supplier Maintenance window, select Address from the Options menu. The Address window opens.

1. In the Address Type field, enter the address type code, or click the LOV  button and select an address type.
2. In the address area, enter the necessary address information.
3. If the address is the primary address for an address type, select the Primary Address check box.

Note: The Primary Address check box is only available if you are adding more than one address to an address type.

4. In the contact area, enter the necessary contact information.
5. Click **Apply**. The address is added to the table.
6. Click **OK** to close the window and save any changes.


Note: You will not be able to close the window until you have added all the mandatory address types.

Delete a Required Document from a Partner

Navigate: From the main menu, select Control > Partner. The Partner Find window opens.

Search for and retrieve a partner in the Edit mode. The Partner Maintenance window opens.

From the Options menu, select Documents. The Required Documents window opens.



Required Documents Window

1. Select the document you want to delete.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Search for a Partner

Navigate: From the main menu, select Control > Partner. The Partner Find window opens.

1. In the Action field, select either Edit or View.
2. In the Partner Type field, select the type of partner.
3. Enter additional criteria as desired to make the search more restrictive.
4. Click **Search**. The Partner Find window displays the partners that match the search criteria.
5. Select a task:
6. To perform another search, click **Refresh**.
7. To display the partner information, select a record and click **OK**. The Partner Maintenance window opens.
8. Click **Close** to close the window.

Item Maintenance

Set up diffs

Set Up Diffs

RMS item creation allows you to create simple or complex items. Complex items are created by defining each variation of the item as an Item Level. A diff allows you to distinguish an item by characteristic. For items that do vary, you can use diffs to create up to three levels of an item.

Diff Types

Up to 30 different diff types can be created in RMS. Examples of diff types are color, size, flavor or pattern. By tracking information based on diffs you are able to identify which variety of an item has the best rate of sale, expedite ordering and transferring goods, and generate detailed reports.

Diff Ratio

Diff ratios are used to designate the quantity of each diff that should be fulfilled as a percentage of the total diff quantity. You are able to view and edit the results of a diff ratio that has been calculated by a batch program, base a store's diff ratios on those for another store, and you edit the quantity for each diff or diff combination.

Add a Diff

Navigate: From the main menu, select Items > Diffs > Diff IDs > Edit. The Diff ID Maintenance window opens.

The screenshot shows the 'Diff ID Maintenance' window. At the top, there is a 'Diff Type' field with a dropdown arrow and a search icon. Below this is a table with columns: Diff ID, Diff Description, Diff Type, Description, Industry Code, and Industry Subgroup. The table contains several rows, including 'Blair Diff1 - purple' (BT), 'Blair Diff2 - green' (BT), 'Blair Diff3 - gold' (BT), and various color-related entries like 'Tanya's blue' (C), 'Tanya's Red' (C), 'Tanya's Black' (C), 'Very very red modify' (C), and 'Assorted colour pack' (C). Below the table is a form for adding a new diff. It has fields for 'Diff Type' (set to BT), 'Diff ID' (set to B1), 'Diff Description' (set to Blair Diff1 - purple), 'Industry Code', and 'Industry Subgroup'. There are 'Delete', 'Apply', 'Add', and 'Cancel' buttons at the bottom.

Diff ID	Diff Description	Diff Type	Description	Industry Code	Industry Subgroup
B1	Blair Diff1 - purple	BT	Blair Thompson (
B2	Blair Diff2 - green	BT	Blair Thompson (
B3	Blair Diff3 - gold	BT	Blair Thompson (
TBLUE	Tanya's blue	C	Color		
TRED	Tanya's Red	C	Color		
TBLACK	Tanya's Black	C	Color		
VRED	Very very red modify	C	Color		
COLOR 00	Assorted colour pack	C	Color		
COLOR 01	Black	C	Color		
COLOR 02	Oxford	C	Color		
COLOR 03	Charcol	C	Color		
COLOR 04	Grey	C	Color		

Diff ID Maintenance Window

1. Click **Add**. The fields in the apply block are cleared.
2. In the Diff Type field, enter a diff type, or click the LOV  button and select a diff type.
3. In the Diff ID field, enter a unique ID for the new diff.
4. In the Diff Description field, enter a diff description.
5. In the Industry Code field, if the diff is a size, you may enter a valid National Retail Federation (NRF) size code.
6. In the Industry Subgroup field, if the diff is a color, you may enter a valid National Retail Federation (NRF) color code.
7. Click **Apply**. The diff is added to the table.
8. Click **OK** to save your changes and close the window.

Diff Group Maintenance Window [diffgrp]

The Diff Group Maintenance window allows you to add, edit, and view diff groups. You can access a detail window in order to add, edit, or view the diffs that are members of the group. Diff groups are used to simplify associating RMS items with multiple diff IDs. To view a subset of the diff groups, you can filter the diff groups by type or code.

Functional area security


When you create a diff group, you can assign diff groups to levels of the merchandise or organization hierarchy. You can only assign the levels of merchandise and organization hierarchy that your user group is associated to. All levels below the hierarchy level assigned are also enabled for the user groups. Users whose security settings allow them access to the same hierarchy levels can use this diff group throughout RMS. If you do not assign a merchandise or organization level all users are able to use this diff group throughout the system.

Diff Group Maintenance Detail Window [diffgrpD]

The Diff Group Maintenance-Detail window allows you to add, edit, and view the diffs that are members of a diff group. You can also indicate the order in which the diffs are listed.


Add a Diff Group

Navigate: From the main menu, select Items > Diffs > Diff Group > Edit. The Diff Group Maintenance window opens.



Diff Group Maintenance Window

1. Click **Add**. The next available line is enabled.
2. In the Diff Group field, enter a unique ID for the diff group.
3. In the Diff Group Description field, enter a description for the diff group.
4. In the Diff Type field, click the LOV  button and select a diff type for the new group.
5. In the merchandise hierarchy fields, enter the ID of the member of each hierarchy level, or click the LOV  button and select a member.
6. Click **Detail**. The Diff Group Maintenance - Detail window opens.



Diff Group Maintenance - Detail Window

Note: Click **OK** in response to the message confirming the addition of the diff group. Click **OK** when prompted that there are no details for the group.

7. Click **Add**.
8. In the Seq field, enter a numeric value for each diff ID in the diff group. When the diffs appear on RMS windows, they will be sequenced in the order indicated in the Seq field.
9. In the Diff ID field, enter the ID of the diff, or click the LOV  button and select the diff. The label for the Diff ID field will display the diff type assigned to this group.
10. Click **OK** to save your changes and close the window.

Maintain Diffs

Navigate: From the main menu, select Items > Diffs > Diff IDs > Edit. The Diff ID Maintenance window opens.

The screenshot shows the 'Diff ID Maintenance' window with the following data in the table:

Diff ID	Diff Description	Diff Type	Description	Industry Code	Industry Subgroup
B1	Blair Diff1 - purple	BT	Blair Thompson l		
B2	Blair Diff2 - green	BT	Blair Thompson l		
B3	Blair Diff3 - gold	BT	Blair Thompson l		
TBLUE	Tanya's blue	C	Color		
TRED	Tanya's Red	C	Color		
TBLACK	Tanya's Black	C	Color		
VRED	Very very red modify	C	Color		
COLOR 00	Assorted colour pack	C	Color		
COLOR 01	Black	C	Color		
COLOR 02	Oxford	C	Color		
COLOR 03	Charcol	C	Color		
COLOR 04	Grey	C	Color		

Below the table, the 'Apply' area contains the following fields and buttons:

- Diff Type: BT (selected), Blair Thompson Diff Typoes (dropdown)
- Industry Code: [Empty field]
- Diff ID: B1 (selected), Blair Diff1 - purple (text)
- Industry Subgroup: [Empty field]
- Buttons: Delete, Apply, OK, Add, Cancel

Diff ID Maintenance Window

Edit a diff

1. Select a diff.

Note: To filter the diffs displayed in the table by diff type, enter a diff type in the filter field. Click the filter  button. Only diffs matching the diff type in the filter field appear.

2. In the Apply area, you may edit the description, industry code, and industry subgroup.
3. Click OK to save your changes and close the window.

Delete a diff


1. Select a diff from the table, or enter a diff type and click the filter  button to view only diffs matching that type.
2. Select the diff you want to delete.
3. Click **Delete**.

Note: If the selected diff is currently being used in RMS, it cannot be deleted.

4. When prompted to delete the record, click **Yes**.
5. Click **OK** to save your changes and close the window.

Copy a Diff Range

Navigate: From the main menu, select Items > Diffs > Diff Range > New. The Diff Range Maintenance window opens.



Diff Range Maintenance Window


1. In the Diff Range field, enter the ID and description of the diff range.
2. Click **Like Range**. The Like Range Selection window opens.
3. In the Diff Range field, enter the ID of the diff range to be copied, or click the LOV  button and select the diff range.
4. Click **OK** to save your changes and close the window. The details of the selected diff range are copied to the Diff Range Maintenance window.
5. Edit or delete diffs in the table as necessary.
6. Click **OK** to save your changes and close the window.

Delete a diff type

1. Select the diff type you want to delete.
2. Click **Delete**. You are prompted to confirm the deletion.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Maintain Diff Groups

Navigate: From the main menu, select Items > Diffs > Diff Group > Edit. The Diff Group Maintenance window opens.




Diff Group Maintenance Window

Edit a diff group

1. To filter the data in the table, enter a valid diff group and/or diff type in the field fields.
2. Click the filter  button. Only diff groups/types that match the filter criteria appear.
3. Edit the descriptions of diff groups as necessary.

Add a diff to a group

1. Select a diff group.
2. Click **Detail**. The Diff Group Maintenance - Detail window opens.

**Diff Group Maintenance - Detail Window**

3. Click **Add**. The next available line is enabled.
4. In the Seq field, enter a number to indicate the order to sort diffs.
5. In the Diff ID field, enter the ID of the diff, or click the LOV  button and select the diff. The label for this field will display the name of the diff type assigned to this diff group.
6. Click **OK** to save your changes and close the window.

Delete a diff from a group

1. Select a diff.
2. Click **Delete**. You are prompted to delete the record.

Note: If the diff is currently being used in RMS, you cannot delete it.

3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Change the sort order of the diffs

1. Edit the sequence numbers to match the order in which you want to display the diffs.

Note: To automatically renumber the diffs from top to bottom, click **Resequence**. You may want to click **Diff ID** to sort the diffs by ID first.

2. Click **Seq**. The diffs are sorted by sequence number.
3. Click **OK** to save your changes and close the window.

Delete a diff group

1. Select a diff group.
2. Click **Delete**. You are prompted to delete the group.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Maintain Diff Ranges

Navigate: From the main menu, select Items > Diffs > Diff Range > Edit. The Diff Range Maintenance window opens.

Edit a diff range

1. In the Diff Range field, enter a valid diff range ID, or click the LOV  button and select a diff range ID.
2. Edit the ID and description of the diff range as necessary.
3. If Percent or Ratio were selected in the Diff Range Type field, enter a percent or ratio in the last column of the table, for each diff detail.
4. Click **OK** to save your changes and close the window.

Add details to the diff range displayed

1. Click **Add**. The next available line is enabled.
2. In the Diff ID field, enter a diff ID, or click the LOV  button and select the diff. The diff types selected in the header appear as the labels for Diff ID fields in table.
3. Select additional diff IDs as needed to complete the enabled row.
4. Click **OK** to save your changes and close the window.

Delete diff details from a range

1. Select a row of diff details.
2. Click **Delete Detail**. You are prompted to delete the details.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete a diff range

1. In the Diff Range field, enter the ID of the diff range, or click the LOV  button and select the diff range. The details of the diff range appear.
2. Click **Delete Range**. You are prompted to delete the record.
3. Click **Yes**. The diff range is deleted and the Diff Range Maintenance window is closed.

Create a Diff Range

Navigate: From the main menu, select Items > Diffs > Diff Range > New. The Diff Range Maintenance window opens.

1. In the Diff Range field, enter the ID and description of the diff range.
2. In the Diff Type field, select a type of diff that you want to include in the range.
3. In the Diff Group field, enter the ID of a group of diffs that you want to include in the range, or click the LOV  button and select the diff group.
4. Repeat steps 2 and 3 for up to 3 total diff type/group combinations.
5. Click **Add Details** to enable the first row in the table.
6. Enter a valid diff ID to include in the diff range, or click the LOV  button and select the diff range. The diff types selected in step 2 above appear as the labels for Diff ID fields in table.
7. Select additional diff IDs as needed to complete the diff range record.
8. Click **Add**, and repeat steps 6 and 7 above, to add another diff ID to the range.
9. If Percent or Ratio were selected in the Diff Range Type field, enter a percent or ratio in the last column of the table, for each diff detail.
10. Click **OK** to save your changes and close the window.

Diff Ratio Head Window [dfrthead]

The Diff Ratio Head window allows you to create, edit, or view a diff ratio. The diff ratio is based on the sales history for an item in the department, class, and subclass that you select. You indicate the type of sales (regular, promotional, or clearance) and the time period to include in the calculation of the diff ratio. The diff ratio is calculated by a batch program.

Diff Ratio Detail Maintenance Window [dfrtdetl]

The Diff Ratio Detail Maintenance window allows you to view and edit the results of a diff ratio that has been calculated by a batch program. In Edit mode, if you select a store that is not yet associated with the current diff ratio, you can base the store's ratios on those for another store. After you select a store or all stores, you can edit the quantity for each diff or diff combination.

Diff Ratio Find Window [dfrtfnd]

The Diff Ratio Find window allows you to enter criteria in order to search for diff ratios and view the results of the search.

Functional views

The default view for the Diff Ratio Find window opens when you open the window for the first time. You can also create a custom view.

Create a Diff Ratio

Navigate: From the main menu, select Control > Diff Ratios. The Diff Ratio Find window opens.

Diff Ratio Find Window

1. In the Action field, select New.
2. Click **OK**. The Diff Ratio Head window opens.

Diff Ratio Head Window

Note: The diff ratio ID is filled in automatically.

3. In the Diff Ratio ID field, enter the description of the diff ratio.

4. Select either the System or Manual option.
5. If you select System:
6. Enter the ID of the department, class, and subclass in the appropriate fields, or click the LOV  buttons and select them.
7. Enter up to three diff groups to be associated with this ratio, or click the LOV  buttons and select them.
8. In the Sales Type area, select the types of sales that you want to include in the size ratio.
9. In the Build Time Period, select the type of time period. Then enter the dates or the number of weeks in the appropriate fields.
10. In the Review Every Weeks field, enter how often the size ratio should be recalculated.
11. If you select Manual:
 - a. Click **Like Diff Ratio**. The Like Diff Ratio window opens.
 - b. In the Diff Ratio ID field, enter the ID of the diff ratio that you want to copy, or click the LOV  button and select the diff ratio.
 - c. Click **OK** to close the window. The merchandise levels, sales types, diff groups, and time period information are copied to the current sales ratio.
12. Click **Detail**. The Diff Ratio Detail Maintenance window opens.
13. In the Subclass/Store field, select either Store or Subclass. If you select Store, enter the ID of the store, or click the LOV  button and select the store. The quantity and ratio for each diff at the store (or all stores if you selected Subclass) appear.

Note: If you select a store that is not yet associated with the diff ratio, you are prompted to add the store and copy the settings from another store.
14. Edit the quantities as necessary.
15. Click **Recalculate**.
16. Click **OK** to save your changes and close the windows.

Maintain Diff Ratios

Navigate: From the main menu, select Control > Diff Ratios. The Diff Ratio Find window opens.

Search for and retrieve a diff ratio in Edit mode. The Diff Ratio Head window opens.

Edit a diff ratio

1. Edit the description, sales types, and review number as necessary.
2. Click **Detail**. The Diff Ratio Detail Maintenance window opens.
3. In the Search block, select Subclass to edit the diffs at all stores, or select Store to edit the diffs at a specific store. In the value field, enter the ID of the store, or click the LOV  button and select the store.

4. If you select a store that is not yet associated with the diff ratio, you are prompted to add the store using another store as the template.
 - a. Click **Yes** in response to the prompt. The Store window opens.
 - b. In the Store field, enter the ID of the store that you want to copy, or click the LOV  button and select the store.
 - c. Click **OK** to close the window. The details are copied to the Diff Ratio Detail Maintenance window.
5. Edit the quantity of each diff as necessary.
6. Click **Recalculate** to update the ratios in the Diff Ratio column.
7. Click **OK** to save your changes and close the windows.

Delete a diff ratio

1. Click **Delete**. You are prompted to delete the record.
2. Click **Yes**.
3. Click **OK** to save your changes and close the window.

Copy a Diff Ratio

Navigate: From the main menu, select Control > Diff Ratios. The Diff Ratio Find window opens.

1. In the Action field, select New.
2. Click **OK**.
3. In the Diff Ratio ID field, enter the description of the diff ratio.
4. Select **Manual** in the Generated By option box.
5. To copy the sales types and time period parameters from another diff ratio:
 - a. Click **Like Diff Ratio**. The Like Diff Ratio window opens.
 - b. In the Diff Ratio field, enter the ID of the diff ratio to copy, or click the LOV  button and select the diff ratio.
 - c. Click **OK** to save your changes and close the window.
6. Click **OK** to save your changes and close the window.

Search for a Diff Ratio

Navigate: From the main menu, select Control > Diff Ratios. The Diff Ratio Find window opens.

1. In the Action field, select either Edit or View.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The Diff Ratio Find window displays the diff ratios that match your search criteria.
4. Select a task:
5. To perform another search, click **Refresh**.
6. To display the diff ratio information, select a record and click **OK**. The Diff Ratio Head window opens.
7. Click **Close** to close the window.

Like Diff Ratio Window [dfrthead]

The Like Diff Ratio window allows you to create a diff ratio with the same department, class, subclass, sales types, and time periods as another diff ratio. A diff ratio can be copied if you create a manually-generated diff ratio.

Create a Pack Template

Navigate: From the main menu, select Items > Diffs > Pack Templates> New. The Pack Template Maintenance window opens.

Pack Template Maintenance Window

Note: A Pack Template ID is automatically generated and displayed.

1. In the Pack Template ID field, enter a description for the template.
2. In each Diff Type field, enter the ID of a diff type you want to assign to this template for up to four diff types, or click the LOV button and select the diff type.
3. In each Diff Group field, select the diff group you want to assign to this template, for up to four diff groups.
4. Click **Add Details**.
5. For each Diff field, enter a diff ID, or click the LOV button and select a diff for each diff group/type combination. The field label will display the value that you selected in the Diff Type field.
6. In the Quantity field, enter the quantity to include in the pack.
7. Click **OK** to save your changes and close the window.

Diff ID Maintenance Window [diffid]

The Diff ID Maintenance window allows you to add, edit, and view the characteristics that can be associated with an item. In RMS these identifying characteristics are called *diffs*, or *diffs*. A *diff* may be a specific color, size, or any other detail you want to use to track a varied item. *Diffs* are categorized by *diff* types. You may have up to 30 *diff* types. For example, you may want to create a *diff* type called Color and assign *diff* values of red, blue, and purple to that *diff* type..

You can also filter the *diffs* by type in order to view a subset of the *diffs*.

Diff Range Maintenance Window [diffrng]

The Diff Range Maintenance window allows you to create, edit, and view ranges of *diffs*. A *diff* range is a list of *diffs* that are grouped under one ID. You can then use the *diff* range to apply multiple *diffs* to an item with less repetition and effort than applying each *diff* ID individually.

Create a Two Level Item with Diffs

Navigate: From the main menu, select Items > Items. The Item Search window opens.

1. In the Action field, select New Item.
2. In the Department, Class, and Subclass fields, enter the IDs of the merchandise hierarchy, or click the LOV  buttons and select the merchandise hierarchy.
3. In the Item Type field, select Regular Item.
4. Select the item type indicators:
 - **Inventory:** When Yes is selected, inventory is tracked and held in RMS for an item.
 - **Sellable:** When Yes is selected, an item can be sold and is sent to the POS.
 - **Orderable:** When Yes is selected, an item can be ordered, set up on replenishment, and can have HTS and expenses set up.

Note: The indicators that you select for the Level 1 item will be applied to all items in the item group and cannot be changed.

5. Click **OK**. The Item Maintenance window opens.
6. In the Item Number Type field, , select the type of item number that you want to associate with the item.
7. In the Item field, enter the item number and description of the item.

Note: If you select Oracle Retail Item Number or UPC-A in the Item Type field, the item number is automatically added. If you select EAN/UCC-13, you can automatically generate the EAN number by clicking **Auto-generate**.

8. In the Tran Level field, select Level 2.
9. In the Attributes area, select or clear the check boxes as needed.
10. In the Pricing area, in the Cost Zone Group field, enter the cost zone group ID or click the LOV  buttons and select the cost zone group.
11. Add a supplier for an item.
12. Add an origin country for a supplier of an item.

13. Edit the retail price of an item.
14. In the Diffs area, select either the Group or Value option for up to four diffs.
15. In the Type field, select up to four diff types that you want to assign to this item. The Diff Type values appear as the label for all corresponding diff fields on the Item Children window.
16. In the Group or Value fields, enter up to four IDs for the diff group or diff, or click the LOV  button and select a diff value or diff group.
17. Click **Create Children**. The Item Diff Apply window opens.
18. In the Item Number Type field, select the type of item number that you want to associate with the items that are added to the item group at this level.

Identify the diff combinations

Individually

- Select the check box next to each diff you want to use to create a new item.

By group

- In the Item Diff Apply window, click **Select All** next to any of the enabled diff tables.

By range

1. In any Diff Range field, you can enter an ID of a diff range, or click the LOV  button and select the diff range.
2. Click **Apply Range**.

Note: You can enter a diff range for each diff group that is associated with the item. Each diff range can contain diffs from up to three diff groups. The diff type and diff groups appear in the List of Values (LOV) window. If a diff range is used, you cannot use the associated diff groups while creating the same set of items.

Complete the diff combinations

1. Click **OK**. The Diff Combinations window opens.

Note: You must select at least one diff from each diff group table.

2. Select an item on the table.
3. In the Item field, edit the item number and description of the item .
4. Click **Apply**. Edits are added to the table.
5. Click **OK** to create the item children. Click **Yes** when prompted to approve the creation of item children. The Item Children Diff window opens.

Complete the level two items

Filter the level two items

1. In the Filter area, enter the ID of the criteria you want to filter for, or click the LOV  button and select a criterion.
2. Click the filter  button. The level two items appear on the table.

Update the level two items

1. In the Apply area, enter the new values for the criteria you want to update.
2. Click **Apply**.
3. On the table, you can update:
 - **EAN 13:** Enter the European Article Number (EAN) for the item.
 - **Auto:** The Auto generated numbers for the level two items.
 - **VPN:** Enter the Vendor Product Number (VPN) for the item.

Note: Before you update the VPN, the records must be filtered by supplier.

4. Click **OK** to save any changes and close the window.

Diff Type Maintenance Window [difftype]

The Diff Type Maintenance window is used to create, edit, or view diff types. These types can be assigned to diffs. RMS allows up to 30 diff types.

Diff Distribution Error Summary Window [distlist]

If there were any problems with items being added on the Distribution Diff Apply Window, the Diff Distribution Error Summary Window opens. Items appear on this window for one of three reasons:

- An item is not supplied by the order's supplier.
- An item is not in Approved status.
- No item exists with the item parent/diff combination.

If the system is set up to automatically create approved children items, you are able to enter item numbers for the new items.

Note: You must enter an item number to add a level 1 item/diff or level 2 item/diff combination to your order.

If the system is not set up to automatically create approved subordinate level items, the selected list of level 1 item/diff or level 2 item /diff combinations opens.

Distribution Diff Apply Window [distdiff]

The Distribution Diff Apply window is used to distribute an item by diff groups. You may select from diffs in the associated group or use diff ranges and ratios. Also, use this form to specify the distribution quantity, percentage, or ratio for each selected diff. As part of the process of distributing by diffs, subordinate level items must either be selected or created.

Like Range Selection Window [diffrng]

The Like Range Selection window allows you to copy the details from an existing diff range to a new diff range.

Add a Child or Diff to a Transportation Record for a Purchase Order

Navigate: From the main menu, select Inventory > Transportation > PO-Level Maintenance > New. The PO-Level Transportation window opens.

In the Order No. field, enter the purchase order number, or click the LOV  button and select a purchase order.

In the Vessel ID field, enter the ID of the vessel the items are arriving on, or click the LOV  button and select the vessel ID.

In the Voyage Flt ID field, enter the ID of the vessel's voyage, or click the LOV  button and select the Voyage Flt ID.

In the Estimated Depart Date field, enter the date the vessel left the point of origin, or click the calendar button and select a date.

In the Item Default Level field, select Above the transaction level. Items above the transaction level appear.

To default items at the child/diff level, select the Default Child/Diff Values check box

Click **Query Details**. Items that match the criteria appear in the detail area.

Click **Child/Diff**. The Transportation Item window opens.

In the Item field, enter the number of the item, or click the LOV  and select the item.

In the Quantity field, enter the number of units.

In the UOM field, enter the code for the unit of measure, or click the LOV  button and select the unit of measure.

Click **OK** to save your changes and close the window.

Define item/location traits

Define Item/Location Traits

Item location traits are set at the item/location level. Many of the traits are downloaded to the POS. Other traits may be downloaded to a ticketing system. The remaining traits are entered for information only and drive no processing.

Change Item Traits for a Location

Navigate: From the main menu, select Items > Items. The Item Search window is displayed.

Search for and retrieve an item. The Item Maintenance window opens.

Click on the Locations option. The Item Location window opens.

Select a location and click on the **Item/Single Loc Attrib** option. The Item Location Traits window opens.

Item Location Traits Window

1. Select or enter the new values for the desired traits.
2. Click **OK** to save your changes and close the window.

Change Item Traits for Multiple Locations

Navigate: From the main menu, select Items > Items. The Item Search window is displayed.

Search for and retrieve an item. The Item Maintenance window opens.

Click on the **Locations** option. The Item Location window opens.

Click on the Item/Multi Loc Attrib option. The Item Location Traits window opens.

1. In the Group Type field, select a grouping mechanism.
2. In the Group Value field, enter the ID of the group or location, or click the LOV button and select the group or location.
3. Select the check boxes in the Update column next to the fields that you want to change.
4. Select or enter the new values in the Change Value To column.
5. Click **OK** to save your changes and close the window.

Create items

Create Items

Items can be grouped into a one, two, or three level hierarchy. The naming conventions for the three item levels may vary by organization, but they are referred to here as item levels 1, 2, and 3. All item hierarchies begin at item level 1. After creating a level 1 item, you can create level 2 items for the item. If a third level is desired, you can select a level 2 item and create level 3 items.

There are several different types of items you can create in RMS:

- Regular items
- Deposit items
- Packs
- Concession items
- Consignment items
- Transformable items

Regular items

Item groups

An item group is an item hierarchy in which an item is broken into levels. The entire set of items (level 1 - 3) is an item group. The item is broken down in to factors which allow it to be distinguished from the more generic item.

After you have defined the item structure, you must add a supplier to the item, determine item cost, and assign the item to a location.

Diffs

A differentiator (diff) is a characteristic that can be used to make items distinct from one another. You can add levels to an item group if you identify a set of diffs or diff groups. Each unique diff or combination of diffs creates a new level in the item group. If you choose not to use diffs, you can manually create item levels.

Once you have selected the diffs, you can create all of the items for that item level, through RMS.

Deposit items

A deposit item is an item that has a portion which is returnable by the customer after it has been sold to the customer. A deposit is taken from the customer for the returnable portion. A deposit item is broken into the components of the item, and each item is track separately in RMS.

- **Deposit Contents Item:** The item that is sold to the customer.
- **Deposit Container Item:** The item for which the deposit is taken. The deposit container item holds the deposit contents item.
- **Deposit Crate Item:** The item which holds the container and contents items.
- **Deposit Returned Item:** The item that is returned to the retailer by the customer and for which the deposit is returned to the customer.

Deposit items can be maintained as a complex pack or a single item. Maintaining the deposit items as a complex pack ensures the appropriate components are grouped together and facilitates ordering. If you maintain the deposit items individually, you must associate the item with the appropriate container item.

Packs

A pack is way of tracking multiple items under one item number. The Pack Item Overview contains additional information on simple and complex packs.

Simple packs

A simple pack contains multiples of one component item.

Complex packs

A complex pack contains multiple component items.

Concession items/Consignment items

Consignment items

A consignment item is a marketing arrangement where physical control of merchandise, but not the title of ownership is transferred from one business, the consignor (the supplier) to another, the consignee, (the retailer). The title to the goods remains with the consignor until the goods are sold. Upon sale of the goods, the consignor bills the consignee via an invoice.

Concession items

A concession item is similar to a consignment item in that the retailer does not own the inventory being sold. Concession items differ from consignment in that the ownership is not transferred when the items are sold. A retailer rents floor space to a supplier on which the supplier sells their goods. A record of concession sales is recorded and the retailer then bills the supplier using their chosen method.

Transformable items

A transformable item is an item that can be ordered as one item and the broken into smaller items. The smaller items can then be resold in the store. There are two types of transformable items:

- **Transformed Orderable:** The item is ordered from the supplier in one form, but changed by the retail and sold to the customer in a different form.
- **Transformed Sellable:** The item that is sold to the customer. A transformed sellable item is ordered from the supplier in a different form than it is sold.

Create Like Item Window [itemfind]

The Create Like Item window allows you to copy the details from an existing item to a new item. If the existing item is at item level 1, you are creating a new level 1 item. If the existing item is at item level 2 or 3, the item you create is a member of the same item group.

Maintain an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

Note: You may not be able to make certain changes if the item is Approved.

Edit an item

1. Edit the enabled fields as needed.
2. To edit the details for the item, click on the appropriate options on the Options list.
3. Click **OK** to save your changes and close the window.

Edit a contents deposit item

1. On the Item Maintenance Window, click **Groc Attributes**. The Item Grocery Attributes window opens.

The screenshot shows a software window titled "Item Grocery Attributes (itemrmaster)". The window contains the following fields and controls:

- Package Size: Text input field
- Package UOM: Text input field with a list icon
- Retail Label Type: Dropdown menu
- Retail Label Value: Text input field
- Handling Sensitivity: Dropdown menu
- Handling Temp: Dropdown menu
- Wastage Type: Dropdown menu
- Default Daily Wastage %: Text input field
- Wastage Percentage: Text input field
- OK button
- Cancel button

Item Grocery Attributes Window

Note: The remaining deposit items are view only from the Item Grocery Attributes window.

Delete an item

1. Click **Delete**. You are prompted to delete the record.
2. Click **Yes**.
3. Click **OK** to save your changes and close the window.

Note: The record is deleted by a regularly scheduled batch program.

Copy an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in New From Existing mode. The Create Like Item window opens.

1. If the existing item is at item level 1, select the type of number that you want to assign to the new item in the Item Number Type field.
2. In the Create field, enter the item number and description of the item.
3. In the Item Number Type field, if the item number type is Oracle Retail Item Number or UPC-A, the item number is automatically filled in. If the item number type is Variable Weight UPC, you must select an item number type.
4. If the item you are copying from is associated with diffs, you can select diffs for the like item you are creating. Enter the diff IDs in the enabled fields, or click the LOV  button and select the diffs.
5. To copy details from the selected item to the new item, select or clear the enabled check boxes as necessary.
6. Click **OK** to save your changes and close the window. The Item Maintenance window opens.
7. Edit the details of the item as necessary.
8. Click **OK** to save your changes and close the window.

Quick Item Entry Window [itemadd]

The Quick Item Entry window allows you to quickly create items in approved status. The required item information is contained on one window. If you wish to add details to an item you are creating, you may do so by selecting an option from the options list.

Additional information

Look at the Options list to verify that all necessary information has been added for the current item. The options are color-coded to indicate whether they are required by the system, required by your organization, or made available/unavailable.

- **Red, bold:** The option is required by the system. The Suppliers and Retail by Zone options are required by the system.
- **Green, bold:** The option required by the system has been edited.
- **Red:** The option is required by the department, class, or subclass.
- **Green:** The option, required or not, has been edited.
- **Blue:** The option is not required but can be edited if the user so chooses.
- **Black:** The option is not available to the user.

The check box next to each option provides another visual cue. A selected check box indicates that the option has been edited. You can click on the required or available options in order to perform a task related to the current item. The appropriate message or window opens.

Create an Item Using Quick Item Entry

Navigate: From the main menu, select Items > Quick Item Entry. The Quick Item Entry window opens.

1. In the Department, Class, and Subclass fields, enter the IDs of the merchandise hierarchy, or click the LOV  buttons and select the merchandise hierarchy.
2. In the Item Type field, select the type of item number that you want to associate with the item.
3. In the Tran Level field, select the item level at which transactions will be tracked for this item group.
4. In the Item field, enter the item number and description of the item.

Note: If you select Oracle Retail Item Number or UPC-A in the Item Type field, the item number is automatically added.

5. You can edit the abbreviated description in the Short Desc field.
6. In the General Information area:
 - a. In the Store Order Mult, Standard UOM, and UOM Conversion Factor fields, select how stores will order the item and how that compares with the standard unit of measure.
 - b. Select or clear the check boxes as needed.
7. In the Primary Sourcing area:
 - a. In the Supplier field, at the bottom of the window, enter the ID of the supplier, or click the LOV  button and select the supplier for this item.
 - b. In the Origin Country field, enter the code for the country, or click the LOV  button and select the country.
 - c. Enter additional information as necessary.
8. In the Pricing area:
 - a. In the Cost Zone field, enter the cost zone ID the item is associated with, or click the LOV  button and select the cost zone.
 - b. In the Unit Cost field, enter the cost of one item.
 - c. Enter additional information as necessary.
9. In the Case Pack area, enter inner size and the case size.
10. In the Differentiators area:
 - a. In the Diffs area, select either the Group or Value option for up to four diffs.
 - b. In the Type field, select up to four diff types that you want to assign to this item. The Diff Type values appear as the label for all corresponding diff fields on the Item Children window.
 - c. In the Group or Value fields, enter up to four IDs for the diff group or diff, or click the LOV  button and select a diff value or diff group.
11. Click **OK** to save any changes and close the window.

Item Search Window [itemfind]

The Item Search window allows you to enter criteria in order to search for items and view the results of the search.

When you are creating an item, you are required to enter information on the Item Search window to associate the item to the merchandise hierarchy and to correctly identify the item type. After you select the item type the item type indicator are enabled. The item type indicators allow you to identify the following required information about an item:

- Inventory: When Yes is selected, inventory is track and held in RMS for an item.
- Sellable: When Yes is selected, an item can be sold and is sent to the POS.
- Orderable: When Yes is selected, an item can be ordered, set up on replenishment, and can have HTS and expenses set up.

For some item types you are allowed to select all three item indicators as appropriate for your item, other item types, the indicators default to required values for some or all of the indicators.

Functional views

The default view for the Item Search window opens when you open the window for the first time. You can also create a custom view.

Update Record Status Window [itemchildren]

The Update Record Status window allows you to indicate which item children to submit or approve in an item hierarchy. You can submit or approve the selected item with or without its item children, or you can submit or approve all the item children in the Item Children window with or without their own children.

You cannot submit or approve a child until its parent is submitted or approved. Only an error free item may be submitted or approved. If during the submittal or approval process errors are detected, you are prompted. To view the errors, you can select the Approval Errors option from the Option list of the Item Children window. The errors appear in the Item Approval Error window. At that time, you can choose to override errors not required by the system, or fix all the errors and resubmit or approve the items.

Item Attributes Window [itemattr]

The Item Attributes window allows you to record and edit information specific to a selected item. The Item Attribute window is a customizable window. Therefore, the fields that appear in this window are specific to your organization.

Update Record Status Window [itemdiffchildren]

The Update Record Status window allows you to indicate which item children to submit or approve in an item hierarchy. You can submit or approve the selected item with or without its item children, or you can submit or approve all the item children in the Item Children window with or without their own children.

You cannot submit or approve a child until its parent is submitted or approved. Only an error free item may be submitted or approved. If during the submittal or approval process errors are detected, you are prompted. To view the errors, you can select the Approval Errors option from the Option list of the Item Children window. The errors appear in the Item Approval Error window. At that time, you can choose to override errors not required by the system, or fix all the errors and resubmit or approve the items.

Item Retail Price by Zone Window [itemretail]

The Item Retail Price by Zone window allows you to view and edit the regular retail price for an item in Worksheet or Submitted status. After the item is approved, you can no longer edit retail prices in this window.

To display monetary amounts in the primary currency of the company, the local currency of the store, or the Euro currency, select the appropriate option from the Options > Currency menu. Monetary amounts can be edited when the supplier currency opens.

Item Expense Maintenance Window [itemexp]

The Item Expense Maintenance window allows you to view importing and exporting expenses associated with an item. Expenses are tracked at two levels: country and zone. Country-level expenses track the costs of importing merchandise from the origin country, through the lading port, to the discharge port. Zone-level expenses track the costs of sending merchandise from the discharge port to the final destination.

Item Orders Window [itemords]

The Item Orders window allows you to view a list of the outstanding orders for a selected item, item parent, or pack item. You can also access the details of the purchase orders.

Item Grocery Attributes Window [itemmaster]

The Item Grocery Attributes window allows you to maintain details for grocery industry items.

If the item is a deposit content item, you can associate the appropriate container item to the contents item. If the item is a deposit container item, you can view all the contents items associated with the container item.

Item HTS Maintenance Window [itemhts]

The Item HTS Maintenance window allows you to maintain the HTS classifications that are associated with an item.

Item Eligible Tariff Treatment Window [itelitar]

The Item Eligible Tariff Treatment window allows you to maintain which tariffs are associated with an item.

Item Number Find Window [fm_itemnumtype]

The Item Number Find window allows you to search for an item at the transaction level by reference item or vendor product number (VPN). This functionality is available from the Options menu whenever the cursor is in an empty Item or VPN field on a window. After you find a reference item and close the window, the item number and description of the transaction level item are filled in automatically on the window that you are returned to.

Item Import Attributes Window [itemimpattr]

The Item Import Attributes window allows you to record and edit import information for a selected item.

Item Location Window [itemloc]

The Item Location window allows you to view and maintain the locations at which an item is stocked. You can maintain the locations for items at or above the transaction level. If the item is above the transaction level, you can select an option to automatically apply changes to child items down to the transaction level. In a multi-channel environment, items are associated with warehouses at the virtual warehouse level.

Additional information that you can add at the item location level allows you to define information that is different at the location that it is for the item, including:

- An item's active status for a particular location
- Costing information, for the pack and the unit
- Ti - Hi information for the location.
- Units of measure and the appropriate measure
- Additional attributes, including wastage and inbound handling days

For transformed sellable items, you cannot apply supplier/origins country, cost, or store order multiple information. For transformed orderable items, you cannot apply price, markup, multi-unit, or selling unit information.

Functional views

The default view for the window opens when you open the window for the first time. You can also view the table with the Primary Currency view or you can create a custom view.

Item Location Traits Window [itemloctrait]

The Item Location Traits window allows you to change the traits for an item at one or multiple locations.

You can choose from several grouping mechanisms in order to select the affected locations. The grouping mechanisms may include: All Locations, All Stores, All Warehouses, Store, Store Class, District, Region, Location Trait, Default Warehouse, Warehouse, Location List, Promotional Zone, Price Zone, and Transfer Zone.

Item Location Inventory Window [itlocinv]

The Item Location Inventory Window allows you to view inventory details for an item at one or multiple stockholding locations. All details appear at the transaction level for the selected item. If you search for an item that is above the transaction level, the details are summarized at the transaction level.

To view packs:

1. Enter the component item number in the Item field.
2. Select Warehouse from the Group Type drop-down list.
3. Enter the warehouse associated to the simple pack item in the Group Value field.
4. Click **Search**.
5. Select the View menu and then select Pack. The New column Pack Comp On Order displays.

To display additional inventory details, select the appropriate option from the View menu. Using the predefined views, you can view quantities by the unit (default), the supplier pack (case), or component unit (pack).

To display monetary amounts in the primary currency of the company or the local currency of the location, select the appropriate option from the Options > Currency menu.

Item Number List Window [fm_itemnumtype]

The Item Number List window allows you to view the item hierarchy for a selected item. You can also view the vendor product numbers that are associated with the item. This functionality is available from the Options menu whenever the cursor is in an Item or VPN field with a value on any window.

Item Up Charges Window [itemchrg]

Item Up Charges are incurred when transferring from an RMS Store or Warehouse to a different RMS Store or Warehouse.

Note: This window will only be available if the RMS 'Estimated Landed Costs' indicator is set to 'Yes'.

Each Up Charge has:

- A Calculation Basis of either 'Value' or 'Specific.'
- A Cost Basis of either 'Weighted Average Cost' (when using Average Cost Method) or 'Unit Cost' (when using Standard Cost Method).
- A Component Rate of:
 - Monetary if Calculation Basis = 'Specific.'
 - Percentage if Calculation Basis = 'Value.'
- A Component Currency.
- An Up Charge Group, which is used to group Up Charge Components together to show a total sum on the Transfer Up Charge window.

Item Upcharge Details Window

This window is accessed from the Item Cost Details window to view the various components that make up the total upcharge amount applied in the Item Cost component dialogue.

RCOM Item Attributes Window

The RCOM Item Attributes window allows you to maintain RCOM details for an item.

Item Approval Error Window [itemaper]

The Item Approval Error window allows you to view the reasons why an item cannot yet be submitted or approved. If the item being approved has subordinate level items, checks are done for the for all items at or above the transaction level. If the details are not required by the system, you can override the error in order to submit or approve the item.

A system option determines whether the subordinate level item of an approved item should be automatically approved. If the system option is set to Yes, all items are automatically approved after they are created. If the system option is set to No, the subordinate level items of approved items remain in Worksheet status until you manually change the status.


Suppliers and retail pricing by zone must be set up for items at the transaction level before an item can be submitted and approved. For example, if you create a level 1 item and set the transaction level at item level 2, you must create the level 2 item before the level 1 item can be approved.

Maintain Supplier Information for an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. Restrict the search to items in Worksheet status. The Item Maintenance window opens.

Click on the Suppliers option on the Options list. The Item Supplier window opens.



Item Supplier Window

Edit the supplier of an item

1. Select a supplier.
2. Edit the enabled fields in the Apply area as necessary.
3. Select a Primary Supplier option, if applicable.

Note: When you select a Primary Supplier option, a prompt cautions you about changing the primary supplier. Click **Yes** or **No** to continue.

4. Select the Apply Additions, Updates, and Deletions check box if you want to apply the edits to the lower level items down to the transaction level.

5. Click **Apply**. The details are updated for the selected supplier.
6. To edit any other details for the supplier, click on the appropriate option on the Options list.
7. Click **OK** to save your changes and close the window.

Delete a supplier from an item

1. Select a supplier.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.

Note: The primary supplier cannot be deleted. If you delete a supplier from a pack item, the supplier will not be deleted from any component item.

4. Click **OK** to save your changes and close the window.

Edit Locations at the Item, Supplier, Origin Country Level

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

Click on the Suppliers option on the Options list. The Item Supplier window opens.

Select a supplier.

Click on the Item Supplier Origin Country option on the Options list. The Item Supplier Origin Country window opens.

1. In the Origin Country field, enter the ID of the country, or click the LOV  button and select the country.
2. Click **View**. The details for the origin country appear.
3. Click on the Item Supplier Country Loc option on the Options list. The locations associated with the current item, supplier, and origin country appear in the Item Supplier Origin Country window.

Item Supplier Origin Country Window

Edit one location

1. Select a location.
2. Select the Edit Cost? or Edit? check boxes next to each detail to be edited.
3. Click **Apply**. The details are updated on the table.
4. Click **OK** to save your changes and close the window.

Edit multiple locations

1. In the Location Type field of the Apply area, select a grouping mechanism.
2. In the Value field, enter the ID of the group, or click the LOV  button and select the group.
3. Select the Edit Cost? or Edit? check boxes next to each detail to be edited.
4. Click **Apply**. The details are updated on the table.
5. To update the same details for items at a lower level of the same item group down to the transaction level, select the Update Item/Supplier/Country Location Information check box.
6. Click **OK** to save your changes and close the window.

Search for an Item by Reference Item or VPN

Navigate: This search tool is accessible from the Options menu whenever the cursor is placed in an empty Item or VPN field.

Note: You can use this procedure to search for a transaction level item.

1. Place the cursor in an empty Item or VPN field on a window.
2. From the Options menu, select Item Number Type. The Item Number Find window opens.

Item Number Find Window

3. To search by reference item, enter the item number of the reference item, or click the LOV  button and select the item.
4. To search by VPN, enter the vendor product number, or click the LOV  button and select the VPN.
5. The item numbers and descriptions of the item at and above the transaction level appear.
6. Click **OK** to save your changes and close the window.

Create a One Level Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

1. In the Action field, select New Item.
2. In the Item Type field, select Regular Item.
3. Select the item type indicators:
 - **Inventory:** When Yes is selected, inventory is tracked and held in RMS for an item.
 - **Sellable:** When Yes is selected, an item can be sold and is sent to the POS.
 - **Orderable:** When Yes is selected, an item can be ordered, set up on replenishment, and can have HTS and expenses set up.

Note: The indicators that you select for the Level 1 item will be applied to all items in the item group and cannot be changed.

4. In the Department, Class, and Subclass fields, enter the IDs of the merchandise hierarchy, or click the LOV  buttons and select the merchandise hierarchy.
5. Click **OK**. The Item Maintenance window opens.
6. In the Item Number Type field, select the type of item number that you want to associate with the item.
7. In the Item field, enter the item number and description of the item.

Note: If you select Oracle Retail Item Number or UPC-A in the Item Type field, the item number is automatically added. If you select EAN/UCC-13, you can automatically generate the EAN number by clicking **Auto-generate**.

8. In the Tran Level field, select Level 1.
9. In the Attributes area, select or clear the check boxes as needed.

10. In the Pricing area, in the Cost Zone Group field, enter the cost zone group ID or click the LOV  buttons and select the cost zone group.
11. Add a supplier for an item.
12. Add an origin country for a supplier of an item.
13. Edit the retail price of an item.
14. Click **OK** to save any changes and close the window

Create a Two Level Item without Diff

Navigate: From the main menu, select Items > Items. The Item Search window opens.

1. In the Action field, select New Item.
2. In the Department, Class, and Subclass fields, enter the IDs of the merchandise hierarchy, or click the LOV  buttons and select the merchandise hierarchy.
3. In the Item Type field, select Regular Item.
4. Select the item type indicators:
 - **Inventory:** When Yes is selected, inventory is tracked and held in RMS for an item.
 - **Sellable:** When Yes is selected, an item can be sold and is sent to the POS.
 - **Orderable:** When Yes is selected, an item can be ordered, set up on replenishment, and can have HTS and expenses set up.

Note: The indicators that you select for the Level 1 item will be applied to all items in the item group and cannot be changed.

5. Click **OK**. The Item Maintenance window opens.
6. In the Item Number Type field, select the type of item number that you want to associate with the item.
7. In the Item field, enter the item number and description of the item.

Note: If you select Oracle Retail Item Number or UPC-A in the Item Type field, the item number is automatically added. If you select EAN/UCC-13, you can automatically generate the EAN number by clicking **Auto-generate**.

8. In the Tran Level field, select Level 2.
9. In the Attributes area, select or clear the check boxes as needed.
10. In the Pricing area, in the Cost Zone Group field, enter the cost zone group ID or click the LOV  buttons and select the cost zone group.
11. Add a supplier for an item.
12. Add an origin country for a supplier of an item.
13. Edit the retail price of an item.
14. Click **Create Children**. The Item Children window opens.

15. In the Item Number Type field, select the type of item number for the item.

Note: If you select Oracle Retail Item Number or UPC-A in the Item Type field, the item number is automatically added. If you select EAN/UCC-13, you can automatically generate the EAN number by clicking **Auto-generate**.

16. In the Item fields, edit the item number and description as needed.
17. On the Item Children window, click **Apply**. The item is added to the table.

Note: When you click Apply, the supplier, origin country, and retail price information is defaulted to the Level 2 item.

18. Click **OK** to save your changes and close the window.

Create a Three Level Item

1. Create a two level item with diffs or create a two level item without diffs. The Item Children Diff window opens.
2. Select the level 2 item from which to create the level 3 item.
3. Click **Create Children**. The Item Children window opens.
4. In the Item Number Type field, select the type of item number that you want to associate with the item.
5. In the Item field, enter or edit the item number and description of the item.

Note: If you select Oracle Retail Item Number or UPC-A in the Item Type field, the item number is automatically added. If you select EAN/UCC-13, you can automatically generate the EAN number by clicking **Auto-generate**.

6. Click **Apply**. Your changes are added to the table.
7. Click **Add** to continue adding level three items, or click **OK** to save any changes and close the window.

Create a Transformable Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

1. In the Action field, select New Item.
2. In the Department, Class, and Subclass fields, enter the IDs of the merchandise hierarchy, or click the LOV  buttons and select the merchandise hierarchy.
3. In the Item Type field, select the type of transformable item you are creating:
 - **Transformed Orderable:** The item is ordered from the supplier in one form, but changed by the retailer and sold to the customer in a different form.
 - **Transformed Sellable:** The item that is sold to the customer. A transformed sellable item is ordered from the supplier in a different form than it is sold.
4. Create the one level item, two level item or three level item.

Note: If you are creating a transformed orderable item, you will not be able to select the Retail by Zone option from the options list. If you are creating a transformed sellable item, you will not be able to select the Supplier option from the options list.

5. Click **Transformation**. The Transformation Maintenance window opens.

The screenshot shows the 'Transformation Maintenance' window. The 'Header Item' field is populated with '100243131 np_parent5:Red'. The 'Transformation UOM' is set to 'EA' and the 'Header Item' type is 'Orderable'. The 'Transformation Type' is 'Break to Sell'. The table below is empty, and the 'Yield %' field at the bottom is also empty.

Transformation Maintenance Window

Note: This is available only for transformed orderable items.

6. In the Item Transformation Description field, enter the description of the transformation.
7. In the Production Loss field, enter the percentage of the orderable item which is wasted in producing the sellable items.
8. In the Detail Item field, enter the ID of the sellable item that is created from the orderable item, or click the LOV button and select an item.
9. In the Yield % field, enter percentage of the orderable item used to create the sellable item.
10. Click **Apply**.

Note: The Total Yield % field must equal 100% for the orderable item. The Total Yield % field is calculated by adding the Yield % and the Production Loss % field.

11. Define the yield details for any sellable items that are associated with multiple orderable items.
12. Click **OK** to save any changes and close the window.

Create a Deposit Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

1. In the Action field, select New Item.
2. In the Department, Class, and Subclass fields, enter the IDs of the merchandise hierarchy, or click the LOV  buttons and select the merchandise hierarchy.
3. In the Item Type field, select the type of deposit item you are creating:
 - **Deposit Contents Item:** The item that is sold to the customer.
 - **Deposit Container Item:** The item for which the deposit is taken. The deposit container item holds the deposit contents item.
 - **Deposit Crate Item:** The item which holds the container and contents items.
 - **Deposit Returned Item:** The item that is returned to the retailer by the customer and for which the deposit is returned to the customer.
4. Create the one level item, two level item, or three level item.

Note: Only Deposit Contents items must be associated to the container items. If the item is another Deposit type, click **OK** to save any changes and close the window.

5. Click **Groc Attributes**. The Item Grocery Attributes window opens.

Item Grocery Attributes Window

6. In the Deposit Item area:
 - a. In the Container Item field, enter the ID of the container item, or click the LOV  button and select the container item.

Note: Only Deposit Contents items must be associated to the container items. The container item must already exist to associate it to the contents item.

 - b. In the Price Per UOM Calculation Type field, select how the price for one unit of the item is calculated.
 - **Inclusive of Deposit Amount:** At the point of sale, the price/UOM is calculated as the price per UOM of the item plus the retail price of the returnable item.
 - **Exclusive of Deposit Amount:** At the point of sale, the price/UOM is calculated as the price per UOM of the item.
 - c. Click **OK** to save any changes and close the window.
7. Click **OK** to save any changes and close the window.

Create a Concession/Consignment Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

1. In the Action field, select New Item.
2. In the Department, Class, and Subclass fields, enter the IDs of the merchandise hierarchy, or click the LOV  buttons and select the merchandise hierarchy.
3. In the Item Type field, select Concession/consignment.
4. Click **OK**. The Item Maintenance window opens.
5. Create the one level item or two level item.

Maintain an Origin Country for a Supplier of an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. Restrict the search to items in Worksheet status. The Item Maintenance window opens.

Click on the Suppliers option on the Options list. The Item Supplier window opens.

Select a supplier.

Click on the Item Supplier Origin Country option on the Options list. The Item Supplier Origin Country window opens.

In the Origin Country field, enter the code for the country, or click the LOV  button and select the country.

Click **View**. The details of the origin country appear.

Edit an origin country for a supplier of an item

1. Edit the Primary Country option, Location Default, Ordering, Case, and Dimension information as necessary.
2. To edit dimensions for multiple types of packaging, click **OK + Repeat** in that area to enter the dimensions of another package.
3. To edit any other details for the origin country, click on the appropriate option on the Options list.
4. To apply the edits to the item children down to the transaction level, select the Apply Additions and Deletions check box.
5. Click **OK** to save any changes and close the window.

Note: If you made the current country the primary country, a prompt cautions you about changing the primary country. Click **Yes** or **No** to continue.

Delete an origin country from a supplier of an item

1. Click **Delete**. You are prompted to delete the record.

Note: The primary origin country cannot be deleted.

2. Click **Yes**.
3. If available, select the Apply Additions and Deletions check box to delete the origin country for other items in the item group, to the transaction level.
4. Click **OK** to save any changes and close the window.

Return a Submitted Item to Worksheet Status

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. Restrict the search to items in Submitted status. The Item Maintenance window opens.

1. Click on the Worksheet option on the Options list.
2. A prompt lets you know whether the change in status was successful.
3. Click **OK** to dismiss the message. The subordinate level items are also returned to Worksheet status.
4. Click **OK** to save your changes and close the window.

Items Not Added to TPG Window [slnadd]

The Items Not Added to TPG window allows you to view the items that are not included in a tax product group type of item list. The items are excluded because they are already associated with another tax product group type of item list. An item can belong to only one such list.

Image View Window [image]

The Image View window allows you to add, delete, and view one or more images for an item. The location for an image must be a URL address. You can maintain images for items at the following levels:

When the item level is:	And the transaction level is:
Level 1	Level 1, 2, or 3
Level 2	Level 2 or 3
Level 3	Level 3

Add an Image for an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

1. Click on the Image option on the Options list. The Image View window opens.

Web Address	Filename	Description
http://www.retek.com/		

Image View Window

Note: If this is the first image being added for the item, enter the following information in the table without clicking **Add**.

2. Click **Add**. The next available line is enabled.
3. In the Location field, enter the URL address for the image.
4. In the Filename field, enter the filename and extension.
5. In the Description field, enter a brief description of the image.
6. To view the image:
 - a. Click **View Detail**. The image opens in a browser.
 - b. Close the browser window.
7. Click **OK** to exit.
 - a. Click **OK** when prompted that the UOM has been applied.
 - b. Click **OK** when prompted that the applied records have been saved.

Add Locations for an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

Click on the Locations option on the Options list. The Item Location window opens.

The screenshot shows the 'Item Location' window with the following data in the table:

Location	Loc Desc	Unit Retail	Standard UOM	Selling Unit Retail	Selling UOM	Loc Currency	Status	Primary Supplier Site	Supplier Site Name
222	WH_Test store	175.98	EA	175.98	EA	USD	Active	111111112	MSOB_Supplierste2_...
4545	Blue Store	175.98	EA	175.98	EA	USD	Active	111111112	MSOB_Supplierste2_...
4546	Red Store	183.02	EA	183.02	EA	USD	Active	111111112	MSOB_Supplierste2_...
4547	ST StoreA1	175.98	EA	175.98	EA	USD	Active	111111112	MSOB_Supplierste2_...
4580	st whole	183.02	EA	183.02	EA	USD	Active	111111112	MSOB_Supplierste2_...
4581	st whole2	175.98	EA	175.98	EA	USD	Active	111111112	MSOB_Supplierste2_...

Below the table, the 'Apply' area contains the following fields:

- Group Type: Store
- Group Value: 222 WH_Test store
- Primary Supplier Site: 111111112 MSOB_Supplierste2_OU2_Supplie
- Primary Country: US United States
- Status: Active (checked) Taxable (checked)
- Local Item Desc: np_parent1:Blue
- Local Item: np_parent1
- Short Desc: Warehouse
- Source Method: Warehouse
- Source WH: 111111112 VWH1
- Unit Cost: 79.99
- Average Cost: 79.99
- Unit Retail: 175.98
- Currency: USD
- Standard UOM: EA
- Location TI - HI: Tier 1, Height 1, Case(s) per Pallet 1
- Allow Store Mark-down: (unchecked)
- Inbound Handling Days: (empty)
- Daily Waste %: (empty)
- Store Order Multiple: Eaches

Item Location Window

1. Click **Add**. The fields are cleared in the Apply area.
2. In the Group Type field of the Apply area, select a grouping mechanism.
3. In the Group Value field, enter the ID of the specific group, or click the LOV  button and select the group.
4. Enter or edit the enabled fields.
5. Click **Apply**. The locations are added to the table.

Note: If the Partial View checkbox is selected, some records may NOT be displayed in the form due to user's limited visibility. Totals should always reflect the correct overall total taking into account the records outside the user's visibility.

6. To add the locations to the subordinate items of the current item, down to the transaction level, select the Apply Additions and Modifications check box.
7. Click **OK** to save any changes and close the window.

Delete an Image for an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

1. Click on the Image option on the Options list. The Image View window opens.
2. Select an image.
3. Click **Delete**. You are prompted to delete the record.
4. Click **Yes**.
5. Click **OK** to save your changes and close the window.

Add RCOM Details to an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

Click **RCOM Attributes**. The RCOM Item Attributes window opens.

1. Select an Item Service Level.
2. Select Gift Wrap Ind, if this item is available with gift wrap.
3. Select Ship Alone Ind, if this item is shipped alone, and not grouped for shipment.
4. Click **OK** to save your changes and close the window.

Adjust the Average Cost of an Item at a Specified Location

Navigate: From the Main menu, select Finance > Average Cost Adjustment. The Average Cost Adjustment window opens.

The screenshot shows the 'Average Cost Adjustment' window with the following fields and controls:

- Item:** A text input field with a search icon.
- Department:** A text input field with a search icon.
- Location Type:** A group box containing two radio buttons: 'Store' (selected) and 'Warehouse'.
- Store:** A text input field with a search icon.
- Currency:** A dropdown menu.
- Stock On Hand:** A text input field.
- Unit Cost:** A text input field.
- Pack Item Comp Stock On Hand:** A text input field.
- Old Average Cost:** A text input field.
- In Transit:** A text input field.
- New Average Cost:** A text input field.
- Pack Item Comp In Transit:** A text input field.
- Buttons:** 'OK', 'OK + Repeat', 'New Location', 'Tran Data', 'Refresh', and 'Cancel'.

Average Cost Adjustment Window

1. Enter an item number, or enter a partial item description and click the LOV  button to select an item.
2. For Location Type, select Store or Warehouse.
3. In the Store/Warehouse field, click the LOV  button to select a store or warehouse.
4. In the New Average Cost field, enter the new value.
5. Click **OK** to save your changes and close the window.

Edit a Location Associated with an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

Click on the Locations option on the Options list. The Item Location window opens.

1. Select a location.
2. In the Apply area, edit the enabled fields.
3. On the Item Location window, click **Apply**. The details are updated for the selected location.
4. To update the same details for the child items of the current item down to the transaction level, select the Apply Additions and Modifications check box.
5. Click **OK** to save your changes and close the window.

Create a Shopping List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

1. From the Action menu, select Use.
2. Click **Search**.
3. Select an item list to use in building the shopping list.
4. Click **OK**. The Item List Header window opens.
5. From the Options menu, select Create Competitive Shop List. The Competitive Shop Request window opens.

Note: RMS automatically creates a competitive shopping list made up of all items on the item list.

6. In the Competitor field, enter the competitor, or click the LOV  button and select the appropriate competitor.
7. In the Competitor Store field, enter the competitor store, or click the LOV  button and select the appropriate competitor store.
8. In the Shopper ID field, enter the shopper who will be performing the competitive shopping, or click the LOV  button and select the shopper.
9. In the Shop Date field, enter the date when the competitive shopping will be performed, or click the calendar  button and select the date.
10. Click **Add Location** to add another competitor's store to the competitive shopping request.
11. Click **OK** to save your changes and close the window.

Define Yield Details for a Sellable Item

1. Create a transformable orderable item.
2. On the Transformation Maintenance window, click Yield Detail. The Transformation Yield Maintenance window opens.
3. In the Yield % field, indicate the percentage of the sellable item that is allocated to each orderable item.

Note: The Total Yield field, must equal 100%.


4. Click **OK** to save any changes and close the window.

Delete a Required Document from an Item

Navigate: From the main menu, select Items > Items. The Item Search window is displayed.

Search for and retrieve a item in the Edit Item mode. The Item Maintenance window opens.

Select the Required Documents option. The Required Documents window opens.



Required Documents Window


1. Select the document you want to delete.
2. Click **Delete**.
3. When prompted to delete the document record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete a Tariff Treatment at the Item Level

Navigate: From the main menu, select Items > Items. The Item Search window is displayed.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

Click on the Eligible Tariff Treatments option. The current tariff treatments appear in the Item Eligible Tariff Treatment window.



Item Eligible Tariff Treatment Window

1. Select a tariff treatment and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Unavailable Inventory Window [unavlinv]

The Unavailable Inventory window allows you to view stock on hand that is not available for sale. You can restrict the view to one or all locations and one or all status types.

Edit Attributes for Multiple Locations by Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

Note: You can also access the Item Location Attributes window from the Item Location window. On the Item Maintenance window, click on the Locations option. On the Item Location window, click on the Mass Change Item/Loc window.

1. Click on the Mass Change Item/Loc option. The Item Location Attributes window opens.
2. To select the locations for which you want to change the attributes:
 - a. In the Type field, select a grouping mechanism.
 - b. In the Value field, enter the ID of the group, or click the LOV  button and select the group.
 - c. Click **Apply**. The locations in the selected group are added to the Location List table.

Note: To view the results in a partial view, select the Partial View checkbox.

3. To delete locations from the list:
 - a. In the Type field, select a grouping mechanism.
 - b. In the Value field, enter the ID of the group, or click the LOV  button and select the group.
 - c. Click **Delete**.
4. Select the check boxes in the Update column next to the attributes that you want to change.
5. Select or enter the new values in the Change Value To column.
6. Click **OK** to save your changes and close the window.

Edit Replenishment Attributes for an Item or Item List

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

On the Options list, select the Replenishment option. The Replenishment Attribute Maintenance window opens.

OR

From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Use mode. The Item List Header window opens.

From the Options menu, select Create Mass Item Change > Replenishment. The Replenishment Attribute Maintenance window opens.

Replenishment Attribute Maintenance Window

1. In the Group Type field, select the type of grouping mechanism or location.
2. In the Group Type Value field, enter the ID of the group or location, or click the LOV  button and select the group or location.
3. In the Replenishment Attribute Maintenance Action field, select Update.
4. For a single item, enter a date the scheduled date field, or click the calendar button and select a date. The item's replenishment attributes become active on the future date.
5. To update the master replenishment attributes with the new attributes, select the Update Master check box.
6. To update the replenishment attributes with the attributes recorded on item master, select the Update From Master check box.

Note: If you select both check boxes, the master replenishment attributes will be restored, then apply any attribute changes made, and finally update the master with this result. Updates occur during the next batch process.

7. Edit the enabled fields as necessary.
8. To deactivate replenishment attributes for an item:
 - a. In the Replenishment Attribute Maintenance Action field, select Deactivate.
 - b. When prompted to clear the replenishment attribute fields, click Yes.
9. Click OK to exit.

Edit a unit of measure for the supplier of an item

1. Select a unit of measure (UOM).
2. In the value field, enter the factor used to convert the supplier UOM to the standard UOM.
3. If the item belongs to an item group that has items at a lower level, you are prompted to overwrite the UOM details for the 'child' level items.
4. Click **Yes** to apply the edits to the current item's subordinate items.
5. Click **No** to apply the edits to the current item only.
6. Click **OK** to save any changes and close the window.

Delete a unit of measure for the supplier of an item

1. Select a unit of measure (UOM).
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.
5. If the item belongs to an item group that has items at a lower level, you are prompted to overwrite the UOM details for the 'child' level items.
6. Click **Yes** to apply the edits to the current item's subordinate items.
7. Click **No** to apply the edits to the current item only.

Item VAT Rate - Mass Change Window [mcvatrat]

The Item VAT Rate - Mass Change window allows you to edit a VAT code for multiple items by item list.

The VAT code for pack items cannot be changed using this window.

If the new VAT region and active date for any item on the item list conflict with any existing VAT regions and active dates, you are prompted to override the existing VAT regions and active dates.

Zone Locations Window [itemretail]

The Zone Locations window allows you to view the locations that exist in a selected zone.

Item list

Item List Header Window [slhead]

The Item List Header window allows you to create, edit, and view basic information about an item list. You can indicate whether the item list is static or dynamic and whether it is a tax product group type of item list. The ID of the user who created the item list and the date on which it was created appear. You can also view the number of items that make up the item list.

Add Items to Item List by Group Window [slgrp]

The Add Items to Item List by Group window allows you to add the criteria by which items are added to an item list.

Add Items to Item List Individually Window [slitem]

The Add Items to Item List Individually window allows you to add items one by one to an item list.

Edit an Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Edit mode. The Item List Header window opens.

- Edit the description and comments as necessary.

Note: Item lists that were created with user security will only be visible to the user who created them.

Add items individually

- From the Options menu, select Select Items. The Add Items to Item List Individually window opens.

Item	Item Description	Insert ID	Insert Date
10008018	Fashion Item for Enterprise Test:Bright Red-Scarlet:LargeFashion Item	RMSINT120L	14-MAR-2001
10008069	Fashion Item for Enterprise Test:Bright Green-Emerald:Medium	RMSINT120L	14-MAR-2001
10002009	BT Orderable Break to Sell	RMSINT120L	14-MAR-2001
100021001	BT Sellable Break to Sell	RMSINT120L	14-MAR-2001
100022004	BT Catch weight component	RMSINT120L	14-MAR-2001
100023007	BT Catch weight simple pk	RMSINT120L	14-MAR-2001
100024000	BT Deposit Contents	RMSINT120L	14-MAR-2001
100025002	BT Deposit Container	RMSINT120L	14-MAR-2001
100026005	BT Deposit Crate	RMSINT120L	14-MAR-2001
100027008	BT Deposit Returnable	RMSINT120L	14-MAR-2001
100032000	Blair Catchweight simple pack with Blair Catchweight Item 100031007	RMSINT120L	14-MAR-2001
100042005	Blair Deposit contents	RMSINT120L	14-MAR-2001

Add Items to ItemList Individually Window

- Click **Add**.
- On the next available line enter the item number in the Item field, or enter a partial item number and click the LOV  button to select the item from a list.

Note: Only items that are in the departments associated with the item list will be added to the list.

- Click **OK** to save your changes and close the window.

Delete items individually

1. From the Options menu, select Select Items. The Add Items to Item List Individually window opens.
2. Select an item and click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Add items by group

1. From the Options menu, select Select By Group. The Add Items to Item List by Group window opens.
2. Select or enter the criteria in the Criteria fields.
3. Click **Add**. The items that match the criteria are added to the item list.

Note: Only items that are in the departments associated with the item list will be added to the list.

4. Click **OK** to save your changes and close the window.

Delete items by group

1. From the Options menu, select View Criteria. The Item List Criteria window opens.
2. Select or enter the criteria in the Criteria fields.
3. Click **Delete**. When prompted to delete the record, click **Yes**. The items that match the criteria are deleted from the item list.
4. Click **OK** to save your changes and close the window.

Edit an Item List/Location List Link

Navigate: From the main menu, select Items > Scheduled Item Maintenance > Edit. The Scheduled Item Maintenance window opens.

Scheduled Item Maintenance Window

1. In the Item/Location Link ID field, enter a link ID or click the LOV  button and select a link.
2. Click **Show Detail** to view the detail of this link in the Detail Information table.
3. Make any changes.
4. Click **OK** to save your changes and close the window.

Rebuild Item List Window [slreblid]

The Rebuild Item List window allows you to rebuild an item list on demand. You cannot rebuild an item list that is defined as a static list. This window is available when you create, copy, edit, or use an item list. Also, whenever you select an item list on another window, you can choose to rebuild the list. When you rebuild an item list, the list is updated to include any new items that have been added to the system since the last rebuild.

Item List Search Window [slfind]

The Item List Search Window allows you to enter criteria in order to search for item lists and view the results. You can create, copy, edit, view, and use an item list. You can use the item list to make changes to multiple items.

Functional views

The default view for the Item List Search window opens when you open the window for the first time. You can also create a custom view.

Item List Criteria Window [slcrit]

The Item List Criteria window allows you to view and delete the criteria by which items are grouped on an item list.

Edit Attributes for Multiple Locations by Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Use mode. The Item List Header window opens.

1. From the Options menu, select Create Mass Item Change > Location. The Item Location Attributes window opens.

Item Location Attributes Window

2. To select the locations for which you want to change the attributes:
 - a. In the Type field, select a grouping mechanism.
 - b. In the Value field, enter the ID of the group, or click the LOV  button and select the group.
 - c. Click **Apply**. The locations in the selected group are added to the Location List table.

Note: To view the results in a partial view, select the Partial View checkbox.

3. To delete locations from the list:
 - a. In the Type field, select a grouping mechanism.
 - b. In the Value field, enter the ID of the group, or click the LOV  button and select the group.
 - c. Click **Delete**.
4. Select the check boxes in the Update column next to the attributes that you want to change.
5. Select or enter the new values in the Change Value To column.
6. Click **OK** to save your changes and close the window.

Substitutes


Substitute Items Window [wforder]

This window allows users to select substitute items for an item on a Wholesale/Franchise order.

Substitute an Item on a Wholesale/Franchise Order

Use this procedure to substitute an item on a wholesale order.

Navigate: From the main menu, select Inventory > Wholesale/Franchise Orders and Returns. The Wholesale/Franchise Returns Search window opens. Search for and retrieve a wholesale/franchise order in Edit mode. Restrict the search to orders in Input status.



Wholesale Franchise Orders and Returns window

1. Select a wholesale/franchise order and click **OK**. The WF Ordering window opens.

The screenshot shows the 'Sales Order' window with the following fields and sections:

- Order Header:** WF Order No (7421), Order Date (02-APR-2008), Cust Ord Ref No, Customer, Customer Location, Order Currency, Order Type, Cancel Reason, Need Date, Not After Date, Status (Input).
- Item Table:** A table with columns: Item, Item Desc, Source WH, Customer Location, Need Date, Not After Date, UOM, Requested Quantity, Available Quantity, Cust. Cost.
- Item Details:** Item Type (Item), Item, Source WH, Customer Location, Unit of Order, Requested Qty, Cancel Reason, Need Date, Not After Date.
- Totals:** Total Acquisition Cost, Margin Amount, Total Up-charges, Total Customer Cost VAT Excl., VAT Amount, Total Customer Cost VAT Incl., Freight, Other Charges, Net Order Cost.
- Buttons:** Apply, Add, Substitute, Distribute, OK, OK+Repeat, Delete Item, Cancel.

Sales Order window

2. In the Item field, enter the item number of the item to be substituted, or click the LOV button and select the item.
3. Enter appropriate information in the item area.
4. Click **Substitute**. The Substitute Items window opens.

The screenshot shows the 'Substitute Item' window with the following fields and sections:

- Item Details:** Item (100983032, CMO Wholesale Item 3), Source WH (111111114, Cent. Catalog WH 9).
- Substitute Table:** A table with columns: Item, Item Desc, Uom, Available Qty.
- Buttons:** Apply, Cancel.

Substitute Item window

5. Select the item to substitute.
6. Click **Apply**. The Substitute Item window closes.
7. Click **OK** to save your changes and close the window.

Edit a Substitute Item for an Item on Replenishment

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item on replenishment in Edit mode. The Item Maintenance window is displayed.

Click the Substitute Items option. The Substitute Items window opens.

Substitute Items Window

1. In the Location Table, select the location to be edited.
2. In the Substitute Item Table, select the item to be edited.

Note: To view items the main item is a substitute item for, from the Options menu, select Main Item View. The Main Item View window opens.

3. In the Apply Block area, edit the enabled fields as necessary. Click **Update All**.
 - To update the location information only, click **Update Location**.
 - To update the substitute item information only, click **Update Sub. Item**.
4. To view the details for the substitute item, click **Sub. Item Detail**.

Delete a substitute item

1. Select a substitute item on the table.
2. Click **Delete Sub. Item**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete a substitute item/location

1. Select a substitute item on the table.
2. Click **Delete Sub. Item**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Substitute Items Maintenance Window [substitm]

The Substitute Items Maintenance window is used to replace or phase out a main item with a substitute item and to maintain the substitute item information. Substitute Items are associated at the Item/Location level.

You can indicate whether the main item or the substitute item is primarily used to fill the recommended order quantities. In the warehouse, you can also select multiple substitute items for the main item and enter the order in which they are picked as substitute for the main item.

Packs

Pack Item Overview

A pack item is used to buy, sell, and track multiple items under one item number. The types of pack items are:

Simple Packs

A simple pack is always orderable. You can make the pack sellable. A simple pack is an orderable vendor pack with multiples of one the same component item.

Complex Packs

A complex pack can be both orderable and sellable, but they can also be orderable or sellable.

Orderable

A **buyer** pack is a grouping mechanism used by the retailer in order to order multiple items as a single line item on a purchase order. Buyer packs can be ordered and received as component items or as a pack.

A **vendor** pack is a grouping mechanism used by the vendor in order to sell multiple component items as packs to the retailer. Vendor packs can only be ordered and received as a pack.

Sellable

A **sellable** pack is a grouping mechanism used to sell multiples of different items as one item.

Simple Pack Setup Window [spacksetup]

The Simple Pack Setup window allows you to create and view simple packs that contain the selected component item. A simple pack is a sellable and/or orderable vendor pack with multiples of only one item number as the component item.

When creating a simple pack for a component item, you must provide the following information:

- Type of number, pack number, and pack description
- Number of units of the component item that make up the pack
- Primary supplier and origin country for the pack
- Unit cost of the pack
- Number of packs in a case, cases on a tier, and tiers on a pallet
- Base retail price of the pack if it is sellable as a pack

In addition, you can define the dimensions, weights, and volumes of cases and pallets. After defining the attributes of the pack, you can choose to copy other details from the component item. The details may include suppliers, stores, warehouses, seasons, user defined attributes, ticketing, required documents, sales taxes, HTS numbers, and expenses.

Create a Simple Pack

Navigate: From the main menu, select Items > Items. The Item Search window opens.

1. In the Action field, select New Item.
2. In the Item Type field, select Simple Pack
3. Select the item type indicators:
 - **Sellable:** When Yes is selected, an item can be sold and is sent to the POS.
 - **Orderable:** This field defaults to Yes. Simple packs can be ordered, set up on replenishment, and can have HTS and expenses set up.
 - **Inventory:** This field defaults to Yes. Simple packs always have inventory tracked and held in RMS.
4. In the Department, Class, and Subclass fields, enter the IDs of the merchandise hierarchy, or click the LOV  buttons and select the merchandise hierarchy.
5. Click **OK**. The Item Maintenance window opens.

Add pack item details

1. In the Item Number Type field, select the type of item number that you want to associate with the item.
2. In the Item field, enter the item number and description of the item.

Note: If you select Oracle Retail Item Number or UPC-A in the Item Type field, the item number is automatically added.

3. You can edit the abbreviated description in the Short Desc field.
4. In the Attributes area, select or clear the check boxes as needed.
5. In the Pricing area, in the Cost Zone Group field, enter the cost zone group ID or click the LOV  button and select the cost zone group.
6. Add a supplier for an item.
7. Add an origin country for a supplier of an item.

Create the pack

1. On the Item Maintenance window, click **Pack Details**. The Pack Item Detail Maintenance window opens.
2. In the Item field, enter the ID of the item you want to add, or click LOV  button and select the item you want to add.
3. In the Quantity field, enter the number of component items in the pack.
4. Click **Apply**. The information is added to the table.

Complete the pack item


1. Edit the retail price of an item.
2. Click **OK** to save any changes and close the window.

Create a Simple Pack from an Existing Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for the item that will be the component of the simple pack. Retrieve the item in Edit mode. The Item Maintenance window opens.

1. On the Options list, Click on the Simple Pack Setup option. The Simple Pack Setup window opens.



The screenshot shows the 'Simple Pack Setup' window with the following details:

- Component Item:** 65487 t-shirt
- Table:** A table with columns: Exists, Item Number, Type, Pack Item, Pack Description, Item Qty, Supplier Site, Origin Ctry, Unit Cost Sup. Site/EA, Self?, Markup %, Unit Retail Sup. Site, and Curr. Supp.
- Apply Pack Info:**
 - Item No. and Pack Number fields.
 - Item Qty field.
 - VPN field.
 - Supplier Site Label field.
 - Cost UOM: EA
 - Supplier: 1 Test Supp creation
 - Supplier Site: 2 Test Supplier Site for 1
 - Origin Country: US United States
 - Unit Cost (Supplier Site) and Unit Cost (Primary) fields.
 - Markup % and Unit Retail (Primary) fields.
 - Constant Dimensions and Sellable? checkboxes.
- Catch Weight:** Order Type and Sale Type dropdowns.
- Dimension Info:** Case Qty (1.00), TI Qty (1.00), HI Qty (1.00), Dimension (Case), Liquid Vol. UOM, Length, Width, Height, LVH UOM, Gross Weight, Net Weight, Tare Type, Tare Weight, Weight UOM, and Stat Cube.
- Copy Info From Component Item:** Supplier Sites, Warehouses, Stores, Seasons, UDAs, Ticketing, Documents, Sales Tax Info, Internal Finishes, External Finishes, HTS Info, Expenses, Up Charges, and VAT Info checkboxes.
- Buttons:** Apply, Delete, OK, Create Packs, Add Pack, Pack Detail, and Cancel.

Simple Pack Setup Window

2. In the Apply Pack Information area:
 - a. In the Item No. Type field, select the type of item number that you want to associate with the pack item.
 - b. In the Pack Number field, enter the pack number and description of the pack item.

Note: If you select Oracle Retail Item Number or UPC-A in the Item Type field, the item number is automatically added.

- c. Enter additional information as necessary.

Note: The Catch Weight and Tolerance areas are enabled only if you selected Catch Weight in the Attributes area of the Item Maintenance window. Catch Weight average weight is only maintained for simple packs.

3. In the Dimension Information area, enter the necessary information about the simple pack.
4. In the Copy Info from Component Item area, select which details you want to copy from the component item to the simple pack.
5. Click **Apply**. The simple pack is added to the table.
6. Click **Create Packs**. The Exists check box is automatically selected and the selected component details are copied to the simple pack.

Note: When you click **Create Packs**, component details are copied to the new simple packs. If simple packs already exist, their details are not updated.

7. Click **OK** to save your changes and close the window.

Create a Complex Pack

Navigate: From the main menu, select Items > Items. The Item Search window opens.

1. In the Action field, select New Item.
2. In the Item Type field, select Complex Pack.
3. Select the item type indicators:
 - **Sellable:** When Yes is selected, an item can be sold and is sent to the POS.
 - **Orderable:** When Yes is selected, an item can be ordered, set up on replenishment, and can have HTS and expenses set up.
 - **Inventory:** This field defaults to Yes. Complex packs always have inventory tracked and held in RMS.
4. In the Department, Class, and Subclass fields, enter the IDs of the merchandise hierarchy, or click the LOV  buttons and select the merchandise hierarchy.
5. Click **OK**. The Item Maintenance window opens.

Add pack item details

1. In the Item Number Type field, select the type of item number that you want to associate with the item.
2. In the Item field, enter the item number and description of the item.

Note: If you select Oracle Retail Item Number or UPC-A in the Item Type field, the item number is automatically added.

3. You can edit the abbreviated description in the Short Desc field.
4. In the Attributes area, select or clear the check boxes as needed.
5. In the Pricing area, in the Cost Zone Group field, enter the cost zone group ID or click the LOV  buttons and select the cost zone group.
6. Add a supplier for an item.
7. Add an origin country for a supplier of an item.

Create the pack

1. On the Item Maintenance window, in the Pack area, if the pack will contain inner containers, select the Contains Inners check box.
2. In the Pack Type field, select:
 - **Buyer Pack:** if you are create an orderable pack that is used by a retailer to order multiple items on a single line item on a purchase order.
 - **Vendor Pack:** if you are create an orderable pack that is used by a vendor to sell multiple items on a single line item on a purchase order.
3. If you created a buyer pack, in the Order As field, select pack or eaches to indicate how the item should be ordered.
4. Click **Pack Details**. The Pack Item Detail Maintenance window opens.

Pack Item Detail Maintenance Window

5. In Item field, enter the item number of the component item, or click the LOV  button and select the item.
6. In the Quantity field, enter how many units of the component item belong in the pack.
7. Click **Apply**. The component item is added to the table.

8. To add additional items, click **Add Item**.
9. When you have finished adding the components of the pack, click **OK** to close the Pack Item Detail Maintenance window and save your changes. The Item Maintenance window opens.

Complete the pack item

1. Edit the retail price of an item.
2. Click **OK** to save any changes and close the window.

Edit a Pack Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve a pack item in Edit mode. To restrict the search to pack items, select the Pack Item check box. The Item Maintenance window opens.

1. You may choose to edit any enabled fields.
2. Click **Pack Details** to edit the component items. The Pack Item Detail Maintenance window opens.
3. Select a component item.
4. In the Quantity field, edit the number of units that belong in the pack.
5. Click **Apply**.
6. Click **OK** to save your changes and close the window.

Add a component item

1. On the Pack Item Detail Maintenance window, click **Add Item**. The fields in the Item Selection area are cleared.
2. In the Item field, enter the item number of the component item, or click the LOV  button and select the item.
3. Click **Apply**.
4. Click **OK** to save your changes and close the window.

Note: You cannot add a component item to a simple pack, because a simple pack is multiples of one component item.

Delete a component item

1. Select a component item.
2. Click **Delete**. You are prompted to delete the record.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Edit additional details for the pack item

1. Select an option on the Options list of the Item Maintenance window.
2. Edit information.
3. Click **OK** to save your changes and close the window.

Maintain Pack Templates

Navigate: From the main menu, select Items > Diffs > Pack Templates > Edit. The Pack Template Maintenance window opens.

Edit a pack template

1. In the Pack Template ID field, enter the ID of the pack template, or click the LOV  button and select the template.
2. Edit the template description and quantities as necessary.
3. Click **OK** to save your changes and close the window.

Add an assortment of diffs

1. Click **Add**.
2. Add diffs in the enabled fields.
3. Repeat steps 1 and 2 to add more diffs to this template.
4. Click **OK** to save your changes and close the window.

Delete a diff combination from the assortment

1. Select a record.
2. Click **Delete Line**. You are prompted to delete the record.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete a pack template

1. In the Pack Template ID field, enter the ID of the pack template, or click the LOV  button and select the template.
2. Click **Delete Template**. You are prompted to delete the record.
3. Click **Yes**. The diff template is deleted and the window is closed.

Delete a Pack Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve a pack item in Edit mode. To restrict the search to pack items, select the Pack Item check box. The Item Maintenance window opens.

1. Click **Delete**. You are prompted to delete the record.
2. Click **Yes**.

Note: The record will be deleted in the next scheduled batch process.

3. Click **OK** to save your changes and close the window.


Search for an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

1. In the Action field, select Edit Item, View Item, New From Existing, or New Cost Change.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The Item Search window displays the items that match the search criteria.
4. Select a task:
 - To perform another search, click **Refresh**.
 - To display the item information, select a record and click **OK**. Based on what appears in the Action field, the Item Maintenance window, Create Like Item window, or Cost Change by Supplier window opens.
5. Click **Close** to exit.

Search for Pack Items by Component Item

Navigate: From the main menu, select Items > Item Pack Query. The Item Pack Query window opens.



Item Pack Query Window

1. In the Item field, enter the item number of a component item, or click the LOV  button and select the item. The pack items that contain the component item appear.
2. View results.
3. Click **Refresh** to clear the fields for another search.
4. Click **OK** to save your changes and close the window.

Item Pack Query Window [skupack]

The Item Pack Query window allows you to search for and view all the pack items that contain a specified component item.

Pack Item Detail Maintenance Window [packdetl]

The Pack Item Detail Maintenance window allows you to add, edit, and view the component items of a pack item. A complex pack may be composed of multiple units of multiple items. A simple pack may be composed of multiple units of one item.

There are some restrictions depending on the how you define the purpose of the pack:

- **Orderable pack:** You cannot add, delete, or edit the component items if the pack is already on order or stocked at any location.
- **Sellable pack:** You cannot add, delete, or edit the component items after the pack item is priced.

Main Item View Window [substitm]

The Main Item View window allows you to view all items and location combinations that the main item is replacing as a substitute item.

Maintain Packing Information for a Transportation Record

Navigate: From the main menu, select Inventory > Transportation > Maintenance. The Transportation Selection window opens.

Search for and retrieve a transportation record in Edit mode. The Transportation window opens.

From the Options menu, select Packing. The Transportation Packing window opens.

Transportation Packing Window

Edit packing information for a transportation record

1. Edit the enabled fields as necessary.
2. To edit shipped quantities:
 - a. Select Quantity from the View menu. Several quantity and UOM fields appear.
 - b. Edit the enabled fields as necessary.

3. To edit received quantities:
 - a. Select Received Quantity from the View menu. Several received quantity and UOM fields appear.
 - b. Edit the enabled fields as necessary.
4. Click **OK** to save your changes and close the window.

Delete packing information for a transportation record

1. Select a packing record and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Sellable Pack Build Window [packbld]

The Sellable Pack Build window allows you to view how many sellable packs can be built from the component items at a specific store.

Item Packing Window [tsfpack]

The Item Packing Window allows you to send instructions to the finisher to tell them how items and packs should be shipped to the final location.

The Results area will display all the packs that can be created and any items component items that are unpacked. The following packaging combinations may occur:

Pack to components

Pack 1	becomes	Item 1
		Item 2
		Item 3

Pack to pack

Pack 1 made up of:	2 of Item 1	becomes	Pack 2 made up of:	2 of Item 1
	3 of Item 2			2 of Item 2
	3 of Item 3			2 of Item 3
Remaining bulk items on transfer: 1 of item 2 and 1 of item 3				

Components to pack

Item 1	becomes	Pack 1
Item 2		
Item 3		

Break Pack Build Window [packbrk]

The Break Pack Build window allows you to break orderable packs down to their component items or inner pack levels. The inventory of packs and component items is adjusted accordingly. The number of packs is decremented and the number of inner packs or items is incremented. Pack items are inventoried at the warehouse level.

Break Packs into Component Items

Navigate: From the main menu, select Inventory > Pack Items > Break Pack. The Break Pack Build window opens.

Break Pack Build Window

1. In the Pack No field, enter the number of the pack item, or click the LOV  button and select the pack.
2. In the Warehouse field, enter the ID of the warehouse, or click the LOV  button and select the warehouse.
3. In the Qty to Break field, enter the number of packs that you want to break down to the component level. This number must be less than the number displayed in the Stock on Hand: Before field.
4. Click **Apply**. The number of packs is decremented. The number of component items is incremented.
5. Click **OK** to save your changes and close the window.

Pack Template Maintenance Window [packtmp]

The Pack Template Maintenance window allows you to create, edit, and view a pack template. You can use the a pack template to order diffs that are frequently ordered as a 'set', rather than ordering individual items. When creating a pack item, you must specify a quantity for each combination.

Add a Pack Template to a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window opens.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window opens.

Click **Items**. The PO Header Maintenance window opens.

Click **Add to Order**. The Order Distribution Worksheet window opens.

1. Click **Add Item**. The Apply area is enabled.
2. In the Item field, enter the item parent ID, or click the LOV  button and select the number.
3. Click **Apply Template**. The New Parent Template window opens.
4. In the Template field, enter the ID of the item parent template, or click the LOV  button and select the template.
5. In the Order As Type field, select either Pack or Eaches.
6. In the Short Description field, enter the short description for the pack.
7. In the Description field, you can edit the long description of the pack.
8. Click **OK** to exit the New Parent Template window.
9. Click **Apply Item** to add the item parent or **Expand Item** to add the components of the item parent to the table.
10. Filter and distribute the items as necessary.
11. Click **OK** to save your changes and close the window.

Copy a Pack Template

Navigate: From the main menu, select Items > Diffs > Pack Templates > New. The Pack Template Maintenance window opens.

Note: A Pack Template ID is automatically generated and displayed.

1. In the Pack Template ID field, enter a description for the template.
2. Click **Like Template**. The Like Pack Template window opens.
3. In the Pack Template ID field, enter the ID of the template to copy, or click the LOV  button and select the template.
4. Click **OK** to exit the Like Pack Template window. The assortment of diffs are copied to the Pack Template Maintenance window.
5. Edit the values in the Quantity field, where necessary.
6. Click **OK** to save your changes and close the window.

Like Pack Template Window [packtmpl]

The Like Pack Template window allows you to create a diff pack template with the same assortment of diffs as another template.

Diff/Children

Diff Combinations Window [itemdiffappl]

The Diff Combinations window allows you to view the item children that are created after you select the desired diffs in the Item Diff Apply window. You can enter the item number (if it was not generated automatically) and description for each item child and delete any undesired item children. When you click **OK** to exit this window, the Item Children window opens. From there, you can edit the attributes of each item child.

Item Children Window [itemchildren]

The Item Children window allows you to create a subset of items from an item that is already entered into RMS. In RMS, all of the item levels for a given item are called an item group. The term child or children refers to the second or third levels of any 2-level or 3-level item group. In this window, you can:

- Edit level 2 or level 3 items that were created without diffs
- Edit the description of items at level 2 or level 3 of an item group.
- Use the Options list to edit details for a selected level 2 or level 3 item.

Item Diff Apply Window [itemdiffappl]

Use the Item Diff Apply window to create items with diffs. You can apply diffs individually, by diff range, or by diff group. When two types of diff values are combined, a level 2 or level 3 item is created for each possible combination of the two types. The new items appear in the Diff Combinations window. If you create duplicate items, you can view the details of the duplicate item in the Duplicate Diff Combinations window.

Item Children Diff Window [itemchildrendiff]

The Item Children Diff window allows you to create a subset of items from an item that is already entered into RMS. In RMS, all of the item levels for a given item are called an item group. The term child or children refers to the second or third levels of any 2-level or 3-level item group. In this window, you can:

- Edit level 2 or level 3 items that were created with diffs
- Edit the description of items at level 2 or level 3 of an item group.
- Use the Options list to edit details for a selected level 2 or level 3 item.

Duplicate Diff Combinations Window [itemdiffappl]

The Duplicate Diff Combinations window allows you to view which diffs are duplicated for an item parent. You are prompted to view the duplicate item children at the time you create them.

Item Maintenance Window [itemmaster]

The Item Maintenance window allows you to manage multiple types of items and their attributes. Items can be tracked at 3 levels. The naming conventions for the three item levels may vary by organization. You must indicate at which item level you want to track transactions. After creating a level 1 item, you can create level 2 item. On some RMS windows, the level 2 item is referred to as a 'child' item. You can also select a level 2 item and create level 3 items, referred to as grandchildren.'

Additional information

Look at the Options list to verify that all necessary information has been added for the current item. The options are color-coded to indicate whether they are required by the system, required by your organization, or made available/unavailable.

- **Red, bold:** The option is required by the system. The Suppliers and Retail by Zone options are required by the system.
- **Green, bold:** The option required by the system has been edited.
- **Red:** The option is required by the department, class, or subclass.
- **Green:** The option, required or not, has been edited.
- **Blue:** The option is not required but can be edited if the user so chooses.
- **Black:** The option is not available to the user.

The check box next to each option provides another visual cue. A selected check box indicates that the option has been edited. You can click on the required or available options in order to perform a task related to the current item. The appropriate message or window opens.

EDI

Electronic Data Interchange Overview

Electronic data interchange (EDI) provides a standardized method for retailers and suppliers to transmit business documents electronically. EDI translation programs convert outgoing and incoming files to the appropriate flat file or EDI format.

The following EDI transaction sets can be processed by RMS:

- **832 - Price/sales catalogue:** New and updated item/cost information received from the supplier.
- **838 - Trading partner profile:** Store and warehouse addresses are sent to the supplier. Addresses are received from the supplier.
- **846 - Inventory Inquiry/Advice:** Supplier availability details are received from the supplier.
- **850 - Purchase order:** Purchase orders and contracts are sent to the supplier.
- **852 - Product activity data:** Store sales and inventory information is sent to the supplier.
- **855 - Purchase order acknowledgement:** Purchase order acknowledgements and changes are received from the supplier.
- **856 - Ship notice/manifest:** Advance shipping notices (ASN) are received from the supplier.
- **860 - Purchase order change request - buyer initiated:** Modified purchase orders are sent to the supplier.
- **879 - Price information:** Cost changes pertaining to items are received from the supplier.
- **888 - Item maintenance:** New and updated item details are received from the supplier.

Business process

To begin using EDI functionality, some preliminary setup is required. You must indicate which EDI transactions are supported by a supplier. If the supplier requests product activity data, you can indicate whether the data should be transmitted on a daily or a weekly basis.

You should also indicate the variance allowed for cost changes by monetary amount and by percentage. Cost changes received from the supplier that are within the tolerated range are automatically approved by the system after you accept the changes. In vendor managed inventory (VMI) situations, you can indicate whether orders received from the supplier are automatically approved or remain in Worksheet status.

As you create and revise purchase orders and contracts, you can indicate whether to transmit approved transactions. If you have access to Oracle Retail Invoice Matching, you can also indicate whether to transmit approved debit memos, credit memos, and credit note requests.

When item details and cost changes are received from suppliers, you must review and accept them before the item catalog can be updated and a cost change event can be created. Rejected items and cost changes are held in the system for a predefined number of days.

Reports

There are no standard reports pertaining to EDI.

System administration

The system administrator may set the following system variables for EDI transactions:

- Request an EDI-compliant catalog of store and warehouse addresses be transmitted to suppliers.
- Indicate whether supplier-provided costs may be overridden by the application of deals, brackets, and allowances to unit costs on purchase orders.
- Set the retention period, in days, for 1) revisions/versions of completed and cancelled purchase orders, 2) rejected items, and 3) rejected cost changes. When the records exceed the retention periods, they are automatically purged by regularly scheduled batch programs.
- Set the number of days that product activity data must be held on a temporary table before the report is transmitted to suppliers.

New Item Window [edititem]

The New Item window allows you to enter additional details before a new item or case can be added to the system. Cases are processed as simple packs. The preliminary information is received from the supplier via an electronic data interchange (EDI) transmission.

Several fields are filled in automatically if you select an item at a higher item level than the new item. You can also choose to copy additional details from an existing item to the new item.

Item Detail Window [edititem]

The Item Detail window allows you to view measurement, unit cost, lead time, and minimum/maximum order details for an item that is received via an electronic data interchange (EDI) transmission.

EDI New Items Window [edititem]

The EDI New Items window allows you to accept or reject new items or changes made to existing items. The information is received from a supplier via electronic data interchange (EDI) transmissions.

From this window, you can access the:

- **Item Detail window:** View dimensions, volume, and weight at the each, case, and pallet level. Also, view unit of measure (UOM) conversion details, unit cost, lead time, and minimum and maximum order quantities.
- **New Item window:** Edit the details of a new item, or copy details from an existing item to the new item (Like Items window).

After you change the status of the item to Accepted, you can edit the seasons/phases and user defined attributes for the item. Select the appropriate option from the Options > Items menu.

To view additional details in the EDI New Items window, select the appropriate option from the View menu.

Functional views

The default view for the EDI Items window opens when you open the window for the first time. You can also view the table with the Parent view or you can create a custom view. Additional fields can be viewed when you create a custom view.

Mass Update Failures Window [edititem]

The Mass Update Failures window allows you to view the reason for and status of items that failed to update through Electronic Data Interchange (EDI).

Like Item Window [edititem]

The Like Item window allows you to copy the details from an existing item to a new item. If the existing item that you choose is a level 1 item, a new item hierarchy is created for the new item. If the existing item is a level 2 or level 3 item, the new item is associated with the same item group as the existing item.

Accept New Items Received Via EDI

Navigate: From the main menu, select Items > EDI New Items. The EDI New Items window opens.

EDI New Items Window

1. Select an item with New Item column selected
2. Click **New Item**. The New Item window opens.

Identify item parent information

1. In the Place Item Under field, enter the item number of the item parent or item grandparent under which you want to place the new item, or click the LOV  button and select the item.
2. In the Item Level field, select the level at which the item parent or item grandparent resides in the item hierarchy.
3. In the Parent Item Number Type field, select the item number type for the new level two item.

Note: If a level 3 item is placed under a level 1 item and the transaction level is at level 2, you must identify the level 2 item above the new item. If the level 1 item has no existing subordinate (level 2) items, you must select the appropriate type of item number for the level 2 item.

4. In the Item Parent type field, enter or edit the item number of the item parent under which you want to place the new item, or click the LOV  button and select the item.

Note: For Level 3 items only.

Identify the EDI item information

1. In the Item Number Type field, select the item number for the new item.
2. Select the Keep Ref Item to indicate that reference number received from the supplier should be saved.
3. In the Item field, enter or edit the item number and item description.
4. In the Item Level field, select the level of the item in the item group.
5. In the Tran Level field, select the transaction level for the item.

Note: If you select an item with subordinate items, the transaction level is automatically filled in.

6. To create a simple case pack for the item for the EDI item:
 - a. Select the Item Number Type for the pack item.
 - b. Enter or edit the item ID and description.
 - c. Select Create as Ref Case to indicate that the case is a reference item for the case.
7. In the Department field, enter the ID of the department for the new item, or click the LOV  button and select the department.
8. In the Class field, enter the ID of the class for the new item, or click the LOV  button and select the class. You must select a department before you can select a class.
9. In the Subclass field, enter the ID of the subclass for the new item, or click the LOV  button and select the subclass. You must select a department and class before you can select a subclass.
10. In the Cost Zone Group field, enter the ID of the cost zone group the item belongs to or click the LOV  button and select the cost zone group.
11. In the Unit Cost field, enter the cost of one unit of the item.
12. In the Default Unit of Purchase field, enter the measure that is used when ordering the item, or click the LOV  button and select a default unit of purchase.
13. In the Short Desc field, enter a short description of the item.
14. In the Store Order Multiple field, select how the store orders the item from the warehouse.
15. Add diff information for the item as necessary.

Copy details from an existing item

1. On the New Item window, click **Like Item**. The Like Item window opens.
2. In the From Existing field, enter the item number of the item to be copied, or click the LOV  button and select the item.
3. To copy details from the selected item to the new item, select the enabled check boxes as necessary.
4. Click **OK** to save your changes and close the window.
5. Click **OK** to save your changes and close the window.

EDI Cost by Location Window [edicostloc]

The EDI Cost by Location window allows you to review unit costs and bracket cost details received via EDI at the item/supplier/origin country/location level.

Record EDI Capability for a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

Note: If the Financials module is installed, select Control > Supplier > Maintenance from the main menu.

1. From the Options menu, select EDI. The Supplier EDI Information window opens.

The screenshot shows a window titled "Supplier EDI Information (supwvedt)". It is divided into two main sections. The first section, "EDI Trans. Supported By the Supplier", contains several checkboxes: PO (checked), PO Change (checked), Confirming PO (unchecked), Contract (unchecked), ASN (checked), and Invoice (checked). There is also a "Sales" dropdown menu set to "Daily". The second section, "EDI Cost Change Approval Variance", contains two input fields: "Amount" and "Percent". At the bottom of the window are "OK" and "Cancel" buttons.

Supplier EDI Information Window

2. In the EDI Transactions fields, select the activities that the supplier can process via EDI.
3. In the Sales field, select how often product activity data must be generated for the supplier.
4. In the Amount and Percent fields, enter a currency amount and a percentage to indicate by how much a cost change can vary from the current cost and still be automatically approved.
5. Click **OK** to save your changes and close the window.

New EDI Cost Changes Window [edicost]

The New EDI Cost Changes window allows you to accept or reject cost changes that are received from a supplier via electronic data interchange (EDI). Cost changes that are within the variance set for the supplier are automatically approved after you accept them.

You can access the EDI Cost by Location window in order to review unit costs and bracket cost details at the item/supplier/origin country/location level for a selected item.

You can access the Item Maintenance window in order to view additional details about a selected item.

To view the monetary amounts in the primary currency of the company or the local currency of the supplier, select the appropriate option from the Options > Currency menu.

Accept Item Changes Received via EDI

Navigate: From the main menu, select Items > EDI New Items. The EDI New Items window opens.

EDI New Items Window

1. Enter or select the criteria you want to search by.

Note: Supplier is a required field.

2. Click **Search**. The items that match the specified criteria appear.

Update the status of an EDI item

In the Status field next to each item, select the appropriate status.

- **Accepted:** The item change was reviewed and accepted.
- **Rejected:** The item change was reviewed and rejected. Rejected item changes are purged from the system after a predefined number of days.
- **Not Reviewed:** The item change has not yet been reviewed. The change cannot take effect and it cannot be purged from the system.
- **Failed:** The item was not received.

Change the status multiple items

1. Click **Select All**. All the items in the table are selected.
2. In the **Sel** column, you can select or clear the items you want to include.
3. Click **Accept** or **Reject**. The status is changed.

Edit seasons/phases, or user defined attributes for an accepted item

1. Select an item.
2. From the **Options** menu, select either **Seasons/Phases** or **User Defined Attributes**.
3. Edit the details in the **Item/Season Matrix** window or **Item UDA List** window as necessary.
4. Click **OK** to save your changes and close the window.

Process a new item

1. Select an item with **New Item** column selected
2. Click **New Item**. The **New Item** window opens.
3. Enter details in any enabled fields.
4. To copy details from an existing item:
 - a. On the **New Item** window, click **Like Item**. The **Like Item** window opens.
 - b. In the **From Existing** field, enter the item number of the item to be copied, or click the **LOV**  button and select the item.
 - c. To copy details from the selected item to the new item, select the enabled check boxes as necessary.
 - d. Click **OK** to save your changes and close the window.
5. Click **OK** to save your changes and close the window.

Review the details of any cost changes that are associated with an item

1. Select an item on the **EDI New Items** window.
2. From the **Options** menu, select **EDI Costing**. The details appear in the **EDI Cost by Location** window.
3. Click **OK** to save your changes and close the window.

Seasons/phases

Item/Season Matrix Window [itemseas]

The **Item/Season Matrix** window allows you to add and delete seasons and phases from items. When you add a season to an item, you select a season and then select a phase within the season.

You can use the seasons and phases of an item to track the sales of the item through reports. You can add or overwrite season/phase records for items in a group if the passed item is above the item's group transaction level.

Season and Phase Maintenance Window [seasons]

The Season and Phase Maintenance Window allows you to create and maintain seasons and phases. A season is a specific selling period during the year, and a phase is a smaller time period within a season. A season requires at least one phase. If you do not add at least one phase to a season, a phase with the same name and dates as the season is automatically created for the season.

Seasons and phases have two functions:

- Reporting and tracking
- Replenishment

Reporting and tracking

You can add seasons and phases to items and pack items. You can then create custom reports to track the movement of items with specific seasons and phases.

Replenishment

Seasons and phases are also used for forecasted items with a replenishment method of Time Supply - Seasonal and Dynamic - Seasonal. The items are on replenishment during the dates of the selected season and phase. The seasons and phases associated with the item for reporting and tracking purposes have no impact on the seasons and phases used in replenishing the item.

Functional area security

When you create a season and phase, you can assign the season to levels of the merchandise or organization hierarchy. You can only assign the levels of merchandise and organization hierarchy that your user group is associated to. All levels below the hierarchy level assigned are also enabled for the user groups. Users whose security settings allow them access to the same hierarchy levels can use this season throughout RMS. If you do not assign a merchandise or organization level all users are able to use this season throughout the system.

Create a Season/Phase

Navigate: From the main menu, select Items > Seasons/Phases > Edit. The Season and Phase Maintenance window opens.

Season and Phase Maintenance Window

Add a season

1. Click **Add Season**.
2. In the Season field, enter a description of the season. A season ID is filled in automatically.
3. In the Start Date field, enter the date on which the season begins, or click the calendar  button and select the date.
4. In the End Date field, enter the date on which the season ends, or click the calendar  button and select the date.
5. In the merchandise hierarchy fields, enter the ID of the member of each hierarchy level, or click the LOV  button and select a member.
6. Click **OK** to save your changes and close the window.

Add a phase

1. Click **Add Phase**.
2. In the Phase field, enter a description of the phase. A phase ID is filled in automatically.
3. In the Start Date field, enter the date on which the phase begins, or click the calendar  button and select the date.
4. In the End Date field, enter the date on which the phase ends, or click the calendar  button and select the date.
5. Click **OK** to save your changes and close the window.

Add a Season and Phase to an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

1. From the Options list, select Seasons/Phases. The Item/Season Matrix window opens.

The screenshot shows the 'Item/Season Matrix' window. At the top, the title bar reads 'Item/Season Matrix (Itemseas)'. Below the title bar is a toolbar with several icons. The main content area has a search bar with 'Item' set to '400000042015' and 'thsirt'. Below the search bar are two dropdown menus: 'Item Level' set to 'Line' and 'Tran Level' set to 'Line Extension'. There is also a 'Diff ID' field and a 'Search' button. The central part of the window is a table with two columns: 'Season' and 'Phase'. Each column contains a list of items and a 'LOV' (List of Values) button. At the bottom of the window, there are several buttons: 'OK', 'OK + Repeat', 'Add', 'Delete', 'Refresh', and 'Cancel'.

Item/Season Matrix Window


2. Click **Add**.
3. On the next available line, enter the ID of a season in the Season field, or click the LOV  button and select a season.
4. In the Phase field, enter the ID of a seasonal phase, or click the LOV  button and select a phase.
5. Click **OK** to save your changes and close the window.

Add a Season and Phase to an Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Use mode. The Item List Header window opens.

1. From the Options menu, select Create Mass Item Change > Seasons/Phases. The Item Season - Mass Change window opens.




Item Season - Mass Change Window

2. Click **Add**.
3. To add a season and phase to an item:
 - a. In the Action Type field, select Add.
 - b. In the New Season field, enter the ID of the season, or click the LOV  button and select the season.
 - c. In the New Phase field, enter the ID of the phase, or click the LOV  button and select the phase.
4. Click **OK** to save your changes and close the window.

Edit a Season and Phase

Navigate: From the main menu, select Items > Seasons/Phases > Edit. The Season and Phase Maintenance window opens.



Season and Phase Maintenance Window

1. Select a season.
2. Edit the Season, Start Date, and End Date fields as necessary.
3. To edit a phase, select the season related to the phase. Related phases appear in the Phase table.
4. Edit the Phase, Start Date, and End Date fields as necessary.
5. Click **OK** to save your changes and close the window.

Delete a season

1. Select the season that you want to delete.
2. Click **Delete Season**.
3. When prompted to delete the season, click **Yes**. The season and the phases associated with the season are deleted.
4. Click **OK** to save your changes and close the window.

Delete a phase

1. Select the season related to the phase you want to delete. Related phases appear in the Phase table.
2. Select the phase that you want to delete.
3. Click **Delete Phase**.
4. When prompted to delete the phase, click **Yes**.

Note: A season requires one phase. You cannot delete a phase if it is the only phase for a season.

5. Click **OK** to save your changes and close the window.

Edit a Season and Phase on an Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Use mode. The Item List Header window opens.

- From the Options menu, select Create Mass Item Change > Seasons/Phases. The Item Season - Mass Change window opens.

Replace an existing season and phase with a new season and phase

1. In the Action Type field, select Change.
2. In the New Season field, enter the ID of the season, or click the LOV  button and select the season.
3. In the New Phase field, enter the ID of the phase, or click the LOV  button and select the phase.
4. In the Existing Season field, enter the ID of the season that you want to replace, or click the LOV  button and select the season.
5. In the Existing Phase field, enter the ID of the phase that you want to replace, or click the LOV  button and select the phase.
6. Click **OK** to save your changes and close the window.

Delete a season and phase from an item

1. In the Action Type field, select Delete.
2. In the Existing Season field, enter the ID of the season, or click the LOV  button and select a season.
3. In the Existing Field, enter the ID of the phase, or click the LOV  button and select the phase.
4. Click **OK** to save your changes and close the window.

Edit a Season and Phase for an Item


Navigate: From the main menu, select Items > Item. The Item Search window opens.

Search for and retrieve a item in Edit mode. The Item Maintenance window opens.

1. Click on the Seasons/Phases option. The Item/Season Matrix window opens.
2. Select the season and phase you want to edit.
3. Edit the fields as appropriate.
4. To delete a phase:
 - a. On the table, select the season and phase you want to delete.
 - b. Click **Delete**.
5. When prompted to delete the season and phase, click **Yes**.
6. Click **OK** to close the window.

Item Season - Mass Change Window [mcseason]

The Item Season - Mass Change window allows you to change the seasons and phases for all of the items on an item list. You can add seasons and phases, delete seasons and phases, and replace existing seasons and phases with new seasons and phases.



Ticket Items Window

2. Select an attribute and click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete a ticket type

1. Select a ticket type and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

UDAs

UDA Window [uda]

The UDA window allows you to add, edit, or view the user defined attributes (UDA) that can be associated with items. The types of UDAs are date, free form text, and list of values. You can associate the UDAs with items or assign the UDAs as the default for items in a specific department, class, or subclass.

Functional area security

When you create a user defined attribute, you can assign the UDA to levels of the merchandise or organization hierarchy. You can only assign the levels of merchandise and organization hierarchy that your user group is associated to. All levels below the hierarchy level assigned are also enabled for the user groups. Users whose security settings allow them access to the same hierarchy levels can use this UDA throughout RMS. If you do not assign a merchandise or organization level all users are able to use this UDA throughout the system.

Item UDA List Window [itemuda]

The Item UDA List window allows you to add, edit, and view the user defined attributes (UDA) that are associated with an item.


Add a Unit of Measure for the Supplier of an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

Click on the Suppliers option on the Options list. The Item Supplier window opens..

1. Select a supplier.
2. Click on the Item Supplier Unit of Measure option on the Item-Supplier window's Options list. The Item Supplier Unit of Measure window opens.



Item Supplier Unit of Measure Window

3. Click **Add**. The next available line becomes enabled.

Note: If this is the first Unit of Measure being added for the item, enter the following information in the table without clicking **Add**.

4. In the UOM field, enter the abbreviation for the unit of measure (UOM), or click the LOV  button and select the UOM.
5. In the Value field, enter the number of units that would make the current UOM equivalent to the standard UOM.
6. Click **OK** to save your changes and close the window.
If you prompted to overwrite the UOM details for the 'children' (subordinate level items), click **Yes** to apply edits to items below the current item level or click **No** to apply edits to the current item level only.
7. Click **OK** when prompted that the UOM has been applied.
8. Click **OK** when prompted that the applied records have been saved.

UDA - Free Form Default Window [itemuda]

The UDA - Free Form Default window allows you to edit the default text for a free form text type of user defined attribute (UDA). If you create an item that has default UDAs defined at the department, class, or subclass level, you are prompted to open this window.

User Defined Attribute/Item Default List Window [udaidlst]

The User Defined Attribute/Item Default List allows you to add, delete and view the user defined attributes that are associated with a department, class, or subclass. You can indicate that the UDA is required for all items that are created for the selected department, class, or subclass. For a list of values type of UDA, you can select which value is the default value.

UDA Default Matrix Window [udaidefm]

The UDA Default Matrix window allows you to add, delete, and view the departments, classes, or subclasses that are associated with a user defined attribute (UDA). You can indicate that a UDA is required for all items that are created for the selected departments, classes, or subclasses. For a list of values type of UDA, you can select which value is the default value.

UDA - List of Values Default Window [itemuda]

The UDA - List of Values Default window allows you to edit the default value of a list of values type of user defined attribute (UDA). If you create an item that has default UDAs defined at the department, class, or subclass level, you are prompted to open this window.

Item UDA Matrix Window [itemudam]

The Item UDA Matrix window allows you to add, edit, and view the items that are associated with a user defined attribute (UDA). You can edit the default date, text, or value of the user defined attribute for each item.

UDA - Date Default Window [itemuda]

The UDA - Date Default window allows you to edit the default date for a date type of user defined attribute (UDA). If you create an item that has default UDAs defined at the department, class, or subclass level, you are prompted to open this window.

Item UDA - Mass Change Window [mcuda]

The Item UDA - Mass Change window allows you to edit the user defined attributes that are associated with the items on an item list.

You can run a Mass Item Change Rejection report in order to view the results of a mass change. The items that could not be edited and the reasons for rejection are listed on the report.

Edit Default User Defined Attributes for an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Create a new item in a department, class or subclass that defines UDAs at the merchandise hierarchy level.

1. Click on the User Defined Attributes option. The UDA - List of Values Default, UDA - Date Default, or UDA - Free Form Default window opens, depending on the type of UDA defined in the merchandise hierarchy level.
 - In the UDA - List of Values Default window, enter the ID of the value in the UDA Value field, or click the LOV  button and select the value.
 - In the UDA - Date Default window, enter the date in the UDA Date field, or click the calendar  button and select the date.
 - In the UDA - Free Form Default window, enter the text in the UDA text field, or click the comments  button and enter the text.
2. Click **OK** to exit each window. After any or all of the windows appear, the Item UDA List window opens.
3. Click **OK** to save your changes and close the window.

Edit an Item by User Defined Attribute

Navigate: From the main menu, select Items > User Defined Attributes > Edit. The UDA window opens.

1. Select a user defined attribute.
2. From the Options menu, select Item. The Item UDA Matrix window opens.
3. Edit the Date, Comments, or UDA Value fields as necessary.

Note: The field that opens depends on the type of user defined attribute.

4. Click **OK** to save your changes and close the window.

Edit User Defined Attributes by Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

1. Click on the User Defined Attributes option. The Item UDA List window opens.
2. Edit the UDA Value, UDA Date, and UDA Text fields as necessary.
3. Click **OK** to save your changes and close the window.

Brackets

Edit Bracket Costs for Worksheet Items

Navigate: From the main menu, select Items > Items. The Item Search window is displayed.

Search for and retrieve an item in Edit mode. Restrict the search to items in Worksheet status. The Item Maintenance window opens.

On the Item Maintenance window, click on the Suppliers option. The Item-Supplier window opens.

Click on the Item-Supplier-Origin Country option. The Item-Supplier-Origin Country window opens.

Enter the Origin Country. Click on the Bracket Costing option, if it is available. Otherwise, click on the Item-Supplier-Country-Loc option. The Item Supplier Country Location window opens.

Click **Brackets**. The Item Supplier Country Location Bracket window opens.

1. In the Unit Cost field, enter the new unit cost. The Case Cost is automatically calculated.

OR

In the Case Cost field, enter the new case cost. The Unit Cost is automatically calculated.

2. Click **OK** to save your changes and close the window.

Item approval process

Item Approval Process

When an item is added to the system, it must go through a series of checks before it is accessible in the system. Depending on your user role, you may not be able to move the item to the next status. An item may be in any of the following statuses:

Status	Definition
Worksheet	The item has been started, but not completed.
Submitted	The item has been completed and is pending review.
Approved	The item has been reviewed and has been approved.
Rejected	The item has been submitted, reviewed, and has been rejected.
Deleted	The item has been marked for deletion. It will be deleted by a regularly scheduled batch program.

Submit an Item for Approval

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. Restrict the search to items in Worksheet status. The Item Maintenance window opens.

1. Click on the Submit option on the Options list.
2. If necessary, respond to the following messages:
3. If you are prompted approve item children, click **Yes** or **No** to indicate approval of subordinate level items.
4. If any errors are detected by the system, a prompt opens. Click **Yes** to acknowledge the message.

Respond to errors

1. Click on the Approval Errors option on the Options list of the Item Maintenance window. The errors appear in the Item Approval Error window.
2. If an option is not required by the system and you want to override the error message, select the Override check box.
3. If an option is required by the system, make a note of the error and click **OK** to exit.
4. Resolve the errors and reapprove the item.

Submit a Child Item for Approval

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. Restrict the search to items in Worksheet status. The Item Maintenance window opens.

Click on the List Children option on the Options list. The Item Children window opens.

1. Select a subordinate level item (child item) in the items table.
2. Click **Submit** on the Options list. The Update Record Status window opens.




Update Record Status Window

3. Select one of the following options:

Note: Not all options may be available.

- Submit the child item at the line item level only.
 - Submit the line item and all children of that item.
 - Submit all items.
 - Submit all items and all their children.
4. Click **OK**. If the item or items could not be submitted, a message prompts you to view the approval errors screen.
 - a. Click **OK**.
 - b. Click **Approval Errors** on the Options list. The Item Approval Error window opens. The reason for the error appears in the error field.



Item Approval Error Window

4. If an option is not required by the system and you want to override the error message, select the Override check box.
5. If an option is required by the system, make a note of the error and click **OK** to exit.
6. Resolve any errors and reapprove the item.

Approve List Children

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. Restrict the search to items in Worksheet status. The Item Maintenance window opens.

Click on the List Children option on the Options list. The Item Children window opens.

1. Select a level 2 or level 3 item in the items table.
2. Click on the Approve option on the Options list. The Update Record Status window opens.



Update Record Status Window

3. Select one of the following options:

Note: Not all options may be available.

- Approve the child item at the line item level only.
 - Approve the line item and all children of that item.
 - Approve all items.
 - Approve all items and all their children.
4. Click **OK** to save your changes and close the window.
 5. If the item or items could not be approved, a message will prompt you to view the approval errors screen.
 - a. Click **OK**.
 - b. Click on the Approval Errors option on the Options list. The Item Approval Error window opens. The reason for each error will be displayed in the error field.
 - c. If allowed, you may select the Override option for each error. Or, click **OK** and correct each error before attempting to approve the subordinate item.

Reclassify items

Reclassify Items

Item reclassification allows you to move an item or item list from one department/class/subclass to another. You can reclassify an item or a list of items.

You determine which item or item list is to be reclassified, under which department, class, subclass, and the effective date. A batch process reclassifies those items whose effective date is the next day.

The Effects of Reclassifying Items

When items are moved from one department, class, and subclass combination to another, several other modules can be affected.

- **Sales history:** A reclassification event does not rebuild sales history automatically. A reclassification does not affect previously recorded sales history. RMS maintains three levels of rolled up sales history: department, class, and subclass. Optional batch programs are available that can be used to rebuild the rolled up sales history.
- **Stock ledger:** Stock ledger transactions are written to move the inventory amount associated with an item from the old department, class, and subclass to the new. Existing stock ledger transactions are not updated to reflect the hierarchy change.
- **Open to buy:** Open to buy (OTB) records are updated for all orders that are approved, but have not yet been received.
- **Forecasts:** If the reclassified item is forecastable and the new hierarchy values move the item to a new forecast domain, then an indicator is reset for the item at the item/store level. This change indicates to the program responsible for extracting sales history that the next time sales history is extracted from RMS for that item and store combination, all sales history should be extracted. Normally, only the sales history that occurred since the last data export is extracted.

Reclassification Edit Checks

Online Edit Checks

The following edit checks are performed as you set up a reclassification event. The event cannot be created if:

- The item exists in another reclassification event.
- The item is in a consignment department, but the new department is not a consignment department. Likewise, if the item is in a department that is not a consignment department, but the new department is a consignment department.
- One or more items on the reclassification event exist on approved partially received orders.

Batch Processing Edit Checks

Other edit checks that can cause a reclassification event to fail also occur during the batch processing of the event. A reclassification cannot occur if:

- The item is on a Unit and Dollar stock count. The items to be counted have already been determined based on the department, class, and subclass specified when the stock count was created. The stock count is scheduled after the effective date of the reclassification event.
- The item is forecastable, but the new hierarchy values with which the item is associated do not have an associated forecast domain.
- The new department, class, and subclass contain a required user defined attribute that must be entered at the item level.
- The new department, class, and subclass contain a user defined attribute that defaults at the item level, but the item does not have this UDA defined.

Create a Reclassification Event for an Item

Navigate: From the main menu, select Items > Reclassification > Reclassify One Item. The Reclassify Item window opens.

The screenshot shows a software window titled "Reclassify Item (mcmrhier)". The window has a standard Windows-style title bar with minimize, maximize, and close buttons. Below the title bar is a toolbar with several icons. The main area of the window contains the following fields:

- Item:** A text input field with a dropdown arrow icon on the right.
- Reclassification Number:** A text input field containing the value "3001".
- Reclassification Description:** A text input field.
- Effective Date:** A text input field with a calendar icon on the right.
- Department:** A text input field with a dropdown arrow icon on the right.
- Class:** A text input field with a dropdown arrow icon on the right.
- Subclass:** A text input field with a dropdown arrow icon on the right.

At the bottom right of the window, there are three buttons: "OK", "Refresh", and "Cancel".

Reclassify Item Window

1. In the Item field, enter the ID of the item to be reclassified, or click the LOV  button and select the item.
2. In the Reclassification Description field, enter a description of the reclassification event.
3. In the Effective Date field, enter the date on which the reclassification must occur, or click the calendar  button and select the date.
4. In the Department, Class, and Subclass fields, enter the IDs of the Department, Class, and Subclass under which you want the item to be classified, or click the LOV  buttons and select them.
5. Click **OK** to save your changes and close the window.

Note: A batch process reclassifies the items on the night before the effective date that you selected. Therefore, the earliest that you can schedule an effective date is for the next day.

Create a Reclassification Event for an Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Use mode. The Item List Header window opens.

From the Options menu, select Create Mass Item Change > Reclassification. The Reclassify Item window opens.

1. In the Reclassification Description field, enter a description of the reclassification event.
2. In the Effective Date field, enter the date on which the reclassification must occur, or click the calendar  button and select the date.
3. In the Department, Class, and Subclass fields, enter the IDs of the Department, Class, and Subclass under which you want the items to be classified, or click the LOV  buttons and select them.
4. Click **OK** to save your changes and close the window.

Note: A batch process reclassifies the items on the night before the effective date that you selected. Therefore, the earliest that you can schedule an effective date is for the next day.

Search for a Pending Merchandise Hierarchy Change

Navigate: From the main menu select Action > Pending Merchandise Hierarchy. The Pending Merchandise Hierarchy Search window opens.

Pending Merchandise Hierarchy Search Window

1. In the Action field, select either Edit or View.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**.
4. Select a task:
 - a. To perform another search, click **Refresh**.
 - b. To display the supplier information, select a record and click **OK**. The Pending Merchandise Hierarchy Search window opens.
5. Click **Close** to close the window.

Edit the Pending Merchandise Hierarchy

Navigate: From the main menu select Action > Pending Merchandise Hierarchy. The Pending Merchandise Hierarchy Search window opens.

Search for and retrieve a merchandise change in Edit mode.

1. Edit the enabled fields as necessary.

Note: Fields are enabled based on the merchandise level selected.

2. Click **OK** to save any changes and close the window.

Reclassify Item Window [mcmrhier]

The Reclassify Item window allows you to create a reclassification event. You also identify the item or list of items to be reclassified. Items are not reclassified online. A regularly scheduled batch program processes reclassification events on the evening before their effective date.

Purchase Orders

Set up buyers

Set Up Buyers

The buyer functions allow you to create, edit, view, and delete buyers. You can record the name, phone number, and fax number for each buyer.

Buyers are responsible for maintaining store stock levels with merchandise that matches consumer demand.

Because there can be many buyers and merchandisers at the division or group level, you may prefer to record the GMM (general merchandise manager) or DMM (division merchandise manager) at these levels.

Create a Buyer

Navigate: From the main menu, select Control > Buyer > New. The Buyer Maintenance window opens.

Buyer Maintenance Window

1. In the Buyer field, the ID is filled in automatically. Enter the buyer's name in the field to the right of the ID.
2. In the Buyer Phone field, enter the buyer's telephone number.
3. In the Buyer Fax field, enter the buyer's fax number.
4. Click **OK** to save your changes and close the window.

Maintain open to buy amounts

Maintain Open to Buy Amounts

Open to buy (OTB) budgets are usually maintained by an external planning system. OTB, purchase order, and stock ledger data are extracted from RMS. In return, the planning

system provides up-to-date budget and forward limit data. OTB functionality operates on the retail (4-5-4) calendar.

OTB records are maintained at the subclass/week level. OTB is allotted to three purchasing categories:

- Order of non-basic goods (N/B)
- Buyer replenishment of basic goods (BRB)
- Automatic replenishment of basic goods (ARB)

Within each category, monetary amounts are segregated by status. The statuses are Approved, Received, and Budgeted. Cancelled amounts are maintained outside of any category. Whether the amounts reflect cost value or retail value depends on the type of OTB calculation selected for each department.

As you create and edit departments in RMS, you must indicate whether direct cost or retail inventory amounts are used to calculate OTB.

When you create a purchase order, the OTB module monitors the available OTB. You, as the buyer, are warned if an order that you want to approve exceeds the amount budgeted for the OTB end-of-week date entered on the order. If you have sufficient authority, you may force the system to approve the order despite the warning.

Although purchasing budgets may be received from an external planning system, you can maintain the purchasing budgets online by subclass and purchasing category.

Forward limits may also be maintained online. A manager may limit how much of the OTB budget for a particular subclass and week may be used by the buyer. The manager may prevent buyers from committing too much of the available funds too early in the season, leaving no flexibility should conditions change or profitable opportunities arise unexpectedly.

Edit Forward Limits for OTB Budgets

Navigate: From the main menu, select Finance > OTB > Forward Limits. The OTB Forward Limits Maintenance window opens.

The screenshot shows the 'OTB Forward Limits Maintenance' window. At the top, there are three input fields: 'Department', 'Class', and 'Subclass'. Each field has a small icon (a list of values) to its right. Below these fields is a table with the title 'Forward Limit'. The table has two columns: 'Period' and 'Percent'. The table is currently empty. At the bottom of the window, there are five buttons: 'OK', 'OK + Repeat', 'Add Period', 'Delete', and 'Cancel'.

OTB Forward Limits Maintenance Window

1. In the Department, Class, and Subclass fields, enter the ID of each, or click the LOV  button and select the department, class, and subclass. Any existing forward limits appear.
2. Edit the percentages as necessary.
3. To add a forward limit:
 - a. Click **Add Period**. The next available line is enabled.
 - b. In the Period field, enter the number of weeks ahead of the current week for which you want to set a limit.
 - c. In the Forward Limit Percent field, enter the percentage of the OTB that the buyer may use from the period.

4. To delete a forward limit, select a forward limit and click **Delete**. The selected record is deleted.
5. Click **OK** to save your changes and close the window

Edit Open to Buy Budgets

Navigate: From the main menu, select Finance > OTB > Budgets. The OTB Budget Maintenance window opens.

OTB Budget Maintenance Window

1. In the Department, Class, and Subclass fields, enter the ID of each, or click the LOV  button and select the department, class, and subclass. Any existing weekly budget records appear.
2. To add the next weekly period, click **Add Week**. Repeat as necessary.
3. In the Non Basic Allocations, Buyer Basic Allocations, and Auto Basic Allocations fields next to each weekly period, enter or edit the monetary amount to be budgeted for each type of purchase.
4. Click **OK** to save your changes and close the window.

Auto generate purchase orders

Auto Generate Purchase Orders

Purchase orders may be automatically generated through several ways:

- **Replenishment:** When inventory levels reach a point determined by the replenishment method assigned to an item, a purchase order can be created in Worksheet or Approved status.
- **Investment Buying:** When the investment buy calculations indicate a benefit to the company by purchasing additional inventory, a purchase order can be created in Worksheet or Approved status.
- **Vendor managed inventory (VMI):** If your supplier uses a VMI system, the supplier can create purchase orders in Worksheet or Approved status.
- **Truck splitting:** When a purchase order is split into two purchase orders to accommodate truck splitting, a purchase order can be created in Worksheet status.
- **Warehouse Stocked/Cross Dock Docked Stock:** Accumulates store need at the item/location level. If the need cannot be fulfilled by the warehouse, a worksheet PO is created.

Generate an Order Revision Report

Navigate: From the main menu, select Action > View Reports. The Oracle Retail Printing window opens.

1. In the Module field, click the LOV  button and select Orders.
2. In the Report field, click the LOV  button and select the Purchase Order Revisions Summary.
3. Click **Print**. The Report Parameters Web page opens.
4. In the Destination field, select where you want the finished report to be sent. Select Cache to view the report online.
5. To restrict the report to a range of revision dates, enter the first and last date of the range in the Minimum Date and Maximum Date fields.
6. Click **Submit Report**. The report is generated and sent to the destination that you selected.

Generate Pre-Issued Order Numbers (Manual)

Navigate: From the main menu, select Ordering > Pre-Issue Order Numbers > Edit. The Pre-Issue of Order Numbers window opens.

1. Click **Add**.
2. In the Quantity of Order Numbers field, enter the quantity of purchase order numbers you want to issue.
3. In the Days until Expiration field, enter the number of days that should elapse between the date each set of purchase orders is created and when the purchase order numbers expire.

Note: Do NOT enter a value in the Days Between Gen. field as this is only used when recurring reports (batch) are needed.

4. Enter the ID of the supplier that will receive the PO numbers, or click the LOV  button and select a supplier.
5. In the Next Gen Date field, enter the next date that this group of POs should be created, or click the Calendar  button to select a specific date.
6. Click **Apply**. The new pre-issue order of numbers record is added to the table.
7. The Report Parameters Web page opens.
8. In the Destination field, select where you want the finished report to be sent. Select Cache to view the report online.
9. Click **Submit Query**. The report is generated and sent to the destination that you selected.

Generate Pre-Issued Order Numbers (Batch)

Navigate: From the main menu, select Ordering > Pre-Issue Order Numbers > Edit. The Pre-Issue of Order Numbers window opens.

1. In the filter area, enter a supplier ID in the Supplier field, or enter a partial description and click the LOV  button to select a supplier.
2. Click the filter  button. The results appear on the table.
3. If there are order request for this supplier, you may edit information in the apply block.
4. If there are no order requests for this supplier, click **Add**.
 - a. In the Quantity field, enter the quantity of orders to be created.
 - b. In the Days Until Expiration field, enter the number of days between order number creation date the numbers will expire.

Note: Do NOT enter a value in the Days Between Gen. field as this is only used when recurring reports (batch) are needed.

- c. In the Supplier field, enter the supplier who will use the order numbers.
 - d. Enter the Next Gen Date. It defaults to today's date. This field can be modified.
 - e. Click **Apply** to add the record to the table.
5. Order numbers will be created for supplier records with a Next Generation Date equal to today.
 6. After the first report is created, the supplier records that were processed will have the Next Gen Day incremented by the number displayed in the Days Between Generation field.

Accept a Revision or Version of a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window opens.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Approved status. The PO Header Maintenance window opens.

From the Options menu, select Order Revisions. The PO Revisions window opens.

The screenshot shows the 'PO Revisions' window with the following fields and sections:

- Type:** Radio buttons for 'Revision' (selected) and 'Version'. Fields for 'Order No.' (145502), 'Revision', and 'Date'.
- Order Header Date Changes:** Three sections: 'Not Before Date', 'Not After Date', and 'Pickup Date'. Each has 'Old' and 'New' date fields and an 'Accept' checkbox.
- Cost and Qty Changes By Item/Location:** A table with columns: Item, Description, LocationType, Location, UOP, Old Qty, New Qty, Accept, Old Cost (USD), New Cost (USD), and Accept.
- Buttons:** OK, Accept All, Refresh, Cancel.

PO Revisions window

1. In the Type area, select Revision or Version.
2. In the Type field, select Revision to review supplier changes, or Version to review buyer changes.
3. In the Revision or Version field, enter the number of the revision or version, or click the LOV  button and select the revision or version. The details of the revision or version appear in the table.

Note: If you don't know which revision or version number you want, you can select it by date. In the Date field, enter the date, or click the LOV  button and select the date.

4. Select the Accept check box next to each detail that you want to accept. If you want to accept all of the details, click **Accept All**.
5. Click **OK** to save your changes and close the window.

Work orders

Work Order Window [workord]

The Work Order window allows you to create, edit, or view one or more work orders for the items on a purchase order. You can edit the default quantity to be worked on for each item and location. Next you assign work in progress codes (WIP) and indicate in which sequence the tasks must be completed.

Create a Work Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window opens.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

From the Options menu, select Work Orders > New. The Order Distribution Worksheet window opens.

Click **Work Order**. The Work Order window opens.

Assign a task for a selected item and location combination

1. Click **Add WIP**. The next available line in the WIP table is enabled.
2. In the WIP code field, enter the WIP code for the task to be performed, or click the LOV  button and select the WIP code.
3. In the WIP Seq No field, enter the sequence in which the task must be performed.

Delete an unnecessary item and location combination from the work order

1. Select an item and location combination and click **Delete Item/Loc**.
2. When prompted to delete the record, click **Yes**.
3. In the Quantity field next to each item and location combination, edit the number of units affected by the work order as necessary.
4. Click **OK** to save your changes and close the window.

Edit a Work Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

From the Options menu, select Work Orders > Edit. The Work Order window opens.

Note: If there is more than one work order, you may need to click **Next** in order to access the desired work order.

In the Quantity field next to each item and location record, edit the number of units as necessary.

Delete an item and location

1. Select an item and location record and click **Delete Item/Loc**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Add a task

1. Select an item and location record. The tasks appear in the WIP table.
2. Click **Add WIP**. The next available line in the WIP table is enabled.
3. In the WIP code field, enter the WIP code for the task, or click the LOV  button and select the WIP code.
4. In the WIP Seq No field, enter the sequence in which the task must be performed.

Delete a task

1. Select an item and location record. The tasks appear in the WIP table.
2. Select a task and click **Delete**. The task is deleted for the selected item and location.

Complete the work order

1. To reorder the sequence of tasks, edit the numbers in the WIP Seq No field next to each WIP code.
2. To edit another work order for the same purchase order, click either **Prev** or **Next**.
3. Click **OK** to exit.

Delete a Work Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

From the Options menu, select Work Orders > Edit. The Work Order window opens.

Note: If there is more than one work order, click **Next** in order to access the desired work order.

1. Click **Delete WO**.
2. When prompted to delete the record, click Yes. If there are no more work orders, you are returned to the PO Header Maintenance window.
3. Click **OK** to save your changes and close the window.

Work Order Template Window [wotemplt]

The Work Order Template window allows to group common activities together on a template. Once you have created the template, you can apply it to a work order when creating a transfer.

Edit a Work Order Template

Navigate: From the main menu, select Inventory > Work Order Template > Edit. The Work Order Template window opens.

1. In the Work Order Template field, enter the template ID, or click the LOV  button and select the template.
2. Select the activity you want to edit.
3. In the Activity Cost field, edit the amount it costs to complete the activity.
4. In the Comments field, enter comments as necessary.
5. Click **Apply**. The activity is added to the template.

Add an activity

1. Click **Add**. The next line on the table is enabled.
 2. Enter an Activity ID, or click the LOV  button and select an activity.
- If necessary, in the Activity Cost field, edit the amount it costs to complete the activity.

Note: The activity cost and cost type default from the information defined during activity set up.

In the Comments field, enter comments as necessary.

Delete an activity

1. Select the activity you want to delete.
2. Click **Delete**. You are prompted to confirm the deletion.
3. Click **OK**. The activity is deleted from the template.

Delete a template

1. Click **Delete Template**. You are prompted to confirm the deletion.
2. Click **Yes**. The template is removed from the system.
3. Click **OK** to save any changes and close the window.

Packs

Prepack Creation Window [fashpack]

The Prepack Creation window allows you to create a pack for a purchase order. A prepack is a pack item that contains an assortment of diffs. You can add a diff, diff range, or diff template. You also enter a sequence number (for buyer packs) and the quantity that is to be distributed among the diff combinations. The sequence number is a grouping mechanism. All diff records with the same sequence number are grouped under the same diff pack template. This allows you to create multiple packs for the current purchase order.

You can create buyer packs or vendor packs. If you select buyer pack, you must indicate whether the pack is ordered and received as a pack or as eaches. If you select vendor pack, you must enter a unit cost for the pack. The unit cost for buyer packs is derived from the component items of the pack. The pack templates that you create here cannot be re-used for another purchase order.

To display the monetary amount in the primary currency of the company, the local currency of the supplier, or the currency of the order, select the appropriate option from the Options > Currency menu.

Create a Purchase Order for a Pack Item

Navigate: From the main menu, select Ordering > Orders. The Order Search window opens.

1. In the Action field, select New Order and click **OK**. The PO Header Maintenance window opens.
2. In the Order Type field, select the order type.
3. In the Import Country field, enter the code for the import country, or click the LOV  button and select the import country.
4. In the Supplier field, enter the ID of the supplier, or click the LOV  button and select the supplier. The supplier defaults for other fields are filled in automatically.
5. In the Department field, enter the ID of the Department, or click the LOV  button and select the department.

Note: The department may be required depending on how the system was set up.

6. In the Not Before Date and Not After Date fields, enter the dates, or click the calendar  button and select the dates.
7. Select the Prepack check box.
8. Enter or edit the enabled fields, as necessary.

Add the prepack to the purchase order

1. Click **Items**. The Order Distribution Worksheet window opens.

Note: Depending on the options you select on the PO Header Maintenance window, you may be prompted to provide additional information in other windows.

2. Click **Add Item**.
3. In the Enter As field, select Item, Ref Item, or Item List.
4. Enter the information for the item, ref item, or item list in the apply block.
5. Click **Apply Template**. The Prepack Creation window opens.

Create the prepack template

1. In the Pack Type field, select Buyer or Vendor.
2. If you select Buyer in the Pack Type field, select an option in the Order As and Receive As fields.
3. If you select Vendor in the Pack Type field, enter the cost per component unit in the Unit Cost field.
4. Click **Add Diff**.
5. In the Diff area, select either diff or diff Range.
6. Enter the diff ID or diff range, or click the LOV  button and select a value.
7. Click **Apply**.
8. In the Diff fields, select Diff ID, Diff Range, or Diff Template.
9. Enter a description, or click the LOV  button and select a value.
10. In the Quantity field, enter the quantity that you want to distribute among the diff combinations.
11. If you selected Buyer in the Pack Type field, enter a sequence number in the Seq No field.
12. Click **Apply** to add the diffs to the selected record, or click **Apply All** to add the diffs to all records in the current range.
13. Click **Build Cost** to calculate the unit cost of the prepack.
14. Click **OK** to exit the Prepack window. The Order Distribution Worksheet window opens.

Distribute the prepack(s)

1. You may filter the items to apply a method of distribution to a specific set of items.
2. Select a distribution method and enter the appropriate information in the window that opens:
 - To distribute the items by location, click **Location**. The Location Distribution window opens.
 - To distribute the items by store grade, click **Store Grade**. The Store Grade Distribution window opens.
3. When you have finished distributing the items, click **OK** to exit the Order Distribution Worksheet window. The PO Item Maintenance window is displayed.

Review and complete the purchase order

1. Click **Recalculate** to calculate the costs and retail value.
2. Click **Apply Deals** to include any deals that pertain to the items.
3. When prompted to include the deals, click **OK**.
4. Click **OK** to exit.

Edit the Pack on a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window opens.

Click **Item**. The PO Item Maintenance window opens.

Note: If the Prepack check box is not selected on the PO Header Maintenance window, there is no pack assortment.

1. Click **Prepack**. The Prepack Creation window opens.
2. To add diff values to the assortment:
 - a. Click **Add Diff**.
 - b. In the Diff area, select the Diff or Diff Range option.
 - c. In the next field, enter the ID of the diff or diff range, or click the LOV  button and select the diff or diff range.
 - d. Click **Apply**. The diff or diffs are added to the table.
3. Filter the assortment to display only the new diffs before you add the sizes and quantities. Use the Blank Size and Blank Quantity criteria.
4. To add sizes and quantities to the assortment:
 - a. In the Size area, select the Size, Size Range, or Size Template option.
 - b. In the next field, enter the ID of the size, size range, or size template, or click the LOV  button and select the size, size range, or size template.
 - c. In the Quantity field, enter the quantity that you want to distribute among the assortment.
 - d. Click **Apply**. The color or colors are added to the table.

5. Click **Clear Filter** to display all the records.
6. Click **OK** to save your changes and close the window.

Prepack Filter Window [fashpack]

The Prepack Filter window allows you to filter the assortment that opens on the Prepack window. You can then view or edit the resulting subset of the assortment.

Filter the Pack on a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit or View mode. The PO Header Maintenance window opens.

Click **Item**. The PO Item Maintenance window opens.

Note: If the Prepack check box is not selected on the PO Header Maintenance window, there is no pack assortment.

1. Click **Prepack**. The Prepack Creation window opens.
2. Click **Filter Block**. The Prepack Filter window opens.
3. Enter or select the criteria by which you want to filter.
4. Click **Apply Criteria**. The filter criteria are added to the Filter Criteria table.
5. To delete a criterion from the Filter Criteria table:
 - a. Select the record and click **Delete**. You are prompted to delete the record.
 - b. Click **Yes**.
6. Click **OK** to close the Prepack Filter window. You are returned to the Prepack window where you can view or edit the results of the filter.
7. To clear the filter, click the **Clear Filter** button. All the records appear.

PO Item Pack Component Window [ordskucomp]

The PO Item Pack Component window allows you to view the component items for a pack item on a purchase order. This window only allows you to view the components of the pack, no changes can be made on this window.

Functional views

The default view for the window opens when you open the window for the first time. You can also view the table with the ELC view or you can create a custom view.

Manually create a purchase order

Manually Create a Purchase Order

You can create a purchase order manually. Many purchase orders are created through an auto generation process in RMS. Occasionally, you may need to write purchase order. After you create the purchase order header and add the appropriate details, you need to add items to a purchase order and distribute the items on the purchase order.

PO Header Maintenance Window [ordhead]

The PO Header Maintenance window allows you to create, edit, and view purchase orders. You can select special characteristics for a purchase order. Depending on which characteristics you select, you may be prompted to enter additional information.

Some of the special characteristics may be:

- If you create an import order and pay by letter of credit, you must provide additional information for the letter of credit.
- If you create an order for a prepack, you must provide the details for the prepack.
- If you create a purchase order for a customer, you must provide customer details.

To display monetary amounts in the primary currency of the company or the currency of the order, select the appropriate option from Options > Currency.

PO Customer Maintenance Window [ordcust]

The PO Customer Maintenance window allows you to add and maintain customer contact information. Customer information can be maintained from within a purchase order or a transfer. By default, the delivery address is filled in automatically from the most recent order for the selected customer.

PO Item Level Deals Window [orddscnt]

The PO Item Level Deals window allows you to view deal components that apply to an item on a purchase order.

Order Child Items Window [ordfash]

The Order Child Items window allows you to view the details of all the item parents on a purchase order, including item parents that are components of pack items. You can view the diffs, locations, quantities ordered, quantities received, costs, and retail values.

Non-Merchandise Expenses Window [dsdorder]

The Non-Merchandise Expenses window allows you to add expense information to the direct store delivery order.

To display Ordering > Orders. The Order Search window opens. Select DSD Order Entry from the Action drop down list. Click **OK**. The DSD Order Entry window opens.

Create the Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window opens. In the Action field, select New Order and click **OK**. The PO Header Maintenance window opens.

2. In the Order Type field, select the order type.
3. In the Import Country field, enter the code for the import country, or click the LOV  button and select the import country.
4. In the Supplier field, enter the ID of the supplier, or click the LOV  button and select the supplier. The supplier defaults for other fields are filled in automatically.
5. In the Department field, enter the ID of the Department, or click the LOV  button and select the department.

Note: The department may be required depending on how the system was set up.

6. In the Not Before Date and Not After Date fields, enter the dates, or click the calendar  button and select the dates.
7. Enter or edit the enabled fields as necessary.
8. Add items to the purchase order.
9. Distribute the items on a purchase order by diff, location, or store grade.
10. Click **OK** to save your changes and close the window.

Edit a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

1. Edit the enabled fields as necessary.
2. To change the status of the purchase order, select the appropriate status from the Options menu.
3. Click **Recalc Totals** to update the monetary amounts.
4. Click **OK** to save your changes and close the window.

Recalculation Options Window [ordcalc]

The Recalculation Options window allows you to change components of the current order that affect its price. These components include: the base cost of the items, scaling, replenishment, bracket costs, deals, and landed cost. The Recalculation Options window allows you to recalculate the total order cost. You can decide which component to choose when calculating the total cost of the order.

Recalculate a Purchase Order

Navigate: From the main menu, select Ordering > Orders. displayed.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

Click **Items**. The PO Item Maintenance window opens.

Click **Apply Process**. The Recalculation Options window opens.

1. Select the check boxes for the options that you want to recalculate.
2. Click **OK** to recalculate the selected options and close the window.

Order Search Window [ordfind]

The Order Search window allows you to enter criteria in order to search for purchase orders and view the results of the search.

After performing a search, you can view information regarding due orders and replenishment results. To view replenishment results for a selected order, select Options > Replenishment results. This option is enabled after you perform a search.

Functional views

The default view for the Order Search window opens when you open the window for the first time. From the View menu, you can choose to view the Due Orders layout or you can create a custom view.

Search for a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window opens.

1. In the Action field, select either Edit Order or View Order.
2. If you are searching for due orders, in the Buyer field, enter the ID of the buyer, or click the LOV  button and select the buyer.
3. Enter additional criteria as desired to make the search more restrictive.
4. Click **Search**. The Order Selection window displays the purchase orders that match the search criteria.
5. Select a task:
6. To perform another search, click **Refresh**.
7. To display the details of the purchase order, select a record and click **OK**. The PO Header Maintenance window opens.
8. Click **Close** to exit

Print a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

Click **Print**. The Report Parameters Web page opens.

1. In the Destination field, select where you want the finished report to be sent.

Note: Select Cache to view the report online.

2. Click **Submit Query**. The report is generated and sent to the selected destination.

Copy a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Create Order from Existing mode. The PO Header Maintenance window opens.

1. Edit the enabled fields as necessary.
2. To edit the items and locations:
 - a. Click **Items**. The PO Header Maintenance window opens.
 - b. Edit as necessary.
 - c. Click **Locations**. The PO Item/Location window opens.
 - d. Edit as necessary.
 - e. Click **OK** to exit each window. The PO Header Maintenance window opens.
3. Click **Recalc Totals** to update the monetary amounts.
4. Click **Apply Process**.
5. Select the Apply Deals options to include any deals that pertain to the items. You are prompted to include the deals.
6. Click **Yes** to approve the inclusion of deals.
7. Click **OK** to save your changes and close the window.

Direct Store Delivery Window [dsdorder]

The Direct Store Delivery window allows you to create purchase orders to account for direct store deliveries.

To display Ordering > Orders. The Order Search window opens. Select DSD Order Entry from the Action drop down list. Click **OK**. The DSD Order Entry window opens.

Create a Direct Store Delivery Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window opens. In the Action field, select DSD Order Entry and click **OK**. The Direct Store Delivery window opens.

2. In the Store field, enter the store code, or click the LOV  button and select the store.
3. In the Supplier field, enter the ID of the supplier, or click the LOV  button and select the supplier.
4. If applicable, in the Supplier Site field, enter the supplier site, or click the LOV  button and select the supplier site.

Order Location Expense Maintenance Window [ordexp]

The Order Location Expense Maintenance window allows you to view the importing and exporting expenses associated with a purchase order.

This window may also be used to create and edit expense components for each order/item/location combination. Changes that are made at one location can be defaulted to all other locations within the same zone.

Functional views

The default view for the Order Location Expense Maintenance window opens when you open the window for the first time. From the View menu, you can create a custom view.

Build Orders From Contracts Window [orddtl]

The Build Orders From Contracts window allows you to generate purchase orders from an item list that contains contracted items.

Record Attributes for a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Selection window opens.

Search for and retrieve a purchase order in Edit mode. Retrieve purchase orders in Worksheet status only. The PO Header Maintenance window opens.

1. From the Options menu, select Attributes. The Order - Attributes window opens.
2. Enter or select the import attributes that apply to the current purchase order.

Note: When you are using Oracle Retail Trade Management (RTM) with RMS, the Bill-To Location field is required.

3. Click **OK** to save your changes and close the window.

Appointments Window [apptview]

Appointments define the quantity of goods that are expected to ship from one location to another. The appointments are created in the warehouse management system and sent to RMS. When a shipment is received, the warehouse management system sends a message to RMS Receiving and completes the following actions:

- The appointment status changes to Closed
- Qty Received and Receipt No fields are updated
- RMS attempts to close the Document associated with the appointment (a purchase order, transfer, or allocation).

A purchase order, transfer, or allocation cannot be closed if an associated appointment does not have a status of Closed. Also, the line item order quantity (canceled quantity) can not fall below the total expected quantity for all of the shipments and appointments that are attached to the order for that line item.

Create Transportation Records for a Purchase Order

Navigate: From the main menu, select Inventory > Transportation > PO-Level Maintenance > New. The PO-Level Transportation window opens.

PO-Level Transportation

In the Order No. field, enter the purchase order number, or click the LOV  button and select a purchase order.

In the Vessel ID field, enter the ID of the vessel the items are arriving on, or click the LOV  button and select the vessel ID.

In the Voyage Flt ID field, enter the ID of the vessel's voyage, or click the LOV  button and select the Voyage Flt ID.

In the Estimated Depart Date field, enter the date the vessel left the point of origin, or click the calendar button and select a date.

In the Item Default Level field, select how you want the items to default from the purchase order:

- **Transaction level:** Items at the transaction level appear.
- **Above the transaction level:** Items above the transaction level appear. Click Child/Diff to add child/diff items at the transaction level. The Transportation Item window opens.

If you selected Above the transaction level in the Item Default Level field, select the Default Child/Diff Values check box to default items at the child/diff level.

Click **Query Details**. Items that match the criteria appear in the detail area.

Update items individually

Add items to the table

1. On the Item Update tab, click **Add**.
2. In the Item field, enter the item ID, or click the LOV  button and select an item.
3. In the Item Quantity field, enter the number of units of the item that are added to the transportation record.
4. In the field to the right of the Item Quantity field, enter the unit of measure, or click the LOV button and select the unit of measure.

Delete an item from the table

1. Select an item on the table.
2. On the Item Update tab, click **Delete**. You are prompted to confirm the deletion.
3. Click **Yes**.

Update transportation details for an item

1. Select an item on the table.
2. On the Item Update tab, enter information in the enabled fields.
3. Click **Apply** to add your changes to the table.
4. Click **OK** to save any changes, generate the transportation records, and close the window.

Update multiple items at once

1. Select the Mass Update tab.
2. Select the check box to the left of the item you want to update, or select the check box in the column header to select all items on the table.
3. Select the check boxes in the column next to the fields that you want to change.

Note: Key fields cannot be updated for items that already contain values. Items that do not have information in the key fields will be updated with the new information. Key fields are indicated with an asterisk (*).

4. Select or enter the new values in the enabled fields.
5. Click **Apply**. Your changes are added to all items on the table.

Note: Select the Preserve Selected Values check box and click **OK + Repeat** to create records for other items with the same transportation details. Once the PO Level Transportation window is closed, the Mass Update tab will be cleared of all values.

6. Click **OK** to save any changes, generate transportation records, and close the window.

Create Expense Components for an Order/Item/Location Combination

Navigate: From the Main menu, select Ordering > Orders. The Order Search window opens.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

Click **Items** and select an item. The PO Item Maintenance window opens.

Click **Locations**. The PO/Item Location window opens.

In the Order Details table, select an item. Select Options > Expenses. The Order Location Expense Maintenance window opens.

1. Click **Add**. The next available line in the table will be highlighted.
2. In the component field, click the LOV  button and select the type of expense component for this order/item/location combination.
3. In the Comp Value Base (CVB) field, click the LOV  button and select a CVB.
4. Click **OK** to save your changes and close the window. You will be asked to overwrite the cost components of all locations within the same zone for this order/item combination.
5. Click **Yes** or click **No**, if you only want to apply this expense component to the selected location. The window closes and the PO/Item Location window opens.

Create a Purchase Order from Contracted Items

Navigate: From the main menu, select Ordering > Orders. The Order Search window opens.

1. In the Action field, select New Order with Contract and click **OK**. The Contracted Items to be Ordered window opens.
2. In the Item List field, enter the ID of an item list, or click the LOV  button and select the item list. The items on the item list appear.

Select the contracts and distribute the items

1. Click **Location**. The Contracted Items Order Locations window opens.
2. In the Contract field, enter the ID of the contract, or click the LOV  button and select the contract.
3. In the Group Type field, select the grouping mechanism for the destination locations.
4. In the Value field, enter the ID of the group, or click the LOV  button and select the group.
5. In the Quantity field, enter the number of units to distribute to each location.
6. Click **Apply**. The locations and quantities are added to the table.
7. Click **Next Item** to select a contract for and distribute the next item on the item list.
8. After all the items are distributed, click **OK** to exit the Contracted Items Order Locations window.

Build the purchase orders

1. Click **Build Orders**. The Build Orders from Contracts window opens.
2. In the Order Type field, select the type of order.
3. In the Not Before Date and Not After Date fields, enter the dates, or click the calendar  buttons and select the dates.
4. In the Create Status field, select Generated for each record.
5. Click **Create Orders**.
6. When prompted to create the orders, click **Yes**.
7. Click **OK** to save your changes and close the window.

Complete the purchase order

1. Click **OK** to save your changes and close the window.

Create a Purchase Order for a Customer

Navigate: From the main menu, select Ordering > Orders. The Order Search window opens.

1. In the Action field, select New Order and click **OK**. The PO Header Maintenance window opens.
2. In the Order Type field, select the order type.
3. In the Import Country field, enter the code for the import country, or click the LOV  button and select the import country.
4. In the Supplier field, enter the ID of the supplier, or click the LOV  button and select the supplier. The supplier defaults for other fields are filled in automatically.
5. In the Department field, enter the ID of the Department, or click the LOV  button and select the department.

Note: The department may be required depending on how the system was set up.

6. In the Pickup Date field, enter a date, or click the calendar  button and select a date.
7. In the Not Before Date and Not After Date fields, enter the dates, or click the calendar  button and select the dates.
8. Select the Customer Order check box.
9. Enter or edit the enabled fields as necessary.

Add the customer information

1. From the Options menu, select Customer. The PO Customer Maintenance window opens.
2. In the Customer field, enter the ID of the customer, or click the LOV  button and select the customer. For a new customer, enter the name of the customer in the second field.
3. Enter the address, the delivery address and any additional information as necessary.
4. Click **OK** to exit the PO Header Maintenance window.

Delete an Item from a Buyer Worksheet

Navigate: From the main menu, select Ordering > Buyer worksheet > Edit. The Buyer Worksheet opens.

Search for and retrieve items in the Buyer Worksheet.

1. Select the check box to the left of the item you wish to delete.
2. Click **Delete**. You are prompted to delete the item.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete Pre-Issued Order Number Requests

Navigate: From the main menu, select Ordering > Pre-Issue Order Numbers. The Pre-Issued Order Number window opens.

2. Click **Delete**. You are prompted to confirm the deletion of the preissue order request record.
3. Click **Yes**.
4. Click **OK** to close the window and save your changes.

Edit Customer Information for a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

From the Options menu, select Customer. The PO Customer Maintenance window opens.

The screenshot shows the 'PO Header Maintenance' window with the following fields and values:

- Order No.: 143801
- Order Type: N/B
- Status: Worksheet
- Import Country: US
- Supplier: 1234560000 Max Brown Wholesales
- Country of Origin: [Empty]
- Terms: Term 2 1.5% 30 Days
- Order Currency: USD
- Pay Method: [Empty]
- Order Exchange Rate: 1.0
- PO Type: [Empty]
- Department: 1234 Glassware
- Location: [Empty]
- Type: [Empty]
- Location: [Empty]
- Promotion: [Empty]
- Pickup Date: [Empty]
- Not Before Date: [Empty]
- Not After Date: [Empty]
- OTB End of Week Date: [Empty]
- Calculate Dates: [Button]
- Vendor Ord No.: [Empty]
- Contract No.: 104202
- Currency: [Empty]
- Duty: [Empty]
- Total Order Cost: [Empty]
- Expenses: [Empty]
- Landed Cost: [Empty]
- Outstanding Cost: [Empty]
- Discount % Off: [Empty]
- Cancelled Cost: [Empty]
- Markup % Retail (Excl. VAT): [Empty]
- Backhaul Type: [Empty]
- Total Order Retail (Incl. VAT): [Empty]
- Backhaul: [Empty]
- Total Order Retail (Excl. VAT): [Empty]
- Allowance: [Empty]
- Total VAT: [Empty]
- Apply Process: [Button]
- Recalc Totals: [Button]
- Import Order:
- Include On-Order:
- QC Required:
- EDI PO:
- Revisions Exist:
- Pre Mark:
- Customer Order:
- Prepack:
- OK: [Button]
- Comments: [Button]
- Items: [Button]
- Summary: [Button]
- Print: [Button]
- Cancel: [Button]

Note: If the Customer Order check box is not selected on the PO Header Maintenance window, the order is not a customer order.

1. Edit the enabled fields as necessary.
2. Click **OK** to save your changes and close the window.

Edit Expense Components for Each Order/Item/Location Combination

Navigate: From the main menu, select Ordering > Orders. The Order Search window opens.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

Click the **Items** button and select an item. The PO Item Maintenance window opens.

Click the **Locations** button. The PO/Item Location window opens.

In the Order Details table, select an item. From the options menu, select Expenses. The Order Location Expense Maintenance window opens.

1. To delete an expense component, click on the component and click **Delete**. Click **Yes**, when prompted to confirm the deletion.
2. To update an expense component, make changes to any editable field.
3. Click **Recalculate** to recalculate the expense information.
4. Click **OK** to save your changes and close the window. If you made changes to a component, you will be asked to overwrite the cost components of all locations within the same zone for this order/item combination.
5. Click **Yes** or click **No**, if you only want to apply the changes to the selected location. The window closes and the PO/Item Location window opens.

Edit Inventory Management Information for a PO at the Order, Item, or Location Level

Navigate: From the main menu, select Ordering > Orders. Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window opens. To apply inventory management details to the entire purchase order, from the Options menu, select Inventory Mgmt./Totals. The Order Inventory Maintenance Window opens.

OR

To apply inventory management details to an item on the purchase order, click **Items** on the PO Header Maintenance window. The PO Item Maintenance window opens. Select an item on the table. From the Options menu, select Inventory Mgmt Info/Totals. The Order Inventory Maintenance Window opens.

OR

To apply inventory management details to an item and location on the purchase order, click **Locations** on the PO Item Maintenance window. The PO Item/Location window opens. Select a location on the Order Detail table. From the Options menu, select Inventory Mgmt Info/Totals. The Order Inventory Maintenance window opens.

The screenshot shows the 'Order Inventory Maintenance' window for Order No. 25101. The window is divided into several sections:

- Scaling Constraints:** Includes a checkbox for 'Scale Order to Constraints', 'Objective' dropdown, 'Maximum Iterations' field, and 'Level' dropdown. It has two columns for 'Primary' and 'Secondary' constraints, each with fields for Type, UOM, Max Value, Tolerance, and Min Value.
- Minimum Constraints:** Features 'Level' dropdown, 'Conjunction' dropdown, and two columns for 'Minimum 1' and 'Minimum 2' with fields for Type, UOM, and Value.
- Supplier Pooling:** Includes fields for Supplier, Supplier Site, and File ID.
- Order Quantities:** Has fields for Qty UOM, Pre-Scaled, and Scaled.
- Truck Splitting Constraints:** Includes a checkbox for 'Split Orders into Truckloads', 'Truck Split Method' dropdown, and two columns for 'Constraint 1' and 'Constraint 2' with fields for Type, UOM, Value, and Tolerance.
- Supplier Order Costs:** Has fields for Pre-Scaled and Scaled.
- Order Costs:** Has fields for Pre-Scaled and Scaled.
- Order Due Status:** Includes checkboxes for 'Order Due' and 'Due Order Processing', and fields for ESO, ASO, Item Locations Due, Service Basis, and Due Order Level.
- Vehicle Information:** Includes a checkbox for 'Multiple Truck Indicator' and a field for 'Number of Trucks'.
- Issues:** A section for reporting issues.

Buttons at the bottom include 'OK', 'Recalc. Qty's', and 'Cancel'.

Order Inventory Maintenance Window

Edit scaling constraints

1. In the Scaling Constraints area, select the Scale to Order check box. The Scaling Constraints area is enabled.
2. In the Scaling Objective field, select whether purchase orders are scaled to the minimum or maximum values of the scaling constraints.
3. In the Scaling Level field, select the level at which the scaling is performed.
4. In the Maximum Iterations field, edit the maximum number of times that the scaling process is performed for the purchase order.
5. In the Scaling Constraints Primary column, edit the following fields:
 - **Type:** Select the primary type of constraint to use when scaling orders.
 - **UOM/Currency:** If you selected Mass or Volume as the primary type, edit the UOM code, or click the LOV  button and **select the UOM:** If you selected Amount as the primary type, edit the currency code, or click the LOV  button and select the currency code.
 - **Max Value:** Edit the maximum value of the constraint.
 - **Max Value Tolerance:** Edit the percentage tolerance for the maximum value of the constraint.
 - **Min Value:** Edit the minimum value of the constraint.
 - **Min Value Tolerance:** Edit the percentage tolerance for the minimum value of the constraint.

6. In the Scaling Constraints Secondary column, edit following fields:
 - **Type:** Select the secondary type of constraint to use when scaling orders.

Note: The Secondary Type cannot be the same as the Primary Type.

 - **UOM/Currency:** if you selected Mass or Volume as the secondary type, edit the UOM code, or click the LOV  button and select the UOM. If you selected Amount as the secondary type, edit the currency code, or click the LOV  button and select the currency code.
 - **Max Value:** Edit the maximum value of the constraint.
 - **Max Value:** Edit the maximum value of the constraint.
 - **Max Value Tolerance:** Edit the percentage tolerance for the maximum value of the constraint.
 - **Min Value:** Edit the minimum value of the constraint.
 - **Min Value Tolerance:** Edit the percentage tolerance for the minimum value of the constraint.

Edit minimum constraints

1. In the Level field, select the level at which the minimum order requirements of the supplier must be met.
2. In the Minimum 1 column, complete the following fields:
 - **Type:** Select how the first minimum order requirement is expressed.
 - **UOM/Currency:** If you selected Mass or Volume as the primary type, edit the UOM code, or click the LOV  button and select the UOM. If you selected Amount as the primary type, edit the currency code, or click the LOV  button and select the currency code.
 - **Value:** Edit the value of the first minimum order requirement of the supplier.
3. When you define two minimum order requirements, select the relationship between the requirements in the Conjunction field.
4. In the Minimum 2 column, complete the following fields:
 - **Type:** Select how the second minimum order requirement is expressed.

Note: The Minimum 2 Type cannot be the same as the Minimum 1 Type.

 - **UOM/Currency:** If you selected Mass or Volume as the secondary type, edit the UOM code, or click the LOV  button and select the UOM code. If you selected Amount as the secondary type, edit the currency code, or click the LOV button and select the currency code.
 - **Value:** Edit the value of the first minimum order requirement of the supplier.

Edit truck splitting constraints

1. In the Truck Splitting Constraints area, select the Split Order into Truckloads check box. The Truck Splitting Constraints area is enabled.
2. In the Constraint 1 column, complete the following fields:
 - **Type:** Select the primary type of constraint to use when splitting orders into truckloads.
 - **UOM/Currency:** If you selected Mass or Volume as the primary type, edit the UOM code, or click the LOV  button and select the UOM code.. If you selected Amount as the primary type, edit the currency code, or click the LOV  button and select the currency code.
 - **Value:** Edit the value of the constraint.
 - **Tolerance:** Edit the percentage tolerance for the maximum value of the constraint.
 - In the Constraint 2 column, complete the following fields:
 - **Type:** select the primary type of constraint to use when splitting orders into truckloads.

Note: The Constraint 2 Type cannot be the same as the Constraint 1 Type.

- **UOM/Currency:** If you selected Mass or Volume as the secondary type, edit the UOM code, or click the LOV  button and select the UOM code. If you selected Amount as the secondary type, edit the currency code, or click the LOV  button and select the currency code.
- **Value:** Edit the value of the constraint.
- **Tolerance:** Edit the percentage tolerance for the maximum value of the constraint.

Edit pooled suppliers

1. In the Supplier field, edit the supplier ID, or click the LOV  button and select the supplier.
2. In the File ID field, edit the file ID, or click the LOV  button and select the file ID.

Edit order quantities

- In the UOM field select the code to display the scaled and pre-scaled quantities.

Recalculate

1. Click **Recalc. Qtys**. The Pre Scaled and Scaled information opens in the appropriate fields.
2. Click **OK** to save your changes and close the window.

Edit Inventory Management Constraints for a Supplier

Navigate: From the main menu, select Control > Supplier > Maintenance. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

From the Options menu, select Inventory Management. The Supplier Inventory Management Information window opens.

Supplier Inventory Management Information Window

1. To edit the inventory management level, enter the ID of the correct department, location, or department/location combination, or click the LOV  button and select the appropriate information.
2. Click **Search**. The inventory management fields are automatically filled in.
3. Click **Constraints**. The Supplier Inventory Management Constraint Information window opens.

Supplier Inventory Management Constraint Information Window

4. Edit the enabled fields as necessary.
5. Click OK to save your changes and close the window.

Review Scaling Constraints for an Item

Navigate: From the main menu, select Ordering > Buyer Worksheet > Edit. The Buyer Worksheet opens.

Search for and retrieve items on the Buyer Worksheet.

Buyer Worksheet

1. In the Sel field, select the check box to the left of the items you wish to review.

To review the supplier constraints for multiple items, the items should have the same inventory management level.

2. Click **Calc Totals**. The supplier constraints for the line item or item are displayed.

Note: If the selected line items do not fulfill the criteria at a lower inventory management level, the next highest inventory management level information will be displayed.

3. To round items to the required order quantity, click **Round to Pack**. The quantities are rounded based on the item's ordering restrictions from the supplier.
4. Once selected items meet the constraints, you may create a purchase order for the items.
5. Click **OK** to save your changes and close the window.

Edit Inventory Management Information for a Supplier

Navigate: From the main menu, select Control > Supplier > Maintenance. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

From the Options menu, select Inventory Management. The Supplier Inventory Management Information window opens.

1. To edit the inventory management level, enter the ID of the correct department, location, or department/location combination, or click the LOV  button and select the appropriate information.
2. Click **Search**.
3. Edit the enabled fields as necessary.
4. To delete the inventory management information:
 - a. Click **Delete**.
 - b. When prompted to delete the inventory management information, click **Yes**.
5. Click **OK** to save your changes and close the window.

Edit Proof of Performance Fulfillment Information

Navigate: From the main menu, select Ordering > Proof of Performance Fulfillment > Edit. The POP Terms Fulfillment window opens.

POP Terms Fulfillment Window

1. In the Search By field, Select the level at which you want to search for proof of performance definitions.
2. Enter or select the additional search criteria in the highlighted field(s).
3. Click **Search**. Deals that match your search criteria appear in the Proof of Performance Definitions area.
4. In the Proof of Performance Fulfillment area, edit the enabled fields as necessary.
5. Click **OK** to save your changes and close the window.

Search for an Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

1. In the Action field, select View, Edit, Create from Existing, or Use.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The Item List Search window displays the item lists that match the search criteria.
4. Select a task:
 - To perform another search, click **Refresh**.
 - To display an item list, select a record and click **OK**. The Item List Header window opens.
 - Click **Close** to close the window.

Edit User Defined Attributes by Item List

Navigate: From the main menu, select Items > Item Lists. The Item List Search window opens.

Search for and retrieve an item list in Use mode. The Item List Header window opens.

1. From the Options menu, select Create Mass Item Change > User Defined Attributes. The Item UDA - Mass Change window opens.
2. Click **Add**.
3. In the Maintenance Type field, select the type of action.
4. In the User Defined Attribute field, enter the ID of the UDA, or click the LOV  button and select the UDA.
5. If the Maintenance Type is Add, Change, or Create, enter the ID of the new value in the New UDA Value field, or click the LOV  button, the calendar  button, or the comments  button and select the value.

Note: The type of button that opens depends on whether the UDA is a list of values, date, or free form text.

6. If the Maintenance Type is Change or Delete, enter the ID of the current value in the Existing UDA Value field, or click the LOV  button and select the value.
7. To delete a maintenance record:
 - a. Select the record and click **Delete**.
 - b. When prompted to delete the record, click **Yes**.
8. Click **OK** to save your changes and close the window.

Search for an Item Summary

Navigate: From the RMS main menu, select Action > Sales Audit > Additional Operations > Summary > Item Summary > Edit. The Sales Audit Item Summary window opens.

Sales Audit Item Summary Window

1. In the Business Day field, enter a business day, or click the calendar  button and select the date.
2. In the Store field, enter a store number, or click the LOV  button and select a store.
3. In the Item Type field, select an item type.
4. In the Item field, enter an item number or click the LOV  button and select the item.
5. Click **Search**. The table displays the items that match the search criteria.
6. Click **OK** to save your changes and close the window.

Edit Shipping Information for a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

From the options menu, select Shipping. The Order Shipping Information window opens.

1. Edit the enabled fields as necessary.
2. Click **OK** to save your changes and close the window.

Edit the Buyer for a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

From the options menu, select Buyer. The Order Buyer Information window opens.

1. To add a buyer, enter the ID of the buyer in the Buyer field, or click the LOV  button and select the buyer.
2. To delete the buyer:
 - a. Click **Remove**.
 - b. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Edit the Order Address of a Supplier

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

From the options menu, select Supplier Details. The Order Supplier Address window opens.

1. Click **Search**.
2. Select an order address from the list of values and click **OK** to exit.
3. Click **OK** to save your changes and close the window.

Edit the Partner Organization Unit Information

Navigate: From the main menu select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier. The Supplier Maintenance window opens.

Note: If the Financials module is installed, select Control > Supplier > Maintenance from the main menu.

1. Click **Org Unit**. The Partner Org Unit window opens.

The screenshot shows the 'Partner Org Unit' window. The title bar reads 'Partner Org Unit (supporg)'. The window contains the following elements:

- Partner Type:** A dropdown menu currently showing 'Supplier'.
- Partner:** A text field containing '2345670000' and 'David Fashion Creations'.
- Table:** A table with two columns: 'Org Unit ID' and 'Description'. The table is currently empty.
- Org Unit ID:** A text input field at the bottom left.
- Buttons:** 'Apply', 'Delete', 'OK', 'Add', and 'Cancel' buttons are located at the bottom right.

Partner Org Unit window

2. Make edits.
3. Click **Apply**.
4. Click **OK**. The window closes.

Edit the Retail Price of an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. Restrict the search to items in Worksheet status. The Item Maintenance window opens.

Click on the Retail by Zone option on the Options list. The Item Retail Price by Zone window opens.

Location Group	Description	Base Unit Retail	Standard Unit Retail	Standard UOM	Selling Unit Retail	Selling UOM	Markup %	Multi Units	Selling Multi-Retail	Multi Selling UOM	Markup %	Currency
1	USD locations	<input checked="" type="checkbox"/> 61.12	61.12	EA	61.12	EA	85.21%					USD
2	CAD locations	<input type="checkbox"/> 86.97	86.97	EA	86.97	EA	85.21%					CAD
3	AUD locations	<input type="checkbox"/> 41.31	41.31	EA	41.31	EA	85.21%					AUD
401	EURO-ZONE	<input type="checkbox"/> 61.12	61.12	EA	61.12	EA	85.21%					EUR
402	POUND-ZONE	<input type="checkbox"/> 99.91	99.91	EA	99.91	EA	85.18%					GBP
404	RUSSIA-ZONE	<input type="checkbox"/> 370.89	370.89	EA	370.89	EA	85.18%					RUR
501	RPM store 2	<input type="checkbox"/> 86.97	86.97	EA	86.97	EA	85.21%					CAD
508	RPM virtual wh 2	<input type="checkbox"/> 55.56	55.56	EA	55.56	EA	85.20%					USD
541	test vwvh	<input type="checkbox"/> 204.04	204.04	EA	204.04	EA	85.17%					AED
561	YAT Store	<input type="checkbox"/> 2,252.78	2,252.78	EA	2,252.78	EA	85.20%					PHP
582	test	<input type="checkbox"/> 330.62	330.62	EA	330.62	EA	85.18%					BOB

Buttons: OK, Locations, Cancel

Item Retail Price by Zone Window

Note: You can edit the retail price for a sellable item.

1. Edit the enabled fields on the table as necessary.
 - a. Enter the new retail price in the Selling Unit Retail field.
 - b. Enter the Selling UOM as necessary.
 - c. In the Markup % field, enter the percentage the price is marked up, based on the supplier's cost.
 - d. Update the appropriate multi-units field as necessary.
 - e. Click **Apply**.
2. Select the Overwrite All Lower Level Item Records check box if you want to apply the edits to the lower level items down to the transaction level.
3. Click **OK** to save your changes and close the window.

HTS Details Window [ordhts]

The HTS Details window allows you to view the details of an HTS classification that is associated with an item on a purchase order.

Order Item HTS Maintenance Window [ordhts]

The Order Item HTS Maintenance window allows you to maintain the HTS classifications and assessments that are associated with an item on a purchase order.

The cost components track the pertinent assessments for an item by HTS classification. They may be included in duty, expense, and actual landed cost calculations. Assessments differ from expenses in that they are defined by a government agency. To display the status of the cost components for each calculation, select Nomination Flag from the View menu.

If you are using Trade Management to import costs, it is assumed that all locations have the same cost value for an item. However, if the cost of items that are being imported DO vary by location, Trade Management will convert the cost values to an identical weighted average cost.

New Parent Template Window [ordmtxws]

The New Parent Template window allows you to apply an Item Parent pack template to an Item Parent on a purchase order.

Order - Attributes Window [ordhead]

The Order - Attributes window allows you to record import information about a purchase order. Attributes can only be recorded for purchase orders in Worksheet status. In RMS, you can record the bill-to location and the freight contract number for the purchase order.

If Oracle Retail Trade Management is installed with RMS, you can also record the following information about the purchase order:

- Lading port
- Discharge port
- Factory
- Agent
- Additional partner information

Because lading port, discharge port, agent, and factory affect HTS assessments and expenses, changing these attributes results in the recalculation of these assessments and expenses for the purchase order.

When you add a supplier to a purchase order, the partner and factory information defined for the supplier import attributes will default to the order attributes. Any documents association with the factory or partner will also be defaulted to the purchase order.

Order - Buyer Information Window [ordhead]

The Order - Buyer Information window allows edit and view the information about the buyer who is responsible for the purchase order.

Order - Mass Item Cancel Window [ordhead]

The Order - Mass Item Cancel window allows to indicate the reason why you are canceling all the items on a purchase order. The status of the purchase order is changed to Closed. You can reverse the effect of canceling all the items on the purchase order by reinstating all the items. The status of the purchase order is changed to Worksheet.

Order - Dates Window [ordhead]

The Order - Dates window allows you to edit and view the earliest and latest ship dates for an order. You can also view the dates on which the order was written, approved, and closed.

Edit Dates for a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window opens.

From the options menu, select Order Dates. The Order Dates window opens.

1. Enter the date in the enabled fields, or click the calendar  button and select a date.
2. Click **OK** to save your changes and close the window.
3. If you edited the Estimated In Stock Date, you are prompted to apply the date to all items. Click **Yes**.

Order - Supplier Address Window [ordhead]

The Order - Supplier Address window allows you to edit and view the supplier's address, contact information, and currency. If the supplier has multiple order addresses, you can select one other than the default.


Split a Supplier for an Item

Navigate: From the main menu, select Ordering > Buyer worksheet > Edit. The Buyer Worksheet opens.

Search for and retrieve items in the Buyer Worksheet.

Select the item you want to split in the details frame. The line item must be a replenishment or manual line item. It cannot be generated from investment buy.

1. Click **Split Supplier**. The Split Supplier window opens. The primary supplier for the item opens in the detail area.



Supplier	Supplier Name	Supplier Site	Supplier Site Name	Origin Country	Terms	Lead Time	Unit Cost	Currency Code
1212120001	Test Parent Supplier	1112229998	Blair Test	US	103	53.00	USD	3.00

Split Supplier Window

2. To add an additional supplier, click **Add**. The next row on the table is enabled.

To remove the supplier, click **Delete** to remove the primary supplier from the table.

3. In the Supplier field, enter the supplier ID or click the LOV  button and select the supplier you wish to add to the item. The AOQ field is enabled.
4. In the Origin Country field, enter the origin country ID or click the LOV  button and select an origin country.

5. Enter the AOQ amount for this line item. The AOQ field in the header area is updated as each additional item/supplier quantity is entered.
6. Click **OK** to save your changes and close the window.

Note: If the ROQ does not equal the AOQ, a warning message appears. Click **Yes** to continue, or **No** to return to the Split Supplier window and correct the order quantity.

Order - Shipping Information Window [ordhead]

The Order - Shipping Information window allows you to edit and view the shipping information for the items on a purchase order.

Shipments for PO Window [ordship]

The Shipments for PO window allows you to view a list of the outstanding shipments for a purchase order. From the Shipments for PO window, you can access the details of a selected shipment.

Order Inventory Maintenance Window [ordivmgt]

The Order Inventory Maintenance window allows you to maintain and view inventory management information for purchase orders, for items on a purchase order, and for locations on a purchase order.

You can view the following inventory management information:

- Purchase order quantities before and after scaling
- Gross cost of the purchase order before and after scaling
- Net cost of the purchase order before and after scaling
- Due order processing parameters for replenishment orders

You can edit the following inventory management information:

- Purchase order scaling
- Minimum constraints
- Truck splitting
- Supplier Pooling
- Order Quantities

Order - Letter of Credit Window [ordlc]

The Order - Letter of Credit window allows you to maintain letter of credit information for a purchase order. You must enter letter of credit information when you select Letter of Credit as the method of payment on a purchase order.

Order - Mass Item Cancel Window [ordlist]

The Order - Mass Item Cancel window allows you to indicate the reason why you are canceling all the items on the selected purchase order. The status of the purchase order is changed to Closed. You can reverse the effect of canceling all the items on the purchase order by reinstating all the items. The status of the reinstated purchase order is changed to Worksheet.

Order Parent/Diff Summary Window [ordscsum]

The Order Parent/Diff Summary window allows you to view the details of an item parent on a purchase order by diffs. You can view the total cost, quantity ordered, quantity received, and quantity cancelled by diff.

Order Transaction-Level Discounts Window [ordtxnds]

The Order Transaction-Level Discounts window allows you to view deals with transaction level discounts that apply to a purchase order. You can view the amount of transaction level discount and the total of all transaction level discounts.

PO Diff Matrix Window [podiffmx]

You can use the PO Diff Matrix Window to design a purchase order distribution based on three different diff group values.

PO Item Maintenance Window [ordsku]

The PO Item Maintenance window allows you to view and edit all the items on a purchase order.

Not all fields defined below appear on this window's default view. To view additional fields, select View > Custom and click the [+] on the custom toolbar. To display information specific to estimated landed cost, select View > ELC menu.

PO Item/Location Window [ordloc]

The PO Item/Location window allows you to edit and view all the item and location combinations on a purchase order.

To display information specific to replenishment allocations, pricing, quantities, order discounts, or estimated landed cost, select the appropriate option from the View menu. To search for a deal, select Options > Dealfind.

- The order quantity/cancelled quantity cannot be changed to below the sum of the shipped or appointed quantity expected for all shipments/appointments attached to the order.
- For cross-docked PO's, you can not change the allocation quantity when the allocation is selected or distributed for shipping.
- Only allocations created through replenishment may be modified.
- If the replenishment allocation has not been received or is not being modified, the allocation detail can be deleted.

PO Revisions Window [ordrev]

The PO Revisions window allows you to indicate which changes to an approved purchase order you want to accept. Changes can be made by the buyer (version) or by the supplier (revision). The first version is the original purchase order. Changes are transmitted to and from the supplier via electronic data interchange (EDI). Revisions can occur when a buyer unapproves a purchase order, edits it, and re-approves it.

To view the monetary amounts in the primary currency of the company or the currency of the order, select the appropriate option from Options > Currency.

PO Summary by Items Window [ordskus]

The PO Summary by items window allows you to view the locations on a purchase order by item. You can select an item in order to view the details of the locations to which the item is to be delivered.

To display information specific to estimated landed cost, select View > ELC.

PO Summary By Locations Window [ordlocs]

The PO Summary By Locations window allows you to view a summary of the items on a purchase order by location. You can select a location in order to view the details of the items to be sent to the location.

Pre Issue of Order Numbers Window [ordpre]

The Pre Issue of Order Numbers window allows you to create purchase order numbers either manually or via a batch process. Pre-issued order numbers are used to provide a supplier with a valid order number, against which product may be delivered to a warehouse or store.

Order numbers are generated into a report. The report has space for the buyer to write notes regarding the date used, the supplier, the order value, and miscellaneous details. The buyer can make a commitment to a supplier on the supplier's premises or at a product fair, and enter the order upon returning to the office.

The automated process is designed to support the Vendor Managed Inventory (VMI) process, whereby the supplier is making the purchasing decisions, and needs a constant stream of orders numbers through which orders may be created.

Filter the Items on a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window displayed.

Click **Items**. The PO Item Maintenance window opens.

Click **Filter Block**. The Order Distribution Filter window opens.


1. Enter or select the criteria by which you want to filter in the Filter By area.
2. Click **Add Filter Criteria**. The filter criteria are added to the Filter Criteria table.
3. To delete a criterion from the Filter Criteria table:
 - a. Select the record and click **Delete**. You are prompted to delete the record.
 - b. Click **Yes**.
4. Click **Apply Filter**. The Order Distribution Worksheet window opens with the results of the filter.
5. Edit filter results as needed.
6. To clear the filter, click **Clear Filter**. All the items appear.
7. Click **OK** to save your changes and close the window.

Filter Cost Records on a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit or View mode. The Contract Header window opens.


Click **Cost**. The Contract Cost Maintenance window opens.



Contract Cost Maintenance Window

Note: Use this procedure to filter cost records at the item level on a contract. You can then view or edit the subset of the items on the contract.

1. Click the Filter  button. The Contract Cost Filter window opens.



Contract Cost Filter Window

2. Enter or select the criteria by which you want to filter in the Filter By area.
3. Click **Add Filter Criteria**. The filter criteria are added to the Filter Criteria table.
4. To delete a criterion from the Filter Criteria table, select the record and click **Delete**.

5. Click **Apply Filter**. The Contract Cost Maintenance window opens with the filtered data.
6. To clear the filter, click **Refresh**. All the item cost records are again displayed.
7. Click **OK** to close the window.

Reject Reason Window [ordhead]

The Reject Reason window allows you to view the reason why a purchase order that was generated automatically by the replenishment program was rejected. The reason for the rejection will be cleared after the order is reviewed and approved.

Add items to a purchase order

Add Items to a Purchase Order Overview

Items can be added to a purchase order (PO) one-by-one or by item list. You can choose to expand a buyer pack to its component items. You can choose to expand a level 1 or level 2 item to its component level 2 or level 3 items. You may also choose to apply an existing item pack template to a PO or create a temporary item pack template. Level 1 or level 2 items can be distributed on a PO by diffs. Quantities can be entered on a PO based on the unit of purchase or the standard unit of measure.

Add an Item to a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window opens.

Click **Items**. The PO Item Maintenance window opens.

Click **Add to Order** the Order Distribution Worksheet window opens.

1. Click **Add Item**.
2. In the Enter As area, select the Item, Ref Item, or Item List option.
3. In the Item field, enter the item number of the item or the ID of the item list, or click the LOV  button and select the item or item list.
4. If required, enter the Origin Country code for the country, or click the LOV  button and select the country.
5. In the Quantity field, enter the number of units to be distributed of the item or among the components of an item list or item parent.
6. Enter or edit the Unit of Purchase and Supplier Pack Size fields as necessary.
7. Click the appropriate button to add the item or items to the table:
8. To add an item or the items on an item list, click **Apply Item**, **Apply Ref Item**, or **Apply Item List**.
9. To add the component items of an item parent or pack, click **Expand Item**.
10. To add a pack, click **Apply Template**. The Prepack window or the New Prepack Template window opens so that you may identify or create the template.
11. Filter and distribute the items as necessary.
12. Click **OK** to save your changes and close the window.

Edit the Items on a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window opens.

Click **Edit Item**. The PO Item Maintenance window opens.

2. Click **OK** to save your changes and close the window.

Redistribute Items on a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window opens.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

Click **Items**. The PO Item Maintenance window opens.

Click **Redistribute**. The Order Redistribution window opens.

1. Click **Add Item**.
2. In the Item Type field, select the type of item.
3. Enter the item number of the item in the Item field, or click the LOV  button and select the item.
4. Click **Apply**. The item or items are added to the redistribution list. You are prompted to continue.
5. Click **Yes**. The Order Distribution Worksheet window opens.
6. From the Options > Redistribute menu, select the method by which you want to redistribute the items.
7. Distribute the items by store grade or location as necessary.
8. Click **OK** to save your changes and close the window.

Distribute a purchase order

Distribute a Purchase Order

You have several options for distributing items when a purchase order is created. Before distributing items, you can filter the items in order to display a subset of the items. Any distribution instructions that you enter are then applied only to the subset of items. The options for distribution may be:

- **Distribution by diff:** Distribute items by any diff value associated with the purchase order.
- **Distribution by store grade:** Select the final destinations by store grade group and store grade. Enter the distribution amounts by percentage or ratio.
- **Distribution by location:** Select the final destinations one-by-one or by a list of values. Enter the distribution amounts by percentage or ratio.

Order Distribution Worksheet Window [ordmtxws]

The Order Distribution Worksheet window allows you to add items to a purchase order. You can add items by item number, ref item number, or item list. You can choose to apply a template to an item parent or you can expand a buyer pack and item parent to their component items.

To display information specific to ref items or standard units of measure, select the appropriate option from the View menu.

Before exiting this window, you may distribute the items, or a subset of the items, by diff values, store grade, and location.

Order Distribution Filter Window [ordmtxws]

The Order Distribution Filter window allows you to filter the items that appear on the Order Distribution Worksheet window. You can then edit or distribute the resulting subset of items.

Distribute Items by Individual Diff

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve an order in Edit mode. Restrict the search to orders in Worksheet status. The PO Header Maintenance window opens.

Click **Items**. The Order Distribution window opens.

1. Click any of the **Diff** buttons to distribute by diff value. The Distribution Diff Apply window opens.
2. To limit the available diffs, in the range field, enter a diff range ID, or click the LOV  button and select a diff range.
3. In the Available Diff area:
4. Select a diff and click the right arrow  button. The diff is moved to the applied diff area.
5. Click the move all right arrow  button. All diff are moved to the applied diff area.
6. If you selected the following distribution method:
 - **Quantity:** enter the number of items you want of each diff.

Note: You can distribute by quantity only if you did not enter a quantity on the Order Distribution Worksheet window.

- **Distribution %:** enter the percentage of the items you want of each diff.
- **Ratio:** enter the proportion of items that you want of each diff.

Note: You can distribute the diffs and enter a quantity, distribution or ratio of zero (0).

7. Click **OK** to save any changes and close the window.

Apply a Diff Ratio to a Diff Distribution

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window opens.

Click **Items**. The PO Header Maintenance window opens.

Click **Add to Order** the Order Distribution Worksheet window opens.

Distribute items on the purchase order.

Diff ratios can be applied to:

- The X axis
- The Y axis
- The Z axis
- The diff matrix table
- The diff matrix table and the Z axis

The following rules apply:

- If a ratio is applied to the diff matrix table, the matrix must be distributed by ratio.
 - If a ratio is applied to only the Z axis, the Z axis must be distributed by ratio.
 - If the ratio affects the matrix and the Z, both the matrix and the Z must be distributed by ratio.
 - If Ratio is selected in the Distribute Matrix By field, you can use an existing diff ratio to modify data in the diff matrix table.
1. To apply diff ratios to the diff matrix table, enter a diff ratio, or click the LOV  button and select a ratio.
 2. After a ratio is selected, you can view data for this item at a specific store. Enter a store ID, or click the LOV  button and select an ID.
 3. Click **Apply Ratio**.
 4. Click **OK** to save your changes and close the window.

Distribute Items on a Purchase Order by Location

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window opens.

Click **Items**. The ordered items appear in the Order Distribution Worksheet window.

1. Filter the items as necessary.
2. Click **Location**. The Location Distribution window opens.
3. In the Distribute By area, select the method of distribution.
4. In the Location Type field, select the type of location.
5. In the Location field, enter the ID of the location, or click the LOV  button and select the location.

6. If you selected the following distribution method:
- **Quantity:** enter the number of items you want at each location, or the total items you want at each location.

Note: You can distribute by quantity only if you did not enter a quantity on the Order Distribution Worksheet window.

- **Distribution %:** enter the percentage of the items you want at each location.
- **Ratio:** enter the proportion of items that you want at each location.

Note: You can distribute to a location and enter a quantity, distribution or ratio of zero (0).

7. Click **OK** to save your changes and close the window.

Edit the Distribution of Items on a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to contracts in Worksheet status. The Contract Header window opens.

Click **Cost** or **Detail**. The Contract Cost Maintenance window or the Contract Details Maintenance window opens.

Click **Distribute**. The Contract Distribution window opens.

Contract Distribution Window

1. In the Dist Qty field, edit the quantity as necessary.
2. Click **Diff 1**, **Diff 2**, **Diff 3**, **Diff 4**, **Ready Date**, or **Location**.
3. Enter distribution information in the Distribution window that opens.
4. Click **OK** to save your changes and close the window.

Order Redistribution Window [ordredst]

The Order Redistribution window allows you to select which items on a purchase order are candidates for redistribution.

Items on a purchase order are eligible for redistribution under the following conditions:

- The purchase order has a status of Worksheet or Approved.
- None of the items on the purchase order have been received.
- The purchase order is not associated with a contract.
- An advance shipping notice (ASN) has not been received.
- Any item with an associated appointment or allocation cannot be redistributed.

If you are running Estimated Landed Cost (ELC), when you redistribute items, the default expenses and deals are reapplied. Any expenses that were added manually before the items are redistributed are lost. You also lose the ability to undo any previous scaling that was based on supplier constraints.

To determine which purchase orders should be redistributed, you may want to run the Order Redistribution report. The report displays all purchase orders in approved status that are currently distributed to a redistribution warehouse.

Distribute Items on a Purchase Order by Store Grade

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window opens.

Click **Items**. The Order Distribution Worksheet window opens.

1. Filter the items as necessary.
2. Click **Store Grade**. The Store Grade Distribution window opens.
3. In the Buyer field, enter the ID of the buyer, or click the LOV  button and select the buyer.
4. In the Store Grade Group field, enter the ID of the store grade group, or click the LOV  button and select the store grade group. The store grades and number of stores in each store grade appear.
5. In the Distribute By area, select the method of distribution.
6. If you selected the following distribution method:
 - **Quantity:** enter the number of items you want at each store, or the total items you want for each store grade.

Note: You can distribute by quantity only if you did not enter a quantity on the Order Distribution Worksheet window.

- **Distribution %:** enter the percentage of the items you want at each store grade.
 - **Ratio:** enter the proportion of items that you want at each store grade.
7. Click **OK** to save your changes and close the window.

Distribute Items with the Diff Matrix

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window opens.

Click **Items**. The ordered items appear in the Order Distribution Worksheet window.

1. In the Axes Diff Groups area, enter the ID of the diff group, or click the LOV  button and select a diff group.

Note: The number of diff group fields that are enabled is based on the number of diff groups that were assigned to this item. All enabled diff group fields are required.

2. In the Diff Range Limiting area, enter a diff range ID, or click the LOV  button and select a diff range to limit the diff values displayed in the matrix table.
3. In the Distribute Matrix By area, select how quantities in the matrix appear for the X and Y axis.
4. In the Distribute Z Axis area, select how quantities in the matrix appear for the Z axis.

Note: Quantity is automatically select if the Worksheet quantity on the Order Distribution Worksheet window was not entered.

5. Click **Apply**. The matrix table is updated to show the data matching your distribution parameters.

X Y Distribution

1. In the Distribute X By field, indicate that you want to enter values for the X axis in either quantities, ratios, or percentages. The fields above the matrix table are enabled.
2. In the Distribute Y By field, indicate that you want to enter values for the Y axis in either quantities, ratios, or percentages. The fields left of the matrix table are enabled.

Note: If a quantity was not entered on the Order Distribution Worksheet window, one of the values for the X-Y Distribution field must be quantity.

3. In the X Distribution row, enter the values for the corresponding diff.
4. In the Y Distribution column, enter the values for the corresponding diff.
5. Click **Apply Dist**. A message opens notifying you that the current data will be overwritten.
6. Click **Yes**.
7. You can repeat these steps until you are satisfied with the data. The values in the table will be saved when you exit this window.

Ratio

If Ratio is selected in the Distribute Matrix By field, you can use an existing diff ratio to modify data in the diff matrix table.

1. In the diff ration area, enter a diff ratio ID in the Diff Ratio field, or click the LOV  button and select a ratio.
2. After a ratio is selected, you can view data for this item at a specific store. Enter a store ID, or click the LOV  button and select an ID.
3. Click **Apply Ratio**.
4. Click **OK+Repeat** to save your changes and copy values from another diff group, or click **OK** to save your changes and close the window.

Note: After saving the distribution data in this window, you must distribute by diff 4 (if a fourth diff exists for this item) and by Location on the Order Distribution Matrix window. You cannot submit the order for approval until the item is completely distributed.

Z Axis

1. If quantity was not entered on the Order Distribution Worksheet window, enter the value for the first diff in the Z distribution.
2. To use the existing X-Y distribution for all Z axis diffs, click **Copy**. The Z Axis Copy window opens.
 - a. In the Copy from Diff field, enter the ID of the Z diff that you want to copy from
 - b. Click **Get List**. The diffs that are not yet associate to the X-Y distribution appear.
 - c. In the Copy field, select each diff group that should have the same value as the diff group selected in the Copy from Diff field.
 - d. Click **OK** to save any changes and close the window.
3. After entering data in the Z axis table, you can click **Convert to Qty** to change all percent and ration values on the matrix to quantity.
4. Click **OK** to save any changes and close the window.

Purchase order approval process

Purchase Order Approval Process

When a purchase order is added to the system, it must go through a series of checks before it is accessible in the system. Depending on your user role, you may not be able to move the purchase order to the next status. A purchase order may be in any of the following statuses:

Status	Definition
Worksheet	The purchase order has been started, but not completed.
Submitted	The purchase order has been completed and is pending review.
Approved	The purchase order has been reviewed and has been approved.
Delete	The purchase order is marked for deletion. It will be deleted by a regularly scheduled batch program.
Closed	The purchase order is complete.

Submit a Purchase Order for Approval

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window opens.

1. From the options menu, select Submit. You are prompted to submit the purchase order.
2. Click **Yes**.
3. Click **OK** to save your changes and close the window.

Approve a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window opens.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Submitted status. The PO Header Maintenance window opens.

1. From the options menu, select Approve. You are prompted to approve the purchase order.
2. Click **Yes**.
3. Click **OK** to save your changes and close the window.

Cancel a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window opens.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Approved status. The PO Header Maintenance window opens.

1. From the options menu, select Cancel All Items. You are prompted to cancel all the items on the purchase order.
2. Click **Yes**. The Order Mass Item Cancel window opens.
3. In the Cancel Reason field, select the reason for canceling the items on the purchase order.
4. Click **OK**. The status of the purchase order is changed to Closed.
5. Click **OK** to save your changes and close the window.

Reinstate a Cancelled Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. Restrict the search to closed purchase orders that you know have been cancelled. The PO Header Maintenance window opens.

1. From the options menu, select Reinstate All Items. You are prompted to reinstate all the items on the purchase order
2. Click **Yes**. The status of the purchase order is changed to Worksheet.
3. Click **OK** to save your changes and close the window. You are prompted to approve the purchase order.
4. Click either **Yes** or **No**. If you select **No**, the purchase order remains in Worksheet status.

Delete a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet or Submitted status. The PO Header Maintenance window opens.

1. From the options menu, select Delete. You are prompted to delete the purchase order.
2. Click **Yes**.
3. Click **OK** to save your changes and close the window.

Create contracts

Create Contracts

A contract is a legally binding agreement with a supplier to supply items at a negotiated price. In RMS, the contracting functions fit closely with the replenishment and ordering functions. The main function of the Contracts windows is to source stock from the best contract, track supplier availability and commitments, and match them with business requirements. The main business benefit of contracting is to achieve supplier involvement during the planning phase of your business.

The following types of contracts can be created and maintained:

- **Type A (Plan/Availability):** The contract contains a plan of manufacturing quantity by ready date. Supplier availability is matched to the ready date. Orders are raised against the plan as suggested by replenishment requirements, provided there is sufficient supplier availability. The user can also raise manual orders.
- **Type B (Plan/No Availability):** The contract contains a plan of manufacturing quantity by ready date and dispatch-to location or locations. There are one or more ready dates, which is the date that the items are due at the dispatch-to location. Supplier availability is not required. Orders are raised automatically from the contract based on ready dates.
- **Type C (No Plan/No Availability):** The contract is an open contract with no production schedule and no supplier availability declared. The contract lists the items that will be used to satisfy a total commitment cost. Orders are raised against the contract based on replenishment requirements. The user can also raise manual orders.
- **Type D (No Plan/Availability):** The contract is an open contract with no production schedule. The supplier declares availability as stock is ready. The contract lists the items that will be used to satisfy a total commitment cost. Orders are raised against the contract, based on replenishment requirements and supplier availability. The user can raise manual orders.

Contract Header Window [cntrhead]

The Contract Header window allows you to create, copy, edit, or view a contract.

Create a Type A Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Contract Search Window

1. In the Action field, select New.
2. Click OK. The Contract Header window opens.

Contract Header Window

3. In the Type field, select Plan/ Availability.
4. In the Supplier field, enter the ID of the supplier, or click the LOV  button and select the supplier. The supplier defaults for other fields are filled in automatically.


5. In the Department field, enter the ID of the department, or click the LOV  button and select the department. Only items from this department can be placed on contract.
6. In the Start Date and End Date fields, enter the dates, or click the calendar  button and select the dates.
7. In the Country of Origin field, enter the code for the country, or click the LOV  button and select the country.
8. Enter or edit the enabled fields as necessary.

Note: Select the Orderable Check box to indicate that orders can be placed against this contract.

Select Manual Approval to indicate that all purchase orders will be created in Worksheet status and must be manually approved.


Add items to the contract

1. From the Contract Header window, click **Detail**. The Contract Details Maintenance window opens.



Contract Details Maintenance Window

2. Click **Add Item** to add an item or **Add Item Parent** to add a item parent. The Contract Distribution window opens.



Contract Distribution Window

3. In the Enter As field, select an item type.
4. Enter a specific item in the available field, or enter a partial description and click the LOV  button to select a value.
5. In the Dist Qty field, enter the number of units to be distributed.

Note: When selecting items for a contract, the number of levels in the group and the transaction level of the item group must be considered. Items above the transaction level can only be added to a contract if the Soft Contract Indicator is selected in System Variables.

6. Click **Apply**.

Distribute the items by commitment date

1. Click **Distribute**.
2. Click **Date**. The Date Distribution window opens.

The screenshot shows the 'Date Distribution' window with the following details:

- Contract No.: 107500
- Table:

Commitment Date	Distribution %
05-MAY-03	100
- Total Percent: 0.00%
- Buttons: OK, Add, Delete, Cancel

Date Distribution Window

3. Click **Add**.
4. In the Commitment Date field, enter the date.
5. In the Distribution field, enter the percentage of the goods that are due by the commitment date.
6. Click **OK** to save your changes and close the windows until you are returned to the Contract Header window.

Verify or edit the cost of the items

1. Click **Cost**. The Contract Cost Maintenance window opens.

Contract Cost Maintenance Window

2. Edit the default unit cost as necessary.
3. Click **OK** to save your changes and close the window.

Review and complete the contract

1. Click **Recalculate** to update the costs and retail value.
2. Click **OK** to save your changes and close the window.

Create a Type B Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Note: When using a Type B contract, purchase orders are generated automatically. Manual and Replenishment orders are never created from a type B contract.

1. In the Action field, select New.
2. Click **OK**. The Contract Header window opens.
3. In the Type field, select Plan/No Availability.
4. In the Supplier field, enter the ID of the supplier, or click the LOV  button and select the supplier. The supplier defaults for other fields are filled in automatically.
5. In the Department field, enter the ID of the department, or click the LOV  button and select the department. Only items from this department can be placed on contract.
6. In the Start Date and End Date fields, enter the dates, or click the calendar  button and select the dates.

7. In the Country of Origin field, enter the code for the country, or click the LOV  button and select the country.
8. Enter or edit the enabled fields as necessary.

Add items to the contract

1. Click **Detail**. The Contract Details Maintenance window opens.
2. Click **Add Item** to add an item or **Add Item Parent** to add a item parent. The Contract Distribution window opens.
3. To add an item, click **Add Item**. Enter the information on the next available line.
4. If you select item parent and want to list all the component items, click **Explode Items**.
5. To add an item list, click **Add Item List**. Select the item list from the list of values that pop up.
6. In the Dist Qty field, enter the number of units to be distributed.

Note: When selecting items for a contract, the number of levels in the group and the transaction level of the item group must be considered. Items above the transaction level can only be added to a contract if the Soft Contract Indicator is selected in System Variables.

Distribute the items by location

Note: Because the automatic ordering process does not determine locations for the ordered goods from a Recommended Order Quantity, You must designate the locations for distribution with a Type B contract.

1. Click **Location**. The Location Distribution window opens.

Order No.: 54406 Unit of Distribution: EA

Distribute By
 Quantity Percent Ratio

Location Type	Location	Name	Set of Book ID	Quantity
▼	LOV			

OK Add Delete Refresh Cancel

Location Distribution Window

2. To distribute the items by location:
 - a. Select the method of distribution.
 - b. Click **Add**.
3. In the Location Type field, select the type of location.
4. In the Location field, enter the ID of the location, or click the LOV  button and select the location.
5. In the next field, enter the quantity, percentage, or ratio of items to be distributed to the location.
6. Click **OK** to save your changes and close the window.

Distribute the items by commitment date

1. On the Contract Distribution window, click **Date**. The Date Distribution window opens.

The screenshot shows the 'Date Distribution' window for contract 107500. It features a table with two columns: 'Date' and 'Distribution %'. The first row contains '05-MAY-03' and '100'. Below the table is a 'Total Percent' field showing '0.00%'. At the bottom are buttons for 'OK', 'Add', 'Delete', and 'Cancel'.

Date	Distribution %
05-MAY-03	100

Total Percent: 0.00%

Date Distribution Window

2. Click **Add**.
3. In the Commitment Date field, enter the date on which the supplier must provide the goods.
4. In the Distribution field, enter the percentage of the goods that are due by the commitment date.
5. Click **OK** to exit until you are returned to the Contract Header window.

Note: RMS will generate orders on the plan dates whether or not the specified locations need the items. Therefore, it is possible that orders will be placed which the supplier cannot fulfill.

Verify or edit the cost of the items

1. Click **Cost**. The Contract Cost Maintenance window opens.

Contract Cost Maintenance Window

2. Edit the default unit cost as necessary.
3. Click **OK** to exit the Contract Cost Maintenance window.

Review and complete the contract

1. Click **Recalculate** to update the costs and retail value.
2. Click **OK** to save your changes and close the window.

Create a Type C Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

1. In the Action field, select New.
2. Click **OK**. The Contract Header window opens.
3. In the Type field, select No Plan/No Availability.
4. In the Supplier field, enter the ID of the supplier, or click the LOV  button and select the supplier. The supplier defaults for other fields are filled in automatically.

Note: A Type C contract does not require a supplier to provide availability information; therefore, it is possible that an order can be placed that a supplier cannot fulfill.

5. In the Department field, enter the ID of the department, or click the LOV  button and select the department. Only items from this department can be placed on contract.
6. In the Start Date and End Date fields, enter the dates, or click the calendar  button and select the dates.

7. In the Country of Origin field, enter the code for the country, or click the LOV  button and select the country.
8. In the Cost field, enter the monetary commitment.
9. Enter or edit the enabled fields as necessary.

Note: To indicate that orders created via replenishment should be created in Worksheet status and then approved manually, select the Manual Approval option.

Add items to the contract

1. Click **Cost**. The Contract Cost Maintenance window opens.
2. Click **Add Item** to add an item or **Add Item Parent** to add a ref item. The Contract Distribution window opens.
3. To add an item, click **Add Item**. Enter the information on the next available line.
4. If you added a item parent and want to list all the component items, click **Explode Items**.
5. To add an item list, click **Add Item List**. Select the item list from the list of values that pop up.

Note: When selecting items for a contract, the number of levels in the group and the transaction level of the item group must be considered. Items above the transaction level can only be added to a contract if the Soft Contract Indicator is selected in System Variables.

6. Click **OK** to return to the Contract Cost Maintenance window.

Verify or edit the cost of the items

1. On the Contract Cost Maintenance window, edit the default unit cost as necessary.
2. Click **OK** to save your changes and close the windows.

Create a Type D Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

1. In the Action field, select New.
2. Click **OK**. The Contract Header window opens.
3. In the Type field, select No Plan/Availability.
4. In the Supplier field, enter the ID of the supplier, or click the LOV  button and select the supplier. The supplier defaults for other fields are filled in automatically.
5. In the Department field, enter the ID of the department, or click the LOV  button and select the department. Only items from this department can be placed on contract.
6. In the Start Date and End Date fields, enter the dates, or click the calendar  button and select the dates.

7. In the Country of Origin field, enter the code for the country, or click the LOV  button and select the country.
8. In the Cost field, enter the monetary commitment.
9. Enter or edit the enabled fields as necessary.

Add items to the contract

1. Click **Cost**. The Contract Cost Maintenance window opens.
2. Click **Add Item** to add an item or **Add Item Parent** to add a item parent. The Contract Distribution window opens.
3. To add an item or item parent, click **Add Item**. Enter the information on the next available line.
4. If you added a item parent and want to list all the component Items, click **Explode Items**.
5. To add an item list, click **Add Item List**. Select the item list from the list of values that pop up.

Note: When selecting items for a contract, the number of levels in the group and the transaction level of the item group must be considered. Items above the transaction level can only be added to a contract if the Soft Contract Indicator is selected in System Variables.

6. Click **OK** to save your changes and close the window.

Verify or edit the cost of the items

1. On the Contract Cost Maintenance window, edit the default unit cost as necessary.
2. Click **OK** to save your changes and close the window.

Edit a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. The Contract Header window opens.

- Edit the enabled fields as necessary.

Edit the unit costs for all types of contracts

1. Click **Cost**. The Contract Cost Maintenance window opens.
2. To edit the unit cost of all the items:
 - a. Enter the amount in the Unit Cost field next to **Apply All**.
 - b. Click **Apply All**.
 - c. To edit the unit cost of one item, edit the amount in the Unit Cost field in the table.
3. Click **OK** to save your changes and close the window.

Edit the quantities for Type A and Type B contracts

1. On the Contract Header window, click **Detail**. The Contract Details Maintenance window opens.
2. Edit the quantities as necessary.
3. Click **OK** to save your changes and close the windows.

Add an Item to a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to records in Worksheet status. The Contract Header Maintenance window opens.

Click **Cost** or **Detail**. Either the Contract Cost Maintenance window or the Contract Details Maintenance window opens.

1. Click **Add Item(s)** to add an item. The Contract Distribution window opens.

Note: When selecting items for a contract, the number of levels in the group and the transaction level of the item group must be considered. Items above the transaction level can only be added to a contract if the Soft Contract Indicator is selected in System Variables.

2. In the Enter As selection field, click an option to enter the new item as a contract item, reference item, or item list.
3. Enter a valid item or item list for the department that opens, or select an item or item list using the LOV  button.
4. Enter a Distribution Quantity.
5. Click **Apply** to add the new item or item list to the contract.
6. Click **OK** to return to the Contract Cost Maintenance window or the Contract Details window.
7. If you are in the Contract Cost Maintenance window, edit the unit cost of the items as necessary.
8. If you are in the Contract Details Maintenance window, enter the number of units to be distributed.
9. Click **OK** to save your changes and close the window.

Delete an Item from a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to contracts in Worksheet status. The Contract Header window is displayed.

Click **Cost** or **Detail**. Either the Contract Cost Maintenance window or the Contract Details Maintenance window opens.

1. Select an item and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Search for a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

1. In the Action field, select either Create from Existing, Edit, or View.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The Contract Search window displays the contracts that match the search criteria.
4. Select a task:
 - a. To perform another search, click **Refresh**.
 - b. To display the details of a contract, select a record and click **OK**. The Contract Header window opens.
5. Click **Close** to exit.

Copy a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Create from Existing mode. The Contract Header window opens.

Edit the enabled fields as necessary.

Edit the Unit Costs for All Types of Contracts

1. Click **Cost**. The Contract Cost Maintenance window opens.
2. To edit the unit cost of all the items, enter the amount in the Unit Cost field next to **Apply All**, and click **Apply All**.
3. To edit the unit cost of one item, edit the amount in the Unit Cost field in the table.
4. Click **OK** to save your changes and close the window.

Edit the Quantities for Type A and Type B Contracts

1. Click **Detail**. The Contract Details Maintenance window opens.
2. Edit the quantities as necessary.
3. Click **OK** to save your changes and close the window.

Print a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. The Contract Header window opens.

Click **Print**. The Report Parameters Web page opens.

1. In the Destination field, select where you want the finished report to be sent. Select Cache to view the report online.
2. Verify that the contract number is correct in the Contract field.
3. Click **Submit Query**. The contract is generated and sent to the destination that you selected.

Contract Cost Maintenance Window [cntrcost]

The Contract Cost Maintenance window allows you to view and edit the cost per unit of the items on a contract. You can also view the remaining contract balance on orders for a contract.

To display information specific to items or item parents, select the appropriate option from the View menu.

To display monetary amounts in the primary currency of the company or the currency of the contract, select the appropriate option from the Options > Currency menu.

Contract Cost Filter Window [cntrcost]

The Contract Cost Filter window allows you to filter the items that appear on the Contract Cost Maintenance window. You can then view, edit, or copy the resulting subset of items.

Contract Cost History Window [costhist]

The Contract Cost History window allows you to enter search criteria in order to search for and view the cost of items by contract.

List of POs by Contract Window [ordlist]

The List of POs by Contract window allows you to view the details of the purchase orders that have been raised against a contract. You can change the status of each purchase order as necessary.

Contracted Items to be Ordered Window [orditem]

The Contracted Items to be Ordered window allows you to select an item list containing contracted items. After selecting the item list, you can select the appropriate contract and destinations for each item on the item list. Next you can build one or more purchase orders from the information that you enter.

Contracted Items Order Locations Window [contlocs]

The Contracted Items Order Locations window allows you to select a contract and distribute an item to multiple locations. You use this window to distribute contracted items from an item list. After the items are distributed, you can build purchase orders for the items.

Contract Search Window [cntrfind]

The Contract Search window allows you to enter criteria in order to search for contracts and view the results of the search.

Functional views

The default view for the Contract Search window opens when you open the window for the first time. You can also create a custom view.

Contract Header - Dates Window [cntrhead]

The Contract Header Dates window allows you to view the audit trail of a contract. The dates on which the status of the contract was changed appear. Also, the user IDs of the persons who changed the status of the contract appear.

Contract Parent/Diff Summary Window [ctrscsum]

The Contract Parent/Diff Summary Window allows you to view the details of the diffs for an item parent on a contract. You can view the quantity contracted, quantity ordered, quantity received, and the ready date by diff value.

Date Distribution Window [datedist]

The Date Distribution window allows you to distribute items on a Type A (Plan/Availability) or Type B (Plan/No Availability) contract by commitment date.

Distribute Items on a Contract by Commitment Date

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to Type A and Type B contracts in Worksheet status. The Contract Header Maintenance window opens.

Click **Detail**. The Contract Details Maintenance window opens.

Click **Distribute**. The Contract Distribution window opens.

1. Filter the items as necessary.
2. Click **Date**. The Date Distribution window opens.

Contract No. 107500

Commitment	
Date	Distribution %
05-MAY-03	100

Total Percent 0.00%

OK Add Delete Cancel

Contract Details Maintenance Window

3. Click **Add**. The next available line becomes enabled.
4. In the Commitment Date field, enter the date.
5. In the Distribution % field, enter the appropriate percentage for each date.
6. Click **OK** to save your changes and close the window.


Distribute Items on a Contract by Location

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to contracts in Worksheet status. The Contract Header window opens.


Click **Detail**. The contracted items appear in the Contract Details Maintenance window.

Click **Distribute**. The Contract Distribution window opens.



Contract Distribution Window

1. Filter the items as necessary.
2. Click **Location**. The Location Distribution window opens.



Location Distribution Window

3. In the Distribute By area, select the method of distribution.
4. In the Location Type field, select the type of location.
5. In the Location field, enter the ID of the location, or click the LOV  button and select the location.
6. In the Quantity, Distribution %, or Ratio field, enter the appropriate amount for the location.
7. Click **OK** to save your changes and close the window.

Edit the Quantity Records on a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to Type A or Type B contracts in Worksheet status. The Contract Header window opens.

Click **Details** on the Contract field. The Edit Maintenance window opens.


2. Click **OK** to save your changes and close the window.

Edit the Status of a Purchase Order Raised Against a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. The Contract Header window opens.

Click **Orders**. The List of POs by Contract window opens.



Order No	Status	Written Date	Close Date	Cntrct Total Cost	Cntrct Outs. Cost	Cntrct Total Retail	Approval Date	Approved By
139004	Closed	11-AUG-2002	19-MAR-2003	0.00	0.00	0.00	11-AUG-2002	RAGISES_RMS1
214801	Worksheet	30-APR-2003		360.00	360.00	733.32		

List of POs by Contract Window

1. Select a purchase order.

2. From the Options menu, select the appropriate status.
3. When prompted to change the status, click **Yes**.
4. To cancel an approved purchase order:
 - a. Select Cancel from the Options menu.
 - b. When prompted to cancel the items on the purchase order, click **Yes**. The Order Mass Item Cancel window opens.



Order Mass Item Cancel Window

- c. In the Cancel Reason field, select the reason for canceling the items.
 - d. Click **OK** to save your changes and close the window.
5. Click **OK** to save your changes and close the window.

Edit the Unit Cost of Items on a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to contracts in Worksheet status. The Contract Header window opens.

Click **Cost**. The Contract Cost Maintenance window opens.

1. To edit the unit cost of all the items:
 - a. Enter an amount in the Unit Cost field.
 - b. Click **Apply All**.
2. You may edit the unit cost of a single item by changing the amount in the Unit Cost field of the table.
3. Click **OK** to save your changes and close the window.

Contract Distribution Window [cntrdist]

The Contract Distribution window allows you to add or delete items on a contract and distribute those items at the item, item parent, or option level. Items can be distributed by item parent or diffs.

Contract Distribution Filter Window [cntrdist]

The Contract Distribution Filter window allows you to filter the items that appear on the Contract Distribution window. You can then view, edit, or copy the resulting subset of items.

Contract Detail Filter Window [cntrdetl]

The Contract Detail Filter window allows you to filter the items that appear on the Contract Details Maintenance window. You can then view, edit, or copy the resulting subset of items.

Contract Details Maintenance Window [cntrdetl]

The Contract Details Maintenance window allows you to view and edit the quantities of the items for Type A and Type B contracts.

Filter Item Distribution Records on a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to contracts in Worksheet status. The Contract Header window opens.

Click **Cost** or **Detail**. Either the Contract Cost Maintenance window or the Contract Details Maintenance window opens.

Click **Distribute**. The Contract Distribution window opens.


Note: Use this procedure to filter item distribution records on a contract. You can then view or edit the subset of the items on the contract.

1. Click **Filter Block**. The Contract Distribution Filter window opens.

Contract Distribution Filter Window

2. Enter or select the criteria by which you want to filter in the Filter By area.
3. Click **Add Filter Criteria**. The filter criteria are added to the Filter Criteria table.
4. To delete a criterion from the Filter Criteria table:

- a. Select the record.
 - b. Click **Delete**.
5. Click **Apply Filter**. The Contract Distribution window opens with the filter results.



Contract Distribution Window

6. Edit the items as necessary.
7. To clear the filter, click **Clear Filter**. All the items appear.

Filter Quantity Records on a Contract


Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit or View mode. Restrict the search to Type A or Type B contracts in Worksheet status. The Contract Header window opens.

Click **Detail**. The Contract Details Maintenance window opens.


Note: Use this procedure to filter quantity records on a contract. You can then view or edit the subset of the items.

1. Click the Filter  button. The Contract Detail Filter window opens.



Contract Detail Filter Window

2. Enter or select the criteria by which you want to filter in the Filter By area.
3. Click **Add Filter Criteria**. The filter criteria are added to the Filter Criteria table.
4. To delete a criterion from the Filter Criteria table, select the record and click **Delete**.
5. Click **Apply Filter**. You are returned to the Contract Details Maintenance window where you can view or edit the results of the filter.



Contract Details Maintenance Window

6. To clear the filter, click **Refresh**. All the quantity records are again displayed.
7. Click **OK** to close the window.

Contract approval process

Contract Approval Process

When a contract is added to the system, it must go through a series of checks before it is accessible in the system. Depending on your user role, you may not be able to move the contract to the next status. A contract may be in any of the following statuses:

Status	Definition
Worksheet	The contract has been started, but not completed.
Submitted	The contract has been completed and is pending review.
Approved	The contract has been reviewed and has been approved.
Canceled	The contract has been manually closed and is no longer valid.
Completed	The contract is complete.
Reviewed	The contract has been reviewed, but not completed.

Submit a Contract for Approval

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to contracts in Worksheet status. The Contract Header window opens.

1. From the Options menu, select Submit.
2. When prompted to submit the contract, click **Yes**. The status of the contract is changed to Submitted.
3. Click **OK** to save your changes and close the window.

Approve a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to contracts in Submitted status. The Contract Header window opens.

1. From the Options menu, select Approve.

Note: Orders created from replenishment batch programs are created in Approved status.

2. When prompted to approve the contract, click **Yes**. The status of the contract is changed to Approved.
3. Click **OK** to save your changes and close the window.

Complete a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to contracts in Approved status. The Contract Header window opens.

1. From the Options menu, select Complete.
2. When prompted to complete the contract, click **Yes**. The status of the contract is changed to Complete.
3. Click **OK** to save your changes and close the window.

Cancel a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to contracts in Approved status. The Contract Header window opens.

1. From the Options menu, select Cancel.
2. When prompted to cancel the contract, click **Yes**. The status of the contract is changed to Cancelled.
3. Click **OK** to save your changes and close the window.

Reinstate a Cancelled Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to contracts in Cancelled status. The Contract Header window opens.

1. From the Options menu, select Reinstate.
2. When prompted to reinstate the contract, click **Yes**. The status of the contract is changed to Worksheet.
3. Click **OK** to save your changes and close the window.

Unapprove a Contract

Navigate: From the main menu, select Ordering > Contracts. The Contract Search window opens.

Search for and retrieve a contract in Edit mode. Restrict the search to contracts in Approved status. The Contract Header window opens.

1. From the Options menu, select Unapprove.
2. When prompted to unapprove the contract, click **Yes**. The status of the contract is changed to Worksheet.
3. Click **OK** to save your changes and close the window.

Complex Deals

Create deals

Create Deals

Deals management allows you to create and maintain deals with partners or suppliers. Deal partners can be suppliers, wholesalers, distributors, and manufactures. Within a deal, you create deal components, specify the items for each deal component, and define thresholds.

Components are deals or parts of that deal you receive from a supplier. Multiple components can exist in a single deal. After you add the components, you define thresholds to define the quantity or amount that must be purchased or sold to receive the deal.

Finally, you define the items and locations where the deal can be applied. You can choose to include or exclude locations as necessary.

Additionally, you can define the proof of performance (POP) terms for a deal. POP terms are defined by the deal vendor that offers the deal. For deals, POP terms can be defined at the deal, deal/component or deal/component/item-loc combination. For fixed deals, the POP terms are defined at the deal level.

Types of deals

Off-invoice deals

Off-invoice deals are created when your organization receives a decrease in cost. The decrease in cost will be applied against the cost on the invoice.

Bill Back deals

Bill back deals allow your organization to receive money back after a specific event. Bill backs are calculated based on individual purchase orders or receipts. Since an individual PO can be set up at a higher level, you can set up multiple threshold levels for a bill back purchase order . A receipt-based bill back on the other can only contain one threshold.

Types of special bill backs:

- **Rebates:** Deals are created when your organization receives money back from the supplier after you achieve a certain performance. Rebate deals can be based on:
 - Sales
 - Purchase Order (at receipt or PO approval time)
- **Vendor Funded Promotions:** Deals are calculated on promotions through RPM and allow you to invoice your supplier or partner a certain percentage they contributed. Vendor Funded Promotion income is based on a vendor supplied contribution percentage. This percentage is added in RPM and indicates how much the vendor will contribute towards the promotion. Vendor Funded Promotions do not allow the user to enter budgeted for forecasted values.

- **Vendor Funded Markdowns:** Deals are calculated on the retail markdown taken multiplied by the SOH.

Fixed deals

Fixed deals are created when your organization receives payments from suppliers in return for mentioning their products in promotions, or for displaying their products on prime shelf space. You can create fixed deals and set up a collection schedule, from which you can make claims against the supplier and receive payments. Fixed deal payments can be claimed from the supplier either incrementally or all at once.

Bracket deals

Bracket costing deals are created when your organization receives a certain deal price on an order depending on the size of the order. Different types of brackets can be established, based on mass, volume, pallet, case, each, or stat case.

The supplier establishes brackets and corresponding prices; for example, 0-99 sweatshirts cost \$19 each, 100-199 sweatshirts cost \$17 each, 200-299 sweatshirts cost \$15 each, and 300-399 sweatshirts cost \$13 each. You can indicate whether or not a particular supplier uses bracket costing, and you can choose whether or not to apply bracket costing to a particular order.

Approval logic

When the deal is set up, it can then be approved in RMS. This is not required to attach it to a promotion in RPM, but without approving the deal, then no income will be generated for the deal.

Once the deal is created, RPM will allow the user to pull in the financial deal information and supplier, as well as attach the deal and deal component to a promotion and promotion component. The user in RPM will attach a contribution percentage to the supplier.

The items and locations the user can add to the promotion will be limited by those added to the deal.

After the user has added the item, locations, and discount to the promotion and defined the contribution percentage, then the promotion can be submitted and approved.

Income calculation

Income is calculated on the promotional markdown taken, multiplied by the vendor's contribution percentage. Each promotional record is processed individually when sales are processed by RMS and added into the deals income tables.

Income will be assigned to the period where it is realized, except if that period is closed. Income will be displayed in the deals income screen after the week, month, or quarter has been closed.

Add Deal Item/Location Window [dealmain]

The Add Deal Item/Location window allows you to select the items to which the deal components apply. You can also specify specific locations for the items. Items and items at specific locations can also be excluded from deal component.

Deal Maintenance Window [dealmain]

The Deal Maintenance window allows you to create, edit, and view deals with deal partners for items or items at specific locations. You can also create deals for items on a specific purchase order.

Items in a deal can exist at the department, class, or subclass level. Each item can also use up to four diffs to differentiate that item from a related higher level item. Deals can be created for any item that is at, or above, the transaction level.

The EDI Deal Upload process can be used to create off invoice deals via a batch upload. Deals that are entered into RMS via the EDI batch upload must be manually approved before they can be used. Bill back deals must be manually entered.

Off invoice deals are applied when purchase orders with the items on a deal are approved. If a manual cost is entered for the item on the purchase order, deals are not applied to the item unless you request an override of manual costs. Deals that cause the unit cost of an item to be below zero are not applied.

All purchases-based bill back deals will generate income on the net cost of the purchase order, after the off invoice deals have been applied.

Multi-channel

In a multi-channel environment, you can set up a deal at the physical warehouse level. The application of the deals is done at the virtual warehouse level, since that is the level where purchase orders are created.

Proof of performance

The Proof of Performance window can be accessed from Options > Proof of Performance Terms > Deal, Deal Component, or Deal Component/Item Loc. Each of the three screens displays similar information regarding the proof of performance terms for the selected Deal ID. The Component/Item Loc menu option displays the additional fields: Merchandise Level, Department, Class, Subclass, and Org. Level, and District.

Deal Maintenance Window layout

This window is divided into several tabs and sections where you enter or view information about each deal.

Deal foundation area

Deal Head tab

On the Deal Head tab, you enter the foundation information for the deal. You select the deal partner and the type of deal. You also enter when the deal starts and ends. For PO-specific deals, this information is filled in automatically.

The status of a deal changes as it passes through an approval process. Depending on your user role, you can change the status of a deal. The status can be Worksheet, Submitted, Approved, Rejected, or Closed. A deal is not effective until it is approved.

Bill Back tab

On the Bill Back tab, you enter the bill back information for the deal. You select how often to bill the supplier, and how the amount you receive is calculated.

Financials tab

On the Financials tab, you review and update the financial information for the deal. You can also indicate if deal income should be included in the stock ledger and if VAT should be included in the deal calculations.

The component type description can be added for deal component information as well as a defaulting contribution percentage. This contribution percentage will only be used as the default when the deal is attached to RPM and never be updated by RPM. This allows the user to add all relevant Vendor Funded Promotion information to the deal and yet allows for the flexibility to define it at a promotion component level.

Note: RMS is the custodian of the invoicing logic and will drive the invoicing functionality.

Audit tab

The Audit tab automatically tracks who creates, approves, rejects, and closes the deal. It also tracks the dates when these actions are completed.

Comments tab

On the Comments tab, you can enter comments relating to the deal.

Deal component area

Deal Components tab

On the Deal Components tab, you enter deal component information. Deal components are discounts or rebates included in the deal. When you enter deal component information, you determine the billing type, the collection dates, how the deal component is calculated, and the value of the discount or rebate from the deal partner. You can create multiple deal components in a single deal. You can also specify that a deal component is a transaction level discount that applies to entire purchase orders rather than individual items.

Deal detail area

Item/Location tab

On the Item/Location tab, you select the items to which the deal components are applied. You can also specify specific locations for the items. Items and items at specific locations can also be excluded from deal component.

The item/location information is set up per component. This information is shared with RPM and the promotion setup is restricted in RPM based on the information that is pulled in from the component detail if a Vendor Funded Promotional deal is attached to a promotion.

Thresholds tab

On the Thresholds tab, you specify how much must be purchased or sold in order to receive a discount or rebate. You also indicate the value of the discount or rebate.

Revisions tab

The Revisions tab tracks changes to the threshold limits, why the changes were made and when the changes are active for the deal.

Create a Deal

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

The screenshot shows the 'Deal Find' window with the following fields and sections:

- Action:** A dropdown menu.
- Deal Component Information:** A sub-section containing:
 - Deal Component Type
 - Billing Type
 - Rebate
 - Growth Rebate
 - Rebate Type
- Main Search Fields:** Deal ID, Deal Type, Status, Ext Ref No, Order No, Currency, Promotion, Vendor, Division, Group, Department, Class, Subclass, Item, Chain, Area, Region, District, Location.
- Buttons:** OK, Search, Back, Refresh, Close.

Deal Find Window

1. In the Action field, select New.
2. Click **OK**. The Deal Maintenance window opens.

Deal Maintenance Window

3. In the Vendor field, select the type of deal vendor.
4. Enter the ID of the deal vendor, or click the LOV  button and select the deal vendor.
5. In the Deal Timing field, select the type of deal.
 - **Annual:** A yearlong deal you have with a deal partner. Only one annual deal can be applied to an item at a time. You close the deal manually when it expires, or the deal is closed automatically when you create another annual deal with the deal partner. Only an Off Invoice deal can be annual.
 - **Promotional:** A deal that is generally shorter than an annual deal. Multiple promotional deals can be applied to an item at the same time. The deal closes automatically on the specified end date. Bill Back, Vendor Funded Promotion, Vendor Funded Markdown and off invoice can all be promotional deals.
6. In the Active Date field, enter the date on which the deal becomes active, or click the calendar  button and select the date.
7. In the Close Date field, enter the date on which the deal ends, or click the calendar  button and select the date.

Note: This field is not required for annual deals.

8. In the Billing Type field, select how monies from the deal are received.

Note: If you selected Annual in the Deal Timing field, Off-Invoice is the default for the Billing Type and cannot be changed.

- **Off-Invoice:** The deal is reflected as an amount decremented from the cost on the invoice.
 - **Bill Back:** The deal income amount is invoiced to the supplier after the goods are purchased. A special type of a bill back is a rebate, which can be calculated on sales, purchase orders or receipts.
 - **Vendor Funded Promotion:** A promotion sponsored by the deal vendor. The deal will close automatically on the end date. Multiple vendor-funded promotional deals can be applied to an item at the same time.
 - **Vendor Funded Markdown:** A markdown sponsored by the deal vendor. The deal will close automatically on the end date. Multiple vendor-funded markdown deals can be applied to an item at the same time.
9. In the Threshold Limit Type field, select how the threshold is defined.
 10. Enter optional information as necessary.
 11. If the deal has a Billing Type of Bill Back, Vendor Funded Promotion, or Vendor Funded Markdown, add the bill back information to the deal.
 12. Click **Apply**.
 13. Add deal components.
 14. Add item/locations to a deal.
 15. Add proof of performance definitions as necessary.
 16. Add thresholds.

View Deals for an Item on a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Selection window opens.

Search for and retrieve a purchase order in View mode. The PO Header Maintenance window opens.

The screenshot shows the 'PO Header Maintenance' window with the following data:

- Order No.: 143801
- Order Type: N/B
- Status: Worksheet
- Import Country: US
- Supplier: 1234560000 Max Brown Wholesales
- Terms: Term 2 1.5% 30 Days
- Country of Origin: [Empty]
- Order Currency: USD
- Order Exchange Rate: 1.0
- Pay Method: [Empty]
- PO Type: [Empty]
- Department: 1234 Glassware
- Location: [Empty]
- Type: [Empty]
- Location: [Empty]
- Promotion: [Empty]
- Pickup Date: [Empty]
- Not Before Date: [Empty]
- Not After Date: [Empty]
- OTB End of Week Date: [Empty]
- Calculate Dates: [Button]
- Vendor Ord No.: [Empty]
- Contract No.: 104202
- Currency: [Empty]
- Duty: [Empty]
- Expenses: [Empty]
- Discount % Off: [Empty]
- Markup % Retail (Excl. VAT): [Empty]
- Total Order Retail (Incl. VAT): [Empty]
- Total Order Retail (Excl. VAT): [Empty]
- Total VAT: [Empty]
- Apply Process: [Button]
- Recalc Totals: [Button]
- OK: [Button]
- Comments: [Button]
- Items: [Button]
- Summary: [Button]
- Print: [Button]
- Cancel: [Button]

PO Header Maintenance window

1. Click **Items**. The PO Item Maintenance window opens.
2. Click **Locations**.
3. From the Options menu, select Discount Detail. The PO Item Level Deals window opens.
4. Click **OK** to close the window.

Delete a Deal

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

Search for and retrieve a deal in Edit mode. Restrict the search to deals in Worksheet or Submitted status. The Deal Maintenance window opens.

Deal Maintenance Window

1. Click **Delete Deal**.
2. When prompted to delete the record, click **Yes**.

Search for a Deal

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

1. In the Action field, select either **Edit** or **View**.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The Deal Find window displays the deals that match the search criteria.
4. Select a task:
 - To perform another search, click **Refresh** or **Back**.
 - To display the deal information, select a record and click **OK**. The Deal Maintenance window opens.

Deal Maintenance Window

5. Click **Close** to close the window.

Add Deal Components

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

Search for and retrieve a deal in Edit mode. Restrict the search to deals in Worksheet status. The Deal Maintenance window opens.

1. On the Deal Components Tab, click **Insert Comp**. The table is enabled.
2. In the Comp. field, enter the ID of the deal component, or click the LOV  button and select the deal component.
3. In the Cost Apply Type field, select how the deal component is used to calculate future costs:

Note: The value in this field is defaulted based on the type of deal you selected, but can be changed.

- **Net cost:** Base cost of the item less off-invoice discounts.
- **Net net cost:** Net cost of the item less bill-back amounts.
- **Dead net cost:** Net net cost of the item less rebate amounts.

For an off-invoice deal, in the Deal Class field, select how the components are calculated in relation to each other.

Note: For a Bill Back, Vendor Funded Promotion, and Vendor Funded Markdown this field will default to Cascade and cannot be changed.

- **Cumulative:** The values of the deal components are added together and then applied to the total purchase amount to determine the discount or rebate.
 - **Cascade:** Each value of the deal components is applied to the total purchase amount minus the value of the previous deal component.
 - **Exclusive:** Exclusive deal components supercede any other deal components, and only one exclusive deal component can be applied to an item at any time. Exclusive deals at the highest level in the item hierarchy are applied instead.
4. In the Threshold Value field, select the what you get when the threshold is reached. If you selected Buy/Get Free or Disc Items, the Buy/Get Item/Location Threshold Information window opens.
 - a. Enter the appropriate information in each of the fields as appropriate.
 - b. After you complete both windows, click **Finish**.
 5. On the Thresholds tab, click **Add Thresh**.
 - a. Enter the limits and value of the threshold.
 - b. Select the Target Lvl Ind of the threshold that your organization plans to meet.
 6. Add item/locations to a deal.

Maintain the Components of a Deal

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

Search for and retrieve a deal in Edit mode. Restrict the search to deals with a status of Worksheet. The Deal Maintenance window opens.

Note: You can edit the Ref No, Comp Type, Comments, and Close Date fields when the status is Worksheet, Submitted, or Approved because these fields do not affect the calculation of the deal.

Note: The existence of a promotion on the Deal Maintenance window is not enough to guarantee that income will be generated. It could be that the promotion in RPM is not in an approved status. This window will only give an indication of all promotions and contribution percentages that the buyer thought would be assigned to the deal when the buyer approved the promotion.

Edit a deal component

- Edit the enabled fields as necessary.

Change the application order of a deal component

1. Select the deal component.
2. Click **Move Up** or **Move Down** to reorder the components.
3. Click **Close** to close the window. You are prompted to save your changes.
4. Click **Yes**.

Note: The application order of a Bill Back deal does not generate different income. Each component will individually be compared against the respective turnover the deal has been set up for.

Delete a deal component

1. Select a deal component.
2. Click **Delete Comp**. You are prompted to delete the deal component.
3. Click **Yes**.
4. Click **Close** to close the window. You are prompted to save your changes.
5. Click **Yes**.

Add Bill Back Information to a Deal

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

1. In the Action field, select New.
2. Click **OK**. The Deal Maintenance window opens.
3. In the Vendor field, select the type of deal vendor.
4. Enter the ID of the deal vendor, or click the LOV  button and select the deal vendor.
5. In the Deal Timing field, select Promotional.
 - **Promotional:** A deal that is generally shorter than an annual deal. Multiple promotional deals can be applied to an item at the same time. The deal closes automatically on the specified end date. Bill Back, Vendor Funded Promotion, Vendor Funded Markdown and off invoice can all be promotional deals.
6. In the Active Date field, enter the date on which the deal becomes active, or click the calendar  button and select the date.
7. In the Close Date field, enter the date on which the deal ends, or click the calendar  button and select the date.
8. In the Billing Type field, select how the bill back monies from the deal are received.
 - **Bill Back:** The deal income amount is invoiced to the supplier after the goods are purchased.
 - **Bill Back Rebate:** A special type of a bill back is a rebate, which can be calculated on sales, purchase orders or receipts.
9. In the Threshold Limit Type field, select how the threshold is defined.
10. Enter optional information as necessary.

11. Click **Apply**.
12. Click the **Bill Back** tab.
13. Select the Deal Reporting Level.
14. Enter the Rebates information as necessary.
15. Click **Apply**.
16. Add deal components.
17. Add item/locations to a deal.
18. Add proof of performance definitions as necessary.
19. Add thresholds.

Maintain the Item/Locations of a Deal

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

Search for and retrieve a deal in Edit mode. Restrict the search to deals with any status but Closed. The Deal Maintenance window opens.

- If the deal is not in worksheet status, from the Options menu, select Worksheet. The Status field changes to Worksheet.

Note: You can edit the Ref No, Comp Type, Comments, and Close Date fields when the status is Worksheet, Submitted, or Approved because these fields do not affect the calculation of the deal.

Edit an item/location

Note: Only items at the transaction level or above can be added to deals.

1. Select the deal component to which you want to add the item/location.
2. Click **Add**. The Add Deal Item/Location window opens.
3. Select or enter the merchandise and organizational level parameters.
4. Click **OK** to save your changes and close the window.
5. Click **Close** to exit. You are prompted to save the changes.
6. Click **Yes**.

Delete an item/location

1. Select the deal component from which you want to delete the item/location.
2. On the Item/Location tab, select the item/location record.
3. Click **Delete Item/Loc**. You are prompted to delete the item/location record.
4. Click **Yes**.
5. Click **Close** to exit. You are prompted to save the changes.
6. Click **Yes**.

Maintain the Thresholds of a Deal

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

Search for and retrieve a deal in Edit mode. Restrict the search to deals with any status but Closed. The Deal Maintenance window opens.

1. For an inactive, off invoice deal, if the deal is not in Worksheet status, select Worksheet from the Option menu. The Status field changes to Worksheet.
2. Edit the enabled fields as necessary. If the deal is a bill back deal, an audit trail is created.

Note: Because they do not affect the calculation of the deal, you may edit the Ref No, Comp Type, Comments, and Close Date fields when the status is Worksheet, Submitted, or Approved. For Bill Back deals changing the close date will affect the forecasted and budgeted income values if the deal is pro-rated. Additional periods will be created for 0 turnover.

Delete a threshold from a deal component with a threshold value type of Amt, Pct, or Fixed Amt

1. Select the deal component from which you want to delete a threshold.
2. Click on the Thresholds tab.
3. Click **Delete Thresh**. You are prompted to delete the threshold.
4. Click **Yes**.

Add Financial Information to a Deal

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

1. Create a promotional deal.
2. Select the Financials tab.
3. Values in the fields are based on the data you have entered on the Deal Head and Bill Back tabs. Update the enabled fields as necessary.
 - **Billing Vendor:** The vendor who is charged for the bill back. If the Bill Back Vendor is different than the deal supplier, select the vendor type. In the next field, enter the vendor ID, or click the LOV  button and select a vendor.
 - **Bill Back Period:** The frequency that the vendor is charged for the bill back. Select when to charge the vendor.
 - **Est Next Invoice Date:** The estimated date the next invoice is going to be sent to the vendor. Enter the correct date or click the calendar  button and select the correct date. The effective date of raising the invoice will depend on when the financial month is closed.
 - **Last Invoice Date:** The date of the period the last invoice was raised for.
 - **Bill Back Method:** The type of invoice that is created for the supplier. Select the appropriate option.

- **Deal Income Calculation:** The basis for calculating the amount earned from the deal. Actual will only generate income on real turnover. Pro-rated calculates income based on forecasts and actual turnover and distributing this income over all open periods.
 - **Invoice Processing Logic:** The method used to create invoices. Invoices are created automatically, manually, or not at all depending on the option selected.
 - **Include Deal Income in Stock Ledger:** Select the check box to indicate that deal income accrual should be written to the stock ledger.
 - **Include VAT in Deal:** Select the check box to indicate that VAT should be included in the invoice information.
4. Click **Save** to save any changes.

Add Item/Locations to the Deal

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

Search for and retrieve a deal in Edit mode. Restrict the search to deals with any status but Closed. The Deal Maintenance window opens.

On the Item/Location tab, click Add. The Add Deal Item/Location window opens.

1. In the Item area:
 - a. In the Merch. Level field, select the merchandise level that the deal applies to.
 - b. In the appropriate fields, enter the IDs or click the LOV to choose an ID.
2. In the Location area:
 - a. In the Org. Level field, select the organization level that the deal applies to.
 - b. In the appropriate fields, enter the IDs or click the LOV to choose an ID.
3. In the Origin Country field, select the country the goods originate from for this deal.
4. Select the Exclude item/loc from deal? check box to indicate that the item/locations identified are excluded from the deal.

Note: You can only exclude item/locations after item/locations have been added

5. Click **OK** to close the window and save any changes.

Note: For transaction level discounts, you do not specify any merchandise or organizational level.

Add Proofs of Performance Definitions

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

Search for and retrieve a deal. The Deal Maintenance window opens.

From the Options menu, select Proof of Performance Terms.

From the Proof of Performance Terms menu, select Deal, Deal Component, or Deal Component/Item Loc. The Proof of Performance Terms Definition window opens.

OR

From the main menu, select Ordering > Fixed Deals > Edit. The Fixed Deals window opens.

In the Supplier field, enter the ID of the supplier for which you want to edit a deal, or click the LOV button and select the supplier.

To further restrict your search for a supplier, enter search criteria in the Promotion No or Collect Dates field.

Click **Search**.

From the Options menu, select Proof of Performance Terms. The Proof of Performance Terms Definition window opens.

1. In the POP Type field, select what must be done to comply with the terms of the deal.
2. In the POP Value field, enter the monetary amount you receive by complying with the terms of the deal.
3. In the POP Value Type field, select the period of time that you have to comply to the terms of the deal.
4. In the Vend Rec Start Date field, enter the vendor's recommended start date, or click the LOV  button and select a date.
5. In the Vend Rec End Date field, enter the vendor's recommended end date, or click the LOV  button and select a date.
6. In the Plan Start Date field, enter the date you intend to start complying, or click the LOV  button and select a date.
7. In the Plan End Date field, enter the date you intend to finish complying, or click the LOV  button and select a date.
8. In the Comments field, enter any additional comments as necessary.
9. Click **OK** to save your changes and close the window.

Add Proofs of Performance Fulfillment Information

Navigate: From the main menu, select Ordering > Proof of Performance Fulfillment > Edit. The POP Terms Fulfillment window opens.

POP Terms Fulfillment Window

1. In the Search By field, Select the level at which you want to search for proof of performance definitions.
2. Enter or select the additional search criteria in the enabled fields.
3. Click **Search**. Deals that match your search criteria appear in the Proof of Performance Definitions area.
4. In the Proof of Performance Fulfillment area:
 - a. In the Promotion field, enter the ID of the promotion, or click the LOV  button and select a promotion.
 - b. In the Start Date field, enter the start date of the promotion, or click the calendar  button and select a date..
 - c. In the End Date field, enter the end date of the promotion, or click the calendar  button and select a date.
5. Click **OK** to save your changes and close the window.

Create a PO-Specific Deal

Navigate: From the main menu, select Ordering > Orders. The Order Selection window opens.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

Click **Items**. The PO Item Maintenance window opens.

From the Options menu, select PO-Specific Deal > Create/Edit. The Deal Maintenance window opens.

1. On the Deal Head tab, In the Threshold Limit Type field, select how the threshold is defined.
2. Add deal components.
3. Add item/locations to a deal.
4. Add threshold information.
5. Click **Close** to exit.
6. When prompted to save the changes, click **Yes**.

Deal Promotions Window [dealprom]

The Deal Promotions window allows you to associate a fixed deal with a promotions. You can attach multiple promotions to a fixed deal. The promotion is set up in the pricing system and can then be attached to the fixed deal.

Value Added Tax [fixdeal]

The Value Added Tax window allows you to define the VAT rates for non-merchandise items on a fixed deal.

Define Expected Deal Income

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

1. Create a deal.

Note: You can define deal income only for bill back and rebate deals.

2. Click **Deal Income**. The Deal Performance window opens.

The screenshot shows the 'Deal Performance' window with the following data and controls:

Period End	Turnover Amount				Income Amount		
	Baseline Turnover	Budget Turnover	Forecast Turnover	Trend Turnover	Budget Income	Forecast Income	Trend Income
05-JAN-08	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Deal Total							
	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Target Baseline Growth %							
		0.00	0.00	0.00			

Below the table are three main sections:

- Apply:** Fields for Baseline Turnover (0.00), Budget Turnover (0.00), and A / F Turnover (0.00) with an 'Apply' button.
- Apply Totals:** Fields for Deal Total (0.00), Budget Turnover (0.00), and A / F Turnover (0.00). Includes 'Fixed' checkboxes and an 'Apply Uplift' button.
- Component Target Thresholds:** Fields for Target Low Limit (5.00), Target High Limit (10.00), Target Discount (8.00), Budget Growth Rate % (0.00), Total Turnover (0.00), and Actual Monies Earned (0.00).

Buttons at the bottom include OK, OK + Repeat, Refresh, and Cancel.

Deal Performance Window

Apply total turnover amount to all periods on a deal

1. In the Apply Totals area, in the Baseline Turnover field, enter the previous year's turnover.
2. In the Apply Totals area, in the Budget Turnover field, enter the expected amount of turnover.
3. Click **Apply Totals**.

Note: You can click **Copy Budget** at any time to apply the baseline turnover totals to the Budget Turnover field.

4. In the Target Baseline Growth % field, enter the percentage you expect the baseline to grow.
5. Click **Apply Uplift**. The Budget Turnover field is updated with the new totals.
6. When the budget turnovers are set, select the Fixed check box to the right of the Budget Turnover field.
7. Click **OK** to save any changes and close the window.

Apply turnover amount to individual periods

1. Select the period you want to update.
2. In the Apply area, in the Baseline Turnover field, enter the previous year's turnover.
3. In the Apply area, in the Budget Turnover field, enter the expected amount of turnover.
4. Click **Apply**.
5. Click **OK** to save any changes and close the window.

Deal Find Window [dealfind]

The Deal Find window allows you to enter criteria in order to search for deals and view the results of the search.

Functional views

The default view for the Deal Find window opens when you open the window for the first time. You can also create a custom view.

Deal Pass Through Window [dlpsthr]

This Deal Pass through window allows the user to set a pass-through percent value for each combination of department/supplier/warehouse/location. These values can be available to use to calculate a wholesale/franchise store's acquisition cost.

Edit a Deal Pass Through

Navigate: From the main menu, select Ordering > Deal Pass Through > Edit. The Deal Pass Through window opens.

1. Enter a department, or click the LOV  button and select the department.
2. Enter a supplier, or click the LOV  button and select the supplier.
3. Enter a warehouse, or click the LOV  button and select the warehouse.
4. Select an Organization Level.
5. Enter an appropriate item in the field, or click the LOV  button and select the appropriate item.
6. Click **Search**. The items matching your criteria will populate the table.
7. Select an item from the table.
8. Enter a department, or click the LOV  button and select the department.
9. Enter a supplier, or click the LOV  button and select the supplier.
10. Enter a warehouse, or click the LOV  button and select the warehouse.
11. Select an Organization Level.
12. Enter the Pass-Through Percentage to pass along to the customer location.
13. Click **Apply**.
14. Click **OK**.

Deal Performance Window [dealperf]

The Deal Performance window allows you to enter forecasts for a deal, view period by period performance, and compare the actual deal performance against the actual results. The Deal Performance window is composed of three tabs:

- **Component tab:** The Component tab allows you to enter the budgeted turnover expected for the deal component. The budgeted turnover is compared against the baseline turnover. The baseline turnover is the previous year's turnover. The baseline turnover can be entered manually if no information exists for a deal component.

As actuals are accrued, you can view the actual performance of the deal, at the component level, against the forecasted performance of the deal.

- **Summary tab:** The Summary tab allows you to view the deal performance for the deal for all components on the deal. The periods displayed on the tab depends on the bill back periods that were selected during deal set up.
- **Deal Info tab:** The Deal Info tab displays deal information, including a summary of deal performance to date.

Proofs of Performance Terms Definition Window [poptermsdef]

This form is used to define proof of performance terms for a given deal, deal/ deal component or deal/ deal component/ deal item-loc combination. These terms are defined by the deal partner that offers the deal. Access this window from the Options menu on the Deal Maintenance window.

Maintain Proof of Performance Definitions

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

Search for and retrieve a deal. The Deal Maintenance window opens.

OR

From the main menu, select Ordering > Fixed Deals > Edit. The Fixed Deals window opens.

In the Supplier field, enter the ID of the supplier for which you want to edit a deal, or click the LOV  button and select the supplier.

To further restrict your search for a supplier, enter search criteria in the Promotion No or Collect Dates field.

Click **Search**.

1. From the Options menu, select Proof of Performance Terms.
2. From the Proof of Performance Terms menu, select Deal, Deal Component, or Deal Component/Item Loc. The Proof of Performance Terms Definition window opens.

Proof of Performance Terms Definition Window

Edit proof of performance definition

1. Edit the enabled fields as necessary.
2. Click **OK** to save any changes and close the window.

Delete proof of performance definition

1. Select the proof of performance definition you want to delete.
2. Click **Delete**. You are prompted to confirm the deletion.
3. Click **Yes**.
4. Click **OK** to save any changes and close the window.

POP Terms Fulfillment Window [poptermfulfill]

Use this form to record or view proof of performance term fulfillment for a deal at the following levels:

- Deal
- Deal/deal component
- Deal Item/Location
- Item
- Location

Recording the fulfillment of these terms is a manual process and no fulfillment is calculated from other merchandising transactions.

An example: A supplier may define a proof of performance stating: "In order to qualify for the deal, the retailer needs to promote the item by displaying it on an end cap for 28 days." You may want to enter the start and end dates of the display period and/or promotion as a proof of performance fulfillment requirement.

Fixed deals

Fixed Deals Window [fixdeal]

The Fixed Deals window allows you to create, edit, or view fixed deals. With fixed deals, your organization receives payments from suppliers in return for mentioning their products in promotions or for displaying their products on prime shelf space. Fixed deal payments can be claimed from the supplier either periodically or all at once.

You can create fixed deals and set up a collection schedule, from which you can make claims against the supplier and receive payments.

To create a fixed deal, you must first specify a supplier and then search for all fixed deals for that supplier. Then you can edit existing fixed deals or add a new fixed deal.

Fixed deals are typically created in Active status; however, you can create a fixed deal in Inactive status. Inactive status holds the claim in merchandising.

The Fixed Deal Report provides you with information about active claims. Claim information for inactive fixed deals is not included in the report.

Create a Fixed Deal

Navigate: From the main menu, select Ordering > Fixed Deals > Edit. The Fixed Deals window opens.

The screenshot shows a window titled "Value Added Tax (fixdeal)". It contains a table with three columns: "VAT Code", "Rate (%)", and "Description". The "VAT Code" column has a text input field and a list icon. The "Rate (%)" column has a text input field. The "Description" column has a text input field. At the bottom right of the window are "OK" and "Cancel" buttons.

Fixed Deals Window

1. In the Partner Type field, select the type of vendor for which you are creating the fixed deal. Enter the ID of the supplier for which you want to create a deal, or click the LOV  button and select the vendor.
2. Click **Search**. The Deal No field is filled in automatically with a unique ID for the fixed deal.
3. In the Deal Description field, enter a description of the deal.
4. In the Collect By field, select how often payment for the fixed deal is collected from the supplier.
5. In the First Collect field, enter the date, or click the calendar  button and select the date.
6. In the Collect Period field, enter the number of collection periods.

Note: If you select Date in the Collect By field, the number of collection periods is always one.
7. In the Amount field, enter the payment amount from the supplier.
8. In the Status field, select the status of the deal.

9. In the Invoice Processing Logic field, select how invoices are created for the fixed deal.
10. If the deal is associated to the merchandise hierarchy, select the Merch check box. The Fixed Merchandise window opens.

Fixed Merchandise (fixmerch)

Deal ID: 20801

Merch. Level: [Dropdown]

Department: [Field] [LOV]

Class: [Field] [LOV]

Subclass: [Field] [LOV]

Department	Description	Class	Description	Subclass	Description	Loc. Exist

Department: [Field] [LOV]

Class: [Field] [LOV]

Subclass: [Field] [LOV]

[Locations] [Delete] [Apply]

[OK] [Add] [Cancel]

Fixed Merchandise Window

- a. In the Merch Level field, select the merchandise level that the deal information is held at.
- b. In the Apply area, enter the ID of the department, class and subclass in the appropriate fields, or click the LOV [LOV] button and select the department, class, and subclass.
- c. Click **Apply**. The merchandise level is added to the table.
- d. Click **Locations**. The Fixed Merchandise Locations window opens.

Location	Location Description	Ratio

Group Type:

Group Value: 

Ratio:

Buttons: Delete, Apply, OK, Add, Cancel

Fixed Merchandise Locations Window

- i. In the Group Type field, select the location type you want to add to the deal.
 - ii. In the Group Value field, enter the ID of the location group or click the LOV  button and select the group.
 - iii. In the Ratio field, indicate what percentage of the deal the location contributes.
 - iv. Click **Apply**. The location and ratio is added to the table.
 - v. Click **OK** to save any changes and close the window.
 - e. Click **OK** to save any changes and close the window.
11. If the Debit Memo/Credit Note Ind, select whether you want to send a Debit Memo or Credit Note request to the supplier.
 12. In the Non Merch Code field, select the appropriate code.

Note: The Non Merch field is required only if the Merch check box is not selected.

13. If VAT is included in the deal, select the VAT check box.
 - a. Click **VAT**. The Value Added Tax window opens.

VAT Code	Rate (%)	Description

OK Cancel

Value Added Tax Window

- b. In the VAT Code field, enter the VAT code to apply to the fixed deal, or click the LOV  button and select a VAT code.
 - c. Click **OK** to save any changes and close the window.
14. In the Type field, select the type of allowance you receive for completing the deal.
15. Add proof of performance definitions as necessary.
16. Click **OK** to save your changes and close the window.

Maintain a Fixed Deal

Navigate: From the main menu, select Ordering > Fixed Deals > Edit. The Fixed Deals window opens.

1. In the Supplier field, enter the ID of the supplier for which you want to edit a deal, or click the LOV  button and select the supplier.
2. To further restrict your search for a supplier, enter search criteria in the Promotion No or Collect Dates field.
3. Click **Search**.

Edit a fixed deal

1. Edit the fields in the table as necessary.
2. Click **VAT** to update Value Added Tax information for the deal. The Value Added Tax window opens.
3. Click **Merchandise** to update the item/location information for the deal. The Fixed Merchandise window opens.
4. Click **OK** to save your changes and close the window.


Delete a fixed deal

1. Select the fixed deal.
2. Click **Delete Line**. You are prompted to confirm the deletion.
3. Click **OK**.
4. Click **OK** to save your changes and close the window.

Add a Promotion to a Fixed Deal

Navigate: From the main menu, select Ordering > Fixed Deals > Edit. The Fixed Deals window open.

1. In the Partner Type field, select the type of vendor for which you are creating the fixed deal. Enter the ID of the supplier for which you want to create a deal, or click the LOV  button and select the partner.
2. Click **Search**. The Deal No field is filled in automatically with a unique ID for the fixed deal.
3. Create a fixed deal, or select an existing deal.
4. Click **Promotions**. The Deal Promotions window opens.



Deal Promotions Window

5. In the Promotion field, enter the promotion ID, or click the LOV  button and select a promotion.
6. Click **OK** to save any changes and close the window.

Maintain Promotions for a Fixed Deal

Navigate: From the main menu, select Ordering > Fixed Deals > Edit. The Fixed Deals window opens.

1. In the Partner Type field, select the type of vendor for which you are creating the fixed deal. Enter the ID of the supplier for which you want to create a deal, or click the LOV  button and select the vendor.
2. Click **Search**. The Deal No field is filled in automatically with a unique ID for the fixed deal.
3. Select an existing deal.

4. Click **Promotions**. The Deal Promotions window opens.
5. Click **Add**. The next line is enabled.
6. In the Promotion field, enter the promotion ID, or click the LOV  button and select a promotion.
7. Click **OK** to save any changes and close the window.

Delete a Promotion from a Fixed Deal

1. On the Deal Promotions window, select a promotion.
2. Click **Delete**. You are prompted to confirm the deletion.
3. Click **Yes**.
4. Click **OK** to save any changes and close the window.

Fixed Merchandise Window [fixmerch]

The Fixed Merchandise window allows you to define which items are associated to the a fixed by merchandise hierarchy.

Fixed Merchandise Locations Window [fixmerch]

The Fixed Merchandise Locations window allows you to indicate at which locations the deal is effective.

Deals approval process

Deals Approval Process

When a deal is added to the system, it must go through a series of checks before it is accessible in the system. Depending on your user role, you may not be able to move the deal to the next status. A deal may be in any of the following statuses:

Status	Definition
Worksheet	The deal has been started, but not completed.
Submitted	The deal has been completed and is pending review.
Approved	The deal has been reviewed and has been approved.
Rejected	The deal has been submitted, reviewed, and has been rejected.
Closed	The deal is complete.

Submit a Deal

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

Search for and retrieve a deal in Edit mode. Restrict the search to deals in Worksheet status. The Deal Maintenance window opens.

1. From the Options menu, select Submit. The Status field changes to Submitted.
2. Click **Close** to exit. You are prompted to save the changes.
3. Click **Yes**.

Approve a Deal

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

Search for and retrieve a deal in Edit mode. Restrict the search to deals in Submitted status. The Deal Maintenance window opens.

1. From the Option menu, select Approve. The Status field changes to Approved.
2. Click **Close** to exit.
3. When prompted to save the changes, click **Yes**.

Close a Deal

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

Search for and retrieve a deal in Edit mode. Restrict the search to annual deals. The Deal Maintenance window opens.

1. From the Option menu, select Close. The Status field changes to Closed.
2. Click **Close** to exit.
3. When prompted to save the changes, click **Yes**.

Reject a Deal

Navigate: From the main menu, select Ordering > Deals Management. The Deal Find window opens.

Search for and retrieve a deal in Edit mode. Restrict the search to deals in Submitted status. The Deal Maintenance window opens.

1. From the Options menu, select Reject. The Status field changes to Rejected.
2. Click **Close** to exit. You are prompted to save the changes.
3. Click **Yes**.

Cost Management

Set up cost changes

Set Up Cost Changes

A cost change is an adjustment to the cost of an item, either up or down. Before you can create a cost change, a list of user defined cost change reasons are created and then applied to each cost change.

If you are tracking Estimated Landed Costs (ELC), you set up cost zones to facilitate a cost change at the location or zone level. All items are associated with zones upon item set up.

RMS uses cost zone groups to implement the most effective pricing strategy for each item. There are two types of costing strategies.

- **Zone level:** The cost for the item is the same across all locations in a price zone. The landed cost for an item and supplier relationship is the same across a zone.
- **Location level:** Each location can have a unique retail price for an item. The landed cost for an item and supplier relationship can also be different at each location.

Add a Cost Change Reason

Navigate: From the main menu, select Control > Setup > Cost Change Reason > Edit. The Cost Change Reason Maintenance window opens.



Cost Change Reason Maintenance Window

1. Click **Add**. The next available line is enabled.
2. In the Code field, enter an ID for the reason.
3. In the Description field, enter a description for the reason.
4. Click **OK** to save your changes and close the window.

Add cost zones to a cost zone group

1. On the Cost Zone Groups window, click **Zones** to add zones to the new cost zone group. The Cost Zones window opens.
2. Click **Add**. The next line on the table is enabled.
3. In the Zone field, enter a unique zone ID.
4. In the Description field, enter a cost zone description.
5. In the Currency field, enter the code for the currency to be used in the cost zone or click the LOV  button and select the currency.

Add locations to a cost zone

1. On the Cost Zone Groups window, click **Zones**. The Cost Zones window opens.
2. On the Cost Zones window, click **Locations**. The Cost Zone Locations window opens.
3. To add a location that has not been assigned to a cost zone group, click **Add**.
 - a. In the Location Type field, select store or warehouse.
 - b. In the Location field, enter the location ID, or click the LOV  button and select the location.
4. To add a location to a cost zone that is currently in a different cost zone:
 - a. On the Cost Zones window, select the Zone that contains the location you want to put in the new zone.
 - b. Click **Locations**. The Cost Zone Locations window opens.
 - c. In the New Zone field, enter the zone ID of the cost zone that you would like the location to appear in, or click the LOV  button and select the new cost zone

Exit the cost zone windows

- Click **OK** to save your changes and close the windows.

Maintain Competitive Pricing Information

Competitive Pricing allows you to track pricing at competitors' stores. These windows allow you to define competitors and competitor stores, and to store competitor pricing information at the item/competitor/competitor store/day level.

The Competitive Pricing windows also allow you to create competitive shopping lists and historic records of competitors' prices. Each competitor's store must be associated with a specific competitor organization and can also be associated as a competitor of one or more of your company's merchandising stores. You can create competitive shopping lists, guides for obtaining competitor pricing information, from a standard RMS item list. Information about the individuals who perform your competitive shopping can also be stored.

Set up estimated landed costs

Set Up Expenses

The landed costs functions allow you to define expenses, assessments upcharges, and combinations of both in order to track the costs involved in purchasing and moving goods from the manufacturer to the distribution center or store.

Within RMS, landed cost is defined using computation value bases (CVB), expenses, and assessments. Expenses and assessments are more generically referred to as cost components. Computation value bases describe how expenses and assessments are combined in order to provide a base for the calculation of other expenses and assessments. Assessments differ from expenses in that they are defined by a government agency.

An expense is cost component associated with moving a product from a supplier to the retailer, primarily dealing with importing. Examples include freight costs, shipping insurance, etc. Expenses can be set up to apply to different legs of the shipment. For example, there may be an ocean freight charged for transporting goods across the ocean (between the discharge and lading ports) and then other charges associated with moving the goods from the lading port to the warehouse that is inland (e.g. land freight).

Define a Computation Value Base

Navigate: From the main menu, select Control > Landed Cost > CVB Maintenance > New.

The CVB Maintenance window opens.

The screenshot shows the 'CVB Maintenance' window with the following data:

Computation Value Base	Computation Value Base Description	Component Nomination				
		Nom Flag 1	In Duty	Nom Flag 3	In Exp	In ALC
TEXP	Total Expense	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
TEXPC	Total Expense Country	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
TEXPZ	Total Expense Zone	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


Buttons at the bottom: OK, Add, Details, Delete, Cancel

CVB Maintenance Window

1. Click **Add**. The next available line is enabled.
2. Enter an ID and description for the Computation Value Base (CVB).
3. Select the types of calculations that will use the CVB.
4. Click **OK** to exit, or continue to select CVB components.

Select CVB components

1. Click **Details**. The CVB Details window opens.



CVB Details Window

2. Click **Add**.
3. In the Component field, enter the ID of the component, or click the LOV  button and select the component.
4. In the Combination Operator field, select:
5. + (plus sign) to add the component.
6. - (minus sign) to subtract the component in the CVB.
7. Click **OK** to save your changes and close the window.

Define an Assessment

Navigate: From the main menu, select Control > Landed Cost > Cost Component Maintenance > New. The Cost Component Maintenance window opens.

1. In the Component fields, enter an ID and description of the component.
2. In the Component Type field, select Assessment.
3. In the Assessment Type field, enter the ID of the tax or fee, or click the LOV  button and select the tax or fee as necessary.
4. In the Import Country field, enter the code for the country importing the goods, or click the LOV  button and select the import country.

Define assessments based on the quantity or dimensions of the goods

1. In the Calculation Basis field, select Specific.
2. In the Component Rate field, enter the monetary amount per unit.
3. In the Component Per Count field, enter the number of units to which the rate applies.
4. In the Component Per Count UOM, enter the abbreviation for the unit of measure to which the rate applies, or click the LOV  button and select the unit of measure.
5. Click **OK** to save your changes and close the window.

Define assessments based on a percentage of the goods' value

1. In the Calculation Basis field, select Value.
2. In the Component Rate field, enter the percentage per unit.
3. In the Computation Value Base, enter the ID of the CVB to which you want to attach the assessment, or click the LOV  button and select the CVB. This field is optional.
4. In the Computation Level field, enter a number to indicate the sequence in which this component should be computed in regards to other components. For example, if it should be computed first, enter 1.
5. In the Component Currency field, enter the code for the currency in which the assessment is denominated, or click the LOV  button and select the currency.
6. In the Component Nomination fields, select the status of the assessment in relation to the other components in a CVB.
7. Select N/A if the assessment is not included in the calculation.
8. Select + (plus sign) to add the assessment.
9. Select - (minus sign) to subtract the assessment.
10. Click **OK** to save your changes and close the window.

Define an Expense

Navigate: From the main menu, select Control > Landed Cost > Cost Component Maintenance > New. The Cost Component Maintenance window opens.

1. In the Component fields, enter an ID and description of the component.
2. In the Component Type field, select Expense.
3. In the Expense Type field, select either Zone or Country.
4. For expenses based on the quantity or dimensions of the goods:
 - a. In the Calculation Basis field, select Specific.
 - b. In the Component Rate field, enter the monetary amount per unit.
 - c. In the Component Per Count field, enter the number of units to which the rate applies.
 - d. In the Component Per Count UOM, enter the code for the unit of measure to which the rate applies, or click the LOV  button and select the unit of measure.

5. For expenses based on a percentage of the value of the goods:
 - a. In the Calculation Basis field, select Value.
 - b. In the Order Cost Basis field, select the base for calculating the Expense.
 - c. In the Component Rate field, enter the percentage per unit.
 - d. In the Computation Value Base, enter the ID of the CVB to which you want to attach the expense, or click the LOV  button and select the CVB.
6. In the Component Currency field, enter the ID of the currency in which the expense is denominated, or click the LOV  button and select the currency.
7. In the Component Nomination fields, select the status of the expense in relation to the other components in a CVB:
8. Select N/A if the expense is not included in a calculation.
9. Select + (plus sign) to add the expense.
10. Select - (minus sign) to subtract the expense.
11. Click OK to save your changes and close the window.

Set up outside locations

Set Up Outside Locations

Outside locations are those locations that are not part of the organizational hierarchy. Some examples of outside locations are entry ports, discharge ports, lading ports, return centers, bill-to locations, and destination locations.

Create an Outside Location

Navigate: From the main menu, select Control > Setup > Outside Locations > New. The Outside Locations window opens.

The screenshot shows the 'Outside Locations' window with the following fields and controls:

- Location Type:** A dropdown menu.
- Location:** A text input field with a small icon to its right.
- Currency:** A text input field with a small icon to its right.
- VAT Region:** A text input field with a small icon to its right.
- Address Info:**
 - Address:** A text input field.
 - City:** A text input field.
 - State:** A text input field with a small icon to its right.
 - Postal Code:** A text input field.
 - Country:** A text input field with a small icon to its right.
- Contact Info:**
 - Contact Name:** A text input field.
 - Contact Phone:** A text input field.
 - Contact Fax:** A text input field.
 - Contact Telex:** A text input field.
 - Contact E-mail:** A text input field.
- Buttons:** 'OK', 'OK + Repeat', 'Delete', and 'Cancel'.

Outside Locations Window

1. In the Location Type field, select the type of location that you want to create.
2. In the Location field, enter a unique ID and description for the outside location.
3. In the Currency field, enter the currency code for the location, or click the LOV  button and select the currency.
4. In the Country field, enter the ID of the country in which the outside location is located.
5. Enter optional information in the remaining fields as necessary.
6. Click **OK** to save your changes and close the window.

Set up up charges

Set Up Up Charges

An up charge is a cost associated with moving items between locations in the merchandising system. Up charges are included since there is work associated with the transfer of goods (e.g. cost that the origin location incurs to prepare the items for shipping) and since locations can exist in different legal entities there is accounting between the different locations.

Each up charge has a calculation basis of value or specific, a cost basis of either weighted average cost (when using average cost method) or unit cost (when using standard cost method), component currency, and up charge group, which is used to group up charge components together to show a total sum on the Transfer Up Charge window.

The following up charge types can be applied:

- **Department up charges:** Incurred when transferring items within the department or within the from and the to locations.
- **Location up charges:** Tracked when both average costing (as opposed to standard costing) and estimated landed cost (ELC) is used.
- **Transfer up charges:** Associated with a specific Transfer/Item/From Location/To Location combination.
- **Up charge groups:** A combination of up charge components.
- **Up charge components:** Charges that are incurred when transferring from a RMS store or warehouse to another RMS store or warehouse.

Add an Up Charge to an Item

Navigate: From the Main menu, select Items> Items. The Item Search window opens.

Search for and retrieve an item in edit mode. The Item Maintenance window opens.

From the Options list, select Item Up Charges. The Item Up Charges window opens.

Item Up Charges Window

1. In the From Group Type field of the Apply block, select the locations from which the items originate.
2. If available, enter a From Group value, or click the LOV  button and select a value.
3. Select a value in the To Group Type field.
4. If available, enter a To Group value, or click the LOV  button and select a value.
5. In the Component field, enter an up charge component ID or click the LOV  button and select an up charge component.
6. Update the following fields as necessary:
 - **Up Charge Group:** Used to group up charges together on the Transfer Up Charge window. All up charge components with the same up charge group are summed together.
 - **Component Rate:** The rate to be charged against the weighted average cost of the Item/To Location combinations within the department. The value in this field is a percentage if the calculation basis is Value, and a monetary amount if the calculation basis is Specific.
 - **Per Count:** The amount of the Per Count Unit of Measure to which the rate applies. For example, when creating an up charge that is defined as \$.20 for every 10 kilograms of an item, the Per Count would be 10. This field is enabled if the calculation basis is Specific.
 - **Per Count UOM:** Displays the unit of measure in which the Per Count is specified. This field is enabled if the calculation basis is Specific
7. Click **Apply**. The Component table is updated.
8. Click **OK** to save your changes and close the window.

Add an Up Charge to Items on an Item List

Navigate: From the Main menu, select Items> Item List. The Item List Search window opens.

Search for and retrieve an item list in use mode. The Item List Header window opens.

From the Options list, select Create Mass Item Charge > Up Charges. The Item Up Charges window opens..

1. In the From Group Type field of the Apply block, select the locations from which the items originate.
2. If available, enter a From Group value, or click the LOV  button and select a value.
3. Select a value in the To Group Type field.
4. If available, enter a To Group value, or click the LOV  button and select a value.
5. In the Component field, enter an up charge component ID or click the LOV  button and select an up charge component.
6. Update the following fields as necessary:
 - **Up Charge Group:** Used to group up charges together on the Transfer Up Charge window. All up charge components with the same up charge group are summed together.
 - **Component Rate:** The rate to be charged against the weighted average cost of the Item/To Location combinations within the department. The value in this field is a percentage if the calculation basis is Value, and a monetary amount if the calculation basis is Specific.
 - **Per Count:** The amount of the Per Count Unit of Measure to which the rate applies. For example, when creating an up charge that is defined as \$.20 for every 10 kilograms of an item, the Per Count would be 10. This field is enabled if the calculation basis is Specific.
 - **Per Count UOM:** Displays the unit of measure in which the Per Count is specified. This field is enabled if the calculation basis is Specific
7. Click **Apply**. The Component table is updated.
8. Click **OK** to save your changes and close the window.

Add Up Charges to Items in a Department

Navigate: From the Main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

Search for and retrieve a department in edit mode. The Department Maintenance window opens.

From the Options menu, select Up Charges. The Department Up Charges window opens.

Department Up Charges Window

1. In the From Group Type field of the Apply block, select the locations from which the items originate.
2. If available, enter a From Group value, or click the LOV  button and select a value.
3. Select a value in the To Group Type field.
4. If available, enter a To Group value, or click the LOV  button and select a value.
5. In the Component field, enter an up charge component ID or click the LOV  button and select an up charge component.
6. Update the following fields as necessary:
 - **Up Charge Group:** Used to group up charges together on the Transfer Up Charge window. All up charge components with the same up charge group are summed together.
 - **Component Rate:** The rate to be charged against the weighted average cost of the Item/To Location combinations within the department. The value in this field is a percentage if the calculation basis is Value, and a monetary amount if the calculation basis is Specific.
 - **Per Count:** The amount of the Per Count Unit of Measure to which the rate applies. For example, when creating an up charge that is defined as \$.20 for every 10 kilograms of an item, the Per Count would be 10. This field is enabled if the calculation basis is Specific.
 - **Per Count UOM:** Displays the unit of measure in which the Per Count is specified. This field is enabled if the calculation basis is Specific
7. Click **Apply**. The Component table is updated.
8. Click **OK** to save your changes and close the window.

Confirm Performance of Service

Navigate: From the main menu, select Finance > Service Confirmation by Store. The Service Confirmation by Store window opens.

Service Confirmation by Store Window

1. In the Store field, enter the ID of the store at which the service was performed, or click the LOV button and select the store.
2. To further limit the services that appear:
 - a. In the Invoice Date field, enter the date of the invoice document, or click the calendar button and select the date.
 - b. Select the type of vendor, either Partner or Supplier.
 - c. When the vendor is a partner, select the type of partner in the Partner field. In the next field, enter the ID of the partner or click the LOV button and select a partner.
 - d. When the vendor is a supplier, enter the ID of the supplier in the Supplier field, or click the LOV button and select the supplier.
3. Click **Search**.
4. Select the Service Performed check box for the service that has been performed.
5. Click **OK** to save your changes and close the window.

Create a cost change

Create a Cost Change

The initial cost of an item is established at item set-up. The cost of the item can be adjusted in the item record until the status of the item is Approved or Unapproved. Any cost changes will need to be handled through the cost change windows.

When submitted via EDI, you review the cost change, then submit the cost change for approval.

When entered manually, you enter the cost change, an event description, an effective date, and a reason code. Then submit the cost change for approval.

Note: You cannot create a cost changes for a transformed sellable item.

After you approve the cost change, the Item/Supplier cost record is updated and any outstanding purchase orders that have not been received are recalculated.

Create a Cost Change

Navigate: From the main menu, select Costing > Cost Change. The Cost Change Search window opens.

The screenshot shows the 'Cost Change Search' window with the following fields and controls:

- Action:** A dropdown menu.
- Cost Change:** A text input field.
- Supplier:** A text input field with a LOV button.
- Division:** A text input field with a LOV button.
- Supplier Site:** A text input field with a LOV button.
- Group:** A text input field with a LOV button.
- Reason:** A text input field with a LOV button.
- Department:** A text input field with a LOV button.
- Status:** A dropdown menu.
- Class:** A text input field with a LOV button.
- Effective Date:** Two date input fields labeled 'After' and 'Before', each with a calendar icon.
- Subclass:** A text input field with a LOV button.
- Approval Date:** Two date input fields labeled 'After' and 'Before', each with a calendar icon.
- Item:** A text input field with a LOV button.
- Buttons:** OK, Search, Back, Refresh, and Close.

Cost Change Search Window

Note: There are two additional ways in which to access the Cost Change by Supplier window:

- From the main menu, select Items > Items. In the Item Search window, select New Cost Change in the Action field and search for the item to be edited;

- From the main menu, select Items > Item List. In the Item List Search window, select Use in the Action field and search for an item list to be edited. Select Create Cost Change from the Options menu.

1. In the Action field, select New.
2. Click **OK**. The Cost Change by Supplier window opens.
3. In the Cost Change field, enter a description for the cost change.
4. In the Item, Supplier, and Country field, enter the item number or ID of each as necessary, or click the LOV button and select the item, supplier, or country.
5. In the Reason field, enter the ID of the reason for the cost change, or click the LOV button and select the reason.
6. In the Effective Date field, enter the date on which the cost changes become effective.
7. Click **Search**. The records that match the search criteria appear.

Change cost at the item/supplier/origin country level

1. In the box on the left, select the type of item number you want to view.
 - **Item:** Displays the item ID.
 - **Ref Item:** Displays the ID of the child item.
 - **VPN:** Displays the vendor product number for the item.
2. Select the type of adjustment in the Apply block.
3. Enter the change in the box next to the selected option.
 - **Change in Percent:** Enter the percent by which the cost changes. Use a negative symbol (-) before the percent to indicate a decrease in cost by percent.
 - **Change in Amount:** Enter the amount by which the cost changes. Use a negative symbol (-) before the percent to indicate a decrease in cost by amount.
 - **Fixed Cost:** Enter the new cost of the item. The amount entered becomes the cost of all items selected for cost change.
4. Click **Apply**. The new costs per unit are calculated.
5. Edit the monetary amounts in the New Unit Cost field next to each item as necessary.
6. Select the Recalc Orders check box next to each item or supplier if you want to update the costs on approved or unapproved purchase orders.

Change costs at the item/supplier/origin country/location level

1. Select a supplier or item record and click **Locations**. The locations associated with the item/supplier/origin country appear in the Cost Change by Location window.
2. Select the type of adjustment in the Apply block.
3. Enter the change in the box next to the selected option.
 - **Change in Percent:** Enter the percent by which the cost changes. Use a negative symbol (-) before the percent to indicate a decrease in cost by percent.
 - **Change in Amount:** Enter the amount by which the cost changes. Use a negative symbol (-) before the percent to indicate a decrease in cost by amount.
 - **Fixed Cost:** Enter the new cost of the item. The amount entered becomes the cost of all items selected for cost change.
4. In the Loc Type field, select a grouping mechanism.
5. In the Location field, enter the ID of the specific location or group, or click the LOV  button and select the location or group.
6. In the Bracket field, enter the bracket, or click the LOV  button and select the bracket.

Note: The Bracket field is enabled when you select warehouse group type in the Loc. Type field.

7. Click **Apply**. The new costs per unit are calculated.
8. Edit the monetary amounts in the New Unit Cost field next to each item as necessary.
9. Select the Recalc Orders check box if you want to update the costs on approved or unapproved purchase orders.
10. Click **OK** to save your changes and close the window.

Edit a Cost Change

Navigate: From the main menu, select Costing > Cost Change. The Cost Change Search window opens.

Search for and retrieve a cost change in Edit mode. Restrict the search to cost changes in worksheet or submitted status. The Cost Change by Supplier window opens.

- In the Cost Change field, edit the description of the cost change as necessary.

Edit costs at the item/supplier/origin country level

- To add a supplier or item:
 - Click **Add**.
 - Select a supplier or item from the list of values that opens.
- To delete a supplier or item:
 - Select a record and click **Delete**.
 - When prompted to delete the record, click **Yes**.
- Select the type of adjustment in the Apply block. Then enter the monetary amount or percentage in the box next to the selected option.
- Click **Apply**. The new retail values and costs per unit are calculated.
- Edit the monetary amounts in the New Unit Cost field next to each item as necessary.
- Select the Recalc Orders check box next to each item or supplier if you want to update the costs on approved or unapproved purchase orders.

Edit costs at the item/supplier/origin country/location level

- Select a supplier or item record and click **Locations**. The locations associated with the item/supplier/origin country appear in the Cost Change by Location window.

Cost Change by Location Window

- To add a location:
 - Click **Add**.
 - Select a location from the list of values that opens.

3. To delete a location:
 - a. Select a location and click **Delete**.
 - b. When prompted to delete the record, click **Yes**.
4. Select the type of adjustment in the Apply block. Then enter the monetary amount or percentage in the box next to the selected option.
5. In the Loc Type field, select a grouping mechanism.
6. In the Location field, enter the ID of the specific location or group, or click the LOV  button and select the location or group.
7. In the Bracket field, enter the bracket, or click the LOV  button and select the bracket.


Note: The Bracket field is enabled when you select a warehouse in the Location field.

8. Click **Apply**. The new retail values and costs per unit are calculated.
9. Edit the monetary amounts in the New Unit Cost field next to each item as necessary.
10. Select the Recalc Orders check box if you want to update the costs on approved or unapproved purchase orders.
11. Click **OK** to save your changes and close the window.

Delete a Cost Change

Navigate: From the main menu, select Costing > Cost Change. The Cost Change Search window opens.

Search for and retrieve a cost change in Edit mode. Restrict the search to cost changes in Worksheet, Submitted, or Rejected status. The Cost Change by Supplier window opens.



Cost Change by Supplier Window

1. From the Options menu, select Delete. You are prompted to delete the cost change.
2. Click **Yes**. The cost change is deleted. The Cost Change Search window opens.

The screenshot shows the 'Cost Change Search' window with the following fields and controls:

- Action:** A dropdown menu.
- Cost Change:** Two text input fields.
- Supplier:** A text input field with a magnifying glass icon.
- Division:** A text input field with a magnifying glass icon.
- Supplier Site:** A text input field with a magnifying glass icon.
- Group:** A text input field with a magnifying glass icon.
- Reason:** A text input field with a magnifying glass icon.
- Department:** A text input field with a magnifying glass icon.
- Status:** A dropdown menu.
- Class:** A text input field with a magnifying glass icon.
- Effective Date:** Two date pickers labeled 'After' and 'Before'.
- Subclass:** A text input field with a magnifying glass icon.
- Approval Date:** Two date pickers labeled 'After' and 'Before'.
- Item:** A text input field with a magnifying glass icon.
- Buttons:** OK, Search, Back, Refresh, and Close.

Cost Change Search Window

3. Click **Close** to save your changes and close the window.

Search for a Cost Change

Navigate: From the main menu, select Costing > Cost Change. The Cost Change Search window opens.

This screenshot is identical to the one above, showing the 'Cost Change Search' window with its various search criteria fields and controls.

Cost Change Search Window

1. In the Action field, select either Edit or View.
2. In the Origin field, select Cost.
3. Enter additional criteria as desired to make the search more restrictive.
4. Click **Search**. The Price Change Search window displays the cost changes that match the search criteria.
5. Select a task:

6. To perform another search, click **Refresh**.
7. To display the details of a cost change, select a record and click **OK**. The details appear in the Cost Change by Supplier window.

Cost Change by Supplier Window

8. Click **Close** to close the window

Edit a Cost Change Reason

Navigate: From the main menu, select Control > Setup > Cost Change Reason > Edit. The Cost Change Reason Maintenance window opens.



Cost Change Reason Maintenance Window

1. Edit the description as necessary.
2. To delete a cost change reason:
 - a. Select a reason.
 - b. Click **Delete**. You are prompted to delete the record.
 - c. Click **Yes**.
3. Click **OK** to save your changes and close the window.

Accept Cost Changes Received Via EDI

Navigate: From the main menu, select Items > EDI Cost Changes. The New EDI Cost Changes window opens.

New EDI Cost Changes window

1. In the Supplier field, enter the ID of the supplier, or click the LOV  button and select the supplier.
2. In the Create Date field, enter the date on which the cost changes were received, or click the LOV  button and select the date. The items that match the criteria appear.
3. In the Description field, enter a description for the cost change event.
4. In the Reason field, enter the ID of the reason for the cost change, or click the LOV  button and select the reason.
5. In the Cost Change Approval Method area, select an approval method.
6. In the Status fields, select either Accepted or Rejected for each cost change.

Note: To accept all the cost changes, click **Accept All**.


7. Select the Recalc Orders check box next to each cost change if you want to update the cost on unapproved purchase orders.
8. Select the Update Children check box next to each cost change if you want to apply the change to subordinate items.
9. Click **OK** to save your changes and close the window.

View additional details about the item

1. Select an item.
2. Click **Item Detail**. The details appear in the Item Maintenance window.
3. Click **OK** to close the windows.

Delete a Cost Component from a Non-Merchandise Code

Navigate: From the main menu, select Control > Setup > Non-Merchandise Codes > Edit. The Non-Merchandise Codes Maintenance window opens.



Non-Merchandise Codes Maintenance Window

Note: This window is only available when you are using Oracle Retail Trade Management (RTM) with RMS. If simplified RTM is used, the functionality may differ.

1. Select a non-merchandise code in the table.
2. Click **Cost Comp**. The Non-Merchandise Cost Components window opens.
3. Select a cost component in the table.
4. Click **Delete**. You are prompted to delete the component.
5. click **Yes**.
6. Click **OK** to close the window and save your changes.

Add a Cost Component for a Non-Merchandise Code

Note: This window is only available when you are using Oracle Retail Trade Management (RTM) with RMS. If simplified RTM is used, the functionality may differ.

Navigate: From the main menu, select Control > Setup > Non-Merchandise Codes > Edit. The Non-Merchandise Codes Maintenance window opens.

1. Select a non-merchandise code in the table.
2. Click **Cost Comp**. The Non-Merchandise Cost Components window opens.
3. Click **Add**.
4. On the next available line, enter the ID of the cost component in the Component ID field, or click the LOV  button and select a cost component.
5. Click **OK** to save your changes and close the window.

Cost change approval process

Cost Change Approval Process

For a cost change to take affect, it needs to be in approved status. Depending on your user role, you may not be able to move the cost change to the next status. A cost change may be in any of the following statuses:

Status	Status definition
Worksheet	The cost change event is incomplete. You can edit, submit, or delete the cost change event.
Submitted	The cost change event is complete and submitted for approval. You can approve, reject, or delete the cost change event.
Approved	The cost change event is complete and has been approved. You can return the cost change event to Worksheet status for editing or cancel the cost change event.
Rejected	The cost change event is complete and has been approved. You can return the cost change event to Worksheet status for editing or cancel the cost change event.
Extracted	The details of the cost change event were extracted to the locations affected by the cost change event. Only cost change events in Approved status are extracted.
Canceled	The details of the cost change event were extracted to the locations affected by the cost change event. Only cost change events in Approved status are extracted.

Submit a Cost Change for Approval

Navigate: From the main menu, select Costing > Cost Change. The Cost Change Search window opens.

Search for and retrieve a cost change in Edit mode. Restrict the search to cost changes in Worksheet status. The Cost Change by Supplier window opens.

Cost Change by Supplier Window

1. From the Options menu, select Submit.
2. When prompted to submit the cost change, click **Yes**. The status of the cost change changes to Submitted.
3. Click **OK** to save your changes and close the window.

Approve a Cost Change

Navigate: From the main menu, select Costing > Cost Change. The Cost Change Search window opens.

Search for and retrieve a cost change in Edit mode. Restrict the search to cost changes in Submitted status. The Cost Change by Supplier window opens.

1. From the Options menu, select Approve.
2. When prompted to approve the cost change, click **Yes**. The status of the cost change changes to Approved.
3. Click **OK** to save your changes and close the window.

Reject a Submitted Cost Change

Navigate: From the main menu, select Costing > Cost Change. The Cost Change Search window opens.

Search for and retrieve a cost change event in Edit mode. Restrict the search to cost changes in Submitted status. The Cost Change by Supplier window opens.

1. From the Options menu, select Reject. You are prompted to reject the cost change.
2. Click **Yes**. The status of the cost change changes to Rejected.
3. Click **OK** to save your changes and close the window.

Cancel an Approved Cost Change

Navigate: From the main menu, select Costing > Cost Change. The Cost Change Search window opens.

Search for and retrieve a cost change in Edit mode. Restrict the search to cost changes in Approved status. The Cost Change by Supplier window opens.

1. From the Options menu, select Cancel. You are prompted to cancel the cost change.
2. Click **Yes**. The status of the cost change changes to Cancelled.
3. Click **OK** to save your changes and close the window.

Inventory Control

Shipping

Maintain shipment schedules

Maintain Shipment Schedules

You can view and maintain shipments by shipment number. You can also view outstanding shipments for a purchase order.

Shipments originate from a variety of sources:

- **ASN shipments:** Shipments are created automatically from advance shipping notices (ASN) that are received from suppliers via electronic data interface (EDI).
- **System:** Shipments are transmitted by an external system, such as a warehouse management system.
- **System ASN:** Shipments are created automatically when a shipment is received before the ASN is received via EDI or from an external system. Items may be received online against shipments that are created by system ASN.
- **System UCC-128:** Shipments for cartons are transmitted by an external system. Cartons and their associated items may be received online against shipments created by UCC-128.
- **ASN UCC-128:** Shipments are created automatically from carton-level ASNs that are received from suppliers via EDI.

In a multi-channel environment, suppliers and external systems are aware of warehouses at the physical warehouse level. Within RMS, shipments to warehouses are maintained at the virtual warehouse level. When quantities are unspecified at the virtual warehouse level, the quantities are distributed among the virtual warehouses based on the default distribution rule.

Calendar Overview

Two types of calendars are supported by the system:

- **Normal (Julian) calendar:** Results in uneven yearly, quarterly, and monthly comparisons since calendar dates generally fall on different days from one year to the next. The number of weekdays differs from one year to the next. For example: There may be four Saturdays in a month one year, but five Saturdays the next year. A month may have between 28 and 31 days. Once every four years, an extra day is added to compensate for leap year.
- **Retail (4-5-4) calendar:** Each quarter contains 13 full weeks divided into a 4-5-4 format. That is, the first month of the quarter has four weeks, the second month has five weeks, and the third month has four weeks. The number of days in the retail year, except leap year, equals only 364 days. To compensate for the missing day in non-leap years, an extra week is added to the calendar once every seven years. The retail calendar provides consistent inclusion of weekends for yearly comparisons by month and a consistent day for month-end processing.

Sales history is always based on the retail calendar. The calendar begins at least 18 months prior to the earliest stock ledger and sales history data. The calendar also contains dates at least three years into the future.

The calendar is set up by the system administrator. You can identify the half-year periods used in the system. Half-year periods are entered in the format YYYYn, where YYYY is the four-digit year and n is the period. The period may be 1 or 2. For example: The first half of 2002 is entered as 20021.

Create a Trial Variance Report

Navigate: From the main menu, select Inventory > Stock Count. The Stock Count Search window opens.

Search for and retrieve a stock count by selecting Unit Variance and Adjustment in the Action field. The Stock Count Variance window opens.

1. In the Group Type field, select the type of location or locations.
2. In the Value field, enter the ID of the location, or click the LOV button and select the location.

Note: The Value field is enabled if you select Store or Warehouse in the Group Type field.

3. Click **Apply**. The location or locations are added to the table.
4. From the Options menu, select Create Trial Variance Report.
5. When prompted to wait for the report, click **Yes**.
6. Print the report.
7. Click **OK** to save your changes and close the window.

Worksheet for Bill of Lading [bolshipment]

The Worksheet BOL Shipment window allows multiple distributions (transfers and allocations) to be included in a single BOL shipment. This form allows the user to build a BOL shipment over time and ship it once complete.

Create a Bill of Lading Worksheet

Navigate: Main menu > Inventory > Shipping > Worksheet BOL Shipment. The Worksheet BOL Shipment Search window opens.

To create a worksheet:

1. In the Action field, click the LOV button and select New.
2. Click **OK**. The Worksheet BOL Shipment window opens.
3. In the From Loc field, enter the location type, or click the LOV button and select the location type.
4. Enter the store or warehouse, or click the LOV button and select the store or warehouse.
5. In the To Loc field, enter the location type, or click the LOV button and select the location type.
6. Enter the store or warehouse, or click the LOV button and select the store or warehouse.
7. In the Courier field, Comments, and Number of Boxes fields, enter data if applicable.

8. In the Ship Date field, enter the dates, or click the calendar button and select the dates.
9. In the Add Items from Distro area, select the Transfer or Allocations radio button.
10. Enter the transfer or allocation, or click the LOV button and select the transfer or allocation.
11. To select items to include on the shipment, click **Select Items**. The Add Items from Distro window opens.
12. Select the items.
13. Click **OK**. The Worksheet BOL Shipment window opens.
14. Click **OK** to save the data and to close the window.

Add Items from Distro window [bolshipment]

The Add Items from Distro window allows the user to select an item to add to the bill of lading shipment.

Scheduled Item Maintenance Window [sitlink]

The Scheduled Item Maintenance window is used to view or edit lists of item list/location list links. After linking an item list with a location list, you may specify a date to use the item/location list as part of a scheduled item maintenance update.

You may link an item list to multiple location lists. If the location lists contain identical locations, a message opens which states that you are creating duplicate links. You may click Yes to create the link, or No to cancel the link.

Store Sales / Warehouse Issues Window [stslwhis]

The Store Sales/Warehouse Issues window allows you to view weekly sales history or warehouse issues for an item at one or multiple stockholding locations. The monetary amounts appear in the primary currency of the company. The quantities appear in the standard unit of measure. All details appear at the transaction level. If you search for an item that is above the transaction level, the details are summarized at the transaction level.

Reclassification View/Maintain - Detail Window [reclass]

The Reclassification View/Maintain window allows you to view and delete the items that are to be affected by the current reclassification event.

Reclassification View Window [reclass]

The Reclassification View window allows you to edit, view, or delete the reclassification events that have not been processed yet.

Region Maintenance Window [region]

The Region Maintenance window allows you to create, edit, view, and delete a region in the organizational hierarchy. A region is below the area and above the district in the organizational hierarchy. Typically, the region is used to define a geographical grouping within the organization. A region can belong to only one area within the organizational hierarchy.

You can associate location traits with a region. Location traits that are applied to a region are applied automatically to the districts and stores within the region.

Regionality Maintenance Window [regionality]

After entering user and group information, you may use RMS to create, maintain, and view Regionality relationships. The Regionality form is used to associate corporate users or groups of users with any of the following:

- Locations
- Groups of locations
- Suppliers
- Departments

Regionality uses the relationships that are created using the Regionality window to create combinations of Groups, Locations, Supplier and Departments at a detailed level.

Groups and Locations

The groups used for Regionality maintenance can be the same existing groups that were set up for RMS security. Different groups can be set up and used by Security or Regionality; however, since Regionality is designed to provide a list of people responsible for an area, the two should be closely related. Once groups are set up, users must be assigned to the groups.

A business role can be associated with a specific group, or the Business Role field can be left blank. A group can have only 1 business role, but a business role can be associated with an unlimited number of groups.

Once groups and user/group relationships exist, you can create regionality relationships. The first and most fundamental relationship is the relationship between groups and locations. A group must be set-up to have access to different locations by using the levels of the organizational hierarchy. These different levels include: company, chain, area, region, district, store and warehouse. If there are any changes made to the organizational hierarchy (e.g. moving a district to a new region), or if new stores or warehouses are added to the system, these changes will automatically affect regionality.

Once group/location relationships are established, there are a number of other relationships that can be set-up for these groups and locations. These relationships are:

- **Suppliers:** A group or location is responsible for a supplier (without regard to departments).
- **Supplier/departments:** A group/location is responsible for a particular supplier and department combination.
- **Departments:** A group/location is responsible for an entire department (without regard to suppliers).

The three relationships can overlap. For example, you could set up a supplier relationship for supplier A and then set-up a supplier/department relationship for supplier A/department 1000.

The top portion of the screen is used to enter search criteria. You can search based on a group or a business role, locations (any level of the organizational hierarchy as well as warehouse), a supplier number, and/or a department.

Functionality

The following paragraphs offer a general overview of functionality for the Regionality Maintenance form. For more detailed information, click one of the Procedure links further down this page.

Group vs. Business Role

When searching on a business role, all groups that have that particular role will be displayed in the results. You can search based on a group or a business role, but not both. Once one field is entered with information, the other will be disabled. You may delete the information in either field to enable the other.

Entering Data

To start entering data, you must first enter group/organizational hierarchy relationships. Once at least one group/organizational hierarchy has been entered, the additional relationships (supplier, supplier/department, department) may be entered as well.

Searching

When a search is executed, all of the different blocks of data will be queried (i.e. group/locations, supplier, supplier/departments, and departments). Each time you choose a different group/location relationship, the supplier, supplier/department, and department blocks will be updated to display data for that group and location.

Editing

Within each block of data (group/organizational hierarchy, supplier, supplier/department, and department), you may add and delete records by using the Add and Delete.

Missing Documents Window [misdocs]

The Missing Documents window allows you to edit and view the documents that are required by the Customs agency for each order and item combination. These documents are accumulated along the supply chain. You can track missing documents in both the Transportation module and the Customs Entry module.

Shipping

Shipment Window [shipment]

The Shipment window allows you to view the details of a shipment. You can access additional windows in order to view details regarding a selected item and details regarding the purchase order, appointment, receipt details, or transfer associated with shipment.

Purchase Order Shipment Window [ordshipment]

The Purchase Order Shipment window allows the creation of shipment records for purchase orders.

Create a Purchase Order Shipment

Navigate: Main menu > Inventory > Shipping > Order Shipment. The Purchase Order Shipment window opens.

Creating a purchase order shipment

To create a purchase order shipment:

1. In the Order field, enter an order or select an order from the list.
2. In the Ship Date field, enter a date.
3. In the ASN field, enter an ASN number.
4. In the Location Type field, select a location type.
5. In the Location field, enter a location or select a location from the list.
6. In the Number of Boxes field, enter the number of boxes.
7. Click **Select Items to Ship**. A list of items appear in the item list.
8. Click **OK** to save the item and close the window.

Edit a Shipping Schedule for a Warehouse

Navigate: From the main menu, select Control > Setup > Store Ship Schedule > Store Ship Schedule. The Store Ship Schedule Maintenance window opens.

1. In the Warehouse field, enter the ID of a physical warehouse, or click the LOV button and select the warehouse.
2. In the Action area, select a task:
 - To add stores to the schedule, select the Add option.
 - To delete stores from the schedule, select the Delete option.
3. Select the ship dates:
 - To schedule shipments for a specific date, select Specific Date in the Type field. Then enter the date in the Value field, or click the calendar button and select the date.
 - To schedule shipments for a specific day at regular intervals, select Every, Every Second, Every Third, or Every Fourth in the Type field. In the Value field, select the day. Then enter the start and end dates in the From and To fields, or click the calendar buttons and select the dates.
 - To schedule daily shipments for a range of dates, select All Dates in Range in the Type field. Then enter the start and end dates in the From and To fields, or click the calendar buttons and select the dates.
4. Select the stores:
 - a. Click **Add**. The Apply area becomes enabled.
 - b. In the Group Type field, select the grouping mechanism.
 - c. In the Value field, enter the ID of the store or group, or click the LOV button and select the location or group.
 - d. Click **Apply**. The stores are added to the table.
5. Click **OK** to save your changes and close the window.

Edit a Shipping Schedule for a Warehouse by Store

Navigate: From the main menu, select Control > Setup > Store Ship Schedule > Ship Schedule by Store > Edit. The Store Shipment Schedule Stores window opens.

1. In the Warehouse field, enter the ID of the physical warehouse, or click the LOV button and select the warehouse.
2. In the Store field, enter the ID of the stockholding store, or click the LOV button and select the store. The ship dates on the schedule appear.
3. To add a ship date to the schedule:

- a. Click **Add**. The next available line is enabled.
 - b. In the Ship Date field, enter the date, or click the calendar button and select the date.
4. To delete a ship date from the schedule:
 - a. Select a ship date and click **Delete**.
 - b. When prompted to delete the record, click **Yes**.
5. Click **OK** to save your changes and close the window.

Edit a Shipping Schedule for a Warehouse by Ship Date

Navigate: From the main menu, select Control > Setup > Store Ship Schedule > Ship Schedule by Ship Date > Edit. The Store Shipment Schedule Dates window opens.

1. In the Warehouse field, enter the ID of the physical warehouse, or click the LOV button and select the warehouse.
2. In the Ship Date field, enter the date, or click the calendar button and select the date. The stores on the schedule appear.
3. To add a stockholding store to the schedule:
 - a. Click **Add**. The next available line is enabled.
 - b. In the Store field, enter the ID of the store, or click the LOV button and select the store.
4. To delete a store from the schedule:
 - a. Select a store and click **Delete**.
 - b. When prompted to delete the record, click **Yes**.
5. Click **OK** to save your changes and close the window.

Store Shipment Schedule Dates Window [sdtsched]

The Store Shipment Schedule Dates window allows you to view and maintain the destination stores on a shipping schedule for a warehouse. The stockholding stores are maintained by ship date.

In a multi-channel environment, you can maintain shipping schedules at the physical warehouse level. The changes are automatically applied to all virtual warehouses within the physical warehouse.

Store Shipment Schedule Stores Window [strsched]

The Store Shipment Schedule Stores window allows you to view and maintain the ship dates on a shipping schedule for a warehouse. The ship dates are maintained by stockholding store.

In a multi-channel environment, you maintain shipping schedules at the physical warehouse level. The changes are automatically applied to all virtual warehouses within the physical warehouse.

Store Ship Schedule Maintenance Window [mainschd]

The Store Ship Schedule Maintenance window allows you maintain a shipping schedule for a warehouse. The shipping schedule can refer to one or more stockholding stores for one date or a range of dates.

In a multi-channel environment, you maintain shipping schedules at the physical warehouse level. Any changes are automatically applied to all virtual warehouses within the physical warehouse.

Shipment Search Window [shipfind]

The Shipment Search window allows you to enter criteria in order to search for shipments and view the results of the search.

Functional views

The default view for the Shipment Search window opens when you open the window for the first time. You can also create a custom view.

Search for a Shipment

Navigate: From the main menu, select Inventory > Shipments. The Shipment Search window opens.

1. Enter search criteria as desired and click **Search**, or click **All Shipments** to view all shipments. The Shipment Search window displays the shipments that match the search criteria.
2. Select a task:
3. To perform another search, click **Refresh**.
4. To display the details of a shipment, select a record and click **OK**. The details appear in the Shipment window.
5. Click **Close** to close the window.

Adjust Units Received by Shipment/Order

Navigate: From the main menu, select Inventory > Receiving > Receiving Unit Adjustment. The Receiver Unit Adjustment window opens.

1. To search for a shipment, enter a number in the Shipment, or Order fields. The items associated with the shipment/order appear.

Note: The Physical Shipment field is enabled in a multi-channel environment. If you first enter a purchase order number in the Order field, you can restrict the number of shipments from which to choose.

2. To search for a specific item on the shipment/order:
 - a. In the Item Type area, select the type of item number you want to search by.
 - b. In the Find area, enter the item number in the Item field, or click the LOV button and select the item. The appropriate item is highlighted.
2. In the Corrected field next to each item, enter the revised number of units received.
3. To view the total updates to the quantity received
 - a. Click **Receipt Detail**. The Receipt Detail window opens.
 - b. Click **OK** to close the window.
4. Click **OK** to save any changes and close the window.

Receiving**Item Receiving Window [recitem]**

This window is used to receive items within a given shipment.

Receiving an Item

Navigate: Main menu > Inventory > Receiving > Item Receiving. The Item Receiving window opens.

To receive an item:

1. In the Shipment field, enter a shipment number, or select the LOV button and select the shipment.
2. In the Receive Date field, enter a date.
3. Click **Select Items for Receipt**.
4. In the Receipt Qty field, enter the quantity.
5. In the Unit of Receipt field, select the units.
6. Click **Apply Item**.
7. Click **OK** to save the information and close the window.

Carton Details Window [reccarton]

This window is used to view the details of shipments on carton-by-carton basis within a given shipment.

Carton Receiving Window [reccarton]

This window is used to receive shipments on carton-by-carton basis within a given shipment.

Receiving a Carton

Navigate: Main menu > Inventory > Receiving > Carton Receiving. The Carton Receiving window opens.

To receive a carton:

1. In the Shipment field, enter the shipment number, or click the LOV button and select the number from the list.
2. In the Receive Date field, enter the date, or click the Calendar button and select a date.
3. Click **Select Cartons for Receipt**.
4. In the Receive Carton area, select the carton(s) to receive.
5. To see more info about the highlighted carton, click **Carton Detail**. The Carton Detail Records window opens.
6. Click **OK**. The Carton Detail Records window closes.
7. Click **OK** to save your data and close the window.

Receipt Detail Window [recadjdet]

The Receipt Detail window allows you to view the updates made to the receipts for a shipment. The updates made to a receipt may occur before or after a receipt has been matched. There are two receipt types:

- **Receipt:** The original document received at the warehouse indicating what merchandise has been received. Any changes made to the quantity before matching has occurred is changed on the receipt.
- **Adjustment:** The addendum document created for any changes that occur after the receipt has been matched.

Receiver Cost Adjustment Window [recctadj]

The Receiver Cost Adjustment window allows you to adjust the unit cost of an item by purchase order and location after it has been received. In a multi-channel environment, a cost change made for a virtual warehouse is automatically applied to all virtual warehouses within the same physical warehouse. You may be prompted to enter a new average cost for an item that does not have an old average cost.

You may want to adjust the average cost if any stock ledger transactions have occurred since the initial receipt of items on the current purchase order. To verify whether such transactions occurred, you can access the Transaction Data window. To adjust the average cost, you can access the Average Cost Adjustment window. The average cost for a pack item is calculated at the component item level.

Supplier-level history, the stock ledger, and open to buy receipts are adjusted automatically as a result of the cost change. If you are using Trade Management to import costs, it is assumed that all locations have the same cost value for an item. However, if the cost of items that are being imported DO vary by location, Trade Management will convert the cost values to an identical weighted average cost.

Receiver Unit Adjustment Window [recutadj]

The Receiver Unit Adjustment window allows you to adjust the number of units already received by shipment/order. The stock ledger, supplier history, open-to-buy amounts, and average costs are automatically adjusted.

Maintain activity schedules

Maintain Activity Schedules

Activity schedules allow you to add, edit, and view dates on which a location is closed. You indicate that a group of locations or a single location is closed on a particular date. You can also specify what operations the locations can perform on that date. For example, you can specify that a store cannot perform sales on that date; that is, the store is closed for sales that day, but it can receive and ship shipments. When you view close dates for a group of locations, the locations are listed by date, and only the locations in the group with close dates are displayed. Non-stockholding stores can remain open or closed for sales only. By their nature, they cannot ship or receive items. In a multi-channel environment, changes made to a physical warehouse are applied to the virtual warehouses within the physical warehouse.

When the Use Location Activity Schedule system parameter is selected, the replenishment feature uses the location close schedule to dynamically calculate lead times for the items at the location. When a purchase order cannot be delivered to a location because it is closed, the lead time is calculated by taking the minimum lead time and adding additional days to reach the next valid delivery day. In effect, the lead time is extended until the next delivery day for the location.

Edit an Activity Schedule for a Store

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

Select Store on the tree structure. The stores appear on the table.

Select a store and click **Edit**. The Store Maintenance window opens.

From the Options menu, select Activity Schedule. The Location Close window opens.

Edit the activity schedule

1. Select a record. The details appear in the Apply area.
2. Edit the activities and reason as necessary.
3. Click the **Apply**. The details are updated in the table.
4. Click **OK** to save your changes and close the window.

Add closing dates

1. Click **Add**. The fields in the Apply area are cleared.
2. In the Close Date field, enter the date, or click the calendar button and select the date.
3. In the Closed For area, select the check box next to each activity for which the locations are closed.
4. In the Reason field, enter the reason why the location is closed.
5. Click **Apply**. The closing date is added to the table.
6. Click **OK** to save your changes and close the window.

Delete a closing date

1. Select a closing date and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Edit an Activity Schedule for a Warehouse

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

Select Warehouse on the tree structure. The warehouses appear on the table.

Select a warehouse and click **Edit**. The Warehouse Maintenance window opens.

From the Options menu, select Activity Schedule. The Location Close window opens.

Edit the activity schedule

1. Select a record. The details appear in the Apply area.
2. Edit the activities and reason as necessary.
3. Click **Apply**. The details are updated in the table.
4. Click **OK** to save your changes and close the window.

Add closing dates

1. Click **Add**. The fields in the Apply area are cleared.
2. Click **Add**. The fields in the Apply area are cleared.
3. In the Location Type field of the Apply area, select a grouping mechanism.

4. In the Location field, enter the ID of the group or location, or click the LOV button and select the group.
5. In the Close Date field, enter the date, or click the calendar button and select the date.
6. In the Closed For area, select the check box next to each activity for which the locations are closed.
7. In the Reason field, enter the reason why the location is closed.
8. Click **Apply**. The closing date is added to the table.
9. Click **OK** to save your changes and close the window.

Delete a closing date

1. Select a closing date and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Edit an Activity Schedule for Multiple Locations

Navigate: From the main menu, select Control > Setup > Location Activity Schedule > Location Closings > Edit. The Location Close window opens.

Edit an activity schedule

1. In the Search area, enter location, date, or activity criteria to restrict the search.
2. Click **Search**. The locations that match the criteria appear.
3. Select a record. The details appear in the Apply area.
4. Edit the activities and reason as necessary.
5. Click **Apply**. The details are updated on the table.
6. Click **OK** to save your changes and close the window.

Note: If the Search area displays Store X and the Apply block displays that the user is adding Store Y, then when the user clicks **Apply**, the "Your data has been successfully posted in the Database, but as the Search Criteria is different from the Newly added apply criteria, the new records could not be shown on the screen" message displays. Click OK to close the message.

Add closing dates

1. Click **Add**. The fields in the Apply area are cleared.
2. In the Location Type field, select a grouping mechanism.
3. In the Location field, enter the ID of the specific group or location, or click the LOV button and select the group or location.
4. In the Close Date field, enter the date, or click the calendar button and select the date.
5. In the Closed For area, select the check box next to each activity for which the locations are closed.
6. In the Reason field, enter the reason why the locations are closed.

7. Click **Apply**. The selected locations are added to the table.
8. Click **OK** to save your changes and close the window.

Delete a closing date

1. Select a closing date and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Edit an Activity Schedule for the Company

Navigate: From the main menu, select Control > Setup > Location Activity Schedule > Company Closings > Edit. The Company Close window opens.

Add a date on which the company is closed

1. Click **Add**. The next available line is enabled.
2. In the Close Date field, enter the date, or click the calendar button and select the date.
3. In the Close Description field, enter the reason why the company is closed.

Delete a date on which the company is closed

1. Select a date and click **Delete**.
2. When prompted to delete the record, click **Yes**.

Add locations to the exception list

1. To indicate which locations remain open when the company is closed, select a date and click **Exceptions**. The Location Exceptions window opens.
2. Click **Add**. The fields in the Apply area are enabled.
3. In the Group Type field of the Apply area, select a grouping mechanism.
4. In the Group Value field, enter the ID of the group or location, or click the LOV button and select the group.
5. In the Open For area, select the check box next to each activity for which the locations are open.
6. Click **Apply**. The locations are added to the table.
7. Click **OK** to save your changes and close the window.

Delete a location from the exception list

1. On the Location Exceptions window, select a location and click **Delete**.
2. When prompted to delete the location, click **Yes**.
3. Click **OK** to save your changes and close the window.

Edit the details for a location

1. On the Location Exceptions window, select the location. The details appear in the Apply area.
2. Edit the enabled fields as necessary.
3. Click **Apply**.
4. Click **OK** to save your changes and close the window.

Stock counts

Edit a Request for a Stock Count

Navigate: From the main menu, select Inventory > Stock Count. The Stock Count Search window opens.

Search for and retrieve a stock count in Edit mode and with an Action Type of Request. The Stock Count Request Maintenance window opens.

- In the Stock Count Date field, edit the scheduled date for the stock count as necessary.

Edit the merchandise levels in a Unit and Dollar type of request

1. Select a product.
2. Select product level.
3. Click **OK**. The Select Product Level window opens.

Select Product Level Window

4. To add a merchandise level, click **Add** and enter the details on the next available line.
5. To delete a merchandise level, select a record and click **Delete**. When prompted to delete the record, click **Yes**.
6. Click **OK** to save your changes and close the window.

Add locations to the request

1. In the Group Type field, select a grouping mechanism.
2. In the Group field, enter the ID of the specific location or group, or click the LOV button and select the location or group.
3. Click **Apply**. The locations are added to the table.
4. Click **OK** to save your changes and close the window.

Delete a location from the table

1. Select a location and click **Delete**.
2. When prompted to delete the record, click the **Yes**.
3. Click **OK** to save your changes and close the window.

Adjust the Stock Ledger After a Stock Count

Navigate: From the main menu, select Inventory > Stock Count. The Stock Count Search window opens.

Search for and retrieve a stock count by selecting Dollars Change/Ledger Adjust in the Action field. The Stock Count Results Dollar Changes window opens.

1. In the Location Type field, select the type of location.
2. In the Location field, enter the ID of the location, or click the LOV button and select the location.
3. In the Department field, enter the ID of the department, or click the LOV button and select the department.
4. To force the system to update the stock ledger, select Create Adjustments from the Options menu.

Note: The stock ledger is updated by a regularly scheduled batch program.

Adjust the monetary values for the current department

1. In the Class field, enter the ID of the class, or click the LOV button and select the class.
2. In the Subclass field, enter the ID of the subclass, or click the LOV button and select the subclass.
3. In the Adjust Amount field, enter a positive number to increase the value, or a negative amount to decrease the value.

Note: Depending on system options, the monetary value may be either retail or cost.

4. Click **OK** to save your changes and close the window.

Enter the details for another department at the same location

1. Click the **Next Depart.**
2. Enter the details in the enabled fields.
3. Click **OK** to save your changes and close the window.

Enter the details for another location

1. Click **Next Location.**
2. Enter the details in the enabled fields.
3. Click **OK** to save your changes and close the window.

Adjust the Stock on Hand After a Stock Count

Navigate: From the main menu, select Inventory > Stock Count. The Stock Count Search window opens.

Search for and retrieve a stock count by selecting Unit Variance and Adjustment in the Action field. The Stock Count Variance window opens.

1. In the Group Type field, select the type of location or locations.

2. In the Value field, enter the ID of the location, or click the LOV button and select the location.

Note: The Value field is enabled if you select Store or Warehouse in the Group Type field.

3. Click **Apply**. The location or locations are added to the table.
4. From the Options menu, select Create Stock Adjustments.
5. When prompted to continue, click **Yes**.

Note: The adjustments are made by a regularly scheduled batch program.

6. Click **OK** to save your changes and close the window.

Edit Stock Count Schedules

Navigate: From the main menu, Inventory > Stock Count Schedule > Edit. The Stock Count Schedule opens.

1. In the Location Type field, select the type of location.
2. In the Location field, enter the ID of the location or the location list, or click the LOV button and select a location or location list.
3. In the Stocktake field, select how the stock count is counted. The schedules for the current location appear.
4. Select a stock count schedule. The details appear in the Apply area.
5. In the Apply area, edit the enabled fields.
6. Click **Apply**.
7. Click **OK** to save your changes and close the window.

Edit the Results of a Stock Count

Navigate: From the main menu, select Inventory > Stock Count. The Stock Count Search window opens.

Search for and retrieve a stock count in Edit mode and with an Action Type of Count Quantity. The Stock Count Results Maintenance window opens.

1. In the Stock Count field, enter the ID of the unprocessed stock count, or click the LOV button and select the stock count.
2. In the Location Type field, select the type of location.
3. In the Location field, enter the ID of the specific location, or click the LOV button and select the location.
4. In the Item field, enter the item number of the item, or click the LOV button and select the item. The details of the stock count appear.
5. Edit the quantities in the Count field as necessary.
6. To delete a result from the stock count, select a record, and click **Delete**.
7. Click **OK** to save your changes and close the window.

Enter the Results of a Stock Count

Navigate: From the main menu, select Inventory > Stock Count. The Stock Count Search window opens.

Search for and retrieve a stock count in New mode and with an Action Type of Count Quantity. The Stock Count Results Maintenance window opens.

1. In the Stock Count field, enter the ID of the unprocessed stock count, or click the LOV button and select the stock count.
2. In the Location Type field, select the type of location.
3. In the Location field, enter the ID of the specific location, or click the LOV button and select the location.
4. In the Item field, enter the item number of the item, or click the LOV button and select the item. The Count Location and Count fields are enabled.
5. In the Count Location field, enter the name of the storage area.
6. In the Count field, enter the number of units found in the storage area.
7. To add another storage area and quantity, click **Add**. Enter the details on the next available line is enabled.
8. Click **OK** to save your changes and close the window.

Stock Order Exceptions Reconciliation Window [soerbol]

The Stock Order Exceptions Reconciliation window allows you to edit and view receipts where the item quantity does not match the actual quantity received. All open stock orders where the shipped quantity could not be reconciled to the received quantity appear in the results. Once you have searched for receipts you can create adjustments to account for the differences.

Carton Level Disposition Window [soerbol]

The Stock Order Exceptions Reconciliation by Carton window allows you to view carton level details for a stock order

Redistribute Stock Within a Physical Warehouse

Navigate: From the main menu, select Inventory > Stock Count. The Stock Count Search window opens.

Search for and retrieve a stock count by selecting Virtual Warehouse Distribution in the Action field. The Stock Count Virtual Warehouse Distribution window opens.

Select Stock Count VWH Distribution from the Options menu. The Stock Count Virtual Warehouse Distribution window opens.

Note: You can also access the Stock Count Virtual Warehouse Distribution window from the Stock Count Results Maintenance window.

1. In the Physical Warehouse field, enter the ID of the physical warehouse, or click the LOV button and select the physical warehouse.
2. In the Item field, enter the ID of the item, or click the LOV button and select the item.
3. Click **Apply**. The virtual warehouses associated with the current physical warehouse appear.
4. Edit the quantities for the virtual warehouses as necessary.
5. Click **OK** to save your changes and close the window.

Reconcile Stock Order Exceptions

Navigate: From the main menu, select Inventory > Stock Order Exception Reconciliation. The Stock Order Exception Reconciliation window opens.

1. In the filter area, enter the search criteria as necessary, or click the LOV button or calendar button and select the appropriate information.
2. Click the filter button. The items that match the criteria appear in the details frame.
3. In the Adjust Type field, select the method you want to use to reconcile the difference between the stock order and the receipt.

Note: To view details of a shipment, click **Shipment Detail**. The Shipment window opens.

4. Click **OK** to save any changes and close the window.

Reconcile stock order exceptions at the carton level

1. Select a record that has cartons.
2. Click **Carton Disposition**. The Carton Level Disposition window opens.
3. In the Adjust Type field, select the method you want to use to reconcile the difference between the carton and the receipt.
4. To view the details of a shipment, click **Shipment Detail**. The Shipment window opens.
5. Click **OK** to close the window.
6. Click **OK** to save any changes and close the window.

Suppliers

Item Supplier Window [itemsupp]

The Item Supplier window allows you to add, edit, and view the suppliers for the current item. By default, the first supplier is marked as the primary supplier for the item. After you add additional suppliers, you can redefine the primary supplier.

To view the monetary amounts in the primary currency of the company or the local currency of the supplier, select the appropriate option from the Currency menu.

To view additional information in the table, select the Custom option from the View menu. The Customize toolbar opens. Select or clear the check boxes next to the fields that you want to show or hide.

Item Supplier Country Location Window [itemsuppctryloc]

The Item Supplier Country Location window allows you to maintain the supplier hierarchy and the unit and case costs at the item/supplier/origin country/location level. This window can be accessed only after one or multiple locations have been associated with the current item.

To view monetary amounts in the primary currency of the company, the local currency of the supplier, or the local currency of the location, select the appropriate option on the Currency menu.

In a multi-channel environment, items are associated with warehouses at the virtual warehouse level. Unit costs, manufacturers, distributors, and wholesalers are the same for all virtual warehouses within a physical warehouse.

Item Supplier Country Bracket Window [itemsuppctrybrk]

The Item Supplier Country Bracket window allows you to maintain the brackets for this item-supplier-country-location combination. You can edit unit and case bracket costs for Worksheet items.

When you modify a country-level bracket, costs default down to all location brackets. When you modify items that are above the transaction level, you can default costs down to children for all brackets.

If a default bracket cost is changed, the cost is modified at the item-supplier-country-location level.

In a multi-channel environment, any bracket costs modified for virtual warehouses will update all other virtuals attached to the item.

Item Supplier Origin Country Window [itemsuppctry]

The Item Supplier Origin Country window allows you add, edit, and view the origin countries that are associated with an item and supplier combination. You can maintain location default, ordering, case, and packaging information.

To view monetary amounts in the primary currency of the company or the local currency of the supplier, select the appropriate option on the Currency menu.

Item/Supplier/Origin Country List Window [itsuplst]

The Item/Supplier/Origin Country List window allows you to view the supplier and origin country relationships for an item. You can restrict the list to display only primary origin countries or all origin countries for each supplier.

Item/Supplier/Unit of Measure Window [itsupuom]

The Item Supplier Unit of Measure window allows you to add, delete, and view miscellaneous units of measure (UOM) for an item and supplier combination. You must enter a factor that can be used to convert the unit of measure to the standard unit of measure. You have the option of overwriting the unit of measure for all subordinate level items that are supplied by the supplier of the selected item.

Transportation

Customs

Customs Entry Header Window [cehead]

The Customs Entry Header window allows you to create, edit, and view a customs entry. From this window, you can access forms, protests, timelines, and shipments.

Generally, the initial information is pulled in from finalized transportation records. After the customs entries are created, you can maintain them as the information changes. The customs entry information is shared with trading partners, typically customs brokers, by means of a regularly scheduled batch program.

Customs Entry Items Window [ceordit]

The Customs Entry Items window allows you to edit and view the items on a customs entry by shipment.

Customs Entry Item/BL/Container Window [ceordit]

The Customs Entry Items/BL/Container window allows you to view bills of lading, or air waybills, and container information for an item that has multiple bills of lading or air waybills.

Customs Entry Search Window [cefind]

The Customs Entry Search window allows you to enter criteria in order to search for customs entries and view the results of the search.

Functional views

The default view for the Customs Entry Search window opens when you open the window for the first time. You can also create a custom view.

Search for a Customs Entry

Navigate: From the main menu, select Inventory > Customs Entry. The Customs Entry Search window opens.

1. In the Action field, select either View or Edit.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The Customs Entry Header window displays the customs entries that match the search criteria.
4. Select a task:
 - a. To perform another search, click **Refresh**.
 - b. To display the details of a customs entry, select a record and click the **OK** button. The Customs Entry Header window opens.
5. Click **Close** to close the window.

Maintain a Customs Entry

Navigate: From the main menu, select Inventory > Customs Entry. The Customs Entry Search window opens.

Search for and retrieve a customs entry in Edit mode. The Customs Entry Header window opens.

Edit a customs entry

1. Edit the enabled fields as necessary.
2. If the customs entry is ready to be transmitted to the broker, select Send in the CE Ref Status field.
3. Click **OK** to save your changes and close the window.

Delete a customs entry

1. Click **Delete**.
2. When prompted to delete the record, click **Yes**.

3. Click **OK** to save your changes and close the window.

Confirm a Customs Entry

Navigate: From the main menu, select Inventory > Customs Entry. The Customs Entry Search window opens.

Search for and retrieve a customs entry in Edit mode. The Customs Entry Header window opens.

Note: If you have access to Oracle Retail Invoice Matching, a non-merchandise invoice for duty is created in Approved status after you confirm a customs entry.

1. In the CE Ref Status field, select Confirmed.
2. Click **OK** to save your changes and close the window.

Maintain Items for a Customs Entry

Navigate: From the main menu, select Inventory > Customs Entry. The Customs Entry Search window opens.

Search for and retrieve a customs entry in Edit mode. The Customs Entry Header window opens.

Click **Shipment**. The Customs Entry Shipment window opens.

Select a shipment and click **Order/Item**. The Customs Entry Items window opens.

Edit an item for a customs entry

1. Select an order and item combination. The details appear in the Apply Order/Item Details area.
2. Edit the enabled fields as necessary.
3. Click **OK** to save your changes and close the window.

Delete an item from a customs entry

1. Select an order/item combination and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Customs Entry Forms Window [ceforms]

The Customs Entry Forms window allows you to edit and view the requests by other government agencies for additional information about the entry.

Maintain Forms for a Customs Entry

Navigate: From the main menu, select Inventory > Customs Entry. The Customs Entry Search window opens.

Search for and retrieve a customs entry in Edit mode. The Customs Entry Header window opens.

From the Options menu, select Forms. The Customs Entry Forms window opens.

Edit a form for a custom entry

1. Edit the enabled fields as necessary.
2. Click **OK** to save your changes and close the window.

Delete a form from a customs entry

1. Select a form and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Customs Entry Shipment Window [ceship]

The Customs Entry Shipment window allows you to edit and view the shipments that are included on a customs entry.

Maintain Shipments for a Customs Entry

Navigate: From the main menu, select Inventory > Customs Entry. The Customs Entry Search window opens.

Search for and retrieve a customs entry in Edit mode. The Customs Entry Header window opens.

Click the **Shipment** button. The Customs Entry Shipment window opens.

Edit a shipment for a customs entry

1. Select a shipment. The details appear in the Apply Shipment Details area.
2. Edit the enabled fields as necessary.
3. Click **Apply**.
4. Click **OK** to save your changes and close the window.

Delete a shipment from a customs entry

1. Select a shipment and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Customs Entry Charges Window [cecharge]

The Customs Entry Charges window allows you to edit and view the charges for an item on a customs entry. The charges may include duty components, total duty, taxes, fees,

harbor maintenance fees, merchandise processing fees, and the components that make up the value for duty (VFD). An HTS classification is required for all assessments.

To display monetary amounts in the primary currency of the company or the local currency of the Customs agency, select the appropriate option from Options > Currency.

Maintain Charges for a Customs Entry

Navigate: From the main menu, select Inventory > Customs Entry. The Customs Entry Search window opens.

Search for and retrieve a customs entry in Edit mode. The Customs Entry Header window opens.

Click **Shipment**. The Customs Entry Shipment window opens.

Select a shipment and click **Order/Item**. The Customs Entry Items window opens.

Select an order/item combination and click **Charges**. The Customs Entry Charges window opens.

Edit charges for a customs entry

1. Select an assessment. The details appear in the Apply Entry Details area.
2. Edit the enabled fields as necessary.
3. Click **OK** to save your changes and close the window.

Delete charges from a customs entry

1. To delete an assessment:
 - a. Select an assessment and click **Delete Comp**.
 - b. When prompted to delete the record, click **Yes**.
2. To delete all of the assessments that are associated with an HTS classification:
 - a. Select an HTS classification and click **Delete HTS**.
 - b. When prompted to delete the records, click **Yes**.
3. Click **OK** to save your changes and close the window.

Send a Customs Entry to a Broker

Navigate: From the main menu, select Inventory > Customs Entry. The Customs Entry Search window opens.

Search for and retrieve a customs entry in Edit mode. The Customs Entry Header window opens.

1. In the CE Ref Status field, select Send.
2. Click **OK** to save your changes and close the window.

Transportation License/Visa Window [tranlvis]

The Transportation License/Visa window allows you to edit and view the licenses and visas that are associated with a transportation record.

Customs Entry License/Visa Window [celvisa]

The Customs Entry License/Visa window allows you to edit and view the licenses and visas for an item on a customs entry.

Maintain Licenses or Visas for a Transportation Record

Navigate: From the main menu, select Inventory > Transportation > Maintenance. The Transportation Selection window opens.

Search for and retrieve a transportation record in Edit mode. The Transportation window opens.

From the Options menu, select License/Visa. The Transportation License/Visa window opens.

Edit a license or visa for a transportation record

1. Edit the enabled fields as necessary.
2. Click **OK** to save your changes and close the window.

Delete a license or visa for a transportation record

1. Select a license or visa and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Maintain the License or Visa for a Customs Entry

Navigate: From the main menu, select Inventory > Customs Entry. The Customs Entry Search window opens.

Search for and retrieve a customs entry in Edit mode. The Customs Entry Header window opens.

Click **Shipment**. The Customs Entry Shipment window opens.

Select a shipment and click **Order/Item**. The Customs Entry Items window opens.

Select an order/item combination and click **License/Visa**. The Customs Entry License/Visa window opens.

Edit a license or visa for a customs entry

1. Edit the enabled fields as necessary.

2. Click **OK** to save your changes and close the window.

Delete a license or visa from a customs entry

1. Select a license or visa and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Customs Entry Protest Window [ceprotst]

The Customs Entry Protest window allows you to edit and view the protests that are filed with a Customs agency against a customs entry.

Maintain Protests for a Customs Entry

Navigate: From the main menu, select Inventory > Customs Entry. The Customs Entry Search window opens.

Search for and retrieve a customs entry in Edit mode. The Customs Entry Header window opens.

From the Options menu, select Protests. The Customs Entry Protest window opens.

Edit a protest for a custom entry

1. Edit the enabled fields as necessary.
2. Click **OK** to save your changes and close the window.

Delete a protest from a customs entry

1. Select a protest and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Maintain Missing Documents for a Customs Entry

Navigate: From the main menu, select Inventory > Customs Entry. The Customs Entry Search window opens.

Search for and retrieve a customs entry in Edit mode. The Customs Entry Header window opens.

Click **Shipment**. The Customs Entry Shipment window opens.

Select a shipment and click **Order/Item**. The Customs Entry Items window opens.

Select an order/item combination.

From the Options menu, select Missing Documents. The Missing Documents window opens.

Edit a missing document for a customs entry

1. Edit the enabled fields as necessary.
2. Click **OK** to save your changes and close the window.

Delete a missing document from a customs entry

1. Select a document and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Transportation Window [transprt]

The Transportation window allows you create, edit, and view a transportation record. Transportation records are unique by shipment, purchase order, and item. Unique shipments are designated by vessel, voyage or flight number, and estimated departure date.

Transportation Item Window [transku]

The Transportation Item window allows you to edit and view the component items for an item parent.

Edit a Transportation Record

Navigate: From the main menu, select Inventory > Transportation > Maintenance. The Transportation Selection window opens.

Search for and retrieve a transportation record in Edit mode. The Transportation window opens.

1. Edit the enabled fields as necessary.
2. If the record is complete and ready for finalization, select the Candidate Ind check box.

Note: The Candidate Ind check box can only be selected for Items that have an approved HTS code.

3. Click **OK** to save your changes and close the window.

Edit Dates for a Transportation Record

Navigate: From the main menu, select Inventory > Transportation > Maintenance. The Transportation Selection window opens.

Search for and retrieve a transportation record in Edit mode. The Transportation window opens.

Click **Dates**. The Transportation Dates window opens.

1. Enter the dates that are known, or click the calendar buttons and select the dates.
2. Click **OK** to save your changes and close the window.

Edit a Transportation Record for a Purchase Order

Navigate: From the main menu, select Inventory > Transportation > PO-Level Maintenance > Edit. The PO-Level Transportation window opens.

In the Order No. field, enter the purchase order number, or click the LOV button and select a purchase order.

In the Vessel ID field, enter the ID of the vessel the items are arriving on, or click the LOV button and select the vessel ID.

In the Voyage Flt ID field, enter the ID of the vessel's voyage, or click the LOV button and select the Voyage Flt ID.

In the Estimated Depart Date field, enter the date the vessel left the point of origin, or click the calendar button and select a date.

Click **Query Details**. Items on transportation records that match the criteria appear in the detail area.

Select the Item Update or Mass Update tab as necessary.

Edit the enabled fields as necessary.

Click **OK** to save your changes, update the transportation records, and close the window.

Edit Freight Information for a Transportation Record

Navigate: From the main menu, select Inventory > Transportation > Maintenance. The Transportation Selection window opens.

Search for and retrieve a transportation record in Edit mode. The Transportation window opens.

Click **Freight**. The Freight window opens.

1. Enter the freight information that is known.
2. Click **OK** to save your changes and close the window.

Edit Commercial Invoice Information for a Transportation Record

Navigate: From the main menu, select Inventory > Transportation > Maintenance. The Transportation Selection window opens.

Search for and retrieve a transportation record in Edit mode. The Transportation window opens.

Click **Invoice**. The Commercial Invoice window opens.

1. In the Currency Code field, enter the code for the invoice currency, or click the LOV button and select the currency.
2. If the invoice currency differs from the primary currency, enter the exchange rate in the Exchange Rate field, or click the LOV button and select the exchange rate.
3. In the Invoice Date field, enter the date of the invoice, or click the calendar button and select the date.
4. In the Invoice Amount field, enter the amount on the invoice for the item.
5. Click **OK** to save your changes and close the window.

Maintain Deliveries for a Transportation Record

Navigate: From the main menu, select Inventory > Transportation > Maintenance. The Transportation Selection window opens.

Search for and retrieve a transportation record in Edit mode. The Transportation window opens.

From the Options menu, select Delivery. The Transportation Delivery window opens.

Transportation Delivery Window

Edit a delivery for a transportation record

1. Edit the enabled fields as necessary.
2. Click **OK** to save your changes and close the window.

Delete a delivery for a transportation record

1. Select a delivery and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Search for a Transportation Record

Navigate: From the main menu, select Inventory > Transportation > Maintenance. The Transportation Selection window opens.

In the Action field, select either View or Edit.

Enter additional criteria as desired to make the search more restrictive.

Click **Search**. The Transportation Selection window displays the transportation records that match the search criteria.

Select a task:

1. To perform another search, click **Refresh**.
2. To display the details of a transportation record, select a record and click **OK**. The Transportation window opens.
3. Click **Close** to close the window.

Maintain Standard Carrier Alpha Codes (SCAC)

Navigate: From the main menu, select Control > Setup > SCAC Maintenance > Edit. The SCAC Maintenance window opens.

Edit a SCAC

1. Edit the description as necessary.
2. Click **OK** to save your changes and close the window.

Delete a SCAC

1. Select a SCAC code and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Maintain Child or Diff Items for a Transportation Record

Navigate: From the main menu, select Inventory > Transportation > Maintenance. The Transportation Selection window opens.

Search for and retrieve a transportation record in Edit mode. The Transportation window opens.

From the Options menu, select Child/Diffs. The Transportation Item window opens.

Note: The Child/Diffs option is available when the item on a transportation record is an item parent.

Edit a child or diff item for a transportation record

1. Edit the Quantity and UOM fields as necessary.
2. Click **OK** to save your changes and close the window.

Delete a child or diff item for a transportation record

1. Select an item and click **Delete**. You are prompted to delete the record.
2. Click **Yes**.
3. Click **OK** to save your changes and close the window.

Maintain Child or Diff Items for a Transportation Record

Navigate: From the main menu, select Inventory > Transportation > PO-Level Maintenance > New. The PO-Level Transportation window opens.

1. In the Order No. field, enter the purchase order number, or click the LOV button and select a purchase order.
2. In the Vessel ID field, enter the ID of the vessel the items are arriving on, or click the LOV button and select the vessel ID.
3. In the Voyage Flt ID field, enter the ID of the vessel's voyage, or click the LOV button and select the Voyage Flt ID.
4. In the Estimated Depart Date field, enter the date the vessel left the point of origin, or click the calendar button and select a date.
5. In the Item Default Level field, select Above the transaction level. Items above the transaction level appear.
6. To default items at the child/diff level, select the Default Child/Diff Values check box
7. Click **Query Details**. Items that match the criteria appear in the detail area.
8. Click **Child/Diff**. The Transportation Item window opens.
9. In the Item field, enter the number of the item, or click the LOV and select the item.
10. In the Quantity field, enter the number of units.
11. In the UOM field, enter the code for the unit of measure, or click the LOV button and select the unit of measure.
12. Click **OK** to save your changes and close the window.

Edit a child or diff item for a transportation record

1. Edit the Quantity and UOM fields as necessary.
2. Click **OK** to save your changes and close the window.

Delete a child or diff item for a transportation record

1. Select an item and click **Delete**. You are prompted to delete the record.
2. Click **Yes**.
3. Click **OK** to save your changes and close the window.

Transportation Claims Window [trancm]

The Transportation Claims window allows you to edit and view the claims against a partner. Claims can be made for damaged merchandise and inadequate quantities. A single claim can span multiple cartons.

Maintain Claims for a Transportation Record

Navigate: From the main menu, select Inventory > Transportation > Maintenance. The Transportation Selection window opens.

Search for and retrieve a transportation record in Edit mode. The Transportation window opens.

From the Options menu, select Claims. The Transportation Claims window opens.

Edit a claim for a transportation record

1. Edit the enabled fields as necessary.
2. To edit the type of discrepancy or damage and any comments:
 - a. Select Custom from the View menu. The Customize toolbar opens.
 - b. Click the add button.
 - c. Clear the check box next to a couple of fields and select the check boxes for the Discrepancy Type, Damage Code, and Comments fields.
 - d. Click **OK**. The selected fields appear.
 - e. Edit the information in the Discrepancy Type, Damage Code, and Comments fields as necessary.
3. Click **OK** to save your changes and close the window.

Delete a claim for a transportation record

1. Select a claim and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

PO-Level Transportation Window [tranpo]

The PO-Level Transportation window allows you to enter items and related shipments for a specific purchase order.

Transportation Packing Window [tranpack]

The Transportation Packing window allows you to edit and view packing information at the container level.

To display the shipped quantities and received quantities for the packing records, select the appropriate option from the View menu.

Transportation Delivery Window [trandelv]

The Transportation Delivery window allows you to edit and view delivery information at the final destination level. You can indicate how many units and cartons of an item were delivered and to which locations.

Transportation Selection Window [tranfind]

The Transportation Selection window allows you to enter criteria in order to search for transportation records and view the results of the search.

Functional views

The default view for the Transportation Selection window opens when you open the window for the first time. You can also create a custom view.

Commercial Invoice Window [transprt]

The Commercial Invoice window allows you to edit and view basic information from the commercial invoice.

Transportation Dates Window [transprt]

The Transportation Dates window allows you to edit and view the estimated and actual departure dates, the estimated and actual arrival dates, and the actual delivery date of an item.

Freight Window [transprt]

The Freight window allows you to edit and view freight information, including inland movement for the shipment. Inland shipments move goods from the discharge port to the final destination such as the distribution center.

Maintain Missing Documents for a Transportation Record

Navigate: From the main menu, select Inventory > Transportation > Maintenance. The Transportation Selection window opens.

Search for and retrieve a transportation record in Edit mode. The Transportation window opens.

From the Options menu, select Missing Documents. The Missing Documents window opens.

Edit a missing document for a transportation record

1. Edit the enabled fields as necessary.
2. Click **OK** to save your changes and close the window.

Delete a missing document for a transportation record

1. Select a document and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Transportation Totals Window [transprt]

The Transportation Totals window allows you to view the total units, weight, dimension, and value of an order and item combination at several levels. You can convert a measurement by changing the unit of measure for a field. Conversions are not saved when you close the window.

Transportation Finalize Window [transfin]

The Transportation Finalize window allows you to create customs entries from completed transportation records. Before transportation records can be finalized, you must first mark them as candidates for finalization. To do this, search for and retrieve a transportation record. On the Transportation window, select the Candidate Ind check box.

The Transportation Finalize window lets you enter the entry number, import country, broker, and currency code to apply to the finalized transportation records. When entering information on this window, information is added to all records that match the vessel, voyage, and estimated departure date criteria.

If you do not enter any search criteria, all transportation records that are marked as candidates are finalized and you do not have the opportunity to apply an entry number, import country, broker, or currency information.

Finalize Transportation Records

Navigate: From the main menu, select Inventory > Transportation > Finalize. Transportation Finalize window opens.

Transportation Finalize Window

Note: A transportation record must be marked as a Candidate before it can be finalized.

1. Enter the criteria for the transportation record to be finalized.

Note: If you leave all fields empty and click **Finalize**, all transportation records marked as candidates are finalized.

- a. In the Vessel ID field, enter the ID of the vessel, or click the LOV button and select the vessel.
 - b. In the Voyage Flt ID field, enter the voyage or flight number, or click the LOV button and select the voyage or flight number.
 - c. In the Est Depart Date field, enter the estimated departure date, or click the LOV button and select the date.
2. Enter the customs entry values that you want to apply to the record.
 - a. In the Entry No field, enter the entry number assigned by the Customs agency.
 - b. In the Import Country field, enter the ID of the import country, or click the LOV button and select the import country.
 - c. In the Broker ID field, enter the ID of the broker, or click the LOV button and select the broker.
 - d. In the Currency Code field, enter the code for the currency of the import country, or click the LOV button and select the currency.
 3. Click **Finalize**. The transportation records that match the criteria are copied to the Customs Entry module. The status of the transportation records is automatically changed to Finalized.

Transformation

Item Transformation Window [tsfxform]

The Item Transformation window allows you to convert one item to another item at a finishers. You may change one item to a second item or you may consolidate multiple items into one item. Items are transformed at a finishing location.

There are certain conditions that must be met before you complete an item transformation. When you transform the first item into a second item, the second item must exist in approved status in the merchandising system before you can complete the transformation. The entire quantity of item on a transfer must be transformed to the same item.

There are two types of item transformation that can occur:

One to one

Item A	becomes	Item X
Item B	becomes	Item Y
Item C	becomes	Item Z

Many to one

Item A	becomes	Item X
Item B	becomes	Item X
Item C	becomes	Item X

Item Transformation Matrix Window [tsfxformresult]

The Item Transformation Matrix window allows you to view a summary of the items that have been transformed. You can filter the items on the transfer in order to view a subset of the transformed items by item or diff.

Product Transformation Window [prodtsfm]

The Product Transformation window allows you to manually adjust the inventory of a transformed item and the items derived from the transformed item.

For example, a grocer might buy and place into inventory a side of beef. The butcher may prepare steaks and ground beef from the side of beef. In this example, the grocer reduces inventory by one side of beef and increases inventory by the number of steaks and packages of ground beef. In addition to adjusting the quantities, you can adjust the cost of the items derived from the transformed item. The overall cost of the transaction, however, must remain the same.

Both the quantities and values of the stock on hand are adjusted in the stock ledger.

Inventory adjustments may also be initiated by an external system, such as a warehouse management system.

Transformation Maintenance Window [itemxform]

The Transformation Maintenance window allows you to indicate how an orderable item is divided into sellable pieces. A transformable item can be either sellable or orderable.

- **Transformed Orderable:** The item is ordered from the supplier in one form, but changed by the retailer and sold to the customer in a different form.
- **Transformed Sellable:** The item that is sold to the customer. A transformed sellable item is ordered from the supplier in a different form than it is sold.

When setting up the transformable items, first create the sellable items. Next, create the orderable item and associate the sellable items to the orderable item.

Transformation Yield Maintenance Window [itxformyld]

The Transformation Yield Maintenance window allows you to distribute the sellable item across multiple orderable items. In order to access this window, a transform sellable item must be associated to more than one transform orderable items.

Transfers

Set up transfers

Set Up Transfers

Transfers zones are grouping of locations within an area. Transfer zones are set up to restrict the transfer of items to locations within the transfer zone. You can assign a store to a transfer zone when you create or edit the store.

Transfer entities define which locations in an organization are grouped together due to legal requirements. Transfer entities can be defined by brand, geography, country or other grouping defined by your company. Moving items between transfer entities is treated as a sale from the origin location and purchase by the receiving location. Items that have been transferred between entities and may require a change in cost and retail pricing as well as ownership.

Finally, you may set up the additional information required to complete a transfer that has finishing. You need to create activities that are used on the work orders. If there are certain activities that you regularly assign, you can create a work order template that will allow you to apply the set of activities to a work order on a transfer.

Create a Transfer Entity

Navigate: From the main menu, select Control > Setup > Transfer Entities > Edit. Transfer Entity Maintenance window opens.

1. Click **Add**. The next line on the table is enabled.
2. In the Transfer Entity ID field, enter a unique ID.
3. In the Description field, enter a description of the transfer entity.
4. Click **OK** to save any changes and close the window.

Edit Transfer Zones

Navigate: From the main menu, select Control > Setup > Transfer Zone > Edit. The Transfer Zone Maintenance window opens.

- Edit the descriptions as necessary.

Add a transfer zone

1. Click **Add**. The next available line is enabled.
2. In the Transfer Zone field, enter a unique ID for the transfer zone.
3. In the Description field, enter the description of the transfer zone.

4. Click **OK** to save your changes and close the window.

Delete a transfer zone

1. Select a transfer zone and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Add a Transfer Work Order Activity

Navigate: From the main menu, select Control > Setup > Transfer Work Order Activity > Edit. The Transfer Work Order - Activity Set Up window opens.

1. Click **Add**. The next line on the table is enabled.
2. In the Activity ID field, enter the ID of the activity.
3. In the Activity Description field, enter a description of the activity.
4. In the Unit Cost field, enter the amount per unit that it will cost to add finishing to the transfer.
5. In the Cost Type field, select the method used to distribute the cost of finishing.
6. Click **OK** to save any changes and close the window.

Add a Work Order Template

Navigate: From the main menu, select Inventory > Work Order Templates > New. The Work Order Template window opens.

1. In the Work Order Template field, enter a description of the template
2. In the Apply area, enter an Activity ID, or click the LOV button and select an activity.
3. If necessary, in the Activity Cost field, edit the amount it costs to complete the activity.

Note: The activity cost and cost type default from the information defined during activity set up.

4. In the Comments field, enter comments as necessary.
5. Click **Apply**. The activity is added to the template.
6. Click **OK** to save any changes and close the window.

Create transfers

Transfer Entity Window [tsfentity]

The Transfer Entity Window allows you to create and maintain the transfer entities. Transfer entities define which locations in an organization are grouped together due to legal requirements. Transfer entities can be defined by brand, geography, country or other grouping defined by your company. Moving items between transfer entities is treated as a sale from the origin location and purchase by the receiving location. Items that have been transferred between entities and may require a change in cost and retail pricing as well as ownership.

After a transfer entity is created, you associate a store or warehouse with a transfer entity during the set up of a location.

Create a Transfer

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

1. In the Action field, select New.
2. In the Type field select the type of transfer that you want to create.
3. Click **OK**. The Transfer Maintenance window opens.
4. In the Delivery Date field, enter the last date the transfer can be received, or click the calendar button and select a date.
5. If you are creating an reallocation or return to vendor transfer, in the Transfer Entity Type field, select intercompany or intracompany to indicate which type of transfer is created.
6. Enter information in the enabled fields as necessary.
7. In the From area:
 - a. In the From Entity field, enter the ID of the origin entity, or click the LOV button and select a location.
 - b. In the Location Type field, select the type of location the transfer originates from.
 - c. In the Location field, enter the location ID or click the LOV button and select a location.
 - d. Select the appropriate freight type and carrier.
8. In the Finisher area:

Note: Finishers are required for transfer that will have work orders, transformations, or packing instructions.

- a. In the Location Type field, select the type of finisher the item is going to.
 - b. In the Location field, enter the location ID or click the LOV button and select a finisher.
 - c. Select the appropriate freight type and carrier.
9. In the To area:
 - a. In the To Entity field, enter the ID of the destination entity, or click the LOV button and select a location.

Note: If you selected Intercompany Transfer as the Transfer Type, the To Entity must be different than the From Entity that you entered in the From area.

- b. In the Location Type field, select the type of location the transfer is going to.
 - c. In the Location field, enter the location ID or click the LOV button and select a location.

Add items to the transfer

1. On the Transfer Maintenance window click **Items**. The Transfer Detail window opens.
2. In the Apply area, select a grouping mechanism in the Item Type field.
3. In the next field, enter the ID of the item or item list, or click the LOV button and select the item or item list.
4. If you are adding items by diff, in the Diff ID field, enter the ID of the diff, or click the LOV button and select the diff.

5. In the Inv Status field, enter the inventory status type, or click the LOV button and select the inventory status type.

Note: You can only enter a value in the Inv Status field if you selected Unavailable in the Inventory Status field on Transfer Maintenance.

6. In the Qty Type field, select how you want to determine the quantity on the transfer
 - **Total stock on hand:** All stock on hand at the origin location is added to the transfer.
 - **Manual:** The Trans Qty field is enabled so that you can enter the quantity to be added to the transfer.
7. If you selected Manual, in the Transfer Qty field enter the number of items to transfer.
8. In the Trans Qty field enter the number that will be transferred.

Note: If you select Total Stock on Hand in the Qty Type field, all stock at the location will be transferred. You cannot enter a transfer quantity.

9. If this is an intercompany transfer, set the transfer price:
 - a. In the Transfer Price Adjustment Type field, indicate how you want to adjust the price.
 - b. In the Adjustment Value field, enter the price or percent that you are adjusting by.
 - c. Click **Apply**. The details are added to the table.

Review and complete the transfer

- Click **OK** to save your changes and close the window.

Transfer Maintenance Window [tsf]

The Transfer Maintenance window allows you to create and maintain a transfer. Store requisition, cross-dock PO, PO-linked, combined, and MRT-based return to vendor transfers are created automatically. You can create any other type of transfer, such as customer order, return to vendor, confirmation, non-salable merchandise, administrative, and manual requisition. In a multi-channel environment, you can create book transfers and non-salable book transfers.

From the Transfer Maintenance window, you can access details about the items to be transferred, the customer for a customer order, and a summary by diff for an item parent. In addition, you can receive a shipped transfer.

Transfer Detail Window [tsfdetail]

The Transfer Detail window allows you view and maintain the list of items on a transfer. You can edit the number of units transferred and the number of units shipped. To view additional details about the transfer, select the appropriate option from the View menu.

To view monetary amounts in the primary currency of the company or in the local currency of either the origin location or destination location, select the currency from the Options > Currency menu.

Edit a Transfer

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to transfers in Input or Approved status. The Transfer Maintenance window opens.

- Edit the enabled fields as necessary.

Edit the items on the transfer

1. Click **Items**. The details appear in the Transfer Detail window.
2. Select the item to be edited. The details appear in the Apply area.
3. Edit the enabled fields as necessary.
4. Click **Apply**. The updated details are added to the table.
5. Click **OK** to save your changes and close the windows.

Edit customer details for a customer order transfer

1. Click **Customer**. The PO Customer Maintenance window opens.

Note: This button is enabled only when the transfer type is Customer Order.

2. Edit the enabled fields as necessary.
3. Click **OK** to save your changes and close the windows.

Edit a Transfer Entity

Navigate: From the main menu, select Control > Setup > Transfer Entities > Edit. The Transfer Entity Maintenance window opens.

1. Select a transfer entity.
2. In the Description field, edit the description of the transfer entity.
3. Click **OK** to save any changes and close the window.

Edit a Transfer Work Order Activity

Navigate: From the main menu, select Control > Setup > Transfer Work Order Activity > Edit.

The Transfer Work Order - Activity Set Up window opens.

1. Edit the enabled fields as necessary.

Note: If you need to change the cost type of an activity, you must delete the activity and add a new activity.

2. Click **OK** to save any changes and close the window.

Delete a transfer work order activity

1. Select an activity
2. Click **Delete**. You are prompted to confirm the deletion.
3. Click **Yes**. The activity is removed from the table.
4. Click **OK** to save any changes and close the window.

Edit Transfers with Finishing

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to transfers in Input or Approved status. The Transfer Maintenance window opens.

Click **Items**. The Transfer Detail window opens.

1. Click **Work Order**. The Transfer Work Order Maintenance window opens.
2. Select an item / activity on the table.
3. Edit the Activity cost as necessary.
4. Edit or add comments as necessary.
5. Click **Apply**. The item / activity is added to the table.
6. To delete an activity from an item:
 - a. Select an item / activity on the table.
 - b. Click **Delete**. You are prompted to confirm the deletion.
 - c. Click **OK**. The activity is deleted from the item.
7. Click **OK** to save any changes and close the window.

Edit Customer Information for a Transfer

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to a Customer Order type. The Transfer Maintenance window opens.

1. Click **Customer**. The PO Customer Maintenance window opens.
2. Edit the enabled fields as necessary.
3. Click **OK** to save your changes and close the window

Transfer Search Window [tsffind]

The Transfer Search window allows you to enter criteria in order to search for transfers and view the results of the search.

Functional views

The default view for the Transfer Search window opens when you open the window for the first time. You can also create a custom view.

Search for a Transfer

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

1. In the Action field, select either Edit or View.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The Transfer Search window displays the transfers that match the search criteria.
4. Select a task:
5. To perform another search, click **Refresh**.

6. To display the details of a transfer, select a record and click **OK**. The details appear in the Transfer Maintenance window.
7. Click **Close** to exit.

Delete a Transfer Entity

Navigate: From the main menu, select Control > Setup > Transfer Entities > Edit. The Transfer Entity Maintenance window opens.

1. Select a transfer entity.
2. Click **Delete**. You are prompted to confirm the deletion.
3. Click **Yes**. The transfer entity is deleted.

Note: You cannot delete a transfer entity that is associated with a location. Associate the locations with other entities and then delete the original location.

4. Click **OK** to save any changes and close the window.

Copy a Transfer

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

Search for and retrieve a transfer in New from Existing mode. The Transfer Maintenance window opens.

- Edit the enabled fields as necessary.

Add items to the transfer

1. Click **Items**. The Transfer Detail window opens.
2. In the Apply area, select a grouping mechanism in the Item Type field.
3. In the Item field, enter the ID of the item or item list, or click the LOV button and select the item or item list.
4. Enter any additional details in the enabled fields.
5. Click **Apply**. The details are added to the table.
6. Click **OK** to save your changes and close the window.

Copy a customer order transfer

1. On the Transfer Maintenance window, click **Customer**. The PO Customer Maintenance window opens.
2. Enter or edit any additional details in the enabled fields.
3. Click **OK** to save your changes and close the window.

Packing Results Window [tsfpackresult]

The Packing Results window allows you to view the packaging instructions that are being sent for this transfer. From this window you can delete a set of instructions.

Transfer Totals Window [tsfdetail]

The Transfer Totals window allows you to view the sum of the units transferred, shipped, and received based on the unit of transfer.

Transfer Entity Locations Window [tsfentitylocs]

The Transfer Entity Locations Window allows you to view all locations that have been associated to a transfer entity.

Transfer Up Charges Window [tsfchrg]

Use The Transfer Up Charges window to view the up charge groups that are associated with a specific transfer/item/from location/to location combination. Up charge groups are a combination of up charge components. Up charge components are charges that are incurred when transferring from a store or warehouse to another store or warehouse.

To view the monetary amounts in the currency of the source location (From Loc), the destination location (To Loc), or the primary currency of the company (Primary), select the appropriate option from the Options > Currency menu.

Delete Up Charges Associated with a Transfer

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search Window opens.

Search for and retrieve a transfer in edit mode. The Transfer Maintenance window opens.

From the Options menu, select Delete Up charge.

1. You will be prompted to permanently delete all up charges associated with the transfer.
2. Click **Yes**.
3. Click **OK** to save your changes and close the window.

Transfer Parent/Diff Summary Window [tsfscsum]

The Transfer Parent/Diff Summary window allows you to view the number of units transferred, shipped, and received by item parent/diff. You can view the item parent with any diff value that is assigned to that item.

Print a Transfer

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. The Transfer Maintenance window opens.

1. From the Options menu, select Print. The Report Parameters page opens.
2. In the Destination field, select the destination for the report.
3. In the Destination Printer field, the default printer name is filled in automatically.

Note: Default printers are assigned by user name. If the field is empty, enter the ID of a printer.

4. In the Transfer Number field, the current transfer number is filled in automatically. To print a different transfer, edit the transfer number.
5. Click **Submit Query**. The report is sent to the destination selected in the Destination field.

Transfer Work Order Maintenance Window [tsfwo]

The Transfer Work Order Maintenance Window allows you to define activities that are complete by the finisher before the transfer is completed. You must select a finisher when creating the transfer in order to access the window.

Create a Mass Return Transfer with a Return to Vendor

Navigate: From the main menu, select Inventory > Mass Return Transfers. The Mass Return Transfer Search window opens.

1. In the Action field, select New.
2. Click **OK**. The Mass Return Transfers window opens.
3. In the MRT Details area:
 - a. In the MRT No. field, enter the MRT description.
 - b. In the Wh field, enter the ID of the warehouse that the items are being returned to, or click the LOV and select a warehouse.

Note: You cannot select a finisher or, in a multi-channel environment, a physical warehouse.

- c. In the Type field, select the type of MRT you are creating.
 - **Inter-company:** The transfer can occur between locations in different transfer entities.
 - **Intra-company:** The transfer can occur between locations in the same transfer entity.

Note: If your system settings do not allow inter-company transfers, this field will default to intra-company.

- d. In the Inventory Type field, enter the ID of the type of merchandise you want to transfer, or click the LOV button and select a merchandise type.
 - e. In the Quantity Type field, select the how you will determine the number of items to transfer.
 - **Manual:** After selecting the item, you must enter the number of items to transfer. The quantity will default to the stock on hand (SOH), but if the SOH falls below the defined transfer quantity, the transfer will be created in input status.
 - **All Inventory:** Transfers are created for all stock on hand and the user can not specify how much to transfer,
 - f. In the Tsf Not After Date field, enter the last date the transfer can occur, or click the calendar button and select a date.
4. In the RTV Details area:
 - a. In the Supplier field, enter the ID of the supplier you are returning the merchandise to, or click the LOV button and select the supplier.
 - b. In the Create Status field, select the status the RTV will be created in.
 - c. In the Ret. Aut. No. enter the return authorization number for the supplier.
 - d. In the Create Date field, enter the date the RTV is created.

Note: If you do not enter a date, you must create the RTV manually.

- e. In the Reason field, select the reason you are creating the RTV.

- f. In the Not After Date field, enter the last date the RTV can occur, or click the calendar button and select a date.
 - g. In the Restock % field, enter the percentage that is applied for restocking fees.
 - h. Select the Include Wh Inv check box, to indicate warehouse inventory is included in the creation of the RTVs.
5. Add items to a mass return transfer.
 6. Add locations to a mass return transfer.
 7. If you do not enter a date, you must create the RTV manually.
 - a. On the Mass Returns Transfer window, click RTV. The RTV window opens.
 - b. Create an RTV order.
 - c. Approve the RTV order.
 - d. Click **OK** to save any changes and close the window.
 8. Click **OK** to save any changes and close the window. If you created the MRT to automatically create the RTV, the RTV will be created on the date entered in the create date field.

Transfer Zone Maintenance Window [tsfzone]

The Transfer Zone Maintenance window allows you to maintain a list of transfer zones. You can assign a transfer zone to a store when you create or edit the store. Transfer zones are used to restrict transfers to stores within the same transfer zone.

Locations within Transfer Zone Maintenance Window [tsfzloc]

The Locations within Transfer Zone Maintenance window allows you to view a list of the stores that are members of the selected transfer zone. While you cannot assign a store to a transfer zone in this window, you can do so when you create or edit a store.

Create transfers with finishing

Create Transfers with Finishing

Transfers with finishing require that the items on the transfer are worked on before they arrive to a final location. Work on items are complete at a finishers. Finishers can be internal or external. Internal finishers are part of the company, and are typically located in an area of the warehouse. External finishers are set up as a partner to the company, and may be located off site.

You can set up the activities that are required for an item before the transfer is complete. The following are the activities that require finisher be identified for a transfer.

- **Work order:** Work orders are a request that work be done to an item before it arrives at the final location. You assign specific activities that need to be completed by the finisher.
- **Transformation:** Transformation is a request that one item is converted to a second item before it arrives to the final location.
- **Packing:** Packing request are completed at the finishers when the request accompanies a transfer the items are packaged in certain groupings before the transfer is sent to the final location.

Add a Work Order to a Transfer

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

1. Create a transfer with finishing.
2. On the Transfer Detail window, click **Work Order**. The Transfer Work Order Maintenance window opens.
3. Select the item you want to add an activity to.
4. To add a single activity to an item:
 - a. In the Activity Type field, select Activity.
 - b. In the Activity field, enter the ID of the activity you want to use, or click the LOV button and select an activity.
 - c. Edit the Activity Cost as necessary. The activity cost is defaulted from the activity cost entered when the activity was set up.
 - d. Add additional comments as necessary.
 - e. Click **Apply**. The details appear on the table.
5. To add multiple activities to an item.
 - a. In the Activity Type field, select Template to add multiple activities as indicated on the template.
 - b. In the Template field, enter the ID of the template you want to use, or click the LOV button and select a template.
 - c. Click **Apply**. The details appear on the table.
6. Click **OK** to save any changes and close the window.

Review and complete the transfer

- Click **OK** to save any changes and close the window.

Pack an Item on a Transfer

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

1. Create a transfer.
2. Add a transfer work order activity
3. On the Transfer Detail window, click **Packing**. The Item Packing window opens.

Break a pack into its components

1. In the Item field, select a pack item that is on the transfer.
2. Click **Explode Pack**. The component items appear in the Results area.

Change the pack

1. In the Item field, select a pack item that is on the transfer.

Note: You may need to transform the items on a transfer before they can be packed.

2. In the Pack No. field, enter the ID of the new pack.
3. Click **Build Pack**. The new pack is created and displayed in the Results area.

Create a pack based on component items

1. In the Item field, select bulk items on that are on the transfer.
2. In the Pack No. field, enter the ID of the new pack.
3. Click **Build Pack**. The new pack is created and displayed in the Results area.

Review and complete packing

1. To view the details of the pack item, click **Pack Detail** in either the From Pack area or the To Pack area.
2. To view the results of packing the items at the finishers, click Results. The Packing Results window opens.
3. Click **OK** to save any changes and close the windows.

Transform an Item

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

1. Create a transfer.
2. Add a transfer work order activity
3. On the Transfer Detail window, click **Transformation**. The Item Transformation window opens.
4. In the From Item area:
 - a. In the From Item field, enter the item ID of the item or parent item you want to convert, or click the LOV button and select an item.
 - b. If the parent item has diffs, in the Diff ID field, enter the diff ID of the item that you want to convert, or click the LOV button and select a diff.
5. In the To Item area:
 - a. In the To Item field, enter the ID of the item or parent item that you want the From Item to become, or click the LOV button and select an item.

Note: The To Item you select must be an approved item in the merchandising system.

- b. If the item selected in the To Item field is a parent item, In the Diff ID field, enter the diff ID of the item that you want the From item to become, or click the LOV button and select a diff. If you want the diffs of the From Items to become one item with no diffs, leave the Diff ID field blank.
 - c. Click **Transform**. The transformed items are displayed in the Transformation area.
6. To view the results of all the items that have been transformed for the transfer, click **Results**. The Item Transformation Matrix window opens.
 - a. In the Filter area, enter the search criteria as necessary, or click the LOV button and select the appropriate information.
 - b. Click the filter button. The items that match the criteria appear in the results area.
 - c. To clear search criteria, click the clear filter button. Data in all fields is cleared.
 - d. Click **Delete** to remove a transformed item from the results area. You are prompted to confirm the deletion.
 - e. Click **OK**.
 7. Click **OK** to save any changes and close the windows.

Transfer approval process

Transfer Approval Process

When a transfer is added to the system, it must go through a series of checks before it is accessible in the system. Depending on your user role, you may not be able to move the transfer to the next status. A transfer may be in any of the following statuses:

Status	Definition
Input	The transfer has been started, but not completed.
Submitted	The transfer has been completed and is pending review.
Approved	The transfer has been reviewed and has been approved.
Picked	Items on the transfer have been selected for shipping to the next receiver.
In Progress	The transfer has been shipped to the next receiver in the transfer.
Deleted	The transfer is marked for deletion. It will be deleted by a regularly scheduled batch program.
Closed	The transfer has been received at the final location and is complete.

Submit a Transfer for Approval

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to transfers in Input status. The Transfer Maintenance window opens.

1. From the Options menu, select Submit. The status of the transfer changes to Submitted.
2. Click **OK** to save your changes and close the window.

Approve a Transfer

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to transfers in Input status. The Transfer Maintenance window opens.

1. From the Options menu, select Approve. The status of the transfer changes to Approved.
2. Click **OK** to save your changes and close the window.

Delete a Transfer

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to transfers in Input or Approved status. The Transfer Maintenance window opens.

1. From the Options menu, select Delete. When prompted to delete the record, click **Yes**. You are returned to the Transfer Search window.
2. Click **Close** to exit.

Close a Transfer

Navigate: From the main menu, select Inventory > Transfer. The Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to transfers in Shipped status. The Transfer Maintenance window opens.

1. From the Options menu, select Close. The status of the transfer is changed to Closed.

Note: If there are any open appointments assigned to this transfer, that message displays stating that the transfer cannot be closed.

2. Click **OK** to save your changes and close the window.

Mass Returns Transfer

Create mass return transfers

Create Mass Return Transfers

Mass return transfers (MRTs) allow you to create transfers from multiple locations to a single warehouse. There are two types of MRTs that you can create.

- **Mass returns:** Items are transferred from multiple locations to a consolidation location in order to redistribute them to other stores. A transfer is created with a transfer type of reallocation
- **Return To Vendors (RTV):** Items are transferred from multiple location to a consolidation location and then returned to the vendor. If you set up the RTV to create automatically, the RTV is created on the date you enter. Alternatively, you can manually create the RTV.

When you create the MRT, you select a warehouse that is the receiving locations for the transfers. This warehouse will also be the sending location for the RTV. If the MRT will result in an RTV, you must also identify which supplier will receive the items and whether or not to include the warehouse stock in the RTV.

Next you must identify which items are included on the MRT. You can indicate the amount that will be charged to restock the item as well as select the item for the budget.

Finally you must indicate which locations are consolidating to the warehouse. You can indicate the number of items you want to transfer as well as the cost of the item for that item/location.

Mass Return Transfers Window [mrt]

The Mass Return Transfer window allows you to create a transfer from stores to warehouses. You can combine multiple item/locations on one mass return transfer and send the merchandise to a consolidation location, such as a warehouse. Once the Mass Return Transfer is created, you can transfer the items to new locations or you can return the items to the vendor.

Functional views

The default view for the Mass Return Transfers window opens when you open the window for the first time. You can also create a custom view.

Create a Mass Return Transfer for Reallocation

Navigate: From the main menu, select Inventory > Mass Return Transfers. The Mass Return Transfer Search window opens.

1. In the Action field, select New.
2. Click **OK**. The Mass Return Transfers window opens.
3. In the MRT Details area:
 - a. In the MRT No. field, enter the MRT description.
 - b. In the Wh field, enter the ID of the warehouse that the items are being returned to, or click the LOV and select a warehouse.

Note: You cannot select a finisher or, in a multi-channel environment, a physical warehouse.

- c. In the Type field, select the type of MRT you are creating.
 - **Inter-company:** The transfer can occur between locations in different transfer entities.
 - **Intra-company:** The transfer can occur between locations in the same transfer entity.

Note: If your system settings do not allow inter-company transfers, this field will default to intra-company.

- d. In the Inventory Type field, enter the ID of the type of merchandise you want to transfer, or click the LOV button and select a merchandise type.
 - e. In the Quantity Type field, select how you will determine the number of items to transfer.
 - **Manual:** After selecting the item, you must enter the number of items to transfer. The quantity will default to the stock on hand (SOH), but if the SOH falls below the defined transfer quantity, the transfer will be created in input status.
 - **All Inventory:** Transfers are created for all stock on hand and the user can not specify how much to transfer,
 - f. In the Tsf Not After Date field, enter the last date the transfer can occur, or click the calendar button and select a date.
4. Add items to a mass return transfer.
 5. Add locations to a mass return transfer

Edit a Mass Return Transfer

Navigate: From the main menu, select Inventory > Mass Return Transfers. The Mass Return Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to transfers in Input status. The Mass Return Transfers window opens.

In the MRT Details area, update the enabled fields as necessary.

Maintain items on the mass return transfer

1. Filter the mass return transfer as necessary.
2. Edit the enabled fields.
3. Click **Apply**.

Add items to the mass return transfer

1. Click **Add**. The Add Items area is enabled.
2. In the Item Type field, select the type of item you want to add to the transfer.
3. In the Item field, enter the item ID or click the LOV button and select an item.
4. In the Restock % field, enter the percentage that is applied as a restocking fee to the item.

Note: This field is available only for RTV MRTs.

5. Click **Apply**. The Items are added to the table.

Delete an item from the mass return transfer

1. Select an item in the Item Details area.
2. Click **Delete Item**. You are prompted to confirm the deletion.
3. Click **Yes**.

Maintain locations on the mass return transfer

1. Click **Locations**. The Mass Return Transfers - Location window opens.
2. Filter the mass return transfer as necessary.
3. Edit the enabled fields.
4. Click **Apply**.

Add locations to the mass return transfer

1. In the Group Type field, select the type of locations you want to add.
2. In the Value field, enter the ID of the location or the location group or click the LOV button and select a location.
3. In the Transfer Quantity field, enter the number of items you want to transfer.

Note: If you selected All Inventory in the Quantity Type field, on the Mass Return Transfers window, this field is disabled.

4. In the Transfer Price field, enter the total amount of the item, including the cost of the item.
5. Apply the locations and costs to the transfer.
6. Click **Apply** to associate the costs and locations to the selected item on the transfer.
7. Click **Apply All** to associate the locations and items on the transfer.
 - a. Select the option that identifies how you want the location and items associated.
 - b. Click **OK** to save any changes and close the window.
8. Click **OK** to save any changes and close the window.

Delete locations from the mass return transfer

1. Select an item in the Locations Details area.
2. Delete the location and cost from the transfer.
3. Click **Apply** to associate the costs and locations to the selected item on the transfer
4. Click **Apply All** to associate the locations and items on the transfer.
 - a. Select the option that identifies how you want the location and items associated.
 - b. Click **OK** to save any changes and close the window.
5. Click **OK** to save any changes and close the window.

Filter a Mass Return Transfer

Navigate: From the main menu, select Inventory > Mass Return Transfers. The Mass Return Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to transfers in Worksheet status. The Mass Return Transfers window opens.

1. In the Filter area, enter an item ID, or click the LOV button and select an item.
2. Click the filter button. Matching results appear in the Item Details area.
3. Click the clear filter button to display all item on the mass return transfer.

Filter by item/location

1. On the Mass Returns Transfer window, click **Locations**. The Mass Return Transfers - Locations window opens.
2. In the Filter area, enter the ID of the criteria you want to limit your search by in the appropriate field.
3. Click the filter button. Matching results appear in the Item Details area.
4. Click the clear filter button to display all item on the mass return transfer.

Search for a Mass Return Transfer

Navigate: From the main menu, select Inventory > Mass Return Transfers. The Mass Return Transfers Search window opens.

1. In the Action field, select either Edit or View.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The Mass Return Transfer Search window displays the transfers that match the search criteria.
4. Select a task:
5. To perform another search, click **Refresh**.
6. To display the details of a transfer, select a record and click **OK**. The details appear in the Mass Return Transfers window.
7. Click **Close** to exit.

Add Items to a Mass Return Transfer

Navigate: From the main menu, select Inventory > Mass Return Transfers. The Mass Return Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to transfers in Worksheet status. The Mass Return Transfers window opens.

1. In the Add Items area, click **Add**.
2. In the Item Type field, select the type of item you want to add to the transfer.
3. In the Item field, enter the item ID or click the LOV button and select an item.
4. In the Restock % field, enter the percentage that is applied as a restocking fee to the item.

Note: This field is available only for RTV MRTs.

5. Click **Apply**. The Items are added to the table.

Mass Return Transfer Search Window [mrtfind]

The Mass Return Transfer Search window allows you to enter criteria in order to search for mass return transfers and view the results of the search.

Functional views

The default view for the Mass Return Transfer Search window opens when you open the window for the first time. You can also create a custom view.

Mass Return Transfers - Locations Window [mrtloc]

The Mass Return Transfers - Locations window allows you to identify which locations are sending the merchandise to the consolidation location and the quantities the location will send.

Functional views

The default view for the Mass Return Transfers Location window opens when you open the window for the first time. You can also create a custom view.

Maintain return to vendor (RTV) shipments

Maintain Return to Vendor (RTV) Shipments

A return to vendor (RTV) order is used to send merchandise back to the supplier. RTV orders may be received from an external system, such as a warehouse management system. The items on these RTV orders are already shipped, so their status in RMS is Shipped.

One or more items may be included on the RTV order, but only one supplier and location can be entered.

If the RTV was created as the result of an mass return transfer (MRT), the MRT number will be displayed on the RTV. You can view the details of the MRT by searching for the MRT.

Create an RTV Order

Navigate: From the main menu, select Inventory > Return to Vendor. The RTV Search window opens.

1. In the Action field, select New. Click **OK**. The RTV Maintenance window opens.

Note: You can also access the RTV Maintenance window directly from the Quality Control window.

2. In the Supplier field, enter the ID of the supplier, or click the LOV button and select the supplier.

3. In the Location area
 - a. Select the type of location.
 - b. Enter the ID of the location that is returning the item, or click the LOV button and select the location.
4. In the Ret Auth No field, enter the supplier's return authorization number as necessary.
5. In the Comments field, enter any comments as necessary.
6. In the Default Restocking % field, enter what percentage, if any, the supplier charges for returns.
7. To edit the supplier's return address and courier information:
 - a. Click **Ship Info**. The Shipment Info window opens.
 - b. Click **Search** and select an alternative return address as necessary. Otherwise, enter or edit the default information.
 - c. Click **OK** to save any changes and close the window.

Add items to the RTV order

1. Click **Add**. The fields in the Apply area are cleared.
2. In the Item Type field, select how you want to add items to the RTV order.
3. In the Item field, enter the item ID or click the LOV button and select the item.
4. Select the quantity you want to return:
5. To return all items at the location, select the SOH Default check box.
6. To return a set quantity, in the Quantity Returned field, enter the appropriate number.
7. In the Unit Cost field, adjust the amount of the cost of the item as necessary.

Note: The unit cost defaults to the last receipt cost at the origin location for the supplier, if the receipt still exists in RMS.

8. In the Type of Reason field, select the appropriate option.
9. The Restocking % field is defaulted from the Default Restocking % field in the header area. Update the Restocking % field as necessary for the item.
10. Click **Apply**. The item or items are added to the RTV order.
11. Click **OK** to save any changes and close the window.

Approve an RTV Order

Navigate: From the main menu, select Inventory > Return to Vendor. The RTV Search window opens.

Search for and retrieve an RTV order in Edit mode. Restrict the search to RTV orders in Input status. The RTV Maintenance window opens.

1. From the Options menu, select **Approve**.
2. When prompted to approve the RTV order, click **Yes**. The status of the RTV order is changed to **Approved**.
3. Click **OK** to save your changes and close the window.

RTV Maintenance Window [rtv]

The RTV Maintenance window allows you to maintain return to vendor (RTV) orders. You specify the supplier to which the items are returned and the stockholding location from which the items are returned. You can return items from inventory or items that failed quality control.

When you return items from inventory, you can select an item or use an item list. In addition to entering the number of units to return, you must select the reason for the return. If the reason is unavailable inventory, you also select the status of the inventory.

When you return items that failed quality control, you must identify the shipment, the item, and the number of units to return.

The status of the RTV order changes as it passes through the approval process and is shipped. Depending on your user role, you can manually change the status of the RTV order.

If you use an item list on the RTV order, you may want to rebuild the list. To rebuild an item list, select Options > Rebuild Item List.

Edit an RTV Order

Navigate: From the main menu, select Inventory > Return to Vendor. The RTV Search window opens.

Search for and retrieve an RTV order in Edit mode. Restrict the search to RTV orders in Input status. The details of the RTV order appear in the RTV Maintenance window.

- Edit the Ret Auth No, Handling Pct, and Comments fields as necessary.

Edit the supplier's return address and courier information

1. Click **Ship Info**. The Shipment Info window opens.
2. Click **Search** and select an alternative return address as necessary. Otherwise, enter or edit the default information.
3. Click **OK** to save your changes and close the window.

Edit the items on the RTV order

1. Select an item on the table.
2. Enter or edit any additional details as necessary.
3. Click **Apply**.
4. Click **OK** to save your changes and close the window.

Delete an item from the RTV order

1. Select an item and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Add Locations to a Mass Return Transfer

Navigate: From the main menu, select Inventory > Mass Return Transfers. The Mass Return Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to transfers in Worksheet status. The Mass Return Transfers window opens.

1. Click **Locations**. The Mass Return Transfers - Location window opens.

2. In the Group Type field, select the type of locations you want to add.
3. In the Value field, enter the ID of the location or the location group or click the LOV button and select a location.
4. In the Transfer Quantity field, enter the number of items you want to transfer.

Note: If you selected All Inventory in the Quantity Type field, on the Mass Return Transfers window, this field is disabled. If you selected Manual in the Quantity Type field, on the Mass Return Transfers window, leave the field blank to include all stock on hand at the location.

5. In the Transfer Price field, the transfer price of the items:
6. For intercompany transfers, enter the sales price of the item.
7. For intracompany enter the transfer cost.
8. Apply the locations to the transfer:
9. Click **Apply** to associate the locations to the selected item on the transfer.
10. Click **Apply All** to associate the locations and items on the transfer.
 - a. Select the option that identifies how you want the location and items associated.
 - b. Click **OK** to save any changes and close the window.
11. Click **OK** to save any changes and close the window.

RTV Search Window [rtvfind]

The RTV Search window allows you to enter criteria in order to search for return to vendor (RTV) orders and view the results of the search.

Functional views

The default view for the RTV Search window opens when you open the window for the first time. You can also create a custom view.

Search for an RTV Order

Navigate: From the main menu, select Inventory > Return to Vendor. The RTV Search window opens.

1. In the Action field, select either Edit or View.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The RTV Search window displays the RTV orders that match the search criteria.
4. Select a task:
5. To perform another search, click **Refresh**.
6. To display the details of an RTV order, select a record and click **OK**. The details appear in the RTV Maintenance window.
7. Click **Close** to exit.

Cancel an RTV Order

Navigate: From the main menu, select Inventory > Return to Vendor. The RTV Search window opens.

Search for and retrieve an RTV order in Edit mode. Restrict the search to RTV orders in Input status. The RTV Maintenance window opens.

1. From the Options menu, select Cancel.
2. When prompted to cancel the RTV order, click **Yes**. The status of the RTV order is changed to Cancelled.
3. Click **OK** to save your changes and close the window.

Shipment Info Window [rtv]

The Shipment Info window allows you to edit the supplier's return address and courier information for the current RTV order. The default address is filled in automatically. You can edit the current address, or search for and select a different address.

Unapprove an RTV Order

Navigate: From the main menu, select Inventory > Return to Vendor. The RTV Search window opens.

Search for and retrieve an RTV order in Edit mode. Restrict the search to RTV orders in Approved status. The RTV Maintenance window opens.

1. From the Options menu, select Unapprove.
2. When prompted to unapprove the RTV order, click **Yes**. The status of the RTV order is changed to Input.
3. Click **OK** to save your changes and close the window.

Mass returns approval process

Mass Return Transfer Approval Process

When a mass return transfer is added to the system, it must go through a series of checks before it is accessible in the system. Depending on your user role, you may not be able to move the mass return transfer to the next status. A mass return transfer may be in any of the following statuses:

Status	Definition
Input	The mass return transfer has been started, but not completed.
Submitted	The mass return transfer has been completed and is pending review.
Approved	The mass return transfer has been reviewed and has been approved.
Rejected	The mass return transfer has been submitted, reviewed, and has been rejected.
Closed	The mass return transfer is complete.
Canceled, Cancel	The mass return transfer has been manually closed and is no longer valid.
RTV Created	The mass return transfer has an associated RTV order for the MRT has been created

Submit a Mass Return Transfer

Navigate: From the main menu, select Inventory > Mass Return Transfers. The Mass Return Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to transfers in Input status. The Mass Return Transfers window opens.

1. From the Options menu, select Submit. The status of the transfer changes to Submitted.
2. Click **OK** to save any changes and close the window.

Approve a Mass Return Transfer

Navigate: From the main menu, select Inventory > Mass Return Transfers. The Mass Return Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to transfers in Submitted status. The Mass Return Transfers window opens.

1. From the Options menu, select Approve. The status of the transfer changes to Approved.
2. Click **OK** to save any changes and close the window.

Reject a Mass Return Transfer

Navigate: From the main menu, select Inventory > Mass Return Transfers. The Mass Return Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. Restrict the search to transfers in Worksheet status. The Mass Return Transfers window opens.

1. From the Options menu, select Reject. The status of the transfer changes to Rejected.
2. Click **OK** to save any changes and close the window.

Close a Mass Return Transfer

Navigate: From the main menu, select Inventory > Mass Return Transfers. The Mass Return Transfer Search window opens.

Search for and retrieve a transfer in Edit mode. The Mass Return Transfers window opens.

1. From the Options menu, select Close . The status of the transfer changes to Closed.
2. Click **OK** to save any changes and close the window.

Inventory adjustments

Set up inventory adjustments

Set Up Inventory Adjustments

Inventory adjustments can be made online or they can be received from an external system, such as a warehouse management system. There are two types of adjustments that can be made to inventory:

- **Stock on hand:** The quantity of stock on hand, or salable stock, is increased or decreased. Both the quantity and value of the stock on hand are adjusted in the stock ledger.
- **Unavailable inventory:** The quantity of stock on hand does not change, but the quantity of unavailable stock, or non-salable stock, is increased or decreased. In the stock ledger, the adjustment is recorded as a transfer between stock on hand and unavailable inventory. No adjustment is made to the stock value.

Prior to using the inventory adjustment functionality, status types and reasons for adjustments must be set up in the system. The Total Stock on Hand status type is reserved for adjustments made to salable goods. Any additional status types are user-defined and are reserved for adjustments made to non-salable goods. The user-defined status types indicate why the goods are non-salable. When adjusting total stock on hand, you must select a reason for the adjustment. The reason indicates why the total stock on hand must be adjusted.

Add an Inventory Adjustment Reason

Navigate: From the main menu, select Control > Setup > Inventory Adjustment Reason > Edit. The Inventory Adjustment Reason Code Maintenance window opens.

1. Click **Add**. The next available line is enabled.
2. In the Reason field, enter a unique ID for the reason.
3. In the Description field, enter the description of the reason.
4. In the Cost of Good Sold field, select the check box to indicate that associating this reason with an inventory adjustment will affect the cost of goods sold.
5. Click **OK** to save your changes and close the window.

Add an Inventory Status Type

Navigate: From the main menu, select Control > Setup > Inventory Status Types > Edit. The Inventory Status Types window opens.

1. Click **Add**. The next available line is enabled.
2. In the Status field, enter a unique ID for the status type.
3. In the Description field, enter the description of the status type.
4. Click **OK** to save your changes and close the window.

Adjust inventory

Adjust Inventory

Inventory adjustments can be made online or they can be received from an external system, such as a warehouse management system. There are two types of adjustments that can be made to inventory:

- **Stock on hand:** The quantity of stock on hand, or salable stock, is increased or decreased. Both the quantity and value of the stock on hand are adjusted in the stock ledger.
- **Unavailable inventory:** The quantity of stock on hand does not change, but the quantity of unavailable stock, or non-salable stock, is increased or decreased. In the stock ledger, the adjustment is recorded as a transfer between stock on hand and unavailable inventory. No adjustment is made to the stock value.

You can choose to adjust the inventory of one item at multiple locations, multiple items at one location, or a transformed item at one location. An example of a transformed item might be a watermelon that is sliced into smaller chunks for sale. You reduce the stock on hand for whole watermelons and increase the stock on hand for sliced pieces of watermelon.

When you edit or view an item, you can choose to view the quantity of unavailable, or non-salable, stock on hand. You can restrict the view to one or all inventory status types at one or all locations.

Adjust Inventory by Item

Navigate: From the main menu, select Inventory > Inventory Adjustments > By Item. The Inventory Adjustment by Item window opens.

1. In the Item field, enter the item number of the item, or click the LOV button and select the item.
2. In the Inventory Status field, select the status that you want to apply to the item.
3. In the Reason field, enter the ID of the reason for the adjustment, or click the LOV button and select the reason.

Note: A reason is required if you select Total Stock on Hand in the Inventory Status field.

4. In the Location Type field, select the type of location where the adjustment is needed.

Note: Pack items can be adjusted only at warehouses.

5. In the Location field enter the ID of the location, or click the LOV button and select the location.
6. In the Adjustment Qty field enter the number of units that you want to add or subtract. Use a negative number to subtract from the total.
7. Click **OK** to save your changes and close the window.

Inventory Adjustment by Location Window [invadjst]

The Inventory Adjustment by Location window allows you to manually adjust the inventory of one or more items at a location. Adjustments for pack items can be made only at a warehouse.

You can choose from two types of adjustments:

- **Stock on hand:** The quantity of stock on hand, or salable stock, is increased or decreased. Both the quantity and value of the stock on hand are adjusted in the stock ledger.
- **Unavailable inventory:** The quantity of stock on hand does not change, but the quantity of unavailable stock, or non-salable stock, is increased or decreased. In the stock ledger, the adjustment is recorded as a transfer between stock on hand and unavailable inventory. No adjustment is made to the stock value.

Inventory adjustments may also be initiated by an external system, such as a warehouse management system.

Adjust Inventory By Location

Navigate: From the main menu, select Inventory > Inventory Adjustments > By Store/Warehouse. The Inventory Adjustment by Location window opens.

1. In the Location Type field, select the type of location where the adjustment must be made.
2. In the Location field, enter the ID of the location, or click the LOV button and select the location.
3. In the Inventory Status field, select the status that you want to apply to the items at the selected location.
4. In the Reason field, enter the ID of the reason for the adjustment, or click the LOV button and select the reason.

Note: A reason is required if you select Total Stock on Hand in the Inventory Status field.

5. In the Item field, enter the item number of the item, or click the LOV button and select the item.
6. In the Adjustment Qty field enter the number of units that you want to add or subtract. Use a negative number to subtract from the total.
7. Click **OK** to save your changes and close the window.

Adjust Inventory of Transformed Items

Navigate: From the main menu, select Inventory > Inventory Adjustments > Product Transformation. The Product Transformation window opens.

1. In the Location Type field, select the type of location where the adjustment must be made.
2. In the Location field, enter the ID of the location, or click the LOV button and select the location.
3. In the Item field, enter the item number of the item to be transformed, or click the LOV button and select the item.
4. In the Reason field, enter the ID of the reason for the adjustment, or click the LOV button and select the reason.
5. In the Quantity Removed field, enter the number of units subtracted from stock on hand.

6. In the Item field, enter the item number of the item derived from the transformed item, or click the LOV button and select the item.
7. In the Quantity Added field, enter the number of units added to the stock on hand.
8. In the New Cost field, edit the default cost per unit as necessary.
9. Add any additional items that are derived from the transformed item.
10. Click **OK** to save your changes and close the window.

Maintain Inventory Adjustment Reasons

Navigate: From the main menu, select Control > Setup > Inventory Adjustment Reason > Edit.

The Inventory Adjustment Reason Code Maintenance window opens.

Edit an inventory adjustment reason

1. In the Description field, edit the description as necessary.
2. If there are no inventory adjustments associate with the reason, you can select or clear the Cost of Goods Sold Check box.
3. Click **OK** to save any changes and close the window

Delete an inventory adjustment reason

1. Select a reason and click **Delete**.
2. When prompted to delete the record, click **OK**.

Note: You cannot delete a reason if it is referenced by an inventory adjustment.

3. Click **OK** to save your changes and close the window.

Inventory Adjustment by Item Window [invadjsk]

The Inventory Adjustment by Item window allows you to manually adjust the inventory of an item at one or more locations. Adjustments for pack items can be made only at warehouses.

You can choose from two types of adjustments:

- **Stock on hand:** The quantity of stock on hand, or salable stock, is increased or decreased. Both the quantity and value of the stock on hand are adjusted in the stock ledger.
- **Unavailable inventory:** The quantity of stock on hand does not change, but the quantity of unavailable stock, or non-salable stock, is increased or decreased. In the stock ledger, the adjustment is recorded as a transfer between stock on hand and unavailable inventory. No adjustment is made to the stock value.

Inventory adjustments may also be initiated by an external system, such as a warehouse management system.

Inventory Status Types Window [invstyps]

The Inventory Status Types window allows you to maintain a list of status types. You use a status type to indicate why one or more units of stock on hand are made unavailable for sale. For example, the item may be damaged or under repair.

Wholesale/Franchise

Wholesale and Franchise Orders Window [wforder]

This window allows users to take orders from wholesale and franchise customers and fulfill those orders from the warehouse inventory.

View a Wholesale Stock Order Transfer

Navigate: From the main menu, select Inventory > Wholesale/Franchise Orders and Returns. The Wholesale/Franchise Returns Search window opens.

Search for a wholesale order in Edit mode. Select an order. The WF Ordering window opens.

1. From the Options menu select View Stock Orders. The Transfers for Wholesale Order window opens.
2. Select a transfer order.
3. Click **Detail** to view more detail on the transfer.
4. Click **OK** to close.
5. Click **OK** to close.

Distribute Items in a Wholesale/Franchise Order Window [wforder]

The Distribute Items in a Wholesale/Franchise Order window allows the user to distribute all of the items in an order.

Bill to Address Window [wforder]

This window provides the user the ability to specify a Bill to Address for the wholesale or franchise order.

Set Bill to Address

Navigate: From the main menu, select Inventory > Wholesale/Franchise Orders and Returns. The Wholesale/Franchise Returns Search window opens.

Select a wholesale/franchise order in New mode. Select a type. Click **OK**. The WF Ordering window opens.

1. Enter header information (customer information and dates).
2. Enter all information for the first item of the order. Anytime after the first item is entered and applied (if you don't click the [apply button] the bill to address link is still disabled. The Bill to Address window is enabled.
3. From the Options menu, select Bill to Address. The Bill to Address window opens.
4. Enter the appropriate information.
5. Click **Apply**. The table populates with the applicable information.

Edit Wholesale Franchise Orders

Navigate: From the main menu, select Inventory > Wholesale/Franchise Orders and Returns. The Wholesale/Franchise Returns Search window opens.

Select a wholesale/franchise order in Edit mode. The WF Ordering window opens.

Note: Adding lines to an order is only available for order in Input status. Substitution and distribution of items are only allowed in edit mode when a user adds a new item to an order, but the option is not available for existing items on an order.

Edit wholesale/franchise orders

Note: For existing items on an order, the only thing that a user can change is the quantity.

1. Enter the information to be changed.
2. Click **Apply**. The order is changed in the table.
3. Click **OK** to save your changes and close the window.

Substitute an item on a wholesale/franchise order

Use this procedure to substitute an item on a wholesale order:

1. In the Item field, enter the item number of the item to be substituted, or click the LOV button and select the item.
2. Enter appropriate information in the item area.
3. Click **Substitute**. The Substitute Item window opens.
4. Select the item to substitute.
5. Click **Apply**. The Substitute Item window closes.
6. Click **OK** to save your changes and close the window.

Delete wholesale/franchise item from orders

1. Select an order in Input status and click **Delete Item**. This button is only enabled for orders in Input status.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Wholesale and Franchise Returns window [wfreturns]

The Wholesale Franchise Returns window allows you to create and modify wholesale and franchise return orders.

Create Wholesale Franchise Returns

This window allows users to return items from wholesale and franchise customers and fulfill those returns from the warehouse inventory.

Navigate: From the main menu, select Inventory > Wholesale/Franchise Orders and Returns. The Wholesale/Franchise Returns Search window opens.

Select a wholesale/franchise return in New mode. The WF Returns window opens.

1. Enter the Customer or click the LOV button to select a customer.
2. Enter the Customer Location or click the LOV button to select a customer location.
3. Enter a Return Location or click the LOV button to select a return location.
4. Select the Default Restocking Type.
5. Enter the Value.
6. Enter the Order ID or click the LOV button to select the order ID.
7. Select the Item Type.
8. Select the Return Reason.
9. Enter the Item ID or click the LOV button to select an item ID.
10. Enter the Return Quantity.
11. Click **Apply**.
12. Click **OK**.

Edit Wholesale and Franchise Returns

Navigate: From the main menu, select Inventory > Wholesale/Franchise Orders and Returns. The Wholesale/Franchise Returns Search window opens.

Select Edit Mode and Wholesale Return. Click **Search**. **Only returns in Input status can be modified.** The WF Returns window opens.

Edit wholesale/franchise returns

1. Enter the information to be changed.
2. Click **Apply**. The return changed in the table.
3. Click **OK** to save your changes and close the window.

Delete wholesale/franchise item from returns

1. Enter the information to be changed.
2. Select an order and click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Wholesale Franchise Orders and Returns Search window [wfordretfind]

The Wholesale Franchise Orders and Returns Search window allows you to search for a wholesale and franchise order or return item.

Functional views

The default view for the search window opens when you open the window for the first time. From the View menu, you can choose to view the Due Orders layout or you can create a custom view.

Wholesale Franchise Customer Group Maintenance Window [wfcustomergroup]

This window allows users to maintain wholesale and franchise customer groups.

Wholesale Franchise Customer Maintenance Window [wfcustomer]

This window allows users to maintain wholesale and franchise customer groups.

Edit Wholesale Franchise Customers

Navigate: From the main menu, select Control > Customer Group > Edit. The Wholesale/Franchise Customer Group Maintenance window opens.

Edit wholesale/franchise customers

1. Select a Customer Group Name.
2. Click **Customer**. The next Wholesale/Franchise Customer Maintenance window opens.
3. Enter the Customer ID.
4. Enter Customer Name.
5. Select a customer type.
6. Check the Credit Indicator, if applicable.
7. Click **OK** to save your changes and close the window.

Add another customer group

1. From the Wholesale/Franchise Customer Maintenance window, click **Add**. A blank line appears in the table.
2. Enter the Customer ID.
3. Enter Customer Name.
4. Select a customer type.
5. Check the Credit Indicator, if applicable.
6. Click **OK** to save your changes and close the window.

Delete wholesale/franchise customer group

1. From the Wholesale/Franchise Customer Maintenance window, select a Customer Group Name.
2. Click **Delete**. Only customer groups without associated customers can be deleted.
3. Click **OK** to save your changes and close the window.

Search for a Wholesale Franchise Order/Return

Navigate: From the main menu, select Inventory > Wholesale/Franchise Orders and Returns. The Wholesale/Franchise Orders and Returns Search window opens.

Select a wholesale/franchise order or returns in View mode.

1. Enter the applicable information to narrow your search.
2. Click Search. The WF Search Results window opens.
3. Select the order.
4. Click OK. Either the WF Ordering window opens or the WF Returns window opens, depending upon the search criteria.

Distribute a Wholesale Franchise Item

Navigate: From the main menu, select Inventory > Wholesale/Franchise Orders and Returns. The Wholesale/Franchise Returns Search window opens.

Search for and retrieve a wholesale/franchise order in Edit mode. Restrict the search to orders in Input status.

1. Select a wholesale/franchise order and click **OK**. The WF Ordering window opens.
2. Select the item to distribute. The item type must be a parent item or an item list, otherwise the Distribute button is disabled.
3. Enter appropriate information in the item area.
4. Click **Distribute**. The Distribute Items window opens.
5. Enter appropriate information in the fields.
6. Click **Apply**.

Wholesale Stock Order Transfers Window [wfordtsf]

This window allows users to view stock order transfers on wholesale orders.

Create Wholesale Franchise Order

Navigate: From the main menu, select Inventory > Wholesale/Franchise Orders and Returns. The Wholesale/Franchise Returns Search window opens.

Select a wholesale/franchise order in New mode. The WF Ordering window opens.

1. Enter the Customer Location. The Customer number populates with applicable information.
2. Select the Order Type.
3. Click **Add**.
4. Enter the Item or click the LOV button.
5. Enter other appropriate information.
6. Click **Apply**.
7. Enter applicable information in the Totals area.
8. From the Options menu, select Bill to Address. The Bill to Address window opens.
9. Enter the appropriate information.
10. Click **Apply**. The table populates with the applicable information.
11. Click **OK**.

Create Wholesale Franchise Order

Navigate: From the main menu, select Inventory > Wholesale/Franchise Orders and Returns. The Wholesale/Franchise Returns Search window opens.

Select a wholesale/franchise order in New mode. Select Order Type. Click **OK**. The WF Ordering window opens.

1. Enter information into the customer information header section.
2. Click **Add**.
3. Select the Order Type.
4. Enter the Item, or click the LOV button and select the item from the list.

5. Enter other appropriate information.
6. Click **Apply**. The totals section should default to sum up the number of items added to order.
7. Repeat steps if additional items are needed.
8. Click **OK** to save items in the order.
9. Click **Apply**. The table populates with the applicable information.
10. Click **OK**.

Edit the Wholesale Cost Relationship Maintenance window

Navigate: From the main menu, select Control > Wholesale Cost Relationship Maintenance > Edit. The Wholesale Cost Relationship Maintenance window opens.

Note: Only new relationships can be added through this screen. To change an existing relationship, the relationship needs to be deleted and added.

Note: When the user adds relationships for each subclass, customer location, or template combination, there should be no overlaps for the defined date range. Multiple relationships can exist at the subclass, location, or template level as long as the dates don't overlap.

Search for the cost relationship

1. In the Department field, enter the ID of the department, or click the LOV button and select a department.
2. Enter other appropriate information.
3. Click **Search**. Information matching your search criteria populates the Cost Relationship area.

Edit the cost relationship

1. Select the cost relationship in the table.
2. Enter the appropriate relationship information in the Add Relationship area.
3. Click **Apply**.
4. Click **OK** to save your changes and close the window.

Delete the cost relationship

1. Select the cost relationship in the table.
2. Click **Delete**.
3. Click **OK** to save your changes and close the window.

Wholesale Franchise Customer Store Window [wfstore]

This window allows users to view wholesale and franchise stores associated to a wholesale/franchise customer.

Wholesale Cost Relationship Maintenance Window [costdburel]

The Wholesale Cost Relationship Maintenance window allows a user to create cost relationships by assigning cost templates to merchandise hierarchy and customer locations and associating effective dates to the relationship.

Enter the search criteria in order to search for and view the cost relationship by item.

To display the relationship, select the appropriate option from the Wholesale Cost Relationship Maintenance menu.

Item Cost Details Window [wforder]

This window allows users to view the cost buildup information for an item on the wholesale/franchise order and enter a fixed cost, if needed.

Replenishment

Set up investment buy parameters

Set Up Investment Buy Parameters

Investment buy is the process of purchasing inventory in excess of the replenishment recommendation to take advantage of a supplier deal or to leverage inventory against a cost increase.

To utilize the investment buy process:

1. Set up suppliers, indicating the level of inventory management.
2. Indicate that the suppliers are investment buy eligible.
3. Identify investment buy warehouses, indicate limiting parameters for the warehouse in a single channel or multi-channel environment.
4. Recommended order quantities appear on a buyer worksheet or are automatically added to purchase order, as defined in setup.
5. If you choose to utilize the buyer worksheet, verify replenishment recommended order quantities, determine the actual order quantities, and add items as necessary.
6. Select items on the buyer worksheet and create a purchase order.

Add Inventory Management Constraints to a PO at the Order, Item, or Location Level

Navigate: From the main menu, select Ordering > Orders. The Order Selection window opens.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window opens.

(Optional): Click **Items**. The PO Item Maintenance window opens. Select an item on the table. (Optional): Click **Locations**. The PO Item/Location window opens. Select a location on the Order Detail table.

From the Options menu, select Inventory Mgmt./Totals. The Order Inventory Maintenance window opens.

Define scaling constraints

1. In the Scaling Constraints area, select the Scale to Order check box. The Scaling Constraints area is enabled.
2. In the Scaling Objective field, select whether purchase orders are scaled to the minimum or maximum values of the scaling constraints.
3. In the Scaling Level field, select the level at which the scaling is performed.
4. In the Maximum Iterations field, enter the maximum number of times that the scaling process is performed for the purchase order.

5. In the Scaling Constraints Primary column, complete the following fields:
 - **Type:** Select the primary type of constraint to use when scaling orders.
 - **UOM/Currency:** If you selected Mass or Volume as the primary type, enter the UOM code, or click the LOV button and select the UOM. If you selected Amount as the primary type, enter the currency code, or click the LOV button and select the currency code.
 - **Max Value:** Enter the maximum value of the constraint.
 - **Max Value Tolerance:** Enter the percentage tolerance for the maximum value of the constraint.
 - **Min Value:** Enter the minimum value of the constraint.
 - **Min Value Tolerance:** Enter the percentage tolerance for the minimum value of the constraint.
6. In the Scaling Constraints Secondary column, complete the following fields:
 - **Type:** Select the secondary type of constraint to use when scaling orders.

Note: The Secondary Type cannot be the same as the Primary Type.

 - **UOM/Currency:** if you selected Mass or Volume as the secondary type, enter the UOM code, or click the LOV button and select the UOM. If you selected Amount as the secondary type, enter the currency code, or click the LOV button and select the currency code.
 - **Max Value:** Enter the maximum value of the constraint.
 - **Max Value:** Enter the maximum value of the constraint.
 - **Max Value Tolerance:** Enter the percentage tolerance for the maximum value of the constraint.
 - **Min Value:** Enter the minimum value of the constraint.
 - **Min Value Tolerance:** Enter the percentage tolerance for the minimum value of the constraint.

Define minimum constraints

1. In the Level field, select the level at which the minimum order requirements of the supplier must be met
2. In the Minimum 1 column, complete the following fields:
 - **Type:** Select how the first minimum order requirement is expressed.
 - **UOM/Currency:** If you selected Mass or Volume as the primary type, enter the UOM code, or click the LOV button and select the UOM. If you selected Amount as the primary type, enter the currency code, or click the LOV button and select the currency code.
 - **Value:** Enter the value of the first minimum order requirement of the supplier.
3. When you define two minimum order requirements, select the relationship between the requirements in the Conjunction field.

4. In the Minimum 2 column, complete the following fields:
 - **Type:** Select how the second minimum order requirement is expressed.

Note: The Minimum 2 Type cannot be the same as the Minimum 1 Type.
 - **UOM/Currency:** If you selected Mass or Volume as the secondary type, enter the UOM code, or select it from the LOV. If you selected Amount as the secondary type, enter the currency code, or select it from the LOV.
 - **Value:** Enter the value of the first minimum order requirement of the supplier.

Define truck splitting constraints

1. In the Truck Splitting Constraints area, select the Split Order into Truckloads check box. The Truck Splitting Constraints area is enabled.
2. In the Constraint 1 column, complete the following fields:
 - **Type:** Select the primary type of constraint to use when splitting orders into truckloads.
 - **UOM/Currency:** If you selected Mass or Volume as the primary type, enter the UOM code, or select it from the LOV. If you selected Amount as the primary type, enter the currency code, or select it from the LOV.
 - **Value:** Enter the value of the constraint.
 - **Tolerance:** Enter the percentage tolerance for the maximum value of the constraint.
3. In the Constraint 2 column, complete the following fields:
 - **Type:** Select the primary type of constraint to use when splitting orders into truckloads.

Note: The Constraint 2 Type cannot be the same as the Constraint 1 Type.
 - **UOM/Currency:** If you selected Mass or Volume as the secondary type, enter the UOM code, or select it from the LOV. If you selected Amount as the secondary type, enter the currency code, or select it from the LOV.
 - **Value:** Enter the value of the constraint.
 - **Tolerance:** Enter the percentage tolerance for the maximum value of the constraint.

Add a pooled supplier

1. In the Supplier field, enter the supplier ID or click the LOV button and select the supplier.
2. In the File ID field, enter the file ID or click the LOV button and select the file ID.

Define order quantity scaling

- In the UOM field select the code to display the scaled and prescaled quantities.

Recalculate the purchase order

1. Click **Recalc. Qtys.** The Pre-Scaled and Scaled information opens in the appropriate fields.
2. Click **OK** to save your changes and close the window.

Add Inventory Management Information for a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

OR

If the Financials module is installed, from the main menu, select Control > Supplier > Maintenance from the main menu.

From the Options menu, select Inventory Management. The Supplier Inventory Management Information window opens.

- In the Supplier, Department, and Location fields, enter the ID of the supplier, department, and location as appropriate, or click the LOV button and select supplier, department, and location as appropriate.

Define replenishment review attributes

1. In the Review Cycle field, select the frequency that the item is reviewed for replenishment.
2. To select the day on which the item is reviewed:
 - If the review cycle is every day, all the days of the week are selected automatically for the delivery schedule.
 - If the review cycle is every week, select the days of the week. You may select more than one day.
 - If the frequency is every two or more weeks, select the day of the week.
3. In the Order Control field, select how POs are processed for the supplier.
4. Select the Single Loc on Order check box if only one location can be on an order.

Define due order processing parameters

1. Select the Due Order Processing check box to have due order processing performed for replenishment items from the supplier.
2. Select the Create Non-Due orders check box to have purchase orders created in Worksheet status for items that are not due to be ordered.
3. In the Due Order Level field, select the level at which the due order processing is based.
4. In the Service Basis field, select the parameter that is used in calculating the stock out levels.

Define supplier minimum attributes

1. In the Minimum Level field, select the minimum order quantity at which the supplier accepts orders.
2. Select the Purge Orders Failing Minimums check box to create POs that meet the supplier minimum.

Specify scaling attributes

1. Select the Scale Order to Constraints check box to have items on purchase orders for the supplier scaled to meet the scaling constraints.
2. In the Scaling Objective field, select whether purchase orders are scaled to the minimum or maximum values of the scaling constraints.
3. In the Scaling Level field, indicate if the PO should be scaled to the location need or to the entire order.
4. Select the Multiple Vehicles check box to indicate that multiple vehicles may be used when delivering the order.

Define other attributes

1. In the Pooled Supplier field enter the ID of the supplier, or click the LOV button and select a supplier.
2. In the Purchase Type field, select the purchase type method.
3. In the Pick Up field, enter the location of the pick up. This field is enabled if Free on Board or Backhaul has been selected in the Purchase Type field.

Define truck splitting attributes

1. Select the Split Orders into Truckloads checkbox to indicate that orders that exceed a truckload should be split.
2. To allow Less than Truckload (LTL) orders, select the Auto Approve LTL Orders check box.
3. In the Truck Split Method field, select the method of truck splitting used with this supplier.

Define investment buy attributes

1. Select the Investment Buy Eligibility check box to enable investment buy attributes.
2. In the Order Control field, select how POs are processed for the investment buy orders.

Define rounding attributes

1. In the Rounding Level field, select the level to which quantities should be rounded.
2. In the Round to Inner Threshold field, enter the percent of the inner needed to round to an additional inner.
3. In the Round to Case Threshold field, enter the percent of the case needed to round to an additional case.
4. In the Round to Layer Threshold field, enter the percent of the layer needed to round to an additional level.
5. In the Round to Pallet Threshold field, enter the percent of the pallet needed to round to an additional pallet.

Add Investment Buy Attributes to a Warehouse

Navigate: From the main menu, select Actions > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

Select Warehouse on the tree structure. The warehouses appear in the table.

Select a warehouse and click Edit. The Warehouse Maintenance window is displayed.

In a multi-channel environment:

From the Options menu, select Virtual Warehouse. The Virtual Warehouse Maintenance window opens. From the Options menu, select Warehouse Department Parameters > Edit. The Warehouse Department Parameters window opens.

In a single channel environment:

From the Options menu, select Warehouse Department Parameters>Edit. The Warehouse Department Parameters window opens.

1. In the Apply area, enter the department ID, or click the LOV button and select a department.
2. In the Wh. Storage Cost Measure, select the warehouse storage cost measure.

Note: To enter the system control information for investment buy, click **Default**. The Wh. Storage Cost UOM, the Weekly Cost of Warehouse Storage, the Outside Storage Cost UOM, the Weekly Cost of Outside Storage, the Storage Type, the Maximum Weeks of Supply, the Target ROI, and the Cost of Money are filled in.

3. In the Wh. Storage Cost UOM, select the unit of measure if appropriate.
4. In the Weekly Cost of Warehouse Storage field, enter the weekly cost of warehouse storage.
5. In the Outside Storage Cost Measure, select the outside storage cost measure.
6. In the Outside Storage Cost UOM, select the unit of measure if appropriate.
7. In the Weekly Cost of Outside Storage field, enter the weekly cost of outside storage.
8. Enter the Maximum Weeks of Supply, Target ROI, and Cost of Money.
9. Click **Apply** to enter the information into the table. This information will be used in investment buy calculations.
10. Click **OK** to save your changes and close the window.

Set up replenishment parameters

Set Up Replenishment Parameters

The replenishment feature allows you to automate the ordering process for items by constantly monitoring inventory conditions, and creating orders to fulfill consumer demand according to predefined replenishment parameters.

Add a Delivery Schedule at the Store or Warehouse Level

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

Select Store on the tree structure. The stores appear on the table.

Select a store and click Edit. The Store Maintenance window opens.

From the Options menu, select Delivery Schedule. The Delivery Schedule window opens.

OR

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

Select Warehouse on the tree structure. The warehouses appear on the table.

Select a warehouse and click Edit. The Warehouse Maintenance window is displayed.

From the Options menu, select Delivery Schedule. The Delivery Schedule window opens.

In the Source Type field, select the type of source for the delivery schedule.

1. In the Source field, enter the ID of the supplier or source warehouse, or click the LOV button and select the supplier or warehouse.
2. In the Group Type field, select the type of grouping mechanism or location for the delivery schedule.
3. In the Group Value field, enter the ID of the grouping mechanism or location for the delivery schedule, or click the LOV button and select a grouping mechanism or location.

Note: You can also use the Organizational Hierarchy Tree to navigate to the grouping mechanism or location to which you are adding a delivery schedule. The Group Type and Group Value fields are filled in automatically.

4. In the Frequency field, select how often you want the supplier to deliver to the locations.
5. In the Start Date field, enter the date on which the delivery schedule is effective.
6. In the Start Time field, enter the time that the delivery is scheduled to begin at the location.
7. In the End Time field, enter the time that the delivery is scheduled to end at the location.

8. To select the delivery day for a delivery schedule:
 - a. If the frequency is every day, all the days of the week are selected automatically for the delivery schedule.
 - b. If the frequency is every week, select the day of the week.

Note: You can select more than one delivery day if the frequency is every week.
 - c. If the frequency is every two or more weeks, select the day of the week.
 - d. Click **Apply**.
9. To add an exception to a delivery:
 - a. Click **Exceptions**. The Exceptions window opens.
 - b. Click **Add Exceptions** to enable the next available line.
 - c. In the Item Type field, select Item or Item List.
 - d. In the Day field, select the day on which you do not want the item or item list delivered.
 - e. In the Item field, enter the item number or the ID of the item list, or enter a partial description and click the LOV button to select the item or item list.
 - f. Click **Apply**.
 - g. Click **OK** to exit the Exceptions window.
10. Click **OK** to save your changes and close the window.

Add a Delivery Schedule for a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

OR

If the Financials module is installed, from the main menu, select Control > Supplier > Maintenance from the main menu.

From the Options menu, select Delivery Schedule. The Delivery Schedule window opens.

1. In the Group Type field, select the type of grouping mechanism or location for the delivery schedule.
2. In the Group Value field, enter the ID of the grouping mechanism or location for the delivery schedule, or click the LOV button and select a grouping mechanism or location.

Note: You can also use the Organizational Hierarchy Tree to navigate to the grouping mechanism or location to which you are adding a delivery schedule. The Group Type and Group Value fields are filled in automatically.

3. In the Frequency field, select how often you want the supplier to deliver to the locations.
4. In the Start Date field, enter the date on which the delivery schedule is effective.

5. In the Start Time field, enter the time that the delivery is scheduled to begin at the location.
6. In the End Time field, enter the time that the delivery is scheduled to end at the location.
7. To select the delivery day for a delivery schedule:
 - a. If the frequency is every day, all the days of the week are selected automatically for the delivery schedule.
 - b. If the frequency is every week, select the day of the week. You can select more than one delivery day.
 - c. If the frequency is every two or more weeks, select the day of the week.
 - d. Click **Apply**.
8. To add an exception to a delivery:
 - a. Click **Exceptions**. The Exceptions window opens.
 - b. Click **Add Exceptions** to enable the next available line.
 - c. In the Item Type field, select Item or Item List.
 - d. In the Day field, select the day on which you do not want the item or item list delivered.
 - e. In the Item field, enter the item number or the ID of the item list, or enter a partial description and click the LOV button to select the item or item list.
 - f. Click **Apply**.
 - g. Click **OK** to exit the Exceptions window.
9. Click **OK** to save your changes and close the window.

Add Inventory Management Constraints to a PO at the Order, Item, or Location Level

Navigate: From the main menu, select Ordering > Orders. The Order Selection window opens.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Worksheet status. The PO Header Maintenance window opens.

(Optional): Click **Items**. The PO Item Maintenance window opens. Select an item on the table. (Optional): Click **Locations**. The PO Item/Location window opens. Select a location on the Order Detail table.

From the Options menu, select Inventory Mgmt./Totals. The Order Inventory Maintenance window opens.

Define scaling constraints

1. In the Scaling Constraints area, select the Scale to Order check box. The Scaling Constraints area is enabled.
2. In the Scaling Objective field, select whether purchase orders are scaled to the minimum or maximum values of the scaling constraints.
3. In the Scaling Level field, select the level at which the scaling is performed.
4. In the Maximum Iterations field, enter the maximum number of times that the scaling process is performed for the purchase order.

5. In the Scaling Constraints Primary column, complete the following fields:
 - **Type:** Select the primary type of constraint to use when scaling orders.
 - **UOM/Currency:** If you selected Mass or Volume as the primary type, enter the UOM code, or click the LOV button and select the UOM. If you selected Amount as the primary type, enter the currency code, or click the LOV button and select the currency code.
 - **Max Value:** Enter the maximum value of the constraint.
 - **Max Value Tolerance:** Enter the percentage tolerance for the maximum value of the constraint.
 - **Min Value:** Enter the minimum value of the constraint.
 - **Min Value Tolerance:** Enter the percentage tolerance for the minimum value of the constraint.
6. In the Scaling Constraints Secondary column, complete the following fields:
 - **Type:** Select the secondary type of constraint to use when scaling orders.

Note: The Secondary Type cannot be the same as the Primary Type.

 - **UOM/Currency:** if you selected Mass or Volume as the secondary type, enter the UOM code, or click the LOV button and select the UOM. If you selected Amount as the secondary type, enter the currency code, or click the LOV button and select the currency code.
 - **Max Value:** Enter the maximum value of the constraint.
 - **Max Value:** Enter the maximum value of the constraint.
 - **Max Value Tolerance:** Enter the percentage tolerance for the maximum value of the constraint.
 - **Min Value:** Enter the minimum value of the constraint.
 - **Min Value Tolerance:** Enter the percentage tolerance for the minimum value of the constraint.

Define minimum constraints

1. In the Level field, select the level at which the minimum order requirements of the supplier must be met
2. In the Minimum 1 column, complete the following fields:
 - **Type:** Select how the first minimum order requirement is expressed.
 - **UOM/Currency:** If you selected Mass or Volume as the primary type, enter the UOM code, or click the LOV button and select the UOM. If you selected Amount as the primary type, enter the currency code, or click the LOV button and select the currency code.
 - **Value:** Enter the value of the first minimum order requirement of the supplier.
3. When you define two minimum order requirements, select the relationship between the requirements in the Conjunction field.

4. In the Minimum 2 column, complete the following fields:
 - **Type:** Select how the second minimum order requirement is expressed.

Note: The Minimum 2 Type cannot be the same as the Minimum 1 Type.
 - **UOM/Currency:** If you selected Mass or Volume as the secondary type, enter the UOM code, or select it from the LOV. If you selected Amount as the secondary type, enter the currency code, or select it from the LOV.
 - **Value:** Enter the value of the first minimum order requirement of the supplier.

Define truck splitting constraints

1. In the Truck Splitting Constraints area, select the Split Order into Truckloads check box. The Truck Splitting Constraints area is enabled.
2. In the Constraint 1 column, complete the following fields:
 - **Type:** Select the primary type of constraint to use when splitting orders into truckloads.
 - **UOM/Currency:** If you selected Mass or Volume as the primary type, enter the UOM code, or select it from the LOV. If you selected Amount as the primary type, enter the currency code, or select it from the LOV.
 - **Value:** Enter the value of the constraint.
 - **Tolerance:** Enter the percentage tolerance for the maximum value of the constraint.
3. In the Constraint 2 column, complete the following fields:
 - **Type:** Select the primary type of constraint to use when splitting orders into truckloads.

Note: The Constraint 2 Type cannot be the same as the Constraint 1 Type.
 - **UOM/Currency:** If you selected Mass or Volume as the secondary type, enter the UOM code, or select it from the LOV. If you selected Amount as the secondary type, enter the currency code, or select it from the LOV.
 - **Value:** Enter the value of the constraint.
 - **Tolerance:** Enter the percentage tolerance for the maximum value of the constraint.

Add a pooled supplier

1. In the Supplier field, enter the supplier ID or click the LOV button and select the supplier.
2. In the File ID field, enter the file ID or click the LOV button and select the file ID.

Define order quantity scaling

- In the UOM field select the code to display the scaled and prescaled quantities.

Recalculate the purchase order

1. Click **Recalc. Qtys.** The Pre-Scaled and Scaled information opens in the appropriate fields.
2. Click **OK** to save your changes and close the window.

Add Inventory Management Constraints to a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

OR

If the Financials module is installed, from the main menu, select Control > Supplier > Maintenance from the main menu.

From the Options menu, select Inventory Management. The Supplier Inventory Management Information window opens.

On the Supplier Inventory Management Information window, click **Constraints**. The Supplier Inventory Management Constraint Information window opens.

Define scaling constraints

Note: To define scaling constraints, you must have selected the Scale Orders to Constraints check box on the Supplier Inventory Management Information window.

1. In the Scaling Constraints Primary column, complete the following fields:
 - **Type:** Select the primary type of constraint to use when scaling orders.
 - **UOM/Currency:** If you selected Mass or Volume as the primary type, enter the UOM code, or click the LOV button and select the UOM. If you selected Amount as the primary type, enter the currency code, or click the LOV button and select the currency code.
 - **Max Value:** Enter the maximum value of the constraint.
 - **Max Value Tolerance:** Enter the percentage tolerance for the maximum value of the constraint.
 - **Min Value:** Enter the minimum value of the constraint.
 - **Min Value Tolerance:** Enter the percentage tolerance for the minimum value of the constraint.

2. In the Scaling Constraints Secondary column, complete the following fields:
 - **Type:** Select the secondary type of constraint to use when scaling orders.

Note: The Secondary Type cannot be the same as the Primary Type.
 - **UOM/Currency:** if you selected Mass or Volume as the secondary type, enter the UOM code, or click the LOV button and select the UOM. If you selected Amount as the secondary type, enter the currency code, or click the LOV button and select the currency code.
 - **Max Value:** Enter the maximum value of the constraint.
 - **Max Value Tolerance:** Enter the percentage tolerance for the maximum value of the constraint.
 - **Min Value:** Enter the minimum value of the constraint.
 - **Min Value Tolerance:** Enter the percentage tolerance for the minimum value of the constraint.
3. To default the scaling constraints to other areas:
 - Click **Truck Constraints** to apply the scaling constraints to the Truck Splitting Constraints area.
 - Click **Minimum Constraints** to apply the scaling constraints to the Minimum Constraints area.
 - Click **Bracket Constraints** to apply the scaling constraints to the Bracket Costing Constraints area.

Define truck splitting constraints

Note: To define truck splitting constraints, you must have selected the Split Orders Into Truckloads check box and the Truck Split method on the Supplier Inventory Management Information window.

1. In the Constraint 1 column, complete the following fields:
 - **Type:** Select the primary type of constraint to use when splitting orders into truckloads.
 - **UOM/Currency:** If you selected Mass or Volume as the primary type, enter the UOM code, or select it from the LOV. If you selected Amount as the primary type, enter the currency code, or select it from the LOV.
 - **Max Value:** Enter the maximum value of the constraint.
 - **Value:** Enter the value of the constraint.
 - **Tolerance:** Enter the percentage tolerance for the maximum value of the constraint.
2. In the Constraint 2 column, complete the following fields:
 - **Type:** select the primary type of constraint to use when splitting orders into truckloads.

Note: The Constraint 2 Type cannot be the same as the Constraint 1 Type.
 - **UOM/Currency:** If you selected Mass or Volume as the secondary type, enter the UOM code, or select it from the LOV. If you selected Amount as the secondary type, enter the currency code, or select it from the LOV.

- **Max Value:** Enter the maximum value of the constraint.
- **Value:** Enter the value of the constraint.
- **Tolerance:** Enter the percentage tolerance for the maximum value of the constraint.

Define minimum constraints

Note: To define minimum constraints, you must have selected an option in the Minimum Level field on the Supplier Inventory Management Information window.

1. In the Minimum 1 column, complete the following fields:
 - **Type:** Select how the first minimum order requirement is expressed.
 - **UOM/Currency:** If you selected Mass or Volume as the primary type, enter the UOM code, or click the LOV button and select the UOM. If you selected Amount as the primary type, enter the currency code, or click the LOV button and select the currency code.
 - **Max Value:** Enter the maximum value of the constraint.
 - **Value:** Enter the value of the first minimum order requirement of the supplier.
2. When you define two minimum order requirements, select the relationship between the requirements in the Conjunction field.
3. In the Minimum 2 column, complete the following fields:

- **Type:** Select how the second minimum order requirement is expressed.

Note: The Minimum 2 Type cannot be the same as the Minimum 1 Type.

- **UOM/Currency:** If you selected Mass or Volume as the secondary type, enter the UOM code, or select it from the LOV. If you selected Amount as the secondary type, enter the currency code, or select it from the LOV.
- **Max Value:** Enter the maximum value of the constraint.
- **Value:** Enter the value of the first minimum order requirement of the supplier.

Define bracket costing constraints

1. In the Threshold % field, enter the percentage of the bracket value that the order must meet in order to be rounded up to that bracket.
2. In the Primary column, complete the following fields:
 - **Type:** Select how the first bracket costing constraint is expressed.
 - **UOM:** If you selected Mass or Volume as the primary type, enter the UOM code, or click the LOV button and select the UOM.
3. In the Secondary column, complete the following fields:
 - **Type:** Select how the second bracket costing constraint is expressed.

Note: The Secondary Type cannot be the same as the Primary Type.

- **UOM:** If you selected Mass or Volume as the secondary type, enter the UOM code, or click the LOV button and select the UOM.
4. Click **OK** to save your changes and exit.

Add Inventory Management Information for a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

OR

If the Financials module is installed, from the main menu, select Control > Supplier > Maintenance from the main menu.

From the Options menu, select Inventory Management. The Supplier Inventory Management Information window opens.

- In the Supplier, Department, and Location fields, enter the ID of the supplier, department, and location as appropriate, or click the LOV button and select supplier, department, and location as appropriate.

Define replenishment review attributes

1. In the Review Cycle field, select the frequency that the item is reviewed for replenishment.
2. To select the day on which the item is reviewed:
 - If the review cycle is every day, all the days of the week are selected automatically for the delivery schedule.
 - If the review cycle is every week, select the days of the week. You may select more than one day.
 - If the frequency is every two or more weeks, select the day of the week.
3. In the Order Control field, select how POs are processed for the supplier.
4. Select the Single Loc on Order check box if only one location can be on an order.

Define due order processing parameters

1. Select the Due Order Processing check box to have due order processing performed for replenishment items from the supplier.
2. Select the Create Non-Due orders check box to have purchase orders created in Worksheet status for items that are not due to be ordered.
3. In the Due Order Level field, select the level at which the due order processing is based.
4. In the Service Basis field, select the parameter that is used in calculating the stock out levels.

Define supplier minimum attributes

1. In the Minimum Level field, select the minimum order quantity at which the supplier accepts orders.
2. Select the Purge Orders Failing Minimums check box to create POs that meet the supplier minimum.

Specify scaling attributes

1. Select the Scale Order to Constraints check box to have items on purchase orders for the supplier scaled to meet the scaling constraints.
2. In the Scaling Objective field, select whether purchase orders are scaled to the minimum or maximum values of the scaling constraints.
3. In the Scaling Level field, indicate if the PO should be scaled to the location need or to the entire order.
4. Select the Multiple Vehicles check box to indicate that multiple vehicles may be used when delivering the order.

Define other attributes

1. In the Pooled Supplier field enter the ID of the supplier, or click the LOV button and select a supplier.
2. In the Purchase Type field, select the purchase type method.
3. In the Pick Up field, enter the location of the pick up. This field is enabled if Free on Board or Backhaul has been selected in the Purchase Type field.

Define truck splitting attributes

1. Select the Split Orders into Truckloads checkbox to indicate that orders that exceed a truckload should be split.
2. To allow Less than Truckload (LTL) orders, select the Auto Approve LTL Orders check box.
3. In the Truck Split Method field, select the method of truck splitting used with this supplier.

Define investment buy attributes

1. Select the Investment Buy Eligibility check box to enable investment buy attributes.
2. In the Order Control field, select how POs are processed for the investment buy orders.

Define rounding attributes

1. In the Rounding Level field, select the level to which quantities should be rounded.
2. In the Round to Inner Threshold field, enter the percent of the inner needed to round to an additional inner.
3. In the Round to Case Threshold field, enter the percent of the case needed to round to an additional case.
4. In the Round to Layer Threshold field, enter the percent of the layer needed to round to an additional level.
5. In the Round to Pallet Threshold field, enter the percent of the pallet needed to round to an additional pallet.

Apply replenishment to an item

Apply Replenishment to an Item

The replenishment feature allows you to automate the ordering process for items by constantly monitoring inventory conditions, and creating orders to fulfill consumer demand according to predefined replenishment parameters.

To utilize replenishment, you can select one of the following replenishment methods for an item:

- **Constant:** A stock-oriented replenishment method used without a forecasting application. Enter a maximum stock level at which you want the stock level maintained. As soon as the stock level drops below the maximum stock, a request is generated for the difference.
- **Min/Max:** A stock-oriented replenishment method used without a forecasting application. Enter a maximum stock and minimum stock level. Once the stock level drops below the minimum stock, a request is generated to raise the stock level to the maximum stock.
- **Floating Point:** A stock-oriented replenishment method used without a forecasting application. The system compares the sales trend of the upcoming 12 weeks to the same period one year ago, and then calculates a maximum stock amount. Once stock levels fall below the calculated maximum stock amount, a request is generated to raise the stock level to the maximum stock. It also incorporates the idea of service level, which is used to calculate safety stock. Safety stock is additional inventory carried in a location to prevent stock outs.
- **Time Supply:** A stock-oriented replenishment method used with a forecasting application. You control stock levels through days of supply in the store rather than specifying an exact amount. Based on forecasted sales data from the Oracle Retail Demand Forecasting System, the minimum time supply number of days is used to determine the minimum stock level, while the maximum time supply number of days determines the maximum stock level. These min/max levels change based on the current forecasted sales data. The time supply horizon number of days is an optional field used to calculate an average daily sales rate that is multiplied against the minimum time supply days and maximum time supply days to determine a min/max. This field is useful if the time supply days extends past the number of days with forecasted data. A replenishment order is made when the net available inventory reaches the minimum days of supply and the order quantity placed is based on the rate of sale from forecasted sales over the specified period (time supply horizon) and the maximum days of supply value.
- **Time Supply - Seasonal:** A stock-oriented replenishment method used with a forecasting application. Time Supply - Seasonal combines the basic Time supply algorithm with the end of season terminal stock goal. The additional fields for this algorithm include Season ID, Phase ID, and terminal stock value. This replenishment method compares the current replenishment requests and the forecasted demand until the end of the season. Replenishment requests are created according to the end of season Terminal Stock goal.
- **Time Supply - Issues:** A stock-oriented replenishment method used with a forecasting application used exclusively for warehouses. Replenishment calculations function just as they do for stores except that the warehouse issues forecasts are used. All other calculations are consistent with store Time Supply replenishment.

- **Dynamic:** A service-oriented replenishment method used with a forecasting application. The goal is to have only enough stock on hand in a given location to capture all sales between replenishment cycles. The time frame used to determine stock levels depends on the review time and lead time before stock levels in the location can be affected by an incoming shipment. The service level percentage is used to calculate the necessary amount of safety stock.
- **Dynamic - Seasonal:** A service-oriented replenishment method used with a forecasting application. In the same manner as Time Supply - Seasonal, Dynamic - Seasonal combines the basic Dynamic algorithm with the end of season terminal stock goal. The additional fields for this algorithm include a Season ID, Phase ID, and Terminal stock value. This replenishment method compares the current replenishment requests and the forecasted demand until the end of the season. Replenishment requests are created according to the end of season terminal stock goal
- **Dynamic - Issues:** A service-oriented replenishment method used with a forecasting application used exclusively for warehouses. Replenishment calculations function just they do for stores, except that the warehouses issues forecasts are used. All other calculations are consistent with store dynamic replenishment.
- **Store Orders -** A store driven replenishment method which allows stores to place orders based on need. Orders are incorporated into RMS via an overnight batch. Recommended order quantities are based on the store request and the ability to deliver the product with in lead time.

The dynamic replenishment methods are the most complex and powerful replenishment methods. Each location that stocks the item can use a different replenishment method.

Master Replenishment Attributes Window [replattr]

The Master Replenishment Attributes window maintains a record of the replenishment attributes that you identify for an item/location. When you create the replenishment parameters for an items, the Master Replenishment Attributes window automatically updates with the replenishment information. When you update the replenishment attributes for an item, you can choose to update the Master Replenishment Attributes at the same time, or not.

Replenishment Attribute View Window [rplattrv]

The Replenishment Attribute View window allows you to search for replenishment information for items by various criteria. You can view results of your search by criteria of each replenishment method, delivery schedules, packs on replenishment, or you can create your own custom view.

Add Replenishment Attributes to an Item or Item List

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

On the Options list, select the Replenishment option. The Replenishment Attribute Maintenance window opens.

OR

Search for and retrieve an item list in Use mode. The Item List Header window opens. From the Options menu, select Create Mass Item Change > Replenishment. The Replenishment Attribute Maintenance window opens.

1. In the Group Type field, select the group type.
2. In the Group Type Value field, enter the ID of the group or location, or click the LOV button and select a group or location.
3. In the Replenishment Attribute Maintenance Action area, select Activate.
4. In the Scheduled Active Date field, select the date the new replenishment attributes become active.

Note: For a single item, leave the field blank to make the replenishment attributes effective immediately.

5. In the Master Administration area, select:
 - **Update Master** to update the master replenishment attributes with the replenishment attributes you are adding.
 - **Update From Master** to update the replenishment attributes with the attributes recorded on item master.
6. In the Stock Category field, select the method by which the item is sourced and delivered to the stores.
7. In the Order Control field, select how purchase orders are created for the item.
8. In the Source WH field, enter the ID of the warehouse from which the item is sent, or click the LOV button and select a warehouse.

Select a replenishment method

1. In the Replenishment Method field, select the replenishment method for the item.
2. Enter the replenishment parameters in the associated replenishment fields.

Specify the replenishment dates

3. In the Activate Date field, enter the date on which the replenishment attributes are effective for the item, or click the calendar button and select the date.
4. In the Deactivate Date field, enter the date on which the replenishment attributes are no longer effective for the item, or click the calendar button and select the date.

Define the primary replenishment pack

1. Enter the pack ID number that identifies the pack, or click the LOV button and select the replenishment pack.
2. Select the Default Primary Costing Pack to indicate the pack is the costing pack for replenishment.
3. Select Remove Primary Replenishment Pack to indicate the primary replenishment pack is removed.

Specify the supplier for the replenishment of the item

1. In the Supplier field, enter the ID of the supplier for the item, or click the LOV button and select a supplier.
2. In the Origin Country field, enter the code of the country of origin, or click the LOV button and select a country.

Define the replenishment cycle

1. In the Review Cycle field, select the frequency that the item is reviewed for replenishment.
2. To select the day on which the item is reviewed:
 - If the review cycle is every day, all the days of the week are selected automatically for the delivery schedule.
 - If the review cycle is every week, select the days of the week. You may select more than one day.
 - If the frequency is every two or more weeks, select the day of the week.
3. To view the Delivery Schedule for the item, click **Delivery**. The Delivery Schedule window opens.

Define allowable order change tolerances

Note: Order change tolerances do not apply to replenishment transfers.

1. In the Use? field, select whether replenishment order quantities can be changed.
2. To define the amount of change allowed:
 - a. In the Percent field, enter the percentage by which you can change the order quantity.
 - b. In the Units field, enter the amount by which you can change the order quantity.

Define stock values

1. In the Presentation Stock field, enter the quantity of presentation stock for the item.
2. In the Demo Stock field, enter the quantity of the demonstration stock for the item.

Note: This field is not required when you are adding replenishment attributes for an item at a warehouse.

Specify the lead times for the item

1. In the Supplier Lead Time field, enter the number of lead days the supplier needs.
2. In the Pickup to Location field, enter the number of days it takes for the item to reach the store or warehouse.

Note: This field is required for direct to store and cross-docked items.

3. In the Warehouse to Locn field, enter the number of days it takes for the item to reach the store.

Note: This field is required for cross-docked and warehouse stocked items.

4. Click **OK** to save your changes and close the window.

Replenishment Attribute Maintenance Window [replattr]

The Replenishment Attribute Maintenance window allows you to add, edit, and view the replenishment parameters for an item/item list and location or for an item/item list and location group. In addition to setting replenishment parameters, you can also:

- Select the stock category.
- Indicate the type of order control used for the item at the location selected.
- Select the supplier for the item.
- Determine the replenishment review cycle.

Search for Scheduled Replenishment Attributes

Navigate: From the main menu, select Items > Replenishment Scheduled Update. The Scheduled Replenishment Update Find window opens.

OR

From the main menu, select Items > Items. The Item Search window is displayed.

Search for and retrieve an item in Edit or View mode. The Item Maintenance window opens.

From the options list, select Replenishment. The Replenishment Attribute Maintenance window opens.

1. In the Action field, select either Edit or View.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The Scheduled Replenishment Update Find window displays the items that match the search criteria.
4. Select a task:
 - To perform another search, click **Refresh** or **Back**.
 - To display the deal information, select a record and click **OK**. The Replenishment Attribute Maintenance window is displayed.
5. Click **Close** to close the window.

Add a Substitute Item for an Item on Replenishment

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item on replenishment in Edit mode. The Item Maintenance window is displayed.

From the Options list, select Substitute Items. The Substitute Items window opens.

1. Click **Add Locations**. The fields in the apply block are enabled.
2. In the Group Type field, select the type of grouping mechanism or location for the item substitution.
3. In the Group Value field, enter the ID of the grouping mechanism or location for the item substitution, or click the LOV button and select a grouping mechanism or location.
4. In the Fill Priority area, select the appropriate indicator to determine the basis of the item substitution.
5. Select the check box next to the replenishment calculation indicator.
 - **Use Stock Ind:** When selected, indicates that the substitute item is included in to determine the net inventory of the main item.
 - **Use Sales Ind:** When selected, indicates that the sales history for the substitute item is included in determining the maximum stock level.
 - **Use Forecast Sales Ind:** When selected, indicates that sales forecasts for the substitute items is used in calculation location demand for the main item.
6. In the Substitute Item field, enter the ID of the substitution item, or click the LOV button and select the substitution item.

Note: To view items the main item is a substitute item for, from the options menu, select Main Item View. The Main Item View window opens.

7. In the Substitute Primary Replenishment Pack field, enter the ID of the substitute primary replenishment pack, or click the LOV button and select the substitute primary replenishment pack.
8. In the Pick Priority field, enter the priority level of the substitute Item
9. Click **Apply**.
10. To add a substitute item/location to a main item, click **Add Location**. Applicable fields in the Apply Block area are cleared.
11. To add a multiple substitute items to a main item, click **Add Sub. Item**. Applicable fields in the Apply Block area are cleared.
12. Click **OK** to save your changes and close the window.

Scheduled Replenishment Update Find Window [schrplfind]

The Scheduled Replenishment Update Find window allows you to enter criteria in order to search for schedule replenishment changes and view the results of the search.

Functional views

The default view for the Scheduled Replenishment Update Find window opens when you open the window for the first time. You can also create a custom view.

Review Items on Replenishment

Navigate: From the main menu, select Items > Replenishment. The Replenishment Attribute View window opens.

1. Enter as much information as necessary to limit the search.
2. Click **Search**. Results appear on the table.
3. To perform a new search, click **Refresh**.
4. To display alternate information pertinent to replenishment, from the view menu, select an applicable view.

Add a delivery schedule

1. Click **Delivery**. The Delivery Schedule window opens.
2. In the Group Type field, select the type of grouping mechanism or location for the delivery schedule.
3. In the Group Value field, enter the ID of the grouping mechanism or location for the delivery schedule, or click the LOV button and select a grouping mechanism or location.

Note: You can also use the Organizational Hierarchy Tree to navigate to the grouping mechanism or location to which you are adding a delivery schedule. The Group Type and Group Value fields are filled in automatically.

4. In the Frequency field, select how often you want the supplier to deliver to the locations.
5. In the Start Date field, enter the date on which the delivery schedule is effective.
6. In the Start Time field, enter the time that the delivery is scheduled to begin at the location.
7. In the End Time field, enter the time that the delivery is scheduled to end at the location.
8. To select the delivery day for a delivery schedule:
9. If the frequency is every day, all the days of the week are selected automatically for the delivery schedule.
10. If the frequency is every week, select the day of the week.

Note: You can select more than one delivery day if the frequency is every week.

11. If the frequency is every two or more weeks, select the day of the week.
12. Click **Apply**.

13. To add an exception to a delivery:
 - a. Click **Exceptions**. The Exceptions window is displayed.
 - b. Click **Add Exceptions** to enable the next available line.
 - c. In the Item Type field, select Item or Item List.
 - d. In the Day field, select the day on which you do not want the item or item list delivered.
 - e. In the Item field, enter the item number or the ID of the item list, or enter a partial description and click the LOV button to select the item or item list.
 - f. Click **Apply**.
 - g. Click **OK** to save your changes and close the window.
14. Click **OK** to save your changes and close the window.

Replenishment Results Detail - Costs Window [rplrsltd]

The Replenishment Results Detail - Costs window allows you to view the unit costs and extended costs of the item on the purchase order. This window is read only.

Replenishment Results Detail - Forecast Window [rplrsltd]

The Replenishment Results Detail - Forecast window allows you to view forecasted quantities for replenishment items.

Replenishment Results Detail - Inventory Window [rplrsltd]

The Replenishment Results Detail - Inventory window allows you to inventory quantities for an item at a location.

Replenishment Results Detail - Dates Window [rplrsltd]

The Replenishment Results Detail - Dates window allows you to view the replenishment dates for the item on the purchase order. This window is read only.

Replenishment Results Detail Window [rplrsltd]

The Replenishment Results Detail window allows you to view and edit replenishment parameters and quantities for an item on a purchase order. You can change the replenishment method of an item on the purchase order and then recalculate the order quantities of the item based on the change. You can also override existing quantities and manually enter an order quantity for the item.

Replenishment Results List Window [rplrsltl]

The Replenishment Results List window allows you to view a variety of statistics for each item and the location combination that is found on a replenishment order.

Review recommended order quantities

Review Recommended Order Quantities

Items that are on investment buy and replenishment are can be set up for review by a buyer. When the inventory levels indicate that a purchase order should be created a recommended order quantity (ROQ) for a purchase order is sent to the buyer worksheet. The buyer can accept or reject the ROQ and create purchase orders.

Create a PO from a Buyer Worksheet

Navigate: From the main menu, select Ordering > Buyer Worksheet > Edit. The Buyer Worksheet opens.

Search for and retrieve items in the Buyer Worksheet.

- Select the items to be included on the PO by selecting the check box for each item.

Note: If you wish to scale or split a PO, create the PO in Worksheet status. Submitted/Approved purchase orders cannot be scaled or split.

Create the PO in Approved status

1. Click **Submitted/Approved PO**.

Note: This button is labeled either Submitted or Approved, depending on your user privileges.

2. When prompted to continue, click **Yes**. The system groups the line items together by the inventory management level and creates a Submitted or Approved PO. The Order Selection window opens.
3. Search for and retrieve the orders in Edit mode, by searching the Written Date Field, using today's date as the creation date, to search for your PO. The PO Header Maintenance window opens.
4. Edit the PO as necessary.
5. Click **OK** to save your changes and close the window.

Create the PO in Worksheet status

1. Click **Worksheet PO**.
2. When prompted to continue, click **Yes**. The system groups the line items together by the inventory management level and creates a Submitted or Approved PO. The Order Selection window opens.
3. Search and retrieve the order in Edit mode, by searching the Written Date Field, using the creation date as today to search for your PO. The PO Header Maintenance window opens.
4. Edit the PO as necessary.
5. Click **OK** to save your changes and close the window.

Add an Item to the Buyer Worksheet

Navigate: From the main menu, select Ordering > Buyer worksheet > Edit. The Buyer Worksheet opens.

1. Click **Add Item**. The Add Item window opens.
2. Enter the ID of the item, or click the LOV button and select the item.
3. Enter the ID of the supplier, or click the LOV button and select the supplier.
4. Enter the ID of the origin country, or click the LOV button and select the origin country.
5. In the location field, select the location type. Enter the ID of the location, or click the LOV button and select the location.
6. In the AOQ field, enter the adjusted order quantity.
7. Modify the unit cost in the unit cost field, if required.
8. Click **OK** to add the item to the buyer worksheet, or click **OK+Repeat** to add the item to the buyer worksheet and add a new item.
9. When prompted to requery, click **Yes**.
10. Click **OK** to save your changes and close the window.

Add an Item to an Existing PO from the Buyer Worksheet

Navigate: From the main menu, select Ordering > Buyer worksheet > Edit. The Buyer Worksheet opens.

Filter the Buyer Worksheet to retrieve items

1. In the Details area, select the check box next to the items you want to add to the PO.
2. Click **Add to PO**. The Purchase Order List window opens.
3. Enter the PO number that you would like to add the item to, or leave the field blank to display a list of valid PO's. Click **Search**.
Select the PO to which you wish to add the item.
4. Click **Add to PO**.

Note: Once an item is added to a PO, it can no longer be edited from the Buyer Worksheet module.

5. Click **Yes** to add the item to the PO.
6. Click **OK** to save your changes and close the window.

Filter the Buyer Worksheet

Navigate: From the main menu, select Ordering > Buyer Worksheet > Edit. The Buyer Worksheet opens.

1. In the Filter Criteria area, enter the search criteria as necessary, or click the LOV button and select the appropriate information.
2. In the Source Type field, select the origin of the requirement (replenishment, investment buy, or manual) to filter by a specific method. To select all requirements, select the blank field.
3. Click the filter button. The items that match the criteria appear in the details frame.

4. To clear search criteria, click the clear filter button. Data in all fields is cleared.
 - To select all items in the detail area, click **Select All**.
 - To clear all item in the detail area, click **Clear All**.
 - To view item details, highlight an item and click **Item Detail**.
 - To view replenishment results for an item, click **Repl Results**.
 - To view deal information for an item, click **Deal Info**.
5. To perform another search, click **Refresh**.
6. Click **OK** to save changes, or click **Cancel** to exit without saving changes.

Split an order by truckload

Split an Order by Truckload

Truck splitting is the process that allows you split a purchase order when a truckload is exceeded. Truck splitting is required in some industries, where protocol dictates that each truck load must have one purchase order. You can indicated truck splitting at the supplier, supplier/department, supplier/location, or supplier/department/location level.

Trucks can be split by one of two methods:

- **Item sequence:** All quantity of one item is loaded onto a different truck. Any partial groups of an item go into a final truck.
- **Balanced assortment:** Equal quantities of each item is loaded on to the truck.

Add Inventory Management Information for a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

OR

If the Financials module is installed, from the main menu, select Control > Supplier > Maintenance from the main menu.

From the Options menu, select Inventory Management. The Supplier Inventory Management Information window opens.

- In the Supplier, Department, and Location fields, enter the ID of the supplier, department, and location as appropriate, or click the LOV button and select supplier, department, and location as appropriate.

Define replenishment review attributes

1. In the Review Cycle field, select the frequency that the item is reviewed for replenishment.
2. To select the day on which the item is reviewed:
 - If the review cycle is every day, all the days of the week are selected automatically for the delivery schedule.
 - If the review cycle is every week, select the days of the week. You may select more than one day.
 - If the frequency is every two or more weeks, select the day of the week.
3. In the Order Control field, select how POs are processed for the supplier.
4. Select the Single Loc on Order check box if only one location can be on an order.

Define due order processing parameters

1. Select the Due Order Processing check box to have due order processing performed for replenishment items from the supplier.
2. Select the Create Non-Due orders check box to have purchase orders created in Worksheet status for items that are not due to be ordered.
3. In the Due Order Level field, select the level at which the due order processing is based.
4. In the Service Basis field, select the parameter that is used in calculating the stock out levels.

Define supplier minimum attributes

1. In the Minimum Level field, select the minimum order quantity at which the supplier accepts orders.
2. Select the Purge Orders Failing Minimums check box to create POs that meet the supplier minimum.

Specify scaling attributes

1. Select the Scale Order to Constraints check box to have items on purchase orders for the supplier scaled to meet the scaling constraints.
2. In the Scaling Objective field, select whether purchase orders are scaled to the minimum or maximum values of the scaling constraints.
3. In the Scaling Level field, indicate if the PO should be scaled to the location need or to the entire order.
4. Select the Multiple Vehicles check box to indicate that multiple vehicles may be used when delivering the order.

Define other attributes

1. In the Pooled Supplier field enter the ID of the supplier, or click the LOV button and select a supplier.
2. In the Purchase Type field, select the purchase type method.
3. In the Pick Up field, enter the location of the pick up. This field is enabled if Free on Board or Backhaul has been selected in the Purchase Type field.

Define truck splitting attributes

1. Select the Split Orders into Truckloads checkbox to indicate that orders that exceed a truckload should be split.
2. To allow Less than Truckload (LTL) orders, select the Auto Approve LTL Orders check box.
3. In the Truck Split Method field, select the method of truck splitting used with this supplier.

Define investment buy attributes

1. Select the Investment Buy Eligibility check box to enable investment buy attributes.
2. In the Order Control field, select how POs are processed for the investment buy orders.

Define rounding attributes

1. In the Rounding Level field, select the level to which quantities should be rounded.
2. In the Round to Inner Threshold field, enter the percent of the inner needed to round to an additional inner.
3. In the Round to Case Threshold field, enter the percent of the case needed to round to an additional case.
4. In the Round to Layer Threshold field, enter the percent of the layer needed to round to an additional level.
5. In the Round to Pallet Threshold field, enter the percent of the pallet needed to round to an additional pallet.

Create a Truck Split at the Order Level

Navigate: From the main menu, select Ordering > Orders. The Order Search window is displayed.

Search for an order in Worksheet status you would like to split. The Order Search window opens.

Note: To split an order, the order must:
 - originate from a supplier who uses truck splitting and truck splitting constraints.
 - exceed the constraints.

1. Select the order you want to split from the table. Click **Split Order**.
2. To view the newly created orders, click **Yes**.

To continue, click **No**. The new orders appear in the table area.

3. Open each new order and submit it for approval.

Note: Orders created by this method are linked by a split reference order number. This link number can be used to search for all orders associated with the link.

Financial Management

Maintain budgets

Maintain Budgets

Budgets are maintained at the half level and month level. By entering various percentages at the half level and monetary amounts at the month level, you set the goals against which performance can be tracked.

At the half level, you can maintain planned percentages for markup (cumulative markon), markdown (as a percentage of sales), shrinkage (as a percentage of sales), and gross profit (as a percentage of sales) by department/half/location. A system option may be set that disallows use of the budgeted shrinkage percentage in budget and stock ledger calculations.

At the month level, you can maintain monetary amounts for many of the same budget types that are found in the stock ledger. These include opening inventory, closing inventory, net sales, purchases, and so on. They are also maintained by department/half/location/month.

In addition to viewing and maintaining budgets at the half level and month level, you can view budgets at the budget type level by month.

Monthly Budget Window [deptbud]

The Monthly Budget window allows you to maintain budget details at the monthly level for a specific department, half, and location.

To view the monetary values in the primary currency of the company or the currency of the location, select the appropriate option from the Options > Currency menu. Monetary amounts can only be edited in the primary currency of the company.

Edit a Budget by the Month

Navigate: From the main menu, select Finance > Monthly Budget Information > Edit. The Monthly Budget window opens.

1. In the Department field, enter the ID of the department, or click the LOV button and select the department.
2. In the Half field, enter the ID of the fiscal half, or click the LOV button and select the fiscal half.
3. In the Location Type field, select the type of location.
4. In the Location field, enter the ID of the location, or click the LOV button and select the location. The budget details appear by the month.

Note: This is a dynamic field. The field label will display your selection from the Location Type field. Values in the List of Values are limited to valid values for the selection you made in the Location Type field.

5. Edit the monetary amounts under each month as necessary.
6. Click **OK** to save your changes and close the window.

View Monthly Budget Window [deptbudv]

The View Monthly Budget window allows you to view monthly budget details for a specific department, half, and budget type. You can view the details for either all stores or all warehouses.

Edit a Budget by the Half

Navigate: From the main menu, select Finance > Half Budget Information > Edit. The Half Budget Information window opens.

1. In the Department field, enter the ID of the department, or click the LOV button and select the department.
2. In the Half field, enter the ID of the half, or click the LOV button and select the half. The budget details appear by location.
3. In the Location Type field, select the type of location.

Note: The selection you make in this field affects the results displayed on the table. The field label on the first column in the table will display your selection from the Location Type field. Values in the Description column are limited to valid values for the selection you made in the Location Type field.

4. Edit the markup, markdown, and shrinkage percentages as necessary. The gross profit percentage is adjusted based on the changes that you make.
5. Click **OK** to save your changes and close the window.

Edit an Obligation

Navigate: From the main menu, select Finance > Obligation Maintenance. The Obligation Search window opens.

Search for and retrieve an obligation in Edit mode. The Obligation Maintenance window opens.

1. Edit the enabled fields as necessary.
2. To edit the allocation of a cost component to a location:

Note: Allocations to locations can be edited for obligations at the purchase order header or purchase order/item level.

- a. Select a cost component and click **Locations**. The Locations Maintenance window opens.
 - b. To add a location, click **Add**. Next enter the details on the next available line.
 - c. To delete a location, select the location and click **Delete**. When prompted to delete the location, click **Yes**.
 - d. Click **OK** to close the window.
3. To reallocate the edited costs, click **Reallocate**.
 4. Click **OK** to save your changes and close the window.

Actual Landed Cost Header Window [althead]

The Actual Landed Cost Header window allows you to view actual landed cost (ALC) details for a purchase order and item. The costs are limited to expenses and assessments that are considered non-merchandise charges.

You can view actual and estimated landed details for each unique combination of:

- Purchase order, item, pack item, and shipment
- Purchase order, item, pack item, and obligation
- Purchase order, item, pack item, shipment, and obligation or customs entry

Each shipment is designated by a unique combination of vessel, voyage, and estimated departure date.

If you are using Trade Management to track import costs, it is assumed that all locations have the same cost value for an item. However, if the cost of items that are being imported DO vary by location, Trade Management converts the cost values to an identical weighted average cost.

ALC Component Information Window [alccomp]

The ALC Component Information window allows you to view the cost components of an actual landed cost record. The cost components are limited to the expenses and assessments that are not considered merchandise charges. The comparison is shown between the estimated landed cost components and the actual landed cost components. The amounts are denominated in the primary currency of the company.

You can view cost components for each unique combination of:

- Purchase order, item, pack item, and shipment
- Purchase order, item, pack item, and obligation
- Purchase order, item, pack item, shipment, and obligation or customs entry

Each shipment is designated by a unique combination of vessel, voyage, and estimated departure date.

ALC Component Location Information Window [alccomp]

The ALC Component Location Information window allows you to view an actual landed cost component by destination location.

ALC Order Find Window [alcofind]

The ALC Order Find window allows you to enter criteria in order to search for actual landed costs by purchase order and view the results of the search. The results appear in the ALC Order Finalize window.

Functional views

The default view for the ALC Order Find window opens when you open the window for the first time. You can also create a custom view.

ALC Order Finalize Window [alcordfn]

The ALC Order Finalize window allows you to finalize or view actual landed costs by purchase order. In addition to updating the stock ledger and open to buy based on actual landed costs, you can choose to update weighted average costs.

ALC Selection Window [alcfind]

The ALC Selection window allows you to enter criteria in order to search for actual landed costs by purchase order and item and view the results of the search. The only task you can perform is View.

Functional views

The default view for the ALC Selection window opens when you open the window for the first time. You can also create a custom view.

Average Cost Adjustment Window [avcstadj]

The Average Cost Adjustment window allows you to enter a new average cost for an item at a selected location. If you are using Trade Management to track import costs, it is assumed that all locations have the same cost value for an item. However, if the cost of items that are being imported DO vary by location, Trade Management converts the cost values to an identical weighted average cost.

CVB Details Window [cvbmaint]

The CVB Details window allows you to add or view the specific cost components of a selected computational value base (CVB). Cost components can be included in a CVB as a group. That is, they share the same nomination flag. The alternative is to include specific cost components. You can use the CVB Details window to include specific cost components.

CVB Maintenance Window [cvbmaint]

The CVB Maintenance window allows you to add and maintain a computation value base (CVB). CVBs are used in calculations of total costs, total expenses, total duties, estimated and actual landed costs, and user-defined purposes.

There are two ways for you to include cost components in a CVB:

- Include all cost components with a certain nomination flag set. To do this, you select the appropriate component nominations.
- Include specific cost components. To add specific cost components, you click **Details** to open the CVB Detail window.

You cannot modify CVB records once they are saved to the database; but you can delete them if they are not referenced in other modules.

Transaction Data Detail Window [trandata]

The Transaction Data Detail window allows you to view additional details about a transaction that is selected in the Transaction Data window.

Transaction Data Window [trandata]

The Transaction Data window allows you to search for and view transactions on a specific date or range of dates for a specific department. You can refine the search by class, subclass, item, location, or type of transaction.

Error Information Window [iferrors]

The Error Information window allows you to view the details of any errors that occurred during the processing of obligations and customs entries for actual landed costs.

Half Budget Information Window [rinvbud]

The Half Budget Information window allows you to maintain budget information at the department and half level for either all stores or all warehouses. You can edit the following percentages as a percentage of sales:

- Markup percentage (cumulative markon)
- Markdown percentage
- Shrinkage percentage

The gross profit percentage is automatically calculated from the markup, markdown, and shrinkage percentages that you enter.

Locations Maintenance Window [oblmain]

The Locations Maintenance window allows you to view and edit the locations to which expenses and assessments are allocated. These expenses and assessments are incurred from partners and suppliers for the transportation of goods. Costs can be allocated to locations if the obligation is entered at the purchase order header or purchase order item level.

In a multi-channel environment, the expenses and assessments accrued to a warehouse are allocated at the virtual warehouse level.

Obligation Search Window [oblfind]

The Obligation Search window allows you to enter criteria in order to search for obligations and view the results.

Functional views

The default view for the Obligation Search window opens when you open the window for the first time. You can also create a custom view.

Obligation Maintenance Window [oblmain]

The Obligation Maintenance window allows you to create, edit, and view obligations. An obligation can be received from a partner or supplier. It contains the expenses typically incurred for the movement and handling of goods. It does not include the cost of the goods.

You can choose which expenses should be included in actual landed cost calculation. For obligations entered at the purchase order header or purchase order/item level, you can allocate each cost component to one or more locations. After you enter the details of the obligation, you can change the status to Approved.

If you are using Trade Management to import costs, it is assumed that all locations have the same cost value for an item. However, if the cost of items that are being imported DO vary by location, Trade Management will convert the cost values to an identical weighted average cost.

If you have access to Oracle Retail Invoice Matching, a non-merchandise invoice will be written in approved status and the costs will be posted to financials. After the obligation is approved, you can only reallocate the cost components.

Order Item Information Window [alchead]

The Order Item Information window allows you to view item details such as supplier, department, unit cost, unit retail, and markup percentage.

OTB Budget Maintenance Window [otbbudg]

The OTB Budget Maintenance window allows you to maintain open to buy (OTB) budgets at the subclass/week level. The monetary amounts are allotted by purchasing category: order of non-basic goods, buyer replenishment of basic goods, and automatic replenishment of basic goods.

OTB Forward Limits Maintenance Window [otbfwd]

The OTB Forward Limits Maintenance window allows you to maintain forward limits by subclass/week. Managers may use forward limits in order to restrict how much of the OTB budget a buyer may use from any given period.

Service Confirmation by Store Window [svsconf]

The Service Confirmation by Store window allows store employees to verify that a service for which your organization is being billed has been performed. Depending on the invoicing attributes of a supplier, an invoice for a service cannot be paid until the store confirms the service has been performed.

Cost Change Search Window [ccfind]

The Cost Change Search window allows you to enter criteria in order to search for cost change events and view the results of the search.

Functional views

The default view for the Cost Change Search window opens when you open the window for the first time. You can also create a custom view.

Shipment Detail Window [althead]

The Shipment Detail window allows you to view the details of a shipment by bill of lading or air waybill.

Stock Ledger

Maintain stock counts

Stock Counts Overview

Stock counts can be requested and processed in one of two ways:

- **By unit and dollar:** Requests are made at product level. The results of a physical stock count are used to adjust the quantity of the stock on hand and the monetary value of the stock in the stock ledger.
- **By unit:** Requests are made for multiple items using an item list. The results of the physical stock count are used to adjust the quantity of the stock on hand. The stock ledger is not adjusted.

You can request a stock count as needed or create a schedule of stock counts. If you have access to Oracle Retail Data Warehouse, you can create item lists based on ABC classifications. The item lists can be used in requests for stock counts by unit.

Immediately prior to the scheduled date of the physical stock count, a snapshot is taken of the stock on hand, stock in transit, retail value, and weighted average cost. If the stock on hand has not yet been adjusted as a result of the physical count, the snapshot continues to be adjusted automatically as late transactions are received from the point of sale and the warehouse management system.

The results of a physical stock count may be received from an external system or entered manually. You can print a variance report which allows you to review any variances between the book count and physical count. After reviewing the report, you can edit the quantities for stock counts by unit or by unit and dollar as necessary. For stock counts by unit and dollar, you can also edit the monetary value of the stock as necessary. After editing quantities and monetary values, you can force the system to adjust the stock on hand and post the updated monetary values to the stock ledger.

In a multi-channel environment, you may request a stock count at a physical warehouse. The system automatically distributes the results among the virtual, or stockholding, warehouses based on the default distribution method. You can edit the results at the virtual warehouse level.

Stock Count Schedule Window [stksched]

The Stock Count Schedule window allows you to maintain schedules for stock counts. You can schedule stock counts for a stockholding store, a warehouse, or all locations on a location list. The stock can be counted in units or in units and monetary value. Depending on system options, the monetary value may be either retail or cost. You can schedule stock counts for every day, every week, or every two or more weeks. You can also designate the dates on which a schedule becomes effective and expires.

In a multi-channel environment, stock counts for warehouses are scheduled at the physical warehouse level.

Schedule Stock Counts

Navigate: From the main menu, select Inventory > Stock Count Schedule > Edit. The Stock Count Schedule opens.

1. In the Location Type field, select the type of location.
2. In the Location field, enter the ID of the location or the location list, or click the LOV button and select the location or location list.
3. In the Stocktake Type field, select type of count. If a stock count schedule already exists for the selected location, it opens in the table.
4. Click **Add**. The fields in the Apply area are cleared.
5. Depending on the type of stock count, enter either of the following details:
 - **Units:** In the Item List field, enter the ID of the item list, or click the LOV button and select the item list.
 - **Units & Dollars:** In the Department field, enter the ID of the department, or click the LOV button and select the department. Enter the class and subclass in their respective fields as necessary.
6. In the Start Date and End Date fields, enter the dates on which the schedule becomes effective and expires.
7. In the Count Time field, enter the time of day at which the stock count begins. Use international standard time (24-hour clock).

8. In the Cycle field, select the frequency of the stock counts.
9. In the Days of Count field, select the day of the week for the stock count.

Note: If the cycle is every day, all of the days are automatically selected. If the frequency is every week, you can select more than one day.

10. Click **Apply**. The schedule is added to the table.
11. Click **OK** to save your changes and close the window.

Delete Stock Count Schedules

Navigate: From the main menu, Inventory > Stock Count Schedule > Edit. The Stock Count Schedule opens.

1. In the Location Type field, select the type of location.
2. In the Location field, enter the ID of the location or the location list, or click the LOV button and select a location or location list.
3. In the Stocktake field, select how the stock count is counted. The schedules for the current location appear.
4. Select a schedule and click **Delete**.
5. Click **OK** to save your changes and close the window.

Stock Count Search Window [stkfind]

The Stock Count Search window allows you to enter criteria in order to search for stock counts and view the results of the search. You can perform the following tasks:

- Enter a request for a stock count by unit or by unit and dollar.
- Enter the results of a stock count manually. Generally, the results are transmitted to RMS from an outside source.
- Review and adjust variances between the book stock and the physical count. The stock on hand and stock ledger are updated by a regularly scheduled batch program.
- Review the results of a unit and dollar stock count at the subclass level.
- Review and adjust the retail value and cost value of the stock on hand. The stock ledger is updated by a regularly scheduled batch program.
- In a multi-channel environment, redistribute losses and gains that result from a stock count in a physical warehouse among its virtual warehouses. The stock on hand and stock ledger are updated by a regularly scheduled batch program.

Functional views

The default view for the Stock Count Search window opens when you open the window for the first time. You can also create a custom view.

Search for a Stock Count

Navigate: From the main menu, select Inventory > Stock Count. The Store Day Find window opens.

1. In the Action field, select any action except New.
2. If you select Edit or View in the Action field, select either Request or Count Quantity in the Action Type field.
3. Enter additional criteria as desired to make the search more restrictive.

4. Click **Search**. The Stock Count Search window displays the stock counts or requests that match the search criteria.
5. Select a task:
6. To perform another search, click **Refresh**.
7. To display the details of a stock count, select a record and click **OK**. The details appear in the appropriate maintenance window.
8. Click **Close** to exit.

Stock Count Request Maintenance Window [stkrqst]

The Stock Count Request Maintenance window allows you to request a stock count. You can also edit a request until the lockout period. The lockout period is a system parameter. It may be set for one or more days before the scheduled date of the stock count. You can delete a request at any time if the stock count has not yet been processed for any location entered on the request.

If you use either an item list or a location list in building a request, you may want to force the system to rebuild the lists so they are current.

- **Location list:** Select Rebuild Location List from the Options menu.
- **Item list:** Select Rebuild Item List from the Options menu.

Request a Stock Count

Navigate: From the main menu, select Inventory > Stock Count. The Stock Count Search window opens.

Search for and retrieve a stock count in New mode and with an Action Type of Request. The Stock Count Request Maintenance window opens.

1. In the Stock Count field, enter a description for the stock count.
2. In the Stock Count Type field, select the type of count.
3. In the Stock Count Date field, enter the scheduled date for the stock count, or click the calendar button and select the date.
4. Depending on which option you selected in the Stock Count Type field, enter one of the following details:
 - **Unit:** In the Select Items By area, select Item List or Product Group.
 - If you select Item List, in the Item List field, enter the ID of the item list, or click the LOV button and select the item list.
 - If you select Product Group, in the Product Group field, select the merchandise level. Next, click Product. On the Select Product Level window, select the departments, classes, and subclasses that you want to include in the request. Click OK to exit the Select Product Level window.
 - **Unit & Value:** In the Product Group field, select the merchandise level. Next, click Product. On the Select Product Level window, select the departments, classes, and subclasses that you want to include in the request. Click **OK** to exit the Select Product Level window.
5. In the Group Type field, select a grouping mechanism.
6. In the Group field, enter the ID of the specific location or group, or click the LOV button and select the location or group.
7. Click Apply. The locations are added to the table.

8. To delete a location from the table:
 - a. Select a location and click **Delete**.
 - b. When prompted to delete the record, click **Yes**.
9. Click **OK** to save your changes and close the window.

Delete a Request for a Stock Count

Navigate: From the main menu, select Inventory > Stock Count. The Stock Count Search window opens.

Search for and retrieve a stock count in Edit mode and with an Action Type of Request. The Stock Count Request Maintenance window opens.

1. Click **Delete Request**.
2. When prompted to delete the request, click **Yes**. You are returned to the Stock Count Search window. The request is deleted by a regularly scheduled batch program.

Stock Count Results - Dollar Changes Window [stkdeptd]

The Stock Count Results - Dollar Changes window allows you to review and edit the monetary value of the stock on hand at a location. This step is necessary after a unit and dollar type of stock count has been performed at a location.

To display monetary amounts in the primary currency of the company or the local currency of the location, select the appropriate option from the Options > Currency menu.

To force the system to adjust amounts in the stock ledger, select Create Adjustments from the Options menu. The stock ledger is adjusted by a regularly scheduled batch program. At this point, the unit and dollar type of stock count is considered complete.

Stock Count Variance Window [stkvarnc]

The Stock Count Variance window allows you to create a trial variance report and adjust stock counts for one or multiple locations.

Variances between book stock and the physical count can be corrected in the Stock Count Results Maintenance window. However, to force the system to actually adjust the quantities, you must return to the Stock Count Variance window and select Create Stock Adjustments from the Options menu. The stock on hand is adjusted by a regularly scheduled batch program. At this point, the unit type of stock count is considered complete.

Stock Count Results Maintenance Window [stkvwedt]

The Stock Count Results Maintenance window allows you to manually enter the results of a stock count. You can also view and edit unprocessed stock counts at a location.

Variances between book stock and the physical count can be corrected in the Stock Count Results Maintenance window. However, to force the system to actually adjust the quantities, you must go to the Stock Count Variance window and select Create Stock Adjustments from the Options menu. The stock on hand is adjusted by a regularly scheduled batch program. At that point, the unit type of stock count is considered complete.

In a multi-channel environment, you can access the Stock Count Virtual Warehouse Distribution window in order to redistribute stock among the virtual warehouses that are associated with a physical warehouse.

Stock Count Virtual Warehouse Distribution Window [stkvwhdist]

In a multi-channel environment, the Stock Count Virtual Warehouse Distribution window allows you to review the stock count at a physical warehouse. You can then redistribute any shrinkage or gain among the virtual warehouses within the physical warehouse.

Stock Count Results Dollar View Window [stkvwdlr]

The Stock Count Results Dollar View window allows you to view the monetary value of stock on hand after a stock count is performed at a location. The amounts are calculated at the department/class/subclass level.

To display monetary amounts in the primary currency of the company or the local currency of the location, select the appropriate option from the Options > Currency menu.

Select Product Level Window [stkrqst]

The Select Product Level window allows you to view and maintain the departments, classes, and subclasses that are included in a request for a stock count. This task is necessary when you request a unit and dollar type of stock count.

Maintain the stock ledger

Maintain the Stock Ledger

The stock ledger provides access to financial records based on a variety of transaction types. Some of the details are captured within RMS; other details are received from external systems. The remaining fields are calculated.

The stock ledger supports both the retail and cost methods of accounting. The cost method may use standard cost or average cost depending on how the system is set up. The stock ledger supports both the retail (4-5-4) and the normal (Julian) calendar. If the retail calendar is used, data can be maintained by the month and the week. If the normal calendar is used, data can be maintained only by the month.

Stock Ledger Maintenance Window [stklmgmn]

The Stock Ledger Maintenance Window allows you to view stock ledger details by subclass/location/month. Details vary based on the setup for each department.

Edit the Stock Ledger

Navigate: From the main menu, select Finance > Stock Ledger Maintenance > Edit. The Stock Ledger Maintenance Search window opens.

1. In the Location Type field, select the type of location.
2. In the Location field, enter the ID of a specific location, or click the LOV button and select the location.
3. In the Month and Year fields, enter the month and year for which you want to edit the stock ledger records.
4. In the Department, Class, and Subclass fields, enter the ID of a specific member at each product level, or click the LOV buttons and select the members.
5. Click either **Retail** or **Cost**. The details appear in the Stock Ledger Maintenance window.

6. Edit the details as necessary.

Note: If you are editing the retail information, click the **Next** button to view and edit additional fields.

7. Click **OK** to save your changes and close the window.

Stock Ledger View Window [stkldgrv]

The Stock Ledger View window allows you to view the results of a search for stock ledger records. The results depend on the type of location, time period, and product level that are selected as search parameters.

Functional views

Several predefined views are accessible from the View menu depending on the method of accounting.

For departments that use the retail method of accounting, you can choose from:

- **Retail Summary:** Summarizes the value of opening stock, cost and retail additions, and reductions by month or week for the current year. Cumulative markon and gross profit margin percentages appear.
- **Merchandise Handled:** Summarizes the value of purchases, RTVs, net transfers, and net markup by month, week, or day for the current year.
- **Retail Reductions:** Summarizes the value of net sales, markdowns, and employee discounts by month, week, or day for the current year. The shrinkage percentage opens.
- **Retail TY/LY:** Summarizes the value of opening stock, net sales, and markdowns by month or week for the current year and previous year. The gross profit margin percentages appear.
- **Inventory Report:** Displays percentages for cumulative markon, markdown, shrinkage, and gross profit margin by month or week for the current year and previous year.
- **Markdown Report:** Summarizes the value of markups, cancelled markups, various types of markdowns, cancelled markdowns, and net sales by month or week for the current year.
- **Intercompany Transfer:** Summarizes the value of intercompany transfers by month or week for the current year and previous year.

For departments that use the wholesale/franchise method of accounting, you can choose from:

- **Wholesale:** Summarizes sales made at the warehouse to wholesale stores.
- **Franchise:** Summarizes sales made at the warehouse to franchise stores.

For departments that use the cost method of accounting, you can choose from:

- **Cost Summary:** Summarizes the value of opening stock, purchases, RTVs, and net transfers by month, week, or day for the current year. Shrinkage and gross profit margin percentages appear.
- **Cost TY/LY:** Summarizes the value of opening stock, purchases, and net sales by month or week for the current year and previous year. The gross profit margin percentages appear.

You can also create a custom view. Additional fields can be viewed when you create a custom view.

Stock Ledger Search Window [stkldgrv]

The Stock Ledger Search window allows you to enter criteria in order to search for stock ledger records. The results appear in the Stock Ledger View window.

Search for Inventory by Item and Location

Navigate: From the main menu, select Inventory > Item Inventory by Location.

The Item Location Inventory window opens.

Note: You can also access this window from the Item Master window, Item Children window, Item Location window, and Store Sales/Warehouse Issues window. Some search criteria are automatically filled in depending on how you access the Item Location Inventory window.

1. In the Item field, enter the item number of the item, or click the LOV button and select the item.
2. In the Group Type field, select a grouping mechanism.
3. In the Group Value field, enter the ID of the specific location or group, or click the LOV button and select the location or group.
4. Click **Search**. The inventory details appear in the table. Corporate totals are displayed in the All Locations area.
5. To filter the results by location:
 - a. In the Location field of the Filter area, enter the ID of the location, or click the LOV button and select the location.
 - b. Click the filter button. The inventory details for the selected location appear.

Note: The corporate totals in the All Locations area do not change.

- c. Click the clear filter button to redisplay the previous inventory details.
6. To view the results in a partial view, select the Partial View checkbox.
7. To view the monetary amounts in the primary currency of the company or the local currency of the location, select the appropriate option from the Options > Currency menu.
8. To view additional inventory details, select the appropriate option from the View menu.
9. Click **OK** to save your changes and close the window.

Stock Ledger Maintenance Search Window [stkldgmn]

The Stock Ledger Maintenance Search window allows you to enter criteria in order to search for and retrieve stock ledger data at the subclass/location/month level. The results appear in the Stock Ledger Maintenance window.

Maintain general ledger cross reference

Maintain the General Ledger Cross Reference

The general ledger cross reference allows you to cross-reference the merchandise hierarchy levels and transaction codes from RMS with the appropriate general ledger accounts within your financial system.

GL Cross Reference Window [glcrossr]

The GL Cross Reference window allows you to cross-reference the merchandise hierarchy levels and transaction codes from RMS with the appropriate general ledger accounts within your financial system.

Create a General Ledger Cross Reference

Navigate: From the main menu, select Finance > GL Cross Reference. The General Ledger Search window opens.

1. In the Action field, select New.
2. Click **OK**. The GL Cross Reference window opens.
3. Enter the merchandise hierarchy information as necessary, or click the LOV button and select the merchandise hierarchy information.
4. In the Tran Code field, select the transaction type. The Line Type field is filled.
5. In the Tran Ref No. field, select the reference information associated with the transaction code.

Note: This field is enabled only for certain transactions. It is a dynamic field and will be labeled depending on the transaction code selected. If the field is enabled, you are required to enter a value.

6. In the Cost/Retail field, select the accounting method.
7. In the Debit Account area, enter the segments that make up the account.
8. Click **Find Account**. The Debit Account field displays the account number.
9. In the Credit Account area, enter the segments that make up the account.
10. Click **Find Account**. The Credit Account field displays the account number.
11. Click **OK** to save your changes and close the window.

Edit a General Ledger Cross Reference

Navigate: From the main menu, select Finance > General Ledger. The General Ledger Search window opens.

Search for and retrieve a cross reference in edit mode. The GL Cross Reference window opens.

1. Enter the enabled fields as necessary.
2. To delete a cross reference:
 - a. Click **Delete**.
 - b. You are prompted to confirm the deletion. Click **Yes**.
3. Click **OK** to save your changes and close the window.

General Ledger Search Window [glfind]

The General Ledger Search window allows you to enter criteria in order to search for General Ledger Cross References and view the results of the search.

Functional views

The default view for the General Ledger Search window opens when you open the window for the first time. You can also create a custom view.

Search for a General Ledger Cross Reference

Navigate: From the main menu, select Finance > GL Cross Reference. The General Ledger Search window opens.

1. In the Action field, select either Edit or View.
2. If necessary, enter additional criteria to make the search more restrictive.
3. Click **Search**. The General Ledger Search window displays the cross references that match the search criteria.
4. Select a task:
5. To perform another search, click **Refresh**.
6. To display the cross reference information, select a record and click **OK**. The GL Cross Reference window opens.
7. Click **Close** to close the window.

Multiple Set of Books

Transfer Entity Window - Set of Books [tsfsobs]

Large retailers usually operate in multiple countries, have multiple formats, multiple products lines or have multiple brands. The Transfer Entity Set of Books window allows you to associate a set of books and organizational unit to a transfer entity.

Between set of books ID and the organizational unit ID there would be one-to-many relationships. One set of books ID can be mapped to multiple organizational units, but one organizational unit will be mapped to only one set of books ID.

Associate a Set of Books with a Transfer Entity

Navigate: From the main menu, select Control > Setup > Transfer Entities > Edit. The Transfer Entity Maintenance window opens.

1. Select a transfer entity with a multiple set of books.
2. Click **Org Unit**. The Transfer Entity - Set of Books window opens.
3. Click **Add**.
4. In the Set of Books ID field, select an ID.
5. In the Org Unit ID field, select an ID.
6. Click **Apply**. The association is applied to the transfer entity.
7. Click **OK** to save any changes and close the window.

Sales Taxes

Set up sales taxes

Set Up Sales Taxes

When you define sales tax information, you must first add geocodes to RMS. A geocode is a geographical region, such as a state or county, with its own tax codes. You can add geocodes for the following:

- Countries
- States
- Counties
- Cities
- Districts

You then create the tax codes. A tax code consists of a tax jurisdiction and a tax type with associated tax rates. The tax code determines the tax rate that is applied to an item at the store. You can then associate tax codes and stores with a geocode and associate tax codes with items.

Create a Tax Code

Navigate: From the main menu, select Control > Sales Tax > Tax Rate Maintenance > Edit.

The Tax Hierarchy window opens.

1. On the Tax Jurisdictions tab, select a tax jurisdiction.
2. Click on the Tax Codes & Rates tab.
3. Click **Add Code**.
4. In the Tax Type field, select the type of tax.
5. Click **Add Rate**.
6. In the Tax Rate field, enter the tax rate.
7. In the Start Date field, enter the date on which the tax rate is effective, or click the **calendar** button and select the date.
8. When applicable, enter the date on which the tax rate ends in the End Date field, or click the **calendar** button and select the date.

Note: Tax rates for the same tax type cannot have overlapping start and end dates.

9. Click **Close** to close the window.
10. When prompted to save the changes, click **Yes**.

Associate a department with a tax code

1. Click **Item/Geocode**. The Tax Codes Form window opens.
2. Click on the Department tab.
3. Click the **Add**.
4. In the Department field, enter the ID of the department, or click the **LOV** button and select a department.
5. In the Start Date field, enter the date on which the tax code is effective for the department, or click the **calendar** button and select a date.

6. When applicable, enter the date on which the tax code ends in the End Date field, or click the calendar button and select the date.
7. Click **Close** to exit. When prompted to save the changes, click **Yes**.

Note: Tax codes for a department are applied when an item is sold at the department level

Associate a geocode with a tax code

1. Click **Item/Geocode**. The Tax Codes Form window opens.
2. Click on the Geocodes tab.
3. Click **Add**.
4. To associate a country geocode with a tax code:
5. In the Country ID field, enter the geocode of the country, or click the LOV button and select a country.
6. To associate a state geocode with a tax code:
 - a. Associate geocode as described in step 4.
 - b. In the State ID field, enter the geocode of the state, or click the LOV button and select a state.
7. To associate a county geocode with a tax code:
 - a. Associate geocodes as described in steps 4 - 5.
 - b. In the County ID field, enter the geocode of the county, or click the LOV button and select a county.
8. To associate a city geocode with a tax code:
 - a. Associate geocodes as described in steps 4 - 6.
 - b. In the City field, enter the geocode of the city, or click the LOV button and select a city.
9. To associate a district geocode with a tax code:
 - a. Associate geocodes as described in steps 4 - 7.
 - b. In the District field, enter the geocode of the district, or click the LOV button and select a district.
10. In the Start Date field, enter the date on which the tax code is effective for the department, or click the calendar button and select a date.
11. When applicable, enter the date on which the tax code ends in the End Date field, or click the calendar button and select the date.
12. Click **Close** to close the window.
13. When prompted to save the changes, click **Yes**.

Associate an item with a tax code

1. Click **Item/Geocode**. The Tax Codes Form window opens.
2. Click **Add**.
3. In the Item field, enter the item number, or enter a partial description of the item and click the LOV button to select an item.
4. In the Start Date field, enter the date on which the tax code is effective for the item, or click the calendar button and select a date.
5. When applicable, enter the date on which the tax code ends in the End Date field, or click the calendar button and select the date.

6. Click **Close** to close the window.
7. When prompted to save the changes, click **Yes**.

Search for a Tax Code

Navigate: From the main menu, select Control > Sales Tax > Tax Rate Maintenance > Edit. The Tax Hierarchy window opens.

1. Enter search criteria as desired to make the search more restrictive.
2. Click **Search**. The tax jurisdictions that match the search criteria appear on the results table.
3. Select a tax jurisdiction. Click the Tax Code Rates tab in order to display the tax code level with which you want to work.
4. Click **Close** to close the window.
5. When prompted to save any changes, click **Yes** to save or **No** to close without saving.

Delete an Item from a Tax Code

Navigate: From the main menu, select Control > Sales Tax > Tax Rate Maintenance > Edit. The Tax Hierarchy window opens.

1. On the Tax Jurisdictions tab, select a tax jurisdiction.
2. Click on the Tax Codes & Rates tab.
3. Select a tax type in the tax type table.
4. Click **Item/Geocode**. The Tax Codes Form window opens.
5. Select an item in the table on the Items tab.
6. Click **Delete**.
7. When prompted to delete the item, click **Yes**.
8. Click **Close** to close the window.
9. When prompted to save the changes, click **Yes**.

Delete a Department from a Tax Code

Navigate: From the main menu, select Control > Sales Tax > Tax Rate Maintenance > Edit. The Tax Hierarchy window opens.

1. On the Tax Jurisdictions tab, select a tax jurisdiction.
2. Click on the Tax Codes & Rates tab.
3. Select a tax type in the tax type table.
4. Click **Item/Geocode**. The Tax Codes Form window opens.
5. Click on the Department tab.
6. Select a department in the table.
7. Click **Delete**.
8. When prompted to delete the department, click **Yes**.
9. Click **Close** to close the window.
10. When prompted to save the changes, click the **Yes**.

Set Up Sales Taxes

When you define sales tax information, you must first add geocodes to RMS. A geocode is a geographical region, such as a state or county, with its own tax codes. You can add geocodes for the following:

- Countries
- States
- Counties
- Cities
- Districts

You then create the tax codes. A tax code consists of a tax jurisdiction and a tax type with associated tax rates. The tax code determines the tax rate that is applied to an item at the store. You can then associate tax codes and stores with a geocode and associate tax codes with items.

Create a Tax Jurisdiction

Navigate: From the main menu, select Control > Sales Tax > Tax Rate Maintenance > Edit. The Tax Hierarchy window opens.

Tax Hierarchy Window

1. Click **Add**. The fields in the Apply area are cleared.
2. In the Tax Jurisdiction field, enter a unique ID for the tax jurisdiction in the first field and a description in the second field.
3. In the Tax Level field, select the tax level of the tax jurisdiction.
4. Click **Apply**. The tax jurisdiction is added to the table.
5. Click **Close** to close the window. When prompted to save the changes, click **Yes**.

Delete a Tax Jurisdiction

Navigate: From the main menu, select Control > Sales Tax > Tax Rate Maintenance > Edit. The Tax Hierarchy window opens.

Note: You cannot delete a tax jurisdiction that is part of an active tax code.

1. Select a tax jurisdiction on the Tax Jurisdictions tab.
2. Click **Delete**.
3. When prompted to delete the jurisdiction, click **Yes**.
4. Click **Close** to close the window.
5. When prompted to save the changes, click **Yes**.

Add a Geocode

Navigate: From the main menu, select Control > Sales Tax > Geocode Maintenance > Edit. The Geocode Hierarchy Maintenance window opens.

- Click **Search**. The geocode tables and buttons are enabled.

Add a geocode at the country level

1. Click **Add**.
2. In the Country field, enter the geocode for the country.
3. In the Country Description field, enter the description of the country.

Add a geocode at the state level

1. Click on the State tab.
2. Click **Add**.
3. In the Country field, enter the geocode of the country, or click the LOV button and select a country.
4. In the State field, enter the geocode for the state.
5. In the State Description field, enter the description of the state.

Add a geocode at the county level

1. Click on the County tab.
2. Click **Add**.
3. In the Country field, enter the geocode of the country, or click the LOV button and select a country.
4. In the State field, enter the geocode of the state, or click the LOV button and select a state.
5. In the County field, enter the geocode for the county.
6. In the County Description field, enter the description of the county.

Add a geocode at the city level

1. Click on the City tab.
2. Click **Add**.
3. In the Country field, enter the geocode of the country, or click the LOV button and select a country.
4. In the State field, enter the geocode of the state, or click the LOV button and select a state.
5. In the County field, enter the geocode of the county, or click the LOV button and select the county.
6. In the City field, enter the geocode for the city.
7. In the City Description field, enter the description for the city.

Add a geocode at the district level

1. Click on the District tab.
2. Click **Add**.
3. In the Country field, enter the geocode of the country, or click the LOV button and select a country.
4. In the State field, enter the geocode of the state, or click the LOV button and select a state.
5. In the County field, enter the geocode of the county, or click the LOV button and select the county.
6. In the City field, enter the geocode of the city, or click the LOV button and select the city.

7. In the District field, enter the geocode for the district.
8. In the District Description field, enter a description for the district.

Review and complete the geocode

1. Click **Close** to close the window.
2. When prompted to save the changes, click the **Yes**.

Edit a Geocode

Navigate: From the main menu, select Control > Sales Tax > Geocode Maintenance > Edit. The Geocode Hierarchy Maintenance window opens.

Search and retrieve a geocode to edit.

Delete a geocode

1. Click **Delete**.
2. When prompted to delete the record, click **Yes**.

Note: You cannot delete a geocode with an active tax code.

3. Click **Close** to close the window.
4. When prompted to save the changes, click **Yes**.

Delete a store from a geocode

1. Click **Store/Tax Code**. The Geocode Tax Code window opens.
2. On the Stores tab, select the store.
3. Click **Delete**.
4. When prompted to delete the store, click **Yes**.
5. Click **Close** to close the window.
6. When prompted to save the changes, click **Yes**.

Associate a store with a geocode

1. Click **Store/Tax Code**. The Geocode Tax Code window opens.
2. Click **Add**.
3. In the Store field, enter the ID of the store, or click the LOV button and select a store.
4. Click **Close** to close the window.
5. When prompted to save the changes, click **Yes**.

Delete a tax code from a geocode

1. Click **Store/Tax Code**. The Geocode Tax Code window opens.
2. Click on the Tax Codes tab.
3. Select the tax code.
4. Click **Delete**.
5. When prompted to delete the store, click **Yes**.
6. Click **Close** to close the window.
7. When prompted to save the changes, click **Yes**.

Associate a tax code with a geocode

1. Click **Store/Tax Code**. The Geocode Tax Code window opens.
2. Click the Tax Codes tab.
3. Click **Add**.
4. In the Tax Jurisdiction field, click the LOV button and select a tax code.
5. In the Start Date field, enter the date on which the tax code is valid for the geocode, or click the calendar button and select a date.
6. Click **Close** to close the window.
7. When prompted to save the changes, click **Yes**.

Search for a Geocode

Navigate: From the main menu, select Control > Sales Tax > Geocode Maintenance > Edit or View. The Geocode Hierarchy Maintenance window opens.

1. Enter search criteria as desired to make the search more restrictive.
2. Click **Search**. The geocodes that match the search criteria appear on the results table.
3. Click on the appropriate tab in order to display a geocode level
4. Select the geocode with which you want to work.
5. Click **Close** to close the window.
6. When prompted to save any changes, click **Yes** to save or **No** to close without saving.

Associate geocodes with a store or tax code**Associate Geocodes with a Store or Tax Code**

The sales tax feature allows you to specify the tax codes that apply to an item at a specific store. To ensure that stores have accurate sales tax information, the tax codes are sent through the nightly batch process two days in advance of when they are effective at the stores.

The association of the tax codes and stores with a geocode determines which tax codes are effective at a specific store. You associate stores with a geocode. You then associate the tax codes with a geocode. As a result, all of the tax codes associated with a geocode are effective at all of the stores associated with a geocode. When an item is sold at a specific store, the tax rates of the applicable tax codes are applied to the item.

Add a Geocode

Navigate: From the main menu, select Control > Sales Tax > Geocode Maintenance > Edit. The Geocode Hierarchy Maintenance window opens.

- Click **Search**. The geocode tables and buttons are enabled.

Add a geocode at the country level

1. Click **Add**.
2. In the Country field, enter the geocode for the country.
3. In the Country Description field, enter the description of the country.

Add a geocode at the state level

1. Click on the State tab.
2. Click **Add**.
3. In the Country field, enter the geocode of the country, or click the LOV button and select a country.
4. In the State field, enter the geocode for the state.
5. In the State Description field, enter the description of the state.

Add a geocode at the county level

1. Click on the County tab.
2. Click **Add**.
3. In the Country field, enter the geocode of the country, or click the LOV button and select a country.
4. In the State field, enter the geocode of the state, or click the LOV button and select a state.
5. In the County field, enter the geocode for the county.
6. In the County Description field, enter the description of the county.

Add a geocode at the city level

1. Click on the City tab.
2. Click **Add**.
3. In the Country field, enter the geocode of the country, or click the LOV button and select a country.
4. In the State field, enter the geocode of the state, or click the LOV button and select a state.
5. In the County field, enter the geocode of the county, or click the LOV button and select the county.
6. In the City field, enter the geocode for the city.
7. In the City Description field, enter the description for the city.

Add a geocode at the district level

1. Click on the District tab.
2. Click **Add**.
3. In the Country field, enter the geocode of the country, or click the LOV button and select a country.
4. In the State field, enter the geocode of the state, or click the LOV button and select a state.
5. In the County field, enter the geocode of the county, or click the LOV button and select the county.
6. In the City field, enter the geocode of the city, or click the LOV button and select the city.
7. In the District field, enter the geocode for the district.
8. In the District Description field, enter a description for the district.

Review and complete the geocode

1. Click **Close** to close the window.
2. When prompted to save the changes, click the **Yes**.

Associate a Geocode with a Store

Navigate: From the main menu, select Action > Organizational Hierarchy. The Organization Hierarchy Main Form window opens.

Select Store on the tree structure. The stores appear in the table.

Select a store and click **Edit**. The Store Maintenance window opens.

From the Options menu, select Geocodes. The Geocodes window opens.

1. To associate a country geocode with a store, in the Country ID field, enter the geocode of the country, or click the LOV button and select a country.
2. To associate a state geocode with a store:
 - a. Associate geocodes as described in step 1.
 - b. In the State ID field, enter the geocode of the state, or click the LOV button and select a state.
3. To associate a county geocode with a store:
 - a. Associate geocodes as described in step 1 - 2.
 - b. In the County ID field, enter the geocode of the county, or click the LOV button and select a county.
4. To associate a city geocode with a store:
 - a. Associate geocodes as described in step 1 - 3.
 - b. In the City field, enter the geocode of the city, or click the LOV button and select a city.
5. To associate a district geocode with a store:
 - a. Associate geocodes as described in step 1 - 4.
 - b. In the District field, enter the geocode of the district, or click the LOV button and select a district.
6. Click **OK** to save your changes and close the window.

Delete a Geocode from a Tax Code

Navigate: From the main menu, select Control > Sales Tax > Tax Rate Maintenance > Edit. The Tax Hierarchy window opens.

1. On the Tax Jurisdictions tab, select a tax jurisdiction.
2. Click on the Tax Codes & Rates tab.
3. Select a tax type in the tax type table.
4. Click **Item/Geocode**. The Tax Codes Form window opens.
5. Click on the Geocodes tab.
6. Select the geocode you want to delete.
7. Click **Delete**.
8. When prompted to delete the geocode, click **Yes**.
9. Click **Close** to close the window.
10. When prompted to save the changes, click **Yes**.

Search for a Geocode

Navigate: From the main menu, select Control > Sales Tax > Geocode Maintenance > Edit or View. The Geocode Hierarchy Maintenance window opens.

1. Enter search criteria as desired to make the search more restrictive.
2. Click **Search**. The geocodes that match the search criteria appear on the results table.
3. Click on the appropriate tab in order to display a geocode level
4. Select the geocode with which you want to work.
5. Click **Close** to close the window.
6. When prompted to save any changes, click **Yes** to save or **No** to close without saving.

Associate tax codes with a merchandise hierarchy

Associate Tax Codes with a Merchandise Hierarchy

The sales tax feature allows you to specify the tax codes that apply to an item at a specific store. To ensure that stores have accurate sales tax information, the tax codes are sent through the nightly batch process two days in advance of when they are effective at the stores.

You apply a tax code to items, departments, and item lists. You can create tax product group item lists that include items that share the same tax codes. The tax codes that are ultimately applied to an item at a store are determined by the tax codes that the item shares with the store. The tax codes of a store are determined by the tax codes that are associated with the geocode to which the store belongs.

You can view the tax rates that apply to the item at a specific store, or you can view all of the tax codes associated with an item, department, or item list. You can only view item lists that are tax product groups.

Audit Window [taxcode]

The Audit window allows you to view the user ID of the person who associated the item, department, or geocode with the tax code. The date on which the item, department, or geocode was associated with the tax code opens as well. You also can view the user ID of the last person who modified the associated information and the date on which it was modified.

Tax Codes Form Window [taxcode]

The Tax Codes Form window allows you to associate items, departments, and geocodes with a tax code. When you associate a tax code with a department, the tax code is applied to an item when it is sold at the department level. You can associate an item, department, or geocode with multiple tax codes. The tax codes that are ultimately applied to an item at a store are determined by the tax codes that the item shares with the store. The tax codes of a store are determined by the tax codes that are associated with the geocode to which the store belongs.

If you do not specify an end date for the relationship between a geocode, department, or item and a tax code, the association remains active as long as the tax code is active.

Geocodes can be uploaded into RMS using a standard batch program.

Tax Rate View Window [taxratev]

The Tax Rate View window allows you to view the tax codes and associated rates that apply to either an item, a department, or the items on an item list at a specific store.

When you access the Tax Rate View window through an item maintenance window for an item or sellable pack, you can view the tax rates that apply to the item at a specific store. You can also view the total tax rate that is applied to the item at a store. When you access the Tax Rate View window from the main menu, you can view all of the tax codes associated with an item, department, or item list. You can only view tax product group item lists.

Tax Hierarchy Window [taxhier]

The Tax Hierarchy window allows you to create, edit, and view tax codes. A tax code consists of a tax jurisdiction and a tax type with associated tax rates. Tax codes are applied to items, departments, and item lists. The tax code determines the tax rate that is applied to an item at the store.

To create a tax code, you must first create a tax jurisdiction. When you create a tax jurisdiction, you select the tax level and the effective date for the tax jurisdiction. The tax level can be country, state, county, city, or district.

You create a tax code by associating a tax type with a tax jurisdiction. You then enter the tax rate for the tax type and the date on which the tax rate is effective. You can have multiple rates associated with a tax type; however, the effective dates of the rates may not overlap. Only one tax rate can be effective at a time for each tax type.

You can then associate tax codes with items, departments, geocodes, and item lists. At the store level, an item derives its tax rates from the tax codes that it shares with the store.

You cannot delete active tax codes. A tax code is active after it has been sent to the point of sale system through a batch process. The tax code information is sent to the point of sale system two days before the tax code is effective at a store.

Create a Tax Code

Navigate: From the main menu, select Control > Sales Tax > Tax Rate Maintenance > Edit.

The Tax Hierarchy window opens.

1. On the Tax Jurisdictions tab, select a tax jurisdiction.
2. Click on the Tax Codes & Rates tab.
3. Click **Add Code**.
4. In the Tax Type field, select the type of tax.
5. Click **Add Rate**.
6. In the Tax Rate field, enter the tax rate.
7. In the Start Date field, enter the date on which the tax rate is effective, or click the calendar button and select the date.
8. When applicable, enter the date on which the tax rate ends in the End Date field, or click the calendar button and select the date.

Note: Tax rates for the same tax type cannot have overlapping start and end dates.

9. Click **Close** to close the window.
10. When prompted to save the changes, click **Yes**.

Associate a department with a tax code

1. Click **Item/Geocode**. The Tax Codes Form window opens.
2. Click on the Department tab.
3. Click the **Add**.
4. In the Department field, enter the ID of the department, or click the LOV button and select a department.
5. In the Start Date field, enter the date on which the tax code is effective for the department, or click the calendar button and select a date.
6. When applicable, enter the date on which the tax code ends in the End Date field, or click the calendar button and select the date.
7. Click **Close** to exit. When prompted to save the changes, click **Yes**.

Note: Tax codes for a department are applied when an item is sold at the department level

Associate a geocode with a tax code

1. Click **Item/Geocode**. The Tax Codes Form window opens.
2. Click on the Geocodes tab.
3. Click **Add**.
4. To associate a country geocode with a tax code:
5. In the Country ID field, enter the geocode of the country, or click the LOV button and select a country.
6. To associate a state geocode with a tax code:
 - a. Associate geocode as described in step 4.
 - b. In the State ID field, enter the geocode of the state, or click the LOV button and select a state.
7. To associate a county geocode with a tax code:
 - a. Associate geocodes as described in steps 4 - 5.
 - b. In the County ID field, enter the geocode of the county, or click the LOV button and select a county.
8. To associate a city geocode with a tax code:
 - a. Associate geocodes as described in steps 4 - 6.
 - b. In the City field, enter the geocode of the city, or click the LOV button and select a city.
9. To associate a district geocode with a tax code:
 - a. Associate geocodes as described in steps 4 - 7.
 - b. In the District field, enter the geocode of the district, or click the LOV button and select a district.
10. In the Start Date field, enter the date on which the tax code is effective for the department, or click the calendar button and select a date.
11. When applicable, enter the date on which the tax code ends in the End Date field, or click the calendar button and select the date.
12. Click **Close** to close the window.
13. When prompted to save the changes, click **Yes**.

Associate an item with a tax code

1. Click **Item/Geocode**. The Tax Codes Form window opens.
2. Click **Add**.
3. In the Item field, enter the item number, or enter a partial description of the item and click the LOV button to select an item.
4. In the Start Date field, enter the date on which the tax code is effective for the item, or click the calendar button and select a date.
5. When applicable, enter the date on which the tax code ends in the End Date field, or click the calendar button and select the date.
6. Click **Close** to close the window.
7. When prompted to save the changes, click **Yes**.

Edit a Tax Code

Navigate: From the main menu, select Control > Sales Tax > Tax Rate Maintenance > Edit. The Tax Hierarchy window opens.

- On the Tax Jurisdictions tab, select a tax jurisdiction.

Add a tax type

1. Click **Add Code**.
2. In the Tax Type field, select the type of tax.
3. Click **Close** to close the window.
4. When prompted to save the changes, click **Yes**.

Delete a tax type

1. Select a tax type.
2. Click **Delete Code**.
3. When prompted to delete the code, click **Yes**.

Note: You cannot delete a tax type that is part of a tax code with active tax rates.

4. Click **Close** to close the window.
5. When prompted to save the changes, click **Yes**.

Add a tax rate

1. Click **Add Rate**.
2. In the Tax Rate field, enter the tax rate.
3. In the Start Date field, enter the date on which the tax rate is effective, or click the calendar button and select the date.
4. When applicable, enter the date on which the tax rate ends in the End Date field, or click the calendar button and select the date.
5. Click **Close** to close the window.
6. When prompted to save the changes, click **Yes**.

Delete a tax rate

1. Select a tax rate.
2. Click **Delete Rate**.
3. When prompted to delete the rate, click **Yes**.
4. Click **Close** to close the window.
5. When prompted to save the changes, click **Yes**.

Edit a Tax Code/Department Relationship

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

Select Department on the tree structure. The departments appear in the table.

Select a department and click **Edit**. The Department Maintenance window opens.

From the Options menu, select Apply Tax Codes. The Item Tax Codes window opens.

Delete a tax code from a department

Note: You cannot delete an active tax code.

1. Select a tax code.
2. Click **Delete**.
3. When prompted to delete the tax code, click **Yes**.
4. Click **OK** to save your changes and close the window.

Add a tax code to a department

1. Click **Add**.
2. In the Tax Juris ID field, enter the ID of the tax jurisdiction, or click the LOV button and select the tax jurisdiction.
3. In the Tax Type field, select the type of tax.
4. In the Start Date field, enter the date on which the tax code becomes effective, or click the calendar button and select the date.
5. When applicable, enter the date on which the tax code end in the End Date field, or click the calendar button and select the date.
6. Click **OK** to save your changes and close the window.

Edit a Tax Code/Item Relationship

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

Select the Apply Tax Codes option. The Item Tax Codes window opens.**Delete a tax code from an item**

Note: You cannot delete a tax code that is active.

1. Select a tax code.
2. Click **Delete**.
3. When prompted to delete the tax code, click **Yes**.
4. Click **OK** to save your changes and close the window.

Add a tax code to an item

1. Click **Add**.
2. In the Tax Juris ID field, enter the ID of the tax jurisdiction, or click the LOV button and select the tax jurisdiction.
3. In the Tax Type field, select the type of tax.
4. In the Start Date field, enter the date on which the tax code becomes effective, or click the calendar button and select the date.
5. When applicable, enter the date on which the tax code end in the End Date field, or click the calendar button and select the date.
6. Click **OK** to save your changes and close the window.

Edit a Tax Code/Tax Product Group Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Use mode. The Item List Header window opens.

From the Options menu, select Create Tax Code Change. The Item Tax Codes window opens.

Delete a tax code from a tax product group item list

Note: You cannot delete an active tax code.

1. Select a tax code.
2. Click **Delete**.
3. When prompted to delete the tax code, click **Yes**.
4. Click **OK** to save your changes and close the window.

Add a tax code to a tax product group item list

1. Click **Add**.
2. In the Tax Juris ID field, enter the ID of the tax jurisdiction, or click the LOV button and select the tax jurisdiction.
3. In the Tax Type field, select the type of tax.
4. In the Start Date field, enter the date on which the tax code becomes effective, or click the calendar button and select the date.
5. When applicable, enter the date on which the tax code end in the End Date field, or click the calendar button and select the date.
6. Click **OK** to save your changes and close the window.

Copy Tax Codes to a Department

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens

Select Department on the tree structure. The departments appear in the table.

Select a department and click **Edit**. The Department Maintenance window opens.

From the Options menu, select Apply Tax Codes. The Item Tax Codes window opens.

1. Click **Copy**. The Copy window opens.
2. Enter the item number of the item that you want to copy from. You can also enter a partial description of the item and click the LOV button to select the item.
3. Click **Copy** to copy the tax codes from the selected item to the department and close the window. The copied tax codes appear in the table on the Item Tax Codes window.
4. Click **OK** to save your changes and close the window

Copy Tax Codes to a Tax Product Group Item List

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Use mode. The Item List Header window opens.

From the Options menu, select Create Tax Code Change. The Item Tax Codes window opens.

1. Click **Copy**. The Copy window opens.
2. Enter the item number of the item that you want to copy from. You can also enter a partial description of the item and click the LOV button to select the item.
3. Click **Copy** to copy the tax codes from the selected item to the current items and close the window. The copied tax codes appear in the table on the Item Tax Codes window.
4. Click **OK** to save your changes and close the window.

Copy Tax Codes to an Item

Navigate: From the main menu, select Items > Items. The Item Search window opens.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

Select the Apply Tax Codes option. The Item Tax Codes window opens.

1. Click **Copy**. The Copy window opens.
2. Enter the item number of the item that you want to copy from. You can also enter a partial description of the item and click the LOV button to select the item.
3. Click **Copy** to copy the tax codes from the selected item to the current items and close the window. The copied tax codes appear in the table on the Item Tax Codes window.
4. Click **OK** to save your changes and close the window.

Search for a Tax Code

Navigate: From the main menu, select Control > Sales Tax > Tax Rate Maintenance > Edit. The Tax Hierarchy window opens.

1. Enter search criteria as desired to make the search more restrictive.
2. Click **Search**. The tax jurisdictions that match the search criteria appear on the results table.
3. Select a tax jurisdiction. Click the Tax Code Rates tab in order to display the tax code level with which you want to work.
4. Click **Close** to close the window.
5. When prompted to save any changes, click **Yes** to save or **No** to close without saving.

Create a Tax Jurisdiction

Navigate: From the main menu, select Control > Sales Tax > Tax Rate Maintenance > Edit. The Tax Hierarchy window opens.

1. Click **Add**. The fields in the Apply area are cleared.
2. In the Tax Jurisdiction field, enter a unique ID for the tax jurisdiction in the first field and a description in the second field.
3. In the Tax Level field, select the tax level of the tax jurisdiction.
4. Click **Apply**. The tax jurisdiction is added to the table.
5. Click **Close** to close the window. When prompted to save the changes, click **Yes**.

Audit Window [gtxcde]

The Audit window allows you to view the user ID of the person who associated the tax code with the geocode. The date on which the tax code was associated with the geocode opens as well. You also can view the user ID of the last person who modified the tax code information and the date on which it was modified.

Geocode Tax Code Window [gtxcde]

The Geocode Tax Code window allows you to associate stores and tax codes with a geocode. You also can delete stores and tax codes from geocodes.

The association of the tax codes and stores with a geocode determines which tax codes are effective at a specific store. You associate stores with a geocode. You then associate the tax codes with a geocode. As a result, all of the tax codes associated with a geocode are effective at all of the stores associated with a geocode.

You cannot delete active tax codes from a geocode. A tax code is active after it has been sent to the point of sale system through a batch process. The tax code information is sent to the point of sale system two days before the tax code is effective at a store.

If you do not specify an end date for the relationship between a geocode and a tax code, the association remains active as long as the tax code is active.

Geocode Hierarchy Maintenance Window [gcdhier]

The Geocode Hierarchy Maintenance window allows you to add, delete, and view geocodes at several levels. A geocode is a geographical region, such as a state or county, with its own tax codes. You can add geocodes for the following:

- Countries
- States
- Counties
- Cities
- Districts

Once you have added geocodes to RMS, you can then associate stores and tax codes with the geocode. A store can be associated with only one geocode. Multiple tax codes can be associated with multiple geocodes. The tax codes of a geocode are active at the stores of the geocode. At the store, an item derives its tax rates from the tax codes that it shares with the store.

Geocodes can be uploaded into RMS using a standard batch program.

Item Tax Codes Window [ittxcode]

The Item Tax Codes window allows you to add tax codes to and delete tax codes from individual items, departments, or items in an item list.

You cannot delete active tax codes from an item or department. A tax code is active after it has been sent to the point of sale system through a batch process. The tax code information is sent to the point of sale system two days before the tax code is effective at a store. At the store level, an item derives its tax rates from the tax codes that it shares with the store.

If you do not specify an end date for the relationship between an item and a tax code, the association remains active as long as the tax code is active.

Audit Window [ittxcode]

The Audit window allows you to view the user ID of the person who associated the tax code with the item, department, or item list. The date on which the tax code was associated with the item, department, or item list opens as well. You also can view the user ID of the last person who modified the tax code information and the date on which it was modified.

Copy Window [ittxcode]

The Copy window allows you to copy the tax codes from an existing item to an item, item list, or department.

Timelines

Define a timeline step

Define a Timeline Step

The steps used to create timelines allows you to create and maintain the timelines that are used to track an activity. The type of timeline you create determines what activities you can attach a timeline to. After you create the steps, you can define a series of steps to be used in a timeline. You can use a timeline to track the completion of an activity. When creating a timeline, you can pick which steps to include and the order of the steps. You can include any number of steps in a timeline.

Define a Timeline Step

Navigate: From the main menu, select Control > Setup > Timeline Step Components > Edit. The Timeline Step Components window opens.

1. In the Timeline Type field, select the activity for which you want to define a timeline step.
2. Click **Add**. The step number is filled in automatically in the Step No. field.
3. In the Step Description field, enter a description of the step.
4. Click **OK** to save your changes and close the window.

Define a timeline

Define a Timeline

A timeline is a schedule of events. To track the life cycle of an activity, you can attach a timeline to the activity. You can enter dates with which to track the completion of the timeline steps. You can revise dates and record the reason for the revision.

Timeline Window [timeline]

A timeline is a schedule of events. To track the life cycle of an activity, you can attach a timeline to the activity. You can enter dates with which to track the completion of the timeline steps. You can revise dates and record the reason for the revision. Timelines can be attached to activities in the following modules:

- Items
- Purchase orders: Timelines may be attached to purchase orders and PO/items.

Note: Timelines can be associated with items on a purchase order through the purchase order module in RMS; however, if you are using Oracle Retail Trade Management (RTM), you may want to use the transportation module to associate a timeline to items on a purchase order.

- Customs entries
- Transportation: Timelines may be attached to transportation records, bills of lading, commercial invoices, containers, and PO/items.

Define a Timeline

Navigate: From the main menu, select Control > Setup > Timeline > New. The Timeline Steps window opens.

1. Enter a description of the timeline in the box to the right of the Timeline Number field.
2. In the Timeline Type field, select the activity for which you want to define a timeline.
3. If the Timeline Type is Purchase Order or Order/Item, select a base in the Timeline Base field. This field is optional.
4. Select the steps that you want to include in the timeline:
 - a. Enter the step number in the Step Number field, or click the LOV button and select the step.
 - b. In the Days to Complete field, enter the number of days that you want to allot for completion of the step.
 - c. In the Display Sequence field, enter the order in which you want to display the step. You may need to edit the sequence number for other steps in the timeline.
 - d. Repeat steps a through c for each additional step.
5. Click **OK** to save your changes and close the window.

Maintain Timelines

Navigate: From the main menu, select Control > Setup > Timeline > Edit. The Timeline Steps window opens.

Edit a timeline

1. In the Timeline Number field, enter the ID of the timeline that you want to edit, or click the LOV button and select the timeline.
2. Edit the description, timeline base, days to complete, or display sequence as needed.

Delete a timeline

1. In the Timeline Number field, enter the ID of the timeline that you want to delete, or click the LOV button and select the timeline.
2. Click **Del Timeline**.
3. When prompted to delete the timeline, click **Yes**.

Note: A timeline cannot be deleted if it is being referenced by an activity.

4. Click **OK** to save your changes and close the window.

Maintain Timelines Associated with a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Selection window opens.

Search for and retrieve a purchase order in Edit mode. Restrict the search to purchase orders in Approved status. The PO Header Maintenance window opens.

From the Options menu, select Timelines > Edit. The Timeline window opens.

1. In the Action field, select Edit Order.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The Order Selection window displays the purchase orders that match the search criteria.
4. To view fields related to due orders:
5. From the View menu, select Due Order. The fields that pertain to due orders appear.
6. Select a task:
7. To perform another search, click **Refresh**.
8. To display the details of the purchase order, select a record and click **OK**. The PO Header Maintenance window opens.
9. Click **Close** to exit.
10. In the Action field, select Edit Order.
11. Enter additional criteria as desired to make the search more restrictive.
12. Click **Search**. The Order Selection window displays the purchase orders that match the search criteria.
13. To view fields related to due orders:
14. From the View menu, select Due Order. The fields that pertain to due orders appear.
15. Select a task:
16. To perform another search, click **Refresh**.
17. To display the details of the purchase order, select a record and click **OK**. The PO Header Maintenance window opens.
18. Click **Close** to exit.**Note:** You may also access the Timelines window from the PO Item Maintenance window. To access the window, click **Items**. The PO Item Maintenance window opens.

From the Options menu, select Timelines > Edit. The
Timeline window opens.

19. In the Timeline Number field, enter the timeline ID, or click the LOV button and select a timeline. The timeline information defaults into the table.
20. In the Revised and Actual fields, enter the appropriate dates, or click the calendar button and select the date.
21. To enter a reason for any timeline changes, select the Reason radio button and enter the reason code, or click the LOV button and select a reason.
22. To enter a comment for any timeline changes, select the Comments radio button and enter the comments.

Delete a timeline step

1. On the table, select the step you want to delete.
2. Click **Delete**. You are prompted to confirm the deletion.
3. Click **Yes**. The step is removed from the table.
4. Click **OK** to save your changes and close the window.

Delete the time line associated with a purchase order

1. Click **Delete Timeline**. You are prompted to confirm the deletion.
2. Click **Yes**. The timeline is removed from the purchase order.
3. Click **OK** to save your changes and close the window.

Maintain Timelines for a Customs Entry

Navigate: From the main menu, select Inventory > Customs Entry. The Customs Entry Search window opens.

Search for and retrieve a customs entry in Edit mode. The Customs Entry Header window opens.

From the Options menu, select Timelines > Edit. The Timeline window opens.

1. In the Timeline Number field, enter the ID of the timeline, or click the LOV button and select the timeline.
2. To revise a date for a step, enter the date in the Revised Date field, or click the calendar button and select the date.
3. To record the actual completion date for a step, enter the date in the Actual Date field, or click the calendar button and select the date.
4. To record a reason for the revised date, select the Revised option. In the Revised field, enter the ID of the reason, or click the LOV button and select the reason.
5. To add a comment to a step, select the Comments option. Then type the comment in the Comments field, or click the comments button and enter the comment.

Recalculate revised dates for all steps based on the revised or actual date for a specified step

1. Click **Calculate Dates**. The Calculate Dates window opens.
2. In the Step field, enter the number of the step on which to base the calculation.
3. Select either Revised Date or Actual Date, depending on which date for the step should be used in the calculation.
4. Click **OK** to save your changes and close the window.

Delete a step from the timeline

1. Select the step.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete the timeline from the custom's entry record

1. Click **Delete Timeline**.
2. When prompted to delete the timeline, click **Yes**. You are returned to the Transportation window.
3. Click **OK** to save your changes and close the window.

Maintain Timelines for a Transportation Element

Navigate: From the main menu, select Inventory > Transportation > Maintenance. The Transportation Selection window opens.

Search for and retrieve a transportation record in Edit mode. The Transportation window opens.

OR

From the main menu, select Inventory > Transportation > PO-Level Maintenance > Edit. The PO-Level Transportation window

opens.

1. To edit a timeline for a:
 - **Bill of lading:** From the Options menu, select Timelines > BL/AWB > Edit. The Timeline window opens.
 - **Commercial invoice:** From the Options menu, select Timelines > Commercial Invoice > Edit. The Timeline window opens.
 - **Container:** From the Options menu, select Timelines > container > Edit. The Timeline window opens.
 - **PO/Item:** From the Options menu, select Timelines > PO/Item > Edit. The Timeline window opens.
 - **Transportation record:** From the Options menu, select Timelines > Transportation Record > Edit. The Timeline window opens.
 - **PO-specific bill of lading:** From the Options menu, select Timelines > PO/BL AWB > Edit. The Timeline window opens.
2. In the Timeline Number field, enter the ID of the timeline, or click the LOV button and select the timeline.
3. To revise a date for a step, enter the date in the Revised Date field, or click the calendar button and select the date.
4. To record the actual completion date for a step, enter the date in the Actual Date field, or click the calendar button and select the date.
5. To record a reason for the revised date, select the Revised option. In the Revised field, enter the ID of the reason, or click the LOV button and select the reason.
6. To add a comment to a step, select the Comments option. Then type the comment in the Comments field, or click the comments button and enter the comment.

Recalculate revised dates for all steps based on the revised or actual date for a specified step

1. Click **Calculate Dates**. The Calculate Dates window opens.
2. In the Step field, enter the number of the step on which to base the calculation.
3. Select either Revised Date or Actual Date, depending on which date for the step should be used in the calculation.
4. Click **OK** to save your changes and close the window.

Delete a step from the timeline

1. Select the step.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete the timeline from the transportation record

1. Click **Delete Timeline**.
2. When prompted to delete the timeline, click **Yes**. You are returned to the Transportation window.
3. Click **OK** to save your changes and close the window.

Maintain Timelines for an Item

Navigate: From the main menu, select Items > Items. The Item Search window is displayed.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

Select the Timelines option. The Timeline window opens.

1. In the Timeline Number field, enter the ID of the timeline, or click the LOV button and select the timeline.
2. To revise a date for a step, enter the date in the Revised Date field, or click the calendar button and select the date.
3. To record the actual completion date for a step, enter the date in the Actual Date field, or click the calendar button and select the date.
4. To record a reason for revised date, select the Revised option. In the Revised field, enter the ID of the reason, or click the LOV button and select the reason.
5. To add a comment to a step, select the Comments option. Then type the comment in the Comments field, or click the comments button and enter the comment.

Recalculate revised dates for all steps based on the revised or actual date for a specified step

1. Click **Calculate Dates**. The Calculate Dates window opens.
2. In the Step field, enter the number of the step on which to base the calculation.
3. Select either Revised Date or Actual Date, depending on which date for the step should be used in the calculation.
4. Click **OK** to save your changes and close the window.

Delete a step from the timeline

1. Select the step.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete the timeline from the item

1. Click **Delete Timeline**.
2. When prompted to delete the timeline, click **Yes**. You are returned to the Item Maintenance window.
3. Click **OK** to save your changes and close the window.

Copy a Timeline

Navigate: From the main menu, select Control > Setup > Timeline > New. The Timeline Steps window opens.

1. Enter a description of the timeline in the box to the right of the Timeline Number field.
2. In the Timeline Type field, select the activity for which you want to copy a timeline.
3. If the Timeline Type is Purchase Order or Order/Item, select a base in the Timeline Base field. This field is optional.
4. Click **Like Timeline**. The Copy Like Timeline Step window opens.
 - a. Enter the ID of the timeline that you want to copy, or click the LOV button and select the timeline.
 - b. Click **OK** to exit the Copy Like Timeline Step window. The description and steps of the selected timeline are copied to the Timeline Steps window.
5. Edit the Days to Complete and Display Sequence fields as needed.
6. Add, delete, or sort the steps as needed.
7. Click **OK** to save your changes and close the window.

Timeline Steps Window [timestep]

The Timeline Steps window allows you to create and maintain the timelines that are used to track an activity. The steps used to create timelines are defined in the Timeline Step Components window. The type of timeline you create determines what activities you can attach a timeline to.

Timeline Step Components Window [timestco]

The Timeline Step Components Window allows you define a series of steps to be used in a timeline. You can use a timeline to track the completion of an activity. When creating a timeline, you can pick which steps to include and the order of the steps. You can include any number of steps in a timeline.

Maintain Timeline Steps

Navigate: From the main menu, select Control > Setup > Timeline Step Components > Edit. The Timeline Step Components window opens.

Edit a timeline step

1. In the Timeline Type field, select the activity for which you want to edit a timeline step. The steps are displayed in the Step No. and Step Description fields.
2. In the Step Description field, edit the description.
3. Click **OK** to save your changes and close the window.

Delete a timeline step

1. In the Timeline Type field, select the activity for which you want to delete a timeline step. The steps are displayed in the Step No. and Step Description fields.
2. Select a timeline step.
3. Click **Delete**.
4. Click **OK** to save your changes and close the window.

Copy Like Timeline Step Window [timestep]

The Copy Like Timeline Step window allows you to select a timeline to copy to the timeline being created. After you copy a timeline, you can edit the timeline as needed.

Maintain Transit Times

Navigate: From the main menu, select Action > Merchandise Hierarchy. The Merchandise Hierarchy Main Form window opens.

1. Select the hierarchy level you want to add the transit time to.
 - Department
 - a. Select Department on the tree structure. The departments appear in the table.
 - b. Select a department and click **Edit**. The Department Maintenance window opens.
 - Class
 - a. Select Class on the tree structure. The Department field opens.
 - b. In the Department field, enter the ID of a department, or click the LOV button and select the department. The classes appear in the table.
 - c. Click **Edit**. The Class Maintenance window opens.
 - d. Select a class.
 - Subclass
 - a. Select Subclass on the tree structure. The Department and Class fields appear.
 - b. In the Department field, enter the ID of a department, or click the LOV button and select the department.
 - c. In the Class field, enter the ID of a class, or click the LOV button and select the class. The subclasses appear in the table.
 - d. Click **Edit**. The Subclass Maintenance window opens.
 - e. Select a subclass.
2. Select Options > Transit Times. The Transit Times window opens.

Edit transit times

1. Select a transit time entry.
2. Edit origin, destination, or transit time as necessary.
3. Click **Apply**. The edits are added to the table.
4. Click **OK** to save your changes and close the window.

Delete transit times

1. Select a transit time entry
2. When prompted to delete the record, click **Delete**.
3. Click **OK** to save your changes and close the window.

Calculate Dates Window [timeline]

The Calculate Dates window allows you to choose which date for a specified step should be used in order to recalculate revised dates for the remaining steps in a timeline.

Associate a timeline with an activity**Associate a Timelines with an Activity**

Within RMS, timelines can be attached to an item, a purchase order, and a line item within a purchase order.

You can associate timelines with a variety of activities in Oracle Retail Trade Management (RTM). One or multiple timelines can be attached to activities in the following modules:

- Customs entry records
- Transportation records
- Items on a purchase order
- Containers
- Bills of lading or air waybills
- Commercial invoices

Associate a Timeline with an Item

Navigate: From the main menu, select Items > Items. The Item Search window is displayed.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

Select the Timelines option. The Timeline window opens.

1. In the Timeline Number field, enter the ID of the timeline, or click the LOV button and select the timeline.
2. Choose one of the following methods to enter the original dates:
3. In the Base Date field, enter the date on which to begin the timeline, or click the calendar button and select the date. The original dates for each step are filled in automatically.

4. In any one of the Original Date fields, enter a date; then click **Calculate Dates**. The Base Date field and remaining Original Date fields are filled in automatically.
5. To add a comment to a step, select the Comments option. Then type the comment in the Comments field, or click the comments button and enter the comment.
6. Click **OK** to save your changes and close the window.

Associate a Timeline with a Customs Entry

Navigate: From the main menu, select Inventory > Customs Entry. The Customs Entry Search window opens.

Search for and retrieve a customs entry in Edit mode. The Customs Entry Header window opens.

From the Options menu, select Timelines > New. The Timeline window opens.

1. In the Timeline Number field, enter the ID of the timeline, or click the LOV button and select the timeline.
2. Choose one of the following methods to enter the original dates:
3. In the Base Date field, enter the date on which to begin the timeline, or click the calendar button and select the date. The original dates for each step are filled in automatically.
4. In any one of the Original Date fields, enter a date; then click **Calculate Dates**. The Base Date field and remaining Original Date fields are filled in automatically.
5. To add a comment to a step, select the Comments option. Then type the comment in the Comments field, or click the comments button and enter the comment.
6. Click **OK** to save your changes and close the window.

Associate a Timeline with a Purchase Order

Navigate: From the main menu, select Ordering > Orders. The Order Selection window opens.

Search for and retrieve a purchase order in Edit mode. The PO Header Maintenance window opens.

From the Options menu, select Timelines > New. The Timeline window opens.

Note: You may also access the Timelines window from the PO Item Maintenance window. To access the window, click **Items**. The PO Item Maintenance window opens.

From the Options menu, select Timelines > New. The Timeline window is displayed.

1. In the Timeline Number field, enter the timeline ID, or click the LOV button and select a timeline. The timeline information opens in the table.
2. If necessary, click the calendar button to change the date the date.
3. If necessary, click **Delete** to remove a step from the timeline.

4. To enter a reason for any timeline changes, select the Reason radio button and enter the reason code, or click the LOV button and select a reason.
5. To enter a comment for any timeline changes, select the Comments radio button and enter the comments.
6. Click **OK** to save your changes and close the window.

Associate a Timeline with a Transportation Element

Navigate: From the main menu, select Inventory > Transportation > Maintenance. The Transportation Selection window opens.

Search for and retrieve a transportation record in Edit mode. The Transportation window opens.

OR

From the main menu, select Inventory > Transportation > PO-Level Maintenance > Edit. The PO-Level Transportation window opens.

1. To associate a timeline with transportation records at the following levels:
 - **Bill of lading:** From the Options menu, select Timelines > BL/AWB > New. The Timeline window opens.
 - **Commercial invoice:** From the Options menu, select Timelines > Commercial Invoice > New. The Timeline window opens.
 - **Container:** From the Options menu, select Timelines > container > New. The Timeline window opens.
 - **PO/Item:** From the Options menu, select Timelines > PO/Item > New. The Timeline window opens.
 - **Transportation record:** From the Options menu, select Timelines > Transportation Record > New. The Timeline window opens.
 - **PO-specific bill of lading:** From the Options menu, select Timelines > PO/BL AWB > New. The Timeline window opens.

Note: This level of timeline is only available from the PO-Level Transportation window.

2. In the Timeline Number field, enter the ID of the timeline, or click the LOV button and select the timeline.
3. Choose one of the following methods to enter the original dates.
4. In the Base Date field, enter the date on which to begin the timeline, or click the calendar button and select the date. The original dates for each step are filled in automatically.
5. In any one of the Original Date fields, enter a date; then click **Calculate Dates**. The Base Date field and remaining Original Date fields are filled in automatically.
6. To add a comment to a step, select the Comments option. Enter the comment in the Comments field, or click the comments button and enter the comment.
7. Click **OK** to save your changes and close the window.

Document Maintenance

Maintain documents

Maintain Documents

The Document Maintenance feature allows you to create, edit, and view documents required for letter of credit processing. Documents can also be designated as not required for the Letter of Credit and can be used for other purposes within the organization.

Document Maintenance Window [docmain]

The Document Maintenance window allows you to create, edit, and view documents. These documents can be associated with suppliers, partners, countries, HTS chapters, letters of credit, items, and purchase orders.

Add a Document

Navigate: From the main menu, select Control > Document Maintenance > Edit. The Document Maintenance window opens.

1. Click **Add**. The Document field is filled in automatically with a unique ID number for the document.
2. In the Document Description field, enter a description for the document.
3. In the Document Type field, select the document type. The Swift Tag field is filled in automatically.
4. In the Sequence field, enter the sequence number, if required.
5. In the Document Text field, enter document text.
6. If this document has a letter of credit, select the LC Document check box.
7. Click **OK** to save your changes and close the window.

Edit a Document

Navigate: From the main menu, select Control > Document Maintenance > Edit. The Document Maintenance window opens.

1. You may edit the following fields:
 - Document Description
 - Document Type
 - Sequence
 - Document Text
 - LC Document
2. Click **OK** to save your changes and close the window.

Delete a Document

Navigate: From the main menu, select Control > Document Maintenance > Edit. The Document Maintenance window opens.

1. Select the document you want to delete.
2. Click **Delete**.
3. When prompted to delete the document record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Required Documents Window [reqdoc]

The Required Documents window allows you to add or delete required documents associated with the following entities:

- Suppliers
- Partners
- Countries
- HTS headings
- Letters of credit
- Items
- Purchase orders

Associate a document with a RMS element

Associate a Document with a RMS Element

Any documents associated with the following elements default to a purchase order when the purchase order is created. When you associate a purchase order with a letter of credit, the required documents are then applied to the letter of credit. Required documents applied to the letter of credit are transmitted to the bank through an electronic exchange. You can add or delete required documents associated with:

- Suppliers
- Partners
- Countries
- Items
- Purchase orders

Using Oracle Retail Trade Management (RTM), you can add required documents to the letters of credit or HTS chapters. The remaining entities are accessible in the Oracle Retail Merchandising System program.

Add a Required Document to an Item

Navigate: From the main menu, select Items > Items. The Item Search window is displayed.

Search for and retrieve a item in the Edit Item mode. The Item Maintenance window opens.

Select the Required Documents option. The Required Documents window opens.

1. Click **Add**.
2. In the Document field, enter a document number, or click the LOV button to select a document.
3. Click **OK** to save your changes and close the window.

Add a Required Document to a Country

Navigate: From the main menu, select Control > Setup > Country > Edit. The Country Maintenance window opens.

1. Select the country.
2. From the Options menu, select Documents. The Required Documents window opens.
3. Click **Add**.
4. In the Document field, enter a document number, or click the LOV button to select a document.
5. Click **OK** to save your changes and close the window.

Add a Required Document to a Letter of Credit

Navigate: From the main menu, select Finance > Payments > Letter of Credit. The Letter of Credit Find window opens.

Search for and retrieve a letter of credit in the Edit mode. Restrict the search to letters of credit in either Worksheet status or Confirmed status. The Letter of Credit Application Header window opens.

If the status is Confirmed, select Amendments from the Options menu. The Letter of Credit Amendments window opens.

From the Options menu, select Required Documents. The Required Documents window opens.

1. Click **Add**.
2. In the Document field, enter a document number, or click the LOV button to select a document.
3. Click **OK** to save your changes and close the window.

Add a Required Document to a Partner

Navigate: From the main menu, select Control > Partner. The Partner Find window opens.

Search for and retrieve a partner in the Edit mode. You can add required documents only to importers, brokers, factories, consolidators, applicants, and consignees. The Partner Maintenance window opens.

From the Options menu, select Documents. The Required Documents window opens.

1. Click **Add**.
2. In the Document field, enter the Document ID, or click the LOV button to select the document.
3. Click **OK** to save your changes and close the window.

Add a Required Document to a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in the Edit mode. The Supplier Maintenance window opens.

OR

If the Financials module is installed, from the main menu, select Control > Supplier > Maintenance from the main menu.

From the Options menu, select Documents. The Required Documents window opens.

1. Click **Add**.
2. In the Document field, enter the Document ID, or click the LOV button to select the document.
3. Click **OK** to save your changes and close the window.

Add a Required Document to an HTS Heading

Navigate: From the main menu, select Control > Landed Cost > HTS Maintenance > HTS Heading Maintenance > Edit. The current HTS headings appear in the HTS Heading Maintenance window.

Select an HTS heading.

From the Options menu, select HTS Heading Documents. The Required Documents window opens.

1. Click **Add**.
2. In the Document field, enter the document number, or click the LOV button to select the document.
3. Click **OK** to save your changes and close the window.

Maintain tickets and labels

Maintain Tickets and Labels

Items generally have tickets or labels affixed to them in the store. While shoppers may note the price and size, sales clerks may glean quite a bit of additional information from the tickets and labels. An item may have multiple tickets and labels.

You can choose what information is printed on tickets and labels and under what circumstances they should be automatically printed. When necessary, you can choose to print tickets on demand. Ticket requests are transmitted to an external ticketing system for printing.

Before you can use tickets and labels, you must add the types of tickets to the system. After entering a unique ID and description for a ticket type, you choose which attributes of an item are to be printed on the ticket type. You also indicate whether the ticket type is a shelf edge label. If the ticket type is a shelf edge label, only one label per request is printed.

After the ticket types are defined, you can associate one or more ticket types with an item. You can associate ticket types with multiple items by using an item list.

At this point, you indicate the circumstances under which tickets are automatically printed. The circumstances are:

- When a purchase order is approved
- When a an order is received
- When a permanent price change takes effect.

If you use an item list, the ticket types that you add to the item list supersede existing ticket types associated with the items on the item list. A message appears requesting if the same ticket types to any subordinate level items.

Should the need arise, you can request tickets on demand. The request may be for a single item, items on an item list, or items on a purchase order. Requests may be edited until the tickets are printed.

Ticket Items Window [ticket]

The Ticket Items window allows you to enter what type of information must be printed on the ticket. You can choose from two types of information:

- **Attributes:** System-defined characteristics of an item. For example, you can specify that the department, class, subclass, and retail price be printed on tickets.
- **User Defined Attributes:** User-defined characteristics of an item. For example, you can indicate that a user-defined date, free-form text, or value be printed on tickets.

Add Ticket Types

Navigate: From the main menu, select Items > Ticket Type > Edit. The Ticket Types window opens.

Add a ticket type

1. Click **Add**. The next available line is enabled.
2. In the Ticket Type field enter a unique ID for the ticket type.
3. In the Ticket Description field, enter the description of the ticket type.
4. In the merchandise hierarchy fields, enter the ID of the member of each hierarchy level, or click the LOV button and select a member.
5. If the ticket is used as shelf edge label, select the Shelf Edge Label check box.

Add an attribute to a ticket type

1. Select the ticket type and click **Detail**. The Ticket Items window opens.
2. Click **Add**. The next available line is enabled.
3. In the Attribute field, select the type of attribute.
4. In the Attribute ID field, enter the ID of the attribute, or click the LOV button and select the attribute.
5. Click **OK** to save your changes and close the window.

Request Manual Ticketing Window [rqsttckt]

The Request Manual Ticketing window allows you to enter requests to print tickets and labels on demand. You can request tickets for a transaction-level item in Approved status, items on an item list, or items on a purchase order.

You can edit the quantity and origin country on a request until the tickets are actually printed. Requests are processed by a regularly scheduled batch program.

Request Tickets or Labels

Navigate: From the main menu, select Items > Request Tickets. The Request Manual Ticketing window opens.

1. Click **New**. The Apply area is enabled.
2. In the Items field, select the grouping mechanism for the items to be ticketed.
3. In the next field, enter the ID of the specific item, item list, or purchase order, or click the LOV button and select the group.
4. In the Location Type field, select the type of location. This field is not required for purchase orders.
5. In the Location field, enter the ID of the specific location, or click the LOV button and select the location. This field is not required for purchase orders.
6. In the Quantity field, enter the number of tickets to be printed. This field is not required for purchase orders.
7. In the Ticket Type field, enter the ID of the ticket type, or click the LOV button and select the ticket type.
8. In the Origin Country field, enter the code for the origin country, or click the LOV button and select the origin country. The origin country is optional.
9. Click **Apply**. The ticket requests are added to the table.
10. Click **OK** to save your changes and close the window.

Ticket Types Window [ticket]

The Ticket Types window allows you to maintain a list of ticket types. You can indicate whether the ticket type is a shelf edge label.

From this window, you can access the Ticket Items window. In the Ticket Items window, you define what information is to be printed on the tickets or labels.

Functional area security

When you create a ticket, you can assign it to levels of the merchandise or organization hierarchy. You can only assign the levels of merchandise and organization hierarchy that your user group is associated to. All levels below the hierarchy level assigned are also enabled for the user groups. Users whose security settings allow them access to the same hierarchy levels can use this ticket throughout RMS. If you do not assign a merchandise or organization level all users are able to use this ticket throughout the system.

Edit Ticket Types for an Item

Navigate: From the main menu, select Items > Items. The Item Search window is displayed.

Search for and retrieve an item in Edit mode. The Item Maintenance window opens.

1. Click on the Ticket Type option on the Options list. The ticket types appear on the Item Ticket Detail window.

Note: To edit a ticket type for a subordinate item, click on the List Children option on the Options list. The Item Children window opens. Next, select an item; then click on the Ticket Type option on the Options list.

2. Edit the PO Print Type, Print on Price Change, and Percent Over Quantity fields as necessary.

Add a ticket type

1. Click **Add**. The next available line is enabled.
2. In the Ticket Type field, enter the code for the ticket type, or click the LOV button and select the ticket type.
3. In the PO Print Type field, select when the tickets should be printed.
4. To indicate that the ticket type should be printed when a permanent price change becomes effective, select the Print on Price Change checkbox.
5. In the Percent Over Quantity field, enter or edit the percentage of extra tickets to be printed as necessary.

Delete a ticket type

1. Select a ticket type and click **Delete**.
2. When prompted to delete the record, click **Yes**.

Review and complete the ticket type

1. Click **OK** to save your changes and close the window.
2. If prompted to overwrite the ticket types for children (subordinate level items) of the current item, click either **Yes** or **No** as necessary.

Edit Ticket Types for Multiple Items

Navigate: From the main menu, select Items > Item List. The Item List Search window opens.

Search for and retrieve an item list in Use mode. The Item List Header window opens.

From the Options menu, select Create Mass Item Change > Ticket Type. The Item Ticket Detail window opens.

1. In the Ticket Type field, enter the ID of the ticket type, or click the LOV button and select the ticket type.
2. In the PO Print Type field, select when the tickets are printed.
3. If you want tickets printed automatically when a permanent price change becomes effective, select the Print on Price Change check box.

4. In the Percent Over Quantity field, enter or edit the percentage of extra tickets to be printed.
5. To add another ticket type, click **Add**.
6. Enter the details on the next available line.
7. Click **OK** to save your changes and close the window.
8. When warned about overwriting existing ticket types, click **OK**.
9. When prompted to overwrite the ticket types for children (subordinate level items) of the items on the item list, click either **Yes** or **No** as necessary.

System Administration

Maintain system parameters

Maintain System Parameters

The following areas can be maintained in order to optimize system performance.

Maintain audit trails

Audit trails can be set up to track who makes changes to a selected table and when such changes are made. Whenever a record is added, changed, or deleted on the selected table, a record is added to the audit table. The record includes the primary key, date/time stamp, and user ID. If fields are audited, the before and after values, as well as the standard audit information, are tracked. It is recommended that you do not audit the primary key field.

Dynamic hierarchies

Default names are used for the elements in the merchandise, organizational, supplier, and item hierarchies. You replace the default names with customized names. For example, you may choose to replace the term Department with Category. The user-supplied term is substituted for the Oracle Retail term throughout the system.

The default names for the merchandise, organizational, and supplier hierarchies are maintained in the Dynamic Hierarchy window. The default names for the item hierarchy are maintained in the System Parameter Maintenance window.

Error message and multi-view maintenance

Implementation personnel have access to an error message tool and a multi-view tool. The error message tool is used to maintain the RTK_ERRORS table. By placing error messages in a table, the messages are more easily maintained and internationalized. The RTK_ERRORS table is usually populated during system installation.

The multi-view tool is used to maintain the MULTIVIEW_DEFAULT_45 and MULTIVIEW_SAVED_45 tables. Multi-views allow the user to view predefined subsets of columns on a form when the number of available columns exceeds the available space. The MULTIVIEW tables are usually populated during system installation. However, a user may also choose to customize and save the content of a multi-view from within a form that contains a multi-view.

Code maintenance

Code types provide the values that appear in drop-down lists throughout the system. The values entered on the code windows become useful when 1) windows in the system are coded to display fields containing the values and 2) the values are coded to cause some action to occur when a user selects the value.

Batch maintenance

The batch module allows you to monitor the batch programs used by the system. You can view the history of a batch program in order to verify when it was run or how long it ran. You can maintain the number of threads used by a batch program or the number of saves performed during the run.

System variables

Users gain the most value from software when the system is optimized to meet their needs. The system variables module provides a means of maintaining the relatively static information about a retailer's business.

Many of the system variables must be set during installation and cannot be changed without major implications. Most system variables are specific to functional areas such as ordering, pricing, transfers, stock ledger and history. While some indicators dictate the level at which these functions perform, others indicate the length of time that the data is maintained for these areas.

In addition to the functional variables, other variables span all functional areas and determine how the system must perform as a whole. Some of these variables include the multiple currency indicator, primary language, and system dates.

Printers

One or more printers may be set up for or by end users. Whichever printer is marked as Active becomes the default printer when the user chooses to print a report.

Main menu

The main menu is very flexible. You can add and delete folders and elements on the tree structure. Some examples of elements are forms, internal items, Oracle reports, user applications, and web pages. You can secure any type of element so that only selected user roles have access to the element. Users inherit the permissions that are associated with their user role.

Users also can customize the main menu for their own use. As a user, you can add folders and elements in order to personalize your workspace.

Calendar overview

Two types of calendars are supported by the system:

- **Normal (Julian) calendar:** Results in uneven yearly, quarterly, and monthly comparisons since calendar dates generally fall on different days from one year to the next. The number of weekdays differs from one year to the next. For example: There may be four Saturdays in a month one year, but five Saturdays the next year. A month may have between 28 and 31 days. Once every four years, an extra day is added to compensate for leap year.
- **Retail (4-5-4) calendar:** Each quarter contains 13 full weeks divided into a 4-5-4 format. That is, the first month of the quarter has four weeks, the second month has five weeks, and the third month has four weeks. The number of days in the retail year, except leap year, equals only 364 days. To compensate for the missing day in non-leap years, an extra week is added to the calendar once every seven years. The retail calendar provides consistent inclusion of weekends for yearly comparisons by month and a consistent day for month-end processing.

Sales history is always based on the retail calendar. The calendar begins at least 18 months prior to the earliest stock ledger and sales history data. The calendar also contains dates at least three years into the future.

The calendar is set up by the system administrator. You can identify the half-year periods used in the system. Half-year periods are entered in the format YYYYn, where YYYY is the four-digit year and n is the period. The period may be 1 or 2. For example: The first half of 2002 is entered as 20021.

Batch

Batch Control Window [batchcnt]

The Batch Control window allows you to monitor and control batch programs. You can view the history of a selected batch program to see when it was run last and how long it took to complete. You can also maintain the number of threads used by a batch program and the number of records that are to be processed before the commit command is invoked.

Batch Bookmark Window [batchrst]

The Batch Bookmark window allows you to view additional details about an incomplete batch program.

Batch Restart Window [batchrst]

The Batch Restart window allows you to view the status of batch programs. Depending on which command you select from the View menu, you can view the status of completed or uncompleted batch programs or customized information. You can access the Batch Bookmark window in order to view at what point an incomplete batch program stopped running.

Batch Control History Window [batchcnt]

The Batch Control History window allows you to view the history of a selected batch program. You can view the dates on which the batch program was run and the length of time it took to complete.

Edit Batch Controls

Navigate: From the main menu, select Control > System > Batch Maintenance > Batch Control. The Batch Control window opens.

1. In the Program Name field, enter the name of a batch program, or click the LOV button and select the batch program.
2. In the Commit Max Ctr field, enter or edit the maximum value for the commit counter as necessary.
3. In the Number of Threads field, enter or edit the number of threads.
4. To view details about previous executions of the batch program:
 - a. Click **History**. The Batch Control History window opens.
 - b. Click **OK** to exit the Batch Control History window.
5. Click **OK** to save your changes and close the window.

Buyers

Buyer Worksheet Window [buyerwksht]

The Buyer Worksheet allows you to add, edit, and view information that is generated from the Replenishment and Investment Buy processes. You can:

- Modify the line items' suggested order quantities and costs.
- For Replenishment quantities, change the supplier that will source the item, and/or split the order quantity amongst multiple suppliers.
- Manually scale order quantities as well as round to pack.
- Add a line item to an existing purchase order or create purchase orders in Worksheet, Submitted, or Approved status.

Functional views

The Item Requirements default view for the Buyer Worksheet window opens when you open the window for the first time. You can also create a custom view.

Buyer Maintenance Window [buyer]

The Buyer Maintenance Window allows you to create, edit, view, and delete a buyer. In addition to a name and ID, you can enter the buyer's telephone and fax numbers. After a buyer is entered, you can assign the buyer to a division, group, or department. Store grade groups and purchase orders can be created for or by a buyer.

Maintain a Buyer

Navigate: From the main menu, select Control > Buyer > Edit. The Buyer Maintenance window opens.

Edit a buyer

1. In the Buyer field, enter the buyer's ID, or click the LOV button and select the buyer.
2. Edit the buyer's name, phone, and fax number as necessary.
3. Click **OK** to save your changes and close the window.

Delete a buyer

1. In the Buyer field, enter the buyer's ID, or click the LOV button and select the buyer.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Competitors

Create a Competitor

Navigate: From the main menu, select Control > Competitor > New. The Competitor window opens.

1. Enter the following information about the competitor:
 - Required
 - Name
 - Optional
 - Address
 - City
 - State
 - Postal Code
 - Country
 - Phone number
 - Fax number
 - Web site
2. Click **OK** to save your changes and close the window.

Edit a Competitor

Navigate: From the main menu, select Control > Competitor > Edit. The Competitor window opens.

1. In the Competitor field, enter a competitor number, or click the LOV button and select a competitor.
2. Enter or edit the enabled fields as necessary.
3. Click **OK** to save your changes and close the window.

Delete a Competitor

Navigate: From the main menu, select Control > Competitor > Edit. The Competitor window opens.

1. In the Competitor field, enter a competitor number, or click the LOV button and select a competitor.
2. Click **Delete**. You are prompted to delete the record.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Create a Competitor's Store

Navigate: From the main menu, select Control > Competitor > Edit. The Competitor window opens.

1. In the Competitor field, enter the ID of the competitor, or click the LOV button and select the competitor.
2. From the Options menu, select Competitor Stores > New. The Competitor Store Maintenance window is displayed.

Note: The Competitor Store ID is filled in automatically.

3. Enter the description of the competitor's store.
4. In the following fields, enter the competitor's store information:
 - Address
 - City
 - Postal code
 - State
 - Country
 - Phone
 - Fax
 - Store format
 - Currency
 - Total area (in square feet)
 - Selling area (in square feet)
 - Estimated yearly sales volume
 - Date the store opened for business
 - Date the store closed (if applicable)
5. Click **OK** to save your changes and close the window.

Edit a Competitor's Store

Navigate: From the main menu, select Control > Competitor > Edit. The Competitor window opens.

1. In the Competitor field, enter the ID of the competitor, or click the LOV button and select the competitor.
2. From the Options menu, select Competitor Stores > Edit. The Competitor Store Maintenance window is displayed.
3. In the Competitor Store field, enter the ID of the competitor's store, or click the LOV button and select the store.
4. Enter or edit the appropriate information about the competitor's store.
5. Click **OK** to save your changes and close the window.

Delete a Competitor's Store

Navigate: From the main menu, select Control > Competitor > Edit. The Competitor window opens.

1. In the Competitor field, enter the ID of the competitor, or click the LOV button and select the competitor.
2. From the Options menu, select Competitor Stores > Edit. The Competitor Store Maintenance window is displayed.
3. In the Competitor Store field, enter the ID of the competitor's store, or click the LOV button and select the store.
4. Click **Delete**. You are prompted to delete the record.
5. Click **Yes**.
6. Click **OK** to save your changes and close the window.

Create a Competitive Shopper

Navigate: From the main menu, select Control > Competitive Shopper > New. The Competitive Shopper Maintenance window opens.

1. In the Name field, enter the name of the shopper.
2. In the Shopper Phone field, enter the shopper's phone number.
3. In the Shopper Fax field, enter the shopper's fax number, if applicable.
4. Click **OK** to save your changes and close the window.

Edit a Competitive Shopper

Navigate: From the main menu, select Control > Competitive Shopper > Edit. The Competitive Shopper Maintenance window opens.

1. In the Shopper field, enter the ID of the competitive shopper, or click the LOV button and select the shopper.
2. Enter or edit the appropriate information about the shopper.
3. Click **OK** to save your changes and close the window.

Delete a Competitive Shopper

Navigate: From the main menu, select Control > Competitive Shopper > Edit. The Competitive Shopper Maintenance window opens.

1. In the Shopper field, enter the ID of the competitive shopper, or click the LOV button and select the shopper.
2. Click **Delete**. You are prompted to delete the record.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Record Competitor Prices

Navigate: From the main menu, select Control > Competitive Pricing > Competitive Price Entry. The Competitor Price Entry window opens.

Note: This procedure explains how to enter competitor prices manually. If your company uses personal digital devices (PDA) to record competitor prices, this window may be unavailable.

1. Enter search criteria in the appropriate search fields. The Shop Date and Competitor search fields are required.
2. Click **Search**. The competitor price records that match the search criteria appear.
3. Select the record that you want to edit.

Note: You can edit pricing information either directly on the table or in the Apply area.

4. In the Date field, enter the date on which the competitor price was recorded, or click the calendar button and select the date.
5. For a single unit item, enter the retail price in the Competitor Retail (table) or Retail New Value (Apply area) field. Enter the amount in the local currency of the competitor store.
6. For a multi-unit item, enter the number of units that make up a multi-unit in the Multi Units (table) or Multi Units New Value (Apply area) field.
7. For a multi-unit item, enter the retail price in the Multi-Unit Retail (table) or Multi-Unit Retail New Value (Apply area) field.
8. In the Price Type field, indicate whether the price is a regular, promotional, or clearance price.
9. For a regular or promotional price, select the appropriate offer type in the Offer Type field.
10. For a promotional price, enter the start and end dates of the promotion in the appropriate fields.
11. If the details were entered in the Apply area, click **Apply** to add the updated information to the table.
12. Click **OK** to save your changes and close the window.

Edit a Competitor's Price History

Navigate: From the main menu, select Control > Competitive Pricing > Competitive Price History > Edit.

1. In the From Date and To Date fields, select dates to create a range for your search.
2. In the other Search Criteria fields, enter any other information to restrict your search.
3. Click **Search**. RMS displays all pricing records that match your search criteria.
4. Review the price history information displayed.
5. To change the type of information displayed for a record, select View > Default, Promotion, Ref Item, Custom, or Saved.
6. Edit any price history information (Competitor Retail, Price Type, Start Date, or End Date).
7. Click **OK** to save your changes and close the window.

Cost

Cost Component Maintenance Window [elccomp]

The Cost Component Maintenance window allows you to add and maintain expenses, up charges, and assessments. Expenses are components that make up the cost of an item. Assessments are components that make up the total duty charges for an item. Up charges are incurred when transferring goods between warehouses and stores.

If you are using Trade Management to track import costs, all locations must have the same cost value. If the cost of items that are being imported DO vary by location, Trade Management will convert the cost values to an identical weighted average cost.

Non-Merchandise Cost Components Window [nonmerch]

The Non-Merchandise Cost Components window allows you to associate non-merchandise cost codes with the non-merchandise codes. The cost codes are used to track costs related to the movement of the merchandise. You can access this window only when you are using Oracle Retail Trade Management with RMS.

Cost Change Reason Maintenance Window [rsncost]

The Cost Change Reason Maintenance window allows you to add, delete, edit, and view the reasons for cost changes.

Create a Cost Buildup Template

Navigate: From the main menu, select Control > Cost Buildup Template > Cost Buildup Template. The Cost Buildup Template Search window opens.

1. Click **New**.
2. Click **OK**. The Cost Buildup Template window opens.
3. Enter the Template ID name.
4. Select a First Applied option.
5. Enter the margin percentage.
6. Enter an Upcharge or select the LOV button and select an Upcharge.
7. Click **Apply**. The table is updated.
8. Click **OK** to save the changes.

Cost Buildup Template Search Window [costtmfnd]

The Cost Buildup Template Search window allows you to search for, create, edit, and view the cost buildup template.

Cost Buildup Template Window [costbduapl]

The Cost Buildup Template Search window allows you to enter search criteria in order to search for the cost buildup template, as well as create and edit cost buildup templates.

To display the cost buildup template search window, navigate to Control > Cost buildup Template > Cost Buildup Template.

Search for a Cost Buildup Template

Navigate: From the main menu, select Control > Cost Buildup Template > Cost Buildup Template. The Cost Buildup Template Search window opens.

1. In the Action field, select either New, Edit, or View.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click Search. The Cost Buildup Template Search results window displays the templates that match the search criteria.
4. Select a template:
 - a. To perform another search, click **Refresh**.
 - b. To display the details of a template, select a record and click **OK**. The Cost Buildup Template window opens.
5. Click **Cancel** to exit.

Edit a Cost Buildup Template

Navigate: From the main menu, select Control > Cost Buildup Template > Cost Buildup Template. The Cost Buildup Template Search window opens.

1. Search for a Cost Buildup Template.
2. Select a template. The Cost Buildup Template window opens.
3. Click **Add Comp**.
4. Enter Upcharge changes or select the LOV button and select an Upcharge.
5. Click **Apply**. The table is updated.
6. Click **OK** to save the changes.

Cost Zones Window [costzone]

The Cost Zones window allows you to create, maintain, and view the cost zones for a selected cost zone group.

In Edit mode, you may edit the zone description and change the location that determines the base cost for an item. For each cost zone group, you must select one cost zone as the base cost zone. The base cost zone indicates that the price for the item is based on the price of the item in the zone

If a cost zone exists without any locations, the cost zone is deleted when you click **OK**.

Cost Zone Locations Window [costzone]

The Cost Zone Locations window allows you to edit or view the locations in the cost zone. In Edit mode, you may add locations to a cost zone or move locations to a different cost zone.

Locations cannot be edited for any cost zone group at the location level because locations is a cost zone group.

Cost Zone Groups Window [costzone]

The Cost Zone Groups window allows you to enter, edit, or view cost zone groups. A cost zone group is a grouping mechanism that allows you to categorize stores into zones based on a costing strategy. This grouping mechanism is available only when you are tracking Estimate Landed Costs (ELC).

When you enter a new cost zone group, all locations must be added to the group. The locations can exist individually within a group, or you can group the locations into cost zones.

To copy cost zone groups, their zones, and their locations, select a like group when creating a cost zone group at the zone level.

For zone level cost zone groups, you can create cost zones and corresponding locations by clicking **Zones**.

Edit Cost Zone Groups

Navigate: From the main menu, select Control > Setup > Cost Zone Group > Edit. The Cost Zone Groups window opens.

Edit a cost zone group

1. Edit the description for the cost zone group.
2. To delete a cost zone group, select the zone and click **Delete**.
3. When prompted to delete the record, click **Yes**.

Note: The cost zone group will be deleted by a batch program

Edit a cost zone associated with a cost zone group

1. On the Cost Zone Groups window, select a cost zone group.
2. Click **Zones**. The Cost Zones window opens.
3. Edit the cost zone information as necessary.
4. To delete a cost zone from a cost zone group:
 - a. Select a cost zone and click **Locations**. The Cost Zone Locations window opens.
 - b. Reassign locations in the cost zone to a different cost zone.
 - i. In the New Zone field, enter the ID of the new zone, or click the LOV button and select a different cost zone.
 - ii. Click **OK** to return to the Cost Zones window.
 - c. Click **Delete** to remove the cost zone from the cost zone group.
 - d. When prompted to confirm deletion, click **OK**.
5. Click **OK** to save your changes and close the window.

Edit locations assigned to a cost zone

1. To edit location information, click **Locations**. The Cost Zone Locations window opens.
2. To add locations, click **Add**. Select the location type.
3. In the Location field, enter the location ID or click the LOV button and select the location.
4. To remove a location from a zone, select a location.
5. In the New Zone field, enter the ID of the new zone, or click the LOV button and select the new zone.

Exit the cost zone windows

1. Click **OK** to save your changes and close each of the cost zone windows.

Main menu

Oracle Retail Start Tree Administration Window [treadmn]

The Oracle Retail Start Tree Administration window allows you to edit and view the structure and security settings on the main menu. The settings become the system defaults for all users.

New Item Window [treadmn]

The New Item window allows you to add a folder or an element to the main menu. You can choose from the following elements: forms, internal items, Oracle reports, user applications, and web pages. When you add an element to the menu, this window becomes a wizard. On the first screen of the wizard, you select the type of element. Subsequent screens prompt you for the information that is specific to the type of element. Users are not able to access any new elements until you set up security for the elements. All settings take effect after you exit the system.

Add a System Folder to the Main Menu

Navigate: From the main menu, select Control > System > Tree Administration. The Oracle Retail Start Tree Administration window opens.

Navigate to the folder to the folder that you want to edit.

Click **Add Folder**. The New Item window opens.

1. In the Folder Name field, enter the name as you want it to appear on the main menu.
2. Click **OK** to save your changes and close the window.

Add a System Element to the Main Menu

Navigate: From the main menu, select Control > System > Tree Administration. The Oracle Retail Start Tree Administration window opens.

Navigate to the folder to the folder that you want to edit.

Click **Add Element**. The New Item window opens.

1. In the Element Name field, enter the name as you want it to appear on the main menu.
2. In the Type field, select the type of element.
3. Click **Next**. The next screen opens. The fields that you must enter next depend on the type of element that you selected in the Type field.

Enter details for type of element

1. If you selected Form:
 - a. In the Element field, enter the name of the form, or click the LOV button and select the form.
2. If you selected Internal Item:
 - a. In the Special Code field, enter the code that calls the internal item.
 - b. Click **OK** to save your changes and close the window.
3. If you selected Oracle Report:
 - a. In the Oracle Report Filename field, enter the filename of the report.
 - b. Click **OK** to save your changes and close the window.
4. If you selected User Application:
 - a. In the Path to User's Application field, enter the path and filename of the application.
 - b. Click **OK** to save your changes and close the window.
5. If you selected Web Page:
 - a. In the URL field, enter the Internet address of the web page.
 - b. In the Component field, select the component that you want to associate the URL with.

Note: To add a new component to the system, click **New Component** and respond to the prompts.

6. Click **OK** to save your changes and close the window.

Secure the element

1. Select an element and click **Security**. The Security Control window opens.
2. Select one or more user roles on the Roles Available table.
3. Click the move left button.
4. Click **OK** to save your changes and close the window.

Edit the System Main Menu

Navigate: From the main menu, select Control > System > Tree Administration. The Oracle Retail Start Tree Administration window opens.

Navigate to the folder that you want to edit.

Add a folder

1. Click **Add Folder**. The New Item window opens.
2. In the Folder Name field, enter the name of the folder.
3. Click **OK** to save your changes and close the window.

Add an element

1. Double-click the folder in which the element belongs.
2. Click **Add Element**. The New Item window opens.
3. In the Element Name field, enter the name of the element.
4. In the Type field, select the type of element.
5. Click **Next**. Enter the details on the next window or windows.

Note: The windows and fields that appear next depend on the type of element that you select.

6. Click **OK** to save your changes and close the window.

Edit security for an element

1. Select an element and click **Security**. The Security Control window opens.
2. To allow access to the current element, select one or more user roles on the Roles Available table. Then click the move left button.
3. To deny access to the current element, select one or more user roles on the Roles Allowed table. Then click the move right button.
4. Click **OK** to save your changes and close the window.

Delete a folder or element

1. Select the folder or element and click the **Delete** button.
2. When prompted to delete the record, click the **Yes** button.
3. Click **OK** to save your changes and close the window.

Navigate the Tree Administration Folders

Navigate: From the main menu, select Control > System > Tree Administration. The Oracle Retail Start Tree Administration window opens.

1. To open a folder, double-click the folder. The elements within the folder appear.
2. To select an element, click the element.
3. To close a folder, click the move up one level button.
4. Click **OK** to save your changes and close the window.

Add User Element Window [rtkstrt]

The Add User Element window allows you to customize the main menu for yourself by adding an element.

Add a User Element to the Main Menu

Navigate: On the Oracle Retail Enterprise Start window, navigate to the folder that you want to edit.

Click the add user element button. The Add User Element window opens.

1. If the element is a web page, enter the URL in the URL field.
2. In the New Item Name field, enter the name of the element as you want it to appear on the main menu.
3. Click **OK** to save your changes and close the window.

Add User Folder Window [rtkstrt]

The Add User Folder allows you to customize the main menu for yourself by adding a folder.

Add a User Folder to the Main Menu

Navigate: On the Oracle Retail Enterprise Start window, navigate to the folder that you want to edit.

1. Click the add user folder button. The Add User Folder window opens.
2. In the Folder Name field, enter the name of the folder as you want it to appear on the main menu.
3. Click **OK** to save your changes and close the window.

Search for a Folder or Element on the Main Menu

1. On the Oracle Retail Enterprise Start window, enter a partial description of the folder or element in the Search field.
2. Click the search forward button or the search backward button.
3. When prompted that the folder or element has been found, click **OK**.
4. If the folder or element is not the one you want, click the search forward button or the search backward button to continue the search.
5. When the desired folder or element is found, you can:
6. Select the folder to display its contents.
7. Select the element and click **Open**.

Navigator User Options Window [rtkstrt]

The Navigator User Options window allows you to display a Navigator toolbar on each window. You can select which buttons appear on the toolbar. The buttons provide functionality that is useful when viewing a table (also referred to as a multi-view) on a window.

Edit the Navigator Toolbar

Navigate: Close all windows except the Oracle Retail Enterprise Start window.

From the Options menu, select Start Options. The Navigator User Options window opens.

1. To display and add buttons to the toolbar:
 - a. Select the Show Multiview check box. The check boxes are enabled.
 - b. Select the check box next to each toolbar button that you want to include on the toolbar.
2. To delete a button from the toolbar, clear the check box next to the button.
3. To delete the toolbar, clear the Show Multiview check box.
4. Click **OK** to save your changes and close the window.

Secure an Element on the System Main Menu

Navigate: From the main menu, select Control > System > Tree Administration. The Oracle Retail Start Tree Administration window opens.

Navigate to the element that you want to secure.

1. Click **Security**. The Security Control window opens.
2. To allow access to the current element:
 - a. Select one or more user roles in the Roles Available table.
 - b. Click the move left button.
3. To deny access to the current element:
 - a. Select one or more user roles in the Roles Allowed table.
 - b. Click the move right button.
4. Click **OK** to save your changes and close the window.

Create a Custom View

Navigate: From the View menu, select Custom. The Customize window opens.

Click the Add button to view the list of available fields.

Select or clear the fields for the view.

Click **OK**.

Change the column order as necessary:

1. To move a column left, click the column. Click the Move Left button.
2. To move a column right, click the column. Click the Move Right button.
3. Change the column width as necessary:
 - a. To make a column wider, click the column. Click the Expand button.
 - b. To make a column narrower, click the column. Click the Shrink button.
4. Click **Save**. The Saved view is set as the view for the next time you open the window.

Note: You can return to the default view by selecting View > Default.

Security Control Window [treeadm]

The Security Control window allows you to select which user roles have access to an element on the system main menu. Users inherit the permissions that are associated with their user roles.

Reports

Oracle Retail Printing Window [printfrm]

The Oracle Retail Printing window allows you to select and generate a report. You can choose to preview the results on the screen (cache) or send the report to a printer (printer).

Note: The ability to e-mail a report to a destination (mail) or save the report to a file (file) are not currently supported.

You can look up reports in alphabetical order or by module. Report descriptions

Generate a Report

Navigate: From the main menu, select Action > View Reports. The Report Request window opens.

1. In the Module field, click the LOV button and select the module from which you want to generate a report.
2. In the Report field, click the LOV button and select the report.

Note: If you selected a module, only reports associated with the module are listed in the List of Reports. Otherwise, all reports are listed when you click the Report LOV button.

3. Click **Print**. The Report Parameters web page opens.
4. In the Destination Type field, select where you want the finished report to be sent. Select **Cache** to view the report online.
5. If you are prompted for parameters to further define the report, enter the data in the appropriate fields.
6. Click **Submit Query**. The report is generated and sent to the destination that you selected.

Report Descriptions

Refer to the Oracle Retail Merchandising System Reports User Guide for report descriptions.

System parameters

System Parameter Maintenance Window [sysctrl]

The System Parameter Maintenance window allows you to customize various parameters, defaults, and constants that are used throughout the system. Normally, these elements are set when RMS is installed by the system or database administrator. They tend to remain fixed unless a business practice is changed which necessitates a change in RMS.

Edit System Variables

Navigate: From the main menu, select Control > System > System Variables. The System Parameter Maintenance window opens.

1. Edit options and enter values as needed.
2. There are several screens associated with this window.
 - To view and edit the next screen, click **Next**.
 - To view and edit the previous screen, click **Previous**.
3. Click **OK** to save your changes and close the window.

Edit System Code Types

Navigate: From the main menu, select Control > System > Codes Maintenance > Edit. The code types appear in the Codes Header Maintenance window.

- Edit the descriptions as necessary.

Add a code type

1. Click **Add**. The next available line is enabled.
2. In the Code Type field, enter a code for the code type.
3. In the Description field, enter a description of the code type.
4. Click **OK** to save your changes and close the window.

Add values to a code type

1. Select the code type and click **Detail**. The Code Detail Maintenance window opens.
2. Click **Add**. The next available line is enabled.
3. In the Code field, enter an code for the value.
4. In the Description field, enter the value as you want it to appear to users.
5. In the Display Order field, enter the sequence number to indicate the order in which the value should appear in drop-down lists.
6. Select the System Required check box as necessary.
7. Click **OK** to save your changes and close the window.

Delete values from a code type

1. Select the code type and click **Detail**. The values appear in the Code Detail Maintenance window.
2. Select a value and click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete a code type

1. Select a code type and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Code Detail Maintenance Window [codedetl]

The Code Detail Maintenance window allows you to maintain a list of values for a code type. The values appear in drop-down lists that exist throughout the system.

Note: If a code type is required by the system and used to perform certain functions, changing the code values could produce undesired consequences.

Maintain Inventory Status Types

Navigate: From the main menu, select Control > Setup > Inventory Status Types > Edit. The Inventory Status Types window opens.

Edit an inventory status type

1. Edit the Description field as necessary.
2. Click **OK** to save your changes and close the window.

Delete an inventory status type

1. Select a status type and click **Delete**.
2. When prompted to delete the record, click **OK**.

Note: You cannot delete a status type that is referenced by an inventory adjustment.

3. Click **OK** to save your changes and close the window.

Edit a Regionality Relationship

Navigate: From the Main Menu, select Control > System > Regionality > Regionality Matrix > Edit. The Regionality Maintenance window opens.

1. Enter the appropriate search criteria. Click **Query** to view the group/location records that match your criteria.

Note: You can query by either Group ID or Business Role. Selecting one disables the other.

2. Edit the enabled fields as necessary.

Delete a group/location combination

1. Select a group/location record.
2. Click **Delete Group/Loc**. You are prompted to confirm the deletion.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Delete elements from a group/location combination

1. Select a group/location record.
2. Select an element from the Supplier, Supplier/Department, or Department table.
3. Click **Delete Elements**. You are prompted to confirm the deletion.
4. Click **Yes**.
5. Click **OK** to save your changes and close the window.

Codes Header Maintenance Window [codehead]

The Codes Header Maintenance window allows you to maintain a list of code types and their values. You can access the Code Detail Maintenance window in order to edit the values for a code type.

Note: If a code type is required by the system and used to perform certain functions, changing the code type could produce undesired consequences.

Edit Dynamic Hierarchies

Navigate: From the main menu, select Control > System > Dynamic Hierarchies > Edit. The Dynamic Hierarchy window opens.

1. In the Client Name field, enter or edit the customized name for an element named in the Oracle Retail Name field.
2. In the Abbreviation field, enter or edit the abbreviation for a customized name in the Client Name field.

Note: It is recommended that you do not exceed 15 characters as anything over 15 characters may not be displayed on most forms.

3. Click **OK** to save your changes and close the window

Edit Halves

Navigate: From the main menu, select Control > Setup > Half > Edit. The current halves appear in the Half window.

1. Edit the descriptions or dates as necessary.
2. Click **OK** to save your changes and close the window.

Add a half

1. Click **Add**. The next available line is enabled.
2. In the Half Number field, enter an ID for the half. Use the format YYYYn, where YYYY is the 4-digit year and n is the half-year period (either 1 or 2).
3. In the Description field, enter a description for the half.
4. In the Dates field, enter the date range for the half.
5. Click **OK** to save your changes and close the window.

Delete a half

1. Select a half and click **Delete**.
2. When prompted to delete the record, click **OK**.
3. Click **OK** to save your changes and close the window.

Maintain Freight Sizes

Navigate: From the main menu, select Control > Setup > Freight Size Maintenance > Edit. The Freight Size window opens.

Edit a freight size

1. Edit the description as necessary.
2. Click **OK** to save your changes and close the window.

Delete a freight size

1. Select a freight size and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Maintain Freight Types

Navigate: From the main menu, select Control > Setup > Freight Type Maintenance > Edit. The Freight Type window opens.

Edit a freight type

1. Edit the description as necessary.
2. Click **OK** to save your changes and close the window.

Delete a freight type

1. Select a freight type and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Printer Maintenance Window [printmnt]

The Printer Maintenance window allows you to maintain the available printers within the system.

Edit System Printers

Navigate: From the main menu, select Control > Setup > Printer Maintenance > Edit. The Printer Maintenance window opens.

1. In the Description field, edit the brief description of the printer.
2. To designate that the printer is active, select the Active Ind check box. To designate that the printer is not active, clear the Active Ind check box.

Add a printer

1. Click **Add**. The next available row is enabled.
2. In the Printer field, enter the system-defined printer name.
3. In the Description field, enter a brief description of the printer.
4. If the printer is not active, clear the Active Ind. check box.
5. Click **OK** to save your changes and close the window.

Delete a printer

1. Click **Delete** to delete the printer.
2. When prompted to delete the printer, click **Yes**.
3. Click **OK** to save your changes and close the window.

Edit Multi-View Columns

Navigate: From the main menu, select Control > System > Multiview Search Tool. The Multisearch Editor window opens.

Search for and retrieve a multi-view column. The results appear in the table.

Edit a multi-view column

1. Select the form and column and click **Edit**. The details appear in the Multiview Editor window.
2. Enter or edit the details as necessary.
3. Click **OK** to save your changes and close the windows.

Delete a multi-view column

1. Select the form and column and click **Edit**. The details appear in the Multiview Edit window.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the windows.

Add a multi-view column

1. Click **Add**. The Multiview Edit window opens.
2. Enter the form and column information in the appropriate fields.
3. Click **OK** to save your changes and close the windows.

Edit an Organizational Unit

Navigate: From the main menu, select Control > Setup > Org Unit > Edit. The Organizational Unit window opens.

1. Select the field you want to update.
2. Edit the enabled fields as necessary.
3. Click **OK** to save any changes and close the window.

Preview Parameter Window [msgsear]

The Preview Parameter window allows you to display the error message as it will appear to users of a radio frequency (RF) device. If the message contains any variables, enter parameters in the Parameters 1 to 3 fields. The parameters appear in the message.

Preview Parameter Window [msgedit]

The Preview Parameter window allows you to display the error message as it will appear to users of RMS or of a radio frequency (RF) device. If the message contains any variables, enter parameters in the Parameters 1 to 3 fields. The parameters appear in the message.

Error Message Search Window [msgsear]

The Error Message Search window allows you to search for and maintain the error messages that are used in system. This window is used primarily by software implementation personnel.

Edit System Error Messages

Navigate: From the main menu, select Control > System > Message Search Tool. The Error Message Search window opens.

1. Enter search criteria in the Key, Text, View, and Language fields as necessary.
2. Click **Search**. The error messages that match the search criteria appear.

Edit an error message

1. Select an error message and click **Edit**. The Error Message Maintenance window opens.
2. Edit the details as necessary.
3. Click **OK** to save your changes and close the window.

Add an error message

1. Click **Add**. The Error Message Maintenance window opens.
2. Enter the details of the message.
3. To see how the message will be displayed, click **Preview**. On the Preview Parameter window, enter one to three parameters as necessary and click **OK**. The message opens.
4. To see how the message will be displayed on an RF device, click **RF Preview**. On the Preview Parameter window, enter one to three parameters as necessary and click **OK**. The message opens.
5. Click **OK** to save your changes and close the window.

Delete an error message

1. Select a message and click **Edit**. The message opens on the Error Message Maintenance window.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Error Message Maintenance Window [msgedit]

The Error Message Maintenance window allows you to maintain the error messages that are used in the system.

Edit Audit Trails

Navigate: From the main menu, select Control > System > Audit Trail > Edit. The list of audited tables appear in the Audit Trail Field Selection window.

1. Select a table.
2. Edit the Purge Frequency and the Field Level fields as necessary.

Edit the fields to be audited

1. Select a table and click **Fields**. The Audit Fields window opens.
2. In the Fields to be Audited field, enter the name of the field, or click the LOV button and select the field.
3. To delete a field, select the field and click **Delete**.
4. Click **OK** to save your changes and close the window.

Delete a table from the list of audited tables

1. Select a table and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Touch button

Create a Touch Button Configuration

Navigate: From the main menu, select Control > POS Configuration > Touch Button.

The Touch Button window opens.

1. In the Action field, select New. The Enter/Maintain tab opens.
2. In the Button Configuration ID field, enter a description for the touch button configuration.
3. In the Effective Date field, enter the date on which the configuration is active at the stores, or click the calendar button and select a date.

Add a primary touch button to the First Layer palette

1. Select a block and click **Detail**. The POS Button Detail window opens.
2. In the Button ID field, enter the description of the touch button.
3. In the Type field, select the type of touch button.
4. In the Text Color field, select the color of the text on the touch button.
5. In the Background Color field, select the color of the touch button.
6. In the Text field, enter the text that opens on the touch button.
7. Click **OK** to save your changes and close the window.

Add a secondary touch button to the Second Layer palette

1. Select a touch button on the First Layer palette.
2. Click the move down button.
3. Select a block and click the Detail button. The POS Button Detail window opens.
4. In the Button ID field, enter the description of the touch button.
5. In the Type field, select the type of touch button.
6. In the Text Color field, select the color of the text on the touch button.
7. In the Background Color field, select the color of the touch button.
8. In the Text field, enter the text that opens on the touch button.
9. Click **OK** to save your changes and close the window.

Associate items with a touch button

Note: You can associate items with a primary button when it has no secondary buttons.

1. Select a touch button on the First or Second Layer palette.
2. Click the appropriate move right button.
3. Click **Add Item**.
4. In the Item field, enter the item number. You can also enter a partial description of the item in the Description field, and click the LOV button to select an item.
5. Click **OK** to save your changes and close the window.

Associate stores with the configuration

1. Click **Stores**. The Stores window opens.
2. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
3. Click **Apply**.
4. Click **OK** to save your changes and close the window.

Review and complete the configuration

- Click **Save** to save your changes and close the window.

Add Touch Buttons to a Touch Button Configuration

Navigate: From the main menu, select Control > POS Configuration > Touch Button. The Enter/Maintain tab on the Touch Button window opens.

Search for and retrieve a touch button configuration in Edit mode.

1. Select the Enter/Maintain tab.
2. Edit the Button Configuration ID field and the Effective Date field as necessary.

Add a primary touch button to the First Layer palette

1. Select a block and click **Detail**. The POS Button Detail window opens.
2. In the Button ID field, enter the description of the touch button.
3. In the Type field, select the type of touch button.
4. In the Text Color field, select the color of the text on the touch button.
5. In the Background Color field, select the color of the touch button.
6. In the Text field, enter the text that opens on the touch button.
7. Click **OK** to save your changes and close the window.

Add secondary touch buttons to the Second Layer palette

1. Select a touch button on the First Layer palette.
2. Click the move down button.
3. Select a block in the Second Layer palette and click **Detail**. The POS Button Detail window opens.
4. In the Button ID field, enter the description of the touch button.
5. In the Type field, select the type of touch button.
6. In the Text Color field, select the color of the text on the touch button.
7. In the Background Color field, select the color of the touch button.
8. In the Text field, enter the text that opens on the touch button.
9. Click **OK** to save your changes and close the window.

Review and complete the palettes

- Click **Save** to save your changes and close the window.

Search for a Touch Button Configuration

Navigate: From the main menu, select Control > POS Configuration > Touch Button. Touch Button. The Touch Button window opens.

1. In the Action field, select Edit, View, or Create from Existing.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The configurations that match the criteria appear in the search results table.
4. Select a task:
 - To perform another search, click **Refresh**.
 - To display the configuration information, select a configuration and click on the Enter/Maintain tab.
5. Click **Close** to exit.

Delete Touch Buttons from a Touch Button Configuration

Navigate: From the main menu, select Control > POS Configuration > Touch Button. The Enter/Maintain tab on the Touch Button window opens.

Search for and retrieve a touch button configuration in Edit mode.

1. Edit the Button Configuration ID field and the Effective Date field as necessary.
2. To delete a primary touch button on the First Layer palette:
 - a. Select a touch button.
 - b. Click **Delete Button**.
 - c. When prompted to delete the record, click **Yes**.
3. To delete a secondary touch button on the Second Layer palette:
 - a. Select a touch button on the First Layer palette.
 - b. Click the move down button.
 - c. Select a touch button in the Second Layer palette.
 - d. Click **Delete Button**.
 - e. When prompted to delete the record, click **Yes**.
4. Click **Save** to save your changes and close the window.

Copy a Touch Button Configuration

Navigate: From the main menu, select Control > POS Configuration > Touch Button. The Enter/Maintain tab on the Touch Button window opens.

Search for and retrieve a touch button configuration in Create from Existing mode.

1. In the Button Configuration ID field, enter a description for the configuration.
2. Edit the touch buttons and associated items as necessary.
3. To associate stores with the configuration:
 - a. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
 - b. Click **Apply**.
 - c. Click **OK** to save your changes and close the window.
4. Click **Save** to save your changes and close the window.

Edit the Properties of Touch Buttons in a Touch Button Configuration

Navigate: From the main menu, select Control > POS Configuration > Touch Button. The Enter/Maintain tab on the Touch Button window opens.

Search for and retrieve a touch button configuration in Edit mode.

1. Edit the Button Configuration ID field and the Effective Date field as necessary.
2. To edit the properties of a primary touch button on the First Layer palette:
 - a. Select a touch button on the First Layer palette.
 - b. Click **Detail**. The POS Button Detail window opens.
 - c. Edit the enabled fields as necessary.
 - d. Click **OK** to save your changes and close the window.
3. To edit the properties of a secondary touch button on the Second Layer palette:
 - a. Select a touch button on the First Layer palette.
 - b. Click the move down button.
 - c. Select a touch button on the Second Layer palette.
 - d. Click **Detail**. The POS Button Detail window opens.
 - e. Edit the enabled fields as necessary.
 - f. Click **OK** to save your changes and close the window.
4. Click **Save** to close the window and save your changes.

Edit the Stores for a Touch Button Configuration

Navigate: From the main menu, select Control > POS Configuration > Touch Button. The Enter/Maintain tab on the Touch Button window opens.

Search for and retrieve a touch button configuration in Edit mode.

1. Edit the enabled fields as necessary.
2. Click **Stores**. The Stores window opens.

Associate stores with the configuration

1. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
2. Click **Apply**.
3. Click **OK** to save your changes and close the window.

Delete a single store from the configuration

1. Select the store in the table.
2. Click **Delete**.
3. Click **OK** to save your changes and close the window.

Delete multiple stores from the configuration by location type

1. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
2. Click **Delete**.
3. Click **OK** to save your changes and close the window.

Delete all of the stores from the configuration

1. Click **Delete All**.
2. When prompted to delete the records, click **Yes**.
3. Click **OK** to save your changes and close the window.

Review and complete the configuration

- Click **Save** to save your changes and close the window.

Delete a Touch Button Configuration

Navigate: From the main menu, select Control > POS Configuration > Touch Button. The Enter/Maintain tab on the Touch Button window opens.

Search for and retrieve a touch button configuration in Edit mode.

1. Click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **Close** to close the window.

VAT

VAT Item Maintenance Window [vatitem]

The VAT Item Maintenance window allows you to view and maintain the value added tax (VAT) codes that are associated with an item at or above the transaction level.

An audit record is kept of who added the VAT code to the item and when the VAT code was added.

VAT Code Maintenance Window [vatcode]

The VAT Code Maintenance window allows you to view and maintain a list of value added tax (VAT) codes. You can access the Rates Maintenance window in order to view and maintain tax rates for a selected VAT code.

VAT Region Maintenance Window [vatreg]

The VAT Region Maintenance window allows you to view and maintain a list of VAT regions.

VAT Department Maintenance Window [vatdeps]

The VAT Department Maintenance window allows you to view and maintain value added tax (VAT) regions and VAT codes that are associated with a department. The VAT regions and VAT codes that are entered at the department level become the default VAT regions and VAT codes for items within the department.

Rates Maintenance Window [vatcode]

The Rates Maintenance window allows you to view and maintain tax rates for a selected VAT code. An audit record is kept of who entered the tax rate and when the tax rate was entered.

Channel Maintenance Window [channel]

The Channel Maintenance window allows you to maintain a list of channels in a multi-channel environment. You can associate a channel with a location when you create or edit a store or virtual warehouse.

Maintain a Channel

Navigate: From the main menu, select Control > Setup > Channels > Edit. The current channels appear in the Channel Maintenance window.

Edit a channel

1. Edit the description and type as necessary.
2. Click **OK** to save your changes and close the window.

Delete a channel

1. Select a channel and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Banner Maintenance Window [banner]

The Banner Maintenance window is used to create banners that can be used to distinguish one area of your business or corporation from another. Banner categories do not impact the organizational hierarchy structure.

Maintain a Banner

Navigate: From the main menu, select Control > Setup > Banner > Edit. The current banners appear in the Banner Maintenance window.

Edit a banner

1. Click in any field to change the content of an existing Banner ID or description.
2. Click **OK** to save your changes and close the window.

Delete a banner

1. Click on the line of the banner you want to delete. The line is highlighted.
2. Click **Delete**. You are prompted to confirm the deletion of the banner.
3. Click **Yes**.
4. To delete another banner, repeat the steps above.
5. Click **OK** to save your changes and close the window.

Add Item Window [buyerwksht]

The Add Item window allows you to manually add items to the buyer worksheet.

Added items are saved with a recommended order quantity of zero and a Manual source type. They appear in the Buyer Worksheet details area.

Unit of Measure Window [uom]

The Unit of Measure window allows you to view the units of measure that can be used throughout the system.

Country Maintenance Window [country]

The Country Maintenance window allows you to view and maintain the list of countries and country codes that are used in the system.

You can accomplish the following tasks by accessing additional windows from the Options menu:

- Select the documents that are required at the country level.
- Select the tariff treatments to be applied to items at the country level.
- Set up an expense profile at the country level.

Country Tariff Treatment Window [cnttartr]

The Country Tariff Treatment window allows you to maintain tariff treatments and their activation dates by country.

Like Description Window [tl_shdw]

The Like Description window allows you to copy translations from a similar value to the current value.

Maintain an Outside Location

Navigate: From the main menu, select Control > Setup > Outside Locations > Edit. The Outside Locations window opens.

Edit an outside location

1. In the Location Type field, select the type of outside location that you want to edit.
2. In the Location field, enter the ID of the outside location, or click the LOV button and select the outside location.
3. Edit the currency, VAT region, address, and contact information as necessary.
4. Click **OK** to save your changes and close the window.

Delete an outside location

1. In the Location Type field, select the type of outside location that you want to edit.
2. In the Location field, enter the ID of the outside location, or click the LOV button and select the outside location.
3. Click **Delete**.
4. When prompted to delete the record, click **Yes**.
5. Click **OK** to save your changes and close the window.

Store Format Maintenance Window [storefmt]

The Store Format Maintenance window allows you to define the store formats that can be applied to the stores in your organization. Some examples are mall, strip mall, and kiosk. After the formats are defined, you can associate a format with each store in your organization. This association is made at the store level in the organizational hierarchy.

Supplier Availability for Items

Navigate: From the main menu, select Control > Supplier Availability > Edit. The Supplier Availability Maintenance window opens.

1. In the Supplier field, enter the ID of the supplier, or click the LOV button and select the supplier.
2. In the Merchandise field, select the type of merchandise.
3. Enter additional criteria as desired to make the search more restrictive.
4. Click **Search**. The items that match the search criteria appear.
5. Edit the New Availability field as necessary.
6. Click **OK** to save your changes and close the window.

Add an item

1. Click **Add**.
2. Enter the information on the next available line.
3. Click **OK** to save your changes and close the window.

Delete an item

1. Select an item and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Maintain an Expense Profile for a Country

Navigate: From the main menu, select Control > Setup > Country > Edit. The Country Maintenance window opens.

Select a country.

From the Options menu, select Expenses. The Expense Profile Maintenance window opens.

Edit an expense profile

1. Select an expense profile in the Expense Profile Header table. Details appear in the Expense Profile Details table.
2. Edit any enabled fields.
3. Click **OK** to save your changes and close the window.

Delete an expense profile

1. In the Expense Profile Header area, select an expense profile.
2. Click **Delete**. You are prompted to delete the record.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Edit an expense detail

1. Select an expense profile in the Expense Profile Header table. Details appear in the Expense Profile Details table.
2. In the enabled fields, enter or edit any default details.
3. Click **OK** to save your changes and close the window.

Delete a detail

1. In the Expense Profile Detail area, select a detail.
2. Click **Delete Details**. You are prompted to delete the record.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Maintain an Expense Profile for a Supplier

Navigate: From the main menu, select Control > Supplier. The Supplier Search window opens.

Search for and retrieve a supplier in Edit mode. The Supplier Maintenance window opens.

From the Options menu, select Expenses. The Expense Profile Maintenance window opens.

1. In the Profile Type field, select:
2. Zone to make changes to the expense profile at the supplier/cost zone level.
3. Country to make changes to the expense profile at the supplier/origin country level.
4. Select an expense profile in the Expense Profile Header table. Details appear in the Expense Profile Details table.
5. Edit any enabled fields as necessary.

Delete a profile

1. Select an expense profile in the Expense Profile Header table.
2. Click **Delete**. You are prompted to delete the record
3. Click **Yes**.
4. Click **OK** to save your changes and close the window

Add a detail

1. In the Expense Profile Detail area, click **Add Details**. The next available line becomes enabled.
2. In the Component field, enter the code for the expense component, or click the LOV button and select the expense component.
3. In the enabled fields, enter or edit the default details as necessary.
4. In the Component Nomination fields, select the status of the expense in relation to the other components:
 - Select N/A, if the expense is not included in the calculation.
 - Select + (plus sign), to add the expense.
 - Select - (minus sign), to subtract the expense.
5. Click **OK** to save your changes and close the window.

Delete a detail

1. In the Expense Profile Detail area, select a detail.
2. Click **Delete Details**. You are prompted to delete the record.
3. Click **Yes**.
4. Click **OK** to save your changes and close the window.

Freight Size Window [frtsize]

The Freight Size window allows you to edit and view the freight sizes that are most likely to be used to move imported goods. Freight sizes are informational; they are not used in processing. Freight size refers to the size of the container in which goods are shipped.

Freight Type Window [frttype]

The Freight Type window allows you to edit and view the freight types that are most likely to be used to move imported goods. Freight types are informational; they are not used in processing. Freight type refers to the method by which goods are shipped. The method determines how an importer will be charged.

Partner Org Unit window [supporg]

On the Partner Org Unit window, you can change the partner organization unit information.

Half Window [half]

The Half window allows you to maintain a list of fiscal halves. Each year is split into two six-month periods. The halves are represented by the four-digit year followed by 1 or 2.

The halves are used to maintain budget details. The actual start and end dates are controlled by the calendar module, which is set up at installation time.

Inventory Adjustment Reason Code Maintenance Window [rsninvad]

The Inventory Adjustment Reason Code Maintenance window allows you to maintain a list of reasons for inventory adjustments. You use the reasons to indicate why the total stock on hand is increased or decreased. For example, you may need to decrease the stock on hand due to shrinkage.

Edit a Non-Merchandise Code

Navigate: From the main menu, select Control > Setup > Non-Merchandise Codes > Edit. The Non-Merchandise Codes Maintenance window opens.

1. Edit the Description field, and select or clear the Service Indicator check box, as necessary.
2. Click **OK** to save your changes and close the window.

Non-Merchandise Codes Maintenance Window [nonmerch]

The Non-Merchandise Codes Maintenance window allows you to create codes that represent non-merchandise costs from a supplier or partner. The costs can be for services that a supplier or partner performs or for costs associated with the delivery of merchandise. There are also three default non-merchandise tax codes for escheatment costs, tax costs, and freight costs. You cannot delete these codes.

When you are using Oracle Retail Trade Management with RMS, you can associate non-merchandise cost codes with the non-merchandise codes. The cost codes are used to track costs related to the movement of the merchandise.

Invoicing Attributes Window [partner]

The Invoicing Attributes window allows you to specify how invoices from the partner are handled. You can indicate where an invoice is received and where an invoice is paid. You can also indicate that the stores must confirm that the service was performed before the invoice from the partner is approved. You can select invoicing attributes for a partner if the Oracle Retail Invoice Matching product is installed.

Locations Window [costzone]

The Locations window opens when you click **OK** on the Cost Zones window and not all locations have been added to a cost zone group.

Delete a Required Document from a Country

Navigate: From the main menu, select Control > Setup > Country > Edit. The Country Maintenance window opens.

Select the country.

From the Options menu, select Documents. The Required Documents window opens.

1. Select the document you want to delete.
2. Click **Delete**.
3. When prompted to delete the document record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Multisearch Editor Window [mfind45]

The Multisearch Editor window allows you to search for columns on a multi-view. You can then add, edit, or delete a selected column on the multi-view.

Multi-views allow users to view predefined or user-defined blocks of columns where the number of columns is greater than the number that can be physically displayed due to limitations on screen size.

Multiview Edit Window [medit45]

The Multiview Edit window allows you to add or edit a multi-view column on a selected form.

Multi-views allow users to view predefined or user-defined blocks of columns where the number of columns is greater than the number that can be physically displayed due to limitations on screen size.

Search for a Column on a Multi-View

Navigate: From the main menu, select Control > System > Multiview Search Tool. The Multisearch Edit window opens.

1. Enter search criteria in either or both of the Form and Column fields.
2. Click **Search**. The results appear in the table.
3. Select a task:
4. To perform another search, enter new search criteria and click **Search**.
5. To edit a column on a multi-view, select the form and column and click **Edit**. The Multiview Edit window opens.
6. To add a column to a multi-view, click **Add**. The Multiview Edit window opens.
7. Click **Close** to close the window.

Transfer Work Order - Activity Setup Window [woactivity]

The Transfer Work Order - Activity Setup Window allows you to define the activities that can be associated with a transfer work order. Work order are created for transfers when finishing is required. Additionally, you can associate a cost and accounting resolution with each activity that you create.

Search for a Product Restriction Configuration

Navigate: From the main menu, select Control > POS Configuration > Product Restriction. The POS Product Restriction window opens.

1. In the Action field, select Edit, View, or Create from Existing.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The configurations that match the criteria appear in the search results table.
4. Select a task:
 - To perform another search, click **Refresh**.
 - To display the configuration information, select a configuration and click on the Enter/Maintain tab.
5. Click **Close** to close the window

Search for a Money Order Configuration

Navigate: From the main menu, select Control > POS Configuration > Money Order. The Money Order window opens.

1. In the Action field, select Edit, View, or Create from Existing.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The configurations that match the criteria appear in the search results table.
4. Select a task:
 - To perform another search, click **Refresh**.
 - To display the configuration information, select a configuration and click on the Enter/Maintain tab.
5. Click **Close** to close the window.

Outside Locations Window [outlocs]

The Outside Locations window allows you to create, edit, view, and delete an outside location. Outside locations are those locations that are not part of the organizational hierarchy but must be recorded. Some examples of outside locations are entry ports, discharge ports, lading ports, return centers, and bill-to locations.

Partner Find Window [partfind]

The Partner Find window allows you to enter criteria in order to search for partners and view the results of the search.

Functional views

The default view for the Partner Find window opens when you open the window for the first time. You can also create a custom view.

Partner Maintenance Window [partner]

The Partner Maintenance window allows you to create, edit, and view a partner. Partner status may be active or inactive. You can enter the currency, language, status, and primary contact information. Use this window to track the following information for specific types of partners:

- **Bank partners:** Track a line of credit.
- **Import authority partners:** Indicate whether they are the primary import authority for the principal country.
- **All partners except banks:** Track manufacturer ID, principal country, Tax ID, and terms.

At the system level, you can determine if partner IDs are unique to all partners or unique to a partner type. If IDs are unique to partner type, partners with different partner types may have the same ID.

Purchase Order List Window [buyerwksht]

The Purchase Order List window allows you to match purchase orders in Worksheet status with the selected item.

You can select the purchase order to add the items to. The quantities being added are combined with the quantity of the item if it currently exists on the purchase order with the same location, cost, and so on. If the item is not yet on the purchase order, a new line item with the quantity is added.

Spilt Supplier Window [buyerwksht]

The Split Supplier window allows you to split item requirements among suppliers or change the supplier of an item.

RMS verifies proper association of line items to suppliers and locations. After you select a supplier, the supplier field is disabled and the origin country and AOQ fields are enabled.

Maintain System Security

Maintain System Security

RMS has several built in methods that you can use to leverage system security.

Maintain users

The Security feature allows you to give users either full or limited access to certain areas of RMS. The users must be valid system users.

Maintain security groups

The Security feature allows you to group users by access. Users with limited access can be linked to one or more groups. The users within the groups share the same permissions to view, add, edit, and delete records.

Assign regionality relationships

You can further secure RMS by assigning regions to a user. The users within the groups share the same permissions to specified functional areas, merchandise levels, organizational levels, and price zones.

Maintain secure areas

You can assign access to groups at the product level, location level, or price zone level. The security restrictions that you set up at the group level are applied to all users that are linked to the group. Any changes that you make to the security settings become effective after a scheduled or ad hoc batch program rebuilds the security records.

Maintain System Security

RMS has several built in methods that you can use to leverage system security.

Maintain users

The Security feature allows you to give users either full or limited access to certain areas of RMS. The users must be valid system users.

Maintain security groups

The Security feature allows you to group users by access. Users with limited access can be linked to one or more groups. The users within the groups share the same permissions to view, add, edit, and delete records.

Assign regionality relationships

You can further secure RMS by assigning regions to a user. The users within the groups share the same permissions to specified functional areas, merchandise levels, organizational levels, and price zones.

Maintain secure areas

You can assign access to groups at the product level, location level, or price zone level. The security restrictions that you set up at the group level are applied to all users that are linked to the group. Any changes that you make to the security settings become effective after a scheduled or ad hoc batch program rebuilds the security records.

Add a User

Navigate: From the main menu, select Control > Setup > User Attributes > New. The User Attributes window opens.

1. In the User fields, enter the ID and name of the user. The user must be a valid system user.
2. In the Lang field, enter the ID of the user's language, or click the LOV button and select the language.
3. Enter information in the optional fields as necessary.
4. To select the user's security level:
 - a. From the Security menu, select Privileges. The User Privileges window opens.
 - b. Select either Full or Limited.
 - c. Click **OK** to save your changes and close the window.
5. Click **OK** to save any changes and close the window.

Edit a User

Navigate: From the main menu, select Control > Setup > User Attributes > New. The User Attributes window opens.

1. In the User field, enter the ID of the user, or click the LOV button and select the user.
2. Edit the language, default store, and contact information as necessary.

Delete a user

1. In the User field, enter the ID of the user, or click the LOV button and select the user.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Add a User Role

Navigate: From the main menu, select Control > Setup > User Role Privileges. The User Role Privileges window opens.

1. Click **Add**. The next available line becomes enabled.
2. In the Role field, enter the description of the user role, or click the LOV button and select the user role.
3. In the Order Appr Limit field, enter the maximum amount the user role is permitted to approve on a purchase order.
4. In the Appr Xfer field, select the check box if the user role is authorized to approve transfers.
5. Click **OK** to save your changes and close the window.

Edit a User Role

Navigate: From the main menu, select Control > Setup > User Role Privileges. The User Role Privileges window opens.

1. Edit the Order Appr Limit and Appr Xfer fields as necessary.
2. To add a user role:
 - a. Click **Add**.
 - b. Enter the user role and privileges on the next available line.
3. To delete a user role, select a user role and click **Delete**.
4. Click **OK** to save your changes and close the window.

User Role Privileges Window [rolepriv]

The User Role Privileges window allows you to add and maintain the privileges of user roles. You can set a maximum amount that a user role is authorized to approve on a purchase order. You can also indicate whether a user role is authorized to approve transfers. All users that are members of the secured user role inherit the characteristics of the user role.

Delete a User Role

Navigate: From the main menu, select Control > Setup > User Role Privileges. The User Role Privileges window opens.

1. Select a user role and click **Delete**.
2. Click **OK** to save your changes and close the window.

User Attributes Window [usrattr]

The User Attributes window allows you to add, edit, and view secured users. Users can have limited or full access to secured records. You can assign users who share the same security privileges to one or more security groups. Any changes made to the privileges of the group are passed on to the users that are linked to the group. If a user is assigned to more than one group and inherits conflicting permissions, the user inherits the least restrictive permissions.

Security User/Group Link Window [susgrp]

The Security User/Group Link window allows you to add, delete, or view the links between users and security groups. You can access this window independently or when you add or edit a user or a group. All users that are linked to a security group inherit the privileges of the group.

Add LOV Restrictions to a User Group

Navigate: From the main menu, select Control > System > Location/Product Security > Group Hierarchy Link > Edit. The Filter Level Group Hierarchy Maintenance window opens.

1. In the area you want to add to:
2. In the Group/Merchandise Level area, click **Add Merch**.
3. In the Group/Organization Level area, click **Add Org**.
4. In the Group ID field, enter the ID of the group, or click the LOV button and select a group.
5. In the Merch/Org Level field, select the hierarchical level you are limiting the group to.

Note: You can associate a group with multiple hierarchy levels.

6. In the Value field, enter the ID of the level you want to limit the group to.
7. Click **OK** to save any changes and close the window.

Edit LOV Restrictions to a User Group

Navigate: From the main menu, select Control > System > Location/Product Security > Group Hierarchy Link > Edit. The Filter Level Group Hierarchy Maintenance window opens.

Note: If you add hierarchy levels to a group that has not previously had LOV limits, OR if you remove all hierarchy levels from a group that had LOV limits, you must first log out of the system and log back in before your changes are applied.

Filter data

1. Enter the search criteria:
2. In the Group ID field, enter the group you want to search for.
3. In the Merchandise Level field, enter the level you want to search for. Enter a corresponding ID in the value field as necessary.
4. In the Organization Level field, enter the level you want to search for. Enter a corresponding ID in the value field as necessary.
5. Click the filter button to return the results that meet the criteria you entered.

Delete a group/hierarchy level

1. On the table, select a record you want to delete.
2. Click **Delete Merch** or **Delete Org**.
3. You are prompted to confirm the deletion. Click **OK**.

Note: You can not edit an existing record. You must delete the existing record, and add a new record.

4. Click **OK** to save any changes and close the window.

Add a Security Group

Navigate: From the main menu, select Control > System > Location/Product Security > Group > Edit. The Security Group Maintenance window opens.

1. Click **Add**. The Group ID is filled in automatically.
2. In the Group Name field, enter a description of the security group.
3. Select a Business Role for the new security group.
4. In the Comments field, enter a comment, or click the comments button and enter the comment.
5. Click **OK** to save any changes and close the window.

Add Location Security by Group

Navigate: From the main menu, select Control > System > Location/Product Security > Location Security Matrix > Edit. The Location Security Matrix window opens.

1. Click **Add**. The fields in the Apply area are cleared.
2. In the Group field, enter the ID of the security group, or click the LOV button and select the group.
3. In the Functional Area field, select the area to be secured.
4. Select the Select check box in order to allow the group of users to view the selected entities.
5. Select the Update check box in order to allow the group of users to add, edit, and delete the selected entities.
6. In the Hierarchy Level field, select the organizational level to be secured.
7. In the value field, enter the ID of the region, district, store, or warehouse, or click the LOV button and select the value.
8. Click **Apply**. The selected group and entities are added to the table.
9. Click **OK** to save your changes and close the window.

Edit Location Security by Group

Navigate: From the main menu, select Control > System > Location/Product Security > Location Security Matrix > Edit. The Location Security Matrix window opens.

1. Enter criteria in the filter criteria fields as necessary.
2. Click the filter button. The groups and secured entities that match the criteria appear.
3. Select or clear the Sel (Select) and Upd (Update) check boxes as necessary.

Delete an individual record

1. Select a record and click **Delete Line**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Delete multiple records

1. Enter criteria in the filter criteria fields.
2. Click the filter button. The groups and secured entities that match the criteria appear.
3. Click **Delete All**.
4. When prompted to delete the records, click **Yes**.
5. Click **OK** to exit.

Edit a Security Group

Navigate: From the main menu, select Control > System > Location/Product Security > Group > Edit. The Security Group Maintenance window opens.

Note: This window can also be accessed from Control > System > Regionality > Group > Edit.

- Edit the Group Name, Business Role, and Comments fields as necessary.

Delete a security group

1. Select a group and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Add User and Security Group Links

Navigate: From the main menu, select Control > System > Location/Product Security > User/Group Link > View. The Security User/Group Link window opens.

Note: You can also access the Security User/Group Link window from:

- Control > System > Regionality > User/Group Link > Edit,
- or
- From the Security menu, when you add or edit a user or a group.

1. Click **Add**. A new line is added to the table and the cursor appears in the Group ID column.
2. In the Group ID field, enter the ID of the security group, or click the LOV button and select the group.
3. In the User ID field, enter the ID of the user, or click the LOV button and select the user.
4. Click **OK**.

Edit User and Security Group Links

Navigate: From the main menu, select Control > System > Location/Product Security > User/Group Link > View. The Security User/Group Link window opens.

Note: You can also access the Security User/Group Link window from:

- Control > System > Regionality > User/Group Link > Edit,
 - or
 - From the Security menu, when you add or edit a user or a group.
-

Delete a security group

1. Select a group.
2. Click **Delete**.
3. When prompted to delete the record, click **Yes**.
4. Click **OK** to save your changes and close the window.

Security Group Maintenance Window [sgrpattr]

The Security Group Maintenance window allows you to add, edit, and view security groups. You can use a security group to link users who share the same security privileges. If a user is assigned to more than one group and inherits conflicting permissions, the user inherits the least restrictive permissions.

Edit a User Defined Attribute

Navigate: From the main menu, select Items > User Defined Attributes > Edit. The UDA window opens.

- Edit the UDA Description and UDA Values fields as necessary.

Delete a UDA value

1. Select the value and click **Delete Value**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Delete a UDA

1. Select the UDA and click **Delete UDA**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Location Security Matrix Window [slocmtrx]

The Location Security Matrix window allows you to add, delete, edit, and view location security records by security group. You can filter the records by a variety of criteria and view or delete the records that match the criteria. You can also edit the permissions.

Users with Select permission can view the secured entities. Users with Update permission can add, edit, and delete the secured entities.

You can secure entities within a functional area and at the organizational hierarchy level. The functional areas are Promotions, Transfers To, Transfers From, Allocations To, Allocations From, Shipments, Orders, Stock Counts, Ticket Requests, Inventory

Adjustments, Returns to Vendors (RTV), and Store. If the Oracle Retail Sales Audit software is installed, the Sales Audit Store Day and Sales Audit Store ACH options are also available. The organizational hierarchy levels are Region, District, Store, and Warehouse.

When changes are made to the location security records, the records are rebuilt by a batch program.

Add a Regionality Relationship

Navigate: From the Main Menu, select Control > System > Regionality > Regionality Matrix > Edit. The Regionality Maintenance window opens.

Add a new group/location combination

1. Click **Add Group/Loc**.
2. Enter a group ID, or click the LOV button to select a group.
3. Select an organizational level.
4. Enter an organizational value, or click the LOV button to select a value.
5. Click **OK** to save your changes and close the window.

Add elements to a group/location combination

1. Select a group/location record.
2. Click **Add Elements** under the Supplier, Supplier/Department, or Department table.
3. Enter the supplier and/or department IDs to add to the selected group/location combination, or click the LOV button to select a supplier and/or department.
4. Click **OK** to save your changes and close the window.

Internationalize RMS

Internationalize RMS

You may need to maintain the internationalized aspects of RMS.

Maintain countries

You can maintain a list of country codes and descriptions. Country codes are used when entering:

- Origin, import, export, and consolidating countries
- Supplier, partner, outside location, and customer addresses
- Company, store, and warehouse addresses
- Company and store addresses of competitors
- Country level geocodes and sales taxes

Maintain currencies

If the system is set up to support multiple currencies, monetary amounts may be displayed in any of the currencies that are defined in the system. In addition to identifying the currencies, the number of decimal places to display and the format for both cost and retail amounts must be entered for each currency.

One or more types of exchange rates may be entered for each currency. The types of exchange rates are: operational, consolidated, letter of credit/bank, purchase order, customs entry, and transportation. Exchange rates are used to convert a monetary amount from any currency to the primary currency of the company.

If the exchange rates are shared with an external system, you can map the types of exchange rates found in the external system to the types of exchange rates in RMS. The types of exchange rates are: operational, consolidated, letter of credit/bank, purchase order, customs entry, and transportation.

In many areas of the system, monetary values can be viewed in the primary currency of the company, the currency of the European Union, or the local currency of the location.

Maintain languages

By default, all values appear in the primary language of the company. However, you can choose to:

- Translate a value when you encounter it in a window. You have the option of translating the value into one or multiple target languages, or you can copy existing translations from a similar value.
- Translate one or multiple values of the same type, such as item or department descriptions, into one target language.

Users who are set up to view values in the target language will see the translated version, rather than the primary language version, of the values.

Maintain units of measure

You can view, but not edit, a list of the units of measure that are available in the system for defining area, dimension, volume, and weight. Units of measure are used in a variety of ways:

- **Standard unit of measure (SUOM):** The unit of measure by which stock is tracked at the corporate level. The SUOM may be measured by weight, volume, area, or dimension. The size of the standard unit of measure is set up at the item level. If a measurement, rather than the term "each", is selected as the SUOM, a conversion factor must be entered. The conversion factor indicates many units of the selected SUOM make up an each. For example: If the size of an each is 5 kilograms, then the SUOM is kilogram and the conversion factor is 5.
- **Store order multiple:** The unit of measure by which items are shipped to stores. The store order multiple may be each, inner, or case. The default store order multiple is set up at the item level. Store order multiples for specific locations are set up at the item/location level.
- **Unit of purchase (UOP):** The unit of measure by which an item is purchased. The UOP may be each, case, or pallet. The default UOP is set up at the item/supplier/origin country level. The default UOP may be superseded when adding items to a purchase order.
- **Unit of Transfer:** The unit of measure by which an item is transferred. The unit of transfer may be each, case, or pallet. The unit of transfer is entered when adding items to a transfer.

- **Unit of Receipt (UOR):** The unit of measure by which an item is received on a shipment. The UOR may be each, case, or pallet. The UOR is entered when receiving items.

The standard unit of measure is the equivalent of an each. A case (or its equivalent, such as a box, bushel, barrel, or roll) may correlate with a supplier's pack size. The unit of purchase, unit of transfer, and unit of receipt may default to either the standard unit of measure or case. If a quantity is entered by the pallet for the unit of purchase, unit of transfer, or unit of receipt, the quantity is converted to the default measurement.

The terms inner, case, and pallet are used as generic terms in RMS. You can select different terms for the same concepts at the item/supplier level.

Language Maintenance Window [lang]

The Language Maintenance window allows you to view and maintain the list of languages used in the system. You can enter the standard abbreviation for the language and references to the WebHelp server, Web Report server, and Report server. The standard two-character and three-character abbreviations approved by the International Organization for Standardization (ISO) can be found in ISO 639-1 and ISO 639-2.

Edit a Value in Multiple Languages

1. Place the cursor in the Description field of a window.
2. Click the Translator button located on the toolbar. The current translations of the value appear in the Translation Maintenance window.
3. Edit the translations as necessary.

Add translations

1. Click **Add**. The next available line is enabled.
2. In the Language field, enter the ID of the target language, or click the LOV button and select the target language.
3. In the Translated Description field, enter the translation of the value.
4. Click **OK** to save your changes and close the window.

Copy translations from a similar value

1. Click **Copy Like**. The Like Description window opens.
2. Enter the ID of the value whose translations are to be copied, or click the LOV button and select the value.
3. Click **OK** to save your changes and close the window.

Delete a translation

1. Select a translation and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Currency Exchange Rates Window [currency]

The Currency Exchange Rates window allows you to view and maintain exchange rates for a selected currency. The exchange rates are used to convert monetary amounts to the primary currency of the company.

Currency Exchange Type Mapping Window [currxf]

The Currency Exchange Type Mapping window allows you to view and maintain relationships between currency exchange types. Exchange types may be received from external sources. You can choose which exchange types in RMS should be mapped to the external exchange types. After these relationships are mapped, exchange rates can be effectively communicated between RMS and the external source.

Currency Maintenance Window [currency]

The Currency Maintenance window allows you to view and maintain the list of currencies used in the system. You also enter the number of decimal places used in currency conversions for cost and retail amounts. You can access the Currency Exchange Rates window to enter several types of exchange rates for a selected currency.

Edit Currencies

Navigate: From the main menu, select Control > Setup > Currency > Edit. The Currency Maintenance window opens.

- Edit the enabled fields as necessary.

Add a currency

1. Click **Add**.
2. Enter the details on the next available line.
3. Click **OK** to save your changes and close the window.

Delete a currency that was just added to the table

1. Select the currency and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Edit Currency Exchange Rates

Navigate: From the main menu, select Control > Setup > Currency > Edit. The Currency Maintenance window opens.

Note: If your organization uses Oracle Financials, version 11.5.10 or later you cannot add or edit an exchange rate. This form opens in view mode.

1. Select a currency and click **Exchange Rates**. The rates of exchange appear in the Currency Exchange Rates window.
2. Edit the exchange rates as necessary.

Add an exchange rate

1. Click **Add**. The next available line is enabled.
2. In the Exchange Type field, select the type of exchange rate.
3. In the Exchange Rate field, enter the value of the exchange rate to be used for currency conversions.
4. In the Effective Date field, enter the date on which the exchange rate becomes effective.
5. Click **OK** to save your changes and close the window.

Delete an exchange rate

1. Select an exchange rate and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Map Currency Exchange Types

Navigate: From the main menu, select Action > Currency Exchange Types. The Currency Exchange Type Mapping window opens.

1. Next to each external exchange type, select the appropriate RMS exchange type.
2. Click **OK** to save your changes and close the window.

Translation Maintenance Window [tl_shdw]

The Translation Maintenance window allows you to translate a value found in a description field into one or more target languages. You can also access the Like Description window in order to copy translations from a similar value.

Users who are set up to view values in the target language will see the translated version, rather than the primary language version, of the values.

Language Translation Window [tl_lang]

The Language Translation window allows you to translate one or more values of the same type from a primary language into a target language. For example: You can choose to translate all or a subset of store names, such as those beginning with a through c.

Users who are set up to view values in the target language will see the translated version, rather than the primary language version, of the values.

Edit Translations in a Target Language

Navigate: From the main menu, select Control > System > Language Translation. The Language Translation window opens.

1. In the Action field, select a task:
 - To translate values of the same type that were not yet translated, select **New**.
 - To edit existing translations only, select **Edit**.
 - To enter new and edit existing translations, select **Edit All**.
2. In the Language to Translate Into field, enter the ID of the target language, or click the **LOV** button and select the target language.
3. In the Description Type to Translate field, enter the ID of the type of the type of values to be translated, or click the **LOV** button and select a type.
4. To restrict the search to a subset of values, enter partial descriptions in the **From** and **To** fields as necessary. These entries are made in the primary language.
5. Click **Search**. The values that match the search criteria appear.
6. In the Target Language field, enter or edit the translation for each value.
7. Click **OK** to save your changes and close the window.

Edit Languages

Navigate: From the main menu, select Control > Setup > Language Maintenance > Edit. The Language Maintenance window opens.

1. Edit the enabled fields as necessary.

Add a language

1. Click **Add**. The next available line is enabled.
2. In the Language field, enter the ID of the language.
3. In the Description field, enter the description of the language.
4. In the ISO code field, enter the code for the language.
5. In the Server fields, enter the server addresses as necessary.
6. Click **OK** to save your changes and close the window.

Delete a language

1. Select a language and click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **OK** to save your changes and close the window.

Edit Countries

Navigate: From the main menu, select Control > Setup > Country > Edit. The Country Maintenance window opens.

- Edit the codes or descriptions as necessary.

Add a country

1. Click **Add**.
2. Enter the code and description in the enabled fields.
3. Click **OK** to save your changes and close the window.

Delete a country

1. Select a country and click **Delete**.
2. When prompted to delete the record, click **OK**.
3. Click **OK** to save your changes and close the window.

Add an Expense Profile for a Country

Navigate: From the main menu, select Control > Setup > Country > Edit. The Country Maintenance window opens.

Select a country.

From the Options menu, select Expenses. The Expense Profile Maintenance window opens.

1. Click **Add**. The next line in the Expense Profile Header table is enabled.
2. In the Lading Port and Dis Port fields, enter the codes for the locations, or click the LOV buttons and select the locations.
3. Click **Add Details**. The next available line in the Expense Profile Detail table is enabled.

4. In the Component field, enter the code for the expense component, or click the LOV button and select the expense component.
5. In the enabled fields, enter or edit the default details as necessary.
6. In the Component Nomination fields, select the status of the expense in relation to the other components:
7. Select N/A, if the expense is not included in the calculation.
8. Select + (plus sign), to add the expense.
9. Select - (minus sign), to subtract the expense.
10. Click **OK** to save your changes and close the window.

POS Configuration

Create point of sale configurations

Create Point of Sale Configurations

The point of sale (POS) configurations feature allows you to create and maintain configurations that are downloaded to the POS registers at stores. You can create the following types of configurations:

- **Touch button:** You can use this configuration to determine the appearance of touch buttons on the point of sale register. You can associate items with each button.
- **Coupon:** You can create a configuration for each expense coupon that can be used at stores. You can also indicate the items for which the coupon can be used.
- **Money order:** You can use this configuration to enable stores to sell money orders on the point of sale register.
- **Product restriction:** You can restrict the sale of items for various reasons with this configuration.
- **Pay in/pay out:** You can use this configuration to enable stores to remove or add money to the register for miscellaneous services and items received or sold.
- **Supplier payment type:** You can use this configuration to specify the method of payment that may be used at each store to pay suppliers.
- **Tender type:** You can create configurations that provide information about how each type of tender is handled at the POS register.

POS Coupon Window [poscoup]

The POS Coupon window allows you to create, edit, and copy point of sale (POS) coupon configurations. You create a coupon configuration for each expense coupon that can be used at the stores. You specify the coupon type, the coupon amount, and the tax class for the coupon. You also select the dates on which the configuration is valid at the stores.

You can associate stores and items with the configuration. You indicate what items the coupon can be used for by associating items with the configuration. You can only associate stores that have the same currency as the configuration. The configuration then is downloaded to the POS registers of the associated stores in a nightly batch process. How the coupon configuration is interpreted depends on the type of POS system your organization uses.

When you copy a configuration, the basic configuration information, such as coupon type and amount, is copied into a new configuration and assigned a new ID. However, the associated stores and items are not copied, so you must add stores and items to the new configuration.

You can re-sequence the coupon configurations to change the order in which the coupons appear on the POS register. This allows you to group similar coupons together.

Create a Coupon Configuration

Navigate: From the main menu, select Control > POS Configuration > Coupon. The POS Coupon window opens.

1. In the Action field, select New. The Enter/Maintain tab opens, and a unique coupon configuration ID is filled in automatically.
2. In the Coupon ID field, enter a description for the coupon.
3. In the Currency Code field, enter the code for the currency, or click the LOV button and select a currency.
4. In the Coupon Type/ Amt field, select the type of coupon. Then enter the value of the coupon.
5. In the Tax Class field, select the tax code for the coupon.
6. In the Effective Date field, enter the date on which the coupon configuration is active, or click the calendar button and select a date.
7. In the Expiration Date field, enter the date on which the coupon configuration expires, or click the calendar button and select a date.
8. Enter optional information as necessary.
9. To associate stores with the configuration:
 - a. Click **Stores**. The Stores window opens.
 - b. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
 - c. Click **Apply**.
 - d. Click **OK** to save your changes and close the window.
10. Associate items with a POS configuration.
11. Exclude items from a POS configuration.
12. Click **Save** to save your changes and close the window.

List of Classes Window [posmcrit]

The List of Classes window allows you to associate all of the items in multiple classes to a POS configuration. You must first select a department in the Department field on the POS Merchandise Criteria window to access this window. You can limit the classes that appear in the List of Classes window by entering a partial description of the classes in the Class field on the POS Merchandise Criteria window.

List of Departments Window [posmcrit]

The List of Departments window allows you to associate all of the items in multiple departments with a POS configuration. You can limit the departments that appear in the List of Departments window by entering a partial description of the departments in the Department field on the POS Merchandise Criteria window. You can also select a group in the Groups field on the POS Merchandise Criteria window to limit which departments appear.

List of Groups Window [posmcrit]

The List of Groups window allows you to associate all of the items in multiple groups with a POS configuration. You can limit the groups that appear in the List of Groups window by entering a partial description of the groups in the Groups field on the POS Merchandise Criteria window.

List of Items Window [posmcrit]

The List of Items window allows you to associate multiple items with a POS configuration when you access the window through the Include area on the POS Merchandise Criteria window. When you access this window through the Exclude area on the POS Merchandise Criteria window, you can use this window to exclude multiple items from a POS configuration.

You can limit the items that appear in the List of Items window by selecting a group, department, class, and subclass on the POS Merchandise Criteria window. You also can limit the items by entering a partial description of the items in the Item field on the POS Merchandise Criteria window.

List of Included items Window [posmcrit]

The List of Included Items window allows you to view all of the items associated with a POS configuration.

List of Subclasses Window [posmcrit]

The List of Subclasses window allows you to associate all of the items in multiple subclasses with a POS configuration. To access this window, you must first select a department and a class on the POS Merchandise Criteria window. You can limit the subclasses that appear in the List of Classes window by entering a partial description of the subclasses in the Subclass field on the POS Merchandise Criteria window.

Money Order Window [posmord]

The Money Order window allows you to create, edit, and copy point of sale (POS) money order configurations. You create a money order configuration to enable stores to sell money orders on the point of sale register. You specify the tax class, the maximum sale amount of a money order, and the maximum amount for which a money order can be sold for the configuration. You also select the dates on which the configuration is valid at the stores.

You must associate stores with the configuration. You can only associate stores that have the same currency as the configuration. The configuration then is downloaded to the POS registers of the associated stores in a nightly batch process. How the money order configuration is interpreted depends on the type of POS system your organization uses.

When you copy a configuration, the basic configuration information, such as currency and money order amounts, are copied into a new configuration and assigned a new ID. However, the associated stores are not copied, so you must add stores to the new configuration.

Create a Money Order Configuration

Navigate: From the main menu, select Control > POS Configuration > Money Order. The Money Order window opens.

1. In the Action field, select New. The Enter/Maintain tab opens.
2. In the Money Order ID field, enter a description for the configuration.

3. In the Effective Date field, enter the date on which the configuration is effective, or click the calendar button and select the date.
4. In the Expiration Date field, enter the date on which the configuration expires, or click the calendar button and select the date.
5. In the Fee Amount field, enter the amount of the fee.
6. In the Max Sale Amt field, enter the maximum amount allowable per transaction.
7. In the Max Face Amt field, enter the maximum amount for which a money order can be sold.
8. In the Tax Class, select the tax class for the money order.
9. In the Pack Size field, enter the number of money orders in a pack of money orders.
10. To associate stores with the configuration:
 - a. Click **Stores**. The Stores window opens.
 - b. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
 - c. Click **Apply**.
 - d. Click **OK** to save your changes and close the window.
11. Click **Save** to save your changes and close the window.

Pay In/Out Window [pospyio]

The Pay In/Out window allows you to create, edit, and copy point of sale (POS) pay in/pay out configurations. With pay in/pay out configurations, money can be removed or added to the register. You can create two types of pay in/pay out configurations:

- **Paid Out:** This type of configuration is used when money is paid out of the register for services performed for the store.
- **Paid In:** This type of configuration is used when money is received and put into the register for miscellaneous services provided by the store.

You specify the profit center, the export code, and the tax chart code for the configuration. You also select the dates on which the configuration is valid at the stores.

You can associate stores with the configuration. The configuration is then downloaded to the POS registers of the associated stores in a nightly batch process. How the pay in/pay out configuration is interpreted depends on the type of POS system your organization uses.

When you copy a configuration, the basic configuration information, such as pay in/pay out type and tax chart code, are copied into a new configuration and assigned a new ID. However, the associated stores are not copied, so you must add stores to the new configuration.

Create a Pay In/Pay Out Configuration

Navigate: From the main menu, select Control > POS Configuration > Pay In/Pay Out. The Pay In/Out window opens.

1. In the Action field, select New. The Enter/Maintain tab opens, and a unique pay in/pay out configuration ID is filled in automatically.
2. In the Pay In/Out ID field, enter a description for the configuration.
3. In the Pay In/Out Type field, select the type of configuration.
4. In the Effective Date field, enter the date on which the pay in/pay out configuration is active, or click the calendar button and select a date.
5. Enter optional information as necessary.

6. To associate stores with the configuration:
 - a. Click **Stores**. The Stores window opens.
 - b. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
 - c. Click **Apply**.
 - d. Click **OK** to save your changes and close the window.
7. Click **Save** to save your changes and close the window.

POS Button Configuration Window [posbtttn]

The POS Button Configuration window allows you to create, edit, and copy point of sale (POS) touch button configurations. The touch button configurations determine the appearance of touch buttons on the point of sale register.

When you create touch buttons, you specify:

- The touch button color
- Text that will appear on the touch button and the color of the text
- The touch button type, which determines how the touch button functions on the POS register.
- The position of the touch button on the POS register.

You can create two layers of touch buttons and define the properties of each touch button. Touch buttons on the First Layer palette appear on primary windows in your POS system. Touch buttons on the Second Layer palette appear on secondary windows on your POS system.

When you associate stores with the configuration, the touch button configuration is downloaded to the POS registers of the associated stores in a nightly batch process. How the touch button configuration is interpreted depends on the type of POS system your organization uses.

When you copy a configuration, basic configuration information, such as the touch buttons and the associated items, are copied into a new configuration and assigned a new ID. However, the associated stores are not copied, so you must associate stores with the new configuration.

POS Button Detail Window [posbtttn]

The POS Button Detail window allows you to enter the properties of the touch button. You can specify the text that appears on the touch button, the color of the touch button, and the color of text. You can also specify the type of touch button.

POS Button Move Window [posbtttn]

The POS Button Move window allows you to position the touch buttons on the First Layer and Second Layer palettes. When you move the touch button on the palette, the position of the touch button on the POS register is changed accordingly.

POS Merchandise Criteria Window [posmcrit]

The POS Merchandise Criteria window allows you to associate items with the following point of sale (POS) configurations:

- Coupon
- Product restriction

You can associate all the items in a group, department, class, or subclass with the configuration. You can also associate an individual item or all items on an item list with the configuration.

After you associate items with a configuration, you can exclude items from the configuration. You can exclude individual items or all items on an item list.

POS Day/Time/Date Window [pospres]

The POS Day/Time/Date window allows you specify times, days of the week, and dates on which the items associated with the configuration cannot be sold. You can specify the following restrictions:

- **Day:** You can select one or more days of the week on which items cannot be sold.
- **Time:** You can select a time before which the items cannot be sold. You can also select a time after which the items cannot be sold.
- **Date:** You can select a date on which the items cannot be sold.

You can also restrict the sales of the items by a combination of times, days, and dates. For example, you can specify that items cannot be sold after 4:00 PM on Sundays.

POS Product Restriction Window [pospres]

The POS Product Restriction window allows you to create, edit, and copy point of sale (POS) product restriction configurations. With product restriction configurations, you can restrict the sale of items for various reasons. You select the dates on which the configuration is valid at the stores.

You can associate stores and items with the configuration. You indicate what items the coupon can be used for by associating items with the configuration. You can only associate stores that have the same currency as the configuration. The configuration then is downloaded to the POS registers of the associated stores in a nightly batch process. How the coupon configuration is interpreted depends on the type of POS system your organization uses.

You create a product restriction configuration for each restriction type. You can create product restrictions for the following restriction types:

- **Food stamp:** Customers can use food stamps to purchase the associated items.
- **Minimum age:** Customer must be at least a specified age to purchase the associated items. You specify the minimum age.
- **Container deposit:** Customers must pay a deposit when purchasing the associated items. You specify the amount of the deposit.
- **Container redemption value:** Customers may receive a refund if they return the containers for the associated items. You specify the amount of the refund.
- **Day/time/date:** Customers cannot purchase the associated items before or after a specific time, on a specific day of the week, or on a specific date. You can also specify a combination of these time restrictions.
- **Tender type:** Customers cannot use a specific type of tender to purchase the associated items.
- **Non-discountable:** Customers cannot receive a discount on the associated items.

- **Returnable:** Customers cannot return the associated items.
- **Quantity Limit:** Customers are limited to a maximum quantity of the associated items that they can purchase in a single sale. You specify the quantity limit.

When you copy a configuration, the basic configuration information, such as product restriction type, are copied into a new configuration and assigned a new ID. However, the associated stores and items are not copied, so you must add stores and items to the new configuration.

Stores Window [posstore]

The Stores window allows you to associate stores with the following POS configurations:

- Supplier payment type
- Touch button
- Coupon
- Money order
- Product restriction
- Pay in/pay out
- Tender type

The configuration then is downloaded to the POS registers of the associated stores in a nightly batch process. You can associate individual stores to a configuration, or you can associate all the stores in your organization. You can also associate stores using the following groups:

- Area
- Region
- District
- Location list

Resend to Stores Window [posrsnd]

The Resend to Stores window allows you to send types of point of sale (POS) configurations to stores. All of the configurations of the selected type are sent during the next batch process. You select one or all of the following types of configurations:

- Tender type
- Product restriction
- Touch button
- Money orders
- Pay in/pay out
- Coupon
- Supplier payment type

You then select the stores to which you want to send the type of configurations. You can select all of the stores in a chain, area, region, or district. You can also select a single store.

Supplier Payment Types Window [posspay]

The Supplier Payment Types window allows you to add point of sale (POS) payment type configurations for suppliers at specific stores. Employees at the stores can use this payment type information to pay suppliers. You create a configuration for each supplier. You specify one or more payment types and the date on which the configuration is effective at the stores. The payment types are cash, money order, and invoice.

You associate stores with each payment type. The configuration then is downloaded to the POS registers of the associated stores in a nightly batch process. How the supplier payment type configuration is interpreted depends on the type of POS system your organization uses.

Create a Product Restriction Configuration

Navigate: From the main menu, select Control > POS Configuration > Product Restriction. The POS Product Restriction window opens.

1. In the Action field, select New. The Enter/Maintain tab opens, and a unique product restriction configuration ID is filled in automatically.
2. In the Prod Rest ID field, enter a description for the product restriction configuration.
3. In the Prod Rest Type field, select the appropriate restriction type.
4. In the Currency field, enter the currency code of the configuration, or click the LOV button and select a currency.
5. For the following restriction types, additional information is required:
6. Container Deposit Restriction: Enter the deposit amount.
7. Container Redemption Value Restriction: Enter the amount.
8. Minimum Age Restriction: Enter the age a customer must be to purchase the product.
9. Day/Time/Date Restriction: Enter the Day/Time/Date that goods cannot be sold.
10. Tender Type Restriction: Select the tender type.
11. Quantity Limit Restriction: Enter the maximum a customer can purchase.
12. Enter optional information as necessary.
13. To associate stores with the configuration:
 - a. Click **Stores**. The Stores window opens.
 - b. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
 - c. Click **Apply**.
 - d. Click **OK** to save your changes and close the window.
14. Associate items with a POS configuration.
15. Exclude items from the configuration.
16. Click **Save** to save your changes and close the window.

Tender Type Window [posttyp]

The Tender Type window allows you to create, edit, and copy point of sale (POS) tender type configurations. Tender type configurations provide information about how each method of payment is handled at the POS register.

You can specify the amount at which authorization is required, authorization service, and the currency. Several indicators can be selected to determine the specific attributes of the tender type at the POS register. You can also indicate that the register drawer will open automatically when this tender type is used and that a cashier at the POS register is required to ask for an invoice when this tender type is used. You can specify that payment with this tender type must be the exact amount of the purchase. You also select the dates on which the configuration is valid at the stores and the currency of the configuration.

You can associate stores with the configuration. You can only associate stores that have the same currency as the configuration. The configuration then is downloaded to the POS registers of the associated stores in a nightly batch process. How the configuration is interpreted depends on the type of POS system your organization uses.

When you copy a configuration, the basic configuration information, such as tender type group and currency, are copied into a new configuration and assigned a new ID. However, the associated stores are not copied, so you must add stores to the new configuration.

Create a Tender Type Configuration

Navigate: From the main menu, select Control > POS Configuration > Tender Type. The Tender Type window opens.

1. In the Action field, select New. The Enter/Maintain tab opens, and a unique tender type configuration ID is filled in automatically.
2. In the Tender Type ID field, enter a description for the tender type.
3. In the Tender Type Group, select the type of tender group.
4. In the Effective Date field, enter the date on which the tender type configuration is active, or click the calendar button and select a date.
5. In the Currency Code field, enter the code for the currency, or click the LOV button and select a currency.
6. In the Processor Type field, select the type of credit card processor.
7. Enter or select optional information as necessary.
8. To associate stores with the configuration:
 - a. Click **Stores**. The Stores window opens.
 - b. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
 - c. Click **Apply**.
 - d. Click **OK** to save your changes and close the window.
9. Click **Save** to save your changes and close the window.

Maintain items associated with point of sale configurations

Maintain the Items Associated with Point of Sale Configurations

After you have created a configuration, you may associate items with the POS configurations.

Associate Items with a POS Configuration

1. Click **Items**. The POS Merchandise Criteria window opens.
2. To associate a single item with the configuration:
 - a. In the Include area, enter the item number in the Item field, or enter a partial description and click the LOV button to select an item.
 - b. Click **Apply Inclusions**.

Note: You can limit the items that appear when you click the LOV button by selecting the group, department, class, and subclass to which the item belongs.

3. To associate multiple items with the configuration:
 - a. In the Include area, click **List of Items**. The List of Items window opens.
 - b. Select the Include check box next to the items you want to associate with the configuration. To associate all of the items with the configuration, click **Include All**.
 - c. Click **Apply**.

Note: You can limit the items that appear in the List of Items window by selecting a group, department, class, and subclass. You can also limit the items by entering a partial description of the item in the Item field.

4. To associate all items within a single group, department, class, or subclass with the configuration:
 - a. In the Include area, enter the ID of the group, department, class, or subclass in the appropriate field, or click the LOV button and select a group, department, class, or subclass.
 - b. Click **Apply Inclusions**.

Note: To associate all items in a class or subclass with the configuration, you must first specify the department.

5. To associate all items within a multiple groups, departments, classes, or subclasses with the configuration:
 - a. In the Include area, click the appropriate **List of** button, depending on the hierarchy level you want to associate with the configuration.
 - b. Select the Include check box next to the members of the hierarchy level you want to associate with the configuration. To associate all of the members of the hierarchy level with the configuration, click **Include All**.
 - c. Click **Apply**.

Note: To associate all items within multiple classes or subclasses with the configuration, you must first specify the department.

6. To associate all items within an item list with the configuration:
 - a. In the Include area, enter the ID of the item list in the item list field, or click the LOV button and select an item list.
 - b. Click **Apply Inclusions**.
7. Click **Save** to save your changes and close the window.

Exclude Items from a POS Configuration

1. To exclude a single item from the configuration:
 - a. In the Exclude area, enter the item number in the Item field, or enter a partial description and click the LOV button to select an item.
 - b. Click **Apply Exclusions**.

Note: You can limit the items that appear when you click the LOV button by selecting the group, department, class, and subclass to which the item belongs.

2. To exclude multiple items from the configuration:
 - a. In the Exclude area, click **List of Items**. The List of Items window opens.
 - b. Select the Exclude check box next to the items you want to exclude from the configuration. To exclude all of the items from the configuration, click **Exclude All**.
 - c. Click **Apply**.

Note: You can limit the items that appear in the List of Items window by selecting a group, department, class, and subclass. You can also limit the items by entering a partial description of the item in the Item field.

3. To exclude all items within an item list from the configuration:
 - a. In the Exclude area, enter the ID of the item list in the item list field, or click the LOV button and select an item list.
 - b. Click **Apply Exclusions**.
4. Click **Save** to exit.

Resend a POS Configuration to Stores

Navigate: From the main menu, select Control > POS Configuration > Resend to Stores. The Resend to Stores window opens.

1. In the POS Configuration field, select the type of configurations you want to send to the store.

Note: To send all of the configuration types, select All.

2. To send the configurations to all the stores in a chain, enter the ID of the chain, or click the LOV button and select a chain in the Chain field.
3. To send the configurations to all the stores in an area, enter the ID of the area, or click the LOV button and select an area in the Area field.
4. To send the configurations to all the stores in a region, enter the ID of the region, or click the LOV button and select a region in the Region field.
5. To send the configurations to all the stores in a district, enter the ID of the district, or click the LOV button and select the district.
6. To send the configuration to a single store, enter the ID of the store, or click the LOV button and select the store.
7. Click **OK** to save your changes and close the window.

Search for a Coupon Configuration

Navigate: From the main menu, select Control > POS Configuration > Coupon. The POS Coupon window opens.

1. In the Action field, select Edit, Create From Existing, or View.
2. Enter criteria as desired to make the search more restrictive.
3. Click **Search**. The configurations that match the search criteria appear on the table.
4. Select a task:
 - To display the coupon information, select the coupon, and then click on the Enter/Maintain tab.
 - To perform another search, click **Refresh**.
5. Click **Close** to close the window.

Edit a Coupon Configuration

Navigate: From the main menu, select Control > POS Configuration > Coupon. The POS Coupon window opens.

Search for and retrieve a coupon configuration in Edit mode.

1. Edit the enabled fields as necessary.
2. Click **Stores**. The Stores window opens.

Associate stores with the configuration

1. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
2. Click **Apply**.
3. Click **OK** to save your changes and close the window.

Delete a single store from the configuration

1. Select the store in the table.
2. Click **Delete**.
3. Click **OK** to save your changes and close the window.

Delete multiple stores by location type

1. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
2. Click **Delete**.
3. Click **OK** to save your changes and close the window.

Delete all of the stores

1. Click **Delete All**.
2. When prompted to delete the records, click **Yes**.
3. Click **OK** to save your changes and close the window.

Delete a coupon configuration

1. Click **Delete**.
2. When prompted to delete the configuration, click **Yes**.
3. Click **OK** to save your changes and close the window.

Review and complete the configuration

- Click **Save** to save your changes and close the window.

Edit the Stores for a Coupon Configuration

Navigate: From the main menu, select Control > POS Configuration > Coupon. The Enter/Maintain tab on the POS Coupon window opens.

Search for and retrieve a coupon configuration in Edit mode.

1. Edit the enabled fields as necessary.
2. Click **Stores**. The Stores window opens.

Associate stores with the configuration

1. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
2. Click **Apply**.
3. Click **OK** to save your changes and close the window.

Delete a single store from the configuration

1. Select the store in the table.
2. Click **Delete**.
3. Click **OK** to save your changes and close the window.

Delete multiple stores by location type

1. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
2. Click **Delete**.
3. Click **OK** to save your changes and close the window.

Delete all of the stores

1. Click **Delete All**.
2. When prompted to delete the records, click **Yes**.
3. Click **OK** to save your changes and close the window.

Review and complete the configuration

- Click **Save** to save your changes and close the window.

Delete Items from a Coupon Configuration

Navigate: From the main menu, select Control > POS Configuration > Coupon. The Enter/Maintain tab on the POS Coupon window opens.

Search for and retrieve a coupon configuration in Edit mode.

1. Edit the enabled fields as necessary.
2. Click **Items**. The POS Merchandise Criteria window opens.
3. To delete a single item or hierarchy level member from the merchandise criteria list:
 - a. Select an item or hierarchy level member in the Criteria table.
 - b. Click **Delete Criterion**.
 - c. When prompted to delete the record, click **Yes**.
 - d. Click **OK** to exit.
4. To delete all of the items and hierarchy level members from the merchandise criteria list:
 - a. Click **Delete All**.
 - b. When prompted to delete the records, click **Yes**.
 - c. Click **OK** to exit.
5. Click **Save** to save your changes and close the window.

Resequence Coupons

Navigate: From the main menu, select Control > POS Configuration > Coupon. The POS Coupon window opens.

1. In the Action field, select Resequence Coupons.
2. Click **Search**. The Search Results table is filled in with all of the coupon configurations in the system.
3. Select a coupon configuration and click **Move Up** or **Move Down** to change the order in which the coupons appear on the POS register.
4. Click **Save** to save your changes and close the window.

Copy a Coupon Configuration

Navigate: From the main menu, select Control > POS Configuration > Coupon. The Enter/Maintain tab on the POS Coupon window opens.

Search for and retrieve a coupon configuration in Create from Existing mode.

1. Edit the enabled fields as necessary.
2. Click **Items** to edit the items for the configuration.
3. To associate stores with the configuration:
 - a. Click **Stores**. The Stores window opens.
 - b. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
 - c. Click **Apply**.
 - d. Click **OK** to save your changes and close the window.
4. Associate items with the coupon configuration.
5. Exclude items from the coupon configuration.
6. Click **Save** to save your changes and close the window.

Edit a Money Order Configuration

Navigate: From the main menu, select Control > POS Configuration > Money Order. The Money Order window opens.

Search for and retrieve a money order configuration in Edit mode.

- Edit the enabled fields as necessary.

Delete a money order configuration

1. Click **Delete**.
2. When prompted to delete the configuration, click **Yes**.
3. Click **Save** to save your changes and close the window.

Associate stores with the configuration

1. Click **Stores**. The Stores window opens.
2. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
3. Click **Apply**.
4. Click **OK** to save your changes and close the window.

Delete a single store from the configuration

1. Click **Stores**. The Stores window opens.
2. Select the store in the table.
3. Click **Delete**.
4. Click **OK** to save your changes and close the window.

Delete multiple stores by location type

1. Click **Stores**. The Stores window opens.
2. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
3. Click **Delete**.
4. Click **OK** to save your changes and close the window.

Delete all of the stores

1. Click **Stores**. The Stores window opens.
2. Click **Delete All**.
3. When prompted to delete the records, click **Yes**.
4. Click **OK** to save your changes and close the window.

Review and complete the configuration

- Click **Save** to save your changes and close the window.

Copy a Money Order Configuration

Navigate: From the main menu, select Control > POS Configuration > Money Order. The Money Order window opens.

Search for and retrieve a money order configuration in Edit mode.

1. Edit the enabled fields as necessary.
2. To associate stores with the configuration:
 - a. Click **Stores**. The Stores window opens.
 - b. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
 - c. Click **Apply**.
 - d. Click **OK** to save your changes and close the window.
3. Click **Save** to save your changes and exit the window.

Copy a Pay In/Pay Out Configuration

Navigate: From the main menu, select Control > POS Configuration > Pay In/Pay Out. The Pay In/Out window opens.

Search for and retrieve a pay in/pay out configuration in Create from Existing mode.

1. Edit the enabled fields as necessary.
2. To associate stores with the configuration:
 - a. Click **Stores**. The Stores window opens.
 - b. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
 - c. Click **Apply**.
 - d. Click **OK** to save your changes and close the window.
3. Click **Save** to save your changes and close the window.

Edit a Pay In/Pay Out Configuration

Navigate: From the main menu, select Control > POS Configuration > Pay In/Pay Out. The Pay In/Out window opens.

Search for and retrieve a pay in/pay out configuration in Edit mode.

- Edit the enabled fields as necessary.

Delete a pay in/pay out configuration

1. Click **Delete**.
2. When prompted to delete the configuration, click **Yes**.
3. Click **Save** to save your changes and close the window.

Associate stores with the configuration

1. Click **Stores**. The Stores window opens.
2. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
3. Click **Apply**.
4. Click **OK** to save your changes and close the window.

Delete a single store from the configuration

1. Select the store in the table.
2. Click **Delete**.
3. Click **OK** to save your changes and close the window.

Delete multiple stores from the configuration by location type

1. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
2. Click **Delete**.
3. Click **OK** to save your changes and close the window.

Delete all of the stores from the configuration

1. Click **Delete All**.
2. When prompted to delete the records, click **Yes**.
3. Click **OK** to save your changes and close the window.

Review and complete the configuration

- Click **Save** to save your changes and close the window.

Search for a Pay In/Pay Out Configuration

Navigate: From the main menu, select Control > POS Configuration > Pay In/Pay Out. The Pay In/Out window opens.

1. In the Action field, select Edit, View, or Create from Existing.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The configurations that match the criteria appear in the search results table.
4. Select a task:
 - To perform another search, click **Refresh**.
 - To display the configuration information, select a configuration and click on the Enter/Maintain tab.
5. Click **Close** to close the window.

Edit a Tender Type Configuration

Navigate: From the main menu, select Control > POS Configuration > Tender Type. The Tender Type window opens.

Search for and retrieve a tender type configuration in Edit mode.

1. Edit the enabled fields as necessary.
2. To delete a tender type configuration:
 - a. Click **Delete**.
 - b. When prompted to delete the configuration, click **Yes**.
3. Click **Close** to close the window.

Associate stores with the configuration

1. Click **Stores**. The Stores window opens.
2. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
3. Click **Apply**.
4. Click **OK** to save your changes and close the window.

Delete a single store from the configuration

1. Click **Stores**. The Stores window opens.
2. Select the store in the table.
3. Click **Delete**.
4. Click **OK** to save your changes and close the window.

Delete multiple stores by location type from the configuration

1. Click **Stores**. The Stores window opens.
2. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
3. Click **Delete**.
4. Click **OK** to save your changes and close the window.

Delete all of the stores from the configuration

1. Click **Stores**. The Stores window opens.
2. Click **Delete All**.
3. When prompted to delete the records, click **Yes**.
4. Click **OK** to save your changes and close the window.

Review and complete the configuration

- Click **Save** to save your changes and close the window.

Search for a Tender Type Configuration

Navigate: From the main menu, select Control > POS Configuration > Tender Type. The Tender Type window opens.

1. In the Action field, select Edit, View, or Create from Existing.
2. Enter additional criteria as desired to make the search more restrictive.
3. Click **Search**. The configurations that match the criteria appear in the search results table.
4. Select a task:
 - To perform another search, click **Refresh**.
 - To display the configuration information, select a configuration and click on the Enter/Maintain tab.
5. Click **Close** to close the window.

Copy a Tender Type Configuration

Navigate: From the main menu, select Control > POS Configuration > Tender Type. The Tender Type window opens.

Search for and retrieve a tender type configuration in Create from Existing mode.

1. Edit the enabled fields as necessary.
2. To associate stores with the configuration:
 - a. Click **Stores**. The Stores window opens.
 - b. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
 - c. Click **Apply**.
 - d. Click **OK** to save your changes and close the window.
3. Click **Save** to save your changes and close the window.

Edit a Product Restriction Configuration

Navigate: From the main menu, select Control > POS Configuration > Product Restriction. The POS Product Restriction window opens.

Search for and retrieve a product restriction configuration in Edit mode.

1. In the Prod Rest ID field, edit the description for the product restriction configuration.
2. In the Currency field, edit the currency code of the configuration, or click the LOV button and select a currency.
3. For the following restriction types, additional information is required:
 - **Container Deposit Restriction:** Edit the deposit amount.
 - **Container Redemption Value Restriction:** Edit the amount.
 - **Minimum Age Restriction:** Edit the age a customer must be to purchase the product.
 - **Day/Time/Date Restriction:** Edit the Day/Time/Date that goods cannot be sold.
 - **Tender Type Restriction:** Edit the tender type.
 - **Quantity Limit Restriction:** Edit the maximum a customer can purchase.
4. Enter optional information as necessary.
5. To edit stores associated with the configuration:
 - a. Click **Stores**. The Stores window opens.
 - b. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
 - c. Click **Apply**.
 - d. Click **OK** to save your changes and close the window.
6. Associate items with a POS configuration.
7. Exclude items from the configuration.
8. Click **Save** to save your changes and close the window.

Copy a Product Restriction Configuration

Navigate: From the main menu, select Control > POS Configuration > Product Restrictions. The Enter/Maintain tab on the POS Product Restriction window opens.

Search for and retrieve a product restriction configuration in Edit mode.

1. Edit the enabled fields as necessary.
2. Click **Items** to edit the items for the configuration.
3. To associate stores with the configuration:
 - a. Click **Stores**. The Stores window opens.
 - b. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
 - c. Click **Apply**.
 - d. Click **OK** to save your changes and close the window.
4. Associate items with the configuration.
5. Exclude items from the configuration.
6. Click **Save** to save your changes and close the window.

Edit the Day/Time/Date Restrictions for a Product Restriction Configuration

Navigate: From the main menu, select Control > POS Configuration > Product Restrictions. The Enter/Maintain tab on the POS Product Restriction window opens.

Search for and retrieve a product restriction configuration in Edit mode.

Note: Use this procedure to edit the day/time/date restrictions for a product restriction configuration with the restriction type of day/time/date.

1. Click **Day/Time/Date**. The POS Day/Time/Date window opens.
2. To add times, days of the week, and dates on which the items cannot be sold:
 - a. In the Day field, select one or more days of the week on which the items cannot be sold.
 - b. In the Time Before field, select the time before which the items cannot be sold.
 - c. In the Time After field, select the time after which the items cannot be sold.
 - d. In the Date field, enter the date on which the items cannot be sold, or click the calendar button and select the date.
 - e. Click **Apply**.

Note: You can specify a single day, time, or date restriction, or you can select a combination of day, time, and date restrictions.

3. To delete a day/time/date restriction from a configuration:
 - a. Select the restriction in the table.
 - b. Click **Delete**.
 - c. When prompted to delete the restriction, click **Yes**.
4. Click **OK** to save your changes and close the window.

Edit the Stores for a Product Restriction Configuration

Navigate: From the main menu, select Control > POS Configuration > Product Restrictions. The Enter/Maintain tab on

the POS Product Restriction window opens.

Search for and retrieve a product restriction configuration in Edit mode.

1. Edit the enabled fields as necessary.
2. Click **Stores**. The Stores window opens.

Associate stores with the configuration

1. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
2. Click **Apply**.
3. Click **OK** to save your changes and close the window.

Delete a single store from the configuration

1. Select the store in the table.
2. Click **Delete**.
3. Click **OK** to save your changes and close the window.

Delete multiple stores from the configuration by location type

1. In the Location Type field, enter the ID of the location or group, or click the LOV button and select a location or group.
2. Click **Delete**.
3. Click **OK** to save your changes and close the window.

Delete all of the stores from the configuration

1. Click **Delete All**.
2. When prompted to delete the records, click **Yes**.
3. Click **OK** to save your changes and close the window.

Review and complete the configuration

- Click **Save** to save your changes and close the window.

Delete a Product Restriction Configuration

Navigate: From the main menu, select Control > POS Configuration > Product Restrictions. The Enter/Maintain tab on the POS Product Restriction window opens.

Search for and retrieve a product restriction configuration in Edit mode.

1. Click **Delete**.
2. When prompted to delete the record, click **Yes**.
3. Click **Close** to close the window.

Delete Items from a Product Restriction Configuration

Navigate: From the main menu, select Control > POS Configuration > Product Restrictions. The Enter/Maintain tab on the POS Product Restriction window opens.

Search for and retrieve a product restriction configuration in Edit mode.

1. Edit the enabled fields as necessary.
2. To delete a single item or hierarchy level member from the merchandise criteria list:
 - a. Select an item or hierarchy level member in the Criteria table.
 - b. Click **Delete Criterion**.
 - c. When prompted to delete the record, click **Yes**.
3. To delete all of the items and hierarchy level members from the merchandise criteria list:
 - a. Click **Delete All**.
 - b. When prompted to delete the records, click **Yes**.
4. Click **Save** to save your changes and close the window.

Edit the Items for a Touch Button Configuration

Navigate: From the main menu, select Control > POS Configuration > Touch Button. The Enter/Maintain tab on the Touch Button window opens.

Search for and retrieve a touch button configuration in Edit mode.

- Edit the Button Configuration ID field and the Effective Date field as necessary.

Associate items with a primary touch button on the First Layer palette

Note: You can associate items with a primary button when it has no secondary buttons.

1. Select a touch button on the First Layer palette.
2. Click the upper move right button.
3. Click **Add Item**.
4. In the Item field, enter the item number of the item. You can also enter a partial description of the item in the Description field, and click the LOV button to select an item.
5. Click **Save** to save your changes and close the window.

Associate items with a secondary touch button to the Second Layer palette

1. Select a touch button on the First Layer palette.
2. Click the move down button.
3. Select a touch button on the Second Layer palette.
4. Click the lower move right button.
5. Click **Add Item**.
6. In the Item field, enter the item number of the item. You can also enter a partial description of the item in the Description field, and click the LOV button to select an item.
7. Click **Save** to save your changes and close the window.

Delete items from a primary touch button on the First Layer palette

1. Select a touch button on the First Layer palette.
2. Click the upper move right button.
3. Select the item.
4. Click **Delete Item**.
5. When prompted to delete the record, click **Yes**.
6. Click **Save** to save your changes and close the window.

Delete items from a primary touch button on the First Layer palette

1. Select a touch button on the First Layer palette.
2. Click the move down button.
3. Select a touch button on the Second Layer palette.
4. Click the lower move right button.
5. Select the item.
6. Click **Delete Item**.
7. When prompted to delete the record, click **Yes**.
8. Click **Save** to save your changes and close the window.

Move Touch Buttons in a Touch Button Configuration

Navigate: From the main menu, select Control > POS Configuration > Touch Button. The Enter/Maintain tab on the Touch Button window opens.

Search for and retrieve a touch button configuration in Edit mode.

1. Edit the Button Configuration ID field and the Effective Date field as necessary.
2. To move a primary touch button on the First Layer palette:
 - a. Select a touch button.
 - b. Click **Move**. The POS Button Move window opens.
 - c. Click the appropriate arrow button to position the selected touch button on the palette.
 - d. Click **OK** to exit.
3. To move a secondary touch button on the Second Layer palette:
 - a. Select a touch button on the First Layer palette.
 - b. Click the move down button.
 - c. Select a touch button on the Second Layer palette.
 - d. Click **Move**. The POS Button Move window opens.
 - e. Click the appropriate arrow button to position the selected touch button on the palette.
 - f. Click **OK** to exit.
4. Click **Save** to save your changes and close the window.

Glossary

Term	Definition	Example	See also
Account Number	The number that identifies your holdings at a bank.		
Accounts Payable	The amount due to a creditor on an account.		
Action	The type of task that will be accomplished for the module.		
Activate Date	The date that a function is effective in the system.		Effective Date
Activity Schedule Retention	The retention period, in months, for activity schedules. When the schedules have exceeded the retention period, they are automatically purged by a regularly scheduled batch program.		
Actual Order Quantity	The final number ordered for an item. The AOQ defaults to the system's recommended order quantity and can be changed by the user.		Recommended Order Quantity
Ad Case Number	Anti Dumping		
Ad Valorem Tax	Tax imposed at a rate based on the percentage of the value of the merchandise.		
Address	The place where an entity is located.		
Adjust	The method of changing the price of an item to meet the method selected.		Ends In, Price Point, Rounding
Adjustment Amount	The monetary change between the original value and the new value.		
Adjustment Qty	The change in number between the original value and the new value.		
Advanced Shipment Notice	An electronic data interface (EDI) transaction from vendor to retailer which identifies the vendor number, order number, carton contents and store destination for a particular delivery.		

Term	Definition	Example	See also
Advice Method	The way in which the advising bank notifies the beneficiary that a letter of credit has been opened in their favor.		
Advising Bank	The bank that informs the beneficiary that a letter of credit has been opened in their favor.		
Allocation	A buying, planning and distribution process in which store need is determined based on metrics that fit the product, store characteristics, and product life cycle.		
Amendment	Additional information or changes appended to a letter of credit. The amendment may affect the total value of the credit.		Effect
Amount	The monetary number or quantity.		
Appointment	The arrangement made between the supplier and the warehouse for delivery to the warehouse.		
Approval Date	The date on which an element is available for use in the system, and may be released to external systems.		
Area	The third level of the organizational hierarchy, a subgroup of a chain.		
Arrival Date	The date on which the goods arrived at the discharge port.		
Attribute	An identifying quality.		
Audit	A formal examination of an organization's or individual's accounts or financial situation.		
Authorization Number	The number approving a transaction, especially credit cards.		Authorization source
Authorization Source	The origin of the approval of a transaction, especially for credit cards.		Authorization number
Authorize Min Amt	The lowest monetary amount requiring authorization for various tender types.		

Term	Definition	Example	See also
Automatic	A type of order control that determines that purchase orders for the recommended order quantities are created in approved status.		Order control
Average Cost	The total cost of all units of all items, divided by the total number of units. The UOM is determined by the Average Cost Selling UOM.		Average Cost Selling Unit of Measure
Average Cost Selling Unit of Measure	The selling unit of measure by which average cost is tracked.		Average Cost
Back Order	An unfilled customer order or commitment. It is an immediate or past due demand against an item whose inventory is insufficient to satisfy the demand.		
Backhaul	The practice of stopping at a supplier's location to pickup product and receive a discount.		
Balancing Level	The level at which your system is set to balance the declared totals against the system summarized totals. The balancing levels are Store, Register, or Cashier.		
Bank	An establishment for the custody, loan, exchange, or issue of money, for the extension of credit, and for facilitating the transmission of funds.		
Banner	Groupings that can be used to distinguish one area of your business from another. Typically used to group channels.	Store specializing in Children's merchandise, Store specializing in Adult merchandise	Channel
Base Cost	The cost that item/locations with in the same cost zone group base their costs on.		
Base Date	The first date of a timeline		
Base Default	The price that item/locations with in the same price zone groups base their prices on		
Base Price	The original price of the promotional item before any discount is applied.		

Term	Definition	Example	See also
Base Retail	Identifies the base price for item/locations based on the price zone that contains the base retail for the item.		
Beneficiary	Identifies the agency for whom the letter of credit is issued, typically the supplier.		
Bill Back	For deals, indicates that the deal component is not reflected in the unit cost of the item on the purchase order. The deal component is calculated at a later date.		
Bill of Lading	A list of items, contained in cartons, that are part of a shipment		
Bill to Location	The location to which suppliers are instructed to send invoices		
Block	The area in a flyer where an advertisement appears.		Page, Segment
Book Transfer	A transfer between two virtual warehouses within the same physical warehouse to transfer ownership of merchandise.		
Bracket	A quantity range that corresponds to a price, as set by the supplier.		
Bracket Costing	Bracket costing occurs when your organization receives a certain price on an order depending on the size of the order. Different types of brackets can be established, based on mass, volume, pallet, case, each, or stat case.		
Break Pack Warehouse	A distribution center that receives merchandise from a vendor, divides the merchandise per individual store order, and ships the smaller quantities to the store.		
Bus Day	The date a location was open and transactions occurred at the location.		
Buyer	The person responsible for the purchase of merchandise, products, materials, or services.		

Term	Definition	Example	See also
Calculation Basis	The base on which to calculate the cost component. Value: The expense, assessment, or upcharge is a percentage of the value of the goods. If you select Value, you can either select the computation value base against which you want to calculate the component or indicate in the Component Nomination area the calculations in which the component should be included. Specific: The expense, assessment, or upcharge is calculated per unit.		
Cancel	To call off without the expectation of proceeding at a future time.		
Candidate	A transportation record that has been marked for finalization.		Finalization
Carrier/Routing Type	The freight company that delivers a shipment.		
Carton	A container that is part of a Bill of Lading (BOL).		Bill of Lading
Case	The primary unit of an item. A case is composed of inners. Inners may be composed of multiple eaches. Quantities are ordered and shipped based on case size.		
Case Size	see Case Qty		
Cash Discount	The monetary value of discounts credited by the vendor during the time period at the selected location. Cash discounts increase the gross profit margin.		
Cashier	The individual who receives payment for items sold at the point of sale.		
Catch Weight	The weight of an item when it arrives at a location.		
Chain	The second level of the organization hierarchy.		
Channel	A method of grouping like selling methods.	Brick and mortar, kiosk, web-store,	Banner
Charge	The amount that has been deducted from a letter of credit.		

Term	Definition	Example	See also
Charge Refund Fee	A fee that is charged to a customer if a money order is returned.		
Check Digit	The digit verified when determining if the routing number is correct.		
Child Item	An item that has one or two item levels above it		
City	An inhabited place of greater size population or importance than a town or village.		
Claim	A request to a partner for reimbursement for damaged merchandise and inadequate quantities.		
Class	The fifth level in the merchandise hierarchy. The class breaks down the merchandise hierarchy. A class can belong to one department.		
Clearance	The process of moving merchandise out of the store by strategically reducing the price.		
Clearance Markdown %	The percentage difference between the original retail and the clearance price.	Clearance markdown = original retail - clearance p	
Clearance Retention	The retention period, in months, for clearance events. When the clearance events have exceeded the retention period, they are automatically purged by a regularly scheduled batch program.		
Cleared	The process of passing merchandise through the customs agency.		
Close Stock	The monetary value of stock on hand at the end of the time period for the selected location.		
Closing Inventory	The retail value of the stock on hand at the end of the month.	Closing inventory at retail = opening inventory at	
Closing Inventory Cost	The cost value of the stock on hand at the end of the month.	Closing inventory at cost = opening inventory at c	
COLT Days Added to Forecast	See COLT		

Term	Definition	Example	See also
Commit Max Counter	The number of records that must be processed before the data is committed.		
Commodity	A mass-produced unspecialized product.		
Company	The highest level in the organizational and merchandise hierarchies. Only one company is allowed in RMS.		
Competitor	One selling or buying goods or services in the same market as another		
Competitor	A store that sells similar products, which may lead to rivalry. Stores may compete against store in other companies or against stores in the same company.		
Concession item	A concession item is similar to a consignment item in that the retailer does not own the inventory being sold. Concession items differ from consignment in that the ownership is not transferred when the items are sold. A retailer rents floor space to a supplier on which the supplier sells their goods. A record of concession sales is recorded and the retailer then bills the supplier using their chosen method.		
Confirming Bank	The bank that guarantees the funds that are necessary to pay claims against a letter of credit.		
Consignment	A marketing arrangement where physical control of merchandise, but not the title of ownership is transferred from one business, the consignor (in our case the vendor) to another, the consignee, (in our case the retailer). The title to the goods remains with the consignor until the goods are sold. Upon sale of the goods, the consignor bills the consignee via an invoice.		

Term	Definition	Example	See also
Constant	A stock-oriented replenishment method used without a forecasting application. As soon as the stock level drops below the maximum stock, a request is generated for the difference.		Replenishment
Container	A method of shipping items.		
Contract	A legally binding agreement with a supplier to supply items at a negotiated price.		
Cost	The amount of money that must be paid to take ownership of something; expense or purchase price.		
Cost Basis	In securities, is the purchase price after commissions or other expenses. It is used to calculate capital gains or losses when the security is eventually sold.		
Cost UOM	A method used to define the unit of measure for the cost of an item. The cost UOM allows you to enter the cost in the unit of measure defined by the supplier. The cost entered in the cost UOM is converted to the standard UOM for all RMS purposes.		
Cost Zone	A group of locations that have similar cost structures.		
Country	A political state or nation or its territory.		
County	The largest local administrative unit of a state.		
Coupon	A part of a printed advertisement to be cut off to use as an order blank or inquiry form or to obtain a discount on merchandise.		
Courier	A person or service responsible for the transportation of good from one party or location to another.		
Cross Dock	A purchase order is created that directs the goods from the supplier to a warehouse where it is immediately allocated to the proper store or warehouse.		

Term	Definition	Example	See also
Cumulative Markon %	The total of markon on the beginning inventory in any accounting period plus the aggregate purchase markon during the period, including additional markups, before any markdowns. It is the difference between the total cost and the total original retail value of all goods handled to date, commonly expressed as a percentage of cumulative original retail.	Cumulative markon % = (GAFS EOM at retail - GAFS E	
Currency	Coins, treasury notes, and banknotes in circulation, used as the medium of exchange.		
Current order lead time	The minimum amount of time required for the current purchase order to reach a location.		
Customer	A person who purchases a commodity or a service.		
Cycle	The frequency of a stock count.		
Daily Waste %	see Waste Percentage.		
Data Source	The origin of the data for the total calculation. May be based on raw data or existing totals.		
Date	The day, month and year an event occurs.		
Deal	The agreement between a retailer and a vendor for rebates or discounts applied to an item when ordered in certain quantities.		

Term	Definition	Example	See also
Deal Class	The method used to determine how the rebates or discounts are calculated for a purchase order. Cumulative: The values of the deal components are added together and then applied to the total purchase amount to determine the discount or rebate. Cascade: Each value of the deal components is applied to the total purchase amount minus the value of the previous deal component. Exclusive: Exclusive deal components supercede any other deal components, and only one exclusive deal component can be applied to an item at any time. Exclusive deals at the highest level in the item hierarchy are applied instead of exclusive deals at lower levels.		
Deal Component	The discounts or rebates included in a deal. Multiple components may comprise a deal.		
Deal Description	See Deal		
Debit Account	The account from which money should be removed to pay an expense.		
Debit CCID	Debit Code Combination ID.		
Debit Memo Send Days	The number of days following the receipt of an invoice before a debit memo can be sent out.		
Default	Selection automatically used by the system in the absence of a choice made by the user.		
Delivery	The act of delivering a shipment to a location.		
Delivery Order	Authorizes the ocean carrier to release the cargo to the inland carrier. The delivery order is issued by the broker to the ocean carrier.		
Delivery Policy	The agreement between a retailer and a supplier for the terms of delivery.		

Term	Definition	Example	See also
Delivery Postal Code	A unique number or number letter combination that identifies the postal delivery area of a country.		
Demo	The number of unites of the item required for demonstration purposes at a store.		
Department	Belongs to a group in the merchandise hierarchy and provides a way to define the areas of a group. A department is the fourth division in the merchandise hierarchy.		
Deposit container item	The item for which the deposit is taken. The deposit container item holds the deposit contents item.		
Deposit contents item	The item that is sold to the customer.		
Deposit crate item	The item which holds the container and contents items.		
Deposit item	A deposit item is an item that has a portion which is returnable by the customer after it has been sold to the customer. A deposit is taken from the customer for the returnable portion. A deposit item is broken into the components of the item, and each item is tracked separately in RMS.		
Deposit returned item	The item that is returned to the retailer by the customer and for which the deposit is returned to the customer.		
Destination Address	The street address of the supplier to which the goods are shipped.		
Diff	A characteristic of an item that distinguishes it from another item. An item may have up to four diffs.	Color, size, flavor, scent	
Diff Group	A tool used to logically group diff ID's by type.	Women's Pants	Diff Type, Diff Range

Term	Definition	Example	See also
Diff Range	A tool used to logically group diff ID within a group.	Diff Group: Women's Pants Diff Range: Women's Average pant sizes	Diff Type, Diff Group
Diff Ratio	A method of grouping diffs to designate the quantity of each diff that should be fulfilled as a percentage of the total diff quantity.	Diff 1: 20% Diff 2: 40% Diff 3: 20% Diff 4: 20%	
Diff Type	The category that a diff belongs.	Size, Color, Flavor, Scent	Diff Group, Diff Range
Direct Ship	The process of delivering an item from a supplier directly to the customer.		
Discharge Port	The location where items are unloaded from the shipment vessel.		
Discount	The reduction in price that a buyer receives when purchasing an item as a result of a deal.		Deal
Discrepancy Display	The difference between the reported total and the actual total at the point of sale.		
Discrepancy Type	The difference between the invoice and the receipt.		
Distribute By	The method that accomplishes distribution.		Distribution Rule
Distribution	The process of spreading quantities. Distributions can occur as a percent or amount of the total quantity.		
Distribution Quantity	see Distribution		
Distribution Rule	The default method of distributing to virtual warehouses from the physical warehouse.		Distribution
Distributor	The company that collect the merchandise from the supplier and delivers it to the retailer.		District (tax codes)
District	Belongs to a region in the organizational hierarchy and provides a way to define the areas of a region. A district is the fifth division in the merchandise hierarchy.		District

Term	Definition	Example	See also
District (tax codes)	A geographic division of a city.		
Division	Belongs to a company in the merchandise hierarchy and provides a way to define the major categories of merchandise at a company. A division is the second division in the merchandise hierarchy.		
Document	Paperwork that provides additional information about an activity.		
Drafts At	Indicates when a beneficiary is paid, after the conditions set forth in the letter of credit are met. Terms of a draft can be At Sight, 30 Days, or 60 Days.		
Drawee	The bank that is responsible for paying claims against a letter of credit.		
Dscrpncty Type	See Discrepancy Type		
Due (invoice)	The date on which payment is expected for an invoice.		
Due (purchase order)	The date on which delivery is expected for a purchase order.		
Due Order Processing	Creating orders and submit for approval in the most efficient manner to meet service levels.		
DUNS Location	A DUNS location number is a 4-digit code that identifies your location. DUNS location numbers are used in addition to the company DUNS number to identify each location in a company.		DUNS Number
DUNS Number	Dun & Bradstreet Data Universal Numbering System (DUNS) is a nine digit code that identifies your company. It is a commonly used company identifier, often used in EDI transactions.		Electronic Data Interchange, DUNS Location
Duty	A tax, typically on imports.		
Duty Comp Code	A duty that is based on a combination of values and dimensions.		Duty

Term	Definition	Example	See also
Dynamic	A service-oriented replenishment method used with a forecasting application. The goal is to have only enough stock on hand in a given location to capture all sales between replenishment cycles. The time frame used to determine stock levels depend on the review time and lead time before stock levels in the location can be affected by an incoming shipment. The service level percentage is used to calculate the necessary amount of safety stock.		Replenishment
Dynamic - issues	A service-oriented replenishment method used with a forecasting application, exclusively for warehouses. Replenishment calculations function just they do for stores, except that the warehouses issues forecasts are used. All other calculations are consistent with store dynamic replenishment		Replenishment
Dynamic - seasonal	A service-oriented replenishment method used with a forecasting application, exclusively for stores. In the same manner as Time Supply - Seasonal, Dynamic - Seasonal combines the basic Dynamic algorithm with the end of season terminal stock goal. This replenishment method compares the current replenishment requests and the forecasted demand until the end of the season. Replenishment requests are created according to the end of season terminal stock goal.		Replenishment
Each	An individual quantity of an item.		
Effect	The impact an amendment has on a letter of credit.		Amendment
Effective Date	The date on which a function becomes available or active in the system.		

Term	Definition	Example	See also
Electronic Data Interchange	The exchange of information via computer, between a retailer and a supplier regarding inventory levels, delivery times, unit sales, accounts payable and receivable, etc.		
Email	The electronic mail address of the contact. a means or system for transmitting messages electronically (as between computers on a network).		
End Date	The last day an element is effective in the system.		
Ends In	An adjust type that allows you to determine the last two digit of a price.		Adjust type
Ends In	A method of adjusting a retail price so it ends in a specified amount.		
Escheat	The return or forfeiture of a voucher. A voucher may begin to escheat after a set time period, and is turned over to a government entity.		
Event	The top level of a promotion, used to group several promotions together.		
Exchange Rate	The factor used to convert a currency from one factor to another.		
Expiration Date	The date on which an element is no longer valid.		
Export	The process of moving information to external systems.		
Export Country	The country from which the goods departed the lading port.		
Fashion Line Number	The fashion stock staging location of the store in the stores primary warehouse.		
Fill Priority	The priority given to items when fulfilling need, for replenishment.		
Finalization	The process of preparing the transportation records for customs entry.		

Term	Definition	Example	See also
Finisher	A finisher does work on items, such as adding buttons, ironing, hanging, tagging etc. There are 2 types of finishers: internal and external. Internal Finishers are considered part of the company, and typically is an area of a warehouse that does the work. Internal Finishers are set up similarly to Virtual Warehouses in RMS, but have an additional indicator selected to identify them as finishers rather than virtual warehouses. External finishers are not considered to be a part of the company, and are set up as Partners in RMS.		
Floating point	A stock-oriented replenishment method used without a forecasting application. The system compares the sales trend of the upcoming 12 weeks to the same period one (1) year ago, and then calculates a maximum stock amount. Once stock levels fall below the calculated maximum stock amount, a request is generated to raise the stock level to the maximum stock. It also incorporates the idea of service level, which is used to calculate safety stock. Safety stock is additional inventory carried in a location to prevent stock outs.		Replenishment
Forecast	The process of predicting future results based on history.		
Free On Board	A trade term requiring the seller to deliver goods on board a vessel designated by the buyer. The seller fulfills his obligations to deliver when the goods have passed over the ship's rail.		
Freight	The compensation paid for the transportation of goods.		
Frequency	The regularity of the occurrence of an event.		
General Ledger	A company's accounting records. It contains all of the financial accounts and statements.		

Term	Definition	Example	See also
Generated By	Indicates how diff ratios are determined. System generated diff ratios are generated based on the sales history for the department, class, and subclass that you selected. Manually generated diff ratios are generated based on the same department, class, subclass, sales types, and time period as an another diff ratio.		
Geocode	The code that identifies a combination of the country, state, county, and city in which locations operate.		
Get Amount	The discount that a customer will receive by purchasing the appropriate items on the list of buy items. The amount in the Get Amount field may be either a percentage or a monetary amount, depending on what is selected in the Get Type field.		Get Type
Get Diff ID	The diff associated with the item parent when the Get Item Type field is set to item parent/diff ID.		
Get Item	The item you receive free or at cost when a certain quantity of the Buy Item is purchased from the deal partner.		
Get Qty	The number of items to which the discount applies.		
Get Type	The type of discount you receive on the item. The discount can be one of the following: Free: This indicates that you receive the item at no cost. Percent: This indicates that you receive a percentage off of the cost of the item. Amt: This indicates that you receive a monetary amount off of the cost of the item. Fixed Amt: This indicates that you receive the item at a specified reduced cost.		
Gift Wrap Ind	Indicates that gift wrapping is available for this item.		
GM %	Displays the percentage of the gross profit margin against sales for the time period at the selected location.		

Term	Definition	Example	See also
Graduated Order Cost	The graduated cost of the item as each deal component is applied. The projected cost of the item is the supplier unit cost minus all of the deal components.		
Grand Total	The sum of all totals.		
Gross Margin	The difference between net sales and the total cost of goods sold.	Maybe calculated for some fields as Gross margin a	
Gross Margin %	The difference between net sales and the total cost of goods sold divided by sales.	Gross margin % = (sale - cost of goods sold) / sales	
Gross Unit Weight	The total weight of a unit of the item plus any packaging.		
Group	The sixth level of the merchandise hierarchy.		
Growth Rebate	A rebate in which the supplier determines the amount of the rebate, based on increased orders over a specified period of time.		
Growth Rebate History	The first and last dates of the historical period against which growth will be measured for this growth rebate.		
Half	Either of two equal parts of which the year has been divided for budgeting and accounting purposes.		
Half Number	The ID for the half. Enter the ID in the format YYYYn, where YYYY is the 4-digit year and n is the half-year period (either 1 or 2). For example: 20021 and 20022.		
Handling Cost	The amount charged by the supplier for handling the return.		
Handling Percentage	The percent that is applied to the value of returned goods as a handling charge.		
Handling Sensitivity	The sensitivity information that is associated with the item. Some examples include Combustible, Fragile, and Toxic.		

Term	Definition	Example	See also
Handling Temp	The temperature information that is associated with the item. Some examples include Keep Refrigerated and Keep at Room Temperature.		
Harmonized Tariff Schedules	The applicable tariff rates and statistical categories for all merchandise imported into the a country; it is based on the international Harmonized System, the global classification system that is used to describe most world trade in goods.		
Height	The distance from the bottom to the top of something standing upright.		
HI	The number of tiers that are stacked on a pallet.		
Hierarchy Level	The classification of merchandise or organization. At the top of both hierarchies is the company. As the hierarchy progress downward, each level of the hierarchy is a sub section of the level before it.		
Highest Value	The high-end value for a price point range. All retail prices less than or equal to this value, and greater than or equal to the Lowest Value, will included in the price point range.		
Historical Period	The period used in the past.		
History Level	The amount of inventory history that should be captured in the weekly inventory history programs. The options are: No History: History of inventory is not captured. Items Sold Only: History of items that had sales during the week is captured. All Items: History of all items in inventory is captured. Changing the value of this indicator may have significant impact on the size of the database.		
Home Store	The store that the employee is primarily associated with.		

Term	Definition	Example	See also
HTD GAFS	Half To Date Goods Available For Sale. The monetary value of goods available for sale during the half up to the current time period at the selected location.		
HTS Assessments	The amount of tariff that has been added to an item.		
Import	The process of bring data from an external system into the main system.		
Increment Percent	The percentage by which you want to temporarily inflate or deflate the maximum stock when the replenishment method is Min/Max or Constant. When the replenishment method is Floating Point, the percentage by which you want to temporarily inflate or deflate the minimum and maximum stock.		
Industry Code	A unique number that represents all possible combinations of sizes according to the National Retail Federation.	Men's pants size combination 32x32 has a NRF code	
Inner	A subset of a case containing a portion of the individual quantities in an item.		
Inventory	Can be either raw materials, finished items already available for sale, or goods in the process of being manufactured. Inventory is recorded as an asset on a company's balance sheet.		
Inventory Management Level	The level at which inventory received from each supplier is reviewed for replenishment purposes. Reviews can be done at the Supplier, Supplier/Location level, Supplier/Department level, or the Supplier/Department/Location Level.		

Term	Definition	Example	See also
Investment Buy	The process of purchasing inventory in excess of the replenishment recommendation to take advantage of a supplier deal, or to leverage inventory against a cost increase.		
Issuing Bank	The issuing bank opens the letter of credit when contacted by the retailer who intends to import goods.		
Item	The merchandise received from a supplier. In the system, the item field or column will display the item number, the item description, or both.		
Item Grandparent	An item that is two levels above another item in an item group.		Item Level 1
Item Level	The level of an item in an item group.		
Item Level 1	An item without differentiating factors that does not require a second level. All items must have a level one item in the item group. A level 1 item may have level 2 and level 3 items below it.		
Item Level 2	An item that may or may not have differentiating factors. A 2 level item group must have a level 1 item and one or more level 2 items. All level 2 items are related to the level 1 item. A level 2 item may have level 3 items below it.		
Item Level 3	An item that has distinguishing characteristics beyond the differentiating factors of a level 2 item. A level 3 item must have a level 1 item and a level 2 item above it. All level 3 items are related to one level 2 item. A level 3 item cannot have any items below it.		
Item List	A grouping of items based on characteristics defined by the user.		
Item Parent	An item that is one level above another item in an item group.		Item Level 2

Term	Definition	Example	See also
Jurisdiction	The limits or territory within which authority may be exercised.		
Lading Port	The port where goods are loaded onto the vessel.		
Landed Cost	The sum of the cost, duty, and expenses for a shipment. Landed cost may be actual or estimated, depending on where, in the process, a shipment is.		
Layaway	Allows customers to give a retailer deposits to hold products. When customers complete payments, they take the items.		
Lead Time	The time between the beginning of a process and the appearance of results.		
Letter of Credit	A letter addressed by a banker to an entirety to whom credit is given authorizing drafts on the issuing bank or on a bank in the person's country up to a certain sum and guaranteeing to accept the drafts, if duly made.		
Line of Credit	The maximum amount of credit allowed to a buyer or borrower.		
Linear Distance	The amount of shelving space available at a location.		
Location	The store or warehouse involved in an event.		
Location list	A grouping of locations based on characteristics defined by the user.		
Location Trait	A characteristic of a certain location.		
Look Ahead Days	The number of days before a cost event that the cost event is factored into an investment buy calculation. A cost event can be the end date of a deal or the effective date of a cost change		

Term	Definition	Example	See also
Manual	A type of order control that determines that purchase orders for the recommended order quantities are not created. The recommended order quantity (ROQ) is written to the Replenishment Results table. You must create and run a custom report to view the ROQs.		
Manufacture	To make from raw materials by hand or by machinery.		
Markdown	A reduction to the original retail price established at the beginning of the half for an item during a clearance event.		
Markup	An amount added to the cost price to determine the selling price.		
Mass return transfer	A transfer from multiple stores to a warehouse. Generally return transfers are undertaken to redistribute merchandise from one store to other locations or to return merchandise to the vendor.		
Max Average Counter	The maximum number of days with acceptable data to include in an average for items within the department.		
Min/Max	A stock-oriented replenishment method used without a forecasting application. Maximum and minimum stock levels are determined. Once the stock level drops below the minimum stock, a request is generated to raise the stock level to the maximum stock.		Replenishment
Mix and Match	A promotion method which gives the customer a discount on an item, based on previously purchased items.		
Money Order	An order issued by a post office, bank, or telegraph office for payment of a specified sum of money usually at any branch of the organization.		

Term	Definition	Example	See also
Multi Unit	A type of promotion. A discount given to a customer for purchasing a pre-determined amount at a store. The discount can be an amount off, a percent off, or a fixed amount, and is for selected departments, classes, or subclasses.		
Multi-Channel	The RMS concept that divides the system into different selling mediums by which inventory can be tracked and reporting can be completed.		Stockholding, Non-stockholding
Name	The person who is identified as having the responsible role.		
National Brand Comparison Item	The item produced and controlled by manufacturers. They are usually well known, supported by manufacturer ads, somewhat pre-sold to consumers, require limited retailer investment, and often represent maximum product quality to consumers.		
Neg Days	The number of days that are agreed upon for negotiating documents pertaining to the letter of credit.		
Negotiating Bank	The bank that is responsible for negotiating the letter of credit between the seller and the advising bank.		
Negotiation Days	See Neg Days		
Net	The amount or quantity remaining after the deduction of all charges, outlays, or losses.		
Net Amount	The total amount after the deduction of all charges, outlay, or loss.		
Net Inventory	The net inventory is on hand quantities, on order quantities, and incoming quantities minus outgoing quantities, layaway quantities, and non-sellable quantities.		

Term	Definition	Example	See also
Net Markup	The total amount of markups after markup cancellations during a time period at a location.	Markups at Retail - Markup Cancellations at Retail	
Net Sales	The revenues received by a retailer during a given time period after deducting customer returns, markdowns, and employee discounts.		
Next order lead time	The minimum amount of time required for the next purchase order to reach a location.		
No Elapsed Days to Determine Comp Status	The number of days of data that Sales Audit should gather before it begins to make comparisons between the current time period and a previous time period.		
NOLT	See Next Order Lead Time.		
Non Sellable	The quantity of the item that cannot be sold. This includes items that have failed quality control and demonstration stock.		
Non-Merchandise	Relating to costs that are not related to items and merchandise in the system.		
Non-Scaling	Indicates that quantities of an item are not adjusted during the scaling process.		
Non-stockholding	A store that does not have stock on the premise where the sale is taking place.		Stockholding
Normal Calendar	The Julian calendar consists of cycles of three 365-day years followed by a 366-day leap year. Each year is divided into 12 month periods.		
Not After	The last day you can expect to receive items on a purchase order at a location.	system date + longest item/supplier/origin country	
Not Before	The first day you can expect to receive items on a purchase order at a location.		

Term	Definition	Example	See also
Objective	The long-run and short-run performance targets that a retailer hopes to attain. Goals can involve sales, profit, satisfaction of publics, and image.		
Obligation	Bills related to transportation of goods that a retailer must pay beyond the cost of a purchase order.		
On Hand	The total units on hand at a location, including inventory on RTV orders, unavailable inventory, stock in transit and reserved inventory. The On Hand inventory provides an accurate picture of the inventory owned by the location.		
On Order	The number of units on approved purchase orders that have not yet been received.		
Open Amount	The current balance on a letter of credit.		
Open Balance	The number of units yet to be received over which the tooling costs are amortized.		
Open Line of Credit	The amount of credit remaining on a line of credit.		
Open to Buy	The amount of money available for purchases at the subclass level for a week.		
Open to Buy	The difference between planned purchases and the purchase commitments already made by a buyer for a given time period, often a month. It represents the amount the buyer has left to spend for that month and is reduced each time a purchase is made.		
Open to Buy End of Week Date	The last day of the open to buy week to which the purchase order amount is credited.		
Opening Inventory	The retail or cost value of the stock on hand at the beginning of the month.		

Term	Definition	Example	See also
Opening Stock	The monetary amount budgeted for stock on hand at the beginning of a monthly period.		
Order Control	The method that determines how purchase orders are created, when they are created outside of the purchase order module.		Automatic, Semi- Automatic, Manual
Order Number	The identifying number on a purchase order.		
Order Point	the minimum number of units you want on hand for the item. When the net available inventory falls below the order point, the item is replenished.		
Order Quantity	The number of units on a purchase order.		
Order Retail	Total retail value of all items on the purchase order.		
Order Type	The origin of the purchase order. Purchase orders may be created through Automatic Replenishment of Basic items (ARB), Buyer Replenishment of Basic items (BRB), or order for items which are Non-Basic (N/B).		
Orderable item	An item that is marked to hold inventory, but is not sellable at the point of sale system, and no information is sent to the point of sale system for these items. Retail prices are not held for orderable only items.		
Origin Country	The country from which the supplier ships items.		
Out of Stock Date	The date when the store is expected to be out of stock.		
Pack	An item that allows you to buy, sell, and track multiple items under one item number. A pack can be complex or simple. A complex pack contains multiple component items. A simple pack contains multiples of one component item.		
Page	The page number where the ad for the item, group of items, or department will be placed.		

Term	Definition	Example	See also
Parent	The item level that is one level above another item.		
Partner	A person or entity that has an association with your organization in various areas of the procurement process. Partners can include those involved in transporting goods, escheatment, providing credit, and providing services. A partner does not provide items to a retailer.		
Phase	A sub section of a season.		
Pick Priority	The order the substitute items are used to fill the demand for the main item.		
Pickup to Location	The number of days required for the item to be shipped from the supplier and received at a location for direct to store and cross-docked items.		
Pool Supplier	A supplier that is grouped with other suppliers to ensure that order quantities can be met.		
Postal Code	A number that identifies a postal delivery area of a country.		
Pre Mark	The supplier has agreed to break orders into separately marked boxes that can be shipped directly to stores.		
Presentation Method	The way and item opens in the store.		
Presentation Stock	The number of units of the item required for a full facing at a store or the minimum number of units required at a warehouse.		
Price	The amount some one pays to another party for a good or service.		
Price point	Adjusts the price to a specific price based on the range into which the price falls.	All items in the price range of \$10 - \$20 should be set to \$14.99.	
Promotion	A method of temporarily reducing prices on certain items at specific locations.		

Term	Definition	Example	See also
Purchase order	An agreement between a retailer and a supplier for the purchase of goods. The retailer records the quantity, cost, and delivery location of items from the supplier. On a single purchase order, the same item going to different locations can have different costs.		
Qty Ordered	The number of units ordered.		
Quantity	The total number of a unit.		
Quota Cat	Quota categories allow you to place restrictions on categories of items rather than individual items. Customs agencies group items with related characteristics into quota categories.		
Ready Date	The date on which the item becomes available from the supplier or the item is delivered. Ready dates are specific to contracts		
Rebate	An agreement that money or credit will be received from the supplier if a certain threshold is met during a given time period.		Growth Rebate, Volume Rebate
Reclassification	The process of moving items from one section of the merchandise hierarchy to another section of hierarchy.	Cotton T-shirts in the women's department is moved to the basic's department.	
Recommended Order Quantity	Recommended Order Quantity. The number that the system suggests should be ordered, based on replenishment calculations.		Actual Order Quantity
Reference Item	An item below the transaction level.		
Region	The third level of the organizational hierarchy, used to group districts.		

Term	Definition	Example	See also
Replenishment	The process of ordering items to ensure inventory levels are maintained at locations.		Constant, Min/Max, Floating Point, Time Supply, Time Supply - Issues, Time Supply - Seasonal, Dynamic, Dynamic - Issues, Dynamic - Seasonal
Reserved Stock	Units that have been approved for outgoing transfers/ allocations, that have not yet left a location.		
Rounding	A method of adjusting the price based on rounding rules. The rounding rules are established by a database administrator.		
SCAC Code	A unique two-to-four-letter code used to identify transportation companies. NMFTA developed the SCAC identification codes in the late 1960's to facilitate computerization in the transportation industry.		
Scaling	The process of adjusting a purchase order to obtain a certain objective, as defined in the system. POs can be scaled up or down in order to achieve the minimum and maximum levels defined for the supplier or bracket. Rounding thresholds, defined in the system, determine whether a PO is scaled up or down.		
Season	A season is a specific selling period during the year.		
Segment	The section of a block where the ad for the item, group of items, or department will be placed.		

Term	Definition	Example	See also
Sellable item	An item that does not hold any inventory in the system. Consequently, inventory records cannot be viewed from the item maintenance screens. Sellable only items are not linked to any supplier and therefore no cost information is associated with this item type.		
Semi-automatic	A type of order control that determines that purchase orders for the recommended order quantities are created in worksheet status.		Order control
Shrinkage	The difference between actual stock on hand and the amount recorded in the stock ledger at the end of the time period.		
Soft Contract	A contract that can be made above the transaction level. This allows you to write a contract for a category of products and define the details of the order later.		
Static	For an item or location list, indicates that the list cannot be rebuilt.		
Stock holding	A location that has stock at the location where the sales are taking place.		Non-stock holding
Stock Ledger	The records of a company's inventory position.		
Stock On Hand	The total number of units on hand at a location, including inventory in RTV, unavailable inventory, stock in transit inventory, and reserved inventory.		
Store Day Sequence Number	The unique number assigned by Sales Audit that corresponds to the Store and Business Date for the transaction.		
Store Grade	A way of assigning a ranking to stores. Grades are defined by each buyer.		
Store Grade Group	Stores with like grades that are used as a location list.		Location List

Term	Definition	Example	See also
Store orders	A store driven replenishment method which allows stores to place orders based on need. Orders are incorporated into RMS via an overnight batch. Recommended order quantities are based on the store request and the ability to deliver the product with in lead time.		Replenishment
Substitute Item	The item identified to replace the main item with the intention of replacing or phasing out the main item.		
Supplier	The person or entity that provides items to a retailer.		
Supplier Trait	An attribute assigned to a supplier.		
Tare	A deduction from the gross weight of a substance and its container made in allowance for the weight of the container.		
Threshold	A level point or value above which something is true or will take place and below which it is not or will not.		
TI	The number of cases that make up one tier on a pallet.		

Term	Definition	Example	See also
Time supply	<p>A stock-oriented replenishment method used with a forecasting application. You control stock levels through days of supply in the store rather than specifying an exact stock quantity. The minimum time supply number of days is used to determine the minimum stock level, while the maximum time supply number of days determines the maximum stock level. These min/max levels change based on the current forecasted sales data. The time supply horizon number of days is an optional field used to calculate an average daily sales rate that is multiplied against the minimum time supply days and maximum time supply days to determine a min/max. This field is useful if the time supply days extends past the number of days with forecasted data. A replenishment order is made when the net available inventory reaches the minimum days of supply and the order quantity placed is based on the rate of sale from forecasted sales over the specified period (time supply horizon) and the maximum days of supply value.</p>		Replenishment
Time supply - issues	<p>A stock-oriented replenishment method used with a forecasting application, exclusively for warehouses. Replenishment calculations function just as they do for stores except that the warehouse issues forecasts are used. All other calculations are consistent with store Time Supply replenishment.</p>		Replenishment

Term	Definition	Example	See also
Time supply - seasonal	A stock-oriented replenishment method used with a forecasting application, exclusively for stores. Time Supply - Seasonal combines the basic Time Supply algorithm with the end of season terminal stock goal. This replenishment method compares the current replenishment requests and the forecasted demand until the end of the season. Replenishment requests are created according to the end of season Terminal Stock goal.		Replenishment
Timeline	A timeline is a schedule of events. To track the life cycle of an activity, you can attach a timeline to the activity. You can enter dates with which to track the completion of the timeline steps. You can revise dates and record the reason for the revision.		
Title Pass	The process of changing ownership of goods from the buyer to the seller.		
Transaction Level	The level of the item group at which transactions involving the item is tracked.		
Transfer	An internal movement of stock from one location to another.		
Transformable item	A transformable item is an item that can be ordered as one item and the broken into smaller items. The smaller items can them be resold in the store. There are two types of transformable items, transformed orderable and transformed sellable.		Transformed orderable, transformed sellable
Transformed orderable	An item is ordered from the supplier in one form, but changed by the retailer and sold to the customer in a different form.		
Transformed sellable	An item that is sold to the customer. A transformed sellable item is ordered from the supplier in a different form than it is sold.		transformed orderable, transformable item

Term	Definition	Example	See also
Truck Split	The process of splitting orders into multiple truckloads.		
TSF/PO link	the reference number for a link from an item on a transfer to one or more existing purchase orders.		
UDA	See User Defined Attribute.		
Unavailable Stock	The number of units that are not available for sale at all locations because they are damaged or for other reasons.		
Unit Amount	The monetary amount for each unit.		
Unit Cost	The cost per unit of the item.		
Unit of Measure	Indicates how each unit is measured.		
Up Charge	Cost incurred when transferring an item.		
User Defined Attribute	An identifying quality that has been set up by the user.		
Username	An ID that is assigned to each user.		
Value Added Tax	An incremental excise tax that is levied on the value added at each stage of the processing of a raw material or the production and distribution of a commodity, and that typically has the impact of a sales tax on the ultimate consumer.		
VAT Rate	The percentage that is applied to any value added to an item to calculation VAT.		
VAT Region	An area that is subject to the same VAT.		
Vendor	A generic, inclusive term used to mean either partner or supplier.		
Vendor Type	See Vendor.		
Vessel	Mode of transportation used to transport goods between a supplier and a retailer. Could be a train, ship, jet, etc.		

Term	Definition	Example	See also
Virtual Warehouse	A stock-holding warehouse which is available in multi-channel environments. You can establish a virtual warehouse to keep track of inventory by channel.		Channel
VMI Channel	The process by which suppliers have visibility to inventory levels, create purchase orders based on inventory levels, and ship orders without retailer intervention.		
Volume	The amount of space occupied by a three-dimensional object.	volume = length x width x height	
Volume Rebate	A rebate in which the supplier determines the amount of the rebate, based on the total orders over a specified period of time.		
Voucher	A form or check indicating a credit against future purchases or expenditures.		
Voyage Flight ID	The reference number for a flight, voyage, or other method of transportation.		
VPN	The number assigned to an item by a vendor.		
Warehouse	A storage and/or distribution facility where inventory may be received, held and transferred to other locations.		
Warehouse Issues	The total number of units that had ownership transferred from the warehouse to the store.		
Warehouse Lead Time	The number days required for the item to be shipped from the warehouse and received at a location for cross-docked and warehouse stocked items.		
Warehouse Link	Indicates which replenishment warehouse to which the current virtual warehouse is linked. This field is enabled if the current virtual warehouse is not a replenishment warehouse. This option is available only in multi-channel environments.		

Term	Definition	Example	See also
Warehouse Storage Cost Measure	The default type of measurement used to calculate the cost of storage, per week at company-owned storage locations. Users can override the type of measurement at the warehouse or warehouse/department level.		
Warehouse Store Assignment History Days	The retention period, in days, for historical information about warehouse/store assignments. When the historical information has exceeded the retention period, it is automatically purged by a regularly scheduled batch program.		
Warehouse Store Assignment Type	Indicates, based on the replenishment stock category, which stores are assigned to a source warehouse when the warehouse store assignment batch program (whstrasg) is run.		
Warehouse to Locn	See WH Lead Time		
Wastage Percentage	The average percentage of wastage that the item is subject to over its shelf life. The wastage percentage can be applied to either spoilage wastage or sales wastage.		
Wastage Type	The type of wastage that the item is subject to, such as sales or spoilage wastage. There are two types of wastage, Sales wastage occurs during processes that make an item saleable. Spoilage wastage occurs during the shelf life of the item.		
Weekly Cost of Outside Storage	The cost of storage per week at third-party storage locations on a weekly basis.		
Weekly Cost of Warehouse Storage	The cost of storage per week at company-owned storage locations on a weekly basis.		
Weight Unit of Measure	The unit of measure (UOM) in which the gross, tare, and net weights of the package are stated.		
Wh	See Warehouse		

Term	Definition	Example	See also
Wh Description	See Warehouse		
WH Lead Time	The number of days required for the item to shipped from the warehouse and received at a location.		
Wholesaler	A merchant middleman who sells chiefly to retailers, other merchants, or industrial, institutional, and commercial users mainly for resale or business use.		
WIC Ind	Indicates the item qualifies for the Women, Infants, and Children (WIC) program.		
Width	The horizontal measurement of an object.		
WIP Code	Displays the code for the work in progress (WIP) tasks that have been assigned to the selected item and location. WIP codes are assigned to work orders that are assigned to purchase orders.		
Wksht Qty	The number of units that have been suggested as the quantity to be ordered.		
Work Order	The request for certain activities to be done to an item in a warehouse before delivery of an item to the final locations.		
Work Phone	The customer's work phone number.		
Workroom Amount	The monetary value of value added services during the time period at the selected location. Workroom costs, such as alterations, reduce the gross profit margin. The amount is denominated in the currency that opens in the Currency field. Depending on the view, the amount is at cost for this year or last year.		
Written Date	The date on which the purchase order was written.		
Year	A time period of 365 days.		

Term	Definition	Example	See also
Year to Date Drawdown	The amount paid out on the company's behalf since the beginning of the year by the bank.		
Year to Date, Line of Credit	The amount of credit that the company has used since the beginning of the year from the bank.		
Year To Date, Credit	The credit used since the beginning of the year from the bank.		

Acronyms

Acronyms	Explanations
A/F	Actual/Forecast
ACH	Automated Clearinghouse
AD	Anti-Dumping Duty
ALC	Actual Landed Cost
AP	Accounts Payable
ARB	Automatic Reorder of Basic
ARI	Active Retail Intelligence
ASN	Advance Shipping Notice
ASO	Accepted Stock Out
ASP	Application Server Provider, Active Server Pages
AUDT	Audit Trail
AV	Ad Valorem
AWB	Air Waybill
B2B	Business to Business
B2C	Business to Consumer
BAL	Balance Level
BOC	Balance of Contract
BOH	Beginning Stock on Hand
BOL	Bill of Lading
BOM	Beginning of Month, Bill of Material
BRB	Buyer Reorder of Basic
BRD	Business Requirements Definition
CAD	Canada Dollar
CB	Check Box
CC	Credit Card
CCID	Code Combination ID
CE	Customs Entry
CH	Channel Planner
CID	Container ID
CMM	Capability Maturity Model
COM	RetailCOM
CORBA	Common Object Request Broker Architecture
CP	Current Plan

Acronyms	Explanations
CPFR	Collaborative Planning, Forecasting and Replenishment
CPG	Consumer Packaged Goods
CRM	Consumer Relationship Management
CS	Competitive Shopping
CSM	Collaborative Supply Management
CVB	Computation Value Base
CVD	Countervailing Duty
DBA	Data Base Administration
DC	Distribution Center
DEA	Drug Enforcement Administration
DI	Display Item
DMM	Division Merchandise Manager
DNA	Deliver Not After
DNB	Deliver Not Before
DO	Due Order
DOS	Days of Supply (on hand)
E2E	Exchange to Exchange
EAM	Enterprise Asset Management
EDI	Electronic Data Interchange
EJB	Enterprise Java Bean
ELC	Estimated Landed Cost
ENT	Enterprise
EOH	Ending Stock on Hand
EOM	End of Month
EOS	End of Season
EOW	End of Week
ERP	Enterprise Resource Planning
ESO	Estimated Stock Out
FDA	Food & Drug Administration
FIF	Financial Interface
FLS	Flash Sales
FM	Form Module
FOB	Free on Board
FPL	Forward Pick Location
FXL	Fixed Length Field
GAF	General Merchandise, Apparel, and Furniture

Acronyms	Explanations
GAFS	Goods Available For Sale
GL	General Ledger
GMROI	Gross Margin Return on Investment
GMROS	Gross Margin Return on Space
GP	Gross Profit
GST	Goods and Services Tax
HRI	Health Related Item
H-T-D	Half to Date
HTS	Harmonized Tariff Schedule
ID	Identifier, Identification
IM	Invoice Matching
INVADJ	Inventory Adjustment
ISO	International Organization for Standardization
ITE	Independent Trading Exchange
JAR	Java Archive Format
JFC	Java Foundation Classes
JMS	Java Messaging Service
JRE	Java Runtime Environment
LC	Line of Credit, Letter of Credit
LI	List Item
LOC	Line of Credit
LOV	List of Values
LW	Last Week
LY	Last Year
MBO	Management by objectives (goals) for personnel appraising.
MCBU	Multi-Channel Business Unit
MCLOCN	Mass Change Location
MDDB	Multidimensional Database
MI	Mirrored Item
MM	Menu Module
MP	Merchandise Plan
MQS	Messaging & Queuing Series
MSRP	Manufacturer's Suggested Retail Price
MTD	Month to Date
MTS	Merchandising Transaction Systems, Multi-Threaded Server (Oracle)

Acronyms	Explanations
NA	Not After
NB	Not Before
NC	No Change
NDC	National Drug Code
NDDF	National Drug Data File
NLS	National Language Support
NRF	National Retail Federation
O/S	Over/Short
OAQ	Oracle Advanced Queuing
OAS	Oracle Application Server
OGA	Other Government Agency
OH	On Hand
OI	Off Invoice
OO	On Order
OP	Original Plan
OPQ	Oracle Parallel Query
OPS	Oracle Parallel Server
OS	Operating System
OTB	Open to Buy
OTM	Oracle Translation Manager
PB	Push Button
PC	Price Change
PFO	Process / Functional Overview
PID	Process ID, Project Initiation Document
PLM	Product Life Cycle Management
PO	Purchase Order
POD	Product Operations and Development
POS	Point Of Sale
PPS	Paperless Picking System
PTS	Put to Store
QA	Quality Assurance
QC	Quality Control
QTD	Quantity to Date
RA	Reference Admin
RAN	Return Authorization Number
RCP	Oracle Retail's Collaboration Portal

Acronyms	Explanations
RDC	Retail.com
RDF	Oracle Retail Demand Forecasting
RDW	Oracle Retail Data Warehouse
ReIM	Oracle Retail Invoice Matching
ReSA	Oracle Retail Sales Audit
RFM	Recency, Frequency, Monetary Value
RFMP	Recency, Frequency, Monetary Value, Profit
RG	Radio Group
RLS	Oracle Retail Logistics System
RMA	Return Merchandise Authorization
RMS	Oracle Retail Merchandising System
ROQ	Recommended Order Quantity
RPP	Oracle Retail Predictive Planning
RSS	Oracle Retail Store Systems
RTM	Oracle Retail Trade Management
RTV	Return to Vendor
RWMS	Oracle Retail Warehouse Management System
S/W	Store or Warehouse
SA	Sales Audit
SCM	Supply Chain Management
SCP	System Parameter
SFM	Site Fuel Management
SIR	System Investigation Request
SKU	Stock Keeping Unit
SO	Store Operations
SOH	Stock on Hand
SOM	Store Order Multiple
SPIFF	Sales Performance Incentive Factor Formula
SQL	Structured Query Language
SQM	Software Quality Management
SRI	Strategic Retail Intelligence
STD	Season to Date
STDC	Sales-to-Date Comparison
SWIFT	Society for Worldwide Interbank Financial Telecommunications
TI	Text Item
TLOG	Transaction Log File

Acronyms	Explanations
TPG	Tax Product Group
TSFI	Transfer In
TSFO	Transfer Out
TT	Tender Type
TY	This Year
UA	User Area
UAR	Universal Accounting Reconciliation
UCC	Uniform Code Council
UDA	User-defined Attributes
UOM	Unit of Measure
UOP	Unit of Purchase
UOR	Unit of Receipt
UOT	Unit of Transfer
UPC	Universal Product Code
UPS	United Parcel Service, Unit Pick System
VA	Visual Attributes
VAT	Value Added Tax
VBO	Virtual Back Office
VCpl	Vendor Compliance
VICS	Voluntary Interindustry Commerce Standards
VMI	Vendor Managed Inventory
VPN	Vendor Product Number
VRM	Vendor Relationship Management
VSP	Vertical Service Provider
VTE	Vendor Trading Exchange
WA	Waiting for Approval
WAC	Weighted Average Cost
Wh	Warehouse
WI	What If
WIP	Work in Progress
WMS	Warehouse Management System
WO	Work Order
WOS	Weeks of Supply
WP	Working Plan
WS	WebStore
WT	WebTrack

Acronyms	Explanations
WTD	Week to Date
WWRE	World Wide Retail Exchange
YTD	Year to Date

Index

A	
Acronyms.....	663
Activity schedules	
Associate with Timelines.....	539
Edit.....	410
Edit Company.....	411
Edit Stores.....	408
Edit Warehouses.....	409
Maintain.....	408
Addresses	
Add Partners.....	130, 153
Add Suppliers.....	130, 153
Add to a Location.....	133
Copy Stores.....	21
Create Competitors.....	555, 556
Create Customers.....	283
Create Stores.....	18
Create Suppliers.....	125, 449
Create Warehouses.....	39
Edit.....	451
Edit a Company.....	13
Edit for Suppliers.....	296
Maintain.....	14
Maintain a Location.....	16
Maintain Partners.....	15
Maintain Supplier.....	300
Maintain Suppliers.....	15
Record Return Requirements	
Suppliers.....	131
Set Bill To.....	459
Adjustments	
Add Costs.....	201
Costs.....	457
Inventory.....	456
Maintain Costs.....	384, 412
Maintain Units.....	406, 413
Units.....	456, 457
Administration	
Add System Element to Main	
menu.....	562
Add System Folder to Main menu	
.....	562
Advance shipping notices	
Maintain.....	399
Overview.....	230
ALC	
Find Orders.....	499
Maintain.....	499
Maintain Order Finalize.....	499
Maintain Selection.....	500
View Component Information.....	499
View Location Information.....	499
Appointments Window	
View.....	279
Approvals	
Contract.....	338
Deals.....	369
Items.....	254
List Children.....	255
Purchase Orders.....	313
Return to Vendor.....	450
Transfers.....	444
Areas	
Associate Traits.....	51, 52
Create.....	6
Delete Location Traits.....	50
Delete Traits.....	49
Maintain.....	12
Maintain Area Maintenance	
Window.....	48
Maintain Areas Associated with	
Trait Window.....	51
Assessments	
Create.....	282
Define.....	376
Edit.....	285
Maintain.....	421
Attributes	
Add Replenishments.....	485
Edit for Items.....	117
Edit Items.....	116
Edit Locations.....	205, 212
Edit Stores.....	65
Edit Warehouses.....	64
Maintain Item Indicator Attributes	
.....	116

Maintain Item Location Attributes	115	Maintain Worksheet.....	400
Maintain Items	115	Overview.....	531
Maintain Location.....	63	Bill to Address	
Maintain Store Attributes for Mass Change	62	Maintain	459
Maintain Suppliers	148	Set	459
Record for Purchase Orders	279	Brackets	
Record for Stores	63	Accept Cost Changes Received	
Record Import Attributes		via EDI	393
Suppliers	149	Add.....	143
Record Import Items	119	Add Inventory Constraints.....	478
Record Items	117, 118	Create Deals	341
Record Suppliers.....	148	Delete	145
Record Warehouses	64	Delete a Structure.....	144
Search for Scheduled		Edit.....	251
Replenishment.....	487	Maintain Item Supplier Country	416
Audit trails		Maintain Supplier Costing	142
Edit.....	573	Overview.....	230
Maintain	528, 529	Brokers	
View	521	Add Documents to a Partners .	544
Average Cost Adjustment		Create Partner.....	151
Maintain	500	Finalize Transportation Records	430
B		Send customs entry	421
Banner		Budgets	
Add.....	10	Edit.....	570
Maintain	579	Edit by Month	497
Maintain Banner Maintenance		Edit by the Half.....	498
Window.....	579	Edit Forward Limits for Open to	
Batch		Buy	263
Edit Batch controls.....	553	Edit Open to Buy	264
Maintain Batch Bookmark		Maintain	497
window.....	553	Maintain Details.....	497
Maintain Batch Control History		Maintain Half Budgets	501
Window.....	553	Maintain Open to Buy.....	502
Maintain Batch Control Window	553	Maintain OTB Forward Limits	502
Maintain Batch Restart Window	553	Overview Calendar	399
.....	553	View Monthly	498
Bill Back Information to a Deal		Buttons	
Add.....	352	Add Button configurations.....	575
Bill of Lading		Button configurations.....	577, 621
Associate with Timelines.....	541	Copy Button configurations....	577
Create Worksheet.....	400	Create Button configurations..	574
Define Timeline	531	Delete Button configurations .	576, 578
Maintain	535		

- Maintain Button configurations 622
- Maintain Button Positions on Point of Sale 604
- Maintain POS Button Properties 604
- Maintain POS Touch Button Configuration 604
- Search Button configurations.. 576
- Buyer
 - Add Buyer worksheets 492
 - Add Item 492
 - Add Worksheets..... 492
 - Create 261
 - Create Buyer worksheets 491
 - Delete Buyer worksheets 284
 - Edit for Purchase Orders 296
 - Filter Buyer worksheets 492
 - Maintain 261, 554
 - Maintain Buyer Maintenance Window 554
 - Maintain Buyer Worksheet Window 554
 - Maintain Purchase Order Information 299
 - Overview 261
 - Review Buyer worksheets..... 291
 - Split Buyer worksheets 300
- C**
- Calendars
 - Overview 399
- Cancel
 - Contracts 339
 - Edit Reason for Mass Item Order Cancel 301
 - Purchase Orders 314
 - Reason for Mass Item Cancel . 299
 - RTV..... 452
- Carton Details
 - View 407
- Cartons
 - Maintain Receiving 407
 - Receiving 407
 - Reconcile Level Disposition Details 415
- Chains
 - Create 5
 - Maintain 13
 - Maintain Chain Maintenance Window 12
- Changes
 - Maintain Item Indicator Attributes 116
 - Maintain Mass Changes for Item Season 244
 - Maintain Store Attributes for Mass Change 62
 - Maintain UDA Mass Change.. 250
- Channels
 - Add..... 11
 - Maintain 579
 - Maintain Channel Maintenance Window 579
 - Set Up..... 10
- Charges
 - Maintain 421
- Child
 - Add to Transportation Records 176
- Children
 - Maintain Diff Combinations 229
- Maintain Items for Transportation Record 427
- View Order Child Items 274
- Children
 - Approve List 255
- Claims
 - Maintain 428
- Classes
 - Add Defaults 83
 - Add User defined attributes 97, 99
 - Create 70
 - Delete User defined attributes 102, 105
 - Maintain 71
 - Maintain Class Maintenance Window 66
 - Maintain Defaults..... 77
 - Maintain Items in Multiple Classes for POS Configuration 601
- Close
 - Closures..... 369

Maintain Closures	339	Overview.....	374
Maintain Location Close.....	59	Record Prices	558
Transfer	445	Complex Pack	
Codes		Create	219
Add Cost Component for Non-		Component items	
Merchandise Code	395	Break Packs.....	227
Add Geocodes.....	515, 518	Search Pack Items.....	224
Associate Geocode Tax Codes	529	Computation value bases	
Copy Tax Codes.....	530	Define.....	375
Create Tax codes.....	512, 522	Define Assessment.....	376
Edit Geocodes	517	Define Expense	377
Edit Tax codes.....	524	Concession	
Maintain Audit	529	Create Item.....	197
Maintain Code Detail		Configurations	
Maintenance Window	569	Add Payment types	132
Maintain Codes Header		Add Touch buttons.....	575
Maintenance Window	570	Associate Point of sale	608
Maintain Item Tax Codes.....	529	Copy Coupons.....	613
Maintain Non-Merchandise	584	Copy Money orders.....	615
Maintain Standard carrier alpha		Copy Pay in/pay out.....	615
codes (SCAC)	426	Copy Product restrictions.....	619
Search Geocodes.....	518, 521	Copy Tender Types.....	618
Search Tax codes	514, 528	Copy Touch buttons.....	577
System codes.....	568	Coupons	612
VAT codes	90	Create Coupons.....	601
Commercial		Create Money orders.....	602
Maintain Invoice Information .	429	Create Pay in/pay out.....	603
Companies		Create Point of sale	600
Edit.....	13	Create Product restrictions	607
Edit Activity schedules	411	Create Tender types	608
Maintain Company Maintenance		Create Touch buttons	574
Window.....	13	Delete Coupons.....	613
Competitive pricing		Delete Product restrictions.....	620, 621
Create Competitors	555	Delete Touch buttons	576, 578
Create links between stores.....	36	Edit Coupons.....	611
Create Shoppers	557	Edit Money orders.....	614
Create Shopping lists	202	Edit Pay in/pay out.....	615
Create Stores	556	Edit Payment types	139
Delete Competitors	555	Edit Tender types	616
Delete Links between stores	37	Exclude from Point of sale.....	609
Delete Shoppers	557	Maintain Items Associated with	
Delete Stores	557	Point of Sale.....	608
Edit Competitors	555	Maintain Touch buttons	622
Edit Prices	558	Product restrictions	619, 620
Edit Shoppers	557	Requence Coupons.....	613
Edit Stores.....	556		

- Resend Point of sale..... 610
- Search for Coupons..... 611
- Search for Tender Types..... 617
- Search Money orders 586
- Search Pay in/pay out..... 616
- Search Product restrictions 585
- Search Touch buttons..... 576
- Touch buttons..... 577, 621
- Confirmation
 - Confirm Customs Entry 419
 - Select Performance of Services 385
- Consignment
 - Create Item..... 197
- Constraints
 - Edit Supplier level..... 290
 - Supplier level 478
- Containers
 - Maintain Transportation Packing Information 428
- Contract
 - Add Items to Contracts 327
 - Approval Process 338, 339
 - Contracts
 - Build Orders From Contracts 279
 - Distributions..... 309
 - Edit Status of Purchase Orders 333
 - Contracts 333
 - Contracts 334
 - Contracts 581
 - Copy 328
 - Create 315
 - Create Contracted Items Order
 - Locations Window 329
 - Create Type A..... 316
 - Create Type B 320
 - Create Type C 324
 - Create Type D..... 325
 - Delete Items 328
 - Distribute Dates 330
 - Distributions..... 330, 331
 - Edit Contracts..... 326
 - Filter Cost Records on Contracts 303
 - Filter Item Distributions..... 335
 - Filter Quantity Records..... 336
 - Maintain Contract Cost Filter
 - Window..... 329
 - Maintain Contract Cost
 - Maintenance Window 329
 - Maintain Contract Detail Filter
 - Window..... 335
 - Maintain Contract Details
 - Maintenance Window 335
 - Maintain Contract Distribution
 - Filter Window 334
 - Maintain Contract Distribution
 - Window..... 334
 - Maintain Contracts..... 316
 - Maintain Items to be Ordered . 329
 - Overview..... 315
 - Print..... 329
 - Search..... 328
 - Search Contract Search Window 330
 - View Audit Trail Dates..... 330
 - View Contract Cost History
 - Window..... 329
 - View Contract Parent/Diff
 - Summary Window 330
 - View List of Orders by Contract 329
- Contracts
 - Approval process 339
 - Cancel 339
 - Create Purchase Order 282
 - Reinstate Cancelled..... 339
- Cost
 - Maintain Price Zone Mass
 - Changes..... 59
 - Search Buildup Templates 559
 - Search Cost Buildup Template 559
 - View Wholesale Cost
 - Relationship Maintenance... 465
- Cost Buildup Template
 - Create 559
 - Edit..... 560
 - Search for Template 560
- Cost Change
 - Accept New EDI..... 236

Accept Received via EDI.....	393	Maintain Item Supplier Country	
Approval Process	395	Bracket	416
Approve.....	396	Maintain Item Supplier Country	
Cancel an Approved.....	397	Location	416
Create	385	Maintain Item Supplier Origin	417
Delete	389	View Supplier and Item List...	417
Edit.....	388	Coupons	
Maintain Locations	145	Configurations.....	612
Maintain Reason	559	Copy Configuration	613
Maintain Supplier.....	145	Create Configurations	601
Overview.....	385	Delete	613
Reject	397	Edit.....	611
Search.....	390, 502	Maintain POS Coupon	
Set Up.....	371	Configurations.....	600
Submit for Approval	396	Resequence	613
Cost Component		Search for Configurations	611
Add for Non-Merchandise Code		Cross Reference	
.....	395	Create General Ledger	510
Delete	394	Edit for General Ledger	510
Maintain	559	Maintain General Ledger	510
Cost Relationship		Maintain General Ledger Cross	
Maintain Wholesale	464	Reference	510
Cost Zone Group		Search General Ledger.....	511
Add.....	373	Currency	
Edit Groups	561	Edit.....	597
Maintain Cost Zone Groups		Maintain Currency Exchange	
Window.....	560	Rates Window.....	596
Maintain Cost Zone Locations		Maintain Currency Maintenance	
Window.....	560	Window.....	597
Maintain Cost Zones Window	560	Maintain Map.....	598
Costs		Map Currency Exchange Type	
Maintain EDI Cost by Location		Mapping Window	597
.....	234	Custom View	
Maintain Item Cost Details	465	Create	566
Maintain Non-Merchandise Cost		Customer Groups	
Components	559	Edit Wholesale Franchise	462
Maintain Receiver Cost		Customers	
Adjustments	407	Create Purchase orders.....	283
Countries		Edit.....	285, 437
Add Documents	544	Edit Purchase orders	285
Add Expense profiles.....	599	Edit Transfers.....	437
Delete Documents	584	Maintain Information.....	274
Edit.....	599	Maintain Warehouse Franchise	
Maintain Country Maintenance		Groups.....	461
Window.....	580	Maintain Wholesale Franchise	
Maintain Expense profiles	581	Groups.....	461

- View Franchise Wholesale Stores 464
- Customize
 - Add User Folder to Main Menu 565
 - Maintain User Element for Main Menu 564
- Customs
 - Associate Timelines 540
 - Confirmation 419
 - Maintain Documents 423
 - Maintain Entry 417, 418
 - Maintain Entry Charges 420
 - Maintain Entry Forms 419
 - Maintain Entry Items 417
 - Maintain Entry License and Visa 422
 - Maintain Entry Protest 423
 - Maintain Entry Shipment 420
 - Maintain Forms 419
 - Maintain Licenses and visas ... 422
 - Maintain Protests 423
 - Maintain Shipments 419, 420, 421
 - Maintain Timelines 534
 - Maintain Transportation Finalize 430
 - Search Entry 418
 - Search for Customs Entry 418
 - Send to Broker 421
 - View Air Waybills 418
 - View Bill of Lading 418
 - View Container 418
 - View Entry Item..... 418
- CVB
 - Maintain 500
 - Maintain Details Window 500
- D**
- Dates
 - Calculate 539
 - Distribute on Contracts 330
 - Maintain Location Close..... 59
 - Maintain Ship Dates..... 299
 - Maintain UDA Date Defaults . 250
- Deal Pass Through
 - Edit..... 360
- Deals
 - Add Bill Back Information to a Deal Purchase orders..... 352
 - Add Components 350
 - Add Financial Information..... 354
 - Add Item 342
 - Add Items Locations 355
 - Add Location 342
 - Add Promotion..... 367
 - Approval process 368, 369
 - Create 341, 345
 - Create Fixed deals..... 363
 - Create Purchase orders..... 357
 - Define Expected Income..... 358
 - Define Proof of Performance
 - Terms for Deals..... 361
 - Delete 348
 - Find 360
 - Maintain 351, 353, 354
 - Maintain Deal Pass Through... 360
 - Maintain Fixed..... 363
 - Maintain Fixed deals..... 366
 - Maintain Performance..... 361
 - Maintain Promotions..... 358, 367
 - Maintain Proof of Performance
 - Term Fulfillment..... 362
 - Maintain Proofs of Performance 361
 - Maintenance 343
 - Proofs of performance..... 293
 - Search..... 349
 - View Purchase Order Item Level Deals 274
 - View Purchase orders 347
- Default Values
 - Maintain UDA List 249
- Delivery Schedule
 - Add at Store or Warehouse Level 473
 - Add Suppliers..... 474
 - Define Exceptions..... 18
 - Edit at Store or Warehouse Level 34
 - Edit Suppliers..... 137
 - Maintain 425
 - Maintain Schedule 142

Maintain Transportation Information	429	Distribute Items with Matrix...	311
Departments		Distribution Error Summary ...	175
Add Defaults	83	Find	168
Add Stores.....	25	Maintain	162
Add to Stores.....	26	Maintain Detail	168
Add User defined attributes	97, 99	Maintain Duplicate Combinations	229
Copy Tax codes.....	527	Maintain Group Detail	159
Create	66, 73	Maintain Groups	159, 165
Delete Stores	27	Maintain ID.....	173
Delete Tax codes.....	514	Maintain Item Children Combinations	229
Delete User defined attributes	102, 105	Maintain Items for Transportation Record.....	427
Edit Tax codes.....	525	Maintain Like Diff Ratio	172
Maintain	73, 75	Maintain PO Diff Matrix	302
Maintain Defaults.....	77	Maintain Ranges	167, 173
Maintain Investment Buy Parameters.....	42	Maintain Ratios.....	170
Maintain List of Departments with POS Configuration.....	601	Maintain Templates	222
Maintain Up Charges	79	Maintain Types	164, 175
Overview.....	66	Overview.....	157
VAT codes	93	Search for Ratios.....	171
View Up Charge	79	Set Up.....	157
Deposit		View Item Parent	301
Create Item.....	195	View Transfer Units by Parents Diffs	439
Diffs		Direct Store Delivery	
Add.....	157	Create	277
Add Diff Type.....	161	Window [dsdorder]	277
Add Groups.....	159	Discounts	
Add to Transportation Records	176	View Order Transaction-Level Discounts.....	302
Apply Distribution	175	Distributions	
Apply Ratio to Diff Distribution	308	Add Items to an Order.....	307
Copy a Ratios.....	171	Apply Diff.....	175
Copy Like Range Selection	176	Contracts	307, 309, 330, 331
Copy Packs Templates.....	228	Diffs	307
Copy Ranges	163	Distribute Purchase orders	306
Create	168	Distribute Purchase Orders by Location	308
Create Item Children.....	229	Distribute Purchase Orders by Store Grade	310
Create Items	192, 229	Filter Items for Contracts	335
Create Like Pack Templates ...	228	Maintain Items in an Order.....	459
Create Ranges	168	Maintain Location.....	59
Create Ratios.....	169		
Create Templates	172		
Distribute Items.....	307		

- Maintain Order Distribution Filter 307
- Redistribute Stock counts 415
- Districts
 - Associate Traits..... 51, 52
 - Create 9
 - Delete Location Traits..... 50
 - Delete Traits..... 49
 - Maintain 17
 - Maintain Traits..... 62
- Division
 - Create 67
 - Maintain 68
 - Maintenance 76
- Documents
 - Add..... 542
 - Add Harmonized tariff schedules 545
 - Add Items..... 543
 - Add Letters of credit 544
 - Add Partners..... 544
 - Add Suppliers..... 544
 - Add to Countries 544
 - Associate with an Element..... 543
 - Delete 542
 - Delete from Countries..... 584
 - Delete Items 203
 - Delete Partners 154
 - Delete Suppliers 136
 - Edit..... 542
 - Maintain 542
 - Maintain Customs entries 423
 - Maintain Missing 403
 - Maintain Required 543
 - Maintain Transportation..... 429
 - Overview 542
- Due orders
 - Search..... 276
- Duplicate
 - Maintain Diff Combinations ... 229
- Dynamic Hierarchy
 - Edit Dynamic hierarchies..... 570
 - Maintain 11
- E**
- EDI
 - Accept Cost Changes Received 393
 - Accept Item Changes 237
 - Accept New Cost Changes..... 236
 - Accept New Items..... 232
 - Accept New Items Received... 233
 - Maintain Cost by Location..... 234
 - Maintain Supplier Information 147
 - View Item Detail..... 231
- Electronic data interchange
 - Accept Cost Changes 393
 - Overview 230
 - Record Capability 236
 - View Status of EDI Update Failures..... 235
- Elements
 - Associate a Document..... 543
 - Maintain User Customized Main Menu 564
- Errors
 - Distribution Diff Error Summary 175
 - Edit..... 573
 - Maintain Messages..... 573
 - Preview Parameter 572
 - Search Error Messages..... 573
 - View Information..... 500
 - View Reasons for Item Approval Error 187
- Estimated landed costs
 - Add Adjustments 201
 - Define Assessments 376
 - Define Computation value bases 375
 - Define Expenses..... 377
 - Delete Up charges 439
 - Maintain Adjustments..... 384
 - Set up 375
- Exceptions
 - Define..... 18
- Exchange rates
 - Edit..... 597
 - Maintain Map..... 598
- Expenses
 - Add Countries 599
 - Add Suppliers..... 134

Create	282	Forms	
Define.....	377	Maintain	419
Edit.....	285	Forward limits	
Maintain Countries.....	581	Edit for Open to Buy.....	263
Maintain for Import Export.....	185	Maintain OTB Forward Limits	502
Maintain Suppliers	582	Franchise	
Overview.....	375	Create and edit orders	459
Set up	375	Create and edit returns	460
View Order Location Expense		distribute items for order.....	463
Import Export.....	279	Edit Customer Groups.....	462
Exports		Edit Orders	460
Maintain Expenses	185	Maintain Returns.....	460, 461
View Order Location Expense	279	Maintain Warehouse Customer	
F		Groups.....	461
Failures		Maintain Wholesale Customer	
View Reasons for Mass Update		Groups.....	461
Failures.....	232	Search Orders Returns	462
Filters		Search Wholesale Orders and	
Filter Prepacks	273	Returns	461
Maintain Level Group Hierarchy		Substitute Items in an Order ...	213
.....	77	View Wholesale Customer Stores	
Maintain Order Distribution Filter		464
.....	307	Freight	
Finalization		Maintain	571
Finalize Transportation Records		Maintain Size	583
.....	430	Maintain Transportation	
Finishing		Information	429
Create Transfers	441	Maintain Type.....	583
Edit Transfers.....	437	Maintain Types	571
Fiscal halves		Fulfillment	
Edit.....	498, 570	Add Proof of Performance	
Maintain	583	Add Fulfillment Information	357
Fixed deals		G	
Add Promotion.....	367	General Ledger	
Create	363	Create Cross Reference.....	510
Define Fixed Merchandise Items		Edit Cross Reference.....	510
.....	368	Maintain Cross Reference.....	510
Maintain	363, 366	Maintain Cross-References.....	510
Maintain Locations	368	Search.....	511
Maintain Promotions.....	358, 367	Search Cross Reference	511
Forecasts		Geocodes	
Maintain Replenishments Results		Add.....	515, 518
.....	490	Associate Stores	520
Formats		Associate Tax Codes.....	529
Add Store	22	Associate with a Store.....	25
Delete Store Format	24		

- Associate with a Store or Tax
 - Code 518
 - Delete Tax codes 520
 - Edit 517
 - Maintain Hierarchy 529
 - Search 518, 521
- Glossary 623
- Groceries
 - Maintain Item Grocery Attributes 185
- Grouping mechanisms
 - Add Location Traits 47
 - Add Supplier traits 119
 - Copy Item Lists 112
 - Copy Location lists 56
 - Create Item Lists 109
 - Create Location lists 53
 - Define Location traits 176
 - Define Supplier traits 176
 - Delete Item Lists 114
 - Delete Location lists 56
 - Delete Location Traits 48
 - Delete Supplier traits 123
 - Edit Attributes 117
 - Edit Item Lists 209
 - Edit Location lists 55
 - Edit Location Traits 47
 - Edit Supplier traits 146
 - Maintain Item lists 108
 - Overview 52, 108, 176
 - Rebuild Item lists 113
 - Rebuild Location lists 60
 - Search Item Lists 113, 293
 - Search Location lists 61
 - Set Up Location lists 52
 - Transfer zones 432
 - Use Item Lists 113
 - Use Location lists 55
- Groups
 - Add List of Value Restrictions to Users 590
 - Associate Items with POS
 - Configuration 602
 - Create 69
 - Edit User and Security Group Links 593
 - Maintain 68, 69
 - Maintain Security User Link... 590
- H**
 - Half Budgets
 - Maintain 501
 - Halves
 - Edit 570
 - Edit Budget 498
 - Maintain 583
 - Harmonized tariff schedules
 - Add Documents 545
 - Maintain Item Classification... 185
 - Maintain Order Items 298
 - View Details 298
 - Help
 - Using 1
 - Hierarchy
 - Edit Hierarchies 570
 - Filter Level Group 77
- I**
 - Images
 - Add for Item 199
 - Delete 201
 - Maintain 198
 - Imports
 - Maintain Expenses 185
 - Maintain Supplier Attributes... 141
 - View Order Location Expense 279
 - Internationalization
 - Edit Countries 599
 - Edit Currencies 597
 - Edit Languages 599
 - Edit Translations 596
 - Maintain Map Currencies 598
 - Overview 594
 - Translations 598
 - Inventory
 - Add Adjustments Reasons 455
 - Add Management Constraints 467, 475
 - Add Management Information for Supplier 470, 481, 493
 - Add Status types 455
 - Adjustments
 - Units 457
 - Adjustments 456

Adjustments	457	Item List	
Edit Segregation.....	64	Add Items.....	110, 208
Maintain Adjustment by item .	458	Add Items Individually	209
Maintain Adjustment by Location		Add Link	110
.....	457	Add Location lists.....	57
Maintain Adjustment Reason		Add Replenishment Attributes	485
Codes.....	583	Add Seasons and phases	242
Maintain Adjustments.....	406, 413	Add Up Charges to Item	382
Maintain Adjustments Reasons	458	Build Orders From Contracts..	279
Maintain Order Inventory	301	Copy Item Lists.....	112
Maintain Replenishment		Copy Location lists	56
Investment Attributes.....	43	Create	109
Maintain Replenishments.....	490	Create Location lists	53
Maintain Status Types.....	458, 569	Create Shopping.....	202
Maintain Supplier Inventory		Delete	114
Management Constraint	141	Delete Item Lists	114
Maintain Supplier Management		Delete Link.....	114
Information	142	Delete Location lists	56, 58
Management		Edit.....	209
Adjustments	456, 457	Edit Attributes.....	117
Constraints		Edit Item Lists.....	209
Supplier level	478	Edit Link	210
Supplier constraints.....	478	Edit Location lists	55
Redistribute Stock.....	415	Maintain	208, 602
Set Up Adjustments	455	Maintain Grouping mechanisms	
View Item Location	186	108
View Unavailable Stock	204	Overview.....	52, 108
Inventory Management		Rebuild Item Lists.....	113
Edit Constraints.....	290	Rebuild Location lists	60
Edit Information for a PO at Order		Search.....	113, 293
Item or Location Level.....	286	Search Location lists	61
Edit Information for Supplier..	292	Set Up Location lists.....	52
Edit Supplier constraints	290	Use	113
Edit Supplier level.....	290	Use Location lists.....	55
Search.....	509	Items	
Investments		Accept New EDI.....	232
Edit Buy Attributes for Warehouse		Add.....	580
.....	46	Add Contract.....	327
Set Up Buy Parameters	467	Add Defaults	83
Invoice Matching		Add from Distro window	
Maintain Attributes	584	[bolshipment]	401
Maintain Commercial Information		Add Images	199
.....	429	Add Items to an Order.....	307
Maintain Suppliers Variables..	147	Add Location	200
Record Attributes for Partner..	153	Add Origin countries.....	135
Record Attributes for Supplier	149	Add RCOM Details.....	201

- Add Replenishment Attribute . 485
- Add Required Document 543
- Add Seasons and phases 241
- Add Supplier 128
- Add Suppliers..... 135, 248
- Add Units of measure 248
- Add Up Charge 380
- Add Up Charges in Department
..... 382
- Add Up Charges to Item List.. 382
- Add User Defined Attribute.... 100
- Approval process ... 198, 252, 253,
254, 255
- Associate Timelines 539
- Children
 - Maintain 229
- Copy 182
- Copy Merchandise Hierarchy
 - Defaults 84
- Copy Tax Codes..... 528, 530
- Create 178
- Create Diffs..... 173, 192, 229
- Create Item Children Diffs..... 229
- Create Like Items 179
- Create One Level 191
- Create Simple Packs 218
- Create Using Quick Item Entry 183
- Define Fixed Merchandise 368
- Delete Images..... 201
- Delete Pack 223
- Delete Tax codes..... 514
- Distribute Items in Order 459
- Edit Location..... 189
- Edit Locations 202
- Edit New 231
- Edit Origin countries..... 189
- Edit Pack 221
- Edit Reason for Mass Item Cancel
..... 301
- Edit Replenishment Attributes 205
- Edit Suppliers..... 189
- Edit Tax codes..... 526
- Find Item Number..... 185
- Location
 - Maintain Traits..... 186
- Maintain 180, 229
- Maintain Association with Point
of Sale Configurations 608
- Maintain Attributes 115, 184
- Maintain Break Orderable Packs
..... 226
- Maintain Cost Details 465
- Maintain Default List..... 249
- Maintain Defaults Class level... 77
- Maintain Defaults Department
level..... 77
- Maintain Defaults Subclass level
..... 77
- Maintain Eligible Tariff Treatment
..... 185
- Maintain Expenses 185
- Maintain Grocery Attributes... 185
- Maintain Import Attributes 185
- Maintain Inventory Adjustments
..... 458
- Maintain Item and Location on PO
..... 302
- Maintain Item Indicator Attributes
..... 116
- Maintain Item Location Attributes
..... 115
- Maintain Item Packing..... 226
- Maintain Item Retail Price by
Zone 185
- Maintain Item Supplier Country
Bracket 416
- Maintain Item Tax Codes..... 529
- Maintain Items on Purchase
Orders..... 302
- Maintain List Criteria..... 212
- Maintain Location Distribution. 59
- Maintain Locations 186
- Maintain Mass Changes for Item
Season 244
- Maintain Mass Changes for UDA
..... 250
- Maintain Matrix 238
- Maintain Order Distribution Filter
..... 307
- Maintain Order Inventory 301
- Maintain Order Item HTS..... 298
- Maintain Origin countries 197

Maintain Pack Item Detail	225	View Items Not Included in Tax	
Maintain Product Transformation		Product Group	198
.....	431	View Location Inventory	186
Maintain Proof of Performance		View Order Item Information .	501
Term Fulfillment for Deals ..	362	View Orders	185
Maintain Supplier.....	416	View PO Summary by Items ..	302
Maintain Supplier and Unit of		View Purchase Order Item Level	
Measure.....	417	Deals	274
Maintain Supplier Country		View RCOM Attributes	187
Location	416	View Reasons for Approval Error	
Maintain Suppliers ..	188, 197, 207	187
Maintain Ticket Details.....	245	View Supplier and Origin Country	
Maintain Transformation	431	List	417
Maintain Transformation Yield		View Transformation Matrix ..	431
.....	432	L	
Maintain UDA List	248	Labels	
Maintain UDA Matrix.....	249	Edit Ticket Types	246
Maintain Units of measure.....	207	Items.....	548
Maintain Up Charges	81, 187	Overview.....	545
Maintain Upcharge Details	187	Requests	245, 547
Maintain VAT Rate.....	208	Landed costs	
Overview Add Items to Purchase		Set up	375
Order	305	Languages	
Overview Pack Item.....	216	Edit.....	596, 599
Quick Entry.....	182	Edit Translations	598
Reason for Mass Item Cancel .	299	Maintain	596
Rebuild Item List	211	Maintain Translation.....	598
Receiving	406	Maintain Translations	598
Reclassify	259	Letters of credit	
Redistribution.....	310	Add Documents	544
Search.....	184, 190, 223	Maintain	301
Search for Summary	295	Licenses	
Search List	211	Maintain Customs entries	422
Search Packs	224	Maintain Transportation.....	422
Supplier Origin Country		Like Item	
Maintain	417	Copy Details.....	232
Traits	176, 177	Like Range	
View Associated List for Point of		Copy Diff Selection	176
Sale Configuration	602	Like Stores	
View Department Up Charge....	79	Create Store.....	22
View Detail via EDI.....	231	Links	
View Item and Location		Edit User and Security Group	
Combinations	225	Links	593
View Item Number List	187	Location	
View Item Parent by Diffs	301	Add an Address.....	133

- Add Locations to Mass Return
 - Transfer 451
- Add Security by Group 591
- Add Traits 47
- Associate Traits..... 51
- Change Traits 48
- Create Outside Locations 379
- Define Traits 47
- Delete Traits..... 49
- Edit Inventory Management
 - Information for a PO at Order
 - Item or Location Level..... 286
- Edit Items 202
- Identify Locations for Mass
 - Return Transfers..... 449
- Maintain 11, 501
- Maintain Activity Schedules... 408
- Maintain an Address 16
- Maintain Attributes 63
- Maintain Closing Date 59
- Maintain Cost Change..... 145
- Maintain Distribution..... 59
- Maintain Fixed Merchandise .. 368
- Maintain Item and Location on PO
 - 302
- Maintain Item Location Attributes
 - 115
- Maintain Item Locations 186
- Maintain List Criteria..... 58
- Maintain Location Exceptions
 - Window..... 50
- Maintain Location List Detail... 58
- Maintain Location Traits..... 50
- Maintain Location Traits for Mass
 - Change 59
- Maintain Locations Window... 584
- Maintain Outside Locations.... 586
- Maintain Proof of Performance
 - Term Fulfillment..... 362
- Maintain Security Matrix 593
- Maintain SQL Statement Location
 - List 62
- Maintain Walk Through Store .. 38
- Maintain within Transfer Zones
 - 441
- Maintain Zoning..... 47
- Overview Attributes..... 63
- Set Up Outside 378
- Traits
 - Delete 48, 50
 - Edit..... 47
 - View Import Export Expense.. 279
 - View Item Inventory 186
 - View PO Summary by Items .. 302
 - View PO Summary by Locations
 - 303
 - View Zones 208
- Location List
 - Add Link 110
 - Add Location lists 57
 - Copy Location lists 56
 - Create 53
 - Delete 56
 - Delete Link..... 114
 - Edit Link 210
 - Edit Location lists 55
 - LDelete Location lists 58
 - Maintain 53
 - Overview..... 52
 - Rebuild..... 59, 60
 - Search..... 58, 61
 - Use 55
- M**
- Main menu
 - Add a System Element..... 562
 - Add System Folder 562
 - Add User Element..... 564
 - Add User Folder..... 565
 - Edit System 563
 - Maintain Folders and New Items
 - 562
 - Maintain User Role Security... 566
 - Search for Folder or Element.. 565
 - Secure an Element..... 566
- Mass Return Transfer
 - Approve..... 454
 - Close 454
 - Create for Reallocation 446
- Mass Updates
 - View Reasons for Failures 232
- Merchandise Criteria

Maintain Items with POS		Search for Columns in a Multi-	
Configurations.....	605	view.....	584
Merchandise Hierarchy		Multiview	
Add Defaults	83	Edit Multi-views	572
Associate Tax Codes.....	521	Maintain Multiview Column on	
Copy	77	Form.....	585
Copy Defaults	84	Search for Column Multi-views	
Create	66	585
Create Classes	70	N	
Create Department	73	Navigate RMS	
Create Divisions.....	67	Navigate	3
Create Group.....	69	Navigation	
Create Subclass	71	Edit Toolbar	565
Edit Pending.....	259	Navigate Tree Administration	
Maintain	77	Folders.....	564
Maintain Classes	71	Navigator Toolbar	
Maintain Defaults.....	77	View User Options.....	565
Maintain Department	75	View User Options.....	565
Maintain Details.....	77	New Items	
Maintain Divisions.....	68	Edit.....	231
Maintain Groups	69	Maintain Folders on Start Menu	
Maintain Pending Items	82	Tree	562
Maintain Subclass	72	Non-Merchandise	
Overview.....	66	Add Cost Component.....	395
Search for Pending Change.....	259	Create Expenses	274
Search for Pending Merchandise		Edit Code	584
.....	82	Non-Merchandise Codes	
Set Up Defaults	83	Delete	104
Merchandisers		O	
Create	85	Obligations	
Maintain	82	Edit.....	498
Set Up.....	85	Maintain	501
Money orders		Search.....	501
Copy Configuration	615	Open to Buy	
Create Configurations	602	Edit Budgets.....	264
Edit.....	614	Edit Forward Limits.....	263
Maintain	602	Maintain Amounts	261
Search.....	586	Maintain Budget.....	502
Multi-channel		Overview.....	261
Add.....	11	Orders	
Add to Warehouse.....	43	Distribute items for wholesale	
Maintain	45, 579	franchise.....	463
Multiple Set of Books		Generate Order revision.....	265
Transfer Entity	511	Search Wholesale Franchise ...	462
Multisearch		Search Wholesale Franchise	
		Returns	461

- View Item List 185
- Organizational hierarchy
- Copy Stores 21
 - Create Areas 6
 - Create Chains 5
 - Create Districts 9
 - Create Regions 7
 - Create Stores 18
 - Create Warehouses 39
 - Edit 570
 - Edit a Company 13
 - Maintain 5
 - Maintain Areas 12
 - Maintain Chains 13
 - Maintain District 17
 - Maintain Districts 17
 - Maintain Regions 12, 401
 - Maintain Stores 20
 - Maintain Warehouses 41
 - Overview 5
- Organizational Unit
- Add 11
 - Edit 572
 - Edit Partner Information 297
 - Maintain 115
- Origin countries
- Add Suppliers 135
 - Edit 189
 - Maintain 197
- OTB
- Maintain Forward Limits 502
- Outside
- Create 379
 - Maintain Location 580
 - Set Up Locations 378
- Overviews
- Activity Schedules 408
 - Add Items to Purchase Order .. 305
 - Bill of Lading 531
 - Budgets 497
 - Buyers 261
 - Calendar 399
 - Channels 10
 - Competitive Pricing 374
 - Contact Approval Process 338
 - Contracts 315
 - Cost Change 371, 385
 - Cost Change Approval Process 395
 - Create Items 178
 - Create Transfers with Finishing
..... 441
 - Deals 341
 - Deals Approval Process 368
 - Departments 66
 - Diffs 157
 - Distribute a Purchase Order 306
 - Document Association with
Element 543
 - Documents 542
 - Electronic Data Interchange 230
 - Expenses 375
 - General Ledger Cross Reference
..... 510
 - Geocodes 518
 - Grouping mechanisms 52, 108
 - Internationalize 594
 - Inventory 456
 - Inventory Adjustments 455
 - Investment Buy Parameters 467
 - Item Approval Process 252
 - Item Attributes 115
 - Item Lists 108
 - Location Attributes 63
 - Location Traits 47, 176
 - Locations 11
 - Mass Return Transfer 445
 - Mass Return Transfer Approval
Process 453
 - Merchandise Hierarchy Tax Codes
..... 521
 - Merchandise Hierarchy 66
 - Merchandise Hierarchy Defaults
..... 83
 - Merchandisers Set Up 85
 - Open to Buy 261
 - Order Quantities Review
Recommendations 491
 - Organizational hierarchy 5
 - Outside Locations Set Up 378
 - Pack Item 216
 - Partners 151
 - Point of sale 600

Point of Sale Configurations...	608	Create Simple packs.....	218
Purchase Order.....	273	Create Templates	172
Purchase Order Approval Process		Delete	223
.....	313	Edit.....	221
Purchase Order Auto Generate	265	Edit on Purchase Orders.....	272
Reclassifications	256	Filter on Purchase Orders.....	273
Replenishment.....	483	Maintain Break Orderable Packs	
Return to Vendor.....	449	226
Salex Taxes	512, 515	Maintain Item Packing.....	226
Set Up Replenishment Parameters		Maintain Pack Item Detail	225
.....	472	Maintain Templates	222, 227
Set Up Up Chages	380	Overview.....	216
Shipping Schedules.....	399	Search.....	223
Split Truckload.....	493	Search Component Items	224
Stock Counts	502	Search Items.....	224
Stock Ledger	507	Setup Simple	217
Supplier Attributes	148	Transfer.....	442
Supplier Traits.....	119, 176	View Component Items	273
Suppliers	124	View Order Child Items.....	274
System Parameters	551	View Sellable Packs to Build..	226
System Security	587	Parameters	
Tickets and Labels	545	Maintain Systems.....	567
Timeline	531	Preview	572
Timeline Step.....	531	Preview Error Message.....	572
Timelines Associate with Activity		Set Up Replenishments.....	472
.....	539	Parents	
Transfer Approval Process.....	444	Create a New Parent Template	299
Transfer Set Up.....	432	View Transfer Units by Parents	
User Defined Attributes	96	Diffs	439
Value Added Tax	89	Partner Org Unit window [supporg]	
		583
P		Partners	
Packing		Add Addresses	130, 153
Maintain	225	Add Documents	544
Maintain Transportation Container		Create	151
Information	428	Delete Documents.....	154
View Instructions for Transfer	438	Edit Organization Unit	
Packs		Information	297
Add Templates to Purchase Order		Maintain	151, 586
.....	228	Maintain Addresses.....	15
Break into Component Items ..	227	Record Invoice Matching	
Copy Templates	228	Attributes.....	153
Create a Complex.....	219	Search.....	155, 586
Create a New Parent Template	299	Pay In and Out	
Create Like Packs Templates..	228	Copy Configuration	615
Create Purchase Orders.....	270	Create	603
Create Simple.....	217		

- Edit Pay in/pay out..... 615
- Maintain Configurations 603
- Search..... 616
- Payments
 - Add Payment Types for Supplier 132
 - Edit Payment types 139
 - Maintain POS Payment Types 606
- Phases
 - Add Seasons and phases . 241, 242
 - Create Seasons and phases..... 240
 - Edit Seasons and phases.. 243, 244
 - Maintain 239
- Point of Sale
 - Associate Items in Multiple Groups with POS Configuration 602
 - Associate Point of sales 608
 - Associate Stores 606
 - Create 600
 - Exclude Items..... 609
 - Maintain Button Positions..... 604
 - Maintain Button Properties 604
 - Maintain Coupon Configurations 600
 - Maintain Items in Multiple Classes..... 601
 - Maintain Items with POS Configurations..... 605
 - Maintain List of Departments . 601
 - Maintain Pay In and Out Configurations..... 603
 - Maintain Payment Type Configuration 606
 - Maintain POS Tender Type Configurations..... 607
 - Maintain Product Restriction Configurations..... 605
 - Maintain Resend Types of POS Configuration to Stores 606
 - Maintain Time and Day and Date 605
 - Maintain Touch Button Configuration 604
 - Resend..... 610
 - View Associated List of Items 602
- Ports
 - Maintain Outside Locations 586
- Prepacks
 - Create Pack for Purchase Orders 270
 - Filter 273
- Prices
 - Edit Retail 297
 - Maintain Cost Zone Mass Changes..... 59
 - Maintain Item Retail Price by Zone 185
 - Recalculation Options 275
 - Record Competitor 558
- Printers
 - Edit System Printers..... 571
 - Maintain 571
- Product
 - Copy Restriction 619
 - Copy Tax Codes to Product groups..... 527
 - Create Restriction..... 607
 - Delete Product restrictions 620
 - Delete Restrictions 621
 - Edit Product groups..... 526
 - Edit Restriction Configuration 618
 - Maintain Transformation 431
 - Restriction
 - Product restrictions 619, 620
 - Search Product restrictions 585
- Promotions
 - Add to Fixed Deals 367
 - Maintain for Fixed Deals 367
 - View Fixed Deal Promotions.. 358
- Proof of Performance
 - Add Definitions..... 355
 - Add Fulfillment..... 357
 - Define Terms for Deals..... 361
 - Maintain 361
 - Maintain Term Fulfillment 362
- Proofs of performance..... 293
- Protests
 - Maintain 423
- Purchase orders
 - Accept Revisions Versions 266

Add Child or Diff to Transportation Records.....	176	Edit Reason for Mass Item Cancel	301
Add Items.....	305	Edit Shipping	295
Add Items to an Order.....	307	Edit Status Raised Against Contracts	333
Add Pack Templates	228	Edit Transportation Record.....	424
Add User Roles	589	Edit User roles.....	589
Approval process	313	Edit Wholesale Franchise	460
Associate with Timelines.....	540	Filter Items	303
Auto Generate	265	Filter Packs.....	273
Build Orders from Contracts...	279	Generate Pre-issued order numbers.....	265, 266
Cancel	314	Generate Reports.....	265, 266
Copy	277	Generate Revisions Summary.	265
Create	273, 274	Maintain	274
Create a New Parent Template	299	Maintain Associated Timelines	533
Create Assessments and expenses	282	Maintain Attributes	299
Create Customers	283	Maintain Buyer Information ...	299
Create Deals	357	Maintain Customer Information	274
Create from Contracts	282	Maintain Diff Matrix.....	302
Create Inventory.....	495	Maintain Inventory.....	301
Create Order Numbers	303	Maintain Item and Location....	302
Create Packs.....	270	Maintain Items	302
Create Prepacks.....	270	Maintain Letter of Credit	301
Create Shipment.....	403	Maintain Order Distribution Filter	307
Create Transportation Record.	280	Maintain Order Numbers	303
Delete	314	Maintain Recommended Order Quantities	491
Delete Pre-issued order numbers	284	Maintain Ship Dates.....	299
Delete User roles.....	589	Maintain Shipping Information	301
Distribute.....	306	Maintain Supplier Address	300
Distribute Items by Store Grade	29	Maintain Transportation Shipments.....	428
Distribution by Location	308	Maintian List Window	587
Distributions.....	306	Overview.....	273
Distributions by Store Grade ..	310	Print.....	276
Edit.....	275	Reason for Mass Item Cancel.	299
Edit Addresses	296	Recalculate	276
Edit Assessments and expenses	285	Recalculation Options.....	275
Edit Buyers.....	296	Record Attributes	279
Edit Customers.....	285	Redistribution.....	310
Edit Dates for Shipping.....	299	Reinstate a Cancellation.....	314
Edit Inventory Management Information for a PO at Order Item or Location Level.....	286	Reject Reason.....	305
Edit Items	306	Revise.....	302
Edit Packs.....	272		

- Search..... 223, 276
 Shipment 403
 Submit..... 313
 View Component Items for Packs
 273
 View Contract Lists 329
 View Deals..... 347
 View Details Order Child Items
 274
 View Import and Export Expenses
 279
 View Item Level Deals 274
 View Item Parent by Diffs 301
 View Location Expense 279
 View Outstanding Shipments . 301
 View PO Summary by Items .. 302
 View Replenishment Unit Costs
 490
 View Summary by Locations.. 303
 View Transaction-Level Discounts
 302
- Q**
- Quantities
 Maintain Recommended Order
 Quantities 491
- Quick Item Entry
 Create Item..... 183
- R**
- Rates
 Maintain VAT..... 579
 Maintain VAT Rate..... 208
- Ratios
 Apply Diff to Diff Distribution308
 Copy a Diff 171
 Create Diffs..... 169
 Maintain Diff 170
 Search for Diffs..... 171
- RCOM
 Add Details to an Item 201
 View Item Attributes..... 187
- Reallocation
 Create Mass Return Transfer .. 446
- Reasons
 Add Cost change reasons 371
 Add Inventory adjustments reason
 455
 Edit Cost change reasons 391
 Maintain Inventory adjustments
 reason 458
- Rebuild
 Maintain Item List..... 211
- Recalculate
 Recalculate Purchase Orders... 276
- Receipts
 Maintain Details..... 407
- Receivers
 Maintain Cost Adjustments..... 407
 Maintain Unit Adjustment 408
- Receiving
 Items..... 406
 Maintain Cartons..... 407
 Maintain Shipping Schedules . 399
- Reclassifications
 Create Event for Item..... 257
 Create Event for Item List..... 258
 Delete 260
 Maintain Details..... 401
 Maintain Events 401
 Overview..... 256
 Reclassify Item..... 259
- Records
 Update Record Status..... 184
- Regions
 Add Relationship 594
 Associate Traits..... 51, 52
 Create 7
 Delete Location Traits..... 50
 Delete Traits..... 49
 Edit Relationship..... 569
 Maintain 12, 401
 Maintain Associated Traits 51
 Maintain Relationships 402
- Reinstatements
 Cancelled Contract..... 339
 Reinstate Cancelled Purchase
 Order 314
- Rejects
 Rejection Reason 369
 View Reason 305
- Replenishment
 Add Attributes..... 485
 Add Buyer worksheets..... 492

Add Delivery schedules	474	Overview.....	445
Add Seasons and phases	488	Returns	
Add Substitute items	488	Add Items to Mass Return	
Create Buyer worksheets	491	Transfer	448
Delete Buyer worksheets	284	Add Locations to Mass Return	
Edit Attributes for an Item or Item		Transfer	451
List	205	Approval Process Mass Return	
Edit Delivery schedules	137	Transfers	453
Edit Inventory	290	Approve Mass Transfer.....	454
Edit Substitute items	215	Close Mass Transfers.....	454
Filter Buyer worksheets	492	Create a Mass Return Transfer	
Inventory	478	with a Return to Vendor.....	440
Maintain Attributes	487	Create Mass Return Transfer for	
Maintain Date Results.....	490	Reallocation	446
Maintain Inventory Results.....	490	Create Mass Return Transfers.	445
Maintain Master Attributes	484	Edit Mass Transfer	446
Maintain Results Detail.....	490	Filter Mass Transfer	448
Maintain Results List	490	Identify Locations for Mass	
Overview.....	483	Return Transfers.....	449
Review Buyer worksheets.....	291	Maintain for Wholesale Franchise	
Review Items	489	461
Search Attributes.....	484	Maintain Mass Return Transfer	
Search for Scheduled Attribute.....	487	Search.....	449
Search Scheduled Updates	488	Maintain Mass Return Transfers	
Set Up Parameters.....	472	445
Split Buyer worksheets	300	Maintain Suppliers	148
View Forecasted Quantities	490	Maintain Wholesale and Franchise	
View Unit Costs.....	490	460
Reports		Reject Mass Transfers.....	454
Create	400	Search Mass Transfer.....	448
Descriptions	567	Search Wholesale Franchise ...	462
Generate	567	Search Wholesale Franchise	
Generate Order Revision.....	265	Orders.....	461
Generate Pre-Issued Order		Submit Mass Transfers	454
Numbers.....	265, 266	Returns to vendors	
Print.....	567	Approval process	450, 452
Restrictions		Cancel	452
Copy Product	619	Create	449
Edit LOV Restrictions to User		Edit.....	451
Group	590	Overview.....	449
Maintain POS Product Restriction		Record Return Requirements ..	131
Configurations.....	605	Search.....	452
Search Product restrictions	585	Unapprove Order	453
Retail Price		Revision	
Edit.....	297	Generate Order Revision.....	265
Return Transfers		Roles	

- Add..... 589
- Delete 589
- Edit User Roles 589
- Maintain Main Menu User
 - Security 566
- Maintain User Privileges..... 589
- RTV
 - Maintain Orders 451
 - Maintain Shipment Information
 - 453
 - Search..... 452
- S**
- Sales taxes
 - Add Geocodes..... 515, 518
 - Create 515, 528
 - Create Tax codes..... 512, 522
 - Delete 515
 - Delete Geocode..... 520
 - Edit Geocodes 517
 - Edit Tax codes..... 524
 - Overview..... 512, 515
 - Search Geocodes..... 518, 521
 - Search Tax codes 514, 528
- Scheduled Items
 - Maintain Links 401
- Schedules
 - Add Delivery Schedule at Store or
 - Warehouse Level 473
 - Add Delivery schedules 474
 - Associate Activities with
 - Timelines..... 539
 - Delete Stock count schedules.. 504
 - Edit Activity schedules .. 408, 409, 410, 411
 - Edit Delivery at Store or
 - Warehouse Level 34
 - Edit Delivery schedules 137
 - Edit Shipping schedules.. 404, 405
 - Maintain Activities..... 408
 - Maintain Deliveries..... 142
 - Maintain Stock Counts..... 503
 - Maintain Store Shipment 405
 - Maintain Store Shipping Schedule
 - 405
 - Stock count schedules 414
- Seasons
 - Add Seasons and phases . 241, 242
 - Create Seasons and phases..... 240
 - Edit Seasons and phases.. 243, 244
 - Maintain 239
 - Maintain Mass Change for Items
 - 244
 - Maintain Matrix 238
- Security
 - Add Group 591
 - Add Location by Group 591
 - Add Regionality Relationship. 594
 - Add User Group Links..... 592
 - Edit Locations 591
 - Edit Regionality Relationship. 569
 - Edit Security Group 592
 - Edit User and Security Group
 - Links 593
 - Maintain Group..... 593
 - Maintain Locations Matrix 593
 - Maintain User Group Link..... 590
- Select Products
 - Maintain 507
- Services
 - Maintain Service Confirmation by
 - Store 502
- Set of Books
 - Associate a with a Transfer Entity
 - 511
 - Transfer Entity 511
- Shipments
 - Create Purchase Order 403
 - Maintain Adjustments..... 406
 - Maintain Bill of Lading
 - Worksheet 400
 - Maintain Customs entries 420
 - Maintain PO-Level Transportation
 - Information 428
 - Maintain RTV Order Information
 - 453
 - Maintain Schedule Dates 405
 - Maintain Store Schedule 405
 - Maintain Unit Adjustment 408
 - Search..... 406
 - View Detail 502
 - View Details..... 403
 - View Outstanding 301

Shipping	Overview.....	502
Edit Dates.....	Request.....	505
Edit for Purchase Orders.....	Requests	505
Edit Shipping schedules..	Results.....	414
Maintain Dates	Review Virtual Warehouse	
Maintain Information	Distribution	507
Maintain Item Packing.....	Schedules	414
Maintain Store Ship Schedule.	Search.....	504
Shipping Schedules	View Dollar Results.....	507
Overview.....	Stock ledgers	
Shoppers	Edit.....	507
Create Competitive	Maintain	507
Delete Competitive	Maintain Adjustments.....	412
Edit Competitive Pricing.....	Overview.....	507
Shopping lists	Search.....	509
Create	View Search Results	508
Simple Packs	Stock Orders	
Setup	Create Wholesale Transfer.....	463
Size	Maintain Receipt Exceptions	
Maintain Freight.....	Reconciliation	415
Split Orders	Reconcile Exceptions.....	415
Maintain	Stores	
Maintain Spilt Supplier Window	Add Departments	25, 26
.....	Add Formats.....	22
.....	Add Store Grade	29
.....	Assignments.....	41
SQL Statement	Associate Geocode Tax Codes	529
Maintain Location List.....	Associate Geocodes	520
Standard carrier alpha codes	Associate Stores with POS	
Maintain	Configurations.....	606
Start Menu	Associate Traits.....	51, 52
Maintain Structure and Security	Copy	21
.....	Create	18
.....	Create Competitive Pricing	36, 556
Status	Delete Competitive Pricing	37, 557
Maintain Inventory Status Types	Delete Departments.....	27
.....	Delete Formats	24
Update Records.....	Delete from Department	86
.....	Delete Location Traits.....	50
Stock counts	Delete Store grade.....	31, 32, 33
Create Trial Variance Report ..	Delete Traits.....	49
Delete Requests.....	Distribute Items by Grade.....	29
Delete Schedules.....	Edit Activity schedules	408
Edit Requests	Edit Attributes.....	65
Enter Results	Edit Competitive Pricing.....	556
Maintain Adjustments.....	Edit Delivery Schedule	34
Maintain Dollar Changes		
Maintain Results		
Maintain Schedules.....		
Maintain Select Products		

- Edit Formats 23
- Edit Shipping schedule 404
- Maintain 18, 20
- Maintain Attributes 63
- Maintain Formats 581
- Maintain Grade Details 28
- Maintain Grade Groups 29
- Maintain Grades 28
- Maintain Shipment Schedule .. 405
- Maintain Shipping Schedule ... 405
- Maintain Square Footage 38
- Maintain Store Attributes for Mass
Change 62
- Maintain Stores Associated with
Trait 51
- Maintain Traits 51
- Maintain Types of POS
Configurations to Stores 606
- Maintain Walk Through 38
- Maintain Warehouse Assignments
..... 45
- Record Attributes 63
- Search Assignments 37
- View Conflicting Assignments . 25
- View Franchise Wholesale
Customers 464
- View Warehouse Assignment... 46
- View Weekly Sales History and
Issues 401
- Subclasses
Add Defaults 83
- Add User defined attributes 97, 99
- Associate 602
- Create 71
- Delete User defined attributes 102,
105
- Maintain 71, 72
- Maintain Defaults 77
- Submittals
Approve a Contract 338
- Approve an Item 252
- Approve Deals 368
- Approve Process 253
- Purchase Orders 313
- Substitutes
Add Item 488
- Edit 215
- Maintain Items 216
- Maintain Items from Wholesale
and Franchise Customers ... 213
- Substitute Items in an Order ... 213
- View Item and Location
Combinations 225
- Suppliers
Add Addresses 130, 153
- Add Delivery schedules 474
- Add Documents 544
- Add Expense profiles 134
- Add Inventory Management
Information 470, 481, 493
- Add Items 128, 135
- Add Payment Types 132
- Add Units of measure 248
- Associate Traits 120, 121
- Associate with Trait 146
- Contracts 581
- Create 125
- Define Traits 119
- Delete Documents 136
- Delete Traits 122, 123
- Edit 127
- Edit Addresses 296, 451
- Edit Delivery schedules 137
- Edit Inventory 290
- Edit Inventory Management
Information 292
- Edit Items 189
- Edit Payment types 139
- Inventory 478
- Maintain 125
- Maintain Address 300
- Maintain Addresses 15
- Maintain Attributes 127, 148
- Maintain Availability 141
- Maintain Bracket Costing 142
- Maintain Cost Change 145
- Maintain EDI Information 147
- Maintain Expenses 582
- Maintain Import Attributes 141
- Maintain Inventory Management
Constraint 141

Maintain Inventory Management	
Information	142
Maintain Invoice Matching	
Variables	147
Maintain Item.....	416
Maintain Item Supplier Country	
Bracket	416
Maintain Item Supplier Country	
Location	416
Maintain Items	188, 197
Maintain Items and Unit of	
Measure.....	417
Maintain Mapping to Vendors	115
Maintain POS Payment Types	606
Maintain Returns.....	148
Maintain Traits.....	146
Maintain Units of measure.....	207
Overview.....	124
Record Attributes	148
Record EDI Capability.....	236
Record Import Attributes	149
Record Invoice Matching	
Attributes.....	149
Record Return Requirements..	131
Search.....	127, 128
Set Up Investment Buy	
Parameters.....	467
View Item and Origin Country	
List	417
System	
Add Element to Main menu	562
Add Folder to Main menu.....	562
Add User Folder to Main Menu	
.....	565
Add User to Main Menu	564
Edit System administration Multi-	
Views	572
Maintain System Parameters...	551
Maintain System Security	587
Navigate Tree Administration	
Folders Main menu	564
Search for Folder or Element on	
Main menu	565
Secure Element to Main menu	566
System administration	
Codes.....	568
Edit Error Messages	573
Main menu	563, 565
System administration.....	568
System administration printers	571
System administration	
Edit Audit trails.....	573
Edit Batch programs	553
Edit Dynamic hierarchies.....	570
Maintain System Parameters...	567
System Parameters	
Overview.....	551
System Security	
Overview.....	587
T	
Tariffs	
Delete Tariff treatments	204
Maintain Country Tariff	
Treatments.....	580
Maintain Item Eligible Tariff	
Treatment	185
Taxes	
Associate Items Departments	
Geocodes.....	521
Codes	
Associate Geocodes	529
Associate Merchandise	
Hierarchy.....	521
Copy Sales taxes	528
Copy Sales Taxes to Department	
.....	527
Copy Tax Codes.....	530
Copy to Product groups	527
Create Jurisdictions.....	515, 528
Create Sales taxes .. 512, 515, 522,	
528	
Delete Jurisdictions.....	515
Delete Sales taxes	515
Edit Sales taxes	524, 525, 526
Maintain Audit.....	529
Maintain Codes	522
Maintain Item Tax Codes.....	529
Maintain Value added taxes.....	89
Overivew.....	512, 515
Overview.....	89
Search Sales taxes	514, 528
Set Up Sales taxes.....	512, 515

- Value added taxes 90, 93, 95
- View Audit..... 521
- View Items Not Included 198
- View Product Group 198
- View Rates 522
- Templates
 - Add Pack to Purchase Order ... 228
 - Add Work Order 433
 - Copy Pack Templates 228
 - Create an Item Parent Pack
 - Template 299
 - Create Like Pack Templates ... 228
 - Create Pack templates 172
 - Edit a Work Order..... 269
 - Maintain Pack templates 222
 - Maintain Packs..... 227
 - Maintain Work Orders 269
 - Search Cost Buildup 559
 - Search for Cost Buildup Template
 - 560
- Tender
 - Copy Configurations..... 618
 - Create Tender types 608
 - Edit Tender types 616
 - Maintain Point of Sale Tender
 - Type Configurations 607
 - Search..... 617
- Terms
 - Define Proof of Performance for
 - Deals 361
- Three-Level Item Group
 - Create 229
- Three-Level Items
 - Create 193
- Thresholds
 - Maintain 354
- Tickets
 - Add..... 546
 - Edit Ticket Types 246
 - Items..... 548
 - Maintain Details..... 245
 - Maintain Print Information 546
 - Maintain Request Manual Tickets
 - 546
 - Maintain Types 547
 - Overview 545
- Requests 245, 547
- Timelines
 - Associate Customs entries 540
 - Associate Items 539
 - Associate Transportation 541
 - Associate with Activities 539
 - Associate with Purchase Order 540
 - Copy 537
 - Copy Like Timeline Step 538
 - Define..... 532
 - Define Bill of Lading 531
 - Define Step..... 531
 - Define steps..... 531
 - Maintain 532
 - Maintain Customs entries 534
 - Maintain Dates Activities 531
 - Maintain Items 536
 - Maintain Steps 537
 - Maintain Timeline steps..... 537
 - Maintain Timelines Associated
 - with Purchase Orders 533
 - Maintain Transportation..... 535
 - Overview 531
- Toolbars 565
- Totals
 - Maintain Transportation
 - Information 429
- Touch buttons..... 577
 - Add..... 575
 - Copy Configurations 577
 - Create 574
 - Delete 576, 578
 - Edit the Items 621
 - Edit the Stores 577
 - Maintain 622
 - Search..... 576
- Traits
 - Add..... 119
 - Add a Location..... 47
 - Associate Location Traits ... 51, 52
 - Associate Supplier traits . 120, 121
 - Associate with Supplier 146
 - Change Location traits 48
 - Define Locations..... 47
 - Define Suppliers..... 119
 - Delete a Location 48

Delete Location Traits.....	49, 50	Create	434
Delete Supplier traits.....	122, 123	Create a Mass Return Transfer	
Edit a Location	47	with a Return to Vendor.....	440
Edit Supplier Trait.....	146	Create Mass Return.....	445
Item traits	176, 177	Create Mass Return Transfer for	
Maintain Associated Regions ...	51	Reallocation	446
Maintain Districts.....	17	Create Transfer Entity.....	432
Maintain Location.....	186	Create Wholesale Stock Order	463
Maintain Location Traits for Mass		Create with Finishing.....	441
Change	59	Delete	444
Maintain Locations	50	Delete Entity	438
Maintain Stores Associated with		Delete Up charges	439
Trait.....	51	Delete User roles.....	589
Maintain Suppliers	146	Edit.....	436
Maintain Traits Associated with		Edit Customers.....	437
Areas Window	51	Edit Mass Return.....	446
Maintain Traits Associated with		Edit User roles.....	589
Districts	62	Edit with Finishing.....	437
Maintain Traits Associated with		Edit Work Order Activity	436
Stores.....	51	Filter Mass Returns	448
Overview.....	176	Identify Locations for Mass	
Transactions		Return Transfers.....	449
Search Data Details.....	500	Maintain	435
Transaction-Level		Maintain Entity	433
View Order Transaction-Level		Maintain List of Items.....	435
Discounts.....	302	Maintain Locations within Zone	
View Data Detail.....	500	441
Transfer Entity		Maintain Mass Return Transfer	
Associate with a Set of Books	511	Search.....	449
Edit.....	436	Maintain Mass Return Transfers	
Multiple Set of Books	511	445
Transfers		Maintain Search Criteria	437
Add Items to Mass Return		Maintain Work Order Activity	
Transfer	448	Setup	585
Add Locations to Mass Return		Maintain Work Orders	440
Transfer	451	Maintain Zones	441
Add to a Work Orders.....	441	Overview.....	445
Add User Roles	589	Print.....	439
Add Work Order Activity	433	Reject Mass Return	454
Approval process	444	Search.....	437
Approval Process Mass Return		Search Mass Returns.....	448
Transfers	453	Set Up.....	432
Approve Mass Returns.....	454	Submit	444
Close	445	Submit Mass Return.....	454
Close Mass Returns.....	454	Transfer Pack an Item	442
Copy	438	View Department Up Charge....	79

- View Locations Associated with
 - Transfer Entity 439
- View Packing Instructions 438
- View Unit Totals..... 438
- View Units by Parents Diffs ... 439
- View Up Charge Groups..... 439
- Zones..... 432
- Transformation
 - Create Transformable Item 193
 - Define Yield Details for Sellable
 - Item 203
 - Maintain 431
 - Maintain Items 431
 - Maintain Product..... 431
 - Maintain Yield 432
 - Transform an Item..... 443
 - Transformed items 457
 - View Item Matrix..... 431
- Transit Times
 - Add..... 88
 - Maintain 87, 538
- Translations
 - Copy Like Translations..... 580
 - Edit..... 596
 - Edit in a Target Language..... 598
 - Maintain 598
 - Maintain Languages..... 598
- Transportation
 - Add Child or Diff for Purchase
 - Orders..... 176
 - Associate Timelines 541
 - Create 280
 - Edit..... 424, 425
 - Edit for Purchase Order 424
 - Edit Record 424
 - Finalize Transportation Records
 - 430
 - Maintain Child and diff items . 426
 - Maintain Child for Diff Items for
 - Record..... 427
 - Maintain Child Parent Items ... 424
 - Maintain Claims..... 428
 - Maintain Claims Against a Partner
 - 428
 - Maintain Component Items..... 424
 - Maintain Dates 429
- Maintain Deliveries..... 425
- Maintain Delivery Information..... 429
- Maintain Documents 429
- Maintain Final Customs Entries
 - 430
- Maintain Freight..... 429
- Maintain Licenses and Visas .. 422
- Maintain Packing details..... 225
- Maintain Packing Information 428
- Maintain PO-Level Shipment
 - Information 428
- Maintain Records 424
- Maintain Selection Criteria 429
- Maintain Timelines 535
- Maintain Totals 429
- Search..... 426
- Trial variances
 - Create 400
- Truck splits
 - Create 495
- Truckload Split
 - Maintain 493
- Two-Level Item Group
 - Create 229
- U**
- UDA
 - Add Items..... 96
 - Maintain Date Defaults 250
 - Maintain Item List..... 248
 - Maintain Item UDA Matrix 249
 - Maintain List of Default Values
 - 249
 - Maintain Mass Change 250
 - Maintain UDA Free Form Default
 - 249
- Unit of Measure
 - Add to Suppliers 248
 - Maintain 207
 - Maintain Supplier and Items... 417
 - View 580
- Up charges
 - Add..... 380
 - Add Items to Item List 382
 - Add to Items in Department.... 382
 - Delete Transfers 439
 - Maintain for Department..... 79

Maintain for Item	81	V	
Maintain Item.....	187	Value Added Tax	
Maintain Item Details	187	Codes.....	90
Set Up.....	380	Define.....	358
View Department Up Charge....	79	Departments	93
View Transfer Groups.....	439	Items.....	93, 95
User defined attributes		Maintain Codes	578
Add Items.....	100, 101	Maintain Department	579
Add Merchandise levels.....	97, 99	Maintain Items	578
Delete Items	108	Maintain Rates	579
Delete Merchandise levels	102, 105	Maintain Region.....	579
Edit.....	593	Maintain VAT Rate.....	208
Edit Items	250	Overview.....	89
Item lists.....	294	Regions	95
Items.....	251	Vendors	
Maintain	96	Maintain Mapping to Suppliers	
Maintain Attributes	247, 249	115
Maintain Default Matrix	249	Visas	
Overview.....	96	Maintain Customs entries	422
Users		Maintain Transportation.....	422
Add.....	588	W	
Add List of Value Restrictions to		Warehouse	
Groups.....	590	Add Investment Buy Attributes	
Add Security Group Links	592	472
Add User Elements	564	Add Multi-channel	43
Add User Folder.....	565	Assignments.....	41
Add User Folder to Main Menu		Create	39
.....	565	Edit Activity schedules	409
Add User Roles	589	Edit Attributes.....	64
Delete User roles.....	589	Edit Delivery Schedule	34
Edit.....	588	Edit Investment Buy Attributes	46
Edit LOV Restrictions to User		Edit Shipping schedules..	404, 405
Group	590	Maintain	38, 41
Edit User and Security Group		Maintain Attributes	38
Links	593	Maintain Franchise Customer	
Edit User roles.....	589	Groups.....	461
Maintain Attributes	589	Maintain Investment Buy	
Maintain Customized Element for		Parameters.....	42
Main Menu.....	564	Maintain Multi-channel	45
Maintain Mass Changes for UDA		Maintain Replenishment	
.....	250	Investment Attributes.....	43
Maintain Role Privileges.....	589	Maintain Store Assignments	45
Maintain Security Group Link	590	Maintain Virtual.....	43
Search for Elements or Folders on		Maintain Zoning Locations.....	47
Main Menu.....	565	Record Attributes	64
		Search Assignments	37

Substitute Items in an Order ...	213	Add to a Transfer	441
View Conflicting Store		Add Transfer Activity	433
Assignments	25	Create	267
View Store Assignment	46	Delete	269
View Weekly Sales History and		Edit	268
Issues	401	Edit Template	269
Wholesale		Edit Transfer Activity	436
Create and edit orders	459	Maintain	267
Create and edit returns	460	Maintain Template	269
distribute items for order	463	Maintain Transfer Activity Setup	
Edit Customer Groups	462	585
Edit Orders	460	Maintain Transfers	440
Maintain Cost Relationship	464	Worksheet	
Maintain Franchise Customer		Add Items to an Order	307
Groups	461	Y	
Maintain Returns	460, 461	Yields	
Search Franchise Orders and		Define Details for Sellable Item	
Returns	461	203
Search Orders Returns	462	Z	
View Cost Relationship		Zones	
Maintenance	465	Edit Cost Zone Groups	561
View Franchise Customer Stores		Maintain Item Retail Price by	
.....	464	Zone	185
Wholesale Stock Order Transfer		Maintain Locations	47
Create	463	Maintain Locations within	
View	459	Transfer Zones	441
Wholesale Stock Order Transfer		Maintain Transfers	441
window [wfordstf]		Set Up Store Locations	38
Maintain	463	Transfer zones	432
Work orders		View Locations	208
Add Templates	433		