

**Oracle® Retail Merchandising System**

Installation Guide

Release 13.0.1

E40547-02

April 2013

Copyright © 2013, Oracle. All rights reserved.

Primary Author: Paul Kehler

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

---

## Value-Added Reseller (VAR) Language

### Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

(i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.

(ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.

(iii) the software component known as **Access Via**™ licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.

(iv) the software component known as **Adobe Flex**™ licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.



---

---

# Contents

<b>Send Us Your Comments</b> .....	<b>ix</b>
<b>Preface</b> .....	<b>xi</b>
Audience .....	xi
Related Documents.....	xi
Customer Support.....	xi
Review Patch Documentation.....	xii
Oracle Retail Documentation on the Oracle Technology Network.....	xii
Conventions.....	xii
<b>1 Preinstallation Tasks</b> .....	<b>1</b>
Implementation Capacity Planning.....	1
Check Database Server Requirements .....	2
Verify Single Sign-On.....	3
Check Application Server Requirements.....	3
Check Web Browser and Client Requirements.....	3
Supported Oracle Retail Products .....	4
Create a UNIX user account to install the software .....	4
Create Staging Directory for RMS Database Schema Files.....	5
Create Staging Directory for RMS Batch Files .....	5
Create Staging Directory for RMS Application Server Files .....	5
<b>2 Database Installation Tasks</b> .....	<b>7</b>
RMS13.0.1 Full Release.....	7
RMS Database Schema Distribution– Oracle Retail Applications Included .....	7
Establish Database Partitioning Strategy.....	7
Step1: Modify partition_attributes.cfg .....	8
Step2: Modify Data Definition Files .....	9
Step3: Generate DDL for Tables – Runpartition.ksh.....	10
Create the RMS Database.....	10
Create the Database as Follows:.....	10
Create the Tablespaces: .....	11
Create the Schema Owner for RMS.....	12
Create the Database User for Allocation.....	12
Review RIB CLOB Settings.....	12
Run the RMS Database Schema Installer.....	12
Values to Remember for the Batch and Application Installers.....	14
Resolving Errors Encountered During Database Schema Installation .....	14
Set Up Additional RMS Users.....	14
<b>3 Batch Installation Tasks</b> .....	<b>15</b>
Resolving Errors Encountered During Batch Installation .....	16
RETL .....	16

---

Data Conversion Scripts.....	16
<b>4 Application Server Installation Tasks.....</b>	<b>17</b>
Prepare Application Server for RMS.....	17
Run the RMS Application Installer.....	17
Resolving Errors Encountered During Application Installation.....	19
Clustered Installations – Post-Installation Steps.....	19
Oracle Configuration Manager .....	20
RMS Reports Installed by the Application Installer.....	20
Test the RMS Application .....	20
<b>5 RMS Reports .....</b>	<b>21</b>
<b>A Appendix: Oracle 10g Database Creation Scripts.....</b>	<b>23</b>
<b>B Appendix: Configure Listener for External Procedures .....</b>	<b>27</b>
<b>C Appendix: Tablespace Creation Scripts.....</b>	<b>29</b>
<b>D Appendix: RMS User Creation Script .....</b>	<b>31</b>
<b>E Appendix: RMS RETL instructions .....</b>	<b>33</b>
Configuration .....	33
RETL .....	33
RETL user and permissions.....	33
Environment variables .....	33
rmse_config.env .....	33
<b>F Appendix: Oracle Trade Management 13 System Expectations.....</b>	<b>35</b>
InstallScripts.....	35
Elc_comp_post_htsupld.sql.....	35
HTS Upload/ Mass Update.....	37
Calculation of Merchandise Processing Fee.....	38
Unit of Measure Conversions.....	38
Customs Entry Ref. Status .....	38
Customs Entry Totals .....	38
<b>G Appendix: RMS-RIB Custom Post-Processing.....</b>	<b>41</b>
<b>H Appendix: RMS Database Schema Installer Screens .....</b>	<b>43</b>
Screen: Full Install or Patch Option .....	43
Screen: Product Selection .....	44
Screen: RMS Database Schema Details .....	45
Screen: Allocation Database Schema Details.....	46
Screen: DBA User .....	47
Screen: Apply an RMS DB Patch.....	48
Screen: RMS Primary Country .....	49
Screen: RMS Primary Currency .....	50
Screen: RMS Primary Language .....	51
Screen: RMS Secondary Language .....	52
Screen: RMS Value-Added Tax (VAT).....	53

---

Screen: RMS Class Level Value-Added Tax.....	54
Screen: RMS Multi-Channel Retailing.....	55
Screen: RMS Bracket Costing.....	56
Screen: RMS Wholesale.....	57
Screen: RMS Multiple Sets of Books.....	58
Screen: RMS Supplier Sites.....	59
Screen: RMS Freight Terms Loading.....	60
Screen: RMS Calendar Type.....	61
Screen: RMS Calendar Week Option.....	62
Screen: RMS Calendar VDate.....	63
Screen: RMS Data to Load.....	64
Screen: RMS Demo Data – Number of Items.....	65
Screen: RMS Demo Data – Transaction Level.....	66
Screen: Apply ReIM DB Patch.....	67
Screen: ReIM Demo Data (optional).....	68
Screen: Apply Allocation DB Patch.....	69
Screen: Summary.....	70
<b>I Appendix: RMS Batch Installer Screens.....</b>	<b>71</b>
Screen: Welcome.....	71
Screen: Data Source Details.....	72
Screen: Batch Installation Directory.....	73
Screen: Summary.....	74
<b>J Appendix: RMS Application Installer Screens.....</b>	<b>75</b>
Screen: Welcome.....	75
Screen: Data Source Details.....	76
Screen: Application Installation Directory.....	77
Screen: Installation Name.....	78
Screen: Application Deployment Method.....	79
Screen: Install OCM.....	80
Screen: Summary.....	81
<b>K Appendix: Installer Silent Mode.....</b>	<b>83</b>
<b>L Appendix: URL Reference.....</b>	<b>85</b>
JDBC URL for a Database.....	85
LDAP Derver URL.....	85
JNDI Provider URL for an Application.....	85
<b>M Appendix: Common Installation Errors.....</b>	<b>87</b>
Database Installer Hangs on Startup.....	87
Unreadable Buttons in the Installer.....	87
“Could not create system preferences directory” Warning.....	87
“Couldn't find X Input Context” Warnings.....	87
Unresponsive Country and Currency Drop-Downs.....	88
Couldn't exel robot child process: Permission denied.....	88

---

Concurrent Modification Exception in Installer GUI.....	89
FRM-30064: Unable to parse statement select while compiling fm_ituda.fmb .....	89
ORA-04031 (unable to allocate memory) error during database schema installation.	89
X Error of failed request: BadWindow (invalid Window parameter) .....	89
<b>N Appendix: Manual Application Installation .....</b>	<b>91</b>
Set Environment Variables .....	91
RMS Toolset Installation .....	92
RMS Forms Installation.....	93
Configure Oracle Application Server 10g for RMS .....	94
<b>O Appendix: Application Deployment Method .....</b>	<b>101</b>
<b>P Appendix: Manual Batch Installation.....</b>	<b>103</b>
Set Environment Variables .....	103
Configure Make File .....	103
Create Batch Libraries in Database.....	103
Re-Validate RMS Database Objects .....	104
Compile Batch Libraries.....	104
Compile Batch Source Code .....	104
<b>Q 107Appendix: Single Sign-On Resource Access Descriptors .....</b>	<b>107</b>
<b>R Appendix: AIX Shared Library Bug Fix.....</b>	<b>109</b>
<b>S Appendix: Installation Order .....</b>	<b>111</b>

---

---

# Send Us Your Comments

Oracle Retail Merchandising System, Installation Guide, Release 13.0.1

Oracle welcomes customers' comments and suggestions on the quality and usefulness of this document.

Your feedback is important, and helps us to best meet your needs as a user of our products. For example:

- Are the implementation steps correct and complete?
- Did you understand the context of the procedures?
- Did you find any errors in the information?
- Does the structure of the information help you with your tasks?
- Do you need different information or graphics? If so, where, and in what format?
- Are the examples correct? Do you need more examples?

If you find any errors or have any other suggestions for improvement, then please tell us your name, the name of the company who has licensed our products, the title and part number of the documentation and the chapter, section, and page number (if available).

---

**Note:** Before sending us your comments, you might like to check that you have the latest version of the document and if any concerns are already addressed. To do this, access the Online Documentation available on the Oracle Technology Network Web site. It contains the most current Documentation Library plus all documents revised or released recently.

---

Send your comments to us using the electronic mail address: [retail-doc\\_us@oracle.com](mailto:retail-doc_us@oracle.com)  
Please give your name, address, electronic mail address, and telephone number (optional).

If you need assistance with Oracle software, then please contact your support representative or Oracle Support Services.

If you require training or instruction in using Oracle software, then please contact your Oracle local office and inquire about our Oracle University offerings. A list of Oracle offices is available on our Web site at [www.oracle.com](http://www.oracle.com).



---

---

# Preface

This Installation Guide describes the requirements and procedures to install this Oracle Retail Merchandising System release.

## Audience

This Installation Guide is for the following audiences:

- System administrators and operations personnel
- Database administrators
- System analysts and programmers
- Integrators and implementation staff personnel

## Related Documents

For more information, see the following documents in the Oracle Retail Merchandising System Release 13.0.1 documentation set:

- *Oracle Retail Merchandising System Release Notes*
- *Oracle Retail Merchandising System Data Model*
- *Oracle Retail Merchandising System Online Help*
- *Oracle Retail Merchandising System User Guide*
- *Oracle Retail Merchandising System Operations Guide (volumes 1, 2, and 3)*
- *Oracle Retail Sales Audit User Guide*
- *Oracle Retail Trade Management User Guide*
- *Oracle Retail Merchandising Batch Schedule*
- *Oracle Retail Merchandising Data Conversion Operations Guide*
- *Oracle Retail Merchandising Implementation Guide*

## Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:  
<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

---

## Review Patch Documentation

When you install the application for the first time, you install either a base release (for example, 13.3) or a later patch release (for example, 13.3.1). If you are installing the base release, additional patch, and bundled hot fix releases, read the documentation for all releases that have occurred since the base release before you begin installation.

Documentation for patch and bundled hot fix releases can contain critical information related to the base release, as well as information about code changes since the base release.

## Oracle Retail Documentation on the Oracle Technology Network

Documentation is packaged with each Oracle Retail product release. Oracle Retail product documentation is also available on the following Web site:

[http://www.oracle.com/technology/documentation/oracle\\_retail.html](http://www.oracle.com/technology/documentation/oracle_retail.html)

(Data Model documents are not available through Oracle Technology Network. These documents are packaged with released code, or you can obtain them through My Oracle Support.)

Documentation should be available on this Web site within a month after a product release.

## Conventions

**Navigate:** This is a navigate statement. It tells you how to get to the start of the procedure and ends with a screen shot of the starting point and the statement “the Window Name window opens.”

This is a code sample

It is used to display examples of code

---

---

# Preinstallation Tasks

## Implementation Capacity Planning

There is significant complexity involved in the deployment of Oracle Retail applications, and capacity planning is site specific. Oracle Retail strongly suggests that before installation or implementation you engage your integrator (such as the Oracle Retail Consulting team) and hardware vendor to request a disk sizing and capacity planning effort.

Sizing estimates are based on a number of factors, including the following:

- Workload and peak concurrent users and batch transactions
- Hardware configuration and parameters
- Data sparcity
- Application features utilized
- Length of time history is retained

Additional considerations during this process include your high availability needs as well as your backup and recovery methods.

## Check Database Server Requirements

General Requirements for a database server running RMS include:

Supported on:	Versions Supported:
Database Server OS	<p>OS certified with Oracle Database 10g Enterprise Edition.</p> <p>Options are:</p> <ul style="list-style-type: none"> <li>▪ Oracle Enterprise Linux 4 Update 5</li> <li>▪ Solaris 10 (SPARC)</li> <li>▪ HP-UX 11.23 (Integrity)</li> <li>▪ AIX 5.3</li> </ul>
Database Server	<p>Oracle Database 10g Release 2 Enterprise Edition (minimum 10.2.0.3 patchset required) with the following patches and components:</p> <p>Patches:</p> <ul style="list-style-type: none"> <li>▪ 5397953 (ORA-07445: [KKPAPITGETALL()+2152] [SIGSEGV] [ADDRESS NOT MAPPED TO OBJECT] [0X34])</li> <li>▪ 5648872 (SCHEDULER ORA-07445 [OPIDSA()+321] WHEN SETTING UP CHAIN TEST)</li> <li>▪ 5921386 (WRONG RESULT WITH MERGE JOINT OUTER IN THE EXECUTION PLAN) AIX Only</li> <li>▪ 6154596 PRO*C THROWS PCC-2014 WHEN DIAGNOSTIC DIRECTIVE #WARNING IS USED</li> </ul> <p>RAC Only</p> <ul style="list-style-type: none"> <li>▪ 5721821 (ORA-7445[KGLOBCL] OCCURED AND INSTANCE WENT DOWN)</li> </ul> <p>Components:</p> <ul style="list-style-type: none"> <li>▪ Oracle Database 10g</li> <li>▪ Oracle Partitioning</li> <li>▪ Oracle Net Services</li> <li>▪ Oracle Call Interface (OCI)</li> <li>▪ Oracle Programmer</li> <li>▪ Oracle XML Development Kit</li> </ul> <p>ANSI compliant C compiler (certified with OS and database version)</p> <p>Perl compiler 5.0 or later x-Windows interface</p>

## Verify Single Sign-On

If a Single Sign-On is to be used, verify the Oracle Infrastructure Server 10g version 10.1.2.2 server has been installed. Verify the Mid-Tier server hosting Oracle Forms is registered with the Infrastructure Oracle Internet Directory.

## Check Application Server Requirements

General requirements for an application server capable of running RMS include:

Supported on:	Versions Supported:
Application Server OS	OS certified with Oracle Application Server 10g version 10.1.2.2. Options are: <ul style="list-style-type: none"> <li>▪ Oracle Enterprise Linux 4 Update 5</li> <li>▪ Solaris 10 (SPARC)</li> <li>▪ HP-UX 11.23 (Integrity)</li> <li>▪ AIX 5.3</li> </ul>
Application Server	Oracle Application Server Forms and Reports 10g version 10.1.2.2 Patches: <ul style="list-style-type: none"> <li>▪ 5861907 (IAS 10.1.2.2 PATCHSET UPDATES ORACLEHOMEPROPERTIES.XML WITH WRONG ARU_ID &amp; ARU_I)</li> <li>▪ 5632264 (NEED UPDATED TIMEZONE FILES (VERSION 4) FOR MORE DST RULE CHANGES)</li> </ul>

## Check Web Browser and Client Requirements

General requirements for client running RMS include:

Requirement	Version
Operating system	Windows 2000 or XP
Display resolution	1024x768
Processor	Pentium processor (minimum 450 MHz)
Memory	minimum of 256 MB RAM
Sun JRE Plug-in	1.4.1+
Microsoft Internet Explorer	version 5.5, 6.0 and higher

## Supported Oracle Retail Products

Requirement	Version
ARI	13.0.1
Allocation	13.0.1
RDW	13.0.1
ReIM	13.0.1
RPM	13.0.1
ReSA	13.0.1
RPAS	13.0.1
RDF	13.0.1
Grade	13.0.1

Requirement	Version
Curve	13.0
MFP	13.0
RTM	13.0.1
RWMS	13.0.1
SIM 13.0.1	13.0.1
AIP 13.0	13.0
ORSSS	13.0.1
Oracle E-Business Suite (General Ledger and Accounts Payable)	12.0.4 See the ReIM Release Notes for additional information on integrating ReIM with Oracle E-Business Suite. For support in implementing this integration, contact Oracle Customer Support and follow all typical Oracle Retail processes.

## Create a UNIX user account to install the software

The following user should be created on both the application and database servers.

1. Create a UNIX group named "dev".
2. Create UNIX user named "oretail" and assign it to the "dev" group. This user will install the RMS software.

## Create Staging Directory for RMS Database Schema Files

1. Log into the database server as oretail.
2. Create a staging directory for the RMS database schema installation software. There should be a minimum of 180 MB disk space available in this location.
3. Copy the rms13dbschema.zip file from the RMS 13.0.1 release to the staging directory. This is referred to as STAGING\_DIR when installing database software.
4. Change directories to STAGING\_DIR and extract the rms13dbschema.zip file. This creates an rms/dbschema subdirectory under STAGING\_DIR.

## Create Staging Directory for RMS Batch Files

1. Log into the database server as oretail.
2. Create a staging directory for the RMS batch installation software or use the same staging directory as created in the database schema step above. There should be a minimum of 30 MB disk space available in this location.
3. Copy the rms13batch.zip file from the RMS 13.0.1 release to the staging directory. This is referred to as STAGING\_DIR when installing the RMS batch software.
4. Change directories to STAGING\_DIR and extract the rms13batch.zip file. This creates an rms/batch subdirectory under STAGING\_DIR.

## Create Staging Directory for RMS Application Server Files

1. Log into the application server as the oretail user.
2. Create a staging directory for the RMS application installation software. There should be a minimum of 500 MB disk space available in this location.
3. Copy the file rms13appserver.zip from the RMS 13.0.1 release to staging directory. This will be referred to as STAGING\_DIR when installing application software.
4. Change directories to STAGING\_DIR and extract the file rms13appserver.zip. This will create an rms/application subdirectory under STAGING\_DIR.



---

---

# Database Installation Tasks

## RMS13.0.1 Full Release

RMS 13.0.1 is a full baseline installation. The RMS 13.0 software should not be installed if installing from this release.

## RMS Database Schema Distribution– Oracle Retail Applications Included

The RMS 13.0.1 Full release contains a database schema installer package that can be used to install the database objects for the following products: RMS, ReSA, RTM, RPM, ReIM, and Allocation.

---

---

**Note:** The Java application installers for RPM, ReIM, and Alloc are separately downloadable under their respective products. It is only the database schema component of these applications that is included with the RMS release.

---

---

## Establish Database Partitioning Strategy

Partitioning is mandatory for specific tables. Please review this section in its entirety before proceeding with the installation.

### Sample Partitioning

The RMS 13.0.1 database schema installer runs the partitioning script (partition.ksh) automatically using a sample partitioning strategy if you do not run the partition script yourself. This is acceptable for development or demo installations and allows for a simpler installation. However, the resulting partitioning strategy is NOT suitable for production environments. It is highly recommended that the Production Partitioning section below be followed rather than allowing the installer to implement the sample strategy. The installer can be used to install the RMS database schema regardless of the choice made here.

### Production Partitioning

Requirements for mandatory and optional partitioning are defined in the Microsoft Excel spreadsheet located in `STAGING_DIR/rms/dbschema/dbscripts_rms/ddl/part/RMS_partition_definition.xls`. Since partitioning strategies are complex, this step should be implemented by an experienced individual who has a thorough understanding of partitioning principles and the data to be partitioned.

Use the Microsoft Excel spreadsheet to determine an appropriate partitioning strategy (`STAGING_DIR/rms/dbschema/dbscripts_rms/ddl/part/RMS_partition_definition.xls`). The "Partition Method" column indicates the recommended partitioning option(s) for each table. Refer to the information in this file to modify the DDL for partitioned tables. This can be done by manually changing the file `STAGING_DIR/rms/dbschema/dbscripts_rms/ddl/rms_part.tab` or by implementing the process defined below. This file will be used later in the installation process.

---

---

**Note:** Refer to Oracle10g Database Concepts Release 2 Chapter 18 “Partition Tables and Indexes” for further details regarding partitioning concepts.

---

---

**Hash partitions:** To calculate the number of hash partitions and sub-partitions, enter values for the three parameters highlighted in yellow at the top of the RMS worksheet. Altering these values updates the “Number of Partitions” column for HASH partitioned/sub-partitioned tables. The values in these columns indicate the number of hash partitions/sub-partitions to create.

**Partition Factor:** This value is used to adjust the number of hash partitions. It is based on the number of active items per location and transactions per location/day. If the number of items/location and/or transactions/store/day is low, the value of partition factor should be high. This calculates fewer hash partitions. The typical factor value ranges from two to four and in special cases, it can be ten or more.

---

---

**Note:** Changing the items/location and transactions/store/day fields on the worksheet does not automatically impact the factor value. They are used as a point of reference only.

---

---

**Sub-Partition Factor:** This value is used to adjust the number of hash sub-partitions. The partition strategy for historical information determines the value of this number. If the number of range partitions is high, the value of sub-partition factor should be high to control the number of sub-partitions. Typically, this value will be 2.

**Locations:** The total number of active stores and warehouses.

**Range partitions:** Determine the purging strategy for all of the tables that are RANGE partitioned. Each partition should have a range of multiple key values. For example, if the strategy were to have data available for one year and to purge it every three months, five partitions would be created. In this case, four 3-month partitions and a “max value” partition to contain all data greater than the defined ranges would result. Refer to the “Comments” column and update the value in the “Number of Partitions” column. The value in this column indicates the number of range partitions to create.

**List partitions:** The DAILY\_ITEM\_FORECAST and ITEM\_FORECAST must be LIST partitioned. If number of partition keys is relatively static, change the value in the “Partition Method” column to LIST where allowed. This method ensures that each partition key has a separate partition and that none are empty. The “Number of Partitions” column is automatically updated with the proper number of locations in the event the partition method is changed. The value in this column indicates the number of list partitions to create.

## Step1: Modify partition\_attributes.cfg

Modify STAGING\_DIR/rms/dbschema/dbscripts\_rms/ddl/part/partition\_attributes.cfg based on the partitioning strategy defined in RMS\_partition\_definition.xls. Changes to this file should be made only as indicated.

partition\_attributes.cfg file: (file is comma-delimited) Sample Entry:

```
ITEM_LOC_HIST,EOW_DATE,RANGE,item_loc_hist.eow_date.date,64,LOC,HASH,item_
loc_hist.loc.number,64,RETEK_DATA
```

Field 1: Table Name - *Do not modify*

Field 2: Partition Key - *Do not modify*

Field 3: Partition Method - Modify based on value in “Partition Method” column in RMS\_partition\_definition.xls - Valid values are RANGE, LIST, or HASH (case sensitive)

Field 4: Partition Data Definition Filename - *Do not modify - This field is ignored if Partition Method is not RANGE or LIST*

Field 5: Partition Hash Count – Modify based on value in “Hash Partitions Calculated” column in RMS\_partition\_definition.xls. *This field is ignored if Partition Method is not HASH*

Field 6: Sub-Partition Key - *Do not modify*

Field 7: Sub-Partition Method - Modify based on value in “Sub-partition Method” column in RMS\_partition\_definition.xls - Valid values are LIST or HASH (case sensitive)

Field 8: Sub-Partition Data Definition Filename - *Do not modify - This field is ignored if Sub-Partition Method is not RANGE or LIST*

Field 9: Sub-Partition Hash Count - Modify based on value in “Hash Sub- partitions Calculated” column in RMS\_partition\_definition.xls. *This field is ignored if Sub-Partition Method is not HASH*

Field 10: Tablespace Name - *Optional. Default is RETEK\_DATA*

## Step2: Modify Data Definition Files

Tables partitioned or sub-partitioned by RANGE or LIST have a corresponding data definition file in the STAGING\_DIR/rms/dbschema/dbscripts\_rms/ddl/part/data\_def directory and should not be removed or renamed. These files are used to define the data boundaries for each partition. Values must be entered in each file based on the data type of the “Partition Key” column in RMS\_partition\_definition.xls. Refer to the “Comments” column in this file for additional information. The value in the “Number of Partitions” column indicates the number of entries to place in the data definition file. The format of a data definition file name is <table name>.<partition key column>.<partition key data type>, e.g., item\_loc\_hist.eow\_date.date. When placing data into these files, enter one data partition value per line.

When entering varchar2 values in a data definition file, do not use quotation marks. When defining date values, use the DDMMYYYY format.

sampletable.action\_date.date:

01012004

01012005

sampletable.state varchar2:

Minnesota

Iowa

sampletable.location.number:

1000

2000

When using RANGE partitioning, the data definition files will use the “value less than” concept. For example, in sampletable.action\_date.date above, the first partition contains all data less than 01012004. The second partition contains all data greater than or equal to 01012004 and less than 01012005. A third “MAXVALUE” partition is automatically created for all data greater than or equal to 01012005.

When using LIST partitioning, the data definition files use the “value equal to” concept. For example, in sampletable.state varchar2 above, the first partition will contain all data equal to Minnesota. The second partition will contain all data equal to Iowa.

### Step3: Generate DDL for Tables – Runpartition.ksh

Execute STAGING\_DIR/rms/dbschema/dbscripts\_rms/ddl/part/partition.ksh at the UNIX command prompt. This script reads configuration information from the partition\_attributes.cfg file and generates the partitioned DDL file STAGING\_DIR/rms/dbschema/dbscripts\_rms/ddl/rms\_part.tab. This file is used later during the installation process.

Sample output from partition.ksh:

```
<STAGING_DIR>/rms/dbschema/dbscripts_rms/ddl/part > ./partition.ksh
#####
# partition.ksh:
# This script will read the partition_attributes.cfg file and any referenced
# data definition files and generate partitioned DDL.
#####
# The non-partitioned DDL file is ../rms.tab.
# The partitioned DDL file that will be generated is ../rms_part.tab.
##### Checking
partition_attributes.cfg for errors
Generating Partitioned DDL for DAILY_DATA Generating Partitioned DDL for
DAILY_ITEM_FORECAST Generating Partitioned DDL for DAILY_SALES_DISCOUNT
...
partition.ksh has generated the DDL for partitioned tables in the ../rms_part.tab
file.
Completed successfully
```

## Create the RMS Database

It is assumed that Oracle 10g release 2, with appropriate patches, has already been installed. If not, refer to “*Check Database Server Requirements*” in Chapter 1, “Pre-Installation Tasks” before proceeding. Additionally, STAGING\_DIR in this section refers to the directory created in “*Create Staging Directory for RMS Database Files*”, Chapter 1.

*Please review the “Establish Partitioning Strategy” section before continuing.*

If a database has already been created, it is necessary to review the contents of this section to determine if all database components have been installed and configured properly. Also refer to Appendices A, B, C, D, and E.

### Create the Database as Follows:

1. Login to UNIX as the oracle user; typically the user that owns the Oracle RDBMS software.
2. Create the Oracle recommended OFA directory structure for the database (datafile directories, adump, bdump, cdump, arch, create, exp, pfile, udump, utl\_file\_dir)
3. Place an entry in the oratab file for the database and execute oraenv to set the ORACLE\_SID and ORACLE\_HOME environment variables.
4. Copy STAGING\_DIR/rms/dbschema/dbscripts\_rms/create\_db/init.ora to the \$ORACLE\_HOME/pfile directory and rename it to init\${ORACLE\_SID}.ora. Modify the parameters according to guidelines specified in this file.
5. Create a symbolic link from \$ORACLE\_HOME/pfile/init\${ORACLE\_SID}.ora to \$ORACLE\_HOME/dbs/init\${ORACLE\_SID}.ora.
6. Modify the STAGING\_DIR/rms/dbschema/dbscripts\_rms/create\_db/crdb1.sql file. Refer to comments in this file regarding modifications that need to be made.
7. Login to SQL\*Plus as SYSDBA and execute STAGING\_DIR/rms/dbschema/dbscripts\_rms/create\_db/crdb1.sql. Review crdb1.log for errors and correct as needed.

8. Login to SQL\*Plus as SYSDBA and execute STAGING\_DIR/rms/dbschema/dbscripts\_rms/create\_db/crdb2.sql. Review crdb2.log for errors and correct as needed.
9. Login to SQL\*Plus as SYSDBA and execute STAGING\_DIR/rms/dbschema/dbscripts\_rms/create\_db/crdb3.sql. Review JServer.log, context.log and xdb\_protocol.log for errors and correct as needed.
10. Configure the listener. The RMS application uses external procedure calls. Therefore, the listener.ora and tnsnames.ora files must be configured properly. Refer to Appendix B.

## Create the Tablespaces:

Modify

STAGING\_DIR/rms/dbschema/dbscripts\_rms/create\_db/create\_rms\_tablespaces.sql. Refer to Appendix C and the section below. Once this script has been modified, execute it in SQL\*Plus as sys. Review create\_rms\_tablespaces.log for errors and correct as needed.

---

**Note:** The partitioning strategy determines the size of RMS tablespaces. Be aware that increasing the number of partitions may necessitate an increase in the size of the required tablespaces. It is important to be accurate when sizing tablespaces prior to the installation of RMS. Failure to do so results in “insufficient space” errors which require a complete re-install of RMS.

---

The

STAGING\_DIR/rms/dbschema/dbscripts\_rms/create\_db/create\_rms\_tablespaces.sql script contains the DDL for creating the required tablespaces which can extend up to the following sizes:

TABLESPACE_NAME	SIZE
RETEK_INDEX	12G
RETEK_DATA	6G
LOB_DATA	2G

These sizes are sufficient if the initial values in the STAGING\_DIR/rms/dbschema/dbscripts\_rms/ddl/part/RMS\_partition\_definition.xls spreadsheet are used without modifications. Although using the initial values is not recommended for a production environment, it is possible to use them for the purpose of creating a small test environment. For additional assistance with production database sizing, contact Oracle Retail Services.

## Create the Schema Owner for RMS

Create an Oracle schema that will own the RMS application. Refer to Appendix D and the section below.

---

---

**Note:** The RMS schema owner must be created prior to running the RMS database schema installer. The installer will validate this user before proceeding with installation.

---

---

1. Change directories to STAGING\_DIR/rms/dbschema/dbscripts\_rms/utility
2. The create\_user script relies on an empty role, developer, being created. Log into sqlplus as sysdba and run the following command to create that role.  
SQL> create role developer;
3. Enter the following command to create the schema owner.  
SQL> @create\_user.sql
  - The following prompts will occur:
  - Schema Owner – the Oracle user that will own all RMS objects. Referred to in this install guide as RMS13DEV
  - Password – the password for RMS13DEV
  - Temp Tablespace – the temporary tablespace for RMS13DEV
4. Check the log file create\_user.log for any errors. This log file should be removed to prevent the password from being compromised.

## Create the Database User for Allocation

If Allocation will be installed using the RMS database schema installer, an additional database user is required for the Allocation temporary tables. Follow the same instructions as in the *Create the Schema Owner for RMS* section above to create this additional user, except use the create\_user.sql script located here:

STAGING\_DIR/rms/dbschema/dbscripts\_rms/allocation/utility/create\_user.sql

---

---

**Example:** ALLOC13DEV

---

---

## Review RIB CLOB Settings

The RMS database schema installer runs the RIB objects into the RMS schema. There are some RIB settings passed to the RIB CLOB (Character Large Object) scripts that you can configure ahead of time. Review the rms\_rib\_install.properties file for the settings passed to the RIB CLOB scripts by the RMS installer.

For more information on the RIB objects see the RIB documentation.

## Run the RMS Database Schema Installer

---

---

**Note:** Appendix H contains details on every screen and field in the database schema installer.

---

---

1. Change directories to STAGING\_DIR/rms/dbschema.
2. Source the oraenv script to set up the Oracle environment variables (ORACLE\_HOME, ORACLE\_SID, PATH, etc)

---

---

**Example:** prompt\$ . oraenv ORACLE\_SID = [] ? mydb  
prompt\$

---

---

Verify the ORACLE\_HOME and ORACLE\_SID variables after running this script.

```

Example: prompt$ echo $ORACLE_HOME
/u00/oracle/product/mydbversion prompt$ echo
$ORACLE_SID
mydb

```

- Set and export the following environment variables. These variables are needed in addition to the environment variables set by the oraenv script above.

Variable	Description	Example
NLS_LANG	Locale setting for Oracle database client	NLS_LANG=AMERICAN_AMERICA.UTF8 export NLS_LANG
DISPLAY	Address and port of X server on desktop system of user running install. Optional for dbschema installer	DISPLAY=<IP address>:0 export DISPLAY

**Note:** Because RMS 13.0.1 is a new full baseline install, the SQLPATH environment variable is not necessary. In the future, if the RMS database schema installer is used to apply patches, the SQLPATH variable will be required.

- If you are going to run the installer in GUI mode using an X server, you need to have the XTEST extension enabled. This setting is not always enabled by default in your X server. See Appendix M: Common Installation Errors for more details.
- Run the install.sh script to start the installer.

**Note:** Below are the usage details for install.sh. The typical usage for GUI mode is no arguments.

```
./install.sh [text | silent]
```

Depending on system resources, a typical installation takes anywhere from 30 minutes to two hours.

The RMS 13.0.1 Database Schema Installer provides the option of installing the Invoice Matching (ReIM) and Allocation database objects in addition to the RMS objects.

For the initial RMS 13.0.1 installation select the “Full” option on the “Full Install or Patch Option” screen. RMS 13.0.x patches released after RMS 13.0.1 will utilize the Patch option.

- After the installer is complete, you can check its log file: rms-install-dbschema.<timestamp>.log. A .dbhistory file is created with a listing of all of the sql scripts that were run by the installer. A .dberrors file is created if any errors are encountered.
- The installer leaves behind the ant.install.properties file for future reference and repeat installations. This file contains all inputs you provided, including passwords. As a security precaution, make sure that the file has restrictive permissions.

```
Example: chmod 600 ant.install.properties
```

## Values to Remember for the Batch and Application Installers

After it has completed the schema installation, the installer prints some database settings that you need for the batch and application installers. These settings are also written to the end of the installer log file (rms-install-dbschema.<time>.log). Record these settings for use during the batch and application installations.

## Resolving Errors Encountered During Database Schema Installation

If the database schema installer encounters any errors, it halts execution immediately and prints to the screen which SQL script it was running when the error occurred. It also writes the path to this script to the .dberrors file. When this happens, you must run that particular script using sqlplus. After you are able to complete execution of the script, delete the .dberrors file and run the installer again. You can run the installer in silent mode so that you don't have to go through the installer screens again. See Appendix K of this document for instructions on silent mode.

See Appendix M of this document for a list of common installation errors. Subsequent executions of the installer skip the SQL scripts which have already been executed in previous installer runs. This is possible because the installer maintains a .dbhistory file with a listing of the SQL scripts that have been run. If you have dropped the RMS schema and want to start with a clean install, you can delete the .dbhistory file so that the installer runs through all of the scripts again. It is recommended that you allow the installer to skip the files that it has already run.

## Set Up Additional RMS Users

1. Additional users to the RMS application can be set up by executing the standard SQL "create user" command. Once these users have been created, execute the following to grant proper privileges for these users.

```
grant create session, create table, create procedure, create view, delete any
table, insert any table, select any table, update any table, select any
sequence, execute any procedure, create any procedure, drop any procedure,
execute any procedure, create any table, drop any table to <userid>;
grant developer to <userid>;
```

---

---

**Note:** Evaluate the use of multiple roles and assign appropriately to users, based on user responsibilities.

---

---

2. After users are set up, create synonyms to the owner schema for all tables, views, sequences, functions, procedures, packages and types that the user has access to.
3. Run the following scripts as the new user to give new users security privileges.

```
SQL> @englishUser.sql
SQL> @superUser.sql
```

These scripts can be found in the RMS database schema installer package under rms/dbschema/dbscripts\_rms/utility.

## Batch Installation Tasks

**Note:** Appendix I contains details on every screen and field in the batch installer.

1. Change directories to STAGING\_DIR/rms/batch. This directory was created when the rms13batch.zip file was expanded under STAGING\_DIR.
2. Source the oraenv script to set up the Oracle environment variables (ORACLE\_HOME, ORACLE\_SID, PATH, etc)

**Example:** prompt\$ . oraenv ORACLE\_SID = [] ? mydb  
prompt\$

Verify the ORACLE\_HOME and ORACLE\_SID variables after running this script.

**Example:** prompt\$ echo \$ORACLE\_HOME  
/u00/oracle/product/mydbversion  
prompt\$ echo \$ORACLE\_SID  
mydb

3. Verify that the following executables are available from PATH: make, makedepend, cc, ar.

**Note:** Here are some locations where makedepend is commonly found:

Linux: /usr/X11R6/bin SUN: /usr/openwin/bin  
AIX: /usr/X11R6/bin HP-UX:  
/opt/imate/bin

4. Set and export the following environment variables. These variables are needed in addition to the environment variables set by the oraenv script above.

Variable	Description	Example
DISPLAY	Address and port of X server on desktop system of user running install. Optional for batch installer	DISPLAY=<IP address>:0 export DISPLAY

5. If you are going to run the installer in GUI mode using an X server, you need to have the XTEST extension enabled. This setting is not always enabled by default in your X server. See Appendix M: Common Installation Errors for more details.
6. Run the install.sh script to start the installer.

**Note:** Below are the usage details for install.sh. The typical usage for GUI mode is no arguments.

./install.sh [text | silent]

Depending on system resources, a typical RMS batch installation takes anywhere from 20 to 60 minutes.

The installer will ask for an installation directory. This is the destination directory for the RMS files. This directory will be referred to as `INSTALL_DIR` for the remainder of this chapter. Do not provide an `INSTALL_DIR` that is located at or underneath `STAGING_DIR`.

7. After the installer is complete, you can check its log file:  
`rms.batch.install.<timestamp>.log`.
8. The installer leaves behind the `ant.install.properties` file for future reference and repeat installations. This file contains all inputs you provided, including passwords. As a security precaution, make sure that the file has restrictive permissions.

---

**Example:** `chmod 600 ant.install.properties`

---

## Resolving Errors Encountered During Batch Installation

The RMS batch installer is a full install that starts from the beginning each time it is run. If you encounter errors in your environment, after resolving the issue you can safely run the batch installer again to attempt another installation.

## RETL

The RMS batch installer installs the RETL files under `$MMHOME/rfx`. See Appendix E of this document for more information about RETL.

## Data Conversion Scripts

The RMS batch installer installs the data conversion scripts under `$MMHOME/external/scripts`. To complete the setup of these files, perform the following steps.

1. Create the following new directories:

`INSTALL_DIR/external/data`

`INSTALL_DIR/external/logs`

The RMS Batch installer should have already created `INSTALL_DIR/scripts`.

2. Log into sqlplus as SYSTEM and run the following commands:

```
SQL> create or replace directory rms13dev_ext_data as  
'INSTALL_DIR/external/data';
```

```
SQL> create or replace directory rms13dev_ext_logs as  
'INSTALL_DIR/external/logs';
```

---

**Note:** You need to replace `INSTALL_DIR` with your `INSTALL_DIR` and you can rename the external data and log directory.

**Note:** The user that creates these directories owns them.

**Note:** The data and logs directories should be `chmoded 777`.

---

3. Log into sqlplus as SYSTEM and grant access to them by running the following commands:

```
SQL> grant read on directory rms13dev_ext_data to public;
```

```
SQL> grant read, write on directory rms13dev_ext_logs to public
```

---

---

## Application Server Installation Tasks

It is assumed that Oracle Application Server 10g version 10.1.2.2 (OAS) has already been installed. If not, refer to “*Check Application Server Requirements*” in Chapter 1, “*Preinstallation Tasks*” before proceeding. Additionally, STAGING\_DIR in this section refers to the directory created in “*Create Staging Directory for RMS Application Files*” in Chapter 1.

In order to use Forms Builder 10g for manual compilation of RMS 13 forms modules, Oracle Developer Suite 10g Release 2 (10.1.2.2) must be used. Please refer to the Oracle Developer Suite 10g Release 2 documentation for the steps to manually compile objects.

---

---

**Note:** It is necessary to have \$ORACLE\_HOME/network/admin/tnsnames.ora file configured in this OAS installation. Forms will use this information for connectivity. Refer to Appendix B for an example setup of the tnsnames.ora file.

---

---

### Prepare Application Server for RMS

---

---

**Note:** ORACLE\_HOME is the location where Oracle Application Server 10g (10.1.2.2) has been installed

---

---

1. The T2kMotif.rgb file that is sent out with Oracle Application Server 10g (10.1.2.0.2) must be modified. It is located at the following location:  
\$ORACLE\_HOME/guicommon/tk/admin  
Make a copy of the file ORACLE\_HOME/guicommon/tk/admin/Tk2Motif.rgb, and name it Tk2Motif.rgb\_ORIG (for example).  
Modify the file Tk2Motif.rgb file so that it contains the following line:  
Tk2Motif\*fontMapCs: iso8859-2=UTF8

### Run the RMS Application Installer

---

---

**Note:** Appendix J contains details on every screen and field in the application installer.

---

---

1. Logon to your application server as the oretail user.
2. Change directories to STAGING\_DIR/rms/application. This directory was created when the rms13application.zip file was expanded under STAGING\_DIR.

3. Set and export the following environment variables.

Variable	Description	Example
ORACLE_HOME	The location where Oracle Application Server 10g (10.1.2.2) has been installed.	ORACLE_HOME= /u00/webadmin/product/OAS/myversion/midtier export ORACLE_HOME
ORACLE_SID	The database/SID where the RMS schema resides	ORACLE_SID=mydb
NLS_LANG	Locale setting for Oracle database client	NLS_LANG=AMERICAN_AMERICA.UTF8 export NLS_LANG
DISPLAY	Address and port of X server on desktop system of user running install. Required for forms application installer	DISPLAY=<IP address>:0 export DISPLAY

4. To install the RMS application you need to be using an X server such as Exceed and have set the DISPLAY environment variable. The installer does not continue otherwise.
5. Run the install.sh script to start the installer.

**Note:** Below are the usage details for install.sh. The typical usage for GUI mode is no arguments.

```
./install.sh [text | silent]
```

Depending on system resources, a typical installation takes anywhere from 45 minutes to two hours.

The installer asks for an installation directory. This is the destination directory for the RMS files. This directory will be referred to as `INSTALL_DIR` for the remainder of this chapter. Do not provide an `INSTALL_DIR` that is located at or underneath `STAGING_DIR`.

6. The RMS Application installer might launch the Retail OCM Installer automatically after it is finished with the RMS installation. The Retail OCM Installer can only be run if the UNIX account owning the installer process has write access to the `$ORACLE_HOME` directory. If you do not have such access, it is safe to opt out of the OCM install by clicking the Cancel button in the Retail OCM Installer. See the *Oracle Configuration Manager* section later in this chapter for more details on OCM.
7. After the installation is complete, you can check its log file: `INSTALL_DIR/base/log/rms.app.install.<timestamp>.log`. The `INSTALL_DIR/base/error` will contain information about possible failed compilations.
8. The installer leaves behind the `ant.install.properties` file for future reference and repeat installations. This file contains all inputs you provided, including passwords. As a security precaution, make sure that the file has restrictive permissions.

**Example:** `chmod 600 ant.install.properties`

9. After the installation is complete, follow the post installation tasks by making backups of the listed files and copying the required files to the specified location.

Example:

```
#####
## Oracle Application Server Configuration Tasks ##
#####
Contact your Oracle administrator and have them make backups of the following
files:

/u00/webadmin/product/10.1.2.0.2_FULL/midtier/Apache/Apache/conf/httpd.conf
/u00/webadmin/product/10.1.2.0.2_FULL/midtier/forms/java/oracle/forms/registry
/Reg istry.dat
/u00/webadmin/product/10.1.2.0.2_FULL/midtier/forms/server/formsweb.cfg
/u00/webadmin/product/10.1.2.0.2_FULL/midtier/forms/admin/resource/US/fmrweb.r
es
/u00/webadmin/product/10.1.2.0.2_FULL/midtier/forms/admin/resource/US/fmrweb.r
es_u
tf8.res
Have the Oracle administrator copy everything in
/projects/rmsse/con/installs/app/post
to /u00/webadmin/product/10.1.2.0.2_FULL/midtier to update the files, and then
restart the application server for the changes to take effect.

example: cp -R * /u00/webadmin/product/10.1.2.0.2_FULL/midtier
```

## Resolving Errors Encountered During Application Installation

In the event a form or menu does not compile, go to `<INSTALL_LOCATION>/base/error` and see which objects didn't compile. To try and manually recompile the object run `<INSTALL_LOCATION>/base/forms.profile` and run the following command:

```
# frmcmp.sh userid=$UP module_type=form module=FORM_OR_MENU
```

You can also safely rerun the installer to see if the form compiles.

## Clustered Installations – Post-Installation Steps

If you are installing the RMS application to a clustered Oracle Application Server environment, there are some extra steps you need to take to complete the installation. In these instructions, the application server node whose `ORACLE_HOME` you used for the RMS application installer is referred to as the *master node*. All other nodes are referred to as the *remote nodes*.

1. To complete the RMS forms application install, the installer provided new versions of `formsweb.cfg` and the newly-created env file(s) for the new RMS installation. The env files should be copied from the master node to the remote node(s). The entries added to `formsweb.cfg` for these new environments should be copied from the master node to the remote node(s).

---

**Note:** Do not copy the entire `formsweb.cfg` file from one node to another. Only copy the RMS entries appended to this file by the installer. There is node-specific information in this file that is different between `ORACLE_HOME` installations.

---

## Oracle Configuration Manager

The first OCM collector distribution that will be aware of the Oracle Retail applications is in development. This version of OCM is scheduled to be posted for download but is not yet available. Oracle Retail recommends that retailers download OCM 10.3.0 from ARU and use the "emCCR update\_components" command to upgrade installed OCM collectors. See the OCM Installation and Administration Guide for further instructions. The Retail OCM Installer released with Oracle Retail 13.0 and 13.0.1 applications will install OCM 10.2.7. If the collector remains at version 10.2.7 and is installed in connected mode, an automatic update to version 10.3.0 is expected to occur later this year, the time at which 10.3.0 becomes a mandatory upgrade.

For more information, see the following:

**Metalink Note: 559539.1**

The Oracle Configuration Manager Installer Guide describes the procedures and interface of the Oracle Retail Oracle Configuration Manager Installer that a retailer runs near the completion of its installation process.

## RMS Reports Installed by the Application Installer

The application installer installs RMS report files to \$MMHOME/base/reports. These files should be installed into BI Publisher as documented in the RMS Reports chapter of this document.

## Test the RMS Application

Oracle Retail provides test cases that allow you to smoke test your installation. Refer to the *Oracle Retail Merchandising Installation Test Cases* document; Metalink Note 559560.1.

---

---

## RMS Reports

Verify that Oracle BI Publisher has been set up correctly; refer to the *RMS Operations Guide Volume 3*.

1. Click on the Admin tab and then click Report Repository under System Maintenance. The Path variable should be set as part of the BI Publisher install, REPORTS\_DIR.
2. In the default.env file, not this file may be renamed rms13.env, located here ORACLE\_HOME/forms/server/ add the following values:
  - ORACLE\_RMS\_REPORTS\_HOST=http://<server>:<port>:<context root for reports>
  - ORACLE\_RMS\_REPORTS\_SERVER=<context root for reports>
  - ORACLE\_RMS\_RWSERVER=/<view userid>/
3. Go to the REPORTS\_DIR and create a folder with the same name as ORACLE\_RMS\_RWSERVER.
4. Copy the files and directories from STAGING\_DIR/rms/application/rms13/reports/\* to folder created in step 3.



# Appendix: Oracle 10g Database Creation Scripts

```
#####
# Oracle 10.2.0.x Parameter file
#
# NOTES: Before using this script:
# 1. Change <datafile_path>, <admin_path>, <utl_file_path>, and <hostname>
# values as appropriate.
# 2. Replace the word SID with the database name.
# 3. Size parameters as necessary for development, test, and production
environments.
# -----
# MAINTENANCE LOG
#
# Date By Parameter Old/New Notes
# +-----+ +-----+ +-----+ +-----+ +-----+
# 02/20/06 Oracle NA NA creation
#
#####
# -----
# The following SGA parameters are CRITICAL to the performance of the
# database. The following settings are based on 1GB of allotted memory.
# The SGA is composed of:
# db_cache_size, log_buffer, java_pool_size, large_pool_size, shared_pool_size
# -----
db_cache_size = 256M
java_pool_size = 150M # 150M for initial db creation log_buffer = 10485760
shared_pool_size = 350M # 350M for initial db creation shared_pool_reserved_size
= 35M # 10% of shared_pool_size
# -----
# The following parameters do not affect SGA size;
# -----
audit_file_dest = <admin_path>/adump background_dump_dest = <admin_path>/bdump
compatible = 10.2.0
control_files = (<datafile_path>/control01.ctl
,<datafile_path>/control02.ctl)
core_dump_dest = <admin_path>/cdump
db_block_size = 8192 # Default is 2k; adjust before db creation, cannot change
after db is created
db_file_multiblock_read_count = 16 # Platform specific (max io size)/(block
size)
db_name = SID
job_queue_processes = 5 # Oracle Retail required;
number of cpu's + 1
local_listener = "(ADDRESS=(PROTOCOL=TCP)(HOST=<hostname>)(PORT=1521))"
nls_calendar = GREGORIAN
nls_date_format = DD-MON-RR # Oracle Retail required; if
RDW database see later entry for proper format
nls_language = AMERICAN # Default nls_numeric_characters = "., " # Should be
explicitly set to ensure all users/batch get the same results
```

```

nls_sort = BINARY # Should be explicitly set to ensure all sessions get the same
order

nls_territory = AMERICA # Default
open_cursors= 900
(minimum=900); default is 50
optimizer_features_enable
= 10.2.0.1
optimizer_mode
= CHOOSE
# Oracle Retail required
pga_aggregate_target
= 100M
plsql_optimize_level
= 2
# 10g change; use this setting
to optimize plsql performance
plsql_debug
= false
# 10g change; use this setting
to optimize plsql performance
processes= 500
# Max number of OS processes
that can connect to the db
query_rewrite_enabled
= TRUE
# Oracle Retail required for
function-based indexes
session_cached_cursors
= 900
# Oracle Retail required; 10g
uses to cache sql cursors in pl/sql
undo_management
= AUTO
undo_retention
= 1800
# Currently set for 30
minutes; set to avg length of transactions in sec
undo_tablespace = undo_ts user_dump_dest = <admin_path>/udump utl_file_dir
= <utl_file_path>
workarea_size_policy = auto # Should be set to auto when pga_aggregate_target is
set

# *** Set these parameters for Oracle Retail Data Warehouse (RDW) database ***
#nls_date_format = DD-MON-RRRR # Required by
MicroStrategy
#query_rewrite_integrity = TRUSTED
#star_transformation_enabled = TRUE
#utl_file_dir = <Windows_utl_file_path>,
<UNIX_util_file_path>

# *** Archive Logging, set if needed ***
#log_archive_dest_1 = 'location=<admin_path>/arch/'
#log_archive_format = SIDarch_%r_%s_%t.log
#log_archive_max_processes = 1 # Default:1
#log_archive_min_succeed_dest = 1 # Default:1
#log_buffer = 262144 # Set to (512K or 128K)*CPUs
#log_checkpoint_interval = 51200 # Default:0 - unlimited
#log_checkpoint_timeout = 7200 # Default:1800 seconds

-----
--- Script: crdbl.sql
--- Execute as: sysdba

```

```

--- Note: Before running this script:
--- Modify <datafile_path> values.
--- Modify SID values.
--- Adjust sizes for redo logs, datafiles and tempfile
-----
spool crdb1.log
STARTUP NOMOUNT pfile=${ORACLE_HOME}/dbs/initSID.ora
CREATE DATABASE "SID" MAXDATAFILES 1000
CHARACTER SET UTF8
DATAFILE
'<datafile_path>/system01.dbf' SIZE 500M AUTOEXTEND ON NEXT 100M MAXSIZE
2000M LOGFILE
GROUP 1 ('<datafile_path>/redo1a.log') SIZE 1000M, GROUP 2
('<datafile_path>/redo2a.log') SIZE 1000M,

GROUP 3 ('<datafile_path>/redo3a.log') SIZE 1000M
DEFAULT TEMPORARY TABLESPACE temp TEMPFILE '<datafile_path>/temp01.dbf' SIZE 5000M
EXTENT MANAGEMENT LOCAL UNIFORM SIZE 1M
UNDO TABLESPACE undo_ts DATAFILE '<datafile_path>/undo_ts01.dbf' SIZE 5000M SYSAUX
DATAFILE '<datafile_path>/sysaux01.dbf' SIZE 500M AUTOEXTEND ON NEXT 100M MAXSIZE
2000M
;
exit
spool off

-----
---
--- Script: crdb2.sql
--- Execute as: sysdba in 10.1.0.2 databases or higher
--- Note: This script installs the data dictionary views in addition to
--- granting necessary privileges to public.
-----
---

spool crdb2.log
REM # install data dictionary views:
PROMPT Running catalog.sql
@$ORACLE_HOME/rdbms/admin/catalog.sql; PROMPT Running catblock.sql
@$ORACLE_HOME/rdbms/admin/catblock.sql; PROMPT Running catproc.sql
@$ORACLE_HOME/rdbms/admin/catproc.sql; PROMPT Running catoctk.sql
@$ORACLE_HOME/rdbms/admin/catoctk.sql; PROMPT Running catrep.sql
@$ORACLE_HOME/rdbms/admin/catrep.sql; PROMPT Running owminst.plb
@$ORACLE_HOME/rdbms/admin/owminst.plb;

REM * These privs needed for users to run proper grant code when creating users.
grant select on dba_jobs to public with grant option;
grant select on dba_roles to public with grant option;
grant select on dba_role_privs to public with grant option;
grant execute on dbms_rls to public with grant option;
grant execute on dbms_alert to public; grant select_catalog_role to public; grant
execute_catalog_role to public; grant execute on dbms_lock to public; grant execute
on dbms_rls to public; grant execute on dbms_crypto to public;
grant select on dba_sys_privs to public with grant option;

REM * query rewrite privilege needed to create function-based indexes grant query
rewrite to public;

REM * dbms_system is needed for tracing grant execute on sys.dbms_system to public;

PROMPT Creating PLAN table owned by SYSTEM
@$ORACLE_HOME/rdbms/admin/utlxplan.sql

```

```
PROMPT Creating public synonym for the plan table
create public synonym PLAN_TABLE for SYSTEM.PLAN_TABLE;
```

```
connect SYSTEM/manager
@$ORACLE_HOME/sqlplus/admin/pupbld.sql;
@$ORACLE_HOME/sqlplus/admin/help/hlpbld.sql helpus.sql;
```

```
spool off exit
```

```
-----
---
--- Script: crdb3.sql
--- Execute as: sysdba in 10.1.0.2 databases or higher
--- Note: This script installs java and xml components;
--- Do not change the order of the statements below due to dependencies
-----
---
```

```
spool JServer.log
@$ORACLE_HOME/javavm/install/initjvm.sql;
@$ORACLE_HOME/xdk/admin/initxml.sql;
@$ORACLE_HOME/xdk/admin/xmlja.sql;
@$ORACLE_HOME/rdbms/admin/catjava.sql;
@$ORACLE_HOME/rdbms/admin/catexf.sql;
spool off
```

```
spool context.log
@$ORACLE_HOME/ctx/admin/catctx change_on_install SYS AUX TEMP NOLOCK;
connect CTXSYS/change_on_install
@$ORACLE_HOME/ctx/admin/defaults/dr0defin.sql AMERICAN;
spool off
```

```
spool xdb_protocol.log connect / as sysdba
@$ORACLE_HOME/rdbms/admin/catqm.sql change_on_install SYS AUX TEMP;
spool off
```

```
@$ORACLE_HOME/rdbms/admin/utlrp.sql
```

---



---

## Appendix: Configure Listener for External Procedures

---



---

**Note:** This example illustrates the listener configuration required for external procedures. It does not include environment specific settings that may be needed. Consult Oracle Net Services guides for additional information.

---



---

```
#####
# File: listener.ora
# Desc: Oracle Net8 listener file.
# Notes: Modify <hostname>
#####

LISTENER = (DESCRIPTION_LIST =
  (DESCRIPTION = (PROTOCOL_STACK =
    (PRESENTATION = TTC) (SESSION = NS))
    (ADDRESS = (PROTOCOL = tcp) (HOST = <hostname>) (PORT = 1521))
    (ADDRESS = (PROTOCOL = IPC)
      (KEY = extproc_key))
  )
)

SID_LIST_LISTENER = (SID_LIST =
  (SID_DESC =
    (PROGRAM = extproc) (SID_NAME = extproc_agent) (ENVS='EXTPROC_DLLS=ANY')
  )
)
```

---



---

**Note:** This example illustrates the configuration of net services names required for external procedures. It does not include environment specific settings that may be needed. Consult Oracle Net Services guides for additional information.

---



---

```
#####
# File: tnsnames.ora
# Desc: Net Services configuration file.
# Note: Change these values: <service_name>, <oracle_sid>, <hostname>,
# <global_name>
#####

EXTPROC_CONNECTION_DATA = (DESCRIPTION =
  (ADDRESS_LIST = (ADDRESS = (PROTOCOL = IPC)(Key = extproc_key))) (CONNECT_DATA =
  (SID = extproc_agent)))

EXTPROC_CONNECTION_DATA.world = (DESCRIPTION =
  (ADDRESS_LIST = (ADDRESS = (PROTOCOL = IPC)(Key = extproc_key))) (CONNECT_DATA =
  (SID = extproc_agent)))

<service_name> = (DESCRIPTION =
  (ADDRESS_LIST = (ADDRESS = (PROTOCOL = tcp)(host = <hostname>)(Port = 1521)))
  (CONNECT_DATA = (SID = <oracle_sid>) (GLOBAL_NAME = <global_name>)))
```

---

```
<service_name>.world = (DESCRIPTION =  
(ADDRESS_LIST = (ADDRESS = (PROTOCOL = tcp)(host = <hostname>)(Port = 1521)))  
(CONNECT_DATA = (SID = <oracle_sid>) (GLOBAL_NAME = <global_name>)))
```

```
Example: EXTPROC_CONNECTION_DATA =  
(DESCRIPTION =  
(ADDRESS_LIST = (ADDRESS = (PROTOCOL = IPC)(Key = extproc_key))) (CONNECT_DATA =  
(SID = extproc_agent)))
```

```
EXTPROC_CONNECTION_DATA.world = (DESCRIPTION =  
(ADDRESS_LIST = (ADDRESS = (PROTOCOL = IPC)(Key = extproc_key))) (CONNECT_DATA =  
(SID = extproc_agent)))
```

```
prod_dbl = (DESCRIPTION =  
(ADDRESS_LIST = (ADDRESS = (PROTOCOL = tcp)(host = server_01)(Port = 1521)))  
(CONNECT_DATA = (SID = prod_dbl) (GLOBAL_NAME = prod_dbl.world)))
```

```
prod_dbl.world = (DESCRIPTION =  
(ADDRESS_LIST = (ADDRESS = (PROTOCOL = tcp)(host = server_01)(Port = 1521)))  
(CONNECT_DATA = (SID = prod_dbl) (GLOBAL_NAME = prod_dbl.world)))
```

---

---

## Appendix: Tablespace Creation Scripts

```
-----
Script: create_rms_tablespaces.sql
--- Execute as:   sysdba
--- Note:  Before running this script:
--- Modify <datafile_path> values.
--- Modify datafile storage parameters and sizes based -- on partitioning
strategy.
-----

spool create_rms_tablespaces.log
CREATE TABLESPACE RETEK_INDEX DATAFILE
'<datafile_path>/retek_index01.dbf' SIZE 500M AUTOEXTEND ON NEXT 500M MAXSIZE
2000M
EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT MANUAL
;
CREATE TABLESPACE RETEK_DATA DATAFILE
'<datafile_path>/retek_data01.dbf' SIZE 500M AUTOEXTEND ON NEXT 500M MAXSIZE 2000M
EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT MANUAL
;
CREATE TABLESPACE LOB_DATA DATAFILE
'<datafile_path>/lob_data01.dbf' SIZE 50M AUTOEXTEND ON NEXT 100M MAXSIZE 2000M
EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT MANUAL
;
ALTER TABLESPACE RETEK_INDEX ADD DATAFILE
'<datafile_path>/retek_index02.dbf' SIZE 500M AUTOEXTEND ON NEXT 500M MAXSIZE
2000M
;
ALTER TABLESPACE RETEK_INDEX ADD DATAFILE
'<datafile_path>/retek_index03.dbf' SIZE 500M AUTOEXTEND ON NEXT 500M MAXSIZE
2000M
;
ALTER TABLESPACE RETEK_INDEX ADD DATAFILE
'<datafile_path>/retek_index04.dbf' SIZE 500M AUTOEXTEND ON NEXT 500M MAXSIZE
2000M
;
ALTER TABLESPACE RETEK_INDEX ADD DATAFILE
'<datafile_path>/retek_index05.dbf' SIZE 500M AUTOEXTEND ON NEXT 500M MAXSIZE
2000M
;
ALTER TABLESPACE RETEK_INDEX ADD DATAFILE
'<datafile_path>/retek_index06.dbf' SIZE 500M AUTOEXTEND ON NEXT 500M MAXSIZE
2000M
;
ALTER TABLESPACE RETEK_DATA ADD DATAFILE
'<datafile_path>/retek_data02.dbf' SIZE 500M AUTOEXTEND ON NEXT 500M MAXSIZE 2000M
;
ALTER TABLESPACE RETEK_DATA ADD DATAFILE
'<datafile_path>/retek_data03.dbf' SIZE 500M AUTOEXTEND ON NEXT 500M MAXSIZE 2000M
;
spool off exit
```



---

---

## Appendix: RMS User Creation Script

Run the following commands as the sysdba user. Replace “schema\_owner” with an appropriate account name. The empty role developer must be created before running the following commands.

```
spool create_user.log

create user &schema_owner identified by &password default tablespace RETEK_DATA
temporary tablespace &temptblsp quota unlimited on RETEK_DATA quota unlimited on
RETEK_INDEX quota unlimited on LOB_DATA
/

grant developer, select_catalog_role, alter session, analyze any,
create any synonym, create any type, create database link, create library,
create procedure,
create public database link, create public synonym,
create sequence, create session, create synonym, create table, create trigger,
create view,
drop any synonym, execute any procedure, execute any type, select any sequence,
select any table, select any dictionary, query rewrite,
create materialized view,
create any context to &schema_owner
/

grant select on sys.dba_role_privs to &schema_owner
/

grant select on sys.dba_jobs to &schema_owner
/

grant select on sys.dba_roles to &schema_owner
/

spool off exit;
```



---

---

## Appendix: RMS RETL instructions

This Appendix summarizes the RETL program features utilized in the RMS Extractions (RMS ETL). More information about the RETL tool is available in the latest RETL Programmer's Guide. More information about RMS ETL is available in the RMS ETL operations guide.

### Configuration

#### RETL

Before trying to configure and run RMS ETL, install RETL version 10.3 or later which is required to run RMS ETL. Run the "verify\_retl" script (included as part of the RETL installation) to ensure that RETL is working properly before proceeding.

#### RETL user and permissions

RMS ETL should be installed and run as the RETL user. Additionally, the permissions should be set up as per the RETL Programmer's Guide. RMS ETL reads data, creates, deletes and updates tables. (This is to ensure that weekly sales data is not pulled multiple times on subsequent extractions.) If these permissions are not set up properly, extractions will fail.

#### Environment variables

In addition to the RETL environment variables (please see the Programmer's Guide for version of RETL), you need to set MMHOME to the base directory for RMS ETL. This is the top level directory that selected during the installation process. So in .kshrc you should add a line like the following:

```
export MMHOME=<base directory for RMS ETL>
```

#### rmse\_config.env

There are a couple variables that will need to change depending upon local settings:

```
export DBNAME=int9i
export RMS_OWNER=RMS13DEV
export BA_OWNER=rmsint1012
```

Also, you will need to set the environment variable PASSWORD in either the rmse\_config.env, .kshrc or some other location that can be included via one of those two means. For example, adding this line to the rmse\_config.env will cause the password "bogus" to be used to log into the database: `export PASSWORD=pass1`



---

---

# Appendix: Oracle Trade Management 13 System Expectations

## Install Scripts

### Elc\_comp\_post\_htsupld.sql

This script is for the RTM product only. This needs to be applied only after all static install scripts have been run, oga, tariff\_treatment, quota\_category, country\_tariff\_treatment and hts\_headings scripts have all been run followed by running the htsupld.pc program. The last step is running this script. This script inserts the Expense and Assessment Cost Components. This script needs to be run once for each country of import that the client is using.

---

---

**Note:** This script is expecting two parameters to be passed in (the user will be prompted for the parameters). The first parameter is country ID, this is the Import Country. The second parameter is Currency Code, this is the code of the currency that corresponds to the entered Import Country. Most likely this script will be run using the Base Country and the Primary Currency as defined in the System Variables form.

---

---

The inserted components include:

- MPFXX (Merchandise Processing Fee XX) – This component is used to store Merchandise Processing Fee. In place of the 'XX' is the country code that is passed into the script. So if the Country is 'US', then there is one component created, 'MPFUS', with a description of 'Merchandise Processing Fee US'. This leaves the client with the ability to create additional MPF components for each of the countries that they intend to import into. This component is inserted with a Component Rate of 100 percent. This rate should be modified to be the appropriate rate for the Import Country. This component is also set up as an 'Always Default' which means that it is defaulted to every Item/HTS combination.
- HMFXX (Harbor Maintenance Fee XX) – This component is used to store Harbor Maintenance Fee. In place of the 'XX' will be the country code that is passed into the script. So if the Country is 'US', then there is one component created, 'HMFUS', with a description of 'Harbor Maintenance Fee US'. This leaves the client with the ability to create additional HMF components for each of the countries that they intend to import into. This component is inserted with a Component Rate of 100 percent. This rate should be modified to be the appropriate rate for the Import Country.
- TDTYXX (Total Duty XX) – This component is used to store the total of the duty for each Item/HTS or Order/Item/HTS combination. It totals all duties, taxes, and fees within the Ordering dialog. This total is added together with the Total Expense and the Item's Cost to come up with the Total Estimated Landed Cost of the Item or Order/Item combination. This component should not be modified.
- VFDXX (Value For Duty XX) – This Computation Value Base (CVB) is used to store the value that duty should be calculated from. In place of the 'XX' is the country code

---

that is passed into the script. So if the Country is 'US', then there is one CVB created, 'VFDUS', with a description of 'Value for Duty US'. This leaves the client with the ability to create additional VFD CVBs for each of the countries that they intend to import into. Upon insert here, this CVB will only have one detail, which is 'ORDCST' (Order Cost). If the client needs additional expenses (we are making the assumption that only 'Expense' components will make up 'Value for Duty') to be used in the Value For Duty, they need to be added to VFDXX through SQL Plus. All automatically inserted Assessment components with a Calculation Basis of 'Value' will have 'VFDXX' as their CVB.

- VFDXXXX (XX% of Value For Duty XX) – This component is used to store a percent of the CVB, Value For Duty. This is used in the case when you have an Item that is classified with multiple HTS codes. For example, a button-down shirt may have one HTS code for the cotton material that is 75 percent of the cost, and a second HTS code for the buttons that make up the other 25 percent. The duty components associated with the first HTS code would be calculated from 75 percent of the entire Value for Duty. To accomplish this, the associated components would use 'VFD75XX' as their CVB instead of 'VFDXX'. The detail component would be 'VFD75XX' and would have a Component Rate of 75 and a CVB of 'VFDXX', therefore, the component 'VFD75XX' would be 75% of the Value for Duty. More generically speaking, 'VFDXXXX' will be the only detail in an inserted CVB called 'VFDXXXX', where the first 'XX' is replaced with the percentage. In place of the second 'XX' will be the country code that is passed into the script. So if the Country is 'US', then there will be one component created, 'VFD25US', with a description of '25% of Value for Duty US'. This leaves the client with the ability to create additional VFD components for each of the countries that they intend to import into. The script will insert 'VFD25XX', 'VFD50XX', and 'VFD75XX', these are meant to be used as a guide if the client needs additional components with different percentages. These components should not be modified.
- DTYXXXX (DTYXXXX) – These components are used to calculate duty for each HTS code. In place of the first 'XX' is the HTS code's Duty Component Code concatenated with an 'A', 'B', or 'C' as needed for duty calculation. In place of the second 'XX' is the country code that is passed into the script. So if the Country is 'US', then there is one component created, 'DTYXXUS', with a description of 'DTYXXUS'. This leaves the client with the ability to create additional components for each of the countries that they intend to import into. The Import Country for these components is the country code of the Base Country that is defined on the System Options table. This component is inserted with a Component Rate of 100 percent. This rate is overwritten with the appropriate Tariff Treatment rate upon calculation within the Item and Ordering dialogs. These components should not be modified.
- DUTYXX(DUTYXX) – This component is used as a sub-total. In place of the 'XX' is the country code that is passed into the script. So if the Country is 'US', then there is one component created, 'DUTYUS', with a description of 'DUTYUS'. This leaves the client with the ability to create additional components for each of the countries that they intend to import into. It contains the sum of all 'DTYXXXX' components each HTS code. This component has a CVB called 'DUTYXX' that contains every 'DTYXXXX' component as its details. This component should not be modified.
- XXXXXXX (XXXXXXX) – Fees and Taxes are created using a concatenation of information. The Component ID consists of the Fee or Tax Class Code concatenated with the Fee or Tax Component Code, and an 'A' or 'B' as needed for calculation, and then the import country. For example, there is an existing Fee Class Code (also referred to as Fee Type) which is '053', its Fee Component Code is '1', and importing into the US, so there is a component created that has an ID of '0531AUS'. The

---

descriptions are the same as the Component ID and can/should be modified to be clearer. Other than the description, these components should not be modified.

- ADXX (Anti-Dumping XX) – This component contains the Anti-Dumping charge for each Item/HTS code. In place of the 'XX' is the country code that is passed into the script. So if the Country is 'US', then there is one component created, 'ADUS', with a description of 'Anti-Dumping US'. This leaves the client with the ability to create additional components for each of the countries that they intend to import into. This component should not be modified.
- CVDXX (Countervailing Duty XX) – This component contains the Countervailing Duty charge for each Item/HTS code. In place of the 'XX' will be the country code that is passed into the script. So if the Country is 'US', then there is one component created, 'CVDUS', with a description of 'Countervailing Duty US'. This component should not be modified.

## HTS Upload/ Mass Update

There are several install scripts that must be run prior to HTS Upload to populate the following tables. These are one-time installs upon implementation of the product and must be maintained by the client:

- ELC\_COMP
- QUOTA\_CATEGORY (via the quota\_category.sql script)
- OGA (via the oga.sql script)
- COUNTRY\_TARIFF\_TREATMENT (via the country\_tariff\_treatment.sql script)
- HTS\_CHAPTER (via the hts\_headings.sql script)
- TARIFF\_TREATMENT (via the tariff\_treatment.sql script)

After the initial load of the HTS data from executing the HTS Upload program. One additional install script must be run to populate the following tables with additional information:

- ELC\_COMP, CVB\_HEAD, CVB\_DETAIL (via the elc\_comp\_post\_htsupld.sql script)

The initial load of HTS information using a Customs provided tape and subsequent execution of the HTS Upload program will populate and update the following tables:

- HTS
- HTS\_TARIFF\_TREATMENT
- HTS\_OGA
- HTS\_FEE
- HTS\_TAX
- HTS\_TT\_EXCLUSIONS

The following tables need to be populated by the client, but will be updated via the HTS Upload program:

- HTS\_AD
- HTS\_CVD
- HTS\_REFERENCE

The following tables need to be populated and maintained by the client:

- HTS\_CHAPTER\_RESTRAINTS

---

## Calculation of Merchandise Processing Fee

This particular cost component is the only Cost Component that is calculated with a Min/Max Range for each Customs Entry. This range is defined on the MPF\_MIN\_MAX table (note: this table does not have a corresponding form and needs to be populated by the client via SQL Plus. In order to process MPF the MPF\_MIN\_MAX table must be populated for the import country or else the calculation function errors out during processing.). If a client does not use Merchandise Processing Fee, but has a similar component, they can use the MPF\_MIN\_MAX table and the MPFXX component to accomplish the same result. They simply need to change the Component Description and Rate. Within the Customs Entry dialog, MPFXX is defaulted in along with all other assessments that are associated with each Order/Item combination. Once associated with the Entry, MPF is recalculated and checked to see if the value falls within the Min/Max Range. If not, the value is modified to be within the range and then allocated across all of the items on the Entry. Because this value is being calculated by the system, the user is not allowed to modify the rate or value of any MPF components within the Customs Entry dialog.

## Unit of Measure Conversions

The internal process that calculates and distributes MPF charges on-line requires Unit of Measure (UOM) conversions in multiple instances. If a particular UOM conversion is missing the processing stops and a message will be displayed indicating that there is insufficient UOM information to continue. If this should occur, you must exit the dialog that generated the error add the missing conversion information and re-enter the dialog for the MPF charges to be processed.

## Customs Entry Ref. Status

There are 4 possible CE Ref. Statuses for each Customs Entry. They are 'Worksheet', 'Send', 'Downloaded', and 'Confirmed'. In general when an Entry is created it is in 'Worksheet' status. Once all of the necessary information has been added, the user is set the Status to 'Send', indicating that the Entry is ready to be sent to the Broker. That night in the nightly batch run, the Entry is downloaded to the Broker (cednld.pc). Once the download process is complete, the Status is automatically set to 'Downloaded'; a user can never set the Status to this value manually. At that point once the user receives confirmation from the Broker, makes any necessary changes, and is sure that the information is correct, they can set the CE Ref. Status to 'Confirmed'. From that point on the Status cannot be changed, however most of the fields on the CE Header form remain editable. All information on the CE Shipment form is view only. Also, all information on the CE Order/Item form is view only except for the Cleared Quantity, Cleared Quantity UOM, Apply button, and Comments fields. And finally all information in the CE Charges form will be view only as well.

Since some clients may prefer not to download their Entries to a Broker, the user will have the ability to set the CE Ref. Status from 'Worksheet' directly to 'Confirmed'.

## Customs Entry Totals

- Total Duty contains the sum of the duty charges (any component beginning with 'DTY') for each item times the associated item's Manifest Item quantity, summed together for all items on the entry.
- Total Taxes contains the sum of the tax charges (any component beginning with a tax type (see attached document for a description of taxes)) for each item times the associated item's Manifest Item quantity, summed together for all items on the entry.

- 
- Total Other contains the sum of all other charges (including fees) for each item times the associated item's Manifest Item quantity, summed together for all items on the entry.
  - Total VFD contains the Value for Duty (which can be made up of order cost plus other dutiable expenses such as selling commission, royalties, etc.) times the associated item's Manifest Item quantity, summed together for all items on the entry.
  - Total Est. Assessments contains the sum of the estimated duty/fees/taxes for each item, calculated from the Purchase Order/Item HTS Assessments, times the associated item's Manifest Item quantity, summed together for all items on the entry.
  - Total Act. Assessments contains the sum of the Total Duty, Total Taxes, and Total Other values.



---

---

## Appendix: RMS-RIB Custom Post-Processing

The following are instructions for installing RMS – RIB Custom Post Processing. This should be completed after the RIB has been installed.

- Un-tar the tarfile into the RIB INSTALL subdirectory.
- This creates a RIBCustPostProcXXXX subdirectory.
- Copy the jar file desired from this subdirectory (there are currently 2 custom postprocessing jar files) into both of the subdirectories.
  - \* \$EHOME/client/classes
  - \* \$EHOME/server/registry/repository/<RIB SCHEMA>/runtime/classes
- Rename the jar file to custom-postprocess-impl.jar




## Appendix: RMS Database Schema Installer Screens

You need the following details about your environment for the installer to successfully create the RMS database schema. Depending on the options you select, you may not see some screens or fields.

Starting with the RMS 13.0.1 release, the RMS database schema installer also includes the option to install the database schema objects for the ReIM and Allocation products.

### Screen: Full Install or Patch Option



Fields on this Screen:

Field Title	Full or Patch
Field Description	The installer can create the full baseline schema, apply a patch, or do both. For the RMS 13.0.1 release, select Full. If installing a patch released after 13.0.1, select Patch and the installer prompts for the location of the patch files on the next screen. Note: 13.0.1 is not a patch. The patch option in the installer is intended for incremental patch releases such as 13.0.2 is expected to be.
Example	Full

## Screen: Product Selection



Fields on this screen:

<b>Field Title</b>	Product Selection
<b>Field Description</b>	By default the RMS database schema installer creates the database objects for RMS/ReSA/RTM and RPM. Optionally, the database objects for ReIM and/or Allocation may be installed at the same time or later.
<b>Example</b>	RMS/RPM, ReIM, Allocation

## Screen: RMS Database Schema Details

Fields on this Screen:

<b>Field Title</b>	RMS schema
<b>Field Description</b>	Provide the RMS database user here. The installer logs into the database as this user to create the RMS schema. This user must already exist in the database when the RMS database schema installer is run.
<b>Example</b>	RMS

<b>Field Title</b>	RMS schema password
<b>Field Description</b>	Database password for the RMS Schema Owner.

<b>Field Title</b>	RMS Oracle SID
<b>Field Description</b>	Oracle system identifier for the database where RMS will be installed
<b>Example</b>	Rmsdb

The database settings provided are validated by the installer when you advance to the next screen.

## Screen: Allocation Database Schema Details

Fields on this Screen:

<b>Field Title</b>	Alloc schema
<b>Field Description</b>	Provide the Allocation database user here. The installer logs into the database as this user to create the Allocation schema objects. This user must already exist in the database when the database schema installer is run.
<b>Example</b>	RMS

<b>Field Title</b>	Alloc schema password
<b>Field Description</b>	Database password for the Allocation database user.

The database settings provided are validated by the installer when you advance to the next screen.

## Screen: DBA User

**DBA User**

Please provide the username and password of a database account that has sufficient privileges to create the Allocation user and synonyms between the Allocation user and RMS user. Example: SYSTEM. This user is referred to as the Allocation DBA user by this installer.

DBA user: SYSTEM

DBA user password:

Buttons: Cancel, Back, Next, Install

Fields on this screen:

<b>Field Title</b>	DBA user
<b>Field Description</b>	Provide a database user with sufficient privileges to create synonyms between other users. The installer logs into the database using this account and create the synonyms needed between the RMS and Allocation users.
<b>Example</b>	SYSTEM

<b>Field Title</b>	DBA user password
<b>Field Description</b>	Database password for the DBA user.

The database settings provided are validated by the installer when you advance to the next screen.

## Screen: Apply an RMS DB Patch



Fields on this Screen:

<b>Field Title</b>	Patch Directory
<b>Field Description</b>	This page appears if the Patch or Full+Patch option is selected on the earlier Full Or Patch screen. Provide the directory path to the downloaded patch you want to install. The installer runs only the patch you provide. Note: The directory you choose must contain an rmsdbstart.sql file.
<b>Example</b>	/path/to/mom-dbpatch/ for all 13.0.x patches /path/to/mom-dbpatch/13.0.2 for a specific patch such as 13.0.2 <b>Note:</b> The patch option is intended for patches starting with 13.0.2.

## Screen: RMS Primary Country

Oracle Retail Merchandise Operations Management

ORACLE

**RMS Primary Country**

Please select your primary country from the list below.

Primary Country: UNITED STATES (US)

Buttons: Cancel, Back, Next, Install

Fields on this Screen:

<b>Field Title</b>	Primary Country
<b>Field Description</b>	Choose your primary country from the list provided.
<b>Example</b>	US

## Screen: RMS Primary Currency

Oracle Retail Merchandise Operations Management

**ORACLE**

**RMS Primary Currency**

This will be the base currency for the merchandising system. The primary currency is used throughout the system in various ways. For one, any conversion between currencies will utilize the primary currency. For example, if currency A is the primary currency and the system is converting from currency B to currency C it will first convert currency B to currency A, then currency A to currency C. As a result, all currency exchange rates reflect the rate between the non-primary currency and the primary currency.


Primary Currency: US Dollar (USD)

Buttons: Cancel, Back, Next, Install

Fields on this Screen:

<b>Field Title</b>	Primary Currency
<b>Field Description</b>	Choose your primary currency from the list provided.
<b>Example</b>	USD

## Screen: RMS Primary Language



Fields on this Screen:

<b>Field Title</b>	Primary Language
<b>Field Description</b>	Choose your primary language from the list provided. You have an opportunity to select a secondary language on another screen.
<b>Example</b>	en

## Screen: RMS Secondary Language

Fields on this Screen:

<b>Field Title</b>	Secondary Language
<b>Field Description</b>	This screen only appears if English is selected as the primary language. Choose your secondary language from the list provided. Among the individual language choices are the (NONE) and (ALL) selections, which use no secondary language or all secondary languages, respectively.
<b>Example</b>	none

## Screen: RMS Value-Added Tax (VAT)



Fields on this Screen:

<b>Field Title</b>	Enable VAT?
<b>Field Description</b>	Select Yes if you will use VAT.
<b>Example</b>	No

## Screen: RMS Class Level Value-Added Tax



Fields on this Screen:

<b>Field Title</b>	Enable Class-Level VAT?
<b>Field Description</b>	You said yes to the VAT setting. Select Yes in this field to allow tax rates to be maintained at the class level. Select No to restrict tax rates.
<b>Example</b>	No

## Screen: RMS Multi-Channel Retailing



Fields on this Screen:

<b>Field Title</b>	Enable Multi-Channel setting?
<b>Field Description</b>	If you are operating multiple sales channels or think you might do so in the future, select Yes for this setting.
<b>Example</b>	Yes

## Screen: RMS Bracket Costing



Fields on this Screen:

<b>Field Title</b>	Enable Bracket Costing?
<b>Field Description</b>	Select Yes if you allow vendors to use a bracketed costing structure.
<b>Example</b>	Yes


## Screen: RMS Wholesale



Fields on this Screen:

<b>Field Title</b>	Enable Wholesale?
<b>Field Description</b>	Wholesale functionality in RMS
<b>Example</b>	Yes

## Screen: RMS Multiple Sets of Books



Fields on this Screen:

<b>Field Title</b>	Enable Multiple Sets of Books?
<b>Field Description</b>	
<b>Example</b>	Yes

## Screen: RMS Supplier Sites



Fields on this Screen:

<b>Field Title</b>	Enable Supplier Sites?
<b>Field Description</b>	
<b>Example</b>	Yes


## Screen: RMS Freight Terms Loading



Fields on this Screen:

<b>Field Title</b>	Load this data
<b>Field Description</b>	Freight terms data is provided with the RMS release. Select this option to insert it into the schema. If data will be pulled from another system such as EBS financials then do not select this option.

## Screen: RMS Calendar Type



Fields on this Screen:

<b>Field Title</b>	Calendar Type
<b>Field Description</b>	
<b>Example</b>	454 Calendar

## Screen: RMS Calendar Week Option

Oracle Retail Merchandise Operations Management

**ORACLE**

**RMS Calendar Week Option**

Select Week: Start-End

Sat-Fri

Sun-Sat

Mon-Sun

Cancel Back Next Install

Fields on this Screen:

<b>Field Title</b>	Week Start-End
<b>Field Description</b>	
<b>Example</b>	Mon-Sun

## Screen: RMS Calendar VDate

Oracle Retail Merchandise Operations Management

**ORACLE**

**RMS Calendar VDate**

This should contain the first date the RMS system will be in operation. The vdate represents the business date within RMS and it is also leveraged outside of RMS by some other satellite applications. VDate must be at least one month after the RMS calendar start date.

Date format is dd-MMM-yyyy (Example: 01-MAR-2008)

VDate

Cancel Back Next Install

Fields on this Screen:

<b>Field Title</b>	VDate
<b>Field Description</b>	
<b>Example</b>	01-MAR-2001


## Screen: RMS Data to Load



Fields on this Screen:

<b>Field Title</b>	Insert demo data
<b>Field Description</b>	Indicate whether or not the demo data scripts should be run for RMS.


## Screen: RMS Demo Data – Number of Items



Fields on this Screen:

<b>Field Title</b>	Number of demo items
<b>Field Description</b>	If you chose to insert demo data, this setting determines how many demo items to create.
<b>Example</b>	5

## Screen: RMS Demo Data – Transaction Level



Fields on this Screen:

<b>Field Title</b>	Transaction Level
<b>Field Description</b>	If you chose to insert demo items on the previous screen, you are asked to provide a transaction level value for these items.
<b>Example</b>	1

## Screen: Apply ReIM DB Patch



Fields on this Screen:

<b>Field Title</b>	Patch Directory
<b>Field Description</b>	This page appears if the Patch or Full+Patch option is selected on the earlier Full Or Patch screen. Provide the directory path to the downloaded patch you want to install. The installer runs only the patch you provide. Note: The directory you choose must contain an reimdbstart.sql file.
<b>Example</b>	/path/to/mom-dbpatch/ for all 13.0.x patches /path/to/mom-dbpatch/13.0.2 for a specific patch such as 13.0.2 <b>Note:</b> The patch option is intended for patches starting with 13.0.2.

## Screen: ReIM Demo Data (optional)

Oracle Retail Merchandise Operations Management

ORACLE

**ReIM Demo Data (optional)**

Do you want demo data inserted into the RMS TERMS and INVC\* tables?

Yes, but please preserve existing data

Yes, and there is no existing data to preserve

No, do not load any demo data

Cancel Back Next Install

Fields on this Screen:

<b>Field Title</b>	Do you want demo data inserted into the RMS TERMS and INVC* tables?
<b>Field Description</b>	Select "Yes, and there is no existing data to preserve" for ReIM demo data to be inserted into the ReIM/RMS schema.

## Screen: Apply Allocation DB Patch



Fields on this Screen:

Field Title	Patch Directory
Field Description	This page appears if the Patch or Full+Patch option is selected on the earlier Full Or Patch screen. Provide the directory path to the downloaded patch you want to install. The installer runs only the patch you provide. Note: The directory you choose must contain allocdbstart.sql and allocuserdbstart.sql files.
Example	/path/to/mom-dbpatch/ for all 13.0.x patches /path/to/mom-dbpatch/13.0.2 for a specific patch such as 13.0.2 <b>Note:</b> The patch option is intended for patches starting with 13.0.2.

## Screen: Summary

The screenshot shows the 'Installation Summary' window of the Oracle Retail Merchandise Operations Management installer. The window title is 'Oracle Retail Merchandise Operations Management'. The Oracle logo is at the top left. Below the title bar, the text 'Installation Summary' is displayed. The main area is titled 'Summary of Installation.' and contains a list of configuration parameters with their values in read-only text boxes. At the bottom, there are four buttons: 'Cancel', 'Back', 'Next', and 'Install'.

Parameter	Value
RMS Schema Owner	
RMS Oracle SID	bltd1s01
Multi-Channel Enabled	true
Bracket Costing Enabled	false
VAT Enabled	true
Class-Level VAT Enabled	false
Primary Currency	USD
Primary Country	US
Primary Language	en

Fields on this Screen:

All of the fields on this summary screen are read-only. In GUI mode of the installer, this screen provides the opportunity to review inputs and go back to previous screens to correct them if necessary.

---

---

# Appendix: RMS Batch Installer Screens

You need the following details about your environment for the installer to successfully compile and install the RMS batch programs. Depending on the options you select, you may not see some screens or fields.

## Screen: Welcome



There are no fields on this screen. The Welcome screen contains information about the RMS Batch Installer and prerequisites.

## Screen: Data Source Details

**Data Source Details**

Please provide information for the RMS database user. It is assumed that you have already run the RMS DB schema installer with this user to create the RMS tables and objects. The RMS batch installer will authenticate as this user to create library objects and query for data to generate batch source files.

RMS Schema Owner: RMSUSER  
 RMS Schema Password: \*\*\*\*\*  
 RMS Oracle SID: rmsdb

Buttons: Cancel, Back, Next, Install

Fields on this Screen:

<b>Field Title</b>	RMS Schema Owner
<b>Field Description</b>	Provide the RMS database user here. The installer will log into the database as this user to create RMS library objects and query for data to generate batch source files. This user must already exist in the database and have the RMS tables installed.
<b>Example</b>	RMSUSER

<b>Field Title</b>	RMS Schema Password
<b>Field Description</b>	Database password for the RMS Schema Owner.

<b>Field Title</b>	RMS Oracle SID
<b>Field Description</b>	Oracle system identifier for the database where RMS will be installed
<b>Example</b>	rmsdb

## Screen: Batch Installation Directory



Fields on this Screen:

<b>Field Title</b>	Batch Installation Directory
<b>Field Description</b>	Location where the installer will install the batch source and then compile it. This is the permanent location for the RMS batch programs.
<b>Example</b>	/opt/oracle/retail/rmsbatch

## Screen: Summary



Fields on this Screen:

All of the fields on this summary screen are read-only. In GUI mode of the installer, this screen provides the opportunity to review inputs and go back to previous screens to correct them if necessary.

Once you advance forward from this screen, the installer connects to the database and validate that the RMS user exists before beginning installation.

---

# Appendix: RMS Application Installer Screens

## Screen: Welcome



There are no fields on this screen. The Welcome screen contains information about the RMS Application Installer and prerequisites.

## Screen: Data Source Details

Oracle Retail Merchandising System - Forms App Installer

**ORACLE**

**Data Source Details**

Please enter the RMS 13 schema name and password.

RMS Schema Owner: RMSUSER

RMS Schema Password: \*\*\*\*\*

RMS Oracle Database: rmsdb

Buttons: Cancel, Back, Next, Install

Fields on this Screen:

<b>Field Title</b>	RMS Schema Owner
<b>Field Description</b>	This is the same username that was used during the RMS Database Schema Installer.
<b>Example</b>	RMS

<b>Field Title</b>	RMS Schema Password
<b>Field Description</b>	This is the same password that was used during the RMS Database Schema Installer.

<b>Field Title</b>	RMS Oracle SID
<b>Field Description</b>	This is the same Oracle SID that was used during the RMS Database Schema Installer.
<b>Example</b>	Rmsbdb

## Screen: Application Installation Directory



Fields on this Screen:

<b>Field Title</b>	Application Installation Directory
<b>Field Description</b>	The location where the RMS Application (toolset, forms and reports) will be installed. The RMS \$MMHOME path will be a subdirectory of this directory, named "base".
<b>Example</b>	/u01/oracle/retail

## Screen: Installation Name

Oracle Retail Merchandising System - Forms App Installer

**ORACLE**

**Installation Name**

Please enter the Installation Name. The Installation Name is a unique name that will be used to identify this installation of RMS . This name will be included in the RMS Application URLs and reported by the Oracle Configuration Manager.


Installation Name

Cancel Back Next Install

Fields on this Screen:

<b>Field Title</b>	Installation Name
<b>Field Description</b>	This value is used in conjunction the Oracle Configuration Manager (OCM). It gives the installation a unique name so the OCM can identify different installations of RMS in the same Oracle Application Server instance.
<b>Example</b>	rms13inst

## Screen: Application Deployment Method



Fields on this Screen:

<b>Field Title</b>	Which Environment Deployment Method would you like to use
<b>Field Description</b>	Select the Application Deployment Method you would like. Reference Appendix O for more information.
<b>Example</b>	Base

## Screen: Install OCM



Fields on this Screen:

<b>Field Title</b>	Install OCM
<b>Field Description</b>	Install OCM checkbox. This field gives you the option to install or not install OCM. The default option is checked. It is highly recommended you install OCM if you meet the requirements.
<b>Example</b>	Checked/True

## Screen: Summary



The screenshot shows a window titled "Oracle Retail Merchandising System - Forms App Installer" with the Oracle logo at the top. Below the logo is a section titled "Installation Summary". Underneath, it says "Summary of Installation." followed by a list of configuration parameters and their values:

RMS Schema Owner:	RMSUSER
RMS Database:	mydb
Installation Directory:	/opt/oracle/retail/rmsapp
Installation Name:	rms13inst1
Deployment Method:	Base
Install OCM:	true

At the bottom of the window, there are four buttons: "Cancel", "Back", "Next", and "Install".

Fields on this Screen:

All of the fields on this summary screen are read-only. In GUI mode of the installer, this screen provides the opportunity to review inputs and go back to previous screens to correct them if necessary.

Once you advance forward from this screen, the installer connects to the database and validates that the RMS user exists before beginning installation.



---

---

## Appendix: Installer Silent Mode

In addition to the GUI and text interfaces of the RMS installer, there is a silent mode that can be run. This mode is useful if you wish to run a repeat installation without retyping the settings you provided in the previous installation. It is also useful if you encounter errors in the middle of an installation and wish to continue.

The installer runs in two distinct phases. The first phase involves gathering settings from the user. At the end of the first phase, a properties file named `ant.install.properties` is created with the settings that were provided. Then the second phase begins, where this properties file is used to provide your settings for the installation.

To skip the first phase and re-use the `ant.install.properties` file from a previous run, follow these instructions:

1. Edit the `ant.install.properties` file and correct any invalid settings that may have caused the installer to fail in its previous run.
2. Look for duplicate properties in the `ant.install.properties` file. Some properties are set on multiple pages to ensure default values when a page is only displayed under certain conditions. For example, if there are two instances of `input.property.name`, remove all but the last one.
3. Run the installer again with the **silent** argument.

---

---

**Example:** `install.sh silent`

---

---



---

---

## Appendix: URL Reference

### JDBC URL for a Database

Used by the Java application and by the installer to connect to the database. Thick Client

Syntax: jdbc:oracle:oci:@<sid>

<sid>: system identifier for the database

---

---

**Example:** jdbc:oracle:oci:@mysid

---

---

Thin Client Syntax: jdbc:oracle:thin:@<host>:<port>:<sid>

<host>: hostname of the database server

<port>: database listener port

<sid>: system identifier for the database

---

---

**Example:** jdbc:oracle:thin:@myhost:1521:mysid

---

---

### LDAP Derver URL

Used by the Java application to connect to the LDAP directory. Syntax:

ldap://<host>:<port>

<host>: hostname of the directory server

<port>: LDAP server port

---

---

**Example:** ldap://myhost:389

---

---

### JNDI Provider URL for an Application

Used by the application client to access the application running in the server. Also used by other applications for server-to-server calls.

OracleAS :

Syntax: opmn:ormi://<host>:<port>:<instance>/<app>

<host>: hostname of the OracleAS environment

<port>: OPMN request port of the OracleAS environment. This can be found in the <ORACLE\_HOME>/opmn/conf/opmn.xml file.

<instance>: Name of the OC4J instance running the application

<app>: Deployment name for the application.

---

---

**Example:** opmn:ormi://myhost:6003:rsm-oc4j-instance/rsm13

---

---

---

---

**Note:** The JNDI provider URL can have a different format depending on your cluster topology. Consult the Oracle Application Server documentation for further details.

---

---

WebSphere:

---

Syntax: `iiop://<host>:<port>`

`<host>`: hostname of the WebSphere environment

`<port>`: BOOTSTRAP port of the WebSphere server that is running the application.

Example: `iiop://myhost:2809`

---

---

## Appendix: Common Installation Errors

This section provides some common errors encountered during installation of RMS.

### Database Installer Hangs on Startup

**Symptom:**

When the database schema installer is run, the following is written to the console and the installer hangs indefinitely:

```
Running pre-install checks
Running tnsping to get listener port
```

**Solution:**

The installer startup script is waiting for control to return from the **tnsping** command, but **tnsping** is hanging. Type Control+C to cancel the installer, and investigate and solve the problem that is causing the **tnsping <sid>** command to hang. This can be caused by duplicate database listeners running.

### Unreadable Buttons in the Installer

If you are unable to read the text within the installer buttons, it probably means that your JAVA\_HOME is pointed to a pre-1.4.2 JRE or JDK. Set JAVA\_HOME to a Java runtime environment of version 1.4.2 or later and run the installer again.

### “Could not create system preferences directory” Warning

**Symptom:**

The following text appears in the installer Errors tab:

```
May 22, 2006 11:16:39 AM java.util.prefs.FileSystemPreferences$3 run
WARNING: Could not create system preferences directory. System preferences are
unusable.
May 22, 2006 11:17:09 AM java.util.prefs.FileSystemPreferences
checkLockFile0ErrorCode
WARNING: Could not lock System prefs. Unix error code -264946424.
```

**Solution:**

This is related to Java bug 4838770. The `/etc/.java/.systemPrefs` directory may not have been created on your system. See <http://bugs.sun.com> for details.

This is an issue with your installation of Java and does not affect the Oracle Retail product installation.

### “Couldn't find X Input Context” Warnings

**Symptom:**

The following text appears in the console window during execution of the installer in GUI mode:

```
Couldn't find X Input Context
```

**Solution:**

This message is harmless and can be ignored.

---

## Unresponsive Country and Currency Drop-Downs

### Symptom:

In GUI mode, when you click on the drop-down list selection for the primary country or currency, the list does not appear, and this message appears in the console window:


```
XTEST extension not installed on this X server: Error 0
```

### Solution:

To run the RMS installer in GUI mode you must have the XTEST extension enabled in your X server.

Enabling XTEST in Exceed:

1. Open Xconfig to edit Exceed configuration
2. Go to the X Server Protocol settings
3. Click on the Extensions tab
4. Make sure that the XTEST extension is selected:



5. Restart the X Server and re-run the RMS installer.

## Couldn't exec1 robot child process: Permission denied

### Symptom:

When opening a drop-down list in GUI mode of the RMS installer, the installer freezes up and displays the following message in the console:

```
Couldn't exec1 robot child process: Permission denied
```

### Solution:

As the owner of the database ORACLE\_HOME (i.e. *oracle*), grant execute permissions to the `awt_robot*` files under `$ORACLE_HOME/jdk/jre/lib`. The database schema installer uses `$ORACLE_HOME/jdk` for its `JAVA_HOME`.

Example (using SUN Solaris):

```
chmod a+x $ORACLE_HOME/jdk/jre/lib/sparc/awt_robot chmod a+x  
$ORACLE_HOME/jdk/jre/lib/sparcv9/awt_robot
```

---

## Concurrent Modification Exception in Installer GUI

### Symptom:

In GUI mode, the errors tab shows the following error:

```
java.util.ConcurrentModificationException at
java.util.AbstractList$Itr.checkForComodification(AbstractList.java:448)
at java.util.AbstractList$Itr.next(AbstractList.java:419)
... etc
```

### Solution:

You can ignore this error. It is related to third-party Java Swing code for rendering of the installer GUI and does not affect the retail product installation.

## FRM-30064: Unable to parse statement select while compiling fm\_ituda.fmb

### Symptom:

When running the application installer you get the following error:

```
FRM-30064: Unable to parse statement select vu.uda_desc, vu.uda_id from v_uda vu
where get_primary_lang = get_user_lang and vu.display_type = 'LV' union all
select nvl(t.translated_value, vu.uda_desc), vu.uda_id from tl_shadow t, v_uda
vu where get_primary_lang != get_user_lang and upper(vu.uda_desc) = t.key(+) and
get_user_lang = t.lang(+) and vu.display_type = 'LV' order by 1.
ORA-28112: failed to execute policy function
Record Group RG_UA_LOV Form: FM_ITUDALST
FRM-30085: Unable to adjust form for output. Form not created
```

### Solution:

Disable the database filter policies by running `drop_filter_policy.sql`, run the application installer again and then run `add_filter_policy.sql`. Both files can be located with the database installer.

## ORA-04031 (unable to allocate memory) error during database schema installation

### Symptom:

When running the database schema installer you get the following error one or more times:

```
[ora:sqlplus] alter package
[ora:sqlplus] *
[ora:sqlplus] ERROR at line 1:
[ora:sqlplus] ORA-04031: unable to allocate 92120 bytes of shared memory ("shared
[ora:sqlplus] pool", "unknown object", "PL/SQL MPCODE", "BAMIMA: Bam Buffer")
```

### Solution:

There was not enough available memory in the shared pool on the database at the time of compilation. There are several choices to get past this error:

- Log into the database and attempt to recompile invalid objects in the database schema. Subsequent attempts to compile the same object(s) can be successful.
- Have a DBA increase the shared pool size on the database and re-run the installer from scratch on a new schema user.

## X Error of failed request: BadWindow (invalid Window parameter)

### Symptom:

---

When compiling forms during the application installation you receive this error one or more times:

```
X Error of failed request: BadWindow (invalid Window parameter) Major opcode of
failed request: 18 (X_ChangeProperty)
Resource id in failed request: 0x1800002
Serial number of failed request: 432
Current serial number in output stream: 437
```

**Solution:**

This error occurs when there are too many requests made to the X server. If this error occurs manually recompile the form.

Example:

```
frmpcmp.sh userid=$SUP module_type=form module=FORM_OR_MENU
```

---



---

## Appendix: Manual Application Installation

It is strongly recommend that you use the installer to install the RMS Application. Below are the instructions to manually install the application portion of RMS.

It is assumed that Oracle Application Server 10g version 10.1.2.2 (OAS) has already been installed. If not, refer to “*Check Application Server Requirements*” in Chapter 1, “*Preinstallation Tasks*” before proceeding. Additionally, *STAGING\_DIR* in this section refers to the directory created in “*Create Staging Directory for RMS Application Files*” in Chapter 1.

In order to use Forms Builder 10g for manual compilation of RMS 13 forms modules, Oracle Developer Suite 10g Release 2 (10.1.2.2) must be used. Please refer to the Oracle Developer Suite 10g Release 2 documentation for the steps to manually compile objects.

---



---

**Note:** It is necessary to have \$ORACLE\_HOME/network/admin/tnsnames.ora file configured in this OAS installation. Forms/reports will use this information for connectivity. Refer to Appendix B for an example setup of the tnsnames.ora file.

---



---

### Set Environment Variables

---



---

**Note:** ORACLE\_HOME is the location where Oracle

---



---

Application Server 10g (10.1.2.2) has been installed

1. The T2kMotif.rgb file that is sent out with Oracle Application Server 10g (10.1.2.2) must be modified. It located at the following location:

\$ORACLE\_HOME/guicommon/tk/admin

Make a copy of the file ORACLE\_HOME/guicommon/tk/admin/Tk2Motif.rgb, and name it Tk2Motif.rgb\_ORIG (for example).

Modify the file Tk2Motif.rgb file so that it contains the following line:

```
Tk2Motif*fontMapCs: iso8859-2=UTF8
```

2. The Logon to the application server as the oretail user,
3. Set the DISPLAY variable to the IP address plus “:0.0” (ie: 10.1.1.1:0.0) of the application server.
4. Set the following variables:

---



---

**Note:** ORACLE\_HOME is the location where Oracle Application Server 10g (10.1.2.0.2) has been installed

---



---

- All OS Platforms
  - PATH=\$ORACLE\_HOME/bin:\$ORACLE\_HOME/opmn/bin:\$ORACLE\_HOME/dcm/bin:INSTALL\_DIR/base/forms\_scripts:\$PATH
  - CLASSPATH=\$ORACLE\_HOME/jlib/importer:\$ORACLE\_HOME/jlib/debugger.jar:\$ORACLE\_HOME/jlib/utj.jar:\$ORACLE\_HOME/jlib/ewt3.jar:\$ORACLE\_HOME/jlib/share.jar:\$ORACLE\_HOME/jlib/d

---

```
fc.jar:$ORACLE_HOME/jlib/help4.jar:$ORACLE_HOME/jlib/oracle_ice.jar
:$ORACLE_HOME/jlib/jewt4.jar
```

- FORMS\_BUILDER\_CLASSPATH=\$CLASSPATH
- FORMS\_PATH=INSTALL\_DIR/base/toolset/bin:INSTALL\_DIR/base/forms/bin:\$ORACLE\_HOME/forms
- REPORTS\_PATH=INSTALL\_DIR/base/reports/bin:\$ORACLE\_HOME/forms
- TK\_UNKNOWN==\$ORACLE\_HOME/guicommon/tk/admin
- UP=<RMS schema owner>/<RMS schema password>@<RMS database>

---

**Note:** Verify that TNS is set up correctly by using the UP variable to successfully log into the RMS 13 schema.

---

---

**Example:** /u00/oracle> sqlplus \$UP

---

## RMS Toolset Installation

1. Copy all libraries (.pll files) in the INSTALL\_DIR/base/toolset/src directory to the INSTALL\_DIR/base/toolset/bin.
2. Change directories to INSTALL\_DIR/base/toolset/bin.
3. Run toolset.pll.sh to compile all Toolset .pll's.

---

**Note:** If the toolset.pll.sh script is not used and the libraries are compiled individually, then they must be compiled in the following order (which is noted in the toolset.pll.sh script):

---

- message45.pll
  - ariiflib.pll
  - stand45.pll
  - calend45.pll
  - find45.pll
  - item45.pll
  - tools45.pll
  - mblock45.pll
  - mview45.pll
  - nav45.pll
  - work45.pll
  - itnumtype.pll
  - hierfilter.pll
  - rmslib.pll
4. Check to make sure that each .pll file has a corresponding .plx (to ensure that all .pll's compiled successfully).
  5. Remove all newly created .plx files.
  6. Copy all forms (\*.fmb files) in the INSTALL\_DIR/base/toolset/src directory to the INSTALL\_DIR/base/toolset/bin directory.

- 
7. Run forms.fm\_fmb.sh (in INSTALL\_DIR/base/toolset/bin) to compile the Toolset reference forms.
  8. Remove all newly created fm\_\*.fmx files (reference forms should not have executable files).
  9. Run forms.fmb.sh (in INSTALL\_DIR/base/toolset/bin) to generate Toolset runtime forms – .fmx’s.
  10. Check to make sure that each non-reference form (.fmb file) has a corresponding .fmx file.

---

**Note:** Disregard fm\_\*.fmx files should they be created. These files should be removed. They should NOT exist in the INSTALL\_DIR/base/toolset/bin directory.

---

11. Remove all non-reference form forms from INSTALL\_DIR/base/toolset/bin; the following syntax leaves all reference forms (fm\_\*.fmb) in the bin directory, while removing all other forms:

```
> for PROG in `ls *.fmb | grep -v fm_`
> do PROGNAME=`echo $PROG`
> rm $PROGNAME
> done
```
12. Copy all menus (\*.mmb files) in the INSTALL\_DIR/base/toolset/src directory to the INSTALL\_DIR/base/toolset/bin directory.
13. Run menus.mmb.sh (in INSTALL\_DIR/base/toolset/bin) to generate Toolset runtime menus – .mmx’s.
14. Check to make sure that each .mmb file has a corresponding .mmx file.

---

**Note:** .err files may be created by the compilation scripts above. These files are logs of the compilation process and can be removed.

---

15. Remove all .mmb files from INSTALL\_DIR/base/toolset/bin.

## RMS Forms Installation

1. Copy all libraries (.pll files) in the INSTALL\_DIR/base/forms/src directory to the directories to the INSTALL\_DIR/base/forms/bin directory.
2. Change directories to INSTALL\_DIR/base/forms/bin.
3. Run forms.pll.sh to compile all RMS .pll’s.
4. Check to make sure that each .pll file has a corresponding .plx (to ensure that all .pll’s compiled successfully). Remove all newly created .plx files.
5. Copy all forms (\*.fmb files) in the INSTALL\_DIR/base/forms/src directory to the INSTALL\_DIR/base/forms/bin directory.
6. Run forms.fm\_fmb.sh (in INSTALL\_DIR/base/forms/bin) to compile the RMS reference forms.
7. Remove all newly created fm\_\*.fmx files (reference forms should not have executable files).
8. Run forms.fmb.sh (in INSTALL\_DIR/base/forms/bin) to generate RMS runtime forms – .fmx’s.
9. Check to make sure that each non-reference form .fmb file has a corresponding .fmx file.

---

---

**Note:** Disregard `fm_*.fmx` files should they be created. These files should be removed. They should NOT exist in the `INSTALL_DIR/base/forms/bin` directory.

---

---

10. Remove all non-reference form forms from `INSTALL_DIR/base/forms/bin`; the following syntax leaves all reference forms (`fm_*.fmb`) in the bin directory, while removing all other forms:

```
> for PROG in `ls *.fmb | grep -v fm_`
> do PROGNAME=`echo $PROG`
> rm $PROGNAME
> done
```
11. Copy all menus (`*.mmb` files) in the `INSTALL_DIR/base/forms/src` directory to the `INSTALL_DIR/base/forms/bin` directory.
12. Run `menus.mmb.sh` (in `INSTALL_DIR/base/forms/bin`) to generate RMS runtime menus – `.mmx's`.
13. Check to make sure that each `.mmb` file has a corresponding `.mmx` file.
14. Remove all `.mmb` files from `INSTALL_DIR/base/forms/bin`.

---

---

**Note:** `.err` files may be created by the compilation scripts above. These files are logs of the compilation process and can be removed.

---

---

## Configure Oracle Application Server 10g for RMS

---

---

**Note:** The proper Oracle Application Server 10g (10.1.2.2) components must be started in order to run Oracle Forms applications.

**Note:** `ORACLE_HOME` refers to the location where Oracle Application Server 10g (10.1.2.2) Forms and Reports Services is installed.

**Note:** Prior to modifying Oracle Application Server 10g (10.1.2.2) Forms and Reports Services files, a backup of original files should be made.

---

---

1. Make a copy of the file `ORACLE_HOME/forms/server/default.env`, and name it `rms.env` (for example).
2. Modify the new file `rms.env` by appending the location of the RMS toolset and forms modules to the `FORMS_PATH` variable setting, and by adding the `NLS_DATE_FORMAT` and `NLS_LANG` variables to the end of this file. Additionally, the variable `FORMS_REJECT_GO_DISABLED_ITEM=FALSE` must also be added to `rms.env` due to changes between Oracle Forms 6i and Oracle Forms 10g.

---

---

**Example:**

```
FORMS_PATH=/u00/rms/toolset/bin:/u00/rms/forms/bin:/u00/oracle/AS10GR2/forms
```

```
NLS_DATE_FORMAT=DD-MON-RR  
NLS_LANG=AMERICAN_AMERICA.UTF8
```

```
FORMS_REJECT_GO_DISABLED_ITEM=FALSE
```

---

---

3. Make an entry in the file ORACLE\_HOME/network/admin/tnsnames.ora for the Oracle 10g database that was created in Chapter 2 (where the RMS 13 schema resides). Appendix C contains a sample tnsnames.ora file entry for an Oracle 10g database; refer to the sample or following example for a proper entry in file ORACLE\_HOME/network/admin/tnsnames.ora.
4. Log into sqlplus as the RMS 13 schema owner (RMS13DEV) and update the lang table so that WEBHELP\_SERVER, REPORTS\_SERVER, WEBREPORTS\_SERVER, and APP\_SERVER are correct:
  - WEBHELP\_SERVER is the url http://<server>:<port> where <server> is the name or IP address of the server where Oracle AS 10g is installed and <port> is the "Listen" value in ORACLE\_HOME/Apache/Apache/conf/httpd.conf
  - REPORTS\_SERVER is the value of the reports server created in step 3 above
  - WEBREPORTS\_SERVER is reports/rwservlet
  - APP\_SERVER is the url http://<server>:<port>/ where <server> is the name or IP address of the server where Oracle AS 10g is installed and <port> is the "Listen" value in ORACLE\_HOME/Apache/Apache/conf/httpd.conf

---

---

**Example:** SQL> update lang set

```
WEBHELP_SERVER='http://server:7778' where lang=1;
```

```
SQL> update lang set
```

```
REPORTS_SERVER=REP_<SERVER_NAME> where lang=1;
```

```
SQL> update lang set
```

```
WEBREPORTS_SERVER='reports/rwservlet' where lang=1';
```

```
SQL> update lang set APP_SERVER='http://server:7778/'
```

```
where lang=1;
```

---

---

- 
5. Modify the file formsweb.cfg located at ORACLE\_HOME/forms/server. Create the RMS environment section at the end of this file. Brackets ([ ] in the example below) distinguish a separate environment in this file. Variables to be set in the RMS environment section of formsweb.cfg are: envfile (from step 2 above); width, height, and separateFrame applet parameters; and starting form for the RMS application.

---

**Example:** [rms]

```
envfile=rms.env
width=850
height=585
separateFrame=true
form=rtkstrt.fmx
```

---

If Oracle Single Sign-On is to be used with RMS, then

- set ssoMode to true.
- If Resource Access Descriptors are allowed to be dynamically created, then set ssoDynamicResourceCreate to true.

---

**Example:** [rms]

```
envfile=rms.env
width=850
height=585
separateFrame=true
form=rtkstrt.fmx
ssoMode=true
ssoDynamicResourceCreate=true
```

---

Additional modifications are needed to ensure that RMS utilizes the Sun JRE plug-in installed on the client. Comment out the following lines in formsweb.cfg at the beginning of this file:

- baseHTMLjinitiator=basejini.htm
- baseHTMLjpi=basejpi.htm

---

**Example:** ## baseHTMLjinitiator=basejini.htm  
## baseHTMLjpi=basejpi.htm

---

---

Add the following lines after the “Single Sign-On OID configuration parameter” section of formsweb.cfg . This will direct clients to use the latest version of the Sun Java Plug-in installed on their machine when accessing RMS. No update is needed if you are using a different minor version of the Java plug-in.

```
#####  
#####
```

```
## added for Java 1.4.1+
```

---

---

```

## Use this classid to allow users to use any 1.4.X plugin
jinit_classid=clsid:8AD9C840-044E-11D1-B3E9-
00805F499D93

jinit_mimetype=application/x-java-applet;jpi-
version=1.4.1_03

legacy_lifecycle=true

## end Java plug-in additions

#####

#####

```

---

6. Modify the file ORACLE\_HOME/forms/java/oracle/forms/registry/Registry.dat by setting default.icons.iconpath to /web\_gif/.

---

**Example:** default.icons.iconpath=/web\_gif/

---

7. If NLS\_LANG is NOT set in the ORACLE\_HOME/forms/server/rms.env then copy the RMS keyboard-mapping file  
INSTALL\_DIR/base/sample\_files/fmrweb.res to  
ORACLE\_HOME/forms/admin/resource/US  
If NLS\_LANG is set in the ORACLE\_HOME/forms/server/rms.env file then copy the RMS keyboard-mapping file  
INSTALL\_DIR/base/sample\_files/fmrweb\_utf8.res to  
ORACLE\_HOME/forms/admin/resource/US
8. Copy the sample file INSTALL\_DIR/base/sample\_files/rms13unix.conf to ORACLE\_HOME/Apache/Apache/conf. rms13unix.conf contains the RMS-specific http listener settings that need to be added to the httpd configuration file that was generated during the installation of AS 10gR2
9. In rms13unix.conf, replace all occurrences of INSTALL\_DIR with environment information. The four Apache listener aliases that need to be modified are: /java/help/, /web\_gif/, /english/, and /temp/.
10. Add the contents of rms13unix.conf to the end of httpd.conf, or add an include directive in httpd.conf to rms13unix.conf.
11. Reload the Oracle HTTP Server through Oracle Enterprise Manager (OEM) for the new listener settings to take effect. The OEM URL was presented in the End of Installation window at the conclusion of the Oracle AS 10gR2 Forms and Reports Services installation. The default OEM URL should be http://server:1810.
12. Load RMS in Forms 10gR2 mode by entering the following URL in a browser. Prior to testing, the Sun JRE 1.4.1+ plug-in needs to be installed on the client machine. The plug-in can be downloaded from http://java.sun.com/.
  - http://<server>:<port>/forms/frmservlet?config=<env>
  - server = name or IP address of server where Oracle AS 10gR2 is running
  - port = Value of the "Listen" setting in AS10G\_ORACLE\_HOME/Apache/Apache/conf httpd.conf (default value is 7778)
  - env = name of the environment in brackets in formsweb.cfg (from step 7 above).

---

---

**Example:** <http://server:7778/forms/frmservlet?config=rms>

---

---

**Note:** If RMS is configured to use SSO (ssoMode = true), then the Oracle Single Sign-On page should appear. Login using a valid user ID / password found in the OID LDAP server.

---

---

**Note:** The first time RMS is accessed, the user is prompted with the following security warning. Click Yes.

---

---



If Single Sign-On is not used, or if a Resource Access Descriptor has not been set up for RMS for this user and ssoDynamicResourceCreate is true, then the RMS logon form appears. Enter the appropriateUsername/Password@Connect String information in the corresponding fields:

- Username = RMS Schema Owner or additional Oracle user created
- Password = Username password
- Connect String = Oracle database created in Ch. 1

---

---

**Example:** Username: RMS13DEV  
Password: retek  
Connect String: prod\_db1

---

---

13. On the RMS logon form, enter the appropriateUsername/Password@Connect String information in the corresponding fields:

- Username = RMS Schema Owner or additional Oracle user created
- Password = Username password
- Connect String = Oracle database created in Ch. 1

---

---

**Example:** Username: RMS13DEV  
Password: retek  
Connect String: prod\_db1

---

---






## Appendix: Application Deployment Method

The RMS installer provides the option to configure multiple application deployment methods. This is a setup where there is still a single primary RMS installation, but there are additional levels where customization can occur. This means multiple URLs configured in formsweb.cfg with cascading FORMS\_PATH values.

The installer provides three choices for cascading environment configuration:

- **Base:** A standard RMS base installation with one application installation folder, and one URL.
- **Production:** Base plus two additional forms directories for PRD and EMG and an additional URL for EMG.
- **Development:** Production plus two additional forms directories for UAT and DEV and two additional URLs for UAT and DEV.



The above diagrams show how the application deployment method environment configurations are set up in the forms installation.

The installer creates the set of URLs, and empty directories for the other environments. All forms installed by this installer are placed in the “Base” environment. We are simply laying down the structure for customizations and fixes that the user can make after installation is complete.



---



---

## Appendix: Manual Batch Installation

It is strongly recommend that you use the installer to install the RMS Application. Below are the instructions to manually install the batch portion of RMS.

---



---

**Note:** Warning messages may appear during the compilation of the batch. These warnings can be ignored if the batch executables are successfully generated.

---



---

### Set Environment Variables

1. As the oretail user, change directories to `INSTALL_DIR/base`
2. Set the following variables:

---



---

**Note:** `INSTALL_DIR` is the location where RMS 13 will be installed.  
Make sure the path for `make`, `makedepend`, and the compiler are in `$PATH` environment variable.

---



---

- `MMHOME=INSTALL_DIR`
- `MMUSER=RMS Schema Owner`
- `PASSWORD=RMS Schema Owner Password`
- `ORACLE_HOME=Location of Oracle install`
- `ORACLE_SID=The Oracle Sid for the RMS database`

### Configure Make File

1. As the oretail user, change directories to `INSTALL_DIR/oracle/lib/src`
2. Several platform specific make files have been shipped with this release. Copy and rename the appropriate platform-specific make file to `platform.mk`

---



---

**Example:** `#cp platform_oel_64bit.mk platform.mk`

---



---

3. Run the `oramake` script from `INSTALL_DIR/oracle/lib/src` directory. This uses the server's configurations to create a file called `oracle.mk` and copy an Oracle supplied make file (`demo_rdbms.mk`) to the `lib/src` directory.

### Create Batch Libraries in Database

1. Log into SQL\*Plus as `RMS13DEV` and run the following commands. `INSTALL_DIR` is the location where the RMS batch files are installed (corresponds to `$MMHOME`). `LIB_SUFFIX` is the native library suffix for the operating system. (**a** for AIX, **sl** for HP, **so** for SUN and Linux).
  - `CREATE OR REPLACE LIBRARY order_build_split_lib AS '<INSTALL_DIR>/oracle/lib/bin/libcreateord.<LIB_SUFFIX>';`
  - `CREATE OR REPLACE LIBRARY DEALINCLIB_C AS '<INSTALL_DIR>/oracle/lib/bin/libdealinc.<LIB_SUFFIX>';`

- CREATE OR REPLACE LIBRARY DEALORDLIB\_C AS  
'<INSTALL\_DIR>/oracle/lib/bin/libdealord. <LIB\_SUFFIX>';
  - CREATE OR REPLACE LIBRARY scale\_library AS  
'<INSTALL\_DIR>/oracle/lib/bin/libsupcstr. <LIB\_SUFFIX>';
2. Exit SQL\*Plus.

## Re-Validate RMS Database Objects

There is an invalid object compilation script included with the RMS database schema installer package (rms13dbschema.zip).

1. As the oretail user, change directories to the staging directory used for the database schema installer. Change directories to STAGING\_DIR/rms/dbschema/dbscripts\_rms/utility
2. Log into SQL\*Plus as RMS13DEV and run the following command.  
This script may need to be run more than once.  
SQL> @inv\_obj\_comp.sql

## Compile Batch Libraries

1. As the oretail user, change directories to INSTALL\_DIR/oracle/lib/src
2. Create library dependencies.
  - a. For UNIX, run the following command:  
make -f retek.mk depend 2>&1 | tee libdpnd.log
  - b. For Oracle Linux, run the following command:  
make -f retek.mk -r depend 2>&1 | tee libdpnd.log
  - c. Check the libdpnd.log file for errors.
3. Create the batch libraries.
  - a. For UNIX, run the following command:  
make -f retek.mk retek rms resa 2>&1 | tee librettek.log
  - b. For Oracle Linux, run the following command:  
make -f retek.mk -r retek rms resa 2>&1 | tee librettek.log
  - c. Check the librettek.log file for errors.
4. To install batch libraries  
make -f retek.mk install  
The batch libraries should now be in INSTALL\_DIR/oracle/lib/bin

## Compile Batch Source Code

1. As the oretail user, change directories to INSTALL\_DIR/oracle/proc/src
2. Create dependencies.
  - a. For UNIX, run the following command:  
make -f mts.mk rms-depend recs-depend rtm-depend resa-depend 2>&1 | tee srcdpnd.log
  - b. For Oracle Linux, run the following command:  
make -f mts.mk -r rms-depend recs-depend rtm-depend resa-depend 2>&1 | tee srcdpnd.log
  - c. Check the srcdpnd.log file for errors.

---

**3. Create batch programs.**

- a.** For UNIX, run the following commands in the order stated.

```
make -f rms.mk PRODUCT_PROCFLAGS=dynamic=ansi ditinsrt  
make -f mts.mk rms-ALL recs-ALL resa-ALL rtm-ALL 2>&1 | tee srcall.log
```

- b.** For Oracle Linux, run the following commands:

```
make -f rms.mk -r PRODUCT_PROCFLAGS=dynamic=ansi ditinsrt  
make -f mts.mk -r rms-ALL recs-ALL resa-ALL rtm-ALL 2>&1 | tee srcall.log
```

- c.** Check the srcall.log file for errors.

**4. To install batch programs**

```
make -f mts.mk rms-install recs-install resa-install rtm-install
```

The batch programs should now be in `INSTALL_DIR/oracle/proc/bin`



---

---

## Appendix: Single Sign-On Resource Access Descriptors

Oracle Forms applications such as RMS use database connections for authentication and authorization purposes. Oracle Single Sign-On, however, uses the Oracle Internet Directory (OID) user ID and password for this purpose. The Forms framework maps OID user IDs to database connections via information stored in Resource Access Descriptors (RADs). A user will have one RAD for each application accessed. RADs may be created by an administrator or by an LDIF script. Depending on the Oracle Internet Directory and/or the formsweb.cfg configuration, RADs may also be created by the user. A user is prompted for the database connection information whenever formsweb.cfg file specifies ssoMode = true and createDynamicResources = true for an application and no valid RAD exists. RADs may become invalid when passwords have expired or have been changed.

RADs may be created by administrators or users via the Delegated Administration Services application. Note: users can create new RADs only if one or more RADs already exist.

RADs may be created and via LDIF scripts as well. Documentation on this may be found in the Metalink document number 244526.1.



---



---

## Appendix: AIX Shared Library Bug Fix

The env\_rdbms.mk file for Oracle 10g has Bug #2143531. This bug was not fixed because there is a workaround. The following changes in **bold** need to be made to the \$ORACLE\_HOME/rdbms/lib/env\_rdbms.mk file. Notice that changes are made in both the BUILD\_WITH\_CONTEXT and BUILD\_WITH\_NO\_CONTEXT functions.

```
-----
BUILDLIB_WITH_CONTEXT=generate_export_list() \
{ \
/bin/nm -X32_64 -B -h -g "$$1" | grep -v ' U ' | awk '{print $$3}' | \
egrep -v '^\.|^TOC' | sort | uniq ; \
}; \
generate_import_list() { \ LIB_NAME=$$1; \ IMP_FILE=$$2; \
\
cat ${ORACLE_HOME}/rdbms/lib/xa.imp | head -1 | awk '{print $$0, "."}' >
${IMP_FILE}; \
/bin/nm -X32_64 -C -B -h -g ${LIB_NAME} | grep ' U ' | grep -v ":" | grep -v "("
| grep -v "\.cc" | awk '{print $$3}' | sed -e "s/\./_/g
" | grep -v "^_" >> ${IMP_FILE}; \
}; \
\
generate_import_list "$(OBJS)" $(SHARED_LIBNAME).imp; \
generate_export_list $(OBJS) > $(SHARED_LIBNAME).exp; \
$(LD) -bnoentry -bm:SRE -bE:$(SHARED_LIBNAME).exp -bI:$(SHARED_LIBNAME).imp \
-o $(SHARED_LIBNAME) $(OBJS) -L$(ORACLE_HOME)/lib -lc_r -lm $(LLIBCLNTSH)
$(MATHLIB)

```

```
-----
BUILDLIB_NO_CONTEXT=generate_export_list() \
{ \
/bin/nm -X32_64 -B -h -g "$$1" | grep -v ' U ' | awk '{print $$3}' | \
egrep -v '^\.|^TOC' | sort | uniq ; \
}; \
generate_import_list() { \
LIB_NAME=$$1; \ IMP_FILE=$$2; \
\
cat ${ORACLE_HOME}/rdbms/lib/xa.imp | head -1 | awk '{print $$0, "."}' >
${IMP_FILE}; \
/bin/nm -X32_64 -C -B -h -g ${LIB_NAME} | grep ' U ' | grep -v ":" | grep -v "("
| grep -v "\.cc" | awk '{print $$3}' | sed -e "s/\./_/g
" | grep -v "^_" >> ${IMP_FILE}; \
}; \
\
generate_import_list "$(OBJS)" $(SHARED_LIBNAME).imp; \
generate_export_list $(OBJS) > $(SHARED_LIBNAME).exp; \
$(LD) -bnoentry -bm:SRE -bE:$(SHARED_LIBNAME).exp -bI:$(SHARED_LIBNAME).imp \
-o $(SHARED_LIBNAME) $(OBJS) -L$(ORACLE_HOME)/lib -lc_r -lm $(LLIBCLNTSH)
$(MATHLIB)

```

---



---

---

## Appendix: Installation Order

This section provides a guideline for the order in which the Oracle Retail applications should be installed. If a retailer has chosen to use only some of the applications, the order is still valid, less the applications not being installed.

1. Oracle Retail Merchandising System (RMS), Oracle Retail Trade Management (RTM), Oracle Retail Sales Audit (ReSA)
2. Oracle Retail Service Layer (RSL)
3. Oracle Retail Extract, Transform, Load (RETL)
4. Oracle Retail Active Retail Intelligence (ARI)
5. Oracle Retail Warehouse Management System (RWMS)
6. Oracle Retail Allocation
7. Oracle Retail Invoice Matching (ReIM)
8. Oracle Retail Price Management (RPM)

---

---

**Note:** During installation of RPM, you are asked for the RIBforRPM provider URL. Since RIB is installed after RPM, make a note of the URL you enter. If you need to change the RIBforRPM provider URL after you install RIB, you can do so by editing the `jndi_provider.xml` file.

---

---

9. Oracle Retail Central Office (ORCO)
10. Oracle Retail Back Office (ORBO) or Back Office with Labels and Tags (ORLAT)
11. Oracle Retail Store Inventory Management (SIM)

---

---

**Note:** During installation of SIM, you are asked for the AIP provider URL. Since AIP is installed after SIM, make a note of the URL you enter. If you need to change the AIP provider URL after you install AIP, you can do so by editing the `jndi_providers_ribclient.xml` file.

---

---

12. Oracle Retail Predictive Application Server (RPAS)
13. Oracle Retail Advanced Inventory Planning (AIP)
14. Oracle Retail Integration Bus (RIB)
15. Oracle Retail Point-of-Service (ORPOS)
16. Oracle Retail Mobile Point-of-Service (ORMPOS)
17. Oracle Retail Analytics Applications
18. Oracle Retail Data Warehouse (RDW)
19. Oracle Retail Workspace (ORW)