

Oracle® Retail Merchandising

Batch Schedule

Release 13.1.4

March 2011

Copyright © 2011, Oracle. All rights reserved.

Primary Author: Nathan Young

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

(i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.

(ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.

(iii) the software component known as **Access Via**™ licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.

(iv) the software component known as **Adobe Flex**™ licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, “alteration” refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle’s licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.

Contents

Send Us Your Comments	vii
Preface	ix
Audience	ix
Related Documents.....	ix
Customer Support.....	ix
Review Patch Documentation.....	x
Oracle Retail Documentation on the Oracle Technology Network.....	x
Conventions.....	x
1 Introduction to Merchandising Batch Processing	1
Batch Processing.....	1
Types of Batch Programs	1
Batch Window	2
Batch Schedule and Phases.....	2
Merchandising Batch Schedule.....	3
Program List	3
Batch Schedule Diagram	5
RMS, ReIM, RTM Section	5
ReSA Section.....	6
RPM Section.....	6
Notations in the Batch Schedule Diagram.....	7
prepost Program	8
Modifications to the Batch Schedule	9
2 Program List	11
3 Batch Schedule Diagram	17
4 Interface Diagrams for RMS and RPAS	19
RMS Pre/Post Extract Diagrams	20
RMS Foundation Data Extract Diagrams	21
RMS Fact Data Extract Diagrams.....	23
RPAS-RMS Fact Load Diagram	24
5 Interface Diagrams for RMS and MFP	25
RMS Pre/Post Extract Diagrams	26
RMS Foundation Data Extract Diagrams	27
RMS Fact Data Extract Diagrams.....	29
6 Interface Diagrams for RMS and RDW	31
7 Interface Diagram for RPM and RDW	43
8 Interface Diagram for ReIM and RDW	45
9 Interface Diagrams for RMS and AIP	47
RMS Pre/Post Extract Diagrams	48

RMS Foundation Data Extract Diagrams49

Send Us Your Comments

Oracle Retail Merchandising Batch Schedule, Release 13.1.4

Oracle welcomes customers' comments and suggestions on the quality and usefulness of this document.

Your feedback is important, and helps us to best meet your needs as a user of our products. For example:

- Are the implementation steps correct and complete?
- Did you understand the context of the procedures?
- Did you find any errors in the information?
- Does the structure of the information help you with your tasks?
- Do you need different information or graphics? If so, where, and in what format?
- Are the examples correct? Do you need more examples?

If you find any errors or have any other suggestions for improvement, then please tell us your name, the name of the company who has licensed our products, the title and part number of the documentation and the chapter, section, and page number (if available).

Note: Before sending us your comments, you might like to check that you have the latest version of the document and if any concerns are already addressed. To do this, access the new Applications Release Online Documentation CD available on My Oracle Support and www.oracle.com. It contains the most current Documentation Library plus all documents revised or released recently.

Send your comments to us using the electronic mail address: retail-doc_us@oracle.com

Please give your name, address, electronic mail address, and telephone number (optional).

If you need assistance with Oracle software, then please contact your support representative or Oracle Support Services.

If you require training or instruction in using Oracle software, then please contact your Oracle local office and inquire about our Oracle University offerings. A list of Oracle offices is available on our Web site at www.oracle.com.

Preface

This batch schedule document details the integrated cyclical processing schedules for the Oracle Retail Merchandising applications:

- Oracle Retail Merchandising System (RMS)
- Oracle Retail Invoice Matching (ReIM)
- Oracle Retail Price Management (RPM)
- Oracle Retail Sales Audit (ReSA)
- Oracle Retail Trade Management (RTM)
- Oracle Retail Allocation

Note: Although Oracle Retail Allocation is a Merchandising application, it is not represented in this batch schedule because it does not have any batch programs to run. All Allocation processing is online processing.

This guide describes the periodic and ad hoc phases of batch processing, as well as pre- and post-processing dependencies.

Audience

The audiences for this guide are as follows:

- Systems analysts and system operations personnel who need information about Merchandising processes, internally or in relation to systems across the enterprise
- Integrators and implementation staff who have the overall responsibility for implementing the Merchandising applications in their enterprise

Related Documents

For more information, see the following documents for the Oracle Retail Merchandising products:

- *Oracle Retail Data Warehouse Operations Guide*
- *Oracle Retail Invoice Matching Operations Guide*
- *Oracle Retail Merchandising System Operations Guide*
- *Oracle Retail Price Management Operations Guide*

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:
<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Review Patch Documentation

When you install the application for the first time, you install either a base release (for example, 13.1) or a later patch release (for example, 13.1.2). If you are installing the base release and additional patch and bundled hot fix releases, read the documentation for all releases that have occurred since the base release before you begin installation.

Documentation for patch and bundled hot fix releases can contain critical information related to the base release, as well as information about code changes since the base release.

Oracle Retail Documentation on the Oracle Technology Network

Documentation is packaged with each Oracle Retail product release. Oracle Retail product documentation is also available on the following Web site:

http://www.oracle.com/technology/documentation/oracle_retail.html

(Data Model documents are not available through Oracle Technology Network. These documents are packaged with released code, or you can obtain them through My Oracle Support.)

Documentation should be available on this Web site within a month after a product release.

Conventions

Navigate: This is a navigate statement. It tells you how to get to the start of the procedure and ends with a screen shot of the starting point and the statement “the Window Name window opens.”

This is a code sample

```
It is used to display examples of code
```

Introduction to Merchandising Batch Processing

This chapter is a brief introduction to Oracle Retail batch processing. It defines basic terms and concepts, describes batch processing phases, and explains how to interpret the batch schedule diagram and program list.

Batch Processing

Batch processing is the execution of a group of batch programs (jobs). The results are returned without user intervention. Batch programs are commonly used for the following reasons:

- To process large volumes of transaction data
- To interface with external systems
- To perform internal maintenance

Batch programs can process very large quantities of data quickly and efficiently. Batch programs can perform some updates that could be performed through online transactions, but much more quickly and with less impact on system performance. Batch processing is usually scheduled for times when systems are idle or least busy.

Batch programs can be run automatically using batch scheduler software. The batch scheduler allows batch jobs to be set up in a specific order, with restrictions attached to any program as needed. If an error occurs with a batch program, an administrator must correct the error and manually rerun the batch program that failed.

Types of Batch Programs

Oracle Retail batch programs are of several types:

- Upload programs bring data from external systems into the Oracle Retail database. For example, the `posupld` program uploads daily transactions that occur at the point of sale (POS) for processing by the Oracle Retail Management System (RMS).
- Download programs extract data from RMS and format it so it can be used by external systems. For example, the `posdnld` program extracts new and changed information about an item/location for downloading to the point of sale.
- System maintenance programs perform tasks such as updating the system date. For example, the `dtesys` program increments the system date at the end of each batch cycle.
- Functional maintenance programs process data specific to a functional area. For example, the `storeadd` program updates a number of tables to create entries for a new store.

Batch Window

Because of the impact on production systems, it is not always possible to run batch programs during business hours; however, there is a window of opportunity during each day or night when online systems are not being used. This time frame is the *batch window*. For example, a retailer with stores throughout the continental U.S. might require its online systems to be available from 8 AM Eastern Standard Time, when its East Coast offices open, until 9 PM Pacific Standard Time, when its West Coast stores close. This allows an eight-hour batch window for processing all batch jobs.

Batch Schedule and Phases

Order is critical when running batch programs. Some tasks need to be performed before others. A batch schedule ensures that every time batch processing is performed, the correct tasks are performed in the proper order.

The batch schedule is a diagram that represents all batch programs and how they are sequenced. For each individual user, the schedule is a suggested starting point for the installation. Some programs are specific to products that may not be installed, so these programs may not be used at all.

The total batch schedule is divided into phases. Each phase must be completed before the next phase can begin. Within a phase, there may also be programs that depend on the completion of another program within that phase, so programs within each phase may need to be run in a particular order.

Merchandising Batch Schedule

The integrated Merchandising batch schedule combines the batch schedules of all Merchandising applications into a single schedule diagram. The diagram (later in this document) shows the batch dependencies among the Merchandising applications.

The integrated Merchandising batch schedule combines the batch modules for the following applications:

- Oracle Retail Merchandising System (RMS)
- Oracle Retail Trade Management (RTM)
- Oracle Retail Sales Audit (ReSA)
- Oracle Retail Invoice Matching (ReIM)
- Oracle Retail Price Management (RPM)

Note: Although Oracle Retail Allocation is a Merchandising application, it is not represented in this batch schedule because it does not have any batch programs to run. All Allocation processing is online processing.

Program List

The columns of the program list provide details about each batch program, as follows:

Column	Description
Program name	Name of the program or script
Functional area	Functional area of the application for which the batch program is run
Threaded	Whether the program is threaded (Y/N)
Driver	Program driver
Phase	Phase during which the program is run (see the batch schedule diagram)
Pre-dependency	Programs that must be completed before the program can be run
Post-dependency	Programs that must be run after the program completes successfully
Timing	How often the program is run (for example, daily, weekly, monthly, ad hoc)
Restart/Recovery	Whether the program uses restart/recovery (R=Yes, N=No)
Run Parameters for Program	Command syntax to run the program

For example, the following shows the information in the program list about an RMS phase 3 program named dealday:

Program Name	dealday
Functional Area	Deals
Threaded	Y
Driver	Location
Phase	3
Pre-dependency	dealinc, dealfinc, prepost dealday pre
Post-dependency	prepost dealday post, salmnth
Timing	Monthly
Restart/Recovery	R
Usage	dealday userid/passwd

The program list is grouped in the following order:

- RMS, RTM, and ReSA programs
- RPM programs
- ReIM programs
- RMS extracts for Retail Predictive Application Server (RPAS)
- RMS extracts for Retail Data Warehouse (RDW)

The extracts for RPAS and RDW are programs that are part of the RMS application.

Batch Schedule Diagram

The batch schedule diagram illustrates the program list pre- and post-dependency details. The layout and notations of the diagram also illustrate required sequences and other processing details. Executing the Merchandising batch processing in the manner diagrammed ensures that all critical dependencies are met.

For ease of setting up a schedule at client site, and also based on logical application dependencies, the diagram is divided into three main sections:

- RMS, RTM, ReIM
- ReSA
- RPM

Later chapters of this document show data flow diagrams for other batch processes:

- Chapter 4 shows the Retail Extract, Transform, and Load (RETL) data flows for the extracts from RMS to RPAS.
- Chapter 5 shows the RETL dimension and fact data flows for the extracts from RMS to Oracle Retail Data Warehouse (RDW).
- Chapter 6 shows the RETL data flow for the Promotion dimension extract from RPM to RDW.
- Chapter 7 shows the RETL data flow for the Supplier Invoice Cost dimension extract from ReIM to RDW.
- Chapter 8 shows the RETL data flows for the extracts from RMS to Oracle Retail Advanced Inventory Planning (AIP).

RMS, ReIM, RTM Section

The first section diagrams the RMS, ReIM, and RTM programs and their dependencies. This section is further divided into phases 0 through 7, ad hoc, and date set batch.


Each phase must be completed before the next phase can begin. Also, a phase may contain programs that depend on other programs within the phase. Programs within each phase may need to run in a particular sequence.

The following are brief descriptions of the Merchandising batch processing phases. Depending on your implementation, some programs and phases may not apply.

Phase	Description
Phase 0	The first phase performs essential table maintenance including: <ul style="list-style-type: none"> ▪ Daily purges ▪ Updates to currency exchange rates ▪ Updates to value-added tax (VAT) data
Phase 1	This phase prepares the tables for interfacing with external systems in Phase 2. Among other programs, the stock variance (stkvar) batch program is run to update stock counts.
Phase 2	During this phase, information is uploaded from external interfaces, including point of sale (POS) data (posupld batch program).
Phase 3	In this phase, the main RMS processing programs are run for purchasing, ordering, stock ledger, deals, and replenishment.

Phase	Description
Phase 4	This phase pushes data to external sources. Changed system information is rebuilt. Open to buy (OTB) data is updated. Information is sent to the forecasting system.
Phase 5	This phase consists of ReIM process upload programs.
Phase 6	This phase consists of ReIM process roll-up programs.
Phase 7	This phase consists of ReIM process download programs.
Ad Hoc	Ad hoc batch programs can be run at any time. The ad hoc programs have no phase dependencies.
Date Set	The Date Set phase increments the system date and updates other calendar dates. Note: The date set phase should be the very last phase to run. Even the ad hoc programs should be run before the date set program.

Read the batch schedule diagram from left to right. In the following example, any of the programs (ediupavl, ediupack, stkvar,ditinsrt, lifstkup, ReceiverAdjustment, DiscrepancyPurge) can start at the same time; however, the stkupld program cannot start until the lifstkup program is successfully completed.



ReSA Section

This section diagrams the ReSA programs and their dependencies.

RPM Section

This section diagrams the RPM programs and their dependencies.

Notations in the Batch Schedule Diagram

Pipes

Pipes are vertical bars (|) that represent the dependencies within a phase. Reading left to right, a pipe indicates that one or more programs to the right depend upon completion of one or more programs to the left.

In the following example, the stkupld module depends on the lifstkup module; that is, the stkupld module can be run only after successful completion of the lifstkup module.

lifstkup	stkupld
----------	---------

In the following example, both of the modules cntrorldb and reqext are dependent on ociroq. Neither cntrorldb nor reqext can be run until the ociroq module has completed successfully.

ociroq	cntrorldb reqext
--------	---------------------

In the following example, the ibcalc module is dependent on both ibexpl and cntprss. The ibcalc module cannot be run until both ibexpl and cntprss have completed successfully.

ibexpl cntprss	ibcalc
-------------------	--------

Abbreviations

In the diagram, abbreviations in parentheses that follow program names have the following meanings:

Abbreviation	Meaning
(perl)	The module is a Perl script.
(FIF)	The module is related to the Financials application.
(sqlldr)	There is a sqlloader process to load/ftp the output files.
(rebuild all)	There is a rebuild process inside the application.
(IM)	The module is related to Invoice Matching but owned by RMS.
(RMS)	The module belongs to RMS.
(RMS)	(Bold type) The RMS module is executed externally to that phase.
(ReSA)	The module belongs to ReSA.
(ReSA)	(Bold type) The ReSA module is executed externally to that phase.
(ReIM)	The module belongs to ReIM.
(RTM)	The module belongs to RTM.
(Weekly)	The module is executed weekly.
(Monthly)	The module is executed monthly.
(Forms Auditing)	This is an online forms auditing process related to ReSA.

Footnotes

Footnote symbols (*, **, †, ‡) refer to footnotes that appear below that phase or section of the diagram.

prepost Program

The prepost program facilitates multi-threading by allowing general system administration functions (such as table deletions or mass updates) to be completed after all threads of a particular program have been processed. The prepost program must be run before, after, or both before and after, programs that require specific processing to run or complete successfully.

In the batch schedule diagram, the prepost program is indicated by “pre” and “post” entries, as in the following examples.

In the following example, preprocessing is required before running the ociroq program.

pre	ociroq
------------	---------------

In the following example, preprocessing is required before running the stkupd program. Also, post-processing is required after successful completion of the stkupd program.

pre	stkupd	post
------------	---------------	-------------

In the following example, post-processing is required after successful completion of the sccest program.

sccest	post
---------------	-------------

Modifications to the Batch Schedule

The integrated Merchandising batch schedule shows the dependencies for all the programs that *could* be run by a retailer. Based on many factors, there will always be some programs that a retailer does not run. Determining which programs, or groups of programs, are not required is a job that should be performed at implementation time.

One major factor involves the applications that the retailer has purchased and wants to install:

- For example, a retailer may have purchased RMS, but not ReIM; in this case, the ReIM programs would not be run.
- Another example is that a retailer may not want to use some functionality within an application. Perhaps a retailer purchased RMS but did not purchase the RDW application. In this case, the retailer may not want to run the programs that extract RMS data to be used later by the RDW application.

These major configuration choices also affect whether some programs are used:

- Whether the Retail Integration Bus (RIB) is used
For more information about configuring the RIB for Merchandising applications, see “Configuring RPM without the RIB” in the “Backend System Administration and Configuration” chapter of the *Oracle Retail Price Management Operations Guide*.
- Whether full-featured or simplified Retail Price Management (RPM) is used
For more information about configuring simplified RPM, see the “Backend System Administration and Configuration” chapter in the *Oracle Retail Price Management Operations Guide*.
- Whether full-featured or simplified RTM is used
For more information about configuring simplified RTM, see the “Oracle Retail Trade Management Batch” chapter in Volume 1 of the *Oracle Retail Merchandising System Operations Guide*.

RMS,RTM,ReSA Program Dependency and Scheduling Details

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
auditprg	Audit	N	N/A	ad hoc	N/A	N/A	daily	N	auditprg user/passwd
auditsys	Audit	N	N/A	ad hoc	N/A	N/A	daily	N	auditsys user/passwd
batch_allcotstupd.ksh	Cost Component Updates	Y	Allocation and Transfer	2	batch_compeffupd.ksh	If none of the Cost Component Updates batch are to be run then, prepost batch_costcompupd.post.	daily	N	batch_allcotstupd.ksh [-p <# parallel threads>] <connect> <# parallel threads> is the number of threads to run in parallel. The default is the value on RESTART_CONTROL.NUM.THREADS.
batch_compeffupd.ksh	Cost Component Updates	N	N/A	2	N/A	If none of the Cost Component Updates batch are to be run then, prepost batch_costcompupd.post.	daily	N	batch_compeffupd.ksh <connect>
batch_depchrgrupd.ksh	Cost Component Updates	N	N/A	2	batch_compeffupd.ksh	If none of the Cost Component Updates batch are to be run then, prepost batch_costcompupd.post.	daily	N	batch_depchrgrupd.ksh <connect>
batch_exproffupd.ksh	Cost Component Updates	N	N/A	2	batch_compeffupd.ksh	If none of the Cost Component Updates batch are to be run then, prepost batch_costcompupd.post.	daily	N	batch_exproffupd.ksh <connect>
batch_lmcostcompupd.ksh	Cost Component Updates	N	Location, Supplier	2	batch_compeffupd.ksh	If none of the Cost Component Updates batch are to be run then, prepost batch_costcompupd.post.	daily	N	batch_lmcostcompupd.ksh [-p <# parallel threads>] <connect> <# parallel threads> is the number of threads to run in parallel. The default is the value on RESTART_CONTROL.NUM.THREADS.
batch_ordcostcompupd.ksh	Cost Component Updates	Y	Order	2	batch_compeffupd.ksh, prepost batch_ordcostcompupd.pre	prepost batch_ordcostcompupd.post	daily	N	batch_ordcostcompupd.ksh [-p <# parallel threads>] <connect> <# parallel threads> is the number of threads to run in parallel. The default is the value on RESTART_CONTROL.NUM.THREADS.
batch_orpos_extract.ksh	Point of Sale Interface	Y	Store	4	If RPM pricing info is reqd then run after extraction script RPMtoORPOSPublicExport.sh	prepost poscdnd post	daily	N	batch_orpos_extract.ksh user/passwd [-p <no. of threads>] [DIR - location where extracts are to be generated]
ccprg	Costing	N	N/A	ad hoc	N/A	prepost poscdnd post	monthly	N	ccprg user/passwd
cednd	Trade Management	Y	Broker	2	N/A	N/A	daily	R	cednd user/passwd broker_file_name
cmprrg	Pricing	N	N/A	ad hoc	N/A	N/A	daily	N	cmprrg user/passwd
cmprupd	Pricing	N	N/A	ad hoc	N/A	All RPM batch modules	ad hoc	R	cmprupd user/passwd input_file reject_file
crtrman	Contracting	N	N/A	0	N/A	All Replenishment modules	daily	R	crtrman user/passwd
cntrordb	Contracting	Y	Contract	3	rplad	prepost cntrordb post	daily	R	cntrordb user/passwd
cntrps	Contracting	Y	Dept	3	rplad	rplad	daily	R	cntrps user/passwd
costeventprg.pc	Real Time Costing	N	Event Type	0	N/A	N/A	daily	R	costeventprg user/passwd
cremhierdy	Reclassification	N	N/A	4	N/A	redldy	daily	R	cremhierdy user/passwd
deallact	Deals	Y	Deal Id	3	prepost deallact_nor pre	N/A	daily	R	deallact user/passwd
deallc	Deals	N	N/A	ad hoc	N/A	prepost deallc post	daily	R	deallc user/passwd
dealday	Deals	Y	Location	3	deallc	prepost dealday post	monthly	R	dealday user/passwd
deallct	Deals	Y	Deal Id	3	deallc	salmt	daily	R	deallct user/passwd [Y/N - EOM processing ind]
deallnc	Deals	Y	Deal Id	3	deallact	deallct	weekly/ad hoc	R	deallnc user/passwd
deallnc	Deals	Y	Deal Id	3	prepost deallnc pre	salmt (if monthly)	monthly	R	deallnc user/passwd [Y/N - EOM processing ind]
deallprg	Deals	N	N/A	ad hoc	N/A	(All other deals programs)	monthly	R	deallprg user/passwd
deallpid	Deals	Y	File-based	0	(This program is the first one in Deals batch)	(All other deals programs)	daily	R	deallpid user/passwd input_file reject_file
dftrdb	Item Maintenance	Y	Dept	3	(This program will likely be run after sales information is uploaded into Oracle Retail)	(SQL*Load the output file)	daily	R	dftrdb user/passwd outfile
discotbaply	OTB	Y	Dept	4	ordisct	N/A	daily	R	discotbaply user/passwd
distrocpub	Pricing/Transfers/Allocation Publish	Y	Store	3	PriceEventExecutionBatch(RPM)	N/A	daily	R	distrocpub user/passwd
dmsrt	Deals	N	N/A	1	N/A	ordisct	daily	R	dmsrt user/passwd (P or S) (supplier/partner). P or S = program is either run for deals set up by Partner or Supplier.
dlyprg	Maintenance	N	N/A	0	N/A	(All other batch programs)	daily	R	appropriate calling script and passed into program. Note: (May use the batch_dmsrt.ksh for launching this program as it is created based on performance considerations)
docclose	Receiving	N	N/A	ad hoc	N/A	N/A	daily	R	dlyprg user/passwd
dtesys	Calendar	N	N/A	date_set	(This program should run at the end of the batch cycle)	prepost dtesys post	daily	N	dtesys user/passwd [indate-YYYYMMDD format]
dumnyctn	Receiving	N	N/A	ad hoc	N/A	N/A	daily	N	dumnyctn user/passwd
ediladd	Maintenance	N	N/A	ad hoc	N/A	N/A	ad hoc	N	ediladd user/passwd ediladd_output ediladd_catalog
edilcon	Contracting	N	N/A	ad hoc	N/A	N/A	ad hoc	N	edilcon user/passwd edilcon_outfile
edilinv	Invoice Matching	Y	Location	4	N/A	N/A	ad hoc	R	edilinv user/passwd output_filename
edilord	Ordering	N	N/A	4	(and after replenishment batch)	N/A	ad hoc	R	edilord user/passwd filename
edilprd	EDI Interface - Sales and Inventory	N	N/A	4	prepost edilprd pre	prepost edilprd post	daily	R	edilprd user/passwd filename
ediprg	EDI Interface - Purge	N	N/A	ad hoc	(Towards the end of the batch cycle)	N/A	monthly	R	ediprg user/passwd
edupadd	Maintenance	N	File-based	2	N/A	N/A	daily	N	edupadd user/passwd input_file reject_file
edupack	EDI Interface - ordering	N	N/A	1	N/A	N/A	ad hoc	R	edupack user/passwd data_file reject_file
edupavl	EDI Interface - Contracts	N	File-based	1	N/A	N/A	daily	R	edupavl user/passwd input_file reject_file
edupcat	EDI Interface - Suppliers	N	File-based	1	N/A	N/A	daily	R	edupcat user/passwd edi_data_file error_file
elocxprg	Cost Component Updates	N	N/A	2	N/A	N/A	ad hoc	N	elocxprg user/passwd
foxec	Real Time Costing	Y	Cost Event Process Id	2	prepost fosexec pre	N/A	daily/ad hoc	N	foxec user/passwd
fotheadexec	Real Time Costing	Y	Cost Event Process Id	2	batch_lmcostcompupd.ksh	N/A	daily/ad hoc	N	fotheadexec user/passwd
fcstrg	Forecasting	Y	Domain Id	ad hoc	prepost fcstrg pre	N/A	daily	N	fcstrg user/passwd domain
fcstrbid	Forecasting	Y	Domain Id	3	N/A	prepost fcstrbid post	weekly	R	fcstrbid user/passwd
fcstrbid_sbc	Forecasting	Y	Domain Id	3	prepost fcstrbid post	N/A	weekly	R	fcstrbid_sbc user/passwd
fflgdn1	Financial Interface	Y	Dept	3	prepost ffflgdn1 post	salapnd	daily	R	fflgdn1 user/passwd
fflgdn2	Financial Interface	Y	Dept	3	salstage	salapnd	daily	R	fflgdn2 user/passwd
fflgdn3	Financial Interface	Y	Store/Wh	3	salmt	salapnd	monthly	R	fflgdn3 user/passwd
ffmednd	Planning System Interface	N	N/A	ad hoc	N/A	N/A	ad hoc	R	ffmednd user/passwd
gcpuld	Misc Interface - Taxgeocode	N	N/A	ad hoc	N/A	N/A	ad hoc	R	gcpuld <username> <password> @environment <infile> <outfile>
genpress	Ordering	Y	Supplier	ad hoc	N/A	N/A	ad hoc	R	genpress user/passwd
gradupld	Forecasting	N	File-based	N/A	N/A	N/A	ad hoc	R	gradupld user/passwd input_file rej_file
hstbid	Sales	Y	Location	3	posupld	prepost hstbid pre (for rebuild all)	weekly	R	hstbid user/passwd level(weekly/rebuild)
hstbid_diff	Sales	N	N/A	ad hoc	hstbid	N/A	ad hoc	N	hstbid_diff user/passwd
hstbidmth	Sales	Y	Dept	3	posupld	prepost hstbidmth post	monthly	R	hstbidmth user/passwd level(monthly/rebuild)
hstbidmth_diff	Sales	N	N/A	ad hoc	posupld	prepost hstbidmth post	ad hoc	N	hstbidmth_diff user/passwd
hstmhupd	Sales	Y	Location	3	(The program should be run on the last day of the month).	Run SQL*Loader using the control file hstmhupd.ctf to load data from the output file written by HSTMHLUPD.PC for non-existent records on ITEM_LOC_HIST_MTH	monthly	R	hstmhupd user/passwd (out_file)
hstrg	Sales	N	N/A	ad hoc	N/A	N/A	monthly	N	hstrg user/passwd
hstrg_diff	Sales	N	N/A	ad hoc	N/A	N/A	weekly	N	hstrg_diff user/passwd
hstkupd	Sales	Y	Store/Wh	3	N/A	Run SQL*Loader using the control file hstkupd.ctf to load data from the output file written by HSTWKUPD.PC for non-existent records on ITEM_LOC_HIST	weekly	R	hstkupd user/passwd (out_file)
htsupld	Trade Management	Y	File-based	ad hoc	prepost htsupld pre	N/A	ad hoc	R	htsupld user/passwd input_file reject_file country_id ; perf hts_240_2400 inputfile.outputfile ; perf ushts2rms inputfile.outputfile rejectfile

sampftog	Sales Audit	Y	Store/Day	SA	sagretref sapsrepost sampftog pre sampftog	sapsrepost sampftog post (Use scj Loader to load data into ReSA tables)	daily	N	sampftog user/pw infile badfile itemfile wastefile refitemfile primvarianfile varupcfile storedayfile promfile codesfile errorfile ccvallfile storeposfile tendertypefile merchcodefile partnerfile supplierfile employeefile bannerfile	
sampftogfn	Sales Audit	N	N/A	SA	savouch salstage fifgdn1	satotals	daily	R	sampftogfn user/passwd store_day_file	
salapnd	Stock Ledger	N	N/A	3	fifgdn2	N/A	daily	R	salapnd user/passwd	
saldly	Stock Ledger	Y	Store/Wh	3	salstage	salweek	daily	R	saldly user/passwd	
salshd	Dept	Y	N/A	3	salshh	N/A	half yearly	R	salshd user/passwd	
salins	Sales	N	N/A	0	N/A	N/A	daily	R	salins user/passwd	
salmaint	Stock Ledger	N	N/A	ad hoc	N/A	salweek	half yearly	N	salmaint user/passwd pre_or_post	
salmh	Stock Ledger	Y	Dept	3		pre_dwi_extract.ksh/RMS	prepost salmh post	monthly	R	salmh user/passwd
salprg	Stock Ledger	N	N/A	ad hoc	N/A		N/A	daily	N	salprg user/passwd
						saldly salapnd	salweek			
						rpmovavg	fifgdn1			
salstage	Stock Ledger	N	N/A	3	posupld		daily	N	salstage user/passwd	
					saldly stkdly salapnd					
					prepost salweek pre dealtct					
salweek	Stock Ledger	Y	Dept	3	vendirvc vendirvf	salmh	prepost salweek post	weekly	R	salweek user/passwd
saordinvexp	Sales Audit	Y	Store	2	N/A	N/A	daily	R	saordinvexp user/passwd	
sapreexp	Sales Audit	N	N/A	SA	SA audit process	(Before any SA export process)	daily	R	sapreexp user/passwd	
sapsrepost	Sales Audit	N	N/A	SA	N/A	N/A	daily	N	sapsrepost user/passwd program pre_or_post	
					sapsrepost sapurge pre (This program should be run as the last program in the ReSA batch schedule)					
sapurge	Sales Audit	Y	Store	SA		sapsrepost sapurge post	daily	R	sapurge user/passwd deleted_items_file [optional list of store days to be deleted]	
sarules	Sales Audit	N	N/A	SA	satotals	sapreexp	saescheat	daily	R	sarules user/passwd store_no
					(It should run before the DTESYS batch program and before the next store/day's transactions are received)					
sastrycr	Sales Audit	N	N/A	date_set	received	dtesys	daily	R	sastrycr user/passwd [YYYYMMDD]	
satotals	Sales Audit	N	N/A	SA	sampftogfn	sarules	daily	R	satotals user/passwd store_no	
savouch	Sales Audit	N	N/A	SA	sampftog (and its SQL Load process)	sampftogfn	daily	R	savouch user/passwd infile rejfile tendertype_file	
scost	Costing	Y	Cost change	3	costindex.ksh (RMS to RDW RETL extract)	prepost scost post	daily	R	scost user/passwd	
schedprg	Organizational Hierarchy	N	N/A	ad hoc	N/A	N/A	monthly	R	schedprg user/passwd	
silman	Item Maintenance	N	N/A	ad hoc	lctbtd	N/A	ad hoc	R	silman user/passwd	
southnd	Forecasting	Y	Domain Id	4	N/A	N/A	daily	R	southnd user/passwd	
stkdly	Stock Ledger	Y	Dept	3	stklar	salweek	daily	R	stkdly user/passwd	
stkpgr	Stock Ledger	N	N/A	ad hoc	N/A	prepost stkpgr post	daily	N	stkpgr user/passwd	
stkschedxpld	Stock Ledger	Y	Location	0	N/A	stkskpd	daily	R	stkschedxpld user/passwd	
					prepost stkskpd pre					
stskupd	Stock Ledger	Y	Location	3	stkskpd	prepost stkskpd post	daily	R	stskupd user/passwd	
stskupl	Stock Ledger	Y	Dept	1	lftskup	N/A	daily	R	stskupl user/passwd input_file reject_file	
stklar	Stock Ledger	Y	Dept	1	N/A	N/A	daily	R	stklar user/passwd [report_file_name]	
					stkschedxpld					
stkskpd	Stock Ledger	Y	Dept	3	wasteadj	stkskpd	daily	R	stkskpd user/passwd	
stfgdn1	Stock Ledger	Y	Dept	4	N/A	prepost storeadd post	weekly	R	stfgdn1 user/passwd input_file	
storeadd	Maintenance - Location	N	N/A	ad hoc	N/A	stkskpd	daily	R	storeadd user/passwd	
supchntr	Replenishment	N	N/A	3	rpbltd	lftskup	daily	R	supchntr user/passwd	
supmth	Stock Ledger	Y	Dept	3	N/A	prepost supmth post	monthly	R	supmth user/passwd	
					rpnext					
supsplit	Replenishment	Y	Item	3 / Adhoc	prepost supsplit pre	rpbltd	daily	R	supsplit user/passwd	
tampcrn	Receiving	N	N/A	ad hoc	N/A	N/A	ad hoc	N	tampcrn user/passwd	
tkctdnid	Maintenance	N	N/A	ad hoc	N/A	N/A	daily	R	tkctdnid user/passwd filename print_online_ind_days_in_advance [location]	
tlposdn	Sales Tax	N	N/A	4	trposdn	prepost tlposdn post	daily	R	tlposdn user/passwd output_file	
trnqpld	Trade Management	Y	File-based	ad hoc	N/A	N/A	daily	R	trnqpld user/passwd infile	
tsfclose	Transfers	Y	Transfer	ad hoc	N/A	N/A	daily	R	tsfclose user/passwd	
tsfprg	Transfers	N	N/A	ad hoc	N/A	N/A	monthly	R	tsfprg user/passwd	
trposdn	Point of Sale Interface	N	N/A	4	N/A	tlposdn	daily	R	trposdn user/passwd	
trtpjcd	Sales Tax	N	N/A	4	N/A	N/A	ad hoc	R	trtpjcd user/passwd input_file reject_file	
vatdixpl	Maintenance - VAT	Y	Val Region	0	N/A	prepost vatdixpl post	daily	R	vatdixpl user/passwd	
					dealtact	prepost vendirvc post				
vendirvc	Deals	Y	Deal Id	3	salstage(f daily) prepost vendirvc pre	salweek(f weekly) salmh (if monthly)	daily	R	vendirvc user/passwd	
					salstage(f daily)	prepost vendirvf post				
vendirvf	Deals	Y	Deal Id	3	prepost vendirvf pre	salmh (if monthly)	daily	R	vendirvf user/passwd	
vrpbld	Replenishment	Y	Supplier	2	edupack	prepost vrpbld post	daily	R	vrpbld user/passwd	
wasteadj	Stock Ledger	Y	Store	3	N/A	stkskpd	daily	R	wasteadj user/passwd	
wfords	Ordering	Y	Wholesale Order ID	ad hoc	N/A	wfordsprg	daily	R	wfords user/passwd	
wfordsprg	Ordering	Y	Wholesale Order ID	ad hoc	wfords	N/A	daily	R	wfordsprg user/passwd	
wfordsid	Ordering	Y	CustomerRefID	ad hoc	N/A	N/A	ad hoc	N	wfordsid user/passwd input_file_directory output_file_directory number_of_threads	
wftrpgr	Ordering	Y	Wholesale Return ID	ad hoc	N/A	N/A	daily	R	wftrpgr user/passwd	
whadd	Maintenance - Location	N	N/A	ad hoc	N/A	prepost whadd post	daily	R	whadd user/passwd	
					(Must be run after all replenishment batch programs)					
whatrasg	Maintenance - Location	N	N/A	3		prepost whatrasg post	daily	R	whatrasg user/passwd	

RPM Dependency and Scheduling Details

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
ItemReclassBatch	Future Retail	N	N/A	N/A	recldy(RMS)	NewItemLocBatch	daily/ad hoc	N	itemReclassBatch.sh rpm-app-userid password
NewItemLocBatch	Future Retail	N	N/A	N/A	storeadd(RMS), ItemReclassBatch	LocationMoveBatch	daily/ad hoc	N	NewItemLocBatch.sh rpm-app-userid password [status [error-commit-count]]
LocationMoveScheduleBatch	Zone Structure/Future Retail	Y	Location move	N/A	NewItemLocBatch	LocationMoveBatch, PriceEventExecutionBatch	daily, adhoc	N	LocationMoveScheduleBatch.sh rpm-app-userid password
LocationMoveBatch	Zone Structure/Future Retail	Y	Location move	N/A	NewItemLocBatch	LocationMoveBatch	daily	N	locationMoveBatch.sh rpm-app-userid password
PriceEventExecutionBatch	Price Change/Clearance/Promotion	Y	Pricing event	N/A	LocationMoveBatch, salstage (RMS)	PriceEventExecutionRMSBatch	daily	N	priceEventExecutionBatch.sh rpm-app-userid password
PriceEventExecutionRMSBatch	Price Change/Clearance/Promotion	Y	Pricing event	N/A	PriceEventExecutionBatch		daily	N	priceEventExecutionRMSBatch.sh rpm-app-userid password
PriceEventExecutionDealsBatch	Price Change/Clearance/Promotion	Y	Pricing event	N/A	PriceEventExecutionRMSBatch	MerchExtractKickOffBatch	daily	N	priceEventExecutionDealsBatch.sh rpm-app-userid password
PriceStrategyCalendarBatch	Price Strategy	N	N/A	N/A	N/A	MerchExtractKickOffBatch	daily	N	priceStrategyCalendarBatch.sh rpm-app-userid password
WorksheetAutoApproveBatch	Pricing Worksheet	Y	Price strategy	N/A	N/A	MerchExtractKickOffBatch	daily	N	worksheetAutoApproveBatch.sh rpm-app-userid password
					PriceEventExecutionBatch storeadd (RMS) WorksheetAutoApproveBatch				
MerchExtractKickOffBatch	Pricing Worksheet	Y	Price strategy	N/A	PriceStrategyCalendarBatch wfcostcalc (RMS)	Wholesale Item Catalog Report (RMS)	daily	N	merchExtractKickOffBatch.sh rpm-app-userid password
PurgeBulkConflictCheckAnifacts	Conflict Checking	N	N/A	N/A	MerchExtractKickOffBatch	N/A	daily	N	purgeBulkConflictCheckAnifacts.sh rpm-app-userid password

RPMTORPOSPublishBatch.sh	Price Change/Clearance/Promotion	N	N/A	N/A	MerchExtractKickOffBatch WorksheetAutoApproveBatch	N/A	daily	N	ksh RPMTORPOSPublishBatch.sh -userid/passwd@sid -<log path> -<error path>
RPMTORPOSPublishExport.sh	Price Change/Clearance/Promotion	Y	Location	N/A	RPMTORPOSPublishBatch.sh	N/A	daily	N	ksh RPMTORPOSPublishExport.sh -userid/passwd@sid -<Numberof slots> -<dogpath> -<error path> -<Export path>
RegularPriceChangePublishBatch	Regular Price Changes	Y	Price event (item/loc)	N/A	WorksheetAutoApproveBatch	RegularPriceChangePublishExport	daily/ad hoc	N	regularPriceChangePublishBatch.sh rpm-app-userid password
RegularPriceChangePublishExport	Regular Price Changes	N	Price event (item/loc)	N/A	WorksheetAutoApproveBatch	RegularPriceChangePublishExport	daily/ad hoc	N	regularPriceChangePublishExport.sh rpm-db-useridpwd@database [export-path]
ClearancePriceChangePublishBatch	Clearances	Y	Price event (item/loc)	N/A	WorksheetAutoApproveBatch	ClearancePriceChangePublishExport	daily/ad hoc	N	clearancePriceChangePublishBatch.sh rpm-app-userid password
ClearancePriceChangePublishExport	Clearances	N	Price event (item/loc)	N/A	WorksheetAutoApproveBatch	ClearancePriceChangePublishExport	daily/ad hoc	N	clearancePriceChangePublishExport.sh rpm-db-useridpwd@database [export-path]
PromotionPriceChangePublishBatch	Promotions	Y	Price event (item/loc)	N/A	WorksheetAutoApproveBatch	PromotionPriceChangePublishExport	daily/ad hoc	N	promotionPriceChangePublishBatch.sh rpm-app-userid password
PromotionPriceChangePublishExport	Promotions	N	Price event (item/loc)	N/A	PromotionPriceChangePublishBatch	PromotionPriceChangePublishExport	daily/ad hoc	N	promotionPriceChangePublishExport.sh rpm-db-useridpwd@database [export-path]
PriceChangeAutoApproveResultsPurgeBatch	Purge	N	N/A	N/A	N/A	N/A	daily	N	priceChangeAutoApproveResultsPurgeBatch.sh rpm-app-userid password
PriceChangePurgeBatch	Purge	N	N/A	N/A	N/A	N/A	daily	N	priceChangePurgeBatch.sh rpm-app-userid password
PriceChangePurgeWorkspaceBatch	Purge	N	N/A	N/A	N/A	N/A	daily	N	priceChangePurgeWorkspaceBatch.sh rpm-app-userid password
promotionArchiveBatch.sh	Promotin	N	N/A	N/A	N/A	N/A	daily	N	promotionArchiveBatch.sh rpm-app-userid password
PromotionPurgeBatch	Purge	N	N/A	N/A	N/A	N/A	daily	N	promotionPurgeBatch.sh rpm-app-userid password
PurgeUnusedAndAbandonedClearancesBatch	Purge	N	N/A	N/A	N/A	N/A	daily	N	purgeUnusedAndAbandonedClearancesBatch.sh rpm-app-userid password
PurgeUnusedAndAbandonedClearancesBatch	Purge	N	N/A	N/A	N/A	N/A	daily	N	purgeUnusedAndAbandonedClearancesBatch.sh rpm-app-userid password
PurgeLocationMovesBatch	Purge	N	N/A	N/A	N/A	N/A	daily	N	purgeLocationMovesBatch.sh rpm-app-userid password
ZoneFutureRetailPurgeBatch	Purge	N	N/A	N/A	N/A	N/A	daily	N	zoneFutureRetailPurgeBatch.sh rpm-app-userid password
ItemLocDeleteBatch	Purge	N	N/A	N/A	N/A	N/A	daily	N	itemLocDeleteBatch.sh rpm-app-userid password
priceChangeAreaDifferentialBatch	Price Change	Y	N/A	N/A	N/A	N/A	ad hoc	N	priceChangeAreaDifferentialBatch rpm-app-userid password
injectorPriceEventBatch	Price Change/Clearance/Promotion	Y	Item/Location	N/A	N/A	PriceEventExecutionDealsBatch	ad hoc	N	injectorPriceEventBatch.sh rpm-app-userid password [status--status-] [event_type--event_type-]
refreshPosDataBatch	Price Event	Y	N/A	N/A	N/A	N/A	ad hoc	N	refreshPosDataBatch.sh -username- -password- -location- [date[YYYYMMdd]]
purgePayloadsBatch	purge	N	Price event	N/A	RegularPriceChangePublishExport, ClearancePriceChangePublishExport, PromotionPriceChangePublishExport	N/A	ad hoc	N	purgePayloads.sh -userid/pwd@database- <publish-status>
taskPurgeBatch.sh	Purge	N	N/A	N/A	N/A	N/A	daily	N	taskPurgeBatch.sh -username- -password- [-purgeDays][Y/N]
processPendingChunksBatch	Price Change/Clearance/Promotion	Y	N/A	N/A	N/A	N/A	ad hoc	N	processPendingChunksBatch.sh rpm-app-userid password

ReIM Dependency and Scheduling Details

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
reimaccountworkspacepurge	Invoice Matching (ReIM)	N	N/A	N/A	N/A	N/A	ad hoc	R	Userid/passwd
reimautomatch	Invoice Matching (ReIM)	Y	N/A	6	NA	reimrollup	daily	R	Userid/passwd
reimpurge	Invoice Matching (ReIM)	N	N/A	0	NA	reimposting	daily	R	Userid/passwd
reimcomplexupload	Invoice Matching (ReIM)	Y	N/A	5	vendinv(RMS), vendinv(RMS)	reimautomatch	daily	R	Userid/passwd BlockSize [PartitionNo]
reimcrednoteautomatch	Invoice Matching (ReIM)	N	N/A	6	N/A	reimrollup	daily	R	Userid/passwd
reimcrednoteupload	Invoice Matching (ReIM)	N	N/A	1	N/A	reimposting	daily	R	Userid/passwd
reimdirnupload	Invoice Matching (ReIM)	Y	N/A	5	eddirinv(RMS)	reimautomatch,reimcrednoteautomatch	daily	R	Userid/passwd "EDI input file with path" "EDI reject file with path"
reimdirnupload	Invoice Matching (ReIM)	N	N/A	7	reimposting	N/A	daily	R	Userid/passwd
reimfixdtdupload	Invoice Matching (ReIM)	Y	N/A	5	vendinv(RMS), vendinv(RMS)	reimautomatch	daily	R	Userid/passwd BlockSize [PartitionNo]
reimrollup	Invoice Matching (ReIM)	N	N/A	6	reimautomatch,reimcrednoteautomatch	reimposting	daily	R	Userid/passwd
reimreceiptwrtioff	Invoice Matching (ReIM)	N	N/A	6	reimautomatch	reimposting	daily	R	Userid/passwd
reimposting	Invoice Matching (ReIM)	N	N/A	6	reimrollup	N/A	daily	R	Userid/passwd

RMS to RPAS RETL Extracts Dependency and Scheduling Details (EXTRACTS FOR RPAS)

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
pre_rmse_rpas.ksh	Planning/Forecast System Interface	N	N/A	N/A	N/A. This is a pre setup script	N/A	daily	N	N/A
rmse_rpas.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh. (This is the launch script to run the extracts)	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_attributes.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_daily_sales.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_domain.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh simain	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_item_master.ksh	Planning/Forecast System Interface	N	N/A	N/A	recdsdy	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_merchhler.ksh	Planning/Forecast System Interface	N	N/A	N/A	recdsdy	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_orghier.ksh	Planning/Forecast System Interface	N	N/A	N/A	dyprg	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_stock_on_hand.ksh	Planning/Forecast System Interface	N	N/A	N/A	stdydy	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_store.ksh	Planning/Forecast System Interface	N	N/A	N/A	storeadd	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_suppliers.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh hstkwupd	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_weekly_sales.ksh	Planning/Forecast System Interface	N	N/A	N/A	salweek	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_wh.ksh	Planning/Forecast System Interface	N	N/A	N/A	whadd	Refer to RPAS Operations guide	daily	N	N/A
rmsl_rpas_forecast.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	N/A
rmsl_rpas_update_retl_date.ksh	Planning/Forecast System Interface	N	N/A	N/A	After all RMS/Planning System Integration RETL scripts are run	Refer to RPAS Operations guide	daily	N	rmsl_rpas_update_retl_date.ksh CLOSED_ORDER or RECEIVED_QTY

RMS to RDW RETL Extracts Dependency and Scheduling Details (EXTRACTS FOR RDW)

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
cdedlsex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
cmptrex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
cmprtmex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
cmprloccex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
cmrcydcex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
cmrplyex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
orgaraex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dyprg (RMS), lctbltd (RMS)	Refer to RDW operations guide	daily	N	N/A
orgchanex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dyprg (RMS), lctbltd (RMS)	Refer to RDW operations guide	daily	N	N/A
orgchnex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dyprg (RMS), lctbltd (RMS)	Refer to RDW operations guide	daily	N	N/A
orgdlsex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dyprg (RMS), lctbltd (RMS)	Refer to RDW operations guide	daily	N	N/A
orglmex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dyprg (RMS), lctbltd (RMS)	Refer to RDW operations guide	daily	N	N/A
orgloccex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dyprg (RMS), lctbltd (RMS)	Refer to RDW operations guide	daily	N	N/A
orglolex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dyprg (RMS), lctbltd (RMS)	Refer to RDW operations guide	daily	N	N/A

orgtmex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dypgrg (RMS), lctidid (RMS)	Refer to RDW operations guide	daily	N	N/A
orgtrkx.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dypgrg (RMS), lctidid (RMS)	Refer to RDW operations guide	daily	N	N/A
orgngnrx.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dypgrg (RMS), lctidid (RMS)	Refer to RDW operations guide	daily	N	N/A
phasex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
prddlex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdy (RMS), restdy (RMS), dypgrg (RMS)	Refer to RDW operations guide	daily	N	N/A
prdcmpex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
prddpex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdy (RMS), restdy (RMS), dypgrg (RMS)	Refer to RDW operations guide	daily	N	N/A
prddifex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdy (RMS), restdy (RMS), dypgrg (RMS)	Refer to RDW operations guide	daily	N	N/A
prddivex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdy (RMS), restdy (RMS), dypgrg (RMS)	Refer to RDW operations guide	daily	N	N/A
prddypex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdy (RMS), restdy (RMS), dypgrg (RMS)	Refer to RDW operations guide	daily	N	N/A
prdgprx.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
prdisex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
prdislex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
prditmex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdy (RMS), restdy (RMS), dypgrg (RMS)	Refer to RDW operations guide	daily	N	N/A
prditmex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdy (RMS), restdy (RMS), dypgrg (RMS)	Refer to RDW operations guide	daily	N	N/A
prditmimex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdy (RMS), restdy (RMS), dypgrg (RMS)	Refer to RDW operations guide	daily	N	N/A
prditmimex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
prditmaxmex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
prdpimex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdy (RMS), restdy (RMS), dypgrg (RMS)	Refer to RDW operations guide	daily	N	N/A
prdsbcex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdy (RMS), restdy (RMS), dypgrg (RMS)	Refer to RDW operations guide	daily	N	N/A
prdisex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdy (RMS), restdy (RMS), dypgrg (RMS)	Refer to RDW operations guide	daily	N	N/A
regngprx.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
regmipex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
renox.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
seasnex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
subbrnypex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
supctex.ksh	RDW interface	N	N/A	N/A	A, B, crntmain (RMS)	Refer to RDW operations guide	daily	N	N/A
supcpex.ksh	RDW interface	N	N/A	N/A	A, B, crntmain (RMS)	Refer to RDW operations guide	daily	N	N/A
suprtmex.ksh	RDW interface	N	N/A	N/A	A, B, crntmain (RMS)	Refer to RDW operations guide	daily	N	N/A
suprtex.ksh	RDW interface	N	N/A	N/A	A, B, crntmain (RMS)	Refer to RDW operations guide	daily	N	N/A
trndtypex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
tttypex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
wfcutestx.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
wfcutgrpx.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
cmprtdlex.ksh	RDW interface	N	N/A	N/A	B	Refer to RDW operations guide	daily	N	cmprtdlex.ksh output_file_path/output_file_name
csstidlex.ksh	RDW interface	N	N/A	N/A	C	Refer to RDW operations guide	daily	N	csstidlex.ksh output_file_path/output_file_name
exchgntlex.ksh	RDW interface	N	N/A	N/A	B	Refer to RDW operations guide	daily	N	exchgntlex.ksh output_file_path/output_file_name
ivrdlex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS), ordrev (RMS)	Refer to RDW operations guide	daily	Y	ivrdlex.ksh output_file_path/output_file_name
ivvaldex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS)	Refer to RDW operations guide	daily	N	ivvaldex.ksh output_file_path/output_file_name
ivrcpldex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS)	Refer to RDW operations guide	daily	N	ivrcpldex.ksh output_file_path/output_file_name
ivrdlex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS)	Refer to RDW operations guide	daily	N	ivrdlex.ksh output_file_path/output_file_name
ivulidex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS)	Refer to RDW operations guide	daily	N	ivulidex.ksh output_file_path/output_file_name
ipctidlex.ksh	RDW interface	N	N/A	N/A	C, saexprow (ReSA), resazdrw	Refer to RDW operations guide	daily	N	ipctidlex.ksh output_file_path/output_file_name
ipctidlex.ksh	RDW interface	N	N/A	N/A	C, saexprow (ReSA), resazdrw	Refer to RDW operations guide	daily	N	ipctidlex.ksh output_file_path/output_file_name
ncstulidex.ksh	RDW interface	N	N/A	N/A	C	Refer to RDW operations guide	daily	N	ncstulidex.ksh output_file_path/output_file_name
post_dw_temp.ksh	RDW interface	N	N/A	N/A	All extract batches	Refer to RDW operations guide	daily	N	N/A
prcidex.ksh	RDW interface	N	N/A	N/A	N/A	Refer to RDW operations guide	daily	N	prcidex.ksh output_file_path/output_file_name
pre_dw_extract.ksh	RDW interface	N	N/A	N/A	A	salmh(RMS). Also refer to RDW operations guide	daily	N	N/A
pre_dw_temp.ksh	RDW interface	N	N/A	N/A	N/A	Refer to RDW operations guide	daily	N	N/A
rcidlex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	rcidlex.ksh output_file_path/output_file_name
sawidex.ksh	RDW interface	N	N/A	N/A	C, cntprps (RMS), edupavl (RMS), rplapprv (RMS)	Refer to RDW operations guide	daily	N	sawidex.ksh output_file_path/output_file_name
scmidex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	scmidex.ksh output_file_path/output_file_name
scrdlex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	scrdlex.ksh output_file_path/output_file_name
scrlidex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	Y	scrlidex.ksh output_file_path/output_file_name
scidex.ksh	RDW interface	N	N/A	N/A	C, rplapprv (RMS), cntprps (RMS), rplbid (RMS), crntmain (RMS)	Refer to RDW operations guide	daily	N	scidex.ksh output_file_path/output_file_name
stclwex.ksh	RDW interface	N	N/A	N/A	B, rml_rpas_forecast.ksh (RMS to RPAS extract)	Refer to RDW operations guide	daily	N	stclwex.ksh output_file_path/output_file_name
slalidmex.ksh	RDW interface	N	N/A	N/A	C, saexprow (ReSA), resazdrw	Refer to RDW operations guide	daily	Y	slalidmex.ksh output_file_path/output_file_name
slsmkndidex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	slsmkndidex.ksh output_file_path/output_file_name
stbtmex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	stbtmex.ksh output_file_path/output_file_name
stbtwex.ksh	RDW interface	N	N/A	N/A	C, salweek (RMS)	Refer to RDW operations guide	daily	N	stbtwex.ksh output_file_path/output_file_name
tdtmex.ksh	RDW interface	N	N/A	N/A	C, saexprow (ReSA), resazdrw	Refer to RDW operations guide	daily	N	tdtmex.ksh output_file_path/output_file_name
vchrmvldex.ksh	RDW interface	N	N/A	N/A	B, savouch (ReSA)	Refer to RDW operations guide	daily	N	vchrmvldex.ksh output_file_path/output_file_name
vchrmvldex.ksh	RDW interface	N	N/A	N/A	B, savouch (ReSA)	Refer to RDW operations guide	daily	N	vchrmvldex.ksh output_file_path/output_file_name
vchrmvldex.ksh	RDW interface	N	N/A	N/A	B, savouch (ReSA)	Refer to RDW operations guide	daily	N	vchrmvldex.ksh output_file_path/output_file_name
vchrmvldex.ksh	RDW interface	N	N/A	N/A	B, savouch (ReSA)	Refer to RDW operations guide	daily	N	vchrmvldex.ksh output_file_path/output_file_name
wfsalidex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	wfsalidex.ksh output_file_path/output_file_name
wfsalidex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	wfsalidex.ksh output_file_path/output_file_name

Notes:
A is a set of batch processes on the RDW system.
A consists of the following RDW batch modules:
factopendm.ksh
medfactopendm.ksh
factoscedm.ksh
mt_prime.ksh
B is pre_dw_extract.ksh DWI batch process.
C is pre_dw_temp.ksh DWI batch process.

**RMS to AIP RETL Extracts Dependency and Scheduling
Details (EXTRACTS FOR AIP)**

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
pre_rmse_aip.ksh	AIP interface	N	N/A	N/A	AIP RETL Extracts	Refer to AIP Operations and Installation Guides	daily	N	N/A
rmse_aip_alloc_in_well.ksh	AIP interface	N	N/A	N/A	AIP RETL Extracts pre_rmse_ap.ksh	Refer to AIP Operations and Installation Guides	daily	N	N/A
rmse_aip_banded_item.ksh	AIP interface	N	N/A	N/A	AIP RETL Extracts pre_rmse_ap.ksh, dypgrg	Refer to AIP Operations and Installation Guides	daily	N	N/A
rmse_aip_order.ksh	AIP interface	N	N/A	N/A	AIP RETL Extracts pre_rmse_ap.ksh	Refer to AIP Operations and Installation Guides	daily	N	N/A
rmse_aip_future_delivery_alloc.ksh	AIP interface	N	N/A	N/A	AIP RETL Extracts pre_rmse_ap.ksh	Refer to AIP Operations and Installation Guides	daily	N	N/A
rmse_aip_future_delivery_order.ksh	AIP interface	N	N/A	N/A	AIP RETL Extracts pre_rmse_ap.ksh, vrpbid, cntroorb	Refer to AIP Operations and Installation Guides	daily	N	N/A

mse_aip_future_delivery_tst.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh, reqext	Refer to AIP Operations and Installation Guides	daily	N	N/A
mse_aip_item_loc_traits.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh, diyprg	Refer to AIP Operations and Installation Guides	daily	N	N/A
						diyprg (diyprg to be executed the day after)			
mse_aip_item_master.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh, recldly	Refer to AIP Operations and Installation Guides	daily	N	N/A
mse_aip_item_retail.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh, diyprg	Refer to AIP Operations and Installation Guides	daily	N	N/A
mse_aip_item_sale.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh, sitmain	Refer to AIP Operations and Installation Guides	daily	N	N/A
mse_aip_item_supp_country.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh, diyprg	Refer to AIP Operations and Installation Guides	daily	N	N/A
mse_aip_merchier.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh, diyprg	Refer to AIP Operations and Installation Guides	daily	N	N/A
mse_aip_orghier.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh, diyprg	Refer to AIP Operations and Installation Guides	daily	N	N/A
mse_aip_rec_dty.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh, vrpibld, cntororb, reqext	Refer to AIP Operations and Installation Guides	daily	N	N/A
mse_aip_store.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh, storeadd, likestore, diyprg	Refer to AIP Operations and Installation Guides	daily	N	N/A
mse_aip_substitute_items.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh	Refer to AIP Operations and Installation Guides	daily	N	N/A
mse_aip_suppliers.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh	Refer to AIP Operations and Installation Guides	daily	N	N/A
mse_aip_tst_in_well.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh, reqext	Refer to AIP Operations and Installation Guides	daily	N	N/A
mse_aip_wh.ksh	AIP interface	N	N/A	AIP RETL Extracts	pre_rmse_aip.ksh, whadd and diyprg	Refer to AIP Operations and Installation Guides	daily	N	N/A
mse_store_cur_inventory.ksh	AIP interface	Y	Item_loc_soh (number of AIP RETL Extracts	AIP RETL Extracts	pre_rmse_aip.ksh, stkvar, wasteadj, salstage, reqext, posupid	Refer to AIP Operations and Installation Guides	daily	N	D - single-threaded delta extract F - multi-threaded full extract if ITEM_LOC is partitioned; single-threaded full extract if ITEM_LOC is not partitioned
mse_wh_cur_inventory.ksh	AIP interface	Y	Warehouse	AIP RETL Extracts	(if running delta extract), stkvar, wasteadj, salstage, report	Refer to AIP Operations and Installation Guides	daily	N	D - single-threaded delta extract F - multi-threaded full extract if ITEM_LOC is partitioned; single-threaded full extract if ITEM_LOC is not partitioned

Allocation Program Dependency and Scheduling Details

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
AllocSchedulerBatch.ksh	Scheduled Allocation	Y	N/A	N/A	None	None	daily	N	N/A

RMS to MFP RETL Extracts Dependency and Scheduling Details

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
pre_rmse_rpas.ksh	Planning/Forecast System Interface	N	N/A	N/A	N/A	N/A	daily	N	N/A
fmmedid	Planning System Interface	N	N/A	N/A	N/A	N/A	ad hoc	R	fmmedid userid/passwd
mse_rpas_merchier.ksh	Planning/Forecast System Interface	N	N/A	N/A	diyprg pre_rmse_rpas.ksh sitmain	Refer to RPAS Operations guide	daily	N	N/A
mse_rpas_item_master.ksh	Planning/Forecast System Interface	N	N/A	N/A	recldly diyprg pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	N/A
mse_rpas_orghier.ksh	Planning/Forecast System Interface	N	N/A	N/A	diyprg pre_rmse_rpas.ksh storeadd	Refer to RPAS Operations guide	daily	N	N/A
mse_rpas_store.ksh	Planning/Forecast System Interface	N	N/A	N/A	diyprg pre_rmse_rpas.ksh whadd	Refer to RPAS Operations guide	daily	N	N/A
mse_rpas_wh.ksh	Planning/Forecast System Interface	N	N/A	N/A	diyprg pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	N/A
mse_mfp_onorder.ksh	MFP System Interface	N	N/A	N/A	pre_rmse_rpas.ksh	Refer to MFP Operations guide	Weekly	N	N/A
mse_mfp_inventory.ksh	MFP System Interface	N	N/A	N/A	pre_rmse_rpas.ksh	Refer to MFP Operations guide	Weekly	N	Note: I - Trivial load W-Weekly load

Interface Diagrams for RMS and RPAS


Because RMS is the retailer's central merchandising transactional processing system, it is the principle source of the foundation data needed in some of the Oracle Retail suite of products. RMS provides foundation data to RPAS, and RPAS provides planning data to RMS.

This chapter presents flow diagrams for data processing from sources. The source system's program or output file is illustrated, along with the program or process that interfaces with the source. After initial interface processing of the source, the diagrams illustrate the flow of the data.

Before setting up a program schedule, familiarize yourself with the functional and technical constraints associated with each program. Refer to the *Oracle Retail Merchandising System Operations Guide* for more information about these interface programs.

RMS Pre/Post Extract Diagrams


RMS Pre RETL Extract Maintenance




*** Note:** The `pre_rmse_rpas.ksh` program checks for existing `.txt` output files. Because of this validation, retailers running the program for the first time should include an optional `-c` parameter. This parameter allows the program to run successfully without pre-existing `.txt` output files.

RMS Foundation Data Extract Diagrams


Merchandise Hierarchy for RPAS



Organization Hierarchy for RPAS



RMS Fact Data Extract Diagrams




*** Note:**

If issues are active, the following two files result from the rmse_rpas_stock_on_hand.ksh flow:
 rmse_rpas_stock_on_hand_issues.dat
 rmse_rpas_stock_on_hand_sales.dat

If issues are **not** active, the following file results from the rmse_rpas_stock_on_hand.ksh flow:
 rmse_rpas_stock_on_hand_sales.dat


Sales Extracts For RPAS



**** Note:**

Depending upon the configuration of rmse_rpas_daily_sales.ksh, the data can be pulled from TRAN_DATA_HISTORY or TRAN_DATA.

RPAS-RMS Fact Load Diagram



***Note:**

? can represent the following:

- i (for issues)
- s (for stores)

?? represents domain 01-99.

Interface Diagrams for RMS and MFP


Because RMS is the retailer's central merchandising transactional processing system, it is the principle source of the foundation data needed in some of the Oracle Retail suite of products. RMS provides foundation data to RPAS, and RPAS provides planning data to RMS.

This chapter presents flow diagrams for data processing from sources. The source system's program or output file is illustrated, along with the program or process that interfaces with the source. After initial interface processing of the source, the diagrams illustrate the flow of the data.

Before setting up a program schedule, familiarize yourself with the functional and technical constraints associated with each program. Refer to the *Oracle Retail Merchandising System Operations Guide* for more information about these interface programs.


RMS Pre/Post Extract Diagrams

RMS Pre RETL Extract Maintenance




*** Note:** The `pre_rmse_rpas.ksh` program checks for existing `.txt` output files. Because of this validation, retailers running the program for the first time should include an optional `-c` parameter. This parameter allows the program to run successfully without pre-existing `.txt` output files.

RMS Foundation Data Extract Diagrams




Organization Hierarchy for MFP



RMS Fact Data Extract Diagrams

Integration Extracts for MFP



Note:
I is for initial load and W is
for weekly load..

Interface Diagrams for RMS and RDW


RMS works in conjunction with the Oracle Retail Extract Transform and Load (RETL) framework. RETL provides high-performance processing to extract data from Oracle Retail applications for use in data warehouses. The architecture allows database batch processes to take advantage of parallel processing capabilities.

This chapter presents flow diagrams for the RETL extraction RMS programs. The source system's program or output file is illustrated, along with the program or process that interfaces with the source. Note that the data flows are organized according to the logic (dimension data and table data) of Oracle Retail Data Warehouse (RDW), but you can use the data to suit your business needs.

For detailed information about dimensions and facts, see the *Oracle Retail Data Warehouse Operations Guide*.

For summary information about the configuration, architecture, and features of RETL programs utilized in RMS/ReSA extractions, see the *Oracle Retail Management System Operations Guide Volume 3—Backend Configuration and Operations*. For more information about the RETL tool, see the current *RETL Programmer's Guide*.


Legend




Note:

The modules in this flow are RDW RETL scripts. If the retailer uses RDW, this flow must be completed before starting the pre-batch maintenance flow. If the retailer does not use RDW, these jobs are not required.

RDW Maintenance




Pre-Batch Maintenance




Note:

salmth.pc resets the last eom_date. Thus, it must be run after the system indicator is extracted by pre_dwi_extract.ksh.


Post-Batch Maintenance




Dimension Dataflows




Dimension Dataflows




Organization




Supplier Dimension




Item-Supplier-Location Matrix Dimension



Item-Supplier Dimension




Dimension Dataflows




Dimension Dataflows


Product Season Dimension




Tender Type Dimension





Reason Dimension






Regionality Dimension




Fact Dataflows



Fact Dataflows





Stock Ledger




Note:
Run stock ledger fact loads once weekly.


Fact Dataflows



Return to Vendor




Net Cost




Fact Dataflows

Exchange Rates




Sales Forecasts




Note:
Run sales forecast fact loads
once weekly.

Fact Dataflows




Fact Dataflows



Fact Dataflows

Supplier Compliance




Interface Diagram for RPM and RDW

This following program flow diagram shows the RETL extraction program that extracts the Promotion dimension from RPM through the Data Warehouse Interface (DWI). The diagram shows the output files and the scripts that interface with the source. Note that the outputs are based on the logic (dimension data and table data) of Oracle Retail Data Warehouse (RDW), but you can use the data to suit your business needs.


For detailed information about dimensions and facts, see the *Oracle Retail Data Warehouse Operations Guide*.


See the *Oracle Retail Merchandising System Operations Guide Volume 1—Batch Overviews and Designs* for more information about the modules shown in the following diagram.

Legend



Program Flow Diagram






Interface Diagram for ReIM and RDW

This following program flow diagram shows the RETL extraction program that extracts the Promotion dimension from ReIM through the Data Warehouse Interface (DWI). The diagram shows the output files and the scripts that interface with the source. Note that the outputs are based on the logic (dimension data and table data) of Oracle Retail Data Warehouse (RDW), but you can use the data to suit your business needs.

For detailed information about dimensions and facts, see the *Oracle Retail Data Warehouse Operations Guide*.


See the *Oracle Retail Merchandising System Operations Guide Volume 1—Batch Overviews and Designs* for more information about the modules shown in the following diagram.


Legend



Program Flow Diagram

Supplier Invoice Cost






Interface Diagrams for RMS and AIP

This chapter presents flow diagrams for RETL extract data processing from RMS to AIP. The RMS program or output file is illustrated, along with the program or process that interfaces with the source. The diagrams illustrate the flow of the data after initial interface processing of the source.


Before setting up a program schedule, familiarize yourself with the functional and technical constraints associated with each program. See the *Oracle Retail Merchandising System Operations Guide Volume 1—Batch Overviews and Designs* for more information about the modules shown in the following diagrams.

RMS Pre/Post Extract Diagrams


RMS Pre RETL Extract Maintenance




RMS Foundation Data Extract Diagrams




IP = Time-phased inventory planning tool




IP = Time-phased inventory planning tool



IP = Time-phased inventory planning tool



IP = Time-phased inventory planning tool



IP = Time-phased inventory planning tool