

Oracle® Retail Store Inventory Management

User Guide

Release 13.2.6

E41827-01

July 2013

Primary Author: Kris Lange

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

- (i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.
- (iii) the software component known as **Access Via**[™] licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (iv) the software component known as **Adobe Flex**[™] licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You

acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.

This documentation is in preproduction status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your beta trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Software License and Service Agreement, which has been executed and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Contents

Send Us Your Comments	xix
Preface	xxi
Audience	xxi
Documentation Accessibility	xxi
Customer Support	xxi
Review Patch Documentation	xxii
Oracle Retail Documentation on the Oracle Technology Network	xxii
Conventions	xxii
1 Oracle Retail Store Inventory Management	
2 Using SIM	
Log In, Log Out, and Exit SIM	2-1
Log In to SIM	2-1
Log Out of SIM	2-2
Exit SIM	2-2
Select a SIM Store	2-2
Change Your SIM Password	2-3
Use Standard SIM Interface Controls	2-3
SIM Status Display	2-4
Use a Drop-Down List to Select Field Values	2-4
Select Multiple Options from a List	2-5
Use Standard SIM Buttons	2-5
Use the Calendar to Select a Date	2-6
Edit Text for Long Text Fields	2-6
Use Navigation and Shortcut Keys	2-7
Field Navigation Keys	2-7
Button Shortcut Keys	2-7
Jump to Another Functional Area	2-8
Access Online Help	2-9
Help Tabs	2-10
Help Navigation	2-10
Set User Preferences	2-10
Set Table View Preferences	2-11

Set Text Size (Size Content)	2-11
Set Gridline Display	2-12
View or Change Text Size and Gridlines Settings.....	2-12
Control Which Columns Are Displayed	2-13
Sort a Table by One Column	2-13
Sort a Table by Multiple Columns.....	2-14
Select a Display Theme.....	2-15
Print or View SIM Reports and Other Output	2-16
View Client Information.....	2-18
Configure Client Logging.....	2-19

3 Product Groups

Product Group Types	3-2
Counting Methods for Stock Counts.....	3-4
Filter the Product Group List	3-5
Create a Product Group.....	3-6
Enter Product Group Detail.....	3-7
Enter Item Request Detail	3-8
Enter Pick List Detail	3-8
Enter Wastage Detail	3-8
Enter Stock Count Detail.....	3-9
Define Product Group Components	3-10
Edit a Product Group	3-12
Delete a Product Group.....	3-12
Product Group Size Limits	3-13
Automatic Breakdown of Large Product Groups	3-13
Child Descriptions	3-13
Example	3-14

4 Product Group Scheduler

Filter the Product Group Schedule List	4-2
Create a Product Group Schedule	4-3
Edit a Product Group Schedule	4-5
Delete a Product Group Schedule.....	4-5

5 Ad Hoc Stock Count Variances

Set Variances for Ad Hoc Stock Counts	5-1
---	-----

6 Unique Identification Numbers (UIN)

Set Up UIN Attributes	6-2
UIN Resolution List	6-4
Filter the UIN Resolution List	6-5
View History and Update UIN Status	6-6
Mark UIN Exceptions Resolved.....	6-7
Updating UINs.....	6-8
Item Lookup by UIN.....	6-9

7 Security

User Maintenance	7-1
Filter the User List.....	7-2
Create a New User	7-4
Assign a User Password.....	7-5
Assign Stores to a User.....	7-5
Assign Roles to a User.....	7-7
Copy Assignments from Another User	7-8
Update a User	7-8
Delete a User	7-9
Mass Assign Stores	7-9
Mass Assign Roles	7-11
Role Maintenance	7-12
Filter the Role List	7-13
Create a New Role.....	7-14
Edit or View an Existing Role.....	7-17
Delete a Role	7-17
Password Configuration	7-18

8 Technical Maintenance

Configure the User Interface	8-1
Create a Theme	8-2
Customize Interface Fonts	8-3
Change Fonts	8-3
Reset Fonts	8-5
Apply a Universal Font Setting.....	8-5
Customize Interface Colors	8-6
Change Colors	8-6
Reset Colors	8-9
Customize Interface Icons.....	8-9
Change Icons.....	8-9
Reset Icons.....	8-11
Activate or Deactivate a Theme	8-11
Modify Translations.....	8-11
Create New Translations.....	8-14
Polling Timers	8-15
Stop or Start a Polling Timer	8-16
Refresh the Polling Timers List Display	8-17
Configure a Polling Timer	8-17
Staged Messages	8-17
Filter the Staged Message Lookup List	8-19
View and Edit Staged Messages	8-20
Delete Staged Messages	8-20
Refresh the Staged Message Lookup List.....	8-21
Reset Staged Messages	8-21

9 Setup

SIM Stores	9-1
Add or Remove Buddy Stores.....	9-2
Auto-Receive Stores.....	9-3
SIM Managed Stores.....	9-4
Store Administration	9-5
System Administration	9-6
Formats	9-6
Add a Format.....	9-7
Delete Formats.....	9-8
UDA Print Setup	9-9
Select the UDAs to List.....	9-9
Specify Whether Tickets or Labels Are Printed Automatically.....	9-10
Inventory Adjustment Reason Maintenance	9-10
Add an Inventory Adjustment Reason Code.....	9-11
Edit an Inventory Adjustment Reason Code.....	9-12
Delete Inventory Adjustment Reason Codes.....	9-13
Printer Setup	9-13
Add a Printer.....	9-14
Change Printer Properties.....	9-14
Delete a Printer.....	9-15

10 Direct Deliveries

Filter the Direct Delivery List Window	10-2
Receive or Reject a Delivery	10-3
Reject a Delivery	10-7
Update the UINs for a Delivery	10-8
Print a Delivery Receipt	10-8

11 Warehouse Deliveries

Filter the Warehouse Delivery List	11-2
Receive Shipments, Containers, or Cases from a Warehouse	11-2
Update UINs for a Delivery	11-5
Print a Warehouse Delivery Report	11-6

12 Transfers

Filter the Transfer List	12-3
Look Up a Promotion	12-4
Create or Edit a Transfer Request	12-5
Respond to a Transfer Request	12-7
Accept a Transfer Request Without Changes.....	12-8
Accept a Transfer Request With Changes.....	12-9
Reject a Transfer Request.....	12-9
Create, Edit, or Dispatch a Transfer	12-9
Dispatch an In-Progress Transfer	12-12
Receive a Transfer	12-13

Update UINs for a Transfer	12-15
View a Transfer or Transfer Request	12-15
Print a Transfer or Transfer Request.....	12-16
Print a Bill of Lading	12-16
Delete a Transfer or Transfer Request	12-16
13 Returns	
Filter the Return List.....	13-2
Look Up a Promotion.....	13-4
Create a Return	13-5
Update UINs for a Return.....	13-8
Edit or View a Return	13-9
Dispatch a Return.....	13-9
Print a Return Report.....	13-10
Print a Bill of Lading	13-10
Delete a Return	13-11
14 Inventory Adjustments	
Filter the Inventory Adjustment List.....	14-2
Create an Inventory Adjustment.....	14-3
Enter UINs for an Inventory Adjustment.....	14-4
Edit a Pending Inventory Adjustment	14-5
Print an Inventory Adjustment Report	14-6
15 Sequencing	
Add a Location	15-2
Edit a Location.....	15-3
Delete Locations	15-4
Look Up Location Details for an Item	15-4
Add a Location for an Item	15-5
Edit Location Information for an Item	15-6
Delete Locations for an Item	15-7
Assign Unassigned Items to a Location	15-8
Filter the No Location List	15-8
Add an Item to a Location.....	15-9
Edit Items at a Location	15-10
Delete Items from a Location	15-11
Print Shelf Edge Labels	15-11
16 Stock Counts	
Using the Stock Counts Interface.....	16-2
Stock Count List Window	16-3
Stock Count Child List Window	16-5
Stock Count Detail Window	16-7
Stock Re-Count Detail Window	16-8

Stock Count Authorization Window.....	16-10
Filter the Stock Count List	16-12
View Future Stock Counts	16-13
Print or Export a Stock Count Report	16-15
Stock Count Detail Report	16-15
Stock Count Extraction Report.....	16-16
Execute a Stock Count	16-16
Take a Snapshot	16-16
When Snapshots Are Taken.....	16-16
Take the Count Snapshot	16-17
Snapshots for Recounts	16-18
Unique Identification Numbers (UIN) Status on Snapshots	16-18
View Product Group Details	16-18
Enter Stock Count Results	16-19
Enter Recount Results	16-20
Update UINs for a Count	16-21
Complete a Child Stock Count	16-21
Authorize a Stock Count	16-23
Update Authorized Quantities Manually.....	16-23
Filter the Stock Count Authorization List	16-25
Other Methods to Update Authorized Quantities	16-26
Update UINs Before Authorizing.....	16-30
View and Update Rejected Items	16-32
Reasons for Rejection.....	16-32
View and Update Rejected Items.....	16-33
Delete Stock Counts	16-35
Stock Count Status	16-35
Stages and Statuses	16-35
Actions That Change Stock Count Type and Status	16-37
Master Stock Counts.....	16-37
Child Stock Counts	16-38

17 Pick Lists

Filter the Pick List	17-2
Create a Pick List	17-3
Enter Pick List Quantities.....	17-4
Print a Pick List Report	17-5
Delete a Pending Pick List.....	17-6

18 Item Requests

Filter the Item Request List.....	18-2
Request an Item	18-3
Edit an Item Request.....	18-4
Delete Item Requests.....	18-6

19 Price Changes	
Filter the Price Change List	19-2
Create a Price Change Request	19-3
Edit a Price Change	19-5
20 Item Tickets	
Filter the Item Tickets List	20-2
Print Tickets.....	20-3
Update Item Ticket Information	20-4
Print Tickets for Auto-Generated SNs	20-4
Create Item Tickets.....	20-6
Update Item Tickets	20-7
Add Items on a Received Purchase Order	20-8
Update Stock on Hand	20-9
Delete Item Tickets	20-9
21 Store Orders	
Filter the Store Orders List	21-2
Create a Store Order.....	21-3
View Item Details.....	21-4
Look Up Item Deals	21-4
View Item Orders	21-5
View Item Sales	21-6
View or Edit a Store Order.....	21-7
Approve a Store Order	21-8
Cancel a Store Order	21-8
Print a Store Order Report.....	21-9
22 Lookups	
Item Lookup	22-1
View Primary Supplier Details	22-4
View the Number of Component Items in Each Pack (Pack Items Only)	22-5
View the Pack Items for a Component Item	22-6
View Inventory Available in Buddy Stores (Stock Locator).....	22-7
View Current Pricing Information	22-7
View Related Items	22-8
View UDA Detail	22-9
View UIN Detail.....	22-10
View History and Update UIN Status	22-12
Print Tickets	22-13
View Customer Orders.....	22-13
View Item Images.....	22-14
Print an Item Report	22-15
Supplier Lookup.....	22-15
Container Lookup	22-17

Finisher Lookup	22-19
Customer Orders Lookup	22-21
Filter the Customer Order List	22-22
View a Customer Order	22-23

23 Reports

List of Figures

2-1	SIM Login Window	2-1
2-2	SIM Main Menu.....	2-2
2-3	Stores Drop-Down List.....	2-3
2-4	Change Password Window	2-3
2-5	Status Display	2-4
2-6	Calendar Window.....	2-6
2-7	Text Editing Window	2-7
2-8	Quick Jump Window.....	2-9
2-9	Help Tabs	2-10
2-10	Table Configuration Window – General Tab.....	2-12
2-11	Table Configuration Window – Columns Tab	2-13
2-12	Table Configuration Window – Columns Tab	2-15
2-13	Client Information Window	2-16
2-14	Report Selection Window	2-17
2-15	Oracle BI Publisher Report Output	2-17
2-16	Client Information Window	2-18
3-1	Product Group List Window.....	3-1
3-2	Product Group Filter Window	3-5
3-3	Product Group Detail Window – Product Group Attributes Tab	3-7
3-4	Product Group Detail Window – Product Group Components Tab.....	3-11
4-1	Product Group Schedule List Window.....	4-1
4-2	Product Group Schedule Filter Window	4-2
5-1	Ad Hoc Stock Count Window.....	5-2
6-1	UIN Attributes Window	6-3
6-2	UIN Resolution List Window.....	6-4
6-3	UIN Resolution Filter Window	6-5
6-4	UIN History Window.....	6-7
6-5	Select Item Window	6-10
7-1	User List Window	7-2
7-2	User Filter Window	7-3
7-3	User Detail Window	7-4
7-4	Assign Password Window	7-5
7-5	Store Assignments Window	7-6
7-6	Role Assignments Window	7-7
7-7	User Lookup Window.....	7-8
7-8	Mass Assign Stores Window.....	7-10
7-9	Mass Assign Roles Window	7-11
7-10	Role List Window	7-13
7-11	Role Filter Window.....	7-14
7-12	Role Detail Window – Create Role	7-15
7-13	Data Permissions Window	7-16
7-14	Role Detail Window – Edit Role	7-17
7-15	Password Configuration Window.....	7-19
8-1	Available Themes Window	8-2
8-2	Custom Theme Selection Window	8-3
8-3	Font Detail Window	8-4
8-4	Customize Font Window.....	8-4
8-5	Color Detail Window	8-7
8-6	Swatches Tab – Customize Color Window.....	8-7
8-7	HSB Tab – Customize Color Window	8-8
8-8	RGB Tab – Customize Color Window	8-8
8-9	Icon Detail Window.....	8-10
8-10	Customize Icon Window	8-10
8-11	Translation Details Window	8-12

8-12	Translation Details – Example of Search Results	8-13
8-13	Translation Detail Window – Example.....	8-14
8-14	Translation Detail Window	8-15
8-15	Polling Timers Window	8-16
8-16	Staged Message Lookup Window	8-18
8-17	Staged Message Filter Window	8-19
8-18	Staged Messages Window	8-20
9-1	Buddy Stores Window	9-2
9-2	Auto-Receive Stores Window	9-3
9-3	SIM Managed Stores Window	9-4
9-4	Store Admin Window	9-5
9-5	System Admin Window.....	9-6
9-6	Formats Window	9-8
9-7	UDA Print Setup Window.....	9-9
9-8	Inventory Adjustment Reason Maintenance Window	9-11
9-9	Printers Window	9-14
10-1	Direct Delivery List Window	10-1
10-2	Delivery List Filter Window	10-2
10-3	Direct Delivery Identify Window.....	10-3
10-4	Direct Delivery Detail Window	10-5
11-1	Warehouse Delivery List Window	11-1
11-2	Warehouse Delivery List Filter Window.....	11-2
11-3	Receive Container Window.....	11-3
11-4	Receive Case Window	11-4
12-1	Transfer List Window.....	12-1
12-2	Transfer List Filter Window	12-3
12-3	Promotion Lookup Window	12-4
12-4	Transfer Detail Window – Create Transfer Request.....	12-5
12-5	Store Lookup Window	12-6
12-6	Transfer Detail Window – Respond to a Transfer Request	12-8
12-7	Transfer Detail Window – Create Transfer	12-10
12-8	Store Lookup Window	12-10
12-9	BOL Detail Window – Transfer	12-12
12-10	Transfer Detail Window – Receive Transfers	12-14
13-1	Return List Window	13-1
13-2	Return List Filter Window.....	13-3
13-3	Promotion Lookup Window	13-5
13-4	Return Detail Window	13-6
13-5	BOL Detail Window – Return.....	13-8
14-1	Inventory Adjustment List Window	14-1
14-2	Inventory Adjustment Filter Window	14-2
14-3	Inventory Adjustment Detail Window – Create	14-3
14-4	UIN Window – Inventory Adjustment.....	14-4
14-5	Inventory Adjustment Detail Window – Edit.....	14-5
15-1	Macro Sequence List Window	15-1
15-2	Macro Sequence Edit Window.....	15-3
15-3	Item Locations List Window	15-5
15-4	Micro Sequence List Window	15-6
15-5	No Location List Window.....	15-8
15-6	No Location Filter Window.....	15-9
15-7	Micro Sequence Edit Window.....	15-10
16-1	Stock Counts Windows.....	16-3
16-2	Stock Count List Window.....	16-4
16-3	Stock Count Child List Window.....	16-5
16-4	Stock Count Detail Window.....	16-7

16-5	Stock Re-Count Detail Window	16-9
16-6	Stock Count Authorization Window	16-11
16-7	Stock Count Filter Window	16-13
16-8	Future Stock Count Filter Window	16-14
16-9	Future Stock Count List Window	16-14
16-10	Product Group Detail Window	16-19
16-11	Authorization Filter Window	16-25
16-12	Authorization Detail Window	16-30
16-13	Auto Generation Window – Stock Counts	16-31
16-14	Rejected Items Window	16-33
17-1	Pick List Window	17-1
17-2	Pick List Filter Window	17-2
17-3	Pick List Create Window	17-3
17-4	Pick List Detail Window	17-5
18-1	Item Request List Window	18-1
18-2	Item Request Filter Window	18-2
18-3	Item Request Detail Window – New Request	18-3
18-4	Item Request Detail Window – Edit	18-5
19-1	Price Change List Window	19-2
19-2	Price Change Filter Window	19-3
19-3	Price Change Detail Window	19-4
20-1	Item Tickets List Window	20-1
20-2	Item Tickets Filter Window	20-2
20-3	Item Tickets Detail Window – Print AGSN Tickets	20-5
20-4	Select UINs Window	20-6
20-5	Item Tickets Detail Window – Create Item Tickets	20-7
20-6	Add Purchase Order Window	20-8
21-1	Store Orders Window	21-1
21-2	Store Order List Filter	21-2
21-3	Store Order Detail Window	21-3
21-4	Deals Query Window	21-5
21-5	Item Orders Window	21-6
21-6	Item Sales Window	21-7
22-1	Item Lookup Window	22-2
22-2	Item Detail Window	22-4
22-3	Supplier Detail Window – Item Lookup	22-5
22-4	Component Info Window	22-6
22-5	Pack Info Window	22-6
22-6	Stock Locator Window	22-7
22-7	Price Information Window	22-8
22-8	Related Item List Window	22-9
22-9	UDA Detail Window	22-10
22-10	UIN Detail Window	22-11
22-11	UIN Detail Filter Window	22-11
22-12	UIN History Window – Item Lookup	22-13
22-13	Customer Order Window	22-14
22-14	Item Image Window	22-15
22-15	Supplier Lookup Window	22-16
22-16	Supplier Detail Window	22-17
22-17	Container Lookup Window	22-18
22-18	Container Detail Window	22-19
22-19	Finisher Lookup Window	22-20
22-20	Finisher Detail Window	22-21
22-21	Customer Order List Window	22-22
22-22	Customer Order Lookup Filter Window	22-23

22-23 Customer Order Detail Window 22-24

Send Us Your Comments

Oracle Retail Store Inventory Management User Guide, Release 13.2.6

Oracle welcomes customers' comments and suggestions on the quality and usefulness of this document.

Your feedback is important, and helps us to best meet your needs as a user of our products. For example:

- Are the implementation steps correct and complete?
- Did you understand the context of the procedures?
- Did you find any errors in the information?
- Does the structure of the information help you with your tasks?
- Do you need different information or graphics? If so, where, and in what format?
- Are the examples correct? Do you need more examples?

If you find any errors or have any other suggestions for improvement, then please tell us your name, the name of the company who has licensed our products, the title and part number of the documentation and the chapter, section, and page number (if available).

Note: Before sending us your comments, you might like to check that you have the latest version of the document and if any concerns are already addressed. To do this, access the Online Documentation available on the Oracle Technology Network Web site. It contains the most current Documentation Library plus all documents revised or released recently.

Send your comments to us using the electronic mail address: retail-doc_us@oracle.com

Please give your name, address, electronic mail address, and telephone number (optional).

If you need assistance with Oracle software, then please contact your support representative or Oracle Support Services.

If you require training or instruction in using Oracle software, then please contact your Oracle local office and inquire about our Oracle University offerings. A list of Oracle offices is available on our Web site at <http://www.oracle.com>.

Preface

This guide describes the Oracle Retail Store Inventory Management user interface. It provides step-by-step instructions to complete most tasks that can be performed through the user interface.

Audience

This User Guide is for users and administrators of Oracle Retail Store Inventory Management. This includes merchandisers, buyers, business analysts, and administrative personnel.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Related Documents

For more information, see the following documents in the *Product Title/BookTitle as a Variable* Release 13.2.6 documentation set:

- *Oracle Retail Store Inventory Management Release Notes*
- *Oracle Retail Store Inventory Management Installation Guide*
- *Oracle Retail Store Inventory Management Data Model*
- *Oracle Retail Store Inventory Management Operations Guide*
- *Oracle Retail Merchandising Implementation Guide, volume 1 – Configuration*
- *Oracle Retail Store Inventory Management User Guide*

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Review Patch Documentation

When you install the application for the first time, you install either a base release (for example, 13.2) or a later patch release (for example, 13.2.6). If you are installing the base release and additional patch releases, read the documentation for all releases that have occurred since the base release before you begin installation. Documentation for patch releases can contain critical information related to the base release, as well as information about code changes since the base release.

Oracle Retail Documentation on the Oracle Technology Network

Documentation is packaged with each Oracle Retail product release. Oracle Retail product documentation is also available on the following Web site:

http://www.oracle.com/technology/documentation/oracle_retail.html

(Data Model documents are not available through Oracle Technology Network. These documents are packaged with released code, or you can obtain them through My Oracle Support.)

Documentation should be available on this Web site within a month after a product release.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Oracle Retail Store Inventory Management

Oracle Retail Store Inventory Management (SIM) helps store personnel to perform many in-store operations:

- Receive merchandise from the warehouse or directly from vendors
- Replenish and order stock
- Request and implement price changes
- Manage physical inventories and perform stock counts
- Look up detailed information about merchandise items, suppliers, containers, and customer orders
- Transfer or return stock

SIM User Interface

There are two user interfaces for SIM:

- Oracle Retail Store Inventory Management, the user interface on the PC
- Oracle Retail Mobile Store Inventory Management, the user interface on the handheld device

This user guide describes how to use the SIM user interface on the PC. The SIM application is organized by functional areas, and the menus lead you to the specific tasks that you need to perform.

Each SIM task is described in detail in this guide. Also see [Chapter 2, "Using SIM"](#) for general information about features of the SIM user interface.

For more information about the SIM user interface on the handheld device, see the *Oracle Retail Store Inventory Management Implementation Guide*.

Administration

The administration functions include the following tasks usually performed by a SIM system administrator or a manager:

- SIM setup and technical maintenance
- Security setup to define SIM users and their roles
- Setup and scheduling of the product groups used for stock counts, pick lists, item requests, and wastage calculation
- Setup and maintenance of unique identification numbers (UIN), such as serial numbers, for items that require them (optional feature)
- Maintenance of variances allowed for ad hoc stock counts

Shipping and Receiving

The shipping and receiving functions include the following:

- Direct store deliveries
- Deliveries from company-owned warehouses
- Transfers
- Returns

Inventory Management

The inventory management functions help you to maintain an accurate perpetual store inventory, and they include the following:

- Stock counts
- Sequencing
- Pick lists
- Item requests
- Store orders
- Price changes
- Ticketing

Lookups

At any time, you can look up detailed information about inventory items, suppliers, containers, and customer orders. You can also look up related information at the same time. For example, while you are looking up an item, you can also view information about the suppliers of the item.

Reports

SIM includes many standard reports, all of which can be customized as needed by your company.

The following topics describe how to navigate the SIM user interface and use some of its standard features. These topics are included:

- [Log In, Log Out, and Exit SIM](#)
- [Select a SIM Store](#)
- [Change Your SIM Password](#)
- [Use Standard SIM Interface Controls](#)
- [Jump to Another Functional Area](#)
- [Access Online Help](#)
- [Set User Preferences](#)
- [Print or View SIM Reports and Other Output](#)
- [View Client Information](#)
- [Configure Client Logging](#)

Log In, Log Out, and Exit SIM

The way that you start SIM depends on how SIM is set up at your location. Contact your system administrator for instructions. After you have started SIM, the SIM Login window opens.

Figure 2-1 SIM Login Window



Log In to SIM

1. Enter your user ID.

2. Enter your password.
3. Click **Login**. The Main Menu opens.

Figure 2–2 SIM Main Menu



Note: If your login ID and password are authorized for more than one store, see "[Select a SIM Store.](#)"

Log Out of SIM

From the Main Menu, click **Logout**.

At this point, you or another user can log in, or you can exit SIM.


Exit SIM

To exit SIM and close the application, follow these steps:

1. From the SIM Login window, click **Exit**. A message is displayed: "Are you sure you want to exit the application?"
2. Click **Yes**. SIM closes.

Select a SIM Store

If your SIM role allows you to work with more than one SIM store, the Main Menu includes the Stores drop-down list. The currently selected SIM store is displayed.

Figure 2-3 Stores Drop-Down List

Use the Stores drop-down list on the Main Menu at any time during your SIM session to select the store you want.

Change Your SIM Password


Note: Depending on how SIM security is configured, the Change Password function may not be available.

You can change your SIM password at any time. If you are a new SIM user, you may be required to change your password the first time that you log in to SIM. You should also change your password before it expires. If your password has expired, you will need the help of a system administrator to help you change your password and obtain access to SIM.

Note: SIM passwords are case-sensitive. Depending on how SIM is configured, there may be rules for minimum and maximum length. A valid password may also need to contain specific characters, such as a capital letter or a special character (for example, # or &).

To change your SIM password, follow these steps:

1. On the Main Menu, click **Change Password**. The Change Password window opens.

Figure 2-4 Change Password Window

2. In the **Current Password** field, enter the password that you are currently using.
3. In the **New Password** field, enter the new password that you want to use.
4. In the **Confirm Password** field, enter your new password again.
5. Click OK.

Use Standard SIM Interface Controls

This section describes some of the standard features and controls of the SIM interface. You use a standard set of controls, such as buttons and lists, to select, enter, and edit data in any functional area of the SIM interface.

SIM Status Display

The status bar at the bottom of every window provides status information, access to online help, and access to detailed user information.

Figure 2–5 Status Display



- Double-click the **Client Information** panel to display the Client Information window. Through the Client Information window, you can select a display theme to customize the appearance of the SIM interface. The Client Information tabs also display many details about the software version, user PC, and network connections. For more information, see these sections in this chapter:
 - ["Set User Preferences"](#)
 - ["View Client Information"](#)
- The second panel shows the identity of the user who is currently logged in.
- The third panel shows the store number.
- The fourth panel shows the name of the current window.
- Double-click the **HELP** panel to display SIM online help in your Web browser. See ["Access Online Help."](#)
- Double-click the **JUMP** panel to jump to a different functional area of SIM. See ["Jump to Another Functional Area."](#)

Use a Drop-Down List to Select Field Values

Some fields can accept values only from a predefined list of options. For example, a Product Type field might allow only a limited number of valid product types. A field that requires a value contained in a list has a down arrow button at the right side of the field.

 A text input field with the label 'Product Type:' on the left. The field contains the text 'Problem Line'. To the right of the text is a small downward-pointing arrow button.

To select an item from a drop-down list:

1. Click the down arrow button. A drop-down list of options is displayed.
2. Select a value from the drop-down list. The selected option is entered in the field.

If you type a value into a field with a drop-down list, SIM automatically navigates to the first item in the drop-down list that begins with the characters you enter. For example, if you type 'stock' in a field with a drop-down list, SIM automatically positions to the first list item that begins with 'stock'.

Selections in drop-down lists are sorted in alphanumeric order, character-by-character. The sort sequence follows this pattern:

```
0
1
...
10
11
...
2
...
```

A
...

Select Multiple Options from a List

For some fields, you can select more than one value from a list of values.

Select a Sequence of Values

To select a sequence of adjoining items from a list, follow these steps:

1. Select the first item in the sequence to highlight it.
2. Hold down the Shift key, scroll to the last item you want to include, and select it. All sequential items are selected.

Select Multiple Nonsequential Values

You can also select items randomly from a list. To do this, follow these steps:

1. Select the first item in the sequence to highlight it.
2. Hold down the Ctrl key and select each item in the drop-down list that you want to include.
3. When you have selected all the items you want, click **OK**.

Use Standard SIM Buttons

The following are buttons that appear in SIM windows and have special meanings and uses. These buttons are used in many different windows.

Calendar



Click the **Calendar** button to open a Calendar window in which you can select a date value. For more information, see "[Use the Calendar to Select a Date.](#)"

Ellipsis



Click the **Ellipsis** button to open another window that displays additional information or provides additional functions. For example, an Ellipsis button might give you the option to look up an item or supplier while you are performing another task.

Text Editing



Click the **Text Editing** button to open a text editing window. This button is available for fields that allow longer text values, such as description fields. For more information, see "[Edit Text for Long Text Fields.](#)"

Use the Calendar to Select a Date

The calendar allows you to view a monthly calendar and select a date. For a date field, the **Calendar** button is displayed to the right of the field.



When you select a date from the calendar, SIM enters the date for you in the correct format.

To select a date, follow these steps:

1. Click the **Calendar** button. The Calendar window displays the current month and year.

Figure 2–6 *Calendar Window*




2. Select the month and year:
 - To select a previous date, click the left arrow next to the month or year.
 - To select a future date, click the right arrow next to the month or year.
3. Select the date you want on the calendar.
4. Click **OK**. The selected date is entered in the date field.

Edit Text for Long Text Fields

For some fields that allow longer text values, such as a comment or description, it is sometimes difficult to see all the text you are entering. For some fields, a Text Editing button with a balloon graphic is displayed next to the field, as in the following example.



1. Click the **Text Editing** (balloon) button to open a text editing window. The title of the window is the title of the field.

Figure 2–7 Text Editing Window

2. Enter the text for the field.
3. Click **OK** to close the text editing window and return. The text you entered is displayed in the field.

Note: If you enter a carriage return in the text editing field and click **OK**, the description or comments field becomes disabled. The text editing window retains the carriage return (for example, in an address). If you remove the carriage return and click **OK**, the description or comments field becomes editable again.

Use Navigation and Shortcut Keys

Instead of clicking with the mouse, you can use SIM navigation and shortcut keystrokes on the keyboard. These keystrokes are similar to those you find in other PC applications. They are options that you can use to save time and motion as you work in the SIM user interface. In particular, the field navigation keys make it easier to enter and update data.

Field Navigation Keys

To navigate through fields in SIM windows, you can use the following shortcut keys.

Function	Key
Next field	Tab
Previous field	Shift+Tab

Button Shortcut Keys

Button shortcut keys are keys or key combinations that you can press, instead of clicking the mouse on window buttons. There are two kinds of shortcut keys in SIM:

- Alt+ key combinations
- The function keys F1, F2, and so on

Note: Alt+ key combinations depend on the language you are using with SIM. These key combinations do not work if your keyboard has no Roman characters. The standard function keys F1, F2, and so on are supported for all languages as button shortcuts.

Alt+ Key Combinations

An Alt+ shortcut key option is indicated by an underlined letter on a button, as in the following figure.



In the figure, Alt+D performs the same action as clicking the Done button, Alt+A the same action as clicking the Add Item button, and so on.

To use a shortcut key instead of a mouse click, press **Alt** along with the key for the underlined letter.

Function Keys

You can use the function keys F1, F2, and so on, as shortcut keys for screen buttons. For each screen button, SIM assigns the function keys in order to the buttons from left to right. F1 is a shortcut key for the first button, F2 for the second button, and so on, as illustrated in the following figure.



Jump to Another Functional Area

The SIM user interface provides a "jump" feature that allows you to switch quickly to another functional area, without navigating through a series of menus.

Using the jump feature, you can switch quickly among these major functional areas:

- Shipping and Receiving
- Inventory Management
- Administration
- Lookups

The SIM status bar includes a JUMP panel in the lower right corner of the window.



To jump to another functional area, follow these steps:

1. Double-click the **JUMP** panel.
The Quick Jump window opens.

Figure 2–8 Quick Jump Window



2. From the **Task** drop-down list, select the functional area to which you want to jump.
3. (Optional) If you know the specific identifying number, enter that information in the **ID** field. The following are ID values you can enter.

Task	Optional ID
Direct Delivery	Delivery ID <i>or</i> Purchase Order Number
Inventory Adjustment	Adjustment Number
Item Lookup	Item ID
Product Group	Product Group ID
Returns	Return ID
Stock Count	Stock Count ID
Transfers	Transfer ID
Warehouse Delivery	Container ID <i>or</i> ASN number

4. Click **Jump**.
 - If you entered an ID value, you jump to the transaction or detail window for that ID.
 - If you did not enter an ID value, you jump to the list or lookup window for the selected functional area, where you can select the specific record you want.

For example, if you select Item Lookup and enter an item ID, you jump to the Item Detail window for that item. If you select Item without entering an ID, you jump to the Item Lookup window, where you can search for the item you want.

When you exit an item lookup, you return to the task you were doing before the jump.

For other jumps, when you exit the functional area to which you jumped, you return to the SIM Main Menu.

Access Online Help

The SIM online help contains all of the same information as the *Oracle Retail Store Inventory Management User Guide*. You can open online help from any window where the **HELP** panel is displayed in the SIM status display bar (lower right of the window).



To open SIM online help, double-click the **HELP** panel. The table of contents of the SIM online help opens in your default Web browser.


You can also open online help by clicking the **Help** button on the SIM Main Menu.

You can leave online help open while you work in the SIM user interface. To close online help, close the Web browser window or tab.

Help Tabs

SIM online help is displayed in the same format as the help for many other Oracle software products. The Contents tab opens first.

Figure 2–9 Help Tabs



The SIM online help has the following tabs:

- Contents
 - Use the Contents tab to locate and open a topic in the table of contents.
- Figures
 - In the Figures tab, you can select any listed figure to open the help topic that contains that figure.
- View Topic
 - The View Topic tab is open when you are viewing a help topic.
 - If you want to print the topic that is currently displayed, click **Printable Page**.
 - If you want to locate the current topic in the table of contents, click **Locate in Contents**.

Help Navigation

You can page through the online help topics in the same order that they are presented in the user guide. In the View Topic tab, click the Next and Previous links to browse through the help topics.



Set User Preferences

For each PC on which SIM is installed, the user can set some preferences for how the SIM interface works. This section describes how to customize your own installation of the SIM client interface through these available options:

- [Set Table View Preferences](#)
- [Select a Display Theme](#)

Set Table View Preferences

Many SIM windows contain sorted tables. The tables are lists of items, containers, suppliers, transfers, or other information that applies to the task you are performing. The Warehouse Delivery List window is an example of a SIM table:

ASN #	Status	ETA
SIGASN1001	In Progress	7/6/2007
SIGASN1002	New	7/6/2007
SIGASN1003	New	7/6/2007
SIGASN1004	New	7/6/2007
SIGASN1005	New	7/6/2007
SIGASN2000	New	7/6/2007
SIGASN2001	New	7/6/2007
SIGASN2002	New	7/6/2007
SIGASN2003	In Progress	7/6/2007
SIGASN2004	New	7/6/2007
SIGASN2005	New	7/6/2007
SIGASN3000	New	7/6/2007
SIGASN3001	New	7/6/2007
SIGASN3002	New	7/6/2007

If you want a different view of a table, you can set options to control how that table is displayed to you. You can change the display of tables as follows:

- [Set Text Size \(Size Content\)](#)
- [Set Gridline Display](#)
- [View or Change Text Size and Gridlines Settings](#)
- [Control Which Columns Are Displayed](#)
- [Sort a Table by One Column](#)
- [Sort a Table by Multiple Columns](#)


You can change view options anytime you want. Your view options are saved on the PC where you set the options, so you do not need to set them again.

Note: The view options you set apply only to the table that is displayed when you set the options. You can have different view options for different tables. View options apply only to the user (login ID) who sets the options, and only on the PC where the options were set.

To set view options, right-click anywhere in the table. A pop-up menu is displayed.


Set Text Size (Size Content)

To make the text larger or smaller, select from the pop-up menu the text size you prefer:



Set Gridline Display

Table rows are shaded so that they are easier to read. You can also choose whether the table has vertical lines, horizontal lines, both, or neither. To set which gridlines to display, select from the pop-up menu.




View or Change Text Size and Gridlines Settings

To view or change the current text size or gridlines settings, follow these steps:

1. Select **Table Configuration** from the pop-up menu. The Table Configuration window opens.
2. Select the **General** tab.

Figure 2–10 Table Configuration Window – General Tab



3. If you want to change the Content Font Size or Gridlines Setting values, follow these steps:
 - a. Select the check boxes for the settings you prefer.
 - b. Click **Apply**.


Control Which Columns Are Displayed

SIM tables are designed to display the information that is helpful to most users. If you do not need to see certain table columns, you can turn off display of those columns. You can also control the order in which columns appear in the table.

To remove or restore the display of a table column, follow these steps:

1. Select **Table Configuration** from the pop-up menu. The Table Configuration window opens.


Figure 2–11 Table Configuration Window – Columns Tab



2. Select the **Columns** tab. The table columns are listed in the order in which they are displayed, from left (top) to right (bottom).
3. To control whether a column is visible or hidden, select the row that contains the column name:
 - To hide the column so that it is not displayed, click **Hide**.
 - To make a hidden column visible again, click **Visible**.
4. To control the order in which columns are displayed in the table, select a row that contains a column name that you want to move:
 - To move the column left, click **Move Up**.
 - To move the column right, click **Move Down**.
5. Click **Apply** to apply your changes and close the Table Configuration window.


Sort a Table by One Column

You can sort a table according to the values of a column by clicking the column heading for that column. For example, the following figure shows that the table is sorted in ascending order by ASN#.



ASN #	Status	ETA
SIGASN1001	In Progress	7/6/2007
SIGASN1002	New	7/6/2007
SIGASN1003	New	7/6/2007
SIGASN1004	New	7/6/2007
SIGASN1005	New	7/6/2007
SIGASN2000	New	7/6/2007
SIGASN2001	New	7/6/2007
SIGASN2002	New	7/6/2007

Click the column heading again to sort in descending order, as shown in the following figure.



ASN #	Status	ETA
SIGASN8505	New	7/6/2007
SIGASN8504	New	7/6/2007
SIGASN8503	New	7/6/2007
SIGASN8502	New	7/6/2007
SIGASN8501	New	7/6/2007
SIGASN8500	New	7/6/2007
SIGASN8005	New	7/6/2007
SIGASN8004	New	7/6/2007


Sort a Table by Multiple Columns

You can also sort a table using more than one column (sort key). For example, you may prefer that a table is sorted by Class, then by Sub-Class, then by Item.

To specify the columns used to sort the rows (records) in a table, follow these steps:

1. Select **Table Configuration** from the pop-up menu. The Table Configuration window opens.
2. Select the **Columns** tab.
3. To specify whether a column is to be used for sorting:
 - a. Select the row that contains the column name.
 - b. Click **Sort** to use the column as a sort key, or click **No Sort** if you no longer want to use that column as a sort key.
 - c. Repeat Steps a and b as needed until you have selected the columns you want to use for sorting.
4. Select the **Sort** tab. The columns you selected as sort keys are listed.

Figure 2–12 Table Configuration Window – Columns Tab



5. Arrange the list so that the primary (most important) sort key is listed first, and the least important sort key is listed last:
 - Select the column you want to use as the primary sort key and click **Move Up** until it is at the top of the list.
 - Use the **Move Up** and **Move Down** buttons to arrange the other sort keys in the order you want.
 - If you want to sort in descending order for any sort key, select that key and click **Descending**.

For example, if you want to sort by Class, then Sub-Class (within Class), then by Item (within Sub-Class), the sort keys must be listed in that order.

6. Click **Apply** to apply your sort order and return to the table.

Select a Display Theme

A theme controls how the user interface appears. In addition to the standard SIM theme, you can have customized themes that use your company logo, different colors, different fonts, and different icons. Through the Client Information window, you can select a theme from those available for your use.


To select a theme, follow these steps:

1. In any SIM window, double-click the **Client Information** panel in the bottom left corner of the window.



The Client Information window opens.

Figure 2–13 Client Information Window




2. Click the **Look & Feel** tab.
3. On the list of themes, click the theme you want to use.
4. Click **Apply**. Your selected theme is applied.
5. Click **Cancel** to close the Client Information window.

Print or View SIM Reports and Other Output

SIM reports and other output can be customized to use many different output devices and formats. When you request a report, or output such as labels or tags, the output depends on how SIM is configured at your site.

When you request a report or other output, the Report Selection window opens.

Figure 2–14 Report Selection Window




To view or print the output, follow these steps:

1. In the first column, select the check box for the report you want, if more than one is listed.
2. In the **Printer** column, select the name of the printer (or other output device) that you want to use.
3. Click **OK**. The output is processed, and you receive a confirmation message.

Some of your reports may be produced in Oracle BI Publisher. In this case, the report is displayed in your Web browser.

The following figure is an example of an Oracle BI Publisher report.

Figure 2–15 Oracle BI Publisher Report Output



For information about using Oracle BI Publisher, see the *Oracle Business Intelligence Publisher User's Guide*.

The *Oracle Retail Store Inventory Management Implementation Guide* provides more information about reports for SIM system implementers and administrators.

View Client Information

The Client Information window displays many details about the configuration of the PC that you are currently using. This information can be useful when it is necessary to check the current configuration or solve operating problems that may be related to the PC. There are no SIM operating procedures in the Client Information window. Except for the Debug Activated check box (see "[Configure Client Logging](#)"), you cannot change any of the information that is displayed; these settings are maintained through other procedures not available in the SIM user interface.

The Client Information link is available on many SIM windows, including menus, lists, and detail windows. You can access client information from any of these windows.


To view client information, follow these steps.

1. Double-click the **Client Information** panel in any window where it is displayed.



The Client Information window opens.

Figure 2–16 Client Information Window



2. View client information on the Client Information window tabs.
3. Click **Done** to close the Client Information window.

Configure Client Logging

The Client Information window includes a check box option to turn on client logging. When the Debug Activated check box is selected, logs are written to log files on the PC to record SIM events. This information is useful only in rare cases when your systems personnel need to study an operating problem that may be related to your PC.

Note: Turn on client logging only as directed by your systems personnel. Client logging slows down SIM performance and can create very large files that waste disk space on the PC. Always keep client logging turned off when it is not needed.

To enable or disable client debug logging, follow these steps:

1. Double-click the **Client Information** panel in any window where it is displayed. The Client Information window opens.
2. Enable or disable client logging as follows:
 - Select the **Debug Activated** check box to enable client logging.
 - Deselect the **Debug Activated** check box to disable client logging.
3. Click **Done** to close the Client Information window.

Note: After you disable client logging, be sure that your systems personnel locate and delete any logging files from your PC. These files are not needed for SIM operations, and they waste disk space.

Product Groups


A product group is a collection of departments, classes, subclasses, or items that are grouped together for a common purpose. Product groups are used throughout SIM for these purposes:

- To schedule and perform different types of stock counts (Problem Line, Unit, and Unit and Amount product groups)
- To request items for a store (Item Request product groups)
- To create pick lists to replenish store shelves (Pick List product groups)
- To adjust inventory automatically for wastage (Wastage product groups)

Product Group List Window

Navigate: Main Menu > Admin > Product Group. The Product Group List window opens.

Figure 3–1 Product Group List Window



From the Product Group List window, you can do the following:

- [Filter the Product Group List](#)
- [Create a Product Group](#)
- [Edit a Product Group](#)
- [Delete a Product Group](#)

From the Product Group List window, click **Done** to return to the Admin menu.

Reference Topics

The following topics provide background information about the setup of SIM product groups. Review these topics as needed as you are setting up different types of product groups:

- [Product Group Types](#)

This topic describes all of the different types of SIM product groups and the reasons for using the different types.
- [Counting Methods for Stock Counts](#)

This topic describes the counting options that apply to Unit, Unit and Amount, and Problem Line stock count product groups.
- [Product Group Size Limits](#)

This topic describes how SIM automatically divides large product groups into smaller child groups, so that they are easier to manage when you are using the SIM user interface.

Product Group Types

The following are the types of product groups you can create in SIM.

Also see the *Oracle Retail Store Inventory Management Implementation Guide* for additional information about product group functionality and process flows.

Item Request Product Groups

The Item Request product group type facilitates requests for items that use store order replenishment. You can add individual items, as well as entire sections of the merchandise hierarchy, to an Item Request product group.

When the Item Request product group is scheduled for review, SIM automatically generates a blank item request and adds all items within the specified merchandise hierarchies with Store Order replenishment type to the item request, along with any individual items specified as part of the Item Request product group. You can then enter the actual quantities of the items needed and submit the request.

You can also add items that do not have Store Order replenishment type to an Item Request product group, but only on an item-by-item basis.

Pick List Product Groups

You can create a within-day or an end-of-day pick list from within the Product Group functional area. The two different types of pick lists have store level configurations for the fill level. Typically, an end-of-day pick list has a higher fill level than a within-day pick list, because there is more time to stock the shelves at the end of the day.

When you create a pick list, SIM runs a replenishment calculation that checks for those items that belong to pick list product groups. The replenishment calculation compares the capacities of those items to their shop floor stock on hand. SIM then generates a pick list ordered by the items that need replenishment the most. For within-day pick lists, SIM stops when the amount to pick is equal to the amount suggested by the system. For end-of-day pick lists, SIM continues until all items that need picking are picked.

Pick lists can be created on the PC or the handheld device and can be fulfilled on either device.

Problem Line Stock Count Product Groups

Problem Line stock count product groups use predefined criteria to identify problem items. For example, you might decide to count all of the items that have negative stock on hand values. Individual items and item hierarchies are associated into a single problem line product group for a stock count. One or more stores can be assigned to the scheduled stock count.

After criteria are established, based on problem areas, a batch process finds all items that meet the criteria. The items found are added to the scheduled stock count. Problem line items are counted in the same way as in a scheduled unit stock count. Problem line stock counts can only be scheduled daily.

Users with proper security are prompted about any discrepancies outside of set tolerances, and SIM can automatically force a recount if the discrepancies are too high. The system uses discrepancy thresholds (established in product group setup) based on a percentage or standard unit of measure by the item class in the merchandise hierarchy.

Unit Stock Count Product Groups

For unit-only stock counts, you can set up Unit type stock count product groups. You can include individual items and item hierarchies.

A Unit product group can be scheduled for a stock count on a specified day or at scheduled intervals such as daily, weekly, monthly, or annually. One or more stores can be assigned to the scheduled stock count. When the stock count is extracted, a stock count item list is generated at the store level through a batch process.

When the stock count is performed, users with proper security are prompted about any discrepancies outside set tolerances, and SIM can automatically force a recount if the discrepancies are too high. SIM uses discrepancy thresholds, established in a separate setup process, that are based on a percentage or standard unit of measure for the item class in the merchandise hierarchy.

You can authorize stock counts with items that are discrepant, based on percentage or standard unit of measure thresholds. When authorized item quantities that are entered differ from the stock on hand, SIM creates inventory adjustments.

Unit and Amount Stock Count Product Groups

For Unit and Amount product groups, item hierarchies are grouped into a single product group for stock counting.

A Unit and Amount product group can be scheduled for a stock count on a specified day. One or more stores can be assigned to the scheduled stock count. A stock count item list is generated at the store level through a batch process that runs daily.

When the stock count is performed, users with proper security are notified about any discrepancies outside of set tolerances, and SIM can automatically force a recount if

the discrepancies are too high. SIM uses discrepancy thresholds (established in a separate setup process) that are based on values, percentages, or standard units of measure by item class in the merchandise hierarchy. SIM requires authorization of items that are discrepant, based on these thresholds.

Wastage Product Groups

Wastage is the process through which inventory is lost over time. Spoilage of fresh produce is an example of wastage. You can create wastage product groups to maintain more accurate inventory. Individual items or item hierarchies can be included in a wastage product group.

A wastage product group can use a variance percentage or standard unit of measure amount. You can schedule when a wastage product group batch process is run. Inventory adjustments are made automatically, based on the variances set up in the product group.

Note: If a wastage product group includes any items with unique identification numbers (UIN), those items are not processed by the wastage product group batch process.

Counting Methods for Stock Counts

For stock count product groups, you can specify the counting methods that you use. Counting methods include third-party counts (count data imported from another system), and guided or unguided counts.

Third-Party Counts

For a Problem Line, Unit, or Unit and Amount stock count product group, the count itself can be performed using a third-party system. In this case, the count is scheduled in SIM but performed using the third-party system. The count result data is imported into SIM for comparison against SIM inventory levels.

In SIM, you can view all discrepant item counts in the third-party count, based on the variance limits (units, percent, and value differences) set up for the count.

Third-party counts can include inconsistencies that can be resolved within SIM. Items might be counted that are not currently recorded in SIM inventory. Some counted items might not be currently ranged to the store and are not expected to appear in the count. You can assign item IDs to items not on file, and you can include nonranged items in the stock count.

Some items counted in a third-party stock count might be items that are not included in the stock count product group and should not have been counted. Counts for these items are flagged as rejected "not on count" items, and they cannot be assigned SIM item IDs. No action can be taken with these items.

Guided Counts

A guided count requires that your store has sequenced at least one item in a location. If you use sequencing, a guided stock count product group organizes the count by location. This improves the efficiency of the count by guiding your personnel from one location and its items to the next, using the sequence you have defined. If you use sequencing, you have the option to perform a guided or unguided count, except for third-party counts. The guided/unguided choice does not apply to third-party counts.

Note: If any items are not assigned to locations, they are categorized as "No Locations" items, and you will be prompted in order of ascending item ID when counting those items.

See [Chapter 15, "Sequencing"](#) for more information.


Unguided Counts

In an unguided count, items at a location can be counted and the count results entered in any order. If you do not use sequencing or third-party counting, the stock count must be an unguided count. (For third-party counts, the guide/unguided choice does not apply, because the count is conducted using a third-party system.)

Filter the Product Group List

The Product Group List window displays records that have been created for the store with which the user is associated, including those created for all stores. The product groups are listed by type, then by ID.

At any time while the Product Group List window is open, you can change how the list is filtered. Current filtering is displayed next to the Filter button on the Product Group List window. If no filtering is displayed, all product groups are currently selected and listed.




To filter the product groups listed in the Product Group List window, follow these steps:

Navigate: Main Menu > Admin > Product Group. The Product Group List window opens.

1. Click **Filter**. The Product Group Filter window opens.

Figure 3–2 Product Group Filter Window



2. Enter or select search values as needed to specify the product groups that you want to list. All values are optional. If you leave a field blank or select All, all values are included in the search.

Hierarchy Filters - Select **Dept**, **Class**, and **Sub-Class** values as needed to limit the product groups to list. By default, all departments, classes, and subclasses will be selected.

Additional Filters – Enter or select values for these fields:

- **Type** – Select the type of product group, or All (default).
- **Description** – Enter the description of the product group. The search will find all product groups for which the description contains the value you enter.
- **Store** – Select the store for which you want to list the product groups. You can select any store for which you have permissions.

Select All Stores to view product groups that apply to all stores.

- **Item** – If you specify an item, product groups that contain that item will be listed. Enter the item number or click the **Ellipsis** button to look up the item.
3. Click **Search**. You return to the Product Group List window, where your filter has been applied.

Create a Product Group

Follow this procedure to define the attribute and components of any type of product group.

Review the following topics before you begin to create product groups:

- [Product Group Types](#)
- [Counting Methods for Stock Counts](#)
- [Product Group Size Limits](#)

Navigate: Main Menu > Admin > Product Group. The Product Group List window opens.

Procedure

Creating any type of product group is a three-part procedure. You must complete all parts of the procedure to save the new product group.

1. [Enter Product Group Detail](#)

The Product Group Detail section of the Product Group Detail window includes the product group type, description, and other attributes that must be completed for any type of product group.

2. Enter product group attributes specific to the type of product group you are creating:
 - [Enter Item Request Detail](#)
 - [Enter Pick List Detail](#)
 - [Enter Stock Count Detail](#)
 - [Enter Wastage Detail](#)

For any type of product group, SIM enables only the fields that apply to that type.

3. [Define Product Group Components](#)

For all product group types, select the components that are included in the product group by merchandise hierarchy, item, supplier, or promotion.

After you have created a product group, you create a schedule for the product group to specify how often it is processed. See [Chapter 4, "Product Group Scheduler."](#)

Enter Product Group Detail

For any type of new product group, first complete the fields in the **Product Group Detail** section:

1. Click **Create**. The Product Group Detail window opens to the Product Group Attributes tab.

Figure 3–3 Product Group Detail Window – Product Group Attributes Tab

The screenshot shows the 'Store Inventory Management' window with the 'Product Group Attributes' tab selected. The window is divided into several sections:

- Product Group Detail:**
 - *Type: Unit and Amount (dropdown)
 - Group ID: (text field)
 - *Group Description: (text field)
 - *Group UOM: Standard UOM (dropdown)
 - Stores: Radio buttons for '4 - PS GPA Store' (selected) and 'All Stores'.
- Stock Count Detail:**
 - Variance:** Variance SUOM, Variance %, Variance Value (text fields).
 - Counting Method:** *Counting Method: Third Party (dropdown), Hierarchy Breakdown: None (dropdown), Re-Count Discrepancies (checkbox), Auto Authorize (checkbox).
 - Item Status:** Active (checked), Inactive (checked), Discontinued (checked), Deleted (checked) (checkboxes).
 - Problem Line:** Actual Pick Amount less than Suggested Pick Amount (checkbox), Negative Available Inventory (checkbox), UIN Discrepancies (checkbox).
 - Stock On Hand:** SOH = 0 (checked), SOH > 0 (checked), SOH < 0 (checked) (checkboxes).
- Item Request Detail:** Days Before Expiration, Days Before Delivery (text fields).
- Wastage Detail:** Shrinkage SUOM, Shrinkage % (text fields).

At the bottom, there is a navigation bar with buttons: Client Information, QA 001, 4 - PS GPA Store, Product Group Detail, HELP, and JUMP.

2. Select the type of product group from the Type drop-down list (see "[Product Group Types](#)" for more information):
 - **Item Request** – To create a product group to generate item request lists.
 - **Pick List** – To create a group of items for in-store replenishment.
 - **Problem Line** – To count items that have been flagged as problem lines.
 - **Unit** – To create a unit-only stock count product group.
 - **Unit and Amount** – To create a unit and amount (value) stock count product group.
 - **Wastage** – To create a wastage only product group.
3. In the **Group Description** field, enter a brief explanation of the product group.

4. (Users with superuser privileges only) If you want the product group to apply to all stores, select the **All Stores** radio button in the Stores section.

By default, a new product group includes only the store for which you are currently logged in.

After you have completed the Product Group Detail section, continue to enter the attributes of the type of product group you are creating:

- [Enter Item Request Detail](#)
- [Enter Pick List Detail](#)
- [Enter Wastage Detail](#)
- [Enter Stock Count Detail](#)

Enter Item Request Detail

For an Item Request product group only, enter values for the following fields in the **Item Request Detail** section.

When you have completed these fields, proceed to "[Define Product Group Components](#)."

Field	Description
Days Before Expiration	The number of days in which the items must be requested. If the items have not been requested in this period, the item requests will be cancelled. This value is not required.
Days Before Delivery	The number of days in which the requester wants the items delivered. This value is not required.

Enter Pick List Detail

For a Pick List product group only, select the unit of measure in the **Group UOM** field in the **Product Group Detail** section. The unit of measure can be either Standard UOM or Cases.

When you have completed this field, proceed to "[Define Product Group Components](#)."

Enter Wastage Detail

For a Wastage product group only, enter a value in at least one of these fields in the **Wastage Detail** section.

You can schedule when the Wastage product group batch is run. When the batch runs, SIM generates inventory adjustments based on the shrinkage units or shrinkage percent entered for the product group.

When you have completed these fields, proceed to "[Define Product Group Components](#)."

Field	Description
Shrinkage SUOM	Number of units that will be written off if the available stock on hand is greater than zero. SIM will generate an inventory adjustment for this number of units.
Shrinkage %	The quantity percent that will decrease the inventory each time this product group is scheduled. SIM will generate an inventory adjustment for this quantity

Enter Stock Count Detail

For a Unit, Unit and Amount, or Problem Line product group, enter the attributes that apply to the type of stock count group you are creating. The following table defines the fields and indicates which fields apply to different stock count types.

When you have completed these fields, proceed to "[Define Product Group Components](#)."

Field	Description	Problem Line	Unit	Unit and Amount
Variance				
Variance SUOM	Maximum allowable number of units, expressed in the standard unit of measure (SUOM), that the count can vary from the system stock on hand level before it is considered a discrepancy. If the variance units are equal to or greater than the Variance SUOM set, plus or minus, the stock count is discrepant.	X	X	X
Variance %	Maximum allowable percentage of units counted that the count can vary from the system stock on hand level before it is considered a discrepancy. If the variance percent is equal to or greater than the Variance % set, plus or minus, the stock count is discrepant. For example, if the Variance % is set to 10, and stock on hand is 20, a stock count of 18 is discrepant because $2/20 = 10$ percent. A stock count of 19 is not discrepant, because the variance is less than 10 percent.	X	X	X
Variance Value	A money amount that will be compared to the number of discrepant units times the current unit retail of the goods. (SIM uses current retail from item lookup, not an extracted promotion or clearance price.) If the variance money amount is equal to or greater than the Variance Value set, plus or minus, the stock count is discrepant			X
Counting Method				
Counting Method	Select Third-Party, Guided, or Unguided. For more information, see " Counting Methods for Stock Counts ."	X	X	X
Hierarchy Breakdown	Select None (default), Location, Department, Class, or Subclass. Note: Guided counts are always by location.	X	X	X
Re-Count Discrepancies	If this check box is selected, a stock recount record is created if there are any discrepant items in a stock count. The recount must be completed before the stock count can move to the authorization process. Note: This feature is not available for third-party count method.	X	X	
Auto Authorize	If this check box is selected, the stock count is automatically authorized by SIM when the count or recount is completed. For third-party counts, the count is automatically authorized when the count data is imported into SIM.	X	X	X

Field	Description	Problem Line	Unit	Unit and Amount
Item Status				
Item Status	<p>For Unit count product groups only, you must select at least one status of items to include when the stock count is extracted. Select all that apply to the group you are creating.</p> <ul style="list-style-type: none"> ■ Active ■ Inactive ■ Discontinued ■ Deleted 		X	
Problem Line				
Actual Pick Amount Less Than Suggested Pick Amount	If this check box is selected (default), SIM adds an item to the problem line count if the actual pick amount entered for the item on the pick list was less than the suggested system pick amount.	X		
Negative Available Inventory	If this check box is selected (default), SIM adds an item to the problem line stock count if the item has negative available inventory.	X		
UIN Discrepancies	If this check box is selected (default), the product group requires counting of all unique identification number (UIN) discrepancies for the product group components. UIN discrepancies are differences between the stock on hand and the UINs registered at the store. UIN discrepancies can result from shipping or selling items with incorrect serial numbers, or manually changing the status of a serial number. See Chapter 6, "Unique Identification Numbers (UIN)" for information about UINs.	X		
Stock on Hand				
Stock on Hand	<p>For Problem Line and Unit stock count groups, select values for the check boxes that are enabled in the Stock on Hand section:</p> <ul style="list-style-type: none"> ■ For Problem Line groups, the SOH < 0 (negative stock on hand) check box is selected by default. You can deselect this check box if you do not want to count items with negative stock; if so, however, you must select at least one check box in the Problem Line section before you complete the product group. The SOH = 0 and SOH > 0 check boxes are deselected for Problem Line groups and cannot be changed. ■ For Unit groups, all check boxes are selected by default. You can deselect any of the check boxes; however, you must select at least one. 	X	X	

Define Product Group Components

For any type of product group, follow these steps to define what is included in the product group:

1. Click the **Product Group Components** tab.

Figure 3–4 Product Group Detail Window – Product Group Components Tab

2. In the **New Product Group Element** section, select a radio button to specify how you will select components for the product group. The following table shows the options available for different product group types.

Product Group Type	Hierarchy	Item	Supplier	Promotion ID	All Departments
Item Request	X	X	X	X	
Pick List	X	X	X	X	
Problem Line	X	X	X	X	X
Unit	X	X	X	X	X
Unit and Amount	X				X
Wastage	X	X	X	X	

3. For each component you want to add to the group, follow these steps:
 - a. Select the product component as follows, depending on the radio button you have selected.

Hierarchy – Select a hierarchy from the drop-down lists in the **Department**, **Class**, and **Sub-Class** fields.

Item – In the **Item** field, enter the item number, or click the **Ellipsis** button to look up the item. In the Item Lookup window, locate and select the item you want. Click **Use Item** to return to the Product Group Detail window. See "**Item Lookup**" in **Chapter 22** for more information.

Supplier – In the **Supplier** field, enter the supplier ID, or click the **Ellipsis** button to look up the supplier. In the Supplier Lookup window, locate and select the supplier you want. Click **Done** to return to the Product Group Detail window. See "[Supplier Lookup](#)" in [Chapter 22](#) for more information.

Promotion ID – Enter the promotion ID in the **Promotion ID** field.

All Departments – No additional selection steps are needed.

- b. Click **Add to Group**.

Note: On the Product Group Components tab, **Recommended # of Items** shows the recommended total number of items for a product group, and **Total # of Items in Group** shows the number of items currently in the group. See "[Product Group Size Limits](#)" for more information.

4. If you want to remove a component that you have added, follow these steps:
 - a. Select the component from the list.
 - b. Click **Delete**.
5. Click **Done** to save the new product group and return to the Product Group List window.

Edit a Product Group

Edit a product group to change its attributes or components.

Navigate: Main Menu > Admin > Product Group. The Product Group List window opens.

To edit a product group, follow these steps:

1. Double-click on the group that you want to edit. The Product Group Detail window opens.
2. Update attributes as needed, or add and remove components. See "[Create a Product Group](#)" for more information.
3. Click **Done**. You return to the Product Group List window.

Delete a Product Group

Note: You can delete only those product groups that are not assigned to a schedule.

Navigate: Main Menu > Admin > Product Groups. The Product Group List window opens.

To delete product groups, follow these steps:

1. Select the product groups that you want to delete.
2. Click **Delete**. A message is displayed: "Are you sure you want to delete the selected product group?"
3. Click **Yes**.

Product Group Size Limits

Product groups can contain thousands of line items. SIM can handle product groups that contain very large numbers of line items, but they can be difficult for a user to manage. Because of this, SIM automatically breaks down large product groups into multiple smaller records.

The system administrator can set system options to control the maximum number of line items included in different types of product groups. If these options are not set, the SIM system default limit is used.

If the number of line items in a product group exceeds the maximum line item limit, SIM breaks down the product groups into smaller sections. See the *Oracle Retail Store Inventory Management Implementation Guide* for information about the system options that control size and breakdown of large product groups.

Automatic Breakdown of Large Product Groups

For Unit, Unit and Amount, and Problem Line stock count groups, SIM breaks down the stock count first by department, then by class, then by subclass:

- If the number of line item records for a department exceeds the maximum line limit value, then SIM breaks down the department into smaller sections starting with class.
- If a single class has more line items than the user interface limit, SIM breaks down the class to the subclass level.

It is possible for a department to have some counts at the class level and others at the subclass level, depending on how many line items there are at each level.

For Unit and Amount counts, SIM does not break down the count lower than the subclass level. A further breakdown could have an adverse effect on company financials. If a single subclass exceeds the maximum line item limit, the subclass is extracted as its own child stock count transaction.

For third-party stock counts, SIM breaks the count into child counts by department.

For guided counts, SIM breaks the count into child counts by location.

For Unit and Problem Line counts, if a subclass exceeds the limit, it is further broken down into groups that contain no more than the maximum number of line items allowed. The breakdown of the subclass is based on ascending item ID.

Later in this section, an example shows how SIM breaks down a large stock count.

Child Descriptions

For any product group that exceeds the limit, SIM creates multiple child records and appends "(x/y)" to the description. This indicates that more than one child record is associated with the original master product group, where:

- x is the sequence number of the child record
- y is the total number of child records into which the product group is divided

For example, for a Batteries stock count broken down into six separate child stock count records, the description of the first stock count record of the group would be shown as follows:

- On the PC: Batteries (1/6)
- On the handheld device: (1/6) Batteries

On the PC, multiple records associated with the same master product group are sorted based on ascending Department/Class/Subclass order, with (x/y) appended after the count description. For example, a large stock count might be broken down as follows, with the following child count records as listed:

Stock Count Record Breakdown

Batteries (1/6)	Contains Dept A items
Batteries (2/6)	Contains Dept B Class 1
Batteries (3/6)	Contains Dept B Class 2
Batteries (4/6)	Contains Dept B Class 3, 4
Batteries (5/6)	Contains Dept B Class 5 Subclass 1
Batteries (6/6)	Contains Dept C

On the handheld device, multiple records associated with the same master product group are sorted based on ascending Department/Class/Subclass order, with (x/y) appearing before the count description (because of display space limits on the handheld device). For example, the same records would be displayed on the handheld device as follows:


- 1-(1/6) Batteries
- 2-(2/6) Batteries
- 3-(3/6) Batteries
- 4-(4/6) Batteries
- 5-(5/6) Batteries
- 6-(6/6) Batteries

Note: Child stock counts on the handheld device may not always be grouped together on the stock count list screen, because the numbers appear before the description and affect how the records are sorted.

Example

The following figure shows how SIM automatically breaks down a large stock count. In this example:

- The maximum number of line items is 10,000
- The total number of items in the product group is 40,000



In this example, the product group exceeds the maximum limit of 10,000 line items and must be broken down into smaller sections:

SIM first breaks down the count by department. If a department has 10,000 or fewer line items (like Department B in the example), the department does not need to be broken down. It is extracted into its own child count record.

If a single department exceeds the 10,000 line items limit, SIM breaks down the count further to the class level. If none of the classes exceed the maximum line items limit (like Class C1 and Class C2 in the example), SIM extracts each class as a single child count record.

If a class exceeds the maximum line limit (like Class A1 in the example), SIM breaks down that class to the subclass level.

Product Group Scheduler

Use the Product Group Scheduler to create schedules for these types of product groups:

- Unit stock count product groups
- Unit and Amount stock count product groups
- Problem Line stock count product groups
- Item Request product groups
- Wastage product groups

Product Group Schedule List Window

Navigate: Main Menu > Admin > Product Group Scheduler. The Product Group Schedule List window opens.

Figure 4–1 Product Group Schedule List Window

ID	Description	Group	Next Date	Final Date	Status	Store
6142	test	6022 - test	25/10/10	27/10/10	Open	4
6143	UIN Problem 1	6023 - Sue Problem Lin...		20/10/10	Open	4
6144	Guided UIN 2	6024 - Problem Guide U...		20/10/10	Open	4
6182	UIN ONLY	6062 - Guided UIN ONLY		21/10/10	Open	4
6243	Sue 1-1	6122 - Sue 1	25/10/10	25/10/10	Open	4


From the Product Group Schedule List window, you can do the following:

- [Filter the Product Group Schedule List](#)
- [Create a Product Group Schedule](#)
- [Edit a Product Group Schedule](#)
- [Delete a Product Group Schedule](#)

From the Product Group Schedule List window, click **Done** to return to the Admin menu.

Filter the Product Group Schedule List

At any time while the Product Group Schedule List window is open, you can change how the list is filtered. Current filtering is displayed next to the Filter button. If no filtering is displayed, all product group schedules are currently selected and listed.



Navigate: Main Menu > Admin > Product Group Scheduler. The Product Group Schedule List window opens.

To filter the product group schedules listed, follow these steps:

1. Click **Filter**. The Product Group Schedule Filter window opens.

Figure 4–2 Product Group Schedule Filter Window

2. Enter or select search values as needed to specify the product group schedules that you want to list. All values are optional. If you leave a field blank or select All, all values are included in the search.

Date Filters - You can select records based on Next Schedule Date, Final Schedule Date, or both.

Note: Selection by date does not select records within a data range. The records selected are those that match the Next Schedule Date or Final Schedule Date (or both) that you enter. This selection step is intended to find schedules for specific days. For example, you may want to find all records that are scheduled for tomorrow, so that you can plan staffing as needed.

Data filtering works as follows:

- If you enter a value for Next Scheduled Date, the search finds only the records where the next scheduled extraction date is the specified date.
- If you enter a value for Last Scheduled Date, the search finds only the records where the final scheduled extraction date is the specified date.
- If you enter values for both Next Scheduled Date and Last Scheduled Date, the search returns only records where both dates match the dates you enter.

Additional Filters – Enter or select values for these fields:


- **Type** – Select the type of product group, or All (default).
 - **Description** – Enter the description of the product group. The search will find all product groups for which the description contains the value you enter.
 - **Store** – Defaults to store currently logged in, contains all stores for user
 - **Status** – Select All, Open (default), or Closed.
3. Click **Search**. You return to the Product Group List window, where your filter has been applied.

Create a Product Group Schedule

Navigate: Main Menu > Admin > Product Group Scheduler. The Product Group Schedule List window opens.

To create a new product group schedule, follow these steps:

1. Click **Create**. The Product Group Schedule Detail window opens.



2. In the **Description** field, enter a brief explanation of the schedule.
3. Select values for the following fields:
 - Product Type** – Select the type of product group (Item Request, Problem Line, Unit, Unit and Amount, Wastage).
 - Product Group** – Select the product group for this schedule.
4. Enter or select dates for the following fields:
 - Start Date** – Select the date on which you want the schedule to begin.
 - End Date** – Select the date on which you want the schedule to stop.

Note: For a unit and amount stock count product group, no End Date value is set and the field is disabled. For unit stock count, item request, and problem line stock count groups, if the start date is set for today, you have the option to extract the event immediately.

5. In the Available Locations list, select the locations to include in the schedule.

Note: If the selected product group uses third-party stock counts, only stores that are set up to allow third-party stock counts are displayed in the Available Locations list. This list contains multiple stores only if you have privileges for multiple stores.

6. Click the right-arrow button to move the selected locations to the Selected Locations list.

If you want to select all locations, click the double-right-arrow button.

To remove locations from the Selected Locations list, use the left-arrow or double-left-arrow button.

7. Under **Schedule**, select a radio button to schedule a daily, weekly, monthly, or yearly count, a count performed every weekday, or a count performed on some other schedule you specify.

For unit and amount or problem line stock count groups, the only option is Daily.

8. Click **Done** to return to the Product Group Schedule List window, where the new schedule is displayed.

Edit a Product Group Schedule

You can edit details of any product group schedule with a status of Open. You can view schedules with status Closed, but you cannot edit them.

Navigate: Main Menu > Admin > Product Group Scheduler. The Product Group Schedule List window opens.

To edit a product group schedule, follow these steps:

1. Double-click on the schedule that you want to edit.
2. Update any enabled fields as needed to change the description, dates, locations, or schedule.

See "[Create a Product Group Schedule](#)" for more information about product group schedule fields.

3. Click **Done** to return to the Product Group Schedule List window, where the revised schedule is displayed.

Delete a Product Group Schedule

Delete product group schedules that are no longer needed.

Navigate: Main Menu > Admin > Product Group Scheduler. The Product Group Schedule List window opens.

To delete product group schedules, follow these steps:

1. Select the product group schedules that you want to delete.
2. Click **Delete**. A message is displayed: "Are you sure you want to delete the selected schedule?"
3. Click **Yes**. The selected product group schedules are deleted.

Ad Hoc Stock Count Variances

SIM allows the setup of variances for ad hoc (unplanned) stock counts.

Note: Only a system administrator or other user with the necessary security permissions can set ad hoc stock count variances.

A specific variance can be set for each item class. (By default, allowable variances for all item classes for ad hoc stock counts are set at zero.) The allowable variance can be set to either one of the following types:

- Variance percent

The variance can be set as a percentage variance between the counted stock and the SIM stock inventory level, based on the standard unit of measure for each item. If an item count varies from the SIM inventory level by this percentage or more, the item count is discrepant.

For example, if the variance is set at 3 percent, an item count variance of less than 3 percent (plus or minus) is allowable, but an item count of 3 percent or greater variance is discrepant.

- Variance number of units

The allowable variance can be set as an amount variance between the counted stock and the SIM stock inventory level, based on the standard unit of measure for each item. If an item count varies from the SIM inventory level by this number of standard units of measure or more, the item count is discrepant.

For example, if the variance is set at 10 standard units of measure, an item count variance of fewer than 10 units (plus or minus) is allowable, but an item count that varies by 10 units or more is discrepant.

Note: Ad hoc stock counts can be initiated only on the handheld device, but they can be completed on either the handheld device or the PC. Setup of variances for ad hoc stock counts is performed only on the PC .

Set Variances for Ad Hoc Stock Counts

Navigate: Main Menu > Admin > Ad Hoc Stock Counts. The Ad Hoc Stock Count window opens.

Figure 5–1 Ad Hoc Stock Count Window

Dept	Class	Variance %	Variance Standard UOM
12 - dept1	12 - class1	0	0
13 - dept2	13 - class1	0	0
1600 - Dept for RPM	1600 - Class	0	0
1601 - Department 2	1601 - Class	0	0
1987 - Item cost cost based	1987 - Class for Item cost cost based	0	0
1989 - item cost retail based	1989 - Class for item cost retail based	0	0
1995 - Dept-Retail Based	2995 - no VAT	0	0
1996 - Dept-Cost Based	2996 - no vat class	0	0
6565 - Fayaz current margin dept	6566 - test class vat off	0	0
6565 - Fayaz current margin dept	6565 - Test class vat on	0	0
9090 - dept to purge	9090 - test class	5	0

To set variances for item classes, follow these steps:

1. Select the row with the item class you want to set or change.
2. Enter an integer (whole number) value in one of the following fields:
 - Variance %** – Enter the threshold percentage of variance, based on the standard unit of measure for each item in the class, at which an item count is considered discrepant.
 - Variance Standard UOM** – Enter the threshold number of units of variance, based on the standard unit of measure for each item in the class, at which an item count is considered discrepant.

To enter a value, follow these steps:

 - a. Double-click in the field.
 - b. Enter the value.
 - c. Press Enter.
3. Repeat Steps 1 and 2 as needed to set variances for other item classes.
4. Click **Done** to return to the Admin menu.

Unique Identification Numbers (UIN)

Retailers who sell items such as electronics, cell phones, firearms, medications, and fresh items often have to track unique numbers or attributes for a single item or group of items. These identifiers might be serial numbers, unique identification numbers, FCC IDs, International Mobile Equipment Identity (IMEI) numbers, or other kinds of identifiers. Unique identification numbers aid the retailer in tracking expensive or controlled items, or items that may be subject to manufacturer recalls or investigations by legal authorities.

SIM provides the capability to track items by unique identification numbers (UIN). SIM system configuration options control whether UIN capabilities are available in your SIM system.

Note: If your SIM application is not configured to use UINs, this chapter does not apply. If you do not use UINs, fields and functions related to UINs are not available in the SIM user interface.

If you use unique identification numbers, these numbers are displayed and tracked in a number of functional areas in SIM, including deliveries, transfers, returns, and stock counts. You can also look up items by UIN.

If UINs are required for an item, the UINs must be scanned, entered, or automatically generated when stock is received. When you are generating UINs for tracking items, you can print labels with the generated UINs. UINs must also be recorded when stock counts are performed, when inventory adjustments are done, or when items are shipped.

Set Up UIN Attributes

You can set up UIN attributes at the class level in SIM. The attributes are assigned to each item/location for all items within the class for a specific store.

UINs can be of these types:

- Serial number
Serial numbers are unique identifiers for individual instances of an item, typically attached to items by the manufacturer. During receiving, the serial numbers must be scanned and associated with items.
- Auto Generate SN (AGSN)
AGSNs are serial numbers generated by SIM that you can use to identify each instance of an item. SIM can also print item labels that contain the unique AGSNs.

See "[Set Up UIN Attributes](#)."

UIN Resolution List

SIM identifies discrepancies in UINs such as the return of a UIN still in stock, items received that are already at another location, or other problems. When irregularities are detected, SIM creates UIN exception records.

The UIN Resolution List allows you to view the audit records for UIN exceptions. You can identify the UINs for which resolution actions are required. A resolution action might be an inventory adjustment, transfer, or other action that resolves the exception. In some cases, a status change might resolve the exception.

Resolving UIN exceptions is a manual process. You must research the reasons for the errors and determine the appropriate actions to take.

See "[UIN Resolution List](#)."

Updating UINs

While you are performing some SIM tasks, you might need to update UINs for the items involved in the task (such as receiving, transfers, and stock counts). If your SIM system uses UINs, there are additional fields and windows in which UINs and counts are displayed, and in which you can add and correct UINs.

See "[Updating UINs](#)."

Item Lookup by UIN

In the Item Lookup function, you can look up an item by entering its UIN in the UIN field. Likewise, in the Container Lookup function, you can search for a container based on a UIN value.

In other SIM functions that allow item lookup, you can enter a UIN instead of a SIM item ID in the item identifier field, to find all items with that UIN.

See "[Item Lookup by UIN](#)."

Set Up UIN Attributes

Use the UIN Attributes setup function to set up UIN attributes at class level in the merchandise hierarchy. The attributes are assigned to each item/location for all items within the class.

Navigate: Main Menu > Admin > Setup > UIN Attributes. The UIN Attributes window opens.

Figure 6–1 UIN Attributes Window

Department	Class	UIN Type	UIN Label	Ticket Type	Capture Time	External System Cr...
1000 - Brazil Dept - con...	1001 - class for dept 1000					
100 - Consignment	100 - consignment class					
1010 - Dept 1010-Cost-...	1010 - Class 1010	Auto Generate SN	Serial Number	Default Demo AGSN	Store Receiving	
1011 - Dept 1011-Retail...	1011 - Class 1011					
1103 - Detergents	1 - strong					
1103 - Detergents	2 - mild					
1111 - Grocery (cost b...	1110 - Vegetables class...					
1111 - Grocery (cost b...	1111 - Vegetables class ...					
1112 - Apparel (Retail B...	1112 - Apparel Class N...					
1112 - Apparel (Retail B...	2221 - Apparel Class W...					
1113 - Stationery (cost ...	1113 - Paper Class VAT...					
1114 - Speciality goods...	1114 - Leather Bags Cla...					
1114 - Speciality goods...	4441 - Leather Bags Cla...					
1115 - Home Improve...	1115 - Utensils: Class No...					
1115 - Home Improve...	5551 - Utensils: Class wit...					
1116 - Furniture (Cost ...	1116 - Durables Class ...	Serial Number	Serial Number		Sales Type	
11 - Brazil dept for	12 - Brazil class for dep...					
1209 - Aarti_Test_1	88 - Aarti_Test_Class					
12 - dept1	12 - class1					
13 - dept2	13 - class1					
1400 - test	1400 - TEST 1400					

To set up UIN attributes, follow these steps:

1. To list only the classes for one department, select a department from the **Department** drop-down list.
2. For each class for which you want to set up UIN attributes, follow these steps:
 - a. In the **UIN Type** field, select the type of UIN that applies to this class. The types available are Serial Number and AGSN.
 - b. In the **UIN Label** field, select the label that applies to this UIN.

The UIN Label value is displayed whenever a description of the UIN is needed for an item. The UIN Label value is also used as a label to identify some fields in the user interface in which UINs are entered or displayed.

Note: The specific UIN labels in your SIM system are user-defined for your organization during SIM installation and setup. The UIN Label drop-down list provides all of the valid labels for your SIM system. Each of the valid labels represents a UIN of either serial number or AGSN type.

- c. In the **Ticket Type** field, if UIN Type is Auto Generate SN, select the ticket format to use when generating labels for this UIN.
- d. In the **Capture Time** field, select the first time that the UIN will be captured in SIM:

Sale – UINs are captured when individual items are sold. UINs for these item will not be tracked in SIM.

Store Receiving – UINs are captured or generated when stock is received from a warehouse or supplier. These UINs are tracked in SIM for any inventory transaction.

- e. In the **External System Create UIN?** field, select True or False to indicate whether an external system (such as a point-of-sale system) can create an UIN in SIM if the UIN does not exist. If Capture Time is Sale, this field is set to False and cannot be changed. When this field is set to True, a check mark appears in the field.
3. Click **Done** to save your changes and return to the Setup menu.


UIN Resolution List

Use the UIN Resolution List and its functions to view and update the UIN exception records that require your attention and resolution.

UIN Resolution List Window

Navigate: Main Menu > Admin > UIN Resolution. The UIN Resolution List window opens.

Figure 6–2 UIN Resolution List Window



You can use the **Search Limit** field to set the maximum number of results that you want returned. You can enter an integer from 1 to 999; the default is 500.

The UIN Resolution List window displays the following information about UIN exceptions:

Field	Description
Item	The item for which the conflict occurs.

Field	Description
UIN	UIN of the item for which the conflict occurs.
Create Date	Date the exception was created in SIM.
Status	Status of the UIN at the time the exception was raised. This could be different from the current SIM status. For example, the UIN could have been in In Receiving status when the update process tried to process it, but the receipt has been completed, so now the UIN is in In Stock status.
New Status	Proposed new status that SIM tried to apply to the UIN.
Action	Action within the UIN Update Status Web Service. This value can also be RUA for exceptions generated from receiver unit adjustments.
External Transaction ID	Unique identifier of the transaction that links back to an external system.
Quantity	For RUAs, the adjustment quantity. The value is prefaced with either + (increase) or - (decrease).
Resolved	Yes or No to indicate whether the UIN has been resolved.

From the UIN Resolution List window, you can do the following:

- [Filter the UIN Resolution List](#)
- [View History and Update UIN Status](#)
- [Mark UIN Exceptions Resolved](#)

From the UIN Resolution List window, click **Done** to return to the Admin menu.

Filter the UIN Resolution List

At any time while the UIN Resolution List window is open, you can click **Filter** to change how the list is filtered.

Current filtering is displayed next to the Filter button on the UIN Resolution List window. If no filtering is displayed, all unresolved UIN exceptions are currently listed.

To change how the list is filtered, follow these steps:

1. Click **Filter**. The UIN Resolution Filter window opens.

Figure 6–3 UIN Resolution Filter Window

2. Enter or select values for the search criteria to find only those UIN exceptions that meet all criteria you specify. You can search by any of the following criteria:

Item – Specific item identifier. Enter the item number, or click the **Ellipsis** button to look up the item.

In the Item Lookup window, enter search criteria as needed to find the item you want. (See "Item Lookup" for more information about item lookup criteria.) Select the item you want and click **Done** to return to the UIN Resolution Filter window.

UIN – Enter a specific UIN.

Existing Status – Select the UIN status for the item when the resolution record was written.

Create Dates: From and To – Enter or select dates to find only those UIN exception records in a particular date range.

Resolved – Select All, Resolved, or Not Resolved.

Search Limit – You can use this field to set the maximum number of records that you want returned. You can enter an integer value from 1 to 999; the default is 500.

3. Click **Search**. The UIN exceptions that meet your search criteria are listed in the UIN Resolution List window.

View History and Update UIN Status

Note: You must have separate permissions to view UIN history or update UIN status.

To view the history of a UIN, and optionally update the status of a UIN exception, follow these steps:

1. In the UIN Resolution List window, select a UIN.
2. Click **View History**. The UIN History window opens.

Figure 6–4 UIN History Window

Store	Date	Status	Functional Area	Identifier	User
4 - PS GPA Store	15/09/10 07:09	In Stock	Receive Transfer	4062	Sajeendra
4 - PS GPA Store	15/09/10 07:09	Missing	Receive Transfer	4062	Sajeendra
12 - Jonard	15/09/10 06:41	Reserved For Shipping	Create Transfer	4062	Sajeendra
12 - Jonard	15/09/10 06:41	Shipped To Store	Dispatch Transfer	4062	Sajeendra
12 - Jonard	15/09/10 06:41	In Stock	Receive Transfer	4061	Sajeendra
4 - PS GPA Store	15/09/10 06:40	Shipped To Store	Dispatch Transfer	4061	Sajeendra
4 - PS GPA Store	15/09/10 06:40	Reserved For Shipping	Create Transfer	4061	Sajeendra
4 - PS GPA Store	15/09/10 06:39	In Stock	Receive Transfer	4021	Sajeendra
12 - Jonard	15/09/10 05:51	Reserved For Shipping	Create Transfer	4021	Sajeendra
12 - Jonard	15/09/10 05:51	Shipped To Store	Dispatch Transfer	4021	Sajeendra
12 - Jonard	15/09/10 05:46	In Stock	Inventory Adjustment	10892	Sajeendra

The Audit Information displays the following audit trail information about the UIN:

Field	Description
Store	Store for which the audit information was captured
Date	Date the status change occurred
Status	Status of the UIN on the date shown
Functional Area	Functional area of SIM that generated the status change (for example, Warehouse Delivery, Stock Count, Sale, Update Status UI)
Identifier	Identifier of the transaction from the functional area that generated the status change
User	User who performed the action that generated the status change

- (Optional) In the **Update Status** field, select the new status of the UIN.
- Click **Done** to return to the UIN Resolution List window.

Mark UIN Exceptions Resolved

After you have resolved a UIN exception, you can mark the exception record as resolved.

Note: Marking the exception as resolved does not resolve a UIN exception. It removes the exception from the list of unresolved exceptions, and it also marks the record for later deletion during normal SIM processing.

To mark UIN exception records as resolved, follow these steps:

1. Select the UIN exception records that you want to mark as resolved.
2. Click **Resolve**. You receive a prompt: "Do you really want to confirm the selected records?"
3. Click **Yes**. The Resolved fields for the selected records are marked "Yes."

Updating UINs

While you are performing SIM tasks such as transfers, receiving, adjustments, and stock counts, you can add and update information about UINs. Numerous SIM functions require an accurate accounting of all UINs involved. The SIM interface has some standard fields and forms that work in a similar manner, regardless of the specific task.

For example, if you create an inventory adjustment for an item that requires a serial number type UIN, the Inventory Adjustment Detail form includes a UIN Qty field. This field shows the number of UINs included in the inventory adjustment. For an adjustment, you are required to enter all of the UINs that apply.

Item	Item Description	UOM	Pack Size	Quantity	Reason	UIN Qty
		Units	1			

Note: A UIN Qty field appears in numerous SIM windows; this is just one example. When the UIN Qty field appears, entering and updating UINs works in a similar manner throughout the SIM user interface.

When you double-click the UIN Qty field, the UIN window opens, in which you can enter the UINs that apply.

The screenshot shows a window titled "UIN" with a close button in the top right. Below the title bar, there are two fields: "Item: 100034304" and "Item Description: PS item 100034304". Below these is a dropdown menu currently showing "-Select-". The main area is a table with three columns: "Serial Number", "Status", and "Reason". The table contains the following data:

Serial Number	Status	Reason
789	In Receiving	
pp0	Unavailable	
pp2	Unavailable	
pp1	Unavailable	
pp4	Unavailable	
pp3	Unavailable	
111	Unavailable	
789	In Receiving	
pp0	Unavailable	
pp2	Unavailable	
pp1	Unavailable	

At the bottom of the window are three buttons: "Done", "Restore", and "Cancel".

Notes:

- A UIN window is used for updating UINs in numerous SIM functions. This is just one example.
 - The fields and field labels in the UIN window vary, depending on the function and on the different kinds of UINs configured in your SIM system.
-
-

Item Lookup by UIN

As you perform many SIM tasks, you can use UINs to search for items and containers. Both Item Lookup and Container Lookup provide a UIN field that you can use to enter a UIN value as a search parameter.

For other SIM tasks, you can enter a UIN instead of an item ID in any field that requires an item identifier (fields typically labeled Item). This capability applies to all functional areas of the SIM user interface in which item IDs are required.

For example, if you are creating a new item request, you can enter a UIN in the Item field.

The screenshot shows the 'Store Inventory Management' window. At the top, there are buttons for 'Done', 'Request', 'Add Item', 'Print', 'Delete', and 'Cancel'. Below these are fields for 'Request ID: New', 'Create Date: 25/10/10', 'User: QA_001', 'Store: 4 - PS GPA Store', 'Expiration Date:', 'Status: Pending', and 'Request Delivery Date: 25/10/10'. There is also a 'Comments:' field and a 'Request Delivery Timeslot:' dropdown menu set to '-Select-'. A table with the following columns is visible: Item, Item Description, Available SOH, In Transit, UOM, Pack Size, Qty, and Request Timeslot. The table contains one row with the following data: Item: 100042004, Item Description: PS Item 100042004, Available SOH: 124, In Transit: 0, UOM: Units, Pack Size: 1, Qty: , Request Timeslot: . At the bottom, there are tabs for 'Client Information', 'QA 001', '4 - PS GPA Store', 'Item Request Detail', 'HELP', and 'JUMP'.

When you leave the Item field (by pressing Tab or moving the pointer), SIM searches for the UIN you entered.

If a single item matches the UIN you entered, that item is selected and the necessary fields are filled in automatically.

If there are multiple items that have the UIN value you entered, the Select Item window opens.

Figure 6–5 Select Item Window

The screenshot shows the 'Select Item' window. It contains a table with two columns: 'ID' and 'Description'. The table lists the following items:

ID	Description
100111305	saj Pack UoM
100017603	PS Item
100042004	PS Item 100042004
100034304	PS item 100034304
100030704	PS Item 100030704

At the bottom right of the window, there is a 'Done' button.

From the list, select the item you want to use and click **Done**.

If the value you entered in the Item field does not match either a SIM item ID or a UIN, an error message informs you that it is an invalid value.

Note: In Item Lookup, if multiple items have the same UIN, all of the items found are listed in the Item Lookup window so that you can select the item to use. The Select Item window is not displayed.

SIM uses role-based security. Each individual SIM system user is assigned one or more roles, and specific permissions are assigned to each role. Permissions assigned to a role allow a user in that role to perform many different SIM tasks. For example, only certain roles have permission to perform tasks such as approving orders and stock counts or changing the SIM user interface. Roles are typically designed and assigned according to the job duties of people in an organization. SIM roles can be tailored as needed to fit different levels and areas of responsibility.

Role permissions control access to SIM menu options, forms (windows), and buttons and fields on those forms. You can access any of the SIM functions for which your assigned role has the necessary permissions. Depending on your role, certain buttons and menus may not even appear in the SIM user interface.

SIM roles and permissions are designed and assigned by a system user, probably a system administrator, whose role has the necessary permissions to create and modify SIM roles and assign permissions. The Security functions are used to configure roles and permissions. If your role does not have the necessary permissions, you cannot access the Security functions.

In addition to role maintenance, SIM also allows users and user/role assignments to be created and edited. You can change the roles assigned to any user to allow access to more or fewer SIM functions. Users can also be assigned to one or more stores.

The system administrator can also configure the requirements for user passwords to enforce more robust password security.

Maintaining users and user/role assignments in SIM depends on how SIM security is configured. For more information about configuring SIM security, particularly system options, see the *Oracle Retail Store Inventory Management Implementation Guide*.

The functions available on the Security menu are as follows:


- [User Maintenance](#)
- [Mass Assign Stores](#)
- [Mass Assign Roles](#)
- [Role Maintenance](#)
- [Password Configuration](#)

User Maintenance

Use the User Maintenance functions to establish and update records for all SIM users.

Navigate: Main Menu > Admin > Security > User Maintenance. The User List window opens.

Figure 7-1 User List Window



The User List window displays the following information about SIM users:

Field	Description
Username	Unique name assigned to the user for login to SIM
Name	User’s first and last name
Create Date	The date the user record was created
Status	Active or Inactive

From the User List window, you can do the following:


- [Filter the User List](#)
- [Create a New User](#)
- [Update a User](#)
- [Delete a User](#)

Click **Done** to return to the Security menu.

Filter the User List

At any time while the User List window is open, you can click **Filter** to change how the list is filtered.

Current filtering is displayed next to the Filter button on the User List window. If no filtering is displayed, all items are currently selected and listed.



To change how the list is filtered, follow these steps:

1. Click **Filter**. The User Filter window opens.

Figure 7–2 User Filter Window

2. If you want to reset all filtering criteria to default values, click **Reset**.
3. Enter or select filtering criteria as needed to select just the users you want to list. All criteria are optional. If you leave a field blank or select All, all values will be included in your filtering selection.

Username – Enter a character string that is contained in the Username of the user records you want.

First Name – Enter a character string that is contained in the First Name of the user records you want.

Last Name – Enter a character string that is contained in the Last Name of the user records you want.

Role – Select a role to list all users who are assigned that role.

Type – Select a user type to list all users of that type.

Status – Select a status to list all users in that status.

Create Date – Enter or select a date to list all users for whom records were created on that date.

Start Date – Enter or select a date to list all users whose start date is that date.

Store – Select a store to list all users for that store.

Default Store – If you selected a store, this field is enabled. If you want to list all users for the store, select **All**. If you want to list only those users for whom the selected store is their default store, select **Yes**. If you want to list those users for whom the selected store is not their default store, select **No**.

Comments – If you want to search the Comments field in user records, enter a character string contained in the Comments field of the user records you want to list.

- Click **Search**. Results that match your search criteria are displayed in the User List window.

Create a New User

To add a new user to SIM, follow these steps:

- Click **Create**. The User Detail window opens.

Figure 7–3 User Detail Window

- Enter values for the fields. The following fields are required:

First Name – The user’s first name.

Last Name – The user’s last name.

Username – A unique name by which the user will be known when logged in to SIM. A suggested user name is provided, based on the user’s last and first names; you can change this value to any other you prefer.

Locale – Select the locale for language and currency.

User Type – Select one of these types:

- Store User – This status applies to most users. A store user can have access to multiple stores, but does not require access to all SIM stores.
- Superuser – A superuser has access to all stores in SIM.

- **Temporary User** – This status can be used to set up new users temporarily until their accounts are established in a corporate security system. Temporary users are known only to SIM, and each temporary user must have an End Date value assigned.

Status – Select a status of Active or Inactive.

The other fields are optional and can be used as preferred in your organization.

3. To complete the setup of the new user, these additional steps are required:
 - a. Assign an initial password to the user. See "[Assign a User Password](#)."
 - b. Assign stores to the user. See "[Assign Stores to a User](#)."
 - c. Assign roles to the user. See "[Assign Roles to a User](#)."

You can copy store and role assignments from an existing user. See "[Copy Assignments from Another User](#)."

4. Click **Done** to save the user record and return to the User List window.

Assign a User Password

To assign an initial user password, follow these steps:

1. Click **Assign Password**. The Assign Password window opens.

Figure 7-4 Assign Password Window




2. Generate a password or enter a password manually:
 - To generate a password value automatically, click **Auto Generate**. Both fields are completed with a random string value generated by SIM.
 - To assign a specific password, enter the password value in both the **Password** and **Retype Password** fields.
3. Click **Done** to assign the password and return to the User Detail window. The Password Assigned check box indicates that you have assigned a password to this user.

Assign Stores to a User

To assign stores to a user, follow these steps:

1. Click **Assign Stores**. The Store Assignments window opens.

Figure 7-5 Store Assignments Window



2. To assign stores, follow these steps:
 - a. In the **Available Stores** list, select the stores you want to assign to the user.
 - b. Click the right-arrow button to move the selected stores to the Assigned Stores list.

To assign all stores, click the double-right-arrow button.

Note: The stores that you can assign to a user are limited to those stores to which you have access. Other stores are not listed.

3. To remove store assignments, follow these steps:
 - a. In the **Assigned Stores** list, select the stores you want to remove.
 - b. Click the left-arrow button to move the selected stores to the Available Stores list.

To remove all stores, click the double-left-arrow button.

4. To assign the user's default store, follow these steps:
 - a. In the **Assigned Stores** list, select the user's default store at login.
 - b. Click **Set Default**. The Default column for the selected store is marked "Yes."

Note: You must select at least one default store.


5. Click **Done** to save your changes and return to the User List window.

Assign Roles to a User

To assign roles to a user, follow these steps:

1. Click **Assign Roles**. The Role Assignments window opens.

Figure 7-6 Role Assignments Window



2. In the **Available Stores** list, select one or more stores to which the selected roles will apply.
3. Click the right-arrow button to move the stores to the Selected Stores list. (To select all stores at once, click the double-right-arrow button.)
To remove stores, select the assigned stores and click the left-arrow button.
4. In the **Available Roles** list, select one or more roles that you want to assign to the user.
5. Click the right-arrow button to move the roles to the Selected Roles list. (To select all roles at once, click the double-right-arrow button.)
To remove roles, select the assigned roles and click the left-arrow button.
6. Click **Add**. The Role Assignments window lists the stores and related roles assigned to the user.
To remove a store/role combination, select the role assignment and click **Delete**.
7. Click **Done** to save your changes and return to the User List window.

Copy Assignments from Another User

Note: The Copy Assignments button is only available when you are setting up a new user. You can assign only store/role combinations that you have yourself.

It can be easier to copy the store and role assignments of a user that is already set up. If you copy store and role assignments, you can still make additional changes to the assignments for the new user you are setting up.

To copy the store and role assignments from another user, follow these steps:

1. Click **Copy Assignments**. The User Lookup window opens.

Figure 7–7 User Lookup Window

2. Enter or select values for the User Lookup fields to specify the existing users that you want to find.
3. Click **Search**. The users that match your search criteria are listed.
4. Select the user whose assignments you want to copy for the new user you are setting up.
5. Click **Done**. You return to the User Detail window.
6. To view and change the new user's store and role assignments as needed, use the Assign Stores and Assign Roles functions. See "[Assign Stores to a User](#)" and "[Assign Roles to a User](#)."
7. Click **Done** to save the new user and return to the User List window. The new user has been added to the list of users, with the stores and privileges of the selected user.

Update a User

You can update a user's personal information (such as name, supervisor, employee number) or assignments at any time.

Note: You can only update records for internal users (that is, users who were created in SIM and not an external security system).

To update a user's information or assignments, follow these steps:

1. If you want to filter the users listed, click **Filter**. See "[Filter the User List](#)."
2. Double-click on the user whose information you want to change. The User Detail window opens.
3. Make any updates required:
 - Change or add values as needed in fields of the User Detail window. See "[Create a New User](#)" for information about field values.
 - To assign a new password, click **Assign Password**. The Assign Password window opens. See "[Assign a User Password](#)."
 - To update store assignments, click **Assign Stores**. The Store Assignments window opens. See "[Assign Stores to a User](#)."
 - To update role assignments, click **Assign Roles**. The Role Assignments window opens. See "[Assign Roles to a User](#)."
4. Click **Done** to save any changes and return to the User List window.

Delete a User

Delete the records of users that are no longer needed.

Note: You cannot delete users who were set up in an external security system. You can only delete users who were set up in SIM.

To delete one or more users, follow these steps:


1. If you want to filter the users listed, click **Filter**. See "[Filter the User List](#)."
2. Select the users you want to delete.
3. Click **Delete**. A message is displayed to verify that you want to delete the users you have selected.
4. Click **Yes**. The selected users are deleted and you return to the User List window.

Mass Assign Stores

Use the Mass Assign Stores functions to assign one or more stores to one or more SIM users.

Navigate: Main Menu > Admin > Security > Mass Assign Stores. The Mass Assign Stores window opens.

Figure 7–8 Mass Assign Stores Window



To assign stores to users, follow these steps:

1. To add users to the list, follow these steps:
 - a. Click **Select**. The User Lookup window opens.
 - b. Enter or select values for the User Lookup fields to specify the existing users that you want to find.
 - c. Click **Search**. The users that match your search criteria are listed.
 - d. Select one or more users to whom you want to assign stores.
 - e. Click **Done**. You return to the Mass Assign Stores window.

To remove users from the list, select the users and click **Remove**.
2. To assign stores, follow these steps:
 - a. In the **Available Stores** list, select the stores you want to assign to all the selected users.
 - b. Click the right-arrow button to move the selected stores to the Assigned Stores list.

To assign all stores, click the double-right-arrow button.

Note: The stores that you can assign to a user are limited to those stores to which you have access. Other stores are not listed.

3. To assign a default store for all the selected users, follow these steps:
 - a. In the **Assigned Stores** list, select the default store.


- b. Click **Set Default**.
4. To add the store assignments for the selected users, click **Add**. The store assignments are listed in the Store Assignment Changes list.
To remove store assignments from the Store Assignment Changes list, select the stores and click **Delete**.
5. Click **Done** to save your changes and return to the Security menu.

Mass Assign Roles

Use the Mass Assign Stores functions to assign one or more roles to one or more SIM users.

Navigate: Main Menu > Admin > Security > Mass Assign Stores. The Mass Assign Roles window opens.

Figure 7–9 Mass Assign Roles Window



To assign roles to users, follow these steps:

1. To add users to the list, follow these steps:
 - a. Click **Select**. The User Lookup window opens.
 - b. Enter or select values for the User Lookup fields to specify the existing users that you want to find.
 - c. Click **Search**. The users that match your search criteria are listed.
 - d. Select one or more users to whom you want to assign roles.
 - e. Click **Done**. You return to the Mass Assign Roles window.

To remove users from the list, select the users and click **Remove**.

2. To select the stores for which the assigned roles will apply, follow these steps:
 - a. In the **Available Stores** list, select the stores.
 - b. Click the right-arrow button to move the selected stores to the Selected Stores list.

To select all stores, click the double-right-arrow button.

To remove stores from the Selected Stores list, select the stores and click the left-arrow button.

3. To select the roles that the users will have for the selected stores, follow these steps:
 - a. In the **Available Roles** list, select the roles you want to assign.
 - b. Click the right-arrow button to move the selected roles to the Selected Roles list.

To select all roles, click the double-right-arrow button.

To remove roles from the Selected Roles list, select the roles and click the left-arrow button.

4. In the **Role End Date** field, select or enter the end date for the selected roles for the selected users.
5. Click **Add**. The role assignments are listed in the Role Assignment Changes list.


To remove role assignments from the Role Assignment Changes list, select the roles and click **Delete**.
6. Click **Done** to save your changes and return to the Security menu.

Role Maintenance

Use the Role Maintenance functions to create and modify roles and assign permissions to roles.

Navigate: Main Menu > Admin > Security > Role Maintenance. The Role List window opens.

Figure 7–10 Role List Window



The Role List window displays the following information about SIM roles:

Field	Description
Role Name	Name assigned to the role. This name corresponds to the role assigned in the external security system.
Description	Brief description of the role.
Role Type	Store or Corporate, used for filtering in SIM.


From the Role List window, you can do the following:

- [Filter the User List](#)
- [Create a New Role](#)
- [Edit or View an Existing Role](#)
- [Delete a Role](#)

From the Role List window, click **Done** to return to the Security menu.

Filter the Role List

Whenever the Role List window is displayed, you can filter the list to limit the roles listed. If the list is currently filtered, the filtering is shown next to the Filter button.



To filter the list of roles or to change the current filtering, follow these steps:

1. In the Role List window, click **Filter**. The Role Filter window opens

Figure 7–11 Role Filter Window

- Enter or select search values as needed to specify the roles that you want to list. All values are optional. If you leave a field blank or do not make a selection, all values are included in the search.

Role Name – Enter all or part of the role name. All role names that contain the value you enter will be returned from the search.

Description – Enter all or part of the role description. All role descriptions that contain the value you enter will be returned from the search.

Role Type – Select Corporate or Store.

Topic – Select a topic to return all roles that have permissions related to that topic.

Permission – If you select a topic, you can also specify a specific permission related to that topic. Only roles with that specific permission will be returned from the search.

- Click **Search**. You return to the Role List window, where your filter has been applied

Create a New Role

To create a new SIM user role, you must assign to that role all the permissions required by that role to perform the role's assigned duties. There are two levels of permissions:

- Permissions for functional areas of the SIM application
- Data permissions, for access to data that the user can update

Also see the *Oracle Retail Store Inventory Management Implementation Guide* for information about how to coordinate SIM user roles with roles defined in an external security system.

Navigate: Main Menu > Admin > Security > Role Maintenance. The Role List window opens.

To create a new role, follow these steps:

- Click **Create**. The Role Detail window opens.

Figure 7–12 Role Detail Window – Create Role

The screenshot shows the 'Store Inventory Management' application window. At the top, there are buttons for 'Done', 'Data Permissions', and 'Cancel'. Below these are input fields for '*Role Name:', '*Role Description:', and '*Role Type:' (a dropdown menu). There are also checkboxes for 'End Date Required:' and 'Contains Data Permissions:'. Below these are dropdown menus for 'Topic:' and 'Device:'. The main area is divided into two panes: 'Available Permissions' on the left and 'Assigned Permissions' on the right. The 'Available Permissions' pane contains a table with columns 'Permission', 'Topic', and 'Device'. The 'Assigned Permissions' pane is currently empty. Between the panes are navigation buttons: '>>', '>', '<', and '<<'. At the bottom, there is a status bar with 'Client Information', 'QA 001', '4 - PS GPA Store', 'Role Detail', 'HELP', and 'JUMP'.

Permission	Topic	Device
Access Adhoc Stock Co...	Stock Counts	PC
Access Adhoc Stock Co...	Stock Counts	Handheld
Access Admin	Admin	PC
Access Auto Receive St...	Admin	PC
Access Buddy Store	Admin	PC
Access Container Lookup	Admin	PC
Access Container Lookup...	Admin	Handheld
Access Customer Order	Admin	PC
Access Customize Transl...	Admin	PC
Access Direct Delivery	Direct Delivery	PC
Access Direct Delivery	Direct Delivery	Handheld
Access Finisher Lookup	Admin	PC
Access Formats	Admin	PC
Access Inventory Adjus...	Inventory Adjustments	PC
Access Inventory Adjus...	Admin	PC
Access Inventory Adjus...	Inventory Adjustments	Handheld
Access Inventory Mana...	Admin	PC
Access Inventory Mana...	Admin	Handheld
Access Item Basket	Item Basket	Handheld
Access Item Lookup	Admin	PC
Access Item Lookups	Admin	Handheld
Access Item Request	Item Requests	PC
Access Item Requests	Item Requests	Handheld
Access Item Ticket	Item Tickets	PC
Access Item Tickets	Item Tickets	Handheld

2. Complete the following fields to identify the new role:

Role Name – Enter the system name for the role. This name is used as a system key to identify the role and cannot be changed after you have created a new role.

Role Description – Enter the description of the role.

Role Type – Select Corporate or Store. See the *Oracle Retail Store Inventory Management Implementation Guide* for more information about role types.


End Date Required – Select this check box if this role requires an end date. When the role is assigned to a user, an end date will be required.

3. By default, all possible permissions for SIM functions on the PC and handheld device are listed in the Available Permissions list. You can use the Topic and Device fields to limit the permissions displayed at one time. Filter the Available Permissions list as follows:
 - a. In the **Topic** field, select a topical area for which you want to assign permissions (for example, Admin, Item Requests, Returns). Only the permissions available for that topic will be listed.
 - b. In the **Device** field, select handheld device or PC to list only the permissions available for that type of device.
4. Assign functional permissions to the role by moving permissions from the Available Permissions list to the Assigned Permissions list, as follows:
 - a. Select one or more permissions from the Available Permissions list.
 - b. Click the right-facing arrow button to assign the selected permissions to the role.

Note: To assign all permissions listed to the role, click the double-right-facing arrow button.

5. Repeat Steps 3 and 4 as needed to assign functional permissions for different topic areas.
6. Assign data permissions to the new role as follows:
 - a. Click **Data Permissions**. The Data Permissions window opens.

Figure 7–13 Data Permissions Window



By default, all secured SIM data permissions are listed in the Available Data Values list. You can use the Secured Data Value Types field to limit the data permissions displayed at one time.

- b. In the **Secured Data Value Types** field, select a data value type to limit the data values listed in the Available Data Values list (for example, Inventory Adjustment Reason or Return Source)
- c. Select one or more data values from the **Available Data Values** list.
- d. Click the right-facing arrow button to assign the selected data values to the role.

Note: To assign all data values listed to the role, click the double-right-facing arrow button.

- e. Repeat Steps b through d to assign all data values needed by the role.
- f. Click **Done** to return to the Role Detail window.

- Click **Done** to save the new role and return to the Role List window.

Edit or View an Existing Role


You can view details about an existing role and change role permissions as needed.

Navigate: Main Menu > Admin > Security > Role Maintenance. The Role List window opens.

To view or edit an existing role, follow these steps:

- If you want to filter the roles listed, click **Filter**. See ["Filter the Role List."](#)
- Double-click on the role you want to edit or view. The Role Detail window opens.

Figure 7-14 Role Detail Window – Edit Role



- Assign or remove permissions for the role. See ["Create a New Role"](#) for details about assigning permissions.

Note: To remove permissions, click the left-arrow buttons. To remove all permissions, click the double-left-arrow buttons.

- Click **Done** to save the changes to the role and return to the Role List window.

Delete a Role

Delete roles that are no longer needed and are not being used.

Caution: Deleting a role immediately prevents all users of that role from using the features assigned to that role in SIM. If you want to view the details of a particular role before you decide to delete it, see "[Edit or View an Existing Role.](#)"

Navigate: Main Menu > Admin > Security > Role Maintenance. The Role List window opens.

To delete one or more roles, follow these steps:

1. If you want to filter the roles listed, click **Filter**. See "[Filter the Role List.](#)"
2. Select the roles you want to delete.
3. Click **Delete**. A message is displayed to verify that you are sure that you want to delete the roles you have selected.
4. Click **Yes**. The selected roles are deleted and you return to the Role List window.

Password Configuration

Note: If SIM is configured to use passwords from an external security system, this function is not available.

Use the Password Configuration function to set requirements for SIM user passwords. You can set requirements such as minimum and maximum length, how often passwords must be changed, and the kinds of characters that are required in password values. The rules you set are applied when users change their passwords.

You can change the password rules whenever it is necessary. Default values are set when SIM is installed.

Navigate: Main Menu > Admin > Security > Password Configuration. The Password Configuration window opens.

Figure 7–15 Password Configuration Window

Store Inventory Management

Done Cancel

Passwords Must Contain

Numeric:

Special Character:

Alpha-Numeric Character:

Capital Letter:

Minimum Password Length:

Maximum Password Length:

Days Until Password Expires:

Days Before Password Expires To Notify:

Number Of Previous Passwords To Disallow:

Special Characters:

Change Initial Password:

Email User New Password Assignments:

Client Information QA 001 4 - PS GPA Store Password Configuration HELP JUMP

To change requirements for passwords, follow these steps:

1. For the check boxes under **Passwords Must Contain**, select the check box to specify that every password *must* contain at least one character of the type specified:

Numeric (selected by default)

Special Character (not selected by default)

Alpha-Numeric Character (selected by default)

Capital Letter (selected by default)

If you deselect (uncheck) any check box, characters of that type are allowed but not required in SIM password values.

2. Set the values of all of the following:

Minimum Password Length - The minimum required length of a password. The value can be an integer from 1 to 20 (default 8).

Maximum Password Length - The maximum allowed length of a password. The value can be an integer from 2 to 20 (default 8). This value must be equal to or greater than the Minimum Password Length value.

Days Until Password Expires - The maximum number of days that a password remains valid. If a user logs in to SIM and the user's password has not been changed for this number of days (or more), the user is prompted to enter a new password. This value can be an integer from 0 to 999 (default 90). A value of 0 means that passwords never expire.

Days Before Password Expires to Notify - The number of days before expiration when a user is first notified about upcoming password expiration. When a user

logs in to SIM and the user's password will expire in this number of days (or less), the user is notified about the number of days remaining before a new password is required. This value can be an integer from 0 to 999 (default 14). A value of 0 means that users are not notified about upcoming password expiration.

Number of Previous Passwords to Disallow - The number of most recent previous passwords for a user that cannot be reused when a password change is entered. This value can be an integer from 0 to 999 (default 5).

Special Characters - A list of the special characters that are allowed in user passwords. Enter all special characters allowed, separated by single spaces between the characters. If the check box **Special Character** is selected (meaning that a special character is required in every password), this field must contain at least one special character.

Change Initial Password - If this check box is selected (default), a new user is required to change passwords the first time that the new user logs in to SIM. If this check box is not selected, the new user can continue to use the password that was assigned when the user was created in SIM.

Email User New Password Assignments - If this check box is selected, SIM is allowed to send an e-mail containing the user's password to each new user, at the time that the new user is created in SIM. If this check box is not selected, SIM does not e-mail passwords to new users.

3. Click **Done** to save your changes and return to the Security menu.

Technical Maintenance

Technical maintenance tasks are those that control various aspects of SIM configuration and performance. Tasks range from tuning performance of polling timers to modifying the appearance and content of the SIM application.

Note: Only a system administrator or other user with the necessary security privileges can access the Technical Maintenance functions.

The Technical Maintenance functions are as follows:

- [Configure the User Interface](#)
- [Polling Timers](#)
- [Staged Messages](#)

Configure the User Interface

The UI Configuration button gives you access to functions you can use to modify the appearance of the SIM user interface. You can also modify and add translated strings to the interface.

Modify the Application Appearance (Customize Themes)

You can configure the SIM user interface to customize its appearance and wording. You can modify existing themes or create new ones. Each theme can use a selected "look and feel" (general style) that you select, along with fonts and colors that you specify. You can substitute your own icons, such as your company icon, to replace some of those supplied with SIM. You can also modify translations and wording used in the user interface.

To modify the appearance and behavior of the user interface, you may want to experiment with different settings for look and feel, as well as different fonts, colors, and icons. There is no limit to the number of times you can make changes to a theme; however, new changes may not appear until the user restarts SIM.

You can activate your new or modified themes to make them available to all SIM users. You can also deactivate themes that you do not want to use.

To modify the application appearance, the following functions are available:

- [Create a Theme](#)
- [Customize Interface Fonts](#)
- [Customize Interface Colors](#)

- [Customize Interface Icons](#)
- [Activate or Deactivate a Theme](#)

Modify or Add Translated Strings (Customize Translations)

You can modify messages in the translation database, to substitute or add wording that you prefer to translated message strings. You can also create new translated strings that can be accessed by custom code using a key (name) that you specify. Each translation record consists of the following:

- A unique key (name) in English-language characters
- A translated message
- Optional comments

To modify or add translated strings, the following functions are available:


- [Modify Translations](#)
- [Modify Translations](#)

Create a Theme

Use this procedure to create a new theme that you can customize to change the appearance of the SIM application.


Navigate: Main Menu > Admin > Technical Maintenance > UI Configuration > Customize Themes. The Available Themes window opens.

Figure 8–1 Available Themes Window



To create a new theme, follow these steps:

1. Click **Create**. The Custom Theme Selection window opens.

Figure 8–2 Custom Theme Selection Window

2. Enter a unique name for the new theme in the **Name** field. The name must be a name that is not currently used for a theme. A value is required in this field, and it can be up to 40 characters in length.
3. Enter a description of the theme in the **Description** field. A value is required in this field, and it can be up to 750 characters in length.
4. From the **Look & Feel** drop-down list, select one of the available values.
5. Click **Done** to create the theme and close the Custom Theme Selection window.
6. Click **Done** to return to the UI Config menu.

After you have created the them, you can modify the theme as you want to change colors, fonts, icons, and the look and feel of the theme. You can do the following:

- [Customize Interface Fonts](#)
- [Customize Interface Colors](#)
- [Customize Interface Icons](#)

When you are ready to make the theme available to SIM users, activate the theme. See "[Activate or Deactivate a Theme.](#)"

Customize Interface Fonts

To customize the fonts used in the interface, you can do any of the following:

- [Change Fonts](#)
- [Reset Fonts](#)
- [Apply a Universal Font Setting](#)

Change Fonts


Use the following procedure to set the font for one application widget (interface element), or for a selected set of widgets. To apply the same font family to all SIM application widgets, see "[Apply a Universal Font Setting.](#)"

Navigate: Main Menu > Admin > Technical Maintenance > UI Configuration > Customize Themes. The Available Themes window opens.

To change fonts for one or more application widgets, follow these steps:

1. Click on the theme that you want to modify.
2. Click **Fonts**. The Font Detail window opens. The Font Detail window lists all of the SIM application widgets (interface elements) that have a font that you can change.

Figure 8–3 Font Detail Window



3. Select one or more widgets (rows) from the list. (If you select multiple rows, select widgets that you want to use the same font.)
4. Click **Edit**. The Customize Font window opens.

Figure 8–4 Customize Font Window



5. From the **Font** drop-down list, select the font (font family) that you want to use for the selected widgets. The default font is Tahoma.

Note: The fonts available are those that are installed on the PC that you are currently using. Be sure to select a font that other SIM users will also have installed on their own PCs.

6. From the **Font Style** drop-down list, select the style of the font (Bold, Italic, Italic-Bold, or Plain). The default is Plain.
7. In the **Font Size** field, enter the integer value of the size of the characters in points. Values that include fractions (such as 0.5) are not allowed. The default size is 10.

Note: A font size that is too large can cause incorrect display of labels and other text in the widgets for which you are setting the font size. If you increase the font size from the default size, be sure to test and verify that text is still displayed correctly.

8. Click **Done** to save your changes and close the Customize Font window.
9. When you are finished changing fonts, click **Done** to return to the Available Themes window.
10. Click **Done** to return to the UI Config menu.

Reset Fonts

Note: Resetting fonts restores default font settings when SIM was installed. Any changes you have made to fonts for the selected widgets will be lost.

To reset the user interface fonts, follow these steps:

1. Click on the theme that you want to modify.
2. Click **Fonts**. The Font Detail window opens.
3. From the list, select all of the widgets (rows) that you want to reset to their original fonts.
4. Click **Reset**.
5. When you are finished, click **Done** to return to the Available Themes window.
6. Click **Done** to return to the UI Config menu.

Apply a Universal Font Setting

Use this procedure if you want to apply a single font (font family) to all SIM application widgets (for example, if you want to use Arial font throughout the SIM application). To set the font for a single widget or a group, see "[Change Fonts](#)."

Navigate: Main Menu > Admin > UI Configuration > Customize Themes. The Available Themes window opens.

To apply a universal font setting, follow these steps:

1. Click on the theme that you want to modify.
2. Click **Fonts**. The Font Detail window opens. The Font Detail window lists all of the SIM application widgets (interface elements) that have a font that you can change.

3. From the list, select one widget (row) that uses the font that you want to apply to this theme, to be used throughout the SIM user interface.

Note: The same font family (for example, Arial) will be applied to all widgets; however, the font size and style of the selected widget (for example, 12-point Bold) will not be applied. Applying the same font size and style throughout the application could cause many display problems.

4. Click **Apply to All**.
5. Click **Done** to return to the Available Themes window.
6. Click **Done** to return to the UI Config menu.

Customize Interface Colors

To customize the colors of the user interface, you can do the following:

- [Change Colors](#)
- [Reset Colors](#)

Change Colors

Use this procedure to apply color changes to one or more application widgets (interface elements).

Navigate: Main Menu > Admin > Technical Maintenance > UI Configuration > Customize Themes. The Available Themes window opens.

To change colors, follow these steps:

1. Click on the theme that you want to modify.
2. Click **Colors**. The Color Detail window opens. The Color Detail window lists all of the SIM application widgets that have a color property that you can change.


Figure 8–5 Color Detail Window

Name	Red	Green	Blue	Customized
BoxLabel Background	163	194	223	No
BoxLabel Foreground	60	60	60	No
BoxLabel Line	163	190	216	No
Button Background	163	194	223	No
Button DarkShadow	122	138	153	No
Button DisabledText	153	153	153	No
Button DisabledToolBarBorderBackgr...	204	204	204	No
Button Focus	163	184	204	No
Button Foreground	88	96	115	No
Button Highlight	255	255	255	No
Button Light	255	255	255	No
Button Select	184	207	229	No
Button Shadow	184	207	229	No
Button ToolBarBorderBackground	153	153	153	No
ButtonPanel Background	163	194	223	No
ButtonPanel Foreground	60	60	60	No
ButtonPanel Line	163	190	216	No
CheckBox Background	217	229	239	No
CheckBox DefaultBoxBackground	255	255	255	No
CheckBox DefaultBoxForeground	60	60	60	No
CheckBox DisabledForeground	110	110	110	No
CheckBox DisabledText	153	153	153	No
CheckBox Focus	163	184	204	No
CheckBox FocusBoxBackground	92	114	152	No
CheckBox FocusBoxForeground	255	255	255	No
CheckBox Foreground	60	60	60	No
CheckBoxMenuItem AcceleratorForeg...	99	130	191	No
CheckBoxMenuItem AcceleratorSelect...	51	51	51	No

3. Select one or more widgets (rows) from the list. (If you select multiple rows, select widgets that you want to set to the same color.)
4. Click **Edit**. The Customize Color window opens.
5. Use any of the three tabs of the Customize Color window to select the color and view the settings for the color you have selected.


The Swatches tab shows an array of color swatches (samples). Click on any swatch to select that color.

Figure 8–6 Swatches Tab – Customize Color Window




The HSB tab shows the hue, saturation, and brightness settings for the selected color. You can use the radio buttons and other controls to set the HSB numeric values.

Figure 8-7 HSB Tab – Customize Color Window



The RGB tab shows the red, green, and blue values for the selected color. You can use the controls to set the RGB numeric values.

Figure 8-8 RGB Tab – Customize Color Window



6. Click **Done** to set the color for the selected widgets and close the Customize Color window.
7. When you are finished changing colors, click **Done** to return to the Available Themes window.

Reset Colors

Note: Resetting colors restores default color settings when SIM was installed. Any changes you have made to colors of the selected widgets will be lost.

1. Click on the theme that you want to modify.
2. Click **Colors**. The Color Detail window opens.
3. From the list, select all of the widgets (rows) that you want to reset to their original colors.
4. Click **Reset**.
5. When you are finished, click **Done** to return to the Available Themes window.
6. Click **Done** to return to the UI Config menu.

Customize Interface Icons

To customize the icons in the user interface, you can do the following:


- [Change Icons](#)
- [Reset Icons](#)

Change Icons

Navigate: Main Menu > Admin > UI Configuration > Customize Themes. The Available Themes window opens.

To change icons for one or more widgets (interface elements), follow these steps:

1. Click on the theme that you want to modify.
2. Click **Icons**. The Icon Detail window opens. The Icon Detail window lists all of the SIM application widgets that have an icon that you can change. The Customized column indicates whether an icon has been customized (Yes or No).

Figure 8–9 Icon Detail Window

3. Select one widget from the list.
4. Click **Edit**. The Customize Icon window opens.

Figure 8–10 Customize Icon Window

5. In the **Icon Path** field, enter the full path and file name where the icon is located. An icon file should be a GIF or JPEG file; GIF files load more quickly.
The full pathname must be in the deployed classpath of the client JVM. This means that it will probably not be on any local file system or network drive path. The practical way to accomplish this is to create a customicon.jar file at the client site that contains all of the icons. This .jar file should then be deployed as part of the Web Start deployment.
6. Click **Done** to save your change and return to the Icon Detail window.
7. When you are finished, click **Done** to return to the Available Themes window.
8. Click **Done** to return to the UI Config menu.

Reset Icons

Note: Resetting icons restores default icon settings when SIM was installed. Any changes you have made to icons for the selected widgets will be lost.

To reset the application icons, follow these steps:

1. Click on the theme that you want to modify.
2. Click **Icons**. The Icon Detail window opens.
3. From the list, select all of the widgets (rows) that you want to reset to use their original icons.
4. Click **Reset**.
5. When you are finished, click Done to return to the Available Themes window.
6. Click Done to return to the UI Config menu.

Activate or Deactivate a Theme

Activating a theme makes it available to other SIM users. Deactivating a theme removes that theme from the list of themes available to SIM users.


Navigate: Main Menu > Admin > UI Configuration > Customize Themes. The Available Themes window opens.

1. Double-click on the theme that you want to activate or deactivate. The Custom Theme Selection window opens.
2. Activate or deactivate the theme:
 - Select the **Active** check box to activate the theme.
 - Deselect the **Active** check box to deactivate the theme.
3. Click **Done** to save your changes and close the Custom Theme Selection window.
4. Click **Done** to return to the UI Config menu.

Modify Translations

Note: For any translation, if you have not selected a theme that can display the language, the translations may not be displayed correctly.

Navigate: Main Menu > Admin > UI Configuration > Customize Translations. The Translation Details window opens.

Figure 8–11 Translation Details Window

To modify translated strings, follow these steps:

1. From the **Language** drop-down list, select the language for which you want to modify one or more translated strings.
2. Depending on the selected language, there may be translations that are specific to a country.

A country name is appended to a language name if the language translation varies based on geographical location. For example, a traditional form of Chinese is spoken in China, but in Taiwan there is a different Chinese language. In the Language list, there are entries for "Chinese - China" and "Chinese - Taiwan."

3. Search for all translated strings or narrow your search:

If you want to see all translated strings for the selected language, click **Search**.

If you want to narrow your search, follow these steps:

- a. Enter a search value in the **Translation** field. For example, if the selected language is French, you might want to search for the French string "retours."
- b. Click **Search**.

The search results are displayed in the Translation Details window. Records are sorted by Key value.


Figure 8–12 Translation Details – Example of Search Results

Key	Translation	Comments
Access Returns	Accéder retours	
Access Returns	Accéder retours	
Add Items To Returns	Ajouter articles aux retours	
Are you sure you want to delete the selected returns now?	Voulez-vous vraiment supprimer les retours sélectionnés m...	
Are you sure you want to dispatch the selected returns no...	Voulez-vous vraiment expédier les retours sélectionnés mai...	
Audit Return Stock Update	Audit - Mise à jour du stock des retours	
Audit Return Stock Update	Audit - Mise à jour du stock des retours	
Create Returns	Créer retours	
Create Returns	Créer retours	
Days to Hold Returns	Nombre de jours pendant lesquels les retours sont conser...	
Days to Hold Returns	Nombre de jours pendant lesquels les retours sont conser...	
Delete Items From Returns	Supprimer articles des retours	
Delete Returns	Supprimer retours	
Delete Returns	Supprimer retours	
DISPATCHED Stock returns may NOT change status.	Le statut des retours de stock dont le statut est EXPEDIE n...	
Dispatch Returns	Expédier retours	
Dispatch Returns	Expédier retours	
Edit Returns	Modifier retours	
None of the suppliers for this item allow returns. Please sca...	Aucun des fournisseurs de cet article n'autorise les retours...	Wireless Text, "No Suppliers Exist For Return" must be 180...
Only Pending returns can be dispatched.	Seuls les retours en attente peuvent être expédiés.	
Pending Returns Exist. Do you want to edit an existing ret...	Il existe des retours en attente. Voulez-vous modifier un r...	Wireless Text, "Pending Returns Exist" must be 180 charact...
PENDING Stock returns may only be DISPATCHED or C...	Les retours de stock EN ATTENTE peuvent uniquement se...	
RECEIVED or CANCELED Stock returns may NOT change...	Le statut des retours de stock dont le statut est RECU ou A...	
Return List	Liste des retours	
Returns	Retours	Wireless Text, "Returns" must be 20 characters or less.
Returns	Retours	
Returns	Retours	
Returns Address	Adresse retours	Wireless Text, "Returns Address" must be 20 characters or ...

Client Information QA 001 4 - PS GPA Store Translation Details HELP JUMP

Note: The records returned by the search are those that contain your specified search string in the Translation column. If there are no translated strings for the selected language that contain the search string you entered in the Translation field, no records are returned.

4. To change a translated string:
 - a. Double-click on the row that contains the translation you want to change. The Translation Detail window opens.

Figure 8–13 Translation Detail Window – Example

- b. In the **Translation** field, change the translation as you want.
 - c. In the **Comments** field, enter any optional comments about the string and your translation.
 - d. Click **Done** to save your changes and close the Translation Detail window.
5. When you are finished making changes, click **Cancel** in the Translation Details window. You return to the UI Config menu.

Note: Translation changes are available to users the next time they start SIM.

Create New Translations

You can also define new translated strings for the SIM interface.

Note: For any translation, if you have not selected a theme that can display the language, the translations may not be displayed correctly.

Navigate: Main Menu > Admin > UI Configuration > Customize Translations. The Translation Details window opens.

1. From the **Language** drop-down list, select the language for which you want to add translations.

Note: The translation key and comments are created for all languages.

2. Click **Create**. The Translation Detail window opens.

Figure 8–14 Translation Detail Window

The image shows a screenshot of a software window titled "Translation Detail". The window has a standard Windows-style title bar with a close button (X) in the top right corner. Below the title bar, there is a "Language" field with the value "French" selected. Below that is a large empty text area labeled "Key". Below the "Key" field is another large empty text area labeled "Translation". Below the "Translation" field is a third large empty text area labeled "Comments". At the bottom right of the window, there are two buttons: "Done" and "Cancel".

3. In the **Key** field, enter a character string, using English-language characters, that uniquely names the new translation record. The key is required, and it cannot be the same value as any existing key in the translations database.
4. In the **Translation** field, enter the translated message or string to associate with the new key. (If you leave this field blank, its value defaults to the Key value.)
5. In the **Comments** field, enter any optional comments you want about the key properties and your translation.
6. Click **Done** to save your new translation record and close the Translation Detail window.
7. When you are finished adding translations, click **Cancel** in the Translation Details window. You return to the UI Config menu.

Polling Timers

Inbound and outbound SIM messages are stored in a message staging table. Messages of different types are processed by polling the staging table to retrieve and send. Polling timers control polling behavior for each message type. Through the SIM client, you can view the current status of all polling timers, and start and stop timers.

Polling Timers Window

Navigate: Main Menu > Admin > Technical Maintenance > Polling Timers. The Polling Timers window opens.

Figure 8–15 Polling Timers Window

Polling Timer	In/Out	Active	Last Update	Last New Msg	Pending	Retry	Fail
ASNOut	Outbound	✓	43 days, 2 hours, 27 minutes and 13 seconds	44 days, 10 hours, 52 minutes and 58 seconds	0	0	0
DSDReceipt	Outbound	✓	112 days, 20 hours, 32 minutes and 39 seconds	113 days, 9 hours, 44 minutes and 45 seconds	0	0	0
InvAdjust	Outbound	✓	4 days, 11 hours and 53 seconds	4 days, 12 hours, 25 minutes and 4 seconds	0	0	3
InvReq	Outbound	✓	Never	Never	0	0	0
RTV	Outbound	✓	205 days, 9 hours, 42 minutes and 36 seconds	205 days, 9 hours, 42 minutes and 44 seconds	0	0	0
Receiving	Outbound	✓	211 days, 1 hour, 23 minutes and 6 seconds	211 days, 1 hour, 23 minutes and 10 seconds	0	0	0
SOSTatus	Outbound	✓	43 days, 2 hours, 27 minutes and 13 seconds	44 days, 10 hours, 52 minutes and 59 seconds	0	0	0
StkCountSch	Outbound	✓	122 days, 9 hours, 7 minutes and 22 seconds	122 days, 9 hours, 7 minutes and 28 seconds	0	0	0
ASNIIn	Inbound	✓	25 days, 10 hours, 53 minutes and 17 seconds	57 days, 5 hours, 12 minutes and 37 seconds	0	0	8
ClrPrcChg	Inbound	✓	Never	Never	0	0	0
CustomerOrder	Inbound	✓	Never	Never	0	0	0
Diff	Inbound	✓	Never	Never	0	0	0
DivySlk	Inbound	✓	Never	Never	0	0	0
ExternalInvAdj	Inbound	✓	Never	Never	0	0	0
ItemLoc	Inbound	✓	25 days, 10 hours, 53 minutes and 17 seconds	43 days, 1 hour, 49 minutes and 8 seconds	1	0	21
Items	Inbound	✓	25 days, 10 hours, 53 minutes and 17 seconds	45 days, 7 hours, 25 minutes and 43 seconds	0	0	3
MerchHier	Inbound	✓	22 hours, 47 minutes and 19 seconds	22 hours, 47 minutes and 46 seconds	0	0	0
Order	Inbound	✓	25 days, 10 hours, 53 minutes and 17 seconds	45 days, 7 hours, 26 minutes and 10 seconds	0	1	10
Partner	Inbound	✓	Never	Never	0	0	0
PosTransaction	Inbound	✓	203 days, 12 hours, 16 minutes and 36 seconds	203 days, 12 hours, 16 minutes and 51 seconds	0	0	0
PrintBatch	Inbound	✓	Never	Never	0	0	0
PrmPrcChg	Inbound	✓	25 days, 10 hours, 53 minutes and 17 seconds	98 days, 22 hours, 48 minutes and 3 seconds	0	0	3
RTVReq	Inbound	✓	226 days, 36 minutes and 17 seconds	226 days, 36 minutes and 23 seconds	0	0	0
RcvUnitAdj	Inbound	✓	Never	Never	0	0	0
RegPrcChg	Inbound	✓	25 days, 10 hours, 53 minutes and 17 seconds	98 days, 22 hours, 47 minutes and 52 seconds	0	0	8
SALERETXN	Inbound	✓	Never	Never	0	0	0
SOSTatus	Inbound	✓	25 days, 10 hours, 53 minutes and 17 seconds	98 days, 22 hours, 48 minutes and 31 seconds	0	0	4
SeedData	Inbound	✓	Never	Never	0	0	0
Serialization	Inbound	✓	Never	Never	0	0	0

The Polling Timers table lists the following information about the polling timers.

Column	Description
Polling Timer	Name of the polling timer.
In/Out	Whether messages are inbound or outbound.
Active	Whether the polling timer is active (started and running) or inactive (stopped). A check mark in this column indicates that the polling timer is active.
Last Update	Last time this polling timer was actively processing messages.
Last New Msg	Last time a new message arrived at the staging table for this family.
Retry	Number of messages/records in retry status for the polling timer.
Fail	Number of messages/records in failed status for the polling timer.

From the Polling Timers window, you can do the following:

- [Stop or Start a Polling Timer](#)
- [Refresh the Polling Timers List Display](#)

From the Polling Timers window, click **Done** to return to the Technical Maintenance menu.

Stop or Start a Polling Timer

To start or stop polling timers, follow these steps:

1. In the **Polling Timers** list, select one or more of the polling timers that you want to start or stop.

2. Click **Stop** to stop the selected polling timers, or click **Start** to start them.

Refresh the Polling Timers List Display

Click **Refresh** to refresh the Polling Timers status display.

Configure a Polling Timer

Polling Timer parameters can be configured in the server.cfg file.

For more information, see "server.cfg" in the *Oracle Retail Store Inventory Management Operations Guide*.

Staged Messages

Inbound and outbound SIM system messages are stored in a message staging table. Through polling, messages are retrieved and processed by SIM or by external applications that are integrated with SIM.

Messages remain in the staging table until they are retrieved and processed successfully. The status of each staged message is one of the following:

- **Pending** – The message is new and waiting to be retrieved.
- **Retry** – One or more attempts were not successful, and the message will be retried again.
- **Fail** – The message has been retried the maximum number of times and has not been processed successfully.

Messages can fail because of errors in content or for other reasons. You can handle staged messages in the following ways:

- Edit the content of a message and retry the corrected message
- Reset the retry counter for the message so that it will be retried
- Delete the message

Staged Message Lookup Window

Navigate: Main Menu > Admin > Technical Maintenance > Staged Messages. The Staged Message Lookup window opens.

Figure 8–16 Staged Message Lookup Window

Record Id	In/Out	Type	Family	Create Time	Update Time	Retry Count	Business Id	Message Desc.
86251	Outbound	InvAdjustCre	InvAdjust	11-Aug-2011 1:27:...	15-Aug-2011 4:47:...	80229	5124	INVADJUST:5124
87251	Outbound	InvAdjustCre	InvAdjust	23-Aug-2011 1:16:...	23-Aug-2011 2:31:...	500	5145	INVADJUST:5145
87254	Outbound	ASNOutCre	ASNOut	23-Aug-2011 1:20:...	23-Aug-2011 2:32:...	500	1481	RETURN_ASN:1481
87504	Outbound	ASNOutCre	ASNOut	23-Aug-2011 4:10:...	23-Aug-2011 5:22:...	500	1502	RETURN_ASN:1502
87751	Outbound	InvAdjustCre	InvAdjust	24-Aug-2011 1:14:...	24-Aug-2011 2:26:...	500	5184	INVADJUST:5184
88001	Outbound	InvAdjustCre	InvAdjust	25-Aug-2011 1:39:...	25-Aug-2011 2:51:...	500	7084	INVADJUST:7084
88502	Outbound	ASNOutCre	ASNOut	25-Aug-2011 5:46:...	25-Aug-2011 6:58:...	500	1101	TRANSFER_ASN:...
88504	Outbound	ASNOutCre	ASNOut	25-Aug-2011 5:48:...	25-Aug-2011 7:00:...	500	1102	TRANSFER_ASN:...
89251	Outbound	InvAdjustCre	InvAdjust	26-Aug-2011 4:00:...	26-Aug-2011 5:12:...	500	7104	INVADJUST:7104
89253	Outbound	InvAdjustCre	InvAdjust	26-Aug-2011 4:12:...	26-Aug-2011 5:24:...	500	7106	INVADJUST:7106

The Staged Messages Lookup window displays the following information about staged messages:

Field	Description
Record ID	Unique record ID for the message
In/Out	Whether the message is inbound or outbound
Type	Type of message (similar to type used in the Oracle Retail Integration Bus)
Family	Staging table to which the message belongs
Create Time	Time the message was created
Update Time	Last time the message was updated
Retry Count	Number of times the message has been retried
Business ID	Unique ID of the transaction, used to group messages that need to be processed in order and atomically
Message Desc	Message description (human-readable hints of message contents)

From the Staged Message Lookup window, you can do the following:


- [Filter the Staged Message Lookup List](#)
- [View and Edit Staged Messages](#)
- [Delete Staged Messages](#)
- [Refresh the Staged Message Lookup List](#)

- [Reset Staged Messages](#)

From the Staged Messages Lookup window, click **Done** to return to the Technical Maintenance menu.

Filter the Staged Message Lookup List


Whenever the Staged Message Lookup window is displayed, you can filter the list of staged messages to limit the requests listed. If the list is currently filtered, the filtering is shown next to the Filter button.



To filter the list of staged messages or to change the current filtering, follow these steps:

1. In the Staged Message Lookup window, click **Filter**. The Staged Message Filter window opens.

Figure 8–17 Staged Message Filter Window



2. If you want to reset all filtering criteria to default values, click **Reset**.
3. Enter or select search values as needed to specify the staged messages that you want to list. All values are optional. If you leave a field blank or select All, all values are included in the search.

Record ID – If you know the Record ID of the staged message you want to view, enter the value.

Family – The default value is All.

In/Out – The default value is All.

Show Pending – Select this check box if you want to include messages in pending status.

Show Retry – Select this check box if you want to include messages in retry status.

4. If you want to change the limit of the number of messages listed, enter an integer value in the **Search Limit** field. The default value is 500.
5. Click **Search**. You return to the Staged Messages Lookup window, where your filter has been applied.

3. Click **Yes** to delete the selected messages.

Refresh the Staged Message Lookup List

Click **Refresh** to refresh the Staged Message Lookup list display

Reset Staged Messages

You can reset the retry count for any listed message, so that the message is retried again the maximum number of times. To reset one or more staged messages, follow these steps:

1. Select the messages that you want to reset.
2. Click **Reset**. The
3. Click **Yes**. The Retry Count values for the selected messages are reset to zero.

Setup functions include a variety of administrative functions to configure SIM. These functions are primarily system settings that affect all SIM users at a single store or throughout the enterprise.

Note: Most Setup functions are available only to system administrators or other users with the necessary permissions.

The functions available on the Setup menu are as follows:

- [SIM Stores](#)
- [Store Administration](#)
- [System Administration](#)
- [Formats](#)
- [UIN Attributes](#)

See [Chapter 6, "Unique Identification Numbers \(UIN\),"](#) for information about universal identification numbers and their setup and maintenance

- [UDA Print Setup](#)
- [Inventory Adjustment Reason Maintenance](#)
- [Printer Setup](#)

SIM Stores

The SIM Stores functions allow you to set operating parameters for stores managed with SIM. The functions are as follows:

- [Add or Remove Buddy Stores](#)

You can set up buddy stores within the transfer zone in SIM to which you normally transfer items. This shortens the list of values from which you must select when you create a transfer.

- [Auto-Receive Stores](#)

You can set up auto-receive stores from which you want to receive transfers automatically. The stock on hand of the receiving store is adjusted automatically when an auto-receive store dispatches a transfer.

- [SIM Managed Stores](#)

You can add or remove stores that are managed using SIM.


Add or Remove Buddy Stores

Buddy stores are stores within the same transfer zone that frequently transfer items between stores. You can set up buddy stores to make the frequent transfers between these stores more convenient.

You can transfer items between any stores within the transfer zone, regardless of whether they are set up as buddy stores.

Navigate: Main Menu > Admin > Setup > SIM Stores > Buddy Stores. The Buddy Stores window opens.

Figure 9–1 Buddy Stores Window



To add or remove buddy stores, follow these steps to change which stores are included in the Selected Buddy Stores list.

1. Add buddy stores:
 - a. In the **Stores** list, select the stores you want to set up as buddy stores.
 - b. Click the right-arrow button. The selected stores are moved to the Selected Buddy Stores list.

To add all stores from the Stores list, click the double-right-arrow button.
2. Remove buddy stores:
 - a. In the **Selected Buddy Stores** list, select the stores you want to remove from the list.
 - b. Click the left-arrow button. The selected stores are moved to the Stores list and removed from the Selected Buddy Stores list.

To remove all stores from the Selected Buddy Stores list, click the double-left-arrow button.


3. Click **Done** to return to the Store Admin menu.

Auto-Receive Stores

Auto-receive stores are stores from which you want to receive transfers automatically. The stock on hand at the receiving store is adjusted automatically by SIM when a transfer is dispatched from an auto-receive store.

Navigate: Main Menu > Admin > Setup > SIM Stores > Auto-Receive Stores. The Auto-Receive Stores window opens.

Figure 9–2 Auto-Receive Stores Window



To add or remove auto-receive stores, follow these steps to change which stores are included in the Selected Auto-Receive Stores list.

1. Add auto-receive stores:
 - a. In the Stores list, select the stores you want to set up as auto-receive stores.
 - b. Click the right-arrow button. The selected stores are moved to the Selected Auto-Receive Stores list.

To add all stores from the Stores list, click the double-right-arrow button.

2. Remove auto-receive stores:
 - a. In the Selected Auto-Receive Stores list, select the stores you want to remove from the list.
 - b. Click the left-arrow button. The selected stores are moved to the Stores list and removed from the Selected Auto-Receive Stores list.

To remove all stores from the Selected Auto-Receive Stores list, click the double-left-arrow button.


3. Click **Done** to return to the Store Admin menu.

SIM Managed Stores

SIM managed stores are stores that use the SIM application. When a store is listed as a SIM managed store, SIM does not send receiving integration messages when auto-receiving. This allows you to move stores into the SIM database, while still using a legacy system to manage some stores, with shipped transfers closed properly in SIM.

Navigate: Main Menu > Admin > Setup > SIM Stores > SIM Managed Stores. The SIM Managed Stores window opens.

Figure 9–3 SIM Managed Stores Window



To add or remove SIM stores, follow these steps to change which stores are included in the SIM Managed Stores list.

1. Add SIM stores:
 - a. In the Stores list, select the stores you want to list as SIM managed stores.
 - b. Click the right-arrow button. The selected stores are moved to the SIM Managed Stores list.

To add all stores from the Stores list, click the double-right-arrow button.

2. Remove SIM stores:
 - a. In the SIM Managed Stores list, select the stores you want to remove from the list.
 - b. Click the left-arrow button. The selected stores are moved to the Stores list and removed from the SIM Managed Stores list.

To remove all stores from the SIM Managed Stores list, click the double-left-arrow button.

3. Click **Done** to return to the Store Admin menu.


Store Administration

Through the Store Admin window, the administrator can set values for options that control a variety of SIM behaviors. The values of these options apply only to the location at which you are currently logged in.

See the *Store Inventory Management Implementation Guide* for information about the store administration options.

Navigate: Main Menu > Admin > Setup > Store Admin. The Store Admin window opens.

Figure 9–4 Store Admin Window



To edit store administration options, follow these steps:

1. If you want to limit the options listed, select a topic from the **Topic** field. (The complete list of options is grouped into smaller topics, each related to a functional area of SIM.)
2. Select the option that you want to modify.
3. Double-click the **Value** field and set the option value in either of these ways:
 - Select a value from the drop-down list.
 - Enter a value in the field.
4. Click **Done** to save your changes and return to the Setup menu.

System Administration

The system administration function allows the system administrator to set values for options that control a variety of SIM behaviors. The values of these system options are applied to all locations.

See the *Store Inventory Management Implementation Guide* for information about the system administration options.

Navigate: Main Menu > Admin > Setup > System Admin. The System Admin window opens.

Figure 9–5 System Admin Window

Topic	Option	Value
Admin	Allow Non-Range Item	Yes
Admin	Auto Default UIN Attributes	No
Admin	Default UOM	Standard UOM
Admin	DexNex Error Directory	/u00/webadmin/product/10.3.3/WLS/user_projects/doma...
Admin	DexNex Input Directory	/u00/webadmin/product/10.3.3/WLS/user_projects/doma...
Admin	Disable Pack Size	No
Admin	E-Mail From Name	simAlert@myCompany.com
Admin	Enable Multiple Set of Books	Disabled
Admin	Enable RSL Integration	Yes
Admin	Online Help URL	http://mspdv161.us.oracle.com:17006/sim-help/help
Admin	RPM/RSL Connection First Name	retail
Admin	RPM/RSL Connection Last Name	user
Admin	RPM/RSL Connection User Name	retail.user
Admin	RSL Timeout(seconds)	120
Audit	Audit Direct Store Delivery	Yes
Audit	Audit Inventory Adjustment Create	Yes
Audit	Audit Inventory Adjustment Dispatch	Yes
Audit	Audit Inventory Adjustment Update	Yes
Audit	Audit Item Requests	Yes
Audit	Audit Price Adjustment	Yes
Audit	Audit Publish Message	Yes
Audit	Audit Receive Message	Yes
Audit	Audit Return Stock Update	Yes
Audit	Audit Security	Yes
Audit	Audit Session Timeout	Yes
Audit	Audit Stock Count Completed	Yes
Audit	Audit Stock Count Processed	Yes
Audit	Audit Transfer Dispatch	Yes

To edit system options, follow these steps:

1. If you want to limit the options listed, select a topic from the **Topic** field. (The complete list of options is grouped into smaller topics, each related to a functional area of SIM.)
2. Select the option that you want to modify.
3. Double-click the **Value** field and set the option value in either of these ways:
 - Select a value from the drop-down list.
 - Enter a value in the field.
4. Click **Done** to save your changes and return to the Setup menu.

Formats

Formats apply to the following SIM report types (outputs):

- Direct Store Delivery
- Inventory Adjustment

- Item
- Item Basket
- Item Request
- Item Ticket
- Pick List
- Return
- Shelf Label
- Stock Count Child List
- Stock Count Detail
- Stock Count Rejected Item
- Stock Recount Detail
- Store Order
- Transfer
- Warehouse Delivery

For each of these outputs, a default format is defined. SIM supports multiple formats for any of these outputs. All formats can be customized at the store level.


Formats are set up in the output tools or devices used to produce them. An output tool could be a printer or a software tool such as Oracle Business Intelligence Publisher. The Formats window is the interface to add output formats to SIM and specify the output devices or locations.

For more information about SIM formats and reports, see the *Oracle Retail Store Inventory Management Implementation Guide*.

Add a Format

Navigate: Main Menu > Admin > Setup > Formats. The Formats window opens.

Figure 9–6 Formats Window



To add a format, follow these steps:

1. If you want to filter the Formats table, select a format type from the **Formats to Display** field.
2. Click **Add**. A line is added to the bottom of the Formats table.
3. Complete the fields that define the format, as follows:
 - Format Name** – Enter a unique name for the format.
 - Type** – Select the output type from the drop-down list.
 - Default** – Select the check box if this is the default format for the output type. Only one format for each Type can be the default.
 - Default Printer** – Select the printer name from the drop-down list.
 - URL Location** – Enter the network path of the output device.
4. Click **Done** to save your changes and return to the Setup menu.

Delete Formats

Navigate: Main Menu > Admin > Setup > Formats. The Formats window opens.

To delete one or more formats, follow these steps:

1. If you want to filter the Formats table, select a format type from the **Formats to Display** field.
2. Select the formats you want to delete.
3. Click **Delete**. A message is displayed: "Are you sure you want to delete the selected report type formats?"

4. Click **Yes** to delete the formats.
5. Click **Done** to return to the Setup menu.


UDA Print Setup

SIM can automatically generate tickets and labels for items when user-defined attribute (UDA) values change. The UDA Print Setup function allows you to define whether new tickets or labels, or both, should be printed automatically when particular UDA values change.

Note: These print settings affect all stores, because user-defined attributes are not specific to stores. This function is only available to users with the required SIM permissions.

Navigate: Main Menu > Admin > Setup > UDA Print Setup. The UDA Print Setup window opens.

Figure 9–7 UDA Print Setup Window



Select the UDAs to List

Select a value from the **Type** drop-down list to select which UDAs to display in the list:

- **All** – Display all UDAs of all types (default).
- **Date** – Display only UDAs for which the values are dates.
- **Text** – Display only UDAs for which the values are free-form text.

- **Value** – Display only UDAs for which the values are specific values from a list.

Specify Whether Tickets or Labels Are Printed Automatically

To control whether tickets or labels are printed automatically when a UDA changes, follow these steps:

1. For each UDA for which you want to turn ticket or label printing on or off, follow these steps:
 - a. Locate the UDA in the UDA Print Setup list.
 - b. To specify automatic printing of item tickets when this UDA changes, select (check) the **Ticket** check box for the UDA.

To turn off automatic ticket printing for this UDA, deselect (clear) the Ticket check box.
 - c. To specify automatic printing of shelf labels when this UDA changes, select (check) the **Label** check box for the UDA.

To turn off automatic label printing for this UDA, deselect (clear) the Label check box.
2. Click **Done** to return to the Setup menu.

Inventory Adjustment Reason Maintenance

You can add, change, and delete reason codes used for inventory adjustments. In addition to showing the reasons for inventory adjustments, reason codes also specify how inventory adjustments affect stock on hand, unavailable inventory, or customer order reserve inventory.

Note: Only users with the required permissions can add, change, or delete reason codes.

Navigate: Main Menu > Admin > Setup > Inv. Adj. Reason. The Inventory Adjustment Reason Maintenance window opens.

Figure 9–8 Inventory Adjustment Reason Maintenance Window

Code	Description	Use in UI	Disposition	System
1	Shrinkage	<input checked="" type="checkbox"/>	- Stock On Hand	<input checked="" type="checkbox"/>
123B	Test Code	<input checked="" type="checkbox"/>	+ Stock On Hand	<input type="checkbox"/>
145	- due to Return to Vendor	<input type="checkbox"/>	+ Unavailable	<input checked="" type="checkbox"/>
180	Customer Order Reservations - In	<input type="checkbox"/>	+ Customer Order Reserve	<input checked="" type="checkbox"/>
181	Customer Order Reservations - Out	<input type="checkbox"/>	- Customer Order Reserve	<input checked="" type="checkbox"/>
3	Repair - In	<input checked="" type="checkbox"/>	- Unavailable	<input type="checkbox"/>
75	Stock Count Unavailable To Missing	<input type="checkbox"/>	- Unavailable	<input checked="" type="checkbox"/>
76	Unit Late Sales Increase SOH	<input type="checkbox"/>	+ Stock On Hand	<input checked="" type="checkbox"/>
77	Unit Late Sales Decrease SOH	<input type="checkbox"/>	- Stock On Hand	<input checked="" type="checkbox"/>
78	Unit and Amount Late Sales Increase SOH	<input type="checkbox"/>	+ Stock On Hand	<input checked="" type="checkbox"/>
79	Unit and Amount Late Sales Decrease SOH	<input type="checkbox"/>	- Stock On Hand	<input checked="" type="checkbox"/>
81	Damaged - Out	<input checked="" type="checkbox"/>	- Stock On Hand	<input type="checkbox"/>
82	Damaged - Hold	<input checked="" type="checkbox"/>	+ Unavailable	<input checked="" type="checkbox"/>
83	Theft	<input checked="" type="checkbox"/>	- Stock On Hand	<input type="checkbox"/>
83B	Test Code	<input checked="" type="checkbox"/>	+ Stock On Hand	<input type="checkbox"/>
84	Store Use	<input checked="" type="checkbox"/>	- Stock On Hand	<input type="checkbox"/>
85	Repair - Out	<input checked="" type="checkbox"/>	+ Unavailable	<input type="checkbox"/>
86	Charity	<input checked="" type="checkbox"/>	- Stock On Hand	<input type="checkbox"/>
87	Stock In	<input checked="" type="checkbox"/>	+ Stock On Hand	<input checked="" type="checkbox"/>
88	Stock Out	<input checked="" type="checkbox"/>	- Stock On Hand	<input checked="" type="checkbox"/>
89	Dispose from on Hold	<input checked="" type="checkbox"/>	- Stock On Hand & - Unavailable	<input type="checkbox"/>
90	Dispose from SOH	<input checked="" type="checkbox"/>	- Stock On Hand	<input type="checkbox"/>

Client Information: QA 001 4 - PS GPA Store Inventory Adjustment Reason Maintenance HELP JUMP

From the Inventory Adjustment Reason Maintenance window, you can do the following:

- [Add an Inventory Adjustment Reason Code](#)
- [Edit an Inventory Adjustment Reason Code](#)
- [Delete Inventory Adjustment Reason Codes](#)

From the Inventory Adjustment Reason window, click **Done** to return to the Setup menu.

Add an Inventory Adjustment Reason Code

Navigate: Main Menu > Admin > Setup > Inv. Adj. Reason. The Inventory Adjustment Reason Maintenance window opens.

To add an inventory adjustment reason, follow these steps:

1. Click **Add**.

A new blank row is inserted at the end of the list of inventory adjustment reasons.

2. Complete the fields for the new inventory adjustment reason as follows.

Note: The Code and Description values for the reason code must match the values used in the Oracle Retail Merchandising System (RMS).

Code – Enter a new unique identifier of the inventory adjustment reason. If you enter a duplicate value, an error message is displayed.

Description – Enter a description of the inventory adjustment reason code.

Use In UI – Select this check box if you want the reason code to be available in the SIM user interface for SIM users to select. If you do not want this reason code to be available to SIM users, do not select this check box.

Disposition – From the drop-down list, select a Disposition value that specifies how inventory adjustments with this reason code affect SIM inventory counts. A plus (+) value specifies that stock on hand, unavailable, or customer order reserve inventory is increased by the adjustment. A minus (-) sign specifies that the inventory is decreased.

These Disposition values are available:

- Stock On Hand
- + Unavailable
- + Stock On Hand
- Unavailable
- + Customer Order Reserve
- Customer Order Reserve
- Stock On Hand & - Unavailable

Note: Use dispositions that affect Customer Order Reserve carefully, because these dispositions can affect how much inventory is allocated to orders created outside of SIM. Customer Order Reserve is normally updated through customer orders generated in external systems. If you made adjustments to Customer Order Reserve in SIM, there could be inventory imbalances when the orders generated in external systems are fulfilled.

System – Select this check box if this inventory adjustment reason code is system required. A system required reason code cannot be edited or deleted through the SIM user interface. After you save the new reason code, you cannot change it.

3. Click **Done** to save the new reason code.

Your new reason code is added to the list. (Reason codes in the list are sorted by their Code values.)

Edit an Inventory Adjustment Reason Code

You can change some values for an existing inventory adjustment reason code that is not specified as system required.

Note: You cannot change any values an inventory adjustment reason specified as system required, and you cannot delete system required reason codes

To edit an existing inventory adjustment reason, follow these steps:

1. Locate the row of the reason code you want to edit.
2. Double-click in any of the following fields to change their values.

Description

Use in UI

System

For more information about these fields, see "[Add an Inventory Adjustment Reason Code](#)."

Delete Inventory Adjustment Reason Codes

Note: You cannot change or delete an inventory adjustment reason code specified as system required. You cannot delete an inventory adjustment reason code that is currently in use.

Navigate: Main Menu > Admin > Setup > Formats. The Formats window opens.

To delete inventory adjustment reason codes, follow these steps:


1. Select the reason codes you want to delete.
2. Click **Delete**. A message is displayed: "The selected line item(s) will be deleted. Do you want to continue?"
3. Click **Yes** to delete the codes.
4. Click **Done** to return to the Setup menu.

Printer Setup

The Printers functions allow administrators or other authorized personnel to add, change, or remove printers used for SIM reports, tags, and labels.

Note: Only users with the required permissions can set up printers.

Navigate: Main Menu > Admin > Setup > Printers. The Printers window opens.

Figure 9–9 Printers Window

From the Printers window, you can do the following:

- [Add a Printer](#)
- [Change Printer Properties](#)
- [Delete a Printer](#)

From the Printers window, click **Done** or **Cancel** to return to the Setup menu.

Add a Printer

To add a new SIM printer, follow these steps:

1. Click **Add**.
2. Complete the following required fields for the new printer:
 - Printer Description** – Enter a description by which you can identify the printer within your organization.
 - Type** – Select the type of printer.
 - Network Address** – Enter the IP address of the printer.
3. Click **Done** to add the printer and return to the Setup menu.

Change Printer Properties

You can change the properties of a configured printer. This might be needed if the network address of a printer changes, or if you want to change the description or type of the printer. (You can also delete the printer and add it again.)

To change the properties of a configured printer, follow these steps:

1. Select the printer from the list.

2. Change the printer properties as required. See "[Add a Printer](#)" for information about the required fields.
3. Click **Done** to save the changes and return to the Setup menu.

Delete a Printer

Note: You cannot delete a printer that is used as a SIM default printer.

To delete a printer, follow these steps:

1. Select the printer from the list.
2. Click **Delete**.
You receive a prompt to confirm that you want to delete the printer.
3. Click **Yes** to delete the printer and return to the Setup menu.

Direct Deliveries

A direct store delivery is a delivery in which the supplier drops off merchandise directly at the store. Deliveries received directly at the store can be received against existing purchase orders, or you can create new purchase orders.

The store can receive partial shipments, resulting in multiple deliveries against a single purchase order. When all items have been received and a delivery has been finalized, you can print a delivery receipt.

You can also apply direct store deliveries against advance shipment notices (ASN).

Direct Delivery List Window

Navigate: Main Menu > Shipping/Receiving > Direct Delivery. The Direct Delivery List window opens.

Figure 10–1 Direct Delivery List Window

ID	PO	Supplier	Create Date	Status	SKU's Received.	User
7504	194765	2 - PS Supplier Site	11/10/10	In Progress	0	Esvari
5761	211965	1313 - Chandra Suppli...	20/09/10	In Progress	2	QA_001
6261	215265	2 - PS Supplier Site	22/09/10	In Progress	1	Rhonda
6644	215567	2 - PS Supplier Site	24/09/10	In Progress	2	Rhonda
6464	216167	2 - PS Supplier Site	23/09/10	In Progress	1	Rhonda
6724	217367	1000000055 - Normal S...	27/09/10	In Progress	1	Rhonda
6744	217567	1000000055 - Normal S...	27/09/10	In Progress	0	Rhonda
6745	217867	1000000055 - Normal S...	27/09/10	In Progress	0	Rhonda
6765	217967	1000000055 - Normal S...	27/09/10	In Progress	0	Rhonda
6785	218067	1000000055 - Normal S...	27/09/10	In Progress	2	Rhonda
6884	219467	2 - PS Supplier Site	28/09/10	In Progress	1	Rhonda
6886	219567	2 - PS Supplier Site	28/09/10	In Progress	1	QA_001
6887	219568	2 - PS Supplier Site	28/09/10	In Progress	2	Rhonda
7424	227267	2 - PS Supplier Site	07/10/10	In Progress	2	QA_001
7444	227367	2 - PS Supplier Site	07/10/10	In Progress	2	QA_001
4323	SIM.3283	2 - PS Supplier Site	09/09/10	In Progress	1	Rhonda
4324	SIM.3284	2 - PS Supplier Site	09/09/10	In Progress	1	Sajeendra
4981	SIM.3342	2 - PS Supplier Site	14/09/10	In Progress	0	QA_001
5001	SIM.3362	2 - PS Supplier Site	14/09/10	DEX,NEX	0	External
5204	SIM.3465	2 - PS Supplier Site	15/09/10	In Progress	1	Sajeendra
5861	SIM.3662	2 - PS Supplier Site	21/09/10	DEX,NEX	1	External
5964	SIM.3705	1313 - Chandra Suppli...	21/09/10	In Progress	0	Rhonda
6001	SIM.3742	1313 - Chandra Suppli...	21/09/10	In Progress	2	Molly
6021	SIM.3762	2 - PS Supplier Site	22/09/10	DEX,NEX	0	External
6022	SIM.3763	2 - PS Supplier Site	22/09/10	DEX,NEX	0	External
6041	SIM.3782	2 - PS Supplier Site	22/09/10	DEX,NEX	1	External
6061	SIM.3802	2 - PS Supplier Site	22/09/10	DEX,NEX	1	External
6081	SIM.3822	2 - PS Supplier Site	22/09/10	DEX,NEX	0	External


From the Direct Delivery List window, you can do the following:

- [Filter the Direct Delivery List Window](#)
- [Receive or Reject a Delivery](#)
- [Print a Delivery Receipt](#)

Filter the Direct Delivery List Window

At any time while the Direct Delivery List window is open, you can click **Filter** to change how the list of purchase orders is filtered.

Current filtering is displayed next to the Filter button on the Direct Delivery List window. If no filtering is displayed, all items are currently selected and listed.



To change how the list is filtered, follow these steps:

1. Click **Filter**. The Delivery List Filter window opens.

Figure 10–2 Delivery List Filter Window

2. If you want to reset all filtering criteria to default values, click **Reset**.
3. Enter or select filtering criteria as needed to select just the inventory adjustments you want to list. All criteria are optional. If you leave a field blank or select All, all values will be included in your filtering selection.

Date Filters – Enter or select dates to select only those purchase orders created between a From Date and To Date that you specify.

PO Number – Enter the purchase order number to select only a specific purchase order.

Supplier – Enter the supplier ID or click the **Ellipsis** button to look up the supplier.

In the Supplier Lookup window, enter search criteria as needed to find the supplier you want. (See "[Supplier Lookup](#)" for more information about supplier lookup criteria.) Select the item you want and click **Done** to return to the Delivery List Filter window.

Status – Select a status from the drop-down list. The default is Active.

User – Select a user from the drop-down list.

4. Click **Search**. Results that match your search criteria are displayed in the Inventory Adjustment List window.

Receive or Reject a Delivery

Navigate: Main Menu > Shipping/Receiving > Direct Delivery. The Direct Delivery List window opens.

1. Click **Create**. The Direct Delivery Identify window opens.

Figure 10–3 Direct Delivery Identify Window

2. Identify the delivery.

By item:

- a. Select the **Item** radio button.
- b. Enter the item number in the **Item** field, or click the **Ellipsis** button to open the Item Lookup window.
In the Item Lookup window, look up and select the item you want. Then click **Use Item** to return to the Direct Delivery Identify window.
- c. Select the supplier from the **Supplier** drop-down.
- d. Select the purchase order from the **Purchase Order** drop-down, or select New.
- e. Enter the invoice number in the **Invoice Number** and change the invoice date if necessary.

By supplier:

- a. Select the **Supplier** radio button.

- b.** Enter the supplier in the **Supplier** field, or click the Ellipsis button to open the Supplier Lookup window.

In the Supplier Lookup window, look up and select the supplier you want to use. Then click **Done** to return to the Direct Delivery Identify window.

- c.** Select the purchase order from the **Purchase Order** drop-down, or select New.
- d.** Enter the invoice number in the **Invoice Number** field and change the invoice date if necessary.

By purchase order:

- a.** Select the **Purchase Order** radio button.
- b.** Enter the purchase order number in the **Purchase Order** field.

By pack item:

- a.** Select the **Pack Item** radio button.
- b.** Enter the item number in the **Item in Pack** field, or click the Ellipsis button to open the Item Lookup window.

In the Item Lookup window, look up and select the item you want. Then click **Use Item** to return to the Direct Delivery Identify window.

- c.** Select the pack from the **Pack** drop-down.
- d.** Select the supplier from the **Supplier** drop-down.
- e.** Select the purchase order from the **Purchase Order** drop-down, or select New.
- f.** Enter the invoice number in the **Invoice Number** field and change the invoice date if necessary.

- 3.** Click **Next**. The Direct Delivery Detail window opens with values in the header fields.

Figure 10–4 Direct Delivery Detail Window

Item	Item Descript...	UOM	Pack Size	On Order	Expected	Received	Damaged	Unit Cost	UIN Qty
100064704	item_orange_edit	Units	1	0	2		0	R\$ 50,00	0
100080304	item_orange1	Units	1	0	2		0	R\$ 10,00	0

Header fields are as follows:

Field	Description
Purchase Order	The purchase order number generated by SIM, or the purchase order number provided by an external system
Supplier	The supplier from whom you are receiving this delivery
Invoice Number	The invoice number associated with the receipt
Receive Date	The date the receipt is first created
User	The SIM user who received the delivery
Expected	How many cases were expected on the original ASN or purchase order
Received	The number of cases received in this delivery Note: A partial case is represented here as a full case. Multiple individual items with partial cases each add up to a full case.
Damaged Lines	The number of line items that have damages for this delivery

- If this is an existing purchase order, select the merchandise that you want to receive. To receive all items, click Receive All. The quantities that were ordered are entered as the received quantities. Complete the fields that are enabled in the table:

Comments – Enter additional information about the delivery, if necessary.

Item – Enter the item number in the **Item** field, or click the **Ellipsis** button to open the Item Lookup window. This field may already have a value, if the information comes from the purchase order or an applied ASN.

In the Item Lookup window, look up and select the item you want. Then click **Use Item** to return to the Direct Delivery Identify window

UOM – Select Units or Cases.

On Order – This field is disabled. It displays the remaining on-order quantity for the purchase order.

Expected – This field is disabled. It displays how many cases were expected on the original ASN or remained on the purchase order that was applied. If SIM generated the purchase order, the value is 0.

Received – Enter the quantity of items that are being received, expressed in the designated unit of measure.

For items that require serial number type UINs, this field is disabled. You update the received quantity through the UIN window; see "[Update the UINs for a Delivery](#)."

Damaged – Enter the number of items that were damaged in the transfer.

For items that require serial number type UINs, this field is disabled. You update the damaged quantity through the UIN window; see "[Update the UINs for a Delivery](#)."

UIN Qty – If an item requires serial number type unique identification numbers (UIN), this field displays the number of items for which UINs have been scanned or entered. See "[Update the UINs for a Delivery](#)."

5. If necessary, edit delivery quantities as follows:
 - a. Click **Adjust Delivery**. The delivery status is changed from Received to In Progress.

Note: This function is valid only after a delivery has been received.

- b. Complete the fields that are enabled:

Comments – Enter additional information about the delivery, if necessary.

Item – Enter the item number in the **Item** field, or click the **Ellipsis** button to open the Item Lookup window. This field may already have a value, if the information comes from the purchase order or an applied ASN.

In the Item Lookup window, look up and select the item you want. Then click **Use Item** to return to the Direct Delivery Identify window

Pack Size – If the displayed pack size is not correct, enter the correct pack size.

Shipped – If the number is not displayed, enter the number of delivery units or cases that were recorded for the shipment when it left the From location.

Ordered – Enter the number of units or cases that were ordered from the supplier.

Received – Enter the quantity of items that are being received, expressed in the designated UOM.

Damaged – The number of items that were damaged in the transfer.

Unit Cost – Change the cost if necessary.

Note: You can edit quantities on received deliveries only if you have the required permissions.

6. To add an item, follow these steps:

Note: This capability may not be enabled if you are receiving against a new purchase order.

- a. Click **Add Items**.
 - b. Complete the fields that are enabled:
 - UOM** – From the drop-down list, select the appropriate unit of measure.
 - Pack Size** – If the displayed pack size is not correct, enter the correct pack size.
 - Received** – Enter the quantity of received delivery units.
 - Damaged** – Enter the quantity of damaged delivery units.
 - Unit Cost** – If the displayed Unit Cost is not correct, enter the correct Unit Cost.
 - c. Click **Confirm** to approve your changes.
7. Remove extra lines as follows:
- a. Select the line that you want to remove.
 - b. Click **Delete**. The line is removed.
8. Save, confirm, or reject the delivery.

Click **Done** to save the information that you entered so that you can print a delivery receipt, confirm the order, or receive the order at a later time. You return to the Direct Delivery List window.

Click **Confirm** to complete the transaction. The order is recognized as received. You return to the Direct Delivery List window.

To reject the entire delivery, see "[Reject a Delivery](#)."

Reject a Delivery

Some retailers do not allow discrepancies in deliveries. If the delivery does not match the shipping documents, the delivery must be rejected.

Notes:

- This applies only to direct deliveries for existing purchase orders with applied ASNs.
 - Only users with the required permission can reject a delivery.
-
-

When a delivery is rejected, all quantities on the delivery are set to zero and the delivery status is set to Rejected. To reject a delivery, follow these steps:

1. Click **Reject Delivery**.

You receive a prompt asking whether you really want to reject the delivery.

2. Click **Yes**.

The delivery is rejected, and you return to the Direct Delivery List window.

Update the UINs for a Delivery

If serial number type unique identification numbers (UIN) are required for the items in a delivery, the UINs must be scanned or entered manually.

To enter UINs for the delivery, follow these steps:


1. Double-click on the **UIN Qty** field. The UIN window opens.
2. To add UINs for received items, follow these steps:
 - a. In the unique identification number field, enter the UIN of a received item.
 - b. In the **Damaged** field, select True or False. If you select True, a check mark is displayed in the Damaged field. The default value is False.
 - c. To add another item, click **Add**.
3. To update UINs for received items, follow these steps:
 - a. To update the **Damaged** field, double-click on the field and select True or False.
 - b. To change an incorrect UIN value, select the UIN and click **Delete** to delete the UIN. Click **Add** and enter the correct UIN value.
4. Click **Done** to save your changes and return to the Direct Delivery Detail window.

Print a Delivery Receipt

Navigate: Main Menu > Shipping/Receiving > Direct Delivery. The Direct Delivery List window opens.

To print a Direct Delivery Report, follow these steps:

1. Select the delivery from the list.
2. Click **Print**. The Report Selection window opens.



3. In the **Printer** field, select the printer you want to use.
(See "[Print or View SIM Reports and Other Output](#)" in [Chapter 2](#) for general information about SIM report output.)
4. Click **OK**. A message informs you that the Direct Delivery Report was printed.
5. Click **OK**.

Warehouse Deliveries

Use Warehouse Delivery to receive merchandise from a company-owned warehouse that is an approved shipping location for a receiving store. You can receive against an Advance Shipping Notice (ASN), at the ASN level, by the container, or by the case or item. Inventory adjustment records can be written for missing and damaged items. Large deliveries can remain in In Progress status until all items can be received.

The Warehouse Delivery List window displays shipments expected because of transfers and allocations.

Warehouse Delivery List Window

Navigate: Main Menu > Shipping/Receiving > Warehouse Delivery. The Warehouse Delivery List window opens.

Figure 11–1 Warehouse Delivery List Window

ID	ASN #	Status	ETA	Receive Date	From	Containers	Missing
5222	ASN109	In Progress	09/11/10		5 - PS GPA Wareho...	1	No
1091640	ASN1091220	In Progress	15/11/10		5 - PS GPA Wareho...	1	No
1091641	ASN1091220	New	15/11/10		5 - PS GPA Wareho...	1	No
1091616	ASN1091220	In Progress	07/11/10		5 - PS GPA Wareho...	1	Yes
1091612	ASN1091220	New	07/11/10		5 - PS GPA Wareho...	1	No
1091615	ASN1091220	In Progress	07/11/10		5 - PS GPA Wareho...	1	No
1091621	ASN1091220	In Progress	10/11/10		5 - PS GPA Wareho...	1	No
1091620	ASN1091220	In Progress	10/11/10		5 - PS GPA Wareho...	1	No
1091610	ASN1091220	New	03/11/10		5 - PS GPA Wareho...	1	No
1091642	ASN1091221	In Progress	15/11/10		5 - PS GPA Wareho...	1	No
1091643	ASN1091222	New	15/11/10		5 - PS GPA Wareho...	1	No
1091644	ASN1091223	New	15/11/10		5 - PS GPA Wareho...	1	No
1091645	ASN1091224	New	15/11/10		5 - PS GPA Wareho...	1	No
1091646	ASN1091225	In Progress	15/11/10		5 - PS GPA Wareho...	2	No
1091650	ASN1091225	In Progress	16/11/10		5 - PS GPA Wareho...	1	No

From the Warehouse Delivery List window, you can do the following:

- [Filter the Warehouse Delivery List](#)

- [Receive Shipments, Containers, or Cases from a Warehouse](#)
- [Print a Warehouse Delivery Report](#)

From the Warehouse Delivery List window, click **Done** to return to the Shipping/Receiving menu.

Filter the Warehouse Delivery List

Whenever the Warehouse Delivery List window is displayed, you can filter the list to limit the deliveries listed. If the list is currently filtered, the filtering is shown next to the Filter button.



To filter the list of deliveries or to change the current filtering, follow these steps:

1. In the Warehouse Delivery List window, click **Filter**. The Warehouse Delivery List Filter window opens.

Figure 11–2 Warehouse Delivery List Filter Window



2. Enter or select search values as needed to specify the item requests that you want to list. All values are optional. If you leave a field blank or select All, all values are included in the search.

Date Filters – Enter or select From Date and To Date values to select those deliveries with an estimated time of arrival between the dates you specify.

ASN Number – Enter the ASN number to select only those deliveries related to a specific ASN.

Status – Select Active, In Progress, New, Received, or All. The default is Active.

From Warehouse – Select a warehouse from the drop-down list.

3. Click **Search**. You return to the Item Request List window, where your filter has been applied.

Receive Shipments, Containers, or Cases from a Warehouse

Use this function to record warehouse deliveries.

Navigate: Main Menu > Shipping/Receiving > Warehouse Delivery. The Warehouse Delivery List window opens.

To receive a shipment, follow these steps:

1. Double-click a container to select it. The Receive Container window opens.

Figure 11–3 Receive Container Window

Container Number	Status	Cases	UIN Required
VSS1	In Progress	2	✓

For each container, the Receive Container window lists the following:

- Container number
 - Status
 - Number of cases in the container
 - Whether unique identification numbers (UIN) are required for items in the container. If UINs are required, a check mark appears in the UIN Required field.
2. Edit quantities or record damages:
 - a. Double-click a container to select it. The Receive Case window opens.

Received – Enter the quantity of received delivery units.

Damaged – Enter the quantity of damaged delivery units.

UOM – From the drop-down list, select the appropriate unit of measure.

Note: You can edit quantities on received deliveries only if you have the appropriate security permissions.

- c. Click **Confirm** to change the status of the delivery to Received.

Note: If items with auto-generated serial number (AGSN) type UINs are included in the delivery, the AGSNs are generated when you click the Confirm button. The AGSNs are not displayed in this window.

4. Select the shipment, container, or cases to receive:
- To receive everything listed on the Receive Container window, do not select any items.
 - To receive a container, select the line that you want to receive.

Note: If you have not selected a line, a message is displayed: "Would you like to receive the entire delivery?" Click **Yes** to receive the entire delivery, or **No** to go back to the Receive Container window, where you can select a container.

5. Click **Receive**. The status changes to Received.

Note: To reverse a receipt, select **Un-Receive**. A message is displayed: "Would you like to Un-Receive all containers on the delivery?" Click **Yes** to reverse the receipt. You can also reverse the receipt of individual containers by selecting the container and then clicking **Un-Receive**.

6. Save or complete the transaction.

To save the transaction so you can edit it later, click **Done**. You return to the Warehouse Delivery List window.

To complete the transaction:

- a. Click **Confirm**. A message is displayed: "This delivery will be received and cannot be changed. Do you want to continue?"
- b. Click **Yes** to confirm the receipt. You return to the Warehouse Delivery List window.

Update UINs for a Delivery

If unique identification numbers (UIN) are required for the items in a delivery, the UINs must be scanned or entered manually.

To enter UINs for items in a case, follow these steps:

1. Double-click on the **UIN Qty** field. The UIN window opens.
2. To add UINs for received items, follow these steps:
 - a. In the unique identification number field, enter the UIN of a received item.
 - b. In the **Damaged** field, select True or False. If you select True, a check mark is displayed in the Damaged field. The default value is False.
 - c. To add another item, click **Add**.
3. To update UINs for received items, follow these steps:
 - a. To update the **Damaged** field, double-click on the field and select True or False.
 - b. To change a UIN value, click **Delete** to delete the UIN. Click **Add** and enter the corrected UIN value.
4. Click **Done** to save your changes and return to the Receive Container window.

Print a Warehouse Delivery Report

Navigate: Main Menu > Shipping/Receiving > Warehouse Delivery. The Warehouse Delivery List window opens.

To print a Warehouse Delivery Report, follow these steps:

1. Select the delivery from the list.
2. Click **Print**. The Report Selection window opens.
3. In the **Printer** field, select the printer you want to use.
(See "[Print or View SIM Reports and Other Output](#)" in [Chapter 2](#) for general information about SIM report output.)
4. Click **OK**. A message informs you that the Warehouse Delivery Report was printed.
5. Click **OK**.

Transfers

Transfers are movements of goods from one store to another within the company. With the Transfers functions, you can create and receive transfers. For transfers, SIM verifies that the receiving store is approved to receive the selected items, and that the sending store has the necessary stock on hand to perform the transfer.

You can dispatch a transfer immediately or save it to be dispatched later. At the time that the transfer is dispatched, SIM decrements the stock on hand of the sending store and increments the in-transit inventory of the receiving store.

You can also prepare and print a bill of lading (transport document) to accompany a transfer.

Transfer List Window

Navigate: Main Menu > Shipping/Receiving > Transfers. The Transfer List window opens.

Figure 12–1 Transfer List Window

ID	External Id	From	To	Date	Type	Status	Total SKUs	Create User
3741		12 - Jonard	4 - PS GPA Store	13/09/10	Transfer	In Transit	1	Sajeendra
3881		12 - Jonard	4 - PS GPA Store	14/09/10	Transfer	Inbound - Picking	1	Eswari
3901		12 - Jonard	4 - PS GPA Store	14/09/10	Transfer	In Transit	1	Sajeendra
3923		4 - PS GPA Store	12 - Jonard	14/09/10	Transfer	In Progress	1	Sajeendra
3924		4 - PS GPA Store	12 - Jonard	14/09/10	Transfer	In Progress	1	Sajeendra
4041		12 - Jonard	4 - PS GPA Store	15/09/10	Transfer	In Transit	1	Sajeendra
4221		12 - Jonard	4 - PS GPA Store	16/09/10	Transfer	In Transit	1	Sajeendra
4341		12 - Jonard	4 - PS GPA Store	16/09/10	Transfer	In Transit	1	Sajeendra
4383	3000063323	1 - PS Store	4 - PS GPA Store	16/09/10	Request	Awaiting Response	1	EXTERNAL
4386	3000062623	12 - Jonard	4 - PS GPA Store	16/09/10	Transfer	Inbound - Picking	2	EXTERNAL
4461	3000067923	12 - Jonard	4 - PS GPA Store	17/09/10	Transfer	Inbound - Picking	1	EXTERNAL
4561		4 - PS GPA Store	12 - Jonard	20/09/10	Transfer	In Progress	1	Sajeendra
4701		1000000000 - GP...	4 - PS GPA Store	21/09/10	Request	New Request	2	Molly
4721		4 - PS GPA Store	12 - Jonard	22/09/10	Transfer	In Progress	1	Eswari
4741		4 - PS GPA Store	12 - Jonard	22/09/10	Transfer	In Progress	1	Eswari
4901		4 - PS GPA Store	12 - Jonard	22/09/10	Transfer	In Progress	1	Eswari
4941		4 - PS GPA Store	12 - Jonard	22/09/10	Transfer	In Progress	2	abc
4942		4 - PS GPA Store	12 - Jonard	22/09/10	Transfer	In Progress	1	abc
5001		4 - PS GPA Store	12 - Jonard	23/09/10	Transfer	In Progress	1	Eswari
5021		4 - PS GPA Store	12 - Jonard	24/09/10	Transfer	In Progress	1	Eswari
5081		4 - PS GPA Store	12 - Jonard	24/09/10	Transfer	In Progress	1	Eswari
5101		4 - PS GPA Store	12 - Jonard	24/09/10	Transfer	In Progress	1	Eswari
5183		4 - PS GPA Store	12 - Jonard	27/09/10	Transfer	In Progress	1	Eswari
5184		4 - PS GPA Store	12 - Jonard	27/09/10	Transfer	In Progress	1	Eswari
5185		4 - PS GPA Store	12 - Jonard	27/09/10	Transfer	In Progress	1	Eswari
5201		12 - Jonard	4 - PS GPA Store	27/09/10	Transfer	Inbound - Picking	1	Sue
5221		4 - PS GPA Store	12 - Jonard	28/09/10	Transfer	In Progress	1	Eswari
5261		12 - Jonard	4 - PS GPA Store	30/09/10	Request	New Request	0	Eswari

The Transfer List window displays the following information about transfers:

Column	Description
ID	SIM identifier for the transfer
External ID	Identifier supplied by an external system
From	Sending location
To	Receiving location
Date	Creation date of the transfer or transfer request
Type	Transfer or Request
Status	Current status of the transfer or request: <ul style="list-style-type: none">■ New Request■ Awaiting Response■ Pending Request■ Request Approved■ Outbound Rejected Request■ Inbound Rejected Request■ In Progress■ Inbound – Picking■ Dispatched■ In Transit■ Receiving■ Received■ Closed■ Cancelled Transfer■ Inbound Cancelled
Total SKUs	Total number of detail lines for the transfer or request
Create User	User who created the transfer or request


From the Transfer List window, you can do the following:

- [Filter the Transfer List](#)
- [Create or Edit a Transfer Request](#)
- [Respond to a Transfer Request](#)
- [Create, Edit, or Dispatch a Transfer](#)
- [Dispatch an In-Progress Transfer](#)
- [Receive a Transfer](#)
- [View a Transfer or Transfer Request](#)
- [Print a Transfer or Transfer Request](#)
- [Print a Bill of Lading](#)
- [Delete a Transfer or Transfer Request](#)

From the Transfer List window, click **Done** to return to the Shipping/Receiving menu.

Filter the Transfer List

Whenever the Transfer List window is displayed, you can filter the list of transfers to limit the transfers listed. If the list is currently filtered, the filtering is shown next to the Filter button.



To filter the list of transfers or to change the current filtering, follow these steps:

1. In the Transfer List window, click **Filter**. The Transfer List Filter window opens.

Figure 12–2 Transfer List Filter Window

2. Enter or select search values as needed to specify the transfers that you want to list. All values are optional. If you leave a field blank or select All, all values are included in the search.

Date Filters – Enter or select From Date and To Date values to limit the date range. The date is the creation date if in Pending status, the dispatch date if in Dispatched status, or the close date if in Received or Canceled status.

Transfer Location – Enter a transfer location to select all transfers to or from that location.

Status – Select a status from the drop-down list. The default is Active.

Context Type – If the transfer is related to a promotion or repair, select the context type to limit the results returned. For example, select "Promotion" to limit results to promotions.

Context Value – If the transfer is related to a promotion, enter a promotion ID or click the [Ellipsis](#) button to look up a promotion. See "[Look Up a Promotion](#)" for more information.

Item – Enter the Item ID or click the [Ellipsis](#) button to look up an item.

In the Item Lookup window, locate and select the item you want. Click **Use Item** to return to the Transfer List Filter window. See "Item Lookup" in [Chapter 22](#) for more information.

User – Select the user who made the requests.

Transfer ID – Enter the transfer identifying number to limit the search to a particular transfer.

External ID – Enter an external identifier for a transfer.

Type – Select Transfer, Request, or All (default).

3. Click **Search**. You return to the Transfer List window, where your filter has been applied.

Look Up a Promotion

You can look up a promotion when you are filtering the Transfer List window, or when you are creating a transfer or transfer request.

If you click the [Ellipsis](#) button on the Context Value field, the Promotion Lookup window opens.

Figure 12–3 Promotion Lookup Window

The screenshot shows a dialog box titled "Promotion Lookup". At the top, there are three input fields: "Promotion ID:" (with a dark blue background), "Promotion Name:" (empty), and "Search Limit:" (with the value "500"). Below these fields is a table with two columns: "Promotion ID" and "Promotion Name". The table is currently empty. At the bottom right of the dialog, there are four buttons: "Search", "Reset", "Done", and "Cancel".

To look up a promotion ID for a return, follow these steps:

1. Enter any of the following optional values to limit promotion search results:

Promotion ID – If you want to limit the search to a particular promotion ID, enter that identifier.

Promotion Name – If you want to search on the promotion name, enter a string of characters found in the promotion name.

Search Limit – If you want to change the maximum number of promotions returned from the search, enter an integer value. The default value is 500.

2. Select the promotion you want to use for the transfer.
3. Click **Done** to return to the Transfer Detail window.

Create or Edit a Transfer Request

Request a transfer when you want to receive items from another location.

Note: To edit a transfer request that is in New Request status (started but not yet requested), double-click the transfer request in the Transfer List window and begin with Step 2.

Navigate: Main Menu > Shipping/Receiving > Transfers. The Transfer List window opens.

To create a transfer request, follow these steps:

1. Click **Create Request**. The Transfer Detail window opens.

Figure 12–4 Transfer Detail Window – Create Transfer Request

2. Enter the transferring store in the **Transfer From** field.
To select a buddy store, select from the drop-down list.
To select another store, click the **Ellipsis** button to look up a location that is not on the drop-down list. The Store Lookup window opens.

Figure 12–5 Store Lookup Window

To look up and select a location, follow these steps:

- a. Complete one of the fields on the lookup screen to limit the search results:
 - Store ID** – Enter a complete store number.
 - Store Name** – Enter a complete or partial store name.
 - b. Click **Search**. The search results are displayed in the list.
 - c. Select the location that you want to use.
 - d. Click **Done**. You return to the Transfer Detail window.
3. In the **Request Comments** field, enter any additional information that you want to include with the transfer.
 4. In the **Context Type** field, select either Promotion or Repair.
 5. (Promotion only) In the Context Value field, enter the promotion ID, or click the **Ellipsis** button to look up the promotion ID. See "[Look Up a Promotion](#)" for more information.
 6. For each item you want to add to the transfer request, follow these steps:
 - a. Click **Add Item**.
 - b. In the **Item** field, enter the item number or click the **Ellipsis** button to look up the item.

In the Item Lookup window, locate and select the item you want. Click **Use Item** to return to the Transfer Request window. See "[Item Lookup](#)" in [Chapter 22](#) for more information.
 - c. For each item on the transfer, complete these fields:
 - UOM** – From the drop-down list, select the unit of measure.
 - Requested** – Enter the number of units requested.

7. To remove items from the transfer request, follow these steps:
 - a. Select the items you want to delete.
 - b. Click **Delete Item**. You receive the following prompt: "The selected line item(s) will be deleted. Do you want to continue?"
 - c. Click **Yes**.
8. Save or complete the request:
 - To save the request so you can change it later, click **Done**. The request is saved with a status of New Request. To edit the request later, double-click on the request in the Transfer List window.
 - To complete the request, click **Request**. The request is saved with a status of Awaiting Response. Requests awaiting response cannot be changed.

You return to the Transfer List window.

Respond to a Transfer Request

You can approve or reject a request to transfer items from your store to another location. Transfer requests that you can accept or reject are in Pending Request status.

Navigate: Main Menu > Shipping/Receiving > Transfers. The Transfer List window opens.

1. If you want to limit the Transfer List to show only pending transfer requests, filter the list. See "[Filter the Transfer List](#)."
2. Double-click a transfer with a status of Pending Request. The Transfer Detail window opens.

Figure 12–6 Transfer Detail Window – Respond to a Transfer Request

Item	Item Description	UOM	Pack Size	SOH	Requested	Accepted
100917473	pal	Units	1	2	2	

3. Accept or reject the transfer request. See the following topics:
 - [Accept a Transfer Request Without Changes](#)
 - [Accept a Transfer Request With Changes](#)
 - [Reject a Transfer Request](#)

Note: Click **Done** at any point if you want to save your changes and return to the Transfer List window. Click **Cancel** at any point to return without saving any changes.

Accept a Transfer Request Without Changes

If you want to accept the entire transfer request without changes and ship all requested line items, follow these steps:

1. Click **Default Quantities**. The Accepted field for each item is completed with the same quantity as the Requested field. (If you prefer, you can instead enter values manually in the Accepted field for every item on the transfer request.)

Note: If all Accepted fields on the transfer request are blank or zero when you click Accept, you will be asked whether you want to reject the entire transfer request.

2. Click **Accept**. You receive the following prompt: "Are you sure you want to accept the selected transfer now?"
3. Click **Yes**. You return to the Transfer List window.

Accept a Transfer Request With Changes

If you want to accept the transfer request but you need to make some changes to the line items requested, follow these steps:

1. If you want to complete the Accepted field for all items with the requested quantities, click **Default Quantities**; otherwise enter all Accepted quantities manually.

Note: A blank or zero value in the Accepted field for any item means that you are rejecting the transfer request for that item.

2. For each item that you need to change, update these fields as needed:
UOM – From the drop-down list, select the unit of measure.
Accepted – Enter the number of items to be sent to the requesting location. To reject an individual item on the transfer, enter an Accepted quantity of 0.
3. Click **Accept**. You receive the following prompt: "Are you sure you want to accept the selected transfer now?"
4. Click **Yes**. You return to the Transfer List window.

Reject a Transfer Request

If you need to reject the entire transfer request and all line items requested, follow these steps:

1. Click **Reject**. You receive the following prompt: "Are you sure you want to reject the selected transfer now?"
2. Click **Yes**. You return to the Transfer List window.

Create, Edit, or Dispatch a Transfer

Create a transfer when you want to send items to another location. You can create a new transfer without first receiving a transfer request. You can also view and edit a transfer or transfer request, modify the transfer as needed, and dispatch the transfer.


Note: To edit a transfer that is In Progress (created but not yet dispatched), double-click the transfer in the Transfer List window and begin with Step 2.

Navigate: Main Menu > Shipping/Receiving > Transfers. The Transfer List window opens.

To create a transfer, follow these steps


1. Click **Create**. The Transfer Detail window opens.

Figure 12–7 Transfer Detail Window – Create Transfer



2. In the **Transfer To** field, select a buddy store from the drop-down list.
 To look up a location that is not on the drop-down list, click the **Ellipsis** button.
 The Store Lookup window opens.

Figure 12–8 Store Lookup Window



To look up a location, follow these steps:

- a. Complete one of the fields to limit the search results:

- Store ID** – Enter a complete store number.
- Store Name** – Enter a complete or partial store name.
- b.** Click **Search**. The results of your search are listed.
 - c.** Select the location you want.
 - d.** Click **Done**. You return to the Transfer Detail window, with the selected location displayed.
 - 3.** In the **Transfer Comments** field, enter any additional information that you want to include with the transfer.
 - 4.** In the **Context Type** field, select either Promotion or Repair.
 - 5.** (Promotion only) In the Context Value field, enter the promotion ID, or click the **Ellipsis** button to look up the promotion ID. See "[Look Up a Promotion](#)" for more information.
 - 6.** To add items to the transfer, follow these steps:
 - a.** In the **Item** field, enter the item number, or click the **Ellipsis** button to look up the item.

In the Item Lookup window, locate and select the item you want. Click **Use Item** to return to the Transfer Detail window. See "[Item Lookup](#)" in [Chapter 22](#) for more information.
 - b.** Update fields as needed:

UOM – From the drop-down list, select the unit of measure.

Shipped – Enter the quantity to transfer.
 - c.** To add another item, click **Add Item**.
 - 7.** To remove items from the transfer, follow these steps:
 - a.** Select the items you want to remove.
 - b.** Click **Delete Item**. You receive the following prompt: "The selected line item(s) will be deleted. Do you want to continue?"
 - c.** Click **Yes**.
 - 8.** Update bill of lading (BOL) information:
 - a.** Click **BOL**. The BOL Detail window opens.

Figure 12–9 BOL Detail Window – Transfer

Store Inventory Management

Done Cancel

Transfer .. 4386 BOL ID: 5784 Create Date: 16/09/10 Dispatch Date:

Ship From

Name: 12 - Jonard
Address 1:
Address 2:
City: 2704302
State: AL
Zip Code: 2704302

Ship To

Name: 4 - PS GPA Store
Address 1:
Address 2:
City: 3550308
State: SP
Zip Code: 50240

Motive

Transfers

Carrier

Type: Sender Receiver Third Party

Name:
Address:

Alternate Destination Address

Requested Pickup Date

Client Information QA 001 4 - PS GPA Store BOL Detail HELP JUMP

- b. Update the following fields as needed:
 - Motive** – The default value is Transfers. If needed, select a different value.
 - Alternate Destination Address** – If the transfer is to be shipped to an address other than the address displayed (under Ship To), enter the full shipping address.
 - Requested Pickup Date** – Enter or select the date when you want the transfer picked up.
 - c. Click **Done**.
9. Save or dispatch the transfer:
 - To save the transfer without dispatching it, click **Done**. The transfer is saved with a status of In Progress. To edit the transfer later, double-click on the request in the Transfer List window.
 - To dispatch the transfer immediately, click **Dispatch**. You receive a prompt to verify that you want to dispatch the transfer now. Click **Yes**.

You return to the Transfer List window.

Dispatch an In-Progress Transfer

After you create a transfer, it must be dispatched before the actual transfer of goods will occur.

You can dispatch a transfer at the time that you create it. You can also open a transfer to view and edit the transfer, and then dispatch it. See "[Create, Edit, or Dispatch a Transfer](#)."

For outbound transfers with In Progress status, you can also use the following procedure to dispatch transfers without viewing or editing them.

Note: You can dispatch a transfer only if its status is In Progress and it is outbound.

Navigate: Main Menu > Shipping/Receiving > Transfers. The Transfer List window opens.

1. If you want to limit the transfer list to show only the outbound transfers that you can dispatch, filter the list. See "[Filter the Transfer List](#)." The following figure shows the Transfer List window filtered to show active outbound transfers.

The screenshot shows a window titled "Store Inventory Management" with a menu bar containing "Create Transfer", "Dispatch Transfer", "Create Request", "Print", "Delete", and "Done". Below the menu is a filter box with the text "Filter Status = Active Outbound". The main area contains a table with the following columns: ID, External Id, From, To, Date, Type, Status, Total SKUs, and Create User. The table lists 18 transfer records, all with a status of "In Progress" and a "Create User" of either "Sajeendra" or "Eswari".

ID	External Id	From	To	Date	Type	Status	Total SKUs	Create User
3923		4 - PS GPA Store	12 - Jonard	14/09/10	Transfer	In Progress	1	Sajeendra
3924		4 - PS GPA Store	12 - Jonard	14/09/10	Transfer	In Progress	1	Sajeendra
4561		4 - PS GPA Store	12 - Jonard	20/09/10	Transfer	In Progress	1	Sajeendra
4721		4 - PS GPA Store	12 - Jonard	22/09/10	Transfer	In Progress	1	Eswari
4741		4 - PS GPA Store	12 - Jonard	22/09/10	Transfer	In Progress	1	Eswari
4901		4 - PS GPA Store	12 - Jonard	22/09/10	Transfer	In Progress	1	Eswari
4941		4 - PS GPA Store	12 - Jonard	22/09/10	Transfer	In Progress	2	abc
4942		4 - PS GPA Store	12 - Jonard	22/09/10	Transfer	In Progress	1	abc
5001		4 - PS GPA Store	12 - Jonard	23/09/10	Transfer	In Progress	1	Eswari
5021		4 - PS GPA Store	12 - Jonard	24/09/10	Transfer	In Progress	1	Eswari
5081		4 - PS GPA Store	12 - Jonard	24/09/10	Transfer	In Progress	1	Eswari
5101		4 - PS GPA Store	12 - Jonard	24/09/10	Transfer	In Progress	1	Eswari
5183		4 - PS GPA Store	12 - Jonard	27/09/10	Transfer	In Progress	1	Eswari
5184		4 - PS GPA Store	12 - Jonard	27/09/10	Transfer	In Progress	1	Eswari
5185		4 - PS GPA Store	12 - Jonard	27/09/10	Transfer	In Progress	1	Eswari
5221		4 - PS GPA Store	12 - Jonard	28/09/10	Transfer	In Progress	1	Eswari

At the bottom of the window, there is a navigation bar with buttons for "Client Information", "QA 001", "4 - PS GPA Store", "Transfer List", "HELP", and "JUMP".

2. Select the outgoing transfers with In Progress status that you want to dispatch.
3. Click **Dispatch**. You receive a prompt to verify that you want to dispatch the transfers now.
4. Click **Yes** to dispatch the selected transfers.


Receive a Transfer

Navigate: Main Menu > Shipping/Receiving > Transfers. The Transfer List window opens.

To receive a transfer, follow these steps:

1. If you want to limit the Transfer List to show only the inbound transfers that you can receive, filter the list. See "[Filter the Transfer List](#)."
2. Double-click the transfer you want to receive. The Transfer Detail window opens.

Figure 12–10 Transfer Detail Window – Receive Transfers



3. Receive all items, or receive items separately.
 To receive all items in the transfer, click **Receive All**.
 To receive each item separately, follow these steps:
 - a. Select the item.
 - b. For each item that you need to update, update enabled fields as needed:
 - UOM** – From the drop-down list, select the unit of measure.
 - Received** – Enter the number of items received.
 - Damaged** – Enter the number of items that were damaged in the transfer.
 - UIN Qty** – If an item requires unique identification numbers (UIN), this field displays the number of items for which UINs have been scanned or entered. See "[Update UINs for a Transfer.](#)"
 - c. Click **Confirm** to approve your changes.
4. If necessary, add an item that is not listed on the shipment:
 - a. Click **Add Item**.
 - b. Complete the fields that are enabled:
 - UOM** – From the drop-down list, select the unit of measure.
 - Received** – Enter the number of items received.
 - Damaged** – Enter the number of items that were damaged in the transfer.
5. If necessary, remove items from the transfer:

- a. Select the items that you want to delete.
 - b. Click **Delete**.
6. Save or complete the transfer.
- Click **Done** to save the transfer with the changes you have made. You can return later to complete the transfer.
- Click **Confirm** to complete the transfer.
- You return to the Transfer List window.

Update UINs for a Transfer

If unique identification numbers (UIN) are required for the items in a transfer, the UINs must be scanned or entered manually when a transfer or transfer request is created, and also when a transfer is received.

To enter UINs for the transfer, follow these steps:

1. Double-click on the **UIN Qty** field. The UIN window opens.
2. For each UIN you want to add, follow these steps:
 - a. In the unique identification number field, enter the UIN of an item.
 - b. (For receiving only) In the **Damaged** field, select True or False. If you select True, a check mark is displayed in the Damaged field. The default value is False.
 - c. To add another item, click **Add**.
3. To update UINs, follow these steps:
 - a. (For receiving only) To update the **Damaged** field, double-click on the field and select True or False.
 - b. To change a UIN value, click **Delete** to delete the UIN. Click **Add** and enter the corrected UIN value.
4. Click **Done** to save your changes and return to the Transfer Detail window.

View a Transfer or Transfer Request

You can view, but not update, the details of transfers or transfer requests in the following statuses:

- Awaiting Response
- Inbound – Picking
- Inbound Request Rejected
- Outbound Request Rejected
- Dispatched

Navigate: Main Menu > Shipping/Receiving > Transfers. The Transfer List window opens.

To view a transfer or transfer request with one of these statuses, follow these steps:

1. If you want to filter the transfer list, see "[Filter the Transfer List](#)."
2. Double-click the transfer request that you want to view. The Transfer Detail window opens.

3. Click **Done** to return to the Transfer List window.

Print a Transfer or Transfer Request

Navigate: Main Menu > Shipping/Receiving > Transfers. The Transfer List window opens.

1. If you want to filter the transfer list, see "[Filter the Transfer List](#)."
2. Select the transfer or transfer request that you want to print.
3. Click **Print**. The Report Selection window opens.
4. Select the **Transfer** format and the printer.
5. Click **OK**.

Print a Bill of Lading

For any transfer, you can print a bill of lading (transport document) that accompanies the merchandise when it is shipped. You can print the bill of lading at any time; however, if the transfer is not yet shipped or if it is cancelled, the bill of lading is marked "DRAFT" or "CANCELLED."

Note: Bill of lading information must be entered or updated when transfers are created or updated. Some information for the bill of lading (such as address) is filled in automatically, but other information must be entered manually.

Navigate: Main Menu > Shipping/Receiving > Transfers. The Transfer List window opens.

To print a bill of lading, follow these steps:

1. If you want to filter the transfer list, see "[Filter the Transfer List](#)."
2. Select the transfer for which you want to print a bill of lading.
3. Click **Print**.
4. Select the **Bill of Lading** format and the printer.
5. Click **OK**.

Delete a Transfer or Transfer Request

You can delete the following:

- Transfers created at your location that have a status of In Progress (created but not dispatched). The status of a deleted transfer is set to Cancelled Transfer.
- Transfer requests created at your location that are in New Request or Awaiting Response status. The status of a deleted transfer request is set to Cancelled Request.

Navigate: Main Menu > Shipping/Receiving > Transfers. The Transfer List window opens.

To delete transfers or transfer requests, follow these steps:

1. If you want to filter the transfer list, see "[Filter the Transfer List](#)."

2. Select the transfers or transfer requests that you want to delete.
3. Click **Delete**. A message is displayed: "Are you sure you want to delete the selected transfers now?"
4. Click **Yes**.

You can create, edit, and dispatch returns from the store to a company-owned warehouse, a finisher, or directly to a vendor. If there is unavailable stock for a returned item, you have the option to use items from unavailable stock for the return. A completed (dispatched) return decreases available stock on hand.

You can also prepare and print a bill of lading (transport document) to accompany a return.

Return List Window

Navigate: Main Menu > Shipping/Receiving > Returns. The Return List window opens.

Figure 13–1 Return List Window

Return	External Id	Authorization	Destination	Date	Not After Date	Status	Total Lines	User
4401		123	2 - PS Supplier Site	16/09/10		Pending	1	Rhonda
4681		1212	2 - PS Supplier Site	21/09/10		Pending	1	Rhonda
4701		121212	2 - PS Supplier Site	21/09/10		Pending	1	Rhonda
4741		DEF426	12 - SMS Supplier...	21/09/10		Pending	1	Sue
4742		1777	1000000055 - Nor...	21/09/10		Pending	1	Sue
4981		DEF426	2 - PS Supplier Site	22/09/10		Pending	1	Rhonda
5442		1234	2 - PS Supplier Site	08/10/10		Pending	2	Eswari
5542		111	2 - PS Supplier Site	13/10/10		Pending	2	Eswari
5703		1111	2 - PS Supplier Site	20/10/10		Pending	3	Eswari
5762		1234	5656 - Saj External...	26/10/10		Pending	1	Mayank

The Return List window displays the following information about returns:

Column	Description
Return	SIM identifier for the return
External ID	Identifier supplied by an external system
Authorization	Authorization number, if required for returns
Destination	Warehouse or Supplier
Date	Create date if in Pending status Dispatch date if in Dispatched status Close date if in Cancelled status
Not After Date	Date after which a return request cannot be dispatched (supplied by an external system)
Status	Current status of the return: <ul style="list-style-type: none"> ■ Pending – Return created but not yet dispatched ■ Requested – Return request was received from merchandising system but not yet processed ■ Cancelled – Return request deleted ■ Dispatched – Return or request completed and dispatched
Total Lines	Total number of line items in the return
User	User who created the return

From the Return List window, you can do the following:

- [Filter the Return List](#)
- [Create a Return](#)
- [Edit or View a Return](#)
- [Dispatch a Return](#)
- [Print a Return Report](#)
- [Print a Bill of Lading](#)
- [Delete a Return](#)

From the Return List window, click **Done** to return to the Shipping/Receiving menu.

Filter the Return List

At any time while the Return List window is open, you can click **Filter** to change how the list is filtered.

Current filtering is displayed next to the Filter button on the Return List window. If no filtering is displayed, all items are currently selected and listed.



To change how the list is filtered, follow these steps:

1. Click **Filter**. The Return List Filter window opens.

Figure 13–2 Return List Filter Window

2. If you want to reset all filtering criteria to default values, click **Reset**.
3. Enter or select filtering criteria as needed to select just the inventory adjustments you want to list. All criteria are optional. If you leave a field blank or select All, all values will be included in your filtering selection.

Date Filters – Enter or select dates to select only those inventory adjustments between a Return From Date and Return To Date that you specify. The dates used for selection depend on status:

- For returns in Pending status, the creation date of the return is used.
- For returns in Dispatched status, the date dispatched is used.
- For returns in Received or Cancelled status, the date closed is used.

Return Number – Enter the complete number generated by SIM for the adjustment.

Supplier – Use this field to select returns to a supplier. Enter or look up the Supplier ID.

In the Supplier Lookup window, locate and select the supplier you want. Click **Done** to return to the Return List Filter window. See "[Supplier Lookup](#)" in [Chapter 22](#) for more information.

Finisher – Use this field to select returns to an external finisher. Enter or look up the Finisher ID.

In the Finisher Lookup window, locate and select the finisher you want. Click **Done** to return to the Return List Filter window. See "[Finisher Lookup](#)" in [Chapter 22](#) for more information.

Context Type – For returns to finishers, select the context type to limit the results returned. For example, select "Promotion" to limit results to promotions.

Context Value – For returns to finishers, select the context value to limit the results returned. If the transfer is related to a promotion, enter a promotion ID or click the **Ellipsis** button to look up a promotion. See "[Look Up a Promotion](#)" for more information.

Warehouse – Select a warehouse from the drop-down list.

Item – Enter or look up the Item ID.

In the Item Lookup window, locate and select the item you want. Click **Use Item** to return to the Item Request Filter window. See "[Item Lookup](#)" in [Chapter 22](#) for more information.

Authorization Number – Enter the complete authorization number of the return.

Status – Select a status from the drop-down list. The default is Pending.

Reason – Select a reason from the drop-down list.

User – Select a user from the drop-down list.

External ID – Enter the external identifier of the return (supplied by an external system) to locate a particular return.

4. Click **Search**. Results that match your search criteria are displayed in the Return List window.

Look Up a Promotion

You can look up a promotion when you are filtering the Return List window, or when you are creating a return.

If you click the **Ellipsis** button on the Context Value field, the Promotion Lookup window opens.

Figure 13–3 Promotion Lookup Window

To look up a promotion ID for a return, follow these steps:

1. Enter any of the following optional values to limit promotion search results:

Promotion ID – If you want to limit the search to a particular promotion ID, enter that identifier.

Promotion Name – If you want to search on the promotion name, enter a string of characters found in the promotion name.

Search Limit – If you want to change the maximum number of promotions returned from the search, enter an integer value. The default value is 500.

2. Select the promotion you want to use for the transfer.
3. Click Done to return to the Return Detail window.

Create a Return

Create a return to return items to an external finisher, a company-owned warehouse, or a supplier.

Navigate: Main Menu > Shipping/Receiving > Returns. The Return List window opens.

To create a return, follow these steps:

1. Click **Create**. The Return Detail window opens.

Figure 13–4 Return Detail Window

2. In the **Comments** field, enter any additional information that you want to include to explain this return.
3. In the **Return Type** field, select one of the following:
 - Finisher** – To return the items to an external finisher (for example, for repairs)
 - Warehouse** – To return the items to a warehouse
 - Supplier** – To return the items to the supplier
4. (Finisher or Warehouse returns only) In the **Inventory Status** field, select whether the returned items will come from available or unavailable stock.

All items in a return to warehouse or finisher must come from either available or unavailable stock. You cannot create a return with some items from available stock and some from unavailable stock.

For Supplier returns, the Inventory Status field is disabled. You can specify for each item whether to use available or unavailable stock.
5. Enter details about the return, depending on whether the return is to a supplier, warehouse, or finisher.
 - Return to a Supplier**
 - a. In the **Supplier** field, enter a supplier or click the **Ellipsis** button to look up a supplier. See "[Supplier Lookup](#)" in [Chapter 22](#) for more information.
 - b. In the **Authorization Number** field, enter the authorization number to help you track the return.
 - Return to a Finisher**
 - a. In the **Finisher** field, enter the finisher ID, or click the **Ellipsis** button to look up the finisher.

- b. In the **Authorization Number** field, enter the authorization number to help you track the return.
- c. In the **Context Type** field, select the context type.
- d. (Promotion only) In the Context Value field, enter the promotion ID, or click the **Ellipsis** button to look up the promotion ID. See "[Look Up a Promotion](#)" for more information.

Return to a Warehouse

- a. In the **Warehouse** field, select the the warehouse from the drop-down list.
 - b. In the **Authorization Number** field, enter the authorization number to help you track the return.
 - c. In the **Context Type** field, select the context type.
 - d. (Promotion only) In the Context Value field, enter the promotion ID, or click the **Ellipsis** button to look up the promotion ID. See "[Look Up a Promotion](#)" for more information.
6. For each item that you want to add to the return, follow these steps:
- a. In the **Item** field, enter the item ID, or click the **Ellipsis** button to look up the item. See "[Item Lookup](#)" in [Chapter 22](#) for more information.
 - b. Update the following fields as needed:
 - UOM** – From the drop-down list, select the unit of measure.
 - Use Unavailable** (Supplier returns only) – From the drop-down list, select Yes to use unavailable stock, or No to use only available stock. For returns to finisher or warehouse, you cannot change this field, because it is derived from the inventory status.
 - Qty** – Enter the quantity of items, expressed in the selected unit of measure, that you are returning.
 - Reason** – Select the reason that you are returning the items from the Reason drop-down.
 - UIN Qty** – If an item requires unique identification numbers (UIN), this field displays the number of items for which UINs have been scanned or entered. See "[Update UINs for a Return.](#)"
 - c. If you want to add another item, click **Add Item**. A new blank line is displayed.
7. Update bill of lading (BOL) information:
- a. Click **BOL**. The BOL Detail window opens.

Figure 13–5 BOL Detail Window – Return

Store Inventory Management

Return ID: 5542 BOL ID: 6793 Create Date: 13/10/10 Dispatch Date:

Ship From

Name: 4 - PS GPA Store
 Address 1:
 Address 2:
 City: 3550308
 State: SP
 Zip Code: 50240

Ship To

Address Type: Return Address
 Name: 2 - PS Supplier Site
 Address 1: Return address
 Address 2:
 City: 2704302
 State: AL
 Zip Code: 2704302

Motive

Returns

Tax ID

Carrier

Type: Sender Receiver Third Party
 Name:
 Address:

Alternate Destination Address

Requested Pickup Date

Client Information QA 001 4 - PS GPA Store BOL Detail HELP JUMP

- b. Update the following fields as needed:

Address Type – The primary mailing address is selected by default. If there are multiple addresses, select the address type to which you want to ship the return. (You can also enter a different new address in the Alternate Destination Address field.)

Motive – The default value is Returns. If needed, select a different value.

Tax ID – If this field is blank, enter the tax ID for the supplier.

Alternate Destination Address – If the return is to be shipped to an address that you cannot select (Address Type under Ship To), enter the full shipping address to which the return will be shipped.

Requested Pickup Date – Enter or select the date when you want the return picked up.

- c. Click **Done**.

8. Dispatch or save the return.

To dispatch the return now, click **Dispatch**.

If you do not want to dispatch the return now, click **Done** to save the return in Pending status.

Update UINs for a Return

If unique identification numbers (UIN) are required for the items in a return, the UINs must be scanned or entered manually.

To enter UINs for the return, follow these steps:

1. Double-click on the **UIN Qty** field. The UIN window opens.
2. For each UIN you want to add, follow these steps:
 - a. In the unique identification number field, enter the UIN of an item.
 - b. To add another UIN, press Tab or click **Add**.
3. To change a UIN value, click **Delete** to delete the UIN. Click **Add** and enter the corrected UIN value.
4. Click **Done** to save your changes and return to the Return Detail window.

Edit or View a Return

You can view any return record, and you can update pending returns when necessary.

Note: You can only modify returns in Pending status.

Navigate: Main Menu > Shipping/Receiving > Returns. The Return List window opens.

To edit or view a return, follow these steps:

1. If you want to limit which returns are listed, filter the list. See "[Filter the Return List](#)."
2. Double-click on the return that you want to edit or view. The Return Detail window opens.
3. Update enabled fields as needed:
 - UOM** – From the drop-down list, select the unit of measure.
 - Reason** – Select the reason that you are returning the items from the Reason drop-down.
 - UIN Qty** – Update UINs for the return as needed. See "[Update UINs for a Return](#)."
4. Add or remove items as needed. See "[Create a Return](#)" for more information about adding and deleting return items.
5. If needed, update bill of lading (BOL) information. See "[Create a Return](#)" for more information about updating BOL information.
6. Dispatch or save the return.

To dispatch the return now, click **Dispatch**. For more information about dispatching a return, see "[Dispatch a Return](#)."

If you do not want to dispatch the return, click **Done**. The return is saved until it is dispatched. You return to the Return List window.

Dispatch a Return

Dispatch a return to complete the return.

Note: You can only dispatch returns in Pending status.

Navigate: Main Menu > Shipping/Receiving > Returns. The Return List window opens.

To dispatch returns, follow these steps:

1. Select the returns that you want to dispatch.
2. Click **Dispatch**. A message is displayed: "Are you sure you want to dispatch the selected returns now?"
3. Click **Yes**. The returns are dispatched.


Print a Return Report

You can view or print a return report. You can use the return report as a packing slip.

Navigate: Main Menu > Shipping/Receiving > Returns. The Return List window opens.

To print one or more return reports, follow these steps:

1. Select the returns for which you want to print reports.
2. Click **Print**. The Report Selection window opens.



3. In the **Printer** field, double-click and select the printer or other output device for the report.

(See "[Print or View SIM Reports and Other Output](#)" in [Chapter 2](#) for general information about SIM report output.)

4. Click **OK**. You receive a message that the report was printed.
5. Click **OK** to return.

Print a Bill of Lading

For any return, you can print a bill of lading (transport document) that accompanies the merchandise when it is shipped. You can print the bill of lading at any time; however, if the return is not yet dispatched or if it is cancelled, the bill of lading is marked "DRAFT" or "CANCELLED."

Note: Bill of lading information must be entered or updated when returns are created or updated.

Navigate: Main Menu > Shipping/Receiving > Transfers. The Transfer List window opens.

To print a bill of lading, follow these steps:

1. If you want to filter the transfer list, see "[Filter the Return List](#)."
2. Select the transfer for which you want to print a bill of lading.
3. Click **Print**.
4. Select the **Return Bill of Lading** format and the printer.
5. Click **OK**.

Delete a Return

Delete a return record if you are cancelling the return.

Note: You can delete a return only if it has not been dispatched.

Navigate: Main Menu > Shipping/Receiving > Returns. The Return List window opens.

To delete returns, follow these steps:

1. Select the returns that you want to delete.
2. Click **Delete**. A message is displayed: "Are you sure you want to delete the selected returns now?"
3. Click **Yes**. The status of each deleted return is updated to Cancelled. The return is displayed in the Return List in cancelled status.

Inventory Adjustments

Inventory adjustments that you enter in SIM are supplied to the merchandising system to adjust stock levels and maintain perpetual inventory. Inventory adjustments increment or decrement inventory levels such as stock on hand and unavailable inventory.

Each inventory adjustment contains a reason code that determines the disposition of the inventory being adjusted. For example, inventory removed for repair adds to unavailable inventory and decreases the stock on hand. When the items are returned to inventory, unavailable inventory is decremented and stock on hand is incremented.

Inventory Adjustment List Window

Navigate: Main Menu > Inv Mgmt > Inventory Adjustment. The Inventory Adjustment List window opens.

Figure 14–1 Inventory Adjustment List Window

Adjustment	Item	Description	UOM	Qty	Status	Date	Reason Code	User
10128	100084105	Rem_orange4	EA	1	Pending	07/09/10	Unavailable	Sajeendra
10408	100017603	PS Item	EA	2	Pending	09/09/10	Unavailable	Sajeendra
10430	100230555	Nonranged	EA	1	Pending	09/09/10	Unavailable	Sajeendra
10450	100230450	Saj Repl Item	EA	101	Pending	09/09/10	Unavailable	Rhonda
10668	100034304	PS Item 100034304	EA	9	Pending	13/09/10	Unavailable	Rhonda
10910	100125712	M Item L000000...	EA	1	Pending	15/09/10	Unavailable	Sajeendra
10928	100042004	PS Item 100042004	EA	6	Pending	15/09/10	Unavailable	Rhonda
10988	100125407	vik item2	EA	100	Pending	16/09/10	Unavailable	Sajeendra
10989	100125710	M Item L000000...	EA	2	Pending	16/09/10	Unavailable	Sajeendra
11308	100074505	05272010 Test Ite...	EA	2	Pending	20/09/10	Unavailable	Sajeendra
12028	100254750	Rem regular	EA	100	Pending	24/09/10	Unavailable	rmsuser
12428	100261952	Saj Reg Item	EA	1	Pending	01/10/10	Unavailable	Sajeendra
12630	100016306	Test Complex Pack	EA	20	Pending	07/10/10	Unavailable	Sajeendra
12634	100107904	[1]NF with 1 PO ...	EA	10	Pending	07/10/10	Unavailable	Sajeendra
13550	100257250	Saj Repl Item	EA	5	Pending	26/10/10	Unavailable	Eswari
13568	100262250	Replenishment Item	EA	5	Pending	26/10/10	Unavailable	Eswari

Client Information QA 001 4 - PS GPA Store Inventory Adjustment List HELP JUMP

From the Inventory Adjustment List window, you can do the following:

- [Filter the Inventory Adjustment List](#)

- [Create an Inventory Adjustment](#)
- [Edit a Pending Inventory Adjustment](#)
- [Print an Inventory Adjustment Report](#)

Filter the Inventory Adjustment List

At any time while the Inventory Adjustment List window is open, you can click **Filter** to change how the list is filtered.


Current filtering is displayed next to the Filter button on the Inventory Adjustment List window. If no filtering is displayed, all items are currently selected and listed.



To change how the list is filtered, follow these steps:

1. Click **Filter**. The Inventory Adjustment Filter window opens.

Figure 14–2 Inventory Adjustment Filter Window



2. If you want to reset all filtering criteria to default values, click **Reset**.
3. Enter or select filtering criteria as needed to select just the inventory adjustments you want to list. All criteria are optional. If you leave a field blank or select All, all values will be included in your filtering selection.

Date Filters – Enter or select dates to select only those inventory adjustments between a From Date and To Date that you specify.

Item – Enter the item number or click the **Ellipsis** button to look up the Item ID.

In the Item Lookup window, locate and select the item you want. Click **Use Item** to return to the Item Request Filter window. See "Item Lookup" in [Chapter 22](#) for more information.

Reason – Select a reason from the drop-down list.

User – Select a user from the drop-down list.

Adjustment Number – Enter the complete number generated by SIM for the adjustment.

Status – Select a status from the drop-down list. The default is Pending.

Search Limit – If you want to change the maximum number of inventory adjustments returned from the search, enter an integer value. You can enter an integer value from 1 to 999; the default value is 500.

4. Click **Search**. Results that match your search criteria are displayed in the Inventory Adjustment List window.

Create an Inventory Adjustment

Note: For an item for which you create an adjustment, if there is a pending adjustment with a reason code to move stock to unavailable, the new quantity is added to the existing quantity.

Navigate: Main Menu > Inv Mgmt > Inventory Adjustment. The Inventory Adjustment List window opens.

To create a new inventory adjustment, follow these steps:

1. Click **Create**. The Inventory Adjustment Detail window opens with a blank line displayed.

Figure 14–3 *Inventory Adjustment Detail Window – Create*

The screenshot shows a software window titled "Store Inventory Management". At the top, there are buttons for "Done", "Add Item", "Delete", and "Cancel". Below these is the "Adjustment Details" section, which contains fields for "Adjustment Number: New", "User: QA_001", "Status:", and "Date: 26/10/10". There is also a "Comments" field with a text input and a speech bubble icon. Below the comments is a "Reason" dropdown menu currently set to "-Select-". Underneath is a table with the following columns: "Item", "Item Description", "UOM", "Pack Size", "Quantity", "Reason", and "UIN Qty". The table is currently empty. At the bottom of the window, there is a navigation bar with buttons for "Client Information", "QA 001", "4 - PS GPA Store", "Inventory Adjustment Detail", "HELP", and "JUMP".

2. In the **Comments** field, enter any notes that are needed to describe or explain this inventory adjustment.
3. In the **Reason** field, you can optionally select a default reason for the inventory adjustments that you enter.

If you select a default reason, it is automatically included in the Reason field for each adjustment you create. You can change the Reason field for any adjustment.

4. Enter the item number in the **Item** field, or click the **Ellipsis** button to look up the item.

In the Item Lookup window, enter search criteria as needed to find the item you want. (See "Item Lookup" in Chapter 22 for more information about item lookup criteria.) Select the item you want and click **Use Item** to return to the Inventory Adjustment Detail window.

5. Update these fields as needed:

UOM – From the drop-down list, select the unit of measure.

Quantity – Enter the quantity to be adjusted.

Note: For items that require serial number type UINs, the Quantity field is disabled. See "Enter UINs for an Inventory Adjustment."

Reason – Select the reason code from the drop-down list.

6. To add another item, click **Add Item**. A new blank line is displayed. Repeat Steps 3 and 4 to add the item.

Note: If you enter multiple items, SIM creates an inventory adjustment record for each item.

7. Click **Done** to return to the Inventory Adjustment List window.


Enter UINs for an Inventory Adjustment

If an item requires a serial number type UIN, the Quantity field is disabled on the Inventory Adjustment Detail window.

Follow these steps to add individual item UINs to the inventory adjustment:

1. Double-click the **UIN Qty** field. The UIN window opens.

Figure 14–4 UIN Window – Inventory Adjustment



2. For each UIN you want to add, follow these steps:
 - a. Click **Add**.
 - b. In the unique identification number field, enter the valid UIN of the item.
To delete a UIN you have entered, select the UIN and click **Delete**.
3. (Optional) If you want to select a reason for the adjustment of this line item, select the reason from the drop-down list at the top of the window.
4. Click **Done** to return to the Inventory Adjustment Detail window.

Edit a Pending Inventory Adjustment


You can edit an inventory adjustment only if its status is Pending. You cannot add a new item or delete items from a pending adjustment.

If you edit a pending adjustment, you create a complete inventory adjustment from unavailable stock. Pending inventory adjustments indicate unavailable quantity for an item.

Navigate: Main Menu > Inv Mgmt > Inventory Adjustment. The Inventory Adjustment List window opens.

1. If you want to limit which inventory adjustments are listed, filter the list. See ["Filter the Inventory Adjustment List."](#)
2. Find the inventory adjustment that you want to edit. Double-click the inventory adjustment to open it in the Inventory Adjustment Detail window.

Figure 14–5 *Inventory Adjustment Detail Window – Edit*



3. Update these fields as needed:

Comments – Enter or change any notes required to describe or explain this inventory adjustment. The comment will be added to the inventory adjustment record of the item affected by the disposition change.

UOM – From the drop-down list, select the unit of measure.

Quantity – Enter the quantity to be adjusted. The quantity you enter must be less than or equal to the quantity listed.

Note: For items that require UINs, you cannot change the quantity or add any UINs to the adjustment.

Reason – Select the reason code from the drop-down list.

4. If you want to print an inventory adjustment report, click **Print**. See "[Print an Inventory Adjustment Report](#)."
5. Click **Done** to return to the Inventory Adjustment List window.


Print an Inventory Adjustment Report

You can print an inventory adjustment report from either the Inventory Adjustment List or Inventory Adjustment Detail window:

- If you are printing the report from the Inventory Adjustment List window, first select the adjustments for which you want to print reports.
- If you are printing the report from the Inventory Adjustment Detail window, the report printed is for the adjustment currently displayed.

To print the report, follow these steps:

1. Click **Print**. The Report Selection window opens.



2. In the **Printer** field, double-click and select the printer or other output device for the report.

(See "[Print or View SIM Reports and Other Output](#)" in [Chapter 2](#) for general information about SIM report output.)

3. Click **OK**. You receive a message that the report was printed.

4. Click **OK**.

Sequencing

Sequencing a store establishes an ordered list of locations in a store at which items can be stocked, and ordered lists of the items within each location. The list of locations is the *macro sequence*. Each list of items within a location is a *micro sequence*. These sequences allow you to identify all the locations of any item in the store.


Within each location, you can add and remove items or resequence the items at that location. You can add and remove items and locations as needed. You can build sequences by assigning items to locations, or by assigning locations to items.

Sequencing can improve the efficiency of store processes such as stock counts. You can use guided stock counts in which employees are guided in order through the locations and items, one after another.

Macro Sequence List Window

Navigate: Main Menu > Inv Mgmt > Sequencing. The Macro Sequence List window opens.

Figure 15–1 Macro Sequence List Window



From the Macro Sequence List window, you can do the following:

- [Add a Location](#)
- [Edit a Location](#)
- [Delete Locations](#)
- [Look Up Location Details for an Item](#)
- [Add a Location for an Item](#)
- [Edit Location Information for an Item](#)
- [Delete Locations for an Item](#)
- [Assign Unassigned Items to a Location](#)
- [Add an Item to a Location](#)
- [Edit Items at a Location](#)
- [Delete Items from a Location](#)
- [Print Shelf Edge Labels](#)

From the Macro Sequence List window, click **Done** to return to the Inventory Management menu.

Add a Location


Use this procedure to add a new location in the store to the macro sequence of locations.

Navigate: Main Menu > Inv Mgmt > Sequencing. The Macro Sequence List window opens.

To add a new location, follow these steps:

1. Click **Edit Locations**. The Macro Sequence Edit window opens.

Figure 15–2 Macro Sequence Edit Window



2. Click **Add Location**. A new blank line is displayed at the bottom of the list.
3. Update the fields of the new line:
 - Location** – Enter the name of the location that you want to add.
 - Area** – Select Backroom or Shopfloor from the drop-down list.
4. Click **Done** to return to the Macro Sequence List window.

Edit a Location

Use this procedure to change information about a location in the macro sequence.

Navigate: Main Menu > Inv Mgmt > Sequencing. The Macro Sequence List window opens.

To edit information about a location, follow these steps:

1. Click **Edit Locations**. The Macro Sequence Edit window opens.
2. Select the location that you want to edit.
3. Perform one or more of the following actions.

Change the Area

In the **Area** field, select the value from the drop-down list.

Generate Locations for All Classes

If you generate locations for all classes, a new location is created for each item class, in alphabetical order, starting at the end of the existing location sequence. Every class will be a location. If a location already exists for a class, it will not be added.

- a. Click **Apply Class List**. This message is displayed: "Are you sure you want to generate locations for all classes?"
- b. Click **Yes**. This message is displayed: "Would you like to apply classes to the shopfloor or backroom?"
- c. Click either **Shopfloor** or **Backroom** as the area to which you want to apply classes.

Change the Macro Sequence Order of a Location

- a. Select the classes that you want to move.
 - b. Click **Move Up** or **Move Down**.
4. Click **Done**. Your changes are displayed in the Macro Sequence List window.

Delete Locations

Use this procedure to delete locations from the macro sequence.

Navigate: Main Menu > Inv Mgmt > Sequencing. The Macro Sequence List window opens.

To delete locations, follow these steps:

1. Click **Edit Locations**. The Macro Sequence Edit window opens.
2. Select the locations you want to delete.
3. Click **Delete**. A message is displayed: "Are you sure you want to delete the selected locations now?"
4. Click **Yes**.
5. Click **Done** to return to the Macro Sequence List window.

Look Up Location Details for an Item

Use this procedure to look up location details for an item. You can find the locations of items that have been sequenced, and you can also determine if an item has no location assigned yet.

Navigate: Main Menu > Inv Mgmt > Sequencing. The Macro Sequence List window opens.


To look up location details for an item, follow these steps:

1. In the Find Item field, enter the item number for which you want to view location information, or click the **Ellipsis** button to look up an item.

In the Item Lookup window, locate the item you want and select it. Click **Done** to return to the Macro Sequence List window. See "[Item Lookup](#)" in [Chapter 22](#) for more information.

2. Click **Search**. The Item Locations List window opens with location information displayed for the item.

Figure 15–3 Item Locations List Window



In the Item Locations window, you can do the following:

- [Add a Location for an Item](#)
- [Edit Location Information for an Item](#)
- [Delete Locations for an Item](#)

3. Click **Done** to return to the Macro Sequence List window.

Add a Location for an Item

Use this procedure to add a new location for an item stocked at a particular location.


Note: You can also add a location for an item by first looking up an item, instead of selecting a location. See "[Look Up Location Details for an Item.](#)"

Navigate: Main Menu > Inv Mgmt > Sequencing. The Macro Sequence List window opens.

To add a new location for an item, follow these steps:

1. Double-click the location for which you want to view micro sequencing. The Micro Sequence List window opens.

Figure 15–4 Micro Sequence List Window



2. Double-click the item for which you want to add another location. The Item Locations List window opens.
3. For each location you want to add, follow these steps:
 - a. Click **Add Location**. A new blank line is displayed at the bottom of the list.
 - b. Update the fields:
 - Location** – Select a location from the drop-down list.
 - Primary** – Select Yes if this is a primary location or No if this is a secondary location. You can have only one primary location for each item.
 - Capacity** – Enter the quantity of the item that can fit on the shelf at this location.
 - Width** – Enter the number of items that can fit horizontally across the shelf at this location.
 - UOM** – Select Cases or Units from the drop-down list.
 - Label Format** – Select the format of the shelf label from the drop-down list.
 - Label Qty** – Enter the number of labels to print.
4. Click **Done** to return to the Micro Sequence List window.
5. Click **Done** to return to the Macro Sequence List window.

Edit Location Information for an Item

Use this procedure to update location information about an item in a particular location.

Note: You can also edit location information for an item by first looking up an item, instead of selecting a location. See "[Look Up Location Details for an Item.](#)"

Navigate: Main Menu > Inv Mgmt > Sequencing. The Macro Sequence List window opens.

To edit location information for an item, follow these steps:

1. Double-click the location for which you want to view micro sequencing. The Micro Sequence List window opens.
2. Double-click the item for which you want to edit location information. The Item Locations List window opens.
3. For each location you want to edit, update the fields as needed:
 - Primary** – Select Yes if this is a primary location or No if this is a secondary location. You can have only one primary location for each item.
 - Capacity** – Enter the quantity of the item that can fit on the shelf at this location.
 - Width** – Enter the number of items that can fit horizontally across the shelf at this location.
 - UOM** – Select Cases or Units from the drop-down list.
 - Label Format** – Select the format of the shelf label from the drop-down list.
 - Label Qty** – Enter the number of labels to print.
4. Click **Done** to return to the Micro Sequence List window.
5. Click **Done** to return to the Macro Sequence List window.

Delete Locations for an Item

Use this procedure to delete one or more locations for an item at a particular location.

Note: You can also delete location information for an item by first looking up an item, instead of selecting a location. See "[Look Up Location Details for an Item.](#)"

Navigate: Main Menu > Inv Mgmt > Sequencing. The Macro Sequence List window opens.

To delete locations for an item, follow these steps:

1. Double-click the location for which you want to view micro sequencing. The Micro Sequence List window opens.
2. Double-click the item for which you want to delete locations. The Item Locations List window opens.
3. Select the locations you want to delete.
4. Click **Delete**. This message is displayed: "Are you sure you want to delete the selected locations now?"
5. Click **Yes**.
6. Click **Done** to return to the Micro Sequence List window.

- Click **Done** to return to the Macro Sequence List window.

Assign Unassigned Items to a Location

Use this procedure to assign locations to items that have no locations assigned yet.

Navigate: Main Menu > Inv Mgmt > Sequencing. The Macro Sequence List window opens.

To assign unassigned items to locations, follow these steps:

- To view items that are not assigned to a location, double-click the No Location line. The No Location List window opens.

Figure 15–5 No Location List Window

Item	Item Description	Location	Label Format	Label Qty
100016303	Test 123	No Location		
100016306	Test Complex Pack	No Location		
100017104	A Test 8724836	No Location		
100019703	Vin Reg Item 100	No Location		
100019906	PS Item	No Location		
100020003	PS New from existing	No Location		
100020704	Deposit Item	No Location		
100027704	SN Regular Item Created for 13.2 ...	No Location		
100027705	New Test Item	No Location		
100027804	SN Reg Item 100027804 for 13.2	No Location		
100028104	Complex Item Type	No Location		
100028304	regular item	No Location		
100029605	13.2 test item	No Location		
100030404	test Regular Item	No Location		
100030704	PS Item 100030704	No Location		
100030904	PS Item 100030904	No Location		
100031004	sb item	No Location		
100034304	PS item 100034304	No Location		
100036404	SN Reg Item created for Test	No Location		
100037104	from 100027604	No Location		

- If you want to limit the items displayed in the list, click **Filter**. See "[Filter the No Location List](#)" for more information.
- Select an item that you want to assign to a location.
- Update the fields:
 - Location** – Select a location from the drop-down list.
 - Label Format** – Select the kind of shelf label from the drop-down list.
 - Label Qty** – Enter the number of labels to print.
- Click **Done** to return to the Macro Sequence List window.

Filter the No Location List

At any time while the No Location List window is open, click **Filter** to change how the list is filtered.

Current filtering is displayed next to the Filter button on the No Locations List window. If no filtering is displayed, all items are currently selected and listed.



To filter the items listed on the No Location List window, follow these steps:

1. Click **Filter**. The No Location Filter window opens.

Figure 15–6 No Location Filter Window



2. If you want to reset all filtering criteria to default values, click **Reset**.
3. Enter or select filtering criteria as needed to select just the items you want to list. All criteria are optional. If you leave a field blank, all values will be included in your filtering selection.

Item – Enter the item number or click the **Ellipsis** button to look up the item

In the Item Lookup window, locate the item you want and select it. Click **Done** to return to the No Location Filter window. See "Item Lookup" in [Chapter 22](#) for more information.

Item Description – Enter an item description to select only the items with this description.

4. Enter a Search Limit value to limit the number of items displayed on the No Location List window. The default is 15.
5. Click **Search**. The items you have specified are listed in the No Location List window.

Add an Item to a Location

Use this procedure to add an item to a particular location.

Navigate: Main Menu > Inv Mgmt > Sequencing. The Macro Sequence List window opens.

To add an item to a location, follow these steps:

1. Double-click the location where you want to add an item. The Micro Sequence List window opens.
2. Click **Edit Items**. The Micro Sequence Edit window opens.

Figure 15–7 Micro Sequence Edit Window



3. Click **Add**. A new blank line is displayed at the bottom of the list.
4. Update the fields:
 - Item** – Enter the item number or click the **Ellipsis** button to look up the item.
In the Item Lookup window, locate the item you want and select it. Click **Done** to return to the Micro Sequence Edit window. See "Item Lookup" in Chapter 22 for more information.
 - Capacity** – Enter the quantity of the item that can fit on the shelf at this location.
 - Width** – Enter the number of items that can fit horizontally across the shelf at this location.
 - UOM** – From the drop-down list, select Units or Cases.
 - Label Format** – Select the kind of shelf label from the drop-down list.
 - Label Qty** – Enter the number of labels to print.
5. Click **Done**. The new item is displayed in the Micro Sequence List window.
6. Click **Done** to return to the Macro Sequence List window.

Edit Items at a Location

Use this procedure to edit location information about items at a particular location.

Navigate: Main Menu > Inv Mgmt > Sequencing. The Macro Sequence List window opens.

To edit item location information, follow these steps:

1. Double-click the location for which you want to edit items. The Micro Sequence List window opens.

2. Click **Edit Items**.
3. If necessary, click **Apply Item List** to add all items associated with the class location.

Note: Items from the class are applied only if the location was created through the Apply Class List button on the Macro Sequence Edit Screen. See "[Edit a Location](#)" for more information.

4. For each item that you want to edit, change item or location information by updating these fields:
 - Capacity** – Enter the quantity of the item that can fit on the shelf at this location.
 - Width** – Enter the number of items that can fit horizontally across the shelf at this location.
 - UOM** – From the drop-down list, select the unit of measure.
 - Label Format** – Select the kind of shelf label from the drop-down list.
 - Label Qty** – Enter the number of labels to print.
 - Multiple Locations** – Select Yes if the item is sequenced in more than one location in the store. Select No if the item is sequenced in only one location.
5. To change the location of an item:
 - a. Select the item that you want to move.
 - b. Click **Move Up** or **Move Down**.
6. Click **Done**. Your changes are displayed on the Micro Sequence List window.
7. Click **Done** to return to the Macro Sequence List window.

Delete Items from a Location

Use this procedure to delete items from a particular location.

Navigate: Main Menu > Inv Mgmt > Sequencing. The Macro Sequence List window opens.

To delete items, follow these steps:

1. Double-click the location from which you want to delete items.
2. Click **Edit Items**. The Micro Sequence Edit window opens.
3. Select the items that you want to delete.
4. Click **Delete**. This message is displayed: "Are you sure you want to delete the selected items now?"
5. Click **Yes**. The selected items are removed from the location list.
6. Click **Done** to return to the Micro Sequence List window.
7. Click **Done** to return to the Macro Sequence List window.

Print Shelf Edge Labels

Use this procedure to print labels for one or more locations.

Navigate: Main Menu > Inv Mgmt > Sequencing. The Macro Sequence List window opens.

To print labels, follow these steps:

1. Select one or more locations for which you want to print labels.
2. Click **Print**. This message is displayed: "Are you sure you want to print shelf edge labels for all items in the locations selected?"
3. Click **Yes**. The labels are printed.

Stock Counts

Stock counts are the principal tools to ensure that the perpetual inventory for a store remains accurate. For maximum flexibility in performing stock counts, SIM allows these types of stock counts:

- **Unit**

Unit stock counts are scheduled counts that update the Oracle Retail Merchandising System (RMS) and SIM inventory positions, but only for the physical count values. These counts are performed on regular schedules.

- **Unit and Amount**

A Unit and Amount count is an annual count that can be used to adjust the financial systems in a corporate merchandising system, in addition to updating inventory positions in SIM.

- **Problem Line**

Problem Line stock counts are similar to Unit counts. Problem Line product groups use predefined criteria to identify problem items. For example, you might use a Problem Line count for all of the items that have negative stock on hand values.

- **Ad Hoc**

An Ad Hoc stock count is an unscheduled stock count that is initiated on the handheld device. An Ad Hoc count is similar to a Unit count, but the items are not preassigned and there is no schedule.

Each stock count must be generated, except for Ad Hoc stock count type. To generate a stock count, you must first create a product group and schedule. Product groups can include particular inventory items or entire segments of the inventory hierarchy, including all items in a store. See [Chapter 3, "Product Groups"](#) for information about how to create product groups for the different types of stock counts.

Stock Count Process

The general process to conduct a stock count in SIM is as follows:

1. Create the stock count product group. (See [Chapter 3, "Product Groups."](#))
2. Schedule the stock count. (See [Chapter 4, "Product Group Scheduler."](#))
3. Perform the stock count using handheld devices or the PC, or both.
4. Recount discrepant items (depending on whether the product group requires a recount).
5. Review the count information and authorize the count quantities.

The following diagram illustrates the general process flow.



This chapter is organized as follows:

- [Using the Stock Counts Interface](#)
- [Filter the Stock Count List](#)
- [View Future Stock Counts](#)
- [Print or Export a Stock Count Report](#)
- [Execute a Stock Count](#)
 - [Take a Snapshot](#)
 - [Enter Stock Count Results](#)
 - [Enter Recount Results](#)
 - [Complete a Child Stock Count](#)
 - [Authorize a Stock Count](#)
- [View and Update Rejected Items](#)
- [Delete Stock Counts](#)

Reference Topics

The following topics provide background information about the SIM stock count process. Review these topics as needed as you are performing a stock count:

- ["Stock Count Status"](#)
This topic describes the actions and events that occur during a SIM stock count, and how they affect the status of the stock count.
- ["Product Group Size Limits" in Chapter 3](#)
This topic describes the process that SIM uses to break large stock counts into multiple child counts so that they are more manageable.

Using the Stock Counts Interface


This section is an introduction to the SIM stock counts interface. It describes the SIM windows that you use for stock counts, and how to navigate through the interface. Before you begin to execute stock counts, you should become familiar with the interface.

This section describes:

- The stock counts windows and what they contain
- The actions you can take in each window

Detailed procedures to execute stock counts are later in this chapter; see ["Execute a Stock Count."](#)

The following figure shows the stock counts windows and how you navigate among them.

Figure 16–1 Stock Counts Windows

This section describes the following stock counts windows:

- [Stock Count List Window](#)
- [Stock Count Child List Window](#)
- [Stock Count Detail Window](#)
- [Stock Re-Count Detail Window](#)
- [Stock Count Authorization Window](#)

Other stock counts windows are described in the procedures in which you use them.

Note: To access some stock count windows and functions, you must have the necessary permissions. Access to some windows and functions depends on the status of a stock count. For example, you cannot access the Stock Count Authorization window until the stock count status indicates that it is ready to be authorized.

Stock Count List Window

The Stock Count List window is the entry point into stock counts. It lists the currently active SIM stock counts of all types.

Navigate: Main Menu > Inv Mgmt > Stock Counts. The Stock Count List window opens.

Figure 16–2 Stock Count List Window

Count ID	Count Description	Count Group	Date	Type	Status	Items Left To Count
5542	Sue Test	Sue Unit Test	03/09/10	Stock Count	In Progress	50
5562	Sajeendra	Ad hoc	07/09/10	Stock Count	In Progress	0
5582	test	wad	07/09/10	Stock Count	In Progress	1
5703	Sajeendra	Ad hoc	09/09/10	Stock Count	In Progress	0
5742	STK	TEst	13/09/10	Stock Count	In Progress	2
5862	stock unit sch	Stock Unit	14/09/10	Stock Count	New	2
5882	SC SCH	SC	14/09/10	Stock Count	In Progress	1
5902	SC2 SCH	SC2	14/09/10	Stock Count	In Progress	0
6082	UNIT SCH1	UNIT	17/09/10	Stock Count	In Progress	1
6203	Unit UNG Rejected	UNR UNG Rejected	20/09/10	Stock Count	New	56
6706	UUUUUUU	UUUUUUU	07/10/10	Stock Count	New	68
7262	Rhonda Product Schedul...	Rhonda Group 1 - decimal	14/10/10	Stock Count	In Progress	2
7422	test	test	20/10/10	Stock Count	New	33
7423	UIN Problem 1	Sue Problem Line UIN	20/10/10	Stock Count	New	33
7424	Guided UIN 2	Problem Guide UIN	20/10/10	Stock Count	New	49
7462	UIN ONLY	Guided UIN ONLY	21/10/10	Stock Count	New	33
7524	Sue 1-1	Sue 1	25/10/10	Stock Count	New	16

If you want to filter the Stock Count List, click **Filter**. See "[Filter the Stock Count List.](#)"

Window Content

The **Total Items** field displays the total number of items left to be counted at the store. If every item has been counted for every stock count, the Total Items field will show zero.

Each stock count listed in the Stock Count List window is a master stock count that has one or more child stock counts. Large stock counts are automatically divided into multiple child counts, which are listed in the Child Stock Count List window.

The Stock Count List window columns are as follows:

Column	Description
Count ID	A unique numeric identifier assigned by SIM.
Count Description	The description of the product group schedule that was entered when the schedule was set up. For an Ad Hoc stock count, the description is the ID of the user who created the stock count.
Count Group	The description of the product group that was entered when the product group was set up. For an Ad Hoc stock count, the Count Group value is Ad Hoc.
Date	The date for which the stock count is scheduled.
Items Left to Count	The items in the stock count that remain to be counted or authorized.

Actions You Can Take

In the Stock Count List window, you can do the following:

Action	Method	Reference
Access child counts for a stock count	Double-click a stock count	" Stock Count Child List Window "
Print a Stock Count Detail report	Print button	" Print or Export a Stock Count Report "
Delete stock counts	Delete button	" Delete Stock Counts "
View future stock counts	Future Stock Counts button	" View Future Stock Counts "
View rejected items for a third-party stock count	Rejected Items button	" View and Update Rejected Items "
Refresh the Stock Count List display	Refresh button	---


Stock Count Child List Window

Every master stock count has one or more child counts. A master count with fewer items might have only one child count, but a large count might be split into a number of smaller and more manageable child counts. You can work with each child count separately. Details about the items in a stock count are in the child count records.

Navigate: Main Menu > Inv Mgmt > Stock Counts. The Stock Count List window opens.

Double-click on the stock count you want to access. The Stock Count Child List window opens.

Figure 16–3 Stock Count Child List Window



Window Content

The top of the window displays information about the master stock count and the stock count product group, as displayed on the Stock Count List window.

The Stock Count Child List window columns are as follows:

Column	Description
Child Description	<p>A description that depends on the type of stock count:</p> <ul style="list-style-type: none"> ■ For any guided stock count, the child description is based on the locations set up in macro sequencing. ■ If there is only one unguided child count associated with the master count, the name is the same as the master count. ■ For multiple child stock counts that belong to a large master stock count, "(x/y)" is appended to the description of each child count to indicate the number of child stock counts that belong to the master count (y), and the position in the sequence for each child count (x). See "Product Group Size Limits" in Chapter 3 for details about how large stock counts are divided into multiple child counts. ■ For a stock count broken down by hierarchy, the name is based on the hierarchy. The count might be further broken down into numbered parts. ■ For a third-party count, the description is based on the department breakdown of the count, or on the hierarchy breakdown selected when the product group was set up.
Area	Shopfloor, Backroom, or No Location. (This column does not appear for unguided counts.)
Type	<p>Future Stock Count, Stock Count, Re-count, or Authorize.</p> <p>For more information about stock count stages and statuses, see "Stock Count Status."</p>
Status	<p>New, In Progress, Pending, Completed, or Confirmed.</p> <p>For a Future Stock Count type, this value is N/A. Confirmed status applies only to Unit and Amount count type.</p>
User	The user who counted the location or child stock count. This value is the user who last saved the count. If the child count has not been counted yet, no value is shown.
Items Left to Count	The number of items that remain to be counted in the child count.

Actions You Can Take

In the Stock Count Child List window, you can do the following:

Action	Method	Reference
Access details of a child count	Double-click a child count	"Stock Count Detail Window"
Print a Stock Count Detail report	Print button	"Print or Export a Stock Count Report"
Take a snapshot of inventory positions for items in the stock count	Take Snapshot button	"Take a Snapshot"
Complete the child count	Complete button	"Complete a Child Stock Count"
Access the Stock Count Authorization window (to authorize a stock count)	Authorize button	"Stock Count Authorization Window"
Update authorized quantities for selected child counts	Update Auth Qty button	"Other Methods to Update Authorized Quantities"

Action	Method	Reference
Update all authorized quantities for all child counts	Confirm Authorization button	"Other Methods to Update Authorized Quantities"
Refresh the Stock Count Child List display	Refresh button	---
View details of the stock count product group	View Details button	"View Product Group Details"

Stock Count Detail Window

In the Stock Count Detail window, you can view and update count quantities for the child count you have selected.

Navigate: Main Menu > Inv Mgmt > Stock Counts. The Stock Count List window opens.

1. Double-click on the stock count you want to access. The Stock Count Child List window opens.
2. Double-click on the child count you want to access. The Stock Count Detail window opens.

Note: If the stock count is currently being recounted, the Stock Re-Count Detail window opens instead; see ["Stock Re-Count Detail Window."](#)

Figure 16–4 Stock Count Detail Window

The screenshot displays the 'Stock Count Detail Window' within the 'Store Inventory Management' application. The window contains the following information:

- Title Bar:** Store Inventory Management
- Buttons:** Done, Print, Complete, Cancel
- Description:** UNIT SCH1 - No Location
- Date:** 17/09/10
- Total Line Items:** 1
- Snapshot Taken:**
- Stock Count User:** Sajeendra
- Stock Re-Count User:**
- Count/Re-count Qty:** Uncounted
- Filters:** Dept: -All-, Class: -All-, Sub-Class: -All-
- Table:**

Item	Description	UOM	Pack Size	Count	UIN Qty
100139104	Regular Item	Units	10		
- Status Bar:** Client Information, QA 001, 4 - PS GPA Store, Stock Count Detail, HELP, JUMP

Window Content

The Stock Count Detail window displays the child stock count description, scheduled date, and user information, as well as the following fields:

Field	Description
Total Line Items	The total number of items (rows) currently displayed, depending on how the list is filtered. (Use of the filter fields is described in " Enter Stock Count Results .")
Snapshot Taken	Indicator of whether a snapshot has been taken for this child count. (See " Take a Snapshot " for more information.)

By default, uncounted items are listed. You can use the **Count/Re-count Qty**, **Dept**, **Class**, and **Sub-Class** fields to control which items are listed in the window.

The columns of the Stock Count Detail window are as follows:

Column	Description
Sequence ID	For guided counts that use sequencing, the ID of the location of the item. For guided counts, the list is sorted by Sequence ID. For unguided counts, this column does not appear.
Item	The item ID.
Description	The item description.
UOM	The unit of measure for the item.
Pack Size	The number of packs in a case.
Count	The counted quantity of the item, if the item has been counted during this stock count.
UIN Qty	The number of unique identification numbers (UIN) counted.

Actions You Can Take

In the Stock Count Detail window, you can do the following:

Action	Method	Reference
Enter stock count results	(See procedure)	" Enter Stock Count Results "
Update unique identification numbers (UIN)	(See procedure)	" Update UINs for a Count "
Print a Stock Count Detail report	Print button	" Print or Export a Stock Count Report "
Exit and save updates	Done button	- - -
Exit without saving updates	Cancel button	- - -
Complete the count	Complete button	" Complete a Child Stock Count "

Note: You cannot complete the count until the snapshot is taken.

Stock Re-Count Detail Window

In the Stock Count Detail window, you can view and update recount quantities for the child count you have selected. If you selected a stock count that is being recounted, the Stock Re-Count Detail window opens.

Note: Recounts are performed only when the stock count product group is set up to require recounts of discrepant items. Recounts do not apply to any third-party or ad hoc stock counts.

Navigate: Main Menu > Inv Mgmt > Stock Counts. The Stock Count List window opens.

1. Double-click on the stock count you want to access. The Stock Count Child List window opens.
2. Double-click on the child count that you want to access. The Stock Re-Count Detail window opens.

Figure 16–5 Stock Re-Count Detail Window

Sequence ID	Item	Description	Area	UOM	Pack Size	Original Count	Re-Count Qty	UIN Qty
13787	100732516	glass	Shopfloor	Units	1	150		150
13788	100744468	regular item	Shopfloor	CKG	1	0	100	194
13789	100772489	item 1	Shopfloor	Units	1	100	150	250
13790	100772577	item 10	Shopfloor	Units	1	0		0

The Stock Re-Count Detail window is similar to the Stock Count Detail window, but it also allows entry of recounted item quantities.

Window Content

The Stock Re-Count Detail window displays the child stock count description, scheduled date, and user information, as well as the following fields:

Field	Description
Total Line Items	The total number of items (rows) currently displayed, depending on how the list is filtered. (Use of the filter fields is described in " Enter Stock Count Results .")
Snapshot Taken	Indicator of whether a snapshot has been taken for this child count. (See " Take a Snapshot " for more information.)

By default, uncounted discrepant items are listed. You can use the **Count/Re-count Qty, Filter, Dept, Class, and Sub-Class** fields to control which items are listed in the window.

The columns of the Stock Re-Count Detail window are as follows:

Column	Description
Sequence ID	For guided counts that use sequencing, the ID of the location of the item. For guided counts, the list is sorted by Sequence ID. For unguided counts, this column does not appear.
Item	The item ID.
Description	The item description.
UOM	The unit of measure for the item.
Pack Size	The number of packs in a case.
Original Count	The counted quantity of the item from the original count.
Re-Count Qty	The recounted quantity of the item, if the item has been recounted yet.
UIN Qty	The number of unique identification numbers (UIN) counted.

Actions You Can Take

From the Stock Re-Count Detail window, you can do the following:

Action	Method	Reference
Print a Stock Count Detail report	Print button	"Print or Export a Stock Count Report"
Enter stock recount results	(See procedure)	"Enter Recount Results"
Update unique identification numbers (UIN)	(See procedure)	"Update UINs for a Count"
Complete the child stock count	Complete button	"Complete a Child Stock Count"
Exit and save updates	Done button	---
Exit without saving updates	Cancel button	---

Stock Count Authorization Window

The Stock Count Authorization window is available for a child stock count after the count is completed. In this window, you can review count and recount quantities and enter authorized (approved) count quantities for items. When you have updated authorized quantities, you can confirm the authorization to finish the stock count process. SIM automatically creates inventory adjustment transactions to reconcile SIM inventory positions with authorized quantities for counted items.

Note: SIM provides the option to set up stock counts with automatic authorization. This means that the count is authorized automatically after it is completed, and there is no separate authorization procedure.

Figure 16–6 Stock Count Authorization Window

Store Inventory Management

Done

Stock Count
Description: Schedule Deleted Date: 23/11/09

Child Stock Count
Status: New Search
Child: -Select- Clear
Total Items: 4
Discrepant Items: 0

Filter
Item Filter: All Items
Auth Qty: All Items
Unauthorized Items: 0 Advanced Filter

Users
Stock Count User: Emily
Stock Re-Count User:
Authorization User: Emily

Item	Description	UOM	Count Qty	Cnt Var	Cnt Var %	SOH	Authorized Qty	UIN Qty
4201	AAA Barcode- FIX Supp	EA				0	0	0
47101	DD-CA-Barcode	EA				10	0	0
5001	A- Dup 1	EA				200	0	0
5209	A-PK-CA Barcode Item	EA				26	0	0

Client Information QA 001 4 - PS GPA Store Stock Count Detail HELP JUMP

Window Content

At the top, the Stock Count Authorization window displays the child stock count description, scheduled date, and user information. The table lists the items and contains the following columns:

Column	Description
Item	SIM item ID
Description	Item description
UOM	Item unit of measure
Count Qty	Original count quantity
Cnt Var	Original count variance from the snapshot quantity
Cnt Var %	Original count variance percent
Re-Count Qty	Recount quantity (if a recount was required)
Rcnt Var	Recount variance from the snapshot quantity
Rcnt Var %	Recount variance percent
SOH	SIM stock on hand
Authorized Qty	Authorized quantity for the item
UIN Qty	Number of UINs counted

Actions You Can Take

From the Stock Count Authorization window, you can do the following:

Action	Method	Reference
Review quantities and enter authorized quantities manually	(See procedure)	"Update Authorized Quantities Manually"
Update unique identification numbers UIN	Authorization Detail window	"Update UINs Before Authorizing"
Select a child count (if more than one child count)	Child Stock Count controls	"Update Authorized Quantities Manually"
Filter the items listed by their current state	Filter controls	"Update Authorized Quantities Manually"
Filter the items listed by additional criteria you specify	Advanced Filter button	"Filter the Stock Count Authorization List"
Update all blank authorized quantities	Update Auth Qty button	"Other Methods to Update Authorized Quantities"
Confirm the authorization	Confirm Child button	"Authorize a Stock Count"
Save updates (without exiting)	Save Child button	---
Exit and save updates	Done button	---
Exit without saving updates	Cancel button	---

Filter the Stock Count List

Whenever the Stock Count List window is displayed, you can filter the list of stock counts to limit which stock counts are displayed. If the list is currently filtered, the filtering is shown next to the Filter button.



To filter the list of stock counts or to change the current filtering, follow these steps:

1. In the Stock Count List window, click **Filter**. The Stock Count Filter window opens.

Figure 16–7 Stock Count Filter Window

2. Enter or select search values as needed to specify the stock counts that you want to list. All values are optional. If you leave a field blank or select All, all values are included in the search.

Date Filters – In the **Schedule Date** field, enter or select the schedule date of the stock counts you want to list.

Hierarchy Filters – For the **Dept**, **Class**, and **Sub-Class** fields, select the merchandise hierarchy for which you want to list stock counts.

Count Group – Select the stock count group (product group) for which you want to list stock counts.

Type – Select Stock Count, Re-Count, Authorize, or All (default).

3. Click **Search**. You return to the Stock Count List window, where your filter has been applied.

View Future Stock Counts

Future stock counts are stock counts for which the scheduled date has not yet arrived. You can view future stock counts, and you also have the option to extract a count to view its details.

For stock counts that are extracted before the scheduled stock count date, you cannot take any action on the count. Until the scheduled date is reached, you can view future stock counts in the Future Stock Counts List window. These stock counts have no status. When the scheduled date is reached, SIM extracts the count again. The stock count then moves to the Stock Count List window, and its status changes to Stock Count New.

Navigate: Main Menu > Inv Mgmt > Stock Counts. The Stock Count List window opens.

To view future stock counts, follow these steps:

1. Click **Future Stock Counts**. The Future Stock Count Filter window opens.

Figure 16–8 Future Stock Count Filter Window

2. In the **From Date** and **To Date** fields, enter or select dates to set the date range of the future stock counts you want to list. (Click **Reset** if you want to clear the date fields.)
3. Click **Search**. The Future Stock Count List window opens.

Figure 16–9 Future Stock Count List Window

The **Total Items** field displays the total number of items to count in all stock counts listed.

The Future Stock Count List window columns are as follows:

Field	Description
Count Description	The description of the product group schedule that was entered when the schedule was set up.
Count Group	The description of the product group that was entered when the product group was set up.
Date	The date for which the stock count is scheduled.

Field	Description
Product Group Type	The type of stock count product group: Unit, Unit and Amount, or Problem Line.
Approx. Items to Count	An estimate of the number of items to be counted in the stock count. The exact number of items is not known until the stock count is generated on its scheduled date.

4. If you want to extract a future stock count now, follow these steps:
 - a. Double-click the stock count that you want to extract.
A message is displayed: "Do you want to generate the future stock count now?"
 - b. Click **Yes** to extract the selected stock count. The Child Stock Count List window opens, with the generated stock count listed.
 - c. To view the details of the stock count, double-click on the count to open it in the Stock Count Detail window. You cannot enter any count quantities or take any action on the count.
 - d. Click **Done** to return to the Future Stock Count List window.
5. Click **Done** to return to the Stock Count List window.

Print or Export a Stock Count Report

You can view, print, or export stock count reports at any time, for reference or as an aid to completing the count.

Note: You can print reports from the Stock Count List window, Stock Count Child List window, or Stock Count Detail window.

Navigate: Main Menu > Inv Mgmt > Stock Counts. The Stock Count List window opens.

To view or print a stock count report, follow these steps:

1. Select the stock count for which you want a report.
2. Click **Print**. The Report Selection window opens.
3. Select the report you want to produce.
4. In the **Printer** field, select the printer or other output device that you want to use.
5. Click **OK**. The report is produced.

Stock Count Detail Report

The Stock Count Detail report lists the following information for the selected stock count:

- Item number
- Description
- Unit of measure
- Counted quantity

- Authorized quantity
- Recount quantity

Stock Count Extraction Report

The Stock Count Extraction report is primarily designed for use with third-party stock counts, although it can be used for any type of stock count. The report can be modified as required and exported in XML format for interface to a third-party system.

It is assumed that this report will be generated after the snapshot is taken for a stock count. If this report is generated before the snapshot is taken, the unique identification numbers (UIN) and snapshot quantity fields are empty.

The standard report includes the following information:

- Header: Stock count ID, stock count type, store ID
- Detail: Item number, item description, item snapshot quantity, item UINs

Execute a Stock Count

The steps to execute a stock count from start to finish are as follows:

1. [Take a Snapshot](#)
2. [Enter Stock Count Results](#)
3. [Enter Recount Results](#)
4. [Complete a Child Stock Count](#)
5. [Authorize a Stock Count](#)

Take a Snapshot

After you have located the stock count that you want to execute, one of the first steps is to take a snapshot. When you take a snapshot, SIM records the stock on hand position for each item in the count at that point in time. These values are compared against the counted values to determine whether there are discrepant items. After the snapshot is taken, you can continue business without having to update the counted quantities with any transactions. This preserves the original counted quantities for an audit, if you want to conduct an audit.

The stock count status changes to In Progress when you take a snapshot or begin counting items.

When Snapshots Are Taken

The point at which a snapshot is taken depends on the type of stock count. Taking the snapshot affects the status of each stock count.

Note: For a stock count that uses a counting method of Third-Party, you must take the snapshot before the stock count data is uploaded to SIM.

Ad Hoc Stock Counts

For an Ad Hoc stock count, SIM takes a snapshot when the first item is scanned on the handheld device. (There is no product group for an Ad Hoc stock count.)

Unit and Problem Line Stock Counts

For Unit and Problem Line stock count types, SIM takes a snapshot when the first item is scanned on the handheld device. You can also take a snapshot for child counts by using the Take Snapshot button on the Stock Count Child List window, Stock Count Detail window, or Stock Re-count Detail window (for a recount). You cannot enter quantities until the snapshot has been taken.

Unit and Amount Stock Counts

For a Unit and Amount count, the snapshot must be taken from the PC. It is not possible to take a snapshot for a Unit and Amount count type on the handheld device. If your store uses unique identification numbers (UIN), the snapshot must be taken before the count can begin. If your store does not use UINs, you can start a count on the handheld device without having taken the snapshot.

When a snapshot is taken for a Unit and Amount count type, it is taken for all child counts at the same time. Only one snapshot is taken for a Unit and Amount count type. There is no separate snapshot for a recount.

None of the individual child counts can move to Re-Count or Authorize stage until the snapshot has been taken.

Take the Count Snapshot

The initial snapshot for a stock count can be taken in either of these ways:

- [From the Stock Count Child List Window](#)
- [From the Stock Count Detail Window](#)

From the Stock Count Child List Window

Navigate: Main Menu > Inv Mgmt > Stock Counts. The Stock Count List window opens.

To take the snapshot, follow these steps:

1. If you want to filter the Stock Count List, click **Filter**. See "[Filter the Stock Count List](#)."
2. Double-click on the stock count for which you want to take a snapshot. The Stock Count Child List window opens.
3. Select the child counts for which you want to take snapshots.

Note: For Unit and Amount counts, the snapshot is taken for *all* child counts, regardless of the counts selected in the list. A Monitor window opens to inform you that the snapshot is being taken. You can close the Monitor window and continue with other SIM tasks. (If you do not close the window, it closes automatically when snapshot processing is completed.)

4. Click **Take Snapshot**.
5. Click **Done** to return to the Stock Count List window.

From the Stock Count Detail Window

Navigate: Main Menu > Inv Mgmt > Stock Counts. The Stock Count List window opens.

To take the snapshot, follow these steps:

1. Double-click on the stock count for which you want to take a snapshot. The Stock Count Child List window opens.
2. Double-click on the child count for which you want to take a snapshot. The Stock Count Detail window opens.
3. Click **Take Snapshot**.
4. Click **Done** to return to the Stock Count Detail window.

If you want to start entering stock count quantities, see "[Enter Stock Count Results](#)."

Snapshots for Recounts

After a count is completed, SIM performs variance calculations for all items. If the count for an item exceeds variance limits, the item count is discrepant. If the product group setup requires a recount of discrepant items, you follow the same steps to take a snapshot. The recount snapshot records the current stock on hand levels for all the items on the recount.

You can take a recount snapshot from either the Stock Count Child List window or the Stock Re-Count Detail window.

Note: For Unit and Amount count types, there is no snapshot taken for a recount.

Recounts are optional, depending on the product group setup. Recounts do not apply to ad hoc stock counts or third-party stock counts.

Unique Identification Numbers (UIN) Status on Snapshots

If your store uses UINs, the snapshot captures the status of those items that are in the store as part of the store's stock on hand, as well as those UINs that are in missing status:

- In Stock
- Customer Order Reserved
- Reserved for Shipping
- Unavailable
- Missing
- Removed from Inventory

The UINs in these statuses are displayed in the Stock Count Authorization window, so that you can see which UINs are not counted.

View Product Group Details

At any time when the Stock Count Child List window is open, you can click the View Details button to view detailed information about the stock count product group. (Only users with the required permissions can create and change product groups.)

Navigate: Main Menu > Inv Mgmt > Stock Count. The Stock Count List window opens.

To view details about the product group for the child counts listed, follow these steps:

1. Double-click on the stock count for which you want to view product group details. The Stock Count Child List window opens.
2. Click **View Details**. The Product Group Detail window opens.

Figure 16–10 Product Group Detail Window

3. Click **Done** to close the window and return to the Child Stock Count List window.
4. Click **Done** to return to the Stock Count List window.

Enter Stock Count Results

When you perform a stock count, you count all stock in the store for the items. Unavailable inventory must be counted as well. For example, if some items are ready to be returned to a supplier but the return has not yet been dispatched, the items are counted, even though they will not be placed on the shop floor for sale.

For the original count and a recount (if a recount is required), the procedure is the same. For a recount, the data entry window is slightly different; see "[Enter Recount Results](#)."

Note: For Unit and Problem Line counts, you must take the snapshot before you enter quantities.

Navigate: Main Menu > Inv Mgmt > Stock Counts. The Stock Count List window opens.

To enter stock count results, follow these steps:

1. If you want to filter the Stock Count List, click **Filter**. See "[Filter the Stock Count List](#)."
2. Double-click on the stock count for which you want to enter count results. The Stock Count Child List window opens.

3. If you want to view details about the stock count product group, click **View Details** in the Product Group Details section. See "[View Product Group Details](#)."
4. Double-click on the child stock count for which you want to enter results. The Stock Count Detail window opens.
5. By default, the uncounted items in the stock count are listed. In the **Count Qty** field, you can select which items you want to list, as follows:
 - Select **Uncounted** (default) to list only those items for which no quantity has been entered in the Count field.
 - Select **Counted** to list only those items for which a count has been entered.
 - Select **All** to list both counted and uncounted items.

You can change these selections at any time while you are entering counts.

6. If you want to limit the items listed to those in a particular merchandise hierarchy, use the **Dept**, **Class**, and **Sub-Class** fields to select which items to list.
You can change these selections at any time while you are entering counts.
7. For each item count you want to enter, follow these steps:
 - a. In the **Count Qty** field, double-click to activate edit mode.
 - b. Type the count value and press Enter.
8. If you want to update unique identification numbers (UIN), see "[Update UINs for a Count](#)."
9. When you have finished entering item counts, click **Done** to save the changes and return to the Stock Count Child List window.

If you have finished entering all item counts, you have the option to complete the count. See "[Complete a Child Stock Count](#)."

Enter Recount Results

If a recount is required, the procedure to enter the recount results is similar to the procedure for the original count.

Note: If you are recounting a Unit or Problem Line count, you must take a new snapshot for the recount before entering quantities. See "[Take a Snapshot](#)."

1. If you want to filter the Stock Count List, click **Filter**. See "[Filter the Stock Count List](#)."
2. Double-click on the stock count for which you want to enter recount results. The Stock Count Child List window opens.
3. If you want to view details about the stock count product group, click **View Details** in the Product Group Details section. See "[View Product Group Details](#)."
4. Double-click on the child stock count for which you want to enter recount results. The Stock Re-Count Detail window opens.
5. By default, the uncounted items in the stock count are listed. In the **Re-Count Qty** field, you can select which items you want to list, as follows:

- Select **Uncounted** (default) to list only those items for which no quantity has been entered in the Re-Count field.
- Select **Counted** to list only those items for which a count has been entered.
- Select **All** to list both counted and uncounted items.

You can change this selection at any time while you are entering recounts.

6. If you want to limit the items listed to those in a particular merchandise hierarchy, use the **Dept**, **Class**, and **Sub-Class** fields to select which items to list.

You can change these selections at any time while you are entering counts.

7. By default, the discrepant items from the original count are listed. In the **Filter** field, you can select which items you want to list, as follows:

- Select **Discrepant** (default) to list only those items for which the original count was discrepant.
- Select **All Items** to list both discrepant and nondiscrepant items.

You can change this selection at any time while you are entering recounts.

8. For each item recount you want to enter, follow these steps:

- a. In the **Re-Count Qty** field, double-click to activate edit mode.
- b. Type the recount value and press Enter.

9. If you want to update unique identification numbers (UIN), see "[Update UINs for a Count](#)."

10. Click **Done** to save the changes and return to the Stock Count Child List window.

If you have finished entering all item recount quantities, you have the option to complete the count. See "[Complete a Child Stock Count](#)."

Update UINs for a Count

If a stock count includes items that require unique identification numbers (UIN), these UINs must be scanned or entered while counting stock. You can add and delete UINs for a child count. Follow these steps:

1. In the Stock Count Detail or Stock Re-Count Detail window, double-click on the **UIN Qty** field for the item. The UIN window opens.
2. For each UIN that you need to add, click **Add** and enter a valid UIN.
3. To delete a UIN, select it and click **Delete**.
4. Click **Done** to save your changes and return.

Complete a Child Stock Count

For each child stock count, you can continue to enter and update count or recount values as needed until all the child counts have been completed. You can complete the count in either of these ways:

- [From the Stock Count Detail Window](#)
- [From the Stock Count Child List Window](#)

From the Stock Count Detail Window

Navigate: Main Menu > Inv Mgmt > Stock Count. The Stock Count List window opens.

To complete a child count, follow these steps:

1. If you want to filter the Stock Count List, click **Filter**. See "[Filter the Stock Count List](#)."
2. Double-click on the stock count for which you want to complete one or more child counts. The Stock Count Child List window opens.
3. Double-click the child count that you want to complete. The Stock Count Detail window opens.
4. Click **Complete**.
A confirmation prompt is displayed.
5. Click **Yes**.
6. You return automatically to the Stock Count List window.

From the Stock Count Child List Window

Navigate: Main Menu > Inv Mgmt > Stock Count. The Stock Count List window opens.

To complete a child count, follow these steps:

1. If you want to filter the Stock Count List, click **Filter**. See "[Filter the Stock Count List](#)."
2. Double-click on the stock count for which you want to complete one or more child counts. The Stock Count Child List window opens.
3. Select the child counts that you want to complete.
4. Click **Complete**.
A confirmation prompt is displayed.
5. Click **Yes**.
6. Click **Done** to return to the Stock Count List window.

Status Changes

When you complete the child count or recount, the status of the child count changes as follows:

- For the original count, if any items are discrepant and no recount is required, the child count status changes to Authorize New.
- For the original count, if there are no discrepant items and no recount is required, the child count status changes to Authorize Completed.
- For the original count, if any items are discrepant and a recount is required, the child count status changes to Re-Count New.
- For a recount, the child count status changes to Authorize New if there are discrepant items. If there are no discrepant items, the status changes to Authorize Completed.
- For a guided count, if all locations for an item have not been counted when you click the Complete button, the child count status changes to Pending.

- For a Unit and Amount count, if the snapshot has not been taken when you click the Complete button, the child count status changes to Pending.

The status of the master count does not change until all child counts are completed. See "[Stock Count Status](#)" for more information.

Authorize a Stock Count

A child stock count moves to Authorize New status after the count and recount (if required) are completed and there are discrepant item counts (see "[Complete a Child Stock Count](#).") The master stock count moves to Authorize New status when all child counts are completed.

When a stock count is ready for authorization, the last stage of the count requires entering the authorized (approved) quantities for items in the count.

Notes:

- Only users with the necessary permissions can enter and confirm authorized quantities.
 - If the product group was set up for automatic authorization of the count, these authorization procedures do not apply. The child stock counts are automatically authorized when completed, and authorized quantities are updated automatically.
-
-

At this point, some stock count quantities might match SIM inventory levels or be within the variance count or percentage set for the product group. There might also be discrepant item counts, if the recount also resulted in discrepancies. You can accept counted quantities or enter different authorized quantities for all items. If you want SIM to fill in authorized quantities for you, the quantities used are based on system settings and defaults as described in the following topics.

You can update authorized quantities using one or more of the following methods:

- [Update Authorized Quantities Manually](#)
In the Stock Count Authorization window, you can enter authorized values for any items in the count, one by one.
- [Other Methods to Update Authorized Quantities](#)
With several different methods (buttons), you can have SIM fill in any blank authorized quantities.

If a stock count contains items that require unique identification numbers (UIN), you can also add and delete UINs before you authorize the count. See "[Update UINs Before Authorizing](#)."

Update Authorized Quantities Manually

You can enter authorized quantities for any items in a stock count. For a count with many different items, you may want to enter authorized quantities only for certain items. You do not have to enter any approved quantities manually, if you prefer to use the SIM defaults for authorized quantities (see "[Other Methods to Update Authorized Quantities](#)").

Note: You can enter some authorized quantities manually and have SIM fill in the rest of the authorized quantities.

Navigate: Main Menu > Inv Mgmt > Stock Count. The Stock Count List window opens.

To enter authorized quantities manually, follow these steps:

1. If you want to filter the Stock Count List, click **Filter**. See "[Filter the Stock Count List](#)."
2. Double-click on the stock count for which you want to enter authorized quantities. The Stock Count Child List window opens.
3. Click **Authorize**. The Stock Count Authorization window opens.

Note: If there is only one child count for the master count, the items of the child count are listed. If there is more than one child count, you must select the child count you want (see Step 4).

For each item, the Stock Count Authorization window lists the following:

- The count quantity, count variance, and count variance percentage
 - The recount quantity, recount variance, and recount variance percentage (if there was a recount)
 - The SIM stock on hand quantity (SOH column)
4. If there is more than one child count, select the child count in the **Child Stock Count** section as follows:
 - a. If you want to clear the selection fields, click **Clear**.
 - b. In the **Status** field, select the status of the child count you want.
 - c. In the **Child** field, select the child count.
 - d. Click **Search**.
 5. To filter the items of the child count that are listed, use fields in the **Filter** section as follows:
 - a. In the **Item Filter** field, select Discrepant Items or All Items.
 - b. In the **Auth Qty** field, select Authorized, Unauthorized, or All Items.

You can change this filtering whenever you want.
 6. If you want to filter the item list further (for example, to find items that far exceed the allowed count variance), click the **Advanced Filter** button. See "[Filter the Stock Count Authorization List](#)."
 7. For each item for which you want to enter the authorized quantity manually, follow these steps:
 - a. Double-click in the **Authorized Qty** field to activate edit mode.
 - b. Enter the authorized quantity for the item.
 - c. Press Enter (or press Tab to go to the next item).
 8. When you are finished entering authorized quantities, do one of the following:

- Click **Save Child** to save your entries. You can click this button as often as you want to save all entries you have completed so far. You remain in the Stock Count Authorization window, where you can continue updating authorized quantities for any of the child counts.
- Click **Done** to save your entries and return to the Stock Count Child List window.
- If you want SIM to fill in the remaining blank authorized quantities, click **Update Auth Qty**. See "[Update Auth Qty Button – Stock Count Authorization Window](#)" for more information.
- If you want SIM to confirm (permanently save) all authorized quantities, click **Confirm Child**. See "[Confirm Child Button – Stock Count Authorization Window](#)" for more information.

Note: You can also confirm all child counts by clicking the Confirm Authorization button in the Stock Count Child List window. Clicking that button automatically updates the authorization quantities with the last counted quantities and confirms the master count.

Filter the Stock Count Authorization List

You can apply additional filters to specify which items you want to list in the Stock Count Authorization window.

To filter the Stock Count Authorization list, follow these steps:

1. Click **Advanced Filter**. The Authorization Filter window opens.

Figure 16–11 Authorization Filter Window

2. Enter or select search values as needed to specify the child counts that you want to list. All values are optional. If you leave a field blank or select All, all values are included in the search.

Hierarchy- Select department, class, and subclass values as needed. The items displayed in the list will be those items in the stock count for the hierarchy that you select.

Variance Filters- These filters allow you to filter the list to only those item counts that are discrepant by a count or percentage equal to or greater than you specify. You can use either or both of these fields:

- **Variance SUOM** – Enter a count threshold value in the standard unit of measure for an item count to be discrepant. Counts that are discrepant by a count equal to or greater than this value, plus or minus, will be listed.
 - **Variance %** – Enter a count percentage threshold value for an item count to be discrepant. Counts that are discrepant by a percentage equal to or greater than this percentage, plus or minus, will be listed.
3. Click **Search**. You return to the Stock Count Authorization window, where your filter has been applied.

Other Methods to Update Authorized Quantities

There are several methods to update authorized quantities, and optionally confirm authorized quantities, in one step. You can complete and confirm authorized quantities after you have entered some quantities manually, or you can complete authorized quantities without any manual entries. There are several ways to do this, using the following buttons in SIM windows:

- **Update Auth Qty Button – Stock Count Authorization Window**
 With this method, all empty authorized quantities for the current child count are filled in with the last count or recount quantity. You still have the option to change values manually before confirming the count, and you can save or discard all changes to authorized quantities.
- **Update Auth Qty Button – Stock Count Child List Window**
 With this method, all empty authorized quantities for the selected child counts are filled in with the last count or recount quantity. You still have the option to change values manually before confirming the count.
- **Confirm Child Button – Stock Count Authorization Window**
 With this method, the child count moves to Authorize Completed status (Authorize Confirmed for a Unit and Amount count). No further changes can be made to authorized quantities in the confirmed child count.
- **Confirm Authorization Button – Stock Count Child List Window**
 With this method, all empty authorized quantities for all child counts are filled in with the last counted quantities. The child counts and the master count move to Authorize Completed status (Authorize Confirmed for a Unit and Amount count). No further changes can be made to any authorized quantities in any child counts.

Caution: If you want to enter authorized quantities for certain items manually, enter these quantities before you click either the **Confirm Child** or **Confirm Authorization** button. Quantities that are confirmed cannot be changed.

Default SIM Values for Blank Authorized Quantities

When SIM fills in blank authorized quantities, the following rules apply:

- The authorized quantity for an item is filled in with the last counted quantity. If a recount was done, the recount value is used.
- For Unit and Amount counts, if there is no count or recount quantity entered, the authorized quantity is 0 (zero). All authorized quantities must be filled in for a Unit and Amount count.

- For Unit, Problem Line, and Ad Hoc count types, if there is no count or recount quantity entered, the authorized quantity is blank (null) or zero, depending on your SIM system settings. These count types can include uncounted items.

See the *Oracle Retail Store Inventory Management Implementation Guide* for information about SIM system options that control default values for authorized stock count quantities.

Update Auth Qty Button – Stock Count Authorization Window

Use this method to have SIM fill in all empty authorized quantities for the current child count (in Authorize New or Authorize In Progress status). You can still update authorized quantities through manual entries before or after you select this action. This action does not change any quantities that you entered previously, either through manual entries or by using this button.

Navigate: Main Menu > Inv Mgmt > Stock Count. The Stock Count List window opens.

To update authorized quantities for one child count, follow these steps:

1. If you want to filter the Stock Count List, click **Filter**. See "[Filter the Stock Count List](#)."
2. Double-click on the stock count for which you want to enter authorize quantities. The Stock Count Child List window opens.
3. Click **Authorize**. The Stock Count Authorization window opens.

Note: If there is only one child count for the master count, the items of the child count are listed. If there is more than one child count, you must select the child count you want (see Step 4).

4. If there is more than one child count, select the child count in the **Child Stock Count** section as follows:
 - a. If you want to clear the selection fields, click **Clear**.
 - b. In the **Status** field, select the status of the child count you want.
 - c. In the **Child** field, select the child count.
 - d. Click **Search**.
5. To filter the items of the child count that are listed, use fields in the **Filter** section as follows:
 - a. In the **Item Filter** field, select Discrepant Items or All Items.
 - b. In the **Auth Qty** field, select Authorized, Unauthorized, or All Items.

You can change this filtering whenever you want.
6. Click **Update Auth Qty**. This message is displayed: "All discrepant items without authorized quantities will be defaulted with the last counted quantity. Do you wish to continue?"

Note: For Unit and Amount counts, the message will say "all items." For other count types, the message might also say "all items," depending on your SIM system settings.

7. Click **Yes**.
8. Do one of the following:
 - Click **Save Child** to save the authorized quantity entries. You can click this button as often as you want to save all entries completed so far. You remain in the Stock Count Authorization window, where you can continue updating authorized quantities for any of the child counts.
 - Click **Done** to save the entries and return to the Stock Count Child List window.
 - If you want SIM to confirm (permanently save) all authorized quantities, click **Confirm Child**. See "[Confirm Child Button – Stock Count Authorization Window](#)" for more information.

Update Auth Qty Button – Stock Count Child List Window

Use this method to have SIM fill in all empty authorized quantities for one or more of the child stock counts listed in the Stock Count Child List window (in Authorize New or Authorize In Progress status). You can still update authorized quantities through manual entries before or after you select this action, as long as the count has not yet been confirmed. This action does not change any quantities that you entered previously, either through manual entries or by using this button.

Navigate: Main Menu > Inv Mgmt > Stock Count. The Stock Count List window opens.

To update authorized quantities for one child count, follow these steps:

1. If you want to filter the Stock Count List, click **Filter**. See "[Filter the Stock Count List](#)."
2. Double-click on the stock count for which you want SIM to complete the authorized quantities. The Stock Count Child List window opens.
3. Select the child counts for which you want SIM to update the authorized quantities.
4. Click **Update Auth Qty**. This message is displayed: "All discrepant items without authorized quantities will be defaulted with the last counted quantity. Do you wish to continue?"
5. Click **Yes**.

At this point, you can optionally view or edit the authorized quantities or confirm the child count; see "[Confirm Child Button – Stock Count Authorization Window](#)."

6. Click **Done** to return to the Stock Count List window.

Confirm Child Button – Stock Count Authorization Window

Use this method when you have completed all manual entries for authorized quantities. This action does not change any quantities that you entered previously, either through manual entries or by using the **Update Auth Qty** button

When you confirm a child count, quantities and status are affected as follows:

- **Ad Hoc, Unit** and **Problem Line** stock count types – Empty authorized quantities are left blank (null, not counted). The status of the child count changes to Authorize Completed.
- **Unit and Amount** stock count type – Authorized quantities cannot be blank. If any authorized quantities are blank, a message asks whether you want to use the last counted quantities. If you answer No, no action is taken. If you answer Yes, the

last count or recount quantity is filled in for any blank authorized quantity, and the child count moves to Authorize Confirmed status.

No further changes can then be made to authorized quantities. SIM inventory adjustments are written for those items that have authorized quantities different from those of the snapshot of the stock on hand.

Navigate: Main Menu > Inv Mgmt > Stock Count. The Stock Count List window opens.

To confirm a child count, follow these steps:

1. If you want to filter the Stock Count List, click **Filter**. See "[Filter the Stock Count List](#)."
2. Double-click on the stock count for which you want to confirm one or more child counts. The Stock Count Child List window opens.
3. Click **Authorize**. The Stock Count Authorization window opens.

Note: If there is only one child count for the master count, the items of the child count are listed. If there is more than one child count, you must select the child count you want (see Step 4).

4. If there is more than one child count, select the child count in the **Child Stock Count** section as follows:
 - a. If you want to clear the selection fields, click **Clear**.
 - b. In the **Status** field, select the status of the child count you want.
 - c. In the **Child** field, select the child count.
 - d. Click **Search**.
5. Click **Confirm Child**. A confirmation prompt is displayed.

Note: If the message, "This child count has already been confirmed" displays, the child count is already in completed status.

6. Click **Yes** to confirm the child.
7. Click **Done** to return to the Stock Count Child List window.

Confirm Authorization Button – Stock Count Child List Window

Use this "blind" authorization method to complete all blank authorized quantities for all child counts and make the changes permanent. The child counts and the master count move to Authorize Completed status. SIM inventory adjustments are also written for those items that have authorization quantities different from those of the snapshot of the stock on hand. No further changes can be made to any authorized quantities in any child counts.

Navigate: Main Menu > Inv Mgmt > Stock Count. The Stock Count List window opens.

To fill in all authorized quantities and change all child counts to Authorize Completed, follow these steps:

1. If you want to filter the Stock Count List, click **Filter**. See "[Filter the Stock Count List](#)."

2. Double-click on the stock count for which you want to complete the authorized quantities and confirm authorization. The Stock Count Child List window opens.
3. Click **Confirm Authorization**. A message is displayed: "All items with blank authorization quantities will be set to the last counted quantity. Would you like to continue?"
4. Click **Yes**. The status of the child count moves to Authorize Completed.


Update UINs Before Authorizing

For items that require UINs, the values of the Authorized Qty and UIN Qty fields should be equal. You can add and delete UINs as needed before you authorize the count.

To update UINs for the child count, follow these steps:

1. In the Stock Count Authorization window, double-click on the item for which you want to update UINs. The Authorization Detail window opens.

Figure 16–12 Authorization Detail Window



By default, the Authorization Detail lists uncounted items. Use the **Filter** drop-down to select whether to list uncounted, counted, or all items.

Items are listed as follows:

- For items that do not require UINs, one row is listed per location.
- For items that require UINs, one row is listed per UIN/location combination. All UINs that were counted are listed, as well as all UINs that should have been counted (based on their status when the snapshot was taken), regardless of the current Filter selection.

For each item, the following information is listed:

Column	Description
Location	For sequenced stock counts, the location name. For other stock counts, "No Location" is displayed.
UIN	Unique identification number of the item. For items that require UINs, all UINs are listed, regardless of whether they were counted or recounted.
UIN Status	Status of the UIN (such as Missing, Reserved for Shipping).
Count Qty	Count quantity for the item in the location. For an item that requires UINs, this value is 1, 0, or null (not counted).
Re-Count Qty	Recount quantity for the item in the location. For an item that requires UINs, this value is 1, 0, or null (not recounted).
Auth Qty	<p>For an item that does not require UINs, this is the same as the Auth Qty from the Stock Count Authorization window.</p> <p>For an item that requires a UIN, the value of this field determines whether the UIN will be considered counted and confirmed. A value of 1 indicates that you want to authorize this UIN. A value of 0 indicates that you do not want to authorize this UIN for the count. A null value indicates the item was not counted or recounted.</p> <p>When a UIN item is authorized in a stock count, the UIN status is changed to In Stock if it has one of the following statuses: Missing, Sold, Customer Order Fulfilled, Shipped to Warehouse, Shipped to Vendor, Shipped to Finisher, Removed from Inventory.</p> <p>For the statuses Customer Order Reserved, Unavailable, or Reserved for Shipping, the status is not changed.</p>

2. To add a serial number type UIN, follow these steps:
 - a. Click **Add**.
 - b. Update the **UIN** and **Auth Qty** fields in the new row.
3. To generate UINs for an Auto Generate SN (AGSN) type UIN, follow these steps:
 - a. Click **Auto Generate**. The Auto Generation window opens.

Figure 16–13 Auto Generation Window – Stock Counts



- b. In the **Number of AGSNs** field, enter the number of AGSNs you want to generate.
 - c. Click **OK**.
4. To delete a UIN, select the row and click **Delete**.
5. Click **Done** to save your changes and return to the Stock Count Authorization window.

View and Update Rejected Items

Some counted items might be rejected when data is scanned or imported into SIM. You can view rejected items, if any, and assign valid SIM item IDs to items not on file and nonranged items. You can also update unique identification numbers (UIN) if they are required for some items in the count.

Reasons for Rejection

An item that does not require unique identification numbers (UIN) can be rejected for the following reasons:

- **Item Not on File**

Not on file items are items that are not found in the SIM enterprise-wide inventory. These items might not be set up in the merchandising system. Not on file items can be added to the count.
- **Item Not at Store**

Nonranged items are items that are in the SIM inventory, but they have not been ranged to the store. These items can also be added to the count.
- **Item Not on Count**

Not on count items are items that are not included in the stock count product group. These items cannot be added to the stock count, and they should not have been counted. You cannot take any action with these items.

Rejected Items That Require UINs

For items that require UINs, these statuses can apply:

- **UIN Duplicate**

The same UIN was counted twice for the same valid SIM item during the third-party count. SIM accepts the first item/UIN combination but rejects any duplicates.
- **UIN Required**

A valid SIM item was counted, but the UIN was not provided in the third-party data file. You can assign a valid SIM item ID and UIN.
- **UIN Not on Count**

A UIN was scanned, but the item/UIN combination does not exist in the product group element selected for the count. You cannot take any action with these items. (You can view the UINs that were counted.)
- **UIN Not at Store**

The item/UIN combination exists at a different store. Depending on your SIM system configuration, you may be able to reassign this item/UIN combination to your store. If your SIM configuration does not allow reassignment, you cannot take any action with these items.
- **UIN Not on File**

The item is not on file in SIM. You can assign the item a valid SIM item ID, but you must also enter a UIN for the item.
- **AGSN Required**

If Auto-Generated SN type UINs are required for the item, but the counted items do not have AGSNs assigned in the third-party data file, the items are rejected. You must generate the AGSNs; see "[Update UINs Before Authorizing](#)."

View and Update Rejected Items

You can update rejected items to add item IDs and UINs as required.

Navigate: Main Menu > Inv Mgmt > Stock Count. The Stock Count List window opens.

To view and update rejected items, follow these steps:

1. If you want to filter the Stock Count List, click **Filter**. See "[Filter the Stock Count List](#)."
2. Double-click on the stock count for which you want to view the rejected items. The Stock Count Child List window opens.
3. Click **Rejected Items**. The Rejected Items window opens.

Note: If there are no rejected items for the count, a message is displayed to inform you that there are no rejected items. In that case, the Rejected Items window does not open, and the remaining steps of this procedure do not apply.

Figure 16–14 Rejected Items Window

SIM Item Id	Item Descrip...	Rejected Ite...	Rejected UIN	Status	Count Quantity	Count Location	Comments	User ID	UIN Qty
		100111305	100111305	UIN Not On File	1			Sue	
		100042004	123	UIN Not In Vali...	1			Sue	
		100042004	100042004	UIN Not On File	1			Sue	
		100042004	477	UIN Not On File	1			Sue	
		100042004	8888	UIN Not On File	1			Sue	
		4321		Item Not On C...	1			Sue	
		100042004	g15	UIN Not On File	1			Sue	
		100042004	U33	UIN Not On File	1			Sue	
		100042004	U55	UIN Not On File	1			Sue	
		100042004	001	UIN Not On File	1			Sue	
		100042004	002	UIN Not On File	1			Sue	
		100042004	003	UIN Not On File	1			Sue	
100042004	PS Item 100042...	100042004	004	UIN Not On File	2			Sue	0
		100042004	81J	UIN Not On File	1			Sue	
		100042004	100042004	UIN Not On File	1			Sue	
		100084105		Item Not On C...	1			Sue	
		100042004	111111185	UIN Not On File	1			Sue	
100264151	Eswari	1111124586		Item Not On File	1			Sue	0
		100125710	G55	UIN Not On File	1			Sue	
		1000207004		Item Not On File	1			Sue	
		100020704	88	UIN Not On File	1			Sue	
		100020704	V4	UIN Not On File	1			Sue	
		100064704	1165	UIN Is Duplicate	1			Sue	
		100064704	190	UIN Not On File	1			Sue	
		100064704	190	UIN Not On File	1			Sue	
		100064704	1192	UIN Not On File	1			Sue	

You can add items to the count if the Status value is either Item Not At Store or Item Not On File. You can enter item IDs for individual items, or you can assign one item ID to all items that do not yet have item IDs in the SIM Item ID column.

You can also correct problems with UINs for rejected items that have the following statuses:

- UIN Duplicate
- UIN Required
- UIN Not at Store
- UIN Not on File

Note: For items that require AGSNs, you can generate the required AGSNs from the Authorization Detail window. See "[Update UINs Before Authorizing](#)."

4. To add a SIM item ID to a single item, follow these steps:
 - a. Select the rejected item you want to look up.
 - b. In the Item field, click the **Ellipsis** button to look up the item.

In the Item Lookup window, enter search criteria as needed to find the item you want. (See "[Item Lookup](#)" in [Chapter 22](#) for more information about item lookup criteria.) Select the item and click **Use Item** to return to the Rejected Items window.
5. To assign the same SIM item ID to all items on the rejected list that do not yet have SIM Item ID values, follow these steps:

- a. In the Item field, click the **Ellipsis** button to look up a valid item.

In the Item Lookup window, enter search criteria as needed to find the item you want. Select the item and click **Use Item** to return to the Rejected Items window.
- b. Click **Assign to All**.

Note: The selected item ID is assigned to all rejected items that do not yet have a valid SIM Item ID value. Items for which you have already assigned item IDs are not changed. Be sure that the item ID you assign with the Assign to All button is correct for all items to which it is assigned. If necessary, fix errors by assigning different IDs to individual items (see Step 4).

6. To correct problems with duplicate or missing UINs, follow these steps:

Note: An item must have a valid SIM item ID before you can assign it a unique identification number.

- a. Double-click the item. The UIN window opens.
 - b. Enter the correct UIN for the item.
 - c. Click Done to save your changes and return to the Rejected Items window.
7. For items with status UIN Not on File, follow these steps:

Note: Items with UIN Not on File status can be assigned to your store only if your SIM system configuration allows it.

- a. Double-click the item. You receive a prompt asking whether you want to assign the UIN to your store.
 - b. Click **OK** to assign this UIN to your store.
8. Click **Done** to save your changes and return to the Stock Count Child List window.
 9. Click **Done** to return to the Stock Count List window.

Delete Stock Counts

You cannot delete stock counts for which any child counts are in Authorize Completed status. You can delete ad hoc stock counts only if they are in Authorize New or Authorize In Progress status. See "[Stock Count Status](#)" for more information.

Navigate: Main Menu > Inv Mgmt > Stock Counts. The Stock Count List window opens.

To delete stock counts, follow these steps:

1. If you want to filter the stock counts listed, click **Filter**. See "[Filter the Stock Count List](#)."
2. Select the stock counts that you want to delete.
3. Click **Delete**. A message is displayed: "Are you sure you want to delete the selected stock counts now?"

Note: If you have selected any stock count that cannot be deleted, you receive an error message and that count is not deleted.

4. Click **Yes**. The stock counts are deleted.

Stock Count Status

From start to completion, each stock count proceeds through different stages and statuses. In each of these stages, you can perform certain actions with the stock count.

Stages and Statuses

The stages of a stock count are as follows:

- Future Stock Count
- Stock Count
- Re-count
- Authorize

Each stock count stage (displayed as Type) for the master count has statuses and rules as described in the following.

Future Stock Count

These stock counts have no status. When the scheduled date is reached, SIM extracts the count again. The stock count then moves to the Stock Count List window, and its status changes to Stock Count New.

Stock Count New

All stock counts extracted on the scheduled date begin as Stock Count New. If Daily Sales Processing is being used, you can select whether the count is being performed before or after store hours.

Note: The before or after store hours setting cannot be changed after the count has moved to In Progress, when the count process has started or the snapshot has been taken.

For a count in Stock Count New status, you can take the snapshot, enter count quantities, save the count, or print a report.

Note: For Unit and Problem Line counts, you cannot enter count quantities until the snapshot has been taken. When you are using Third-party counting method, the snapshot must be taken before the stock count data is uploaded to SIM.

Stock Count In Progress

A stock count moves to Stock Count In Progress after you start the counting process or take the snapshot. You can perform an initial count of the items listed in the stock count. This initial count can be completed immediately, or saved and completed later.

Re-count New

The stock count moves to Re-count New after the initial count has been completed but discrepant item counts exist.

Note: A recount occurs only if the product group requires recounting of discrepant items.

There is no recount process for ad hoc stock counts or third-party stock counts

Re-Count In Progress

A stock recount moves to Re-count In Progress after you start the counting process or take the snapshot.

Note: A snapshot cannot be taken on the recount for Unit and Amount counts.

You can perform a recount that occurs after the initial count. This recount can be completed immediately, or saved and completed later.

Authorize New

The stock count moves to Authorize New after the count process and recount process, if required, are completed. The stock count is typically confirmed by a manager who

confirms the count and recount quantities. In confirming the count, there is an option to automatically fill all authorized quantities with the last count quantity.

For third-party stock counts, if you do not use the auto-authorize process, you can assign not-on-file items to valid SIM item IDs before you confirm the count.

Authorize In Progress

The stock count moves to Authorize In Progress after a single child count authorized quantity has been saved or confirmed.

Authorize Completed

The stock count moves to Authorize Completed after all child counts have been confirmed.

After the stock count moves to Authorize Completed, you can only view the stock count, and you cannot change any quantities.

Actions That Change Stock Count Type and Status

The following tables summarize the actions that move a stock count to a particular stage (Type) and status.

Note: A status does not apply to future stock counts. Future stock counts can be viewed before their scheduled dates, but you can take no action with them.

Master Stock Counts

Master stock counts are counts that are split into one or more child counts. The status of the master count depends on the statuses of the child counts. The status cannot change until the status of each child count has changed. The status changes from New to In Progress, however, when a single child stock count moves to In Progress, or when the snapshot is taken.

Action	Stock Count Stage (Type)	Stock Count Status
Future count extracted before the scheduled date	Future Stock Count	N/A
New count extracted on the scheduled date	Stock Count	New
Snapshot taken of one or more child counts	Stock Count	In Progress
Count completed for a single child count, and at least one child is not completed yet	Stock Count	In Progress
Count completed for all children	Re-Count (If a recount is required, otherwise Authorize)	New
Recount completed for a single child count, and at least one child count is not completed	Re-Count	In Progress
Recount completed for all child counts	Authorize	New

Action	Stock Count Stage (Type)	Stock Count Status
Authorization completed for a single child count, and at least one child is not authorized	Authorize	In Progress
All child counts completed for the stock count (Unit, Problem Line)	Authorize	Completed

Child Stock Counts

Child stock counts are counts that belong to a master stock count. A large stock count might have many child counts, but a smaller count might have only one child count. You can perform actions on each of the child counts separately. Until all child counts change status, the status of the master count does not change.

Notes:

- A child count is in Pending status in these cases:
 - For Unit and Amount counts (guided and unguided), the child stock count quantities have been entered and the count has been completed, but the snapshot has not been taken.
 - For guided counts (Unit, Problem Line, Unit and Amount), the child stock count has been completed but there is at least one item that has not been counted in all its locations. After the item has been counted in all locations, the count is ready for authorization.
 - A status does not apply to future stock counts. Future stock counts can be viewed before their scheduled dates, but you can take no action with them.
-
-

Action	Stock Count Stage (Type)	Stock Count Status
Future count extracted before the scheduled date	Future Stock Count	N/A
New count extracted on the scheduled date	Stock Count	New
Snapshot not taken but count started and Complete button clicked (Unit and Amount only, both guided and unguided)	Stock Count	Pending
At least one item not counted in all locations (Unit, Problem Line, Unit and Amount guided counts only)	Stock Count	Pending
Snapshot taken of child count but count not completed	Stock Count	In Progress
Count completed for child and snapshot taken	Re-Count (If a recount is required, otherwise Authorize)	New
Recount started and saved	Re-Count	In Progress
Recount completed	Authorize	New

Action	Stock Count Stage (Type)	Stock Count Status
Child count authorized	Authorize	Completed

Pick Lists


You can create either within-day or end-of-day pick lists for replenishment. The two different types of pick lists have store level configurations for the fill level. An end-of-day pick list typically has a higher fill level, because there is more time to stock the shelves.

When you create a pick list, SIM performs a replenishment calculation that checks for those items that belong to pick list product groups. SIM compares the capacity of the items to their shop floor stock on hand. A pick list is generated that lists first those items that need replenishment the most. The pick list is in sequential order for most efficient picking. For within-day pick lists, SIM stops when the amount to pick is equal to the summed amount calculated by the system. For end-of-day pick lists, SIM continues until all items are completed.

Pick List Window

Navigate: Main Menu > Inv Mgmt > Pick List. The Pick List window opens.

Figure 17–1 Pick List Window



From the Pick List window, you can do the following:


- [Filter the Pick List](#)
- [Create a Pick List](#)
- [Enter Pick List Quantities](#)
- [Print a Pick List Report](#)
- [Delete a Pending Pick List](#)

From the Pick List window, click **Done** to return to the Inventory Management menu.

Filter the Pick List

At any time while the Pick List window is open, you can click **Filter** to change how the list is filtered.


Current filtering is displayed next to the Filter button. If no filtering is displayed, all pick lists are currently selected and listed.



To change how the list is filtered, follow these steps:

1. Click **Filter**. The Pick List Filter window opens.

Figure 17–2 Pick List Filter Window



2. If you want to reset all filtering criteria to default values, click **Reset**.
3. Enter or select filtering criteria as needed to select just the pick lists you want to list. All criteria are optional. If you leave a field blank or select All, all values will be included in your filtering selection.

Date Filters – Enter or select dates to select only those pick lists created between a From Date and To Date that you specify. The default values for the dates are the current date. If you do not want to search on the created date, clear these fields.

Pick List ID – Enter the system-generated numeric identifier of the pick list you want.

Product Group – Select a product group to list only the pick lists for that product group.

Item – Enter the item number or click the **Ellipsis** button to look up the Item ID.

In the Item Lookup window, locate and select the item you want. Click **Use Item** to return to the Item Request Filter window. See "Item Lookup" in Chapter 22 for more information.

Status – Select All, Canceled, Completed, In Progress, or Pending (default) from the drop-down list.

Type – Select All (default), End of Day, or Within Day Pick.

User – Select a user from the drop-down list.

4. Click **Search**. Results that match your search criteria are displayed in the Inventory Adjustment List window.

Create a Pick List

Use this function to create an end-of-day or within-day pick list. After you create the pick list, SIM automatically generates the pick list based on SIM settings for shelf replenishment.

Navigate: Main Menu > Inv Mgmt > Pick List. The Pick List window opens.

To create a new pick list, follow these steps:

1. Click **Create**. The Pick List Create window opens.

Figure 17–3 Pick List Create Window

2. Enter or select values for these fields:

Pick List Type – From the drop-down list, select Within Day or End of Day. For a within-day pick list, SIM generates a pick list with the number of cases that you have time to complete. For an end-of-day pick list, SIM generates a pick list for all items that need replenishing.

Product Group – From the drop-down list, select the product group for which you want to create a pick list.

Amount to Pick – Enter the number of items to be picked.

Note: This field is enabled only if the pick list type is Within Day. If the pick list type is 'End of Day', the amount is disabled.

3. Click **Done**. A message is displayed: "Are you sure you want to create the pick list?"
4. Click **Yes** to create the pick list and return to the Pick List window.

Pick List Processing

After you click Done, the replenishment calculation runs and SIM performs the following actions:

- Gets the shelf quantities and available stock on hand for the items in the product group.
- Converts the quantities to the correct group default unit of measure.
- Compares the shelf quantity to the summed shop floor capacity for every item, to find out by what percentage the item is out of stock.
- Orders items from highest out of stock percent to lowest, after the out of stock percent is calculated for every item.
- Flags the items with the least amount on the shelf, if any items have the same out of stock percentage. For example, for the items A and B, Item A has 10 out of 100 on the shelf, and Item B has 1 out of 10 on the shelf. Both items have the same out of stock percentage (10%). Item B is considered a higher priority because it has a lower quantity on the shelf.
- Sorts the items in priority order and calculates the pick amount needed to bring from the warehouse back room or delivery bay to the shop floor for each item. SIM considers available stock on hand, stock that is in the back room or delivery bay, and to what percentage the shop floor needs to be filled.

Enter Pick List Quantities

Use this function to update the actual quantities picked.

Note: You can edit quantities only when the pick list status is Completed or In Progress.

Navigate: Main Menu > Inv Mgmt > Pick List. The Pick List window opens.

To enter pick list quantities, follow these steps:

1. Double-click the pick list for which you want to enter quantities. The Pick List Detail window opens.

Figure 17–4 Pick List Detail Window

2. In the Qty fields, enter the number of items that you picked.
3. Click **Done** to return to the Pick List window.

Print a Pick List Report

You can print a pick list report to print a generated pick list. You can use the report as a reference for the actual picking of items.

Note: When you print a pending pick list, the system changes the status to Complete and updates inventory.

Navigate: Main Menu > Inv Mgmt > Pick List. The Pick List window opens.

To print a pick list report, follow these steps:

1. Double-click the pick list that you want to print. The Pick List Detail window opens.
2. Click **Print**. A message is displayed: "Are you sure you want to print the pick lists?"
3. Click **Yes**. The Report Selection window opens.
4. In the **Printer** field, select the output device for the report.
5. Click **OK**. A message is displayed: "Pick list printed."
6. Click **OK**.

7. Click **Done** to return to the Pick List window.

Delete a Pending Pick List

Note: You can delete a Pick List only if its status is Pending.

Navigate: Main Menu > Inv Mgmt > Pick List. The Pick List window opens.

To delete pick lists, follow these steps:

1. Select the pick lists that you want to delete.
2. Click **Delete**. A message is displayed: "Are you sure you want to delete the selected pick lists now?"
3. Click **Yes**. The selected pick lists are deleted.

Item Requests

Use the Item Request functions to request items to cover shortages and increased demand. For some items, store ordering may be allowed (see [Chapter 21, "Store Orders"](#)), but you can use item requests to replenish any items. Item requests are sent to the merchandising system, and the item is sourced from a warehouse or supplier depending on parameters set up for that item.

Item Request List Window

Navigate: Main Menu > Inv Mgmt > Item Request. The Item Request List window opens.

Figure 18–1 Item Request List Window

Request ID	Request Delivery...	Dept	Request Descripti...	Exp Date	Status	Lines	User
1302	11/09/10	4			Canceled	1	Sajeendra
1322	10/09/10	4			Canceled	1	Sajeendra
1342	10/09/10	4			Canceled	1	Sajeendra
1362	10/09/10	4			Canceled	1	Sajeendra
1382	10/09/10	4			Canceled	2	Sajeendra
1383	10/09/10				Canceled	0	Sajeendra
1402	18/09/10	4+	Ready	18/09/10	Completed	3	Sajeendra
1422	20/09/10	4 +	Restest1	19/09/10	Canceled	2	Auto Create
1442	25/09/10	4+			Canceled	2	Sajeendra
1802	15/10/10	4 +	Item request test	14/10/10	Canceled	3	Auto Create
1822	16/10/10	4 +	stock count	15/10/10	Pending	3	Auto Create
1842	15/10/10	9			Completed	1	Eswari

Client Information: QA 001 4 - PS GPA Store Item Request List HELP JUMP

From the Item Request List window, you can do the following:

- [Filter the Item Request List](#)
- [Request an Item](#)

- [Edit an Item Request](#)
- [Delete Item Requests](#)

From the Item Request List window, click **Done** to return to the Inventory Management menu.

Filter the Item Request List

Whenever the Item Request List window is displayed, you can filter the list of item requests to limit the requests listed. If the list is currently filtered, the filtering is shown next to the Filter button.



To filter the list of item requests or to change the current filtering, follow these steps:

1. In the Item Request List window, click **Filter**. The Item Request Filter window opens.

Figure 18–2 Item Request Filter Window

2. Enter or select search values as needed to specify the item requests that you want to list. All values are optional. If you leave a field blank or select All, all values are included in the search.

Date Filters – Enter or select From Date and To Date values to limit the date range.

Request ID – Enter the Request ID.

Item – Enter the Item ID or click the **Ellipsis** button to look up an item.

In the Item Lookup window, locate and select the item you want. Click **Use Item** to return to the Item Request Filter window. See "[Item Lookup](#)" in [Chapter 22](#) for more information.

Delivery Timeslot – Select the delivery timeslot for the item requests.

Status – Select Canceled, Completed, Pending, or All. The default is Pending.

User – Select the user who made the requests.

3. Click **Search**. You return to the Item Request List window, where your filter has been applied.

Request an Item

Use this procedure to replenish any item.

Navigate: Main Menu > Inv Mgmt > Item Request. The Item Request List window opens.

Note: SIM system options can limit the number of items that can be requested in a item request. If you have reached the maximum number of line items, you will receive a message that you cannot add any more items. You can continue, but you cannot add another item without first deleting one.

To request an item, follow these steps:

1. Click **Create**. The Item Request Detail window opens.

Figure 18–3 Item Request Detail Window – New Request

The screenshot shows the 'Store Inventory Management' application window. At the top, there are buttons for 'Done', 'Request', 'Add Item', 'Print', 'Delete', and 'Cancel'. Below these are fields for 'Request ID: New', 'Create Date: 22/10/10', and 'User: QA_001'. Further down, there are fields for 'Store: 4 - PS GPA Store', 'Expiration Date:', 'Status: Pending', and 'Request Delivery Date: 23/10/10' with a calendar icon. A 'Comments:' text area is present below the date field. A 'Request Delivery Timeslot:' dropdown menu is set to '-Select-'. Below these fields is a table with the following columns: Item, Item Description, Available SOH, In Transit, UOM, Pack Size, Qty, and Request Timeslot. The table currently has one row with 'Units' in the UOM column. At the bottom of the window, there is a navigation bar with buttons for 'Client Information', 'QA 001', '4 - PS GPA Store', 'Item Request Detail', 'HELP', and 'JUMP'.

2. In the **Request Delivery Date** field, enter the date that you want the item delivered to your location, or click the **Calendar** button to select the date from the calendar. The date can be today or any later date.
3. In the **Comments** field, enter any additional information that you want to include with the request.

4. If you want to request a delivery time slot, and if the **Request Timeslot Delivery** field is enabled, select a time slot. (This field may not be available, depending on the item and how your system is set up. It is an optional field.)
5. Enter item information:
 - a. In the Item field, enter the item number click the **Ellipsis** button to look up the item.

In the Item Lookup window, enter search criteria as needed to find the item you want. (See "[Item Lookup](#)" in [Chapter 22](#) for more information about item lookup criteria.) Select the item you want and click **Use Item** to return to the Item Request Detail window.
 - b. For each item on the request, enter information in the fields:

UOM – From the drop-down list, select the unit of measure.

Qty – Enter the number of items that you want delivered to your location.
 - c. To add more items to the item request, click **Add Item**.
 - d. Repeat Steps a through c for each item that you want to add.
6. Save or complete the request:
 - To save the request so you can modify it later, click **Done**. You are returned to the Item Request List window where the request displays with a status of Pending.
 - To complete the request, click **Request**. You are returned to the Item Request List window where the request is displayed with a status of Requested, if the filter is set to display requests in Complete status.

Edit an Item Request

Use this procedure to view or edit an item request. You can edit only item requests in Pending status.

Navigate: Main Menu > Inv Mgmt > Item Request. The Item Request List window opens.

To locate and edit an item request, follow these steps:

1. If you want to filter the item requests listed, click **Filter**. See "[Filter the Item Request List](#)."
2. Double-click the item request you want to view or edit. The Item Request Detail window opens.

Figure 18–4 Item Request Detail Window – Edit

Item	Item Description	Available SOH	In Transit	UOM	Pack Size	Qty	Request Timeslot
100017603	PS Item	36	-12	Units	1		
100019906	PS Item	-3	-6	Units	1		
100027705	New Test Item	-208	-5	Units	1		

3. If you want to edit the item request, perform one or more of the following actions.

Change the Delivery Date

Enter a date in the Request Delivery Date field, or click the **Calendar** button to use the calendar to enter the date. The date can be today or any later date.

Remove an Item

- a. Select the line item that you want to remove.
- b. Click **Delete**.

Add an Item

- a. Click **Add Item**.
- b. In the Item field, enter the item number or click the **Ellipsis** button to look up the item.
- c. For each item, enter information in the fields.

UOM – From the drop-down list, select the unit of measure.

Qty – Enter the number of items that you want delivered to your location.

4. Save or complete the request:

- To save the request so that you can modify it later, click **Done**. You return to the Item Request List window, where the request is displayed with a status of Pending.
- To complete the request, click **Request**. You return to the Item Request List window, where the request is displayed with a status of Complete.

Delete Item Requests

Use this procedure to delete pending item requests. You can delete an item request only if its status is Pending.

Navigate: Main Menu > Inv Mgmt > Item Request. The Item Request List window opens.

To delete item requests, follow these steps:

1. If you want to filter the item requests listed, click **Filter**. See "[Filter the Item Request List](#)."
2. Select the item requests that you want to delete.
3. Click **Delete**. A message is displayed: "Are you sure you want to delete the selected orders now?"
4. Click **Yes**. The requests are removed from the list.

Price Changes

Using the Price Change functions, you can request price changes for items at your store. Price changes are set in the pricing system. The pricing system might be Oracle Retail Price Management (RPM) or another application.

You can request price changes only for items for which you can control prices. This is controlled by an indicator at the store (location) level. Your price change requests are submitted to the pricing system, where they may be approved or rejected. After a price change is approved in the pricing system, a price change event is sent from the pricing system to SIM.

A price change request that is approved in the pricing system creates a pricing event that is sent back to SIM. For an approved price change, you can print labels and tickets for the repriced items.

Price Change List Window

Navigate: Main Menu > Inv Mgmt > Price Change. The Price Change Filter window opens.

Enter search criteria to limit the price change requests that you want displayed, and click **Search**. (See "[Filter the Price Change List](#)" for more information.)

The Price Change List window opens.

Figure 19–1 Price Change List Window

Effective...	End Date	Item	Description	Current P...	Current S...	New Price	New Sellin...	Multi Unit ...	Status	Promotion...	Price Cha...
28/10/10		100102006	Saj Reg Item	R\$ 10,00	EA	R\$ 20,00	EA	No	Pending		Permanent
01/11/10		100102006	Saj Reg Item	R\$ 10,00	EA	R\$ 20,00	EA	No	Pending		Permanent

From the Price Change List window, you can do the following:


- [Filter the Price Change List](#)
- [Create a Price Change Request](#)
- [Edit a Price Change](#)

From the Price Change List window, click **Done** to return to the Inventory Management menu.

Filter the Price Change List

The Price Change Filter window opens each time you click Price Change on the Inventory Management menu. At any time while the Price Change List window is open, you can also change how the list is filtered.

Current filtering is displayed next to the Filter button on the Price Change List window. If no filtering is displayed, all items are currently selected and listed.



To filter the price changes listed in the Price Change List window, follow these steps:

1. From the Price Change List window, click **Filter**. The Price Change Filter window opens.

Figure 19–2 Price Change Filter Window

2. If you want to reset all filtering criteria to default values, click **Reset**.
3. Enter or select filtering criteria as needed to select just the price changes you want to list. All criteria are optional. If you leave a field blank or select All, all values will be included in your filtering selection.

Date Filters – Enter or select dates to select only those price changes that have an Effective Date or End Date within a range that you specify.

Hierarchy Filters – Select Department, Class, and Sub-Class to select only those tickets for a hierarchy that you specify.

Item – Enter or select an item ID to select only those tickets for a particular item.

Status – Select Active, Completed, Pending, Ticket List, or All. The default value is Active.

Promotion ID – Enter a promotion ID to select only the tickets for which a promotion ID has been specified.

Price Change Desc – Select Clearance, Permanent, Promotional, or All.

4. In the **Search Limit** field, enter the maximum number of records you want to find and list. The default value is 999.
5. Click **Search**. The price changes you have specified are listed in the Price Change List window.

Create a Price Change Request

You can request price changes for those items for which you are allowed to make pricing changes at the store (location) level. For these items, you can request changes to retail, promotion, or clearance pricing.

The request is sent to the pricing system, where it may be approved or rejected. Your price change requests are checked for possible conflicts. You cannot request price changes for items involved in complex promotions (such as buy one, get one free). You

cannot request multiple price changes on the same day. Your request may be rejected if it conflicts with any other pricing events.

Navigate: Main Menu > Inv Mgmt > Price Change. The Price Change Filter window opens.

Enter search criteria to limit the price change requests that you want displayed, and click **Search**. (See "Filter the Price Change List" for more information.)

The Price Change List window opens.

To create a price change request, follow these steps:

1. Click **Create**. The Price Change Detail window opens.

Figure 19–3 Price Change Detail Window

2. Enter or select values for these fields:
 - Item** – Enter the item number or click the **Ellipsis** button to look up the item.
 - Price Change Desc** – Select Clearance, Promotional, or Permanent.
 - New Price** – Enter the new retail price for the item.
3. Enter or select the **Start Date**. (A default date is filled in.)
4. If you are entering a clearance or promotional price, enter or select an **End Date**.
5. Enter the price for the item in the **New Price** field.

Note: The Price On Effective Date and UOM On Effective Date take into account already-scheduled price and UOM changes. Check these dates to verify that you are not duplicating or altering a price change.

6. Click Done.

You receive the following message: "Are you sure you want to request this price change?"

7. Click Yes. You return to the Price Change List window, where the price change is added with a status of Pending.**8. To create item tickets, follow these steps:**

a. Select the items for which you want to create item tickets.

b. Click **Item Tickets**. A message is displayed: "Are you sure you want to create item tickets for the selected items?"

c. Click **Yes**.

9. To create shelf labels, follow these steps:

a. Select the items for which you want to create shelf labels.

b. Click **Shelf Labels**. A message is displayed: "Are you sure you want to create shelf labels for the selected items?"

c. Click **Yes**.

Edit a Price Change

You can edit price changes to change dates and prices.

Navigate: Main Menu > Inv Mgmt > Price Change. The Price Change Filter window opens.

Enter search criteria to limit the price change requests that you want displayed, and click **Search**. (See "[Filter the Price Change List](#)" for more information.)

The Price Change List window opens.

To edit a price change, follow these steps:

1. Double-click on the price change you want to edit. The Price Change Detail window opens.

2. Make changes as necessary to Start Date, End Date, and New Price fields.

3. Click **Done** to return to the Price Change List window.

Item Tickets

Use the Item Tickets functions to print shelf edge labels and item tickets for stock. You can print shelf edge labels for all items within a location, as well as item tickets and shelf labels for individual items. You can also update all item tickets with the current available stock on hand. You can add items to the Item Tickets list from a received purchase order.

Item Tickets List Window

Navigate: Main Menu > Inv Mgmt > Item Tickets. The Item Tickets Filter window opens.

Enter search criteria to limit the item tickets you want displayed, and click **Search**. (See "[Filter the Item Tickets List](#)" for more information.) The Item Tickets List window opens.

Figure 20–1 Item Tickets List Window

Item	Description	Label Type	Qty	Price	Multi Unit ...	Status	Format	Promotion...	Effective ...	User	PO #
100016306	Test Comple...	Shelf Label	1	R\$ 10493.32	No	Pending	Default Dem...			Auto Create	
100016306	Test Comple...	Item Ticket	1	R\$ 10493.32	No	Pending	Default Dem...			Auto Create	
100017603	PS Item	Shelf Label	1	R\$ 1.55	No	Pending	Default Dem...		22/10/10	Auto Create	
100017603	PS Item	Item Ticket	20	R\$ 1.55	No	Pending	Default Dem...		22/10/10	Auto Create	
100017603	PS Item	Shelf Label	1	R\$ 20.00	No	Pending	Default Dem...		30/10/10	Auto Create	
100017603	PS Item	Item Ticket	20	R\$ 20.00	No	Pending	Default Dem...		30/10/10	Auto Create	
100017603	PS Item	Shelf Label	1	R\$ 15.99	No	Pending	Default Dem...		15/10/10	Auto Create	
100017603	PS Item	Item Ticket	20	R\$ 15.99	No	Pending	Default Dem...		15/10/10	Auto Create	
100017603	PS Item	Shelf Label	1	R\$ 6.50	No	Pending	Default Dem...		17/10/10	Auto Create	
100017603	PS Item	Item Ticket	20	R\$ 6.50	No	Pending	Default Dem...		17/10/10	Auto Create	
100017603	PS Item	Shelf Label	1	R\$ 20.00	No	Pending	Default Dem...		19/10/10	Auto Create	
100017603	PS Item	Item Ticket	20	R\$ 20.00	No	Pending	Default Dem...		19/10/10	Auto Create	
100020003	PS New fro...	Shelf Label	1	R\$ 12.00	No	Pending	Default Dem...		19/10/10	Auto Create	
100020003	PS New fro...	Item Ticket	1	R\$ 12.00	No	Pending	Default Dem...		19/10/10	Auto Create	
100074505	05272010 Te...	Item Ticket	10	R\$ 20.00	No	Pending	Default Dem...			Steven	
100102006	Saj Reg Item	Shelf Label	1	R\$ 6.00	No	Pending	Default Dem...		04/10/12	Auto Create	
100102006	Saj Reg Item	Item Ticket	2	R\$ 6.00	No	Pending	Default Dem...		04/10/12	Auto Create	
100102006	Saj Reg Item	Shelf Label	1	R\$ 7.00	No	Pending	Default Dem...	11821	18/10/12	Auto Create	
100102006	Saj Reg Item	Item Ticket	2	R\$ 7.00	No	Pending	Default Dem...	11821	18/10/12	Auto Create	
100102006	Saj Reg Item	Shelf Label	1	R\$ 25.00	No	Pending	Default Dem...		11/10/12	Auto Create	
100102006	Saj Reg Item	Item Ticket	2	R\$ 25.00	No	Pending	Default Dem...		11/10/12	Auto Create	
100109504	Saj QTY to ...	Item Ticket	1	R\$ 10.00	No	Pending	Default Dem...		24/09/10	Sajeendra	
100109504	Saj QTY to ...	Shelf Label	1	R\$ 10.00	No	Pending	Default Dem...		24/09/10	Sajeendra	
100111704	Saj Non Inv...	Shelf Label	1	R\$ 17.00	No	Pending	Default Dem...		25/09/10	Sajeendra	
100111704	Saj Non Inv...	Item Ticket	1	R\$ 17.00	No	Pending	Default Dem...		25/09/10	Sajeendra	
100129804	Saj Concessi...	Shelf Label	1	R\$ 6.00	No	Pending	Default Dem...		19/10/10	Auto Create	
100129804	Saj Concessi...	Item Ticket	1	R\$ 6.00	No	Pending	Default Dem...		19/10/10	Auto Create	
1234560050024	test	Item Ticket	3	R\$ 127.09	No	Pending	Default Dem...			Sajeendra	

From the Item Tickets List window, you can do the following:

- Filter the Item Tickets List

- [Print Tickets](#)
- [Create Item Tickets](#)
- [Update Item Tickets](#)
- [Add Items on a Received Purchase Order](#)
- [Update Stock on Hand](#)
- [Delete Item Tickets](#)

From the Item Tickets List window, click **Done** to return to the Inventory Management menu.

Filter the Item Tickets List

The Item Tickets Filter window opens each time you click Item Tickets on the Inventory Management menu. At any time while the Item Tickets List window is open, click **Filter** to change how the list is filtered.

Current filtering is displayed next to the Filter button on the Item Tickets List window. If no filtering is displayed, all items are currently selected and listed.



To filter the item tickets listed on the Item Tickets List window, follow these steps:

1. Click **Filter**. The Item Tickets Filter window opens.

Figure 20–2 Item Tickets Filter Window

2. If you want to reset all filtering criteria to default values, click **Reset**. By default, the Item Tickets List lists items in Pending status.

3. Enter or select filtering criteria as needed to select just the item tickets you want to list. All criteria are optional. If you leave a field blank or select All, all values will be included in your filtering selection.

Date Filters – Enter or select dates to select only those tickets that have an effective date between an Effective From Date and Effective To Date that you specify.

Hierarchy Filters – Select Department, Class, and Sub-Class to select only those tickets for a hierarchy that you specify.

Item – Enter or select an item ID to select only those tickets for a particular item.

PO Number – Enter a purchase order ID to select only those tickets for items on a particular purchase order.

Format Name – Select a format to select only the tickets for a particular format, or select All.

Label Type – Select Item Ticket, Shelf Label, or All.

Promotion ID – Enter a promotion ID to select only the tickets for which a promotion ID has been specified.

Status – Select Canceled, Pending, Printed, or All. The default value is Pending.

4. Click **Search**. The tickets you have specified are listed in the Item Tickets List window.

Print Tickets

You can print or reprint tickets for a single item or group of items.

Navigate: Main Menu > Inv Mgmt > Item Tickets. The Item Tickets Filter window opens.

To print item tickets, follow these steps:

1. Enter search criteria to limit the item tickets you want displayed, and click **Search**. (See "[Filter the Item Tickets List](#)" for more information.) The Item Tickets List window opens.

Note: You can print tickets from either the Item Tickets List window or the Item Tickets Detail window:

- If you want to print all the tickets or labels for an item as shown in the Item Tickets List window, continue with the next step.
 - If you need to update ticket information before you print tickets for an item, see "[Update Item Ticket Information](#)."
 - If you are printing tickets for items that use automatically generated serial numbers (AGSN), see "[Print Tickets for Auto-Generated SNs](#)."
-
-

2. Select the rows for the items for which you want to print tickets.
3. Click **Print Tickets**. A message is displayed to tell you that the item tickets were printed.
4. Click **OK**.

Update Item Ticket Information

To update ticket information and print tickets, follow these steps:

1. In the Item Tickets List window, double-click the item you want to update. The Item Tickets Detail window opens.
2. Update the following fields as needed:
 - Label Type** – Select Item Ticket or Shelf Label.
 - Format** – Select the format you want to use.
 - Quantity** – Enter the number of tickets or labels you want to print.
 - Override Ticket Price** – Enter an override ticket price for the item.
 - Country of Manufacture** – Select country of manufacture.
3. Click **Print Tickets**. A message is displayed to tell you that the item tickets were printed.
4. Click **OK**. You return to the Item Tickets List window.

Print Tickets for Auto-Generated SNs

For items that use automatically generated serial numbers (AGSN), you can either select the serial numbers for which you want to print tickets, or you can generate the serial numbers when the tickets are printed if it is allowed for the item.

Note: This function allows printing of tickets only for items that use AGSNs that are internally generated by SIM. This function does not allow printing of tickets for serial numbers or other unique identifiers created outside of SIM.

To print tickets that contain AGSNs, follow these steps:

1. Double-click on an item in the Item Tickets List window. The Item Tickets Detail window opens.

Figure 20–3 Item Tickets Detail Window – Print AGSN Tickets

2. Select or enter values for the fields that are enabled.

Label Type – Select Item Ticket or Shelf Label.

Format – Select the format you want to use.


Auto Generate – If the item allows for automatic generation of serial numbers at printing, and you want to generate serial numbers, select this check box. If you want to select specific UINs to print, do not select this check box.

Quantity – Enter the number of tickets or labels you want to print.

Override Ticket Price – Enter an override ticket price for the item.

Country of Manufacture – Select country of manufacture.

3. If you did not select the Auto Generate check box, or if automatic generation of serial numbers is not allowed for this item, click **Select UIN**. The Select UINs window opens.

Figure 20–4 Select UINs Window

4. Select the UINs for which you want to print tickets.
5. Click **Use UIN**. The selected UINs are listed in the Selected UINs list of the Item Tickets Detail window.

To remove UINs from the Selected UINs list, select the UINs and click **Remove UIN**.

6. Click **Print Tickets**.
A message is displayed to tell you that the item tickets were printed.
7. Click **OK**. You return to the Item Tickets List window.

Create Item Tickets

Navigate: Main Menu > Inv Mgmt > Item Tickets. The Item Tickets Filter window opens.

Enter search criteria to limit the item tickets you want displayed, and click **Search**. (See "[Filter the Item Tickets List](#)" for more information.) The Item Tickets List window opens.

To create a new item ticket, follow these steps:

1. Click **Create**. The Item Tickets Detail window opens.

Figure 20-5 Item Tickets Detail Window – Create Item Tickets

2. In the **Item** field, enter the item number, or click the **Ellipsis** button to look up the item.

In the Item Lookup window, enter search criteria as needed to find the item you want. (See "Item Lookup" in Chapter 22 for more information about item lookup criteria.) Select the item you want and click **Done** to return to the Item Request Detail window.

3. From the **Label Type** drop-down list, select Shelf Label or Item Ticket.
4. In the **Quantity** field, enter the number of labels or tickets you want to print.
5. If there is an override price for the item, enter the override price to be printed on the labels or tickets in the **Override Ticket Price** field.
6. To print labels or tickets for this item, click **Print Tickets**.
A message is displayed to tell you that the item tickets were printed.
7. Click **OK**.

Update Item Tickets

Navigate: Main Menu > Inv Mgmt > Item Tickets. The Item Tickets Filter window opens.

Enter search criteria to limit the item tickets you want displayed, and click **Search**. (See "Filter the Item Tickets List" for more information.) The Item Tickets List window opens.

To update item ticket information, follow these steps:

1. In the Item Tickets List window, double-click the item you want to update. The Item Tickets Detail window opens.
2. Update the following fields as needed:
 - Label Type** – Select Item Ticket or Shelf Label.
 - Format** – Select the format you want to use.
 - Quantity** – Enter the number of tickets or labels to print.
 - Override Ticket Price** – Enter an override ticket price for the item.
 - Country of Manufacture** – Select country of manufacture.
3. Click **Done** to save your changes and return to the Item Tickets List window.

Add Items on a Received Purchase Order

Add a purchase order (PO) when you want to add items to the Item Tickets list from a received purchase order. You can only add purchase orders that have been received.


Navigate: Main Menu > Inv Mgmt > Item Tickets. The Item Tickets Filter window opens.

Enter search criteria to limit the item tickets you want displayed, and click **Search**. (See ["Filter the Item Tickets List"](#) for more information.) The Item Tickets List window opens.

To add items, follow these steps:

1. Click **Add PO**. The Add Purchase Order window opens.

Figure 20–6 Add Purchase Order Window



2. Enter the purchase order number for which you want to add items.
3. From the **Shipment ID** drop-down list, select the shipment.
4. To apply all items and received quantities to the Item Ticket list, click **Apply**. A message is displayed: "Are you sure you want to apply all items and received items from the shipment?"
5. Click **Yes**. Item tickets are created and you return to the Item Tickets List window.

Update Stock on Hand

Update the stock on hand (SOH) before you print item tickets, to ensure that you print enough tickets.

Navigate: Main Menu > Inventory Management > Item Tickets. The Item Tickets Filter window opens.

Enter search criteria to limit the item tickets you want displayed, and click **Search**. (See "[Filter the Item Tickets List](#)" for more information.) The Item Tickets List window opens.

To update stock on hand, follow these steps:

1. Select the rows for the items for which you want to update stock on hand.
2. Click **Update SOH**. A message is displayed: "Are you sure you want to update the quantity with the current available stock on hand for the selected items?"
3. Click **Yes**. Available stock on hand is updated in the Item Ticket List.

Delete Item Tickets

Navigate: Main Menu > Inv Mgmt > Item Tickets. The Item Tickets Filter window opens.

Enter search criteria to limit the item tickets you want displayed, and click **Search**. (See "[Filter the Item Tickets List](#)" for more information.) The Item Tickets List window opens.

To delete item tickets, follow these steps:

1. Select the rows for the items for which you want to delete item tickets.
2. Click **Delete**. A message is displayed: "Are you sure you want to delete the selected items now?"
3. Click **Yes**. The selected item tickets are deleted.

21

Store Orders

Store ordering gives you the ability to view, create, modify, and approve orders to a supplier or transfer requests from a warehouse. Use store-level ordering to order items that are not set up for automatic replenishment, when items run short or demand increases.

Note: Depending on your system configuration, store orders may be limited to certain items that have a "store order" replenishment type. You can request all other items using item requests (see [Chapter 21, "Store Orders"](#)).

Store Orders Window

Navigate: Main Menu > Inv Mgmt > Store Orders. The Store Orders window opens.

Figure 21–1 Store Orders Window

Order ID	Source	Date	Status	Not Before Date	Not After Date	User
234567	PS Supplier Site	27/09/10	Pending	15/10/10	17/10/10	
236874	SMS Supplier Site	27/09/10	Pending	21/10/10	30/10/10	
236875	SMS Supplier Site	27/09/10	Pending	21/10/10	01/11/10	
237768	PS Supplier Site	27/09/10	Pending	26/10/10	30/10/10	
237769	PS Supplier Site	27/09/10	Pending	26/10/10	28/10/10	
238067	Supplier Name	27/09/10	Pending	27/10/10	31/10/10	
238068	Supplier Name	27/09/10	Pending	27/10/10	28/10/10	
3000074623	PS GPA Warehouse	27/09/10	Pending	02/10/10	02/10/10	RMS01QA
3000079224	PS GPA Warehouse	27/09/10	Pending	25/10/10	25/10/10	Sue
3000079530	PS GPA Warehouse	27/09/10	Pending	25/10/10	25/10/10	Mayank
3000079534	PS GPA Warehouse	27/09/10	Pending	25/10/10	25/10/10	Mayank
3000079536	PS GPA Warehouse	27/09/10	Pending	25/10/10	25/10/10	Sue
3000079537	Phy WH 051	27/09/10	Pending	25/10/10	25/10/10	Sue
3000079624	PS GPA Warehouse	27/09/10	Pending	26/10/10	26/10/10	Sue
53504	PS Supplier Site	27/06/09	Pending	28/06/09	28/06/09	
59205	PS Supplier Site	27/06/09	Pending	27/06/09	27/06/09	

From the Store Orders window, you can do the following:


- [Filter the Store Orders List](#)
- [Create a Store Order](#)
- [View or Edit a Store Order](#)
- [Approve a Store Order](#)
- [Cancel a Store Order](#)
- [Print a Store Order Report](#)

From the Store Orders window, click **Done** to return to the Inventory Management menu.

Filter the Store Orders List

At any time while the Store Orders window is open, you can also change how the list is filtered.

Current filtering is displayed next to the Filter button on the Store Orders window. If no filtering is displayed, all items are currently selected and listed.



To filter the store orders listed in the Store Orders window, follow these steps:

1. Click **Filter**. The Store Order List Filter window opens.

Figure 21–2 Store Order List Filter

2. Enter or select search values as needed to specify the store orders that you want to list. All values are optional. If you leave a field blank or select All, all values are included in the search.

Date Filters – Enter or select From Date and To Date values to limit the date range.

Order ID – Enter the Order ID.

Status – Select Approved, Closed, Pending, or All.

Warehouse or Supplier - Select either the Warehouse or Supplier radio button. For a warehouse, select the warehouse from the drop-down list. For a supplier, enter

the supplier or click the **Ellipsis** button to look up the supplier. See "[Supplier Lookup](#)" in [Chapter 22](#) for more information.

3. Click **Search**. You return to the Store Orders window, where your filter has been applied.

Create a Store Order

Create store orders to replenish items for which you have the authority to place orders from the store.

Navigate: Main Menu > Inv Mgmt > Store Orders. The Store Orders window opens.

To create a store order, follow these steps:

1. Click **Create Order**. The Store Order Detail window opens.

Figure 21–3 Store Order Detail Window

Note: While the Store Order Detail window is open, you can also view details about items on the order. See "[View Item Details](#)."

2. Select the source of the item:
 - Supplier** – Enter a supplier ID or click the **Ellipsis** button to look up a supplier. In the Supplier Lookup window, locate and select the supplier you want. Click **Done** to return to the Store Order Detail window.
 - Warehouse** – Select a warehouse from the drop-down list.
3. Specify a delivery date range:

- a. In the **Not Before Date** field, enter a date or click the **Calendar** button to select the date.
- b. In the **Not After Date** field, enter or select a date .

Note: For warehouse orders, the Not After Date field is disabled.

4. Enter item information:
 - a. Click **Add Item**. A new blank line is added to the store order list.
 - b. In the **Item** field, enter the item number, or click the **Ellipsis** button to look up the item.

In the Item Lookup window, locate and select the item you want. Click **Done** to return to the Store Order Detail window. See "[Item Lookup](#)" in [Chapter 22](#) for more information.
 - c. Edit item information. Change values as needed in the following fields:

UOM – From the drop-down list, select the appropriate unit of measure.

Qty – If the displayed quantity is not correct, double-click and enter the correct quantity.
 - d. Repeat Steps a through c to add more items to the store order.
5. Click **Done**. Your order is saved and you return to the Store Orders window. Your order appears in Pending status.

View Item Details


From the Store Order Detail window, you can look up details about items on the order. You can do the following:

- [Look Up Item Deals](#)
- [View Item Orders](#)
- [View Item Sales](#)

Look Up Item Deals

Deals may affect the order quantity for an item you order. To look up any deals that apply to an item on your order, follow these steps:

1. In the Store Order Detail window, select an item on your order.
2. Click **Deals Query**. The Deals Query window opens and displays available deals from the supplier of the selected item.

Figure 21–4 Deals Query Window

3. Click **Done** to return to the Store Order Detail window.
4. If needed, adjust your order quantities to comply with the deal.

View Item Orders

To view any other store orders for an item, follow these steps:

1. From the Store Order Detail window, select an item on your order.
2. Click **Item's Orders**. The Item Orders window opens and displays existing store orders for the selected item.

Figure 21–5 Item Orders Window

Item: 100028104

Order ID	Source	Date	Status	Not Before Date	Not After Date	Qty
214565	Chandra Supplier Site1	28/06/10	Closed	28/06/10	28/06/10	2
221967	Chandra Supplier Site1	27/09/10	Closed	27/09/10	27/09/10	75

Client Information QA 001 4 - PS GPA Store Item Orders HELP JUMP


3. Click **Done** to return to the Store Order Detail window.
4. Adjust your order if needed.

View Item Sales

To view sales information about an item on your order, follow these steps:

1. From the Store Order Detail window, select an item on your order.
2. Click **Item's Sales**. The Item Sales window opens with store level sales information for the selected item.

Figure 21–6 Item Sales Window



3. Click **Done** to return to the Store Order Detail window.
4. Adjust your order if needed.

View or Edit a Store Order

Use this procedure to view details of a store order or update an order.

Navigate: Main Menu > Inv Mgmt > Store Orders. The Store Orders window opens.

To view or make changes to an existing store order, follow these steps:

1. If you want to filter the orders listed, click **Filter**. See "[Filter the Store Orders List](#)."
2. Double-click the pending store order that you want to edit. The Store Order Detail window opens.

Note: While the Store Order Detail window is open, you can also view details about items on the order. See "[View Item Details](#)."

3. Update the store order as needed.

Change the Delivery Date

To change the delivery date, enter the date in the Request Delivery Date field or click the Calendar button to select the date .

Add Items to the Order

To add items to the order, follow these steps:

- a. Click **Add Item**. A new blank line is added to the store order list.

- b. In the Item field, enter the item number, or click the [Ellipsis](#) button to look up the item.

In the Item Lookup window, locate and select the item you want. Click **Done** to return to the Store Order Detail window. See "[Item Lookup](#)" in [Chapter 22](#) for more information.

Edit Item Information

Change any of the following fields as needed:

UOM – From the drop-down list, select the unit of measure.

Pack Size – If the displayed pack size is not correct, enter the correct pack size.

Qty – If the displayed quantity is not correct, enter the correct quantity.

Remove Items from the Order

To remove items from the order, follow these steps:

- a. Select the line item that you want to remove.
- b. Click **Delete Item**. A message is displayed: "The selected line item(s) will be deleted. Do you want to continue?"
- c. Click **Yes**. The item is removed from the list.

Note: If the order was previously sent to the Oracle Retail Merchandising System, the quantity ordered is set to 0, but the item reappears on the order when the order is opened.

4. Click **Done** to return to the Store Orders window.

Approve a Store Order

Use this procedure to approve a store order, if you have the necessary permission to approve store orders.

Navigate: Main Menu > Inv Mgmt > Store Orders. The Store Orders window opens.

To approve a store order, follow these steps:

1. If you want to filter the orders listed, click **Filter**. See "[Filter the Store Orders List](#)."
2. Double-click the pending store order that you want to approve. The Store Order Detail window opens.

Note: While the Store Order Detail window is open, you can also view details about items on the order. See "[View Item Details](#)."

3. Click **Approve**. The order is approved and you return to the Store Orders window.

Cancel a Store Order

Navigate: Main Menu > Inv Mgmt > Store Orders. The Store Orders window opens.

Note: You can cancel only pending store orders.

To cancel a store order, follow these steps:

1. If you want to filter the orders listed, click **Filter**. See "[Filter the Store Orders List](#)."
2. Select the pending store orders that you want to cancel.
3. Click **Cancel Order**. A message is displayed: "Are you sure you want to delete the selected Store Orders now?"
4. Click **Yes**. The selected orders are deleted.
5. Click **Done** to return to the Store Orders window.

Print a Store Order Report

Use this procedure to produce a report for a store order.

Navigate: Main Menu > Inv Mgmt > Store Orders. The Store Orders window opens.

Note: SIM reports can be customized, and they may be printed or displayed on the screen, depending on how your SIM system is set up. See "[Print or View SIM Reports and Other Output](#)" in [Chapter 2](#) for more information.

To produce a store order report, follow these steps:

1. If you want to filter the orders listed, click **Filter**. See "[Filter the Store Orders List](#)."
2. Select the store order for which you want a report.
3. Click **Print**. The Report Selection window opens.
4. In the **Printer** field, select the printer or other output device that you want to use.
5. Click **OK**. The report is printed.

Lookups

The Lookups functions provide a variety of ways to look up detailed information about items, suppliers, containers, and customer orders. From each lookup window, you can select options to view additional related details, without performing a separate search.

For example, when you look up an item, you can also view details about sales, pricing, suppliers, packs, and inventory. You can look up related items and customer orders for an item.

You can also perform lookups while you are performing some other SIM tasks. For example, you can look up an item while you are preparing an item request, or you can look up a supplier while you are preparing a store order.

The Lookups functions are as follows:

- [Item Lookup](#)
- [Supplier Lookup](#)
- [Container Lookup](#)
- [Finisher Lookup](#)
- [Customer Orders Lookup](#)

Item Lookup

You can look up all details about any inventory item, either as an inquiry or as part of another SIM task.

Notes: You can use the quick jump feature (Jump) while you are performing a task to look up an item. See "[Jump to Another Functional Area](#)" in [Chapter 2](#).

Navigate: Main Menu > Lookups > Item Lookup. The Item Lookup window opens.

Figure 22–1 Item Lookup Window

To find items and view detailed information, follow these steps:

- Under **Search Type**, select how to look up items:
 - Item** – Search for items by item ID or unique identification numbers (UIN).
 - Supplier** – Search for items by the supplier of the items.
 - Warehouse** – Search for items in a particular warehouse.
 - Finisher** – Search for items by the finisher of the items.
 - UDA** – Search for items by user-defined attributes.
- Enter or select values for the pertinent search fields. The search fields displayed depend on your selection for Search Type (see the preceding step). Values for these fields are optional.

Lookup by Item

Item – Enter the unique number that identifies the item.

UIN – Enter the unique identification number (UIN) that identifies the item.

Lookup by Supplier

Supplier – Enter the identifier of the supplier of the items.

Primary Supplier – Select this check box if you want to search for items for which the selected supplier is the primary supplier.

Lookup by Warehouse

Warehouse – Select the warehouse from the drop-down list.

Lookup by Finisher

Finisher – Enter the finisher ID or look up the finisher.

Lookup by UDA

UDA – Specify values for up to three user-defined attributes of the items you want to find. You can specify up to one each of the three types of attributes that can exist for an item:

- Text – UDA values can be any free-form text.
- Value – UDA values can be specific values from a list.
- Date – UDA values are dates.

The following figure illustrates the three types of attributes and their values.

The screenshot shows a form with three UDA fields. The first field is labeled 'UDA: Publisher's Notes' and has a dropdown arrow. Below it is a text input field containing 'free-form text'. The second field is labeled 'UDA: Beer Brands*' and has a dropdown arrow. Below it is a value input field containing 'Corona'. The third field is labeled 'UDA: Discount Dates' and has a dropdown arrow. Below it are two date input fields: 'Date: From: 9/23/11' and 'Date: To: 9/30/11', each with a calendar icon.

3. You can further limit the search by specifying values for the following fields. Values for these fields are optional.

Item Description – Enter a brief explanation of the item.

Dept – Select a department from the drop-down list.

Class – Select a class from the drop-down list.

Sub-Class – Select a subclass from the drop-down list.

4. In the **Search Limit** field, enter the maximum number of results that you want returned. You can enter an integer from 1 to 999; the default is 500.
5. To search for all items including those that do not have a location association with your location, select the **Include Non-Ranged** check box.
6. Click **Search**. The results that match your search criteria are listed.
7. Double-click the item you want. Details for the item are displayed in the Item Detail window.

Figure 22–2 Item Detail Window

The screenshot shows the 'Store Inventory Management' application window. The title bar reads 'Store Inventory Management'. The main window has a menu bar with the following items: Done, Component Info, Pack Info, Stock Locator, Price Information, Related Items, UIN Detail, UDA Detail, Print, and Customer Order. Below the menu bar, the item details are displayed:

- Item: 100155209, Item Description: Washing Powder
- Primary UPC: [Field], Primary Supplier Name: Coca Cola - Charlotte
- VPN: [Field], Primary Supplier Number: 2400
- Ranged: (checked)
- Item Status: Auto Stockable

The main content area is divided into several sections:

- Stock On Hand Units:** Total Stock On Hand: 0, Available SOH: 0, Unavailable: 0, Transfer Reserved: 0, RTV Reserved: 0, Customer Order: 0, Ordered Qty: 0, Delivery Bay: 0, In Transit: 0, Received Today: 0.
- Item Attributes:** UOM: Units, Pack Size: 1, Ticket Type: [Field], Orderable: (checked), Sellable: (checked), Pack Item: (unchecked), Consignment: (unchecked), Concession: (unchecked), Non-Inventory: (unchecked), Simple Pack Conversion: (unchecked).
- Pricing:** Current Retail: [Field], Pricing Type: [Field], Multi Unit Price: [Field], Multi Unit Quantity: [Field], Multi Unit UOM: [Field].
- Ordering Attributes:** Repl. Method: [Field], Reject Store Order: [Field], Next Delivery Date: [Field].
- Merchandise Hierarchy:** Dept: 1102 - Detergents*, Class: 1 - All Purpose*, Sub-Class: 1 - Liquid*.

At the bottom, there is a section for 'Planned Warehouse Deliveries and Store Transfers' with a table header:

Delivery Date	Location	Location Type	UOM	Quantity

The status bar at the bottom shows: Client Information, orsimad admin, 1111 - Charlotte 11*, Item Detail, Help, and Jump.

From the Item Detail window, you can view other details about an item, as described in the following topics:

- [View Primary Supplier Details](#)
 - [View the Number of Component Items in Each Pack \(Pack Items Only\)](#)
 - [View the Pack Items for a Component Item](#)
 - [View Inventory Available in Buddy Stores \(Stock Locator\)](#)
 - [View Current Pricing Information](#)
 - [View Related Items](#)
 - [View UDA Detail](#)
 - [View UIN Detail](#)
 - [Print an Item Report](#)
 - [View Customer Orders](#)
 - [View Item Images](#)
8. To search for another item, click **Reset**. The search criteria fields are cleared so that you can enter new search criteria.
 9. Click **Done** to return to the Lookups menu.

View Primary Supplier Details

To view details about the primary supplier for the item, follow these steps:

1. Click **Primary Supplier Name**. The Supplier Detail window opens.

Figure 22-3 Supplier Detail Window – Item Lookup

Supplier ID: 3030 Supplier Name: General Book Supplier

Address Type: Return Address

Return Address

Address 1: 7899 Washington Blvd Phone #:
 Address 2: Suite 110 Contact:
 City: Los Angeles Email Address:
 State: MN Fax #:
 Zip Code: 93212

HQ Address

Address 1: 7899 Washington Blvd Phone #:
 Address 2: Suite 110 Contact:
 City: Los Angeles Email Address:
 State: MN Fax #:
 Zip Code: 93212

Status: Active Returns Allowed: Yes Return Authorization Required: Yes

Additional Suppliers

Supplier ID	Supplier Name
1000000011	test

Done

If there are additional suppliers for the item, they are listed at the bottom of the window.


2. Click **Done** to return to the Item Detail window.

View the Number of Component Items in Each Pack (Pack Items Only)

To view information about the component items for the current pack item, follow these steps:

1. Click **Component Info**. The Component Info window opens.

Figure 22–4 Component Info Window




2. Click **Done** to return to the Item Detail window.

View the Pack Items for a Component Item

To view inventory information about the pack items associated with the current component item, follow these steps:

1. Click **Pack Info**. The Pack Info window opens.

Figure 22–5 Pack Info Window



2. Click **Done** to return to the Item Detail window.

View Inventory Available in Buddy Stores (Stock Locator)

To view inventory available in other stores set up as buddy stores, follow these steps:

1. Click **Stock Locator**. The Stock Locator window opens.

Figure 22–6 Stock Locator Window


Store	Available SOH	Received Today	Buddy Store
100000001 - smoke test store	0	2	Yes
1311 - Chicago*	66	15	No
1321 - Indianapolis	20	10	No
5161 - Brisbane	0	0	No
1411 - Seattle*	-200	5555	No

2. Click **Done** to return to the Item Detail window.

View Current Pricing Information

To view current pricing information for this item, follow these steps:

1. Click **Price Information**. The Price Information window opens.

Figure 22–7 Price Information Window

2. Click **Done** to return to the Item Detail window.

View Related Items

To view items related to this item, follow these steps:

1. Click **Related Items**. The Related Item List window opens.

Figure 22–8 Related Item List Window

Item	Description	Diff1	Diff2	Diff3	Diff4	UOM	SOH
100015103	2 mla item					EA	1899
100015111	2 mla item					EA	0
100015120	2 mla item					EA	0
100015138	2 mla item					EA	0
100015146	2 mla item					EA	0

Client Information QA 001 4 - PS GPA Store Related Item List HELP JUMP


2. Click **Done** to return to the Item Detail window.

View UDA Detail

To view the values of user-defined attributes (UDA) for the item, follow these steps:

1. Click **UDA Detail**. The UDA Detail window opens.

Figure 22–9 UDA Detail Window



2. Click **Done** to return to the Item Detail window.

View UIN Detail

Note: The UIN Detail button is available only if you use unique identification numbers, and the item requires UINs.

To view details about UINs for an item, follow these steps:

1. Click **UIN Detail**. The UIN Detail window opens.

Figure 22–10 UIN Detail Window

UIN	Status	Container	Functional Area	Identifier	Damaged
2216	In Stock		Inventory Adjustment	12892	No
2217	In Stock		Inventory Adjustment	12892	No
2218	In Stock		Inventory Adjustment	12892	No
2219	In Stock		Inventory Adjustment	12892	No
2220	In Stock		Inventory Adjustment	12892	No

From the UIN Detail window, you can optionally do the following:

- Update the status of the UIN; see "[View History and Update UIN Status](#)"
 - Print tickets for selected items; see "[Print Tickets](#)"
2. To filter the list of UIN Detail records, follow these steps:
 - a. From the UIN Detail window, click Filter. The UIN Detail Filter window opens.

Figure 22–11 UIN Detail Filter Window

- b. Enter or select search values as needed to specify the UIN records that you want to list. All values are optional. If you leave a field blank or select All, all values are included in the search.

UIN – Enter a UIN to limit the display to a specific UIN.

Availability – Select Open, Closed, or All. The default is Open.

Status – Select a status from the drop-down list. The default is All.

Functional Area – Select a functional area to filter records for a specific area

Functional ID – Enter a functional ID to filter based on a specific transaction

Damaged – Check the box to display UINs flagged as damaged

Display Limit – Enter a value to limit the number of records to display. The default is 500.

3. Click **Done** to return to the Item Detail window.

View History and Update UIN Status

Note: Updating the status of a UIN does not shift inventory positions. Changing the status of a UIN should only be done when errors are flagged in the UIN Resolution window, or when errors have resulted in incorrect UINs in the inventory.

To update the status of a UIN, follow these steps:

1. Select the UIN for which you want to update the status.
2. Click **View History**. The UIN History window opens.

Figure 22–12 UIN History Window – Item Lookup

Store Inventory Management

Done Cancel

Item: 100084204 Item Description: Item_orange5

Auto Generat.: 2216

Current Status: In Stock

Update Status: -Select-

Audit Information

Store	Date	Status	Functional Area	Identifier	User
4 - PS GPA Store	11/10/10 14:39	In Stock	Inventory Adjustment	12892	Sue

Client Information QA 001 4 - PS GPA Store UIN History HELP JUMP

3. In the **New Status** field, select the status for the selected UIN.
4. Click **Done** to return to the UIN Detail window.

Print Tickets

To print tickets for selected items, follow these steps:

1. Select the items for which you want to print tickets.
2. Click **Print Ticket**. You receive a message that tells you that the tickets were printed.
3. Click **OK**.

View Customer Orders

To view customer orders for the item, follow these steps:

1. Click **Customer Order**. The Customer Order window opens.

Figure 22–13 Customer Order Window

Customer Order...	Type	Item	Item Description	UOM	Quantity	Create Date	Comments
12345677	Layaway	100129804	Saj Concession	Units	1	23/09/2010 06:54:09	

2. To view details about an order, double-click on the order. The Customer Order Detail window opens. (For more information, see "[Customer Orders Lookup](#).")
Click **Done** to return to the Customer Order List window.
3. Click **Done** to return to the Item Detail window.


View Item Images

Note: Display of item images is an optional feature. This feature is available if stored images are available through your merchandising system, and if SIM is also configured to access and display those images. If item images are not supported on your SIM system, the Image button does not appear in the Item Detail window.

If the Image button is displayed, follow these steps to view the images that are available for the current item:

1. Click **Image**.

If at least one image is available for the item, the Item Image window opens to display the images.

Figure 22-14 Item Image Window

If there are no images for the current item, a message informs you that there are no images.

2. If there is more than one image for the current item, use the arrow buttons to view all available images in the Item Image window.
3. Click **Done** to return to the Item Detail window.

Print an Item Report

The Item Detail window also provides a Print option that produces an Item Detail Report.

Note: SIM reports can be customized, and they may be printed or displayed on the screen, depending on how your SIM system is set up. See "[Print or View SIM Reports and Other Output](#)" for more information.

To print an item report, follow these steps:

1. Click **Print**. The Report Selection window opens.
2. In the **Printer** field, select the printer or other output device you want to use.
3. Click OK. A message informs you that the Item Detail Report was printed.
4. Click **OK**.

Supplier Lookup


You can look up all details about any supplier, either as an inquiry or as part of another SIM task.

Note: If you are looking up a supplier while performing another SIM task, the procedures are similar:

1. Use the Supplier Lookup window to find the supplier you want.
 2. Select the supplier.
 3. Click **Done** to return to your task.
-
-

Navigate: Main Menu > Lookups > Supplier Lookup. The Supplier Lookup window opens.

Figure 22–15 *Supplier Lookup Window*



To find a supplier and view details about the supplier, follow these steps:

1. Enter a value in one of the fields:
 - Supplier ID** – Enter the number that identifies the supplier.
 - Supplier Name** – Enter the name of the supplier. You can enter a full or partial supplier name.
 - Search Limit** – Enter the maximum number of results that you want returned. You can enter an integer from 1 to 999; the default is 500.
2. Click **Search**. The results that match your search criteria are displayed.
 - If more than one supplier meets the search criteria, the search results are listed in the Supplier Lookup window. Double-click the supplier you want. The Supplier Detail window opens.
 - If only one supplier meets the search criteria, the Supplier Detail window opens.

Figure 22–16 Supplier Detail Window

The screenshot shows a window titled "Store Inventory Management" with a "Done" button in the top left. The main content area displays the following information:

- Supplier ID: 2100
- Supplier Name: Del Monte Foods
- Address Type: Return Address (selected in a dropdown menu)
- Return Address** section:
 - Address 1: PO Box 8326
 - Address 2:
 - City: Walnut Creek
 - State: MN
 - Zip Code: 99372
 - Phone #:
 - Contact:
 - Email Address:
 - Fax #:
- HQ Address** section:
 - Address 1: PO Box 8326
 - Address 2:
 - City: Walnut Creek
 - State: MN
 - Zip Code: 99372
 - Phone #:
 - Contact:
 - Email Address:
 - Fax #:
- Status: Active
- Returns Allowed: Yes
- Return Authorization Required: Yes
- Delivery Discrepancy: Allow any discrepancy

The bottom of the window features a navigation bar with buttons for "Client Information", "orsimad admin", "1111 - Charlotte 11*", "Supplier Detail", "Help", and "Jump".

3. In the **Address Type** field, select the supplier address information that you want to view:
 - Postal Address
 - Return Address
 - Order Address
 - Invoice Address
 - Remittance Address
4. Click **Done**. You return to the Supplier Lookup window.
5. Click **Done** to return to the Lookups menu.

Container Lookup

Use this procedure to view details about containers.

Navigate: Main Menu > Lookups > Container Lookup. The Container Lookup window opens.

Figure 22–17 Container Lookup Window

The screenshot shows a software window titled "Store Inventory Management". At the top left, there are "Done" and "Search" buttons. Below these are input fields for "Container ID:" and "UIN:". A "*Search Limit:" field is set to "500". The main area is a table with the following headers: "Container ID", "Status", "From Location", "Cases", and "Receipt Date/Time". The table body is empty. At the bottom, a navigation bar contains buttons for "Client Information", "QA 001", "4 - PS GPA Store", "Container Lookup", "HELP", and "JUMP".

To find a container and view details, follow these steps:

1. Enter a value for either one or both of the search criteria:
 - In the **Container ID** field, enter all or part of the unique number that identifies the container.
 - In the **UIN** field, enter the UIN that applies to the containers that you want to find.

If you enter both Container ID and UIN values, only containers that satisfy both search criteria will be returned by the search.

2. In the **Search Limit** field, enter the maximum number of results that you want returned. You can enter an integer from 1 to 999; the default is 500.
3. Click **Search**. The results that match your search criteria are displayed.
4. To view additional information about a container, double-click on that container. The Container Detail window opens.

Figure 22–18 Container Detail Window

Item	Description	Expected	Received	Damaged	UOM	Variance	UIN Qty
100017603	PS Item	3	3	0	Units	0	3
100019906	PS Item	3	0	0	Units	-3	0
100027705	New Test Item	10	1000	0	Units	990	

5. Click **Done** to return to the Container Lookup window.
6. Click **Done** to return to the Lookups menu.


Finisher Lookup

You can look up all details about any external finisher, either as an inquiry or as part of another SIM task.

Note: If you are looking up a finisher while performing another SIM task, the procedures are similar:

1. Use the Finisher Lookup window to find the finisher you want.
 2. Select the finisher.
 3. Click **Done** to return to your task.
-

Navigate: Main Menu > Lookups > Finisher Lookup. The Finisher Lookup window opens.

Figure 22–19 Finisher Lookup Window

To find a finisher and view details about the finisher, follow these steps:

1. Enter a value in one of the fields:

Finisher ID – Enter the number that identifies the finisher.

Finisher Name – Enter the name of the finisher. You can enter a full or partial supplier name. You can enter an integer from 1 to 999; the default is 500.

Search Limit – Enter the maximum number of results that you want returned. You can enter an integer from 1 to 999; the default is 500.

2. Click **Search**. The results that match your search criteria are displayed.

If more than one finisher meets the search criteria, the search results are listed in the Finisher Lookup window. Double-click the finisher you want. The Finisher Detail window opens.

If only one finisher meets the search criteria, the FinisherDetail window opens.

Figure 22–20 Finisher Detail Window

3. In the **Select Address Type** field, select the finisher address information that you want to view:
 - Postal Address
 - Return Address
 - Order Address
 - Invoice Address
 - Remittance Address
4. Click **Done**. You return to the Finisher Lookup window.
5. Click **Done** to return to the Lookups menu.

Customer Orders Lookup

Use this procedure to view details of customer orders.

Navigate: Main Menu > Lookups > Customer Orders. The Customer Order List window opens.

Figure 22–21 Customer Order List Window

Customer Order ID	Type	Status	No. Of Lines	Create Date	Comments
00041110000005	Pickup and Delivery Orders	Open	1	23/09/2010 06:17:33	
1234	Pickup and Delivery Orders	Open	1	20/09/2010 03:03:25	order
12345672	Layaway	Open	1	23/09/2010 03:35:01	Order
12345673	Layaway	Open	1	23/09/2010 06:27:36	Order
12345674	Layaway	Open	1	23/09/2010 06:34:01	Order
12345675	Layaway	Open	2	23/09/2010 06:38:20	Order
12345677	Layaway	Open	3	23/09/2010 06:54:09	
2222	Pickup and Delivery Orders	Open	1	13/09/2010 04:04:27	
3456	Pickup and Delivery Orders	Open	1	27/09/2010 06:44:47	
56789	Pickup and Delivery Orders	Open	1	13/09/2010 04:01:12	
9090	Pickup and Delivery Orders	Open	1	20/09/2010 02:44:15	

From the Customer Order List window, you can do the following:

- [Filter the Customer Order List](#)
- [View a Customer Order](#)

Click **Done** to return to the Lookups menu.


Filter the Customer Order List

The Customer Order List window can display all customer orders, or the list can be filtered. If the list is currently filtered, the active filtering is displayed next to the Filter button.



To change the filtering of the orders listed in the Customer Order List window, follow these steps:

1. Click **Filter**. The Customer Order Lookup Filter window opens.

Figure 22–22 Customer Order Lookup Filter Window

2. Enter or select search values to use to filter the list:

Customer Order ID – If you know the customer order ID, enter that value in the Customer Order ID field.

Item – To filter the list to show only orders for an item, enter the item ID, or click the [Ellipsis](#) button to open the Item Lookup window. In the Item Lookup window, look up and select the item you want, and then click Done to return to the Customer Order Lookup Filter window.

Status – To filter the list by order status, select a value from the Status drop-down list.

Reservation Type – To filter the list by reservation type, select a value from the Reservation Type drop-down list.

3. Click **Search**. The customer orders that match your search criteria are listed in the Customer Order List window.


View a Customer Order

To view the details of a customer order, follow these steps:

1. If the customer orders you want to view are not listed, filter the list. See "[Filter the Customer Order List](#)."

If a customer order you want to view is listed, double-click the customer order. The Customer Order Detail window opens.

Figure 22–23 Customer Order Detail Window



2. Click **Done** to return to the Customer Order List window.

SIM uses Oracle BI Publisher as the interface for SIM reports. SIM reports are custom-designed by your own organization. The BI Publisher interface is also customized to organize and present the reports available to SIM users.

Access SIM Reports

Navigate: Main Menu > Reports. Oracle BI Publisher opens in your Web browser.

In SIM, the Main Menu remains displayed. You can use Oracle BI Publisher in your Web browser to view reports, and you can also continue to use SIM to perform other tasks.

For More Information

For information about using Oracle BI Publisher, see the *Oracle Business Intelligence Publisher User's Guide*.

The *Oracle Retail Store Inventory Management Implementation Guide* provides more information about reports for SIM system implementers and administrators.

