Oracle® Retail Warehouse Management System Installation Guide

Release 13.0.1 Patch

June 2008



Copyright © 2008, Oracle. All rights reserved.

Primary Author: Paul Kehler

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software—Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Value-Added Reseller (VAR) Language

- (i) the software component known as <u>ACUMATE</u> developed and licensed by Lucent Technologies Inc. of Murray Hill, New Jersey, to Oracle and imbedded in the Oracle Retail Predictive Application Server Enterprise Engine, Oracle Retail Category Management, Oracle Retail Item Planning, Oracle Retail Merchandise Financial Planning, Oracle Retail Advanced Inventory Planning and Oracle Retail Demand Forecasting applications.
- (ii) the <u>MicroStrategy</u> Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (iii) the <u>SeeBeyond</u> component developed and licensed by Sun MicroSystems, Inc. (Sun) of Santa Clara, California, to Oracle and imbedded in the Oracle Retail Integration Bus application.
- (iv) the <u>Wavelink</u> component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Store Inventory Management.
- (v) the software component known as <u>Crystal Enterprise Professional and/or Crystal Reports</u> <u>Professional</u> licensed by Business Objects Software Limited ("Business Objects") and imbedded in Oracle Retail Store Inventory Management.
- (vi) the software component known as <u>Access Via[™]</u> licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (vii) the software component known as <u>Adobe FlexTM</u> licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.
- (viii) the software component known as <u>Style Report™</u> developed and licensed by InetSoft Technology Corp. of Piscataway, New Jersey, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.
- (ix) the software component known as <u>WebLogic™</u> developed and licensed by BEA Systems, Inc. of San Jose, California, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.
- (x) the software component known as $\underline{\mathbf{DataBeacon^{TM}}}$ developed and licensed by Cognos Incorporated of Ottawa, Ontario, Canada, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.

Contents

Pr	reface	vii
	Audience	vii
	Related Documents	vii
	Customer Support	vii
	Review Patch Documentation	vii
	Oracle Retail Documentation on the Oracle Technology Network	vii
	Conventions	viii
1	Preinstallation Tasks	
	Check Database Server Requirements	1
	Verify Single Sign-On	
	Check Application Server Requirements	
	Check Web Browser and Client Requirements	
	Handheld Requirements	
	Supported Oracle Retail Products	
2	Database Upgrade Instructions	5
	Before You Begin	
	Mount CD-ROM on the Database Server	5
	Update RWMS Database Objects	5
	Update RWMS Database Objects	
	Update Data for RWMS	6
	Validate all Invalid Objects	6
3	Application Server Installation Tasks	7
	Compile RWMS Oracle Forms and Reports	
	Mount CD-ROM on the Application Server	7
	Environment Variables	7
	RWMS Forms Installation	8
	Reports (*.rdf)	8

Preface

Oracle Retail Installation Guides contain the requirements and procedures that are necessary for the retailer to install Oracle Retail products.

Audience

This Installation Guide is written for the following audiences:

- Database administrators (DBA)
- System analysts and designers
- Integrators and implementation staff

Related Documents

For more information, see the following documents in the Oracle Retail Warehouse Management System Release 13.0.1 documentation set:

- Oracle Retail Warehouse Management System Release Notes
- Oracle Retail Warehouse Management System Radio Frequency User Guide
- Oracle Retail Warehouse Management System User Interface User Guide
- Oracle Retail Warehouse Management System Operations Guide

Customer Support

https://metalink.oracle.com

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Review Patch Documentation

For a base release (".0" release, such as 13.0), Oracle Retail strongly recommends that you read all patch documentation before you begin installation procedures. Patch documentation can contain critical information related to the base release, based on new information and code changes that have been made since the base release.

Oracle Retail Documentation on the Oracle Technology Network

In addition to being packaged with each product release (on the base or patch level), all Oracle Retail documentation is available on the following Web site:

http://www.oracle.com/technology/documentation/oracle_retail.html

Documentation should be available on this Web site within a month after a product release. Note that documentation is always available with the packaged code on the release date.

Conventions

Navigate: This is a navigate statement. It tells you how to get to the start of the procedure and ends with a screen shot of the starting point and the statement "the Window Name window opens."

Note: This is a note. It is used to call out information that is important, but not necessarily part of the procedure.

This is a code sample

It is used to display examples of code

A hyperlink appears like this.

Preinstallation Tasks

Check Database Server Requirements

General Requirements for a database server running RWMS include:

Supported on:	Versions Supported:	
Database Server OS	UNIX based OS certified with Oracle RDBMS 10g Enterprise Edition	
	Oracle Enterprise Linux 4 Patch 5	
	Solaris 10 (SPARC)	
	HP-UX 11.23 (Integrity)	
	AIX 5.3	
Database Server	Oracle RDBMS 10g Release 2 Enterprise Edition (minimum 10.2.0.3 patchset required) with the following patches and components:	
	Patches:	
	 5397953 (ORA-07445: [KKPAPITGETALL()+2152] [SIGSEGV] [ADDRESS NOT MAPPED TO OBJECT] [0X34) 	
	 5648872 (SCHEDULER ORA-07445 [OPIDSA()+321] WHEN SETTING UP CHAIN TEST) 	
	 5921386 (WRONG RESULT WITH MERGE JOINT OUTER IN THE EXECUTION PLAN) 	
	RAC Only	
	 5721821 (ORA-7445[KGLOBCL] OCCURED AND INSTANCE WENT DOWN) 	
	Components:	
	 Oracle Database 10g 	
	 Oracle Partitioning 	
	 Oracle Net Services 	
	 Oracle Call Interface (OCI) 	
	 Oracle Programmer 	
	 Oracle XML Development Kit 	
	ANSI compliant C compiler (certified with OS and database version)	
	Perl compiler 5.0 or later	
	x-Windows interface	

Verify Single Sign-On

If a Single Sign-On is to be used, verify the Oracle Infrastructure Server 10g version 10.1.2.2 server has been installed. Verify the Mid-Tier server hosting Oracle Forms is registered with the Infrastructure Oracle Internet Directory.

Check Application Server Requirements

General requirements for an application server capable of running RWMS include:

Supported on:	Versions Supported:		
Application Server OS	UNIX based OS certified with Oracle Application Server 10g version 10.1.2.2		
	Oracle Enterprise Linux 4 Patch 5		
	Solaris 10 (SPARC)		
	HP-UX 11.23 (Integrity)		
	AIX 5.3		
Application Server	Oracle Application Server Forms and Reports 10g version 10.1.2.2 Patches:		
	 5861907 (IAS 10.1.2.2 PATCHSET UPDATES ORACLEHOMEPROPERTIES.XML WITH WRONG ARU_ID & ARU_I) 		
	 5632264 (NEED UPDATED TIMEZONE FILES (VERSION 4) FOR MORE DST RULE CHANGES) 		

Note: If installing on HP please refer to Metalink Note 367577.1.

Check Web Browser and Client Requirements

General requirements for client running RWMS include:

Requirement	Version
Operating system	Windows 2000 or XP
Display resolution	1024x768
Processor	Pentium processor (minimum 450 MHz)
Memory	minimum of 256 MB RAM
Sun JRE Plug-in	1.4.1+
Microsoft Internet Explorer	version 5.5, 6.0 and higher

Handheld Requirements

Windows CE 5.0 handhelds with the following screen sizes

Hand held: 240 x 320Wrist mount: 320 x 240

Truck mount – full screen: 800 x 600

■ Truck mount – half screen: 800 x 320

Software Required on Handhelds

- Remote Desktop Client (aka Microsoft Terminal Services Client)
- DataWedge (software provided by and maintained by Motorola for use with the barcode scanners)

Supported Oracle Retail Products

Requirement	Version
Oracle Retail Merchandising System (RMS)	13.0.1
SIM	13.0.1

Database Upgrade Instructions

This chapter describes how you can upgrade the RWMS database with this patch release.

Before You Begin

Before you apply the RWMS 13.0.1 patch:

- Make a backup of all your objects and database schema.
- Check that RWMS 13.0.0 is installed.
- Review the enclosed RWMS 13.0.1 Patch Release Notes (rwms-1301-rn.pdf).
- Review each of the enclosed defect documents.

Before copying over any files:

- Note whether customizations have been made to the module. If so, then the
 customizations must be reapplied over the new version of the module (or the fix may
 need to be applied to the custom version of the code).
- Copy the original files to a different directory before copying over them in case they need to be referred to at a later date.

Note: These instructions refer to RWMS13DEV as the Oracle owning schema.

Mount CD-ROM on the Database Server

- **1.** Copy the rwms1301dbpatch.zip file from the CD/dbserverunix directory to a newly created staging directory on your UNIX server.
- **2.** Unzip the file using the following command: unzip rwms1301dbpatch.zip

Update RWMS Database Objects

- 1. Change directories to the <staging area>/dbcs.
- **3.** Check the log file patch1301dbcs.log for any errors.

Update RWMS Database Objects

- 1. Change directories to the <staging area>/db_objects.
- **2.** Log on to SQL* Plus as RWMS13DEV, and run the following command: SQL> @patch1301rwms.sql
- **3.** Check the log file patch1301rwms.log for any errors.

Update Data for RWMS

- **1.** Change directories to the <staging area>/data.
- **3.** Check the log file patch1301ctl.log for any errors.

Validate all Invalid Objects

Note: Deadlocked objects may appear when running this script. Run the script until no more invalid objects remain.

- **1.** Change directories to <INSTALL_DIR>/utility.
- **2.** Log on to SQL*Plus as RWMS13DEV, and run the following command: $SQL> @inv_obj_comp.sql$

You may need to run this script more than once.

Application Server Installation Tasks

Note: INSTALL_DIR is the directory where the RWMS files are extracted from its tar file.

ORACLE_HOME is the location where Oracle Application Server 10g (10.1.2.2) has been installed

It is assumed that Oracle Application Server 10g version 10.1.2.2 (OAS) has already been installed.

Compile RWMS Oracle Forms and Reports

Mount CD-ROM on the Application Server

- 1. Copy the rwms1301apppatch.zip file from the CD/appserverunix directory to a newly created staging directory on your UNIX server.
- **2.** Unzip the file using the following command: unzip rwms1301apppatch.zip

Environment Variables

Note: ORACLE_HOME is the location where Oracle Application Server 10g (10.1.2.2) has been installed.

- 1. Logon to the application server as the oretail user,
- **2.** Set the DISPLAY variable to the IP address plus ":0.0" (ie: 10.1.1.1:0.0) of the application server.
- **3.** Set the following variables:

All OS Platforms

- PATH=\$ORACLE_HOME/bin:\$ORACLE_HOME/opmn/bin:\$ORACLE_HOM E/dcm/bin:INSTALL_DIR/forms_scripts:\$PATH
- CLASSPATH=\$ORACLE_HOME/jlib/importer:
 \$ORACLE_HOME/jlib/debugger.jar:\$ORACLE_HOME/jlib/utj.jar:\$ORACLE_HOME/jlib/ewt3.jar:\$ORACLE_HOME/jlib/share.jar:\$ORACLE_HOME/jlib/dfc.jar:\$ORACLE_HOME/jlib/help4.jar:\$ORACLE_HOME/jlib/oracle_ice.jar:\$ORACLE_HOME/jlib/jewt4.jar
- FORMS_BUILDER_CLASSPATH=\$CLASSPATH
- FORMS_PATH=INSTALL_DIR/rwms/forms/bin:\$ORACLE_HOME/forms
- REPORTS_PATH=INSTALL_DIR/rwms/reports/bin:\$ORACLE_HOME/forms
- TK_UNKNOWN==\$ORACLE_HOME/guicommon/tk/admin
- UP=<RWMS schema owner>/<RWMS schema password>@<RWMS database>

Note: Verify that TNS is set up correctly by using the UP variable to successfully log into the RWMS 13 schema.

Example: /u00/oracle> sqlplus \$UP

RWMS Forms Installation

- **1.** Copy all libraries (.pll files) in the <staging area>/forms/src directory to the directories to the INSTALL_DIR/forms/bin directory.
- **2.** Change directories to INSTALL_DIR/rwms/forms/bin.
- **3.** Run forms.pll.sh to compile all RWMS .pll's.
- **4.** Check to make sure that each .pll file has a corresponding .plx (to ensure that all .pll's compiled successfully).

Note: message36.pll and stand36.pll do not create plx files.

- **5.** Copy all forms (*.fmb files) in the <staging area>/forms/src directory to the INSTALL_DIR/rwms/forms/bin directory.
- **6.** Run forms.fmb.sh (in INSTALL_DIR/rwms/forms/bin) to generate RWMS runtime forms .fmx's.
- 7. Check to make sure that each form .fmb file has a corresponding .fmx file.

Note: gui_library.fmb does not create an fmx and does not compile.

- **8.** Copy all menus (*.mmb files) in the <staging area>/forms/src directory to the INSTALL_DIR/rwms/forms/bin directory.
- **9.** Run menus.mmb.sh (in INSTALL_DIR/rwms/forms/bin) to generate RWMS runtime menus (.mmx's).
- **10.** Check to make sure that each .mmb file has a corresponding .mmx file.
- **11.** Remove all .mmb files from INSTALL_DIR/rwms/forms/bin.

Reports (*.rdf)

1. Copy all reports (*.rdf files) in the <staging area>/reports/src directory to the INSTALL_DIR/rwms/forms/bin directory.

Help files

To redeploy the rwms ear file.

- 1. Click on the rwms help instance.
- **2.** Click on the Applications tab.
- **3.** Click on Deploy WAR file.
- **4.** For "J2EE Application" enter the location of the ear file or use the browse feature.

Note: This is from the PC and not from the server.

- **5.** Enter "rwms-help" for the Application Name.
- **6.** Enter "/rwms-help" for the Map to URL.
- 7. Click Continue.
- **8.** Accept Defaults and Deploy.