


```

        <property name="messageText"><value>Request Reversal
Reversal</value></property>
        <property name="messageMatchNbr"><value>2</value></property>
        <property name="isdStatusCode"><value>0</value></property>
        <property
name="responseTranslationEntryId"><value>1</value></property>
    </bean>
    <bean class="com.isd.model.SafTorResponseTranslationEntry">
        <property
name="description"><value>Msg.Reversal.Persist.SaleInFlight</value></property>
        <property name="statusCode"><value>01</value></property>
        <property name="responseReason"><value>SAF4</value></property>
        <property name="responseCode"><value>01</value></property>
        <property name="messageText"><value>Request Reversal Sale In
Flight</value></property>
        <property name="messageMatchNbr"><value>3</value></property>
        <property name="isdStatusCode"><value>0</value></property>
        <property
name="responseTranslationEntryId"><value>2</value></property>
    </bean>
    <bean class="com.isd.model.SafTorResponseTranslationEntry">
        <property
name="description"><value>Msg.Reversal.Persist.SaleComplete</value></property>
        <property name="statusCode"><value>01</value></property>
        <property name="responseReason"><value>SAF5</value></property>
        <property name="responseCode"><value>01</value></property>
        <property name="messageText"><value>Request Reversal Sale
Complete</value></property>
        <property name="messageMatchNbr"><value>4</value></property>
        <property name="isdStatusCode"><value>0</value></property>
        <property
name="responseTranslationEntryId"><value>3</value></property>
    </bean>
    <bean class="com.isd.model.SafTorResponseTranslationEntry">
        <property
name="description"><value>Msg.Sale.Persist.Reversal</value></property>
        <property name="statusCode"><value>01</value></property>
        <property name="responseReason"><value>SAF6</value></property>
        <property name="responseCode"><value>01</value></property>
        <property name="messageText"><value>Request Sale
Reversal</value></property>
        <property name="messageMatchNbr"><value>5</value></property>
        <property name="isdStatusCode"><value>0</value></property>
        <property
name="responseTranslationEntryId"><value>4</value></property>
    </bean>
    <bean class="com.isd.model.SafTorResponseTranslationEntry">
        <property
name="description"><value>Msg.Sale.Persist.Sale</value></property>
        <property name="statusCode"><value>01</value></property>
        <property name="responseReason"><value>SAF7</value></property>
        <property name="responseCode"><value>01</value></property>
        <property name="messageText"><value>Sale
Sale</value></property>
        <property name="messageMatchNbr"><value>6</value></property>
        <property name="isdStatusCode"><value>0</value></property>
        <property
name="responseTranslationEntryId"><value>5</value></property>
    </bean>
    <bean class="com.isd.model.SafTorResponseTranslationEntry">

```

```
        <property
name="description"><value>Accept.Response</value></property>
        <property name="statusCode"><value>01</value></property>
        <property name="responseReason"><value>SAF8</value></property>
        <property name="responseCode"><value>01</value></property>
        <property name="messageText"><value>Monitored Request
Accepted</value></property>
        <property name="messageMatchNbr"><value>7</value></property>
        <property name="isdStatusCode"><value>0</value></property>
        <property
name="responseTranslationEntryId"><value>6</value></property>
    </bean>
    <bean class="com.isd.model.SafTorResponseTranslationEntry">
        <property
name="description"><value>Host.Down.Response</value></property>
        <property name="statusCode"><value>09</value></property>
        <property name="responseReason"><value>SAF9</value></property>
        <property name="responseCode"><value>09</value></property>
        <property name="messageText"><value>Host
Down</value></property>
        <property name="messageMatchNbr"><value>8</value></property>
        <property name="isdStatusCode"><value>0</value></property>
        <property
name="responseTranslationEntryId"><value>7</value></property>
    </bean>
    <bean class="com.isd.model.SafTorResponseTranslationEntry">
        <property
name="description"><value>Timeout.Response</value></property>
        <property name="statusCode"><value>04</value></property>
        <property
name="responseReason"><value>SAF10</value></property>
        <property name="responseCode"><value>04</value></property>
        <property name="messageText"><value>TIMEOUT</value></property>
        <property name="messageMatchNbr"><value>9</value></property>
        <property name="isdStatusCode"><value>0</value></property>
        <property
name="responseTranslationEntryId"><value>8</value></property>
    </bean>
    <bean class="com.isd.model.SafTorResponseTranslationEntry">
        <property
name="description"><value>System.Failure</value></property>
        <property name="statusCode"><value>02</value></property>
        <property
name="responseReason"><value>SAF11</value></property>
        <property name="responseCode"><value>02</value></property>
        <property name="messageText"><value>SYSTEM
FAILURE</value></property>
        <property name="messageMatchNbr"><value>10</value></property>
        <property name="isdStatusCode"><value>0</value></property>
        <property
name="responseTranslationEntryId"><value>9</value></property>
    </bean>
    <bean class="com.isd.model.SafTorResponseTranslationEntry">
        <property
name="description"><value>InvalidData.Response</value></property>
        <property name="statusCode"><value>02</value></property>
        <property
name="responseReason"><value>SAF12</value></property>
        <property name="responseCode"><value>02</value></property>
        <property name="messageText"><value>Invalid
```

```

Data</value></property>
    <property name="messageMatchNbr"><value>11</value></property>
    <property name="isdStatusCode"><value>0</value></property>
    <property
name="responseTranslationEntryId"><value>10</value></property>
    </bean>
    <bean class="com.isd.model.SafTorResponseTranslationEntry">
    <property
name="description"><value>No.Encryption.Key</value></property>
    <property name="statusCode"><value>02</value></property>
    <property
name="responseReason"><value>SAF13</value></property>
    <property name="responseCode"><value>02</value></property>
    <property name="messageText"><value>NO ENCRYPTION KEYS
AVAILABLE</value></property>
    <property name="messageMatchNbr"><value>12</value></property>
    <property name="isdStatusCode"><value>0</value></property>
    <property
name="responseTranslationEntryId"><value>11</value></property>
    </bean>
    </list>
    </constructor-arg>
</bean>

```

Index

A

Accepted Tender Issuers, 5-1, 5-6, 5-7, 6-12, 6-13
Accepted Tender Types, 5-2, 6-2
Accountability, 3-62
ACI PIN Comm configuration, B-1
Agencies, 3-41
Allow Date of Birth Prompt Skip, 3-35
Allow Post Void on Debit Transaction, 3-81
Allow Pricing Group Edit, 3-9
Alteration Receipt Print Control, 3-141
Audit Log system configurations, 7-1
 Audit Log events
 Add Employee, 7-2
 Add Parameter List for Distribution, 7-2
 Add Role, 7-3
 Add Temporary Employee, 7-3
 Add User, 7-4
 Bank Deposit, 7-4
 Bank Deposit Report Exported, 7-5
 Bank Deposit Report Viewed, 7-5
 Change Password, 7-6
 Count Float at Reconcile, 7-6
 Distribute Parameter List, 7-7
 Edit Role, 7-7
 End of Day, 7-8
 Enter Business Date, 7-8
 Launch Browser, 7-9
 Modify Application Parameter, 7-9
 Modify Employee Information, 7-10
 Modify Parameter in List, 7-10
 Modify Temporary Employee Information, 7-11
 Modify User Information, 7-11
 Register Close, 7-12
 Register Open, 7-12
 Remove Parameter List for Distribution, 7-13
 Remove Role, 7-13
 Reset Employee Password, 7-14
 Reset Temporary Employee Password, 7-14
 Reset User Password, 7-15
 Start of Day, 7-15
 Till Close, 7-16
 Till Open, 7-16
 Till Reconcile, 7-17
 Till Resume, 7-17

Till Suspend, 7-18
Transaction Details Exported, 7-18
Transaction Details Viewed, 7-19
Transaction Tendered with Credit Card, 7-19
Transaction Tendered with Debit Card, 7-20
User Lockout, 7-20
User Login, 7-21
User Logout, 7-21
Authorization Conversion, 3-116
Auto Print Customer Copy, 3-48
Auto Print Gift Receipt for Gift Registry, 3-48
Auto Print Gift Receipt for Send, 3-49
Automatic Email for Canceled Order Footer, 3-24
Automatic Email for Canceled Order Header, 3-24
Automatic Email for Filled Order Footer, 3-23
Automatic Email for Filled Order Header, 3-23
Automatic Email for Partial Order Footer, 3-25
Automatic Email for Partial Order Header, 3-25
Automatic Email for Picked Up Order Footer, 3-26
Automatic Email for Picked Up Order Header, 3-26
Automatic Entry ID, 3-42
Automatic Entry Requires Password, 3-42

B

Back Office parameters
 Item group, 4-1
 Planogram Display, 4-1
 Search for Item by Manufacturer, 4-2
 Password Policy group, 4-2
 Temporary Password Length, 4-2
 Reconciliation group, 4-3
 Blind Close, 4-3
 Count Deposit Tender, 4-3
 Count Operating Funds at End of Day, 4-4
 Count Operating Funds at Start of Day, 4-4
 Operate With Safe, 4-5
 Operating Fund Expected Amount, 4-5
 Pickup Tenders, 4-5
 Tenders To Count At Till Reconcile, 4-6
 Till group, 4-7
 Count Float at Open, 4-7
 Count Float at Reconcile, 4-8
 Count Till at Reconcile, 4-8
Back Office system configurations, 4-8
Bill Pay Transaction Tenders, 3-81, 3-82

Blind Close, 3-62, 4-3
Browser URL, 3-4
Bypass Task And Workflow On Import, 5-2, 6-2

C

Call Center Number, 3-141
Cancel Transaction Receipt Print Control, 3-142
Capture Reason Code For No Sale, 3-124
Capture Transaction Tax Status, 3-9
Carry AMOUNT Discount Forward From Original Transaction METHOD, 3-46
Carry Discount Forward From Original Transaction, 3-46
Cash Accepted, 3-82, 3-83
Cash Amount for Notification when Over, 3-83
Cash Amount for Notification when Under, 3-83
Central Office parameters
 Central Office group, 5-1, 5-6, 6-12
 Accepted Tender Issuers, 5-1, 5-6, 5-7, 6-12, 6-13
 Accepted Tender Types, 5-2
 Bypass Task And Workflow On Import, 5-2
 Default Hierarchy To Top Level, 5-3
 Maximum Search Results, 5-3
 Non Editable Groups, 5-4
 Signature Format, 5-4
 Start of Week, 5-5
 Password Policy group, 5-5
 Temporary Password Length, 5-5
Central Office system configurations, 5-8
 Digits Unmasked Card First, 5-8
 Digits Unmasked Card Last, 5-9
 Digits Unmasked MICR First, 5-9
 Digits Unmasked MICR Last, 5-10
Check Auth. Active, 3-116
Checks Accepted, 3-84
Clear Queue, 3-61
Compute Store Credit Expiration Date, 3-84
Corporate Gift Certificates Accepted, 3-85
Count Cash Loan, 3-63
Count Cash Pickup, 3-63
Count Check Pickup, 3-64
Count Deposit Tender, 4-3
Count Float at Open, 3-65, 4-7
Count Float at Reconcile, 3-66, 4-8
Count Operating Funds at End of Day, 4-4
Count Operating Funds at Start Of Day, 4-4
Count Operating Funds at the End of Day, 3-66
Count Operating Funds at the Start of Day, 3-67
Count Till at Reconcile, 3-67, 4-8
Credit/Debit Card Types, 3-117
Credit/Debit Cards Accepted, 3-85
Customer ID Sequence Number Length, 3-126
Customer ID Sequence Number Maximum, 3-127
Customer Maximum Matches, 3-10
Customer Survey/Reward, 3-142
Customer Survey/Reward Available, 3-10
Customer Survey/Reward Begin, 3-11
Customer Survey/Reward End, 3-11

Customer Survey/Reward Method, 3-12
Customer Survey/Reward n Transactions, 3-12
Customer Survey/Reward Transaction Amount, 3-13
Customer Types, 6-3
customers
 Oracle Customer, 3-15
 PAT customer information, 3-15
 Point-of-Service Customer parameter group, 3-9
 Prompt for Customer Information, 3-17

D

Days Limit Customer Service Overrides, 6-3
Default Gift Card Item ID, 3-86
Default Hierarchy To Top Level, 5-3, 6-4
Default Instant Credit Discount, 3-29
Default Tax Authority ID, 3-78
Default Tax Group ID, 3-79
Default to Cashier, 3-15
Digits Unmasked Card First, 3-127, 5-8
Digits Unmasked Card Last, 3-128, 5-9
Digits Unmasked MICR First, 3-128, 5-9
Digits Unmasked MICR Last, 3-129, 5-10
Display Overall Response on Return Ticket, 6-4
Driver's License / State ID Swipe Enabled, 3-86

E

e-Check Frank Approval, 3-50
E-Check Functionality, 3-87
e-Check Signature Slip (Bank Copy) Legal Statement, 3-143
Edit Reason Codes, 3-75
editing parameters
 application user interface, 2-1
 Back Office, 2-2
 Central Office, 2-3
 Point-of-Service, 2-2
 Returns Management, 2-4
 database, 2-9
 properties file, 2-9, 2-10
 XML file, 2-4
 Back Office, 2-7
 Central Office, 2-7
 modifying XML file, 2-8
 parameter file hierarchy, 2-5
 Point-of-Service, 2-6
 Returns Management, 2-8
 tags, 2-4
Employee Login Lockout, 7-22
Employee Login Lockout Status Code, 7-23
Employee Maximum Matches, 3-27
Enable Bill Pay Over and Under Validation, 3-87
Enable Price Adjustment, 3-47
Enable Scan Sheet, 3-129
eReceipt Functionality, 3-51
eReceipt Subject, 3-51
eReceipt Text, 3-52
Exchange Receipt Original Receipt, 3-51

Exchange Receipt Print Control, 3-51, 3-52, 3-143
Exchange Signature Slip Legal Statement, 3-144
Expiration Grace Period, 3-39
External Order Maximum Matches, 3-27
External Order Sig Cap Required, 3-28

F

Fifth Gift Card Reload Amount, 3-88
First Gift Card Reload Amount, 3-88
Float Amount, 3-68
Footer for Gift Receipt, 3-144
Footer for Redeem Transaction, 3-144
Foreign Currency, 3-89
Form of ID Required for Non-retrieved Return, 3-71
Form of ID Required for Retrieved Return, 3-72
Form of ID Required for Return, 3-71
Fourth Gift Card Reload Amount, 3-89
Frank Gift Certificates Issued, 3-53
Frank Instant Credit Application, 3-29
Franking External Order Enabled, 3-52
Franking Tender List, 3-53, 3-54

G

Gift Card Activation Referral Number, 3-117
Gift Card Bin File Lookup, 3-90
Gift Card Compute Expiration Date, 3-90
Gift Card Days to Expiration, 3-91
Gift Cards Accepted, 3-91
Gift Certificates Accepted, 3-92
Group Like Items Together, 3-54

H

Hard Total File Size, 3-130
Header for Gift Receipts, 3-145
House Account Inquiry With Swipe, 3-27
House Account Payment, 3-30
House Account Payment Receipt Print Control, 3-145
house accounts, 3-27, 3-29
House Card Accepted, 3-92
House Card Expiration Date Required, 3-93
House Card Ref. Phone Number, 3-118

I

IDDI Offline Support Required, 3-5
IDDI Timeout Interval, 3-5
Identify Sales Associate Every Transaction, 3-16
IMEI Scanning, 3-130
Instant Credit Enrollment, 3-30
Instant Credit Inquiry, 3-31
Item Conditions, 6-4
Item Maximum Matches, 3-36
Item Search Fields, 3-36
Item Types, 6-5

L

Layaway Delete Receipt Print Control, 3-146
Layaway Duration, 3-40
Layaway Fee, 3-40
Layaway Legal Statement, 3-146
Layaway Payment Receipt Print Control, 3-147
Layaway Pickup Receipt Print Control, 3-147
Layaway Receipt Print Control, 3-148
layaways, 3-39
Least Risky Tender Order, 6-5
Legal Ext Order Sig Cap, 3-28
linking transactions
 Default to Cashier, 3-15
 Oracle Customer, 3-15

M

Mall Certificate Accepted, 3-93
Mall Certificate Sub Tender Accepted, 3-94
Mall Certificate Sub Tender Required, 3-94
Manager Override, 3-118
Manager Override For Security Access, 3-76
Manual Entry ID, 3-43
Manual Entry Requires Password, 3-44
Max Grid Size, 3-131
Maximum Active Exception Days, 6-5
Maximum Amount Cash Change for Gift Certificate, 3-95
Maximum Cash Accepted, 3-95
Maximum Cash Back for Redeem, 3-96
Maximum Cash Change, 3-96
Maximum Cash Change for Store Credit, 3-97
Maximum Cash Refund, 3-97
Maximum Cash Refund Without Receipt, 3-98
Maximum Cashier Exceptions to Display, 6-6
Maximum Cashier Search Results, 6-6
Maximum Check Amount, 3-98
Maximum Customer Exceptions to Display, 6-6
Maximum Customer Search Results, 6-7
Maximum Customer Service Overrides, 6-7
Maximum Damage Discount Amount/Percent, 3-18
Maximum Employee Discount Amount/Percent, 3-19
Maximum Employee Transaction Discount Amount/Percent, 3-19
Maximum Gift Card Issue Amount, 3-99
Maximum Gift Certificate Issue Amount, 3-99
Maximum Gift Certificate Tender Amount, 3-100
Maximum Item Discount Amount/Percent, 3-20
Maximum Item Markdown Amount/Percent, 3-20
Maximum Mall Certificate Tender Amount, 3-100
Maximum Money Order Amount, 3-101
Maximum Number of Discounts Allowed, 3-21
Maximum Over Tender Check Amount, 3-101
Maximum Password Length, 7-23
Maximum Password Length Status Code, 7-24
Maximum Search Date Range, 3-72
Maximum Search Results, 5-3, 6-7
Maximum Sends Allowed, 3-77
Maximum Transaction Discount

- Amount/Percent, 3-21
- Maximum Transaction History Number, 3-13
- Maximum Traveler's Check Amount, 3-102
- Merchant Number, 3-119
- Minimum Age for Enrollment, 3-31
- Minimum Alphabetical Characters, 7-24
- Minimum Alphabetical Characters Status Code, 7-25
- Minimum Check Amount, 3-102
- Minimum Check Auth. Amount, 3-119
- Minimum Down Payment Percent, 3-41
- Minimum Gift Card Issue Amount, 3-102
- Minimum Gift Certificate Issue Amount, 3-103
- Minimum Gift Certificate Tender Amount, 3-103
- Minimum Money Order Amount, 3-104
- Minimum Numeric Characters, 7-25
- Minimum Numeric Characters Status Code, 7-26
- Minimum Password Length, 7-26
- Minimum Password Length Status Code, 7-27
- Minimum Signature Capture for Amex, 3-120
- Minimum Signature Capture for Diners Club, 3-120
- Minimum Signature Capture for Discover, 3-121
- Minimum Signature Capture for JCB, 3-121
- Minimum Signature Capture for Master Card, 3-122
- Minimum Signature Capture for Visa, 3-122
- Minimum Store Credit Issuance Amount, 3-104
- Minimum Traveler's Check Amount, 3-105
- Mobile Point-of-Service parameters
 - Accountability, 3-62
 - Cash Accepted, 3-82
 - Cash Amount for Notification when Over, 3-83
 - Cash Amount for Notification when Under, 3-83
 - Checks Accepted, 3-84
 - Default Gift Card Item ID, 3-86
 - Default Tax Authority ID, 3-78
 - Default Tax Group ID, 3-79
 - Default to Cashier, 3-15
 - Driver's License/State ID Swipe Enabled, 3-86
 - E-Check Functionality, 3-87
 - Enable Reprint Original Receipt, 3-51
 - eReceipt Subject, 3-51
 - eReceipt Text, 3-52
 - Fingerprint Login Options, 3-43
 - Foreign Currency, 3-89
 - Gift Card Bin File Lookup, 3-90
 - Gift Cards Accepted, 3-91
 - Gift Certificates Accepted, 3-92
 - Group Like Items Together, 3-54
 - House Cards Accepted, 3-92
 - Identify Cashier Every Transaction, 3-16
 - Mall Certificate Accepted, 3-93
 - Manual Entry ID, 3-43
 - Manual Entry Requires Password, 3-44
 - Maximum Damage Discount
 - Amount/Percent, 3-18
 - Maximum Employee Discount
 - Amount/Percent, 3-19
 - Maximum Employee Transaction Discount
 - Amount/Percent, 3-19
 - Maximum Item Discount Amount/Percent, 3-20
 - Maximum Item Markdown

- Amount/Percent, 3-20
- Maximum Number of Discounts Allowed, 3-21
- Maximum Transaction Discount
 - Amount/Percent, 3-21
- Minimum Gift Card Issue Amount, 3-102
- Minimum Signature Capture for Amex, 3-120
- Minimum Signature Capture for Diners Club, 3-120
- Minimum Signature Capture for Discover, 3-121
- Minimum Signature Capture for JCB, 3-121
- Minimum Signature Capture for Master Card, 3-122
- Minimum Signature Capture for Visa, 3-122
- Money Order Accepted, 3-105
- Non-Store Coupon Accepted, 3-106
- Open Drawer for Post Void, 3-107
- Open Drawer for Tender, 3-107
- Print Cancelled Transaction Receipt, 3-54
- Print Credit Signature Slips, 3-55
- Print Debit Slip, 3-55
- Print Item Tax, 3-79
- Print Receipts, 3-56
- Prorate Discount Amount, 3-22
- Purchase Orders Accepted, 3-108
- Redeem Transaction Tenders, 3-109
- Signature Bitmap Height, 3-56
- Signature Bitmap Width, 3-57
- Special Order Deposit Percent, 3-110
- Store Country, 3-7
- Store Credits Accepted, 3-112
- Store State/Province, 3-7
- Store's VAT Number, 3-7
- Suspend Reason Required, 3-125
- Tax Rate, 3-80
- Tenders Not Allowed for Over Tender, 3-113
- Time Out Inactive with Transaction, 3-8
- Time Out Inactive without Transaction, 3-8
- Traveler's Checks Accepted, 3-114
- VAT Code Receipt Printing, 3-59
- VAT Receipt Type, 3-59
- Verify Register ID on Reprint Receipt, 3-60
- You Saved Threshold Percent, 3-60
- Money Order Accepted, 3-105

N

- Negative Amt. Due, 3-14
- No Sale Receipt Print Control, 3-148
- Non Editable Groups, 5-4, 6-8
- Non-Store Coupon Accepted, 3-106
- Non-Store Coupon Unknown Trigger
 - Number, 3-106

O

- Offline Check Floor Limit, 3-123
- Offline Credit Floor Limit, 3-123
- Open Drawer for Post Void, 3-107
- Open Drawer for Tender, 3-107
- Open Drawer In Training Mode, 3-6

- Operate With Safe, 3-68, 4-5
- Operating Fund Expected Amount, 3-69, 4-5
- Oracle Customer, 3-14
- Order Maximum Matches, 3-44
- Order Partial Pickup, 3-45
- orders, 3-44
- ORSIM Web Service Request Timeout, 3-131
- ORSIM Web Service URL, 3-132

P

parameters

- application uses, 1-3
- distribution, 1-2
- groups, 1-2
- lists, 1-2
- master sets, 1-3
- overview, 1-2
- See also* editing parameters
- Password Days Valid, 7-27
- Password Days Valid Status Code, 7-28
- Password Expiration Notice, 7-28
- Password Expiration Notice Status Code, 7-29
- Password Grace Period, 7-29
- Password Grace Period Status Code, 7-30
- Password Policy system configurations, 7-22
 - Employee Login Lockout, 7-22
 - Employee Login Lockout Status Code, 7-23
 - Maximum Password Length, 7-23
 - Maximum Password Length Status Code, 7-24
 - Minimum Alphabetical Characters, 7-24
 - Minimum Alphabetical Characters Status Code, 7-25
 - Minimum Numeric Characters, 7-25
 - Minimum Password Length, 7-26
 - Minimum Password Length Status Code, 7-27
 - Password Days Valid, 7-27
 - Password Days Valid Status Code, 7-28
 - Password Expiration Notice, 7-28
 - Password Expiration Notice Status Code, 7-29
 - Password Grace Period, 7-29
 - Password Grace Period Status Code, 7-30
 - Previous Password Match, 7-30
 - Previous Password Match Status Code, 7-31
- passwords
 - Automatic Entry Requires Password, 3-42
 - Manual Entry Requires Password, 3-44
 - Password Policy system configurations, 7-22
 - Temporary Password Length, 3-45, 4-2, 5-5, 6-1
- PAT Customer Information, 3-15
- PAT Footer, 3-149
- Pickup Tenders, 3-69, 4-5
- Planogram Display, 4-1
- Point-of-Service parameters
 - Base group, 3-4
 - Browser URL, 3-4
 - IDDI Offline Support Required, 3-5
 - IDDI Timeout Interval, 3-5
 - Open Drawer In Training Mode, 3-6
 - Store Country, 3-7

- Store State/Province, 3-7
- Store's VAT Number, 3-7
- Time Out Inactive with Transaction, 3-8, 3-133
- Time Out Inactive without Transaction, 3-8
- Customer group, 3-9
 - Allow Pricing Group Edit, 3-9
 - Capture Transaction Tax Status, 3-9
 - Customer Maximum Matches, 3-10
 - Customer Survey/Reward Available, 3-10
 - Customer Survey/Reward Begin, 3-11
 - Customer Survey/Reward End, 3-11
 - Customer Survey/Reward Method, 3-12
 - Customer Survey/Reward n Transactions, 3-12
 - Customer Survey/Reward Transaction Amount, 3-13
 - Maximum Transaction History Number, 3-13
 - Negative Amt. Due, 3-14
 - Oracle Customer, 3-14
 - PAT Customer Information, 3-15
- Daily Operations group, 3-15
 - Default to Cashier, 3-15
 - Identify Sales Associate Every Transaction, 3-16
 - Prompt for Customer Information, 3-17
 - Validate Payroll Pay Out Employee ID, 3-17
- Device Status group, 3-18
 - Status Display List, 3-18
- Discount group, 3-18
 - Maximum Damage Discount Amount/Percent, 3-18
 - Maximum Employee Discount Amount/Percent, 3-19
 - Maximum Employee Transaction Discount Amount/Percent, 3-19
 - Maximum Item Discount Amount/Percent, 3-20
 - Maximum Item Markdown Amount/Percent, 3-20
 - Maximum Number of Discounts Allowed, 3-21
 - Maximum Transaction Discount Amount/Percent, 3-21
 - Prorate Discount Amount, 3-22
- Email group, 3-23
 - Automatic Email Filled Order Footer, 3-23
 - Automatic Email Filled Order Header, 3-23
 - Automatic Email for Cancelled Order Footer, 3-24
 - Automatic Email for Cancelled Order Header, 3-24
 - Automatic Email for Partial Order Footer, 3-25
 - Automatic Email for Partial Order Header, 3-25
 - Automatic Email for Picked Up Order Footer, 3-26
 - Automatic Email for Picked Up Order Header, 3-26
- Employee group, 3-27
 - Employee Maximum Matches, 3-27

- External Order group, 3-27
 - External Order Maximum Matches, 3-27
 - External Order Sig Cap Required, 3-28
 - Legal Ext Order Sig Cap, 3-28
- House Account group, 3-29
 - Default Instant Credit Discount, 3-29
 - Frank Instant Credit Application, 3-29
 - House Account Inquiry With Swipe, 3-27
 - House Account Payment, 3-30
 - Instant Credit Enrollment, 3-30
 - Instant Credit Inquiry, 3-31
 - Minimum Age for Enrollment, 3-31
 - Print Temporary Shopping Pass, 3-32
 - Productivity, 3-32
 - Reference Number Inquiry, 3-33
 - Sales Associate Validation, 3-33
 - Temporary Shopping Pass Enrollment Expiry, 3-34
 - Temporary Shopping Pass Issue Expiry, 3-34
- Item group, 3-35
 - Allow Date of Birth Prompt Skip, 3-35
 - Item Maximum Matches, 3-36
 - Item Search Fields, 3-36
 - Search for Item by Manufacturer, 3-36, 3-37
 - Size Input Field, 3-38
 - Store Maximum Matches, 3-38
- Layaway group, 3-39
 - Deletion Fee, 3-39
 - Expiration Grace Period, 3-39
 - Layaway Duration, 3-39, 3-40
 - Layaway Fee, 3-40
 - Minimum Down Payment Percent, 3-41
- Localization group, 3-41
 - Agencies, 3-41
- Operator ID group, 3-42
 - Automatic Entry ID, 3-42
 - Automatic Entry Requires Password, 3-42
 - Manual Entry ID, 3-43
 - Manual Entry Requires Password, 3-44
- Order group, 3-44
 - Order Maximum Matches, 3-44
 - Order Partial Pickup, 3-45
- Password Policy group, 3-45
 - Temporary Password Length, 3-45
- Price Adjustment group, 3-46
 - Carry AMOUNT Discount Forward from Original Transaction METHOD, 3-46
 - Carry Discount Forward from Original Transaction, 3-46
 - Enable Price Adjustment, 3-47
 - Price Adjustment Time Limit, 3-47
- Printing group, 3-48
 - Auto Print Customer Copy, 3-48
 - Auto Print Gift Receipt for Gift Registry, 3-48
 - Auto Print Gift Receipt for Send, 3-49
 - e-Check Frank Approval, 3-50
 - Enable Reprint Original Receipt, 3-51
 - eReceipt Functionality, 3-51
 - eReceipt Subject, 3-51
 - eReceipt Text, 3-52
- Exchange Receipt Print Control, 3-51, 3-52
- Frank Gift Certificates Issued, 3-53
- Group Like Items Together, 3-54
- Print Cancelled Transaction Receipt, 3-54
- Print Credit Signature Slips, 3-55
- Print Debit Slips, 3-55
- Print e-check Signature Slip, 3-56
- Print Receipts, 3-56
- Signature Bitmap Height, 3-56
- Signature Bitmap Width, 3-57
- Tender Store Bank Account Name, 3-57
- Tender Store Bank Account Number, 3-58, 3-60
- Tenders to Frank on Post Void, 3-58
- VAT Code Receipt Printing, 3-59
- VAT Receipt Type, 3-59
- Verify Register ID on Reprint Receipt, 3-60
- Queue group, 3-61
 - Clear Queue, 3-61
- Reconciliation group, 3-62
 - Accountability, 3-62
 - Blind Close, 3-62
 - Count Cash Loan, 3-63
 - Count Cash Pickup, 3-63
 - Count Check Pickup, 3-64
 - Count Float at Open, 3-65
 - Count Float at Reconcile, 3-66
 - Count Operating Funds at the End of Day, 3-66
 - Count Operating Funds at the Start of Day, 3-67
 - Count Till at Reconcile, 3-67
 - Float Amount, 3-68
 - Operate with Safe, 3-68
 - Operating Fund Expected Amount, 3-69
 - Pickup Tenders, 3-69
 - Tenders To Count At Till Reconcile, 3-70
 - Till Reconcile, 3-71
- Return group, 3-71
 - Form of ID Required for Non-retrieved Return, 3-71
 - Form of ID Required for Return, 3-71
 - Maximum Search Date Range, 3-72
 - Restocking Fee, 3-73
 - Return Maximum Matches, 3-73
 - Use Oracle Retail Returns Management, 3-74
- Security Access group, 3-75
 - Edit Reason Codes, 3-75
 - Manager Override For Security Access, 3-76
- Send group, 3-77
 - Maximum Sends Allowed, 3-77
 - Shipping Calculation, 3-78
- Tax group, 3-78
 - Default Tax Authority ID, 3-78
 - Default Tax Group ID, 3-79
 - Print Item Tax, 3-79
 - Require Certificate Info, 3-80
 - Require Customer Link, 3-80
 - Tax Rate, 3-80
- Tender Authorization group, 3-116

Authorization Conversion, 3-116
 Check Auth. Active, 3-116
 Credit/Debit Card Types, 3-117
 Gift Card Activation Referral Number, 3-117
 House Card Ref. Phone Number, 3-118
 Manager Override, 3-118
 Merchant Number, 3-119
 Minimum Check Auth. Amount, 3-119
 Minimum Signature Capture for Amex, 3-120
 Minimum Signature Capture for Diners Club, 3-120
 Minimum Signature Capture for Discover, 3-121
 Minimum Signature Capture for JCB, 3-121
 Minimum Signature Capture for Master Card, 3-122
 Minimum Signature Capture for Visa, 3-122
 Offline Check Floor Limit, 3-123
 Offline Credit Floor Limit, 3-123
 Systematic Approval Auth. Code, 3-124
 Tender group, 3-81
 Allow Post Void on Debit Transaction, 3-81
 Bill Pay Transaction Tenders, 3-81, 3-82
 Cash Accepted, 3-82, 3-83
 Cash Amount for Notification when Over, 3-83
 Cash Amount for Notification when Under, 3-83
 Checks Accepted, 3-84
 Compute Store Credit Expiration Date, 3-84
 Corporate Gift Certificates Accepted, 3-85
 Credit/Debit Cards Accepted, 3-85
 Default Gift Card Item ID, 3-86
 Driver's License / State ID Swipe Enabled, 3-86
 E-Check Functionality, 3-87
 Enable Bill Pay Over and Under Validation, 3-87
 Fifth Gift Card Reload Amount, 3-88
 First Gift Card Reload Amount, 3-88
 Foreign Currency, 3-89
 Fourth Gift Card Reload Amount, 3-89
 Gift Card Bin File Lookup, 3-90
 Gift Card Compute Expiration Date, 3-90
 Gift Card Days to Expiration, 3-91
 Gift Cards Accepted, 3-91
 Gift Certificates Accepted, 3-92
 House Card Accepted, 3-92
 House Card Expiration Date Required, 3-93
 Mall Certificate Accepted, 3-93
 Mall Certificate Sub Tender Accepted, 3-94
 Mall Certificate Sub Tender Required, 3-94
 Maximum Amount Cash Change for Gift Certificate, 3-95
 Maximum Cash Accepted, 3-95
 Maximum Cash Back for Redeem, 3-96
 Maximum Cash Change, 3-96
 Maximum Cash Change for Store Credit, 3-97
 Maximum Cash Refund, 3-97
 Maximum Cash Refund Without Receipt, 3-98
 Maximum Check Amount, 3-98
 Maximum Gift Card Issue Amount, 3-99
 Maximum Gift Certificate Issue Amount, 3-99
 Maximum Gift Certificate Tender Amount, 3-100
 Maximum Mall Certificate Tender Amount, 3-100
 Maximum Money Order Amount, 3-101
 Maximum Over Tender Check Amount, 3-101
 Maximum Traveler's Check Amount, 3-102
 Minimum Check Amount, 3-102
 Minimum Gift Card Issue Amount, 3-102
 Minimum Gift Certificate Issue Amount, 3-103
 Minimum Gift Certificate Tender Amount, 3-103
 Minimum Money Order Amount, 3-104
 Minimum Store Credit Issuance Amount, 3-104
 Minimum Traveler's Check Amount, 3-105
 Money Order Accepted, 3-105
 Non-Store Coupon Accepted, 3-106
 Non-Store Coupon Unknown Trigger Number, 3-106
 Open Drawer for Post Void, 3-107
 Open Drawer for Tender, 3-107
 Preprinted Store Credit, 3-108
 Purchase Orders Accepted, 3-108
 Redeem Transaction Tenders, 3-109
 Second Gift Card Reload Amount, 3-109
 Seventh Gift Card Reload Amount, 3-109
 Sixth Gift Card Reload Amount, 3-110
 Special Order Deposit Percent, 3-110
 Store Credit Days to Expiration, 3-111
 Store Credit Refund Only, 3-111
 Store Credits Accepted, 3-112
 Swipe MICR First, 3-112
 Tenders Not Allowed for Over Tender, 3-113
 Third Gift Card Reload Amount, 3-113
 Traveler's Checks Accepted, 3-114
 Validate Driver's License Format, 3-114
 Validate Store Credit, 3-115
 Validate Gift Certificate, 3-115
 Transaction group, 3-124
 Capture Reason Code For No Sale, 3-124
 Send Training Mode Transaction to Journal, 3-125
 Suspend Reason Required, 3-125
 Point-of-Service receipt components, 3-141
 Call Center Number, 3-141
 Customer Survey/Reward, 3-142
 e-Check Signature Slip (Bank Copy) Legal Statement, 3-143
 editing, 2-10
 Exchange Signature Slip Legal Statement, 3-144
 Footer for Gift Receipt, 3-144
 Footer for Redeem Transaction, 3-144
 Header for Gift Receipts, 3-145
 Layaway Legal Statement, 3-146
 overview, 1-4
 PAT Footer, 3-149

- print control
 - Alteration Receipt Print Control, 3-141
 - Cancel Transaction Receipt Print Control, 3-142
 - Exchange Receipt Print Control, 3-143
 - House Account Payment Receipt Print Control, 3-145
 - Layaway Delete Receipt Print Control, 3-146
 - Layaway Payment Receipt Print Control, 3-147
 - Layaway Pickup Receipt Print Control, 3-147
 - Layaway Receipt Print Control, 3-148
 - No Sale Receipt Print Control, 3-148
 - Return Receipt Print Control, 3-150
 - Sale Receipt Print Control, 3-151
 - Special Order Cancel Receipt Print Control, 3-152
 - Special Order Complete Receipt Print Control, 3-152, 3-153
 - Suspended Transaction Receipt Print Control, 3-153
 - Tax Exempt Receipt Print Control, 3-154
 - Till Loan Receipt Print Control, 3-155
 - Till Payin Receipt Print Control, 3-155
 - Till Payout Receipt Print Control, 3-156
 - Till Payroll Payout Receipt Print Control, 3-156
 - Till Pickup Receipt Print Control, 3-157
 - Void Receipt Print Control, 3-158
 - Print Name on Credit Signature Slip, 3-149
 - Receipt Footer, 3-149
 - Receipt Header, 3-150
 - Return Signature Slip Legal Statement, 3-150
 - Sale Signature Slip Legal Statement, 3-151
 - Temp Shopping Pass Enroll Header, 3-154
 - Temporary Shopping Pass Barcode Display, 3-155
 - Temporary Shopping Pass Footer, 3-154
- Point-of-Service system configurations, 3-126, 5-8
 - Customer ID Sequence Number Length, 3-126
 - Customer ID Sequence Number Maximum, 3-127
 - Digits Unmasked Card First, 3-127
 - Digits Unmasked Card Last, 3-128
 - Digits Unmasked MICR First, 3-128
 - Digits Unmasked MICR Last, 3-129
 - Enable Scan Sheet, 3-129
 - Hard Total File Size, 3-130
 - IMEI Scanning, 3-130
 - Max Grid Size, 3-131
 - ORSIM Web Service Request Timeout, 3-131
 - ORSIM Web Service URL, 3-132
 - POS GFCard Tender Entry Required, 3-132
 - POS to SIM Inventory Inquiry, 3-133
 - POS to SIM Inventory Reservation, 3-133
 - POS to SIM Inventory Updates, 3-134
 - POS to SIM Item Basket, 3-134
 - Return Price Days, 3-135
 - Serialization, 3-135, 3-136
 - Signature Capture Enabled, 3-136
 - Time Out Inactive with Transaction, 3-136
 - Timeouts for payment applications, 3-126
 - Transaction ID Barcode Data Format, 3-137
 - Transaction ID Sequence Number Length, 3-137
 - Transaction ID Sequence Number Maximum, 3-138
 - Transaction ID Sequence Number Skip Zero, 3-138
 - Transaction ID Store ID Length, 3-139
 - Transaction ID Workstation ID Length, 3-139
 - Transaction Retrieval Location, 3-140
 - Use RM Tenders, 3-74
- POS GFCard Tender Entry Required, 3-132
- POS to SIM Inventory Inquiry, 3-133
- POS to SIM Inventory Reservation, 3-133
- POS to SIM Inventory Updates, 3-134
- POS to SIM Item Basket, 3-134
- Preprinted Store Credit, 3-108
- Previous Password Match, 7-30
- Previous Password Match Status Code, 7-31
- Price Adjustment Time Limit, 3-47
- Print Cancelled Transaction Receipt, 3-54
- Print Credit Signature Slips, 3-55
- Print Debit Slip, 3-55
- Print e-check Signature Slip, 3-56
- Print Item Tax, 3-79
- Print Name on Credit Signature Slip, 3-149
- Print Receipts, 3-56
- Print Temporary Shopping Pass, 3-32
- Productivity, 3-32
- Prompt for Customer Information, 3-17
- Prorate Discount Amount, 3-22
- Purchase Orders Accepted, 3-108

R

- Receipt Footer, 3-149
- Receipt Header, 3-150
- Redeem Transaction Tenders, 3-109
- Reference Number Inquiry, 3-33
- Refund Tender Types, 6-8
- Refund Types, 6-8
- Require Certificate Info, 3-80
- Require Customer Link, 3-80
- Response Codes to Ignore, 6-9
- Restocking Fee, 3-73
- Return Maximum Matches, 3-73
- Return Price Days, 3-135
- Return Reasons, 6-9
- Return Receipt Print Control, 3-150
- Return Signature Slip Legal Statement, 3-150
- Returns Customer Import Duplicate Record Action, 6-9, 6-10
- Returns Management Only, 6-10
- Returns Management parameters
 - Password Policy group, 6-1
 - Temporary Password Length, 6-1
- Returns Management group, 6-2
 - Customer Types, 6-3
 - Days Limit Customer Service Overrides, 6-3
 - Display Overall Response on Return

- Ticket, 6-4
- Item Conditions, 6-4
- Item Types, 6-5
- Least Risky Tender Order, 6-5
- Maximum Active Exception Days, 6-5
- Maximum Cashier Exceptions to Display, 6-6
- Maximum Cashier Search Results, 6-6
- Maximum Customer Exceptions to Display, 6-6
- Maximum Customer Search Results, 6-7
- Maximum Customer Service Overrides, 6-7
- Refund Tender Types, 6-8
- Refund Types, 6-8
- Response Codes to Ignore, 6-9
- Return Reasons, 6-9
- Returns Customer Import Duplicate Record Action, 6-9, 6-10
- Returns Management Only, 6-10
- Starting Cumulative Cashier Exception Count, 6-10
- Starting Cumulative Customer Exception Count, 6-11
- Validation Amount Tax Factor, 6-11
- Returns Management system configurations, 6-13

S

- Sale Receipt Print Control, 3-151
- Sale Signature Slip Legal Statement, 3-151
- Sales Associate Validation, 3-33
- Search for Item by Manufacturer, 3-36, 3-37, 4-2
- Second Gift Card Reload Amount, 3-109
- Send Training Mode Transaction To Journal, 3-125
- Serialization, 3-135, 3-136
- Seventh Gift Card Reload Amount, 3-109
- Shipping Calculation, 3-78
- Signature Bitmap Height, 3-56
- Signature Bitmap Width, 3-57
- Signature Capture Enabled, 3-136
- Signature Format, 5-4
- Sixth Gift Card Reload Amount, 3-110
- Size Input Field, 3-38
- Special Order Cancel Receipt Print Control, 3-152
- Special Order Complete Receipt Print Control, 3-152, 3-153
- Special Order Deposit Percent, 3-110
- Start of Week, 5-5
- Starting Cumulative Cashier Exception Count, 6-10
- Starting Cumulative Customer Exception Count, 6-11
- Status Display List, 3-18
- Store Country, 3-7
- Store Credit Days to Expiration, 3-111
- Store Credit Refund Only, 3-111
- Store Credits Accepted, 3-112
- Store Maximum Matches, 3-38
- Store State/Province, 3-7
- Store's VAT Number, 3-7
- Suspend Reason Required, 3-125
- Suspended Transaction Receipt Print Control, 3-153

- Swipe MICR First, 3-112
- system configurations
 - editing
 - database, 2-9
 - properties file, 2-9
 - XML file, 2-9
 - overview, 1-3
- Systematic Approval Auth. Code, 3-124

T

- tax
 - Capture Transaction Tax Status, 3-9
 - Tax group, 3-78
- Tax Exempt Receipt Print Control, 3-154
- Tax Rate, 3-80
- Temp Shopping Pass Enroll Header, 3-154
- Temporary Password Length, 3-45, 4-2, 5-5, 6-1
- Temporary Shopping Pass Barcode Display, 3-155
- Temporary Shopping Pass Enrollment Expiry, 3-34
- Temporary Shopping Pass Footer, 3-154
- Temporary Shopping Pass Issue Expiry, 3-34
- Tender Store Bank Account Name, 3-57
- Tender Store Bank Account Number, 3-58, 3-60
- Tenders Not Allowed for Over Tender, 3-113
- Tenders To Count At Till Reconcile, 4-6
- Tenders to Count At Till Reconcile, 3-70
- Tenders to Frank on Post Void, 3-58
- Third Gift Card Reload Amount, 3-113
- Till Loan Receipt Print Control, 3-155
- Till Payin Receipt Print Control, 3-155
- Till Payout Receipt Print Control, 3-156
- Till Payroll Payout Receipt Print Control, 3-156
- Till Pickup Receipt Print Control, 3-157
- Till Reconcile, 3-71
- Time Out Inactive with Transaction, 3-8, 3-133, 3-136
- Time Out Inactive without Transaction, 3-8
- Timeouts for payment applications, 3-126
- training mode
 - Open Drawer in Training Mode, 3-6
 - Send Training Mode Transaction To Journal, 3-125
- Transaction ID Barcode Data Format, 3-137
- Transaction ID Sequence Number Length, 3-137
- Transaction ID Sequence Number Maximum, 3-138
- Transaction ID Sequence Number Skip Zero, 3-138
- Transaction ID Store ID Length, 3-139
- Transaction ID Workstation ID Length, 3-139
- Transaction Retrieval Location, 3-140
- Traveler's Checks Accepted, 3-114

U

- Use Oracle Retail Returns Management, 3-74
- Use RM Tenders, 3-74

V

- Validate Driver's License Format, 3-114
- Validate Gift Certificate, 3-115
- Validate Payroll Pay Out Employee ID, 3-17

- Validate Store Credit, 3-115
- Validation Amount Tax Factor, 6-11
- VAT (value added tax)
 - Store's VAT Number, 3-7
 - VAT Code Receipt Printing, 3-59
 - VAT Receipt Type, 3-59
- Verify Register ID on Reprint Receipt, 3-60
- Void Receipt Print Control, 3-158