

Oracle® JRockit JDK

Supported Configurations

R27.6

April 2009

ORACLE®

Oracle JRockit JDK Supported Configurations, R27.6

Copyright © 2007, 2008, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. Introduction to Oracle JRockit JDK Supported Configurations

2. Oracle JRockit JDK Supported Configurations for Java SE 6

List of Supported Operating System Configurations	2-2
Summary of Supported Configurations by Release	2-5
6 Update 5 R27.6.0	2-6
6 Update 3 R27.5.0	2-8
6 Update 2 R27.4.0	2-10
6 Update 1 R27.3.0	2-12
6 R27.2.0	2-15

3. Oracle JRockit JDK Supported Configurations on Java SE 5.0

List of Supported Operating System Configurations	3-2
Summary of Supported Configurations by Release	3-11
5.0 Update 15 R27.6.0	3-11
5.0 Update 14 R27.5.0	3-14
5.0 Update 12 R27.4.0	3-17
5.0 Update 11 R27.3.0	3-20
5.0 Update 10 R27.2.0	3-23
5.0 Update 8 R27.1.0	3-25
5.0 Update 6 R26.4.0	3-28
5.0 Update 6 R26.3.0	3-30
5.0 Update 4 R26.1.0	3-32

5.0 Update 4 R26.0.0	3-32
5.0 Update 3 R25.2.0	3-33
5.0 Update 2 R25.1.0	3-35
5.0 R25.0.0	3-36

4. Oracle JRockit JDK Supported Configurations for Java SE 1.4.2

List of Supported Operating System Configurations	4-1
Summary of Supported Configurations by Release	4-10
1.4.2_17 R27.6.0	4-11
1.4.2_16 R27.5.0	4-13
1.4.2_15 R27.4.0	4-16
1.4.2_14 R27.3.0	4-18
1.4.2_13 R27.2.0	4-21
1.4.2_12 R27.1.0	4-24
1.4.2_11 R26.4.0	4-25
1.4.2_10 R26.3.0	4-27
1.4.2_10 R26.2.0	4-28
1.4.2_08 R24.5.0	4-29
1.4.2_05 R24.4.1	4-31
1.4.2_05 R24.4.0	4-31
1.4.2_04 R24.3.0	4-33
1.4.2_04 R24.1.0	4-33
1.4.2_03 R24.0.0	4-34

5. Oracle JRockit JDK 7.0 (J2SE 1.3.1) Supported Configurations

List of Supported Operating System Configurations	5-1
Summary of Supported Configurations by Release	5-2
7.0 SP6	5-2

7.0 SP5.....	5-3
7.0 SP4.....	5-3
7.0 SP3.....	5-4

6. Product Support

Hardware Support and Compatible Architectures	6-1
x86	6-1
64-bit Xeon/AMD64	6-2
Itanium.....	6-2
Sparc	6-2
Support Policy for Compatible Hardware Architectures.....	6-2
Compatibility Between Releases	6-3
Product Versioning	6-3
Java APIs.....	6-4
Proprietary JRockit JVM APIs	6-4
Command Line Options.....	6-4
Operating System Patch Level Policy	6-5
Linux	6-5
End-of-Life Information	6-6
Note on JRE Class Files	6-6

7. Oracle JRockit JDK End-of-Life Announcements

End-of-Life Announcements for Oracle Products	7-1
Oracle Support for Third-Party Products Reaching End-of-Life	7-1
Red Hat Enterprise Linux 3.0 End-of-Support Announcement	7-2
Red Hat Enterprise Linux 2.1 End-of-Support Announcement	7-2
Windows 2000 End-of-Support Announcement	7-2
Sun Java 2 SDK 1.4.2 End-of-Life Announcement	7-2

Sun Java 2 SDK 1.4.1 End-of-Life Announcement	7-3
Sun Java 2 SDK 1.3.1 End-of-Life Announcement	7-3
SuSE Linux Enterprise Server 8.0 on Itanium End-of-Support Announcement ..	7-4
Red Flag Advanced Server 4.1 on Itanium End-of-Support Announcement	7-4

Introduction to Oracle JRockit JDK Supported Configurations

Oracle JRockit JDK Supported Configurations describes how Oracle JRockit JDK versions support various operating system and hardware configurations. It also includes product support and lifecycle information.

This document is organized as follows:

- [Oracle JRockit JDK Supported Configurations for Java SE 6](#) describes the hardware and operating system configurations supported for Java SE 6.
- [Oracle JRockit JDK Supported Configurations on Java SE 5.0](#) describes the hardware and operating system configurations supported for Java SE 5.0.
- [Oracle JRockit JDK Supported Configurations for Java SE 1.4.2](#) describes the hardware and operating system configurations supported for Java SE 1.4.2.
- [Oracle JRockit JDK 7.0 \(J2SE 1.3.1\) Supported Configurations](#) describes the hardware and operating system configurations supported by Oracle JRockit JDK 7.0 (J2SE 1.3.1).
- [Product Support](#) describes hardware support and compatible architectures, compatibility between releases, operating system patch level policy, and end-of-life information. This document is not release-specific.
- [Oracle JRockit JDK End-of-Life Announcements](#) provides notification of changes in the release lifecycle for the JRockit JDK and related product components, as well as information about Oracle support for third-party products reaching end-of-life.

Introduction to Oracle JRockit JDK Supported Configurations

Oracle JRockit JDK Supported Configurations for Java SE 6

Oracle JRockit JDK on Java SE 6 supports the specific configurations described in this section. This section contains information on these subjects:

- [List of Supported Operating System Configurations](#)
- [Summary of Supported Configurations by Release](#)
- [Product Support](#)

List of Supported Operating System Configurations

Select an operating system and hardware configuration from [Table 2-1](#) to view all support information for that configuration.

Table 2-1 Oracle JRockit JDK Supported Operating System Configurations for Java SE 6

Operating System and Hardware	JRockit JDK Release
Asianux 3.0 on x86	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0
Asianux 3.0 on 64-bit Xeon/AMD64	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0
Asianux 2.0 on x86	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
Asianux 2.0 on 64-bit Xeon/AMD64	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
Microsoft Windows on x86	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
• Microsoft Windows Server 2008 (R27.3.0, R27.4.0, and R27.5.0 only)	
• Windows 2003 Server Standard, Enterprise, and Datacenter	
• Windows Server 2003 R2	
• Windows XP	
• Windows Vista	

Table 2-1 Oracle JRockit JDK Supported Operating System Configurations for Java SE 6

Operating System and Hardware	JRockit JDK Release
Microsoft Windows on 64-bit Xeon/AMD64	6 Update 5 R27.6.0
<ul style="list-style-type: none"> • Microsoft Windows Server 2008 (R27.3.0, R27.4.0, and R27.5.0 only) • Windows Server 2003 Standard Enterprise and Datacenter x64 Edition • Windows XP x64 Edition • Windows Server 2003 R2 • Windows Vista 	6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
Novell SuSE Linux Enterprise Server 9 on x86	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
Novell SuSE Linux Enterprise Server 9 on 64-bit Xeon/AMD64	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
Novell SuSE Linux Enterprise Server 10 on x86	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
Novell SuSE Linux Enterprise Server 10 on 64-bit Xeon/AMD64	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0

Table 2-1 Oracle JRockit JDK Supported Operating System Configurations for Java SE 6

Operating System and Hardware	JRockit JDK Release
Oracle Enterprise Linux 4 on x86	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
Oracle Enterprise Linux 4 on 64-bit Xeon/AMD64	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
Oracle Enterprise Linux 5 on x86	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
Oracle Enterprise Linux 5 on 64-bit Xeon/AMD64	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
Red Hat Enterprise Linux 4.0 on x86 (AS, ES, WS, DT)	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0

Table 2-1 Oracle JRockit JDK Supported Operating System Configurations for Java SE 6

Operating System and Hardware	JRockit JDK Release
Red Hat Enterprise Linux 4.0 on 64-bit Xeon/AMD64 (AS, ES, WS, DT)	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
Red Hat Enterprise Linux 5.0 on x86	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
Red Hat Enterprise Linux 5.0 on 64-bit Xeon/AMD64	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0 6 Update 1 R27.3.0 6 R27.2.0
Sun Solaris 9 on Sparc	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0
Sun Solaris 10 on Sparc	6 Update 5 R27.6.0 6 Update 3 R27.5.0 6 Update 2 R27.4.0

Summary of Supported Configurations by Release

This section describes, by release, the configurations supported by Oracle JRockit JDK for Java SE 6.

6 Update 5 R27.6.0

Oracle JRockit JDK 6 Update 5 R27.6.0 (Java SE 6) supports the configurations listed in Table 2-2.

Table 2-2 Oracle JRockit JDK 6 Update 5 R27.6.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 3.0	x86	32-bit	Tested with Asianux 3.0, kernel 2.6.18-8.10, glibc 2.5-12.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Asianux 2.0 SP1 (and higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2008	x86	32-bit	Tested with Windows 2008, kernel 6.0.6001.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
Microsoft Windows Server 2003 x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003 R2	x86	32-bit	Tested with Windows Server 2003 R2 SP2, kernel 5.2.3790.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Vista	x86	32-bit	Tested with Windows Vista, kernel 6.0.6000.
	64-bit Xeon/AMD64	32 and 64-bit	

Table 2-2 Oracle JRockit JDK 6 Update 5 R27.6.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 10 SP1 (and higher)	x86	32-bit	Tested with kernel 2.6.16.46-0.12-bigsmp, glibc-2.4-31.30.
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.16.46-0.12-smp, glibc-2.4-31.30.
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with QU6 (4.6), kernel 2.6.9-67, glibc 2.3.4-2.39. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with 5.1, kernel 2.6.18-53.el5 and kernel 2.6.18-53.el5PAE, glibc 2.5-18. Only the tested kernels are supported; i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with 5.1, kernel 2.6.18-53.el5, glibc 2.5-18. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .

Table 2-2 Oracle JRockit JDK 6 Update 5 R27.6.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 recommended patch 2007-06-12.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 Update 3.

6 Update 3 R27.5.0

Oracle JRockit JDK 6 Update 3 R27.5.0 (Java SE 6) supports the configurations listed in [Table 2-4](#).

Table 2-3 Oracle JRockit JDK 6 Update 3 10 R27.5.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 3.0	x86	32-bit	Tested with Asianux 3.0, kernel 2.6.18-8.10, glibc 2.5-12.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Asianux 2.0 SP1 (and higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2008	x86	32-bit	Tested with Windows 2008, kernel 6.0.6001.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
Microsoft Windows Server 2003 x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003 R2	x86	32-bit	Tested with Windows Server 2003 R2 SP2, kernel 5.2.3790.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows XP	x86	32-bit	

Table 2-3 Oracle JRockit JDK 6 Update 3 10 R27.5.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Vista	x86	32-bit	Tested with Windows Vista, kernel 6.0.6000.
	64-bit Xeon/AMD64	32 and 64-bit	
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 10 SP1 (and higher)	x86	32-bit	Tested with kernel 2.6.16.46-0.12-bigsmp, glibc-2.4-31.30.
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.16.46-0.12-smp, glibc-2.4-31.30.
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with QU5, kernel 2.6.9-55, glibc 2.3.4-2.36. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	

Table 2-3 Oracle JRockit JDK 6 Update 3 10 R27.5.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.18-8.el5 and glibc 2.5-12. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 recommended patch 2007-06-12.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 Update 3.

6 Update 2 R27.4.0

Oracle JRockit JDK 6 Update 2R27.4.0 (Java SE 6) supports the configurations listed in [Table 2-4](#).

Table 2-4 Oracle JRockit JDK 6 Update 2 10 R27.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 3.0	x86	32-bit	Tested with Asianux 3.0, kernel 2.6.18-8.10, glibc 2.5-12.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Asianux 2.0 SP1 (and higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2008	x86	32-bit	Tested with Windows 2008, kernel 6.0.6001.
	64-bit Xeon/AMD64	32 and 64-bit	

Table 2-4 Oracle JRockit JDK 6 Update 2 10 R27.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
Microsoft Windows Server 2003 x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003 R2	x86	32-bit	Tested with Windows Server 2003 R2 SP2, kernel 5.2.3790.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Vista	x86	32-bit	Tested with Windows Vista, kernel 6.0.6000.
	64-bit Xeon/AMD64	32 and 64-bit	
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Novell SuSE Linux Enterprise Server 10 SP1 (and higher)	x86	32-bit	Tested with kernel 2.6.16.46-0.12-bigsmp, glibc-2.4-31.30.
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	

Table 2-4 Oracle JRockit JDK 6 Update 2 10 R27.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86 64-bit Xeon/AMD64	32-bit 32 and 64-bit	Tested with QU5, kernel 2.6.9-55, glibc 2.3.4-2.36. See Operating System Patch Level Policy .
Red Hat Enterprise Linux 5.0	x86 64-bit Xeon/AMD64	32-bit 32 and 64-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 recommended patch 2007-06-12.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 Update 3.

6 Update 1 R27.3.0

Oracle JRockit JDK 6 Update 1 R27.3.0 (Java SE 6) supports the configurations listed in [Table 2-6](#).

Table 2-5 Oracle JRockit JDK 6 Update 1 10 R27.3.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 3.0	x86 64-bit Xeon/AMD64	32-bit 32 and 64-bit	Tested with Asianux 3.0, kernel 2.6.18-8.10, glibc 2.5-12.1. See Operating System Patch Level Policy .
Asianux 2.0 SP1 (and higher)	x86 64-bit Xeon/AMD64	32-bit 32 and 64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .

Table 2-5 Oracle JRockit JDK 6 Update 1 10 R27.3.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2008	x86	32-bit	Tested with Windows 2008, kernel 6.0.6001.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP1, kernel 5.2.3790.
Microsoft Windows Server 2003 x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003 R2	x86	32-bit	Tested with Windows Server 2003 R2 SP1, kernel 5.2.3790.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Vista	x86	32-bit	Tested with Windows Vista, kernel 6.0.6000.
	64-bit Xeon/AMD64	32 and 64-bit	
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	

Table 2-5 Oracle JRockit JDK 6 Update 1 10 R27.3.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Novell SuSE Linux Enterprise Server 10	x86	32-bit	Tested with kernel 2.6.16.21-0.8-bigsmp, glibc-2.4-31.5. Recommended update glibc-2.4-31.5.i686.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.16.21-0.8-smp, glibc-2.4-31.5. Recommended updates glibc-2.4-31.5.x86_64.rpm and glibc-32bit-2.4-31.5.x86_64.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with QU4, kernel 2.6.9-42, glibc 2.3.4-2.25. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.18-8.el5 and glibc 2.5-12. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .

6 R27.2.0

Oracle JRockit JDK 6 R27.2.0 (Java SE 6) supports the configurations listed in [Table 2-6](#).

Table 2-6 Oracle JRockit JDK 6 10 R27.2.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 2.0 SP1 (and higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP1, kernel 5.2.3790.
Microsoft Windows Server 2003 x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003 R2	x86	32-bit	Tested with Windows Server 2003 R2 SP1, kernel 5.2.3790.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Vista	x86	32-bit	Tested with Windows Vista, kernel 6.0.6000.
	64-bit Xeon/AMD64	32 and 64-bit	
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	

Table 2-6 Oracle JRockit JDK 6 10 R27.2.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Novell SuSE Linux Enterprise Server 10	x86	32-bit	Tested with kernel 2.6.16.21-0.8-bigsmp, glibc-2.4-31.5. Recommended update glibc-2.4-31.5.i686.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.16.21-0.8-smp, glibc-2.4-31.5. Recommended updates glibc-2.4-31.5.x86_64.rpm and glibc-32bit-2.4-31.5.x86_64.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0	x86	32-bit	Tested with QU4, kernel 2.6.9-42, glibc 2.3.4-2.25. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.18-8.el5 and glibc 2.5-12. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .

Oracle JRockit JDK Supported Configurations on Java SE 5.0

Oracle JRockit JDK on Java SE 5.0 supports the specific configurations described in this section. This section contains information on these subjects:

- [List of Supported Operating System Configurations](#)
- [Summary of Supported Configurations by Release](#)
- [Product Support](#)

List of Supported Operating System Configurations

Select an operating system and hardware configuration from [Table 3-1](#) to view all support information for that configuration.

Table 3-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 5.0

Operating System and Hardware	JRockit JDK Release
Asianux 3.0 on x86	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0
Asianux 3.0 on 64-bit Xeon/AMD64	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0
Asianux 2.0 on x86	5.0 Update 15 R27.6.0 <ul style="list-style-type: none"> • Haansoft Linux 2006 Server • Miracle Linux V4.0 • Red Flag DC Server 5.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 6 R26.3.0 5.0 Update 4 R26.0.0

Table 3-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 5.0

Operating System and Hardware	JRockit JDK Release
Asianux 2.0 on 64-bit Xeon/AMD64	5.0 Update 15 R27.6.0
• Haansoft Linux 2006 Server	5.0 Update 14 R27.5.0
• Miracle Linux V4.0	5.0 Update 12 R27.4.0
• Red Flag DC Server 5.0	5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 6 R26.3.0 5.0 Update 4 R26.0.0
Asianux 2.0 on Itanium	5.0 Update 15 R27.6.0
• Haansoft Linux 2006 Server	5.0 Update 14 R27.5.0
• Miracle Linux V4.0	5.0 Update 12 R27.4.0
• Red Flag DC Server 5.0	5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 4 R26.0.0
Microsoft Windows on x86	5.0 Update 15 R27.6.0
• Microsoft Windows Server 2008 (R27.3.0, R27.4.0 and R27.5.0 only)	5.0 Update 14 R27.5.0
• Windows 2003 Server Standard, Enterprise, and Datacenter	5.0 Update 12 R27.4.0
• Windows XP	5.0 Update 11 R27.3.0
• Windows Server 2003 R2	5.0 Update 10 R27.2.0
• Windows Vista	5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 6 R26.3.0 5.0 Update 4 R26.0.0 5.0 Update 3 R25.2.0 5.0 Update 2 R25.1.0 (2003 and XP only) 5.0 R25.0.0

Table 3-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 5.0

Operating System and Hardware	JRockit JDK Release
Microsoft Windows on 64-bit Xeon/AMD64	5.0 Update 15 R27.6.0
• Microsoft Windows Server 2008 (R27.3.0, R27.4.0 and R27.5.0 only)	5.0 Update 14 R27.5.0
• Windows Server 2003 Standard Enterprise and Datacenter x64 Edition	5.0 Update 12 R27.4.0
• Windows XP x64 Edition	5.0 Update 11 R27.3.0
• Windows Server 2003 R2	5.0 Update 10 R27.2.0
• Windows Vista	5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 6 R26.3.0 5.0 Update 4 R26.0.0 5.0 Update 3 R25.2.0
Microsoft Windows Server 2003 Enterprise and Datacenter on Itanium	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 4 R26.0.0 5.0 Update 3 R25.2.0 5.0 Update 2 R25.1.0 5.0 R25.0.0

Table 3-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 5.0

Operating System and Hardware	JRockit JDK Release
Novell SuSE Linux Enterprise Server 9 on x86	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 6 R26.3.0 5.0 Update 4 R26.0.0 5.0 Update 3 R25.2.0 5.0 R25.0.0
Novell SuSE Linux Enterprise Server 9 on 64-bit Xeon/AMD64	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 6 R26.3.0 5.0 Update 4 R26.0.0

Table 3-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 5.0

Operating System and Hardware	JRockit JDK Release
Novell SuSE Linux Enterprise Server 9 on Itanium	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 4 R26.0.0 5.0 Update 3 R25.2.0 5.0 R25.0.0
Novell SuSE Linux Enterprise Server 10 on x86	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0
Novell SuSE Linux Enterprise Server 10 on 64-bit Xeon/AMD64	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0

Table 3-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 5.0

Operating System and Hardware	JRockit JDK Release
Novell SuSE Linux Enterprise Server 10 on Itanium	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0
Oracle Enterprise Linux 4 on x86	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 6 R26.3.0 5.0 Update 4 R26.0.0 5.0 Update 3 R25.2.0
Oracle Enterprise Linux 4 on 64-bit Xeon/AMD64	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 6 R26.3.0 5.0 Update 4 R26.0.0 5.0 Update 3 R25.2.0

Oracle JRockit JDK Supported Configurations on Java SE 5.0

Table 3-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 5.0

Operating System and Hardware	JRockit JDK Release
Oracle Enterprise Linux 4 on Itanium	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 4 R26.0.0 5.0 Update 3 R25.2.0
Oracle Enterprise Linux 5 on x86	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0
Oracle Enterprise Linux 5 on 64-bit Xeon/AMD64	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0

Table 3-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 5.0

Operating System and Hardware	JRockit JDK Release
Red Hat Enterprise Linux 4.0 on x86 (AS, ES, WS, DT)	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 6 R26.3.0 5.0 Update 4 R26.0.0 5.0 Update 3 R25.2.0
Red Hat Enterprise Linux 4.0 on 64-bit Xeon/AMD64 (AS, ES, WS, DT)	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 6 R26.3.0 5.0 Update 4 R26.0.0 5.0 Update 3 R25.2.0
Red Hat Enterprise Linux 4.0 on Itanium (AS, ES, WS, DT)	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 4 R26.0.0 5.0 Update 3 R25.2.0

Oracle JRockit JDK Supported Configurations on Java SE 5.0

Table 3-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 5.0

Operating System and Hardware	JRockit JDK Release
Red Hat Enterprise Linux 5.0 on x86	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0
Red Hat Enterprise Linux 5.0 on 64-bit Xeon/AMD64	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0
Red Hat Enterprise Linux 5.0 on Itanium	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0

Table 3-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 5.0

Operating System and Hardware	JRockit JDK Release
Sun Solaris 9 on Sparc	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 6 R26.3.0 5.0 Update 4 R26.1.0
Sun Solaris 10 on Sparc	5.0 Update 15 R27.6.0 5.0 Update 14 R27.5.0 5.0 Update 12 R27.4.0 5.0 Update 11 R27.3.0 5.0 Update 10 R27.2.0 5.0 Update 8 R27.1.0 5.0 Update 6 R26.4.0 5.0 Update 6 R26.3.0 5.0 Update 4 R26.1.0

Summary of Supported Configurations by Release

This section describes, by release, the configurations supported by Oracle JRockit JDK 5.0.

5.0 Update 15 R27.6.0

Oracle JRockit JDK 5.0 Update 15 R27.6.0 (J2SE 1.5.0) supports the configurations listed in [Table 3-2](#).

Table 3-2 Oracle JRockit JDK 5.0 Update 15 R27.6.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 3.0	x86	32-bit	Tested with Asianux 3.0, kernel 2.6.18-8.10, glibc 2.5-12.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Asianux 2.0 SP1 (and higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
	Itanium	64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .
Microsoft Windows Server 2008	x86	32-bit	Tested with Windows 2008, kernel 6.0.6001.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
Microsoft Windows Server 2003 x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003	Itanium	64-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
Microsoft Windows Server 2003 R2	x86	32-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Vista	x86	32-bit	Tested with Windows Vista, kernel 6.0.6000.
	64-bit Xeon/AMD64	32 and 64-bit	

Table 3-2 Oracle JRockit JDK 5.0 Update 15 R27.6.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 10 SP1 (and higher)	x86	32-bit	Tested with kernel 2.6.16.46-0.12-bigsmp, glibc-2.4-31.30.
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.16.46-0.12-smp, glibc-2.4-31.30.
	Itanium	64-bit	Tested with kernel 2.6.16.46-0.12-default, glibc-2.4-31.30.
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	See Operating System Patch Level Policy .
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with QU6 (4.6), kernel 2.6.9-67, glibc 2.3.4-2.39. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	

Table 3-2 Oracle JRockit JDK 5.0 Update 15 R27.6.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with 5.1, kernel 2.6.18-53.el5 and kernel 2.6.18-53.el5PAE, glibc 2.5-18. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with 5.1, kernel 2.6.18-53.el5, glibc 2.5-18. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with Solaris 9 recommended patch 2007-06-12.
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 10 Update 3.

5.0 Update 14 R27.5.0

Oracle JRockit JDK 5.0 Update 14 R27.5.0 (J2SE 1.5.0) supports the configurations listed in [Table 3-3](#).

Table 3-3 Oracle JRockit JDK 5.0 Update 14 R27.5.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 3.0	x86	32-bit	Tested with Asianux 3.0, kernel 2.6.18-8.10, glibc 2.5-12.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
Asianux 2.0 SP1 (and higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .

Table 3-3 Oracle JRockit JDK 5.0 Update 14 R27.5.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2008	x86	32-bit	Tested with Windows 2008, kernel 6.0.6001.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
Microsoft Windows Server 2003 x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows 2003	Itanium	64-bit	
Microsoft Windows Server 2003 R2	x86	32-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Vista	x86	32-bit	Tested with Windows Vista, kernel 6.0.6000.
	64-bit Xeon/AMD64	32 and 64-bit	
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
	Itanium	64-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .

Table 3-3 Oracle JRockit JDK 5.0 Update 14 R27.5.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Novell SuSE Linux Enterprise Server 10 SP1 (and higher)	x86	32-bit	Tested with kernel 2.6.16.46-0.12-bigsmp, glibc-2.4-31.30.
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.16.46-0.12-smp, glibc-2.4-31.30.
	Itanium	64-bit	Tested with kernel 2.6.16.46-0.12-default, glibc-2.4-31.30.
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with QU5, kernel 2.6.9-55, glibc 2.3.4-2.36. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
	Itanium	64-bit	Tested with kernel 2.6.18-8.el5 and glibc 2.5-12. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .

Table 3-3 Oracle JRockit JDK 5.0 Update 14 R27.5.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 recommended patch 2007-06-12.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 Update 3.

5.0 Update 12 R27.4.0

Oracle JRockit JDK 5.0 Update 12 R27.4.0 (J2SE 1.5.0) supports the configurations listed in [Table 3-4](#).

Table 3-4 Oracle JRockit JDK 5.0 Update 12 R27.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 3.0	x86	32-bit	Tested with Asianux 3.0, kernel 2.6.18-8.10, glibc 2.5-12.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Asianux 2.0 SP1 (and higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
	Itanium	64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .
Microsoft Windows Server 2008	x86	32-bit	Tested with Windows 2008, kernel 6.0.6001.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
Microsoft Windows Server 2003 x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows 2003	Itanium	64-bit	

Table 3-4 Oracle JRockit JDK 5.0 Update 12 R27.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003 R2	x86	32-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Vista	x86	32-bit	Tested with Windows Vista, kernel 6.0.6000.
	64-bit Xeon/AMD64	32 and 64-bit	
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 10 SP1 (and higher)	x86	32-bit	Tested with kernel 2.6.16.46-0.12-bigsmp, glibc-2.4-31.30.
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.16.46-0.12-smp, glibc-2.4-31.30.
	Itanium	64-bit	Tested with kernel 2.6.16.46-0.12-default, glibc-2.4-31.30.
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	

Table 3-4 Oracle JRockit JDK 5.0 Update 12 R27.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with QU5, kernel 2.6.9-55, glibc 2.3.4-2.36. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.18-8.el5 and glibc 2.5-12. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	Itanium	64-bit	
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 recommended patch 2007-06-12.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 Update 3.

5.0 Update 11 R27.3.0

Oracle JRockit JDK 5.0 Update 11 R27.3.0 (J2SE 1.5.0) supports the configurations listed in [Table 3-6](#).

Table 3-5 Oracle JRockit JDK 5.0 Update 11 R27.3.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 3.0	x86	32-bit	Tested with Asianux 3.0, kernel 2.6.18-8.10, glibc 2.5-12.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Asianux 2.0 SP1 (and higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
	Itanium	64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .
Microsoft Windows Server 2008	x86	32-bit	Tested with Windows 2008, kernel 6.0.6001.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP1, kernel 5.2.3790.
Microsoft Windows Server 2003 x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows 2003	Itanium	64-bit	
Microsoft Windows Server 2003 R2	x86	32-bit	Tested with Windows Server 2003 R2 SP1, kernel 5.2.3790.
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	

Table 3-5 Oracle JRockit JDK 5.0 Update 11 R27.3.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Vista	x86	32-bit	Tested with Windows Vista, kernel 6.0.6000.
	64-bit Xeon/AMD64	32 and 64-bit	
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmpl, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 10	x86	32-bit	Tested with kernel 2.6.16.21-0.8-bigsmpl, glibc-2.4-31.5. Recommended update glibc-2.4-31.5.i686.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.16.21-0.8-smp, glibc-2.4-31.5. Recommended updates glibc-2.4-31.5.x86_64.rpm and glibc-32bit-2.4-31.5.x86_64.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
	Itanium	64-bit	Tested with kernel 2.6.16.21-0.8-default, glibc-2.4-31.5. Recommended update glibc-2.4-31.5.ia64.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .

Table 3-5 Oracle JRockit JDK 5.0 Update 11 R27.3.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with QU4, kernel 2.6.9-42, glibc 2.3.4-2.25. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.18-8.el5 and glibc 2.5-12. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	Itanium	64-bit	
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 Recommended Patch 2005-01-25.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 1/06.

5.0 Update 10 R27.2.0

Oracle JRockit JDK 5.0 R27.2.0 (J2SE 1.5.0) supports the configurations listed in [Table 3-6](#).

Table 3-6 Oracle JRockit JDK 5.0 Update 10 R27.2.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 2.0 SP1 (and higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
	Itanium	64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP1.
Microsoft Windows Server 2003 x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows 2003	Itanium	64-bit	
Microsoft Windows Server 2003 R2	x86	32-bit	
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Vista	x86	32-bit	
	64-bit Xeon/AMD64	32 and 64-bit	

Table 3-6 Oracle JRockit JDK 5.0 Update 10 R27.2.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 10	x86	32-bit	Tested with kernel 2.6.16.21-0.8-bigsmp, glibc-2.4-31.5. Recommended update glibc-2.4-31.5.i686.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.16.21-0.8-smp, glibc-2.4-31.5. Recommended updates glibc-2.4-31.5.x86_64.rpm and glibc-32bit-2.4-31.5.x86_64.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
	Itanium	64-bit	Tested with kernel 2.6.16.21-0.8-default, glibc-2.4-31.5. Recommended update glibc-2.4-31.5.ia64.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	

Table 3-6 Oracle JRockit JDK 5.0 Update 10 R27.2.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with Update 3, kernel 2.6.9-34.ELsmp, glibc 2.3.4-2.19. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
	Itanium	64-bit	
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 Recommended Patch 2005-01-25.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 1/06.

5.0 Update 8 R27.1.0

Oracle JRockit JDK 5.0 Update 8 R27.1.0 supports the configurations listed in [Table 3-7](#).

Table 3-7 Oracle JRockit JDK 5.0 Update 8 R27.1.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 2.0 SP1 (and higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
	Itanium	64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP1.
Microsoft Windows Server 2003 x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows 2003	Itanium	64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .

Table 3-7 Oracle JRockit JDK 5.0 Update 8 R27.1.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Novell SuSE Linux Enterprise Server 10	x86	32-bit	Tested with kernel 2.6.16.21-0.8-bigsmp, glibc-2.4-31.5. Recommended update glibc-2.4-31.5.i686.rpm required. See http://download.novell.com/DownLoad?buildid=UVeX6W_4vig~ .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.16.21-0.8-smp, glibc-2.4-31.5. Recommended updates glibc-2.4-31.5.x86_64.rpm and glibc-32bit-2.4-31.5.x86_64.rpm required. See http://download.novell.com/DownLoad?buildid=UVeX6W_4vig~ .
	Itanium	64-bit	Tested with kernel 2.6.16.21-0.8-default, glibc-2.4-31.5. Recommended update glibc-2.4-31.5.ia64.rpm required. See http://download.novell.com/DownLoad?buildid=UVeX6W_4vig~ .
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with Update 3, kernel 2.6.9-34.ELsmp, glibc 2.3.4-2.19. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	

Table 3-7 Oracle JRockit JDK 5.0 Update 8 R27.1.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.18-8.el5 and glibc 2.5-12. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with Solaris 9 Recommended Patch 2005-01-25.
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 Recommended Patch 2005-01-25.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 1/06.

5.0 Update 6 R26.4.0

Oracle JRockit JDK 5.0 Update 6 R26.4.0 supports the configurations listed in [Table 3-8](#).

Table 3-8 Oracle JRockit JDK 5.0 Update 6 R26.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 2.0 SP1 (and higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .

Table 3-8 Oracle JRockit JDK 5.0 Update 6 R26.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP1.
Microsoft Windows Server 2003 x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows 2003	Itanium	64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Novell SuSE Linux Enterprise Server 10	x86	32-bit	Tested with kernel 2.6.16.21-0.8-bigsmp, glibc-2.4-31.5. Recommended update glibc-2.4-31.5.i686.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.16.21-0.8-smp, glibc-2.4-31.5. Recommended updates glibc-2.4-31.5.x86_64.rpm and glibc-32bit-2.4-31.5.x86_64.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
	Itanium	64-bit	Tested with kernel 2.6.16.21-0.8-default, glibc-2.4-31.5. Recommended update glibc-2.4-31.5.ia64.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .

Table 3-8 Oracle JRockit JDK 5.0 Update 6 R26.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with Update 3, kernel 2.6.9-34.ELsmp, glibc 2.3.4-2.19. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 Recommended Patch 2005-01-25.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 1/06.

5.0 Update 6 R26.3.0

Oracle JRockit JDK 5.0 Update 6 R26.3.0 supports the configurations listed in [Table 3-9](#).

Table 3-9 Oracle JRockit JDK 5.0 Update 6 R26.3.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 2.0 SP1 (and higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP1.
Microsoft Windows Server 2003 x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with kernel 2.6.5-7.191-bigsmp, glibc 2.3.3-98.47. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with Update 2, kernel 2.6.9-22.ELsmp, glibc 2.3.4-2.13. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 Recommended Patch 2005-01-25.
Sun Solaris 10	Sparc	64-bit	

5.0 Update 4 R26.1.0

Oracle JRockit JDK 5.0 Update 4 R26.1.0 supports the configurations listed in [Table 3-10](#).

Table 3-10 Oracle JRockit JDK 5.0 Update 4 R26.1.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Sun Solaris 9	Sparc	64-bit	64-bit kernel required.
Sun Solaris 10	Sparc	64-bit	64-bit kernel required.

5.0 Update 4 R26.0.0

Oracle JRockit JDK 5.0 Update 4 R26.0.0 supports the configurations listed in [Table 3-11](#).

Table 3-11 Oracle JRockit JDK 5.0 Update 4 R26.0.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 2.0 SP1 (and higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
	Itanium	64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .
Microsoft Windows Server 2003	x86	32-bit	
Microsoft Windows Server 2003 Enterprise x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Microsoft Windows Server 2003 Enterprise and Datacenter	Itanium	64-bit	
Microsoft Windows XP	x86	32-bit	

Table 3-11 Oracle JRockit JDK 5.0 Update 4 R26.0.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32 and 64-bit	
Novell SuSE Linux Enterprise Server 9 SP2 (and higher)	x86	32-bit	Tested with kernel 2.6.5-7.191-bigsmp, glibc 2.3.3-98.47. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.5-7.191-smp, glibc 2.3.3-98.47. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with kernel 2.6.5-7.191-default, glibc 2.3.3-98.47. See Operating System Patch Level Policy .
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with kernel 2.6.9-11.ELsmp, glibc 2.3.4-2.9. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	Tested with kernel 2.6.9-22.EL, glibc 2.3.4-2.13. See Operating System Patch Level Policy .

5.0 Update 3 R25.2.0

Oracle JRockit JDK 5.0 Update 3 R25.2.0 supports the configurations listed in [Table 3-12](#)

Oracle JRockit JDK Supported Configurations on Java SE 5.0

Table 3-12 Oracle JRockit JDK 5.0 Update 3 R25.2.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003	x86	32-bit	
Microsoft Windows Server 2003 Enterprise x64 Edition	64-bit Xeon/AMD64	32-bit	
Microsoft Windows Server 2003 Enterprise and Datacenter	Itanium	64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32-bit	
Novell SuSE Linux Enterprise Server 9 SP1 (and higher)	x86	32-bit	Tested with kernel 2.6.5-7.139-bigsmp, glibc 2.3.3-98.38. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with kernel 2.6.5-7.139-default, glibc 2.3.3-98.38. See Operating System Patch Level Policy .
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	

Table 3-12 Oracle JRockit JDK 5.0 Update 3 R25.2.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with kernel 2.6.9-11.ELsmp, glibc 2.3.4-2.9. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32 and 64-bit	Tested with kernel 2.6.9-11.ELsmp, glibc 2.3.4-2.9. See Operating System Patch Level Policy .
	Itanium	64-bit	Update 1+ kernel patch is required on Itanium. See Known Issues in the Oracle JRockit JVM 5.0 R25.2.0 Release Notes for more information.
			Tested with kernel 2.6.9-11.EL, glibc 2.3.4-2.9. See Operating System Patch Level Policy .

5.0 Update 2 R25.1.0

Oracle JRockit JDK 5.0 Update 2 R25.1.0 supports the configurations listed in [Table 3-13](#).

Table 3-13 Oracle JRockit JDK 5.0 Update 2 R25.1.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003	x86	32-bit	
Microsoft Windows Server 2003 Enterprise and Datacenter	Itanium	64-bit	
Microsoft Windows XP	x86	32-bit	

5.0 R25.0.0

Oracle JRockit JDK 5.0 R25.0.0 supports the configurations listed in [Table 3-14](#).

Table 3-14 Oracle JRockit JDK 5.0 R25.0.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003	x86	32-bit	
Microsoft Windows Server 2003 Enterprise and Datacenter	Itanium	64-bit	
Microsoft Windows XP	x86	32-bit	
Novell SuSE Linux Enterprise Server 9	x86	32-bit	Tested with kernel 2.6.5-7.97-bigsmp, glibc 2.3.3-98.28. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with kernel 2.6.5-7.97-default, glibc 2.3.3-98.28. See Operating System Patch Level Policy .

Oracle JRockit JDK Supported Configurations for Java SE 1.4.2

Oracle JRockit JDK on Java SE 1.4.2 supports the specific configurations described in this section. This section contains information on these subjects:

- [List of Supported Operating System Configurations](#)
- [Summary of Supported Configurations by Release](#)
- [Product Support](#)

List of Supported Operating System Configurations

Oracle JRockit JDK on Java SE 1.4.2 supports the Operating System configurations listed in [Table 4-1](#).

Select an operating system and hardware configuration to view all support information for that configuration.

Table 4-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 1.4.2

Operating System and Hardware	JRockit Release
Asianux 2.0 on x86	1.4.2_17 R27.6.0
• Haansoft Linux 2006 Server	1.4.2_16 R27.5.0
• Miracle Linux V4.0	1.4.2_15 R27.4.0
• Red Flag DC Server 5.0	1.4.2_14 R27.3.0 1.4.2_13 R27.2.0
Asianux 2.0 on 64-bit Xeon/AMD64	1.4.2_17 R27.6.0
• Haansoft Linux 2006 Server	1.4.2_16 R27.5.0
• Miracle Linux V4.0	1.4.2_15 R27.4.0
• Red Flag DC Server 5.0	1.4.2_14 R27.3.0 1.4.2_13 R27.2.0
Asianux 2.0 on Itanium	1.4.2_17 R27.6.0
• Haansoft Linux 2006 Server	1.4.2_16 R27.5.0
• Miracle Linux V4.0	1.4.2_15 R27.4.0
• Red Flag DC Server 5.0	1.4.2_14 R27.3.0 1.4.2_13 R27.2.0

Table 4-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 1.4.2

Operating System and Hardware	JRockit Release
Microsoft Windows on x86	1.4.2_17 R27.6.0
• Windows XP	1.4.2_16 R27.5.0
• Windows Server 2003 Standard, Enterprise, and Datacenter	1.4.2_15 R27.4.0
• Windows Server 2003 R2	1.4.2_14 R27.3.0
• Windows Vista	1.4.2_13 R27.2.0
	1.4.2_12 R27.1.0
	1.4.2_11 R26.4.0
	1.4.2_10 R26.3.0
	1.4.2_10 R26.2.0
	1.4.2_08 R24.5.0
	1.4.2_05 R24.4.0
	1.4.2_04 R24.3.0
	1.4.2_04 R24.1.0
	1.4.2_03 R24.0.0
Microsoft Windows on 64-bit Xeon/AMD64	1.4.2_17 R27.6.0
• Windows XP x64 Edition	1.4.2_16 R27.5.0
• Windows Server 2003 Standard Enterprise and Datacenter x64 Edition	1.4.2_15 R27.4.0
• Windows Server 2003 R2	1.4.2_14 R27.3.0
• Windows Vista	1.4.2_13 R27.2.0
	1.4.2_12 R27.1.0
	1.4.2_11 R26.4.0
	1.4.2_10 R26.3.0
	1.4.2_08 R24.5.0
	1.4.2_05 R24.4.0

Table 4-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 1.4.2

Operating System and Hardware	JRockit Release
Microsoft Windows Server 2003 Enterprise and Datacenter on Itanium	1.4.2_17 R27.6.0 1.4.2_16 R27.5.0 1.4.2_15 R27.4.0 1.4.2_14 R27.3.0 1.4.2_13 R27.2.0 1.4.2_12 R27.1.0 1.4.2_11 R26.4.0 1.4.2_10 R26.3.0 1.4.2_08 R24.5.0 1.4.2_05 R24.4.0 1.4.2_04 R24.3.0 1.4.2_04 R24.1.0 1.4.2_03 R24.0.0
Novell SuSE Linux Enterprise Server 8 on x86	1.4.2_11 R26.4.0 1.4.2_10 R26.3.0 1.4.2_08 R24.5.0 1.4.2_05 R24.4.0 1.4.2_04 R24.3.0 1.4.2_04 R24.1.0
Novell SuSE Linux Enterprise Server 8 on Itanium	1.4.2_11 R26.4.0 1.4.2_10 R26.3.0 1.4.2_08 R24.5.0 1.4.2_05 R24.4.0 1.4.2_04 R24.3.0 1.4.2_04 R24.1.0

Table 4-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 1.4.2

Operating System and Hardware	JRockit Release
Novell SuSE Linux Enterprise Server 9 on x86	1.4.2_17 R27.6.0 1.4.2_16 R27.5.0 1.4.2_15 R27.4.0 1.4.2_14 R27.3.0 1.4.2_13 R27.2.0 1.4.2_12 R27.1.0 1.4.2_11 R26.4.0 1.4.2_10 R26.3.0 1.4.2_08 R24.5.0 1.4.2_05 R24.4.0 1.4.2_04 R24.3.0
Novell SuSE Linux Enterprise Server 9 on 64-bit Xeon/AMD64	1.4.2_17 R27.6.0 1.4.2_16 R27.5.0 1.4.2_15 R27.4.0 1.4.2_14 R27.3.0 1.4.2_13 R27.2.0 1.4.2_12 R27.1.0 1.4.2_11 R26.4.0 1.4.2_10 R26.3.0 1.4.2_08 R24.5.0

Table 4-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 1.4.2

Operating System and Hardware	JRockit Release
Novell SuSE Linux Enterprise Server 9 on Itanium	1.4.2_17 R27.6.0
	1.4.2_16 R27.5.0
	1.4.2_15 R27.4.0
	1.4.2_14 R27.3.0
	1.4.2_13 R27.2.0
	1.4.2_12 R27.1.0
	1.4.2_11 R26.4.0
	1.4.2_10 R26.3.0
	1.4.2_08 R24.5.0
	1.4.2_05 R24.4.0
	1.4.2_04 R24.3.0
Novell SuSE Linux Enterprise Server 10 on x86	1.4.2_17 R27.6.0
	1.4.2_16 R27.5.0
	1.4.2_15 R27.4.0
	1.4.2_14 R27.3.0
	1.4.2_13 R27.2.0
Novell SuSE Linux Enterprise Server 10 on 64-bit Xeon/AMD64	1.4.2_17 R27.6.0
	1.4.2_16 R27.5.0
	1.4.2_15 R27.4.0
	1.4.2_14 R27.3.0
	1.4.2_13 R27.2.0
Novell SuSE Linux Enterprise Server 10 on Itanium	1.4.2_17 R27.6.0
	1.4.2_16 R27.5.0
	1.4.2_15 R27.4.0
	1.4.2_14 R27.3.0
	1.4.2_13 R27.2.0

Table 4-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 1.4.2

Operating System and Hardware	JRockit Release
Oracle Enterprise Linux 4 on x86	1.4.2_17 R27.6.0 1.4.2_16 R27.5.0 1.4.2_15 R27.4.0 1.4.2_14 R27.3.0 1.4.2_13 R27.2.0 1.4.2_12 R27.1.0 1.4.2_11 R26.4.0 1.4.2_10 R26.3.0 1.4.2_10 R26.2.0 1.4.2_08 R24.5.0 1.4.2_05 R24.4.1
Oracle Enterprise Linux 4 on 64-bit Xeon/AMD64	1.4.2_17 R27.6.0 1.4.2_16 R27.5.0 1.4.2_15 R27.4.0 1.4.2_14 R27.3.0 1.4.2_13 R27.2.0 1.4.2_11 R26.4.0 1.4.2_10 R26.3.0 1.4.2_08 R24.5.0 1.4.2_05 R24.4.1
Oracle Enterprise Linux 5 on x86	1.4.2_17 R27.6.0 1.4.2_16 R27.5.0 1.4.2_15 R27.4.0 1.4.2_14 R27.3.0 1.4.2_13 R27.2.0 1.4.2_12 R27.1.0

Table 4-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 1.4.2

Operating System and Hardware	JRockit Release
Oracle Enterprise Linux 5 on 64-bit Xeon/AMD64	1.4.2_17 R27.6.0 1.4.2_16 R27.5.0 1.4.2_15 R27.4.0 1.4.2_14 R27.3.0 1.4.2_13 R27.2.0 1.4.2_12 R27.1.0
Red Flag Advanced Server, DC Server 4.0 on Itanium	1.4.2_03 R24.0.0
Red Flag Advanced Server, DC Server 4.1 on x86	1.4.2_11 R26.4.0 1.4.2_10 R26.3.0 1.4.2_08 R24.5.0 1.4.2_05 R24.4.0 1.4.2_04 R24.3.0
Red Flag Advanced Server, DC Server 4.1 on Itanium	1.4.2_11 R26.4.0 1.4.2_10 R26.3.0 1.4.2_08 R24.5.0 1.4.2_05 R24.4.0 1.4.2_04 R24.3.0
Red Hat Enterprise Linux 4.0 on x86 (AS, ES, WS, DT)	1.4.2_17 R27.6.0 1.4.2_16 R27.5.0 1.4.2_15 R27.4.0 1.4.2_14 R27.3.0 1.4.2_13 R27.2.0 1.4.2_12 R27.1.0 1.4.2_11 R26.4.0 1.4.2_10 R26.3.0 1.4.2_10 R26.2.0 1.4.2_08 R24.5.0 1.4.2_05 R24.4.1

Table 4-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 1.4.2

Operating System and Hardware	JRockit Release
Red Hat Enterprise Linux 4.0 on 64-bit Xeon/AMD64 (AS, ES, WS, DT)	1.4.2_17 R27.6.0
	1.4.2_16 R27.5.0
	1.4.2_15 R27.4.0
	1.4.2_14 R27.3.0
	1.4.2_13 R27.2.0
	1.4.2_11 R26.4.0
	1.4.2_10 R26.3.0
	1.4.2_08 R24.5.0
	1.4.2_05 R24.4.1
Red Hat Enterprise Linux 4.0 on Itanium (AS, ES, WS)	1.4.2_17 R27.6.0
	1.4.2_16 R27.5.0
	1.4.2_15 R27.4.0
	1.4.2_14 R27.3.0
	1.4.2_13 R27.2.0
	1.4.2_11 R26.4.0
	1.4.2_10 R26.3.0
	1.4.2_08 R24.5.0
	1.4.2_05 R24.4.1
Red Hat Enterprise Linux 5.0 on x86	1.4.2_17 R27.6.0
	1.4.2_16 R27.5.0
	1.4.2_15 R27.4.0
	1.4.2_14 R27.3.0
	1.4.2_13 R27.2.0
	1.4.2_12 R27.1.0

Table 4-1 Oracle JRockit JDK Supported Operating System Configurations on Java SE 1.4.2

Operating System and Hardware	JRockit Release
Red Hat Enterprise Linux 5.0 on 64-bit Xeon/AMD64	1.4.2_17 R27.6.0 1.4.2_16 R27.5.0 1.4.2_15 R27.4.0 1.4.2_14 R27.3.0 1.4.2_13 R27.2.0 1.4.2_12 R27.1.0
Red Hat Enterprise Linux 5.0 on Itanium	1.4.2_17 R27.6.0 1.4.2_16 R27.5.0 1.4.2_15 R27.4.0 1.4.2_14 R27.3.0 1.4.2_13 R27.2.0 1.4.2_12 R27.1.0
Sun Solaris 9 on Sparc	1.4.2_17 R27.6.0 1.4.2_16 R27.5.0 1.4.2_15 R27.4.0 1.4.2_14 R27.3.0 1.4.2_13 R27.2.0 1.4.2_12 R27.1.0
Sun Solaris 10 on Sparc	1.4.2_17 R27.6.0 1.4.2_16 R27.5.0 1.4.2_15 R27.4.0 1.4.2_14 R27.3.0 1.4.2_13 R27.2.0 1.4.2_12 R27.1.0

Summary of Supported Configurations by Release

This section describes, by release, the configurations supported by Oracle JRockit JDK 1.4.2.

1.4.2_17 R27.6.0

Oracle JRockit JDK 1.4.2_17 R27.6.0 supports the configurations listed in [Table 4-2](#).

Table 4-2 Oracle JRockit JDK 1.4.2_17 R27.6.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 2.0 SP1 (or higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
Microsoft Windows Server 2003 R2	x86	32-bit	Tested with Windows Server 2003 R2 SP2, kernel 5.2.3790.
	64-bit Xeon/AMD64	32-bit	
Microsoft Windows Vista	x86	32-bit	Tested with Windows Vista, kernel 6.0.6000.
	64-bit Xeon/AMD64	32-bit	
Microsoft Windows XP	x86	32-bit	
	64-bit Xeon/AMD64	32-bit	

Table 4-2 Oracle JRockit JDK 1.4.2_17 R27.6.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Novell SuSE Linux Enterprise Server 9.0 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61 See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61 See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 10 SP1 (and higher)	x86	32-bit	Tested with kernel 2.6.16.46-0.12-bigsmp, glibc-2.4-31.30.
	64-bit Xeon/AMD64	32-bit	Tested with kernel 2.6.16.46-0.12-smp, glibc-2.4-31.30.
	Itanium	64-bit	Tested with kernel 2.6.16.46-0.12-default, glibc-2.4-31.30.
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	See Operating System Patch Level Policy .
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Red Hat Enterprise Linux 4.0 AS/ES/WS/DT Update 1 (and higher)	x86	32-bit	Tested with QU6 (4.6), kernel 2.6.9-67, glibc 2.3.4-2.39. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	

Table 4-2 Oracle JRockit JDK 1.4.2_17 R27.6.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	Tested with QU6 (4.6), kernel 2.6.9-67, glibc 2.3.4-2.39. See Operating System Patch Level Policy .
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with 5.1, kernel 2.6.18-53.el5 and kernel 2.6.18-53.el5PAE, glibc 2.5-18. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. <i>kernel-xen</i> is not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	Tested with 5.1, kernel 2.6.18-53.el5, glibc 2.5-18. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 recommended patch 2007-06-12.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 Update 3.

1.4.2_16 R27.5.0

Oracle JRockit JDK 1.4.2_16 R27.5.0 supports the configurations listed in [Table 4-3](#).

Table 4-3 Oracle JRockit JDK 1.4.2_15 R27.5.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 2.0 SP1 (or higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	
Microsoft Windows Server 2003 R2	x86	32-bit	Tested with Windows Server 2003 R2 SP2, kernel 5.2.3790.
	64-bit Xeon/AMD64	32-bit	
Microsoft Windows Vista	x86	32-bit	Tested with Windows Vista, kernel 6.0.6000.
	64-bit Xeon/AMD64	32-bit	
Microsoft Windows XP	x86	32-bit	
	64-bit Xeon/AMD64	32-bit	
Novell SuSE Linux Enterprise Server 9.0 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .

Table 4-3 Oracle JRockit JDK 1.4.2_15 R27.5.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Novell SuSE Linux Enterprise Server 10 SP1 (and higher)	x86	32-bit	Tested with kernel 2.6.16.46-0.12-bigsmp, glibc-2.4-31.30.
	64-bit Xeon/AMD64	32-bit	Tested with kernel 2.6.16.46-0.12-smp, glibc-2.4-31.30.
	Itanium	64-bit	Tested with kernel 2.6.16.46-0.12-default, glibc-2.4-31.30.
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	See Operating System Patch Level Policy .
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Red Hat Enterprise Linux 4.0 AS/ES/WS/DT Update 1 (and higher)	x86	32-bit	Tested with QU5, kernel 2.6.9-55, glibc 2.3.4-2.36. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	Tested with QU4, kernel 2.6.9-42, glibc 2.3.4-2.25. See Operating System Patch Level Policy .

Table 4-3 Oracle JRockit JDK 1.4.2_15 R27.5.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. <i>kernel-xen</i> is not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	Tested with kernel 2.6.18-8.el5 and glibc 2.5-12. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
Sun Solaris 9	Itanium	64-bit	Tested with Solaris 9 recommended patch 2007-06-12.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 Update 3.

1.4.2_15 R27.4.0

Oracle JRockit JDK 1.4.2_15 R27.4.0 supports the configurations listed in [Table 4-4](#).

Table 4-4 Oracle JRockit JDK 1.4.2_15 R27.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 2.0 SP1 (or higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .

Table 4-4 Oracle JRockit JDK 1.4.2_15 R27.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP2, kernel 5.2.3790.
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	
Microsoft Windows Server 2003 R2	x86	32-bit	Tested with Windows Server 2003 R2 SP2, kernel 5.2.3790.
	64-bit Xeon/AMD64	32-bit	
Microsoft Windows Vista	x86	32-bit	Tested with Windows Vista, kernel 6.0.6000.
	64-bit Xeon/AMD64	32-bit	
Microsoft Windows XP	x86	32-bit	
	64-bit Xeon/AMD64	32-bit	
Novell SuSE Linux Enterprise Server 9.0 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61 See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	
Novell SuSE Linux Enterprise Server 10 SP1 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	

Table 4-4 Oracle JRockit JDK 1.4.2_15 R27.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	64-bit Xeon/AMD64	64-bit	See Operating System Patch Level Policy .
	x86	32-bit	
Oracle Enterprise Linux 5	64-bit Xeon/AMD64	32-bit	See Operating System Patch Level Policy .
	x86	32-bit	
Red Hat Enterprise Linux 4.0 AS/ES/WS/DT Update 1 (and higher)	64-bit Xeon/AMD64	32-bit	Tested with QU5, kernel 2.6.9-55, glibc 2.3.4-2.36. See Operating System Patch Level Policy .
	x86	32-bit	
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	Tested with QU4, kernel 2.6.9-42, glibc 2.3.4-2.25. See Operating System Patch Level Policy .
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. <i>kernel-xen</i> is not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 recommended patch 2007-06-12.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 Update 3.

1.4.2_14 R27.3.0

Oracle JRockit JDK 1.4.2_14 R27.3.0 supports the configurations listed in [Table 4-6](#).

Table 4-5 Oracle JRockit JDK 1.4.2_14 R27.3.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Asianux 2.0 SP1 (or higher)	x86	32-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.19, glibc 2.3.4-2.9.1.
	64-bit Xeon/AMD64	32-bit	See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with Red Flag DC Server 5.0, kernel 2.6.9-11.25AX, glibc 2.3.4-2.9.1AX. See Operating System Patch Level Policy .
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP1, kernel 5.2.3790.
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	
Microsoft Windows Server 2003 R2	x86	32-bit	Tested with Windows Server 2003 R2 SP1, kernel 5.2.3790.
	64-bit Xeon/AMD64	32-bit	
Microsoft Windows Vista	x86	32-bit	Tested with Windows Vista, kernel 6.0.6000.
	64-bit Xeon/AMD64	32-bit	
Microsoft Windows XP	x86	32-bit	
	64-bit Xeon/AMD64	32-bit	
Novell SuSE Linux Enterprise Server 9.0 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61 See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61 See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .

Table 4-5 Oracle JRockit JDK 1.4.2_14 R27.3.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Novell SuSE Linux Enterprise Server 10.0	x86	32-bit	Tested with kernel 2.6.16.21-0.8-bigsmp, glibc-2.4-31.5. Recommended update glibc-2.4-31.5.i686.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
	64-bit Xeon/AMD64	32-bit	Tested with kernel 2.6.16.21-0.8-smp, glibc-2.4-31.5. Recommended updates glibc-2.4-31.5.x86_64.rpm and glibc-32bit-2.4-31.5.x86_64.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
Itanium		64-bit	Tested with kernel 2.6.16.21-0.8-default, glibc-2.4-31.5. Recommended update glibc-2.4-31.5.ia64.rpm required. See http://download.novell.com/Download?buildid=UVeX6W_4vig~ .
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	See Operating System Patch Level Policy .
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Red Hat Enterprise Linux 4.0 AS/ES/WS/DT Update 1 (and higher)	x86	32-bit	Tested with QU4, kernel 2.6.9-42, glibc 2.3.4-2.25. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	

Table 4-5 Oracle JRockit JDK 1.4.2_14 R27.3.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	Tested with QU4, kernel 2.6.9-42, glibc 2.3.4-2.25. See Operating System Patch Level Policy .
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. <i>kernel-xen</i> is not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	Tested with kernel 2.6.18-8.el5 and glibc 2.5-12. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	Itanium	64-bit	
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 Recommended Patch 2005-01-25.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 1/06.

1.4.2_13 R27.2.0

Oracle JRockit JDK 1.4.2_13 R27.2.0 supports the configurations listed in [Table 4-6](#).

Table 4-6 Oracle JRockit JDK 1.4.2_13 R27.2.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP1.
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	
Microsoft Windows Server 2003 R2	x86	32-bit	
	64-bit Xeon/AMD64	32-bit	

Table 4-6 Oracle JRockit JDK 1.4.2_13 R27.2.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Vista	x86	32-bit	
	64-bit Xeon/AMD64	32-bit	
Microsoft Windows XP	x86	32-bit	
	64-bit Xeon/AMD64	32-bit	
Novell SuSE Linux Enterprise Server 9.0 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61 See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61 See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 10.0	x86	32-bit	
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	See Operating System Patch Level Policy .
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	

Table 4-6 Oracle JRockit JDK 1.4.2_13 R27.2.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with Update 3, kernel 2.6.9-34.ELsmp, glibc 2.3.4-2.19. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. <i>kernel-xen</i> is not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	Tested with kernel 2.6.18-8.el5 and glibc 2.5-12. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	Itanium	64-bit	
Asianux 2.0	x86	32-bit	
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 Recommended Patch 2005-01-25.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 1/06.

1.4.2_12 R27.1.0

Oracle JRockit JDK 1.4.2_12 R27.1.0 supports the configurations listed in [Table 4-8](#).

Table 4-7 Oracle JRockit JDK 1.4.2_12 R27.1.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP1.
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	
Microsoft Windows XP	x86	32-bit	
	64-bit Xeon/AMD64	32-bit	
Novell SuSE Linux Enterprise Server 9.0 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmp, glibc 2.3.3-98.61 See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61 See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	See Operating System Patch Level Policy
Oracle Enterprise Linux 5	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with Update 3, kernel 2.6.9-34.ELsmp, glibc 2.3.4-2.19. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	

Table 4-7 Oracle JRockit JDK 1.4.2_12 R27.1.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	Tested with Update 3, kernel 2.6.9-34.EL, glibc 2.3.4-2.19. See Operating System Patch Level Policy .
Red Hat Enterprise Linux 5.0	x86	32-bit	Tested with kernel 2.6.18-8.el5, kernel 2.6.18-8.el5PAE and glibc 2.5-12. Only the tested kernels are supported, i.e. the kernels found in the <i>kernel</i> and <i>kernel-pae</i> packages. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	Tested with kernel 2.6.18-8.el5 and glibc 2.5-12. Only the tested kernel configuration is supported. Other kernels, including <i>kernel-xen</i> , are not supported. See Operating System Patch Level Policy .
	Itanium	64-bit	
Sun Solaris 9	Sparc	64-bit	Tested with Solaris 9 Recommended Patch 2005-01-25.
Sun Solaris 10	Sparc	64-bit	Tested with Solaris 10 1/06.

1.4.2_11 R26.4.0

Oracle JRockit JDK 1.4.2_11 R26.4.0 supports the configurations listed in [Table 4-8](#).

Table 4-8 Oracle JRockit JDK 1.4.2_11 R26.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP1.
	64-bit	32-bit	
	Xeon/AMD64		
	Itanium	64-bit	

Table 4-8 Oracle JRockit JDK 1.4.2_11 R26.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows XP	x86	32-bit	
	64-bit Xeon/AMD64	32-bit	
Novell SuSE Linux Enterprise Server 8.0 SP3 (and higher)	x86	32-bit	Tested with kernel 2.4.21-138-smp, glibc 2.2.5-213. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with kernel 2.4.21-112-itanium2-smp, glibc 2.2.5-161. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 9.0 SP2 (and higher)	x86	32-bit	Tested with SP3, kernel 2.6.5-7.244-bigsmpl, glibc 2.3.3-98.61 See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	Tested with SP3, kernel 2.6.5-7.244-smp, glibc 2.3.3-98.61 See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with SP3, kernel 2.6.5-7.244-default, glibc 2.3.3-98.61. See Operating System Patch Level Policy .
Red Flag Advanced Server 4.1 SP1 (and higher)	x86	32-bit	Tested with kernel 2.4.21-20.19, glibc 2.3.2-95.30.1. See Operating System Patch Level Policy .
Red Flag Advanced Server 4.1	Itanium	64-bit	Tested with kernel 2.4.21-15.6, glibc 2.3.2-95.20.1. See Operating System Patch Level Policy .
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	See Operating System Patch Level Policy .

Table 4-8 Oracle JRockit JDK 1.4.2_11 R26.4.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with Update 3, kernel 2.6.9-34.ELsmp, glibc 2.3.4-2.19. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	Tested with Update 3, kernel 2.6.9-34.EL, glibc 2.3.4-2.19. See Operating System Patch Level Policy .

1.4.2_10 R26.3.0

Oracle JRockit JDK 1.4.2_10 R26.3.0 supports the configurations listed in [Table 4-9](#).

Table 4-9 Oracle JRockit JDK 1.4.2_10 R26.3.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003	x86	32-bit	Tested with Windows 2003 SP1.
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	
Microsoft Windows XP	x86	32-bit	
	64-bit Xeon/AMD64	32-bit	
Novell SuSE Linux Enterprise Server 8.0 SP3 (and higher)	x86	32-bit	Tested with kernel 2.4.21-138-smp, glibc 2.2.5-213. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with kernel 2.4.21-112-itanium2-smp, glibc 2.2.5-161. See Operating System Patch Level Policy .

Table 4-9 Oracle JRockit JDK 1.4.2_10 R26.3.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Novell SuSE Linux Enterprise Server 9.0 SP2 (and higher)	x86	32-bit	Tested kernel 2.6.5-7.191-bigsmp, glibc 2.3.3-98.47. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	Tested with kernel 2.6.5-7.191-smp, glibc 2.3.3-98.47. See Operating System Patch Level Policy .
Red Flag Advanced Server 4.1 SP1 (and higher)	x86	32-bit	Tested with kernel 2.4.21-20.19, glibc 2.3.2-95.30.1. See Operating System Patch Level Policy .
Red Flag Advanced Server 4.1	Itanium	64-bit	Tested with kernel 2.4.21-15.6, glibc 2.3.2-95.20.1. See Operating System Patch Level Policy .
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	See Operating System Patch Level Policy .
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with Update 2, kernel 2.6.9-22.ELsmp, glibc 2.3.4-2.13. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Red Hat Enterprise Linux 4.0 Update 2 (and higher)	Itanium	64-bit	Tested with kernel 2.6.9-22.EL, glibc 2.3.4-2.13. See Operating System Patch Level Policy .

1.4.2_10 R26.2.0

Oracle JRockit JDK 1.4.2_10 R26.2.0 supports the configuration listed in [Table 4-10](#).

Table 4-10 Oracle JRockit JDK 1.4.2_10 R26.2.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003	x86	32-bit	
Microsoft Windows XP	x86	32-bit	
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
Red Hat Enterprise Linux 4.0 AS/ES/WS Update 2 (and higher)	x86	32-bit	Tested with kernel 2.6.9-22.ELsmp, glibc 2.3.4-2.13. See Operating System Patch Level Policy .

1.4.2_08 R24.5.0

Oracle JRockit JDK 1.4.2_08 R24.5.0 supports the configuration listed in [Table 4-11](#).

Table 4-11 Oracle JRockit JDK 1.4.2_08 R24.5.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003	x86	32-bit	
Microsoft Windows Server 2003 Enterprise x64 Edition	64-bit Xeon/AMD64	32-bit	
Microsoft Windows Server 2003 Enterprise and Datacenter	Itanium	64-bit	
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32-bit	
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	

Table 4-11 Oracle JRockit JDK 1.4.2_08 R24.5.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	See Operating System Patch Level Policy .
Red Hat Enterprise Linux 4.0 AS/ES/WS Update 1 (and higher)	x86	32-bit	Tested with kernel 2.6.9-11.ELsmp, glibc 2.3.4-2.9. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with kernel 2.6.9-11.EL, glibc 2.3.4-2.9. See Operating System Patch Level Policy . Requires kernel patch; please refer to Known Issues in the Oracle JRockit JDK 1.4.2 Release Notes for details.
Red Hat Enterprise Linux 4.0 AS/ES/WS/DT Update 1 (and higher)	64-bit Xeon/AMD64	32-bit	Tested with kernel 2.6.9-11.ELsmp, glibc 2.3.4-2.9. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 8.0 SP3 (and higher)	x86	32-bit	Tested with kernel 2.4.21-138-smp, glibc 2.2.5-213. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with kernel 2.4.21-112-itanium2-smp, glibc 2.2.5-161. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 9.0 SP2 (and higher)	x86	32-bit	Tested kernel 2.6.5-7.191-bigsmp, glibc 2.3.3-98.47. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64		
	Itanium	64-bit	Tested kernel 2.6.5-7.191-default, glibc 2.3.3-98.47. See Operating System Patch Level Policy .

Table 4-11 Oracle JRockit JDK 1.4.2_08 R24.5.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Red Flag Linux 4.1 AS/DC SP1 (and higher)	x86	32-bit	Tested with kernel 2.4.21-20.19, glibc 2.3.2-95.30.1. See Operating System Patch Level Policy .
Red Flag Linux 4.1 AS/DC	Itanium	64-bit	Tested with kernel 2.4.21-15.6, glibc 2.3.2-95.20.1. See Operating System Patch Level Policy .

1.4.2_05 R24.4.1

Oracle JRockit JDK 1.4.2_05 R24.4.1 supports the configurations listed in [Table 4-12](#).

Table 4-12 Oracle JRockit JDK 1.4.2_05 R24.4.1 Support

Operating System	Hardware	JVM	Notes
Oracle Enterprise Linux 4 Update 4 (and higher)	x86	32-bit	See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
Oracle Enterprise Linux 4 Update 6 (and higher)	Itanium	64-bit	See Operating System Patch Level Policy .
Red Hat Enterprise Linux 4.0 Update 1 (and higher)	x86	32-bit	Tested with kernel 2.6.9-11.ELsmp, glibc 2.3.4-2.9. See Operating System Patch Level Policy .
	64-bit Xeon/AMD64	32-bit	
	Itanium	64-bit	Tested with kernel 2.6.9-11.EL, glibc 2.3.4-2.9. See Operating System Patch Level Policy . Update 1+ kernel patch is required on Itanium. See Release Notes for more information.

1.4.2_05 R24.4.0

Oracle JRockit JDK 1.4.2_05 R24.4.0 supports the configurations listed in [Table 4-13](#).

Table 4-13 Oracle JRockit JDK 1.4.2_05 R24.4.0 Support

Operating System	Hardware	JVM	Notes
Microsoft Windows Server 2003	x86	32-bit	
Microsoft Windows Server 2003 Enterprise x64 Edition	64-bit Xeon/AMD64	32-bit	
Microsoft Windows Server 2003 Enterprise and Datacenter	Itanium	64-bit	Running on Windows 2003 SP1 or later on Itanium requires patch for CR208575 and CR229722 (please refer to the Oracle JRockit JDK 1.4.2 Release Notes).
Microsoft Windows XP	x86	32-bit	
Microsoft Windows XP x64 Edition	64-bit Xeon/AMD64	32-bit	
Novell SuSE Linux Enterprise Server 8 SP2a (and higher)	x86	32-bit	Tested with kernel 2.4.9-304-smp, glibc 2.2.5-179. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with kernel 2.4.19-153-itanium2-smp, glibc 2.2.5-145. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 9	x86	32-bit	Tested with kernel 2.6.5-7.97-bigsmp, glibc 2.3.3-98.28. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with kernel 2.6.5-7.97-default, glibc 2.3.3-98.28. See Operating System Patch Level Policy .
Red Flag Advanced Server 4.1	x86	32-bit	Tested with kernel 2.4.21-9.30smp, glibc 2.3.2-95.20.1. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with kernel 2.4.21-15.6smp, glibc 2.3.2-95.20.1. See Operating System Patch Level Policy .

1.4.2_04 R24.3.0

Oracle JRockit JDK 1.4.2_04 R24.3.0 supports the configurations listed in [Table 4-14](#).

Table 4-14 Oracle JRockit JDK 1.4.2_05 R24.3.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows XP	x86	32-bit	
Microsoft Windows Server 2003	x86	32-bit	
Microsoft Windows Server 2003 Enterprise and Datacenter	Itanium	64-bit	Running on Windows 2003 SP1 or later on Itanium requires patch for CR208575 and CR229722.
Novell SuSE Linux Enterprise Server 8 SP2a (and higher)	x86	32-bit	Tested with kernel 2.4.9-304-smp, glibc 2.2.5-179. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 8 SP2 (and higher)	Itanium	64-bit	Tested with kernel 2.4.19-153-itanium2-smp, glibc 2.2.5-145. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 9	x86	32-bit	Tested with kernel 2.6.5-7.97-bigsmp, glibc 2.3.3-98.28. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with kernel 2.6.5-7.97-default, glibc 2.3.3-98.28. See Operating System Patch Level Policy .
Red Flag Advanced Server 4.1	x86	32-bit	Tested with kernel 2.4.21-9.30smp, glibc 2.3.2-95.20.1. See Operating System Patch Level Policy .
	Itanium	64-bit	Tested with kernel 2.4.21-15.6smp, glibc 2.3.2-95.20.1. See Operating System Patch Level Policy .

1.4.2_04 R24.1.0

Oracle JRockit JDK 1.4.2_04 R24.1.0 supports the configurations listed in [Table 4-15](#)

Table 4-15 Oracle JRockit JDK 1.4.2_04 R24.1.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows XP	x86	32-bit	
Microsoft Windows Server 2003	x86	32-bit	
Microsoft Windows Server 2003 Enterprise and Datacenter	Itanium	64-bit	Running on Windows 2003 SP1 or later on Itanium requires patch for CR208575 and CR229722 (please refer to the Oracle JRockit JDK 1.4.2 Release Notes).
Novell SuSE Linux Enterprise Server 8 SP2a (and higher)	x86	32-bit	Tested with kernel 2.4.9-304-smp, glibc 2.2.5-179. See Operating System Patch Level Policy .
Novell SuSE Linux Enterprise Server 8 SP2 (and higher)	Itanium	64-bit	Tested with kernel 2.4.19-153-itanium2-smp, glibc 2.2.5-145. See Operating System Patch Level Policy .

1.4.2_03 R24.0.0

Oracle JRockit JDK 1.4.2_03 R24.0.0 supports the configurations listed in [Table 4-16](#)

Table 4-16 Oracle JRockit JDK 1.4.2_03 R24.0.0 Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows XP	x86	32-bit	
Microsoft Windows Server 2003	x86	32-bit	
Microsoft Windows Server 2003 Enterprise and Datacenter	Itanium	64-bit	Running on Windows 2003 SP1 or later on Itanium requires patch for CR208575 and CR229722 (please refer to the Oracle JRockit JDK 1.4.2 Release Notes).
Red Flag Advanced Linux 4.0	Itanium	64-bit	Tested with kernel 2.4.18-37smp, glibc 2.2.4-32. See Operating System Patch Level Policy .

Oracle JRockit JDK 7.0 (J2SE 1.3.1) Supported Configurations

Oracle JRockit JDK 7.0 supports the specific configurations described in this section. This section contains information on these subjects:

- [List of Supported Operating System Configurations](#)
- [Summary of Supported Configurations by Release](#)
- [Product Support](#)

List of Supported Operating System Configurations

Oracle JRockit JDK 7.0 (1.3.1) supports the Operating System configurations listed in [Table 5-1](#).

Select an operating system and hardware configuration to view all support information for that configuration.

Table 5-1 Operating System Configurations Supported in Oracle JRockit JDK7.0

Operating System and Hardware	JRockit Release
Microsoft Windows 2000 on x86	7.0 SP6 (1.3.1_14)
• Windows 2000 Professional	7.0 SP5 (1.3.1_10)
• Windows 2000 Server, Advanced Server, Datacenter	7.0 SP4 (1.3.1_08) 7.0 SP3 (1.3.1_08)
Microsoft Windows Server 2003 Standard, Enterprise, and Datacenter on x86	7.0 SP6 (1.3.1_14) 7.0 SP5 (1.3.1_10)
Microsoft Windows XP on x86	7.0 SP6 (1.3.1_14) 7.0 SP5 (1.3.1_10)
Red Hat Enterprise Linux 2.1 on x86 (AS, ES, WS)	7.0 SP6 (1.3.1_14) 7.0 SP5 (1.3.1_10) 7.0 SP4 (1.3.1_08) 7.0 SP3 (1.3.1_08)

Summary of Supported Configurations by Release

This section describes, by release, the configurations supported by Oracle JRockit JDK 7.0 (1.3.1).

7.0 SP6

Oracle JRockit JDK 7.0 SP6 (J2SE 1.3.1_14) supports the configurations listed in [Table 5-2](#).

Table 5-2 Oracle JRockit JDK 7.0 SP6 (J2SE 1.3.1_14) Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows 2000 SP2 (and higher)	x86	32-bit	
Microsoft Windows Server 2003	x86	32-bit	

Table 5-2 Oracle JRockit JDK 7.0 SP6 (J2SE 1.3.1_14) Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows XP	x86	32-bit	
Red Hat Enterprise Linux 2.1 Update 5 (and higher)	x86	32-bit	Tested with kernel 2.4.9-e.49smp, glibc 2.2.4-32.17. See Operating System Patch Level Policy .

7.0 SP5

Oracle JRockit JDK 7.0 SP5 (J2SE 1.3.1_10) supports the configurations listed in [Table 5-3](#).

Table 5-3 Oracle JRockit JDK 7.0 SP5 (J2SE 1.3.1_10) Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows 2000 SP2 (and higher)	x86	32-bit	
Microsoft Windows Server 2003	x86	32-bit	
Microsoft Windows XP	x86	32-bit	
Red Hat Enterprise Linux 2.1 Update 2 (and higher)	x86	32-bit	Tested with kernel 2.4.9-e.24smp, glibc 2.2.4-32.8. See Operating System Patch Level Policy .

7.0 SP4

Oracle JRockit JDK 7.0 SP4 (J2SE 1.3.1_08) supports the configurations listed in [Table 5-4](#).

Oracle JRockit JDK 7.0 (J2SE 1.3.1) Supported Configurations

Table 5-4 Oracle JRockit JDK 7.0 SP5 (J2SE 1.3.1_10) Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows 2000 SP2 (and higher)	x86	32-bit	
Red Hat Enterprise Linux 2.1	x86	32-bit	Tested with kernel 2.4.9-e.3smp, glibc 2.2.4-31.7. See Operating System Patch Level Policy .

7.0 SP3

Oracle JRockit JDK 7.0 SP3 (J2SE 1.3.1_08) supports the configurations listed in [Table 5-5](#).

Table 5-5 Oracle JRockit JDK 7.0 SP5 (J2SE 1.3.1_10) Supported Configurations

Operating System	Hardware	JVM	Notes
Microsoft Windows 2000 SP2 (and higher)	x86	32-bit	
Red Hat Enterprise Linux 2.1	x86	32-bit	Tested with kernel 2.4.9-e.3smp, glibc 2.2.4-31.7. See Operating System Patch Level Policy .

Product Support

Product support information includes:

- [Hardware Support and Compatible Architectures](#)
- [Compatibility Between Releases](#)
- [Operating System Patch Level Policy](#)
- [End-of-Life Information](#)

Hardware Support and Compatible Architectures

This section provides information about Oracle JRockit's support for different hardware architectures.

x86

Oracle JRockit JDK is tested and certified on Intel Xeon, and is supported on all IA32 compliant chips with the MMX instruction set. This includes:

- Intel Xeon
- Intel Pentium II and higher
- Intel Celeron
- AMD Opteron and Athlon

and all other compatible CPUs from these and other vendors.

64-bit Xeon/AMD64

The Intel 64-bit Xeon/AMD64 group includes the following CPUs:

- Intel 64-bit Core, Xeon, Pentium and Celeron and all other chips that support the Intel 64/EM64T architecture
- AMD Opteron, Athlon 64, Turion 64 and all other chips that support the AMD64 architecture

When such a machine is installed with a 32-bit operating system, it is treated as identical to an x86 CPU. This means that the machine is supported with the 32-bit x86 version of the JRockit JDK in all places where it says “x86” in the list of supported configurations.

When installed with a 64-bit operating system that takes advantage of the 64-bit extended addressing, the JRockit JDK can be run either as a 32-bit application (using the x86 binary) or as a 64-bit application. Depending on JRockit JDK version and platform, one or both of these modes can be supported. For Intel 64-bit Xeon/AMD64 support details on a specific version, refer to the Summary of Supported Configurations table for each version:

- Oracle JRockit JDK 5.0: [Summary of Supported Configurations by Release](#)
- Oracle JRockit JDK 1.4.2: [Summary of Supported Configurations by Release](#)

Itanium

The Oracle JRockit JDK supports Intel Itanium II and later.

Sparc

The Oracle JRockit JDK supports the SPARC v9 architecture, which includes:

- Sun UltraSPARC I and higher
- Fujitsu PRIMEPOWER systems based on SPARC64 V

and all other compatible CPUs from these and other vendors.

Support Policy for Compatible Hardware Architectures

Oracle products are certified for particular hardware chip architectures, as specified in Oracle JRockit JDK Supported Configurations for each release. In some cases, a single chip architecture

is provided by multiple vendors. Oracle supports such implementations when they are certified for compliance by their respective owners.

For the x86 and 64-bit Xeon architectures, JRockit JDK is tested and certified on Intel CPUs, but supports all compatible chips. For chip architecture support details on a specific version, refer to the chip architecture sections above ([x86, 64-bit Xeon/AMD64, Itanium](#) and [Sparc](#)). You can also refer to the appropriate document for that JRockit JDK version:

- [Oracle JRockit JDK Supported Configurations on Java SE 5.0](#)
- [Oracle JRockit JDK Supported Configurations for Java SE 1.4.2](#)
- [Oracle JRockit JDK 7.0 \(J2SE 1.3.1\) Supported Configurations](#)

Virtualization software, such as VMWare, is also considered a supported compatible architecture, provided the VMWare environment is supported by the operating system vendor and the support criteria specified in the Supported Configurations documentation for the JRockit JDK is met.

Compatibility Between Releases

Continued compatibility between the JRockit JDK releases is assured by following the guidelines described in this section. These guidelines apply to these subjects:

- [Product Versioning](#)
- [Java APIs](#)
- [Proprietary JRockit JVM APIs](#)
- [Command Line Options](#)

Product Versioning

The JRockit JDK numbering scheme is based upon:

- J2SE version (1.3.1, 1.4.2, 5.0, etc.)
- The Oracle JRockit JVM release number (Rnn.nn.nn)

For example, Oracle JRockit JVM **5.0 R25.0.0** refers to a release 25.0.0 of Oracle JRockit JVM that is compatible with J2SE 5.0; Oracle JRockit JVM **1.4.2_04 R24.3.0** refers to a release of 24.3.0 of the JRockit JVM that is compatible with J2SE 1.4.2_04. A JRockit JVM release can be

compatible with more than one JDK version and a JDK version can be compatible with multiple JRockit JVM releases.

The JRockit JDK versions previous to 1.4.2 used a different numbering scheme following the Oracle WebLogic Platform version. For this reason, the J2SE 1.3.1 version of the JRockit JDK was called 7.0. All future versions of the JRockit JDK will follow the versioning scheme outlined in the preceding paragraph.

This compatibility statement applies to these JRockit JDK versions:

- 7.0/1.3.1 (R23)
- 1.4.2_03 (R24) and later 1.4.2 versions
- 5.0 R25 and later 5.0 versions
- 6 R27.2 and later

Java APIs

All Java APIs follow Sun's compatibility statement. Please refer to [Java™ SE 6 Release Notes—Compatibility](#) for the latest version of Sun's compatibility statement.

Proprietary JRockit JVM APIs

- Official APIs (JMAPI, JRockit JMX beans) cannot be removed or modified except between major JDK versions. New APIs can be added at any time.
- Unofficial but supported APIs (`jrockit.ext.*`) cannot be removed in service packs.
- Internal APIs (all `jrockit.*` except for `jrockit.ext.*`) can change at any time.

Command Line Options

- Standard options (for example, `-server` and so on) will adhere to Sun's policy. Please refer to the latest version of Sun's [compatibility statement](#).
- Non-standard `-x` options will adhere to Sun's policy. Please refer to the latest version of Sun's [compatibility statement](#).
- Non-standard `-xx` options are handled thusly:
 - They cannot be removed unless in association with major JDK updates.
 - They can be disabled or the implementation changed at any time.

- New -xx options can be added at any time.

Operating System Patch Level Policy

Support for service packs is listed in the Summary of Supported Configurations table in the respective JRockit JDK Supported Configurations section. The available options are:

- No service pack stated means that all service packs, including unpatched installations, are supported.
- A specific service pack level “and higher” means that the stated service pack and all subsequent-including future-service pack releases from the OS vendor, are supported.
- One or more specific service packs mean that only those listed are supported.

In a few rare cases, a specific service pack is not supported. Always check the Notes field for exceptions.

In addition to service packs, official updates and hotfixes from the OS vendors are supported. This includes Microsoft security fixes installed through Windows Update and Errata updates provided by the Linux vendors.

For service pack support details on a specific version, refer to the Summary of Supported Configurations table for each version:

- Oracle JRockit JDK 5.0: [Summary of Supported Configurations by Release](#)
- Oracle JRockit JDK 1.4.2: [Summary of Supported Configurations by Release](#)
- Oracle JRockit JDK 7.0 (1.3.1): [Summary of Supported Configurations by Release](#)

Linux

For the supported Linux distributions, service packs or updates from the vendors are supported as stated above. Other types of patches, including kernels built from source, are not supported, unless specifically stated in the Summary by Release Number.

Linux distributions not explicitly listed are not supported; however, using them with the JRockit JDK has a greater chance of success if the kernel and glibc versions are similar or identical to one of the supported distributions.

The JRockit JDK is supported on the default Linux kernel, which varies with the distribution and architecture. See the Notes field in the Summary of Supported Configurations by Release for

details. If you require a different kernel, such as the hugemem kernel, contact Oracle Support for current support status.

End-of-Life Information

The JRockit JDK generally follows the same end-of-life (EOL) schedule as the Sun JDK. For information on Sun's EOL Policy, see Sun's [Java\[tm\] Technology EOL Policy](#) (this is an external site). No separate EOL announcements are made for the JRockit JDK so long as it matches the Sun JDK schedule.

One major exception to the policy above is if a particular the JRockit JDK release is required to support a Oracle WebLogic or AquaLogic product after EOL has been reached for a particular Sun JDK version. In these cases, Oracle continues to support JRockit JDK when used in conjunction with those Oracle products, until the product in question has either 1) migrated to a newer release of JRockit JDK or 2) has reached its EOL.

- For end-of-life announcements for the JRockit JDK, plus information about Oracle support for third-party products that have reached end-of-life or are approaching end-of life, see [Oracle JRockit JDK End-of-Life Announcements](#).
- For a calendar showing planned product retirements, see:
http://support.bea.com/product_news/BEA_Product_Retirement_Plan.jsp

This EOL policy applies to the entire JRockit JDK, which includes the JVM and JDK libraries and all tools shipped as part of the JDK installation.

Note on JRE Class Files

The JRE class files distributed with JRockit JDK come directly from Sun, except for a small number that are tightly coupled to the JVM and are therefore overridden in the Oracle JRockit JDK. The overridden class files are in the `java.lang`, `java.io`, `java.net`, and `java.util` packages. No classes have been omitted.

Oracle JRockit JDK End-of-Life Announcements

This section provides notification of changes in the release lifecycle for Oracle JRockit JDK and related product components, as well as information about Oracle support for third-party products reaching end-of-life. It contains information on these topics:

- [End-of-Life Announcements for Oracle Products](#)
- [Oracle Support for Third-Party Products Reaching End-of-Life](#)

End-of-Life Announcements for Oracle Products

No current end-of-life announcements.

Oracle Support for Third-Party Products Reaching End-of-Life

Note: Always check vendors' Web sites for end-of-life (EOL) policies and announcements.

This section provides information about Oracle support for the following third-party products that are at end-of-life or approaching end-of-life:

- [Red Hat Enterprise Linux 3.0 End-of-Support Announcement](#)
- [Red Hat Enterprise Linux 2.1 End-of-Support Announcement](#)
- [Windows 2000 End-of-Support Announcement](#)
- [Sun Java 2 SDK 1.4.2 End-of-Life Announcement](#)

- [Sun Java 2 SDK 1.4.1 End-of-Life Announcement](#)
- [Sun Java 2 SDK 1.3.1 End-of-Life Announcement](#)
- [SuSE Linux Enterprise Server 8.0 on Itanium End-of-Support Announcement](#)
- [Red Flag Advanced Server 4.1 on Itanium End-of-Support Announcement](#)

Red Hat Enterprise Linux 3.0 End-of-Support Announcement

Oracle stopped supporting Red Hat Enterprise Linux 3.0 on December 31, 2007. Red Hat ended full support on April 30, 2006 and deployment support on June 30, 2007.

Red Hat Enterprise Linux 2.1 End-of-Support Announcement

Oracle stopped supporting Red Hat Enterprise Linux 2.1 on April 30, 2006. The last Oracle product releases to provide support for Red Hat Linux 2.1 were Oracle JRockit 7.0 for WebLogic Platform 7.0 SP6 and Oracle JRockit JDK 1.4.2 for WebLogic Platform 8.1 SP5.

Oracle JRockit JDK 1.4.2 includes support for new releases of Red Hat Enterprise Linux so that customers may upgrade their Red Hat products. Customers running WebLogic Platform 7.0 may upgrade to 7.0 SP7, which has adopted to Oracle JRockit JDK 1.4.2.

Windows 2000 End-of-Support Announcement

Oracle stopped supporting Windows 2000 on December 31, 2007. Microsoft announced the end of mainstream support for Windows 2000 on June 30, 2005.

Sun Java 2 SDK 1.4.2 End-of-Life Announcement

Sun Microsystems has announced that J2SE 1.4.2 has begun the Sun End of Life process.

After the General Availability (GA) of the next Java version, Java SE 7, this Java version will no longer be supported by Sun.

After the EOL date, Oracle JRockit JDK 1.4.2 will continue to be supported by Oracle on a best-effort basis. However, lack of support from Sun may limit Oracle's ability to resolve certain SDK-related issues. This will affect all Oracle customers running WebLogic Platform 7.0 and WebLogic Platform 8.1 as well as other products based on J2SE 1.4.2.

Oracle will provide an upgrade path for affected customers in good time before the EOL.

Sun Java 2 SDK 1.4.1 End-of-Life Announcement

Sun Microsystems no longer supports J2SE 1.4.1.

Oracle JRockit JDK 8.1—based on Sun J2SE 1.4.1—will continue to be supported by Oracle on a best-effort basis. However, lack of support from Sun may limit Oracle's ability to resolve certain SDK-related issues.

Oracle recommends the following:

- WebLogic Platform 8.1 customers concerned about the limitations in support for J2SE 1.4.1 should plan an upgrade to WebLogic Platform 8.1 SP2 or later. This service pack will be targeted to support Oracle JRockit JDK 1.4.2 (that is, it will provide no support for J2SE 1.4.1), and it will provide 8.1 customers with an upgrade path.
- Customers using Oracle JRockit JDK 8.1 standalone should upgrade to a more recent Oracle JRockit JDK version, with support for a later J2SE version.

Sun Java 2 SDK 1.3.1 End-of-Life Announcement

Sun Microsystems no longer supports J2SE 1.3.1 on Windows and Linux.

Oracle JRockit JDK 7.0-based on Sun J2SE 1.3.1—will continue to be supported by Oracle on a best-effort basis. However, lack of support from Sun may limit Oracle's ability to resolve certain SDK-related issues.

After the EOL date, Oracle JRockit JDK 7.0—based on Sun J2SE 1.3.1—will continue to be supported by Oracle on a best-effort basis. However, lack of support from Sun might limit Oracle's ability to resolve certain SDK-related issues.

Oracle recommends that WebLogic Platform 7.0 customers concerned about the limitations in support for J2SE 1.3.1 may:

- Plan an upgrade to WebLogic Platform 7.0 SP7 or later. These service packs support Oracle JRockit JDK 1.4.2, and provide 7.0 customers with an upgrade path.
- Upgrade to an environment that is currently supported, such as WebLogic Platform 8.1 with Oracle JRockit JDK 1.4.2, or WebLogic Server 9.0 with Oracle JRockit JDK 5.0.
- Customers using Oracle JRockit JDK 7.0 standalone should plan for an upgrade to a more recent JRockit JDK, with support for a later J2SE version.

SuSE Linux Enterprise Server 8.0 on Itanium End-of-Support Announcement

Oracle stopped supporting SuSE Linux Enterprise Server 8.0 on Itanium on December 31, 2006. The last Oracle product release to provide support for SuSE Linux Enterprise Server 8.0 on Itanium will be Oracle JRockit JDK 1.4.2 R26.4. SuSE Linux Enterprise Server 8.0 on x86 will continue to be supported until a separate End-of-Support announcement is made.

Oracle JRockit JDK 1.4.2 and Oracle JRockit JDK 5.0 includes support for new releases of SuSE Linux Enterprise Server on Itanium so that customers may upgrade their SuSE products.

This announcement does not affect customers of WebLogic Platform, since it has never supported SuSE Linux Enterprise 8.0 on Itanium.

Red Flag Advanced Server 4.1 on Itanium End-of-Support Announcement

Oracle will stop supporting Red Flag Advanced Server 4.1 on Itanium on December 31, 2006. The last Oracle product release to provide support for Red Flag Advanced Server 4.1 on Itanium will be Oracle JRockit JDK 1.4.2 R26.4. Red Flag Advanced Server 4.1 on x86 will continue to be supported until a separate End-of-Support announcement is made.

Oracle JRockit JDK 5.0 includes support for new releases of Red Flag Advanced Server on Itanium so that customers may upgrade their Red Flag products.

This announcement does not affect customers of Oracle WebLogic Platform, since it has never supported Red Flag Advanced Server 4.1 on Itanium.