

# **Oracle® WebLogic Portlets for Groupware Integration**

Supported Configurations Guide

10g Release 3 (10.3.0)

March 2009

**ORACLE®**

---

Oracle WebLogic Portlets for Groupware Integration Supported Configurations Guide, 10g Release 3 (10.3.0)

Copyright © 2007, 2008, 2009, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

# Contents

## Supported Configurations

Supported Configurations for Microsoft Exchange (using WebLogic Exchange Service) . . .	1
Supported Configurations for Microsoft Exchange (using WebDAV) . . . . .	2
Supported Configurations for Lotus Domino (using WebLogic Domino Service) . . . . .	2



# Supported Configurations

## Supported Configurations for Microsoft Exchange (using WebLogic Exchange Service)

Table 1 contains a list of the supported Operating Systems (OS), the Active Directory, and the MAPI subsystem for Microsoft Exchange using WebLogic Exchange Service.

**Table 1 Supported Configurations for Microsoft Exchange Using WebLogic Exchange Service**

	<b>OS</b>	<b>Active Directory</b>	<b>MAPI Subsystem</b>
MS Exchange 2000	Windows 2000 SP4	Windows 2000 SP4	2000 Admin
MS Exchange 2000	Windows 2000 SP4	Windows 2000 SP4	2003 Admin
MS Exchange 2000	Windows 2000 SP4	Windows 2003 SP1	2000 Admin
MS Exchange 2000	Windows 2000 SP4	Windows 2003 SP1	2003 Admin
MS Exchange 2003	Windows 2003 SP1	Windows 2003 SP1	2000 Admin
MS Exchange 2003	Windows 2003 SP1	Windows 2003 SP1	2003 Admin

For all configurations and versions, Administrative tools are the minimal requirement for the MAPI subsystem.

The following service packs are recommended for the MAPI subsystem:

## Supported Configurations

- 2000 Admin – Service Pack 3 + Post-SP3 Update Rollup
- 2003 Admin – Service Pack 1

## Supported Configurations for Microsoft Exchange (using WebDAV)

[Table 2](#) contains a list of the supported OS and the Active Directory for Microsoft Exchange using WebDAV.

**Table 2 Supported Configurations for Microsoft Exchange Using WebDAV**

	OS	Active Directory
MS Exchange 2000 SP3+Rollup	Windows 2000 SP4	Windows 2000 SP4
MS Exchange 2000 SP3+Rollup	Windows 2000 SP4	Windows 2003 SP1
MS Exchange 2003 SP1	Windows 2003 SP1	Windows 2003 SP1
MS Exchange 2000 SP3+Rollup FE/BE	Windows 2000 SP4	Windows 2000 SP4
MS Exchange 2003+SP1 FE/BE	Windows 2003 SP1	Windows 2003 SP1

FE – Front-end server

BE – Back-end server

## Supported Configurations for Lotus Domino (using WebLogic Domino Service)

[Table 3](#) contains a list of the supported OS for Lotus Domino using the WebLogic Domino Service.

**Table 3 Supported Configurations for Lotus Domino Using Domino Service**

	OS
Lotus Domino R5	Windows NT SP4
Lotus Domino R5	Windows 2000 Server SP3

Supported Configurations for Lotus Domino (using WebLogic Domino Service)

**Table 3 Supported Configurations for Lotus Domino Using Domino Service**

	<b>OS</b>
Lotus Domino R5	RedHat Linux 8.0
Lotus Domino R6	Windows NT SP6a
Lotus Domino R6	Windows 2000 Server SP3
Lotus Domino R6	Windows 2003 Server
Lotus Domino R6	RedHat ES 4.0 <sup>1</sup>
Lotus Domino R6	RedHat Linux 8.0
Lotus Domino R6.5	Windows NT SP6a
Lotus Domino R6.5	Windows 2003 Server SP3
Lotus Domino R6.5	Windows 2003 Server
Lotus Domino R6.5	RedHat ES 4.0*
Lotus Domino R6.5	RedHat Linux 8.0
Lotus Domino R7.0.3	Windows NT SP6a
Lotus Domino R7.0.3	Windows 2003 Server SP3
Lotus Domino R7.0.3	Windows 2003 Server
Lotus Domino R7.0.3	RedHat ES 4.0*
Lotus Domino R7.0.3	RedHat Linux 8.0

1. Used with "compat-libstdc++-33-3.2.3.i386.rpm" installed.

## Supported Configurations