

Oracle® Tuxedo

Oracle Tuxedo® Certified Platform Tables

August 2010

ORACLE®

Oracle Tuxedo Certified Platform Tables

Copyright © 1996, 2010, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Certified Platforms 2

HP-UX 2

IBM AIX 2

Microsoft Windows 3

Linux 5

Sun Solaris 7

End of Life Platforms 8

Oracle® Tuxedo Certified Platform Tables

Date: August 2010

- [Certified Platforms](#)
 - [HP-UX](#)
 - [IBM AIX](#)
 - [Microsoft Windows](#)
 - [Linux](#)
 - [Sun Solaris](#)
- [End of Life Platforms](#)
- [Download Certified Platforms .pdf file](#)

Note: In the Tuxedo release columns, “xx-bit” stands for the Tuxedo binary.

Certified Platforms

HP-UX

| Platforms | Tuxedo 8.1 | Tuxedo 9.0 | Tuxedo 9.1 | Tuxedo 10.0 | Tuxedo 10gR3 | Tuxedo 11gR1 |
|---|-------------------|-------------------|-------------------|----------------|-------------------|-------------------|
| HP-UX 11iv1 (B.11.11) (64-bit OS) on PA-RISC (Using -AA Option) | 32-bit | | | | | |
| HP-UX 11iv1 (B.11.11) (64-bit OS) on PA-RISC | 32-bit, 64-bit | | | | | |
| HP-UX 11iv2 (B.11.23) (64-bit OS) on Itanium | 32-bit, 64-bit | 32-bit | 32-bit, 64-bit | 64-bit | 32-bit, 64-bit | 32-bit, 64-bit |
| HP-UX 11iv2 (B.11.23) (64-bit OS) on PA-RISC | 32-bit, 64-bit | 32-bit, 64-bit | 32-bit, 64-bit | 64-bit | 64-bit | |
| HP-UX 11iv3 (B.11.31) (64-bit OS) on Itanium | 32-bit, 64-bit | | 32-bit, 64-bit | 64-bit | 32-bit, 64-bit | 32-bit, 64-bit |
| HP-UX 11iv3 (B.11.31) (64-bit OS) on PA-RISC | 32-bit | | 32-bit, 64-bit | 64-bit | 64-bit | |

IBM AIX

| Platforms | Tuxedo 8.1 | Tuxedo 9.0 | Tuxedo 9.1 | Tuxedo 10.0 | Tuxedo 10gR3 | Tuxedo 11gR1 |
|--|-------------------|---------------|---------------|----------------|-----------------|-----------------|
| IBM AIX 5.2 (32-bit OS) on IBM PowerPC | 32-bit | | | | | |
| IBM AIX 5.2 (64-bit OS) on IBM PowerPC | 32-bit, 64-bit | | | | | |
| IBM AIX 5.3 (32-bit OS) on IBM PowerPC | 32-bit | 32-bit | 32-bit | 32-bit | 32-bit | |

| Platforms | Tuxedo 8.1 | Tuxedo 9.0 | Tuxedo 9.1 | Tuxedo 10.0 | Tuxedo 10gR3 | Tuxedo 11gR1 |
|--|-----------------------|-----------------------|-----------------------|------------------------|-------------------------|-------------------------|
| IBM AIX 5.3 (64-bit OS) on IBM PowerPC | 32-bit, 64-bit | 32-bit, 64-bit | 32-bit, 64-bit | 32-bit, 64-bit | 32-bit, 64-bit | 32-bit, 64-bit |
| IBM AIX 6.1 (64-bit OS) on IBM PowerPC | | | 32-bit, 64-bit | 32-bit, 64-bit | 32-bit, 64-bit | 32-bit, 64-bit |

Microsoft Windows

| Platforms | Tuxedo 8.1 | Tuxedo 9.0 | Tuxedo 9.1 | Tuxedo 10.0 | Tuxedo 10gR3 | Tuxedo 11gR1 |
|--|-----------------------|-----------------------|-----------------------|------------------------|-------------------------|-------------------------|
| Microsoft Windows 2000 Advanced Server (32-bit OS) on x86 with Visual C++ 6.0 | 32-bit | | | | | |
| Microsoft Windows 2003 Server (32-bit OS) on x86 with Visual C++ 6.0 | 32-bit | | | | | |
| Microsoft Windows 2003 Server (64-bit OS) on Itanium | 64-bit | | | | | |
| Microsoft Windows 2003 Server (32-bit OS) on x86 with MS Visual Studio 2003 | | 32-bit | 32-bit | | | |
| Microsoft Windows 2003 Server (32-bit OS) on x86 with MS Visual Studio 2005 | | | 32-bit | 32-bit | 32-bit | |
| Microsoft Windows 2003 Server (64-bit OS) on x86-64 with MS Visual Studio 2003 | | | 32-bit | | | |
| Microsoft Windows 2003 Server (64-bit OS) on x86-64 with MS Visual Studio 2005 | | | 32-bit | | 32-bit | |

| Platforms | Tuxedo 8.1 | Tuxedo 9.0 | Tuxedo 9.1 | Tuxedo 10.0 | Tuxedo 10gR3 | Tuxedo 11gR1 |
|--|-----------------------|-----------------------|-----------------------|------------------------|----------------------------|----------------------------|
| Microsoft Windows 2008 Server (32-bit OS) on x86 with MS Visual Studio 2003 | | | 32-bit | | | |
| Microsoft Windows 2008 Server (32-bit OS) on x86 with MS Visual Studio 2005 | | | 32-bit | | 32-bit | |
| Microsoft Windows 2008 Server (64-bit OS) on x86-64 with MS Visual Studio 2005 | | | 32-bit | | 32-bit | |
| Microsoft Windows 2008 R2 Server (64-bit OS) on x86-64 with MS Visual Studio 2005 | | | | | 32-bit | |
| Microsoft Windows 2008 Server (32-bit OS) on x86 with MS Visual Studio 2008 Professional Edition | | | | | | 32-bit |
| Microsoft Windows 2008 Server (64-bit OS) on x86-64 with MS Visual Studio 2008 Professional Edition | | | | | | 64-bit |
| Microsoft Windows Vista (32-bit OS) on x86 with MS Visual Studio 2005 | | | 32-bit | | 32-bit (Client Only) | |
| Microsoft Windows 7 (32-bit OS) on x86 with MS Visual Studio 2005 | | | | | 32-bit (Client Only) | |
| Microsoft Windows 7 (32-bit OS) on x86 with MS Visual Studio 2008 | | | | | | 32-bit (Client Only) |
| Microsoft Windows XP (32-bit OS) on x86 with Visual C++ 6.0 | 32-bit | | | | | |

| Platforms | Tuxedo 8.1 | Tuxedo 9.0 | Tuxedo 9.1 | Tuxedo 10.0 | Tuxedo 10gR3 | Tuxedo 11gR1 |
|--|-----------------------|----------------------------|----------------------------|----------------------------|-------------------------------------|----------------------------|
| Microsoft Windows XP (32-bit OS) on x86 with MS Visual Studio 2003 | | 32-bit (Client Only) | 32-bit (Client Only) | | | |
| Microsoft Windows XP (32-bit OS) on x86 with MS Visual Studio 2005 | | | | 32-bit (Client Only) | 32-bit (Client Only) | |
| Microsoft Windows XP (32-bit OS) on x86 with C++ Builder 2007 | | | | | 32-bit (CORBA Client Only) | |
| Microsoft Windows XP (32-bit OS) on x86 with MS Visual Studio 2008 | | | | | | 32-bit (Client Only) |

Linux

| Platforms | Tuxedo 8.1 | Tuxedo 9.0 | Tuxedo 9.1 | Tuxedo 10.0 | Tuxedo 10gR3 | Tuxedo 11gR1 |
|---|-----------------------|-----------------------|-----------------------|------------------------|-------------------------|-------------------------|
| Asianux 1.0 (32-bit OS) on x86 | 32-bit | | | | | |
| Asianux 2.0 (32-bit OS) on x86 | | | 32-bit | | | |
| Asianux 2.0 (64-bit OS) on x86-64 | | | 64-bit | | | |
| Asianux 3.0 (32-bit OS) on x86 | | | | 32-bit | | |
| Asianux 3.0 (64-bit OS) on x86-64 | | | | 64-bit | | |
| GreatTurbo Linux Enterprise Server 11.2 (64-bit OS) on x86-64 | | | | | 32-bit | |

| Platforms | Tuxedo 8.1 | Tuxedo 9.0 | Tuxedo 9.1 | Tuxedo 10.0 | Tuxedo 10gR3 | Tuxedo 11gR1 |
|--|-----------------------|-----------------------|-----------------------|------------------------|-------------------------|-------------------------|
| Novell SUSE Linux Enterprise Server 8.0 (32-bit OS) on IBM zSeries | 32-bit | | | | | |
| Novell SUSE Linux Enterprise Server 9 (32-bit OS) on x86 | 32-bit | 32-bit | 32-bit | | | |
| Novell SUSE Linux Enterprise Server 9 (64-bit OS) on Itanium | | 64-bit | 64-bit | | | |
| Novell SUSE Linux Enterprise Server 9 (64-bit OS) on x86-64 | | | 64-bit | | | |
| Novell SUSE Linux Enterprise Server 10 (32-bit OS) on x86 | | | 32-bit | 32-bit | 32-bit | 32-bit |
| Novell SUSE Linux Enterprise Server 10 (64-bit OS) on x86-64 | | | 64-bit | 64-bit | 64-bit | 64-bit |
| Novell SUSE Linux Enterprise Server 10 SP1 (64-bit OS) on Itanium | | | | 64-bit | | |
| Novell SUSE Linux Enterprise Server 11 (32-bit OS) on x86 | | | | | | 32-bit |
| Novell SUSE Linux Enterprise Server 11 (64-bit OS) on x86-64 | | | | | 64-bit | |
| Oracle Enterprise Linux 5.0 (32-bit OS) on x86 | | | | | 32-bit | 32-bit |
| Oracle Enterprise Linux 5.0 (64-bit OS) on x86-64 | | | | | 64-bit | 64-bit |
| Oracle Enterprise Linux 5.2 (64-bit OS) on x86-64 | | | | | 32-bit, 64-bit | |
| Red Hat Linux Advanced Server 2.1 (32-bit OS) on x86 | 32-bit | | | | | |
| Red Hat Linux Advanced Server 2.1 (64-bit OS) on Itanium | 64-bit | | | | | |

| Platforms | Tuxedo 8.1 | Tuxedo 9.0 | Tuxedo 9.1 | Tuxedo 10.0 | Tuxedo 10gR3 | Tuxedo 11gR1 |
|---|-----------------------|-----------------------|-----------------------|------------------------|-------------------------|-------------------------|
| Red Hat Linux Advanced Server 3.0 (32-bit OS) on x86 | 32-bit | | | | | |
| Red Hat Linux Advanced Server 3.0 (64-bit OS) on Itanium | 64-bit | | | | | |
| Red Hat Linux Enterprise AS 4 (64-bit OS) on Itanium | | 64-bit | 64-bit | | | |
| Red Hat Linux Enterprise AS 4 (32-bit OS) on x86 | 32-bit | | 32-bit | | | |
| Red Hat Linux Enterprise AS 4 (64-bit OS) on x86-64 | | | 64-bit | | | |
| Red Hat Linux Enterprise AS 5 (32-bit OS) on x86 | | | 32-bit | 32-bit | 32-bit | 32-bit |
| Red Hat Linux Enterprise AS 5 (64-bit OS) on Itanium | | | | 64-bit | | |
| Red Hat Linux Enterprise AS 5 (64-bit OS) on x86-64 | | | 64-bit | 64-bit | 64-bit | |
| Turbo Linux DS 10 (32-bit OS) on x86 | 32-bit | | | | | |

Sun Solaris

| Platforms | Tuxedo 8.1 | Tuxedo 9.0 | Tuxedo 9.1 | Tuxedo 10.0 | Tuxedo 10gR3 | Tuxedo 11gR1 |
|---------------------------------------|-----------------------|-----------------------|-----------------------|------------------------|-------------------------|-------------------------|
| Sun Solaris 8 (32-bit OS) on SPARC | 32-bit | | | | | |
| Sun Solaris 8 (64-bit OS) on SPARC | 32-bit, 64-bit | | | | | |

| Platforms | Tuxedo 8.1 | Tuxedo 9.0 | Tuxedo 9.1 | Tuxedo 10.0 | Tuxedo 10gR3 | Tuxedo 11gR1 |
|--------------------------------------|-------------------|-------------------|-------------------|--------------------|---------------------|---------------------|
| Sun Solaris 9 (32-bit OS) on SPARC | 32-bit | 32-bit | 32-bit | 32-bit | | |
| Sun Solaris 9 (64-bit OS) on SPARC | 32-bit, 64-bit | 32-bit, 64-bit | 32-bit, 64-bit | 32-bit, 64-bit | | |
| Sun Solaris 10 (32-bit OS) on x86 | 32-bit | | 32-bit | | | |
| Sun Solaris 10 (64-bit OS) on SPARC | 32-bit, 64-bit | 32-bit, 64-bit | 32-bit, 64-bit | 32-bit, 64-bit | 32-bit, 64-bit | 32-bit, 64-bit |
| Sun Solaris 10 (64-bit OS) on x86-64 | | | 32-bit, 64-bit | | 64-bit | 64-bit |

End of Life Platforms

| Platforms | Tuxedo 8.1 | Tuxedo 9.0 | Tuxedo 9.1 | Tuxedo 10.0 | Tuxedo 10gR3 | Tuxedo 11gR1 |
|---|-------------------|-------------------|-------------------|--------------------|---------------------|---------------------|
| Compaq Tru64 UNIX Version 5.1a (64-bit OS) on Alpha Systems | 64-bit | | | | | |
| Compaq Tru64 UNIX Version 5.1b (64-bit OS) on Alpha Systems | 64-bit | | | | | |
| Compaq Tru64 UNIX Version 5.1b-1 (64-bit OS) on Alpha Systems | 64-bit | | | | | |
| Compaq Tru64 UNIX Version 5.1b-2 (64-bit OS) on Alpha Systems | 64-bit | | | | | |
| HP-UX Version 11.0 (32-bit OS) on HP 9000 Series | 32-bit | | | | | |

| Platforms | Tuxedo 8.1 | Tuxedo 9.0 | Tuxedo 9.1 | Tuxedo 10.0 | Tuxedo 10gR3 | Tuxedo 11gR1 |
|---|-----------------------|-----------------------|-----------------------|------------------------|-------------------------|-------------------------|
| IBM AIX 4.3.3 (32-bit OS) on IBM PowerPC | 32-bit | | | | | |
| IBM AIX 5.1 (32-bit OS) on IBM PowerPC | 32-bit | | | | | |
| Microsoft Windows 98 (32-bit OS) on x86 | 32-bit | | | | | |
| Red Hat Linux 7.2 (32-bit OS) on x86 | 32-bit | | | | | |

