

Oracle® Enterprise Repository

Configuring and Managing Advanced Registration Flows

10g Release 3 (10.3)

July 2009

ORACLE®

Oracle Enterprise Repository Configuring and Managing Advanced Registration Flows, 10g Release 3 (10.3)

Copyright © 2008, 2009, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. Overview of Advanced Registration Flows

What are Advanced Registration Flows?	1-2
Prerequisites	1-3
Example “Community Flow” Use Case.	1-3
Software Components	1-3
Oracle Enterprise Repository Event Manager	1-3
Subscription Manager	1-4
JMS Server.	1-4
Event Monitor	1-4
Oracle Business Process Management	1-4
Advanced Registration Flows.	1-4
Event Management Tools	1-5
Web-based Process Administrator	1-5
Log Viewer	1-6
Email Notification Templates	1-6
Workflow Configuration Tools	1-6
Generating a New Config File.	1-6
Refreshing an Existing Config File	1-6
Encrypting Config File Passwords	1-6

2. Getting Started with Advanced Registration Flows

Overview	2-2
--------------------	-----

Steps to Configure the Oracle Enterprise Repository Event Manager	2-2
Use Cases	2-3
Configuring the Event Manager.	2-3
Triggering an Asset Event	2-4
Steps to Configure and Run the Oracle Business Process Management Process Engine .	2-6
Use Cases	2-6
Configuring the Advanced Registration Flows to Process a Submission Event	2-6
Triggering an Asset Submission Event	2-8

3. Configuring the Oracle Enterprise Repository Event Manager

What is the Oracle Enterprise Repository Event Manager?	3-2
Configuring the Event Manager's System Settings	3-2
Enabling the Event Manager	3-3
Configuring Optional Event Manager Settings	3-3
Eventing Manager Notifier Thread Sleep (seconds).	3-3
Eventing Manager Store Thread Sleep (seconds).	3-3
Eventing Manager Store Delivery Sleep (seconds)	3-4
Batch Size for Event Manager Deliveries.	3-4
Configuring the Subscription Manager	3-4
Configuring Web Service Endpoints	3-4
Setting the Expression to Filter Events	3-5
Delivering all Events to an Endpoint	3-5
Delivering Events to an Endpoint Filtered by Event Type	3-5
Delivering Events to an Endpoint Filtered Using a JMS Message Selector. . . .	3-6
JMS Message Selector Examples	3-7
Configuring Logging of Event Manager Events.	3-8

4. Administrating Oracle Business Process Management Processes

Overview	4-2
Administering Oracle Business Process Management Web Applications	4-2
Starting the Oracle Business Process Management Admin Center	4-2
Starting the Oracle Business Process Management Process Engine	4-3
Defining the Oracle Business Process Management Participants	4-4
Oracle Business Process Management Administrators	4-4
Advanced Registration Flow Participant	4-4
Tuning the Oracle Business Process Management Process Engine	4-6
Advanced Properties	4-6
Database Runtime Properties	4-6
Memory and Execution Thread Properties	4-6
Configuring a Standalone Process Engine for Failover	4-7
Using The Oracle Business Process Management Log Viewer	4-8
Filtering Event Log Messages for Oracle Enterprise Repository Flows	4-8

5. Configuring Advanced Registration Flows

Overview of Advanced Registration Flows	5-2
Creating and Customizing a Workflow Configuration File	5-2
Generating a Workflow Configuration File	5-2
Defining the Oracle Enterprise Repository Connection and Registrar	5-3
Encrypting the Registrar User Password	5-3
Wiring Asset Events to Flows	5-4
Automatic Asset Registration Flows	5-6
Configuring Community Flows	5-6
Setting the Community for an Oracle Enterprise Repository Project	5-9
Setting the Community for an Asset Type	5-9

Setting the Community for an Asset using the Type Manager and Asset Editor	5-9
Configuring a Community to Automatically Accept an Asset.	5-11
Configuring a Community to Assign Assets for Tab Approval	5-12
Configuring a Community to Assign Assets for Tab Approval Using Multi-tier	5-12
Configuring a Community to Automatically Register an Asset.	5-12
Configuring a Community to Have a Dedicated Registrar.	5-12
Configuring Automated Acceptance and Automated Registration Flows.	5-13
Asset Type.	5-13
Categorization Settings.	5-13
Submitter Role	5-14
Conflict Resolution and Precedence.	5-14
Multi-tier Automatic Assignment Flows.	5-14
Use Cases	5-15
Using an <alerid> for Tab Approvals	5-16
Setting Up a Community for Multi-tier Tab Approval	5-17
Setting Up an Asset Type for Multi-tier Tab Approval	5-18
Metadata Change Flows	5-19
Use Cases	5-19
Configuring Metadata Change Flows	5-20
Available Metadata Change Events/States	5-20
Available Flows That Can Be Wired to Actions.	5-21
Example Metadata Change Configuration	5-22
Example Metadata Change Configuration That Checks for Metadata Value.	5-23
ChangeClassification	5-24
ChangeCAS	5-24
ChangeAssetLifecycle	5-24
ApproveTabAction	5-24
UnapproveTabAction	5-25

AutoApproveTabAction	5-25
UnapproveChangeManagementTab	5-26
ResetChangeManagementTab	5-26
NotifyCustomUser	5-27
Invoking Flows Based on Approval of Named Tabs	5-27
Time-based Escalation Flows	5-27
Tracking Unsubmitted Assets	5-29
Tracking Unaccepted Assets	5-30
Tracking Unapproved Assets	5-30
Tracking Unregistered Assets	5-31
Validation Expiration Flows	5-31
Asset Expiration Warning Notification	5-34
Unregister Assets After Expiration	5-34
Inactivate After Expiration	5-34
Delete Assets After Expiration	5-34
Customizing Email Notification Templates	5-35

6. Configuring JMS Servers for Oracle Enterprise Repository

Overview of JMS for the Event Manager	6-2
Configuring Connectivity Properties for External JMS Servers	6-2
Enabling and Configuring an External JMS Server	6-2
Configuring JMS Message Header Properties	6-3
Miscellaneous JMS Properties	6-4
Configuring External JMS Jar Files	6-4
Configuring the Embedded ActiveMQ JMS Server to Use a Database	6-4
Configuring JMS Durable Subscribers for Web Service Endpoints	6-5
Configuring JMS Servers in an Oracle Enterprise Repository Cluster	6-6
Enabling JMS Clustering Mode	6-6

Configuring Embedded JMS Servers for Clustering	6-6
Configuring External JMS Servers for Clustering	6-7
Configuring a JMS Provider In WebSphere 6.1.0.5	6-7

7. Monitoring and Managing Events

Overview	7-2
Monitoring Events	7-3
Prerequisites	7-3
Usage	7-3
Cleaning Up Stored Events	7-4
Prerequisites	7-4
Usage	7-5
Sample Event Cleanup	7-5
Generating the Workflow Config File	7-6
Refreshing the Workflow Config File	7-7
Encrypting Your Passwords	7-8

8. Extending the Event Manager for Web Service Endpoints

Overview	8-2
Developing a Web Service Endpoint	8-2
Web Service Operations	8-3
Available Web Service Operations	8-4
newEventRequestResponse	8-4
newEventRequestResponseString	8-4
newEventRequest	8-4
newEventRequestString	8-4
newEvent	8-4
Selecting a Web Service Operation	8-4

Developing a Notifier Plug-in	8-5
Developing an Endpoint with an Incompatible Contract	8-6

Overview of Advanced Registration Flows

This section contains information on the following subjects:

- [“What are Advanced Registration Flows?”](#) on page 1-2
- [“Example “Community Flow” Use Case”](#) on page 1-3
- [“Software Components”](#) on page 1-3

What are Advanced Registration Flows?

In releases of Oracle Enterprise Repository prior to Oracle Enterprise Repository release 3.0, the asset registration process required the registrar or advanced submitter to manually initiate and monitor the registration process. The required information was gathered and entered on the appropriate tabs in the Asset Editor. The registrar examined each tab and monitored the workflow. When information for a specific stage of the workflow was acceptable, the registrar approved the data on the appropriate tab. The registrar also had the option to edit any of the information for any stage of the process. The manual process of registering assets is described in the [Oracle Enterprise Repository Registrar Guide](#).

The introduction of *Advanced Registration Flows* in Oracle Enterprise Repository 3.0 automated the manual asset registration process by providing a set of predefined flows designed to automate a set of common Oracle Enterprise Repository asset registration tasks, such as asset submission, acceptance, registration, and other governance processes.

In this release, the synchronization of Oracle Enterprise Repository and Oracle Service Registry using the Oracle Registry Repository Exchange Utility has also been automated. To learn more about the Oracle Registry Repository Exchange Utility, refer to the [Oracle Enterprise Repository Oracle Registry Repository Exchange Utility](#) manual.

To accomplish this, Oracle Enterprise Repository includes an embedded, JMS-based event engine that manages the flow of Oracle Enterprise Repository asset registration *events*, in the form of Web Service events. These events trigger the pre-defined flows. Once installed, the Advanced Registration Flows can be run out-of-the box or can be tailored to suit your environment.

Note: The flows do not have their own user interface, but will automate certain asset metadata and state changes in the background based on particular Oracle Enterprise Repository events.

For ease of use, Oracle Business Process Management is included with your purchase of Oracle Enterprise Repository. You can use Oracle Business Process Management to modify existing workflows that are supplied with Oracle Enterprise Repository and implement new Repository-centric workflows. You can use the predefined Oracle Business Process Management endpoint or create your own Web Service endpoints to subscribe to Oracle Enterprise Repository events. There are also event monitoring and logging tools for troubleshooting and tuning purposes.

Prerequisites

You install the Advanced Registration Flows during an Oracle Business Process Management installation. After installing the Advanced Registration Flows, you manually deploy them by following the steps in “Installing Oracle Business Process Management for Advanced Registration Flows” in the *Oracle Enterprise Repository Installation Guide*.

Example “Community Flow” Use Case

In previous releases, the asset acceptance, assignment, registration processes required multiple registrars to manually initiate and monitor the process from end-to-end via numerous emails. In some cases, there was only one registrar that was notified about the newly submitted assets, and as a result, the registrar could be overloaded with emails about new assets.

The Community flow provides a way to automate the asset acceptance, assignment, and registration process by allowing the configuration of automated assignment rules and also introduces the notion of *federated registrars* among different authorities. Rather than spamming many registrars across all communities (through the system registrar notification), you can limit the system registrar to one or a few individuals, and let the Automatic Acceptance flow accept assets on behalf of a registrar-of-record for the community. The Community flow feature can distribute asset submissions to those with the authority to approve them for the community.

For example, you can add two communities and configure two different registrars responsible for each community. Then, depending on the producing projects or asset types, certain assets can belong to a community. The Community flow automatically accepts such assets in the same way it would be manually accepted by a registrar.

Software Components

Advanced Registration Flows includes the following software components:

Oracle Enterprise Repository Event Manager

The Event Manager emits asset registration events in the form of Web Service messages. These events trigger pre-built flows that automate Oracle Enterprise Repository asset submission, acceptance, registration, and other governance processes. See [Chapter 3, “Configuring the Oracle Enterprise Repository Event Manager.”](#)

Subscription Manager

The Subscription Manager is XML-based configuration file that is responsible for managing the event subscriptions by the Web Service endpoints (either the predefined ALPBM endpoint or user-defined endpoints) where matched events will be delivered. The Event Manager uses the `EndPointEventSubscription.xml` file to load information about the endpoints where events need to be delivered. See [Chapter 3, “Configuring the Oracle Enterprise Repository Event Manager.”](#)

JMS Server

The Event Manager uses an embedded version of Apache ActiveMQ JMS Server that is enabled by default. The embedded JMS server is configured to run out-of-the-box without any additional configuration. However, you can also configure the Event Manager to use an external JMS server, such as Weblogic Server JMS or IBM MQSeries. See [Chapter 6, “Configuring JMS Servers for Oracle Enterprise Repository.”](#)

Event Monitor

A tool to monitor the events that are generated by the Event Manager. The Event Monitor peeks into the event traffic and prints information, such as the event body and event properties. See [Chapter 7, “Monitoring and Managing Events.”](#)

Oracle Business Process Management

Oracle Business Process Management is included with your purchase of Oracle Enterprise Repository. You may use Oracle Business Process Management to modify existing workflows that are supplied with Oracle Enterprise Repository and implement new Repository-centric workflows.

Advanced Registration Flows

The Advanced Registration Flows can be run out-of-the box or can be tailored to suit your environment. See [Chapter 5, “Configuring Advanced Registration Flows.”](#)

- *Community Assignment Flow* – provides a way to automate the asset acceptance, assignment, and registration process by allowing the configuration of automated assignment rules and also provides the notion of *federated registrars* among different authorities. See [“Configuring Community Flows” on page 5-6.](#)

- *Automated Acceptance and Automated Registration Flow* – in addition to using the Community Flows to automatically accept and register the assets, a number of user roles can be used to accept and register assets. See [“Configuring Automated Acceptance and Automated Registration Flows”](#) on page 5-13.
- *Multi-tier Approval Flow* – structures the tab approval process in multiple steps called *tiers*. Asset approval tabs can be grouped in tiers, and the Multi-tier Approval flow tracks each tier to verify whether all the tabs are approved by the designated approvers. As soon as the last tab in a tier is approved, the flow starts the next tier by assigning the asset to the next level of designated approvers. See [“Multi-tier Automatic Assignment Flows”](#) on page 5-14.
- *Metadata Change Flow* – exposes a flexible framework where state changes or metadata changes can be wired to actions. The Metadata Change flows come with the a set of pre-bundled actions. New actions can be developed in the form of Oracle Enterprise Repository flows and can be plugged in. See [“Metadata Change Flows”](#) on page 5-19.
- *Time-based Escalation Flow* – track assets in various states and notifies all interested parties. There are four different kinds of Time-based Escalation flows and each one can be configured individually. See [“Time-based Escalation Flows”](#) on page 5-27.
- *Validation Expiration Flow* – tracks expired assets prior to the specified expiration date, as well as at the day of expiration, and sends warning notifications to all interested parties. See [“Validation Expiration Flows”](#) on page 5-31.
- *AutoSyncAlerToUddi Flow* - moves a service from Oracle Enterprise Repository to Oracle Service Registry when the Asset Lifecycle Stage is changed from Stage 4 - Build to Stage 5 - Production. See the “Invoking the Oracle Registry Repository Exchange Utility Using Workflows” section of the [Oracle Enterprise Repository Oracle Registry Repository Exchange Utility](#) manual.

Event Management Tools

There are event monitoring and logging tools for troubleshooting and tuning purposes.

Web-based Process Administrator

The Oracle Business Process Management Process Execution Administrator actively manages the orchestration of asset registration events in the form of Web Service messages. For more information, see [“Administering Oracle Business Process Management Web Applications”](#) on page 4-2.

Log Viewer

The Oracle Business Process Management Log Viewer enables you to read information logged by the Process Execution Engine. A set of log files is created for each project you define. The Studio Log Viewer reads the files and displays them to help you monitor and trace Engine execution. For more information, see [“Using The Oracle Business Process Management Log Viewer”](#) on page 4-8.

Email Notification Templates

The Automated Registration Flows automatically send email notifications under many circumstances. Administrators can customize the email subject, body, etc., the same way as other email templates. See [“Customizing Email Notification Templates”](#) on page 5-35.

Workflow Configuration Tools

There are workflow configuration tools for generating new configuration file, refreshing existing files, and encrypting passwords. For more information, see [Chapter 7, “Monitoring and Managing Events.”](#)

Generating a New Config File

Oracle Enterprise Repository administrators may need to configure and customize flows because there will be new asset types, projects, categorizations, etc. The Generate Config XML tool connects to Oracle Enterprise Repository and creates a new file that can be customized.

Refreshing an Existing Config File

The Refresh Config XML tool lets you to refresh a Config XML file without restarting the Event Manager.

Encrypting Config File Passwords

The security Encrypt Password tool lets you to encrypt the passwords for security reasons.

Getting Started with Advanced Registration Flows

This section contains information on the following subjects:

- [“Overview” on page 2-2](#)
- [“Steps to Configure the Oracle Enterprise Repository Event Manager” on page 2-2](#)
- [“Steps to Configure and Run the Oracle Business Process Management Process Engine” on page 2-6](#)

Overview


This section will help you to quickly get started using the Advanced Registration Flow feature using the bundled Oracle Business Process Management Web Service endpoint that is configured to work with the Oracle Business Process Management Process Engine. However, this feature is highly extensible and can be tailored to suit your environment.

Steps to Configure the Oracle Enterprise Repository Event Manager

The Event Manager is a component embedded within Oracle Enterprise Repository that manages event subscriptions, event persistence, event filtering, and event delivery. Web Service endpoints can subscribe to the Event Manager’s Subscription Manager and the events that are generated within Oracle Enterprise Repository are delivered to the Web Service endpoints.

The following diagram shows the different components that are involved.

Figure 2-1 Advanced Registration Flow Components



The Event Manager uses an embedded version of Apache ActiveMQ JMS Server that is enabled by default. The embedded JMS server is configured to run out-of-the-box without any additional configuration. However, you can also configure the Event Manager to use an external Java-based message broker, such as Weblogic Server JMS or IBM MQSeries.

For more information on configuring the Event Manager, see [Chapter 3, “Configuring the Oracle Enterprise Repository Event Manager.”](#)

Use Cases

- Oracle Enterprise Repository features pre-bundled Oracle Business Process Management flows and a Web Service endpoint that is by default registered with the Event Manager’s Subscription Manager. All the triggered events are delivered to this Oracle Business Process Management endpoint, which then attempts to automate Oracle Enterprise Repository processes, such as the asset registration process, tracking metadata changes, and taking pre-defined actions.
- You can also write your own Web Service endpoints, subscribe them with the Event Manager, and start getting the events to solve your specific business needs.

Configuring the Event Manager

After Oracle Enterprise Repository is installed, configure the Event Manager as follows.

1. The Event Manager needs to be enabled in Oracle Enterprise Repository to allow the Event Manager to send events to external Web Service endpoints. You can either:
 - Enable the `cmee.eventframework.enabled=true` property in the `eventing.properties` file in the `<OER Domain>\WEB-INF\classes` directory.
 - or*
 - This property can also be enabled using the Oracle Enterprise Repository Web-based console’s System Settings, as explained in [“Configuring the Event Manager’s System Settings”](#) on page 3-2.
2. The default Eventing `cmee.eventframework.delivery.sleep` and `cmee.eventframework.store.sleep` property values can also be tuned to control the overall performance of Oracle Enterprise Repository and the Web Service endpoints. These properties directly impact the number of events that get triggered per second by the Event Manager. For example, If a faster response is required for testing purposes, the default `cmee.eventframework.store.sleep` value of 7200 seconds should be changed to a reasonable testing amount.
3. The Event Manager uses the same logging framework as Oracle Enterprise Repository. By default, logging is enabled to go to a file, but you direct the debug statements to go to the console by appending the following categories to the `log4fl.properties` file in the `<OER Domain>\WEB-INF\classes` directory.

```
# eventing subsystem
log4j.category.com.bea.infra.event.core= debug,eventingLog,stdout
log4j.category.com.bea.infra.event.dm= debug,eventingLog,stdout
log4j.category.com.bea.infra.event.facade= debug,eventingLog,stdout
log4j.category.com.bea.infra.event.notifier= debug,eventingLog,stdout
log4j.category.com.bea.infra.event.store= debug,eventingLog,stdout
log4j.category.com.bea.infra.event.sub= debug,eventingLog,stdout
```

4. Configure the Web Service subscriptions with the Event Manager's Subscription Manager.

Note: By default the Subscription Manager is configured to work out-of-the-box with the Oracle Business Process Management Process Engine *if* the Oracle Business Process Management Process Engine is running on the same machine as Oracle Enterprise Repository. You can skip this step if this is the case because the default settings are ready to run.

As shown below, the following information may need to be changed within the `EndPointEventSubscription.xml` file under `<OER Domain>\WEB-INF\classes` directory, depending on the requirement:

- **Host** – If the Web Service Endpoint is running in a host other than Oracle Enterprise Repository. If it's the same host, leave the default unchanged
- **Port** – Specify the port of the Web Service Endpoint. If Oracle Business Process Management is used as the Process Engine, leave the default unchanged.
- **URI** – Specify the URI of the Web Service. If Oracle Business Process Management is used as the Process Engine, leave the default unchanged.
- **Operation Name** – If Oracle Business Process Management is used as the Process Engine, leave the default unchanged. Please refer to the WSDL within the `eventNotifier.jar` located in `<OER Webapp path>/WEB-INF/lib` for the available operations.
- **User Name/Password** – Used only if Oracle Business Process Management is used as the Process Engine. Default user name and password are "admin" and "admin".
- **Expression** – Default is empty, which means all the events are delivered.

5. Restart Oracle Enterprise Repository for the configuration changes to take effect.

Triggering an Asset Event

Follow these steps to make sure that events are triggered after the configuring the Event Manager.

1. Launch the Oracle Enterprise Repository Asset Editor from the Web-based console.

For information on using the Oracle Enterprise Repository Asset Editor, refer to the [Oracle Enterprise Repository Registrar Guide](#).

2. Create a new asset, as shown here.


Figure 2-2 Oracle Enterprise Repository Asset Editor - Create New Asset



Note: The Asset Type should be *Service*.

3. Click **OK** to submit the asset.
4. After the asset is submitted, switch to the Oracle Enterprise Repository console to verify the following logging statements printed to the console.

Figure 2-3 Event Monitoring Console



5. The Event Monitoring tool can be used to view the payload of the event that will be delivered. For more information about monitoring events, see [“Monitoring Events” on page 7-3](#).

Steps to Configure and Run the Oracle Business Process Management Process Engine

When Oracle Enterprise Repository is installed, you will be directed to install and configure Oracle Business Process Management. This section assumes that Oracle Business Process Management was successfully installed.

After the Event Manager is ready to send events, the Oracle Business Process Management Process Engine needs to be configured and be ready to process the events. When Oracle Enterprise Repository is installed, it provides an option to install and configure the Process Engine. This section assumes that the Process Engine was successfully installed before following these steps.

To launch the Oracle Business Process Management Admin Center, double-click the `albpmadmcenter` file in the `<OBPM Enterprise Home>\bin` directory.

Use Cases

Oracle Enterprise Repository features pre-bundled Advanced Registration Flows that are deployed to the Process Engine. When events are triggered within Oracle Enterprise Repository, they are delivered to the Process Engine and execute the Advanced Registration Flows that attempt to automate Oracle Enterprise Repository processes, such as asset submission, acceptance, registration, and other governance process.

For more information about the available Advanced Registration Flows, see [Chapter 5, “Configuring Advanced Registration Flows.”](#)

Configuring the Advanced Registration Flows to Process a Submission Event

Follow these steps after the Oracle Business Process Management Process Engine is installed.

1. Generate the Workflow Configuration (`workflow.xml`) file using the Generate Workflow Config tool (`config_gen.bat`). This tool connects to Oracle Enterprise Repository and creates a bootstrapping file that can be customized. For more information about generating the `workflow.xml` file, see [“Generating the Workflow Config File” on page 7-6.](#)
2. Copy the newly generated `workflow.xml` file to the `<OBPM Enterprise Edition>/enterprise/server/aler_engine` directory.
3. Open the `workflow.xml` file using the XML editor of choice.

4. Make sure that the Oracle Enterprise Repository Connection information, such as the URI and the registrar user name/password, are configured correctly as shown here.

```
<alerconnection>

<uri>http://server01.amer.bea.com:7005/aler/services/FlashlineRegistry
</uri>
  <registrar>
    <user>admin</user>
    <password>admin</password>
  </registrar>
</alerconnection>
```

The URI must use the following format:

```
http://<host>:<port>/<oer web app name>/services/FlashlineRegistry
```

5. Within the workflow.xml file, locate the assetType settings for the “Service” asset type, as shown here.

```
<assetType name="Service" community="_CHANGE_COMMUNITY_" id="154">
  <allTabs>
  <allTabs>
    <tab name="Oveview" />
    <tab name="UDDI: Business Entity" />
    <tab name="Taxonomy" />
    <tab name="Architecture" />
  </allTabs>
```

6. Add the **autoAccept** attribute and set the value to **true**, as shown here.

```
<assetType name="Application" community="_CHANGE_COMMUNITY_" id="154"
autoAccept="true">
  <allTabs>
  <allTabs>
    <tab name="Oveview" />
    <tab name="UDDI: Business Entity" />
    <tab name="Taxonomy" />
    <tab name="Architecture" />
  </allTabs>
```

Now the Oracle Business Process Management Process Engine is configured to automatically accept any asset of type “Service.”

7. If the Oracle Business Process Management Process Engine is running, stop it and then restart it to load the latest `workflow.xml` changes.
8. The Refresh Workflow Configuration tool can be used to refresh the `workflow.xml` file without restarting the Oracle Business Process Management Process Engine. For more information about refreshing the `workflow.xml` file, see [“Refreshing the Workflow Config File” on page 7-7](#).

Triggering an Asset Submission Event

Once the Oracle Business Process Management Process Engine is configured and running, follow these steps to process an asset submission event.

1. Launch the Oracle Enterprise Repository Asset Editor from the Web console.

For information on using the Oracle Enterprise Repository Asset Editor, refer to the [Oracle Enterprise Repository Registrar Guide](#).

2. Create a new asset from File ->New as shown below.

Figure 2-4 Oracle Enterprise Repository Asset Editor - Create New Asset



Note: The Asset Type should be *Service*.


3. Click **OK** to submit the asset.
4. After the asset is submitted, switch to the Oracle Business Process Management Log Viewer to make sure that the event is processed. To launch the Log Viewer, double-click the `albpmlviewer` file in the `<OBPM Enterprise Home>\bin` directory.
5. Turn on the “Debug” level on the Log page of the Process Engine using the Process Administrator preference settings. By default, the level is set to “Warning.”

Figure 2-5 Oracle Business Process Management Process Administrator - Logging Preferences




6. When you turn on the Debug level though you will notice that the Process Engine prints a lot of information, not just for the Oracle Enterprise Repository Advanced Registration Flows, but other Process Engine information as well. To filter the Oracle Enterprise Repository logging, follow these steps:
 - a. Within the Log viewer, select **Message** in the left-most list box.
 - b. Select **Begins With** in the next list box.
 - c. Type **ALER:** in the text box
 - d. Click the **Apply Filter** button.

Figure 2-6 Oracle Business Process Management Log Viewer




7. After the “ALER: Done accepting the asset” message is displayed in the Log Viewer, switch back to the Asset Editor, and then refresh the Administration tab using the **View -> Refresh Tree** command
8. Verify that the “Accepted” section is updated with the latest data, as shown here.

Figure 2-7 Oracle Enterprise Repository Asset Editor - Administration Tab



9. Also verify that the Audit Log on the Administration tab is updated, as shown here.

Figure 2-8 Oracle Enterprise Repository Asset Editor - Audit Log



The screenshot displays the 'Logs' section of the Oracle Enterprise Repository Asset Editor. It features a table with the following data:

User	Date	Type	Summary
Admin, Repository 	2007-06-22 10:16:5...	Audit Log	Asset [TestAsset (1)...
Admin, Repository 	2007-06-22 10:16:5...	Audit Log	Submitted
Admin, Repository 	2007-06-22 11:22:5...	Audit Log	Accepted

Additional interface elements include checked checkboxes for 'Notes' and 'Reviews', a 'Refresh' button, and a 'View' button.

Getting Started with Advanced Registration Flows

Configuring the Oracle Enterprise Repository Event Manager

This section discusses the Event Manager configuration that needs to be completed before using the Advanced Registration Flows. It contains information on the following subjects:


- [“What is the Oracle Enterprise Repository Event Manager?”](#) on page 3-2
- [“Configuring the Event Manager’s System Settings”](#) on page 3-2
- [“Configuring the Subscription Manager”](#) on page 3-4
- [“Configuring Logging of Event Manager Events”](#) on page 3-8

What is the Oracle Enterprise Repository Event Manager?

The Event Manager is a component embedded within Oracle Enterprise Repository that manages event subscriptions, event persistence, event filtering, and event delivery. Web Service endpoints can subscribe to the Event Manager’s Subscription Manager and the asset registration events that are generated within Oracle Enterprise Repository are delivered to the Web Service endpoints.

The following diagram shows the different components that are involved.

Figure 3-1 Advanced Registration Flow Components



The Event Manager uses an embedded version of Apache ActiveMQ JMS Server that is enabled by default. The embedded JMS server is configured to run out-of-the-box without any additional configuration. However, you can also configure the Event Manager to use an external JMS server, such as WebLogic Server or IBM WebSphere.

This section discusses the Event Manager configuration that needs to be completed before using the Advanced Registration Flows. For information on configuring the Advanced Registration Flows, see [Chapter 5, “Configuring Advanced Registration Flows.”](#)

Configuring the Event Manager’s System Settings

Oracle Enterprise Repository’s System Settings section allows administrators to configure the basic Oracle Enterprise Repository operation and to enable/disable specific features. The Event

Manager-related settings are under the “Eventing” group under the main “External Integrations” category. For more information about System Settings, see the *Oracle Enterprise Repository Administration Guide*.

Additional “Eventing” properties are available for configuring an external JMS server, such as WebLogic Server and IBM WebSphere, and are described in [Chapter 6, “Configuring JMS Servers for Oracle Enterprise Repository.”](#)

Enabling the Event Manager

The Event Manager needs to be enabled in Oracle Enterprise Repository to allow the Event Manager to send events to external Web Service endpoints.

1. Click **System Settings** in the sidebar on the Oracle Enterprise Repository **Admin** screen.
2. Enter **Event** in the System Settings Search box to view all the Event Manager related settings.
3. Click **True** next to the **Enable Event Manager** property.
4. Click **Save**.
5. Restart Oracle Enterprise Repository for the configuration changes to take effect.

Configuring Optional Event Manager Settings

There are some optional “Eventing” properties that you can use to tune the Event Manager performance.

Note: You must restart Oracle Enterprise Repository after changing any Eventing property in order for the changes to take effect.

Eventing Manager Notifier Thread Sleep (seconds)

If an endpoint is not unavailable when one or more events should be delivered to that endpoint, the Event Manager notifier will retry delivering the event until the endpoint is available. The `cmee.eventframework.notifier.sleep` property configures in seconds how long the notifier should wait before trying to redeliver an event.

Eventing Manager Store Thread Sleep (seconds)

As soon as an event is triggered, the Event Manager stores the event in memory before pushing it to the JMS server so that the Oracle Enterprise Repository thread is not blocked. The `cmee.eventframework.store.sleep` property specifies how long the Event Manager's Store

Manager thread should sleep before polling for the next event stored in memory. The default polling delay is 60 seconds.

Eventing Manager Store Delivery Sleep (seconds)

By default, the Event Manager delivers events in batches. The `cmee.eventframework.delivery.sleep` property specifies how long the Event Manager's Delivery Manager thread should sleep before selecting the next available batch of events from the JMS server. The default delay between each batch is 7200 seconds (two hours).

Tip: The default `cmee.eventframework.store.sleep` and `cmee.eventframework.delivery.sleep` property values can be tuned to control the overall performance of Oracle Enterprise Repository and the Web Service endpoints. These properties directly impact the number of events that get triggered per second by the Event Manager. For example, If a faster response is required for testing purposes, the default `cmee.eventframework.delivery.sleep` value of 7200 seconds should be changed to a reasonable testing amount.

Batch Size for Event Manager Deliveries

When the Event Manager delivers events in batches, the delivered batch size can be configured using the `cmee.eventframework.delivery.batch.size` property. The default batch size is 100 events. If the Event Manager finds less number of events to deliver, it will deliver the available events and then sleep for the time configured in the `cmee.eventframework.delivery.sleep` property.

Configuring the Subscription Manager

The Subscription Manager is responsible for managing the event subscriptions by the Web Service endpoints where the matched events will be delivered.

The Subscription Manager configuration file is located in `<oer_webapp_name>\WEB-INF\classes\EndPointEventSubscription.xml`.

Configuring Web Service Endpoints

The Event Manager uses the `EndPointEventSubscription.xml` file to load information about the Web Service endpoints where events need to be delivered. The host, port, URI, user and

password of the predefined ALPBM endpoint, or user-defined Web Service endpoint, need to be configured, as shown in this example snippet:

```
<sub:EventSubscriptionData
xmlns:sub="http://www.bea.com/infra/events/subscription" xmlns:xsi=???
  <sub:eventSubscription>
    <sub:endPoint name="ALBPMEndpoint">
      <sub:host>maplanis01.amer.bea.com</sub:host>
      <sub:port>9000</sub:port>
      <sub:uri>fuegoServices/ws/StatusChangeEndpointServiceListener</sub:uri>
      <sub:targetNamespace>StatusChangeEndpoint</sub:targetNamespace>
      <sub:operationName>newEvent</sub:operationName>
      <sub:authenticationData>
        <sub:basicAuthentication>
          <sub:username>aler_workflow_user</sub:username>
          <sub:password>aler_workflow_user</sub:password>
        </sub:basicAuthentication>
      </sub:authenticationData>
    </sub:endPoint>
    <sub:notifierClass>com.bea.infra.event.notifier.help.AlbpmHTTPEventNotifier
  </sub:notifierClass>
  <sub:expression>id > 500</sub:expression>
</sub:eventSubscription>
</sub:EventSubscriptionData>
```

As many endpoints can be added as desired and the endpoints can be located in different hosts or ports and the events can be load balanced. The pre-defined Advanced Registration Flow has just one endpoint called “StatusChangeEndpoint”.

Setting the Expression to Filter Events

Events can be filtered based on the value entered in the `expression` element.

Delivering all Events to an Endpoint

The default setting is to deliver *all events* to an endpoint. All the events that are triggered within Oracle Enterprise Repository are delivered to the OOTB endpoint when the `expression` element is empty.

```
<sub:expression></sub:expression>
```

Delivering Events to an Endpoint Filtered by Event Type

The following XML snippet shows how to deliver an event of type `AssetSubmission` to an endpoint:

```
<sub:expression> eventdata_name  
="urn:com:bea:aler:events:type:AssetSubmission"</sub:expression>
```

You can also use the “OR” operator to filter more than one event type:

```
eventdata_name = "urn:com:bea:aler:events:type:AssetSubmission" OR  
eventdata_name = "urn:com:bea:aler:events:type:AssetAccepted"
```

These are the event types that are supported:

- urn:com:bea:aler:events:type:AssetSubmission
- urn:com:bea:aler:events:type:AssetAccepted
- urn:com:bea:aler:events:type:AssetTabApproved
- urn:com:bea:aler:events:type:AssetAllTabApproved
- urn:com:bea:aler:events:type:AssetRegister
- urn:com:bea:aler:events:type:PolicyAssertionChanged
- urn:com:bea:aler:events:type:MetaDataChange:name
- urn:com:bea:aler:events:type:AssetUnSubmission
- urn:com:bea:aler:events:type:AssetUnAccept
- urn:com:bea:aler:events:type:AssetUnregister
- urn:com:bea:aler:events:type:AssetStatusChanged
- urn:com:bea:aler:events:type:MetaDataChange:version
- urn:com:bea:aler:events:type:MetaDataChange:description
- urn:com:bea:aler:events:type:CategorizationChanged:assetLifecycleStage
- urn:com:bea:aler:events:type:CategorizationChanged:classification
- urn:com:bea:aler:events:type:MetaDataChange:supported
- urn:com:bea:aler:events:type:MetaDataChange:organizational_ownership
- urn:com:bea:aler:events:type:MetaDataChange:usagefee

Delivering Events to an Endpoint Filtered Using a JMS Message Selector

Selectors are a way of attaching a filter to a subscription to perform content-based routing. Selectors are defined using SQL 92 syntax. The following is a complete list of fields that can be used to write a filter expression to filter the events. These fields are added to the JMS message as properties by the Event Manager and a JMS Message Selector that accesses the fields can be written to filter the events.

```

submittedby_emailaddress = mrsmith@bea.com
asset_description = Test Asset
submittedby_name = aler_workflow_user
submittedby_id = 99
asset_community = Java
eventdata_description = new aler event
eventsourcing_componentname = Aqualogic ALER
asset_name = TestAsset
eventsourcing_componenttype = ALER3.0
asset_typeid = 154
eventdata_eventid = d0cdac55-c78f-4a29-8aec-6ea9ba8d31f1
eventdata_name = urn:com:bea:aler:events:type:MetaDataChange:name
asset_activestatus = ACTIVE
eventsourcing_location = ALERCore
asset_id = 50100
eventdata_version = ver1.0
asset_version = 1

```

For more information about JMS Message Selectors, refer to the following web sites:

- <http://java.sun.com/j2ee/1.4/docs/api/javax/jms/Message.html>
- <http://activemq.apache.org/selectors.html>

JMS Message Selector Examples

Here are some sample usages of JMS message selectors:

- `asset_id BETWEEN 50000 AND 50100`
- `eventdata_name = 'urn:com:bea:aler:events:type:AssetSubmission' AND asset_id BETWEEN 50000 AND 50100`
- `asset_name LIKE 'Inventory'`
- `asset_id > 500`

Tip: Symbols, such as “<>” used for less than/greater than, are not valid XML content. This is because the expression is written in an XML file and parsed by the Event Manager, the XML unfriendly characters need to be managed using the XML Rules. For example, you must use “`id > 500`”, which is equivalent to “`asset_id > 500`”.

Configuring Logging of Event Manager Events

The Event Manager uses the same logging framework as Oracle Enterprise Repository. By default, logging is enabled to go to a file, but you direct the debug statements to go to the console by appending the following categories to the `log4j.properties` file in the `<OER Domain>\WEB-INF\classes` directory.

```
# eventing subsystem
log4j.category.com.bea.infra.event.core= debug,eventingLog,stdout
log4j.category.com.bea.infra.event.dm= debug,eventingLog,stdout
log4j.category.com.bea.infra.event.facade= debug,eventingLog,stdout
log4j.category.com.bea.infra.event.notifier= debug,eventingLog,stdout
log4j.category.com.bea.infra.event.store= debug,eventingLog,stdout
log4j.category.com.bea.infra.event.sub= debug,eventingLog,stdout
```

Administrating Oracle Business Process Management Processes

This section contains information on the following subjects:

- [“Overview” on page 4-2](#)
- [“Administering Oracle Business Process Management Web Applications” on page 4-2](#)
- [“Tuning the Oracle Business Process Management Process Engine” on page 4-6](#)
- [“Configuring a Standalone Process Engine for Failover” on page 4-7](#)
- [“Using The Oracle Business Process Management Log Viewer” on page 4-8](#)

Overview

After the Event Manager is ready to send events, the Process Engine needs to be configured in order to be ready to process the Events. When Oracle Enterprise Repository is installed, it provides an option to install and configure the Oracle Business Process Management Process Engine. This section assumes that the Oracle Business Process Management Process Engine was successfully installed.


Administering Oracle Business Process Management Web Applications

To start the Oracle Business Process Management Process engine and define the participants, you must launch the Oracle Business Process Management Admin Center.

Starting the Oracle Business Process Management Admin Center

Follow these steps to launch the Oracle Business Process Management Admin Center:

1. Navigate to the `<BEA_HOME>\albpm65\enterprise\bin` directory and double-click one of the following files:
 - **alpbmadmcenter** (Windows or UNIX GUI-based)
 - **./startwebconsole.sh** (UNIX console-based). Then point your browser to `http://<host>:8585/webconsole` (e.g., `http://localhost:8585/webconsole`).
2. On the Admin Center page, click the **Start BPM Web Applications** option.

Figure 4-1 Oracle Business Process Management Admin Center

3. When it becomes available, click the **Launch Process Administrator** option to launch the Process Administrator.
4. When prompted to enter the required credentials, enter the BPM admin user name and password that was used on the FDI User Credentials panel during the installation process. The recommended example for these credentials is `bpm_admin` for the user name and password.

Starting the Oracle Business Process Management Process Engine

Follow these steps to start the Oracle Business Process Management Process Engine.

1. On the Oracle Business Process Management Process Administrator page, open the `aler_engine` Process Engine by clicking the **Engine** link on the left side of the page.

Figure 4-2 Oracle Business Process Management Process Administrator - Start / Stop



2. Start the `aler_engine` by clicking the **Start** icon under Engine Actions on the right side of the page. Starting the engine may take several minutes to complete. Make sure that the status of the engine is Ready.

Once you the Oracle Business Process Management Process Engine is running, you can stop it and then restart it to load your latest `workflow.xml` changes.

Defining the Oracle Business Process Management Participants

This section explains how to define the Oracle Business Process Management Process Engine participants.


Oracle Business Process Management Administrators

Using the FDI User Credentials, Oracle Business Process Management Process Administrator can log into the Process Administrator, start/stop the process engine, and create other users.

Advanced Registration Flow Participant

When the Oracle Business Process Management Process Engine is installed by Oracle’s BEA Products installer, it creates `aler_workflow_user` as the Advanced Registration Flow user. By default, the password is also set as `aler_workflow_user`, but the password can be changed in the Process Administrator by selecting **Participants** in the navigator and clicking **Change the password** in the Advanced Properties section, as shown in [Figure 4-3](#).

Figure 4-3 Oracle Business Process Management Process Administrator - Change Password



A new participant can also be created for the role of “administrator” and this new participant can be configured in the Event Manager’s Subscription Manager file. For more information, see “Configuring the Subscription Manager” on page 3-4.

Tuning the Oracle Business Process Management Process Engine

The following parameters need to be tuned using the Oracle Business Process Management Process Administrator.

Advanced Properties

Go to the **Engines > <Engine Name> > Engine Nodes > Advanced Properties** page.

Figure 4-4 Oracle Business Process Management Process Administrator - Advanced Properties

Properties	
Maximum number of connections per server	500
Maximum number of connections per external agent	500
Handshake Timeout	60
Additional Protocol Parameters	

Database Runtime Properties

Go to the **Engines > <Engine Name> > Edit Engine Database Configuration** page.

Figure 4-5 Oracle Business Process Management Process Administrator - Database Runtime

Maximum Pool Size	600
Maximum connections per user	10
Minimum Pool Size	0
Connection Idle Time (mins)	5

Memory and Execution Thread Properties

Go to the **Engines > <Engine Name> > Execution** page.

Figure 4-6 Oracle Business Process Management Process Administrator - Memory and Threads

Memory	
Maximum JVM Heap Size	512
Maximum Instance Size	16000
Participant Cache	10000
Instances Cache	5000
Execution Threads	
Maximum number of execution threads used for interactive executions	50
Maximum number of execution threads used for automatic tasks	500
Priority of Automatic Execution Threads	5
Automatic Items Queue Size	1000
Retry Times	1
Retry Interval	1800
Persist instance data	<input type="checkbox"/>
Maximum Number of Rogue Component Executions	100
Maximum amount of acquired instances in a single execution context.	1000
Request Queue Size	300
Request Queue Timeout	5

Configuring a Standalone Process Engine for Failover

To support failover of Oracle Business Process Management standalone process engines, you can configure a backup engine(s) in your environment. One of the engines in this federation is marked as **PRIMARY** and the others assume to be backups for this primary engine. Multiple engines can be configured to serve as backups. Any of these backup engines will take the role of the primary if the designated primary fails. When the server that has failed comes back online, it will join in as a backup to the one acting as primary.

For detailed instructions on configuring backup engines, see the section on configuring engine failover in the *Oracle Business Process Management Administration Guide* at:

http://download.oracle.com/docs/cd/E13165_01/bpm/docs65/admin_guide/index.html

Using The Oracle Business Process Management Log Viewer

The Oracle Business Process Management Log Viewer enables you to read information logged by the Process Execution Engine. A set of log files is created for each project you define. The Studio Log Viewer reads the files and displays them to help you monitor and trace Engine execution.

To launch the Log Viewer, double-click the **albpmllogviewer** file in the *<Oracle Business Process Management Enterprise Home>\bin* directory.

Filtering Event Log Messages for Oracle Enterprise Repository Flows

You can filter log messages so that the Advanced Registration Flows log Info, Debug, and Fatal messages.

Turn on the “Debug” level on the Log page of the Process Engine using the Process Administrator preference settings. By default, the level is set to “Warning”.

Go to the **Engines > <Engine Name> > Log** page.

Figure 4-7 Oracle Business Process Management Process Administrator - Logging Preferences




When you turn on the Debug level though you will notice that the Process Engine prints a lot of information, not just for the Oracle Enterprise Repository Advanced Registration Flows, but other Process Engine information as well. To filter the debug logging to show only the Oracle Enterprise Repository flow-related information, follow these steps:

1. Within the Log viewer, select **Message** in the left-most list box.
2. Select **Begins With** in the next list box.
3. Type **ALER:** in the text box
4. Click the **Apply Filter** button.

The Oracle Enterprise Repository Event Logging prints a prefix of `ALER :` for all logged event messages, as shown here.

Figure 4-8 Log Viewer With ALER Filter



Configuring Advanced Registration Flows

This section contains information on the following subjects:

- “Overview of Advanced Registration Flows” on page 5-2
- “Creating and Customizing a Workflow Configuration File” on page 5-2
- “Wiring Asset Events to Flows” on page 5-4
- “Automatic Asset Registration Flows” on page 5-6
- “Multi-tier Automatic Assignment Flows” on page 5-14
- “Metadata Change Flows” on page 5-19
- “Time-based Escalation Flows” on page 5-27
- “Validation Expiration Flows” on page 5-31
- “Customizing Email Notification Templates” on page 5-35

Overview of Advanced Registration Flows

Tip: Before you begin, you should read [Chapter 2, “Getting Started with Advanced Registration Flows”](#) to quickly get started using the Advanced Registration Flow feature using the bundled Oracle Business Process Management Web Service endpoint that is configured to work with the Oracle Business Process Management Process Engine.

Oracle Enterprise Repository bundles pre-built Oracle Business Process Management flows that attempt to automate Oracle Enterprise Repository asset submission, acceptance, registration and other governance process. This section discusses the configuration that is required before starting the Oracle Business Process Management Process Engine to process the asset events that are triggered by Oracle Enterprise Repository. For more information about configuring the Process Engine to trigger flows, see [Chapter 3, “Configuring the Oracle Enterprise Repository Event Manager.”](#)

The flows are also designed to be flexible and can be customized using either the Workflow Configuration file (`workflow.xml`) or Oracle Business Process Management. This section also discusses each flow in detail and gives examples of how they can be tailored to suit your environment.

This chapter describes how to configure an advanced registration flow. To create a new workflow, follow these steps:

1. Open an existing Oracle Business Process Management project in an IDE.
2. Add a new workflow. See the Oracle Business Process Management documentation for details on this step.
3. Undeploy and deploy the project.
4. Wire the workflow to the events by following the instructions in [“Wiring Asset Events to Flows”](#) on page 5-4.

Creating and Customizing a Workflow Configuration File

This section explains how to create and customize a Workflow Configuration XML file.

Generating a Workflow Configuration File

Generate the `workflow.xml` file using the Generate Workflow Config tool (`config_gen.bat`). This tool connects to Oracle Enterprise Repository and creates a bootstrapping file that can be

customized. For more information about generating the `workflow.xml` file, see [“Generating the Workflow Config File” on page 7-6](#).

1. From a command prompt, run the Generate Workflow Config tool as follows:

```
> config_gen.bat URI User Password ConfigDir
```

where:

- URI = OER URI, using the following format:
`http://<host>:<port>/<oer web app name>/services/FlashlineRegistry`
 For example: `http://localhost:7001/alerbuild/services/FlashlineRegistry`
- User = Oracle Enterprise Repository user name
- Password = Oracle Enterprise Repository password
- ConfigDir = the directory where the `workflow.xml` file will be created

Note: If a file already exists, it will be renamed to `workflow.xml.bak`.

2. Copy the newly generated `workflow.xml` file to the `<Oracle Business Process Management Enterprise Edition>/enterprise/server/aler_engine` directory.
3. Open the `workflow.xml` file using the XML editor of choice.

Defining the Oracle Enterprise Repository Connection and Registrar

The Workflow Configuration file will load the Oracle Enterprise Repository connection and registrar information from the following XML data.

```
<alerconnection>
  <uri>http://localhost.7001/aler/services/FlashlineRegistry</uri>
  <registrar>
    <user>admin</user>
    <password>n0pa55w0rd</password>
  </registrar>
</alerconnection>
```

Encrypting the Registrar User Password


The Security Encrypt Password tool (`runWFSecurity.bat`) allows you to encrypt the registrar passwords that are stored in the Workflow Config file. The tool recursively scans the file and encrypts all the password elements it encounters.

For more information see “Encrypting Your Passwords” on page 7-8.

Wiring Asset Events to Flows

The Advanced Registration Flows are designed with a flexible framework where asset events can be wired to one or more flows that will be executed when an event is triggered, as illustrated in Figure 5-1.

Figure 5-1 Wiring Asset Events to Flows



Note: All the events are wired to pre-defined flows out-of-the-box. The wirings only need to be changed if customizations or new flows are designed.

The wiring of asset events to flows is configured within the Workflow Configuration file. For example, the following configuration snippet shows that when an “Asset Submitted” event is triggered, it in turn triggers a flow to automatically accept the asset based on rules that are configured in the Workflow Configuration file.

```

<!--Community Flows-->
<state name="urn:com:bea:aler:events:type:AssetSubmission">
  <action>CommunityAccept</action>
</state>

<!--The Multi_tier Flows-->
<state name="urn:com:bea:aler:events:type:AssetAccepted">
  <action>MultiTier_Tier1_Assign</action>
</state>
<state name="urn:com:bea:aler:events:type:AssetTabApproved">
  <action>MultiTier_NextTier_Assign</action>
</state>

<!--Asset Registration Status Flows-->
<state name="urn:com:bea:aler:events:type:AssetAllTabApproved">
  <action>AllTabApproved_Register</action>
</state>

```

This example configuration wires the following events to various flows. The `<action>` element contains the name of the flow that will be executed.

1. When an asset “submitted” event is triggered, execute the Community Accept flow.
2. When an asset “accepted” event is triggered, execute the MultiTier1 flow.
3. When a tab “approved” event is triggered, execute the Multi-Tier Next Tier flow.
4. When “all the tabs approved” event is triggered, execute the Automatic Registration flow.

Some of the flows take parameters that are needed as input. Different parameters are passed to different flows. For example, the ChangeCAS (Change Custom Access Settings) flow takes `<customAccessSettings>` as a parameter. Here is a sample wiring when an asset is registered, where the flow automatically assigns MyCAS and MyCAS2 custom access settings.

```

<state name="urn:com:bea:aler:events:type:AssetRegister">
  <action>ChangeCAS</action>
  <customAccessSettings>
    <customAccessSetting>MyCAS</customAccessSetting>
    <customAccessSetting>MyCAS2</customAccessSetting>
  </customAccessSettings>
</state>

```

Automatic Asset Registration Flows

This section describes how the Advanced Registration flows can automate the manual asset acceptance and registration process done using the Oracle Enterprise Repository Asset Editor. For information on using the Oracle Enterprise Repository Asset Editor and the asset registration process, refer to the [Oracle Enterprise Repository Registrar Guide](#).

Note: Do not enable the “Community Acceptance” or the “Automated Acceptance” flows if repository users submit assets via the “Submit an Asset” link. This configuration is not currently supported in Oracle Enterprise Repository.

Configuring Community Flows

The Community flow provides a way to automate the asset acceptance, assignment, and registration process by allowing the configuration of automated assignment rules and also introduces the notion of *federated registrars* among different authorities. Rather than spamming many registrars across all communities (through the system registrar notification), you could limit the system registrar to one or a few individuals, and let the Automatic Acceptance flow accept assets on behalf of a registrar-of-record for the community. The Community flow feature can distribute asset submissions to those with the authority to approve them for the community.


The Community flow can be used to address the following scenarios:

- Automatic federated registrars support for acceptance as opposed to a single registrar getting many notifications about newly submitted assets.
- Even if asset acceptance is manual, the Community flow can be used to automate the assignment of the asset approvals to pre-defined approvers. Creating pre-defined approvers can be achieved in two ways:
 - Creating a list of pre-defined approvers for all the tabs in that asset.
 - Using multi-tier assignment (this is the same as the Multi-Tier flow but it operates within the Community).
- Automation of the registration process. The flows will automatically register the assets if the following conditions happen:
 - a. When all the tabs approved
 - b. When the last tier in a Multi-tier process is completed
 - c. Or whichever happens first.

The Communities are configured within the flow configuration and Asset Types, Producing Projects, etc., can point to a Community.

[Figure 5-2](#) demonstrates how a Community for an asset is located by the flow, as well as how the rules for automatic acceptance are located by the flow.

Figure 5-2 Automatic Asset Acceptance Flowchart



Note: The same flowchart applies for automatic Registration. Simply substitute `autoRegister` for `autoAccept`.

Setting the Community for an Oracle Enterprise Repository Project

Define the community for a project using the `<producingProjectSettings>` element. The following example demonstrates creating a project named “Registry” for the “SOA Center of Excellence” community, and with an ID of “40000”.

```
<producingProjectSettings>
  <producingProject name="Registry" community="SOA Center of Excellence
    id="40000" />
</producingProjectSettings>
```

Setting the Community for an Asset Type

Define the community for an Asset Type using the `<assetType>` element. The following example demonstrates creating an asset type named “Application” for the “SOA Center of Excellence” community, and with an ID of “158”.

```
<assetType name="Application" community="SOA Center of Excellence
id="158">
  <allTabs>
```


Setting the Community for an Asset using the Type Manager and Asset Editor

Instead of setting the community for an Asset in `workflow.xml`, you can set the community for the Asset Type using the Type Manager and Asset Editor.

In the Type Manager, follow these steps:

1. Select the Asset Type for which you want to enable the Community field, and click the Viewer tab.
2. Click the **Display in Group** button, as shown in [Figure 5-3](#).


Figure 5-3 Setting the Community for an Asset Type in Type Manager



Then, in Asset Editor, follow these steps:

1. Select an asset of the Asset Type you selected in the Type Manager.
2. Set the community name to use for that asset in the **Community** field of the Overview tab, as shown in [Figure 5-4](#).

Figure 5-4 Setting the Community Name in the Community Field in Asset Editor



If you followed the instructions for setting a community in “[Setting the Community for an Asset Type](#)” on page 5-9 and you then set a Community name for an asset in Asset Editor, the Community name you set for the asset in Asset Editor overrides the Community name set in the workflows.xml file.

Configuring a Community to Automatically Accept an Asset

The following example demonstrates how to set the “SOA Center of Excellence” community to automatically accept assets.

```
<communities name="SOA Center of Excellence autoAccept="true">
```

Note: Do not enable the “Community Acceptance” or the “Automated Acceptance” flows if repository users submit assets via the “Submit an Asset” link. This configuration is not currently supported in Oracle Enterprise Repository.

Configuring a Community to Assign Assets for Tab Approval

If the AssetSubmitted event is wired to the Community flow, then the <approvers> element lists the approvers that will be assigned by the Community flow automatically.

```
<communities name="Java" autoAccept="true">
  <approvers>
    <alerid>5003</alerid>
    <alerid>5004</alerid>
  </approvers>
```

For instructions on using the <alerid> in Tab Approval flows, see [“Using an <alerid> for Tab Approvals” on page 5-16](#).

Configuring a Community to Assign Assets for Tab Approval Using Multi-tier

Multi-tier assignment is the same as the Multi-Tier flow but it operates within the Community. For more information on the Multi-tier flow, see [“Multi-tier Automatic Assignment Flows” on page 5-14](#).

Note: The tabs that are provided within the Multi-tier configuration of a community should be the common tabs that exist in all the asset types.

Configuring a Community to Automatically Register an Asset

The following example demonstrates how to set the “SOA Center of Excellence” community to automatically accept and register assets.

```
<communities name="SOA Center of Excellence autoAccept="true"
  autoRegister="true">
```

Configuring a Community to Have a Dedicated Registrar

The Registrar user name and password is required to accept, assign, and register assets. The Community flow will load the registrar information from the Community that the asset belongs to. If an asset does not belong to a community or if the registrar information is not found in the community, then the global registrar will be used by the Community flow.

The following is the order of precedence in getting the Community tag by the Community flows, as illustrated in [Figure 5-1](#):

- Community Tag in the incoming event
- Community Tag in the Asset Type that the incoming asset belongs to

- Community Tag in the Producing Project that the incoming asset belongs to

Configuring Automated Acceptance and Automated Registration Flows

Besides using the Community flows to automatically accept and register assets, the following rules can be used to accept and register assets, as illustrated in [Figure 5-1](#).

Note: Do not enable the “Community Acceptance” or the “Automated Acceptance” flows if repository users submit assets via the “Submit an Asset” link. This configuration is not currently supported in Oracle Enterprise Repository.

Asset Type

The `autoAccept` and `autoRegister` flag within the `AssetType` element can be used to automatically accept or register assets.

```
<assetType name="Application" autoAccept="true" autoRegister="true"
id="158">
  <allTabs>
    <tab name="Overview" />
    <tab name="Application Lifecycle" />
  </allTabs>
```

Categorization Settings

By default the flows do not look for the `autoAccept` and `autoRegister` flags, since the look-up may affect performance. However, this can be enabled by using the `<action>` flag.

As shown in this example, the `<action>` flag must be set to `true` if the flows should use the Categorization settings. If not, the Categorization settings will be ignored.

```
<catgorizationTypeSettings action="true">
  <catgorizationType name="AssetFunction" type "100">
    <catgorizations name="Application Adapters" autoAccept="false"/>
    <catgorizations name="Customer Information Acquisition"
autoAccept="false"/>
    <catgorizations name="eCommerce Frameworks" autoAccept="false"/>
  </catgorizationType>
```

Submitter Role

The submitter role can be used to automatically accept or register the asset. If the role specified in the following configuration matches the submitter role, then the asset will be automatically accepted.

```
<automation>
  <autoRoles>
    <role>admin</role>
    <role>accessAdministrator</role>
  </autoRoles>
  <autoApprovalTabs>
    <tab name="Documentation" />
  </autoApprovalTabs>
</automation>
```

Conflict Resolution and Precedence

In some cases, there will be more than one rule that matches for a given event trigger, so there is a hierarchy for how each rule is evaluated by the Automated Acceptance and Automated Registration flows for acceptance, registration, etc., as illustrated in [Figure 5-1](#). The flow will scan for the following piece of metadata and as soon as it encounters the one in the following precedence, it will break and use the settings in that metadata.

- AssetType settings in the Flow configuration file
- Community Tag found in the incoming asset
- Community Tag found in the AssetType settings in the Flow configuration file
- Community Tag found in the ProducingProject settings in the Flow configuration file
- Categorization settings in the Flow configuration file
- SubmitterRole settings in the Flow configuration file

Multi-tier Automatic Assignment Flows

Multi-tier flows structure the asset tab approval process in multiple steps called *tiers*. Asset approval tabs can be grouped in tiers, and the Multi-tier flow tracks each tier to verify whether all the tabs are approved by the designated approvers. As soon as the last tab in a tier is approved,


the Multi-tier flow starts the next tier by assigning the asset to the next level of designated approvers.

Use Cases

- In some cases, it may be desired to assign tabs for Tab Approval in multiple steps called *Tiers*. For example, it may be desirable to approve the Architecture tab first before approving the Documentation tab. This is because any architectural issue needs to be corrected first before it comes to the attention of the Documentation expert.
- In previous releases, Tab Approval was done manually by the registrar by manually tracking the status of each tab approval and then assigning the tabs for the next tier level approvals. With the Multi-tier flows, this process is automated by the flows.

[Figure 5-5](#) demonstrates the flow of the Multi-tier process.

Figure 5-5 Multi-tier Automatic Assignment Flowchart



Using an <alerid> for Tab Approvals

When the workflow.xml file is generated, the following XML section is created under the <allAssetSettings> section. These are all the users that are created in Oracle Enterprise Repository.

```

<alerUsers>
  <user name="admin" alerid="99" />
  <user name="allpriv" alerid="50000" />
  <user name="nopriv" alerid="50001" />
  <user name="tier1" alerid="50002" />
  <user name="tier2" alerid="50003" />
  <user name="mrsmith" alerid="50004" />
</alerUsers>

```

As the Workflow Administrator, you need to identify the user(s) by name that you want to use for approving the asset tabs and use the corresponding `<alerid>`. Then you can use that `<alerid>` in the Workflow XML, such as in the following Multi-tier approval flow:

```

<tiers>
  <tier name="Tier1">
    <approvers>
      <alerid>50001</alerid>
    </approvers>
    <tabs>
      <tab name="Overview" />
      <tab name="Technical" />
      <tab name="Documentation" />
    </tabs>
  </tier>

```

Setting Up a Community for Multi-tier Tab Approval

The following example demonstrates how the Multi-tier flow is configured for tab approvers in the “SOA Center of Excellence” community to automatically accept tabs.

```

<communities name="SOA Center of Excellence autoAccept="true">
  <tiers>
    <tier name="Tier1">
      <approvers>
        <alerid>5002</alerid>
      </approvers>
      <tabs>
        <tab name="Overview">
        <tab name="Taxonomy">
      </tabs>
    </tier>
  </tiers>

```

```
</tier>
<tier name="Tier2">
  <approvers>
    <alerid>5003</alerid>
  </approvers>
  <tabs>
    <tab name="Architecture">
  </tabs>
</tier>
</tiers>
</communities>
```

Note: Tabs that are provided within the Multi-tier configuration of a Community should be the common tabs that exist in all the Asset Types.

Setting Up an Asset Type for Multi-tier Tab Approval

The following example demonstrates how the tabs of an asset type of “Application” are configured for multi-tier approval.

```
<assetType name="Application" id="158">
  <allTabs>
    <tab name="Oveview"/>
    <tab name="Application Lifecycle"/>
    <tab name="License Information"/>
    <tab name="Certification Tracking"/>
    <tab name="Taxonomy"/>
    <tab name="Documentation"/>
    <tab name="Relationships"/>
    <tab name="Support"/>
    <tab name="Cost Categories"/>
    <tab name="Ownership"/>
    <tab name="Technology Stack"/>
    <tab name="Operational Information"/>
    <tab name="Miscellaneous"/>
  </allTabs>
  <tiers>
    <!--Please change "_CHANGE_TIER1_NAME_" to the name of the Tier-->
    <!--Example:- "Tier1"-->
```

```

<tier name="Tier1">
  <approvers>
    <alerid>99</alerid>
  </approvers>
  <tabs>
    <!--Please change "_CHANGE_TABNAME_" to the name of the Tab-->
    <!--Example:- "Documentation"-->
    <tab name="Overview">
    <tab name="Taxonomy">
  </tabs>
</tier>
</tiers>

```

Metadata Change Flows

Metadata flows are a group of flows that take one or more actions when a metadata element of an asset changes. The Metadata element that changes will trigger an event that is wired to one or more flows. For instructions on how to wire an event to a flow, see [“Wiring Asset Events to Flows” on page 5-4](#).

Use Cases

These are some of the use cases where Metadata Change Flows may apply:

- When the “Asset Lifecycle Stage” metadata element of an asset changes from “Build” to “Release,” you may want to change Custom Access Settings to have more restricted access control to the asset.
- When the “Name” of an asset changes, you may want to notify the subscribers.
- When any metadata element of an element changes, you may want the asset to go through a “Change Management” approval process. The “Change Management” will involve the following:
 - Unapprove a tab named “Change Management.” The Change Management tab in Asset Editor is shown in [Figure 5-6](#).

Figure 5-6 The Asset Editor Change Management Tab

The screenshot shows the 'Change Management' tab in the Asset Editor for 'Sample Application - ACES'. The interface includes a navigation bar with tabs for Overview, Taxonomy, Technical, Operational Information, Documentation, and Tests. Below this, there are sub-tabs for Support, Metrics, Change Management, Management Review, Miscellaneous, and Administration. The 'Change Management' sub-tab is active. The main content area contains a 'Reason for Reassignment' text box, a 'Frequency of Change' dropdown menu set to 'High', and a 'Primary Driver of Change' section with two text boxes: 'Governmental Mandates New Releases' and 'Defects Strategic Business Modifications', connected by '>>' and '<<' buttons. At the bottom, there is a 'Change Management' section with 'Approved By:' and 'Approved Date:' fields, and an 'Approve' button.

- Assign the asset to the registrar
- Append the kind of change to a field called “Reason for reassignment” to assist the registrar

Configuring Metadata Change Flows

Available Metadata Change Events/States

Following are the states that are available that can be wired to Metadata Change flows.

Note: Besides these events, any categorization changes can be wired, including the custom categorization.

```
<state name="urn:com:bea:aler:events:type:MetaDataChange:name">
<state name="urn:com:bea:aler:events:type:MetaDataChange:version">
<state name="urn:com:bea:aler:events:type:MetaDataChange:description">
<state name="urn:com:bea:aler:events:type:CategorizationChanged:
assetLifecycleStage"/>
<state
name="urn:com:bea:aler:events:type:CategorizationChanged:classification">
  <state name="urn:com:bea:aler:events:type:MetaDataChange:supported">
<state
```

```
name="urn:com:bea:aler:events:type:MetaDataChange:organizationalOwnership">
  <state name="urn:com:bea:aler:events:type:MetaDataChange:usageFee">
```

For most asset types, the usageFee field will be found on the Miscellaneous tab of the Asset Editor.

Available Flows That Can Be Wired to Actions

These are the pre-defined flows that can be wired to actions. These flow names should appear as content inside the <action> element to indicate that this is the action that should take place when the event occurs. Note that any element other than <action> are parameters used by specific flows.

- ChangeCAS – applies one or more Custom Access settings to an asset
- ChangeAssetLifecycle – sets the Asset Lifecycle Stage of an asset
- ChangeClassification – sets the classification of an asset
- ReAssignAssetToRegistrar – assigns the asset to Registrar
- AddCommunityTag – saves the “Community” of an asset to Oracle Enterprise Repository
- NotifySubscriber – notifies the Subscribers about the Metadata Change
- NotifyRegistrationActors – notifies the Registrar, Subscribers, Owners, etc., about the Metadata Change
- NotifyCustomUser – notifies configured custom users about the Metadata Change
- UnapproveChangeManagementTab – triggers the Change Management process
- ResetChangeManagementTab – resets the “Reason for reassignment” field in the Change Management tab as soon as the Change Management tab is approved
- CommunityAccept – invokes the Community Accept Flow used when an asset is submitted
- CommunityAssign – invokes the Community Assign Flow used when an asset is accepted
- MultiTier_Tier1_Assign – invokes the Multi-Tier Flow used when an asset is accepted
- MultiTier_NextTier_Assign – invokes the Multi-Tier Flow used when a tab is approved
- ApproveTabAction – approves one or more tab

- `UnapproveTabAction` – unapproves one or more tab
- `AutoApproveTabAction` – approves one or more configured tab based on the role of the submitter
- `AllTabsApproval_Register` – invokes the flow to register the asset when all the tabs are approved
- `ReAssignAssetToRegistrar` – Assigns the asset to the Registrar for approval. The flow uses the Community Registrar if one is configured. If not, it uses the Global Registrar.
- `ResetFlowState` – Resets the State information used by the Timer based flows. This is useful in cases where a Timer flow is tracking the Unsubmitted assets and when the state changes from Unsubmitted to submitted, so the State information can be reset. If not reset, then if the asset goes back to Unsubmitted, the workflows use the same state that was previously set. This is not always desirable and the `ResetFlowState` action can be used in appropriate events or states to reset the state information.
- `UnRegisterAssetAction` – Unregisters the Asset if the asset is in registered state.
- `autoSyncAlerToUddi` – Timer-based workflow that moves services from Oracle Enterprise Repository to Oracle Service Registry. See the “Invoking the Oracle Registry Repository Exchange Utility Using Workflows” section of the *Oracle Enterprise Repository Oracle Registry Repository Exchange Utility* manual for more information about this workflow.
- `autoSyncUddiToAler` – Timer-based workflow that moves services from Oracle Service Registry to Oracle Enterprise Repository. See the “Invoking the Oracle Registry Repository Exchange Utility Using Workflows” section of the *Oracle Enterprise Repository Oracle Registry Repository Exchange Utility* manual for more information about this workflow.
- `PublishAssetToUddi` – Moves individual services and their metadata to Oracle Service Registry by wiring the events that get triggered when these services are registered or a lifecycle of a service is changed. See the “Invoking the Oracle Registry Repository Exchange Utility Using Workflows” section of the *Oracle Enterprise Repository Oracle Registry Repository Exchange Utility* manual for more information about this workflow.

Example Metadata Change Configuration

This sample configuration specifies that when an asset is registered, it invokes two flows by the names of “NotifySubscriber” and “ChangeCAS.” Note that the element `<customAccessSettings>` is a parameter to the flow `ChangeCAS`, which tells the flows the names of the CAS that should be applied.

```

<state name="urn:com:bea:aler:events:type:AssetRegister">
  <action>NotifySubscriber</action>
  <action>ChangeCAS</action>
  <customAccessSettings>
    <customAccessSetting>MyCAS</customAccessSetting>
    <customAccessSetting>MyCAS2</customAccessSetting>
  </customAccessSettings>
</state>
<state name="urn:com:bea:aler:events:type:AssetUnAccept">
  <action>NotifySubscriber</action>
  <action>ChangeClassification</action>
  <classification>Approved</classification>
</state>

```

Example Metadata Change Configuration That Checks for Metadata Value

It is also possible to invoke a flow not only when a metadata element changes, but also when it takes a specific value. For example, when the “Asset Lifecycle Stage” metadata element of an asset changes from “Build” to “Release,” you may want to apply one set of Custom Access Settings, where as when the value changes from “Plan” to “Build,” you may want to apply a different set. Here is an example:

```

<state
name="urn:com:bea:aler:events:type:CategorizationChanged:AssetLifecycleSta
ge" value="Stage 4 - Release">
  <action>ChangeCAS</action>
  <customAccessSettings>
    <customAccessSetting>MyCAS</customAccessSetting>
  </customAccessSettings>
</state>
<state
name="urn:com:bea:aler:events:type:CategorizationChanged:AssetLifecycleSta
ge" value="Stage 3 - Build">
  <action>ChangeCAS</action>
  <customAccessSettings>
    <customAccessSetting>MyCAS2</customAccessSetting>
  </customAccessSettings>
</state>

```

ChangeClassification

Sets the classification of an asset. ChangeClassification uses the following element to set the classification.

```
<state name="urn:com:bea:aler:events:type:AssetRegister">
  <action>ChangeClassification</action>
  <classification>Approved</classification>
</state>
```

ChangeCAS

Applies one or more Custom Access Settings to an asset. ChangeCAS uses the following element to set the custom access settings.

```
<state name="urn:com:bea:aler:events:type:AssetRegister">
  <action>ChangeCAS</action>
  <customAccessSettings>
    <customAccessSetting>MyCAS</customAccessSetting>
    <customAccessSetting>MyCAS2</customAccessSetting>
  </customAccessSettings>
</state>
```

ChangeAssetLifecycle

Sets the Asset Lifecycle stage of an asset. ChangeAssetLifeCycle uses the following element to set the asset life cycle.

```
<state name="urn:com:bea:aler:events:type:AssetRegister">
  <action>ChangeAssetLifeCycle</action>
  <assetLifeCycle>Stage 3 - Build</assetLifeCycle>
</state>
```

ApproveTabAction

The ApproveTabAction flow approves one or more tabs of an asset. The following configuration approves the “Overview” and “Taxonomy” tabs.

```
<state name=?urn:com:bea:aler:events:type:MetaDataChange:name?>
  <action>ApproveTabAction</action>
  <approveTabs>
    <tab name=?Overview?>
    <tab name=?Taxonomy?>
```

```

    </approveTabs>
  </state>

```

UnapproveTabAction

The following element configures the list of tabs to be unapproved by the `UnapproveTabAction` flow.

```

<state name="urn:com:bea:aler:events:type:MetaDataChange:name">
  <action>UnApproveTabAction</action>
  <unapproveTabs>
    <Tab name="Overview">
    <Tab name="Taxonomy">
  </unapproveTabs>
</state>

```

AutoApproveTabAction

The `AutoApproveTabAction` flow approves tabs based on the role of the submitter. For example, the following element under `<allAssetSettings>` configures the list of tabs that need to be automatically approved based on the role of the submitter. The roles that are acceptable are also configured.

```

<automation>
  <autoRoles>
    <role>admin</role>
    <role>acesAdministrator</role>
  </autoRoles>
  <autoApprovalTabs>
    <tab name="Documentation"/>
  </autoApprovalTabs>
</automation>

```

Here is the configuration for invoking the flow:

```

<state name="urn:com:bea:aler:events:type:AssetRegister">
  <action>AutoApproveTabAction</action>
</state>

```

UnapproveChangeManagementTab

When any metadata element of an element changes, you may want the asset to go through a “Change Management” approval process, which involves following.

- Unapprove a tab by name “Change Management.” The Change Management tab in Asset Editor is shown in [Figure 5-7](#).

Figure 5-7 The Change Management Tab in Asset Editor

- Assign the asset to the registrar.
- Append the kind of change to a field called “Reason for reassignment” to assist the registrar

```
<state name="urn:com:bea:aler:events:type:MetadataChange:name">
  <action>UnApproveChangeManagementTab</action>
</state>
```

ResetChangeManagementTab

This flow resets the “Reason for reassignment” field in the Change Management tab as soon as the Change Management tab is approved.

```

<state name="urn:com:bea:aler:events:type:AssetTabApproved">
  <action>MultiTier_NextTier_Assign</action>
  <action>ResetChangeManagementTab</action>
</state>

```

NotifyCustomUser

Notifies configured custom users about the metadata change. The email addresses of the users are configured inside the `<customNotification>` element under `<allAssetSettings>`, as shown below:

```

<allAssetSettings>
  <notification timerInterval="id">
    <customNotification>
      <emailAddress>smith@bea.com</emailAddress>
    </customNotification>
  </notification>
</allAssetSettings>

```

Invoking Flows Based on Approval of Named Tabs

A metadata change flow can be executed based on the approval of a specific tabs, as follows:

```

<state name="urn:com:bea:aler:events:type:AssetTabApproved" value
="Overview">
  <action>MultiTier_NextTier_Assign</action>
  <action>ChangeAssetLifecycle</action>
  <assetLifecycle>Stage 3 - Build</assetLifecycle>
</state>

```

Time-based Escalation Flows

The Time-based Escalation flows track assets in various states and notifies all interested parties. The following section explains how to configure the Time-based Escalation flows. There are four different kinds of Time-based Escalation flows and each one can be configured individually, as described in the following sections.

Open the `workflow.xml` configuration file and locate the `<notification>` element.

Configuring Advanced Registration Flows


```
<notification timerInterval="1d">  
  <numTimesNotify>10</numTimesNotify>  
  <daysBeforeNextNotification>2</daysBeforeNextNotification>
```

- The **timerInterval** element specifies the time interval after which the flows will be triggered. In a production environment, this *should* be set to "1d", which means the flows will be triggered once a day. However for testing purposes, you can set it to "1m" or "5m" to trigger the flows every minute or every five minutes. Also, each time this field is changed, the Event Engine needs to be restarted, unlike the other field changes that can be refreshed using the refresh tool.
- The **numTimesNotify** element specifies how many times the notifications should be sent by the Time-based Escalation flows.
- The **daysBeforeNextNotification** element specifies how many days need to elapse in between the notifications.

Note: If the **timerInterval** element is configured in minutes to trigger flows in minute intervals for testing purposes, then the specified interval for **daysBeforeNextNotification** will also be interpreted in minutes.

Figure 5-8 demonstrates the flow of the Time-based Escalation flows.

Figure 5-8 Time-based Escalation Flowchart



Tracking Unsubmitted Assets

This flow tracks assets that are in an “unsubmitted” status and sends notification to the owners to take action.

```

    <owner_resubmit action="false" days="0" regressOnInaction="true"
    queryOperator="eq" />
    
```

- `action="true"` enables the flow and `action="false"` disables the flow.
- `days="10"` tracks the assets that reached unsubmitted status 10 days ago. The Time-based Escalation flows use the current date and subtracts the value from this attribute.
- `regressOnInaction="true"` regresses the asset on inaction. For example, unsubmitted assets may be deleted.
- `queryOperator="eq"` uses the equals operator when the date is used for querying. Other possible values are `"lte"`, `"gte"`, etc.

Tracking Unaccepted Assets

This flow tracks assets that are in an “unaccepted” status and sends notification to the registrar to take action.

```
<registrar_accept action="false" days="0" regressOnInaction="true"
queryOperator="eq" />
```

- `action="true"` enables the flow and `action="false"` disables the flow.
- `days="10"` tracks the assets that reached unsubmitted status 10 days ago. The Time-based Escalation flow use the current date and subtracts the value from this attribute.
- `regressOnInaction="true"` regresses the asset on inaction. For example, submitted assets may be unsubmitted.
- `queryOperator="eq"` uses the equals operator when the date is used for querying. Other possible values are `"lte"`, `"gte"`, etc.

Tracking Unapproved Assets

This flow tracks assets that are in an “unapproved” status and sends notification to the approvers to take action.

```
<assignees_approve action="false" days="0" regressOnInaction="true"
queryOperator="eq" />
```

- `action="true"` enables the flow and `action="false"` disables the flow.
- `days="10"` tracks the assets that reached unsubmitted status 10 days ago. The Time-based Escalation flow use the current date and subtracts the value from this attribute.
- `regressOnInaction="true"` regresses the asset on inaction. For example, accepted assets may be unaccepted.

- `queryOperator="eq"` uses the equals operator when the date is used for querying. Other possible values are `"lte"`, `"gte"`, etc.

Tracking Unregistered Assets

This flow tracks the assets that are in an “unregistered” status and sends notification to the approvers to take action.

```
<registrar_register action="false" days="0" regressOnInaction="true"
queryOperator="eq" />
```

- `action="true"` enables the flow and `action="false"` disables the flow.
- `days="10"` tracks the assets that reached unsubmitted status 10 days ago. The Time-based Escalation flow use the current date and subtracts the value from this attribute.
- `regressOnInaction="true"` regresses the asset on inaction. For example, accepted assets may be unaccepted.
- `queryOperator="eq"` uses the equals operator when the date is used for querying. Other possible values are `"lte"`, `"gte"`, etc.

Validation Expiration Flows

The Validation Expiration flows track the expired assets prior to the expiration date, as well as on the date of expiration, and sends warning notifications to all interested parties. After *X* number of days of expiration, the flows unregister the assets. After *Y* number of days of expiration, the flows deactivate the assets. After *Z* number of days of expiration, the flows delete the assets.

```
<notification timerInterval="1d">
  <numTimesNotify>10</numTimesNotify>
  <daysBeforeNextNotification>2</daysBeforeNextNotification>
```

- The `timerInterval` attribute configure the time interval that the flows will be triggered. This *should* be set to `"1d"`, which means the interval is one day. However for testing, this can be set to `"1m"` or `"5m"` to trigger every minute or every 5 minutes. Also, every time this field is changed, the Event Engine needs to be restarted, unlike the other field changes that can be refreshed using the refresh tool.
- The `numTimesNotify` element specifies how many times the notifications should be sent by the Validation Expiration flow.


Configuring Advanced Registration Flows

- The `daysBeforeNextNotification` element specifies how many days need to elapse in between the notifications.

```
<expiration>
  <expiration_warning action="false" days="10" owner="false"
subscriber="false" contact="99"/>
  <unregister_after_expire action="true" days="10" queryOperator="eq"/>
  <inactive_after_expire action="true" days="10" queryOperator="eq"/>
  <delete_after_expire action="true" days="10" queryOperator="eq"/>
</expiration>
```


Figure 5-9 demonstrates the flow of the Validation Expiration flows.

Figure 5-9 Validation Expiration Flowchart



To set the expiration date for an asset, specify the date in the **Expiration Date (YYYY-MM-DD)** field on the Miscellaneous tab of the Asset Editor, as shown in [Figure 5-10](#).

Figure 5-10 The Expiration Date (YYYY-MM-DD) Field on the Asset Editor Miscellaneous Tab



Asset Expiration Warning Notification

The following line enables the warning notification and determines who should receive the notifications.

```
<expiration_warning action="false" days="10" owner="false"
subscriber="false" contact="99" />
```

Note: The `days` element configures the number of days prior to the expiration that the warning should be sent.

Unregister Assets After Expiration

The following line enables the Metadata Change flow to unregister the asset after 10 days of expiration.

```
<unregister_after_expire action="true" days="10" queryOperator="eq" />
```

Inactivate After Expiration

The following line enables the Metadata Change flow to inactivate the asset after 10 days of expiration

```
<inactive_after_expire action="true" days="10" queryOperator="eq" />
```

Delete Assets After Expiration

The following line enables the Metadata Change flow to delete the asset after 10 days of expiration:

```
<delete_after_expire action="true" days="10" queryOperator="eq" />
```

Customizing Email Notification Templates

The Automated Registration Flows automatically send email notifications under many circumstances. There are five new email templates for the new flows. The email templates are stored within Oracle Enterprise Repository and the flows invoke an Oracle Enterprise Repository API by passing name/value pairs that are then substituted by Oracle Enterprise Repository.

Administrators can customize the email subject, body, etc., the same way as other email templates. The following are the templates that are used by the Advanced Registration Flows:

- Metadata of asset has changed – Notifies the registrar and the users assigned to the asset that the metadata has changed.
- Registration status unchanged – Notifies the registrar and the users assigned to the asset that the registration status `<%asset.reg.status%>` has remained unchanged for more than `<%action.pending.days%>` days.
- Status of expired asset has changed – Notifies the registrar and the users assigned to the expired asset that the status has changed.
- Prior to expiration – Notifies the registrar and the users assigned to the asset that it is due for expiration.
- Asset has been expired – Notifies the registrar and the users assigned to the asset that it has been expired.

For more information about email templates, refer to the [Oracle Enterprise Repository Administration Guide](#).

Configuring Advanced Registration Flows

Configuring JMS Servers for Oracle Enterprise Repository

This section contains information on the following subjects:

- [“Overview of JMS for the Event Manager”](#) on page 6-2
- [“Configuring Connectivity Properties for External JMS Servers”](#) on page 6-2
- [“Configuring the Embedded ActiveMQ JMS Server to Use a Database”](#) on page 6-4
- [“Configuring JMS Durable Subscribers for Web Service Endpoints”](#) on page 6-5
- [“Configuring JMS Servers in an Oracle Enterprise Repository Cluster”](#) on page 6-6
- [“Configuring a JMS Provider In WebSphere 6.1.0.5”](#) on page 6-7

Overview of JMS for the Event Manager

The Event Manager uses an embedded version of Apache ActiveMQ JMS Server that is enabled by default. The embedded JMS Server is configured to run out-of-the-box without any additional configuration. However, if an external JMS server is preferred, such as Oracle's BEA Weblogic Server JMS or IBM WebSphere Application Server, then a number of Oracle Enterprise Repository system settings must be configured.

Note: When Oracle Enterprise Repository is deployed on WebSphere 6.x, the embedded Apache ActiveMQ JMS Server cannot be used due to conflicts in the classes used by ActiveMQ and Oracle Enterprise Repository. Therefore, WebSphere 6.x customers should use the default JMS implementation that comes with WebSphere 6.x. See [“Configuring a JMS Provider In WebSphere 6.1.0.5”](#) on page 6-7.

Configuring Connectivity Properties for External JMS Servers

Oracle Enterprise Repository's System Settings section allows administrators to configure the basic Oracle Enterprise Repository operation and to enable/disable specific features. The Event Manager's JMS-related settings are under the “Eventing” group under the main “External Integrations” category. For more information about System Settings, see the *Oracle Enterprise Repository Administration Guide*. Additional “Eventing” properties are described in [Chapter 3, “Configuring the Oracle Enterprise Repository Event Manager.”](#)

Enabling and Configuring an External JMS Server

The internal Apache ActiveMQ JMS Server needs to be disabled in order to configure an external JMS product. You must also configure JNDI and JMS properties for the external JMS.

Note: These steps are for configuring a single external JMS server. For instructions on configuring multiple JMS servers in a cluster, see [“Configuring JMS Servers in an Oracle Enterprise Repository Cluster”](#) on page 6-6.

1. Click **System Settings** in the sidebar on the Oracle Enterprise Repository **Admin** screen.
2. Enter **Event** in the System Settings Search box to view all the Event Manager related settings.
3. Disable the internal JMS server by clicking **False** next to the **Event Manager Embedded JMS Enable** property. This forces the Event Manager to use an external JMS server.
4. Configure the required JNDI properties:

- **JNDI URL** – Specifies the JNDI URL. For example, `t3://localhost:7001`.
 - **JNDI User Name** – Specifies the JNDI user name.
 - **JNDI Password** – Specifies the password for the JNDI User Name.
 - **JNDI Context Factory** – Specifies the JNDI initial context factory. For example, `weblogic.jndi.WLInitialContextFactory`.
5. Configure the following JMS properties:
 - **JMS Connection Factory** – Specifies the JMS connection factory to enable JMS clients to create JMS connections. For example, `weblogic.examples.jms.TopicConnectionFactory`.
 - **JMS Topic** – Specifies the JMS topic, which is a publish/subscribe destination type for a JMS server. For example, `weblogic.examples.jms.TopicConnectionFactory`.
 6. Click **Save**.
 7. Restart Oracle Enterprise Repository for the configuration changes to take effect.

Configuring JMS Message Header Properties

Every JMS message contains a standard set of header fields that is included by default and available to message consumers. The Message Expiration and Delivery Mode headers can be configured using the Oracle Enterprise Repository System Settings.

1. Access the “Eventing” System Settings, as described in [“Enabling and Configuring an External JMS Server” on page 6-2](#).
2. Configure the JMS message header properties:
 - **JMS Message Expiration** – Sets the JMS message expiration time in seconds. If set, unprocessed events will expire in the specified number of seconds. The default is 0 seconds, which means that messages will never expire. However, some environments have policies that require that JMS messages cannot be stored forever if they are not selected for some reason.
 - **JMS Delivery Mode** – Sets the JMS message delivery mode to either `PERSISTENT` or `NON-PERSISTENT` values. If set to `PERSISTENT`, the JMS server will write the events to the underlying store. Although more reliable, persisting events to a store can affect performance. The default is `PERSISTENT`.
3. Click **Save**.

4. Restart Oracle Enterprise Repository for the configuration changes to take effect.

Miscellaneous JMS Properties

Note: You must restart Oracle Enterprise Repository after changing any Eventing property in order for the changes to take effect.

The following miscellaneous System Settings can also be configured.

- **Event Manager JMS Subscribers Enabled** – If set to **False**, then the internal JMS subscribers will not be enabled. This is to make sure that the embedded JMS server is started, but an external tool can be used to connect to the embedded server using the given durable subscriber name and the stored events can be cleaned up.
- **JMS Subscribers Client ID** – Specifies the JMS durable subscriber ID.
For example, `ALER_JmsSubscriber`.
- **JMS Producers Client ID** – Specifies the JMS producer’s client ID.
For example, `ALER_DeliveryManager`.
- **Lazy Initialize Event Engine** – When enabled, the Event Manager will be initialized when an event is produced for the first time. This property should be enabled for either of the following reasons:
 - If there is a large number of events stored by the JMS server *and* if it is required that these events should not be processed as soon as Oracle Enterprise Repository is started.
 - There are startup issues that occur because of the timing of initializing the embedded JMS server.

Configuring External JMS Jar Files

If an external JMS server is being used, then the external JMS server-related JAR files should be copied to the `WEB-INF\lib` directory.

Configuring the Embedded ActiveMQ JMS Server to Use a Database

By default, the ActiveMQ JMS server uses a file-based store to store events. However, you can specify to have events stored in a database. Simply, configure the `activemq.xml` file in the `WEB-INF\classes` directory to use your database parameters.

For example:

```

<persistenceAdapter>
  <journalizedJDBC journalLogFiles="5" dataDirectory="../activemq-data"
dataSource="#oracle-ds" />
  <!-- To use a different datasource, use the following syntax : -->
  <!-- <journalizedJDBC journalLogFiles="5" dataDirectory="../activemq-data"
dataSource="#postgres-ds"/> -->

  <!-- Oracle DataSource Sample Setup -->
  - <bean id="oracle-ds" class="org.apache.commons.dbcp.BasicDataSource"
destroy-method="close">
  <property name="driverClassName" value="oracle.jdbc.driver.OracleDriver" />
  <property name="url" value="jdbc:oracle:thin:@localhost:1521:AMQDB" />
  <property name="username" value="scott" />
  <property name="password" value="tiger" />
  <property name="poolPreparedStatements" value="true" />
</bean>

```

Configuring JMS Durable Subscribers for Web Service Endpoints

The Event Manager creates one durable subscriber for each Web Service endpoint it encounters in the Subscription Manager XML file. This ensures that events are stored if the endpoints are not online and that they can be reliably delivered once the endpoints are online again. As per the JMS Specification, the durable subscriber name should be unique across the JMS server. The Event Manager gets the durable subscriber name from the `name` field found in the `EndPointEventSubscription.xml` file, as shown in this example:

```

<sub:EventSubscriptionData
xmlns:sub="http://www.bea.com/infra/events/subscription"
  <sub:eventSubscription>
    <sub:endPoint name="ALBPMEndpoint">

```

Note: JMS servers associate the durable subscriber name with the message selectors. Therefore, if the message selector is changed, either a new durable subscriber name should be provided or the existing one should be deleted. You can use the Oracle Enterprise Repository “Event Cleanup” tool, as described in [“Cleaning Up Stored Events” on page 7-4](#). You can also use a JMS-specific tool to accomplish this.

Configuring JMS Servers in an Oracle Enterprise Repository Cluster

Note: Before you begin, refer to the *Oracle Enterprise Repository Clustering Guide* for information on configuring Oracle Enterprise Repository in a clustered environment.

Enabling JMS Clustering Mode

If Oracle Enterprise Repository is deployed on cluster mode, you must enable clustering on each Oracle Enterprise Repository instance regardless of which type of JMS server being used (embedded or external).

1. Click **System Settings** in the sidebar on the Oracle Enterprise Repository **Admin** screen.
2. Enter **cmee.eventframework.clustering.enabled** in the Enable New System Setting box and click **Enable** to reveal this hidden property.
3. Set the **Clustering Enabled** property to **True**.
4. Set other required properties based on the type of JMS server, as described in the following sections.

Configuring Embedded JMS Servers for Clustering

In a clustered environment, each member Oracle Enterprise Repository instance in the cluster will have one embedded JMS server. For example, in case of two-node cluster, there will be two Oracle Enterprise Repository instances, such as `server01` and `server02`, with each having one embedded JMS server. Once clustering is enabled for the embedded JMS servers, you then need to specify the connection URL information for the embedded JMS servers on `server01` and `server02`.

1. Click **System Settings** in the sidebar on the Oracle Enterprise Repository **Admin** screen.
2. Enter **cmee.eventframework.embedded.jms.url** in the Enable New System Setting box and click **Enable** to reveal this hidden property.
3. In the **Embedded JMS Server URL** property, supply the connection URL for the embedded JMS servers on the clustered Oracle Enterprise Repository servers, using the following format.

```
failover:(tcp://  
$SERVER_DNS_NAME_OR_IP$:61700,tcp://$SERVER_DNS_NAME_OR_IP$:61700, ...)
```

where:

`$_SERVER_DNS_NAME_OR_IP$` are replaced by actual server DNS name or IP address. The entries should be repeated for each Oracle Enterprise Repository server in a given cluster.

Using the example above, this could be set to:

```
failover:(tcp://server01:61700,tcp://server02:61700)
```

Caution: Port 61700 is the default port for the embedded JMS server, and therefore should not be used by any other application on the Oracle Enterprise Repository server unless another port is configured for the embedded JSM server.

4. Click **Save**.

5. Repeat steps 1-4 for each Oracle Enterprise Repository instance in a given cluster. Using the example above, the Embedded Broker URLs could be set to:

```
failover:(tcp://server01:61700,tcp://server02:61700)
```

Tip: Make sure that each embedded JMS server is enabled by setting the `cmee.eventframework.embedded.jms.enabled` property to **True**.

Configuring External JMS Servers for Clustering

For external JMS servers, no additional configuration is required. However, you must make sure that the embedded JMS server is disabled, as follows:

1. Click **System Settings** in the sidebar on the Oracle Enterprise Repository **Admin** screen.
2. Set the **Event Manager Embedded JMS Enable** property to **False** (i.e., `cmee.eventframework.embedded.jms.enabled` is **False**).

Configuring a JMS Provider In WebSphere 6.1.0.5

When Oracle Enterprise Repository is deployed on WebSphere Application Server 6.1.0.5, the embedded Apache ActiveMQ JMS server cannot be used. Therefore, WebSphere 6.1.0.5 implementations must use the default JMS provider that comes with WebSphere 6.1.0.5.

To configure a JMS provider for Oracle Enterprise Repository in WebSphere 6.1.0.5, complete the following steps in the WebSphere administration console and in your Oracle Enterprise Repository application.

1. Create a new Service Integration Bus:

- a. In the navigation pane, expand **Service Integration**, and then click **Buses**.
 - b. On the Buses page, click **New**.
 - c. On the Create a new bus page, enter **alerbus** as the name for the new bus.
 - d. Clear the **Bus security** check box.
 - e. Click **Next**, and then click **Finish**.
2. Add a Bus member to the newly created *alerbus*:
- a. On the Buses page, click the **alerbus** link.
 - b. Under the Topology category, click **Bus members**.
 - c. On the Bus members page, click **Add**.
 - d. On the Add a new bus member > Select Server, Cluster or WebSphere MQ server page, accept the default **Server** option and click **Next**.
 - e. On the Add a new bus member > Select the type of message store page, accept the default **File store** option and click **Next**.
 - f. On the Add a new bus member > Provide the message store properties page, accept the default values and click **Next**.
 - g. On the Add a new bus member > Confirmation page, click **Finish**.
 - h. On the Buses page, click **Save**.
3. Create a JMS Topic Connection Factory in the default message provider:
- a. In the navigation pane, expand **JMS**, and then click **JMS providers**.
 - b. Click the **Default messaging provider** option, with a Scope of Node=<nodename> , server=server1.
 - c. On the JMS providers > Default messaging provider page, click the **Topic connection factories** option under Additional Properties.
 - d. On the JMS providers > Default messaging provider > Topic connection factories page, click **New**.
 - e. On the Administration page, configure the topic connection factory as follows:
 - Name – alerEventingTopicCFDefault

- JNDI name – `jms.alerEventingTopicCFDefault`
 - Bus name – `alerbus`
 - Client identifier – `ALER_JmsProducer`
 - Durable subscription home – `<nodename>.server1-alerbus`
- f. Click **Apply**, and then click **Save**.
4. Create a JMS Topic in the default message provider:
- a. Re-navigate to the JMS providers > Default messaging provider page.
 - b. Click the **Topics** option under Additional Properties.
 - c. On the JMS providers > Default messaging provider > Topics page, click **New**.
 - d. On the Administration page, configure the topic as follows:
 - Name – `alerEventingTopicDefault`
 - JNDI name – `jms.alerEventingTopicDefault`
 - Topic name – `alerEventingTopicDefault`
 - Bus name – `alerbus`
 - Topic space – `Default.Topic.Space`
 - e. Click **Apply**, and then click **Save** to save your changes.
5. Deploy the `aler.ear` application file, as follows:
- a. In the navigation pane, expand **Applications**, and then click **Enterprise Applications**.
 - b. On the Enterprise Applications page, click **Install**.
 - c. On the Preparing for the application install page, click **Browse**, specify the `aler.ear` file in the path, and then click **Next**.
 - d. Click **Next** on the Select installation options page.
 - e. Click **Next** on the Map modules to servers page.
 - f. On the Map resources to resource references page, click **Browse** in the Target Resource JNDI Name column.
 - g. On the Enterprise application > Available resources page, select **alerEventingTopicCFDefault**, and then click **Apply**.

- h. Click **Next** on the ensuing Map resources to resource references page.
 - i. On the Map resource environment entry references to resources page, enter `jms/aler/alerEventingTopicDefault` in Target Resource JNDI Name and then click **Next**.
 - j. Click **Finish** on the Summary page.
 - k. After the application is installed, click **Save** to save it to the Master Configuration.
6. Follow the “Manually Installing the Oracle Business Process Management Process Engine and Advanced Registration Flows” steps in the [Oracle Enterprise Repository Installation Guide](#) to deploy additional files in the `web-inf/classes` directory and the database drivers required by the Oracle Enterprise Repository application.
7. Configure the Oracle Enterprise Repository `eventing.properties` file for the WebSphere settings:
 - a. Navigate to the `<OER Domain>\WEB-INF\classes` directory.
 - b. Use a text editor to modify the `eventing.properties` file as follows:
 - `cme.eventframework.jms.topic=jms.alerEventingTopicDefault`
 - `cme.eventframework.jndi.provider.url=iiop\://localhost:2809`
 - `cme.eventframework.embedded.jms.enabled=false`
 - `cme.eventframework.jndi.context.factory=com.ibm.websphere.naming.WsnInitialContextFactory`
 - `cme.eventframework.jms.connection.factory=jms.alerEventingTopicCFDefault`
 - c. Save the file.
8. Restart the WebSphere application server to enable the modified settings.
9. Check the WebSphere logs for possible errors:
`\WebSphere\AppServer\profiles\AppSrv01\logs\server1`

Monitoring and Managing Events

This section contains information on the following subjects:

- [“Overview” on page 7-2](#)
- [“Monitoring Events” on page 7-3](#)
- [“Cleaning Up Stored Events” on page 7-4](#)
- [“Generating the Workflow Config File” on page 7-6](#)
- [“Refreshing the Workflow Config File” on page 7-7](#)
- [“Encrypting Your Passwords” on page 7-8](#)

Overview


This document discusses how to use the administrative tools that are shipped as part of Oracle Enterprise Repository. The Advanced Registration Flow administrative tools are used to

- Monitor events using a command-line interface
- Clean up the events and unsubscribe the JMS durable subscriber
- Generate the Workflow Configuration file
- Refresh the Oracle Business Process Management Engine with the latest Workflow Configuration file
- Encrypt the passwords stored in the Workflow Configuration and Subscription Manager files

The administrative tools are installed under the following directory:

```
<BEA Home>/repository103/core/workflow-tools
```

Figure 7-1 Location of Workflow Tools



Monitoring Events

The Event Manager has a tool for monitoring the events that are generated by the Event Manager. The tool peeks into the event traffic and prints information, such as the Event Body and Event Properties, as shown in this section.

Prerequisites

The following prerequisites apply before starting the monitoring tool:

- If the default embedded JMS server is used, then Oracle Enterprise Repository needs to be running with the `cmee.eventframework.enabled` system setting set to true. This is to make sure that the JMS broker that is embedded within Oracle Enterprise Repository is running so that the monitoring tool can connect to it and monitor the events.
- If an external JMS server is used, then the external JMS Server needs to be running and the JNDI-related eventing properties that are required to connect to the external JMS server must be configured.

For more information, see [“Configuring Connectivity Properties for External JMS Servers” on page 6-2](#).

Usage

From a command prompt, run the Event Monitoring tool as follows:

```
> event_monitor.bat <Path of WEB-INF\classes>
```

For example, if Oracle Enterprise Repository is deployed to a domain named `oerdomain` under:
D:\bea816\user_projects\domains\oerdomain

Then the `<Path of WEB-INF\classes>` is:

```
D:\bea816\user_projects\domains\oerdomain\applications\oer\oer-app\WEB-INF\classes
```

This path is needed to get the JMS configuration from the `eventing.properties` file so that the tool can connect to the JMS server.

Figure 7-2 Event Monitor Console

```

C:\WINDOWS\system32\cmd.exe
</xml-fragment>
Waiting for an Event...
=====Message Properties=====
submittedby_emailaddress = admin@example.com(java.lang.String)
asset_description = (java.lang.String)
parameters_1_name = name(java.lang.String)
submittedby_name = admin(java.lang.String)
submittedby_id = 99(java.lang.Long)
eventdata_description = new aler event(java.lang.String)
eventsource_componentname = Aqualogic ALER(java.lang.String)
asset_name = TestAssetL19(java.lang.String)
parameters_0_value_0 = 0.0(java.lang.String)
parameters_0_name = newvalue(java.lang.String)
eventsource_componenttype = ALER3.0(java.lang.String)
parameters_1_value_0 = usageFee(java.lang.String)
asset_typeid = 154(java.lang.Long)
eventdata_eventid = 4a6469ac-0b0a-4273-9cad-b5a674d14643(java.lang.String)
eventdata_name = urn:com:bea:aler:events:type:MetaDataChange:usageFee(java.lang.
String)
asset_activestatus = ACTIVE(java.lang.String)
asset_id = 50200(java.lang.Long)
eventsource_location = ALERCore(java.lang.String)
eventdata_version = ver1.0(java.lang.String)
asset_version = 2(java.lang.String)
=====Message Body=====
<xml-fragment xmlns:even="http://www.bea.com/infra/events" xmlns:xsi="http://www
.w3.org/2001/XMLSchema-instance">
  <even:eventData>
    <even:name>urn:com:bea:aler:events:type:MetaDataChange:usageFee</even:name>
    <even:eventId>4a6469ac-0b0a-4273-9cad-b5a674d14643</even:eventId>
    <even:description>new aler event</even:description>
    <even:version>ver1.0</even:version>
  </even:eventData>
  <even:eventSource>
    <even:location>ALERCore</even:location>
    <even:componentName>Aqualogic ALER</even:componentName>
  </even:eventSource>
</xml-fragment>

```

Cleaning Up Stored Events

Sometimes it may be required to remove all the events that are stored by the Event Engine and also unsubscribe the durable subscription. The Event Cleanup tool can be used for this purpose.

Prerequisites

The following prerequisites apply before starting this tool:

- Set the Oracle Enterprise Repository `cmee.eventframework.jms.subscribers.enabled` system setting to `false` so that the Oracle Enterprise Repository Event Manager does not start the durable subscriber because this will be unsubscribed by the Clean Event tool.

- Restart Oracle Enterprise Repository with the `cmee.eventframework.jms.subscribers.enabled` property set to `false`.

Usage

From a command prompt, run the Event Cleanup tool as follows:

```
> event_clean.bat <Path of WEB-INF\classes> <Name of Durable Subscriber>
<Message Selector>
```

For example, if Oracle Enterprise Repository is deployed to a domain named `oerdomain` under: `D:\bea816\user_projects\domains\oerdomain`

Then the `<Path of WEB-INF\classes>` is:

```
D:\bea816\user_projects\domains\oerdomain\applications\oer\oer-app\WEB-INF
\classes
```

This path is needed to get the JMS configuration from `eventing.properties` so that the tool can connect to the JMS Server.

The `<Name of Durable Subscriber>` can be found in the `name` attribute inside the endpoint that requires event cleanup within the `EndPointEventSubscription.xml` as follows:

```
<sub:eventSubscription>
  <!--The name should be unique within this file since
  <sub:endPoint name="ALBPMEndpoint">
```

The `<Message Selector>` can be found in the `expression` attribute inside the endpoint that requires cleanup within the `EndPointEventSubscription.xml`

Note: The parameter can be omitted if the Message selector is not set or empty.

Sample Event Cleanup

Using the example above, navigate to the `workflow-tools` directory:

```
> cd D:\bea816\repository103\core\workflow-tools>
```

From the command prompt, type:

```
> event_clean.bat D:\aler\alerbuild2\aler-app\WEB-INF\classes
ALBPMEndpoint
```

The following is the output printed by the Event Cleanup tool to the console.

Figure 7-3 Event Cleanup Console

```

C:\WINDOWS\system32\cmd.exe
D:\bea816\repository30\core\workflow-tools>event_clean.bat D:\aler\alerbuild2\aler-app\WEB-INF\classes ALBPMEndpoint
D:\bea816\repository30\core\workflow-tools>echo off
All the stored events for ALBPMEndpoint will be deleted. Do you want to continue
? Y/N
y
Deleting all the stored events...
Removing the Event with ID ID:MPALANIS01-2377-1182301085595-0-0:1:1:501
Removing the Event with ID ID:MPALANIS01-2377-1182301085595-0-0:1:1:502
Removing the Event with ID ID:MPALANIS01-2377-1182301085595-0-0:1:1:503
Removed all the Events. Unsubscribing ALBPMEndpoint
D:\bea816\repository30\core\workflow-tools>_

```

Generating the Workflow Config File

The Generate Workflow Config tool is used to generate the Workflow Configuration file (`workflow.xml`) by connecting to Oracle Enterprise Repository. The tool populates the `workflow.xml` with configuration for asset types, categorizations, etc. by reading these entities from Oracle Enterprise Repository. The Workflow Config file can then be customized as per your requirements. For example, you may need to configure and customize flows to add new asset types, projects, categorizations, etc.

For more information about configuring Advanced Registration Flows, see [Chapter 5, “Configuring Advanced Registration Flows.”](#)

From a command prompt, run the Generate Workflow Config tool as follows:

```
> config_gen.bat URI User Password ConfigDir
```

where:

URI = ALER URI (for example: `http://localhost:7001/alerbuild/services/FlashlineRegistry`)

User = ALER user name

Password = ALER password

ConfigDir = the directory where the Config XML file will be created. If the file exists, it will be renamed to `workflow.xml.bak`.

Figure 7-4 Generate Workflow Configuration Tool

```

C:\WINDOWS\system32\cmd.exe
D:\bea816\repository30\core\workflow-tools>config_gen.bat http://mpalanis01.amer
.bea.com:7001/alerbuild2/services/FlashlineRegistry muthu muthu .
D:\bea816\repository30\core\workflow-tools>echo off
Connecting to ALER ...
Done ...
Getting Auth token from ALER ...
Done ...
Generating the Workflow Configuration file ...
Adding the AssetType Application
Adding the AssetType Application v2
Adding the AssetType Business Process
Adding the AssetType Business Process v2
Adding the AssetType Communication Adapter
Adding the AssetType Communication Adapter v2
Adding the AssetType Component
Adding the AssetType Component v2
Adding the AssetType Environment

```

The workflow.xml file needs to be generated to the following directory:

```
<OER Enterprise Edition Path>/server/<OER Workflows Project>/workflow.xml
```

Refreshing the Workflow Config File

The Refresh Workflow Config XML tool lets you to refresh a Workflow Config file without restarting the Oracle Business Process Management Engine. For example, if the Workflow Config XML file is updated during development, running this tool allows the Oracle Business Process Management Engine to use the updated version without restarting the engine.

Note: The Oracle Business Process Management Engine must be running when running this tool.

From a command prompt, run the Refresh Workflow Configuration tool as follows:

```
> refresh_workflows.bat URI User Password
```


where:

URI = Oracle Business Process Management URI (for example,
<http://localhost:9000/fuegoServices/ws/RefreshConfigServiceListener>)
 User = Oracle Business Process Management user name (for example, aler_workflow_user)

Password = Oracle Business Process Management password (for example, `aler_workflow_user`)

Note: `aler_workflow_user` is created by Oracle's BEA Products Installer and is the default user that can be used with this tool.

Figure 7-5 Refresh Workflow Configuration Tool



```
C:\WINDOWS\system32\cmd.exe
D:\bea816\repository30\core\workflow-tools>refresh_workflows.bat http://localhost:9000/fuegoServices/ws/RefreshConfigServiceListener admin admin
D:\bea816\repository30\core\workflow-tools>echo off
Jun 20, 2007 10:37:17 AM org.apache.axis.utils.JavaUtils isAttachmentSupported
WARNING: Unable to find required classes (javax.activation.DataHandler and javax.mail.internet.MimeMultipart). Attachment support is disabled.
D:\bea816\repository30\core\workflow-tools>_
```

Encrypting Your Passwords

For enhanced security, the Security Encrypt Password tool (`runWfSecurity.bat`) allows you to encrypt passwords that are stored in the Workflow Configuration and Subscription Service files.

From a command prompt, run the Security Encrypt Password tool as follows:


```
> runWfSecurity.bat srcFileName destFileName
```

where:

`srcFileName` = source config file with clear password.

`destFileName` = destination config file with decrypted password.

Figure 7-6 Security Encrypt Password Tool



```
C:\WINDOWS\system32\cmd.exe
D:\bea816\repository30\core\workflow-tools>runWfSecurity.bat ./wf.xml ./wfenc.xml
l encrypt
D:\bea816\repository30\core\workflow-tools>rem java com.bea.infra.event.core.util
l.EncodeDecode <srcfile> <destfile> "encrypt|decrypt"
D:\bea816\repository30\core\workflow-tools>set CLASSPATH=./wfsecurity.jar;
D:\bea816\repository30\core\workflow-tools>java com.bea.infra.event.core.util.En
codeDecode ./wf.xml ./wfenc.xml encrypt
encrypting...n0pa55w0rd
encrypted...v2_1.16MCs4Mc8hf0R0US/WaEhQ==
encrypting...n0pa55w0rd
encrypted...v2_1.16MCs4Mc8hf0R0US/WaEhQ==
encrypting...n0pa55w0rd
encrypted...v2_1.16MCs4Mc8hf0R0US/WaEhQ==
D:\bea816\repository30\core\workflow-tools>_
```

Monitoring and Managing Events

Extending the Event Manager for Web Service Endpoints

This section contains information on the following subjects:

- [“Overview” on page 8-2](#)
- [“Developing a Web Service Endpoint” on page 8-2](#)
- [“Web Service Operations” on page 8-3](#)
- [“Developing a Notifier Plug-in” on page 8-5](#)
- [“Developing an Endpoint with an Incompatible Contract” on page 8-6](#)

Overview


This document explains how to develop a new Web Service endpoint to consume the events that are emitted by the Event Manager and also explains how to extend the Event Manager to use other notifier plug-ins.

For information about configuring the Event Manager, see [Chapter 3, “Configuring the Oracle Enterprise Repository Event Manager.”](#)

Developing a Web Service Endpoint

The following figure shows how a Web Service endpoint can be plugged-in to receive the Events emitted by the Oracle Enterprise Repository Event Manager.

Figure 8-1 Web Service Endpoint Plug-in



Following these steps to create a new Web Service endpoint and start getting events.

1. Pick up the WSDL contract defined by the Event Manager. This is bundled with the `eventNotifier.jar` located in the `<oer Webapp path>/WEB-INF/lib` directory.
2. Open the jar file and locate a WSDL named “EventListener.WSDL” and extract the WSDL to the file system. This WSDL is the abstract contract defined by the Event Manager and the new Web Service endpoint needs to implement the operation defined in the WSDL.

Here is a snapshot of the WSDL file

Figure 8-2 Sample WSDL File

```

<?xml version="1.0" encoding="UTF-8" ?>
<!-- edited with XMLSpy v2007 sp2 (http://www.altova.com) by X Y (XYZ) -->
<wsdl:definitions xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/" xmlns:tns="http://www.bea.com/aler/events/alert"
  xmlns:wSDL="http://schemas.xmlsoap.org/wsdl/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:aler="http://www.bea.com/aler/events/alert"
  xmlns:ns="http://www.bea.com/infra/events" xmlns:ns1="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:wfStatus="http://www.bea.com/infra/events/workflow/status" name="AlerEventsListener"
  targetNamespace="http://www.bea.com/aler/events/alertEventsListenerWsd/">
  - <wsdl:types>
    - <xs:schema targetNamespace="http://www.bea.com/infra/events" xmlns:commonEvents="http://www.bea.com/infra/events"
      xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns="http://www.w3.org/2001/XMLSchema" elementFormDefault="unqualified">
      - <xs:annotation>
        <xs:documentation>Defines the common events structure</xs:documentation>
      </xs:annotation>
      <xs:element name="Event" type="commonEvents:EventType" />
      - <xs:complexType name="EventType">
        - <xs:sequence>
          <xs:element name="eventData" type="commonEvents:EventInfoType" minOccurs="1" maxOccurs="1" />
          <xs:element name="eventSource" type="commonEvents:EventSourceType" minOccurs="1" maxOccurs="1" />
          <xs:element ref="commonEvents:ExtendedData" minOccurs="0" maxOccurs="1" />
        </xs:sequence>
      </xs:complexType>
      - <xs:complexType name="EventInfoType">
        - <xs:sequence>
          <xs:element name="name" type="xs:string" />
          <xs:element name="eventId" type="xs:string" />
          <xs:element name="description" type="xs:string" />
          <xs:element name="version" type="xs:string" />
        </xs:sequence>
      </xs:complexType>
    </xs:schema>
  </wsdl:types>

```

3. Complete the Web Service endpoint development using the tool or technology, as per the requirement. For example, you could develop a Proxy Service using Oracle Service Bus, which provides a feature where you can create a Web Service-based proxy service by pointing to a WSDL file. Make the Web Service running by completing the development of the Web Service.
4. Configure the Event Manager so that the Web Service endpoint's host, port, and URI, etc., are entered in the Subscription Manager file. For more information about configuring the Event Manager, see [Chapter 3, "Configuring the Oracle Enterprise Repository Event Manager."](#)
5. Start Oracle Enterprise Repository and trigger events using the Asset Editor and the Web Service endpoint will start getting the Events.
6. You can use the Event Monitoring tool that is bundled with Oracle Enterprise Repository for debugging and monitoring the Events that are generated by the Event Manager.

Web Service Operations

This section describes the available operation for a new Web Service endpoint, and how to specify operations in the Event Manager.

Available Web Service Operations

The Oracle Enterprise Repository Event Manager supports the following operations.

newEventRequestResponse

This operation takes the event object that is defined in the XML schema section as an input and returns the status as the output. The status is defined as string type. Additionally, if the status string starts with *Failure*, then the Event Manager will throw an exception and will try to re-deliver the event until it succeeds. If not, it will log the response and will deliver the next event unless there is a transport exception.

newEventRequestResponseString

This operation takes the event data in string form as an input and returns the status as the output. The status is defined as string type. Additionally, if the status string starts with *Failure*, then the Event Manager will throw an exception and will try to re-deliver the event until it succeeds. If not, it will log the response and will deliver the next event unless there is a transport exception.

newEventRequest

This operation takes the event object that is defined in the XML schema section as an input and is defined as a one-way operation.

newEventRequestString

This operation takes the event data in string form as an input and is defined as a one-way operation.

newEvent

This operation should be used only if the Process Engine is Oracle Business Process Management. This operation internally invokes the `startSession` operation to start session to authenticate with Oracle Business Process Management. It will also call `discardSession` after the invocation.

Selecting a Web Service Operation

The preferred Web Service operation can be selected by configuring the Event Manager's Subscription Manager the following way, as specified in the `operationName` element.

```

<sub:EventSubscriptionData
xmlns:sub="http://www.bea.com/infra/events/subscription"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <sub:eventSubscription>
    <sub:endPoint name="ALBPMEndpoint3">
      <sub:host>localhost</sub:host>
      <sub:port>9000</sub:port>
      <sub:uri>fuegoServices/ws/StatusChangeEndpointServiceListener</sub:uri>
      <sub:targetNamespace>http://www.bea.com/infra/events</sub:targetNamespace>
      <sub:operationName>newEvent</sub:operationName>
      <sub:authenticationData>
        <sub:basicAuthentication>
          <sub:username>admin</sub:username>
          <sub:password>admin</sub:password>
        </sub:basicAuthentication>
      </sub:authenticationData>
    </sub:endPoint>


    <sub:notifierClass>com.bea.infra.event.notifier.plugin.http.DefaultHTTPEventNo
tifier    </sub:notifierClass>
    <sub:expression></sub:expression>
  </sub:eventSubscription>
</sub:EventSubscriptionData>

```

Developing a Notifier Plug-in

The Oracle Enterprise Repository Event Manager includes a default SOAP/HTTP notifier. A new plug-in can be developed and plugged in if there are additional requirements, as illustrated here.

Figure 8-3 Notifier Plug-in



Follow these steps to make the new plug-in work with the Event Manager.

1. Develop a new Notifier Plug-in by extending the Java Class `AbstractEventNotifier` that is bundled with the Oracle Enterprise Repository Event Manager. This class is bundled with the `eventNotifier.jar` located in the `<oer Webapp path>/WEB-INF/lib` directory. The `init()` and `sendNotification()` methods need to be overridden. Refer to the Javadoc for more information about these methods. The `handle()` method passes the event data in an XML Beans format, which can be used to send it to an external Web Service.
2. Configure the Subscription Manager file to point to the developed class. Modify the `notifierClass` element as follows:

```
<sub:EventSubscriptionData
xmlns:sub="http://www.bea.com/infra/events/subscription"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <sub:eventSubscription>
    <sub:endPoint name="ALBPMEndpoint3">
      <sub:host>localhost</sub:host>
      <sub:port>9000</sub:port>
      <sub:uri>fuegoServices/ws/StatusChangeEndpointServiceListener</sub:uri>
      <sub:targetNamespace>StuatusChangeEndpoint</sub:targetNamespace>
      <sub:operationName>newEvent</sub:operationName>
      <sub:authenticationData>
        <sub:basicAuthentication>
          <sub:username>admin</sub:username>
          <sub:username>admin</sub:username>
        </sub:basicAuthentication>
      </sub:authenticationData>
    </sub:endPoint>
  </sub:eventSubscription>
  <sub:notifierClass>com.bea.infra.event.notifier.plugin.http.DefaultHTTPEventNo
tifier</sub:notifierClass>
  <sub:expression>id &gt; 500</sub:expression>
</sub:EventSubscriptionData>
```

3. Bundle the classes in a JAR file and copy it to `<oer Webapp path>/WEB-INF/lib` directory so that it is picked up by the classpath.
4. Restart the Event Manager and trigger an event using the Asset Editor.
5. The Event Manager will call the `init()` and `handle()` methods of the new notifier plug-in.

Developing an Endpoint with an Incompatible Contract

It is possible that there may be an endpoint with an Interface or Contract that is not compatible with Oracle Enterprise Repository Event Manager. This is because the tool that is used to develop the endpoint may have restrictions to use the WSDL provided by Oracle Enterprise Repository

Event Manager, or there may be other inter-operability issues. The following approach can be used under those circumstances:

- Develop an event notifier plug-in to receive the event XML data and register with the Subscription Manager.
- Write the code in the new notifier plug-in that transforms the event data into the format that the remote Web Service expects.
- Invoke the remote Web Service by whatever API is supported by the remote endpoint.

Extending the Event Manager for Web Service Endpoints