



BEA AquaLogic Service Bus™

Interoperability Support Matrix

Copyright

Copyright © 1995-2006 BEA Systems, Inc. All Rights Reserved.

Restricted Rights Legend

This software is protected by copyright, and may be protected by patent laws. No copying or other use of this software is permitted unless you have entered into a license agreement with BEA authorizing such use. This document is protected by copyright and may not be copied photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form, in whole or in part, without prior consent, in writing, from BEA Systems, Inc.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE DOCUMENTATION IS PROVIDED “AS IS” WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA SYSTEMS DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE DOCUMENT IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks and Service Marks

Copyright © 1995-2006 BEA Systems, Inc. All Rights Reserved. BEA, BEA JRocket, BEA WebLogic Portal, BEA WebLogic Server, BEA WebLogic Workshop, Built on BEA, Jolt, JoltBeans, SteelThread, Top End, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA AquaLogic, BEA AquaLogic Data Services Platform, BEA AquaLogic Enterprise Security, BEA AquaLogic Interaction, BEA AquaLogic Interaction Analytics, BEA AquaLogic Interaction Collaboration, BEA AquaLogic Interaction Content Services, BEA AquaLogic Interaction Data Services, BEA AquaLogic Interaction Integration Services, BEA AquaLogic Interaction Process, BEA AquaLogic Interaction Publisher, BEA AquaLogic Interaction Studio, BEA AquaLogic Service Bus, BEA AquaLogic Service Registry, BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Kodo, BEA Liquid Data for WebLogic, BEA Manager, BEA MessageQ, BEA SALT, BEA Service Architecture Leveraging Tuxedo, BEA WebLogic Commerce Server, BEA WebLogic Communications Platform, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Enterprise Security, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic Java Adapter for Mainframe, BEA WebLogic JDriver, BEA WebLogic Log Central, BEA WebLogic Mobility Server, BEA WebLogic Network Gatekeeper, BEA WebLogic Personalization Server, BEA WebLogic Personal Messaging API, BEA WebLogic Platform, BEA WebLogic Portlets for Groupware Integration, BEA WebLogic Real Time, BEA WebLogic RFID Compliance Express, BEA WebLogic RFID Edge Server, BEA WebLogic RFID Enterprise Server, BEA WebLogic Server Process Edition, BEA WebLogic SIP Server, BEA WebLogic WorkGroup Edition, BEA Workshop for WebLogic Platform, BEA Workshop JSP, BEA Workshop JSP Editor, BEA Workshop Struts, BEA Workshop Studio, Dev2Dev, Liquid Computing, and Think Liquid are trademarks of BEA Systems, Inc. Accelerated Knowledge Transfer, AKT, BEA Mission Critical Support, BEA Mission Critical Support Continuum, and BEA SOA Self Assessment are service marks of BEA Systems, Inc.

All other names and marks are property of their respective owners.

Contents

1. Interoperability Matrix

- Summary of Interoperability 1-2
- FTP and Email Servers 1-4
- Security Providers 1-4
- Web Service Standards 1-5
- HTTP Standards 1-6
- XPath and XQuery 1-6
- JMS 1-7
- Databases 1-7
- Platform Interoperability 1-7

Interoperability Matrix

AquaLogic Service Bus is an Enterprise-class Service Bus designed for connecting, mediating and managing interactions between heterogeneous services. AquaLogic Service Bus helps accelerate service configuration, integration and deployment, and simplifies management of shared services across the SOA.

AquaLogic Service Bus supports broad compliance with messaging standards including SOAP 1.1, HTTP, JMS, SMTP/POP/IMAP, FTP, SSL, XML 1.0, XML Schema, WSDL 1.1, WSRP 1.0, and WS-Security.

This section includes information about AquaLogic Service Bus interoperability. It includes the following topics:

- [Summary of Interoperability](#)
- [FTP and Email Servers](#)
- [Security Providers](#)
- [Web Service Standards](#)
- [HTTP Standards](#)
- [XPath and XQuery](#)
- [JMS](#)
- [Databases](#)
- [Platform Interoperability](#)

Summary of Interoperability

The following table summarizes the versions of the platforms, standards, FTP servers, and so on, that are certified to interoperate with AquaLogic Service Bus.

Table 1-1 AquaLogic Service Bus Interoperability Matrix

AquaLogic Service Bus Interoperates With . . .	Version . . .	For More Information . . .
FTP and Email Servers	<ul style="list-style-type: none"> • Microsoft Windows IIS • Sol/Apache 	“FTP and Email Servers” on page 1-4
Security Providers	<ul style="list-style-type: none"> • WebLogic Server 9.x (for providers, except XACML authorization provider) • WebLogic Server 9.2 XACML authorization provider 	“Security Providers” on page 1-4
Web Service Standards	<ul style="list-style-type: none"> • SOAP 1.1 • WSDL 1.1 • WebLogic Platform 8.1 SP4 or later (except security) • WS-Security using WebLogic Server 9.x • WebLogic Server 9.x WS-Policy • WS-I 	“Web Service Standards” on page 1-5
HTTP	<ul style="list-style-type: none"> • 1.0 and 1.1 	“HTTP Standards” on page 1-6
XQuery	<ul style="list-style-type: none"> • 1.0 	“XPath and XQuery” on page 1-6
XPath	<ul style="list-style-type: none"> • 2.0 	
JMS	<ul style="list-style-type: none"> • WebLogic Server 9.x JMS • IBM WebSphere MQ/JMS 5.3 • MQ Extended transactional client • Tibco Enterprise Messaging Service 4.2 	AquaLogic Service Bus Interoperability Solutions for JMS and WebSphere MQ

Table 1-1 AquaLogic Service Bus Interoperability Matrix

AquaLogic Service Bus Interoperates With . . .	Version . . .	For More Information . . .
Databases	<ul style="list-style-type: none"> • Oracle 9.2.0.4 and later patch sets of 9.2.x • Oracle 10.1.0.4 and later patch sets of 10.1.x • PointBase 5.1 (in development mode, and non cluster environments only) • DB2 8.2 FixPak2 (equivalent to 8.1 FixPak 9) and later FixPaks • SQL Server 2000 SP3+ • Sybase 12.5.03 and later patch levels of 12.5.x 	. . . about databases and drivers, see Supported Database Configurations in <i>Supported Configurations for AquaLogic Service Bus</i>
Microsoft .NET	<ul style="list-style-type: none"> • 1.1 	“Platform Interoperability” on page 1-7
Apache Axis	<ul style="list-style-type: none"> • 1.2.1 	
WebLogic JMS	<ul style="list-style-type: none"> • WebLogic Platform 8.1 SP4 or later 	
WebLogic Platform	<ul style="list-style-type: none"> • WebLogic Platform 8.1 SP4 or later 	
WebLogic Integration	<ul style="list-style-type: none"> • WebLogic Integration 8.1.x 	
IBM WebSphere MQ	<ul style="list-style-type: none"> • 6.0 	
AquaLogic Service Registry	<ul style="list-style-type: none"> • 2.1 	
Web Services for Remote Portlets (WSRP)	<ul style="list-style-type: none"> • 1.0 	
BEA Tuxedo/WebLogic Tuxedo Connector	<ul style="list-style-type: none"> • 8.1/9.0 	

Table 1-1 AquaLogic Service Bus Interoperability Matrix

AquaLogic Service Bus Interoperates With . . .	Version . . .	For More Information . . .
iWay 5.5 adapters—over Web Services	• 5.5	http://egeneration.bea.com/iwaydocs/iway55/index.html
Cyclone Interchange—over JMS	• 5.4	http://edocs.bea.com/wli/passport/cyclone/ This is a password protected Web site—contact your BEA Sales Representative about the Cyclone Interchange product

FTP and Email Servers

AquaLogic Service Bus is certified against the following FTP and Email servers:

- FTP
 - Microsoft Windows IIS FTP Server
 - Sol/Apache FTP Server
- Email
 - Microsoft Windows IIS SMTP Server
 - Sol/Apache SMTP Server

Security Providers

AquaLogic Service Bus is certified against the following security providers:

- WebLogic Server 9.x default authentication provider
- WebLogic Server 9.x default authorization provider (Deprecated)
- WebLogic Server 9.x default credential mapper
- WebLogic Server 9.x PKI credential mapper
- WebLogic Server 9.x PKI credential provider

- WebLogic Server 9.x Java KeyStores (JKS)
- WebLogic Server 9.x default User Name Token and X509 Token handlers
- WebLogic Server 9.2 XACML authorization provider
- WebLogic Server 9.2 XACML Role Mapping provider
- WebLogic SAML Identity Assertion Provider V2
- WebLogic SAML Credential Mapping Provider V2

For more information about managing and configuring AquaLogic Service Bus security, see [AquaLogic Service Bus Security Guide](#).

Note: The defaults for WebLogic Server 9.2 are the XACML Authorization provider and XACML Role Mapping provider.

Web Service Standards

AquaLogic Service Bus is certified against the following Web Service standards:

- SOAP 1.1
- WSDL 1.1
- WS-Addressing
- WS-Security using WebLogic Server 9.x WS client or WebLogic Server 9.x business services.
- WSDL attached WS-Policies as supported by WebLogic Server 9.0 and 9.1, and 9.2.
- WebLogic Server 9.x WS-Policy—identity, integrity, confidentiality and timestamp assertions.

AquaLogic Service Bus supports a WebLogic Server-proprietary format that is based on the assertions described in the December 18, 2002 version of the Web Services Security Policy Language (WS-SecurityPolicy) specification. This release of AquaLogic Service Bus does not incorporate the latest update of the specification (13 July 2005). While the WS-Policy specification defines both security and reliable messaging assertions, AquaLogic Service Bus supports only security assertions. The syntax and usage of AquaLogic Service Bus security assertions differ from the WS-Policy specification, but the assertions are similar in meaning and are fully compatible with security assertions used in WebLogic Server 9.0 and 9.1, and 9.2 Web services.

Note: WS-ReliableMessaging assertions are not supported.

WS-I

AquaLogic Service Bus includes WS-I compliance. However, in some cases, AquaLogic Service Bus does not reject SOAP/HTTP messages that are not WS-I compliant. This enables you to build implementations with service endpoints which are not strictly WS-I compliant.

When you configure a proxy service or business service, you can use the AquaLogic Service Bus Console to specify whether you want AquaLogic Service Bus to enforce WS-I compliance for the service. When you configure WS-I compliance for a proxy service, WS-I compliance checks are performed when the proxy service receives a message as a response from an invoked service with a Service Callout, a route node, or on a proxy service.

For information about the types of messages to which the compliance checks are applied and the nature of those checks, see “WS-I Compliance” in [Modeling Message Flow in AquaLogic Service Bus](#) in the *AquaLogic Service Bus User Guide*.

HTTP Standards

AquaLogic Service Bus is certified against the following HTTP protocols:

- HTTP 1.0 and 1.1
- Transport-Layer Security (TLS) Secure Sockets Layer (/SSL) protocols

Note: TLS/SSL support is the same as for WebLogic Server 9.x

XPath and XQuery

AquaLogic Service Bus is certified against the following protocols:

- BEA’s implementation of XQuery 1.0—AquaLogic Service Bus uses the BEA AquaLogic Data Services Platform implementation of the XQuery engine.

To learn more, see [XQuery Implementation](#) in the *AquaLogic Service Bus User Guide*.

- BEA’s implementation of XPath 2.0

JMS

AquaLogic Service Bus is certified against the following JMS implementations:

- WebLogic Server 9.2 JMS
- IBM WebSphere MQ/JMS 5.3

For information about AquaLogic Service Bus and JMS and MQ interoperability, see [AquaLogic Service Bus Interoperability Solutions for JMS and WebSphere MQ](#).

Databases

For complete information about supported databases and drivers, see [Supported Database Configurations](#) in *Supported Configurations for AquaLogic Service Bus*.

Platform Interoperability

AquaLogic Service Bus is certified to interoperate with the platforms described in the following table.

Table 1-2 AquaLogic Service Bus Platform Interoperability¹

Interoperability ²	Comment
WS-* and JMS interoperability with WebLogic Platform 8.1 SP4 or later (except for WS-Security)	For information about AquaLogic Service Bus and JMS interoperability, see AquaLogic Service Bus Interoperability Solutions for JMS and WebSphere MQ .
Web Services for Remote Portlets (WSRP) with BEA WebLogic Portal 8.1 and 9.2	For information about AquaLogic Service Bus and WSRP interoperability, see AquaLogic Service Bus Interoperability Solutions for WSRP .
MQ event generator and control in WebLogic Integration 8.1 SP4 or later	
BEA Tuxedo	For information about AquaLogic Service Bus and BEA Tuxedo interoperability, see AquaLogic Service Bus Interoperability Solution for Tuxedo .
Apache Axis 1.2.1	
IBM WebSphere MQ 6.0	

Table 1-2 AquaLogic Service Bus Platform Interoperability¹

BEA AquaLogic Service Registry 2.1	<p>To learn about importing and exporting business services from and to UDDI Registries in general, and AquaLogic Service Registry in particular, see UDDI in the <i>AquaLogic Service Bus User Guide</i>.</p> <p>To learn about AquaLogic Service Registry, see the product documentation at the following URL: http://e-docs.bea.com/alsr/docs21/</p>
Microsoft .NET 1.1	<p>Style-encoding: document-literal, rpc-encoded</p> <ul style="list-style-type: none"> • AquaLogic Service Bus supports document-literal and interoperates with .NET services. • AquaLogic Service Bus interoperates with .NET rpc-encoded services in cases of inbound and outbound (routing/publish). In these cases, interoperability is possible regardless of parameter types. • AquaLogic Service Bus Service Callouts may fail to interoperate with .NET rpc-encoded services. <p>Note: DIME attachments is not supported by AquaLogic Service Bus.</p> <p>.NET 1.1 Security Configurations Limitations</p> <p>The following security configurations in the .NET 1.1 framework are not interoperable with the AquaLogic Service Bus message-level security:</p> <ul style="list-style-type: none"> • Signing the message body from WebLogic to .NET WSE 2.0 (Webservices Security Extension) is interoperable. However, by default, WSE requires additional headers—for example, <code>WS-Addressing</code> and <code>timestamp</code>. Therefore, to make AquaLogic Service Bus message-level security for .NET Web services interoperable, you must remove all of the message predicate other than the message body from .NET security policy configuration • To ensure AquaLogic Service Bus interoperability with .NET, the <i>replay detection attribute</i>, <code><replayDetection></code>, must be set to disabled on the .NET side.

1. See the [BEA AquaLogic Service Bus Release Notes](#) for the latest information about patches or updates that may be required to support your interoperability scenarios.
2. AquaLogic Service Bus is not certified to interoperate with WebLogic Platform 7.0.