



BEA Products

Domain Template Reference

BEA AquaLogic Service Bus™ 2.0
BEA WebLogic Server® 9.0
Document Date: July 2005

Copyright

Copyright © 2005 BEA Systems, Inc. All Rights Reserved.

Restricted Rights Legend

This software and documentation is subject to and made available only pursuant to the terms of the BEA Systems License Agreement and may be used or copied only in accordance with the terms of that agreement. It is against the law to copy the software except as specifically allowed in the agreement. This document may not, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form without prior consent, in writing, from BEA Systems, Inc.

Use, duplication or disclosure by the U.S. Government is subject to restrictions set forth in the BEA Systems License Agreement and in subparagraph (c)(1) of the Commercial Computer Software-Restricted Rights Clause at FAR 52.227-19; subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, subparagraph (d) of the Commercial Computer Software--Licensing clause at NASA FAR supplement 16-52.227-86; or their equivalent.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE SOFTWARE AND DOCUMENTATION ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA Systems DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE SOFTWARE OR WRITTEN MATERIAL IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks or Service Marks

BEA, BEA JRockit, BEA Liquid Data for WebLogic, BEA WebLogic Server, Built on BEA, Jolt, JoltBeans, SteelThread, Top End, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA AquaLogic, BEA AquaLogic Data Services Platform, BEA AquaLogic Enterprise Security, BEA AquaLogic Service Bus, BEA AquaLogic Service Registry, BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Manager, BEA MessageQ, BEA WebLogic Commerce Server, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Enterprise Security, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic Java Adapter for Mainframe, BEA WebLogic JDriver, BEA WebLogic JRockit, BEA WebLogic Log Central, BEA WebLogic Personalization Server, BEA WebLogic Platform, BEA WebLogic Portal, BEA WebLogic Server Process Edition, BEA WebLogic WorkGroup Edition, BEA WebLogic Workshop, and Liquid Computing are trademarks of BEA Systems, Inc. BEA Mission Critical Support is a service mark of BEA Systems, Inc. All other company and product names may be the subject of intellectual property rights reserved by third parties.

All other trademarks are the property of their respective companies.

Contents

Domain Template Reference

Types of Templates	2
Location of Installed Templates	2
Template Tools	3
Template Summary	4
Relationships Between Templates	5
WebLogic Server Resources as a Prerequisite	5
Relationships Between Templates	5
Files Typically Included in a Template	6
Basic WebLogic Server Domain Template	9
Generated Domain Output	9
Resources and Services Configured	13
AquaLogic Service Bus Extension Template	15
Generated Domain Output	15
Resources and Services Configured	20
Avitek Medical Records Sample Domain Template	25
Generated Domain Output	25
Resources and Services Configured	32
WebLogic Beehive Extension Template	35
Generated Domain Output	35
Resources and Services Configured	40
WebLogic Conversational Web Services Extension Template	44

Generated Domain Output	45
Resources and Services Configured	49
WebLogic Server Default Domain Extension Template	51
Generated Domain Output	52
Resources and Services Configured	56
WebLogic Server Examples Extension Template	58
Generated Domain Output	58
Resources and Services Configured	64

Domain Template Reference

This document provides general information about templates in the following topics:

- [“Types of Templates” on page 2](#)
- [“Location of Installed Templates” on page 2](#)
- [“Template Tools” on page 3](#)
- [“Template Summary” on page 4](#)
- [“Relationships Between Templates” on page 5](#)
- [“Files Typically Included in a Template” on page 6](#)

This document also provides detailed reference information for each template:

- [“Basic WebLogic Server Domain Template” on page 9](#)
- [“AquaLogic Service Bus Extension Template” on page 15](#)
- [“Avitek Medical Records Sample Domain Template” on page 25](#)
- [“WebLogic Beehive Extension Template” on page 35](#)
- [“WebLogic Conversational Web Services Extension Template” on page 44](#)
- [“WebLogic Server Default Domain Extension Template” on page 51](#)
- [“WebLogic Server Examples Extension Template” on page 58](#)

Types of Templates

The term *template* refers to a Java Archive (JAR) file that contains the files and scripts required to create or extend a domain. The types of template include:

- *Domain template*—defines the full set of resources within a domain, including infrastructure components, applications, services, security options, and general environment and operating system options.

The product installation includes a predefined Basic WebLogic Server Domain template. This template defines the core set of resources within a domain, including an Administration Server and basic configuration information. Complete details are provided in [“Basic WebLogic Server Domain Template” on page 9](#).

You can also create a custom domain template from an existing domain using the Domain Template Builder or the `pack` command. Using the Domain Template Builder, you can also create a custom domain template from an existing template.

- *Extension template*—defines the applications and services that you can add to an existing domain, including product component functionality and resources such as JDBC or JMS.

The product installation includes several predefined extension templates. For a summary of extension templates, see [“Template Summary” on page 4](#).

You can also create a custom extension template from an existing domain or template using the Domain Template Builder.

- *Managed Server template* – defines the subset of resources within a domain that are required to create a Managed Server domain directory on a remote machine. You can create a custom Managed Server template using the `pack` command. Complete details are provided in [Creating Templates and Domains Using the pack and unpack Commands](#).

Location of Installed Templates

The following table identifies the location of the predefined templates provided with your product installation, where `WL_HOME` represents the product installation directory.

Table 1 Location of Templates

Type of Template	Directory Location
Domain	<code>WL_HOME\common\templates\domains</code>
Extension	<code>WL_HOME\common\templates\applications</code>

Template Tools

The following table identifies the tools with which you can templates and the tools with which you can use templates to create or extend a domain.

Table 2 Template Tools

To . . .	Use this tool . . .
Create a new domain	<ul style="list-style-type: none"> • Configuration Wizard • WLST Offline • <code>unpack</code> command
Extend an existing domain	<ul style="list-style-type: none"> • Configuration Wizard • WLST Offline
Create a new Managed Server domain on a remote machine	<code>unpack</code> command
Create a domain template	<ul style="list-style-type: none"> • Domain Template Builder • <code>pack</code> command • WLST Offline
Create an extension template	Domain Template Builder
Create a Managed Server template	<code>pack</code> command

Note: All the tools used to create or extend a domain leverage a common underlying infrastructure, referred to generically as the *Configuration Wizard framework*.

- For information about using the Configuration Wizard, see [Creating WebLogic Domains Using the Configuration Wizard](#).
- For information about using the WLST Offline, see [WebLogic Scripting Tool](#).
- For information about using the `pack/unpack` commands, see [Creating Templates and Domains Using the pack and unpack Commands](#).
- For information about using the Domain Template Builder, see [Creating Templates Using the Domain Template Builder](#).

Template Summary

The following table summarizes the predefined templates that may be provided in your product installation.

Table 3 Summary of Installed Templates

Template	Filename	Description
Domain Template		
Basic WebLogic Server Domain	wls.jar	Creates a base WebLogic Server domain.
Extension Templates		
AquaLogic Service Bus Extension	wlsb.jar	Extends the base WebLogic Server domain by providing the resources required to support AquaLogic Service Bus.
Avitek Medical Records Sample Domain	medrec.jar	Extends the base WebLogic Server domain to create the Avitek Medical Records sample domain. This domain is a WebLogic Server sample application suite that concisely demonstrates all aspects of the J2EE platform.
WebLogic Beehive Extension	weblogic-beehive.jar	Extends the base WebLogic Server domain to create a WebLogic Beehive domain. Adds required Beehive libraries to support run-time use of controls. Note: Resources from the WebLogic Conversational Web Services extension template are required to create a complete WebLogic Beehive domain.
WebLogic Conversational Web Services Extension	wls_conv.jar	Extends the base WebLogic Server domain to add support for conversational Web services.

Table 3 Summary of Installed Templates

Template	Filename	Description
WebLogic Server Default Domain	wls_default.jar	Extends the base WebLogic Server domain with a Web application designed to guide new users through an introduction to WebLogic Server. When running the Web application, users can review informative content on various topics, including highlights of WebLogic Server functionality. From the Web application, users can also run several pre-configured, pre-compiled examples. Resources from this extension template are required for a WebLogic Server Examples domain.
WebLogic Server Examples	wls_examples.jar	Extends the WebLogic Server domain containing resources from the base WebLogic Server domain template and the WebLogic Server Default Domain extension template to create a complete WebLogic Server Examples domain. The WebLogic Server Examples domain contains a collection of examples that illustrate best practices for coding individual J2EE and WebLogic Server APIs.

Relationships Between Templates

This section provides the following topics:

- [“WebLogic Server Resources as a Prerequisite” on page 5](#)
- [“Relationships Between Templates” on page 5](#)

WebLogic Server Resources as a Prerequisite

WebLogic Server resources must already be set up in your domain before you can add resources from an extension template. When you select an extension template, the Configuration Wizard framework checks to make sure the required resources are available for you.

Relationships Between Templates

You can create a base WebLogic domain using the predefined basic WebLogic Server domain template or you can create a base WebLogic domain and extend it incrementally using the

extension templates. The following table shows the relationship between the templates and the domains created.

Table 4 Relationships Between Templates

This type of domain . . .	Requires resources from these templates . . .
AquaLogic Service Bus	Basic WebLogic Server Domain template, <code>wls.jar</code> + AquaLogic Service Bus Extension template, <code>wlsb.jar</code>
Avitek Medical Records Sample	Basic WebLogic Server Domain template, <code>wls.jar</code> + Avitek Medical Records Sample Domain extension template, <code>medrec.jar</code>
WebLogic Beehive	Basic WebLogic Server Domain template, <code>wls.jar</code> + WebLogic Beehive Extension template, <code>weblogic-beehive.jar</code> + WebLogic Conversational Web Services extension template, <code>wls_conv.jar</code>
WebLogic Conversational Web Services	Basic WebLogic Server Domain template, <code>wls.jar</code> + WebLogic Conversational Web Services extension template, <code>wls_conv.jar</code>
WebLogic Server (base)	Basic WebLogic Server Domain template, <code>wls.jar</code>
WebLogic Server Default	Basic WebLogic Server Domain template, <code>wls.jar</code> + WebLogic Server Default Domain extension template, <code>wls_default.jar</code>
WebLogic Server Examples	Basic WebLogic Server Domain template, <code>wls.jar</code> + WebLogic Server Default Domain extension template, <code>wls_default.jar</code> + WebLogic Server Examples extension template, <code>wls_examples.jar</code>

Files Typically Included in a Template

The basic files included in any template are `config.xml` and `template-info.xml`. There are additional files in the predefined templates that are the basis for creating or extending a domain. The following table describes the files typically included in a domain or extension template.

Table 5 Files Included in a Template

Filename	Description
<i>product component files</i>	Various files to complete the domain setup for a specific BEA product component. Such files may provide information for security and default database settings.
*-jdbc.xml	Sets up or extends a domain with JDBC system resources required by a product component. In a template, the *-jdbc.xml files must be located in the config\jdbc directory.
*-jms.xml	Sets up or extends a domain with JMS system resources required by a product component. In a template, the *-jms.xml files must be located in the config\jms directory.
clusters.script	<p>Used to modify the Configuration Wizard framework's default auto-configuration of a cluster. By default, resources are targeted to the cluster. You can unassign a resource from the cluster and then assign it to another component. To specify a target, you can use the following replacement variables:</p> <ul style="list-style-type: none"> • %AManagedServer% — Any Managed Server • %AllManagedServers% — Comma-separated list of all Managed Servers • %AdminServer% — Administration Server name • %Cluster% — Cluster name • %ProxyServer% — Proxy server name • %HTTPProxyApp% — http proxy application definition <p>Note the following additional considerations:</p> <ul style="list-style-type: none"> • You must use the name attribute of an object that is to be replaced. • You can use an asterisk (*) as a wildcard for "All." <p>In a template, the clusters.script file must be located in the script directory.</p>
config.xml	Sets up or extends the domain configuration. In a template, the config.xml file must be located in the config directory.

Table 5 Files Included in a Template

Filename	Description
<code>jdbc.index</code>	<p>Identifies the locations of SQL scripts used to set up a database. The file lists the scripts in the order in which they must be run. If the scripts are not contained in the template, but are located in the product installation directory, the location can be referenced by a tilde (~) character. For example:</p> <pre>~/integration/common/dbscripts/oracle/reporting_runtime.sql</pre> <p>The tilde references the directory path identified in the <code>\$USER_INSTALL_DIR\$</code> variable in the <code>stringsubs.xml</code> file.</p> <p>In a template, a <code>jdbc.index</code> file must be located in the <code>_jdbc_\dbtype\dbversion</code> directory, where <code>dbtype</code> is the type of database, such as Oracle, and <code>dbversion</code> is the database version, such as 9i.</p>
<code>security.xml</code>	Used to create user groups and roles that establish identity and access to domain resources. You can create the default Admin user only through the <code>security.xml</code> in a <i>domain</i> template. However, you can create user groups and roles through the <code>security.xml</code> included in either a domain or an extension template.
<code>startmenu.xml</code>	Used to create Windows start menu entries.
<code>startscript.xml</code>	Used to create the <code>*.cmd</code> and <code>*.sh</code> files that are placed into a domain's root and <code>bin</code> directories.
<code>stringsubs.xml</code>	Identifies string substitution values and the files that will receive string substitutions during domain creation or extension. The files that will receive string substitutions must already be prepared with replacement variables. During domain creation or extension, the Configuration Wizard framework runs macros to replace variables with the appropriate string substitution, using information from <code>WL_HOME\common\lib\macrorules.xml</code> , where <code>WL_HOME</code> is the product installation directory.
<code>template-info.xml</code>	Provides template identification information, such as the template name, software version, type of template (domain or application), author, description, etc.

Basic WebLogic Server Domain Template

Your product installation provides one predefined base WebLogic Server domain template. All other predefined templates are extension templates that you may use to add resources, services, and applications to a base WebLogic Server domain. You can easily create or extend a domain by using these predefined templates with the Configuration Wizard or WLST.

- [“Generated Domain Output” on page 9](#)
- [“Resources and Services Configured” on page 13](#)

Generated Domain Output

The Basic WebLogic Server Domain template allows you to create a simple WebLogic Server domain. By default, when using the Basic WebLogic Server Domain template, you generate a domain that contains only the required components: an Administration Server and a single administrative user. Any required applications must be created and configured within the domain.

The following table defines the default directory structure and files generated by the Basic WebLogic Server Domain template. Unless otherwise specified, by default, the Configuration Wizard framework creates the domain in the

BEA_HOME\user_projects\domains\base_domain directory. If you modify the default configuration settings, the output directory structure may be different from the structure described here.

Table 6 Output Generated from the Basic WebLogic Server Domain Template

Directory	File	Description
user_projects\applications\base_domain\		
	n.a.	Directory serving as a placeholder for any custom application files that you create.
user_projects\domains\base_domain\		
	fileRealm.properties	File containing ACLs, users, and groups that can be used for the default security realm when Compatibility security is used.
	startWebLogic.cmd	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	startWebLogic.sh	

Table 6 Output Generated from the Basic WebLogic Server Domain Template

Directory	File	Description
autodeploy\	readme.txt	File providing information about the directory, which is serving as a placeholder for automatic deployments.
bin\	setDomainEnv.cmd setDomainEnv.sh	Scripts used to set up the development environment on Windows and UNIX systems, respectively.
	startManagedWebLogic.cmd startManagedWebLogic.sh	Scripts used to start a Managed Server on Windows and UNIX systems, respectively.
	startPointBaseConsole.cmd startPointBaseConsole.sh	Scripts used to start the PointBase console on Windows and UNIX systems, respectively.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	stopManagedWebLogic.cmd stopManagedWebLogic.sh	Scripts used to stop a Managed Server on Windows and UNIX systems, respectively.
	stopWebLogic.cmd stopWebLogic.sh	Scripts used to stop the Administration Server on Windows and UNIX systems, respectively.
	config\	config.xml
config\deployments\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for staging an application when the application’s staging mode is “staged.”

Table 6 Output Generated from the Basic WebLogic Server Domain Template

Directory	File	Description
config\diagnostics\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for the system modules associated with instrumentation in the WebLogic Diagnostic Framework (WLDF).
config\jdbc\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JDBC modules that can be configured directly from JMX (as opposed to JSR-88).
config\jms\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JMS modules that can be configured directly from JMX (as opposed to JSR-88).
config\lib\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for JAR files that are added to the system classpath of the server when the server's Java virtual machine starts.
config\nodemanager\	nm_password.properties	File containing Node Manager password property values.
config\security\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules for the security framework. The directory contains one security provider configuration extension for each of the kinds of security provider in the domain's current realm.
config\startup\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules that contain startup plans. Startup plans are used to generate shell scripts that can be used as part of server startup.
console-ext\	readme.txt	File providing information about the directory, which is serving as a placeholder for custom extensions to the WebLogic Server Administration Console.

Table 6 Output Generated from the Basic WebLogic Server Domain Template

Directory	File	Description
init-info\	domain-info.xml	File used to identify domain creation and extension information. Such information includes the identity of the components in the domain, the location of the JDK and applications directory used by the domain, and the templates used to create and extend the domain.
	security.xml	File used for creating user groups and roles that establish identity and access to domain resources.
	startscript.xml	File used to create the *.cmd and *.sh files that are placed into the domain's root and bin directories.
	tokenValue.properties	File that contains the actual values to substitute for the tokens specified in the start scripts.
lib\	readme.txt	File providing information about the directory, which is serving as a placeholder for the domain's libraries. The JAR files in this directory are added dynamically to the end of the server classpath at server startup.
security\	DefaultAuthenticatorInit.ldif DefaultRoleMapperInit.ldif	Files used for bootstrapping tasks, including authentication (user and group), authorization, and role mapping. These files contain LDAP-specific information.
	SerializedSystemIni.dat	File containing encrypted security information.

Table 6 Output Generated from the Basic WebLogic Server Domain Template

Directory	File	Description
servers\AdminServer\security\ \	boot.properties	<p>File containing server startup properties, including the user name and password required to boot the server (in encrypted format). It is generated only when you select development startup mode.</p> <p>This file enables you to bypass the prompt for user name and password during a server's startup cycle. For more information, see "Provide User Credentials to Start and Stop Servers" in "Starting and Stopping Servers" in <i>Managing Server Startup and Shutdown</i> at the following URL: http://e-docs.bea.com/wls/docs90/server_start/overview.html</p>
user_staged_config\ \	readme.txt	File providing information about the directory, which is serving as a placeholder for configuration information optionally staged by an administrator to be copied to managed servers in the domain.

Resources and Services Configured

The following table identifies the resources and services configured in a domain created with the Basic WebLogic Server Domain template.

Table 7 Resources Configured in a Basic WebLogic Server Domain

Resource Type	Name	Notes
Administration Server	AdminServer	<p>When using the Configuration Wizard or WLST Offline to create a new domain, and you want the Administration Server name to be different from the default name, <code>AdminServer</code>, you must configure the name manually. You cannot change the name afterwards when applying an extension template.</p> <ul style="list-style-type: none"> For information about customizing the Administration Server name while creating a domain with the Configuration Wizard, see “Configure the Administration Server” in “Customizing the Environment” in <i>Creating WebLogic Domains Using the Configuration Wizard</i>. For information about customizing the Administration Server name while creating a domain with WLST Offline, see “Creating and Configuring WebLogic Domains Using WLST Offline” in <i>WebLogic Scripting Tool</i>. <p>The following sample WLST Offline code snippet shows how to change the default Administration Server name, <code>AdminServer</code>, to <code>MedRecServer</code>.</p> <pre>#----- #Read the Basic WebLogic Server Domain template readTemplate ('d:/bea/weblogic90/commo n/templates/domains/wls.jar') #Change the Administration Server name. cd ('Servers/AdminServer') set ('Name', 'MedRecServer') #-----</pre>
Security realm	myrealm	n.a.

AquaLogic Service Bus Extension Template

Using the Configuration Wizard or WLST, you can easily extend a base WebLogic Server domain to create an AquaLogic Service Bus domain. You accomplish this by adding the resources and services provided in the AquaLogic Service Bus extension template to a base WebLogic Server domain.

- [“Generated Domain Output” on page 15](#)
- [“Resources and Services Configured” on page 20](#)

Note: Using the Configuration Wizard in graphical mode, you can easily create a new AquaLogic Service Bus domain by checking the AquaLogic Service Bus check box in the **Select Domain Source** window. The result is the same as creating a base WebLogic Server domain first and then extending that domain with the AquaLogic Service Bus extension template. For more information about the templates required to create an AquaLogic Service Bus domain, see [“Relationships Between Templates” on page 5](#).

Generated Domain Output

The following table defines the default directory structure and files generated after applying the AquaLogic Service Bus extension template to a base WebLogic Server domain. Unless otherwise specified, by default, the Configuration Wizard creates the domain in the *BEA_HOME\user_projects\domains\base_domain* directory. If you modify the default configuration settings, the output directory structure may be different from the structure described here.

Table 8 Base Domain After Applying AquaLogic Service Bus Extension Template

Directory	File	Description
user_projects\applications\base_domain\		
	n.a.	Directory serving as a placeholder for any custom application files that you create.
user_projects\domains\base_domain\		
	fileRealm.properties	File containing ACLs, users, and groups that can be used for the default security realm when Compatibility security is used.
	pointbase.ini	File containing initialization information for a PointBase JDBC database.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	URLs.dat	File containing the URL for the JDBC database.
autodeploy\	readme.txt	File providing information about the directory, which is serving as a placeholder for automatic deployments.

Table 8 Base Domain After Applying AquaLogic Service Bus Extension Template

Directory	File	Description
bin\	setDomainEnv.cmd setDomainEnv.sh	Scripts used to set up the development environment on Windows and UNIX systems, respectively.
	startManagedWebLogic.cmd startManagedWebLogic.sh	Scripts used to start a Managed Server on Windows and UNIX systems, respectively.
	startPointBaseConsole.cmd startPointBaseConsole.sh	Scripts used to start the PointBase console on Windows and UNIX systems, respectively.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	stopManagedWebLogic.cmd stopManagedWebLogic.sh	Scripts used to stop a Managed Server on Windows and UNIX systems, respectively.
	stopWebLogic.cmd stopWebLogic.sh	Scripts used to stop the Administration Server on Windows and UNIX systems, respectively.
	config\ config.xml	File containing the configuration information used by the Administration Server. For more information, see “Domain Configuration Files” in <i>Understanding Domain Configuration</i> at the following URL: http://e-docs.bea.com/wls/docs90/domain_config/config_files.html
config\deployments\ readme.txt	File providing information about the directory, which is serving as a placeholder. Used for staging an application when the application’s staging mode is “staged.”	

Table 8 Base Domain After Applying AquaLogic Service Bus Extension Template

Directory	File	Description
config\diagnostics\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for the system modules associated with instrumentation in the WebLogic Diagnostic Framework (WLDF).
config\jdbc\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JDBC modules that can be configured directly from JMX (as opposed to JSR-88).
	wlsbjmsrpDataSource-jdbc.xml	Global non-XA JDBC data source module for the AquaLogic Service Bus domain.
config\jms\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JMS modules that can be configured directly from JMX (as opposed to JSR-88).
	xbusResources-jms.xml	Global JMS module for the AquaLogic Service Bus domain.
config\lib\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for JAR files that are added to the system classpath of the server when the server's Java virtual machine starts.
config\nodemanager\	nm_password.properties	File containing Node Manager password property values.
config\security\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules for the security framework. The directory contains one security provider configuration extension for each of the kinds of security provider in the domain's current realm.
config\startup\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules that contain startup plans. Startup plans are used to generate shell scripts that can be used as part of server startup.

Table 8 Base Domain After Applying AquaLogic Service Bus Extension Template

Directory	File	Description
console-ext\	readme.txt	File providing information about the directory, which is serving as a placeholder for custom extensions to the WebLogic Server Administration Console.
init-info\	domain-info.xml	File used to identify domain creation and extension information. Such information includes the identity of the components in the domain, the location of the JDK and applications directory used by the domain, and the templates used to create and extend the domain.
	security.xml	File used for creating user groups and roles that establish identity and access to domain resources.
	startscript.xml	File used to create the *.cmd and *.sh files that are placed into the domain's root and bin directories.
	tokenValue.properties	File that contains the actual values to substitute for the tokens specified in the start scripts.
lib\	readme.txt	File providing information about the directory, which is serving as a placeholder for the domain's libraries. The JAR files in this directory are added dynamically to the end of the server classpath at server startup.
rmfilestore\		Directory serving as a disk-based file store to store persistent messages and durable subscribers.
security\	DefaultAuthenticatorInit.ldift DefaultAuthorizerInit.ldift DefaultRoleMapperInit.ldift	Files used for bootstrapping tasks, including authentication (user and group), authorization, and role mapping. These files contain LDAP-specific information.
	SerializedSystemIni.dat	File containing encrypted security information.

Table 8 Base Domain After Applying AquaLogic Service Bus Extension Template

Directory	File	Description
servers\AdminS erver\Security \	boot.properties	File containing server startup properties, including the user name and password required to boot the server (in encrypted format). It is generated only when you select development startup mode. This file enables you to bypass the prompt for user name and password during a server's startup cycle. For more information, see "Provide User Credentials to Start and Stop Servers" in "Starting and Stopping Servers" in <i>Managing Server Startup and Shutdown</i> at the following URL: http://e-docs.bea.com/wls/docs90/server_start/overview.html
user_staged_co nfig\	readme.txt	File providing information about the directory, which is serving as a placeholder for configuration information optionally staged by an administrator to be copied to managed servers in the domain.

Resources and Services Configured

The following table identifies the resources and services configured in a domain extended with the AquaLogic Service Bus extension template.

Table 9 Resources Configured in an AquaLogic Service Bus Domain

Resource Type	Name	Extension Result
Administration Server	AdminServer	<p>Uses the Administration Server provided in the base WebLogic Server domain. The default name is <code>AdminServer</code>, unless changed during domain creation. The Administration Server referenced in the extension template is <code>xbusServer</code>.</p> <p>For information about naming the Administration Server during domain creation, see “Resources and Services Configured” on page 13.</p>

Table 9 Resources Configured in an AquaLogic Service Bus Domain

Resource Type	Name	Extension Result
Application Deployments	Email Transport Provider	Adds the application and targets it to the Administration Server, AdminServer.
	File Transport Provider	Adds the application and targets it to the Administration Server, AdminServer.
	Ftp Transport Provider	Adds the application and targets it to the Administration Server, AdminServer.
	JMS Reporting Provider	Adds the application and targets it to the Administration Server, AdminServer.
	ServiceBus_Console	Adds the application and targets it to the Administration Server, AdminServer.
	WLI Aggregator	Adds the application and targets it to the Administration Server, AdminServer.
	WLI Common	Adds the application and targets it to the Administration Server, AdminServer.
	WLI/XBus Configuration System	Adds the application and targets it to the Administration Server, AdminServer.
	WLSB Logging	Adds the application and targets it to the Administration Server, AdminServer.
	WLSB Publish	Adds the application and targets it to the Administration Server, AdminServer.
	WLSB Routing	Adds the application and targets it to the Administration Server, AdminServer.
	WLSB Transform	Adds the application and targets it to the Administration Server, AdminServer.
	XBus Kernel	Adds the application and targets it to the Administration Server, AdminServer. The application includes the / (slash) WAR and kerneladmin EJB modules, which are also targeted to AdminServer.

Table 9 Resources Configured in an AquaLogic Service Bus Domain

Resource Type	Name	Extension Result
File Stores	FileStore	Adds the file store to be used as the persistent store for the JMS server, <code>wlsbjmsserver</code> .
JDBC Data Source	<code>wlsbjmsrpDataSource</code>	Identifies the JDBC data source as a <code>wlsbjmsrpDataSource</code> system resource.
JDBC System Resources	<code>wlsbjmsrpDataSource</code>	Identifies the JDBC data source and connection pool setup to be used for JDBC system resources and targets the resources to the Administration Server, <code>AdminServer</code> .
JMS Connection Factories	<code>weblogic.wlsb.jms.transporttask.QueueConnectionFactory</code>	Adds the JMS connection factory as a <code>jmsResources</code> system resource and targets it to the Administration Server, <code>AdminServer</code> .
	<code>wli.reporting.jmsprovider.NonXAConnectionFactory</code>	Adds the JMS connection factory as a <code>jmsResources</code> system resource and targets it to the Administration Server, <code>AdminServer</code> .
	<code>wli.reporting.jmsprovider.XAConnectionFactory</code>	Adds the JMS connection factory as a <code>jmsResources</code> system resource and targets it to the Administration Server, <code>AdminServer</code> .

Table 9 Resources Configured in an AquaLogic Service Bus Domain

Resource Type	Name	Extension Result
JMS Queues	<code>xbus.internal.monitoring.queue</code>	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
	<code>wlsb.internal.transport.task.queue.email</code>	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
	<code>wlsb.internal.transport.task.queue.file</code>	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
	<code>wlsb.internal.transport.task.queue.ftp</code>	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
	<code>QueueIn</code>	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
	<code>wli.reporting.jmsprovider.queue</code>	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
JMS Servers	<code>wlsbJMSServer</code>	Adds the JMS server as a <code>jmsResources</code> system resource and targets it to the Administration Server, <code>AdminServer</code> .
JMS System Resources	<code>jmsResources</code>	Identifies the JMS servers, connection factories, and queues to be used for JMS system resources, and targets the resources to the Administration Server, <code>AdminServer</code> .
Security realm	<code>myrealm</code>	Uses the security realm provided by the base WebLogic Server domain.

Table 9 Resources Configured in an AquaLogic Service Bus Domain

Resource Type	Name	Extension Result
Web Services Security	__SERVICE_BUS_INBOUND_WEB_SERVICE_SECURITY_MBEAN__	Adds the inbound Web Services security configuration, including the default_x509_handler and default_ut_handler token handlers and the ServiceBusProviderUNT and ServiceBusProviderX509 credential providers.
	__SERVICE_BUS_OUTBOUND_WEB_SERVICE_SECURITY_MBEAN__	Adds the outbound Web Services security configuration, including the default_x509_handler and default_ut_handler token handlers and the ServiceBusProviderUNT and ServiceBusProviderX509 credential providers.

Avitek Medical Records Sample Domain Template

Using the Configuration Wizard or WLST, you can easily extend a base WebLogic Server domain to create an Avitek Medical Records Sample domain. You accomplish this by adding the resources and services provided in the Avitek Medical Records Sample domain extension template to a base WebLogic Server domain.

- “Generated Domain Output” on page 25
- “Resources and Services Configured” on page 32

For more information about the Avitek Medical Records sample application, see [WebLogic Server Application Examples and Tutorials](#).

Generated Domain Output

The following table defines the default directory structure and files generated after applying the Avitek Medical Records Sample Domain extension template to a base WebLogic Server domain. Unless otherwise specified, by default, the Configuration Wizard creates the domain in the `BEA_HOME\user_projects\domains\base_domain` directory. If you modify the default configuration settings, the output directory structure may be different from the structure described here.

Table 10 Base Domain After Applying the Avitek Medical Records Sample Extension Template

Directory	File	Description
user_projects\applications\base_domain\		
build\	Various	Includes Avitek Medical Records split directory deployments.
console-extens ion\	Various	Includes sub-directories containing various files used to demonstrate extending the WebLogic Server Administration Console with a different look and feel.
dist\	Various	Includes sub-directories containing various files of the Avitek Medical Records applications in an exploded (unarchived) directory format.
doc\	Various	Directory and files containing the Avitek Medical Records online documentation.
lib\	Various	Includes sub-directories containing library files supporting the Avitek Medical Records sample.
setup\	build.xml	Ant build file used with corresponding scripts to set up a database for the Avitek Medical Records sample.
setup\db\	medrec_mysql.ddl medrec_mysql_data.d ddl medrec_oracle.ddl medrec_oracle_data. ddl medrec_pointbase.dd l medrec_pointbase_da ta.ddl	SQL scripts used to set up different databases that can be used with the Avitek Medical Records sample.
src\	Various	Includes sub-directories containing Avitek Medical Records source code including various Java, XML, JSP, HTML files, etc.
user_projects\domains\base_domain\		

Table 10 Base Domain After Applying the Avitek Medical Records Sample Extension Template

Directory	File	Description
	democa.pem	Provides sample SSL protocol support for servers in the domain.
	fileRealm.properties	File containing ACLs, users, and groups that can be used for the default security realm when Compatibility security is used.
	log4jConfig.xml	Configures Avitek Medical Records Log4j implementation including the MedRecApp.log file.
	pointbase.ini	File containing initialization information for a PointBase JDBC database.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
autodeploy\	readme.txt	File providing information about the directory, which is serving as a placeholder for automatic deployments.

Table 10 Base Domain After Applying the Avitek Medical Records Sample Extension Template

Directory	File	Description
bin\	setDomainEnv.cmd setDomainEnv.sh	Scripts used to set up the development environment on Windows and UNIX systems, respectively.
	startManagedWebLogic.cmd startManagedWebLogic.sh	Scripts used to start a Managed Server on Windows and UNIX systems, respectively.
	startPointBaseConsole.cmd startPointBaseConsole.sh	Scripts used to start the PointBase console on Windows and UNIX systems, respectively.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	stopManagedWebLogic.cmd stopManagedWebLogic.sh	Scripts used to stop a Managed Server on Windows and UNIX systems, respectively.
	stopWebLogic.cmd stopWebLogic.sh	Scripts used to stop the Administration Server on Windows and UNIX systems, respectively.
config\	config.xml	File containing the configuration information used by the Administration Server. For more information, see “Domain Configuration Files” in <i>Understanding Domain Configuration</i> at the following URL: http://e-docs.bea.com/wls/docs90/domain_config/config_files.html
config\deployments\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for staging an application when the application’s staging mode is “staged.”

Table 10 Base Domain After Applying the Avitek Medical Records Sample Extension Template

Directory	File	Description
config\diagnostics\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for the system modules associated with instrumentation in the WebLogic Diagnostic Framework (WLDF).
	MedRecWLDF.xml	Diagnostic descriptor information for the Avitek Medical Records diagnostics instrumentation.
config\jdbc\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JDBC modules that can be configured directly from JMX (as opposed to JSR-88).
	MedRecGlobalDataSource-jdbc.xml	Global non-XA JDBC Data Source module for the Avitek Medical Records domain.
	MedRecGlobalDataSourceXA-jdbc.xml	Global XA JDBC Data Source module for the Avitek Medical Records domain.
config\jms\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JMS modules that can be configured directly from JMX (as opposed to JSR-88).
	MedRec-jms.xml	Global JMS module for the Avitek Medical Records domain.
config\lib\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for JAR files that are added to the system classpath of the server when the server's Java virtual machine starts.
config\nodemanager\	nm_password.properties	File containing Node Manager password property values.
config\security\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules for the security framework. The directory contains one security provider configuration extension for each of the kinds of security provider in the domain's current realm.

Table 10 Base Domain After Applying the Avitek Medical Records Sample Extension Template

Directory	File	Description
config\startup\ \	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules that contain startup plans. Startup plans are used to generate shell scripts that can be used as part of server startup.
console-ext\ 	readme.txt	File providing information about the directory, which is serving as a placeholder for custom extensions to the WebLogic Server Administration Console.
	medrec-admin-ext.jar	File used to demonstrate an extension to the WebLogic Server Administration Console that modifies its look and feel.
incoming\ 	StJohnHospital.xml	Location where XML files containing fictitious patient names are uploaded by the Administration application of the Avitek Medical Records sample application.
init-info\ 	domain-info.xml	File used to identify domain creation and extension information. Such information includes the identity of the components in the domain, the location of the JDK and applications directory used by the domain, and the templates used to create and extend the domain.
	security.xml	File used for creating user groups and roles that establish identity and access to domain resources.
	startscript.xml	File used to create the *.cmd and *.sh files that are placed into the domain's root and bin directories.
	tokenValue.properties	File that contains the actual values to substitute for the tokens specified in the start scripts.

Table 10 Base Domain After Applying the Avitek Medical Records Sample Extension Template

Directory	File	Description
lib\	readme.txt	File providing information about the directory, which is serving as a placeholder for the domain's libraries. The JAR files in this directory are added dynamically to the end of the server classpath at server startup.
	log4j.jar wllog4j.jar	Libraries used by the Avitek Medical Records domain.
medrecWseeFileStore\ physicianFileStore\ rmfilestore\ security\ DefaultAuthenticatorInit.ldift DefaultAuthorizerInit.ldift DefaultRoleMapperInit.ldift MedRecDBMSPlugin.jar SerializedSystemIni.dat		File store used by the Avitek Medical Records application. File store used by the Physician application. File store used by system resources. Files used for bootstrapping tasks, including authentication (user and group), authorization, and role mapping. These files contain LDAP-specific information. A CustomDBMSAuthenticatorPlugin used to validate a user/password against a DBMS for the Avitek Medical Records sample application. File containing encrypted security information.

Table 10 Base Domain After Applying the Avitek Medical Records Sample Extension Template

Directory	File	Description
servers\AdminS erver\Security \	boot.properties	<p>File containing server startup properties, including the user name and password required to boot the server (in encrypted format). It is generated only when you select development startup mode.</p> <p>This file enables you to bypass the prompt for user name and password during a server's startup cycle. For more information, see "Provide User Credentials to Start and Stop Servers" in "Starting and Stopping Servers" in <i>Managing Server Startup and Shutdown</i> at the following URL: http://e-docs.bea.com/wls/docs90/server_start/overview.html</p>
user_staged_co nfig\	readme.txt	File providing information about the directory, which is serving as a placeholder for configuration information optionally staged by an administrator to be copied to managed servers in the domain.

Resources and Services Configured

The following table identifies the resources and services configured in a domain extended with the Avitek Medical Records Sample extension template.

Table 11 Resources Configured in an Avitek Medical Records Domain

Resource Type	Name	Extension Result
Administration Server	AdminServer	<p>Uses the Administration Server provided in the base WebLogic Server domain. The default name is <code>AdminServer</code>, unless changed during domain creation. The Administration Server referenced in the extension template is <code>MedRecServer</code>.</p> <p>For information about naming the Administration Server during domain creation, see “Resources and Services Configured” on page 13.</p>
Application Deployments	InitEAR	Adds the <code>InitEAR</code> Web application and targets it to the Administration Server, <code>AdminServer</code> .
	MedRecEAR	Adds the <code>MedRecEAR</code> Web application and targets it to the Administration Server, <code>AdminServer</code> .
	PhysicianEAR	Adds the <code>PhysicianEAR</code> Web application and targets it to the Administration Server, <code>AdminServer</code> .
	StartBrowserEAR	Adds the <code>StartBrowserEAR</code> Web application and targets it to the Administration Server, <code>AdminServer</code> .
File Stores	FileStore	Adds the file store and targets the store to the Administration Server, <code>AdminServer</code> .
	MedRecWseeFileStore	Adds the file store to be used as the persistent store for the JMS server, <code>MedRecWseeJMSServer</code> , and targets the store to the Administration Server, <code>AdminServer</code> .
	PhysicianFileStore	Adds the file store and targets the store to the Administration Server, <code>AdminServer</code> .

Table 11 Resources Configured in an Avitek Medical Records Domain

Resource Type	Name	Extension Result
JDBC Data Sources	MedRecGlobalDataSource	Identifies the JDBC data source as a MedRecGlobalDataSource system resource.
	MedRecGlobalDataSourceXA	Identifies the JDBC data source as a MedRecGlobalDataSourceXA system resource.
JDBC Store	MedRecJMSJDBCStore	Adds the JDBC store to be used with the JDBC data source, MedRecGlobalDataSource, and as the persistent store for the JMS server, MedRecJMSServer, and targets the store to the Administration Server, AdminServer.
JDBC System Resources	MedRecGlobalDataSource MedRecGlobalDataSourceXA	Identifies the JDBC data source and connection pool setups to be used for non-XA and XA JDBC system resources, and targets the resources to the Administration Server, AdminServer.
JMS Queues	weblogic.wsee.reliability.wseeMedRecDestinationQueue	Adds the JMS queue to the JMS server, MedRecWseeJMSServer.
JMS Servers	MedRecJMSServer	Adds the JMS server as a MedRec-jms system resource and targets it to the Administration Server, AdminServer.
	MedRecWseeJMSServer	Adds the JMS server as a MedRec-jms system resource and targets it to the Administration Server, AdminServer.
JMS System Resources	MedRec-jms	Adds the JMS servers, connection factories, and queues to be used as JMS system resources, and targets the resources to the Administration Server, AdminServer.
Mail Session	mail/MedRecMailSession	Adds the mail session.

Table 11 Resources Configured in an Avitek Medical Records Domain

Resource Type	Name	Extension Result
SAF Agent	MedRecSAFAgent	Adds this store-and-forward agent, which uses the file store, MedRecWseeFileStore, and targets it to the Administration Server, AdminServer.
Security realm	myrealm	Uses the security realm provided in the base WebLogic Server domain.
WLDF System Resource	MedRecWLDF	Adds the WLDF system resource and defined WLDF instrumentation monitors for dye injection, and targets them to the Administration Server, AdminServer.

WebLogic Beehive Extension Template

Using the Configuration Wizard or WLST, you can easily extend a base WebLogic Server domain to include the resources required for using WebLogic Beehive. You accomplish this by adding the resources and services provided in the WebLogic Beehive and WebLogic Conversational Web Services extension templates to a base WebLogic Server domain.

- [“Generated Domain Output” on page 35](#)
- [“Resources and Services Configured” on page 40](#)

Note: Using the Configuration Wizard in graphical mode, you can easily create a new WebLogic Beehive domain by checking the Apache Beehive check box in the **Select Domain Source** window. The result is the same as creating a base WebLogic Server domain first and then extending that domain with both the WebLogic Beehive and WebLogic Conversational Web Services extension templates. For more information about the templates required to create a WebLogic Beehive domain, see [“Relationships Between Templates” on page 5](#).

Generated Domain Output

The following table defines the default directory structure and files generated after applying the WebLogic Beehive and WebLogic Conversational Web Services extension templates to a base WebLogic Server domain. Unless otherwise specified, by default, the Configuration Wizard creates the domain in the `BEA_HOME\user_projects\domains\base_domain` directory. If you

modify the default configuration settings, the output directory structure may be different from the structure described here.

Table 12 Base Domain After Applying the WebLogic Beehive and WebLogic Conversational Web Services Extension Templates

Directory	File	Description
user_projects\applications\base_domain\		
	n.a.	Directory serving as a placeholder for any custom application files that you create.
user_projects\domains\base_domain\		
	fileRealm.properties	File containing ACLs, users, and groups that can be used for the default security realm when Compatibility security is used.
	pointbase.ini	File containing initialization information for a PointBase JDBC database.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	URLs.dat	File containing the URL for the JDBC database.
autodeploy\	readme.txt	File providing information about the directory, which is serving as a placeholder for automatic deployments.

Table 12 Base Domain After Applying the WebLogic Beehive and WebLogic Conversational Web Services Extension Templates

Directory	File	Description
bin\	setDomainEnv.cmd setDomainEnv.sh	Scripts used to set up the development environment on Windows and UNIX systems, respectively.
	startManagedWebLogic.cmd startManagedWebLogic.sh	Scripts used to start a Managed Server on Windows and UNIX systems, respectively.
	startPointBaseConsole.cmd startPointBaseConsole.sh	Scripts used to start the PointBase console on Windows and UNIX systems, respectively.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	stopManagedWebLogic.cmd stopManagedWebLogic.sh	Scripts used to stop a Managed Server on Windows and UNIX systems, respectively.
	stopWebLogic.cmd stopWebLogic.sh	Scripts used to stop the Administration Server on Windows and UNIX systems, respectively.
config\	config.xml	File containing the configuration information used by the Administration Server. For more information, see “Domain Configuration Files” in <i>Understanding Domain Configuration</i> at the following URL: http://e-docs.bea.com/wls/docs90/domain_config/config_files.html
config\deployments\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for staging an application when the application’s staging mode is “staged.”

Table 12 Base Domain After Applying the WebLogic Beehive and WebLogic Conversational Web Services Extension Templates

Directory	File	Description
config\diagnostics\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for the system modules associated with instrumentation in the WebLogic Diagnostic Framework (WLDF).
config\jdbc\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JDBC modules that can be configured directly from JMX (as opposed to JSR-88).
	cgDataSource-jdbc.xml	Global XA JDBC Data Source module for the domain configured for conversational Web services.
	cgDataSource-nonXA-jdbc.xml	Global non-XA JDBC Data Source module for the domain configured for conversational Web services.
config\jms\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JMS modules that can be configured directly from JMX (as opposed to JSR-88).
	conversational-jms.xml	Global JMS module for the domain configured for conversational Web services.
config\lib\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for JAR files that are added to the system classpath of the server when the server's Java virtual machine starts.
config\nodemanager\	nm_password.properties	File containing Node Manager password property values.
config\security\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules for the security framework. The directory contains one security provider configuration extension for each of the kinds of security provider in the domain's current realm.

Table 12 Base Domain After Applying the WebLogic Beehive and WebLogic Conversational Web Services Extension Templates

Directory	File	Description
config\startup\ \	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules that contain startup plans. Startup plans are used to generate shell scripts that can be used as part of server startup.
console-ext\ \	readme.txt	File providing information about the directory, which is serving as a placeholder for custom extensions to the WebLogic Server Administration Console.
init-info\ \	domain-info.xml	File used to identify domain creation and extension information. Such information includes the identity of the components in the domain, the location of the JDK and applications directory used by the domain, and the templates used to create and extend the domain.
	security.xml	File used for creating user groups and roles that establish identity and access to domain resources.
	startscript.xml	File used to create the *.cmd and *.sh files that are placed into the domain's root and bin directories.
	tokenValue.properties	File that contains the actual values to substitute for the tokens specified in the start scripts.
lib\ \	readme.txt	File providing information about the directory, which is serving as a placeholder for the domain's libraries. The JAR files in this directory are added dynamically to the end of the server classpath at server startup.
security\ \	DefaultAuthenticatorInit.ldif DefaultRoleMapperInit.ldif	Files used for bootstrapping tasks, including authentication (user and group), authorization, and role mapping. These files contain LDAP-specific information.
	SerializedSystemIni.dat	File containing encrypted security information.

Table 12 Base Domain After Applying the WebLogic Beehive and WebLogic Conversational Web Services Extension Templates

Directory	File	Description
servers\AdminServer\security\	boot.properties	<p>File containing server startup properties, including the user name and password required to boot the server (in encrypted format). It is generated only when you select development startup mode.</p> <p>This file enables you to bypass the prompt for user name and password during a server’s startup cycle. For more information, see “Provide User Credentials to Start and Stop Servers” in “Starting and Stopping Servers” in <i>Managing Server Startup and Shutdown</i> at the following URL:</p> <p>http://e-docs.bea.com/wls/docs90/server_start/overview.html</p>
user_staged_config\	readme.txt	File providing information about the directory, which is serving as a placeholder for configuration information optionally staged by an administrator to be copied to managed servers in the domain.

Resources and Services Configured

The following table identifies the resources and services configured in a domain extended with the WebLogic Beehive and WebLogic Conversational Web Services extension templates.

Table 13 Resources Configured in a WebLogic Beehive Domain

Resource Type	Name	Extension Result
Administration Server	AdminServer	<p>Uses the Administration Server provided in the base WebLogic Server domain. The default name is AdminServer, unless changed during domain creation. The Administration Server referenced in the extension template is cgServer.</p> <p>For information about naming the Administration Server during domain creation, see “Resources and Services Configured” on page 13.</p>
JDBC Data Source	cgDataSource	Uses the XA JDBC data source provided by the WebLogic Conversational Web Services extension template. Identifies the XA JDBC data source as a cgDataSource system resource.
	cgDataSource-nonXA	Uses the non-XA JDBC data source provided by the WebLogic Conversational Web Services extension template. Identifies the non-XA JDBC data source as a cgDataSource-nonXA system resource.
JDBC Store	cgJMSStore	Uses the JDBC store provided by the WebLogic Conversational Web Services extension template. The JDBC store is to be used with the JDBC data source, cgDataSource-nonXA, and the JMS server, cgJMSServer, as a persistent store, and is targeted to the Administration Server, AdminServer.

Table 13 Resources Configured in a WebLogic Beehive Domain

Resource Type	Name	Extension Result
JDBC System Resources	cgDataSource cgDataSource-nonXA	Uses the JDBC data source and connection pool setups provided by the WebLogic Conversational Web Services extension template. These JDBC system resources are targeted to the Administration Server, AdminServer.
JMS Connection Factory	cgQueue	Uses the JMS connection factory provided by the WebLogic Conversational Web Services extension template. Identifies the JMS connection factory as a conversational-jms system resource and targets it to the Administration Server, AdminServer.
JMS Queues	cgJWSQueue	Uses the JMS queue provided by the WebLogic Conversational Web Services extension template. Targets the JMS queue to the JMS server, cgJMSServer.
	wlwJWSBuffer	Uses the JMS queue provided by the WebLogic Conversational Web Services extension template. Targets the JMS queue to the JMS server, cgJMSServer.
	wlwJWSErrors	Uses the JMS queue provided by the WebLogic Conversational Web Services extension template. Targets the JMS queue to the JMS server, cgJMSServer.

Table 13 Resources Configured in a WebLogic Beehive Domain

Resource Type	Name	Extension Result
JMS Server	cgJMSServer	Uses the JMS server provided by the WebLogic Conversational Web Services extension template. Identifies the JMS server as a <code>conversational-jms system</code> resource and targets it to the Administration Server, AdminServer.
JMS System Resources	conversational-jms	Uses the JMS system resources provided by the WebLogic Conversational Web Services extension template.
Security realm	myrealm	Uses the security realm provided by the base WebLogic Server domain.

Table 13 Resources Configured in a WebLogic Beehive Domain

Resource Type	Name	Extension Result
Libraries Deployed	webllogic-beehive-1.0#1.0@1.0	Adds the WebLogic Beehive Version 1.0 libraries provided by the WebLogic Beehive extension template, and targets them to the Administration Server, AdminServer. The libraries include Beehive and system controls.
	beehive-netui-1.0#1.0@1.0	Adds the Apache Beehive NetUI Version 1.0 libraries provided by the WebLogic Beehive extension template, and targets them to the Administration Server, AdminServer. These libraries support pageflow development, and depend upon the libraries contained in struts-1.1.war and webllogic-beehive-1.0.ear.
	jstl-1.1#1.1@1.0	Adds the Java standard tagging (JSTL) Version 1.1 libraries provided by the WebLogic Beehive extension template and targets them to the Administration Server, AdminServer.
	struts-1.1#1.1@1.0	Adds the Apache Struts Version 1.1 libraries provided by the WebLogic Beehive extension template and targets them to the Administration Server, AdminServer.
	struts-1.2#1.2@1.0	Adds the Apache Struts Version 1.2 libraries provided by the WebLogic Beehive extension template and targets them to the Administration Server, AdminServer.

WebLogic Conversational Web Services Extension Template

Using the Configuration Wizard or WLST, you can easily extend a base WebLogic Server domain to include the resources required for conversational Web services. You accomplish this

by adding the resources and services provided in the WebLogic Conversational Web Services extension template to a base WebLogic Server domain.

- [“Generated Domain Output” on page 45](#)
- [“Resources and Services Configured” on page 49](#)

Generated Domain Output

The following table defines the default directory structure and files generated after applying the WebLogic Conversational Web Services extension template to a base WebLogic Server domain. Unless otherwise specified, by default, the Configuration Wizard creates the domain in the `BEA_HOME\user_projects\domains\base_domain` directory. If you modify the default configuration settings, the output directory structure may be different from the structure described here.

Table 14 Base Domain After Applying the WebLogic Conversational Web Services Extension Template

Directory	File	Description
user_projects\applications\base_domain\		
	n.a.	Directory serving as a placeholder for any custom application files that you create.
user_projects\domains\base_domain\		
	fileRealm.properties	File containing ACLs, users, and groups that can be used for the default security realm when Compatibility security is used.
	pointbase.ini	File containing initialization information for a PointBase JDBC database.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	URLs.dat	File containing the URL for the JDBC database.
autodeploy\	readme.txt	File providing information about the directory, which is serving as a placeholder for automatic deployments.

Table 14 Base Domain After Applying the WebLogic Conversational Web Services Extension Template

Directory	File	Description
bin\	setDomainEnv.cmd setDomainEnv.sh	Scripts used to set up the development environment on Windows and UNIX systems, respectively.
	startManagedWebLogic.cmd startManagedWebLogic.sh	Scripts used to start a Managed Server on Windows and UNIX systems, respectively.
	startPointBaseConsole.cmd startPointBaseConsole.sh	Scripts used to start the PointBase console on Windows and UNIX systems, respectively.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	stopManagedWebLogic.cmd stopManagedWebLogic.sh	Scripts used to stop a Managed Server on Windows and UNIX systems, respectively.
	stopWebLogic.cmd stopWebLogic.sh	Scripts used to stop the Administration Server on Windows and UNIX systems, respectively.
config\	config.xml	File containing the configuration information used by the Administration Server. For more information, see “Domain Configuration Files” in <i>Understanding Domain Configuration</i> at the following URL: http://e-docs.bea.com/wls/docs90/domain_config/config_files.html
config\deployments\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for staging an application when the application’s staging mode is “staged.”

Table 14 Base Domain After Applying the WebLogic Conversational Web Services Extension Template

Directory	File	Description
config\diagnostics\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for the system modules associated with instrumentation in the WebLogic Diagnostic Framework (WLDF).
config\jdbc\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JDBC modules that can be configured directly from JMX (as opposed to JSR-88).
	cgDataSource-jdbc.xml	Global XA JDBC Data Source module for the domain configured for conversational Web Services.
	cgDataSource-nonXA-jdbc.xml	Global non-XA JDBC Data Source module for the domain configured for conversational Web Services.
config\jms\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JMS modules that can be configured directly from JMX (as opposed to JSR-88).
	conversational-jms.xml	Global JMS module for the domain configured for conversational Web Services.
config\lib\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for JAR files that are added to the system classpath of the server when the server's Java virtual machine starts.
config\nodemanager\	nm_password.properties	File containing Node Manager password property values.
config\security\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules for the security framework. The directory contains one security provider configuration extension for each of the kinds of security provider in the domain's current realm.

Table 14 Base Domain After Applying the WebLogic Conversational Web Services Extension Template

Directory	File	Description
config\startup\ \	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules that contain startup plans. Startup plans are used to generate shell scripts that can be used as part of server startup.
console-ext\ \	readme.txt	File providing information about the directory, which is serving as a placeholder for custom extensions to the WebLogic Server Administration Console.
init-info\ \	domain-info.xml	File used to identify domain creation and extension information. Such information includes the identity of the components in the domain, the location of the JDK and applications directory used by the domain, and the templates used to create and extend the domain.
	security.xml	File used for creating user groups and roles that establish identity and access to domain resources.
	startscript.xml	File used to create the *.cmd and *.sh files that are placed into the domain's root and bin directories.
	tokenValue.properties	File that contains the actual values to substitute for the tokens specified in the start scripts.
lib\ \	readme.txt	File providing information about the directory, which is serving as a placeholder for the domain's libraries. The JAR files in this directory are added dynamically to the end of the server classpath at server startup.
security\ \	DefaultAuthenticatorInit.ldif DefaultRoleMapperInit.ldif	Files used for bootstrapping tasks, including authentication (user and group), authorization, and role mapping. These files contain LDAP-specific information.
	SerializedSystemIni.dat	File containing encrypted security information.

Table 14 Base Domain After Applying the WebLogic Conversational Web Services Extension Template

Directory	File	Description
servers\AdminServer\security\ \	boot.properties	<p>File containing server startup properties, including the user name and password required to boot the server (in encrypted format). It is generated only when you select development startup mode.</p> <p>This file enables you to bypass the prompt for user name and password during a server's startup cycle. For more information, see "Provide User Credentials to Start and Stop Servers" in "Starting and Stopping Servers" in <i>Managing Server Startup and Shutdown</i> at the following URL: http://e-docs.bea.com/wls/docs90/server_start/overview.html</p>
user_staged_config\ \	readme.txt	File providing information about the directory, which is serving as a placeholder for configuration information optionally staged by an administrator to be copied to managed servers in the domain.

Resources and Services Configured

The following table identifies the resources and services configured in a domain extended with the WebLogic Conversational Web Services extension template.

Table 15 Resources Configured in a WebLogic Conversational Web Services Domain

Resource Type	Name	Extension Result
Administration Server	AdminServer	<p>Uses the Administration Server provided in the base WebLogic Server domain. The default name is <code>AdminServer</code>, unless changed during domain creation. The Administration Server referenced in the extension template is <code>cgServer</code>.</p> <p>For information about naming the Administration Server during domain creation, see “Resources and Services Configured” on page 13.</p>
JDBC Data Source	<code>cgDataSource</code>	Identifies the XA JDBC data source as a <code>cgDataSource</code> system resource.
	<code>cgDataSource-nonXA</code>	Identifies the non-XA JDBC data source as a <code>cgDataSource-nonXA</code> system resource.
JDBC Store	<code>cgJMSStore</code>	Adds the JDBC store to be used with the JDBC data source, <code>cgDataSource-nonXA</code> , and the JMS server, <code>cgJMSServer</code> , as a persistent store, and targets it to the Administration Server, <code>AdminServer</code> .
JDBC System Resources	<code>cgDataSource</code> <code>cgDataSource-nonXA</code>	Identifies the JDBC data source and connection pool setups to be used for JDBC system resources and targets the resources to the Administration Server, <code>AdminServer</code> .
JMS Connection Factory	<code>cgQueue</code>	Adds the JMS connection factory as a <code>conversational-jms</code> system resource and targets it to the Administration Server, <code>AdminServer</code> .

Table 15 Resources Configured in a WebLogic Conversational Web Services Domain

Resource Type	Name	Extension Result
JMS Queues	cgJWSQueue	Adds the JMS queue to the JMS server, cgJMSServer.
	wlwJWSBuffer	Adds the JMS queue to the JMS server, cgJMSServer.
	wlwJWSErrors	Adds the JMS queue to the JMS server, cgJMSServer.
JMS Server	cgJMSServer	Adds the JMS server as a conversational-jms system resource and targets it to the Administration Server, AdminServer.
JMS System Resources	conversational-jms	Identifies the JMS servers, connection factories, and queues to be used for JMS system resources.
Security realm	myrealm	Uses the security realm provided by the base WebLogic Server domain.

WebLogic Server Default Domain Extension Template

Using the Configuration Wizard or WLST, you can easily extend a base WebLogic Server domain to include resources required for a default WebLogic Server domain. You accomplish this by adding the resources and services provided in the WebLogic Server Default Domain extension template to a base WebLogic Server domain.

Note: Applying the WebLogic Server Default Domain extension template to a base WebLogic domain is a prerequisite to using the WebLogic Server Examples extension template. For information about the relationship between templates, see “[Relationships Between Templates](#)” on page 5.

- “[Generated Domain Output](#)” on page 52
- “[Resources and Services Configured](#)” on page 56

For more information about the samples that are supported in the WebLogic Server Examples domain, see *WebLogic Server Application Examples and Tutorials* at the following URL:

<http://e-docs.bea.com/wls/docs90/samples.html>

Generated Domain Output

The following table defines the default directory structure and files generated after applying the WebLogic Server Default Domain extension template to a base WebLogic Server domain. Unless otherwise specified, by default, the Configuration Wizard creates the domain in the `BEA_HOME\user_projects\domains\base_domain` directory. If you modify the default configuration settings, the output directory structure may be different from the structure described here.

Table 16 Base Domain After Applying the WebLogic Server Default Domain Extension Template

Directory	File	Description
user_projects\applications\base_domain\		
server\docs\	Various	Includes sub-directories containing style sheet and graphics files to support the online documentation.
server\examples\build\	Various	Includes WebLogic Server examples deployments.
server\examples\src\	Various	Includes source code and instructions for WebLogic Server examples.
user_projects\domains\base_domain\		
	fileRealm.properties	File containing ACLs, users, and groups that can be used for the default security realm when Compatibility security is used.
	pointbase.ini	File containing initialization information for a PointBase JDBC database.
	setExamplesEnv.cmd setExamplesEnv.sh	Scripts that set up the environment to use the WebLogic Server Examples on Windows and UNIX systems, respectively.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	startWebLogicEx.cmd startWebLogicEx.sh	Scripts used to start the Administration Server for the WebLogic Server Examples domain on Windows and UNIX systems, respectively.

Table 16 Base Domain After Applying the WebLogic Server Default Domain Extension Template

Directory	File	Description
autodeploy\	readme.txt	File providing information about the directory, which is serving as a placeholder for automatic deployments.
bin\	setDomainEnv.cmd setDomainEnv.sh	Scripts used to set up the development environment on Windows and UNIX systems, respectively.
	startManagedWebLogic.cmd startManagedWebLogic.sh	Scripts used to start a Managed Server on Windows and UNIX systems, respectively.
	startPointBaseConsole.cmd startPointBaseConsole.sh	Scripts used to start the PointBase console on Windows and UNIX systems, respectively.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	stopManagedWebLogic.cmd stopManagedWebLogic.sh	Scripts used to stop a Managed Server on Windows and UNIX systems, respectively.
	stopWebLogic.cmd stopWebLogic.sh	Scripts used to stop the Administration Server on Windows and UNIX systems, respectively.
	config\	config.xml
config\deployments\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for staging an application when the application’s staging mode is “staged.”

Table 16 Base Domain After Applying the WebLogic Server Default Domain Extension Template

Directory	File	Description
config\diagnostics\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for the system modules associated with instrumentation in the WebLogic Diagnostic Framework (WLDF).
config\jdbc\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JDBC modules that can be configured directly from JMX (as opposed to JSR-88).
	examples-demo-jdbc.xml	Global non-XA JDBC Data Source module for the WebLogic Server default domain.
	examples-demoXA-jdbc.xml	Global XA JDBC Data Source module for the WebLogic Server default domain.
config\jms\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JMS modules that can be configured directly from JMX (as opposed to JSR-88).
config\lib\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for JAR files that are added to the system classpath of the server when the server's Java virtual machine starts.
config\nodemanager\	nm_password.properties	File containing Node Manager password property values.
config\security\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules for the security framework. The directory contains one security provider configuration extension for each of the kinds of security provider in the domain's current realm.
config\startup\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules that contain startup plans. Startup plans are used to generate shell scripts that can be used as part of server startup.

Table 16 Base Domain After Applying the WebLogic Server Default Domain Extension Template

Directory	File	Description
console-ext\ 	readme.txt	File providing information about the directory, which is serving as a placeholder for custom extensions to the WebLogic Server Administration Console.
init-info\ 	domain-info.xml	File used to identify domain creation and extension information. Such information includes the identity of the components in the domain, the location of the JDK and applications directory used by the domain, and the templates used to create and extend the domain.
	security.xml	File used for creating user groups and roles that establish identity and access to domain resources.
	startscript.xml	File used to create the *.cmd and *.sh files that are placed into the domain's root and bin directories.
	tokenValue.properties	File that contains the actual values to substitute for the tokens specified in the start scripts.
lib\ 	readme.txt	File providing information about the directory, which is serving as a placeholder for the domain's libraries. The JAR files in this directory are added dynamically to the end of the server classpath at server startup.
security\ 	DefaultAuthenticatorInit.ldift DefaultAuthorizerInit.ldift DefaultRoleMapperInit.ldift	Files used for bootstrapping tasks, including authentication (user and group), authorization, and role mapping. These files contain LDAP-specific information.
	SerializedSystemIni.dat	File containing encrypted security information.

Table 16 Base Domain After Applying the WebLogic Server Default Domain Extension Template

Directory	File	Description
servers\AdminServer\security\ \	boot.properties	File containing server startup properties, including the user name and password required to boot the server (in encrypted format). It is generated only when you select development startup mode. This file enables you to bypass the prompt for user name and password during a server's startup cycle. For more information, see "Provide User Credentials to Start and Stop Servers" in "Starting and Stopping Servers" in <i>Managing Server Startup and Shutdown</i> at the following URL: http://e-docs.bea.com/wls/docs90/server_start/overview.html
user_staged_config\ \	readme.txt	File providing information about the directory, which is serving as a placeholder for configuration information optionally staged by an administrator to be copied to managed servers in the domain.

Resources and Services Configured

The following table identifies the resources and services configured in a domain extended with the WebLogic Server Default Domain extension template.

Table 17 Resources Configured in a WebLogic Server Default Domain

Resource Type	Name	Extension Result
Administration Server	AdminServer	<p>Uses the Administration Server provided in the base WebLogic Server domain. The default name is AdminServer, unless changed during domain creation. The Administration Server referenced in the extension template is examplesServer.</p> <p>For information about naming the Administration Server during domain creation, see “Resources and Services Configured” on page 13.</p>
Application Deployments	ejb20BeanMgedEar	Adds the application and targets it to the Administration Server, AdminServer.
	examplesWebApp	Adds the application and targets it to the Administration Server, AdminServer.
	jdbcRowSetsEar	Adds the application and targets it to the Administration Server, AdminServer.
	jspSimpleTagEar	Adds the application and targets it to the Administration Server, AdminServer.
	mainWebApp	Adds the application and targets it to the Administration Server, AdminServer.
	SamplesSearchWebApp	Adds the application and targets it to the Administration Server, AdminServer.
	webappCachingEar	Adds the application and targets it to the Administration Server, AdminServer.
	webservicesJwsSimpleEar	Adds the application and targets it to the Administration Server, AdminServer.
	xmlBeanEar	Adds the application and targets it to the Administration Server, AdminServer.

Table 17 Resources Configured in a WebLogic Server Default Domain

Resource Type	Name	Extension Result
JDBC Data Sources	examples-dataSource-demoPool	Identifies the JDBC data source as an examples-demo system resource.
	examples-dataSource-demoXAPool	Identifies the JDBC data source as an examples-demoXA system resource.
JDBC System Resources	examples-demo examples-demoXA	Identifies the JDBC data source and connection pool setups to be used for non-XA and XA JDBC system resources and targets them to the Administration Server, AdminServer.
Security realm	myrealm	Uses the security realm provided by the base WebLogic Server domain.

WebLogic Server Examples Extension Template

Using the Configuration Wizard or WLST, you can easily extend a base WebLogic Server domain to create a WebLogic Server Examples domain. You accomplish this by adding the resources and services provided in both the WebLogic Server Default and WebLogic Server Examples extension templates to a base WebLogic Server domain.

- “Generated Domain Output” on page 58
- “Resources and Services Configured” on page 64

For more information about the samples that are supported in the WebLogic Server Examples domain, see *WebLogic Server Application Examples and Tutorials* at the following URL:

<http://e-docs.bea.com/wls/docs90/samples.html>

Generated Domain Output

The WebLogic Server Examples domain contains a collection of examples that illustrate best practices for coding individual J2EE APIs, and a set of scripts to run those examples. Once the WebLogic Server Default extension template has been applied to a base domain, applying the WebLogic Server Examples extension template allows you to create the WebLogic Server Examples domain. See “Relationships Between Templates” on page 5 for more details.

Table 18 Base Domain After Applying the WebLogic Server Default and WebLogic Server Examples Extension Templates

Directory	File	Description
user_projects\applications\base_domain\		
	wls_samples_overview.html	File that opens the WebLogic Server examples online documentation viewer.
server\docs\	Various	Directory and files supporting the WebLogic Server examples online documentation viewer.
server\examples\build\	Various	Includes sub-directories containing various Java and XML files used to build and work with WebLogic Server examples.
server\examples\src\	Various	Includes sub-directories containing various Java, XML, and HTML files used to work with WebLogic Server examples.
user_projects\domains\base_domain\		
	client2certs.pem clientkey.pem	Demo certificate and keystore files.
	fileRealm.properties	File containing ACLs, users, and groups that can be used for the default security realm when Compatibility security is used.
	pointbase.ini	File containing initialization information for a PointBase JDBC database.
	setExamplesEnv.cmd setExamplesEnv.sh	Scripts that set up the environment to use the WebLogic Server Examples on Windows and UNIX systems, respectively.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	startWebLogicEx.cmd startWebLogicEx.sh	Scripts used to start the Administration Server for the WebLogic Server Examples domain on Windows and UNIX systems, respectively.

Table 18 Base Domain After Applying the WebLogic Server Default and WebLogic Server Examples Extension Templates

Directory	File	Description
autodeploy\	readme.txt	File providing information about the directory, which is serving as a placeholder for automatic deployments.
bin\	setDomainEnv.cmd setDomainEnv.sh	Scripts used to set up the development environment on Windows and UNIX systems, respectively.
	startManagedWebLogic.cmd startManagedWebLogic.sh	Scripts used to start a Managed Server on Windows and UNIX systems, respectively.
	startPointBaseConsole.cmd startPointBaseConsole.sh	Scripts used to start the PointBase console on Windows and UNIX systems, respectively.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	stopManagedWebLogic.cmd stopManagedWebLogic.sh	Scripts used to stop a Managed Server on Windows and UNIX systems, respectively.
	stopWebLogic.cmd stopWebLogic.sh	Scripts used to stop the Administration Server on Windows and UNIX systems, respectively.
	config\	config.xml

Table 18 Base Domain After Applying the WebLogic Server Default and WebLogic Server Examples Extension Templates

Directory	File	Description
config\deployments\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for staging an application when the application's staging mode is "staged."
config\diagnostics\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for the system modules associated with instrumentation in the WebLogic Diagnostic Framework (WLDF).
config\jdbc\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JDBC modules that can be configured directly from JMX (as opposed to JSR-88).
	examples-demo-jdbc.xml	Global non-XA JDBC Data Source module for the WebLogic Server Examples domain.
	examples-demoXA-2-jdbc.xml	Global XA JDBC Data Source modules for the WebLogic Server Examples domain.
	examples-demoXA-jdbc.xml	
	examples-multiDataSource-demoXAPool-jdbc.xml	
config\jms\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for global JMS modules that can be configured directly from JMX (as opposed to JSR-88).
	examples-jms.xml	Global JMS module for the WebLogic Server Examples domain.

Table 18 Base Domain After Applying the WebLogic Server Default and WebLogic Server Examples Extension Templates

Directory	File	Description
config\lib\	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for JAR files that are added to the system classpath of the server when the server's Java virtual machine starts.
config\nodemanager\ ager\	nm_password.properties	File containing Node Manager password property values.
config\security\ y\ \	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules for the security framework. The directory contains one security provider configuration extension for each of the kinds of security provider in the domain's current realm.
config\startup\ \	readme.txt	File providing information about the directory, which is serving as a placeholder. Used for system modules that contain startup plans. Startup plans are used to generate shell scripts that can be used as part of server startup.
console-ext\ \	readme.txt	File providing information about the directory, which is serving as a placeholder for custom extensions to the WebLogic Server Administration Console.

Table 18 Base Domain After Applying the WebLogic Server Default and WebLogic Server Examples Extension Templates

Directory	File	Description
init-info\	domain-info.xml	File used to identify domain creation and extension information. Such information includes the identity of the components in the domain, the location of the JDK and applications directory used by the domain, and the templates used to create and extend the domain.
	security.xml	File used for creating user groups and roles that establish identity and access to domain resources.
	startscript.xml	File used to create the *.cmd and *.sh files that are placed into the domain's root and bin directories.
	tokenValue.properties	File that contains the actual values to substitute for the tokens specified in the start scripts.
lib\	readme.txt	File providing information about the directory, which is serving as a placeholder for the domain's libraries. The JAR files in this directory are added dynamically to the end of the server classpath at server startup.
security\	DefaultAuthenticatorInit.ldift DefaultAuthorizerInit.ldift DefaultRoleMapperInit.ldift	Files used for bootstrapping tasks, including authentication (user and group), authorization, and role mapping. These files contain LDAP-specific information.
	SerializedSystemInit.dat	File containing encrypted security information.

Table 18 Base Domain After Applying the WebLogic Server Default and WebLogic Server Examples Extension Templates

Directory	File	Description
servers\AdminServer\security\	boot.properties	<p>File containing server startup properties, including the user name and password required to boot the server (in encrypted format). It is generated only when you select development startup mode.</p> <p>This file enables you to bypass the prompt for user name and password during a server's startup cycle. For more information, see "Provide User Credentials to Start and Stop Servers" in "Starting and Stopping Servers" in <i>Managing Server Startup and Shutdown</i> at the following URL: http://e-docs.bea.com/wls/docs90/server_start/overview.html</p>
user_staged_config\	readme.txt	File providing information about the directory, which is serving as a placeholder for configuration information optionally staged by an administrator to be copied to managed servers in the domain.
WseeFileStore\		Directory to be used for the file store for system resources.

Resources and Services Configured

The following table identifies the resources and services configured in a domain extended with the WebLogic Server Examples extension template.

Table 19 Resources Configured in a WebLogic Server Examples Domain

Resource Type	Name	Extension Result
Administration Server	AdminServer	<p>Uses the Administration Server provided in the base WebLogic Server domain. The default name is <code>AdminServer</code>, unless changed during domain creation. The Administration Server referenced in the extension template is <code>examplesServer</code>.</p> <p>For information about naming the Administration Server during domain creation, see “Resources and Services Configured” on page 13.</p>

Table 19 Resources Configured in a WebLogic Server Examples Domain

Resource Type	Name	Extension Result
Application Deployments	<code>ejb20BeanMgedEar</code>	Uses the application provided by the WebLogic Server Default extension template applied to the base WebLogic Server domain.
	<code>examplesWebApp</code>	Uses the application provided by the WebLogic Server Default extension template applied to the base WebLogic Server domain.
	<code>jdbcRowSetsEar</code>	Uses the application provided by the WebLogic Server Default extension template applied to the base WebLogic Server domain.
	<code>jspSimpleTagEar</code>	Uses the application provided by the WebLogic Server Default extension template applied to the base WebLogic Server domain.
	<code>mainWebApp</code>	Uses the application provided by the WebLogic Server Default extension template applied to the base WebLogic Server domain.
	<code>SamplesSearchWebApp</code>	Uses the application provided by the WebLogic Server Default extension template applied to the base WebLogic Server domain.
	<code>webappCachingEar</code>	Uses the application provided by the WebLogic Server Default extension template applied to the base WebLogic Server domain.
	<code>webservicesJwsSimpleEar</code>	Uses the application provided by the WebLogic Server Default extension template applied to the base WebLogic Server domain.
	<code>xmlBeanEar</code>	Uses the application provided by the WebLogic Server Default extension template applied to the base WebLogic Server domain.

Table 19 Resources Configured in a WebLogic Server Examples Domain

Resource Type	Name	Extension Result
File Store	WseeFileStore	Adds the file store to be used as the persistent store for the JMS server, WseeJMSServer, and the SAF Agent, ReliableWseeSAFAgent, and targets the store to the Administration Server, AdminServer.
JDBC Data Sources	examples-dataSource-demoPool	Uses the non-XA and XA JDBC data sources provided by the WebLogic Server Default extension template applied to the base WebLogic Server domain.
	examples-dataSource-demoXAPool	
	examples-oracleXA	
	examples-demoXA-2	Adds the XA JDBC data source and targets it to the Administration Server, AdminServer.
JDBC Store	exampleJDBCStore	Adds the JDBC store to be used as the persistent store for the JDBC data source, examples-demo, and the JMS server, examplesJMSServer, and targets the store to the Administration Server, AdminServer.
JDBC System Resources	examples-demo	Uses the JDBC data source and connection pool setups provided by the WebLogic Server Default extension template applied to the base WebLogic Server domain.
	examples-demoXA	
	examples-demoXA-2	
	examples-oracleXA	
	examples-multiDataSource-demoXAPool	
JMS System Resources	examples-jms	Identifies the JMS servers, connection factories, queues, and topics to be used for JMS system resources.

Table 19 Resources Configured in a WebLogic Server Examples Domain

Resource Type	Name	Extension Result
JMS Connection Factories	exampleQueue exampleTopic exampleTrader	Adds the JMS connection factories as examples-jms system resources and targets them to the Administration Server, AdminServer.
JMS Servers	examplesJMSServer	Adds the JMS server as an examples-jms system resource and targets it to the Administration Server, AdminServer.
	WseeJMSServer	Adds the JMS server as an examples-jms system resource and targets it to the Administration Server, AdminServer.
JMS Queues	exampleQueue	Adds the JMS queue to the JMS server, examplesJMSServer.
	jms/MULTIDATASOURCE_MDB_QUEUE	Adds the JMS queue to the JMS server, examplesJMSServer.
	weblogic.wsee.wseeExamplesDestinationQueue	Adds the JMS queue to the JMS server, WseeJMSServer.
JMS Topics	exampleTopic	Adds the JMS topic to the JMS server, examplesJMSServer.
	quotes	Adds the JMS topic to the JMS server, examplesJMSServer.
SAF Agent	ReliableWseeSAFAgent	Adds the SAF agent and targets it to the Administration Server, AdminServer.
Security realm	myrealm	Uses the security realm provided by the base WebLogic Server domain.