



BEA Tuxedo®

Interoperability

Copyright

Copyright © 2003 BEA Systems, Inc. All Rights Reserved.

Restricted Rights Legend

This software and documentation is subject to and made available only pursuant to the terms of the BEA Systems License Agreement and may be used or copied only in accordance with the terms of that agreement. It is against the law to copy the software except as specifically allowed in the agreement. This document may not, in whole or in part, be copied photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form without prior consent, in writing, from BEA Systems, Inc.

Use, duplication or disclosure by the U.S. Government is subject to restrictions set forth in the BEA Systems License Agreement and in subparagraph (c)(1) of the Commercial Computer Software-Restricted Rights Clause at FAR 52.227-19; subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, subparagraph (d) of the Commercial Computer Software--Licensing clause at NASA FAR supplement 16-52.227-86; or their equivalent.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE SOFTWARE AND DOCUMENTATION ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA Systems DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE SOFTWARE OR WRITTEN MATERIAL IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks or Service Marks

BEA, Jolt, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Liquid Data for WebLogic, BEA Manager, BEA WebLogic Commerce Server, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic Personalization Server, BEA WebLogic Portal, BEA WebLogic Server and How Business Becomes E-Business are trademarks of BEA Systems, Inc.

All other trademarks are the property of their respective companies.

BEA Tuxedo Interoperability

Part Number	Date	Software Version
N/A	January 2003	BEA Tuxedo Release 8.1

Contents

1. Interoperability and Coexistence

Interoperability Defined	1-1
Intradomain Interoperability.....	1-2
Interdomain Interoperability.....	1-3
Client-Server Interoperability.....	1-5
Interoperability with Third-Party ORBs.....	1-6
Product Upgrades	1-7
Upward Application Compatibility.....	1-7

2. Interoperability with BEA WebLogic Server

Interoperability Software Components.....	2-1
Jolt Server Listener.....	2-2
Jolt Server Handler.....	2-2
BEA Jolt for WebLogic Server	2-3
IIOP Listener.....	2-3
IIOP Handler	2-3
WebLogic Enterprise Connectivity.....	2-3
TDomain Gateway	2-4
WebLogic Tuxedo Connector	2-4
Interoperability Programming Interfaces	2-4
ATMI Interface	2-5
JATMI Interface.....	2-5
Jolt Interface.....	2-5
RMI Interface	2-5
RMI-over-IIOP Interface.....	2-6
CORBA Java Interface.....	2-7
JSL/JSH-Jolt Unidirectional Connectivity	2-7

Jolt Connection Pooling	2-8
Jolt Wire-Level Security.....	2-9
Jolt Transaction and Security Context Propagation	2-9
Jolt Documentation.....	2-9
ISL/ISH-WLEC Unidirectional Connectivity	2-9
WLEC IIOP Connection Pooling	2-10
WLEC Wire-Level Security	2-10
WLEC Transaction and Security Context Propagation.....	2-11
No Objects-by-Value Support	2-11
WLEC Documentation	2-11
TDomain-WTC Bidirectional Connectivity	2-11
BEA Tuxedo to BEA WebLogic Server Connectivity	2-12
BEA WebLogic Server to BEA Tuxedo Connectivity.....	2-13
TDomain-WTC Wire-Level Security.....	2-15
TDomain-WTC Transaction and Security Context Propagation.....	2-15
TDomain and WTC Documentation	2-15
RMI-over-IIOP Client Direct Connectivity to an EJB	2-15
Summary of Interoperability Capabilities	2-16
Interoperability Sample Applications	2-17

Index

About This Document

This document presents various aspects of interoperability for BEA Tuxedo release 8.1.

This document covers the following topics:

- [Chapter 1, “Interoperability and Coexistence,”](#) describes how BEA Tuxedo 8.1 interoperates with older releases of the BEA Tuxedo software, BEA WebLogic Enterprise, and third-party products.
- [Chapter 2, “Interoperability with BEA WebLogic Server,”](#) presents interoperability capabilities between BEA Tuxedo and BEA WebLogic Server.

What You Need to Know

This document is intended for application developers who are interested in creating secure, scalable, transaction-based BEA Tuxedo applications that interoperate with other components in the BEA product suite. It assumes you are knowledgeable about ATMI, CORBA, Enterprise JavaBeans, and the C++ and Java programming languages.

e-docs Web Site

BEA product documentation is available on the BEA corporate Web site. From the BEA Home page, click on Product Documentation or go directly to the “e-docs” Product Documentation page at <http://e-docs.bea.com>.

How to Print the Document

You can print a copy of this document from a Web browser, one file at a time, by using the File—>Print option on your Web browser.

A PDF version of this document is available on the BEA Tuxedo documentation Home page on the e-docs Web site (and also on the documentation CD). You can open the PDF in Adobe Acrobat Reader and print the entire document (or a portion of it) in book format. To access the PDFs, open the BEA Tuxedo documentation Home page, click the PDF files button and select the document you want to print.

If you do not have the Adobe Acrobat Reader, you can get it for free from the Adobe Web site at <http://www.adobe.com>.

Related Information

The following BEA Tuxedo documents contain information that is relevant to *BEA Tuxedo Interoperability*:

- [BEA Tuxedo Product Overview](#)
- [Installing the BEA Tuxedo System](#)
- [Introducing BEA Tuxedo ATMI](#)
- [Getting Started with BEA Tuxedo CORBA Applications](#)

For more information about ATMI, CORBA, BEA Tuxedo, distributed object computing, transaction processing, C++ programming, and Java programming, see [Bibliography](#) .

Contact Us!

Your feedback on the BEA Tuxedo documentation is important to us. Send us e-mail at docsupport@bea.com if you have questions or comments. Your comments will be reviewed directly by the BEA professionals who create and update the BEA Tuxedo documentation.

In your e-mail message, please indicate that you are using the documentation for the BEA Tuxedo 8.1 release.

If you have any questions about this version of BEA Tuxedo, or if you have problems installing and running BEA Tuxedo, contact BEA Customer Support through BEA WebSupport at <http://www.bea.com>. You can also contact Customer Support by using the contact information provided on the Customer Support Card, which is included in the product package.

When contacting Customer Support, be prepared to provide the following information:

- Your name, e-mail address, phone number, and fax number
- Your company name and company address
- Your machine type and authorization codes
- The name and version of the product you are using
- A description of the problem and the content of pertinent error messages

Documentation Conventions

The following documentation conventions are used throughout this document.

Convention	Item
boldface text	Indicates terms defined in the glossary.
Ctrl+Tab	Indicates that you must press two or more keys simultaneously.

Convention	Item
<i>italics</i>	Indicates emphasis or book titles.
monospace text	Indicates code samples, commands and their options, data structures and their members, data types, directories, and filenames and their extensions. Monospace text also indicates text that you must enter from the keyboard. <i>Examples:</i> #include <iostream.h> void main () the pointer psz chmod u+w * \tux\data\ap .doc tux.doc BITMAP float
monospace boldface text	Identifies significant words in code. <i>Example:</i> void commit ()
<i>monospace italic text</i>	Identifies variables in code. <i>Example:</i> String <i>expr</i>
UPPERCASE TEXT	Indicates device names, environment variables, and logical operators. <i>Examples:</i> LPT1 SIGNON OR
{ }	Indicates a set of choices in a syntax line. The braces themselves should never be typed.
[]	Indicates optional items in a syntax line. The brackets themselves should never be typed. <i>Example:</i> buildobjclient [-v] [-o name] [-f <i>file-list</i>]... [-l <i>file-list</i>]...

Convention	Item
	Separates mutually exclusive choices in a syntax line. The symbol itself should never be typed.
...	Indicates one of the following in a command line: <ul style="list-style-type: none"> ■ That an argument can be repeated several times in a command line ■ That the statement omits additional optional arguments ■ That you can enter additional parameters, values, or other information The ellipsis itself should never be typed. <i>Example:</i> <pre>buildobjclient [-v] [-o name] [-f file-list]... [-l file-list]...</pre>
.	Indicates the omission of items from a code example or from a syntax line. The vertical ellipsis itself should never be typed.



1 Interoperability and Coexistence

The following sections describe how BEA Tuxedo 8.1 interoperates with older releases of the BEA Tuxedo software, BEA WebLogic Enterprise, and third-party products:

- [Interoperability Defined](#)
- [Intradomain Interoperability](#)
- [Interdomain Interoperability](#)
- [Client-Server Interoperability](#)
- [Interoperability with Third-Party ORBs](#)
- [Product Upgrades](#)
- [Upward Application Compatibility](#)

Interoperability Defined

Interoperability, as defined in this discussion, is the ability of the current release of BEA Tuxedo software to communicate over a network connection with BEA Tuxedo release 8.0 or earlier software *or* with BEA WebLogic Enterprise release 5.1 software. In addition, *intradomain interoperability* and *interdomain interoperability* have the following meanings:

- Intradomain interoperability

Involves one machine in a multiple-machine BEA Tuxedo domain (application) running BEA Tuxedo release 8.1 software, and another machine in the same domain running BEA Tuxedo 8.0 or earlier software *or* BEA WebLogic Enterprise 5.1 software. Machines in a multiple-machine domain configuration communicate via Tuxedo Bridge processes.

Bear in mind that in a multiple-machine Tuxedo domain running different releases of the Tuxedo system software, the *master* machine (and *master backup* machine if so configured) must run the highest release of the Tuxedo system software in the domain. Accordingly, the Tuxedo domain just described qualifies as a “BEA Tuxedo domain running BEA Tuxedo release 8.1 software.”

- Interdomain interoperability


Involves one BEA Tuxedo domain running BEA Tuxedo release 8.1 software, and another domain running BEA Tuxedo release 8.0 or earlier software *or* BEA WebLogic Enterprise release 5.1 software. Domains involved in a multiple-domain (Domains) configuration communicate via Tuxedo domain gateway processes.

Intradomain Interoperability


Message exchange and protocol compatibility exist in each of the following two *intradomain* groups:

Figure 1-1 Intradomain Groups

Intradomain Coexistence Group 1



Intradomain Coexistence Group 2



BEA Tuxedo 8.1 can coexist in the same domain with Tuxedo 8.0, 7.1, and 6.5. BEA Tuxedo 8.1 can also coexist in the same domain with Tuxedo 8.0 and WebLogic Enterprise 5.1.

In both of these environments, the propagation of transaction context (transactional state information) and security context (user identity) between application clients and servers is fully supported. Also, administration is fully supported in both of these environments.

Interdomain Interoperability

Message exchange and protocol compatibility exist in each of the following three *interdomain* scenarios:

Figure 1-2 Interdomain Scenario 1




Figure 1-3 Interdomain Scenario 2





Figure 1-4 Interdomain Scenario 3



In each of these scenarios, a Tuxedo domain (TDomain) gateway process running on a machine in the one domain communicates over a network connection with a TDomain gateway process running on a machine in the other domain. The following pairs of communicating TDomain gateway processes are supported.

A TDomain process in any of these releases . . .	Connection Matrix	Can communicate with a TDomain process in any of these releases . . .
BEA Tuxedo 8.1		BEA Tuxedo 8.1
BEA Tuxedo 8.0		BEA Tuxedo 8.0
BEA Tuxedo 7.1		BEA Tuxedo 7.1
BEA Tuxedo 6.5		BEA Tuxedo 6.5
BEA WebLogic Enterprise 5.1		BEA WebLogic Enterprise 5.1

Of course, the interdomain capabilities available through a pair of communicating TDomain processes are limited to the capabilities available to the TDomain process running in the earlier release of Tuxedo or WebLogic Enterprise software.

In all of these scenarios, administration, transaction context propagation, and security context propagation between domains is fully supported *except* when the master machine in the one domain is running Tuxedo 7.1 or 6.5 software and the master machine in the other domain is running WebLogic Enterprise 5.1 software. In any of these exception cases, administration is supported and transaction context propagation is supported, but security context propagation is not supported.

BEA Tuxedo 8.1 supports interdomain interoperability with Tuxedo 8.0 CORBA domains and with WebLogic Enterprise 5.1 CORBA domains. This capability includes the ability to advertise CORBA (C++ and Java) factories across domain boundaries.

Client-Server Interoperability

To support customer migration, the following client-server interoperability is supported for BEA Tuxedo 8.1.

This component . . .	Can interoperate with . . .
BEA Tuxedo 8.1 ATMI server	<ul style="list-style-type: none">■ ATMI clients running in Tuxedo 6.5, 7.1, and 8.0■ ATMI clients running in WebLogic Enterprise release 5.1■ Jolt clients running in Jolt 1.2, 1.2.1, and 8.0 (via Jolt server 8.1)
BEA Tuxedo 8.1 CORBA server	<ul style="list-style-type: none">■ CORBA clients running in Tuxedo 8.0■ CORBA clients running in WebLogic Enterprise 5.1
BEA Tuxedo 8.1 ATMI client	<ul style="list-style-type: none">■ ATMI servers running in Tuxedo 6.5, 7.1, and 8.0■ ATMI servers running in WebLogic Enterprise 5.1
BEA Tuxedo 8.1 CORBA client	<ul style="list-style-type: none">■ CORBA servers running in Tuxedo 8.0■ CORBA servers running in WebLogic Enterprise 5.1
BEA Jolt 8.1 client	<ul style="list-style-type: none">■ ATMI servers running in Tuxedo 6.5 (via Jolt server 1.2)■ ATMI servers running in Tuxedo 7.1 (via Jolt server 1.2.1)■ ATMI servers running in Tuxedo 8.0 (via Jolt server 8.0)■ ATMI servers running in WebLogic Enterprise 5.1 (via Jolt server 1.2)


The capabilities available to a client for a particular client-server pair depend on the release of both the application client and the server application. For example, if you have a BEA Tuxedo 8.1 ATMI client interoperating with a BEA Tuxedo 6.5 server application, only BEA Tuxedo 6.5 functionality is available to the client.

Interoperability with Third-Party ORBs

Bootstrapping a BEA Tuxedo CORBA domain establishes communication between a CORBA application client and the domain. Two bootstrapping mechanisms are available: (1) the BEA mechanism using the Bootstrap object and (2) the CORBA Interoperable Naming Service (INS) bootstrapping mechanism specified by the OMG.

Support for INS was added in BEA Tuxedo release 8.0. With the addition of INS, third-party ORBs that use INS are able to interoperate with the BEA Tuxedo CORBA server ORB.

Figure 1-5 Interoperability with Third-Party ORBs




Note: The BEA Tuxedo CORBA client environmental objects continue to be supported in BEA Tuxedo 8.1, just as they were supported in BEA Tuxedo 8.0 and BEA WebLogic Enterprise 5.1.

A CORBA application client uses the BEA Tuxedo Bootstrap object or the INS bootstrapping mechanism to obtain references to the objects in a BEA Tuxedo CORBA domain. BEA client ORBs use the BEA mechanism, and third-party client ORBs use the CORBA INS mechanism. For more information about bootstrapping a BEA Tuxedo domain, see [BEA Tuxedo CORBA Programming Reference](#).

Product Upgrades

The following figure shows the existing BEA Tuxedo and BEA WebLogic Enterprise products that can be upgraded to BEA Tuxedo 8.1.

Figure 1-6 Upgrade Paths



If customers can shut down the domain (application) targeted for the upgrade, they should shut down the domain and perform a *simple upgrade*. If customers cannot shut down the domain targeted for the upgrade, they can perform a *hot upgrade*, that is, add the BEA Tuxedo 8.1 system software to the existing BEA Tuxedo or BEA WebLogic Enterprise domain without shutting down the domain. For instructions on performing a simple upgrade or a hot upgrade, see [“Upgrading the BEA Tuxedo System to Release 8.1” on page 5-1](#) in *Installing the BEA Tuxedo System*.

Upward Application Compatibility

Applications developed with BEA Tuxedo 8.0 are upwardly compatible with the BEA Tuxedo 8.1 release. Specifically, applications built on Tuxedo 8.0 are binary upward compatible; they can run unchanged on BEA Tuxedo 8.1 software.

1 *Interoperability and Coexistence*

2 Interoperability with BEA WebLogic Server

The following sections present interoperability capabilities between BEA Tuxedo and BEA WebLogic Server:

- [Interoperability Software Components](#)
- [Interoperability Programming Interfaces](#)
- [JSL/JSH-Jolt Unidirectional Connectivity](#)
- [ISL/ISH-WLEC Unidirectional Connectivity](#)
- [TDomain-WTC Bidirectional Connectivity](#)
- [RMI-over-IIOP Client Direct Connectivity to an EJB](#)
- [Summary of Interoperability Capabilities](#)
- [Interoperability Sample Applications](#)

Interoperability Software Components

Interoperability between BEA Tuxedo and BEA WebLogic Server is implemented as the following three sets of communicating software processes.

2 Interoperability with BEA WebLogic Server

Set	Tuxedo Component	Interoperability Direction	WebLogic Server Component	Interoperability
1	Jolt Server Listener/ Jolt Server Handler	←	BEA Jolt for BEA WebLogic Server	Enables WebLogic Server application servers to call Tuxedo ATMI services.
2	IOP Listener/ IOP Handler	←	WebLogic Enterprise Connectivity (WLEC)	Enables WebLogic Server application servers to call Tuxedo CORBA C++ objects.
3	TDomain gateway	↔	WebLogic Tuxedo Connector (WTC)	Enables WebLogic Server application servers to call Tuxedo ATMI services. Enables WebLogic Server application servers to call Tuxedo CORBA C++ objects. Enables Tuxedo ATMI clients or servers to call WebLogic Server application servers. Enables Tuxedo CORBA C++ clients or servers to call WebLogic Server application servers.

Jolt Server Listener

A Jolt Server Listener (JSL) is a listening process, running on the Tuxedo server, that accepts connection requests from Jolt clients and assigns connections to a Jolt Server Handler also running on the Tuxedo server. It also manages the pool of Jolt Server Handler processes, starting them in response to load demands.

Jolt Server Handler

A Jolt Server Handler (JSH) is a gateway process, running on the Tuxedo server, that handles communications between Jolt clients and the Tuxedo ATMI server application. A JSH process resides within the administrative domain of the application and is registered in the local Tuxedo bulletin board as a client.

Each JSH process can manage multiple Jolt clients. A JSH multiplexes all requests and replies with a particular Jolt client over a single connection.

BEA Jolt for WebLogic Server

BEA Jolt is a Java-based client API that manages requests to Tuxedo services via a Jolt Service Listener (JSL) running on the Tuxedo server. The Jolt API is embedded within the WebLogic API and is accessible from a servlet or any other BEA WebLogic application.

IIOp Listener

An IIOp Listener (ISL) is a listening process, running on the Tuxedo server, that accepts connection requests from CORBA clients and assigns connections to an IIOp Handler also running on the Tuxedo server. It also manages the pool of IIOp Handler processes, starting them in response to load demands.

IIOp Handler

An IIOp Handler (ISH) is a gateway process, running on the Tuxedo server, that handles IIOp communications between CORBA clients and the Tuxedo server application. An ISH process resides within the administrative domain of the application and is registered in the local BEA Tuxedo bulletin board as a client.

Each ISH process can manage multiple CORBA clients. An ISH multiplexes all requests and replies with a particular CORBA client over a single connection.

WebLogic Enterprise Connectivity

WebLogic Enterprise Connectivity (WLEC) provides unidirectional interoperability from WebLogic Server applications to WebLogic Enterprise 5.x or BEA Tuxedo 8.0 or later services. WLEC allows WebLogic Server EJBs, JSPs, and servlets to call WebLogic Enterprise CORBA/EJB servers and Tuxedo CORBA servers.

TDomain Gateway

The TDomain gateway, implemented by the `GWTDOMAIN` server process, provides interoperability between two or more BEA Tuxedo domains through a specially designed transaction processing protocol that flows over network protocol TCP/IP. Working with the WebLogic Tuxedo Connector gateway, the BEA Tuxedo TDomain gateway can also provide interoperability between Tuxedo domains and WebLogic Server applications.

WebLogic Tuxedo Connector

The WebLogic Tuxedo Connector (WTC) enables bidirectional interoperability between the WebLogic Server and Tuxedo ATMI and CORBA environments. The WTC gateway supports the TDomain gateway protocol.

Interoperability Programming Interfaces

Interoperability between BEA Tuxedo and BEA WebLogic Server is achieved using the following application programming interfaces:

- Application-to-Transaction Monitor Interface (ATMI)
- Java Application-to-Transaction Monitor Interface (JATMI)
- Jolt API
- Remote Method Invocation (RMI)
- Remote Method Invocation (RMI) over Internet Inter-ORB Protocol (IIOP) (RMI-over-IIOP)
- CORBA Java

ATMI Interface

ATMI provides an interface for communications, transactions, and data-buffer management that works in all ATMI environments supported by the BEA Tuxedo system. ATMI is described in *Introducing BEA Tuxedo ATMI*.

JATMI Interface

JATMI is the BEA WebLogic Server Java implementation of the BEA Tuxedo ATMI. It allows WebLogic Server application servers to access Tuxedo ATMI services. JATMI is described in *WebLogic Tuxedo Connector Programmer's Guide* at http://e-docs.bea.com/wls/docs70/wtc_atmi/index.html.

Jolt Interface

BEA Jolt for BEA WebLogic Server is a Java-based client API that manages requests to BEA Tuxedo services running on the Tuxedo server. The Jolt API is embedded within the WebLogic API and is accessible from a servlet or any other BEA WebLogic application. Jolt API is described in *Using BEA Jolt with BEA WebLogic Server*.

RMI Interface

Remote Method Invocation is a Java-based API set and protocol that allows an object running in one Java virtual machine to invoke methods on an object running in a different Java virtual machine. RMI specifies how distributed Java applications should operate over multiple Java virtual machines. RMI's native protocol is called Java Remote Method Protocol (JRMP).

For more information about RMI, see *Programming WebLogic RMI* at <http://e-docs.bea.com/wls/docs70/rmi/index.html>.

RMI-over-IIOP Interface

RMI-over-IIOP provides interoperability with CORBA objects implemented in any language if all the remote interfaces are originally defined as RMI interfaces.

RMI-over-IIOP is also known as RMI-on-IIOP, RMI/IIOP, or RMI-IIOP. The term RMI-over-IIOP is used in the discussions that follow.

With RMI and CORBA, programmers must decide between RMI, with its easy programming features, and CORBA, with its broad interoperability. IBM and Sun's JavaSoft, with the cooperation of the Object Management Group (OMG), jointly developed RMI-over-IIOP to solve this dilemma. JavaSoft includes RMI-over-IIOP in its Java Development Kit (JDK).

With RMI-over-IIOP, Java programmers can create applications in RMI that include CORBA connections. And with CORBA 2.3's support for Objects-by-Value, CORBA programmers can create applications in CORBA that include EJB connections.

Note: For information on Objects-by-Value and supported value types in BEA Tuxedo CORBA, see "Mapping of OMG IDL Statements to C++" in [BEA Tuxedo CORBA Programming Reference](#).

With RMI-over-IIOP and CORBA's support for Objects-by-Value, the following client-server interfaces are possible:

- RMI client → RMI-over-IIOP server
- CORBA client → RMI-over-IIOP server
- RMI-over-IIOP client → RMI server
- RMI-over-IIOP client → CORBA server
- RMI-over-IIOP client → RMI-over-IIOP server

Note: Of course, for the "RMI-over-IIOP client → CORBA server" interface, an RMI-over-IIOP client cannot necessarily access all existing CORBA objects because the semantics of CORBA objects defined in IDL are a superset of those of RMI-over-IIOP objects. Thus, an existing CORBA's object's IDL cannot always be mapped into an RMI-over-IIOP Java interface.

A server binary (i.e., a class file) created using RMI-over-IIOP APIs can be exported as JRMP (RMI's native protocol), IIOP, or both. Exporting an RMI-over-IIOP object to both JRMP and IIOP simultaneously is called *dual export*.

For more information about RMI-over-IIOP, see *Programming WebLogic RMI over IIOP* at http://e-docs.bea.com/wls/docs70/rmi_iiop/index.html.


CORBA Java Interface

CORBA Java API is the standard API for the CORBA and Java technologies. A CORBA Java client uses this API to communicate with a CORBA server. CORBA Java is described in *WebLogic Tuxedo Connector Programmer's Guide* at http://e-docs.bea.com/wls/docs70/wtc_atmi/index.html.

JSL/JSH-Jolt Unidirectional Connectivity

BEA Jolt for WebLogic Server provides unidirectional connectivity from BEA WebLogic Server applications to BEA Tuxedo 8.0 or later ATMI services. With BEA Jolt for WebLogic Server, an application administrator can enable Tuxedo services for the Web, using the WebLogic Server as the front-end HTTP and application server. The following figure shows how this connectivity is implemented.

Figure 2-1 WebLogic Server to BEA Tuxedo Connectivity Using Jolt



BEA Jolt is a Java-based client API that manages requests to BEA Tuxedo services using a Jolt Server Listener running on the Tuxedo server. The Jolt API is accessible to an EJB, a JSP, a servlet, a Java HTML (JHTML), or other BEA WebLogic application server.

Jolt Connection Pooling

WebLogic Server uses a variation of the Jolt session pool called a *servlet session pool*, commonly referred to as simply a *Jolt connection pool*. The Jolt connection pool provides extra functionality that is convenient for use inside an HTTP servlet.

Jolt connection pooling allows WebLogic Server application servers to invoke Tuxedo services in a BEA Tuxedo application. The pooling feature supports connection pool reset in the event of connection pool failure, which eliminates the need to restart WebLogic Server if the connection pool requires a restart.

Jolt Wire-Level Security

The following wire-level security is supported on the network connection between the Java Server Handler and WebLogic Server: 40-bit, 56-bit, or 128-bit LLE. LLE, for Link-Level Encryption, is a Tuxedo-based protocol for establishing data privacy over network links.

Jolt Transaction and Security Context Propagation

Jolt supports transaction demarcation, propagation of security, and connection reset. Jolt provides a mechanism for propagating the security context established in WebLogic Server to the BEA Tuxedo application.

User credentials authenticated by WebLogic Server are mapped to the appropriate security interfaces/protocols. An incoming request does not require re-authentication before invoking Tuxedo ATMI services.


Jolt Documentation

For complete information on using BEA Jolt with WebLogic Server, see [Using BEA Jolt with BEA WebLogic Server](#). This document explains the operation of BEA Jolt for WebLogic Server, and describes how to use, configure, and integrate BEA Jolt, BEA Tuxedo ATMI, and BEA WebLogic Server.

ISL/ISH-WLEC Unidirectional Connectivity

WebLogic Enterprise Connectivity (WLEC) provides unidirectional connectivity from BEA WebLogic Server applications to BEA WebLogic Enterprise 5.x or BEA Tuxedo 8.0 or later services. WLEC allows WebLogic Server EJBs, JSPs, and servlets to access WebLogic Enterprise CORBA/EJB servers and Tuxedo CORBA servers via the CORBA Java interface. The following figure shows how this connectivity is implemented for Tuxedo.

Figure 2-2 WebLogic Server to Tuxedo Connectivity Using WLEC



WLEC can handle multiple active Tuxedo CORBA client transactions from a single WebLogic Server process.

WLEC IIOB Connection Pooling

WLEC enables the use of IIOB connection pooling from WebLogic Server clients, including servlets, EJBs, JSPs, and RMI objects, to invoke CORBA objects in a Tuxedo application. The key features of IIOB connection pooling are:

- Pool reinitialization at run time
- Monitoring of IIOB connection pools through the WebLogic Console

WLEC Wire-Level Security

The following wire-level security is supported on the network connection between the IIOB Handler and the WLEC gateway: 40-bit, 56-bit, or 128-bit SSL. SSL, for Secure Sockets Layer, is the standard protocol for establishing secure communications over the Internet (TCP/IP).

WLEC Transaction and Security Context Propagation

WLEC connects over IIOP and supports transaction demarcation, propagation of security, and connection reset. WLEC provides a mechanism for propagating the security context established in WebLogic Server to the BEA Tuxedo application.

User credentials authenticated by WebLogic Server are mapped to the appropriate security interfaces/protocols. An incoming request does not require re-authentication before invoking Tuxedo CORBA C++ objects.

No Objects-by-Value Support

WLEC is CORBA 2.2 compliant, meaning that WLEC does not support the passing of Objects-by-Value in value types. Not supporting “pass-by-value” restricts WLEC to unidirectional support.

Note: WLEC has been deprecated in WebLogic Server release 7.0.

WLEC Documentation

For complete information on using WLEC, see *Using WebLogic Enterprise Connectivity* at <http://e-docs.bea.com/wls/docs70/wlec/index.html>.

TDomain-WTC Bidirectional Connectivity

The TDomain and WTC gateways provide bidirectional connectivity *between* ATMI services/ CORBA objects deployed in a BEA Tuxedo application *and* EJB objects deployed in a WebLogic Server application. Together, the gateways allow the following interoperability for a BEA Tuxedo/ WebLogic Server deployment:

- Allow Tuxedo ATMI clients, and Tuxedo ATMI servers acting as clients, to access WebLogic Server EJB servers via the ATMI interface.


2 Interoperability with BEA WebLogic Server

- Allow Tuxedo CORBA clients, and Tuxedo CORBA servers acting as clients, to access WebLogic Server EJB servers via RMI-over-IIOP.
- Allow WebLogic Server application servers (EJBs, JSPs, Java servlets) acting as clients to access:
 - Tuxedo ATMI servers via JATMI
 - Tuxedo CORBA servers via CORBA Java or RMI-over-IIOP

BEA Tuxedo to BEA WebLogic Server Connectivity

BEA Tuxedo application clients and servers can invoke EJB objects in a WebLogic Server application, which in turn can invoke other EJB objects, JSPs, or Java servlets. The following figure shows how this connectivity is implemented.

Figure 2-3 Tuxedo to WebLogic Server Connectivity



Note: Tuxedo clients include ATMI clients, Jolt clients, CORBA C++ and Java clients, and ActiveX clients. For a high-level view of Tuxedo clients, see “Client and Server Components” in [BEA Tuxedo Product Overview](#).

The TDomain gateway not only enables Tuxedo domains to share services with other BEA Tuxedo domains, but it enables Tuxedo domains to share services with WebLogic Server 6.1 or later installations through the WTC gateway. The WTC gateway supports the TDomain gateway protocol.

The gateways allow Tuxedo ATMI clients, and Tuxedo ATMI servers acting as clients, to access WebLogic Server EJB objects. The TDomain gateway delivers the ATMI client request to the WTC gateway, and the WTC gateway converts the request to an RMI call to access the appropriate EJB object.


Similarly, the gateways allow Tuxedo CORBA clients, and Tuxedo CORBA servers acting as clients, to access WebLogic Server EJB objects. The TDomain gateway delivers the CORBA RMI-over-IIOP client request to the WTC gateway, and the WTC gateway forwards the request to the appropriate EJB object.

Note: The WTC component delivered with WebLogic Server release 6.1 or 7.0 supports all the functionality included in the WTC 1.0 product. BEA encourages the use of the WTC component delivered with the WebLogic Server product.

BEA WebLogic Server to BEA Tuxedo Connectivity

EJB application servers in a WebLogic Server application can invoke services and CORBA objects in a Tuxedo application using the WTC and TDomain gateways. The following figure shows how this connectivity is implemented.

Figure 2-4 WebLogic Server to Tuxedo Connectivity Using WTC



The WTC and TDomain gateways allow WebLogic Server EJBs, JSPs, or Java servlets acting as clients to access Tuxedo services. The WTC gateway converts the EJB/JSP/servlet JATMI request to an ATMI request, and the TDomain gateway delivers the ATMI request to a Tuxedo ATMI server offering the requested service.

Similarly, the gateways allow WebLogic Server EJBs, JSPs, or Java servlets acting as clients to access Tuxedo CORBA objects. The WTC gateway inserts the EJB/JSP/servlet CORBA Java or RMI-over-IIOP request inside of a Tuxedo GIOP (TGIOP) request message, and the TDomain gateway delivers the TGIOP request to a Tuxedo CORBA server offering the requested object.

Note: The WTC component delivered with WebLogic Server release 6.1 or 7.0 supports all the functionality included in the WTC 1.0 product. BEA encourages the use of the WTC component delivered with the WebLogic Server product.

TDomain-WTC Wire-Level Security

The following wire-level security is supported on the network connection between the TDomain and WTC gateways: 40-bit, 56-bit, or 128-bit LLE. LLE, for Link-Level Encryption, is a Tuxedo-based protocol for establishing data privacy over network links.

TDomain-WTC Transaction and Security Context Propagation

Bidirectional propagation of transaction context and security context between application clients and servers in a BEA Tuxedo/ WebLogic Server deployment is fully supported through the TDomain and WTC gateways.


TDomain and WTC Documentation

For details about the Tuxedo Domains gateway, see [Using the BEA Tuxedo Domains Component](#). For details about the WTC gateway, see [WebLogic Tuxedo Connector at http://e-docs.bea.com/wls/docs70/wtc.html](http://e-docs.bea.com/wls/docs70/wtc.html).

RMI-over-IIOP Client Direct Connectivity to an EJB

In addition to using the TDomain and WTC gateways to achieve connectivity from BEA Tuxedo CORBA to BEA WebLogic Server, Tuxedo CORBA C++ clients or servers can call WebLogic Server application servers *directly* using RMI-over-IIOP and CORBA Interface Definition Language (IDL) interfaces. The following figure demonstrates this type of connectivity.

Figure 2-5 Direct EJB Connectivity Using RMI-over-IIOP and IDL Interfaces



For a sample application describing how a CORBA C++ client application developed in BEA Tuxedo can directly interact with an EJB in WebLogic Server, see [Connectivity Between a BEA Tuxedo CORBA Client and an EJB in WebLogic Server](http://edocs.bea.com/tuxedo/tux80/interop/ioptxwls.htm) at <http://edocs.bea.com/tuxedo/tux80/interop/ioptxwls.htm>.

Summary of Interoperability Capabilities

The following table summarizes the interoperability capabilities for a BEA Tuxedo/ WebLogic Server deployment.

Table 2-1 BEA Tuxedo/ WebLogic Server Interoperability Capabilities

This component . . .	Can call a . . .	Through . . .
Tuxedo ATMI client *	WebLogic Server EJB object	WSH ** → TDomain → WTC
Tuxedo Jolt client ***	WebLogic Server EJB object	JSH → TDomain → WTC
Tuxedo CORBA C++ client *	WebLogic Server EJB object	ISH → TDomain → WTC <i>or</i> RMI-over-IIOP client direct connectivity to an EJB
Tuxedo CORBA Java client	WebLogic Server EJB object	ISH → TDomain → WTC
Tuxedo ActiveX client	WebLogic Server EJB object	ISH → TDomain → WTC
Tuxedo ATMI server	WebLogic Server EJB object	TDomain → WTC
Tuxedo CORBA C++ server	WebLogic Server EJB object	TDomain → WTC <i>or</i> RMI-over-IIOP client direct connectivity to an EJB
WebLogic Server EJB, JSP, or servlet	Tuxedo ATMI service	WTC → TDomain <i>or</i> Jolt for WebLogic Server → JSH
WebLogic Server EJB, JSP, or servlet	Tuxedo CORBA C++ object	WTC → TDomain <i>or</i> WLEC → ISH

* A native Tuxedo ATMI or CORBA C++ client does not use Tuxedo handler gateway processes (WSH, ISH).
 ** WSH stands for Workstation Handler.
 *** The Tuxedo Jolt client connection to a WebLogic Server EJB object has not been tested.

Interoperability Sample Applications

WebLogic Server release 7.0 or later includes a large variety of interoperability sample applications. The sample applications provide client and server programmers with information about the basic concepts of (1) combining Tuxedo ATMI services and WebLogic Server EJB objects in an application and (2) combining Tuxedo CORBA objects and WebLogic Server EJB objects in an application.

2 Interoperability with BEA WebLogic Server

For a WebLogic Server 7.0 installation, the ATMI and CORBA Java code examples are located in the following directory:

```
WL_HOME\samples\server\src\examples\wtc
```

Where `WL_HOME` represents the top-level directory of the WebLogic Server 7.0 installation (`weblogic700` by default). These examples show how to configure and set up WebLogic Server to work with Tuxedo ATMI servers and clients, using the underlying WTC technology.

For a WebLogic Server 7.0 installation, the RMI-over-IIOP code examples are located in the following directory:

```
WL_HOME\samples\server\src\examples\iiop
```

These examples show how to configure and set up WebLogic Server to work with Tuxedo CORBA servers and clients, using the underlying WTC technology.

For additional information on how to develop interoperability applications employing ATMI, JATMI, CORBA Java, or RMI-over-IIOP API, see [WebLogic Tuxedo Connector](http://e-docs.bea.com/wls/docs70/wtc.html) at <http://e-docs.bea.com/wls/docs70/wtc.html>.

Index

B

BEA Jolt 2-8

C

customer support contact information vii

D

documentation, where to find it v

E

environmental objects 1-6

I

IIOP connections 2-11

INS 1-6

interoperability

 with third-party ORBs 1-6

Interoperable Naming Service 1-6

P

printing product documentation vi

product upgrades 1-7

R

related information vi

S

support

technical vii

W

WebLogic Tuxedo Connector 2-4

WTC 2-4