



BEA WebLogic Adapter for Email

Release Notes

Copyright

Copyright © 2002 BEA Systems, Inc. All Rights Reserved.

Copyright © 2002 iWay Software. All Rights Reserved.

Restricted Rights Legend

This software and documentation is subject to and made available only pursuant to the terms of the BEA Systems License Agreement and may be used or copied only in accordance with the terms of that agreement. It is against the law to copy the software except as specifically allowed in the agreement. This document may not, in whole or in part, be copied photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form without prior consent, in writing, from BEA Systems, Inc.

Use, duplication or disclosure by the U.S. Government is subject to restrictions set forth in the BEA Systems License Agreement and in subparagraph (c)(1) of the Commercial Computer Software-Restricted Rights Clause at FAR 52.227-19; subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, subparagraph (d) of the Commercial Computer Software--Licensing clause at NASA FAR supplement 16-52.227-86; or their equivalent.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE SOFTWARE AND DOCUMENTATION ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA Systems DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE SOFTWARE OR WRITTEN MATERIAL IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks or Service Marks

BEA, Jolt, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Manager, BEA WebLogic Commerce Server, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic Personalization Server, BEA WebLogic Platform, BEA WebLogic Portal, BEA WebLogic Server, BEA WebLogic Workshop and How Business Becomes E-Business are trademarks of BEA Systems, Inc.

All other trademarks are the property of their respective companies.

BEA WebLogic Adapter for Email Release Notes

Part Number	Date
N/A	October 2002

Contents

BEA WebLogic Adapter for Email Release Notes

About the BEA WebLogic Adapter for Email Release2

Supported Platforms3

Software Requirements4

Miscellaneous Issues5

Known Limitations6

Contacting BEA Customer Support8



BEA WebLogic Adapter for Email Release Notes

BEA WebLogic Adapter for Email Release 7.0
Date: October 2002

This document includes the following topics:

- About the BEA WebLogic Adapter for Email Release
- Supported Platforms
- Software Requirements
- Miscellaneous Issues
- Known Limitations
- Contacting BEA Customer Support

About the BEA WebLogic Adapter for Email Release

From the company that delivers the market's fastest growing integration solution comes a standards-based method of implementing the critical "last mile" of connectivity to your enterprise applications. As an extension to BEA WebLogic Integration™, BEA offers a growing portfolio of application, technology, and utility adapters. These best-of-breed adapters completely conform to the J2EE Connector Architecture specification, and feature enhancements that enable faster, simpler, and more robust integration of your business-critical applications.

E-mail is a vital tool in an enterprise for the exchange of information. The Email protocol must be taken into consideration when planning an integration strategy. The BEA WebLogic Adapter for Email incorporates the SMTP protocol with the POP3 protocol to optimize the integration of files with enterprise application systems. The BEA WebLogic Adapter for Email enables integration with Email messages using the Simple Mail Transport Protocol (SMTP) communications protocol. The Email messages can be XML, non-XML ASCII, or custom data formats. This provides a convenient and simple method for integrating with application systems using BEA WebLogic Integration.

Supported Platforms

As of the release date, the BEA WebLogic Adapter for Email is available on the following platforms:

- Sun Solaris 7 (with Sun recommended patches)
- Sun Solaris 8 (with Sun recommended patches)
- Microsoft Windows 2000 Professional with Service Pack 2
- Microsoft Windows 2000 Server with Service Pack 2
- Microsoft Windows 2000 Advanced Server with Service Pack 2
- Hewlett-Packard HP-UX 11.0
- Hewlett-Packard HP-UX 11i

We are working to certify the adapter on additional platforms. Up-to-date information on supported platforms is available at the following URL:

<http://edocs.bea.com/wlapters/docs70/support/index.html>

Software Requirements

Before you install the BEA WebLogic Adapter for Email, ensure that you have the following software installed:

- BEA WebLogic Server and WebLogic Integration.

The software can be downloaded for from the BEA Web site at
<http://commerce.bea.com/downloads/products.jsp>

As of the release date, the following versions are supported:

- WebLogic Platform 7.0 with Service Pack 1 (WebLogic Server and WebLogic Integration components must be installed)

The information required to install WebLogic Platform 7.0 can be found at
<http://edocs.bea.com/platform/docs70/install/index.html>

- WebLogic Server 6.1 with Service Pack 2 and WebLogic Integration 2.1 with Service Pack 1

The information required to install WebLogic Server 6.1 can be found at
<http://edocs.bea.com/wls/docs61/install/index.html>

The information required to install WebLogic Integration 2.1 can be found at
http://edocs.bea.com/wlintegration/v2_1sp/index.html

We are working to certify the adapter with additional versions. Up-to-date information on supported versions is available at the following URL:

<http://edocs.bea.com/wladapters/docs70/support/index.html>

- Java Runtime environment 1.3.1 or higher
- Web browser
 - Netscape 6.2 or higher
 - Internet Explorer 5.x or higher

Miscellaneous Issues

When using the BEA WebLogic Adapter for Email, you might encounter some of the following issues that can make the adapter or an adapter component inoperable. The following table describes these issues and provides a workaround, where possible.

If an entry includes a CR (Change Request) number, a possible solution may exist in a future BEA WebLogic Adapter for Email release where BEA will provide vendor-specific code to fix the problem. Refer to this number to conveniently track the solution as the problems are resolved.

Please contact BEA Customer Support for assistance in tracking the unresolved problems identified with a CR number. For contact information, see the section “Contacting Customer Support.”

Table 1. Miscellaneous Issues

2	Setting for XSLT_Transform parameter
Problem	<p>If the absolute path for the XSLT transform file is not specified, the system looks for the file relative to the <i>DOMAIN_HOME</i> directory.</p> <p>Here, <i>DOMAIN_HOME</i> represents the complete path to the root of the domain.</p> <p>For example:</p> <ul style="list-style-type: none"> ■ If you install WebLogic Integration 2.1 in the default location on a Windows system, <i>DOMAIN_HOME</i> represents c:\bea\wlintegration2.1\config\domain. ■ If you use the WebLogic Integration 7.0 Configuration Wizard to create a domain in the default location on a Windows system, <i>DOMAIN_HOME</i> represents c:\bea\weblogic700\user_projects\domain.
Platform	All
Workaround	Specify the full path where the XSLT transform file is located.

Table 1. Miscellaneous Issues (Continued)

2	Namespace Prefix in manifest.xml
Problem	<p>Each schema repository has a manifest that describes the repository and its schemas. This repository manifest is stored as an XML file named <code>manifest.xml</code>.</p> <p>If you manually create an XML schema, the namespace prefix must be <code>xsd:</code> rather than <code>xs:</code> in the manifest file.</p>
Platform	All
Workaround	<p>Use the <code>xsd:</code> namespace prefix for XML schemas as shown in the following listing:</p> <pre><?xml version="1.0" encoding="UTF-8"?> <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified"> <xsd:element name="OrderIn"> <xsd:complexType> <xsd:sequence> <xsd:element ref="Store_Code"/> <xsd:element ref="LineItem" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </xsd:element></pre>

Known Limitations

This section describes limitations in the current BEA WebLogic Adapter for Email release and includes possible workarounds, where applicable.

The table below lists a CR (Change Request) number for each problem. Refer to this number to conveniently track the solution as the problems are resolved.

Please contact your BEA Technical Support for assistance in tracking any unresolved problems. For contact information, see “Contacting BEA Customer Support” on page 8.

Table 2. Known Limitations

1	The adapter components are not fully deployed upon initial deployment, despite all the deployed flags indicating deployment has occurred
Problem	After you deploy the adapter as described in “Installing the Adapter With WebLogic Integration 7.0” in the <i>BEA WebLogic Adapter for Email Installation and Configuration Guide</i> , the adapter is not fully deployed, even though the WebLogic Server Administration Console indicates Deployed=True for each required component.
Platform	WebLogic Integration 7.0 with Sun Solaris 7 or 8 WebLogic Integration 7.0 with Hewlett-Packard HP-UX 11.0 or 11i
Workaround	To properly deploy the adapter components, click Redeploy. This is an issue that will be corrected in a future patch of WebLogic Server. Please contact BEA Customer Support for further information.
2	Support for email body types
Problem	The body of an email document must be in a format other than XML.
Platform	All
Workaround	None. This will be addressed in a future release.
3	BEA Application Explorer
Problem	BEA Application Explorer currently does not support creation of manifests and schemas for the BEA WebLogic Adapter for Email.
Platform	All platforms
Workaround	Will be supported. Manifest and schema must be created manually with a third-party tool.

Contacting BEA Customer Support

If you have any questions about this version of BEA Email, or if you have problems installing and running BEA Email, contact BEA Customer Support through BEA WebSupport at www.beasys.com. You can also contact Customer Support by using the contact information provided on the Customer Support Card, which is included in the product package.

When contacting Customer Support, be prepared to provide the following information:

- Your name, e-mail address, phone number, and fax number
- Your company name and company address
- Your machine type and authorization codes
- The name and version of the product you are using
- A description of the problem and the content of pertinent error messages