

BEA WebLogic Adapter for PeopleSoft®8

Release Notes

Release 7.0.3 Document Date: May 2003

Copyright

Copyright © 2003 BEA Systems, Inc. All Rights Reserved.

Copyright © 2003 iWay Software. All Rights Reserved.

Restricted Rights Legend

This software and documentation is subject to and made available only pursuant to the terms of the BEA Systems License Agreement and may be used or copied only in accordance with the terms of that agreement. It is against the law to copy the software except as specifically allowed in the agreement. This document may not, in whole or in part, be copied photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form without prior consent, in writing, from BEA Systems, Inc.

Use, duplication or disclosure by the U.S. Government is subject to restrictions set forth in the BEA Systems License Agreement and in subparagraph (c)(1) of the Commercial Computer Software-Restricted Rights Clause at FAR 52.227-19; subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, subparagraph (d) of the Commercial Computer Software--Licensing clause at NASA FAR supplement 16-52.227-86; or their equivalent.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE SOFTWARE AND DOCUMENTATION ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA Systems DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE SOFTWARE OR WRITTEN MATERIAL IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks or Service Marks

BEA, Jolt, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Manager, BEA WebLogic Commerce Server, BEA WebLogic Enterprise, BEA WebLogic Enterprise, BEA WebLogic Enterprise, BEA WebLogic Enterprise, BEA WebLogic Personalization Server, BEA WebLogic Platform, BEA WebLogic Portal, BEA WebLogic Server, BEA WebLogic Workshop and How Business Becomes E-Business are trademarks of BEA Systems, Inc.

All other trademarks are the property of their respective companies.

BEA WebLogic Adapter for PeopleSoft 8 Release Notes

Part Number	Date
N/A	April 2003
N/A	May 2003

Contents

About the BEA WebLogic Adapter for PeopleSoft 8 Release	1
Supported Sub-Platforms	2
Software Requirements	
Determining the Adapter Version	
Problems Fixed in This Release	
Miscellaneous Issues	5
Known Limitations	9
Contacting BEA Customer Support	10

BEA WebLogic Adapter for PeopleSoft 8 Release Notes

BEA WebLogic Adapter for PeopleSoft 8 Release 7.0.3 Release Date: April2003

Revised: May 2003

This document includes the following topics:

- About the BEA WebLogic Adapter for PeopleSoft 8 Release
- Supported Sub-Platforms
- Software Requirements
- Determining the Adapter Version
- Problems Fixed in This Release
- Miscellaneous Issues
- Known Limitations
- Contacting BEA Customer Support

About the BEA WebLogic Adapter for PeopleSoft 8 Release

The BEA WebLogic Adapter for PeopleSoft 8 provides a means to exchange real-time business data between PeopleSoft systems and other applications, databases, or external business partner systems. The adapter allows for inbound and outbound processing with PeopleSoft.

The adapter uses WebLogic Integration and XML messages to allow non-PeopleSoft applications to communicate and exchange transactions with PeopleSoft. Applications that need access to PeopleSoft data when a People Soft business event occurs, use the adapter in combination with WebLogic Integration (WLI) Application Views, Events, and BEA Business Process Management tools to receive messages from PeopleSoft. If the request is for retrieving data from PeopleSoft, then the adapter sends the application a response message with the data.

Supported Sub-Platforms

As of the release date, the BEA WebLogic Adapter for PeopleSoft 8 is available on the following sub-platforms:

- Sun Solaris 7 (with Sun recommended patches)
- Sun Solaris 8 (with Sun recommended patches)
- Microsoft Windows 2000 Professional with Service Pack 2
- Microsoft Windows 2000 Server with Service Pack 2
- Microsoft Windows 2000 Advanced Server with Service Pack 2.
- Microsoft Windows NT 4.0 with Service Pack 6 or later

These sub-platforms are supported for the adapter with WebLogic Platform 7.0 only:

- Red Hat Linux 7.2
- RedHat Enterprise Linux AS 2.1
- Hewlett-Packard HP-UX 11.0
- Hewlett-Packard HP-UX 11i
- IBM AIX 5.1

We are working to certify the BEA Application Explorer on additional platforms. Up-to-date information on supported platforms is available at the following URL:

http://edocs.bea.com/wladapters/docs70/support/index.html

Software Requirements

Before you install the BEA WebLogic Adapter for PeopleSoft 8, ensure that you have the following software installed:

■ BEA WebLogic Server and WebLogic Integration.

The software can be downloaded for from the BEA Web site at http://commerce.bea.com/downloads/products.jsp

As of the release date, the following versions are supported:

 WebLogic Platform 7.0 with Service Pack 2 (WebLogic Server and WebLogic Integration components must be installed)

The information required to install WebLogic Platform 7.0 can be found at http://edocs.bea.com/platform/docs70/install/index.html

Caution: You must apply patch CR095687 to your WebLogic Platform before installing this adapter. Contact BEA Customer Support for this required patch.

Note: Although the documentation discusses the use of this adapter with WebLogic Integration 2.1, this release is certified and supported with WebLogic Integration 7.0 only at this time. We are working to certify this release of the adapter with additional versions of WebLogic Integration. Up-to-date information on supported versions is available at the following URL:

http://edocs.bea.com/wladapters/docs70/support/index.html

- Java Runtime environment 1.3.1 or higher
- Web browser
 - Netscape 6.2 or higher
 - Internet Explorer 5.x or higher

Determining the Adapter Version

To allow you to easily determine the version of the BEA WebLogic Adapter for PeopleSoft, identifying information has been added to the Manifest.mf file.

For example, the Manifest .mf file for BEA WebLogic Adapter for PeopleSoft 7.0.3 contains the following:

```
Manifest-Version: 1.0
Created-By: Apache Ant 1.5
Label: BEARG3.0003
Implementation-Vendor: BEA Systems
Implementation-Version: 7.0.3.0003
Implementation-Title: BEA PeopleSoft Adapter RG3 April 7 2003
```

The Implementation-Version is provided in the following format: W.X.Y.ZZZZ:

- W. x represents the major and minor release number (in this case, 7.0)
- Y represents the service pack number (in this case, 2)
- ZZZZ represents the build number of the release (in this case, 0008)

If you obtain a patch subsequent to a release, identifying information specific to the patch is included in the Manifest.mf file.

Problems Fixed in This Release

The following table lists the problems fixed in BEA WebLogic Adapter for PeopleSoft 8 7.0 SP2.

Table 1. Problems Fixed in This Release

	Problem	Solution
1	PeopleSoft event can fail and give time out message. This can occur on WebLogic Integration 7.0.	Contact BEA Customer Support for the patch that resolves this issue.

Miscellaneous Issues

When using the BEA WebLogic Adapter for PeopleSoft 8, you might encounter some of the following issues, which can make the BEA WebLogic Adapter for PeopleSoft 8 or a BEA WebLogic Adapter for PeopleSoft 8 component inoperable. The following table describes these issues and provides a workaround, where possible.

If an entry includes a CR (Change Request) number, a possible solution may exist in a future BEA WebLogic Adapter for PeopleSoft 8 release where BEA will provide vendor-specific code to fix the problem. Refer to this number to conveniently track the solution as the problems are resolved.

Please contact BEA Customer Support for assistance in tracking the unresolved problems identified with a CR number. For contact information, see the section "Contacting BEA Customer Support" on page 10.

Table 2. Miscellaneous Issues

1	Namespace Prefix in manifest.xml
Problem	Each schema repository has a manifest that describes the repository and its schemas. This repository manifest is stored as an XML file named manifest.xml.
	If you manually create an XML schema, the namespace prefix must be $xsd:$ rather than $xs:$ in the manifest file.
Platform	All

Table 2. Miscellaneous Issues

Workaround	Use the xsd: namespace prefix for XML schemas as shown in the following listing:
	<pre><?xml version="1.0" encoding="UTF-8"?></pre>
	<pre><xsd:schema elementformdefault="qualified" xmlns:xsd="http://www.w3.org/2001/XMLSchem a"></xsd:schema></pre>
_	
2	Limitation on level 2 scrolls
Problem	PeopleSoft has acknowledged a limitation with Component Interfaces that contain level 2 scrolls. If you try to insert a new row on a level 2 scroll, a Null Pointer Exception error occurs.
Problem Platform	PeopleSoft has acknowledged a limitation with Component Interfaces that contain level 2 scrolls. If you try to insert a new
	PeopleSoft has acknowledged a limitation with Component Interfaces that contain level 2 scrolls. If you try to insert a new row on a level 2 scroll, a Null Pointer Exception error occurs.
Platform	PeopleSoft has acknowledged a limitation with Component Interfaces that contain level 2 scrolls. If you try to insert a new row on a level 2 scroll, a Null Pointer Exception error occurs. All Upgrade your version of PeopleTools Version 8.16.08 and PeopleTools Version 8.17.02 in the 8.1x code line. This issue

Problem	If you are trying to insert a level 1, 2, or 3 scroll and the		
	following conditions exist		
	there is exactly one row for the level 1, 2, or 3 scroll		
	• there are required field names that end in a numeric value		
	then an error message with the following format appears:		
	This is an invalid property {ADDRESS_1} (91,15)		
	This example was created using the VNDR_ID component interface from the Financials application. The actual property name is ADDRESS1. BEA is working with PeopleSoft to resolve this issue.		
Platform	All		
Workaround	As a workaround, perform the following steps:		
	 In the PeopleSoft Application Designer, open the component interface with which you are working. 		
	2. Select the property that ends in a numeric value.		
	3. Right-click and select Edit Name from the context menu.		
	4. Change the name of the property.		
	Note: You can select a name that does not end in a number (for example, ADDRESSA), or you can add an underscore (for example, ADDRESS_1).		
	5. Save the component interface.		
	6. Re-generate the Java APIs for the component interface.		
	Use the revised property name in your XML and/or BEA WebLogic transaction.		
1	Limitation with level 3 scrolls.		
Problem	PeopleSoft has acknowledged a limitation with Component Interfaces that contain level 3 scrolls. If you try to insert a new row on a level 3 scroll, a Null Pointer Exception error occurs.		
	<u> </u>		

All

Platform

Table	2	Miscellaneous	Teemee

	Workaround	If you receive this error, you must upgrade your PeopleSoft release level. This limitation is fixed in PeopleTools Version 8.18 and is tracked by PeopleSoft Incident T-MZYGAR-D2529. In the 8.4x code line, PeopleSoft reported that this limitation was fixed in PeopleTools Version 8.41.01 (PeopleSoft Incident T-JRUNST-T93BJ). However, in later releases of 8.41 it still remains as a limitation (see PeopleSoft Incident T-MZYGAR-3F72X).		
5		Limitation with multiple effective dated scrolls.		
	Problem	A failure occurs when inserting multiple effective dated rows.		
	Platform	All		
	Workaround	If you want to insert multiple effective dated rows for the same primary keys, you must use two separate transactions. This limitation is tracked by PeopleSoft Incident T-ACESAR-BS362.		
6		PeopleSoft Releases Supported		
	Problem	Due to certain limitations in early releases of PeopleTools, the BEA WebLogic Adapter for PeopleSoft 8 requires that the PeopleTools release must be 8.16.03 or greater if you have a version of PeopleSoft in the 8.1x series. If you have a version		
		of PeopleSoft in the 8.4x series, your PeopleTools release must be at 8.40.05 or greater. The BEA WebLogic Adapter for PeopleSoft 8 has not been certified to work with 8.42, nor has it been certified to work with earlier PeopleSoft release series (for example, 7.5x).		
	Platform	of PeopleSoft in the 8.4x series, your PeopleTools release must be at 8.40.05 or greater. The BEA WebLogic Adapter for PeopleSoft 8 has not been certified to work with 8.42, nor has it been certified to work with earlier PeopleSoft release		
	Platform Workaround	of PeopleSoft in the 8.4x series, your PeopleTools release must be at 8.40.05 or greater. The BEA WebLogic Adapter for PeopleSoft 8 has not been certified to work with 8.42, nor has it been certified to work with earlier PeopleSoft release series (for example, 7.5x).		
7		of PeopleSoft in the 8.4x series, your PeopleTools release must be at 8.40.05 or greater. The BEA WebLogic Adapter for PeopleSoft 8 has not been certified to work with 8.42, nor has it been certified to work with earlier PeopleSoft release series (for example, 7.5x). All Upgrade your version of PeopleTools to the level required, as		
7		of PeopleSoft in the 8.4x series, your PeopleTools release must be at 8.40.05 or greater. The BEA WebLogic Adapter for PeopleSoft 8 has not been certified to work with 8.42, nor has it been certified to work with earlier PeopleSoft release series (for example, 7.5x). All Upgrade your version of PeopleTools to the level required, as noted in the problem description.		

Table ') N	Ticcell	aneous	Teemee

Workaround	Follow the convention of naming the message created in
	Peoplesoft as tablename_SYNC where tablename is
	name of table against which the event schema was generated.

Known Limitations

This section describes limitations in the current BEA WebLogic Adapter for PeopleSoft 8 release and includes possible workarounds, where applicable.

If an entry includes a CR (Change Request) number, a possible solution may exist in a future BEA WebLogic Adapter for PeopleSoft 8 release where BEA will provide vendor-specific code to fix the problem. Refer to this number to conveniently track the solution as the problems are resolved.

Please contact your BEA Technical Support for assistance in tracking any unresolved problems. For contact information, see the section "Contacting BEA Customer Support."

Table 3. Known Limitations

1		BEA Application Explorer	
begin with certain special characte		Although PeopleSoft permits Component Interface names that begin with certain special characters (such as an underscore), the BEA Application Explorer will not recognize such names.	
	Platform	All platforms	
	Workaround	Begin Component Interface names with the letters A-Z or the integers 0-9.	

Contacting BEA Customer Support

If you have any questions about this version of BEA PeopleSoft 8, or if you have problems installing and running the BEA WebLogic Adapter for PeopleSoft 8, contact BEA Customer Support through BEA WebSupport at www.beasys.com. You can also contact Customer Support by using the contact information provided on the Customer Support Card, which is included in the product package.

When contacting Customer Support, be prepared to provide the following information:

- Your name, e-mail address, phone number, and fax number
- Your company name and company address
- Your machine type and authorization codes
- The name and version of the product you are using
- A description of the problem and the content of pertinent error messages