



BEA WebLogic Adapter for Siebel®

Release Notes

Copyright

Copyright © 2003 BEA Systems, Inc. All Rights Reserved.

Copyright © 2003 iWay Software. All Rights Reserved.

Restricted Rights Legend

This software and documentation is subject to and made available only pursuant to the terms of the BEA Systems License Agreement and may be used or copied only in accordance with the terms of that agreement. It is against the law to copy the software except as specifically allowed in the agreement. This document may not, in whole or in part, be copied photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form without prior consent, in writing, from BEA Systems, Inc.

Use, duplication or disclosure by the U.S. Government is subject to restrictions set forth in the BEA Systems License Agreement and in subparagraph (c)(1) of the Commercial Computer Software-Restricted Rights Clause at FAR 52.227-19; subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, subparagraph (d) of the Commercial Computer Software--Licensing clause at NASA FAR supplement 16-52.227-86; or their equivalent.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE SOFTWARE AND DOCUMENTATION ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA Systems DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE SOFTWARE OR WRITTEN MATERIAL IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks or Service Marks

BEA, Jolt, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Manager, BEA WebLogic Commerce Server, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic Personalization Server, BEA WebLogic Platform, BEA WebLogic Portal, BEA WebLogic Server, BEA WebLogic Workshop and How Business Becomes E-Business are trademarks of BEA Systems, Inc.

All other trademarks are the property of their respective companies.

BEA WebLogic Adapter for Siebel Release Notes

Part Number	Date	Release
N/A	April 2003	7.0.3
N/A	May 2003	7.0.3

Contents

BEA WebLogic Adapter for Siebel Release Notes

- About This Release of the BEA WebLogic Adapter for Siebel1
 - What's New in This Release2
- Supported Sub-Platforms.....2
- Software Requirements3
 - Siebel Versions and APIs Supported5
- Determining the Adapter Version5
- Miscellaneous Issues6
- Known Limitations9
- Contacting BEA Customer Support12



BEA WebLogic Adapter for Siebel Release Notes

BEA WebLogic Adapter for Siebel Release 7.0.3
Release Date: April 2003
Revised: May 2003

This document includes the following sections:

- About This Release of the BEA WebLogic Adapter for Siebel
- Supported Sub-Platforms
- Software Requirements
- Determining the Adapter Version
- Miscellaneous Issues
- Known Limitations
- Contacting BEA Customer Support

About This Release of the BEA WebLogic Adapter for Siebel

The BEA WebLogic Adapter for Siebel provides a means to exchange real-time business data between Siebel systems and other application, database, or external business partner systems. The adapter allows for inbound and outbound processing with Siebel.

The adapter uses WebLogic Integration and XML messages to allow non-Siebel applications to communicate and exchange transactions with Siebel. Applications that require access to Siebel data when a Siebel business event occurs use the adapter in combination with WebLogic Integration (WLI) Application Views, Events, and BEA Business Process Management tools to receive messages from Siebel. Applications that require a Siebel business event use the adapter in combination with WLI Application Views, Services, and BEA Business Process Management tools to send request messages to Siebel. If the request is to retrieve data from Siebel, then the adapter sends the application a response message with the data.

The BEA WebLogic Adapter for Siebel:

- Supports synchronous and asynchronous, bi-directional message interactions for Business Services, Business Components, and Integration Objects.
- Provides BEA Application Explorer, which uses Siebel object manager metadata to build XML schemas for Application Views, events, and services.
- Integrates service and event operations with Siebel.
- Supports Siebel Transports—MQSeries, File, and HTTP.

The adapter supports Siebel eBusiness Applications, Releases 6 and 7.

What's New in This Release

This adapter has been tested with and is supported for use in double byte character set (DBCS) environments, and supports the development of solutions and applications in such environments.

Supported Sub-Platforms

The BEA WebLogic Adapter for Siebel is currently available on the following sub-platforms:

- Sun Solaris 7 (with Sun recommended patches)
- Sun Solaris 8 (with Sun recommended patches)

- Microsoft Windows 2000 Professional with Service Pack 2
- Microsoft Windows 2000 Server with Service Pack 2
- Microsoft Windows 2000 Advanced Server with Service Pack 2
- Microsoft Windows NT 4.0 with Service Pack 6 or later

These sub-platforms are supported for the adapter with WebLogic Platform 7.0 only:

- Red Hat Linux 7.2
- RedHat Enterprise Linux AS 2.1
- Hewlett-Packard HP-UX 11.0
- Hewlett-Packard HP-UX 11i
- IBM AIX 5.1

We are working to certify the BEA Application Explorer on additional platforms. Up-to-date information on supported platforms is available at the following URL:

<http://edocs.bea.com/wlapters/docs70/support/index.html>

Software Requirements

Before you install this release of the BEA WebLogic Adapter for Siebel, ensure that you have the following software installed:

- WebLogic Platform 7.0 with Service Pack 2 (WebLogic Server and WebLogic Integration components must be installed)

The software can be downloaded from the BEA Web site at
<http://commerce.bea.com/downloads/products.jsp>

The information required to install WebLogic Platform 7.0 can be found at
<http://edocs.bea.com/platform/docs70/install/index.html>

Caution: You must apply patch CR095687 to your WebLogic Platform before installing this adapter. Contact BEA Customer Support for this required patch.

Note: Although the documentation discusses the use of this adapter with WebLogic Integration 2.1, this release is certified and supported with WebLogic Integration 7.0 only at this time. WebLogic Integration 2.1 users should continue to use version 7.0 of the adapter. We are working to certify this release of the adapter with additional versions of WebLogic Integration.

Up-to-date information on supported versions is available at the following URL:

<http://edocs.bea.com/wlapters/docs70/support/index.html>

- Java Runtime environment 1.3.1 or higher

- Siebel 99.5, 6.0.1, 6.3, 7.x

Note: If Siebel 6.2.X or lower is used, the Siebel client must be installed with the adapter.

- Web browser

- Netscape 6.2 or higher
- Internet Explorer 5.x or higher

- Developer Access to the Siebel Interfaces and Components required for your applications:

- Siebel Workflow Manager
- Siebel Integration Object
- EAI XML XDR Generator
- EAI Siebel Adapter
- EAI XML Converter Adapter
- EAI MQ Series, HTTP or FILE Transports
- MQ Series Receiver Server Task (for incoming message transport)
- FILE and HTTP transports

Siebel Versions and APIs Supported

The following table indicates which combinations of adapter platform and Siebel platform are supported, and for each combination, which Siebel release and Siebel API are supported.

Table 1. Cross-Platform Compatibility and API Support

Adapter Platform	Siebel Platform	Siebel Release	API
Unix (AIX, HP-UX, Linux, Solaris)	Windows, AIX, HP-UX, Linux	6.3.x - 7.x	Java Data Bean
	Solaris	6.0.1 - 7.x	Java Data Bean
Windows	Windows	6.0.1 - 6.2.x	COM
		6.3.x - 7.x	Java Data Bean
	Solaris	6.0.1 - 7.x	Java Data Bean
	AIX	6.3.x - 7.x	Java Data Bean

Determining the Adapter Version

To allow you to easily determine the version of the BEA WebLogic Adapter for Siebel, identifying information has been added to the `Manifest.mf` file.

For example, the `Manifest.mf` file for BEA WebLogic Adapter for Siebel 7.0.3 contains the following:

```
Manifest-Version: 1.0
Created-By: Apache Ant 1.5
Label: BEARG3.0003
Implementation-Vendor: BEA Systems
Implementation-Version: 7.0.3.0008
Implementation-Title: BEA SIEBEL Adapter RG3 April 7 2003
```

The `Implementation-Version` is provided in the following format: `w.x.y.zzzz`:

- `w.x` represents the major and minor release number (in this case, 7.0)
- `y` represents the release group number (in this case, 3)
- `zzzz` represents the build number of the release (in this case, 0003)

If you obtain a patch subsequent to a release, identifying information specific to the patch is included in the `Manifest.mf` file.

Miscellaneous Issues

The following table describes miscellaneous issues you should be aware of when using the BEA WebLogic Adapter for Siebel.

Where applicable, entries include a CR (Change Request) number or Case number. Please refer to this number if you contact BEA Customer Support regarding the issue. For contact information, see “Contacting BEA Customer Support” on page 12.

Table 2. Miscellaneous Issues

1	Connecting to Siebel from Solaris 8
Problem	When using the BEA WebLogic Adapter for Siebel, the following error can occur: "646" not supported...
Platform	Solaris 8
Workaround	If this error occurs, then before using BEA WebLogic Adapter for Siebel to connect to Siebel, set <code>LANG=en_US</code> . This variable must be set before starting WebLogic Server. To check the status of the <code>LANG</code> setting, type <code>locale</code> at the command prompt. For more information, refer to the following: http://supportweb.siebel.com/supportsearch/sr/38-654863951.html

Table 2. Miscellaneous Issues (Continued)

2	CR085889	Connecting to MQSeries in Binding Mode (when MQSeries and WebLogic Integration reside on the same machine)
	Problem	Additional configuration steps are required to connect to MQSeries in binding mode.
	Platform	All Platforms
	Workaround	<p>When MQSeries and WebLogic Integration are running on the same machine, you can configure MQ events and services using the adapter to connect to MQSeries in binding mode. To do so, you need to add the following lines to the <code>setDomainTypeData</code> script (the following example is for Windows):</p> <pre> set MQ_INSTALL_PATH=d:\apps\MQSeries set MQ_JAVA_INSTALL_PATH=d:\apps\MQSeries\java set MQ_JAVA_LIB_PATH=%MQ_JAVA_INSTALL_PATH%\lib set MQ_PATH=%MQ_INSTALL_PATH%\bin;%MQ_JAVA_INSTALL_PA TH%\bin;%MQ_JAVA_LIB_PATH% set PATH=%MQ_PATH%;%PATH%</pre>
3		Namespace Prefix in manifest.xml
	Problem	<p>Each schema repository has a manifest that describes the repository and its schemas. This repository manifest is stored as an XML file named <code>manifest.xml</code>.</p> <p>If you manually create an XML schema, the namespace prefix must be <code>xsd:</code> rather than <code>xs:</code> in the manifest file.</p>
	Platform	All

Table 2. Miscellaneous Issues (Continued)

Workaround	Use the <code>xsd:</code> namespace prefix for XML schemas as shown in the following listing: <pre><?xml version="1.0" encoding="UTF-8"?> <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified"> <xsd:element name="OrderIn"> <xsd:complexType> <xsd:sequence> <xsd:element ref="Store_Code"/> <xsd:element ref="LineItem" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </xsd:element></pre>
4	Default parameter values in MQEmitter Event and Service windows
Problem	The default values for the suffixin parameter for File event configuration and the maxlife and count parameters for MQEmitter service configuration cannot be modified.
Platform	All
Workaround	Do not modify the default values for suffixin when configuring an File event and for maxlife and count when configuring an MQEmitter service.
5	Sample provided in Appendix B of the User Guide applies to Siebel 7.0.3.
Problem	Appendix B, “Creating Siebel Workflows” in the BEA Adapter for Siebel User Guide provides sample workflows for Siebel 7.0.3. Refer to Siebel documentation for migrating to Siebel 7.5.2.
Platform	All
Workaround	Refer to your Siebel documentation.

Known Limitations

The following table describes limitations in the current release of the BEA WebLogic Adapter for Siebel. Whenever available, a recommended workaround is provided.

Where applicable, entries include a CR (Change Request) number or Case number. Please refer to this number when contacting BEA Customer Support for assistance in tracking the problem identified. For contact information, see “Contacting BEA Customer Support” on page 12.

Table 3. Known Limitations

1	Deleting already updated values when the primary key is MVG (multi value group) in a Solaris 8 Japanese language environment
Problem	When using the WebLogic Adapter for Siebel with the Siebel Java API Service, you may unexpectedly receive a status message indicating success when trying to delete values that have already been updated. Case number (SR 38-981559451) has been filed with Siebel for the resolution of this issue. For more information, refer to the following: http://supportweb.siebel.com/supportsearch/sr/38-981559451.html
Platform	Solaris 8
Workaround	None
2	Schema name supported characters
Problem	When you generate schemas with the BEA Application Explorer, Siebel returns schema names with dashes and spaces in it.
Platform	All

Table 3. Known Limitations (Continued)

Workaround	
On Windows Systems: After generating schemas with the BEA Application Explorer, change the schema names to include only valid Java characters; for instance, change the change the spaces and dashes to underscores. You must also update the <code>manifest.xml</code> file for the connection to reflect the revised schema names. The adapter will then function properly.	
On UNIX Systems: Install the BEA Application Explorer on a Windows system, and generate the required schemas on that system. Rename the schemas to include only valid Java characters; for instance, change the dashes and spaces to underscores. You can then FTP the files to the appropriate location on your UNIX system and update the <code>manifest.xml</code> file for the connection to reflect the revised schema names.	
3	[Service JavaAPI] <code>java.lang.ArrayIndexOutOfBoundsException</code>
Problem	This is a known issue with Siebel when updating multivalued fields with a multivalued field control.
Platform	All
Workaround	Repeat the update request.
4	Error when creating a connection to Siebel or when using an adapter service or event on HP-UX
Problem	When creating a connection to Siebel in the BEA Application View Explorer, or when using an adapter service or event, the follow error may be generated: <code>8859_1 is not supported</code>
Platform	Linux

Table 3. Known Limitations (Continued)

Workaround	<p>Do the following:</p> <ol style="list-style-type: none"> 1. Close the BEA Application Explorer and stop WebLogic Server. 2. Open the <code>installation_directory/bin/ae</code> file 3. At the bottom of the file, locate the java command that starts the application. The command begins as follows: <code>\$JAVACMD -classpath</code> 4. Add the following option to the java command: <code>-Dfile.encoding="ISO8859_1"</code> As follows: <code>\$JAVACMD -Dfile.encoding="ISO8859_1" -classpath</code> 5. Save your changes. 6. Open the <code>DOMAIN_HOME/startWeblogic</code> file. 7. Add the following option to the java command: <code>-Dfile.encoding="ISO8859_1"</code> As follows: <code>\$JAVA_HOME/bin/java -Dfile.encoding="ISO8859_1"</code> <code>\$DB_JVMARGS</code> 8. Save your changes. 9. Verify that the <code>LANG</code> environmental variable is set to <code>en_US.iso88591</code>. The <code>locale -a</code> command can be used to display all supported character sets on your system. For additional information, see the <code>locale</code> and <code>setlocal</code> man pages. 10. Restart WebLogic Server and the BEA Application Explorer. You should now be able to successfully create a connection to Siebel.
5	Database changes may not be reflected by server
Problem	When setting field values, those values may not be reflected on the server.
Platform	Solaris 2.8, Windows NT

Table 3. Known Limitations (Continued)

Workaround	To workaround this issue, validate before writing the record to the database. When you change a value, using <code>SetFieldValue</code> follow it with <code>GetFieldValue</code> to verify that the proper value has been assigned. For example: <pre>t = bc.setFieldValue("Start Date", "5/26/2003 00:00"); System.out.println(t + "# "+ bc.getFieldValue("Start Date"));</pre>
-------------------	--

Contacting BEA Customer Support

If you have any questions about this release of the BEA WebLogic Adapter for Siebel, or if you have problems installing and running the adapter, contact BEA Customer Support through BEA eSupport at <http://support.bea.com>. You can also contact Customer Support by using the contact information provided on the Customer Support Card that is included in the product package.

When contacting Customer Support, be prepared to provide the following information:

- Your name, e-mail address, phone number, and fax number
- Your company name and company address
- Your machine type and authorization codes
- The name and version of the adapter you are using
- The version of WebLogic Integration you are using
- A description of the problem and the content of pertinent error messages