



BEA WebLogic Adapter for Siebel®

Installation and Configuration Guide for WebLogic Integration 2.1

Copyright

Copyright © 2003 BEA Systems, Inc. All Rights Reserved.

Copyright © 2003 iWay Software. All Rights Reserved.

Restricted Rights Legend

This software and documentation is subject to and made available only pursuant to the terms of the BEA Systems License Agreement and may be used or copied only in accordance with the terms of that agreement. It is against the law to copy the software except as specifically allowed in the agreement. This document may not, in whole or in part, be copied photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form without prior consent, in writing, from BEA Systems, Inc.

Use, duplication or disclosure by the U.S. Government is subject to restrictions set forth in the BEA Systems License Agreement and in subparagraph (c)(1) of the Commercial Computer Software-Restricted Rights Clause at FAR 52.227-19; subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, subparagraph (d) of the Commercial Computer Software--Licensing clause at NASA FAR supplement 16-52.227-86; or their equivalent.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE SOFTWARE AND DOCUMENTATION ARE PROVIDED “AS IS” WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA Systems DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE SOFTWARE OR WRITTEN MATERIAL IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks or Service Marks

BEA, Jolt, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Manager, BEA WebLogic Commerce Server, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic Personalization Server, BEA WebLogic Platform, BEA WebLogic Portal, BEA WebLogic Server, BEA WebLogic Workshop and How Business Becomes E-Business are trademarks of BEA Systems, Inc.

All other trademarks are the property of their respective companies.

BEA WebLogic Adapter for Siebel Installation and Configuration Guide for WebLogic Integration 2.1

Part Number	Date	Release
N/A	April 2003	7.0.3

Table of Contents

About This Document

Audience.....	v
Related Information.....	vi
Contact Us!.....	vii
Documentation Conventions	viii

1. Installing the Adapter with WebLogic Integration 2.1

Before Installing the Adapter	1-2
Before Using the Adapter.....	1-2
Required Java Library Files	1-2
Understanding the Representation of Paths.....	1-3
Step 1. Obtaining the BEA WebLogic Adapter for Siebel.....	1-4
Step 2. Extracting JARs and Adjusting the Classpath.....	1-4
Extracting JARs and Adjusting the Classpath for Windows.....	1-5
Extracting JARs and Adjusting the Classpath for UNIX.....	1-7
Step 3. Configuring the WebLogic Integration Database for the Domain	1-8
Step 4. Replacing the xmltoolkit.jar File.....	1-9
Step 5. Updating the BEA License.....	1-11
Step 6. Deploying the Adapter Using the WebLogic Server Console	1-12
Step 7. Adding the Administrative Server User Name to the Adapter Group	1-14
Next Steps.....	1-15



About This Document

This document explains how to install the BEA WebLogic Adapter for Siebel, which is used to develop client-server interfaces between Siebel and other applications. It describes how to install the BEA WebLogic Adapter for Siebel with WebLogic Integration 2.1.

This document is organized as follows:

- [Chapter 1, “Installing the Adapter with WebLogic Integration 2.1,”](#) provides the information you need before installing the BEA WebLogic Adapter for Siebel, and describes how to install the adapter with WebLogic Integration 2.1.

Audience

This document is written for system integrators who develop client interfaces between Siebel and other applications. It describes how to install and deploy the BEA WebLogic Adapter for Siebel and how to use it with WebLogic Integration and adapter tools to develop online connections to Siebel applications. It is assumed that readers know Web technologies and have a general understanding of Microsoft Windows and UNIX systems as well as:

- General knowledge of the Siebel environment, including Siebel Server, Siebel Client, Siebel Tools, and how to configure Siebel Server tasks.
- General knowledge of Siebel EAI concepts including how to use Siebel Tools and Wizards to create and modify Siebel Business Services and Integration Components.
- Specific knowledge of Siebel business applications.

-
- Knowledge of Siebel processes and data model for the required application area.
 - General knowledge of WebLogic Integration architecture.
 - General knowledge of client-server concepts.

Related Information

The BEA corporate Web site provides all documentation for WebLogic Server and WebLogic Integration. For information about these products, go to <http://e-docs.bea.com>. Documents that you may find helpful when installing the BEA WebLogic Adapter for Siebel are:

- *BEA WebLogic Adapter for Siebel Release Notes*
- *BEA WebLogic Adapter for Siebel User Guide*
- *BEA Application Explorer Installation and Configuration Guide*
- Siebel Documentation, available online or on CD-ROM from Siebel Systems Inc.
- Siebel eBusiness Bookshelf Version 7.3. Applicable topics include:
 - Overview: Siebel eBusiness Application Integration Volume I
 - Integration Platform Technologies: Siebel eBusiness Volume II
 - Transports and Interfaces: Siebel eBusiness Application Volume III
 - Business Processes and Rules: Siebel eBusiness Application Integration Volume IV
 - Tools Guide
 - Server Administration Guide
 - Workflow Administration Guide
- BEA WebLogic Server 6.1 installation and user documentation, which is available at the following URL:

<http://edocs.bea.com/wls/docs61/index.html>

-
- BEA WebLogic Integration 2.1 installation and user documentation, which is available at the following URL:

http://edocs.bea.com/wlintegration/v2_1sp/index.html

Contact Us!

Your feedback on the BEA WebLogic Adapter for Siebel documentation is important to us. Send us e-mail at docsupport@bea.com if you have questions or comments. Your comments will be reviewed directly by the BEA professionals who create and update the BEA WebLogic Adapter for Siebel documentation.

In your e-mail message, please indicate which version of the BEA WebLogic Adapter for Siebel documentation you are using.

If you have any questions about this version of BEA WebLogic Adapter for Siebel, or if you have problems installing and running BEA WebLogic Adapter for Siebel, contact BEA Customer Support through BEA WebSupport at www.bea.com. You can also contact Customer Support by using the contact information provided on the Customer Support Card, which is included in the product package. When contacting Customer Support, be prepared to provide the following information:

- Your name, e-mail address, phone number, and fax number
- Your company name and company address
- Your machine type and authorization codes
- The name and version of the adapter you are using
- The version of WebLogic Integration you are using
- A description of the problem and the content of pertinent error messages

Documentation Conventions

The following documentation conventions are used throughout this document.

Convention	Item
boldface text	Indicates terms defined in the glossary.
Ctrl+Tab	Indicates that you must press two or more keys simultaneously.
<i>italics</i>	Indicates emphasis or book titles.
monospace text	Indicates code samples, commands and their options, data structures and their members, data types, directories, and file names and their extensions. Monospace text also indicates text that you must enter from the keyboard. <i>Examples:</i> #include <iostream.h> void main () the pointer psz chmod u+w * \tux\data\ap .doc tux.doc BITMAP float
monospace boldface text	Identifies significant words in code. <i>Example:</i> void commit ()
<i>monospace italic text</i>	Identifies variables in code. <i>Example:</i> String <i>expr</i>
UPPERCASE TEXT	Indicates device names, environment variables, and logical operators. <i>Examples:</i> LPT1 SIGNON OR

Convention	Item
{ }	Indicates a set of choices in a syntax line. The braces themselves should never be typed.
[]	Indicates optional items in a syntax line. The brackets themselves should never be typed. <i>Example:</i> buildobjclient [-v] [-o name] [-f file-list]... [-l file-list]...
	Separates mutually exclusive choices in a syntax line. The symbol itself should never be typed.
...	Indicates one of the following in a command line: <ul style="list-style-type: none">■ That an argument can be repeated several times in a command line■ That the statement omits additional optional arguments■ That you can enter additional parameters, values, or other information The ellipsis itself should never be typed. <i>Example:</i> buildobjclient [-v] [-o name] [-f file-list]... [-l file-list]...
. . . .	Indicates the omission of items from a code example or from a syntax line. The vertical ellipsis itself should never be typed.



1 Installing the Adapter with WebLogic Integration 2.1

This section provides instructions for installing the BEA WebLogic Adapter for Siebel with WebLogic Integration 2.1. It includes the following topics:

- [Before Installing the Adapter](#)
- [Understanding the Representation of Paths](#)
- [Step 1. Obtaining the BEA WebLogic Adapter for Siebel](#)
- [Step 2. Extracting JARs and Adjusting the Classpath](#)
- [Step 3. Configuring the WebLogic Integration Database for the Domain](#)
- [Step 4. Replacing the xmltoolkit.jar File](#)
- [Step 5. Updating the BEA License](#)
- [Step 6. Deploying the Adapter Using the WebLogic Server Console](#)
- [Step 7. Adding the Administrative Server User Name to the Adapter Group](#)
- [Next Steps](#)

Before Installing the Adapter

Before you install the BEA WebLogic Adapter for Siebel, you must review the *BEA WebLogic Adapter for Siebel Release Notes* to ensure that you have the required prerequisite software installed. The *BEA WebLogic Adapter for Siebel Release Notes* is available at the following URL:

<http://edocs.bea.com/wlapters/doc70/index.html>

Before Using the Adapter

Before using the adapter, you must make sure that you have the required Java library files installed in the correct locations.

Required Java Library Files

Most of the Java library files required to be in the classpath for the adapter are included in the adapter software. However, you must also adjust the classpath for your system by adding the location of Siebel Java library files. These files are available on your Siebel installation medium. The file names are specific to the Siebel release level you are running. For example, if you are running Siebel 7.0.x, the relevant files are named *SiebelJI Common.jar* and *SiebelJI_enu.jar*. If you are running a different version of Siebel, contact your Siebel Administrator or consult your Siebel documentation for the files appropriate for your Siebel version.

In addition, if you use IBM WebSphere MQ as a transport, you must adjust the classpath to add the location of specific WebSphere MQ files.

Additionally, you must install the classes required to develop MQSeries applications in Java through the following Java-based APIs:

- MQSeries classes for Java
- MQSeries classes for Java Message Service (JMS)

If you are using MQSeries 5.1 or 5.2, the required classes are provided in the MA88 SupportPac, which is available at the following URL:

<http://www-3.ibm.com/software/ts/mqseries/txppacs/ma88.html>

If you are using WebSphere MQ 5.3, the MQSeries classes for Java and JMS are installed in the `java/lib` directory when you select the JAVA Messaging Component during installation.

Understanding the Representation of Paths

Because the location of files in the WebLogic Integration environment depends on options selected during installation and configuration, the conventions that follow are used throughout to represent paths.

- *BEA_HOME* represents the BEA Home directory specified for your WebLogic installation.

For example, if you install the product in the default location on a Windows system, *BEA_HOME* represents `c:\bea`.

- *WLI_HOME* represents the root of your WebLogic Integration installation.

For example, if you install WebLogic Integration 2.1 in the default location on a Windows system, *WLI_HOME* represents `c:\bea\wlintegration2.1`.

- *domain* is used to indicate the name of a domain.

In WebLogic Integration 2.1, preconfigured domains (`bpmdomain`, `eaideomain`, `wldomain`, and `samples`) are created as subdirectories of the *WLI_HOME*\config directory. Therefore, *domain* may be used to represent the root of a preconfigured WebLogic Integration 2.1 domain as follows:

WLI_HOME\config\domain

- *DOMAIN_HOME* represents the complete path to the root of a domain.

For example, if you install WebLogic Integration 2.1 in the default location on a Windows system, *DOMAIN_HOME* represents `c:\bea\wlintegration2.1\config\domain`.

Note: *WLI_HOME* and *BEA_HOME* (italicized) also represent the corresponding Windows and UNIX environment variables. For example, the literal interpretation of *WLI_HOME* is `%WLI_HOME%` for Windows and `$WLI_HOME` for UNIX.

Unlike *WLI_HOME* and *BEA_HOME*, *DOMAIN_HOME* is not an environment variable that is set by default in the WebLogic Integration environment.

Step 1. Obtaining the BEA WebLogic Adapter for Siebel

The BEA WebLogic Adapter for Siebel is packaged as an EAR file (*BEA_SIEBEL_1_0.ear*). You can obtain the software on CD or download it from www.bea.com.

Note: At the time of publication of this document, WebLogic Server 6.1 is unable to explode RAR files (BEA Support CASE number 333672). Use an extraction tool (such as WinZip) to extract the contents of the adapter EAR file, *BEA_SIEBEL_1_0.ear*, and add the location of the unpackaged objects to the server's classpath (see [Step 2. Extracting JARs and Adjusting the Classpath](#)).

Step 2. Extracting JARs and Adjusting the Classpath

Most of the Java library files required to be in the classpath for the adapter are included in the adapter software. However, you must adjust the classpath for your system by adding the location of Siebel library files. These files are available on your Siebel installation medium. The file names are specific to the Siebel release level you are running. For example, if you are running Siebel 7.0.x, the relevant files are named *SiebelJI Common.jar* and *SiebelJI_enu.jar*. If you are running a different version of Siebel, contact your Siebel Administrator or consult your Siebel documentation for the files appropriate for your Siebel version.

In addition, if you use IBM WebSphere MQ as a transport, you must adjust the classpath to add the location of specific WebSphere MQ files.

Set the classpath using the procedure appropriate for your system:

- [Extracting JARs and Adjusting the Classpath for Windows](#)
- [Extracting JARs and Adjusting the Classpath for UNIX](#)

Note: The following procedures reference files that must be obtained from the MA88 SupportPac (if you are using MQSeries 5.1 or 5.2) or from your WebSphere MQ 5.3 distribution. For additional information, see [“Before Using the Adapter” on page 1-2](#). Be sure you know the location of the required files.

Extracting JARs and Adjusting the Classpath for Windows

To unzip the adapter JAR files and adjust the classpath on Windows, complete the following steps:

1. Use WinZip (or another similar extracting product) to extract the `BEA_SIEBEL_1_0.ear` file to a directory of your choice (for example, `BEA_HOME`).

2. Go to the root directory for your domain:

```
cd DOMAIN_HOME
```

Note: You must choose a WebLogic Integration domain that supports application integration functionality.

3. Find the `SetDomainTypeData.cmd` file.

Here, *DomainType* is the type of the domain. For example, if your domain is configured to support the development of solutions that employ the full range of WebLogic Integration functionality, it contains the `SetwliDomainData.cmd` file.

4. Update the following SVRCP environment variable settings to the `SetDomainTypeData.cmd` file for the domain to include the following JAR files included in the EAR file.

Note: The SVRCP environment variable is used in the `SetDomainTypeData` script to set the classpath for the java executable.

1 *Installing the Adapter with WebLogic Integration 2.1*

After the following line:

```
set SVRCP=%SVRCP%;%WLI_DOMAIN_HOME%\wla
```

add the following JAR files that are listed in the order required for the classpath:

```
SET SVRCP=%SVRCP%;BEA_HOME\ibi-edaqm.jar
SET SVRCP=%SVRCP%;BEA_HOME\xercesImpl.jar
SET SVRCP=%SVRCP%;BEA_HOME\xmlParserAPIs.jar
SET SVRCP=%SVRCP%;BEA_HOME\xmltoolkit.jar
SET SVRCP=%SVRCP%;BEA_HOME\BEA_SIEBEL_1_0.jar
```

Note: The Siebel files listed below are given as examples. They are appropriate for Siebel version 7.0.x. If you are running a different version of Siebel, contact your Siebel Administrator or consult your Siebel documentation for the files appropriate for your Siebel version. These files are part of your Siebel distribution, they are not part of the BEA Adapter for Siebel.

```
REM The following settings are for Siebel JAVA API:
SET SVRCP=%SVRCP%;install_directory\SiebAdapter.jar
SET SVRCP=%SVRCP%;install_directory\SiebelJI_Common.jar
SET SVRCP=%SVRCP%;install_directory\SiebelJI_enu.jar

REM The following settings are for Siebel when using IBM MQSeries Transport:
SET SVRCP=%SVRCP%;C:\Program Files\IBM\MQSeries\Java\lib\com.ibm.mq.iiop.jar
SET SVRCP=%SVRCP%;C:\Program Files\IBM\MQSeries\Java\lib\com.ibm.mq.jar
SET SVRCP=%SVRCP%;C:\Program Files\IBM\MQSeries\Java\lib\com.ibm.mqbind.jar

REM Native Libraries and Localized Properties
set SVRCP=%SVRCP%;"D:\Program Files\MQSeries\Java\lib"
```

Here, BEA_HOME is the directory specified in step 1.

drive:\install_directory is the directory in which you placed the Siebel JAR files. Because these Siebel files are also required to be in the BAE installation directory, you can use that path here if the adapter and the Application Explorer are installed on the same machine. For example, if you installed the Application Explorer in the default location, you can adjust the classpath to point to the following directory: C:\Program Files\BEA Systems\BEA Application Explorer\SiebelJI_enu.jar.

C:\Program Files\IBM\MQSeries\Java\lib is a sample directory in which the required MQSeries classes for Java and JMS are located. For additional information, see [“Required Java Library Files” on page 2](#).

Note: Depending on the version of the MA88 SupportPac or MQ distribution, the com.ibm.mq.iiop.jar file may be named com.ibm.mqjms.jar.

5. If you are running Siebel version 6.2x or lower, add the following setting immediately above the REM Start WebLogic section:

```
SET PATH=%PATH%;E:\bea\AdapterEars\s6wrap.dll
```

Extracting JARs and Adjusting the Classpath for UNIX

To extract the adapter JAR files and adjust the classpath on UNIX, complete the following steps:

1. Use jar (or another similar extracting product) to extract `BEA_SIEBEL_1_0.ear` to a directory of your choice (for example, `BEA_HOME`).
2. Go to the root directory for your domain:

```
cd DOMAIN_HOME
```

Note: You must choose a WebLogic Integration domain that supports application integration functionality.

3. Find the `SetDomainTypeData.cmd` file.

Here, *DomainType* is the type of the domain. For example, if your domain is configured to support the development of solutions that employ the full range of WebLogic Integration functionality, it contains the `SetwliDomainData.cmd` file.

4. Update the following `SVRCP` environment variable settings to the `SetDomainTypeData.cmd` file for the domain to include all the JAR files included in the EAR file.

Note: The `SVRCP` environment variable is used in the `SetDomainTypeData` script to set the classpath for the java executable.

After the following line:

```
set SVRCP=%SVRCP%;%WLI_DOMAIN_HOME%\wli
```

add the following JAR files, which are listed in the order required for the classpath:

```
SVRCP=$SVRCP:BEA_HOME/ibi-edaqm.jar
SVRCP=$SVRCP:BEA_HOME/xercesImpl.jar
SVRCP=$SVRCP:BEA_HOME/xmlParserAPIs.jar
SVRCP=$SVRCP:BEA_HOME/xmltoolkit.jar
SVRCP=$SVRCP:BEA_HOME/BEA_SIEBEL_1_0.jar
```

1 *Installing the Adapter with WebLogic Integration 2.1*

Note: The Siebel files listed below are given as examples. They are appropriate for Siebel version 7.0.x. If you are running a different version of Siebel, contact your Siebel Administrator or consult your Siebel documentation for the files appropriate for your Siebel version. These files are part of your Siebel distribution, they are not part of the BEA Adapter for Siebel.

```
# ===== The following settings are for Siebel Java API:
SVRCP=$SVRCP:install_directory/SiebAdapter.jar
Set SVRCP=$SVRCP:/install_directory/SiebelJI Common.jar
set SVRCP=$SVRCP:/install_directory/SiebelJI_enu.jar

# ===== The following settings are for Siebel when using IBM MQSeries Transport:
SVRCP=$SVRCP:/usr/IBM/MQSeries/Java/lib/com.ibm.mq.iiop.jar
SVRCP=$SVRCP:/usr/IBM/MQSeries/Java/lib/com.ibm.mq.jar
SVRCP=$SVRCP:/usr/IBM/MQSeries/Java/lib/com.ibm.mqbind.jar

# ===== Native Libraries and Localized Properties =====
SVRCP=$SVRCP:/usr/MQSeries/Java/lib
```

Here, *BEA_HOME* is the directory specified in Step 1.

/install_directory/ is the directory in which you placed the Siebel JAR files. Because these Siebel files are also required to be in the BAE installation directory, you can use that path here if the adapter and the Application Explorer are installed on the same machine. For example, you can adjust the classpath to point to the following directory: */BEA Systems/BEA Application Explorer/SiebelJI_enu.jar*.

/usr/IBM/MQSeries/Java/lib is a sample directory in which the required MQSeries classes for Java and JMS are located.

Note: Depending on the version of the MA88 SupportPac or MQ distribution, the *com.ibm.mq.iiop.jar* file may be named *com.ibm.mqjms.jar*.

Step 3. Configuring the WebLogic Integration Database for the Domain

If you have not already done so, you must create the WebLogic Integration database tables for your domain. For detailed instructions, see “Configuring the Database for a Domain” in *Starting, Stopping and Customizing BEA WebLogic Integration*, which is available at the following URL:

http://edocs.bea.com/wlintegration/v2_1sp/config/index.htm

Step 4. Replacing the xmltoolkit.jar File

The BEA WebLogic Adapters include a new `xmltoolkit.jar` file. You must replace your existing WebLogic Integration `xmltoolkit.jar` file with the new JAR file.

To configure the new `xmltoolkit.jar` file, follow these steps:

1. Rename your original `xmltoolkit.jar` file to `xmltoolkit.jar.old` by entering the commands appropriate for your operating system:
 - On a Windows system:

```
cd WLI_HOME\lib
rename xmltoolkit.jar xmltoolkit.jar.old
```
 - On a UNIX system:

```
cd WLI_HOME/lib
mv xmltoolkit.jar xmltoolkit.jar.old
```
2. Extract the `xmltoolkit.jar` file from the adapter EAR file into a temporary directory.
3. Copy the new `xmltoolkit.jar` file (extracted in step 2) to the `WLI_HOME\lib` directory for Windows or the `WLI_HOME/lib` directory for UNIX.

Caution: Simply replacing the `xmltoolkit.jar` file is not sufficient; you must also make changes to the `setenv` and `SetDomainTypeData` scripts as described in the following steps.

1 Installing the Adapter with WebLogic Integration 2.1

4. Edit the top-level `setenv` script and make the appropriate changes for your operating system:

- On a Windows system, edit the `WLI_HOME\setenv.cmd` script.

Replace the line:

```
set WLICOMMONCP=
```

with

```
set WLICOMMONCP=%WLI_HOME%\lib\xmltoolkit.jar
```

- On a UNIX system, edit the `WLI_HOME/setenv.sh` script.

Replace the line:

```
WLICOMMONCP=$WLI_LIB/wlicommon.jar
```

with

```
WLICOMMONCP=$WLI_LIB/wlicommon.jar:$WLI_HOME/lib/xmltoolkit.jar
```

5. Edit the `SetDomainTypeData` script.

Here, *DomainType* is the type of the domain. For example, depending on the configuration of your domain, locate and edit the `SetwliDomainData.cmd` or `SeteaiDomainData.cmd` file.

- On a Windows system:

For example, edit the `DOMAIN_HOME\SetwliDomainData.cmd` script.

Replace the line:

```
set SVRCP=%WLISERVERCP%;%CMNCP%
```

with

```
set SVRCP=%WLI_HOME%\lib\xmltoolkit.jar;%WLISERVERCP%;%CMNCP%
```

- On a UNIX system:

For example, edit the `DOMAIN_HOME/SetwliDomainData` script.

Replace the line:

```
SVRCP=$WLISERVERCP:$CMNCP
```

with

```
SVRCP=$WLI_HOME/lib/xmltoolkit.jar:$WLISERVERCP:$CMNCP
```

Step 5. Updating the BEA License

The BEA WebLogic Adapter for Siebel cannot be used without a valid software license. If you have downloaded the adapter for evaluation, you must obtain an evaluation license as described on the adapter download page. If you have purchased a license for the adapter, the license file is typically sent to you as an e-mail attachment.

When you have obtained a valid license for the adapter, update your `license.bea` file by completing the following steps:

1. Save the license file that you obtained with a name other than `license.bea`, in the `BEA_HOME` directory. For example, save the file as `siebel_adapter_license.bea`. Use this file as the `license_update_file` in step 4 of this procedure.

Warning: Do not overwrite or change the name of the existing `license.bea` file.

2. Perform the step appropriate for your platform:
 - On a Windows system, open an MS-DOS session and go to the `BEA_HOME` directory.
 - On a UNIX system, go to the `BEA_HOME` directory.
3. If it is not already included, add the JDK to your `PATH` variable by executing the command appropriate to your system:
 - On a Windows system:

```
set PATH=BEA_HOME\jdk131_03\bin;%PATH%
```
 - On a UNIX system:

```
PATH=BEA_HOME/jdk131_03/bin:$PATH
export PATH
```

4. Merge the license update file into your existing license by executing the command appropriate to your system:

- On a Windows system:

```
UpdateLicense license_update_file
```

- On a UNIX system:

```
sh UpdateLicense.sh license_update_file
```

Here, *license_update_file* is the name to which you saved the license update file in step 1.

5. Save a copy of your updated `license.bea` file in a safe place outside the WebLogic Integration and application installation directories.

Step 6. Deploying the Adapter Using the WebLogic Server Console

After the BEA WebLogic Adapter for Siebel is installed, it must be deployed to WebLogic Server for your domain (for example, `wlidomain`). To configure and deploy an adapter using the WebLogic Server Administration Console, complete the following steps:

1. Start WebLogic Server.
2. Start the WebLogic Server Administration Console in a browser using the following URL:

```
http://localhost:port/console/
```

Here, *localhost* represents the machine on which WebLogic Server is running and *port* represents the listening port.

For example, `http://localhost:7001/console/`

3. When prompted, enter the user name and password for the server.


Note: If you have not updated the default login, see “WebLogic Integration Users and Passwords” in *Starting, Stopping, and Customizing WebLogic Integration* at the following URL:

Step 6. Deploying the Adapter Using the WebLogic Server Console

http://edocs.bea.com/wlintegration/v2_1sp/config/getstart.htm

The WebLogic Server Administration Console opens.


Figure 1-1 WebLogic Server Console



4. In the left pane, choose Deployments and then Applications from the navigation tree.

The console displays the Applications window.

Figure 1-2 Applications Window




5. Click the Install a new Application link.

The console displays the Install or Update an Application window.

6. Click Browse to locate the application archive you selected during installation (BEA_SIEBEL_1_0.ear).

Figure 1-3 Locating the Application Archive Window



7. Click Upload to upload the BEA_SIEBEL_1_0.ear file.

The console displays the application files currently installed to indicate that the upload is complete and the adapter file is deployed to WebLogic Server.

8. You can verify deployment by viewing the adapter configuration, as follows:
 - a. Choose Deployments and then Applications from the navigation tree.
 - b. Click the BEA_SIEBEL_1_0.ear file link.

Step 7. Adding the Administrative Server User Name to the Adapter Group

A user group, `adapter`, is defined in each domain that supports application integration functionality. Before you create an application view that employs the events or services supported by an adapter, you must add the user name defined for the administrative server to the `adapter` group.

Note: By default, the `adapter` group includes the user `system`. If the user name defined for the administrative server is `system`, skip this step. For example, if you are starting the server in a preconfigured domain, and you have not modified the default administrative server login, you can skip this step.


To add the administrative server user name to the `adapter` group, complete the following steps:

1. In the left pane of the WebLogic Server Administration Console, choose Security and then Groups from the navigation tree.

The console displays groups currently defined for the domain.

2. Locate and click the link for the `adapter` group to display the group definition.

Figure 1-4 Group Definition



3. If the administrative server user name is not included in the Members list, enter the user name in the Add Users field.
4. Click Apply to add the user name to the group.

The name is added to the Members list.

Next Steps

If you have not already installed the BEA Application Explorer, install it now. See the *BEA Application Explorer Installation and Configuration Guide*.

When you have successfully installed and deployed the adapter, you can log on to the WebLogic Integration Application View Console to create application views that employ events and services supported by the BEA WebLogic Adapter for Siebel. For more information, see the *BEA WebLogic Adapter for Siebel User Guide*.

