



BEA WebLogic Portal[®]

Portal Management Guide

Version 8.1 with Service Pack 4
Revised: December, 2004

Copyright

Copyright © 2004-2005 BEA Systems, Inc. All Rights Reserved.

Restricted Rights Legend

This software and documentation is subject to and made available only pursuant to the terms of the BEA Systems License Agreement and may be used or copied only in accordance with the terms of that agreement. It is against the law to copy the software except as specifically allowed in the agreement. This document may not, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form without prior consent, in writing, from BEA Systems, Inc.

Use, duplication or disclosure by the U.S. Government is subject to restrictions set forth in the BEA Systems License Agreement and in subparagraph (c)(1) of the Commercial Computer Software-Restricted Rights Clause at FAR 52.227-19; subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, subparagraph (d) of the Commercial Computer Software--Licensing clause at NASA FAR supplement 16-52.227-86; or their equivalent.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE SOFTWARE AND DOCUMENTATION ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA Systems DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE SOFTWARE OR WRITTEN MATERIAL IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks or Service Marks

BEA, BEA WebLogic Server, Jolt, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Liquid Data for WebLogic, BEA Manager, BEA WebLogic Commerce Server, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Enterprise Security, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic JRockit, BEA WebLogic Personalization Server, BEA WebLogic Platform, BEA WebLogic Portal, BEA WebLogic Server Process Edition, BEA WebLogic Workshop and How Business Becomes E-Business are trademarks of BEA Systems, Inc.

All other trademarks are the property of their respective companies.

Contents

About This Document

Product Documentation on the dev2dev Web Site.	v
Contact Us	v
Documentation Conventions	vi

Portal Management Guide

Overview	1
What Do I Create When I Create a Portal?	2
Portal Administrators	3
Overview of Layouts	3
Overview of Library Administration	3
Overview of Portal Administration	4
Overview of Portal Resources	5
Overview of Portlet Categories	7
Overview of Shells.	7
Overview of Themes	7

About This Document

This document describes the parts of a portal that you can manage with the Portal Administration Tools.

Product Documentation on the dev2dev Web Site

BEA product documentation, along with other information about BEA software, is available from the BEA dev2dev Web site:

<http://dev2dev.bea.com>

To view the documentation for a particular product, select that product from the list on the dev2dev page; the home page for the specified product is displayed. From the menu on the left side of the screen, select Documentation for the appropriate release. The home page for the complete documentation set for the product and release you have selected is displayed.

Contact Us

Your feedback on the BEA WebLogic Portal documentation is important to us. Send us e-mail at **docsupport@bea.com** if you have questions or comments. Your comments will be reviewed directly by the BEA professionals who create and update the WebLogic Portal documentation.

In your e-mail message, please indicate that you are using the documentation for BEA WebLogic Portal **8.1 Service Pack 4**.

If you have any questions about this version of BEA WebLogic Portal, or if you have problems installing and running BEA WebLogic Portal, contact BEA Customer Support at <http://support.bea.com>. You can also contact Customer Support by using the contact

information provided on the quick reference sheet titled “BEA Customer Support,” which is included in the product package.

When contacting Customer Support, be prepared to provide the following information:

- Your name, e-mail address, phone number, and fax number
- Your company name and company address
- Your machine type and authorization codes
- The name and version of the product you are using
- A description of the problem and the content of pertinent error messages

Documentation Conventions

The following documentation conventions are used throughout this document.

Convention	Item
Ctrl+Tab	Indicates that you must press two or more keys simultaneously.
<i>italics</i>	Indicates emphasis or book titles.
monospace text	<div>Indicates <i>user input</i>, as shown in the following examples:</div> <ul style="list-style-type: none">• Filenames: <code>config.xml</code>• Pathnames: <code>BEAHOME/config/examples</code>• Commands: <code>java -Dbea.home=BEA_HOME</code>• Code: <code>public TextMsg createTextMsg (</code> <div>Indicates <i>computer output</i>, such as error messages, as shown in the following example:</div> <pre>Exception occurred during event dispatching:java.lang.ArrayIndexOutOfBoundsException: No such child: 0</pre>
monospace boldface text	<div>Identifies significant words in code.</div> <div><i>Example:</i></div> <pre>void commit ()</pre>

Convention	Item
<i>monospace</i> <i>italic</i> <i>text</i>	Identifies variables in code. <i>Example:</i> String <i>expr</i>
{ }	Indicates a set of choices in a syntax line. The braces themselves should never be typed.
[]	Indicates optional items in a syntax line. The brackets themselves should never be typed. <i>Example:</i> java utils.MulticastTest -n <i>name</i> [-p <i>portnumber</i>]
	Separates mutually exclusive choices in a syntax line. The symbol itself should never be typed. <i>Example:</i> java weblogic.deploy [<i>list</i> <i>deploy</i> <i>update</i>]
...	Indicates one of the following in a command line: <ul style="list-style-type: none"> • That an argument can be repeated several times in a command line • That the statement omits additional optional arguments • That you can enter additional parameters, values, or other information The ellipsis itself should never be typed. <i>Example:</i> buildobjclient [-v] [-o <i>name</i>] [-f "file1.cpp file2.cpp file3.cpp . . ."]
. . .	Indicates the omission of items from a code example or from a syntax line. The vertical ellipsis itself should never be typed.

About This Document

Portal Management Guide

Overview

The WebLogic Administration Portal lets you create and manage portal applications, portals, and portal components. Whether you are a portal administrator with far-reaching administrative responsibility managing multiple portal applications, or you are simply working with specific portal building blocks such as portlets, campaigns, or content you have flexibility for assembling and maintaining portals and portal resources.

A portal presents multiple, diverse content and applications to users through a consistent, unified Web-based interface. Portal administrators and users can customized portals, and content can be presented based on user preferences or rule-based personalization.

Portals provide the following benefits to the user:

- Aggregation – The user can go to a single place for all content and applications.
- Customization – The preferences for a user determine how the portal looks and feels.
- Personalization – The user can get content that is specific to their interests and needs.
- Organization – The user can arrange the content and applications to make better sense of the information.
- Integration – The user can work with multiple applications and content sources in a unified fashion.

Portals typically include the following features and benefits:

- Search – Enterprise and web-based search facilities

- Content Management – Creation, management, and delivery of content
- Content Repurposing – Including content from multiple disparate data sources
- Portals optionally include the following features and benefits:
- Workflow – Business process management
- Single Sign-On – Allows users to log on once for all applications within the portal

What Do I Create When I Create a Portal?

From an administrative standpoint, a portal is a container that defines a portal application. When you create a new portal in the administration portal, you are really creating an empty portal to hold different versions of the portal (Desktops) that can be targeted to specific users. A portal can contain one or more Desktops, or views, of a portal. It is the Desktops to which you will add the portal resources and navigation such as books, pages, and portlets that make a dynamic portal.

Each portal is associated with a Web Application that contains all of the resources required to run portals on the Web.

```
WebApplication
  Portal (Portal Application)
    Desktop 1
      Book 1
        Page 1
        Page 2
          Portlet 1
          Portlet 2
      Desktop 2
        Book 2
          Page 3
          Page 4
            Portlet 1
            Portlet 3
            Portlet 4
        Book 3
          Page 5
          Page 6
            Portlet 2
            Portlet 4
```

Portal Administrators

Two types of administrators use the Portal Management tools:

- Overview of Library Administration
- Portal Administrator

The Portal Management tools allow you to create and maintain WebLogic Portal applications and resources. For Library Administrators, the Portal Resource tree provides you with a list of all of the resources that are available for administration and allows you to modify their properties.

For portal administrators, the library might not be visible because you do not have privileges for library resources. Instead, your Portal Resource tree contains the portals and portal resources for which you have administration authority.

Overview of Layouts

Layouts are used to control the position of the components in your portal. You can customize the way your portal looks by rearranging the position of portlets and pages in a portal.

Overview of Library Administration

In some cases, changes to a definition in the library can be propagated to deployed portal resources. The portal library is the repository for portal components, including the following:

- Shells
- Themes
- Menus
- Books
- Pages
- Layouts
- Look & Feels
- Portlets
- Portlet Categories
- Portlet Producers

Note: Book and Page resources are often created by developers in WebLogic Workshop. In order to make these resources visible in the library, you must create a desktop in the Administration Portal using the portal created in Workshop as the template. For example, if a developer creates book and page resources in a portal called NewTestPortal in Workshop, you must create a new desktop and select the NewTestPortal as your template for the desktop.

As the Library Administrator, you can modify the definitions in the Resource library. These modifications are global in scope and carry with them a higher degree of administration responsibility. When you create new portal instances of portal resources and put them in the Portal Library, they will have the following characteristics:

- Your resource will show up in the Portal Library so that portal administrators can create instances of them to use as templates.
- Your resource can be localized.
- Your resource can be entitled at the enterprise application level. This means that when these resources are entitled, they are entitled for every instance.
- Visitors can add these resources to their personal views of a portal via the Visitor Tools because they can choose them from the Library.
- If an administrator or visitor deletes this resource from a portal, the resource can easily be retrieved from the Library.

Overview of Portal Administration

Portal administrators work with portal resources to assemble portals and entitle parts of the portal to end users and other administrators. A portal represents a Web site that can be one of many within an Enterprise Application. Each portal can support multiple desktops using shared components. The administration of the portals, desktops, and components can be delegated to the distinct administrators who have the correct Delegated Administration privileges.

You can assemble your portal using portal resources that exist in the Portal Library, or in some cases you can create your own resources. If you create portal resources outside of the Portal library, you are creating "one-off" versions that have the following restrictions:

- Your resource will not show up in the Portal Library
- Your resource cannot have entitlements that are scoped to the enterprise applications. You can entitle your resource to your Desktop level.

- Visitors will not be able to add these resources to their personal views of a portal via the Visitor Tools because they will not be available in the Library.
- If you delete this resource, it will be permanently deleted since no version of it exists in the Library.

Portal desktops are the specific views of a portal application that visitors access, while components in the library are used as templates to create and deploy portals and desktops. As a portal administrator, the changes you make to a portal affect only that portal, while changes made by a Library Administrator can impact resources used across all portals that use those components.

Overview of Portal Resources

A portal is a Web application that provides a unified user interface to aggregated content and integrated applications. When you "create a Portal" using the tools in the WebLogic Administration Portal, you are essentially creating a "holder" for Desktops, or customized views of the portal. To the Desktops you add other portal resources such as books, portlets, and look and feels. You can then entitle these desktops and resources for specific users.

Desktops are the application views of a portal that are accessed by visitors to a site. A desktop is contained within a portal, and there may be multiple desktops within each portal. A desktop contains all the portlets, content, and look and feel elements necessary to create individual user views of a portal. All users access the default before they define their own desktops.

This table provides descriptions of all of the portal resources/templates that are available to you in the WebLogic Administration Portal Library. These resources are initially created by developers and made available to the administration portal.

Portal Librarians can use these resources to create additional resources to populate the Portal Library. Portal Administrators can create instances of these resources to assemble customized portals.

Portal Resource	Description
Shells	The top-level container for a portal desktop that provides the sections that comprise the portal, typically a header, footer, and body. A shell may be specified independently of the look and feel or main book.
Themes	Themes are similar to look and feels, but the scope of a theme is limited to a section of a portal, such as a book, page, or portlet. A theme can be used to change the look and feel of the components of a portal without affecting the portal itself. For example, a desktop can use an overall look and feel and a particular portlet may use a theme to provide a different appearance.
Menus	Navigation Menus provide a way to select different pages in a portal desktop. WebLogic Portal provides a default set of Navigation Menus: single-level and multiple-level.
Books	A book is a collection of pages. In a portal the book is often represented as a tabbed set of pages in which only one page is visible at a time. Selecting a different tab in the set causes the corresponding page to be displayed.
Pages	A page is the primary holder of individual portal elements such as portlets. Pages are added to Books. The pages contained within a book can themselves contain portlets and books, with the latter allowing for an infinite level of nesting. This provides a hierarchical organization that is very flexible, although there is a practical limit to the nesting based on the available screen real-estate and taste.
Layouts	A layout determines the arrangement of portlets and book within a matrix, with one layout for each page. Each cell of this matrix contains a Placeholder, which may in turn contain one or more portlets or books arranged vertically or horizontally.
Look & Feels	Look and Feels are collections of skins and skeletons used to determine the way that a portal is rendered and the way that it behaves. The look and feel of a portal is independent of the organizational and navigational structure of a portal.

Portal Resource	Description
Portlets	Portlets are the visible components that act as the interface to applications. They are similar to the windows found in most GUIs in their basic look, but they are contained within a portal page and therefore restricted in terms of layout and behavior.
Portlet Categories	Portlet categories are named groupings of portlets created by administrators. Portlet categories cannot be entitled as a unit.
Portlet Producers	WSRP-compliant portlets can be hosted on a producer. Producers provide such services as self-description, mark up, registration, and portlet management. Producers can optionally manage the registration of Consumers and require them to pre-register prior to interacting with portlets.

Overview of Portlet Categories

Portlet categories provide for the classification of portlets, which is useful when organizing a large collection of portlets into something more meaningful. The portlet categories are similar to other hierarchical structures in that parent “folders” can contain child folders and/or portlets.

Overview of Shells

A Shell is the top-level container for a portal desktop that provides the sections that comprise the portal, typically a header, footer, and body. You can specify a shell independently of the look and feel or main book.

Portal administrators can manage shells in the following ways:

- Assign a New Shell to a Desktop
- Manage Shell Properties

Overview of Themes

Themes are similar to look and feels, but the scope of a theme is limited to a section of a portal, such as a book, page, or portlet. A theme can be used to change the look and feel of the components of a portal without affecting the portal itself. For example, a desktop can use an overall look and feel and a particular portlet may use a theme to provide a different appearance.

You can use a theme to call attention to a particular component in a portal application such as a portlet that contains important information such as notification of an event or a promotion for a product. You can also use a theme for each of the main pages in a site, with color-coding and graphics to provide visual cues.