



BEA WebLogic Portlets for Groupware Integration™

Supported Configurations Guide

Version 3.0
Revised: October 2006

Contents

Supported Configurations

| | |
|---|---|
| Supported Configurations for Microsoft Exchange (using WebLogic Exchange Service) . . . | 1 |
| Supported Configurations for Microsoft Exchange (using WebDAV) | 2 |
| Supported Configurations for Lotus Domino (using WebLogic Domino Service) | 2 |

Supported Configurations

Supported Configurations for Microsoft Exchange (using WebLogic Exchange Service)

Table 1 contains a list of the supported Operating Systems (OS), the Active Directory, and the MAPI subsystem for Microsoft Exchange using WebLogic Exchange Service.

Table 1 Supported Configurations for Microsoft Exchange Using WebLogic Exchange Service

| | OS | Active Directory | MAPI Subsystem |
|------------------|------------------|-------------------------|-----------------------|
| MS Exchange 2000 | Windows 2000 SP4 | Windows 2000 SP4 | 2000 Admin |
| MS Exchange 2000 | Windows 2000 SP4 | Windows 2000 SP4 | 2003 Admin |
| MS Exchange 2000 | Windows 2000 SP4 | Windows 2003 SP1 | 2000 Admin |
| MS Exchange 2000 | Windows 2000 SP4 | Windows 2003 SP1 | 2003 Admin |
| MS Exchange 2003 | Windows 2003 SP1 | Windows 2003 SP1 | 2000 Admin |
| MS Exchange 2003 | Windows 2003 SP1 | Windows 2003 SP1 | 2003 Admin |

For all configurations and versions, Administrative tools are the minimal requirement for the MAPI subsystem.

The following service packs are recommended for the MAPI subsystem:

Supported Configurations

- 2000 Admin – Service Pack 3 + Post-SP3 Update Rollup
- 2003 Admin – Service Pack 1

Supported Configurations for Microsoft Exchange (using WebDAV)

[Table 2](#) contains a list of the supported OS and the Active Directory for Microsoft Exchange using WebDAV.

Table 2 Supported Configurations for Microsoft Exchange Using WebDAV

| | OS | Active Directory |
|-----------------------------------|------------------|------------------|
| MS Exchange 2000 SP3+Rollup | Windows 2000 SP4 | Windows 2000 SP4 |
| MS Exchange 2000 SP3+Rollup | Windows 2000 SP4 | Windows 2003 SP1 |
| MS Exchange 2003 SP1 | Windows 2003 SP1 | Windows 2003 SP1 |
| MS Exchange 2000 SP3+Rollup FE/BE | Windows 2000 SP4 | Windows 2000 SP4 |
| MS Exchange 2003+SP1 FE/BE | Windows 2003 SP1 | Windows 2003 SP1 |

FE – Front-end server

BE – Back-end server

Supported Configurations for Lotus Domino (using WebLogic Domino Service)

[Table 3](#) contains a list of the supported OS for Lotus Domino using the WebLogic Domino Service.

Table 3 Supported Configurations for Lotus Domino Using Domino Service

| | OS |
|-----------------|-------------------------|
| Lotus Domino R5 | Windows NT SP4 |
| Lotus Domino R5 | Windows 2000 Server SP3 |

Supported Configurations for Lotus Domino (using WebLogic Domino Service)

Table 3 Supported Configurations for Lotus Domino Using Domino Service

| | OS |
|---------------------|----------------------------|
| Lotus Domino R5 | RedHat Linux 8.0 |
| Lotus Domino R6 | Windows NT SP6a |
| Lotus Domino R6 | Windows 2000 Server SP3 |
| Lotus Domino R6 | Windows 2003 Server |
| Lotus Domino R6 | RedHat ES 4.0 ¹ |
| Lotus Domino R6 | RedHat Linux 8.0 |
| Lotus Domino R6.5 | Windows NT SP6a |
| Lotus Domino R6.5 | Windows 2003 Server SP3 |
| Lotus Domino R6.5 | Windows 2003 Server |
| Lotus Domino R6.5 | RedHat ES 4.0* |
| Lotus Domino R6.5 | RedHat Linux 8.0 |
| Lotus Domino R7.0.3 | Windows NT SP6a |
| Lotus Domino R7.0.3 | Windows 2003 Server SP3 |
| Lotus Domino R7.0.3 | Windows 2003 Server |
| Lotus Domino R7.0.3 | RedHat ES 4.0* |
| Lotus Domino R7.0.3 | RedHat Linux 8.0 |

1. Used with "compat-libstdc++-33-3.2.3.i386.rpm" installed.

Supported Configurations