



BEA WebLogic Integration™

Email Plug-in Release Notes

Release 7.1
Released: June 2003
Revised: April 2004

Copyright

Copyright © 2004 BEA Systems, Inc. All Rights Reserved.

Restricted Rights Legend

This software and documentation is subject to and made available only pursuant to the terms of the BEA Systems License Agreement and may be used or copied only in accordance with the terms of that agreement. It is against the law to copy the software except as specifically allowed in the agreement. This document may not, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form without prior consent, in writing, from BEA Systems, Inc.

Use, duplication or disclosure by the U.S. Government is subject to restrictions set forth in the BEA Systems License Agreement and in subparagraph (c)(1) of the Commercial Computer Software-Restricted Rights Clause at FAR 52.227-19; subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, subparagraph (d) of the Commercial Computer Software--Licensing clause at NASA FAR supplement 16-52.227-86; or their equivalent.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA SYSTEMS. THE SOFTWARE AND DOCUMENTATION ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA SYSTEMS DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE SOFTWARE OR WRITTEN MATERIAL IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks or Service Marks

BEA, Jolt, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Manager, BEA WebLogic Commerce Server, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic Personalization Server, BEA WebLogic Platform, BEA WebLogic Portal, BEA WebLogic Server, BEA WebLogic Workshop and How Business Becomes E-Business are trademarks of BEA Systems, Inc.

All other trademarks are the property of their respective companies.

BEA WebLogic Integration Email Plug-in Release Notes

Part Number	Date	Release
N/A	Released: June 2003 Revised: April 2004	7.1

Contents

BEA WebLogic Integration Email Plug-in Release Notes

- About This Release of the BEA WebLogic Integration Email Plug-in.....2
 - Problems Fixed.....3
- Supported Operating Systems3
- Software Requirements4
- Determining the Plug-in Version.....5
- Miscellaneous Issues6
- Known Limitations8
- Contacting BEA Customer Support10



BEA WebLogic Integration Email Plug-in Release Notes

BEA WebLogic Integration Email Plug-in Release 7.1
Released: June 2003
Revised April 2004

Change History

Date	Summary of Changes
April 2004	<p>The Email Plug-in is packaged with WebLogic Integration 7.0 Service Pack 5. Revised this document and the <i>BEA WebLogic Integration Email Plug-in User Guide</i> to account for the new packaging.</p> <ul style="list-style-type: none">■ Revised the following sections of this document:<ul style="list-style-type: none">About This Release of the BEA WebLogic Integration Email Plug-inSupported Operating SystemsSoftware RequirementsDetermining the Plug-in Version■ Revised the following sections of the <i>BEA WebLogic Integration Email Plug-in User Guide</i>: Chapter 2, Deploying the Email Plug-in
June 2003	Initial Release

This document includes the following topics:

- [About This Release of the BEA WebLogic Integration Email Plug-in](#)
- [Supported Operating Systems](#)
- [Software Requirements](#)
- [Determining the Plug-in Version](#)
- [Miscellaneous Issues](#)

- [Known Limitations](#)
- [Contacting BEA Customer Support](#)

About This Release of the BEA WebLogic Integration Email Plug-in

The BEA WebLogic Integration Email Plug-in extends the functionality of the BEA WebLogic Integration BPM Studio. It facilitates tasks such as sending e-mails to a local mail system and receiving e-mails from a local mailing system. The applicable data formats include ASCII, XML, and Binary.

The plug-in is included with WebLogic Integration 7.0 Service Pack 5. If you have an earlier, supported release installed (see “[Software Requirements](#)” on page 4) and do not wish to upgrade the latest WebLogic Integration 7.0 Service Pack, you can install the plug-in as described in the “Deploying the Email Plug-in” section of *BEA WebLogic Integration Email Plug-in User Guide*, which is available at the following URL:

<http://edocs.bea.com/wlplugins/email/docs71/pdf/user.pdf>

In addition to the information provided here, information about using the plug-in with WebLogic Integration 7.0 Service Pack 5 can be found in the WebLogic Integration Release Notes at the following URL:

<http://edocs.bea.com/wli/docs70/relnotes/relnot.htm>

Problems Fixed

The following issues have been addressed in the version of the Email Plug-in packaged with WebLogic Integration 7.0 Service Pack 5 (April 2004):

CR125375	In the Email plugin, the email subject does not allow underscores (_) when opening the Start Properties dialog box. This issue has been fixed in the version of the plug-in packaged with WebLogic Integration 7.0 Service Pack 5.
CR125377	In the Email plugin, when opening the Start Properties dialog, the Body Content variable drop-down list gets reset to point to the first variable every time the dialog box is opened. This issue has been fixed in the version of the plug-in packaged with WebLogic Integration 7.0 Service Pack 5.
CR173535	The high availability feature of the Email Plugin is not invoked when the <code>wlpi-master-ejb.jar</code> is not deployed. This issue has been fixed in the version of the plug-in packaged with WebLogic Integration 7.0 Service Pack. The fix for this problem addresses this issue for all three plug-ins: HTTP, Email, and xFile.

Supported Operating Systems

The Email Plug-in is included with WebLogic Integration Service Pack 5. The supported operating systems for that release can be found at the following URL:

http://edocs.bea.com/platform/suppconfigs/configs70/70_over/overview.html

If you are installing the plug-in with an earlier release, the following operating systems are supported:

- Sun Solaris 7 and 8 (with Sun recommended patches)
- Microsoft Windows 2000 Professional with Service Pack 2 and Windows NT 4.0 with Service Pack 2
- Red Hat Linux 7.2 (for development purposes only) and Red Hat Enterprise Linux AS 2.1 (for deployment)
- Hewlett-Packard HP-UX 11.0

- Hewlett-Packard HP-UX 11i
- IBM AIX 5.1

Note: Red Hat Linux, HP-UX, and IBM AIX products are supported only with WebLogic Integration 7.0 environments.

Software Requirements

The Email Plug-in is included with WebLogic Integration 7.0 Service Pack 5 (SP5). The software requirements for WebLogic Integration 7.0 SP5 can be found at the following URL:

http://edocs.bea.com/platform/suppconfigs/configs70/70_over/overview.html

If you are installing the plug-in with an earlier release, ensure that you have the following software installed:

- BEA WebLogic Server and WebLogic Integration.

The software can be downloaded from the BEA Web site at <http://commerce.bea.com/downloads/products.jsp>

The following versions are supported:

- WebLogic Platform 7.0 Service Pack 2. (As noted in above, the plug-in is packaged with SP5.)

The information required to install WebLogic Platform 7.0 can be found at <http://edocs.bea.com/platform/docs70/install/index.html>

You must install the WebLogic Server and WebLogic Integration components of the platform.

- WebLogic Integration 2.1 with Service Pack 2, running on WebLogic Server 6.1 with Service Pack 2 or higher

The information required to install WebLogic Server 6.1 can be found at <http://edocs.bea.com/wls/docs61/install/index.html>

The information required to install WebLogic Integration 2.1 can be found at http://edocs.bea.com/wlintegration/v2_1sp/index.html

- Java Runtime environment 1.3.1 or higher
- Web browser
 - Netscape 6.2 or higher
 - Internet Explorer 5.x or higher

Determining the Plug-in Version

Note: The following information applies only if you have installed the plug-in as a separate component. When installed as part of WebLogic Integration 7.0 Service Pack 5 or higher, the `Manifest.mf` file included in the `emailplugin-ejb.jar` file reflects the WebLogic Integration 7.0 service pack level.

To allow you to easily determine the version of the BEA WebLogic Integration Email Plug-in, identifying information has been added to the `Manifest.mf` file.

For example, the `Manifest.mf` file for BEA WebLogic Integration Email Plug-in 7.1 contains the following:

```
Manifest-Version: 1.0
Created-By: Ant 1.4.1
Implementation-Vendor: BEA Systems
Class-Path:plugin-shared.jar
Implementation-Version: 7.1.0.0
Implementation-Title: WebLogic Integration BPM Interfaces 7.1
```

The `Implementation-Version` is provided in the following format: `W.X.Y.ZZZZ`:

- `W.X` represents the major and minor release number (in this case, 7.1)
- `Y` represents the service pack number (in this case, 0)
- `ZZZZ` represents the build number of the release (in this case, 0)

If you obtain a patch subsequent to a release, identifying information specific to the patch is included in the `Manifest.mf` file.

Miscellaneous Issues

The following table describes miscellaneous issues you should be aware of when using the BEA WebLogic Integration Email Plug-in.

Where applicable, entries include a CR (Change Request) number or Case number. Please refer to this number if you contact BEA Customer Support regarding the issue. For contact information, see [“Contacting BEA Customer Support”](#) on page 10.

Table 1. Miscellaneous Issues

1	Class Not Found Exception
Problem	When you open the WebLogic Integration Studio while connected to the WebLogic Server running on either Red Hat Linux 7.2 or Red Hat Enterprise Linux AS 2.1, you may get the following exception message: "ClassNotFoundException"
Platform	Red Hat Linux 7.2 or Red Hat Enterprise Linux AS 2.1

Table 1. Miscellaneous Issues (Continued)

Workaround	<p>To avoid this, edit the <code>studio.cmd</code> file on the machine running the WebLogic Integration Studio, by adding the following lines in bold, at the location shown below:</p>
■	<p>If the machine is on Windows:</p> <pre> set CP=WL_I_HOME\lib\plugin-shared.jar; WL_I_HOME\lib\wlpi-studio.jar; %WLICP% CP=%CP%; WL_I_HOME\lib\ebxml-bpm-plugin.jar; WL_I_HOME\lib\wlc-wlpi-plugin.jar; WL_I_HOME\lib\xfileplugin-ejb.jar; WL_I_HOME\lib\wlai-plugin-ejb.jar; WL_I_HOME\lib\sampleplugin-ejb.jar; WL_I_HOME\lib\wlxtpi.jar; WL_I_HOME\lib\ebxml-bpm-plugin.jar; WL_I_HOME\lib\wlai-plugin-ejb.jar; WL_I_HOME\lib\httpplugin-ejb.jar; WL_I_HOME\lib\emailplugin-ejb.jar; WL_I_HOME\lib\mdb-generator.jar; WL_I_HOME\lib\wliserver.jar; WL_I_HOME\lib\wlpi-aux.jar; WL_I_HOME\lib\wlpi-ejb.jar; WL_I_HOME\lib\wlpi-mdb-ejb.jar; start %JAVA_HOME%\bin\javaw %COMM_CLIENT_VM% -classpath "%CP%" -Dwli.samples=%SAMPLES_HOME% -Dwli.bpm.studio.help=WL_I_HOME\docs\help" -Durl=http://172.19.138.45:7001" com.bea.wlpi.client.studio.Studio </pre>

Table 1. Miscellaneous Issues (Continued)

Workaround	<div>■ If the machine is on UNIX/Red Hat Linux: set CP=WLI_HOME/lib/plugin-shared.jar: WLI_HOME/lib/wlpi-studio.jar: \$WLICP CP=\$CP: WLI_HOME/lib/ebxml-bpm-plugin.jar: WLI_HOME/lib/wlc-wlpi-plugin.jar: WLI_HOME/lib/wlai-plugin-ejb.jar: WLI_HOME/lib/sampleplugin-ejb.jar: WLI_HOME/lib/wlxtpi.jar: WLI_HOME/lib/ebxml-bpm-plugin.jar: WLI_HOME/lib/wlai-plugin-ejb.jar: WLI_HOME/lib/xfileplugin-ejb.jar: WLI_HOME/lib/httpplugin-ejb.jar: WLI_HOME/lib/emailplugin-ejb.jar: WLI_HOME/lib/mdb-generator.jar:WLI_HOME/lib/ wliserver.jar: WLI_HOME/lib/wlpi-aux.jar: WLI_HOME/lib/wlpi-ejb.jar: WLI_HOME/lib/wlpi-mdb-ejb.jar start \$JAVA_HOME/bin/javaw \$COMM_CLIENT_VM -classpath "\$CP" "-Dwli.samples=\$SAMPLES_HOME" "-Dwli.bpm.studio.help=WLI_HOME/docs/help" "-Durl=http://172.19.138.45:7001" com.bea.wlpi.client.studio.Studio</div>
-------------------	---

Known Limitations

The following table describes limitations in the current release of the BEA WebLogic Integration Email Plug-in. Whenever available, a recommended workaround is provided.

Where applicable, entries include a CR (Change Request) number or Case number. Please refer to this number when contacting BEA Customer Support for assistance in tracking the problem identified. For contact information, see [“Contacting BEA Customer Support”](#) on page 10.

Table 2. Known Limitations

1	CR104924	Making Changes to a Template
	Problem	When you make changes to a template and save it, the Email Polling does not take place according to the poll interval specified.
	Platform	All
	Workaround	To make changes to a template, do the following: <ul style="list-style-type: none"> ■ Open the Template Definition dialog box, deselect the Active check box, and click OK. The Template Definition dialog box closes. ■ Open the Template Definition dialog box again, make changes to the template, select the Active check box, and click OK. The Template Definition dialog box closes.
2	CR104934	Creating a New Template
	Problem	When you create a new template, the Start Properties dialog box opens with the values entered for the previously created template.
	Platform	All
	Workaround	Manually delete the earlier values and enter new values as required.
3	CR104939	Mail Client Format
	Problem	When MS Outlook or Outlook Express (and possibly, other clients) is used to send e-mails, the plug-in does not recognize the e-mail format, and is unable to process them.
	Platform	All
	Workaround	In the mail format properties of your mail client, change the default e-mail format from Rich Text or HTML to Plain Text.

Contacting BEA Customer Support

If you have any questions about this release of the BEA WebLogic Integration Email Plug-in, or if you have problems installing and running the plug-in, contact BEA Customer Support through BEA eSupport at <http://support.bea.com>. You can also contact Customer Support by using the contact information provided on the Customer Support Card, which is included in the product package.

When contacting Customer Support, be prepared to provide the following information:

- Your name, e-mail address, phone number, and fax number
- Your company name and company address
- Your machine type and authorization codes
- The name and version of the adapter you are using
- The version of WebLogic Integration you are using
- A description of the problem and the content of pertinent error messages