



BEA WebLogic Server™

WebLogic Tuxedo Connector Programmer's Guide

Version 8.1
Revised: October 14, 2003

Copyright

Copyright © 2003 BEA Systems, Inc. All Rights Reserved.

Restricted Rights Legend

This software and documentation is subject to and made available only pursuant to the terms of the BEA Systems License Agreement and may be used or copied only in accordance with the terms of that agreement. It is against the law to copy the software except as specifically allowed in the agreement. This document may not, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form without prior consent, in writing, from BEA Systems, Inc.

Use, duplication or disclosure by the U.S. Government is subject to restrictions set forth in the BEA Systems License Agreement and in subparagraph (c)(1) of the Commercial Computer Software-Restricted Rights Clause at FAR 52.227-19; subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, subparagraph (d) of the Commercial Computer Software--Licensing clause at NASA FAR supplement 16-52.227-86; or their equivalent.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE SOFTWARE AND DOCUMENTATION ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA Systems DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE SOFTWARE OR WRITTEN MATERIAL IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks or Service Marks

BEA, Jolt, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Liquid Data for WebLogic, BEA Manager, BEA WebLogic Commerce Server, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic Personalization Server, BEA WebLogic Platform, BEA WebLogic Portal, BEA WebLogic Server, BEA WebLogic Workshop and How Business Becomes E-Business are trademarks of BEA Systems, Inc.

All other trademarks are the property of their respective companies.

Contents

About This Document

Audience	xii
e-docs Web Site	xii
How to Print the Document	xii
Related Information	xii
Contact Us!	xiii
Documentation Conventions	xiii

Introduction to WebLogic Tuxedo Connector Programming

Developing WebLogic Tuxedo Connector Applications.....	1-1
Developing WebLogic Tuxedo Connector Clients.....	1-2
Developing WebLogic Tuxedo Connector Servers.....	1-2
WebLogic Tuxedo Connector Interoperability with Tuxedo CORBA objects.....	1-2
WebLogic Tuxedo Connector JATMI Primitives	1-3
WebLogic Tuxedo Connector TypedBuffers.....	1-4

Developing WebLogic Tuxedo Connector Client EJBs

Joining and Leaving Applications	2-1
Joining an Application	2-1
Leaving an Application.....	2-2
Basic Client Operation	2-3
Get a Tuxedo Object.....	2-3
Perform Message Buffering	2-3

Send and Receive Messages	2-4
Request/Response Communication	2-5
Conversational Communication	2-7
Enqueuing and Dequeuing Messages	2-8
Close a Connection to a Tuxedo Object	2-8
Example Client EJB	2-8

Developing WebLogic Tuxedo Connector Service EJBs

Basic Service EJB Operation	3-1
Access Service Information	3-2
Buffer Messages	3-2
Perform the Requested Service	3-3
Return Client Messages for Request/Response Communication	3-3
Use tpsend and tprecv for Conversational Communication	3-3
Example Service EJB	3-4

Using WebLogic Tuxedo Connector for RMI/IIOP and CORBA Interoperability

How to Develop WebLogic Tuxedo Connector Client Beans using the CORBA Java API4-1	
Using CosNaming Service	4-2
Example ToupperCorbaBean.java Code	4-3
Using FactoryFinder	4-4
WLEC to WebLogic Tuxedo Connector Migration	4-5
Example Code	4-5
How to Develop RMI/IIOP Applications for the WebLogic Tuxedo Connector	4-7
How to Modify Inbound RMI/IIOP Applications to use the WebLogic Tuxedo Connector	4-8

How to Develop Outbound RMI/IIOP Applications to use the WebLogic Tuxedo Connector	4-8
How to Modify the ejb-jar.xml File to Pass a FederationURL to EJBs	4-9
How to Modify EJBs to Use FederationURL to Access an Object	4-11
How to Use FederationURL Formats	4-12
Using corbaloc URL Format	4-13
Examples of corbaloc:tgio.	4-13
Examples using -ORBInitRef	4-13
Examples Using -ORBDefaultInitRef.	4-14
Using the corbaname URL Format.	4-14
Examples Using -ORBInitRef.	4-14
How to Manage Transactions for Tuxedo CORBA Applications.	4-14

WebLogic Tuxedo Connector JATMI Transactions

Global Transactions.	5-1
JTA Transaction API.	5-2
Types of JTA Interfaces	5-2
Transaction	5-2
TransactionManager	5-2
UserTransaction.	5-2
JTA Transaction Primitives	5-3
Defining a Transaction	5-3
Starting a Transaction.	5-3
Using TPNOTRAN.	5-4
Terminating a Transaction	5-4
WebLogic Tuxedo Connector Transaction Rules	5-4
Example Transaction Code	5-5

WebLogic Tuxedo Connector JATMI Conversations

Overview of WebLogic Tuxedo Connector Conversational Communication	6-2
WebLogic Tuxedo Connector Conversation Characteristics	6-2
WebLogic Tuxedo Connector JATMI Conversation Primitives.	6-3
Creating WebLogic Tuxedo Connector Conversational Clients and Servers.	6-3
Creating Conversational Clients	6-3
Establishing a Connection to a Tuxedo Conversational Service	6-3
Example TuxedoConversationBean.java Code.	6-4
Creating WebLogic Tuxedo Connector Conversational Servers	6-5
Sending and Receiving Messages	6-5
Sending Messages	6-5
Receiving Messages.	6-6
Ending a Conversation	6-7
Tuxedo Application Originates Conversation	6-7
WebLogic Tuxedo Connector Application Originates Conversation	6-7
Ending Hierarchical Conversations	6-7
Executing a Disorderly Disconnect.	6-8
Understanding Conversational Communication Events	6-8
WebLogic Tuxedo Connector Conversation Guidelines	6-10

Using FML with WebLogic Tuxedo Connector

Overview of FML	7-1
The WebLogic Tuxedo Connector FML API	7-2
FML Field Table Administration	7-2
Using the DynRdHdr Property for mkfldclass32 Class	7-4
tBridge XML/FML32 Translation	7-5
FLAT	7-5
NO	7-6

FML32 Considerations	7-6
--------------------------------	-----

WebLogic Tuxedo Connector JATMI VIEWS

Overview of WebLogic Tuxedo Connector VIEW Buffers	8-1
How to Create a VIEW Description File	8-2
Example VIEW Description File	8-3
How to Use the viewj Compiler	8-4
How to Pass Information to and from a VIEW Buffer	8-6
How to Use VIEW Buffers in JATMI Applications	8-7

How to Create a Custom AppKey Plug-in

How to Create a Custom Plug-In	9-1
Example Custom Plug-in	9-2
.	9-15

Application Error Management

Testing for Application Errors	10-1
Exception Classes	10-1
Fatal Transaction Errors	10-2
WebLogic Tuxedo Connector Time-Out Conditions	10-2
Blocking vs. Transaction Time-out	10-2
Effect on commit()	10-3
Effect of TPNOTRAN	10-3
Guidelines for Tracking Application Events	10-3

About This Document

This document introduces the BEA WebLogic Server WebLogic Tuxedo Connector application development environment. It describes how to develop EJBs that allow WebLogic Server to interoperate with Tuxedo objects.

The document is organized as follows:

- [Chapter 1, “Introduction to WebLogic Tuxedo Connector Programming,”](#) provides information about the development environment you will be using to write code for applications that interoperate between WebLogic Server and Tuxedo.
- [Chapter 2, “Developing WebLogic Tuxedo Connector Client EJBs,”](#) provides information on how to create client EJBs.
- [Chapter 3, “Developing WebLogic Tuxedo Connector Service EJBs,”](#) provides information on how to create service EJBs.
- [Chapter 4, “Using WebLogic Tuxedo Connector for RMI/IIOP and CORBA Interoperability,”](#) provides information on how to develop CORBA applications for the WebLogic Tuxedo Connector.
- [Chapter 5, “WebLogic Tuxedo Connector JATMI Transactions,”](#) provides information on global transactions and how to define and manage them in your applications.
- [Chapter 6, “WebLogic Tuxedo Connector JATMI Conversations,”](#) provides information on conversations and how to define and manage them in your applications.

- [Chapter 7, “Using FML with WebLogic Tuxedo Connector,”](#) discusses the Field Manipulation Language (FML) and describes how the WebLogic Tuxedo Connector uses FML.
- [Chapter 8, “WebLogic Tuxedo Connector JATMI VIEWS,”](#) provides information on View buffers and how to define and manage them in your applications.
- [Chapter 9, “How to Create a Custom AppKey Plug-in,”](#) provides information on how to develop a Custom AppKey Plug-in.
- [Chapter 10, “Application Error Management,”](#) provide mechanisms to manage and interpret error conditions.

Audience

This document is written for system administrators and application developers who are interested in building distributed Java applications that interoperate between WebLogic Server and Tuxedo environments. It is assumed that readers are familiar with the WebLogic Server, Tuxedo, CORBA, and Java programming.

e-docs Web Site

BEA product documentation is available on the BEA corporate Web site. From the BEA Home page, click on Product Documentation.

How to Print the Document

You can print a copy of this document from a Web browser, one main topic at a time, by using the File→Print option on your Web browser.

A PDF version of this document is available on the WebLogic Server documentation Home page on the e-docs Web site (and also on the documentation CD). You can open the PDF in Adobe Acrobat Reader and print the entire document (or a portion of it) in book format. To access the PDFs, open the WebLogic Server documentation Home page, click Download Documentation, and select the document you want to print.

Adobe Acrobat Reader is available at no charge from the Adobe Web site at <http://www.adobe.com>.

Related Information

The BEA corporate Web site provides all documentation for WebLogic Server and Tuxedo.

For more information about Java and Java CORBA applications, refer to the following sources:

- The OMG Web Site at <http://www.omg.org/>
- The Sun Microsystems, Inc. Java site at <http://java.sun.com/>

Contact Us!

Your feedback on BEA documentation is important to us. Send us e-mail at docsupport@bea.com if you have questions or comments. Your comments will be reviewed directly by the BEA professionals who create and update the documentation.

In your e-mail message, please indicate the software name and version you are using, as well as the title and document date of your documentation. If you have any questions about this version of BEA WebLogic Server, or if you have problems installing and running BEA WebLogic Server, contact BEA Customer Support through BEA WebSupport at <http://www.bea.com>. You can also contact Customer Support by using the contact information provided on the Customer Support Card, which is included in the product package.

When contacting Customer Support, be prepared to provide the following information:

- Your name, e-mail address, phone number, and fax number
- Your company name and company address
- Your machine type and authorization codes
- The name and version of the product you are using
- A description of the problem and the content of pertinent error messages

Documentation Conventions

The following documentation conventions are used throughout this document.

Convention	Usage
Ctrl+Tab	Keys you press simultaneously.
<i>italics</i>	Emphasis and book titles.

Convention	Usage
monospace text	Code samples, commands and their options, Java classes, data types, directories, and file names and their extensions. Monospace text also indicates text that you enter from the keyboard. <i>Examples:</i> import java.util.Enumeration; chmod u+w * config/examples/applications .java config.xml float
<i>monospace</i> <i>italic</i> text	Variables in code. <i>Example:</i> String <i>CustomerName</i> ;
UPPERCASE TEXT	Device names, environment variables, and logical operators. <i>Examples:</i> LPT1 BEA_HOME OR
{ }	A set of choices in a syntax line.
[]	Optional items in a syntax line. <i>Example:</i> java utils.MulticastTest -n name -a address [-p portnumber] [-t timeout] [-s send]
	Separates mutually exclusive choices in a syntax line. <i>Example:</i> java weblogic.deploy [list deploy undeploy update] password {application} {source}

Convention	Usage
...	Indicates one of the following in a command line: <ul style="list-style-type: none">• An argument can be repeated several times in the command line.• The statement omits additional optional arguments.• You can enter additional parameters, values, or other information
.	Indicates the omission of items from a code example or from a syntax line.
.	
.	

Introduction to WebLogic Tuxedo Connector Programming

Note: For information on how to develop WebLogic Server Enterprise JavaBeans (EJBs), see Programming [WebLogic Enterprise JavaBeans](http://e-docs.bea.com/wls/docs81/ejb/index.html) at <http://e-docs.bea.com/wls/docs81/ejb/index.html>.

The following sections provide information about the development environment you will be using to write code for applications that interoperate between WebLogic Server and Tuxedo:

- [Developing WebLogic Tuxedo Connector Applications](#)
- [WebLogic Tuxedo Connector JATMI Primitives](#)
- [WebLogic Tuxedo Connector TypedBuffers](#)

Developing WebLogic Tuxedo Connector Applications

Note: For more information on the WebLogic Tuxedo Connector JATMI, view the [Javadocs for WebLogic Classes](http://e-docs.bea.com/wls/docs81/javadocs/index.html) at <http://e-docs.bea.com/wls/docs81/javadocs/index.html>. The WebLogic Tuxedo Connector classes are located in the `weblogic.wtc.jatmi` and `weblogic.wtc.gwt` packages.

In addition to the Java code that expresses the logic of your application, you will be using the Java Application -to-Transaction Monitor Interface (JATMI) to provide the interface between WebLogic Server and Tuxedo.

Developing WebLogic Tuxedo Connector Clients

Note: For more information, see [“Developing WebLogic Tuxedo Connector Client EJBs” on page 2-1.](#)

A client process takes user input and sends a service request to a server process that offers the requested service. WebLogic Tuxedo Connector JATMI client classes are used to create clients that access services found in Tuxedo. These client classes are available to any service that is made available through a the WebLogic Tuxedo Connector WTCServer MBean.

Developing WebLogic Tuxedo Connector Servers

Note: For more information, see [“Developing WebLogic Tuxedo Connector Service EJBs” on page 3-1.](#)

Servers are processes that provide one or more services. They continually check their message queue for service requests and dispatch them to the appropriate service subroutines. WebLogic Tuxedo Connector uses EJBs to implement services which Tuxedo clients invoke.

WebLogic Tuxedo Connector Interoperability with Tuxedo CORBA objects

Note: For more information, see [“Using WebLogic Tuxedo Connector for RMI/IIOP and CORBA Interoperability” on page 4-1.](#)

The WebLogic Tuxedo Connector provides bi-directional interoperability between WebLogic Server and Tuxedo CORBA objects. The WebLogic Tuxedo Connector:

- Enables Tuxedo CORBA objects to invoke upon EJBs deployed in WebLogic Server using the RMI/IIOP API (Inbound).
- Enables objects (such as EJBs or RMI objects) to invoke upon CORBA objects deployed in Tuxedo using the RMI/IIOP API (Outbound).
- Enables objects (such as EJBs or RMI objects) to invoke upon CORBA objects deployed in Tuxedo using a CORBA Java API (Outbound).

WebLogic Tuxedo Connector JATMI Primitives

The **JATMI** is a set of primitives used to begin and end transactions, allocate and free buffers, and provide the communication between clients and servers.

Table 1-1 JATMI Primitives

Name	Operation
<code>tpacall</code>	Use for asynchronous invocations of a Tuxedo service during request/response communication. <code>tpacall</code> has two forms: <ul style="list-style-type: none"> • deferred synchronous • asynchronous
<code>tpcall</code>	Use for synchronous invocation of a Tuxedo service during request/response communication.
<code>tpconnect</code>	Use to establish a connection to a Tuxedo conversational service.
<code>tpdiscon</code>	Use to abort a conversational connection and generate a <code>TPEV_DISCONIMM</code> event when executed by the process controlling the conversation.
<code>tpdequeue</code>	Use for receiving messages from a Tuxedo /Q during request/response communication.
<code>tpenqueue</code>	Use for placing a message on a Tuxedo /Q during request/response communication.
<code>tpgetrply</code>	Use for retrieving replies from a Tuxedo service during request/response communication.
<code>tprecv</code>	Use to receive data across an open connection from a Tuxedo application during conversational communication.
<code>tpsend</code>	Use to send data across a open connection to a Tuxedo application during conversational communication.
<code>tpterm</code>	Use to close a connection to a Tuxedo object.

WebLogic Tuxedo Connector TypedBuffers

Note: WebLogic Tuxedo Connector does not support double-byte character sets or international character sets. These features are dependent on future releases of Tuxedo.

WebLogic Tuxedo Connector provides an interface called `TypedBuffers` that corresponds to Tuxedo typed buffers. Messages are passed to servers in typed buffers. The WebLogic Tuxedo Connector provides the following buffer types:

Table 1-2 TypedBuffers

Buffer Type	Description
TypedString	Buffer type used when the data is an array of characters that terminates with the null character. Tuxedo equivalent: STRING.
TypedCArray	Buffer type used when the data is an undefined array of characters (byte array), any of which can be null. Tuxedo equivalent: CARRAY.
TypedFML	Buffer type used when the data is self-defined. Each data field carries its own identifier, an occurrence number, and possibly a length indicator. Tuxedo equivalent: FML.
TypedFML32	Buffer type similar to TypeFML but allows for larger character fields, more fields, and larger overall buffers. Tuxedo equivalent: FML32.
TypedXML	Buffer type used when data is an XML based message. Tuxedo equivalent: XML for Tuxedo Release 7.1 and higher.
TypedView	Buffer type used when the application uses a Java structure to define the buffer structure using a view description file. Tuxedo equivalent: VIEW
TypedView32	Buffer type similar to View but allows for larger character fields, more fields, and larger overall buffers. Tuxedo equivalent: VIEW32.
TypedXOctet	Buffer type used when the data is an undefined array of characters (byte array) any of which can be null. X_OCTET is identical in semantics to CARRAY. Tuxedo equivalent: X_OCTET.

Table 1-2 TypedBuffers

Buffer Type	Description
TypedXCommon	Buffer type identical in semantics to View. Tuxedo equivalent: VIEW.
TypedXCType	Buffer type identical in semantics to View. Tuxedo equivalent: VIEW.

Developing WebLogic Tuxedo Connector Client EJBs

Note: For more information on the WebLogic Tuxedo Connector JATMI, view the [Javadocs for WebLogic Classes](http://e-docs.bea.com/wls/docs81/javadoocs/index.html) at <http://e-docs.bea.com/wls/docs81/javadoocs/index.html>. The WebLogic Tuxedo Connector classes are located in the `weblogic.wtc.jatmi` and `weblogic.wtc.gwt` packages.

The following sections describe how to create client EJBs that take user input and send service requests to a server process or outbound object that offers a requested service.

- [Joining and Leaving Applications](#)
- [Basic Client Operation](#)
- [Example Client EJB](#)

WebLogic Tuxedo Connector JATMI client classes are used to create clients that access services found in Tuxedo.

Joining and Leaving Applications

Tuxedo and WebLogic Tuxedo Connector have different approaches to connect to services.

Joining an Application

The following section compares how Tuxedo and WebLogic Tuxedo Connector join an application:

- Tuxedo uses `tpinit()` to join an application.

- WebLogic Tuxedo Connector uses a WTCServer MBean to provide information required to create a path to the Tuxedo service. Security and client authentication is provided by configuring the Remote TDM and Imported Services MBean components of a WTCServer MBean. This pathway is created when the WebLogic Server is started and a WTCServer MBean is present in the `config.xml` file and assigned (targeted) to a server.
- WebLogic Tuxedo Connector uses `TuxedoConnection` to get a Tuxedo object and then uses `getTuxedoConnection()` to make a connection to the Tuxedo object. The following example shows how a WebLogic Server application joins a Tuxedo application using WebLogic Tuxedo Connector.

Listing 2-1 Example Client Code to Join a Tuxedo Application

```

.
.
.
try {
    ctx = new InitialContext();
    tcf =
        (TuxedoConnectionFactory)
        ctx.lookup("tuxedo.services.TuxedoConnection");
    } catch (NamingException ne) {

// Could not get the tuxedo object, throw TPENOENT
throw new TPEException(TPEException.TPENOENT,
    "Could not get TuxedoConnectionFactory : " + ne);
    }

myTux = tcf.getTuxedoConnection();
.
.
.

```

Leaving an Application

The following section compares how Tuxedo and WebLogic Tuxedo Connector leave an application:

- Tuxedo uses `tpterm()` to leave an application.
- WebLogic Tuxedo Connector uses the JATMI primitive `tpterm()` to close a connection to a Tuxedo object.
- WebLogic Tuxedo Connector closes the pathway to a Tuxedo service when a WTCserver MBean is assigned a new target server or the server is shutdown.

Basic Client Operation

A client process uses Java and JATMI primitives to provide the following basic application tasks:

- [Get a Tuxedo Object](#)
- [Perform Message Buffering](#)
- [Send and Receive Messages](#)
- [Close a Connection to a Tuxedo Object](#)

A client may send and receive any number of service requests before leaving the application.

Get a Tuxedo Object

Establish a connection to a remote domain by using the `TuxedoConnectionFactory` to lookup “`tuxedo.services.TuxedoConnection`” in the JNDI tree and get a `TuxedoConnection` object using `getTuxedoConnection()`.

Perform Message Buffering

Use the following `TypedBuffers` when sending and receiving messages between your application and Tuxedo:

Table 2-1 TypedBuffers

Buffer Type	Description
TypedString	Buffer type used when the data is an array of characters that terminates with the null character. Tuxedo equivalent: STRING.
TypedCArray	Buffer type used when the data is an undefined array of characters (byte array), any of which can be null. Tuxedo equivalent: CARRAY.

Table 2-1 TypedBuffers

Buffer Type	Description
TypedFML	Buffer type used when the data is self-defined. Each data field carries its own identifier, an occurrence number, and possibly a length indicator. Tuxedo equivalent: FML.
TypedFML32	Buffer type similar to TypeFML but allows for larger character fields, more fields, and larger overall buffers. Tuxedo equivalent: FML32.
TypedXML	Buffer type used when data is an XML based message. Tuxedo equivalent: XML for Tuxedo Release 7.1 and higher.
TypedView	Buffer type used when the application uses a Java structure to define the buffer structure using a view description file. Tuxedo equivalent: View
TypedView32	Buffer type similar to View but allows for larger character fields, more fields, and larger overall buffers. Tuxedo equivalent: View32.
TypedXOctet	Buffer type used when the data is an undefined array of characters (byte array) any of which can be null. X_OCTET is identical in semantics to CARRAY. Tuxedo equivalent: X_OCTET.
TypedXCommon	Buffer type identical in semantics to View. Tuxedo equivalent: VIEW.
TypedXCType	Buffer type identical in semantics to View. Tuxedo equivalent: VIEW.

Send and Receive Messages

WebLogic Tuxedo Connector clients support three types of communications with Tuxedo service applications:

- [Request/Response Communication](#)
- [Conversational Communication](#)
- [Enqueuing and Dequeuing Messages](#)

Request/Response Communication

Note: WebLogic Tuxedo Connector does not provide a JATMI primitive to support setting the priority of a message request. All messages originating from a WebLogic Tuxedo Connector client have a message priority of 50.

Use the following [JATMI](#) primitives to request and receive response messages between your WebLogic Tuxedo Connector client application and Tuxedo:

Table 2-2 JATMI Primitives

Name	Operation
tpacall	Use for asynchronous invocations of a Tuxedo service. This JATMI primitive has two forms: <ul style="list-style-type: none"> • deferred synchronous • asynchronous
tpcall	Use for synchronous invocation of a Tuxedo service.
tpgetreply	Use for retrieving replies from deferred synchronous calls to a Tuxedo service.
tpcancel	Use to cancel an outstanding message reply for a call descriptor returned by <code>tpacall</code> . <p>Note: You can not use <code>tpcancel</code> to cancel a call descriptor associated with a transaction.</p>

Using Synchronous Service Calls

Use `tpcall` to send a request to a service and synchronously await for the reply. The service specified must be advertised by your Tuxedo application. Logically, `tpcall()` has the same functionality as calling `tpacall()` and immediately calling `tpgetreply()`.

Using Deferred Synchronous Service Calls

A deferred synchronous `tpacall` allows you to send a request to a Tuxedo service and not immediately wait for the reply. This allows you to send a request, perform other work, and then retrieve the reply.

A deferred `tpacall()` service call sends a request to a Tuxedo service and immediately returns from the call. The service specified must be advertised by your Tuxedo application. Upon

successful completion of the call, `tpacall()` returns an object that serves as a descriptor. The calling thread is now available to perform other tasks. You can use the call descriptor to:

- Get the correct reply for the sent request using `tpgetreply()`
- Cancel an outstanding message reply using `tpcancel()`.

When you are ready to retrieve the reply, use `tpgetreply()` to dequeue the reply using the call descriptor returned by `tpacall()`. If the reply is not immediately available, the calling thread polls for the reply.

If `tpacall()` is in a transaction, you must receive the reply using `tpgetreply()` before the transaction can commit. You can not use `tpcancel` to cancel a call descriptor associated with a transaction. For example: If you make three `tpacall()` requests in a transaction, you must make three `tpgetreply()` calls and successfully dequeue a reply for each of the three requests for the transaction to commit.

Using Asynchronous Calls

The asynchronous `tpacall` allows you to send a request to a Tuxedo service and release the thread resource that performed the call to the thread pool. This allows a very large number of outstanding requests to be serviced with a much smaller number of threads.

An asynchronous `tpacall()` service call sends a request to a Tuxedo service. The service specified must be advertised by your Tuxedo application. Upon successful completion of the call, asynchronous `tpacall()` returns an object that serves as a descriptor. The calling thread is now available to perform other tasks. You can use the call descriptor to identify the correct message reply from `TpacallAsynchReply` for a sent message request or cancel an outstanding message reply using `tpcancel()`.

Note: You can not use the call descriptor to invoke `tpgetreply()`.

When the service reply is ready, the `callback` object is invoked on a different thread. If the original request succeeded, the `TpacallAsynchReply.success` method returns the reply from the service. If the original request failed, the `TpacallAsynchReply.failure` method returns a failure code.

You should implement the `callback` object using the following guidelines:

- The reply thread is obtained from the threadpool. The thread making the asynchronous `tpacall()` does not wait for the reply message.
- The user context of the reply thread will be restored to that of the original caller of asynchronous `tpacall()`.

- It is up to the callback object to restore any additional context and resume whatever processing was interrupted when the original asynchronous `tpacall()` was made.
- It is up to you to synchronize work within the multi threaded environment. For example: If an asynchronous `tpacall()` request is made and the reply is returned immediately, it is possible for the call back object to be modified by the reply thread before the calling thread has finished.
- The reply thread will not retain the transaction context of the calling thread.
- If asynchronous `tpacall()` is in a transaction, you must receive the reply using `TpacallAsynchReply` before the transaction can commit. You can not use `tpcancel` to cancel a call descriptor associated with a transaction.

Conversational Communication

Note: For more information on Conversational Communication, see “[WebLogic Tuxedo Connector JATMI Conversations](#)” on page 6-1.

Use the following [conversational primitives](#) when creating conversational clients that communicate with Tuxedo services:

Table 2-3 WebLogic Tuxedo Connector Conversational Client Primitives

Name	Operation
<code>tpconnect</code>	Use to establish a connection to a Tuxedo conversational service.
<code>tpdiscon</code>	Use to abort a connection and generate a <code>TPEV_DISCONIMM</code> event when executed by the process controlling the conversation.
<code>tprecv</code>	Use to receive data across an open connection from a Tuxedo application.
<code>tpsend</code>	Use to send data across an open connection to a Tuxedo application.

Enqueuing and Dequeuing Messages

Use the following [JATMI](#) primitives to enqueue and dequeue messages between your WebLogic Tuxedo Connector client application and Tuxedo /Q:

Table 2-4 JATMI Primitives

Name	Operation
tpdequeue	Use for receiving messages from a Tuxedo /Q.
tpenqueue	Use for placing a message on a Tuxedo /Q.

Close a Connection to a Tuxedo Object

Use `tpterm()` to close a connection to an object and prevent future operations on this object.

Example Client EJB

The following Java code provides an example of the `ToupperBean.java` client EJB which sends a string argument to a server and receives a reply string from the server.

Listing 2-2 Example Client Application

```
.  
. .  
.  
public String Toupper(String toConvert)  
    throws TPEException, TPReplyException  
{  
    Context ctx;  
    TuxedoConnectionFactory tcf;  
    TuxedoConnection myTux;  
    TypedString myData;  
    Reply myRtn;  
    int status;  
  
    log("toupper called, converting " + toConvert);  
  
    try {  
        ctx = new InitialContext();  
        tcf = (TuxedoConnectionFactory) ctx.lookup(  
            "tuxedo.services.TuxedoConnection");
```

```

    }
    catch (NamingException ne) {
        // Could not get the tuxedo object, throw TPENOENT
        throw new TPException(TPException.TPENOENT, "Could not get
TuxedoConnectionFactory : " + ne);
    }

    myTux = tcf.getTuxedoConnection();

    myData = new TypedString(toConvert);

    log("About to call tpcall");
    try {
        myRtn = myTux.tpcall("TOUPPER", myData, 0);
    }
    catch (TPReplyException tre) {
        log("tpcall threw TPReplyExcption " + tre);
        throw tre;
    }
    catch (TPException te) {
        log("tpcall threw TPException " + te);
        throw te;
    }
    catch (Exception ee) {
        log("tpcall threw exception: " + ee);
        throw new TPException(TPException.TPESYSTEM, "Exception: " + ee);
    }
    log("tpcall successfull!");

    myData = (TypedString) myRtn.getReplyBuffer();

    myTux.tpterm();// Closing the association with Tuxedo

    return (myData.toString());
}
.
.
.

```

Developing WebLogic Tuxedo Connector Service EJBs

The following sections provide information on how to create WebLogic Tuxedo Connector service EJBs:

- [Basic Service EJB Operation](#)
- [Example Service EJB](#)

Basic Service EJB Operation

A service application uses Java and JATMI primitives to provide the following tasks:

- [Access Service Information](#)
- [Buffer Messages](#)
- [Perform the Requested Service](#)

Access Service Information

Use the `TPServiceInformation` class to access service information sent by the Tuxedo client to run the service.

Table 3-1 JATMI TPServiceInformation Primitives

Buffer Type	Description
<code>getServiceData()</code>	Use to return the service data sent from the Tuxedo Client.
<code>getServiceFlags()</code>	Use to return the service flags sent from the Tuxedo Client.
<code>getServiceName()</code>	Use to return the service name that was called.

Buffer Messages

Use the following `TypedBuffers` when sending and receiving messages between your application and Tuxedo:

Table 3-2 TypedBuffers

Buffer Type	Description
<code>TypedString</code>	Buffer type used when the data is an array of characters that terminates with the null character. Tuxedo equivalent: STRING.
<code>TypedCArray</code>	Buffer type used when the data is an undefined array of characters (byte array), any of which can be null. Tuxedo equivalent: CARRAY.
<code>TypedFML</code>	Buffer type used when the data is self-defined. Each data field carries its own identifier, an occurrence number, and possibly a length indicator. Tuxedo equivalent: FML.
<code>TypedFML32</code>	Buffer type similar to TypeFML but allows for larger character fields, more fields, and larger overall buffers. Tuxedo equivalent: FML32.
<code>TypedXML</code>	Buffer type used when data is an XML based message. Tuxedo equivalent: XML for Tuxedo Release 7.1 and higher.
<code>TypedView</code>	Buffer type used when the application uses a Java structure to define the buffer structure using a view description file. Tuxedo equivalent: VIEW

Table 3-2 TypedBuffers

Buffer Type	Description
TypedView32	Buffer type similar to View but allows for larger character fields, more fields, and larger overall buffers. Tuxedo equivalent: VIEW32.
TypedXOctet	Buffer type used when the data is an undefined array of characters (byte array) any of which can be null. X_OCTET is identical in semantics to CARRAY. Tuxedo equivalent: X_OCTET.
TypedXCommon	Buffer type identical in semantics to View. Tuxedo equivalent: VIEW.
TypedXCType	Buffer type identical in semantics to View. Tuxedo equivalent: VIEW.

Perform the Requested Service

Use Java code to express the logic required to provide your service.

Return Client Messages for Request/Response Communication

Use the `TuxedoReply` class `setReplyBuffer()` method to respond to client requests.

Use `tpsend` and `tprecv` for Conversational Communication

Note: For more information on Conversational Communication, see [“WebLogic Tuxedo Connector JATMI Conversations” on page 6-1](#).

Use the following JATMI primitives when creating conversational servers that communicate with Tuxedo clients:

Table 3-3 WebLogic Tuxedo Connector Conversational Client Primitives

Name	Operation
<code>tpconnect</code>	Use to establish a connection to a Tuxedo conversational service.
<code>tpdiscon</code>	Use to abort a connection and generate a <code>TPEV_DISCONIMM</code> event when executed by the process controlling the conversation.

Table 3-3 WebLogic Tuxedo Connector Conversational Client Primitives

Name	Operation
tprecv	Use to receive data across an open connection from a Tuxedo application.
tpsend	Use to send data across a open connection to a Tuxedo application.

Example Service EJB

The following provides an example of the `ToLowerBean.java` service EJB which receives a string argument, converts the string to all lower case, and returns the converted string to the client.

Listing 3-1 Example Service EJB

```
.  
. .  
.  
public Reply service(TPServiceInformation mydata) throws TPException {  
    TypedString data;  
    String lowered;  
    TypedString return_data;  
  
    log("service tolower called");  
  
    data = (TypedString) mydata.getServiceData();  
    lowered = data.toString().toLowerCase();  
    return_data = new TypedString(lowered);  
  
    mydata.setReplyBuffer(return_data);  
    return (mydata);  
}  
. .  
.
```

Using WebLogic Tuxedo Connector for RMI/IIOP and CORBA Interoperability

Note: You will need to perform some administration tasks to configure the WebLogic Tuxedo Connector for CORBA interoperability. For information on how to administer the WebLogic Tuxedo Connector for CORBA interoperability, see [Administration of CORBA Applications](http://e-docs.bea.com/wls/docs81/wtc_admin/WTC_Admin_CORBA.html) at http://e-docs.bea.com/wls/docs81/wtc_admin/WTC_Admin_CORBA.html.

For information on how to develop Tuxedo CORBA applications, see [CORBA Programming](http://e-docs.bea.com/tuxedo/tux80/interm/corbaprog.htm) at <http://e-docs.bea.com/tuxedo/tux80/interm/corbaprog.htm>.

The following sections provide information on how to modify your applications to use WebLogic Tuxedo Connector to support interoperability between WebLogic Server and Tuxedo CORBA objects:

- [How to Develop WebLogic Tuxedo Connector Client Beans using the CORBA Java API](#)
- [How to Develop RMI/IIOP Applications for the WebLogic Tuxedo Connector](#)
- [How to Use FederationURL Formats](#)
- [How to Manage Transactions for Tuxedo CORBA Applications](#)

How to Develop WebLogic Tuxedo Connector Client Beans using the CORBA Java API

Note: For more information on the WebLogic CORBA API implementation, see [Using the CORBA API in *Programming WebLogic RMI over IIOP*](#).

The WebLogic Tuxedo Connector enables objects (such as EJBs or RMI objects) to invoke upon CORBA objects deployed in Tuxedo using the CORBA Java API (Outbound). This release of WebLogic Tuxedo Connector implements a new WTC ORB which uses WebLogic Server RMI-IIOP runtime and CORBA support. This enhancement provides the following features:

- Support of out and inout parameters
- Support for a call a CORBA service from WebLogic Server using transactions and security.
- Support for an ORB hosted in JNDI rather than an instance of the JDK ORB used in previous releases.
- A wrapper is provided to allow users with legacy applications to use the new ORB without modifying their existing applicatons. BEA recommends that users migrate to the new method of looking up the ORB in JNDI instead of doing:

```
ORB orb = ORB.init(args, Prop);
```

To use CORBA Java API, you must use the WTC ORB. Use one of the following methods to obtain an ORB in your Bean:

```
Properties Prop;  
Prop = new Properties();  
Prop.put("org.omg.CORBA.ORBClass", "weblogic.wtc.corba.ORB");  
ORB orb = ORB.init(new String[0], Prop);
```

or

```
ORB orb = (ORB)(new InitialContext().lookup("java:comp/ORB"));
```

or

```
ORB orb = ORB.init();
```

You can use either of the following methods to reference objects deployed in Tuxedo:

- [Using CosNaming Service](#)
- [Using FactoryFinder](#)

Using CosNaming Service

Note: For more information on object references, see [“How to Use FederationURL Formats” on page 4-12.](#)

1. The WebLogic Tuxedo Connector uses the CosNaming service to get a reference to an object in the remote Tuxedo CORBA domain. This is accomplished by using a `corbaloc:tgioip` or `corbaname:tgioip` object reference. The following statements use the CosNaming service to get a reference to a Tuxedo CORBA Object:

```
// Get the simple factory.
org.omg.CORBA.Object simple_fact_oref =
    orb.string_to_object("corbaname:tgioip:simpapp#simple_factory");
```

Where:

- `simpapp` is the domain id of the Tuxedo domain specified in the Tuxedo UBB.
- `simple_factory` is the name that the object reference was bound to in the Tuxedo CORBA CosNaming server.

Example ToupperCorbaBean.java Code

Note: For an example on how to develop client beans for outbound Tuxedo CORBA objects, see the `SAMPLES_HOME\server\examples\src\examples\wtc\corba\simpappcns` package in your WebLogic Server examples distribution.

The following `ToupperCorbaBean.java` code provides an example of how to call the WTC ORB and get an object reference using the COSNaming Service.

Listing 4-1 Example Service Application

```
.
.
.
public String Toupper(String toConvert)
throws RemoteException
{
    log("toupper called, converting " + toConvert);

    try {
        // Initialize the ORB.
        String args[] = null;
        Properties Prop;

        Prop = new Properties();
        Prop.put("org.omg.CORBA.ORBClass",
            "weblogic.wtc.corba.ORB");

        ORB orb = (ORB)c.lookup("java:comp/ORB");
```

```

// Get the simple factory.
org.omg.CORBA.Object simple_fact_oref =
orb.string_to_object("corbaname:tgiop:simpapp#simple_factory");

//Narrow the simple factory.
SimpleFactory simple_factory_ref =
SimpleFactoryHelper.narrow(simple_fact_oref);

// Find the simple object.
Simple simple = simple_factory_ref.find_simple();

// Convert the string to upper case.
org.omg.CORBA.StringHolder buf =
    new org.omg.CORBA.StringHolder(toConvert);
simple.to_upper(buf);
return buf.value;
}
catch (Exception e) {
    throw new RemoteException("Can't call TUXEDO CORBA server: " +e);
}
}
.
.
.

```

Using FactoryFinder

Note: For more information on object references, see [“How to Use FederationURL Formats” on page 4-12](#).

WebLogic Tuxedo Connector provides support for FactoryFinder objects using the `find_one_factory_by_id` method. This is accomplished by using a `corbaloc:tgiop` or `corbaname:tgiop` object reference. Use the following method to obtain the FactoryFinder object using the ORB:

```

// String to Object.
org.omg.CORBA.Object fact_finder_oref =
    orb.string_to_object("corbaloc:tgiop:simpapp/FactoryFinder");

// Narrow the factory finder.
FactoryFinder fact_finder_ref =
    FactoryFinderHelper.narrow(fact_finder_oref);

// Use the factory finder to find the simple factory.

```



```
org.omg.CORBA.Object simple_fact_oref =  
    fact_finder_ref.find_one_factory_by_id(SimpleFactoryHelper.id());
```

Where:

- `simpapp` is the domain id of the Tuxedo domain specified in the Tuxedo UBB.
- `FactoryFinder` is the name that the object reference was bound to in the Tuxedo CORBA server.

WLEC to WebLogic Tuxedo Connector Migration

WLEC is deprecated in this release of WebLogic Server. WLEC users should migrate their applications to WebLogic Tuxedo Connector. For more information, see [WLEC to WebLogic Tuxedo Connector Migration Guide at http://e-docs.bea.com/wls/docs81/wlec_migration/index.html](http://e-docs.bea.com/wls/docs81/wlec_migration/index.html).

Example Code

The following code provides an example of how to call the WTC ORB and get an object reference using `FactoryFinder`.

Listing 4-2 Example `FactoryFinder` Code

```
.  
. .  
.  
public ConverterResult convert (String changeCase, String mixed)  
throws ProcessingErrorException  
{  
    String result;  
    try {  
        // Initialize the ORB.  
        String args[] = null;  
        Properties Prop;  
        Prop = new Properties();  
        Prop.put("org.omg.CORBA.ORBClass", "weblogic.wtc.corba.ORB");  
        ORB orb = (ORB)new InitialContext().lookup("java:comp/ORB");  
  
        org.omg.CORBA.Object fact_finder_oref =
```

```

        orb.string_to_object("corbaloc:tgioop:simpapp/FactoryFinder");

// Narrow the factory finder.
FactoryFinder fact_finder_ref =
    FactoryFinderHelper.narrow(fact_finder_oref);

// find_one_factory_by_id
org.omg.CORBA.Object simple_fact_oref =
    fact_finder_ref.find_one_factory_by_id(FactoryFinderHelper.id());

// Narrow the simple factory.
SimpleFactory simple_factory_ref =
    SimpleFactoryHelper.narrow(simple_fact_oref);

// Find the simple object.
Simple simple = simple_factory_ref.find_simple();

if (changeCase.equals("UPPER")) {
// Invoke the to_upper operation on M3 Simple object
org.omg.CORBA.StringHolder buf =
    new org.omg.CORBA.StringHolder(mixed);
simple.to_upper(buf);
result = buf.value;
}
else
{
result = simple.to_lower(mixed);
}

}
catch (org.omg.CORBA.SystemException e) {e.printStackTrace();

throw new ProcessingErrorException("Converter error: Corba system exc
eption: " + e);
}
catch (Exception e) {
e.printStackTrace();
throw new ProcessingErrorException("Converter error: " + e);
}

```

```
    }  
    return new ConverterResult(result);  
  }  
  .  
  .  
  .
```

How to Develop RMI/IIOP Applications for the WebLogic Tuxedo Connector

Note: For more information on how to develop RMI/IIOP applications, see [Programming WebLogic RMI over IIOP at http://e-docs.bea.com/wls/docs81/rmi_iiop/index.html](http://e-docs.bea.com/wls/docs81/rmi_iiop/index.html).

For an example on how to develop RMI/IIOP applications for the WebLogic Tuxedo Connector, see the

WL_HOME\samples\server\examples\src\examples\iiop\ejb\stateless\server\tux package in your WebLogic Server distribution.

RMI over IIOP (Internet Inter-ORB Protocol) extends RMI so that Java programs can interact with Common Object Request Broker Architecture (CORBA) clients and execute CORBA objects. The WebLogic Tuxedo Connector:

- Enables Tuxedo CORBA objects to invoke upon EJBs deployed in WebLogic Server (Inbound).
- Enables objects (such as EJBs or RMI objects) to invoke upon CORBA objects deployed in Tuxedo (Outbound).

The following sections provide information on how to modify RMI/IIOP applications to use the WebLogic Tuxedo Connector to interoperate with Tuxedo CORBA applications:

- [How to Modify Inbound RMI/IIOP Applications to use the WebLogic Tuxedo Connector](#)
- [How to Develop Outbound RMI/IIOP Applications to use the WebLogic Tuxedo Connector](#)

How to Modify Inbound RMI/IIOP Applications to use the WebLogic Tuxedo Connector

A client must pass the correct name to which the WebLogic Server's name service has been bound to the COSNaming Service.

The following code provides an example for obtaining a naming context. "WLS" is the bind name specified in the `cnsbind` command detailed in the [Administration of CORBA Applications at `http://e-docs.bea.com/wls/docs81/wtc_admin/WTC_Admin_CORBA.html`](http://e-docs.bea.com/wls/docs81/wtc_admin/WTC_Admin_CORBA.html).

Listing 4-3 Example Code to Obtain a Naming Context

```
.  
. .  
. .  
// obtain a naming context  
    TP::userlog("Narrowing to a naming context");  
    CosNaming::NamingContext_var context =  
        CosNaming::NamingContext::_narrow(o);  
    CosNaming::Name name;  
    name.length(1);  
    name[0].id = CORBA::string_dup("WLS");  
    name[0].kind = CORBA::string_dup("");  
. .  
. .
```

How to Develop Outbound RMI/IIOP Applications to use the WebLogic Tuxedo Connector

An EJB must use a FederationURL to obtain the initial context used to access a remote Tuxedo CORBA object. Use the following sections to modify outbound RMI/IIOP applications to use the WebLogic Tuxedo Connector:

- [How to Modify the `ejb-jar.xml` File to Pass a FederationURL to EJBs](#)

- [How to Modify EJBs to Use FederationURL to Access an Object](#)

How to Modify the `ejb-jar.xml` File to Pass a FederationURL to EJBs

The following code provides an example of how to configure an `ejb-jar.xml` file to pass a FederationURL format to the EJB at run-time.

Listing 4-4 Example `ejb-jar.xml` File Passing a FederationURL to an EJB

```
<?xml version="1.0"?>

<!DOCTYPE ejb-jar PUBLIC "-//Sun Microsystems, Inc.//DTD Enterprise JavaBeans
1.1//EN" 'http://java.sun.com/j2ee/dtds/ejb-jar_1_1.dtd'>

<ejb-jar>
  <small-icon>images/green-cube.gif</small-icon>
  <enterprise-beans>
    <session>
      <small-icon>images/orange-cube.gif</small-icon>
      <ejb-name>IIOPStatelessSession</ejb-name>
      <home>examples.iiop.ejb.stateless.TraderHome</home>
      <remote>examples.iiop.ejb.stateless.Trader</remote>
      <ejb-class>examples.iiop.ejb.stateless.TraderBean</ejb-class>
      <session-type>Stateless</session-type>
      <transaction-type>Container</transaction-type>
      <env-entry>
        <env-entry-name>foreignOrb</env-entry-name>
        <env-entry-type>java.lang.String </env-entry-type>
        <env-entry-value>corbaloc:tgio:simpapp</env-entry-value>
      </env-entry>
      <env-entry>
        <env-entry-name>WEBL</env-entry-name>
        <env-entry-type>java.lang.Double </env-entry-type>
        <env-entry-value>10.0</env-entry-value>
      </env-entry>
      <env-entry>
        <env-entry-name>INTL</env-entry-name>
        <env-entry-type>java.lang.Double </env-entry-type>
        <env-entry-value>15.0</env-entry-value>
      </env-entry>
      <env-entry>
        <env-entry-name>tradeLimit</env-entry-name>
        <env-entry-type>java.lang.Integer </env-entry-type>
        <env-entry-value>500</env-entry-value>
      </env-entry>
    </session>
  </enterprise-beans>
</ejb-jar>
```

```

</enterprise-beans>
<assembly-descriptor>
  <container-transaction>
    <method>
      <ejb-name>IIOPStatelessSession</ejb-name>
      <method-intf>Remote</method-intf>
      <method-name>*</method-name>
    </method>
    <trans-attribute>NotSupported</trans-attribute>
  </container-transaction>
</assembly-descriptor>
</ejb-jar>

```

To pass the FederationURL to the EJB at run-time, add an `env-entry` for the EJB in the `ejb-jar.xml` file for your application. You must assign the following `env-entry` sub-elements:

- [Assign env-entry-name](#)
- [Assign env-entry-type](#)
- [Assign env-entry-value](#)

Assign env-entry-name

The `env-entry-name` element is used to specify the name of the variable used to pass the value in the `env-entry-value` element to the EJB. The example code shown in [Figure 4-4](#) specifies the `env-entry-name` as `foreignOrb`.

Assign env-entry-type

The `env-entry-type` element is used to specify the data type (example `String`, `Integer`, `Double`) of the `env-entry-value` element that is passed to the EJB. The example code shown in [Figure 4-4](#) specifies that the `foreignOrb` variable passes `String` data to the EJB.

Assign env-entry-value

The `env-entry-value` element is used to specify the data that is passed to the EJB. The example code shown in [Figure 4-4](#) specifies that the `foreignOrb` variable passes the following FederationURL format to the EJB:

```
corbaloc: tgiop: simpapp
```

Where `simpapp` is the `DOMAINID` of the Tuxedo remote service specified in the Tuxedo UBB.

How to Modify EJBs to Use FederationURL to Access an Object

This section provides information on how to use the FederationURL to obtain the InitialContext used to access a remote Tuxedo CORBA object.

The following code provides an example of how to use FederationURL to get an InitialContext .

Listing 4-5 Example TraderBean.java Code to get InitialContext

```

.
.
.
public void createRemote() throws CreateException {
    log("createRemote() called");

    try {
        InitialContext ic = new InitialContext();

        // Lookup a EJB-like CORBA server in a remote CORBA domain
        Hashtable env = new Hashtable();
        env.put(Context.PROVIDER_URL, (String)
            ic.lookup("java:/comp/env/foreignOrb")
            + "/NameService");

        InitialContext cos = new InitialContext(env);
        TraderHome thome =
            (TraderHome)PortableRemoteObject.narrow(
                cos.lookup("TraderHome_iiop"),TraderHome.class);
        remoteTrader = thome.create();
    }

    catch (NamingException ne) {
        throw new CreateException("Failed to find value "+ne);
    }

    catch (RemoteException re) {
        throw new CreateException("Error creating remote ejb "+re);
    }
}
.

```

.
.

Use the following steps to use FederationURL to obtain an InitialContext for a remote Tuxedo CORBA object:

1. Retrieve the FederationURL format defined in the `ejb-jar.xml` file.

Example:

```
ic.lookup("java:/comp/env/foreignOrb")
```

The example code shown in [Listing 4-4](#) specifies that the `foreignOrb` variable passes the following FederationURL format to the EJB:

```
corbaloc:tgiop:simpapp
```

2. Concatenate the FederationURL format with `"/NameService"` to form the FederationURL.

Example:

```
ic.lookup("java:/comp/env/foreignOrb") + "/NameService"
```

The resulting FederationURL is:

```
corbaloc:tgiop:simpapp/NameService
```

3. Get the InitialContext.

Example:

```
env.put(Context.PROVIDER_URL, (String)  
        ic.lookup("java:/comp/env/foreignOrb") + "/NameService");  
InitialContext cos = new InitialContext(env);
```

The result is the InitialContext of the Tuxedo CORBA object.

How to Use FederationURL Formats

This section provides information on the syntax for the following FederationURL formats:

- The CORBA URL syntax is described in the CORBA specification. For more information, see the OMG Web Site at <http://www.omg.org/>.
- The `corbaloc:tgiop` form is specific to the BEA tgiop protocol.

Using corbaloc URL Format

This section provides the syntax for corbaloc URL format:

```
<corbaloc> = "corbaloc:tgiop":[<version>] <domain>["/"<key_string>]
<version> = <major> "." <minor> "@" | empty_string
<domain> = TUXEDO CORBA domain name
<major> = number
<minor> = number
<key_string> = <string> | empty_string
```

Examples of corbaloc:tgiop

This section provides examples on how to use corbaloc:tgiop

```
orb.string_to_object("corbaloc:tgiop:simpapp/NameService");
orb.string_to_object("corbaloc:tgiop:simpapp/FactoryFinder");
orb.string_to_object("corbaloc:tgiop:simpapp/InterfaceRepository");
orb.string_to_object("corbaloc:tgiop:simpapp/Tobj_SimpleEventsService");
orb.string_to_object("corbaloc:tgiop:simpapp/NotificationService");
orb.string_to_object("corbaloc:tgiop:1.1@simpapp/NotificationService");
```

Examples using -ORBInitRef

You can also use the -ORBInitRef option to orb.init and resolve_initial_reference.

Given the following -ORBInitRef definitions:

```
-ORBInitRef FactoryFinder=corbaloc:tgiop:simp/FactoryFinder
-ORBInitRef InterfaceRepository=corbaloc:tgiop:simp/InterfaceRepository
-ORBInitRef
Tobj_SimpleEventService=corbaloc:tgiop:simp/Tobj_SimpleEventsService
-ORBInitRef NotificationService=corbaloc:tgiop:simp/NotificationService
```

then:

```
orb.resolve_initial_references("NameService");
```

```
orb.resolve_initial_references("FactoryFinder");
orb.resolve_initial_references("InterfaceRepository");
orb.resolve_initial_references("Tobj_SimpleEventService");
orb.resolve_initial_references("NotificationService");
```

Examples Using -ORBDefaultInitRef

You can use the `-ORBDefaultInitRef` and `resolve_initial_reference`.

Given the following `-ORBDefaultInitRef` definition:

```
-ORBDefaultInitRef corbaloc:tgiop:simpapp
then:
orb.resolve_initial_references("NameService");
```

Using the corbaname URL Format

You can also use the `corbaname` format instead of the `corbaloc` format.

Examples Using -ORBInitRef

Given the following `-ORBInitRef` definition:

```
-ORBInitRef NameService=corbaloc:tgiop:simpapp/NameService
then:
orb.string_to_object("corbaname:rir:#simple_factory");
orb.string_to_object("corbaname:tgiop:simpapp#simple_factory");
orb.string_to_object("corbaname:tgiop:1.1@simpapp#simple_factory");
orb.string_to_object("corbaname:tgiop:simpapp#simple/simple_factory");
```

How to Manage Transactions for Tuxedo CORBA Applications

Note: For more information on managing transactions in Tuxedo CORBA applications, see [Overview of Transactions in BEA Tuxedo CORBA Applications at http://e-docs.bea.com/tuxedo/tux80/transact/gstrx.htm](http://e-docs.bea.com/tuxedo/tux80/transact/gstrx.htm).

The WebLogic Tuxedo Connector uses the Java Transaction API (JTA) to manage transactions with Tuxedo Corba Applications. For more detailed information, see:

- [Programming WebLogic JTA at http://e-docs.bea.com/wls/docs81/jta/index.html](http://e-docs.bea.com/wls/docs81/jta/index.html)
- [Transaction Design and Management Options at http://e-docs.bea.com/wls/docs81/ejb/design_best_practices.html#TransactionDesignandManagementOptions](http://e-docs.bea.com/wls/docs81/ejb/design_best_practices.html#TransactionDesignandManagementOptions)

WebLogic Tuxedo Connector JATMI Transactions

The following sections provide information on global transactions and how to define and manage them in your applications:

- [Global Transactions](#)
- [JTA Transaction API](#)
- [Defining a Transaction](#)
- [WebLogic Tuxedo Connector Transaction Rules](#)
- [Example Transaction Code](#)

Global Transactions

A global transaction is a transaction that allows work involving more than one resource manager and spanning more than one physical site to be treated as one logical unit. A global transaction is always treated as a specific sequence of operations that is characterized by the following four properties:

- **Atomicity:** All portions either succeed or have no effect.
- **Consistency:** Operations are performed that correctly transform the resources from one consistent state to another.
- **Isolation:** Intermediate results are not accessible to other transactions, although other processes in the same transaction may access the data.

- Durability: All effects of a completed sequence cannot be altered by any kind of failure.

JTA Transaction API

Note: For more detailed information, see the [JTA API](http://java.sun.com/products/jta/index.htm) at <http://java.sun.com/products/jta/index.htm>.

The WebLogic Tuxedo Connector uses the Java Transaction API (JTA) to manage transactions.

Types of JTA Interfaces

JTA offers three types of transaction interfaces:

- Transaction
- TransactionManager
- UserTransaction

Transaction

The `Transaction` interface allows operations to be performed against a transaction in the target Transaction object. A transaction object is created to correspond to each global transaction created. Use the `Transaction` interface to enlist resources, synchronize registration, and perform transaction completion and status query operations.

TransactionManager

The `TransactionManager` interface allows the application server to communicate to the Transaction Manager for transaction boundaries demarcation on behalf of the application. Use the `TransactionManager` interface to communicate to the transaction manager on behalf of container-managed EJB components.

UserTransaction

The `UserTransaction` interface is a subset of the `TransactionManager` interface. Use the `UserTransaction` interface when it is necessary to restrict access to Transaction object.

JTA Transaction Primitives

The following table maps the functionality of Tuxedo transaction primitives to equivalent JTA transaction primitives.

Table 5-1 Mapping Tuxedo Transaction Primitives to JTA Equivalents

Tuxedo	Tuxedo Functionality	JTA Equivalent
<code>tpabort</code>	Use to end a transaction.	<code>setRollbackOnly</code> or <code>rollback</code>
<code>tpcommit</code>	Use to complete a transaction.	<code>commit</code>
<code>tpgetlev</code>	Use to determine if a service routine is in transaction mode.	<code>getStatus</code>
<code>tpbegin</code>	Use to begin a transaction.	<code>setTransactionTimeout</code> <code>begin</code>

Defining a Transaction

Transactions can be defined in either client or server processes. A transaction has three parts: a starting point, the program statements that are in transaction mode, and a termination point.

To explicitly define a transaction, call the `begin()` method. The same process that makes the call, the initiator, must also be the one that terminates it by invoking a `commit()`, `setRollbackOnly()`, or `rollback()`. Any service subroutines that are called between the transaction delimiter become part of the current transaction.

Starting a Transaction

Note: Setting `setTransactionTimeout()` to unrealistically large values delays system detection and reporting of errors. Use time-out values to ensure response to service requests occur within a reasonable time and to terminate transactions that have encountered problem, such as a network failure. For productions environments, adjust the time-out value to accommodate expected delays due to system load and database contention.

A transaction is started by a call to `begin()`. To specify a time-out value, precede the `begin()` statement with a `setTransactionTimeout(int seconds)` statement.

To propagate the transaction to Tuxedo, you must do the following:

- Look up a `TuxedoConnectionFactory` object in the JNDI.
- Get a `TuxedoConnection` object using `getTuxedoConnection()`.

Using TPNOTRAN

Service routines that are called within the transaction delimiter are part of the current transaction. However, if `tpcall()` or `tpacall()` have the flags parameter set to `TPNOTRAN`, the operations performed by the called service do not become part of that transaction. As a result, services performed by the called process are not affected by the outcome of the current transaction.

Terminating a Transaction

A transaction is terminated by a call to `commit()`, `rollback()`, or `setRollbackOnly()`. When `commit()` returns successfully, all changes to the resource as a result of the current transaction become permanent. In order for a `commit()` to succeed, the following two conditions must be met:

- The calling process must be the same one that initiated the transaction with a `begin()`
- The calling process must have no transaction replies outstanding

If either condition is not true, the call fails and an exception is thrown.

`setRollbackOnly()` and `rollback()` are used to indicate an abnormal condition and to roll back any call descriptors to their original state.

- Use `setRollbackOnly()` if further processing or cleanup is needed before rolling back the transaction.
- Use `rollback()` if no further processing or cleanup is required before rolling back the transaction.

WebLogic Tuxedo Connector Transaction Rules

You must follow certain rules while in transaction mode to insure successful completion of a transaction. The basic rules of etiquette that must be observed while in a transaction mode follow:

- You must propagate the transaction to Tuxedo using a `TuxedoConnection` object *after* you initiate a transaction with a `begin()`.
- `tpterm()` closes a connection to an object and prevents future operations on this object.

- Processes that are participants in the same transaction must require replies for their requests.
- Requests requiring no reply can be made only if the flags parameter of `tpacall()` is set to `TPNOREPLY`.
- A service must retrieve all asynchronous transaction replies before calling `commit()`.
- The initiator must retrieve all asynchronous transaction replies before calling `begin()`.
- The asynchronous replies that must be retrieved include those that are expected from non-participants of the transaction, that is, replies expected for requests made with a `tpacall()` suppressing the transaction but not the reply.
- If a transaction has not timed out but is marked abort-only, further communication should be performed with the `TPNOTRAN` flag set so that the work done as a result of the communication has lasting effect after the transaction is rolled back.
- If a transaction has timed out:
 - the descriptor for the timed out call becomes stale and any further reference to it will return `TPEBADDESC`.
 - further calls to `tpgetrply()` or `tprecv()` for any outstanding descriptors will return the global state of transaction time-out by setting `tperrono` to `TPETIME`.
 - asynchronous calls can be made with the *flags* parameter of `tpacall()` set to `TPNOREPLY | TPNOBLOCK | TPNOTRAN`.
- Once a transaction has been marked abort-only for reasons other than time-out, a call to `tpgetrply()` will return whatever represents the local state of the call, that is, it can either return success or an error code that represents the local condition.
- Once a descriptor is used with `tpgetrply()` to retrieve a reply, it becomes invalid and any further reference to it will return `TPEBADDESC`.
- Once a descriptor is used with `tpsend()` or `tprecv()` to report an error condition, it becomes invalid and any further reference to it will return `TPEV_DISCONIMM`.
- Once a transaction is aborted, all outstanding transaction call descriptions (made without the `TPNOTRAN` flag) become stale, and any further reference to them will return `TPEBADDESC`.

Example Transaction Code

The following provides a code example for a transaction:

Listing 5-1 Example Transaction Code

```
public class TransactionSampleBean implements SessionBean {
    .....

    public int transaction_sample () {

        int ret = 0;
        try {
            javax.naming.Context myContext = new InitialContext();
            TransactionManager tm = (javax.transaction.TransactionManager)
                myContext.lookup("javax.transaction.TransactionManager");

            // Begin Transaction
            tm.begin ();

            TuxedoConnectionFactory tuxConFactory = (TuxedoConnectionFactory)
                ctxt.lookup("tuxedo.services.TuxedoConnection");

            // You could do a local JDBC/XA-database operation here
            // which will be part of this transaction.
            .....

            // NOTE 1: Get the Tuxedo Connection only after
            // you begin the transaction if you want the
            // Tuxedo call to be part of the transaction!

            // NOTE 2: If you get the Tuxedo Connection before
            // the transaction was started, all calls made from
            // that Tuxedo Connection are out of scope of the
            // transaction.

            TuxedoConnection myTux = tuxConFactory.getTuxedoConnection();

            // Do a tpcall. This tpcall is part of the transaction.
            TypedString depositData = new TypedString("somecharacters,5000.00");

            Reply depositReply = myTux.tpcall("DEPOSIT", depositData, 0);

            // You could also do tpcalls which are not part of
            // transaction (For example, Logging all attempted
            // operations etc.) by setting the TPNOTRAN Flag!
            TypedString logData =
                new TypedString("DEPOSIT:somecharacters,5000.00");

            Reply logReply = myTux.tpcall("LOGTRAN", logData,
                ApplicationToMonitorInterface.TPNOTRAN);
```

```
// Done with the Tuxedo Connection. Do tp term.
    myTux.tp term ();

// Commit Transaction...
    tm.commit ();

// NOTE: The TuxedoConnection object which has been
// used in this transaction, can be used after the
// transaction only if TPNOTRAN flag is set.
}

    catch (NamingException ne) {
        System.out.println ("ERROR: Naming Exception looking up JNDI: " + ne);
        ret = -1;
    }

    catch (RollbackException re) {
        System.out.println ("ERROR: TRANSACTION ROLLED BACK: " + re);
        ret = 0;
    }

    catch (TpException te) {
        System.out.println ("ERROR: tpcall failed: TpException: " + te);
        ret = -1;
    }

    catch (Exception e) {
        log ("ERROR: Exception: " + e);
        ret = -1;
    }

    return ret;
}
```

WebLogic Tuxedo Connector JATMI Conversations

Note: For more information on conversational communications for BEA Tuxedo, see [Writing Conversational Clients and Servers](http://e-docs.bea.com/tuxedo/tux80/atmi/pgconv.htm) at <http://e-docs.bea.com/tuxedo/tux80/atmi/pgconv.htm>.

The following sections provide information on conversations and how to define and manage them in your applications:

- [Overview of WebLogic Tuxedo Connector Conversational Communication](#)
- [WebLogic Tuxedo Connector Conversation Characteristics](#)
- [WebLogic Tuxedo Connector JATMI Conversation Primitives](#)
- [Creating WebLogic Tuxedo Connector Conversational Clients and Servers](#)
- [Sending and Receiving Messages](#)
- [Ending a Conversation](#)
- [Executing a Disorderly Disconnect](#)
- [Understanding Conversational Communication Events](#)
- [WebLogic Tuxedo Connector Conversation Guidelines](#)

Overview of WebLogic Tuxedo Connector Conversational Communication

WebLogic Tuxedo Connector supports BEA Tuxedo conversations as a method to exchange messages between WebLogic Server and Tuxedo applications. In this form of communication, a virtual connection is maintained between the client and the server and each side maintains information about the state of the conversation. The process that opens a connection and starts a conversation is the originator of the conversation. The process with control of the connection is the initiator; the process without control is called the subordinate. The connection remains active until an event occurs to terminate it.

During conversational communication, a half-duplex connection is established between the initiator and the subordinate. Control of the connection is passed between the initiator and the subordinate. The process that has control can send messages (the initiator); the process that does not have control can only receive messages (the subordinate).

WebLogic Tuxedo Connector Conversation Characteristics

WebLogic Tuxedo Connector JATMI conversations have the following characteristics:

- Data is passed using `TypedBuffers`. The type and sub-type of the data must match one of the types and sub-types recognized by the service.
- The logical connection between the conversational client and the conversational server remains active until it is terminated.
- Any number of messages can be transmitted across a connection between a conversational client and the conversational server.
- A WebLogic Tuxedo Connector conversational client initiates a request for service using `tpconnect` rather than a `tpcall` or `tpacall`.
- WebLogic Tuxedo Connector conversational clients and servers use the JATMI primitives `tpsend` to send data and `tprecv` to receive data.
- A conversational client only sends service requests to a conversational server.
- Conversational servers are prohibited from making calls to `tpforward`.

WebLogic Tuxedo Connector JATMI Conversation Primitives

Use the following WebLogic Tuxedo Connector primitives when creating conversational clients and servers that communicate between WebLogic Server and Tuxedo:

Table 6-1 WebLogic Tuxedo Connector Conversational Client Primitives

Name	Operation
<code>tpconnect</code>	Use to establish a connection to a Tuxedo conversational service.
<code>tpdiscon</code>	Use to abort a connection and generate a <code>TPEV_DISCONIMM</code> event.
<code>tprecv</code>	Use to receive data across an open connection from a Tuxedo application.
<code>tpsend</code>	Use to send data across a open connection to a Tuxedo application.

Creating WebLogic Tuxedo Connector Conversational Clients and Servers

The following sections provide information on how to create conversational clients and servers.

Creating Conversational Clients

Follow the steps outlined in “[Developing WebLogic Tuxedo Connector Client EJBs](#)” on page 2-1 to create WebLogic Tuxedo Connector conversational clients. The following section provide information on how to use `tpconnect` to open a connection and start a conversation.

Establishing a Connection to a Tuxedo Conversational Service

A WebLogic Tuxedo Connector conversational client must establish a connection to the Tuxedo conversational service. Use the JATMI primitive `tpconnect` to open a connection and start a conversation. A successful call returns an object that can be used to send and receive data for a conversation.

The following table describes `tpconnect` parameters:

Table 6-2 WebLogic Tuxedo Connector JATMI `tpconnect` Parameters

Parameter	Description
<code>svc</code>	Character pointer to a conversational service name. If you do not specify a <code>svc</code> , the call will fail and <code>TPEXCEPTION</code> is set to <code>TPEV_DISCONIMM</code> .
<code>data</code>	Pointer to the data buffer. When establishing a connection, you can send data simultaneously by setting the <code>data</code> parameter to point to a buffer. The <code>type</code> and <code>subtype</code> of the buffer must be recognized by the service being called. You can set the value of <code>data</code> to NULL to specify that no data is to be sent.
<code>flags</code>	Use flags or combinations of flags as required by your application needs. Valid flag values are: <code>TPSENDONLY</code> : specifies that the control is being retained by the originator. The called service is subordinate and can only receive data. Do not use in combination with <code>TTPRECVONLY</code> . <code>TTPRECVONLY</code> : specifies that control is being passed to the called service. The originator becomes subordinate and can only receive data. Do not use in combination with <code>TPSENDONLY</code> . <code>TPNOTRAN</code> : specifies that when <code>svc</code> is invoked and the originator is transaction mode, <code>svc</code> is not part of the originator's transaction. A call remains subject to transaction timeouts. If <code>svc</code> fails, the originator's transaction is unaffected. <code>TPNOBLOCK</code> : specifies that a request is not sent if a blocking condition exists. If <code>TPNOBLOCK</code> is not specified, the originator blocks until the condition subsides, a transaction timeout occurs, or a blocking timeout occurs. <code>TPNOTIME</code> : specifies that the originator will block indefinitely and is immune to blocking timeouts. If the originator is in transaction mode, the call is subject to transaction timeouts.

Example `TuxedoConversationBean.java` Code

The following provides a code example to use `tpconnect` to start a conversation:

Listing 6-1 Example Conversation Code

```

.
.
.
Context ctx;
Conversation myConv;
TuxedoConnection myTux;
TuxedoConnectionFactory tcf;
.
.
.
ctx = new InitialContext();
tcf = (TuxedoConnectionFactory) ctx.lookup
("tuxedo.services.TuxedoConnection");
myTux = tcf.getTuxedoConnection();
flags =ApplicationToMonitorInterface.TPSENDONLY;
myConv = myTux.tpconnect("CONNECT_SVC",null,flags);
.
.
.

```

Creating WebLogic Tuxedo Connector Conversational Servers

Follow the steps outlined in [“Developing WebLogic Tuxedo Connector Service EJBs” on page 3-1](#) to create WebLogic Tuxedo Connector conversational servers.

Sending and Receiving Messages

Once a conversational connection is established between a WebLogic Server application and a Tuxedo application, the communication between the initiator (sends message) and subordinate (receives message) is accomplished using send and receive calls. The following sections describe how WebLogic Tuxedo Connector applications use the JATMI primitives `tpsend` and `tprecv`:

- [Sending Messages](#)
- [Receiving Messages](#)

Sending Messages

Use the JATMI primitive `tpsend` to send a message to a Tuxedo application.

The following table describes `tpsend` parameters:

Table 6-3 WebLogic Tuxedo Connector JATMI `tpconnect` Parameters

Parameter	Description
<code>data</code>	Pointer to the buffer containing the data sent with this conversation.
<code>flags</code>	The flag can be one of the following: <code>TPRECVONLY</code> : specifies that after the initiator's data is sent, the initiator gives up control of the connection. The initiator becomes subordinate and can only receive data. <code>TPNOBLOCK</code> : specifies that the request is not sent if a blocking condition exists. If <code>TPNOBLOCK</code> is not specified, the originator blocks until the condition subsides, a transaction timeout occurs, or a blocking timeout occurs. <code>TPNOTIME</code> : specifies that an initiator is willing to block indefinitely and is immune from blocking timeouts. The call is subject to transaction timeouts.

Receiving Messages

Use the JATMI primitive `tprecv` to receive messages from a Tuxedo application.

The following table describes `tprecv` parameters:

Table 6-4 WebLogic Tuxedo Connector JATMI `tpconnect` Parameters

Parameter	Description
<code>flags</code>	The flag can be one of the following: <code>TPNOBLOCK</code> : specifies that <code>tprecv</code> does not wait for a reply to arrive. If a reply is available, <code>tprecv</code> gets the reply and returns. If this flag is not specified and a reply is not available, <code>tprecv</code> waits for one of the following to occur: a reply, a transaction timeout, or a blocking timeout. <code>TPNOTIME</code> : specifies that <code>tprecv</code> waits indefinitely for a reply. <code>tprecv</code> is immune from blocking timeouts but is subject to transaction timeouts. A flag value of 0 specifies that the initiator blocks until the condition subsides or a timeout occurs.

Ending a Conversation

A conversation between WebLogic Server and Tuxedo ends when the server process successfully completes its tasks. The following sections describe how a conversation ends:

- [Tuxedo Application Originates Conversation](#)
- [WebLogic Tuxedo Connector Application Originates Conversation](#)
- [Ending Hierarchical Conversations](#)

Tuxedo Application Originates Conversation

A WebLogic Server conversational server ends a conversation by a successful call to `return`. A `TPEV_SVCSUCC` event is sent to the Tuxedo client that originated connection to indicate that the service finished successfully. The connection is then disconnected in an orderly manner.

WebLogic Tuxedo Connector Application Originates Conversation

A Tuxedo conversational server ends a conversation by a successful call to `treturn`. A `TPEV_SVCSUCC` event is sent to the WebLogic Tuxedo Connector client that originated connection to indicate that the service finished successfully. The connection is then disconnected in an orderly manner.

Ending Hierarchical Conversations

The order in which an conversation ends is important to gracefully end hierarchal conversations.

Assume there are two active connections: A-B and B-C. If B is a WebLogic Tuxedo Connector application in control of both connections, a call to `return` has the following effect: the call fails and a `TPEV_SVCERR` event is posted on all open connections, and the connections are closed in a disorderly manner.

In order to terminate both connections in an orderly manner, the application must execute the following sequence:

1. B calls `tpsend` with `TPRECVONLY` to transfer control of the B-C connection to the Tuxedo application C.
2. C calls `departure` with `rval` set to `TPSUCCESS`, `TPFAIL`, or `TPEXIT`.

3. B calls `return` and posts an event (`TPEV_SVCSUCC` or `TPEV_SVCFAIL`) for A.

Conversational services can make request/response calls. Therefore, in the preceding example, the calls from B to C may be executed using `tpacall()` or `tpcall()` instead of `tpconnect`. Conversational services are not permitted to make calls to `tpforward`.

Executing a Disorderly Disconnect

WebLogic Server conversational clients or servers execute a disorderly disconnect is through a call to `tpdiscon`. This is the equivalent of “pulling the plug” on a connection.

A call to `tpdiscon`:

- Immediately tears down the connection and generates a `TPEV_DISCONIMM` at the other end of the connection. Any data that has not yet reached its destination may be lost. If the conversation is part of a transaction, the transaction must be rolled back.
- Can only be called by the initiator of the conversation.

Understanding Conversational Communication Events

WebLogic Tuxedo Connector `JATMI` uses five events to manage conversational communication. The following table lists the events, the functions for which they are returned, and a detailed description of each.

Table 6-5 WebLogic Tuxedo Connector Conversational Communication Events

Event	Received by	Description
<code>TPEV_SENDOONLY</code>	Tuxedo <code>tprecv</code>	Control of the connection has passed; this Tuxedo process can now call <code>tpsend</code>
	JATMI <code>tprecv</code>	Control of the connection has passed; this JATMI process can now call <code>tpsend</code>

Table 6-5 WebLogic Tuxedo Connector Conversational Communication Events

Event	Received by	Description
TPEV_DISCONIMM	Tuxedo <code>tprecv</code> , <code>tpsend</code> , <code>tpreturn</code>	The connection has been torn down and no further communication is possible. The JATMI <code>tpdiscon</code> posts this event in the originator of the connection. The originator sends it to all open connections when <code>tpreturn</code> is called. Connections are closed in a disorderly manner and if a transaction exists, it is aborted.
	JATMI <code>tprecv</code> , <code>tpsend</code> , <code>return</code>	The connection has been torn down and no further communication is possible. The Tuxedo <code>tpdiscon</code> posts this event in the originator of the connection. The originator sends it to all open connections when <code>return</code> is called. Connections are closed in a disorderly manner and if a transaction exists, it is aborted.
TPEV_SVCERR	Tuxedo <code>tpsend</code> or JATMI <code>tpsend</code>	Received by the originator of the connection indicating that the subordinate program issued a <code>tpreturn</code> (Tuxedo) or <code>return</code> (JATMI) and ended without control of the connection.
	Tuxedo <code>tprecv</code> or JATMI <code>tprecv</code>	Received by the originator of the connection indicating that the subordinate program issued a successful <code>tpreturn</code> (Tuxedo) or a successful <code>return</code> (JATMI) without control of the connection, but an error occurred before the call completed.
TPEV_SVCSUCC	Tuxedo <code>tprecv</code>	Received by the originator of the connection, indicating that the subordinate service finished successfully; that is, <code>return</code> was successfully called.
	JATMI <code>tprecv</code>	Received by the originator of the connection, indicating that the subordinate service finished successfully; that is, <code>tpreturn</code> was called with <code>TPSUCCESS</code> .

Table 6-5 WebLogic Tuxedo Connector Conversational Communication Events

Event	Received by	Description
TPEV_SVCFAIL	Tuxedo <code>tpsend</code> or JATMI <code>tpsend</code>	Received by the originator of the connection indicating that the subordinate program issued a <code>tpreturn</code> (Tuxedo) or <code>return</code> (JATMI) and ended without control of the connection. The service completed with status of <code>TPFAIL</code> or <code>TPEXIT</code> and the data is set to null.
	Tuxedo <code>tprecv</code> or JATMI <code>tprecv</code>	Received by the originator of the connection indicating that the subordinate program finished unsuccessfully. The service completed with status of <code>TPFAIL</code> or <code>TPEXIT</code> .

WebLogic Tuxedo Connector Conversation Guidelines

Use the following guidelines while in conversation mode to insure successful completion of a conversation:

- Use the JATMI conversational primitives as defined in the WebLogic Tuxedo Connector [Conversation](#) interface and [ApplicationToMonitorInterface](#) interface.
 - Always use a flag.
 - Only use flags defined in the WebLogic Tuxedo Connector JATMI.
- WebLogic Tuxedo Connector does not have a parameter that can be used to limit the number of simultaneous conversations to prevent overloading the WebLogic Server network.
- If Tuxedo exceeds the maximum number of possible conversations (defined by the `MAXCONV` parameter), [TPEV_DISCONIMM](#) is the expected WebLogic Tuxedo Connector exception value.
- A `tprecv` to an unauthorized Tuxedo service results in a [TPEV_DISCONIMM](#) exception value.
- If a WebLogic Tuxedo Connector client is connected to a Tuxedo conversational service which does `tpforward` to another conversational service, [TPEV_DISCONIMM](#) is the expected WebLogic Tuxedo Connector exception value.

- Conversations may be initiated within a transaction. Start the conversation as part of the program statements in transaction mode. For more information on transactions, see [“WebLogic Tuxedo Connector JATMI Transactions”](#) on page 5-1.
- If a WebLogic Tuxedo Connector remote domain experiences a `TPENOENT`, the remote domain will send back a disconnect event message and be caught on the WebLogic Tuxedo Connector application `tprecv` as a `TPEV_DISCONIMM` exception.

Using FML with WebLogic Tuxedo Connector

The following sections discuss the Field Manipulation Language (FML) and describe how the WebLogic Tuxedo Connector uses FML.

- [Overview of FML](#)
- [The WebLogic Tuxedo Connector FML API](#)
- [FML Field Table Administration](#)
- [tBridge XML/FML32 Translation](#)

Overview of FML

Note: For more information about using FML, see [Programming a BEA Tuxedo Application Using FML](http://e-docs.bea.com/tuxedo/tux80/atmi/fml01.htm) at <http://e-docs.bea.com/tuxedo/tux80/atmi/fml01.htm>.

FML is a set of java language functions for defining and manipulating storage structures called fielded buffers. Each fielded buffer contains attribute-value pairs in fields. For each field:

- The attribute is the field's identifier.
- The associated value represents the field's data content.
- An occurrence number.

There are two types of FML:

- FML16 based on 16-bit values for field lengths and identifiers. It is limited to 8191 unique fields, individual field lengths of 64K bytes, and a total fielded buffer size of 64K bytes.

- FML32 based on 32-bit values for the field lengths and identifiers. It allows for about 30 million fields, and field and buffer lengths of about 2 billion bytes.

The WebLogic Tuxedo Connector FML API

Note: The WebLogic Tuxedo Connector implements a subset of FML functionality. For more information regarding FML32, refer to “[FML32 Considerations.](#)”

The FML application program interface (API) is documented in the `weblogic.wtc.jatmi` package included in the [Javadocs for WebLogic Server Classes](#).

FML Field Table Administration

Field tables are generated in a manner similar to Tuxedo field tables. The field tables are text files that provide the field name definitions, field types, and identification numbers that are common between the two systems. To interoperate with a Tuxedo system using FML, the following steps are required:

1. Copy the field tables from the Tuxedo system to WebLogic Tuxedo Connector environment.

For example: Your Tuxedo distribution contains a bank application example called `bankapp`. It contains a file called `bankflds` that has the following structure:

```
#Copyright (c) 1990 Unix System Laboratories, Inc.
#All rights reserved
#ident "@(#) apps/bankapp/bankflds      $Revision: 1.3 $"
# Fields for database bankdb

# name          number  type   flags  comments
ACCOUNT_ID     110    long   -      -
ACCT_TYPE      112    char   -      -
ADDRESS        109    string -      -
.
.
.
```

2. Converted the field table definition into Java source files. Use the `mkfldclass` utility supplied in the `weblogic.wtc.jatmi` package. This class is a utility function that reads a FML32 Field Table and produces a Java file which implements the `FldTbl` interface. There are two instances of this utility:

```
- mkfldclass
- mkfldclass32
```

Use the correct instance of the command to convert the `bankflds` field table into FML32 java source. The following example uses `mkfldclass`.

```
java weblogic.wtc.jatmi.mkfldclass bankflds
```

The resulting file is called `bankflds.java` and has the following structure:

```
import java.io.*;
import java.lang.*;
import java.util.*;
import weblogic.wtc.jatmi.*;

public final class bankflds
    implements weblogic.wtc.jatmi.FldTbl
{
    /** number: 110  type: long */
    public final static int ACCOUNT_ID = 33554542;
    /** number: 112  type: char */
    public final static int ACCT_TYPE = 67108976;
    /** number: 109  type: string */
    public final static int ADDRESS = 167772269;
    /** number: 117  type: float */

    .
    .
    .
}
```

3. Compile the resulting `bankflds.java` file using the following command:

```
javac bankflds.java
```

The result is a `bankflds.class` file. When loaded, the WebLogic Tuxedo Connector uses the class file to add, retrieve and delete field entries from an FML32 field.

4. Add the field table class file to your application CLASSPATH.
5. Update your `WTCServer` MBean.
 - Update the `WTCResources` MBean to reflect the fully qualified location of the field table class file.
 - Use the keywords required to describe the FML buffer type: `fml16` or `fml32`.

- You can enter multiple field table classes in a comma separated list.

For example:

```
<WTCResources
  FldTbl16Classes="my.bankflds,your.bankflds,more.bankflds"
  Name="BankappResources" />
```

6. Restart your WebLogic Server to load the field table class definitions.

Using the DynRdHdr Property for mkfldclass32 Class

WebLogic Tuxedo Connector provides a property that provides an alternate method to compile FML tables. You may need to use the `DynRdHdr` utility if:

- You are using very large FML tables and the `.java` method created by the `mkfldclass32` class exceeds the internal Java Virtual Machine limit on the total complexity of a single class or interface.
- You are using very large FML tables and are unable to load the class created when compiling the `.java` method.

Use the following steps to use the `DynRdHdr` property when compiling your FML tables:

1. Convert the field table definition into Java source files.

```
java -DDynRdHdr=Path_to_Your_FML_Table weblogic.wtc.jatmi.mkfldclass32
userTable
```

The arguments for this command are defined as follows:

Attribute	Description
<code>-DDynRdHdr</code>	WebLogic Tuxedo Connector property used to compile an FML table.
<code>Path_to_Your_FM L_Table</code>	Path name of your FML table. This may be either a fully qualified path or a relative path that can be found as a resource file using the server's CLASSPATH.
<code>weblogic.wtc.ja tmi.mkfldclass3 2</code>	This class is a utility function that reads an FML32 Field Table and produces a Java file which implements the <code>FldTbl</code> interface.

Attribute	Description
<i>userTable</i>	Name of the <code>.java</code> method created by the <code>mkfldclass32</code> class.

2. Compile the *userTable* file using the following command:

```
javac userTable.java
```

3. Add the *userTable.class* file to your application CLASSPATH.
4. Update the `WTCResources` MBean to reflect the fully qualified location of the *userTable.class* file.
5. Target your `WTCServer`. The *userTable.class* is loaded when the `WTCServer` service starts.

Once you have created the *userTable.class* file, you can modify the FML table and deploy the changes without having to manually create an updated *userTable.class*. When the WTC Service is started, WebLogic Tuxedo Connector will load the updated FML table using the location specified in the Resources tab of your WTC service configuration. If the *Path_to_Your_FML_Table* attribute changes, you will need to use the preceding procedure to update your *userTable.java* and *userTable.class* files.

tBridge XML/FML32 Translation

Note: The data type specified must be FLAT or NO. If any other data type is specified, the redirection fails.

The `TranslateFML` element of the `WTCtBridgeRedirect` MBean is used to indicate if FML32 translation is performed on the message payload. There are two types of FML32 translation: FLAT and NO.

FLAT

The message payload is translated using the WebLogic Tuxedo Connector internal FML32/XML translator. Fields are converted field-by-field values without knowledge of the message structure (hierarchy) and repeated grouping.

In order to convert an FML32 buffer to XML, the tBridge pulls each instance of each field in the FML32 buffer, converts it to a string, and places it within a tag consisting of the field name. All of these fields are placed within a tag consisting of the service name. For example, an FML32 buffer consisting of the following fields:

NAME	JOE
ADDRESS	CENTRAL CITY
PRODUCTNAME	BOLT
PRICE	1.95
PRODUCTNAME	SCREW
PRICE	2.50

The resulting XML buffer would be:

```
<FML32>
  <NAME>JOE</NAME>
  <ADDRESS>CENTRAL CITY</ADDRESS>
  <PRODUCTNAME>BOLT</PRODUCTNAME>
  <PRODUCTNAME>SCREW</PRODUCTNAME>
  <PRICE>1.95</PRICE>
  <PRICE>2.50</PRICE>
</FML32>
```

NO

No translation is used. The tBridge maps a JMS TextMessage into a Tuxedo TypedBuffer (TypedString) and vice versa depending on the direction of the redirection. JMS BytesMessage are mapped into Tuxedo TypedBuffer (TypedCarray) and vice versa.

FML32 Considerations

Remember to consider the following information when working with FML32:

- For XML input, the root element is required but ignored.
- For XML output, the root element is always <FML32>.
- The field table names must be loaded as described in [“FML Field Table Administration” on page 7-2](#).
- The tBridge translator is capable of only “flat” or linear grouping. This means that information describing FML32 ordering is not maintained, therefore buffers that contain a series of repeating data could be presented in an unexpected fashion. For example, consider a FML32 buffer that contains a list of parts and their associated price. The expectation would be PART A, PRICE A, PART B, PRICE B, etc. however since there is no structural group information contained within the tBridge, the resulting XML could be PART A, PART B, etc., PRICE A, PRICE B, etc.

- When translating XML into FML32, the translator ignores blank values. For example, `<STRING></STRING>` is skipped in the resulting FML32 buffer.
- Embedded FML is not supported in this release.
- Embedded VIEW fields within FML32 buffers are not supported.
- TypedCArray is not supported for FML to XML conversion. Select from the following list of supported field types:
 - SHORT
 - LONG
 - CHAR
 - FLOAT
 - DOUBLE
 - STRING
 - INT (FML32)
 - DECIMAL (FML32)
- If you have TypedCArray in your FML, encode to TypedString and decode the XML to TypedCArray.
- If you need to pass binary data, encode to a field type of your choice and decode the XML on the receiving side.

WebLogic Tuxedo Connector JATMI VIEWS

The following sections provide information about how to use WebLogic Tuxedo Connector VIEW buffers:

- [Overview of WebLogic Tuxedo Connector VIEW Buffers](#)
- [How to Create a VIEW Description File](#)
- [How to Use the viewj Compiler](#)
- [How to Pass Information to and from a VIEW Buffer](#)
- [How to Use VIEW Buffers in JATMI Applications](#)

Overview of WebLogic Tuxedo Connector VIEW Buffers

Note: For more information on Tuxedo VIEW buffers, see [Using a VIEW Typed Buffer](http://e-docs.bea.com/tuxedo/tux81/pgc/pgbuf.htm#1262459) at <http://e-docs.bea.com/tuxedo/tux81/pgc/pgbuf.htm#1262459>.

WebLogic Tuxedo Connector allows you to create a Java VIEW buffer type analogous to a Tuxedo VIEW buffer type derived from an independent C structure. This allows WebLogic Server applications and Tuxedo applications to pass information using a common structure. WebLogic Tuxedo Connector VIEW buffers do not support FML VIEWS or FML VIEWS/Java conversions.

How to Create a VIEW Description File

Note: `fbname` and `null` fields are not relevant for independent Java and C structures and are ignored by the Java and C VIEW compiler. You must include a value (for example, a dash) as a placeholder in these fields.

Your WebLogic Server application and your Tuxedo application must share the same information structure as defined by the VIEW description. The following format is used for each structure in the VIEW description file:

```
$ /* VIEW structure */  
VIEW viewname  
type cname fbname count flag size null
```

where

- The file name is the same as the VIEW name.
- You can have only one VIEW description per file.
- The VIEW description file is the same file used for both the WebLogic Tuxedo Connector `viewj` compiler and the Tuxedo `viewc` compiler.
- `viewname` is the name of the information structure.
- You can include a comment line by prefixing it with the `#` or `$` character.
- The following table describes the fields that must be specified in the VIEW description file for each structure.

Table 8-1 VIEW Description File Fields

Field	Description
<i>type</i>	Data type of the field. Can be set to <code>short</code> , <code>long</code> , <code>float</code> , <code>double</code> , <code>char</code> , <code>string</code> , <code>carray</code> , or <code>dec_t</code> (packed decimal).
<i>cname</i>	Name of the field as it appears in the information structure.
<i>fbname</i>	Ignored.
<i>count</i>	Number of times field occurs.

Table 8-1 VIEW Description File Fields

Field	Description
flag	<p>Specifies any of the following optional flag settings:</p> <ul style="list-style-type: none"> • N—zero-way mapping • C—generate additional field for associated count member (ACM) • L—hold number of bytes transferred for STRING and CARRAY
size	<p>For STRING and CARRAY buffer types, specifies the maximum length of the value. This field is ignored for all other buffer types.</p>
null	<p>User-specified NULL value, or minus sign (-) to indicate the default value for a field. NULL values are used in VIEW typed buffers to indicate empty C structure members.</p> <p>The default NULL value for all numeric types is 0 (0.0 for <code>dec_t</code>). For character types, the default NULL value is <code>''</code>. For STRING and CARRAY types, the default NULL value is <code>" "</code>.</p> <p>Constants used, by convention, as escape characters can also be used to specify a NULL value. The VIEW compiler recognizes the following escape constants: <code>\ddd</code> (where <code>d</code> is an octal digit), <code>\0</code>, <code>\n</code>, <code>\t</code>, <code>\v</code>, <code>\r</code>, <code>\f</code>, <code>\\</code>, <code>\'</code>, and <code>\"</code>.</p> <p>You may enclose STRING, CARRAY, and <code>char</code> NULL values in double or single quotes. The VIEW compiler does not accept unescaped quotes within a user-specified NULL value.</p> <p>You can also specify the keyword NONE in the NULL field of a VIEW member description, which means that there is no NULL value for the member. The maximum size of default values for string and character array members is 2660 characters.</p>

Example VIEW Description File

The following provides an example VIEW description which uses VIEW buffers to send information to and receive information from a Tuxedo application. The file name for this VIEW is `infoenc`.

Listing 8-1 Example VIEW Description

```
VIEW infoenc
#type      cname      fbnme  count  flag  size  null
float      amount     AMOUNT 2      -    -    0.0
short      status     STATUS 2      -    -    0
init       term       TERM   2      -    -    0
char       mychar     MYCHAR 2      -    -    -
string     name        NAME   1      -    16   -
carray     carray1     CARRAY1 1      -    10   -
dec_t      decimal    DECIMAL 1      -    9    - #size ignored by
viewj/viewj32
END
```

How to Use the viewj Compiler

To compile a VIEW typed buffer, run the `viewj` command, specifying the package name and the name of the VIEW description file as arguments. The output file is written to the current directory.

To use the `viewj` compiler, enter the following command:

```
java weblogic.wtc.jatmi.viewj [options] [package] viewfile
```

To use the `viewj32` compiler, enter the following command:

```
java weblogic.wtc.jatmi.viewj32 [options] [package] viewfile
```

The arguments for this command are defined as follows:

Argument	Description
options	<ul style="list-style-type: none"> • <code>-associated_fields:</code> Use to set <code>AssociatedFieldHandling</code> to true. This allows <code>set</code> and <code>get</code> accessor methods to use the values of the associated length and count fields if they are specified in the VIEW description file. If not specified, the default value for <code>AssociatedFieldHandling</code> is false. • <code>-bean_names:</code> Use to create <code>set</code> and <code>get</code> accessor names that follow JavaBeans naming conventions. The first character of the field name is changed to upper case before the <code>set</code> or <code>get</code> prefix is added. The signature of indexed <code>set</code> accessors for array fields changes from the default signature of <code>void setAfield(T value, int index)</code> to <code>void setAfield(int index, T value)</code>. • <code>-compat_names:</code> Use to create <code>set</code> and <code>get</code> accessor names that are formed by taking the field name from the VIEW description file and adding a <code>set</code> or <code>get</code> prefix. Provides compatibility with releases prior to WebLogic Server 8.1 SP2. Default value is <code>-compat_names</code> if <code>-bean_names</code> or <code>-compat_names</code> is not specified. • <code>-modify_strings:</code> Use to generate different Java code for encoding strings sent to Tuxedo and decoding strings received from Tuxedo. Encoding code adds a null character to the end of each string. Decoding code truncates each string at the first null character received. • <code>-xcommon:</code> Use to generate output class as extending <code>TypedXCommon</code> instead of <code>TypedView</code>. • <code>-xtype:</code> Use to generate output class as extending <code>TypedXType</code> instead of <code>TypedView</code>. <p>Note: <code>-compat_names</code> and <code>-bean_names</code> are mutually exclusive options.</p>

Argument	Description
package	The package name to be included in the .java source file. Example: examples.wtc.atmi.simpview
viewfile	Name of the VIEW description file. Example: Infoenc

For example:

- A VIEW buffer is compiled as follows:

```
java weblogic.wtc.jatmi.viewj -compat_names examples.wtc.atmi.simpview infoenc
```

- A VIEW32 buffer is compiled as follows:

```
java weblogic.wtc.jatmi.viewj32 -compat_names -modify_strings examples.wtc.atmi.simpview infoenc
```

How to Pass Information to and from a VIEW Buffer

The output of the `viewj` and `viewj32` command is a .java source file that contains `set` and `get` accessor methods for each field in the VIEW description file. Use these `set` and `get` accessor methods in your Java applications to pass information to and from a VIEW buffer.

The `AssociatedFieldHandling` flag is used to specify if the `set` and `get` methods use the values of the associated length and count fields if they are specified in the VIEW description file.

- `set` methods set the count for an array field and set the length for a string or carray field.
- Array `get` methods return an array that is at most the size of the associated count field.
- String and carray `get` methods return data that is at most the length of the associated length field.

Use one of the following to set or get the state of the `AssociatedFieldHandling` flag:

- Use the `-associated_fields` option for the `viewj` and `viewj32` compiler to set the `AssociatedFieldHandling` flag to true..
- Invoke the `void setAssociatedFieldHandling(boolean state)` method in your Java application to set the state of the `AssociatedFieldHandling` flag.

- If false, the `set` and `get` methods ignore the length and count fields.
 - If true, the `set` and `get` methods use the values of the associated length and count fields if they are specified in the VIEW description file.
 - The default state is false.
- Invoke the boolean `getAssociatedFieldHandling()` method in your Java application to return the current state of `AssociatedFieldHandling`.

How to Use VIEW Buffers in JATMI Applications

Use the following steps when incorporating VIEW buffers in your JATMI applications:

1. Create a VIEW description file for your application as described in [How to Create a VIEW Description File](#).
2. Compile the VIEW description file as described in [How to Use the viewj Compiler](#).
3. Use the `set` and `get` accessor methods to pass information to and receive information from a VIEW buffer as described in [How to Pass Information to and from a VIEW Buffer](#).

See the `examples/wtc/atmi/simpview/ViewClient.java` file in your WebLogic Server distribution for an example of how a client uses accessors to pass information to and from a VIEW buffer.

4. Import the output of the VIEW compiler into your source code.
5. If necessary, compile the VIEW description file for your Tuxedo application and include the output in your C source file as described in [Using a VIEW Typed Buffer](http://e-docs.bea.com/tuxedo/tux80/atmi/pgbuf8.htm) at <http://e-docs.bea.com/tuxedo/tux80/atmi/pgbuf8.htm>.
6. Configure a `WTCServer` MBean with a `Resources` MBean that specifies the VIEW buffer type (`VIEW` or `VIEW32`) and the fully qualified class name of the compiled Java VIEW description file.
7. Build and launch your Tuxedo application.
8. Build and launch your WebLogic Server Application.

How to Create a Custom AppKey Plug-in

The following sections provide information about how to create custom AppKey generator plug-ins:

- [How to Create a Custom Plug-In](#)
- [Example Custom Plug-in](#)

How to Create a Custom Plug-In

Note: You cannot customize Tuxedo AAA tokens.

1. Create your custom Java plug-in using the [AppKey](#) and [UserRec](#) interfaces. You can provide any required initialization parameters or a property file using the `param` parameter of the `init` method.
2. Compile your plug-in. Example:

```
javac exampleAppKey.java
```
3. Update your CLASSPATH to include the path to your compiled plug-in. Example:

```
export CLASSPATH=$CLASSPATH:/home/mywork
```
4. Start your server.
5. Configure your WTC Service to use the Custom Plug-in. For more information, see the [Custom Plug-in at http://e-docs.bea.com/wls/docs81/wtc_admin/BDCONFIG.html#custom](http://e-docs.bea.com/wls/docs81/wtc_admin/BDCONFIG.html#custom).

Example Custom Plug-in

The `exampleAppKey.java` file is an example of a custom plug-in. It utilizes a `tpusrfile` file as the database to store the AppKey.

Listing 9-1 exampleAppKey.Java Custom Plug-In

```
import java.io.*;
import java.lang.*;
import java.util.*;
import java.security.Principal;
import weblogic.wtc.jatmi.AppKey;
import weblogic.wtc.jatmi.UserRec;
import weblogic.wtc.jatmi.DefaultUserRec;
import weblogic.wtc.jatmi.TPEException;
import weblogic.security.acl.internal.AuthenticatedSubject;
import weblogic.security.WLSPrincipals;

/**
 * @author Copyright (c) 2002 by BEA Systems, Inc. All Rights Reserved.
 */

/**
 * @exclude
 * Sample AppKey plug-in using TPUSRFILE as the database for APPKEY.
 * It is installed through "Custom" option.
 * The syntax for option custom plug parameter input contains the full
 * pathname to the <tpusrfile>
```

```

*
* @author BEA Systems, Inc.
*/
public class exampleAppKey implements AppKey {
    private String  anon_user = null;
    private String  tpusrfile = null;
    private File    myfile;
    private HashMap userMap;
    private long    l_time;
    private int     dfltAppkey;
    private boolean allowAnon;

    private final static int USRIDX = 0;
    private final static int PWDIDX = 1;
    private final static int UIDIDX = 2;
    private final static int GIDIDX = 3;
    private final static int CLTIDX = 4;

    private final static byte[] tpsysadm_string = {
        (byte)'t', (byte)'p', (byte)'s', (byte)'y', (byte)'s',
        (byte)'a', (byte)'d', (byte)'m' };
    private final static byte[] tpsysop_string = {
        (byte)'t', (byte)'p', (byte)'s', (byte)'y', (byte)'s', (byte)'o',
        (byte)'p' };

    public void init(String param, boolean anonAllowed, int dfltAppKey)
        throws TPEException {

```

```

if (param == null) {
    System.out.println("Error: tpusrAppKey.init@param == null");
    throw new TPEException(TPEException.TPESYSTEM,
        "Invalid input parameter");
}

// get the tpusrfile name
parseParam(param);

myfile = new File(tpusrfile);
if (myfile.exists() != true) {
    System.out.println("Error: exampleAppKey.init@file \" + param
        + "\" does not exist");
    throw new TPEException(TPEException.TPESYSTEM,
        "Failed to find TPUSR file");
}

if (myfile.isFile() != true) {
    System.out.println("Error: exampleAppKey.init@the specified name \" +
        param + "\" is not a file");
    throw new TPEException(TPEException.TPESYSTEM,
        "Invalid TPUSR file");
}

if (myfile.canRead() != true) {
    System.out.println("Error: exampleAppKey.init@file \" + param +
        "\" is not readable");
    throw new TPEException(TPEException.TPESYSTEM,
        "Bad TPUSR file permission");
}

```

```

    }

    userMap = new HashMap();

    // create the cache
    if (createCache(tpusrfile) == -1) {
        System.out.println("Error: exampleAppkey.init@fail to create user
        cache");
        throw new TPEException(TPEException.TPESYSTEM,
            "fail to create user cache");
    }

    l_time      = myfile.lastModified();
    anon_user   = weblogic.security.WLSPrincipals.getAnonymousUsername();
    allowAnon   = anonAllowed;
    dfltAppkey  = dfltAppKey;

    System.out.println("exampleAppKey installed!");

    return;
}

public void uninit() throws TPEException {
    if (userMap != null) {
        userMap.clear();
    }
    return;
}

```

```

public UserRec getTuxedoUserRecord(AuthenticatedSubject subj) {
    Object[] obj = subj.getPrincipals().toArray();
    if (obj == null || obj.length == 0) {
        // a subject without principals is an anonymous user
        if (allowAnon) {
            return new DefaultUserRec(anon_user, dfltAppkey);
        }

        System.out.println("Error:
exampleAppKey.getTuxedoUserRecord@return " +
                            "anonymous user not allowed");

        return null;
    }

    // looping through all Principal names if necessary to get first user
    // name defined in tpuser file
    Principal user;
    String     username;
    int        key;
    UserRec    rec;

    for (int i = 0; i < obj.length; i++) {
        user      = (Principal)obj[i];
        username = user.getName();
        if (username.equals(anon_user)) {
            return new DefaultUserRec(anon_user, dfltAppkey);
        }

        if ((rec = (UserRec)userMap.get(username)) != null) {

```

```

        return rec;
    }
}

System.out.println("WARN: exampleAppKey.getTuxedoUserRecord@return " +
                  "null UserRec");

return null;
}

private int createCache(String fname) {
    FileInputStream fin;
    byte[]          line;

    try {
        fin = new FileInputStream(fname);

        while ((line = readOneLine(fin)) != null) {
            DefaultUserRec newUser = parseOneLine(line);
            if (newUser != null) {
                userMap.put(newUser.getRemoteUserName(), newUser);
            }
        }

        fin.close();
    }

    catch (FileNotFoundException fnfe) {
        System.out.println("Error: exampleAppKey.createCache@reason: " +
                          fnfe);
        return -1;
    }
}

```

```

catch (SecurityException se) {
    System.out.println("Error: exampleAppKey.createCache@reason: " + se);
    return -1;
}
catch (IOException ioe) {
    System.out.println("Error: exampleAppKey.createCache@reason: " + ioe);
    return -1;
}
catch (Exception e) {
    System.out.println("Error: exampleAppKey.createCache@reason: " + e);
    return -1;
}
return 0;
}

```

```

private byte[] readOneLine(FileInputStream fh) {
    int    len    = 80;
    byte[] line = new byte[len];
    int    inp    = -1;
    int    idx    = 0;

    try {
        while ((inp = fh.read()) != -1) {
            if (idx == 0 && (inp == '\n' || inp == '\0')) {
                continue;
            }
            if (inp == '\n') {

```



```
        break;
    }
    if (idx == (len - 1)) {
        byte[] tmp = new byte[len + 80];
        System.arraycopy(line, 0, tmp, 0, len);
        line = tmp;
        len += 80;
    }
    line[idx] = (byte)inp;
    idx++;
}
}
catch (Exception e) {
    System.out.println("Error: exampleAppKey.readOneLine@reason: " + e);
    return null;
}

if (inp == -1 && idx == 0) {
    return null;
}

byte[] tmp = new byte[idx];
System.arraycopy(line, 0, tmp, 0, idx);

return tmp;
}
```

```

private DefaultUserRec parseOneLine(byte[] line) {
    String      name;
    int         key   = 0;
    DefaultUserRec usr;
    int         firstCharacter;
    int         i;
    int         sidx;
    int         fldlen;
    int         fn;
    byte[]      buid  = null;
    byte[]      bgid  = null;
    byte[]      clt   = null;
    byte[]      uname = null;

    firstCharacter = (int)line[0];
    if (firstCharacter == '#' || firstCharacter == '\n' ||
        firstCharacter == '!' || firstCharacter == '\0' ||
        firstCharacter == '\r') {
        return null;
    }
    fldlen = 0;
    sidx   = 0;
    for (i = 0, fn = 0; i < line.length && fn <= CLTIDX; i++) {
        if (line[i] == (byte) ':') {
            switch (fn) {
                case USRIDX:
                    uname = new byte[fldlen];

```

```

        System.arraycopy(line, sidx, uname, 0, fldlen);
        break;
case UIDIDX:
        buid = new byte[fldlen];
        System.arraycopy(line, sidx, buid, 0, fldlen);
        break;
case GIDIDX:
        bgid = new byte[fldlen];
        System.arraycopy(line, sidx, bgid, 0, fldlen);
        break;
case CLTIDX:
        if (line[sidx ] == (byte)'T' &&
            line[sidx+1] == (byte)'P' &&
            line[sidx+2] == (byte)'C' &&
            line[sidx+3] == (byte)'L' &&
            line[sidx+4] == (byte)'T' &&
            line[sidx+5] == (byte)'N' &&
            line[sidx+6] == (byte)'M' &&
            line[sidx+7] == (byte)',') {
            sidx  += 8;
            fldlen -= 8;
        }
        if (fldlen > 0) {
            clt = new byte[fldlen];
            System.arraycopy(line, sidx, clt, 0, fldlen);
        }
        break;

```

```

    default:
        break;
} // end of switch

fn++;

fldlen = 0;

sidx = i + 1;
} // end of if

else {
    fldlen++;
}
}

// try to tolerate incomplete line
if (fn <= CLTIDX && fldlen > 0) {
    switch (fn) {
        case USRIDX:
            uname = new byte[fldlen];
            System.arraycopy(line, sidx, uname, 0, fldlen);
            break;

        case UIDIDX:
            buid = new byte[fldlen];
            System.arraycopy(line, sidx, buid, 0, fldlen);
            break;

        case GIDIDX:
            bgid = new byte[fldlen];
            System.arraycopy(line, sidx, bgid, 0, fldlen);
            break;
    }
}

```

```

        case CLTIDX:
            if (line[sidx ] == (byte)'T' &&
                line[sidx+1] == (byte)'P' &&
                line[sidx+2] == (byte)'C' &&
                line[sidx+3] == (byte)'L' &&
                line[sidx+4] == (byte)'T' &&
                line[sidx+5] == (byte)'N' &&
                line[sidx+6] == (byte)'M' &&
                line[sidx+7] == (byte)',') {
                sidx  += 8;
                fldlen -= 8;
            }
            clt = new byte[fldlen];
            System.arraycopy(line, sidx, clt, 0, fldlen);
            break;
        }
    }

    if (uname == null || buid == null || bgid == null) {
        return null;
    }

    name = new String(uname);
    if (clt != null) {
        if (Arrays.equals(tpsysadm_string, clt) == true) {
            key = TPSYSADM_KEY;
        }
    }

```

```

else if (Arrays.equals(tpsysop_string, clt) == true) {
    key = TPSYSOP_KEY;
}
}

if (key == 0) {
    Integer u_val;
    Integer g_val;
    int uid = 0;
    int gid = 0;

    try {
        u_val = new Integer(new String(buid));
        g_val = new Integer(new String(bgid));
        uid = u_val.intValue();
        gid = g_val.intValue();
        uid &= UIDMASK;
        gid &= GIDMASK;
        key = uid | (gid << GIDSHIFT);
    }
    catch (NumberFormatException nfe) {
        System.out.println("Error: exampleAppKey.readLine@reason: " +
nfe);
        return null;
    }
}

return new DefaultUserRec(name, key);

```

```
}  
  
private void parseParam(String param) {  
    String str;  
  
    // trim the input  
    tpusrfile = param.trim();  
  
    return;  
}  
}
```

Application Error Management

The following sections provide mechanisms to manage and interpret error conditions in your applications:

- [Testing for Application Errors](#)
- [WebLogic Tuxedo Connector Time-Out Conditions](#)
- [Guidelines for Tracking Application Events](#)

Testing for Application Errors

Note: To view an example that demonstrates how to test for error conditions, see [“Example Transaction Code” on page 5-5](#).

Your application logic should test for error conditions after the calls that have return values and take suitable steps based on those conditions. In the event that a function returned a value, you may invoke a functions that tests for specific values and performs the appropriate application logic for each condition.

Exception Classes

The WebLogic Tuxedo Connector throws the following exception classes:

- [FError](#): Exception thrown for errors occurring while manipulating FML.
- [TPException](#): Exception thrown that represents a TPException failure.

- `TPReplyException`: Exception thrown that represents a `TPEXception` failure when user data is associated with the exception thrown.

Fatal Transaction Errors

In managing transactions, it is important to understand which errors prove fatal to transactions. When these errors are encountered, transactions should be explicitly aborted on the application level by having the initiator of the transaction call `commit()`. Transactions fail for the following reasons:

- The initiator or participant of the transaction caused it to be marked for rollback.
- The transaction timed out.
- A `commit()` was called by a participant rather than by the originator of a transaction.

WebLogic Tuxedo Connector Time-Out Conditions

There are two types of time-out which can occur when using the WebLogic Tuxedo Connector:

- Blocking time-out.
- Transaction time-out.

Blocking vs. Transaction Time-out

Blocking time-out is exceeding the amount of time a call can wait for a blocking condition to clear up. Transaction time-out occurs when a transaction takes longer than the amount of time defined for it in `setTransactionTimeout()`. By default, if a process is not in transaction mode, blocking time-outs are performed. When the *flags* parameter of a communication call is set to `TPNOTIME`, it applies to blocking time-outs only. If a process is in transaction mode, blocking time-out and the `TPNOTIME` flag are not relevant. The process is sensitive to transaction time-out only as it has been defined for it when the transaction was started. The implications of the two different types of time-out follow:

- If a process is not in transaction mode and a blocking time-out occurs on an asynchronous call, the communication call that blocked will fail, but the call descriptor is still valid and may be used on a re-issue call. Further communication in general is unaffected.
- In the case of transaction time-out, the call descriptor to an asynchronous transaction reply (done without the `TPNOTRAN` flag) becomes stale and may no longer be referenced. The

only further communication allowed is the one case described earlier of no reply, no blocking, and no transaction.

Effect on commit()

The state of a transaction if time-out occurs after the call to `commit()` is undetermined. If the transaction timed out and the system knows that it was aborted, `setRollbackOnly()` or `rollback()` returns with an error.

If the state of the transaction is in doubt, you must query the resource to determine if any of the changes that were part of that transaction have been applied to it in order to discover whether the transaction committed or aborted.

Effect of TPNOTRAN

Note: A transaction can time-out while waiting for a reply that is due from a service that is not part of that transaction.

When a process is in transaction and makes a communications call with *flags* set to `TPNOTRAN`, it prohibits the called service from becoming a participant of that transaction. The success or failure of the service does not influence the outcome of that transaction.

Guidelines for Tracking Application Events

You can track the execution of your applications by using `System.out.println()` to write messages to the WebLogic Server trace log. Create a `log()` method that takes a variable of type `String` and use the variable name as the argument to the call, or include the message as a literal within quotation marks as the argument to the call. In the following example, a series of messages are used to track the progress of a `tpcall()`.

Listing 10-1 Example Event Logging

```
.
.
.
log("About to call tpcall");
    try {
        myRtn = myTux.tpcall("TOUPPER", myData, 0);
```

```

    }
    catch (TPReplyException tre) {
        log("tpcall threw TPReplyException " + tre);
        throw tre;
    }
    catch (TPEException te) {
        log("tpcall threw TPEException " + te);
        throw te;
    }
    catch (Exception ee) {
        log("tpcall threw exception: " + ee);
        throw new TPEException(TPEException.TPESYSTEM, "Exception: " +
ee);
    }
    log("tpcall successfull!");
    .
    .
    .
private static void
log(String s)
{
    System.out.println(s);}
    .
    .
    .

```
