

Oracle® Fusion Middleware

User's Guide for Oracle B2B

11g Release 1 (11.1.1)

E10229-04

April 2010

Oracle Fusion Middleware User's Guide for Oracle B2B, 11g Release 1 (11.1.1)

E10229-04

Copyright © 2004, 2010, Oracle and/or its affiliates. All rights reserved.

Primary Author: D. K. Bradshaw

Contributing Author: Mark Kennedy

Contributor: Oracle B2B development, product management, and quality assurance teams

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Preface	xi
Audience	xi
Documentation Accessibility	xi
Related Documents	xii
Conventions	xii
Part I Introduction to Oracle B2B	
1 Introduction to Oracle B2B	
1.1 Oracle B2B and Business-to-Business E-Commerce	1-1
1.2 Protocols Supported in Oracle B2B	1-2
1.3 Oracle B2B Metadata	1-4
1.4 Security Features of Oracle B2B	1-4
1.4.1 Payload Obfuscation	1-5
1.4.2 Restricting Access to Document Types	1-6
1.5 How Does Oracle B2B Fit into a SOA Implementation?	1-8
1.6 Sending a Purchase Order: An Example of a SOA Implementation	1-8
1.7 Oracle B2B Samples and Cookbooks	1-10
1.8 Administering Oracle B2B in the Oracle Fusion Middleware Environment	1-10
2 Getting Started with Oracle B2B	
2.1 What You Need to Get Started with Oracle B2B	2-1
2.2 Logging in to Oracle B2B	2-2
2.2.1 Finding Port Information	2-3
2.2.2 Accessing Oracle B2B Through Single Sign-On (SSO)	2-4
2.2.3 Enabling the weblogic User for Logging in to Oracle B2B	2-5
2.3 Using the Oracle B2B Interface	2-5
2.3.1 Administration	2-5
2.3.2 Partners	2-6
2.3.3 Reports	2-7
2.3.4 Metrics	2-8
2.4 Creating a B2B Transaction: An Overview of the Process Flow	2-9
2.5 Using Oracle B2B in the Oracle JDeveloper Environment	2-14
2.5.1 How To Use B2B Binding Components in a SOA Composite Application	2-15
2.5.2 About Using the JMS Integration Type in the B2B Configuration Wizard	2-23

2.5.3	The B2BX12OrderGateway Composite in the Fusion Order Demo	2-24
2.6	What You May Need To Know About Using Oracle B2B	2-25
2.6.1	Enabling Debug Mode at Run Time	2-25
2.6.2	Logging Out: SSO Logout Configuration for Oracle Access Manager	2-25

Part II Oracle B2B Process Flow

3 Creating Guideline Files

3.1	Introduction to Oracle B2B Document Editor	3-1
3.2	Installing Oracle B2B Document Editor.....	3-3
3.3	Creating Guideline Files: EDIFACT D98 Example	3-3

4 Creating Document Definitions

4.1	Introduction to Document Protocols.....	4-1
4.1.1	The Document Hierarchy	4-2
4.1.2	Document Protocols with Acknowledgments.....	4-3
4.2	Creating Document Definitions	4-3
4.3	Deleting a Document Definition.....	4-7

5 Configuring Trading Partners

5.1	Introduction to Trading Partners	5-1
5.2	Creating Trading Partner Profiles	5-2
5.3	Adding Trading Partner Users	5-7
5.4	Adding Document Definitions.....	5-11
5.5	Configuring Channels	5-12
5.5.1	About MLLP	5-29
5.5.1.1	Overriding the Connection Mode	5-30
5.5.1.2	Generic Support for TCP	5-30
5.5.1.3	Dynamic Endpoints.....	5-31
5.5.1.4	Using a Transport Callout to Extract Custom Headers	5-32
5.5.1.5	Message Sequencing in MLLP Exchanges	5-32
5.5.1.5.1	Outbound Message Sequencing.....	5-32
5.5.1.5.2	Inbound Message Sequencing	5-33
5.5.1.5.3	Sequencing Without Dispatching	5-33
5.5.2	Using Transport Sync Callback	5-34
5.6	Using the Auto Create Agreement Feature.....	5-35
5.7	Using Identifiers for Trading Partner Lookup	5-35

6 Creating and Deploying Trading Partner Agreements

6.1	Introduction to Agreements	6-1
6.2	Creating an Agreement	6-2
6.3	Deploying an Agreement.....	6-5
6.3.1	Redeploying an Agreement	6-6
6.4	Deleting and Exporting Agreements	6-7

Part III Oracle B2B Administration

7 Using Document Protocols

7.1	Using the Custom Document Protocol	7-2
7.1.1	How to Configure the XPath Expression for a Custom XML Document.....	7-5
7.1.1.1	Option 1: Specify the XPath and the Matching Value.....	7-5
7.1.1.2	Option 2: Check for the Existence of a Node.....	7-6
7.1.1.3	Option 3: Check the Value of an Attribute	7-7
7.2	Using the EDI EDIFACT Document Protocol.....	7-7
7.3	Using the EDI X12 Document Protocol	7-12
7.4	Using the HL7 Document Protocol	7-17
7.5	Using the OAG Document Protocol.....	7-22
7.6	Using the Positional Flat File Document Protocol	7-24
7.7	Using the RosettaNet Document Protocol	7-26
7.7.1	PIPs	7-26
7.7.2	RosettaNet Validation.....	7-30
7.8	Using the UCCNet Document Protocol.....	7-30
7.8.1	Creating a 1Sync Document.....	7-33
7.9	Changing Document Details	7-35
7.9.1	Changing Document Definitions After Deploying an Agreement.....	7-36
7.9.2	Changing Document Definitions After Importing Metadata.....	7-37
7.10	Using Document Routing IDs.....	7-37

8 Managing Deployments

8.1	Introduction to Agreement Deployment States	8-1
8.2	Managing Deployed Agreements.....	8-2
8.2.1	Searching for Deployed Agreements.....	8-2
8.2.2	Changing the Deployment State.....	8-4
8.2.3	Exporting an Active Agreement.....	8-4

9 Creating Types

9.1	Creating Custom Identifier Types.....	9-1
9.2	Creating Custom Contact Information Types	9-4
9.3	Creating Custom Trading Partner Parameter Types.....	9-4

10 Importing and Exporting Data

10.1	Importing and Exporting the Design-Time Repository	10-1
10.2	What Is Copied When You Import or Export from the Import/Export Tab	10-4
10.3	About the Exported File.....	10-5
10.3.1	Exported ZIP Files Containing Agreement Names in Multibyte Character Languages	10-5

11 Batching EDI Messages

11.1	Setting Up a Batch.....	11-1
11.2	Managing Batched Messages	11-4

12 Managing Callouts

12.1	Introduction to Callouts	12-1
12.1.1	Transport Callouts	12-3
12.1.2	Creating a Callout Library JAR File	12-4
12.2	Creating a Callout	12-4
12.3	Including a Callout in an Agreement	12-7
12.4	Implementing a Callout	12-8

13 Purging Data

13.1	Purging Design Metadata and Instance Data	13-1
------	---	------

14 Configuring Listening Channels

14.1	Adding a Listening Channel and Protocol	14-1
14.2	Using Transport Protocols	14-3
14.3	Adding Listening Channel Details	14-4
14.3.1	Transport Protocol Parameters	14-4
14.3.2	Channel Attributes	14-7
14.3.3	Exchange Protocol Parameters	14-8
14.3.4	Security Parameters	14-8
14.4	Configuring a Listening Channel	14-9

15 Configuring B2B System Parameters

15.1	Setting Configuration Parameters	15-1
------	--	------

Part IV Reports and Metrics

16 Creating Reports

16.1	Introduction to Reports	16-1
16.1.1	The Monitor User Role	16-1
16.1.2	Purging Messages	16-2
16.1.3	Resubmitting Messages from Oracle B2B	16-2
16.2	Creating Business Message Reports	16-2
16.3	Creating Wire Message Reports	16-5
16.4	Creating Application Message Reports	16-7
16.5	Creating Error Reports	16-10
16.6	Creating Conversation Reports	16-12

17 Using B2B Metrics

17.1	Introduction to B2B Metrics	17-1
17.2	B2B System Metrics	17-2
17.3	B2B Partner Metrics	17-4

Part V Scripts and Utilities

18 B2B Command-Line Tools

18.1	Prerequisites for Running the Command-line Tools	18-1
18.2	Archiving Data	18-2
18.3	Purging Data	18-3
18.4	Importing Data	18-5
18.5	Exporting Data	18-5
18.6	Deploying Agreements	18-6
18.7	Validating B2B Metadata	18-7
18.8	CPP/CPA Templates	18-7
18.8.1	Properties of cpp_cpa.properties	18-8
18.8.1.1	CPA Import Properties	18-8
18.8.1.2	CPA Export Properties	18-8
18.8.1.3	Common Properties	18-9
18.9	CPP/CPA Import	18-9
18.10	CPP/CPA Export	18-9
18.11	Creating Oracle B2B Metadata Based on selfservice.xsd	18-10
18.11.1	Using Selfservice to Batch Create Document Protocols, Trading Partners, and Agreements	18-10
18.11.2	Using Selfservice Samples	18-11
18.12	Resubmitting a Message	18-12
18.13	Errors During Import	18-13

19 Using the Oracle B2B Web Services

19.1	Introduction to Oracle B2B Web Services	19-1
19.2	Using the Outbound Web Service	19-2
19.3	Using the Translation Web Service	19-3
19.4	Using the Query API	19-4
19.4.1	Is Trading Partner Agreement Setup Parameters	19-4
19.4.2	Get Trading Partner Agreement Information Parameters	19-5

20 Scripts for Archiving and Restoring Data

20.1	Introduction to Archiving and Restoring B2B Business Messages	20-1
20.2	Archiving B2B Business Messages	20-1
20.3	Restoring B2B Business Messages	20-2

21 Utilities for Enqueuing and Dequeuing

21.1	AQ Enqueue and Dequeue Utilities	21-1
21.1.1	AQ Enqueue	21-1
21.1.2	AQ Dequeue	21-2
21.2	JMS Enqueue and Dequeue Utilities	21-3
21.2.1	JMS Enqueue	21-3
21.2.2	Enqueue—Using a JMS JCA Adapter or Custom Utilities	21-4
21.2.3	JMS Dequeue	21-5

21.3	Using the attachmentsDescriptor.xsd	21-5
------	---	------

Part VI Appendixes

A Performance Tuning and Large Payloads

A.1	Settings for Performance Tuning	A-1
A.1.1	Memory Arguments	A-2
A.1.2	Heap Size Settings	A-2
A.1.3	MDS Cache Size	A-2
A.1.4	Number of Threads	A-2
A.1.5	Stuck Thread Max Time.....	A-2
A.1.6	Tablespace Size.....	A-4
A.1.7	JTA Settings	A-4
A.1.8	Configuring High-Volume Systems.....	A-4
A.1.9	Settings for Batching a Large Number of Documents.....	A-4
A.1.10	Streaming Inbound and Outbound Attachments	A-4
A.2	Handling Large Payloads	A-5
A.2.1	Introduction to Large Payload Support	A-5
A.2.2	Large Payloads and 32-Bit Windows PCs.....	A-7
A.2.3	Settings for a Large Dataset Scenario.....	A-7

B Setting B2B Configuration Properties in Fusion Middleware Control

B.1	Properties To Set in Fusion Middleware Control.....	B-1
B.2	Using the configmbeanutil Utility	B-5

C Back-End Applications Interface

C.1	Mapping B2B IP_MESSAGE_TYPE to SCA Normalized Message Properties	C-1
C.2	Normalized Message Properties.....	C-1

D Exception Handling

D.1	Inbound Messages	D-1
D.1.1	Request or Response Messages.....	D-1
D.1.1.1	Inbound ebMS, AS1, and AS2 Messages.....	D-2
D.1.2	Acknowledgment Messages.....	D-2
D.1.3	Exception Messages.....	D-2
D.2	Outbound Messages	D-2
D.3	Using a JMS Queue for Error Message Delivery	D-3
D.4	Using a Custom Exception Queue for Error Message Delivery.....	D-3
D.5	Inbound Exception Handling Scenarios	D-4
D.6	Exception Payload Definition	D-6

E Self Service Utility Protocols, Identifications, Security Specifications

E.1	Protocols	E-1
E.2	Identifications	E-2
E.3	Security Specifications.....	E-3

E.4	Exchange Protocols Parameter Values.....	E-4
E.5	Transport Protocols Parameter Values	E-4
E.6	Document Protocol Parameter Values.....	E-6

Index

Preface

This guide describes how to use Oracle B2B.

Audience

Oracle Fusion Middleware User's Guide for Oracle B2B is intended for businesses that need to extend business processes to trading partners, and want to design, deploy, monitor, and manage business process integrations.

Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible to all users, including users that are disabled. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Accessibility standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For more information, visit the Oracle Accessibility Program Web site at <http://www.oracle.com/accessibility/>.

Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/support/contact.html> or visit <http://www.oracle.com/accessibility/support.html> if you are hearing impaired.

Related Documents

For information about Oracle SOA Suite products, see the following:

- *Oracle Fusion Middleware Developer's Guide for Oracle SOA Suite*
- *Oracle Fusion Middleware Administrator's Guide for Oracle SOA Suite and Oracle Business Process Management Suite*
- *Oracle Fusion Middleware Installation Guide for Oracle SOA Suite*
- *Oracle Fusion Middleware User's Guide for Technology Adapters*

For information about the Java API documentation (Javadoc), see the following:

- *Oracle Fusion Middleware B2B Callout Java API Reference*

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Part I

Introduction to Oracle B2B

This part contains the following chapters:

- [Chapter 1, "Introduction to Oracle B2B"](#)
- [Chapter 2, "Getting Started with Oracle B2B"](#)

Introduction to Oracle B2B

Oracle B2B is an e-commerce gateway that enables the secure and reliable exchange of business documents between an enterprise and its trading partners. Oracle B2B supports business-to-business document standards, security, transports, messaging services, and trading partner management. With Oracle B2B used as a binding component within an Oracle SOA Suite composite application, end-to-end business processes can be implemented. Oracle B2B also supports Health Level 7, which enables health care systems to communicate with each other.

For more information about Oracle SOA Suite, see *Oracle Fusion Middleware Developer's Guide for Oracle SOA Suite*.

This chapter contains the following topics:

- [Section 1.1, "Oracle B2B and Business-to-Business E-Commerce"](#)
- [Section 1.2, "Protocols Supported in Oracle B2B"](#)
- [Section 1.3, "Oracle B2B Metadata"](#)
- [Section 1.4, "Security Features of Oracle B2B"](#)
- [Section 1.5, "How Does Oracle B2B Fit into a SOA Implementation?"](#)
- [Section 1.6, "Sending a Purchase Order: An Example of a SOA Implementation"](#)
- [Section 1.7, "Oracle B2B Samples and Cookbooks"](#)
- [Section 1.8, "Administering Oracle B2B in the Oracle Fusion Middleware Environment"](#)

1.1 Oracle B2B and Business-to-Business E-Commerce

E-commerce is the buying and selling of products or services over the Internet, including business-to-business (B2B). In B2B e-commerce, an enterprise extends its business processes over the Internet to reach trading partners. B2B e-commerce represents classic business processes, mature business documents, and industry-tempered messaging services. It requires a unified business process platform, end-to-end instance tracking, visibility and auditing, integrated process intelligence, process and service governance, and centralized security.

You can think of an e-commerce transaction between businesses as analogous to a mail or express carrier (shipping) transaction. In both kinds of transactions, the sender must consider the details required for packaging and sending an item, and the receiver's requirements. [Table 1-1](#) provides an example that compares the two kinds of transactions.

Table 1–1 Comparing Traditional and E-Commerce Transactions

	Traditional Shipping Transaction	E-Commerce Transaction
What is the item to be shipped, that is, the transaction item?	Cell phone	Electronic document Document protocols: Custom, EDI EDIFACT, EDI X12, HL7, OAG, positional flat file, RosettaNet, UCCnet, and more
How is the item packaged?	Box, bubble wrap	Packaging protocols: MIME, SMIME, SOAP, XMLDSig, XMLEncrypt
How is the item sent and received?	Truck, ship, airplane	Transport protocols: HTTP, File, FTP, SFTP (SSH FTP), TCP/IP, SMTP, MLLP, and more
Who is the carrier?	DHL, FedEx, UPS, USPS	Message exchange protocols: RNIF, AS1, AS2, ebMS, and more
What carrier services are required?	Required? <ul style="list-style-type: none"> ▪ Signed receipt ▪ Overnight/next day ▪ Delivery attempts 	Required? <ul style="list-style-type: none"> ▪ Nonrepudiation ▪ Time to acknowledge/respond ▪ Retry counts

This guide describes how to use Oracle B2B to define the document, the packaging, and the delivery, in addition to configuring trading partners, creating and deploying agreements, and monitoring a deployment.

1.2 Protocols Supported in Oracle B2B

Oracle B2B supports numerous industry-standard e-commerce protocols, as defined for a range of industries, including health care, retail, IT, telecom, electronics, manufacturing, the food industry, and more. [Table 1–2](#) lists the protocols supported in Oracle B2B.

Table 1–2 Protocols Supported in Oracle B2B

Protocol Type	Protocol
Document protocol	<ul style="list-style-type: none"> ■ Custom (user-defined) ■ EDI EDIFACT, all versions ■ EDI X12, all versions ■ HL7, all versions ■ RosettaNet PIP business documents ■ OAG ■ Positional flat file (includes SAP iDoc) ■ UCCnet ■ Custom (non-XML) ■ NCPDP Telecom ■ EDIEL
Packaging protocol	<ul style="list-style-type: none"> ■ MIME 1.0 ■ S/MIME 2.0, S/MIME 3.0 ■ SOAP ■ XML digital signature (XMLDSig) ■ XML encryption (XMLEncrypt)
Transport protocol	<ul style="list-style-type: none"> ■ AQ ■ Email (SMTP 1.0, IMAP 1.0, POP3) ■ File ■ FTP and SFTP (SSH FTP) ■ HTTP (HTTP 1.0, HTTP 1.1) and HTTPS (HTTPS 1.0, HTTPS 1.1) ■ JMS ■ TCP/IP
Message exchange protocol	<ul style="list-style-type: none"> ■ AS1-1.0, AS2-1.1 ■ MLLP-1.0 ■ ebMS-1.0, ebMS-2.0 (ebXML Messaging Service) ■ RosettaNet-01.10, RosettaNet-V02.00 ■ Generic File-1.0 ■ Generic AQ-1.0 ■ Generic FTP-1.0 ■ Generic SFTP-1.0 ■ Generic JMS-1.0 ■ Generic HTTP-1.0 ■ Generic Email-1.0 ■ Generic TCP

About Document Types: Using the Custom and positional flat file document protocols, you can use many other document types, including W3CXML Schema (OAGIS, xCBL, UBL, ebXML, and more). Use Oracle B2B Document Editor to create the guideline documents.

1.3 Oracle B2B Metadata

Oracle B2B instance data is stored and managed within the SOAINFRA schema of your database. Oracle B2B metadata for design-time and configuration is stored and managed through Metadata Services (MDS), available in Oracle Fusion Middleware. See *Oracle Fusion Middleware Administrator's Guide* for more information about MDS.

Because documents created in Oracle B2B are stored in the metadata repository, it is possible that the transaction log for the database can become full. If this occurs often, increase the database configuration parameter to allow a larger log file. A larger log file requires more space but reduces the need for applications to retry the operation.

To increase this value, issue the following command:

```
db2 update database config for soainfra using LOGFILESIZ 8192
```

1.4 Security Features of Oracle B2B

Oracle B2B leverages the security features of Oracle Platform Security Services, a comprehensive security platform framework. Oracle Platform Security Service supports:

- Authentication
- Identity assertion and management
- Authorization
- The specification and management of application-specific policies
- Credential and key store management through the Credential Store Framework
- Auditing
- Role administration, and role and credential mappings
- The User and Role API
- Single sign-on solutions
- Security configuration and management
- Cryptography

The default administrator user created during Oracle SOA Suite installation is assigned the administrator role, which has access to all Oracle B2B functionality. The default administrator user can create additional users and assign the following roles:

- Host administrator—This role has access to all Oracle B2B functionality. Only a host trading partner user can have the administrator role for all data.
- Host monitor—This role can access reports and view run-time data for all trading partners.
- Remote administrator—This role has limited access to the Partners page. Users with this role can view and edit only their own design data (channels, documents, and so on); can view only those agreements for which they are a partner; and can access only their own run-time report data.
- Remote monitor—This role can access reports and view run-time data related to its own exchange with the host trading partner.

See [Section 5.3, "Adding Trading Partner Users,"](#) for how to assign roles.

The partner data you design, deploy, and manage with the Oracle B2B user interface is secured by its centralized storage in the Metadata Service (MDS) repository.

Other security features include:

- Transport protocol-based security for HTTP, FTP, and SMTP exchanges
- Digital envelopes and certificates
- Digital signatures for host and remote trading partners
- Integration with Credential Store Framework for storing all passwords and security credentials
- Secure HTTP (using Secure Socket Layer (SSL))
- Encrypted Key Store password for a host trading partner

Note: Oracle B2B run time does not support the CLIENT-CERT authentication method. Therefore, B2B is not able to post to OAM-SSO protected URLs.

See the following for more information about security:

- *Oracle Fusion Middleware Security Guide*

1.4.1 Payload Obfuscation

Oracle B2B supports payload obfuscation before payloads are stored in the instance repository. The security infrastructure of Oracle Fusion Middleware is used to obfuscate, store, and retrieve the payloads, and ensure that payloads in wire messages, business messages, and application messages are visible to authorized users only. The encryption algorithm is not specifiable. Keys are stored in the Credential Store.

At run time, the payload is obfuscated before it is stored in the instance repository. When this payload is retrieved from the instance store during processing, it is automatically unobfuscated so that B2B engine processes it.

Similarly, in the outbound direction, if payload obfuscation is required, then the payload is obfuscated before it is stored in the instance repository. If exchange-level encryption is specified, then the payload is encrypted using the encryption scheme specified before it is put on the wire.

Payload obfuscation can be configured in Oracle Enterprise Manager Fusion Middleware Control. See *Oracle Fusion Middleware Administrator's Guide for Oracle SOA Suite and Oracle Business Process Management Suite* and [Appendix B, "Setting B2B Configuration Properties in Fusion Middleware Control,"](#) for more information.

When you enable payload obfuscation, consider the following:

- Large payloads, as defined in the **Large Payload Size** parameter on the **Configuration** tab, are not obfuscated because they are stored in a directory (file system) rather than the instance repository. Storing a large payload in the file system is a security risk.
- The obfuscated payload can be accessed in the B2B interface only by authorized users who have access to the document type. The payload is unobfuscated and displayed in the interface for these authorized users. Other users cannot access the document type at all. The users can be provisioned to access document types. See [Section 1.4.2, "Restricting Access to Document Types,"](#) for information about document-type provisioning.

Obfuscation is available for payloads that use multibyte characters, and is available for non-Oracle databases.

If you migrate instance stores that contain obfuscated payloads, then you must ensure that you export the Credential Store Framework (CSF) as well, because the CSF has the key to unobfuscate those payloads (the same key is used for obfuscation and unobfuscation). If this is a new store, then no migration is required because the key is created (if not already present) the first time the payload is obfuscated.

A payload that was obfuscated and persisted in B2B is passed unobfuscated to other SOA components within a composite application, when using the Default or JMS integration types. Users viewing this unobfuscated payload in other SOA components are responsible for ensuring that the payload is obfuscated and persisted securely, and that users are authorized to view the payload.

1.4.2 Restricting Access to Document Types

Oracle B2B supports payload security by restricting access based on document type. The following user permissions for document-type access are available:

- Admin permission for all document types
With this permission, the user can add, access, edit, and delete all document types. This user also has access to administrative functions such as import, export, and purge.
- Admin permission for specified document types
With this permission, the user can access, edit, and delete the specified document types for which he has permission. The user is not allowed to access, edit, or delete the restricted document types. The user cannot add new document types or have access to any administrative functions such as import, export, and purge.
- Monitor permission for all document types
With this permission, the user can access and view (but not edit or delete) all document types.
- Monitor permission for specified document types
With this permission, the user can access and view (but not edit or delete) the specified document types. The user cannot access and view the restricted document types.

The default administrator user can restrict document-type access to other roles as follows:

- The host administrator can be granted access to all document types, in which case this user can restrict document-type access to other host or remote administrators.
- The host administrator can be granted access only to specified document types, in which case this user cannot restrict document-type access to other host or remote administrators.
- The remote administrator can be granted access to specified document types only, or all document types pertaining to the remote trading partner. In either case, the remote trading partner administrator cannot create document types in the system, or provision users for that particular remote trading partner. Users can only be provisioned by a host trading partner administrator user.
- The host monitor can be granted view-only access to all document types or to specified document types, but cannot restrict document-type access to other users.
- The remote monitor can be granted view-only access to all document types pertaining to the remote trading partner or to specified document types pertaining

to the remote trading partner, but cannot restrict document-type access to other users.


Note: Admin users with access to all **Administration** tab functions lose admin privileges when permission for any or all document types is assigned, and the **Administration** tab is no longer available.

See [Task 3, "Add Document Types That the User Has Permission to Access"](#) in [Section 5.3, "Adding Trading Partner Users,"](#) for how to specify document-type access in the B2B interface.

When access to specific document types is restricted, consider the following:

- New document definitions for a restricted document type cannot be added.
- No document types can be imported, exported, or purged.
- No document types can be modified on the **Partners > Documents** tab, as shown in [Figure 1-1](#).

Figure 1-1 Accessing a Restricted Document Type from the Documents Tab



- The restricted document types are listed, but details cannot be viewed or accessed, on the following tabs:
 - **Administration > Document** tab
 - **Reports** tabs
 - **Metrics** tabs
- Agreements that include document definitions for restricted document types cannot be modified or exported.

- In a SOA composite with a B2B binding component, restrictions on document types are *not* in effect. All document types are available to any user in the B2B Configuration Wizard of Oracle JDeveloper.

1.5 How Does Oracle B2B Fit into a SOA Implementation?

As a business-to-business gateway, Oracle B2B is used to extend business processes to trading partners. When Oracle B2B is used in a SOA composite application, you can model an end-to-end business process integration.

Oracle SOA Suite provides a complete set of service infrastructure components for designing, deploying, and managing composite applications. The multiple technology components of a composite application share common capabilities, including a single deployment and management model and tooling, end-to-end security, and unified metadata management. See *Oracle Fusion Middleware Developer's Guide for Oracle SOA Suite* for more information.

In a SOA implementation, Oracle B2B functions as a *binding component*, with network protocols and services that enable message sending and receiving:

- As a *service* (inbound), the SOA composite application receives messages from Oracle B2B
- As a *reference* (outbound), the SOA composite application passes a message to Oracle B2B, which in turn sends the message to partners.


In addition to messages, Oracle B2B can also send attachments and large payloads in a SOA implementation. See [Appendix A, "Performance Tuning and Large Payloads,"](#) for information about handling large payloads.

Note: With the integration of the B2B, Mediator, and BPEL components within Oracle SOA Suite, the XML Gateway Internal Delivery channels are not needed in Oracle B2B 11g to communicate with Oracle E-Business Suite. This can be achieved by using the Oracle Application Adapter available in Oracle SOA Suite.

1.6 Sending a Purchase Order: An Example of a SOA Implementation

The following example describes how the components of a SOA composite application are used to send a purchase order that originates from Oracle E-Business Suite, as shown in [Figure 1-2](#).

Figure 1-2 An Outbound Purchase Order in a SOA Composite Application



The outbound purchase order (P. O.) is an XML document that participates in an end-to-end business process as follows:

1. An application, for example, Oracle E-Business Suite, initiates the P. O. process. The P. O. document uses the application-generated XML.
2. Oracle Mediator receives the P. O. from Oracle E-Business Suite. The P. O. is translated to canonical XML through XSLT Mapper, and is validated by using the schema obtained when the composite application was validated. Oracle Mediator routes the message to Oracle BPEL Process Manager.
3. Oracle BPEL Process Manager receives the P. O. from Oracle Mediator. Business processes such as human workflow, business rules, and error handling can apply before Oracle BPEL Process Manager sends the P. O. back to Oracle Mediator.
4. Oracle Mediator receives the P. O. from Oracle BPEL Process Manager. The P. O. is transformed from canonical XML to the target XML through XSLT Mapper and then routed to Oracle B2B.
5. Oracle B2B receives the P. O. from Mediator, translates the P. O. to EDI native format, for example, and manages the interaction with the trading partner.
6. Oracle Business Activity Monitoring (BAM) monitors the end-to-end process.

See the following for more information:

- [Section 2.5, "Using Oracle B2B in the Oracle JDeveloper Environment,"](#) for how to include a B2B binding component in a SOA composite application
- *Oracle Fusion Middleware Developer's Guide for Oracle SOA Suite* for information about Oracle SOA Suite and SOA composite applications

1.7 Oracle B2B Samples and Cookbooks

The B2B samples guide you through the steps to create guideline files, design B2B transactions, deploy and monitor trading partner agreements, and create and deploy SOA composite applications. The composite applications include a B2B binding component and use the document definitions that you create in Oracle B2B.

Samples are available for the following document types:

- 1Sync
- Custom XML
- EDI EDIFACT
- EDI X12
- HL7
- RosettaNet

These end-to-end samples are based on a scenario in which two trading partners, Acme and GlobalChips, participate in a transaction. Acme is the initiator (the buyer, in the case of a purchase order scenario) and GlobalChips is the responder (the seller in a purchase order scenario). In the HL7 sample, Acme (initiator) sends an ADT_A01 admit patient message and receives an ACK_A01 acknowledgment from GlobalChips.

The samples include instructions and sample document definition files for you to create all the documents, agreements, and SOA composites you need to run the samples. The completed SOA composite application is also provided for each sample.

To download the samples, go to

http://www.oracle.com/technology/sample_code/products/b2b

The Oracle B2B cookbooks provide detailed information on the implementation of ebXML, EDI (EDIFACT and X12), and HL7 in Oracle B2B. The cookbooks include configuration steps, performance best practices, discussions of typical errors, and FAQs. The following cookbooks are available:

- *An ebXML Cookbook for Oracle B2B*
- *An EDI Cookbook for Oracle B2B*
- *An HL7 Cookbook for Oracle B2B*

To download the cookbooks, go to

<http://www.oracle.com/technology/products/soa/b2b/index.html>

See [Section 2.1, "What You Need to Get Started with Oracle B2B,"](#) for the components required to use the samples and cookbooks.

1.8 Administering Oracle B2B in the Oracle Fusion Middleware Environment

The following components provide monitoring, configuration, and performance tuning capabilities for Oracle B2B:

- SOA Server—Set memory arguments to optimize B2B performance.
See [Section A.1, "Settings for Performance Tuning,"](#) for more information.
- Oracle WebLogic Server Administration Console—Administer settings for performance tuning.

See [Section A.1, "Settings for Performance Tuning,"](#) for more information.

- Oracle Enterprise Manager Fusion Middleware Control—Set B2B Server properties to enable Enterprise Manager metrics and monitor the B2B Infrastructure.

See the following for more information:

- [Section B.1, "Properties To Set in Fusion Middleware Control"](#)
- "Configuring Oracle B2B" and "Monitoring Oracle B2B" in *Oracle Fusion Middleware Administrator's Guide for Oracle SOA Suite and Oracle Business Process Management Suite*

Within the Oracle B2B interface, use the following for monitoring and configuration:

- **Administration > Configuration** tab

See [Chapter 15, "Configuring B2B System Parameters."](#)

- **Administration > Reports** tab

See [Chapter 16, "Creating Reports."](#)

- **Administration > Metrics** link

See [Chapter 17, "Using B2B Metrics."](#)

Getting Started with Oracle B2B

Oracle B2B provides a Web-based interface for creating B2B transactions.

This chapter contains the following topics:

- [Section 2.1, "What You Need to Get Started with Oracle B2B"](#)
- [Section 2.2, "Logging in to Oracle B2B"](#)
- [Section 2.3, "Using the Oracle B2B Interface"](#)
- [Section 2.4, "Creating a B2B Transaction: An Overview of the Process Flow"](#)
- [Section 2.5, "Using Oracle B2B in the Oracle JDeveloper Environment"](#)
- [Section 2.6, "What You May Need To Know About Using Oracle B2B"](#)


2.1 What You Need to Get Started with Oracle B2B

In addition to installing Oracle SOA Suite, which includes Oracle B2B, you will need to install:

- Oracle B2B Document Editor
- Oracle JDeveloper

Use the standards-based templates of Oracle B2B Document Editor to create guideline files. Then, using Oracle B2B, you create and deploy the transaction as part of a B2B agreement. To include the B2B transaction in a SOA composite application, use Oracle JDeveloper, as shown in [Figure 2-1](#).

Figure 2–1 Oracle JDeveloper: A SOA Composite Application with a B2B Binding Component



See the following for more information:

- *Oracle Fusion Middleware Installation Guide for Oracle SOA Suite* for information on installing Oracle B2B as part of Oracle SOA Suite
- [Chapter 3, "Creating Guideline Files"](#)
- Oracle B2B Document Editor **Help** menu
- Oracle JDeveloper **Help** menu

2.2 Logging in to Oracle B2B

These instructions assume that you have installed Oracle SOA Suite, which includes Oracle B2B. See *Oracle Fusion Middleware Installation Guide for Oracle SOA Suite* for more information.

Use a supported Web browser:

- Microsoft Internet Explorer 7.x and 8.x
- Mozilla Firefox 2.x and 3.x
- Apple Safari 4.x

To log in to Oracle B2B:

1. Open a supported Web browser and go to:

`http://hostname:port/b2bconsole`

where:

- *hostname* is the name of the host on which Oracle SOA Suite is installed. (In a cluster environment, the *hostname* can be the front end load balancer)

- *port* is the port number used by the Managed Server to listen for regular HTTP (non-SSL) connections. (In a cluster environment, the port can be the router port.)

See [Section 2.2.1, "Finding Port Information,"](#) for more information.

- `/b2bconsole` (or `/b2b`) accesses the B2B interface (`/b2b` is redirected to `/b2bconsole`).

See [Section 2.2.2, "Accessing Oracle B2B Through Single Sign-On \(SSO\),"](#) for information on protecting the `b2bui` page by adding `/b2bconsole` and `/b2b` settings to the `mod_wl_ohs.conf` file of Oracle HTTP Server.

Note: To access Oracle B2B when SAML is enabled or in Windows Native Authentication Environments, use either of the following protected servlet URLs for automatic authentication:

```
http://hostname:port/b2b/ssologin
http://hostname:port/b2bconsole/ssologin
```

2. On the log-in page, enter the following:

For This Field...	Do...
Username	Enter the default administrator user name.
Password	Use the administrator password from your Oracle Fusion Middleware 11g installation.

3. Click **Login**.

2.2.1 Finding Port Information

You can find port number information in the following ways:

- From Oracle WebLogic Server Administration Console
 1. Log in to the console.
 2. In the Domain Structure pane, shown in [Figure 2-2](#), expand **Environment** and click **Servers**.

2.2.3 Enabling the weblogic User for Logging in to Oracle B2B

For the `weblogic` user in Oracle Internet Directory (OID) to log in to Oracle B2B as an administrator and search for users, the OID Authenticator must have an Administrators group, and the `weblogic` user must be a member of that group.

To enable the weblogic user:

1. Create a `weblogic` user in OID using the LDAP browser. The `users.ldif` file is imported to OID as follows:

```
dn: cn=weblogic,cn=Users,dc=us,dc=oracle,dc=com
objectclass: inetorgperson
objectclass: organizationalPerson
objectclass: person
objectclass: orcluser
objectclass: orcluserV2
objectclass: top
sn: weblogic
userpassword: welcome1
uid: weblogic
```

2. Create an Administrators group in OID and assign the `weblogic` user to it. The `groups.ldif` file is imported to OID as follows:

```
dn: cn=Administrators,cn=Groups,dc=us,dc=oracle,dc=com
objectclass: groupOfUniqueNames
objectclass: orclGroup
objectclass: top
owner: cn=orcladmin,cn=Users,dc=us,dc=oracle,dc=com
uniquemember: cn=weblogic,cn=Users,dc=us,dc=oracle,dc=com
```


2.3 Using the Oracle B2B Interface

B2B activities are grouped as follows:

- [Administration](#)
- [Partners](#)
- [Reports](#)
- [Metrics](#)

2.3.1 Administration

Use the tabs of the **Administration** page, shown in [Figure 2-3](#), to manage importing and exporting, document protocols, deployments, types, batching, callouts, purging, listening channels, and B2B configuration.

Figure 2–3 Administration Activities

See [Part III, "Oracle B2B Administration"](#) for more information.

2.3.2 Partners

Use the tabs of the **Partners** page, shown in [Figure 2–4](#), to create and update trading partner information, create and update agreement information, add user information, associate documents with trading partners, set up channels, and configure the key store.

Figure 2-4 Partner Activities

The screenshot displays the Oracle B2B interface for configuring a partner profile. The main content area is titled 'Acme' and contains the following sections:

- Identifiers:** A table for defining trading partner identifiers.

Type	Value
Name	Acme
EDI Interchange ID	<input type="text"/>
EDI Group ID	Acme
EDI Interchange ID Qualifier	ZZ
- Contact Information:** A table for entering contact details.

Type	Value
Phone	13105551212
- Parameters:** A section indicating that no parameters exist for this section.
- Key Store:** Fields for Password, Confirm Password, and Location.

The interface also features a left-hand navigation pane with 'Partner' and 'Agreement' sections, and a top navigation bar with 'Administration', 'Partners', 'Reports', 'Metrics', 'Help', and 'Logout'.

See [Part II, "Oracle B2B Process Flow"](#) for more information.

2.3.3 Reports

Use the tabs of the **Reports** page, shown in [Figure 2-5](#), to create and view reports about the instance (run-time) data.

Figure 2–5 Reports

The screenshot displays the Oracle B2B Reports interface. At the top, there are navigation tabs: Business Message (selected), Wire Message, Application Message, Error, and Conversation. Below the tabs is a search area with the following filters:

- Match: All Any
- Sender: Contains []
- Receiver: Contains []
- Agreement: Contains []
- Send Time Stamp: Less Than [09/30/2009 12:00:00 AM] (UTC-08:00) US Pacific Time
- Receive Time Stamp: Greater Than []
- State: Equals []
- Message Id: Contains []

Buttons for Search, Reset, and Save... are located at the bottom right of the search area. Below the search area, the results are displayed in a table. The table header indicates a message count of 106565 and is sorted by Created Date in descending order. The table contains 14 rows of data, each representing a message with details such as State, Document Type, Agreement, Sender, Receiver, Receive Time Stamp, Send Time Stamp, and Created Date.


	Details	State	Document Type	Agreement	Sender	Receiver	Receive Time Stamp	Send Time Stamp	Created Date
1		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:53 PM G	Thursday, September 17, 2009 9:06:53 PM G	Thursday, September 17, 2009 9:06:53 PM G
2		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:53 PM G	Thursday, September 17, 2009 9:06:53 PM G	Thursday, September 17, 2009 9:06:53 PM G
3		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:53 PM G	Thursday, September 17, 2009 9:06:53 PM G	Thursday, September 17, 2009 9:06:53 PM G
4		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:52 PM G	Thursday, September 17, 2009 9:06:52 PM G	Thursday, September 17, 2009 9:06:52 PM G
5		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:52 PM G	Thursday, September 17, 2009 9:06:52 PM G	Thursday, September 17, 2009 9:06:52 PM G
6		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:52 PM G	Thursday, September 17, 2009 9:06:52 PM G	Thursday, September 17, 2009 9:06:52 PM G
7		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:52 PM G	Thursday, September 17, 2009 9:06:52 PM G	Thursday, September 17, 2009 9:06:52 PM G
8		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:52 PM G	Thursday, September 17, 2009 9:06:52 PM G	Thursday, September 17, 2009 9:06:52 PM G
9		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:51 PM G	Thursday, September 17, 2009 9:06:51 PM G	Thursday, September 17, 2009 9:06:51 PM G
10		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:51 PM G	Thursday, September 17, 2009 9:06:51 PM G	Thursday, September 17, 2009 9:06:51 PM G
11		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:51 PM G	Thursday, September 17, 2009 9:06:51 PM G	Thursday, September 17, 2009 9:06:51 PM G
12		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:51 PM G	Thursday, September 17, 2009 9:06:51 PM G	Thursday, September 17, 2009 9:06:51 PM G
13		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:50 PM G	Thursday, September 17, 2009 9:06:50 PM G	Thursday, September 17, 2009 9:06:50 PM G
14		MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:50 PM G	Thursday, September 17, 2009 9:06:50 PM G	Thursday, September 17, 2009 9:06:50 PM G

See Chapter 16, "Creating Reports," for more information.

2.3.4 Metrics

Use the tabs of the Metrics page, shown in Figure 2–6, to see information about deployed agreements, such as lists of the active document types and trading partners, and run-time status, such as error messages and message counts.

Figure 2–6 Metrics




See Chapter 17, "Using B2B Metrics," for more information.

2.4 Creating a B2B Transaction: An Overview of the Process Flow

Figure 2–7 shows the B2B process flow, which starts with creating B2B guideline files in Oracle B2B Document Editor and continues with using the Oracle B2B interface to create document definitions, configure trading partners, and create and deploy agreements.


Figure 2–7 Oracle B2B Process Flow



Step 1: Create guideline files (ECS and optional XSD files) in Oracle B2B Document Editor

Using Oracle B2B Document Editor, shown in [Figure 2–8](#), create transaction documents based on templates for hundreds of industry-standard protocols. The Oracle B2B Document Editor is required only when translation is needed. For XML documents, the editor is not used.


Figure 2–8 *Creating a Document in Oracle B2B Document Editor*



For information on Oracle B2B Document Editor, see the following:

- [Chapter 3, "Creating Guideline Files"](#)
- The **Help** menu of Oracle B2B Document Editor, shown in [Figure 2–9](#).

Figure 2–9 Oracle B2B Document Editor Help



Step 2: Create document definitions

Using the **Administration > Document** tab of Oracle B2B, shown in Figure 2–10, select from a list of document protocols, and then provide a document protocol version name, a document type name, and a document definition name. (For a Custom document, rather than selecting from the list of document protocols, you add a custom protocol name to the list in the **Document Protocols** folder.)

Figure 2–10 Creating a Document Definition




After selecting the ECS and optional XSD files you created in Step 1, you have created the document definition.

For more information, see [Chapter 4, "Creating Document Definitions."](#)

Step 3: Configure trading partners

Using the tabs of the **Partners** page of Oracle B2B, shown in [Figure 2–11](#), add or update trading partner names, add identifiers and optional contact information, view parameters, add documents and delivery channels, and add key store information.

Figure 2–11 Configuring Trading Partners




For more information, see [Chapter 5, "Configuring Trading Partners."](#)

Step 4: Create agreements

Using the **Partners > Agreement** tab of Oracle B2B, shown in [Figure 2–12](#), create an agreement that specifies the trading partners involved and associates the document definitions, channels, and identifiers with the agreement.

Figure 2–12 Creating a Trading Partner Agreement



For more information, see [Chapter 6, "Creating and Deploying Trading Partner Agreements."](#)

Step 5: Deploy agreements

Using the **Administration > Deploy** tab of Oracle B2B, shown in [Figure 2–13](#), search for and deploy agreements.

Figure 2–13 Searching for and Deploying Agreements

Deploying an agreement is the process of activating an agreement from the design-time repository to the run-time repository.

Search

Match: All Any

Name: Equals [] Document Protocol Name: Equals []

Trading Partner: Equals [] Document Protocol Version: Equals []

Identification Value: Equals [] Document Type: Equals []

Identification Type: Equals [] Document Definition: Equals []

[Search] [Reset] [Save...]

Agreement

Agreement	Initiating Partner	Responding Partner	Supported Document	Channel		State	Last Deployed
				From	To		
AS2_M_O_EDIFACT_D3_CONTRL_Agr	MarketInc	Acme	EDI_EDIFACT - D3 - CONTRL - D3_CONTRL_Def	MI_AS2_11_Channel		Draft	
AS2_M_O_X12_4010_997_Agr	MarketInc	Acme	EDI_X12 - 4010 - 997 - 4010_997_Def	MI_AS2_11_Channel		Draft	
AS2_O_M_EDIFACT_D98A_ORDERS_Agr	Acme	MarketInc	EDI_EDIFACT - D98A - ORDERS - D98A_ORDERS_Def		MI_AS2_11_Channel	Draft	
AS2_O_M_HIPAA_4010X092A1_270_Agr	Acme	MarketInc	EDI_X12 - 4010X092A1 - 270 - 4010X092A1_270_Def		MI_AS2_11_Channel	Draft	
AS2_O_M_X12_4010_850_Agr	Acme	MarketInc	EDI_X12 - 4010 - 850 - 4010_850_Def		MI_AS2_11_Channel	Draft	
Acme_GlobalChips_X12_4010_850_File	Acme	GlobalChips	EDI_X12 - 4010 - 850 - 850def		GlobalChips_File_End	Active	8/24/20
FILE_M_O_1Sync_64_catalogueResponse_Ag	MarketInc	Acme	1Sync - 6.4 - catalogueResponse - catalogueResponse_Def			Draft	
FILE_M_O_AQ_Agr	MarketInc	Acme	EDI_X12 - 4010 - 850 - 4010_850_Def		OS_AQ_IN_INT_Cha	Draft	
FILE_M_O_X12_4010VICS_852_Agr	MarketInc	Acme	EDI_X12 - 4010VICS - 852 - 4010VICS_852_Def		OS_File_10_INT_Cha	Draft	
FILE_O_M_1Sync_64_CatalogueRequest_Agr	Acme	MarketInc	1Sync - 6.4 - catalogueRequest - catalogueRequest_Def		MI_File_10_Channel	Draft	
FILE_O_M_X12_4010VICS_997_Agr	Acme	MarketInc	EDI_X12 - 4010VICS - 997 -		MI File_10_Channel	Draft	

2.5 Using Oracle B2B in the Oracle JDeveloper Environment

By using an Oracle B2B binding component in a SOA composite application, you can create an end-to-end business process, such as sending a purchase order generated by a back-end application to a trading partner. Binding components establish the connection between a SOA composite application and the external world.

The B2B Configuration Wizard in Oracle JDeveloper enables you to add B2B binding components to a SOA composite application as follows:

- B2B is used as a *service* (inbound) to receive messages from trading partners and deliver them to SOA composite applications. Oracle B2B is the entry point to the SOA composite application.
- B2B is used as a *reference* (outbound) to send messages from the SOA composite application to partners.

As you follow the steps in the B2B Configuration Wizard, you are prompted to select a document definition created in Oracle B2B. Or, you can launch Oracle B2B from the wizard to create a document definition. This is the payload, or message, that you are receiving from trading partners or sending to trading partners.

Note: In the B2B Configuration Wizard, if SSL is enabled in the middleware (the B2B Web service), then the SSL port is detected by the wizard and the document definitions are retrieved using the SSL connection.

2.5.1 How To Use B2B Binding Components in a SOA Composite Application

To create a SOA composite application with a B2B binding component, do the following:

- [Task 1, "Create a SOA Application and Project"](#)
- [Task 2, "Add Service Components"](#)
- [Task 3, "Add a B2B Binding Component"](#)

See the following in *Oracle Fusion Middleware Developer's Guide for Oracle SOA Suite* for more information on creating SOA composite applications:

- "Adding Wires"
- "Adding Security"
- "Deploying a SOA Composite Application"
- "Managing and Testing a SOA Composite Application"

Task 1 Create a SOA Application and Project

1. Start Oracle JDeveloper Studio Edition Version 11.1.1.2.0.
2. If Oracle JDeveloper is running for the first time, specify the location for the Java JDK.
3. Create a new SOA composite application, as described in [Table 2-1](#).

Table 2-1 SOA Composite Application Creation

If Oracle JDeveloper...	Then...
Has no applications For example, you are opening Oracle JDeveloper for the first time.	In the Application Navigator in the upper left, click New Application .
Has existing applications	From the File main menu or the Application menu: <ol style="list-style-type: none"> 1. Select New > Applications. The New Gallery opens, where you can select different application components to create. 2. In the Categories tree, under the General node, select Applications. In the Items pane, select SOA Application and click OK.

The Create SOA Application wizard starts.

4. On the Name your application page, you can optionally change the name and location for your web project. If this is your first application, from **Application Template**, select **SOA Application**. Accept the defaults for the package prefix, and click **Next**.

Notes:

- Do *not* create an application name with spaces.
- Do *not* create applications and projects in directory paths that have spaces (for example, `c:\Program Files`).
- In a UNIX operating system, it is highly recommended to enable Unicode support by setting the `LANG` and `LC_All` environment variables to a locale with the UTF-8 character set. This action enables the operating system to process any character in Unicode. SOA technologies are based on Unicode. If the operating system is configured to use non-UTF-8 encoding, SOA components may function in an unexpected way. For example, a non-ASCII file name can make the file inaccessible and cause an error. Oracle does not support problems caused by operating system constraints.

In a design-time environment, if you are using Oracle JDeveloper, select **Tools > Preferences > Environment > Encoding > UTF-8** to enable Unicode support. This setting is also applicable for run-time environments.

5. On the Name your project page, you can optionally change the name and location for your SOA project. By default, Oracle JDeveloper adds the SOA project technology, the `composite.xml` that generates, and the necessary libraries to your model project. Click **Next**.

Note: Composite and component names cannot exceed 500 characters.

A project deployed to the same infrastructure *must* have a unique name across SOA composite applications. The uniqueness of a composite is determined by its project name. For example, do *not* perform the actions described in [Table 2-2](#). During deployment, the second deployed project (composite) overwrites the first deployed project (composite).

Table 2-2 Restrictions on Naming a SOA Project—Caution: Doing This Overwrites the First Deployed Project

Create an Application Named...	With a SOA Project Named...
Application1	Project1
Application2	Project1

The Project SOA Settings page of the Create SOA Application wizard appears.

6. In the Configure SOA Settings page, click **Empty Composite**, and click **Finish**.
7. Select **Save All** from the **File** main menu.

See *Oracle Fusion Middleware Developer's Guide for Oracle SOA Suite* for more information about creating a SOA application and project.


Task 2 Add Service Components

Service components implement the business logic or processing rules of your application.

1. From the Component Palette, select **SOA**.
2. From the **Service Components** list, drag a component into the designer.

Figure 2–14 shows a BPEL process being added to the designer.

Figure 2–14 Adding BPEL Process to Composite



A specific dialog for the selected service components is displayed. Table 2–3 describes the available editors.

Table 2–3 Starting Service Component Editors

Dragging This Service Component...	Invokes The...
BPEL Process	Create BPEL Process dialog to create a BPEL process that integrates a series of business activities and services into an end-to-end process flow.
Business Rule	Create Business Rules dialog to create a business decision based on rules.
Human Task	Create Human Task dialog to create a workflow that describes the tasks for users or groups to perform as part of an end-to-end business process flow.
Mediator	Create Mediator dialog to define services that perform message and event routing, filtering, and transformations.

3. Configure the settings for a service component. For help with a service component dialog, click **Help** or press **F1**. Click **Finish**.
4. Click **OK**.
5. Select **Save All** from the **File** main menu.

See *Oracle Fusion Middleware Developer's Guide for Oracle SOA Suite* for more information about adding service components.

Task 3 Add a B2B Binding Component

Add a service or a reference binding component.

1. From the Component Palette, select **SOA**.
2. Drag **B2B** to the **Exposed Services** or the **External References** swim lane.
 - Select **Exposed Services** for receiving inbound messages.
 - Select **External References** for sending outbound messages.

3. On the B2B Configuration Wizard Welcome page, click **Next**.
4. On the Service Name page, provide a name for the B2B service and click **Next**.
5. On the B2B Integration Type page, select an integration type, as described in [Table 2-4](#).

Table 2-4 *Selecting an Integration Type*

Type	Description
Default	A B2B WSDL is generated for the SOA composite to communicate with Oracle B2B directly.
AQ	An AQ Adapter WSDL and JCA file are generated for the SOA composite to communicate with Oracle B2B through AQ queues.
JMS	A JMS Adapter WSDL and JCA file are generated for the SOA composite to communicate with Oracle B2B through JMS queues.

- If you select **Default**, complete steps 6 through 10.
 - If you select **AQ**, complete steps 6 through 9 and 11 through 14
 - If you select **JMS**, complete steps 6 through 9 and 15 through 18
6. On the Application Server Connection page, do one of the following:
 - From the **AppServer Connection** list, select an application server connection and click **Next**.
 - Or, click **New** to create an application server connection. Follow the Create Application Server Connection Wizard.

When the application server connection is established, the following information is displayed: the user name created for the application server connection, the host name for the server instance, and the SOA Server name. The SOA servers configured and running in Weblogic are displayed when you select an application server connection. After you select a SOA server, the SSL or HTTP port is retrieved and the B2B web service URL is generated for retrieving document definitions.

You can also click **Test B2B** to verify that you can connect to your Oracle B2B installation.

7. On the Operation page, select **Send** or **Receive**, as described in [Table 2-5](#).

Table 2-5 *Selecting a Send or Receive Operation*

Operation	Description
Send	For outbound messages
Receive	For inbound messages

8. On the Document Definition Handling page, select the option on the **Basic** tab or one of the options on the **Advanced** tab, as described in [Table 2-6](#).

Table 2-6 *Selecting Document Definition Handling Options*

Option	Description
Basic Tab	-
Import Schema from B2B	Imports the schema from Oracle B2B (the same option as on the Advanced tab)

Table 2–6 (Cont.) Selecting Document Definition Handling Options

Option	Description
Advanced Tab	-
Import Schema from B2B	Imports the schema from Oracle B2B (the same option as on the Basic tab)
Refer to Schema in B2B Repository	Selects a metadata service (MDS) connection. Or use this option to create a new one. If you create a new MDS connection, use the MDS Connection Wizard to create a connection. This connection is needed to access the B2B repository. When you select a document definition, a URL is generated to link to the MDS. The selected application server connection refers to a specific B2B instance. The MDS connection used by the specific B2B instance must match the selected MDS connection to avoid inconsistent document definitions.
Browse Resource Schema	Browse for a schema using the SOA Resource Browser. Selecting this option opens the Type Chooser. Select a type and return to the Document Definition Handling page.
Opaque	Handles any type of data (for example, positional flat file) when the content is passed through in base-64 encoding. No schema is specified.
anyType	Handles any type of XML data. No schema is specified.

You can also select **Attachment Support** for the **Default** integration type so that the B2B WSDL file includes a message part for the attachment.

9. On the Document Definition page, expand the tree to select a document definition. If you select a document definition with multiple root elements, then select a root element to use and click **OK**.

[Table 2–7](#) describes other options on the page.

Table 2–7 Document Definition Page Options

Option	Description
Search	Enter a definition name. Partial strings are matched if you type the beginning of the definition name. Partial strings with wildcards cannot be used.
Refresh	Retrieves the document definition list from the B2B server. Refresh after a search to see all document definitions.
B2B Configuration	Opens a browser to Oracle B2B, using the connection specified on the Application Server Connection page. In Oracle B2B, you can create a document definition, include it in an agreement, and deploy the agreement. Then return to this dialog, click Refresh , and select the new document definition.
Use Routing ID	Selects all document definitions that use a document routing ID. See Section 7.10, "Using Document Routing IDs," for more information.

If you selected the

- **Default** integration type, go to Step 10.
- **AQ** integration type, go to Step 11.
- **JMS** integration type, go to Step 15.

10. On the Finish page, click **Finish**.

11. On the Service Connection page, do one of the following:

- From the **Connection** list, select a database connection and click **Next**.
- Or, click **New** to create an application server connection. Follow the Create Application Server Connection Wizard.

[Table 2–8](#) describes the information displayed when the database connection is established.

Table 2–8 Service Connection

Parameter	Description
User Name	The user name created for the database connection.
Driver	The JDBC driver is provided.
Connect String	The JDBC connection string is provided.
JNDI Name	Use the default Java Naming and Directory Interface (JNDI) name or specify a custom name. This connection enables you to configure the adapter during design time and to connect to the database server during run time.
Data Source	Enter the JNDI name that is used to look up the data source in data-sources.xml. If you are using data-sources.xml to get the connection, then this name is required.
XA Data Source	Select this option if the data source name is an XA data source. An XA data source can participate in an XA global transaction that can span multiple resources. In this transaction, the application server acts as the coordinating transaction manager with multiple databases (or other resources such as JMS), each of which is involved in a single transaction. If selected, the adapter becomes part of the XA transaction. Otherwise, it is a local transaction.

12. On the Queue Name page, select a database schema and a queue name.

Only queues for B2B of the type `IP_MESSAGE_TYPE` are available.

13. On the Queue Parameters page, do the following:

- For an enqueue operation, enter a recipient name or a list of recipients separated by commas. If you do not enter a recipient, then the message is sent to all subscribers of the queue. This field can be overridden on a per message basis by setting the RecipientList field in the outbound header. The default value is **b2buser**.
- For a dequeue operation, enter the following:
 - Consumer: The name of the agent subscribing to the queue. This field is required and is limited to 30 characters. The default value is **b2buser**.
 - Message Selector Rule: Optional filtering logic for messages to dequeue based on the message properties or message content (for example, `priority < 5` or `tab.user_data.amount > 10000`). If a rule is supplied, then an agent using the consumer name and the message selector rule are created in the queue. The consumer name must be a new agent name, because the adapter does not change the message selector rule of a previously created agent. No validation is performed on the logic you enter.
 - Dequeue Condition: A Boolean expression similar to the `WHERE` clause of a SQL query. This expression can include conditions on message properties, user data properties (object payloads only), and PL/SQL or SQL

functions. If more than one message satisfies the dequeue condition, then the order of dequeuing is indeterminate, and the sort order of the queue is not honored.

14. Click Finish.

15. On the JMS Provider page, select one of the following:

- Oracle Enterprise Messaging Service (OEMS): **Oracle WebLogic JMS** or **Oracle Advanced Queuing**

OEMS is built on JMS and the J2EE Connector Architecture (JCA), which enables you to develop and integrate distributed applications in a service-oriented architecture environment. This messaging platform provides service for message persistence and recovery.

- Third Party: Persists messages in a third-party JMS provider, such as Tibco JMS or IBM WebSphere MQ JMS.

16. If you selected **Oracle WebLogic JMS or **Oracle Advanced Queuing**, then the Service Connection page appears. On the Service Connection page, do one of the following:**

- From the **AppServer Connection** list, select an existing application server connection and click **Next**.
- Or, click **New** to create an application server connection. Follow the Create Application Server Connection Wizard.

If you selected **Third Party**, then the JMS Connection page appears. On the JMS Connection page, provide the JMS Connection JNDI Name and click **Next**.

17. If you selected **Send in Step 7, then the Produce Operation Parameters page appears. If you selected **Receive** in Step 7, then the Consume Operation Parameters page appears.**

On the Produce Operation Parameters page, provide the following information and click **Next**:

- Destination Name: Enter the JNDI name of the queue or topic to produce the message or click **Browse** to select a name. The value of this field is typically the JNDI name.
- Message Body Type: Select the message body (payload) type.
 - Text Message: Use this option when the payload is a string.
 - Bytes Message: Use this option when the payload is an array of primitive bytes.
- Delivery Mode: Select a message delivery mode (only if WebLogic JMS was selected).
 - Persistent: Use this option for messages that are persisted to a file system or database.
 - Non-Persistent: Use this option for messages that are not persisted and are typically held in process memory only.
- Priority: Select a priority value, with 9 representing the highest priority and 0 representing the lowest priority.
- Time To Live: Enter a value that indicates the life span of the message. If no subscribers consume the message in the given time, then the message is not

delivered. There is no limit. A value of 0 indicates that there is no expiration time.

- **JNDI Name:** Displays the JNDI name based on your selection in the Destination Name field (only if WebLogic JMS or Advanced Queuing is selected).

On the Consume Operation Parameters page, provide the following information and click **Next**:

- **Destination Name:** Enter the JNDI name of the queue or topic to consume the message or click **Browse** to select a name.
- **Message Body Type:** Select the message body (payload) type.
 - **Text Message:** Use this option when the payload is a string.
 - **Bytes Message:** Use this option when the payload is an array of primitive bytes.
- **Message Selector:** Specify filtering logic that enables you to receive messages that match certain criteria. Enter an expression between 1 and 255 characters in length. Use SQL92 syntax in this field. The JMS server uses these criteria to filter messages received by this consumer. This works with variables defined in standard JMS headers and user-defined properties. You cannot use variables or elements that are in the payload of the message.
- **Use MessageListener:** This option is set to false by default if you selected **Oracle Weblogic JMS** on the JMS Provider page. It is not editable. Select true or false if you selected **Oracle Advanced Queuing** on the JMS Provider page (only if **Oracle Advanced Queuing** or **Third Party** is selected).
- **Durable Subscriber ID:** Enter an ID for receiving messages from a JMS topic. If you do not specify an ID, then you must have an active subscription session to receive messages. If you specify an ID for topics, then you receive messages even if you do not currently have an active subscription session. When a durable subscriber is disconnected from the JMS server, the server stores messages. When the durable subscriber reconnects, the server sends the unexpired messages that accumulated (only if **Third Party** is selected).
- **JNDI Name:** Displays the JNDI name based on your selection in the **Destination Name** field (only if **WebLogic JMS** or **Advanced Queuing** is selected).
- **Enable Streaming:** When you enable this feature, the payload is streamed to a database. Use this feature for large payloads. When you enable streaming, a corresponding Boolean property, `StreamPayload`, is appended to the `ActivationSpec` properties defined in the respective `.jca` file. If the `StreamPayload` property does not exist, then the default value `false` is assumed. The property is applicable when processing `Raw` messages, `XMLType` messages, and `ADT` type messages for which a payload is specified though an `ADT` attribute.

18. Click **Finish**.

See the following in *Oracle Fusion Middleware Developer's Guide for Oracle SOA Suite* for more information on binding components:

- "Adding Service Binding Components"
- "Adding Reference Binding Components"
- "Getting Started with Binding Components"

2.5.2 About Using the JMS Integration Type in the B2B Configuration Wizard


If you select the JMS integration type, then you must use JMS properties prefixed with `jca.jms.JMSProperty`, as in `jca.jms.JMSProperty.property_name`. (In contrast, when you select the Default or AQ integration types in the B2B Configuration Wizard, message properties such as `MSG_ID`, `INREPLYTO_MSG_ID`, `FROM_PARTY`, `TO_PARTY`, `ACTION_NAME`, `MSG_TYPE`, `DOCTYPE_NAME`, and `DOCTYPE_REVISION` can be used in the SOA composite application without any changes.)

[Table 2–9](#) lists the JMS properties to use with the Oracle JCA Adapter for JMS.

Table 2–9 JMS Adapter Properties

Property Name	Property Name When Used with the Oracle JCA Adapter for JMS
MSG_ID	<code>jca.jms.JMSProperty.MSG_ID</code>
INREPLYTO_MSG_ID	<code>jca.jms.JMSProperty.INREPLYTO_MSG_ID</code>
FROM_PARTY	<code>jca.jms.JMSProperty.FROM_PARTY</code>
TO_PARTY	<code>jca.jms.JMSProperty.TO_PARTY</code>
ACTION_NAME	<code>jca.jms.JMSProperty.ACTION_NAME</code>
MSG_TYPE	<code>jca.jms.JMSProperty.MSG_TYPE</code>
DOCTYPE_NAME	<code>jca.jms.JMSProperty.DOCTYPE_NAME</code>
DOCTYPE_REVISION	<code>jca.jms.JMSProperty.DOCTYPE_REVISION</code>
ATTACHMENT	<code>jca.jms.JMSProperty.ATTACHMENT</code>

For example, these sender properties and values are added in the Assign Values dialog of the Mediator component for an outbound composite, as shown in [Figure 2–15](#).

Figure 2–15 Adding JCA JMS Properties in the Assign Values Dialog


2.5.3 The B2BX12OrderGateway Composite in the Fusion Order Demo

The SOA sample application, Fusion Order Demo, includes a B2B composite, B2BX12OrderGateway. In this demo, a trading partner sends an EDI purchase order request (850) to B2B. The trading partner does this by dropping a file into a directory on which B2B is listening through a listening channel. B2B takes the standard EDI 850 and transforms it into a canonical form, which is a common representation of the data to invoke the Store Front Service—the composite that provides access to the storefront data transaction support to update data for customers, orders, and products.

If the purchase order amount is greater than \$2,000 (as determined by a business rule), then the purchase order is routed to a Human Workflow for manual approval. For orders under \$2,000, approval is not required. After the order is approved, a purchase order response (855) is generated and sent back to the trading partner.

Figure 2–16 shows the B2BX12OrderGateway composite in Oracle JDeveloper.

Figure 2–16 B2B Composite in the Fusion Order Demo



Download the Fusion Order Demo application ZIP file (FusionOrderDemo_R1PS1.zip), from:

<http://www.oracle.com/technology/products/jdev/samples/fod/index.html>

See *Oracle Fusion Middleware Developer's Guide for Oracle SOA Suite* for a description of the SOA sample application.

2.6 What You May Need To Know About Using Oracle B2B

This section contains topics to help with troubleshooting.

2.6.1 Enabling Debug Mode at Run Time

Use Oracle Enterprise Manager Fusion Middleware Control to enable logging (**SOA Infrastructure > Logs > Log Configuration**). See *Oracle Fusion Middleware Administrator's Guide for Oracle SOA Suite and Oracle Business Process Management Suite* for more information.

An alternative is to edit the `logging.xml` file at

```
DOMAIN_HOME/config/fmwconfig/server/managed_server
```

2.6.2 Logging Out: SSO Logout Configuration for Oracle Access Manager

In `web.xml`, the `success_url` parameter of `oracle.adf.share.security.authentication.AuthenticationServlet`

must contain an SSO logout URL, such as
../access/oblix/lang/en-us/logout.html, to ensure that the URL is
accessible and does not result in a 404 error.

See *Oracle Fusion Middleware Security Guide* for information about Oracle Single
Sign-On and Oracle Access Manager.

Part II

Oracle B2B Process Flow

This part describes the Oracle B2B process flow.


This part contains the following chapters:

- [Chapter 3, "Creating Guideline Files"](#)
- [Chapter 4, "Creating Document Definitions"](#)
- [Chapter 5, "Configuring Trading Partners"](#)
- [Chapter 6, "Creating and Deploying Trading Partner Agreements"](#)

Creating Guideline Files

The first step in the Oracle B2B process flow, shown in [Figure 3–1](#), is to create document guideline files.

Figure 3–1 Oracle B2B Process Flow



Oracle B2B Document Editor is a guideline creation and implementation application for defining and managing custom document definitions for Oracle B2B transactions.

This chapter contains the following topics:

- [Section 3.1, "Introduction to Oracle B2B Document Editor"](#)
- [Section 3.2, "Installing Oracle B2B Document Editor"](#)
- [Section 3.3, "Creating Guideline Files: EDIFACT D98 Example"](#)


For complete documentation on the document editor, see the Oracle B2B Document Editor **Help** menu.

3.1 Introduction to Oracle B2B Document Editor

Oracle B2B Document Editor is a guideline creation and implementation application for business-to-business (B2B) electronic commerce (e-commerce). Use the document editor to simplify developing, migrating, testing, distributing, and printing your electronic business (e-business) guideline documents. You can create new guideline documents or use the document editor's comprehensive library of standards as templates.


Using an existing standard as a template, you can create new guidelines by changing the attributes of underlying segments, elements, and codes. You can also create a guideline file from a data file.

[Figure 3–2](#) shows the types of available document guidelines: delimited flat file, EDI, HL7 2.x, HL7v3, NCPDP, ParserSchema, positional flat file (which includes SAP iDocs), RosettaNet, and XMLSchema.

Figure 3–2 Document Guidelines Available in Oracle B2B Document Editor

In addition to using the RosettaNet document guide lines in the document editor, you can also download standard DTD files from the RosettaNet Web site.

After creating a custom guideline file, use the Oracle B2B interface to include the documents in the document definition, as shown in [Figure 3–3](#). See [Section 4.2, "Creating Document Definitions,"](#) for more information about this step.

Figure 3–3 Importing XSD and ECS File Created in Oracle B2B Document Editor

In Figure 3–3, EDIFACT_D98A_ORDERS.xsd and EDIFACT_D98A_ORDERS.ecs are imported to create the document definition. The ECS file is required in B2B for translating and validating documents. The XSD is optional in B2B; however, it provides an easy reference to the document schema when modeling a SOA composite for sending and receiving the document.

3.2 Installing Oracle B2B Document Editor

Oracle B2B Document Editor is installed from the Oracle B2B Document Editor CD. Oracle B2B Document Editor runs on Microsoft Windows only (Win 2000, WinXP, Vista¹ 32-bit and 64-bit, and Windows Server 2003), and requires the Microsoft .NET framework (installed automatically from the CD) for full support of W3C XML Schema guidelines.

Complete installation instructions are available from the Oracle B2B Document Editor **Help** menu by searching on *installation* and displaying the **Preparation** topic. A list of new features in this release of the document editor is also provided.

3.3 Creating Guideline Files: EDIFACT D98 Example

The following example describes how to create the guideline files—the ECS and XSD files—required to send an EDIFACT D98A purchase order, and how to generate and validate test data files based on the D98A–ORDERS guideline.

To create the EDIFACT transaction documents for this scenario, do the following:

- [Task 1, "Create the ECS File"](#)
- [Task 2, "Create the XSD File"](#)
- [Task 3, "Generate Data Using the ECS File"](#)
- [Task 4, "Analyze the Data"](#)


¹ When using Microsoft Vista, do not install Oracle B2B Document Editor in the program folder, for which admin privilege is needed.

Task 1 Create the ECS File


Using an existing EDIFACT guideline (standard) as a template, create a purchase order guideline file called **orders.ecs**.

1. Open Oracle B2B Document Editor.
2. Click **New Document** and then **EDI**, as shown in [Figure 3-4](#).

Figure 3-4 Creating a New Document in Oracle B2B Document Editor




3. Expand **EDIFACT** and **D98A**.
4. Select **ORDERS - Purchase order message**, as shown in [Figure 3-5](#), and click **Next**.

Figure 3–5 Creating a New Document: Selecting a Guideline

5. Ensure that **Insert Envelope Segments** is *not* selected, as shown in [Figure 3–6](#), and click **Finish**.

Figure 3–6 Creating a New Document: Envelope Segments




Oracle B2B Document Editor is preseeded with all versions of the interchange (envelope). Oracle B2B handles the envelope based on the settings.

To override the default preseeded envelope information, create a separate ECS file with only the required envelope information (without the transaction details) and then upload it using the envelope override option available in the document version.

6. (Optional) Edit the segment-level details.

No edits are needed for this scenario, as shown in [Figure 3–7](#).

Figure 3-7 Creating a New Document: Segment-Level Details



7. From **File**, select **Save**.
8. Accept the default directory and enter `orders.ecs` for the file name.
By default, the ECS file is saved to `My Documents\Oracle\Oracle B2B\Guidelines`.

Task 2 Create the XSD File


Using the guideline file in its internal format (the ECS file), create an XML schema definition file (the XSD format) to use with Oracle B2B.

1. From **File**, select **Open**.

2. Select `orders.ecs` and click **Open**.
3. From **File**, select **Export**.
4. In the Export Wizard, select **Oracle B2B 2.0** from the list of export types, as shown in [Figure 3-8](#), and click **Next**.

Use the **Oracle B2B 2.0** export type to provide a namespace of your choice, as in `urn:oracle:b2b:EDIFACT/D98A/ORDERS` for this example. (Use the **Oracle B2B** option to have a fixed namespace provided for you.)

Figure 3-8 *Selecting the Oracle B2B 2.0 Export Type*




5. In the Export Destination dialog, do the following and click **Next**.
 - Accept the default directory
 - Select **Save guideline before exporting**
 - Select **Show advanced options**

The XSD file is saved with the ECS file in `My Documents\Oracle\Oracle B2B\Guidelines`.
6. In the XSD Namespace Options dialog, do the following and click **Next**.
 - Select **Custom namespace**
 - Provide a namespace, in this example, `urn:oracle:b2b:EDIFACT/D98A/ORDERS`
7. In the Templates Configuration dialog, click **Next**.

No edits to the elements in the template are needed in this scenario.
8. In the Conversion Options dialog, shown in [Figure 3-9](#), do the following and click **Next**.

Figure 3–9 Selecting Conversion Options




- Check the **Suppress Enumeration in XSD** option. This is recommended because code lists are in the ECS file. Suppressing enumeration reduces the XSD size considerably.
 - Check the **Use this export module instead of default during XData generation** option.
9. In the Document Conversion Options dialog, accept the default, **Allow to use SegmentCount** macro, and click **Next**.
The SegmentCount macro counts the number of segments. The data type of the XSD element is changed from numeric to string to enable the count.
 10. Ensure that the **Launch Oracle B2B** option is not select (it is not needed in this scenario) and click **Next**.
If you want to start Oracle B2B, enter the URL for your B2B interface (`http://host_name:port/b2b`).
 11. In the Macro Nodes dialog, click **Next**.
No macros are needed for any of the nodes in this scenario.
If you see the message "Some characters were replaced in XSD names because they are not allowed," click **OK**.
 12. Click **Finish**.
The `orders.xsd` file is created in Oracle B2B 2.0 format.

Task 3 Generate Data Using the ECS File

Using the Data Generator, create a test data file based on the guideline.

1. Click **Data Generator**.
2. Select **New Test Case** and click **Next**.
3. Click **Generate** and click **Next**.
This step generates new data using the specified data dictionaries.
4. Select **From a guideline file**, select **ORDERS.ecs**, and click **Next**.
5. Select **Select Envelope Segments from the Standards Database** and click **Next**.
6. Select the **Syntax 3** envelope segment, as shown in [Figure 3–10](#), and click **Next**.

Figure 3–10 *Selecting Envelope Segments from the Database*




7. Select **Use directly from the Standards Database** and click **Next**.
The envelope segments are not incorporated in the guideline file.
8. Select **Mandatory + Percentage of optional data** and move the slider to indicate the percentage.
9. Select **User Option** and click **Next**.
10. Select **Any size** and click **Next**.
11. Select **Do not reset** and click **Next**.
12. Set the repeat count options, depending on how many messages you want generated.

13. Select any data dictionaries you want to use.
14. Accept the default delimiters and click **Next**.
15. Click **Output Data file name**, enter C:\D98A_ORDERS.dat and click **Next**.

The DAT file opens, as shown in [Figure 3–11](#).

Figure 3–11 The DAT File




16. Save and close the file.

Task 4 Analyze the Data

Using the Analyzer, validate the data file against the orders.ecs guideline file, and test the data file against the standard to check for required segments or elements that may be missing.


1. Click **Analyzer**, shown in [Figure 3–12](#).

Figure 3–12 The Analyzer Icon




2. Browse for `D98A_orders.dat` and click **Next**.
3. Ensure that **Show Advanced Options** is selected, as shown in [Figure 3–13](#), and click **Next**.

Figure 3–13 Selecting Show Advanced Options




4. In the Clean Up Data File dialog, click **Next**.
No preprocessing is needed in this scenario.
5. In the Data Structure dialog, click **Next**.
The entire document is validated by default.
6. Select the guideline file (ECS file) against which to check the data, as shown in [Figure 3–14](#). Do the following and click **Next**.
 - Select **From a guideline file**.
 - Select `orders.ecs`.

Figure 3–14 Selecting a Guideline (ECS) File



7. Select **Select Envelope Segments from the Standards Database** and click **Next**.
The selected guideline file (ECS file) does not contain envelope segments.
8. Select the **Syntax 3** envelope segment, as shown in [Figure 3–15](#), and click **Next**.

Figure 3–15 Selecting the Envelope Segment




9. Select **Use directly from the Standards Database** and click **Next**.

The envelope segments are not incorporated in the guideline file.

- In the Analyzer Mode and Outputs dialog, accept the default settings, set **Generate XData (XML)** to **Always** and click **Next**.


The results, including any error messages, are displayed, as shown in [Figure 3-16](#).

Figure 3-16 Results from the Analyzer



To view the data in XML format, click the XML icon in the upper right corner, as shown in [Figure 3-17](#).

Figure 3-17 Viewing the Data in XML Format



Use the **View as XML** (shown in [Figure 3-18](#)) and **View as HTML** options to view the data. Click the **Save Data As** icon to export the XML report as an XML file.

Figure 3-18 Analyzer Data

The screenshot displays the EDIFACT Analyzer interface. On the left, the 'Guideline' pane shows a tree structure for 'D98A - ORDERS' with segments like UNH, BGM, DTM, PAI, ALI, IMD, FTX, UNS, MQA, CNT, and UNT. The main window shows the XML data for 'Purchase order message' with various properties and lookups. The bottom pane shows 'Cross-References' for the message type.

XML Data:

```

<?xml version="1.0" encoding="UTF-16" ?>
- <Transaction-ORDERSPurchase_order_message
  xmlns="urn:oracle:b2b:EDIFACT/D98A/ORDERS"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="urn:oracle:b2b:EDIFACT/D98A/ORDERS guideline.xsd"
  XDataVersion="2.0" Standard="EDIFACT" Version="D98A" CreatedDate="2009-05-
  02T16:12:44" CreatedBy="XEngine_2444" GUID="{5FC98FFA-2289-40D0-99C6-
  CCF8D98ECA66}">
- <Internal-Properties>
- <Data-Structure Name="Interchange">
  <Lookup Name="InterchangeControlVersion">3</Lookup>
  <Lookup Name="InterchangeReceiverID">RECIPIENT
    IDENTIFICATION</Lookup>
  <Lookup Name="InterchangeReceiverQual">1</Lookup>
  <Lookup Name="InterchangeSenderID">SENDER IDENTIFICATION</Lookup>
  <Lookup Name="InterchangeSenderQual">1</Lookup>
  <Lookup Name="Standard">EDIFACT</Lookup>
  <Property Name="CharSet">UNOA</Property>
  <Property Name="DecimalSeparator">0x2e</Property>
  <Property Name="ElementDelimiter">0x7e</Property>
  <Property Name="InterchangeAckRequested" />
  <Property Name="InterchangeAgreementIdentifier">COMMUNICATIONS
    AGREEMENT ID</Property>
  <Property Name="InterchangeApplicationReference" />
  <Property Name="InterchangeChildCount">1</Property>
  <Property Name="InterchangeControlNumber">1</Property>
  <Property Name="InterchangeControlVersion">3</Property>
  <Property Name="InterchangeDate">927619</Property>
  <Property Name="InterchangePriorityCode" />
  <Property Name="InterchangeReceiverAddress">ROUTING
    ADDRESS</Property>
  <Property Name="InterchangeReceiverID">RECIPIENT
    IDENTIFICATION</Property>
  <Property Name="InterchangeReceiverQual">1</Property>
  <Property Name="InterchangeRecipientRefPassword">RECIPIENT'S
    RE</Property>
  
```


Cross-References: D98A - ORDERS Purchase order message

Name	Path	Type
D98A - ORDERS Purchase order message		

Creating Document Definitions

The second step in the Oracle B2B process flow, shown in [Figure 4-1](#), is to create document definitions.

Figure 4-1 Oracle B2B Process Flow



A document definition specifies the document protocol—the document protocol version and document type—that is used to validate the message. The document definition can be an ECS file, in the case of EDI and HL7 messages, or an XSD/DTD, in the case of XML messages.

The same document definition is used by both the host and remote trading partner in a transaction. It must adhere to the standards for document protocols, protocol versions, and document types. This is straightforward when you use Oracle B2B Document Editor to create the document guideline files (Step 1 in [Figure 4-1](#)) and then the Oracle B2B interface to import those files when creating the document definition (Step 2 in [Figure 4-1](#)).


This chapter contains the following topics:

- [Section 4.1, "Introduction to Document Protocols"](#)
- [Section 4.2, "Creating Document Definitions"](#)
- [Section 4.3, "Deleting a Document Definition"](#)

For more information on document protocols, see [Chapter 7, "Using Document Protocols."](#)

4.1 Introduction to Document Protocols


[Figure 4-2](#) shows the document protocols supported in Oracle B2B. Using the Custom protocol and the many guideline documents in Oracle B2B Document Editor, you can define most protocols. When you add a new document protocol, it is always a Custom document.

Figure 4–2 Oracle B2B Document Protocols

As part of the document definition, you provide the document guideline files, which are typically created in Oracle B2B Document Editor. (For Custom documents, you cannot use Oracle B2B Document Editor.) If validation is enabled, then, at run time, the payload must conform to the document definition file type you use.


4.1.1 The Document Hierarchy

You can think of a document protocol as a hierarchy, as shown in [Figure 4–3](#).

Figure 4–3 Document Hierarchy

A document protocol can consist of multiple document protocol versions. A document protocol version can consist of multiple document types. A document type can consist of multiple document definitions. Typically, you start with one document definition and customize it for different trading partners.

[Figure 4–4](#) shows a document protocol hierarchy as it applies to EDI X12.

Figure 4–4 EDI X12 Document Hierarchy

In the Oracle B2B interface, as you create a document definition, the document protocol hierarchy is reflected in the definition:

DocumentProtocol—Version—DocumentType—DocumentDefinitionName

[Example 4-1](#) shows the hierarchy reflected in the definition for an EDI EDIFACT document.

Example 4-1 Document Definition Name for an EDI EDIFACT Document

Document protocol: EDI_EDIFACT

Document protocol version: D98A

Document type: ORDERS

Document definition: ORDERS_def

The resulting document definition is

EDI_EDIFACT-D98A-ORDERS-ORDERS-def

[Example 4-2](#) shows examples of document definitions for a Health Care 7 admit/visit notification and an X12 version 4010 purchase order, respectively.

Example 4-2 Document Definition Names for HL7 and X12 Documents

HL7-2.3.1-ACK_A01-ACK_A01_Doc_Def

EDI_X12-4010-850-850def

4.1.2 Document Protocols with Acknowledgments

For any message flow that involves an acknowledgment, Oracle B2B sends an acknowledgment only once. Resubmission does not generate another acknowledgment if the message has already been acknowledged. If further information about the message state is needed, then the trading partner must be notified by some other means (for example, e-mail).

4.2 Creating Document Definitions


After using Oracle B2B Document Editor to create the transaction set files, use the Oracle B2B interface to create the document definition and import the transaction set files.

Note: The document version, document type, and document definition are not editable after they are created. You must delete the specific document element (version, type, or definition) and create a new one. Updating the document elements after creation can lead to metadata inconsistency, metadata validation issues, and run-time errors.

To create a document definition:


1. Click the **Administration** tab.
2. Click the **Document** tab.
3. Select one of the document protocols, as shown in [Figure 4-5](#).

Figure 4-5 *Selecting a Document Protocol*




Note:

To create a new Custom document with a name that you provide, click the **Document Protocols** folder and click **Add**.




Then enter a protocol name, for example, MyXML_Document. Do not use an existing document protocol name.



4. Click **New Version**.

Figure 4-6 shows the **New Version** button.

Figure 4–6 Creating a Document Version




5. Enter a version name, provide document version parameters as applicable, and click **Save**.

The version is used for document identification and can be case sensitive and use a fixed syntax, depending on the protocol.

Figure 4–7 shows the document protocol version page for an EDI EDIFACT D98A document.

Figure 4–7 Entering Document Protocol Parameter Information



For parameter descriptions, see the following:

- [Table 7–4, " Document Version Parameters for an EDI EDIFACT Document"](#)
 - [Table 7–8, " Document Version Parameters for an EDI X12 Document"](#)
 - [Table 7–11, " Document Version Parameters for an HL7 Document"](#)
6. With the new version name selected, click **New Type**.
 7. Enter a document type name, provide document type parameters as applicable, and click **Save**.


Figure 4–8 shows the document type parameters page for an EDI EDIFACT D98A document.

Figure 4–8 Entering Document Type Parameter Information

For parameter descriptions, see the following:

- [Table 7–1, " Document Type Parameters for a Custom Document"](#)
 - [Table 7–5, " Document Type Parameters for an EDI EDIFACT Document"](#).
 - [Table 7–9, " Document Type Parameters for an EDI X12 Document"](#)
 - [Table 7–12, " Document Type Parameters for an HL7 Document"](#)
 - [Table 7–17, " Document Type Parameters for a RosettaNet Document"](#)
8. With the new document type name selected, click **New Definition**.
 9. Enter a document definition name and do the following:
 - Browse for an optional definition (XSD) file for any of the document protocols.
 - Browse for the required transaction set ECS file for the following protocols: EDI EDIFACT, EDI X12, HL7, and positional flat file.
 - Provide document definition parameters as applicable.

[Figure 4–9](#) shows the document definition parameters page for an EDI EDIFACT D98A document.

Figure 4–9 Entering Document Definition Parameter Information

For parameter descriptions, see the following:

- [Table 7–2, " Document Definition Parameters for a Custom Document"](#)
- [Table 7–6, " Document Definition Parameters for an EDI EDIFACT Document"](#)
- [Table 7–10, " Document Definition Parameters for an EDI X12 Document"](#)
- [Table 7–13, " Document Definition Parameters for an HL7 Document"](#)
- [Table 7–14, " Document Definition Parameters for an OAG Document"](#)
- [Table 7–15, " Document Definition Parameters for a Positional Flat File"](#)
- [Table 7–18, " Document Definition Parameters for a RosettaNet Document"](#)
- [Table 7–20, " Document Definition Parameters for a UCCnet Document"](#)

10. Click **Save**.


4.3 Deleting a Document Definition

To delete a document definition, first delete all agreements that use that document definition and then remove the supported document definitions from the host and all remote trading partners that reference the definition.

Configuring Trading Partners

The third step in the Oracle B2B process flow, shown in [Figure 5–1](#), is to configure the trading partners.

Figure 5–1 Oracle B2B Process Flow



Configuring a trading partner includes creating a trading partner profile (providing values for identifiers, contact information, trading partner parameters, and Key Store information); adding trading partner users; adding document definitions and assigning sender and receiver roles, and configuring channel details, including security.

This chapter contains the following topics:


- [Section 5.1, "Introduction to Trading Partners"](#)
- [Section 5.2, "Creating Trading Partner Profiles"](#)
- [Section 5.3, "Adding Trading Partner Users"](#)
- [Section 5.4, "Adding Document Definitions"](#)
- [Section 5.5, "Configuring Channels"](#)
- [Section 5.6, "Using the Auto Create Agreement Feature"](#)
- [Section 5.7, "Using Identifiers for Trading Partner Lookup"](#)

5.1 Introduction to Trading Partners

In Oracle B2B, a transaction involves two trading partners, the host trading partner and a remote trading partner. The host trading partner is typically the organization where Oracle B2B is installed. The remote trading partner is the organization with whom the host trading partner conducts an e-business transaction. A trading partner can have host (back-end) applications, databases, or customers to involve in the transaction. Either the initiator of a transaction or the responder can be the host or the remote trading partner.

The host trading partner organization configures all the trading partners, host and remote. By using the trading partner users created for each remote trading partner by the host trading partner, remote partners can access their own data in Oracle B2B. [Figure 5–2](#) shows the steps to configure a trading partner.

Figure 5–2 Configuring Trading Partners



5.2 Creating Trading Partner Profiles

Oracle B2B supplies a default host trading partner name, **MyCompany**, which you update to reflect your enterprise. After you create one or more remote trading partners, use the cloning feature to create new trading partners that participate in similar transactions. Cloning copies the source trading partner’s document definitions and delivery channels (except MLLP channels), but does not copy identifiers, contacts, and users. Renaming the delivery channel in the newly created trading partner is recommended.

After you create and configure a trading partner, the information is saved as a trading partner profile in Oracle Metadata Repository. Partner data can be exported to a ZIP file by using the **Export** button on the **Profile** tab.

To create a trading partner profile, do the following:


- [Task 1, "Update the Default Host Trading Partner Name"](#)
- [Task 2, "Add a Remote Trading Partner"](#)
- [Task 3, "Add Identifier Types and Values"](#)
- [Task 4, "Add Contact Information"](#)
- [Task 5, "Add a Trading Partner Parameter and Value"](#)
- [Task 6, "Provide Key Store Information for the Host Trading Partner"](#)

Task 1 Update the Default Host Trading Partner Name

Do this the first time you set up Oracle B2B.

1. Click the **Partners** link.
2. Click **MyCompany**.
3. Click **Edit**, as shown in [Figure 5-3](#).

Figure 5-3 *Editing the Host Trading Partner Profile*




4. Provide the host trading partner name and optional icon file, and click **OK**.
The optional icon file must be a 16 x 16-pixel PNG file.
The host trading partner name appears in the **Partner** list.

Task 2 Add a Remote Trading Partner

Do this for each remote trading partner.


1. Click the **Partners** link.
2. Click **Add**, as shown in [Figure 5-4](#).

Figure 5-4 *Adding a Remote Trading Partner*




3. Provide a partner name and click **OK**.
The remote trading partner name appears in the **Partner** list.
4. (Optional) Click **Edit** to add a 16 x16-pixel PNG file as an icon for the remote trading partner, as shown in [Figure 5-5](#), and click **OK**.

Figure 5–5 *Editing a Remote Trading Partner Profile*



A variation on this task is to use the clone feature. If you have already created a trading partner that is similar to a trading partner you want to create, click the **Clone** icon, as shown in [Figure 5–6](#), and provide the trading partner information that is not cloned: identifiers, contacts, and users.

Figure 5–6 *Cloning a Remote Trading Partner*



Note: Use the **Delete** icon to delete a remote trading partner. However, you cannot delete a remote trading partner that is part of a deployed trading partner agreement. You must first delete the agreement.

Task 3 Add Identifier Types and Values

Identifier types enable Oracle B2B to identify a trading partner at run time. In general, the identification process is to identify the partner, then the document, and then the partner-document pair identifies the agreement. Oracle B2B provides each trading partner with a default identifier type, **Name**, whose value is the name of the trading partner.

Add identifier types and values for both the host and remote trading partners. See [Chapter 9, "Creating Types,"](#) for how to create the types that you add here.

1. Click the **Partners** link.
2. Click the **Profile** tab.
3. Select a trading partner.
4. In the **Identifiers** area, click **Add**, as shown in [Figure 5–7](#).

Figure 5–7 Adding Identifier Types

Profile Users Documents Channels

Acme Save Export

The trading partner profile uniquely identifies each partner. Set up identifiers, contact information, and customized parameters for each partner.

Identifiers + X

Identifier types uniquely identify a trading partner and define how to exchange documents.

Type	Value
Name	Acme
EDI Interchange ID	Acme
EDI Group ID	Acme
EDI Interchange ID Qualifier	ZZZZ

- From the **Type** list, select an identifier type.
See [Table 9–1, "Identifier Types Defined in Oracle B2B"](#) for descriptions of the identifier types.
- Provide a value.
- Repeat Steps 4 through 6 as needed.
- Click **Save**.

Task 4 Add Contact Information

To add optional contact information for a trading partner, use the preseeded types—Contact Name, Email, Fax, Phone. Or, you can create a contact type on the **Administration > Types** page. See [Section 9.2, "Creating Custom Contact Information Types,"](#) for more information.

- Click the **Partners** link.
- Click the **Profile** tab.
- In the **Contact Information** area, click **Add**.
- Select from the list under **Type** and enter a value, as shown in [Figure 5–8](#).

Figure 5–8 Adding Contact Information

Contact Information + X

Important contact information for each trading partner should be entered.

Type	Value
Phone	555-1212
Email	

- Click **Save**.


Task 5 Add a Trading Partner Parameter and Value

Before adding an optional trading partner parameter and value for a trading partner, you must create the parameter on the **Administration > Types** page. (If you have not already created a parameter, the **Add** icon does not appear.) See [Chapter 9, "Creating Types,"](#) for more information.

- Click the **Partners** link.


2. Click the **Profile** tab.
3. In the **Parameters** area, click **Add**, as shown in [Figure 5-9](#).

Figure 5-9 Adding Trading Partner Parameters and Values



4. Select a parameter, as shown in [Figure 5-10](#), and click **OK**.

Figure 5-10 Selecting Trading Partner Parameters



5. Click **Save**.

You can also update values for a specific trading partner on this page.

Task 6 Provide Key Store Information for the Host Trading Partner

Add an optional Key Store password and location for host trading partner security. If a digital signature, encryption, or SSL are enabled, you must specify a Key Store location. See [Task 5, "Configure Security"](#) for where you specify digital signatures and encryption, and [Table 5-6](#) for descriptions of security parameters.

You can choose any Key Store for Oracle B2B. If you are using SSL, using the same Key Store for both B2B and Oracle WebLogic Server SSL configuration is recommended to avoid SSL-related problems when exchanging messages with trading partners.

1. Click the **Partners** link.

2. Click the **Profile** tab.
3. Select the host trading partner.
4. In the **Key Store** section, provide a password and location, as shown in [Figure 5–11](#).

Figure 5–11 Entering Key Store Information

The screenshot shows a web form titled "Key Store". It contains three input fields: "Password" (masked with 10 black dots), "Confirm Password" (masked with 10 black dots), and "Location" (containing the text "HOME/server/lib/DemoIdentity.jks").

5. Click **Save**.

Note: If you re-enter a Key Store password that you previously entered incorrectly (which produces errors trying to connect to the Key Store), then you must restart the server after entering the correct password.

5.3 Adding Trading Partner Users

The host trading partner administrator (the default login username-password combination) can add additional host and remote trading partner users. These users can log in to Oracle B2B and access their own trading partner data only.

The following roles are available:

- Administrator role—Provides access to all Oracle B2B functionality
- Monitor role—Provides access to reporting functionality only (use of the **Reports** link)

Users with the administrator role can access all B2B functions for their trading partner data only. No data for other trading partners is displayed. Users with the monitor role can access report functionality for their trading partner data only. No other links and no data for other trading partners are displayed. Oracle B2B also supports restricting access based on document type. See [Section 1.4.2, "Restricting Access to Document Types,"](#) for more information.


To add users, do the following:

- [Task 1, "Create a New User in the Identity Store"](#)
- [Task 2, "Add a User in the Oracle B2B Interface"](#)
- [Task 3, "Add Document Types That the User Has Permission to Access"](#)

Task 1 Create a New User in the Identity Store

A user must exist in the Identity Store before you can provision the user in Oracle B2B. Although there are many tools that you can use to create users, one way is to use the **Security Realms** function in Oracle WebLogic Server Administration Console, as shown in [Figure 5–12](#).

Figure 5–12 Oracle WebLogic Server Administration Console—Security Realms



Then, within the **myrealm** settings, the **Users and Groups** tab displays a table of all users in your realm. Click **New**, and then add a user and user password on the page shown in [Figure 5–13](#).

Figure 5–13 Oracle WebLogic Server Administration Console—Adding a New User

Home Log Out Preferences Record Help

Home > Summary of Security Realms > myrealm > Users and Groups > myrealm > Summary of Security Realms > myrealm > **Users and Groups**

Create a New User

OK Cancel

User Properties

The following properties will be used to identify your new User.
 * Indicates required fields

What would you like to name your new User?

* **Name:**

How would you like to describe the new User?

Description:

Please choose a provider for the user.

Provider:

The password is associated with the login name for the new User.

Password:

Confirm Password:

OK Cancel

Task 2 Add a User in the Oracle B2B Interface

The default administrator can add users. Host administrators and remote administrators can add users (remote administrators for their own data only) if they have been granted that permission by the default administrator.

1. Click the **Partners** link.
2. Click the **Users** tab.
3. Select a trading partner.
4. Click **Add**.
5. Provide the user name created in [Task 1](#) and click **Search**.

Enter the user name exactly as it was created.

6. Select the **Monitor** or **Administrator** role, shown in [Figure 5–14](#), and click **OK**.


Figure 5–14 Assigning the Monitor or Administrator Role

Task 3 Add Document Types That the User Has Permission to Access

The default administrator can add document types for a user. Host administrators and remote administrators can add document types for a user (remote administrators for their own data only) if they have been granted that permission by the default administrator. If no document types are added here, then the user has access to *all* document types.


1. In the **Supported Document Types** area, shown near the bottom of [Figure 5–15](#), click **Add**.

Figure 5–15 Adding Document Types



2. Select a document type and click **Add**, as shown in Figure 5–16.

Figure 5–16 Selecting a Document Type



3. Repeat Steps 1 and 2 as needed.

The document types that the user has permission to access are displayed in the **Document Type Names** column.

The document types in the **Document Type Names** column can also be deleted. If all types in the list are deleted, then the user has access to all document types.

5.4 Adding Document Definitions

The Oracle B2B host administrator creates all document definitions, which are automatically assigned to the host trading partner. The host administrator can assign any document definition to a remote trading partner. For both the host and remote trading partners, the sender and receiver for each document must be identified.

For information on updating a document definition after it has been added, see [Section 7.9, "Changing Document Details."](#)

Note: Document definitions that are automatically associated with the host trading partner must be deleted from the host trading partner profile (and also from the remote trading partner profile) before you can delete a document definition (from **Administration > Document**).

Consider the scenario in which Acme (buyer) sends a purchase order to GlobalChips. As part of this transaction, Acme also receives an acknowledgment that GlobalChips (seller) received the purchase order. Therefore, this EDIFACT transaction uses two document definitions, one for the purchase order and one for the functional acknowledgment. GlobalChips receives the purchase order and also sends the acknowledgment.

For information on creating a document definition—required before you can add it to the trading partner profile—see [Chapter 4, "Creating Document Definitions."](#)


To add document definitions, do the following:

- [Task 1, "Add Document Definitions"](#)


Task 1 Add Document Definitions

Add document definitions to both host and remote trading partner profiles. You can also change document type parameters and document version parameters for the remote trading partner on this page. See [Chapter 7, "Using Document Protocols,"](#) for more information.

1. Click the **Partners** link.
2. Click the **Documents** tab.
3. Select a trading partner.
4. Click **Add**.
5. Expand the nodes, select a document definition as shown in [Figure 5-17](#), and click **Add**.

Figure 5–17 Selecting a Document Definition

- For each document listed, identify if the selected partner is the sender or receiver or both, as shown in [Figure 5–18](#).

Figure 5–18 Selecting the Sender and Receiver

- Click **Save**.

See [Section 7.9, "Changing Document Details,"](#) for how to change document protocol versions and document type parameters for a remote trading partner, including using the **Override Version Param** and **Override DocType Param** parameters.

5.5 Configuring Channels

A channel defines how a message is delivered. It specifies trading partner security characteristics, the transport protocol, the exchange protocol, any exchange protocol override elements, and, if defined, support for digital envelopes, encryption credentials, digital signatures, signing credentials, and validation.

When you configure an external delivery channel for the host trading partner, it is available for all remote trading partners when you create agreements. This avoids having to create a delivery channel multiple times, once for each remote trading partner. When you configure an external delivery channel for a remote trading partner, it is available for only that remote trading partner when you create agreements. When you configure an internal delivery channel for the host trading partner—for inbound messages to Oracle B2B using the AQ, File, or JMS transports—the channel is available for only the host trading partner when you create inbound agreements.

You can also create custom JMS exception queues by configuring JMS internal delivery channels for the host trading partner. See the following for more information:

- [Table 15–1, "Configuration Settings"](#)
- [Section D.4, "Using a Custom Exception Queue for Error Message Delivery"](#)

[Table 5–1](#) lists the channels/exchange protocols available in Oracle B2B.

Table 5–1 Channels/Exchange Protocols Available in Oracle B2B


Protocol	Description
AS2-1.1	Applicability Statement 2, version 1.1—specification for using EDI over the Internet. AS2 provides S/MIME support over HTTP or HTTPS. AS2 also works with non-EDI document types such as .xml, .txt, .doc, and .xls. AS2 is also called EDI over the Internet, or EDIINT AS2.
MLLP-1.0 (Remote trading partner only)	<p>Minimum Lower Layer Protocol (MLLP) is a minimalistic OSI-session layer framing protocol.</p> <p>MLLP (and the TCP transport protocol) are available for remote trading partners only. It is used with HL7 or Custom documents. With MLLP, the same channel can be used for sending or receiving messages, and can be configured as either the server or the client.</p> <p>MLLP connections can be permanent or transient:</p> <p>Features of a permanent connection:</p> <ul style="list-style-type: none"> ■ Caches the socket based on the endpoint. ■ Only one socket per endpoint is created. ■ The socket is reused for future messages. <p>Features of a transient connection:</p> <ul style="list-style-type: none"> ■ A new socket is created for each message. ■ A message is sent and the listener waits for the acknowledgment. ■ When the acknowledgment is received, the socket is closed. <p>See Section 5.5.1, "About MLLP," for more information.</p>
ebMS-2.0 ebMS-1.0	Electronic business Extensible Markup Language (ebXML) Messaging Service (ebMS)—specification used to exchange XML documents. ebMS is built on a SOAP Web services message format. Oracle B2B supports ebMS 1.0 and 2.0 and uses the HTTP, HTTPS, and Email transport protocols and the SOAP packaging protocol. The ebMS protocol supports correlation between documents. Oracle B2B also supports XMLDSig, XML Encrypt, and gZip-based compression for large documents.
RosettaNet-V02.00	RosettaNet 2.0 does not include the proprietary aspects of RosettaNet 1.1, and adds support for multiple transfer protocols, hub-based routing, attachments, payload encryption, and more.
RosettaNet-01.10	<p>Implementation guidelines for creating software applications that provide for the reliable transport of PIPs in XML-format business documents between trading partners. Guidelines are provided for transport, routing, packaging, security, signals, and trading partner agreements.</p> <p>RosettaNet specifies the envelope or container format that remains constant when exchanging business documents (the payloads), whereas the document exchange choreography and the XML schemas vary based on which PIP and document type are used. The RosettaNet envelope format is also independent of the specific transfer protocol you use.</p>
AS1-1.0	Applicability Statement 1—specification for using EDI over SMTP. AS1 also works with non-EDI document types such as XML and TXT files.
Generic File-1.0	Transport by which messages are sent to or received from a file in a local file system.
Generic AQ-1.0	Transport by which messages are sent to or received from Oracle AQ single or multiconsumer queues.

Table 5–1 (Cont.) Channels/Exchange Protocols Available in Oracle B2B

Protocol	Description
Generic FTP-1.0	Transport by which messages are sent to or received from a file at a remote FTP server.
Generic SFTP-1.0	Transport by which messages are sent to or received from a file at a remote SFTP server.
Generic JMS-1.0	Transport by which messages are sent to or received from a JMS queue or topic. If a user name and password are not provided, the local JNDI is used, including in a clustered environment, provided that the destinations are distributed. Oracle B2B does not support javax.jms.ObjectMessage.
Generic HTTP-1.0	Transport by which messages are sent to or received from a Web server.
Generic Email-1.0	Transport by which messages are sent to or received from an e-mail server.

Depending on the channel/transport protocol selected, you provide channel details such as transport protocol parameters, channel attributes, exchange protocol parameters, and security parameters, as shown in [Figure 5–19](#).

Figure 5–19 Channel Details Tabs



The transport protocol parameters define the properties specific to a given use of a protocol endpoint. The transport is responsible for message delivery using the selected transport protocol, mode (synchronous or asynchronous), server, and protocol endpoint address (trading partner address, such as a URI). [Table 5–3](#) describes the transport protocol parameters.

The channel attributes define the communication interface between the host trading partner's host application and its installation. [Table 5-4](#) describes the channel attributes.

The exchange protocol parameters define the headers, acknowledgments, and packaging that puts the headers and payload together (the message exchange mechanism). [Table 5-5](#) describes the exchange protocol parameters.

Security parameters define features such as signing, encryption, and digital signatures. Message encryption using an AES setting is preferable, where available. [Table 5-6](#) describes the security parameters.

Note the following:

- No security parameters are specified for the Generic protocols—Generic File-1.0, Generic AQ-1.0, Generic FTP-1.0, Generic SFTP-1.0, Generic JMS-1.0, Generic HTTP-1.0, and Generic Email-1.0.
- Security parameters do not apply to the MLLP channel.

To configure a channel for a trading partner, do the following:

- [Task 1, "Add a Channel"](#)
- [Task 2, "Provide Transport Protocol Parameters"](#)
- [Task 3, "Provide Channel Attributes"](#)
- [Task 4, "Provide Exchange Protocol Parameters"](#)
- [Task 5, "Configure Security"](#)


Task 1 Add a Channel

Add a channel for the responder in a B2B transaction.

1. Click the **Partners** link.
2. Select a trading partner.
3. Click the **Channels** tab.
4. Click **Add**.
5. Enter a channel name.
6. Select a protocol, as described in [Table 5-1](#).

[Figure 5-20](#) shows the list of protocols.

Figure 5–20 Selecting a Protocol



7. Click **Save**.

Based on the delivery channel protocol you selected in Step 6, the applicable protocol is displayed in the **Transport Protocol** field, as shown in [Table 5–2](#).

Table 5–2 Delivery Channels and Transport Protocols

Channel Protocol Selected...	Transport Protocol Displayed...
AS2-1.1	HTTP
ebMS-2.0, ebMS-1.0	
RosettaNet-V02.00, RosettaNet-01.10	
Generic HTTP-1.0	
AS1-1.0	Email
Generic Email-1.0	
MLLP-1.0	TCP
Generic File-1.0	File
Generic AQ-1.0	AQ
Generic FTP-1.0	FTP
Generic SFTP-1.0	SFTP
Generic JMS-1.0	JMS

Task 2 Provide Transport Protocol Parameters

1. Click the **Transport Protocol Parameters** tab.
2. Provide transport protocol parameters, as described in [Table 5–3](#), depending on the channel/transport protocols selected in [Task 1](#).

[Table 5–3](#) describes the transport protocol parameters (listed in alphabetical order) and the protocols to which the parameters apply.

Table 5–3 Transport Protocol Parameters

Parameter	Description	Protocol Used With
Additional transport headers	The custom HTTP headers used to send messages to a trading partner For the sync response process, additional transport headers must be set. For sender to treat the response as an inbound message, add <code>syncresponse=true</code> as part of Additional Transport Header.	AS2 (optional) ebMS-2.0 (optional) ebMS-1.0 (optional) Generic HTTP (optional) RosettaNet-V02.00 (optional) RosettaNet-01.10 (optional)
Archival Directory	B2B channels move the processed files to this directory. By default, it is a destructive read—processed files are deleted from the endpoint. In this case, files are moved to the path provided.	Generic File-1.0 (optional) Generic FTP-1.0 (optional) Generic SFTP-1.0 (optional)
Cache Connections	If enabled, file listing and processing of the file occur in the same session (contrary to the default, in which listing and processing occur in different sessions).	Generic FTP-1.0 (optional)
Channel mask	To enable SSL for FTP, enter one of the following: <ul style="list-style-type: none"> ■ <code>Control</code>—Encrypts the control channel ■ <code>Data</code>—Encrypts the data channel ■ <code>Both</code>—Encrypts both the data and control channels The default is None (no SSL).	Generic FTP (optional)
Cipher suites	Provide the preferred cipher for encryption.	Generic FTP (optional)
Connection factory	The JNDI location or Java class name for the connection factory, as in <code>jms/b2b/B2BQueueConnectionFactory</code> .	Generic JMS (optional)
Connection Mode	Select from Client or Server.	MLLP-1.0 (required; for remote trading partners only)
Consumer	The client that receives the message.	Generic AQ (optional)
Content type	The content type of the payload being sent over e-mail. The default content type is <code>text/plain</code> ; other examples include <code>application/xml</code> and <code>application/edi</code> . This value is used only for the delivery channel (to send e-mail) and not for the listening channel. On the listening channel side, intelligence is built into the transport adapter to deal with different content types, so no configuration is required.	AS1 (optional) Generic Email (optional)
Control port	Provide a value to change the default FTP port value (21)	Generic FTP (optional)
Data port	The static port used for an active FTP connection	Generic FTP (optional)
Datasource	The JNDI name of the database data source	Generic AQ (optional)
Destination name	The JMS destination name	Generic JMS (optional)
Destination Provider	Enables B2B to connect to JMS queues or topics available on remote servers. JNDI properties required to connected to the target server are expected as the value. Use <code>;</code> (semicolon) as the separator for each key/value pair.	Generic JMS-1.0 (optional)
Email ID	The destination e-mail	AS1 (required) Generic Email (required)
Email Server	Select IMAP or POP3 .	AS1 (required) Generic Email (required)
Enable CCC	Enables B2B to authenticate in an SSL session and do the rest of the file transfer commands on a plain socket.	Generic FTP-1.0 (optional)

Table 5–3 (Cont.) Transport Protocol Parameters

Parameter	Description	Protocol Used With
Enable Marker	If enabled, creates a zero-byte file with the same name as the source, indicating completion of reading or writing. The file carries the same name as the source, but with the extension <code>marker</code> .	Generic File-1.0 (optional) Generic FTP-1.0 (optional)-1.0 Generic SFTP-1.0 (optional)
Encoding	The encoding to be used for the file transfer	Generic FTP (optional)
Filename format	The following file name formats can be used: %FROM_PARTY% %TO_PARTY% %DOCTYPE_NAME% %DOCTYPE_REVISION% %MSG_ID% %TIMESTAMP% The following file name format can be used for ebMS documents only: %ACTIONNAME% These file name formats can be used in any combination; for example, %TO_PARTY%_%DOCTYPE_NAME%_%DOCTYPE_REVISION%.dat produces something like <code>Acme_4010_850.dat</code> . Any file extension is allowed.	Generic File (optional) Generic FTP (optional) Generic SFTP (optional)
Folder	An absolute directory path is recommended.	AS1 (optional) Generic Email (optional)
Folder name	An absolute directory path is recommended.	Generic File (required) Generic FTP (required)
Host name	The trading partner's transport or e-mail server exchanging messages. For the MLLP 1.0 protocol, if the connection mode is set to Server, then the host name must be the B2B server. If the connection mode is set to Client, then the host name must be the remote B2B server (MLLP server).	AS1 (required) Generic AQ (optional) Generic FTP (required) MLLP-1.0 (required; for remote trading partners only) Generic SFTP (required) Generic Email (required)
Is Map Payload Alone	Indicates that the JMS map message contains only the payload	Generic JMS (optional)
Is topic	Select to indicate that JMS is communicating with a topic (not a queue).	Generic JMS (optional)
Is Van Mailbox	If enabled, B2B treats the endpoint as a VAN Mailbox and operates accordingly.	Generic FTP-1.0 (optional)
Message type	Select a JMS message type: BYTES , TEXT , or MAP .	Generic JMS (optional)
Minimum Age	Files arriving at the endpoint are processed after the time interval entered, in milliseconds.	Generic File-1.0 (optional) Generic FTP-1.0 (optional) Generic SFTP-1.0 (optional)
Pass phrase and Confirm pass phrase	If you enter a private key file location, and if the private key file is pass-phrase protected, then enter the pass phrase.	Generic SFTP (optional)

Table 5–3 (Cont.) Transport Protocol Parameters

Parameter	Description	Protocol Used With
Password and Confirm Password	To use password authentication, provide a Key Store password, which is used for HTTP basic authentication.	AS1 (optional) AS2 (optional) Generic AQ (optional) ebMS-2.0 (optional) ebMS-1.0 (optional) Generic FTP (optional) Generic HTTP (optional) Generic SFTP (optional) Generic JMS (optional) Generic Email (optional) RosettaNet-V02.00 (optional) RosettaNet-01.10 (optional)
Path	The absolute directory path where messages are sent from or received.	Generic SFTP (required)
Permanent Connection	When set to false (the default value), a message is sent on a new connection and the connection is closed after the ACK is received. As a receiver of the message, the connection is closed after the ACK is sent back to the trading partner. When set to true, a cached connection is used to exchange all the messages.	MLLP-1.0 (optional; for remote trading partners only)
Polling interval	The time interval in seconds during which Oracle B2B polls the server for inbound messages.	AS1 (optional) Generic File (not available) Generic AQ (optional) Generic FTP (not available) MLLP-1.0 (optional; for remote trading partners only) Generic SFTP (not available) Generic JMS (optional) Generic Email (not available)
Port number (or Port)	AQ runs on default port 1521. SFTP runs on default port 22, which can be changed to another port. FTP runs on default port 21, which is not displayed. See the description of Control Port for how to change this port number. For the MLLP 1.0 protocol, if the connection mode is set to Server, then the port must be a valid TCP port number. If the connection mode is set to Client, then the port must be the same as the port used on the MLLP server.	Generic AQ (optional) MLLP-1.0 (required; for remote trading partners only) Generic SFTP (required)
Preserve Filename	Retains the file name.	Generic File-1.0 (optional) Generic FTP-1.0 (optional) Generic SFTP-1.0 (optional)
Private key	To use public key authentication, provide the private key file location. You may also need to provide a pass phrase if the private key file is pass-phrase protected.	Generic SFTP (optional)
Queue name	The AQ queue name	Generic AQ (optional)
Recipient	The AQ recipient	Generic AQ (optional)
Send as attachment	If enabled, the message (payload) is sent as an e-mail attachment instead of the typical delivery in which the payload is the message body.	AS1 (optional) Generic Email (optional)

Table 5–3 (Cont.) Transport Protocol Parameters

Parameter	Description	Protocol Used With
Sequence	Enable this property when delivering the incoming HL7 message in sequence to the back-end application is required.	MLLP-1.0 (optional; for remote trading partners only)
SID	System ID to identify an Oracle database	Generic AQ (optional)
Subject	The subject header of the e-mail message	AS1 (optional) Generic Email (optional)
Subscriber ID	The JMS subscriber ID is required if JMS is communicating with a topic.	Generic JMS
Timeout	<p>Defines how long a transient MLLP connection keeps the socket open for the acknowledgment message. The default timeout value is 300 seconds. This parameter applies only to a transient MLLP connection (not to a permanent connection).</p> <p>Timeout can be configured as additional transport header at http delivery channel.</p> <p>Example value: <code>timeout=30</code> (timeout value is in seconds)</p>	MLLP-1.0 (optional; for remote trading partners only)
Timestamp Format	<p>The receiver read-ordered timestamp format specifies how to parse the timestamp from the response string that is obtained using the FTP command. Index information is also included. For example,</p> <p>[43,55,'MMM dd HH:mm',ucy] - In the response string from the FTP command, the timestamp is present between index 43 and 55.</p> <p>[4,+14,'yyyymmddHHmmss'] - In the response string from the FTP command, the timestamp is present between index 4 and index (4+4=18).</p> <p>You can specify multiple format masks, each enclosed by square brackets, as follows:</p> <pre>format-mask = start ", " end ", " "' time-pattern "' [" , " current-year]</pre> <p>where</p> <pre>start = integer end = integer time-pattern = java.text.SimpleDateFormat "N" current-year = "CY" TimestampFormats = {"[" format-mask "]" }+</pre> <p>For example, [41,53,'MMM dd HH:mm',CY][41,53,'MMM dd yyyy]</p> <p>CY must be added for time patterns in which a year is not present. The adapter then internally appends the format yyyy to the format mask you provide and appends the current year to the actual timestamp string before parsing it.</p> <p>The <i>start</i> and <i>end</i> indexes demarcate the timestamp substring of the string, originating either from the FTP LIST command or the actual file name. For a given FTP server, you may need to manually experiment with the server to determine which format masks to use.</p> <p>If <i>time-pattern</i> is specified as N, the substring is treated as a regular integral number. In terms of time (<i>t</i>), the number (<i>N</i>) is interpreted as follows:</p> <pre>t = "12:00 am, January 1, 1970 UTC" + N milliseconds</pre>	Generic FTP-1.0 (optional)

Table 5–3 (Cont.) Transport Protocol Parameters

Parameter	Description	Protocol Used With
Timestamp Offset	<p>The receiver read-ordered timestamp offset is used to convert the timestamp of the file with respect to the system time where the B2B Server is running.</p> <p>For example, <code>-25200000</code>, subtracts 2520 milliseconds from the timestamp obtained from the FTP command to make it compatible with the B2B system time.</p> <p>Note:</p> <ul style="list-style-type: none"> Even if B2B and FTP are on the same machine, you may need an offset if the timestamp from the FTP command is in a different time zone. Turn on the transport log to see how what timestamp the FTP command returns and then set values appropriately. 	Generic FTP-1.0 (optional)
Timestamp Source	<p>The receiver read-ordered timestamp source specifies the format used to get the timestamp, as follows:</p> <p><code>LISTTIME</code> - The last modified time in the format <code>'MMM dd HH:mm', ucy</code></p> <p><code>TIMESTAMP</code> - The last modified time in the format <code>'yyyyMMdHHmmss'</code></p>	Generic FTP-1.0 (optional)
Transfer Type	Select binary or ascii for the file transfer mode.	Generic FTP-1.0 (optional)
URL	The HTTP or HTTPS endpoint URL of the trading partner.	AS2 (required) ebMS-2.0 (required) ebMS-1.0 (required) Generic HTTP (required) RosettaNet-V02.00 (required) RosettaNet-01.10 (required)
Use JMS ID	Uses the JMS message ID as the B2B message ID. This facilitates correlation at the JMS level.	Generic JMS-1.0 (optional)
User name	The user name to connect to the target server, used for HTTP basic authentication.	AS1 (optional) AS2 (optional) Generic AQ (optional) ebMS-2.0 (optional) ebMS-1.0 (optional) Generic FTP (required) Generic HTTP (optional) Generic SFTP (required) Generic JMS (optional) Generic Email (optional) RosettaNet-V02.00 (optional) RosettaNet-01.10 (optional)
Use proxy	Select a proxy server if used.	Generic FTP (optional) AS2 (optional) ebMS-2.0 (optional) ebMS-1.0 (optional) Generic HTTP (optional) RosettaNet-V02.00 (optional) RosettaNet-01.10 (optional) Generic SFTP (optional)

3. Click Save.

Task 3 Provide Channel Attributes

1. Click the **Channel Attributes** tab.
2. Provide channel attributes, as described in [Table 5–4](#), depending on the channel/transport protocols selected in [Task 1](#).

[Table 5–4](#) describes the channel attributes (listed in alphabetical order) and the protocols to which the attributes apply.

Table 5–4 Channel Attributes

Parameter	Description	Protocol Used With
Ack Mode	Select Sync , Async , or None , for the mode in which the trading partner receives messages. Select None for all generic exchanges. For MLLP exchanges, select Sync or Async for a transient connection. Select None for a permanent connection.	AS1 (optional) AS2 (optional) ebMS-2.0 (optional) ebMS-1.0 (optional) MLLP-1.0 (required; for remote trading partners only) RosettaNet-V02.00 (optional) RosettaNet-01.10 (optional)
Compressed	Select for message compression.	AS1 (optional) AS2 (optional) This parameter is available <i>only</i> with AS1 and AS2, although it may appear in the B2B interface for other protocols.
Description	Optional	AS1 (optional) AS2 (optional) ebMS-2.0 (optional) ebMS-1.0 (optional) MLLP-1.0 (optional; for remote trading partners only) Generic File (optional) Generic AQ (optional) Generic FTP (optional) Generic HTTP (optional) RosettaNet-V02.00 (optional) RosettaNet-01.10 (optional) Generic SFTP (optional) Generic JMS (optional) Generic Email (optional)
Enable/Disable Channel	The channel is the communication interface between the host trading partner's host application and its installation.	MLLP-1.0 (required; for remote trading partners only)

Table 5–4 (Cont.) Channel Attributes

Parameter	Description	Protocol Used With
Internal Caution: While the B2B interface permits you to select invalid protocols when Internal is selected, do not select any protocols other than the generic protocols.	Select this option if the channel is internal to the host trading partner's enterprise.	<p>If this option <i>is</i> checked, then only the generic protocols are valid:</p> <ul style="list-style-type: none"> Generic File (optional) Generic AQ (optional) Generic FTP (optional) Generic HTTP (optional) Generic SFTP (optional) Generic JMS (optional) Generic Email (optional) <p>If this option <i>is not</i> checked, all protocols are valid:</p> <ul style="list-style-type: none"> AS1 (optional) AS2 (optional) ebMS-2.0 (optional) ebMS-1.0 (optional) Generic File (optional) Generic AQ (optional) Generic FTP (optional) Generic HTTP (optional) RosettaNet-V02.00 (optional) RosettaNet-01.10 (optional) Generic SFTP (optional) Generic JMS (optional) Generic Email (optional)
Response Mode	Not used in Oracle B2B version 11.1.1.3.0.	-

Table 5–4 (Cont.) Channel Attributes

Parameter	Description	Protocol Used With
Retry Count	The number of times that Oracle B2B retries to send the message.	AS1 (optional) AS2 (optional) ebMS-2.0 (optional) ebMS-1.0 (optional) Generic File (optional) Generic AQ (optional) Generic FTP (optional) Generic HTTP (optional) MLLP-1.0 (optional; for remote trading partners only) RosettaNet-V02.00 (optional) RosettaNet-01.10 (optional) Generic SFTP (optional) Generic JMS (optional) Generic Email (optional)
Retry Interval	The interval, specified in minutes, after which B2B attempts to resend a message. B2B tries to resend the message if the status of the message is not Complete. For a retry interval set to 2 minutes, the first retry may not be at the 120 second (2 minute) interval. This is because the first retry is done without considering the seconds at which the message was sent. For example, if the sent timestamp is 3:42:58 (3 hours, 42 minutes and 58 seconds), then 42 minutes is incremented by 2 minutes and the first retry is done at 3:44:00. Subsequent retries, if any, will follow at 3:46:00, then 3:48:00, and so on, in 2 minute intervals. For protocols with acknowledgments, B2B waits for the acknowledgment (formerly called the Time to Acknowledge parameter). If it is not received, the retry interval setting causes B2B to retry.	AS1 (optional) AS2 (optional) ebMS-2.0 (optional) ebMS-1.0 (optional) Generic File (optional) Generic AQ (optional) Generic FTP (optional) Generic HTTP (optional) MLLP-1.0 (optional; for remote trading partners only) RosettaNet-V02.00 (optional) RosettaNet-01.10 (optional) Generic SFTP (optional) Generic JMS (optional) Generic Email (optional)
Transport Callout	For the inbound message, B2B invokes the transport callout immediately after it receives a message from the transport. For the outbound message, B2B invokes the transport callout immediately before it sends a message to the transport.	AS1 (optional) AS2 (optional) ebMS-2.0 (optional) ebMS-1.0 (optional) Generic File (optional) Generic AQ (optional) Generic FTP (optional) Generic HTTP (optional) MLLP-1.0 (optional; for remote trading partners only) RosettaNet-V02.00 (optional) RosettaNet-01.10 (optional) Generic SFTP (optional) Generic JMS (optional) Generic Email (optional)

3. Click **Save**.

Task 4 Provide Exchange Protocol Parameters

1. Click the **Exchange Protocol Parameters** tab.
2. Provide exchange protocol parameters, as described in [Table 5–5](#), depending on the channel/transport protocols selected in [Task 1](#).

[Table 5–5](#) describes the exchange protocol parameters (listed in alphabetical order) and the protocols to which the parameters apply.

Table 5–5 Exchange Protocol Parameters

Parameter	Description	Protocol Used With
Carriage Return Character	This value can be only one character. The carriage return character does not appear in the wire message payload. The default value is 0x0D (hexadecimal).	MLLP-1.0 (optional; for remote trading partners only)
Custom Immediate ACK File	Browse for a file with a customized acknowledgment.	MLLP-1.0 (optional; for remote trading partners only)
Discard HL7 ACK	<p>Enable this property for the FA to be correlated at the transport level. This avoids the traditional message correlation that includes trading partner agreement identification, translation, and so on, thus improving performance. Because the ACK is stopped at the transport layer after correlation, it appears in the wire message report, but does not appear in the business message report.</p> <p>To enable the property, select one of the following codes. If the selected code is in the MSA.2 segment, then the ACK is stopped at the transport layer:</p> <p>AA—Application acknowledgment: Accept AE—Application acknowledgment: Error AR—Application acknowledgment: Reject CA—Application acknowledgment: Commit Accept CE—Application acknowledgment: Commit Error CR—Application acknowledgment: Commit Reject</p> <p>Selecting None does not enable this property.</p> <p>MSA.2 is the second element of MSA segment.</p>	MLLP-1.0 (optional; for remote trading partners only)
Duplicate Elimination	If enabled, a duplicate elimination header is added for an outbound message. This flag does not apply to the inbound message flow.	ebMS-2.0 (optional) ebMS-1.0 (optional)
End Block	This property is used to indicate the end of the message. Generally, End Block is sent after the message is sent to the trading partner.	MLLP-1.0 (optional; for remote trading partners only) For generic support for TCP only.
End Block Character	This value can be only one character. The end block character does not appear in the wire message payload. The default value is 0x1C (hexadecimal).	MLLP-1.0 (optional; for remote trading partners only)
Header Length	This property defines the header size, which is prefixed to the actual data. (This includes the start block, message length, and padded header).	MLLP-1.0 (optional; for remote trading partners only) For generic support for TCP only.

Table 5–5 (Cont.) Exchange Protocol Parameters

Parameter	Description	Protocol Used With
Identify TP by Delivery Channel	<p>The trading partner is identified using the delivery channel.</p> <p>Enable this parameter to identify an incoming message by the delivery channel configured for the remote trading partner (rather than by using the MLLP ID). This feature serves as an anonymous trading partner, for situations when identifying the sender is not important. If this parameter is not checked, then the MLLP ID (or some document-level identifier such as HL7 Message Application ID or HL7 Message Facility ID to identify the agreement) is required for MLLP exchanges.</p>	MLLP-1.0 (optional; for remote trading partners only)
<p>Immediate ACK</p> <p>Note: The MLLP immediate ACK of an incoming business message (with control number 1017, for example), prefixes the control number with <i>A</i>, as in A1017. This indicates to the trading partner that it is an ACK control number. If the prefixed string exceeds the permissible length (for example, if any validation rules are violated at the receiving end), use the Map ACK Control ID parameter.</p>	<p>An immediate acknowledgment is generated and transmitted in the TCP transport layer instead of the document layer. It is an alternative to the functional acknowledgment. It is available when the turnaround time of a functional acknowledgment is undesirable (for example, for some business-critical health care applications), because the functional acknowledgment captures translation and validation errors.</p> <p>Oracle B2B can send an immediate acknowledgment in the following modes:</p> <ul style="list-style-type: none"> ▪ Default: B2B parses the incoming HL7 message and generates an acknowledgment from it. In this mode, B2B can send the acknowledgment to the sending application with correlation details (for example, the control number from the incoming message, the sending application, and so on.) Hence, the trading partner application can correlate the incoming acknowledgment message. If mapping the MSH.10 of the ACK with the MSH.10 of the incoming business message is required, then enable the Map ACK Control ID property. By default, an Immediate ACK is a generic ACK. If generating an ACK with a trigger event is required, then enable the Map Trigger Event property. ▪ Simple: B2B sends the predefined acknowledgment message to the sender and does not parse the message. ▪ Custom: B2B sends the custom HL7 acknowledgment message based on a configurable file content. If this mode is selected, then specifying the file in the Custom Immediate ACK File property is required. ▪ Negative: Select this option to send an immediate ACK only in the case of exceptions. 	MLLP-1.0 (optional; for remote trading partners only)
Map ACK Control ID	Select to enable the mapping of the MSH.10 message header of the business message to the MSH.10 message header of the <i>immediate</i> acknowledgment.	MLLP-1.0 (optional; for remote trading partners only)

Table 5–5 (Cont.) Exchange Protocol Parameters

Parameter	Description	Protocol Used With
Map Trigger Event	Sends an immediate acknowledgment with a trigger event.	MLLP-1.0 (optional; for remote trading partners only)
Message Length Index	This property indicates the data size available in the header. Start index to end index defines the message size. For example, if the data length is the first four bytes, then the header size is 4 and Message Length Index is 1-4.	MLLP-1.0 (optional; for remote trading partners only) For generic support for TCP only.
Message Order Semantics	A placeholder for CPP/CPA; not involved during run time.	ebMS-2.0 (optional)
Persist Duration	A placeholder for CPP/CPA; not involved during run time.	ebMS-2.0 (optional)
Receipt Delivery Option	This parameter is used to configure a URL to which MDN has to be sent back in the case of an asynchronous mode.	AS2 (optional)
Retain Header	Select this property to retain the header while sending the message to the trading partner (for outbound messages) or to Oracle B2B (for inbound messages). When you retain the header, B2B does not handle the custom header. This is handled using the transport callout.	MLLP-1.0 (optional; for remote trading partners only) For generic support for TCP only.
Send Party Type and Value	If enabled, the send party type and value from the message header are sent to the back-end application.	ebMS-2.0 (optional) ebMS-1.0 (optional)
Signed and Compressed	If selected, the message is first signed, and then compressed. If <i>not</i> selected, the message is first compressed, and then signed.	AS1 (optional) AS2 (optional)
Start Block	This property is used to indicate the beginning of the message. Generally, Start Block is sent before the message is sent to the trading partner.	MLLP-1.0 (optional; for remote trading partners only) For generic support for TCP only.
Start Block Character	This value can be only one character. The start block character does not appear in the wire message payload. The default value is 0X08 (hexadecimal).	MLLP-1.0 (optional; for remote trading partners only)

3. Click **Save**.

Task 5 Configure Security

1. Click the **Security** tab.
2. Provide security parameters, as described in [Table 5–6](#), depending on the channel/transport protocols selected in [Task 1](#).

[Table 5–6](#) describes the security parameters (listed in alphabetical order) and the protocols to which the parameters apply.

Note: The **Digital Signature** and **Encryption** lists are populated with the available certificates when the Key Store location is provided for the host trading partner. See [Task 6, "Provide Key Store Information for the Host Trading Partner"](#) for more information.

Table 5–6 Security Parameters

Parameter	Description	Protocol Used With
Ack Signed	Select this option to ensure that the responder acknowledges receipt of the messages; nothing needs to be provided.	AS1 (optional) AS2 (optional) ebMS-2.0 (optional) ebMS-1.0 (optional) RosettaNet-V02.00 (optional) RosettaNet-01.10 (optional)
Digital Signature	<p>To use a digital signature certificate, the Key Store <i>must</i> have the corresponding private key.</p> <p>If Message Signed is selected, then select the following for AS1: SMIME 3.0 with SHA1 - RSA</p> <p>If Message Signed is selected, then select one of the following for AS2: SMIME 3.0 with MD5 - RSA SMIME 3.0 with SHA1 - RSA</p> <p>If Message Signed is selected, then select one of the following for ebMS-2.0 and ebMS-1.0: XMLDSIG with SHA1 - RSA XMLDSIG with SHA1 - DSA</p> <p>If Message Signed is selected, then select one of the following for RosettaNet-V02.00: SMIME 3.0 with MD5 - RSA SMIME 3.0 with SHA1 - RSA SMIME 2.0 with MD5 - RSA SMIME 2.0 with SHA1 - RSA XMLDSIG with SHA1 - RSA XMLDSIG with SHA1 - DSA</p> <p>If Message Signed is selected, then select one of the following for RosettaNet-01.10: SMIME 3.0 with MD5 - RSA SMIME 3.0 with SHA1 - RSA SMIME 2.0 with MD5 - RSA SMIME 2.0 with SHA1 - RSA</p>	AS1 AS2 ebMS-2.0 ebMS-1.0 RosettaNet-V02.00 RosettaNet-01.10

Table 5–6 (Cont.) Security Parameters

Parameter	Description	Protocol Used With
Encryption	To use an encryption certificate, no private key entry is needed. If Message Encrypted is selected, then select one of the following for AS1 and AS2: SMIME 3.0 with DES SMIME 3.0 with 3DES SMIME 3.0 with RC2 - 40 SMIME 3.0 with RC2 - 64 SMIME 3.0 with RC2 - 128 If Message Encrypted is selected, then select one of the following for ebMS-2.0 and ebMS-1.0: XMLENC with 3DES - RSA-v1.5 XMLENC with AES-128 RSA-OAEP XMLENC with AES-192 RSA-OAEP XMLENC with AES-256 RSA-OAEP	AS1 AS2 ebMS-2.0 ebMS-1.0 RosettaNet-V02.00 (optional)
Message Encrypted	Select this option to enable message encryption. This option requires you to select an encryption schema in the Encryption field.	AS1 (optional) AS2 (optional) ebMS-2.0 (optional) ebMS-1.0 (optional) RosettaNet-V02.00 (optional)
Message Signed	Select this option to provide a digital signature in the Digital Signature field.	AS1 (optional) AS2 (optional) ebMS-2.0 (optional) ebMS-1.0 (optional) RosettaNet-V02.00 (optional) RosettaNet-01.10 (optional)

3. Click Save.

Note: For AS1, B2B supports only SHA1 for signing. MD5 is not supported for AS1 signing.

5.5.1 About MLLP

An MLLP delivery channel is established by a two-way handshake between the server and client. It is always bidirectional, unlike other transports, and is used for both sending and receiving messages. An MLLP delivery channel is configured for the remote trading partner only, and is configured as a server socket or a client socket. As a server socket, the channel accepts connections on the specified port. As a client socket, the channel establishes a connection on the specified IP address and port. For either socket type, you specify a permanent or transient connection type. A permanent connection, once established, is cached and serves as a channel for the message exchange throughout the lifecycle of the endpoint. A transient connection serves as a channel only for exchanging one set of messages comprised of the business message and its acknowledgment. See [Section 5.5.1.1, "Overriding the Connection Mode."](#)

A recommended configuration is for the sender to configure the MLLP client delivery channel and for the receiver to configure the MLLP server channel. For example, if Acme wants to send an HL7, Custom, or positional flat file message to GlobalChips, Acme can have the client MLLP permanent channel and GlobalChips can have the

server MLLP permanent channel. MLLP connection types (permanent and transient) for the server and client must match (both permanent or both transient). However, in some cases the sender can have the server channel and receiver can have the client channel provided the connection is pre-established.

Because MLLP is a bidirectional channel, it is not considered to be a listening channel and the same MLLP delivery channel can be used for both sending and receiving messages.

Because MLLP operates in single delivery channel mode by default, simply select a delivery channel under the remote trading partner when creating an agreement. If operating in a non-single MLLP delivery channel mode is required, select a different MLLP delivery channel in the other agreements.

5.5.1.1 Overriding the Connection Mode

To override the connection mode for a message without changing the configuration manually, set the following properties:

For changing from a transient to a permanent connection:

```
CONNMODE:Permanent
```

For default integration:

```
b2b.connMode:Permanent
```


You can also change from a permanent connection to a transient connection.

5.5.1.2 Generic Support for TCP

MLLP uses SB (start byte), EB (end byte) and CR to interpret a message. To interpret a message using the length of the data or the start string and end string instead of SB and EB, Oracle B2B provides a generic solution for TCP.

For generic support for TCP, use with the following parameters on the **Exchange Protocol Parameters** tab (shown in [Figure 5-21](#)): **Start Block**, **End Block**, **Header Length**, **Message Length Index**, and **Retain Header**.

Figure 5-21 Parameters for Generic TCP



Note: When you create a generic TCP channel using the MLLP protocol, the parameters on the Exchange Protocol Parameters tab appear as shown in [Figure 5-21](#). After creating the channel, two subtabs appear, with MLLP-specific and generic TCP-specific parameters grouped under them.

See [Table 5-5](#), "Exchange Protocol Parameters" for descriptions of these parameters.

[Table 5-7](#) describes how Oracle B2B processes messages using MLLP when data is sent or received using the parameters that support generic TCP.

Table 5-7 Generic TCP Solutions

Generic TCP Solution	Description
Send or receive data by specifying a start block and end block	Use the Start Block and End Block parameters available on the Exchange Protocol Parameters tab when you select MLLP-1.0 for a remote trading partner. See Table 5-5 for descriptions of the Start Block and End Block parameters. Example: <start block>Data<end block>
Send or receive data by specifying a start block, end block, and data length	Use the Start Block , End Block , Message Length Index , and Header Length parameters available on the Exchange Protocol Parameters tab when you select MLLP-1.0 for a remote trading partner. See Table 5-5 for descriptions of the parameters. Example: <start block><length>Data<end block>
Send or receive data by specifying the data length	Use the Message Length Index and Header Length parameters available on the Exchange Protocol Parameters tab when you select MLLP-1.0 for a remote trading partner. See Table 5-5 for descriptions of the Message Length Index and Header Length parameters. Example: <length>Data Example: <length+header>Data That is, 15HDRDATADATADATA, where you configure: Message Length Index=1-2 Header length=5 15 is the length start after end index of Message Length Index. HDR is the header.
Send or receive data by specifying the start block and data size	Use the Start Block , Message Length Index , and Header Length parameters available on the Exchange Protocol Parameters tab when you select MLLP-1.0 for a remote trading partner. See Table 5-5 for descriptions of the Start Block , Message Length Index , and Header Length parameters. Note: In this case, the start block is part of the header and the minimum message length index must be more than the start block size. Example: <start block><length>Data
Retain the back-end application header and B2B will not add the start block, data size, and end block.	To send data to the trading partner without adding a header and retain the back-end application header, select the Retain Header property. See Table 5-5 for a description of Retain Header parameter.

5.5.1.3 Dynamic Endpoints

The dynamic IP feature of MLLP provides flexibility to dynamically change the endpoints associated with a delivery channel. This is done by overriding the IP address of the delivery channel through the `actionName/eventName` attribute in the message enqueue header.

For example:

```
eventName=DynamicIP:GlobalChips:IP_address:port_number
```

or

```
actionName=DynamicIP:GlobalChips:IP_address:port_number
```

This feature is also available in B2B composites (as part of the SOA Service Component Architecture (SCA) assembly model) using the following syntax:

```
b2b.toDynamicIP=GlobalChips:IP_address:port_number
```

The `b2b.toDynamicIP` property is set in a normalized message property that is sent to B2B.

Oracle B2B generates a unique control number for each message. For a broadcasting case involving multiple dynamic endpoints corresponding to the same trading partner, the back-end application must provide the control number. Oracle B2B stores and uses the dynamic endpoint details for correlation of the acknowledgment. No additional configuration is required.

5.5.1.4 Using a Transport Callout to Extract Custom Headers

To extract a custom header for outbound messages, add the `CUSTOM_HEADER` property in the `actionName` property from the back-end application. This property will be available in the callout as a `CUSTOM_HEADER` parameter of `CalloutMessage`. You can retrieve the property in the callout for your usage.

For example:

```
eventName= CUSTOM_HEADER:your_value
```

For default integration:

```
b2b.customHeader= your_value
```

To extract a custom header for inbound messages, set the `CUSTOM_HEADER` property as the `CalloutMessage` parameter in the callout. The property will be available as part of the `actionName` properties in the back-end application. See [Example 12-1, "Setting and Getting the CUSTOM_HEADER Property"](#) for details.

5.5.1.5 Message Sequencing in MLLP Exchanges

Exchanging messages in sequence can be challenging in a multi-threaded system, because the first message produced may not necessarily arrive at the destination first. For enterprises with this business requirement, B2B provides a sequencer and a dispatcher. The sequencer sequences a message based on arrival time. The dispatcher dispatches the sequenced message. Message sequencing is available for outbound and inbound directions.

5.5.1.5.1 Outbound Message Sequencing

To enable sequencing for an outbound message, for AQ delivery channels, enqueue the message by setting `ACTION_NAME` to `TARGET:sequence_target_name` when assigning the `jca.aq.HeaderDocument`. However, when using the `ENQUEUE` utility that is provided with the `b2b.jar`, set `eventName` (not `ACTION_NAME`) to `TARGET:sequence_target_name`; for example, `eventName=TARGET:sequence1`. To enable sequencing when using the default channel, use `b2b.sequencingTarget = sequence_target_name`.

To dispatch the sequenced message, configure the **Outbound Dispatcher Count** parameter, shown in [Figure 5-22](#).

Figure 5–22 Dispatcher Configuration: Administration > Configuration Tab




Miscellaneous(continued)	
Outbound Dispatcher Count	0
Inbound Dispatcher Count	0
Auto Stack Handler	false
Auto Stack Handler Interval	1
Partial Batch Commit Size	
Exception Queue	

By default, the value is 0, which is the setting for sequencing without dispatching (stacking). Depending on the message load, set **Outbound Dispatcher Count** to the appropriate value.

5.5.1.5.2 Inbound Message Sequencing

To enable sequencing for an inbound message, select the **Sequence** flag for the MLLP delivery channel, as shown in Figure 5–23.

Figure 5–23 Sequencer Configuration



Channel Details	
Transport Protocol	TCP
Transport Protocol Parameters Channel Attributes Exchange Protocol Parameters Security	
Connection Mode	Server
Host Name	localhost
Port	12345
Permanent Connection	<input checked="" type="checkbox"/> Sequence
Sequence	<input checked="" type="checkbox"/>
Polling Interval	10
Timeout	300

To dispatch the sequenced message, configure the **Inbound Dispatcher Count** parameter, as shown in Figure 5–22.

5.5.1.5.3 Sequencing Without Dispatching

Trading partner downtime is typically handled by stacking messages in the back-end application, which requires the entire message processing in B2B after the downtime. This leads to underutilizing the B2B application during downtime and overloading when the trading partner comes up. This affects the regular message flow, because there is a surge in message processing.

Upon trading partner delivery failure, the corresponding messages are marked not to be picked up by the dispatcher, resulting in stacking the messages in B2B instead of the back-end application. To process the messages, set the following properties:

Auto Stack Handler = true

Auto Stack Handler Interval = *interval* (in seconds)

The **Auto Stack Handler** and **Auto Stack Handler Interval** parameters are shown in Figure 5–22. When set to true, the stacked message are eligible for delivery by the dispatcher during an appropriate interval. It is also possible to specify the variable interval with a comma-separated value to **Auto Stack Handler Interval**.

5.5.2 Using Transport Sync Callback

Sync support is provided using callout. This provides a platform to respond to the incoming requests in a synchronous way.

There may be several requirements for an Enterprise to send business responses synchronously. For example, an inbound 270 document may expect a 271 document response synchronously. Enterprises may want to set up sync support for simple custom documents of their choice over HTTP protocol.

Callout is the key component to enable synchronous response. In this model, callout holds the responsibility of delivering the incoming request message to the back end application, and get the corresponding business response from the back end application. Capabilities of back end applications in Enterprises may vary, so the callout implementers can choose their own approaches for sending and receiving messages to and from back end applications.

B2B Engine provides inbound message as an input to configured callout, and expects callout to give the response received from the back end application as its output. The output of callout will be processed as an outbound message in B2B, and the same is streamed back as a response for the inbound message on the same HTTP connection.

To configure sync response:

1. Set up the inbound and outbound agreement.
2. Create callout with the capability to send inbound requests and receive its business response from back end applications.

See [Example 12-3, "Code Example of a Sync Callback Callout"](#) on page 12-9 for a code sample.

Callout output should have all the required values for Oracle B2B to process it as an outbound message. This may include `TO_PARTY`, `DOCTYPE_NAME`, `DOCTYPE_REVISION` and `payload`, among others.

Callout output parameters such as `TO_PARTY`, `DOCTYPE_NAME`, and `DOCTYPE_REVISION` are case-sensitive. Parameters supported by Oracle B2B JMS adapters can be output valid output parameters.

3. Attach the callout to the Inbound Agreement.

All the sync requests should be send to the following URL

```
http://host:port_number/b2b/syncreceiver
```

4. Test the flow.

Note: One dummy outbound channel is required to deploy the outbound agreement on the responder side, however Oracle B2B will not use the dummy channel, and the sync response is sent back on the same connection on which it received the inbound request.

Note: Timeout can be configured as an additional transport header at HTTP delivery channel. For example: `timeout=123`

Note that the initiator of the sync flow must pay attention to the following issues:


The initiator of the sync flow must add `syncresponse=true` as part of the Addition Transport Header in a Generic HTTP, AS2, or ebms channel.

The initiator of the sync flow must set `ack mode none/Async` in AS2 or ebms channel.

5.6 Using the Auto Create Agreement Feature

In the **Partner** area, shown in [Figure 5–24](#), you can use the **Auto Create Agreement** icon to create an agreement for a remote trading partner.

Figure 5–24 The Auto Create Agreement Feature



This feature creates one agreement for each document definition associated with the selected remote trading partner. You can further customize the agreement on the **Agreement** tab. See [Chapter 6, "Creating and Deploying Trading Partner Agreements,"](#) for more information about the **Agreement** tab.

5.7 Using Identifiers for Trading Partner Lookup


Identifiers available in design-time data are used to look up trading partners. Identifiers do not need to be part of a deployed, active agreement. The appropriate document and exchange identifiers are used for lookup; for example:

- For the AS2-1.1 exchange protocol, the AS2 identifier is used.
- For the EDI X12 document protocol, the Sender Group ID and Sender Interchange ID are used.

Creating and Deploying Trading Partner Agreements

The final steps in the Oracle B2B process flow, shown in [Figure 6–1](#), are to create and deploy the agreement.

Figure 6–1 Oracle B2B Process Flow



A trading partner agreement defines the terms that enable two trading partners, the initiator and the responder, to exchange business documents. It identifies the trading partners, trading partner identifiers, document definitions, and channels.

This chapter contains the following topics:

- [Section 6.1, "Introduction to Agreements"](#)
- [Section 6.2, "Creating an Agreement"](#)
- [Section 6.3, "Deploying an Agreement"](#)
- [Section 6.4, "Deleting and Exporting Agreements"](#)

See the following for more information:

- [Chapter 8, "Managing Deployments,"](#) for how to export agreements and manage deployment states
- [Chapter 10, "Importing and Exporting Data,"](#) for how to export agreements

6.1 Introduction to Agreements

An agreement consists of two trading partners—the host trading partner and one remote trading partner, and represents one type of business transaction between those partners. For example, if Acme and GlobalChips participate in both EDIFACT and RosettaNet exchanges with each other, you create an agreement for each of the exchanges. Some exchanges are bidirectional, requiring an agreement for each direction.


For example, if Acme sends a sales order to GlobalChips using a Custom document sent using the Generic File protocol, you create an agreement for the outbound direction, where Acme sends the order, and for the inbound direction, where Acme is the receiver. A change to a component of an agreement (for example, a change to the document definition) is effective automatically in the agreement.

Creating an agreement is the last step in the design of a B2B transaction. Before you create an agreement, you must have already created the document definitions and configured the trading partners. See [Chapter 4, "Creating Document Definitions,"](#) and [Chapter 5, "Configuring Trading Partners,"](#) for more information.


6.2 Creating an Agreement

[Figure 6–2](#) shows the Oracle B2B interface for working with agreements. Click a remote trading partner name to see its agreements with the host trading partner.

Figure 6–2 *Creating an Agreement*



[Figure 6–3](#) shows the steps to create an agreement.

Figure 6–3 Steps to Creating an Agreement (Workflow Overview)**Step 1: Identify the remote trading partner**

The host trading partner is automatically included in an agreement, so you need only identify the remote trading partner. You can do this in two ways: select the partner from the **Partners** region before adding the agreement, or select the host trading partner, click **Add** in the **Agreements** region, and click the **Select Partner** icon in the **New Agreement** region.

Step 2: Select the document definition

The document definition is selected for the host trading partner, as reflected in the **Select Document Definition** dialog, shown in figure [Figure 6–4](#).

Figure 6–4 Selecting the Document Definition

Select Document Definition		
Select Document Definition		
Partner		Document Definition
Acme	→ GlobalChips	EDI_X12 - 4010 - 850 - 850_def
Acme	← GlobalChips	EDI_X12 - 4010 - 850 - 850_def
Acme	→ GlobalChips	EDI_X12 - 4010 - 997 - 997_def
Acme	→ GlobalChips	Custom - 1.0 - ORDERS - ORDERS_def

For an exchange in which you need both outbound and inbound agreements, do the following:

- For the outbound agreement, select the document definition in which the host trading partner is the sender (**Acme --> GlobalChips** in [Figure 6–4](#))
- For the inbound agreement, select the document definition in which the host trading partner is the receiver (**Acme <-- GlobalChips** in [Figure 6–4](#))

Step 3: Provide the agreement ID and name

Provide any agreement identifier and agreement name. These fields can have the same value if you need only one for tracking purposes.

Step 4: Select validation, translation, and functional acknowledgment options

[Table 6–1](#) describes the validation, translation, and functional acknowledgments available when you create an agreement.

Table 6–1 Agreement Options

Option	Description
Validate	Select to enable validation of the document against the configured ECS file.
Translate	Select to enable the translation of XML to native format and vice versa (for EDI and HL7, for example). If Translate is not selected (no translation), then B2B cannot correlate the business message with the functional acknowledgment, irrespective of the value of the B2B Handle FA property. See Section B.1, "Properties To Set in Fusion Middleware Control," for information about the property.
Functional Ack	Select to enable the functional acknowledgment for success or error criterion.

Step 5: Select the channel for the remote trading partner

A list of channels that you created when you set up the remote trading partner is available. (*Listening* channels are not part of an agreement.)

Step 6: Add identifiers

Identifier types for the host and remote trading partners are listed. Select the identifiers that apply to this agreement. You can shift-click to select multiple identifiers.

For outbound agreements, use the identifier types listed in [Table 6–2](#) with the exchange protocols.

Table 6–2 Identifier Types To Use with Exchange Protocols

Exchange Protocol	Identifier Type
Generic File-1.0	Name
Generic FTP-1.0	Name
Generic SFTP-1.0	Name
Generic AQ-1.0	Name
Generic JMS-1.0	Name
AS2-1.1	Name, AS2 Identifier
AS1-1.0	Name, AS1 Identifier
ebMS-1.0, ebMS-2.0	Name, ebMS Identifier
RosettaNet-V02.00, RosettaNet-01.10	Name, DUNS
MLLP exchange	Name, MLLP ID
Generic HTTP-1.0	Name, Generic Identifier
Generic Email-1.0	Name, Generic Identifier

See [Chapter 9, "Creating Types,"](#) for more information about identifier types.

Step 7: Save and validate the agreement

Clicking **Save** also validates the agreement.

To create an agreement:

1. Click the **Partners** tab.
2. In the **Agreements** region, click **Add**.
3. Click **Select Partner**.
4. Select a remote trading partner.
5. Click **Select Document Definition**.
6. Select a document definition for the initiator.
7. Provide an agreement ID and name.
8. Select from the validation, translation, and functional acknowledgment options, as described in [Table 6-1](#).
9. Provide an optional description, a callout (if previously created), and start and end dates.

Use callouts to transform the formats of messages exchanged between remote and host trading partners. See [Chapter 12, "Managing Callouts."](#)

An agreement cannot be deployed after an end date entered here because the agreement will have expired.

10. For the host trading partner, click **Add** and select identifiers.
11. For the remote trading partner, select a channel.
12. In the remote trading partner, click **Add** and select identifiers.
13. Click **Save**.

After you create an agreement, it is ready to be deployed. It is listed on the **Administration > Deploy** page. See [Section 6.3, "Deploying an Agreement,"](#) to continue.

6.3 Deploying an Agreement

Deployment is the process of activating an agreement from the design-time repository to the run-time repository.

After deploying an agreement, use the **Manage Deployments** tab and the **Reports** tab. See the following for more information:

- [Chapter 8, "Managing Deployments"](#)
- [Chapter 16, "Creating Reports"](#)

After you create, save, and validate an agreement, you can deploy it as follows:

- From the same page (**Partners > Agreement** tab), using the **Deploy** button (see [Figure 6-2](#))
- From the **Administration > Deploy** page, as shown in [Figure 6-5](#). Use this option to select multiple agreements to deploy at the same time.

Figure 6–5 The Deploy Tab—Lists Valid Agreements

Deploy Agreement
Deploying an agreement is the process of activating an agreement from the design-time repository to the run-time repository.

Search [Advanced] [Saved Search] [Default]

Match All Any

Name: [Equals] [] Document Protocol Name: [Equals] []
 Trading Partner: [Equals] [] Document Protocol Version: [Equals] []
 Identification Value: [Equals] [] Document Type: [Equals] []
 Identification Type: [Equals] [] Document Definition: [Equals] []

[Search] [Reset] [Save...]

Agreement

Agreement	Initiating Partner	Responding Partner	Supported Document	Channel		State	Last Deployed
				From	To		
AS2_M_O_EDIFACT_D3_CONTRL_Agr	MarketInc	Acme	EDI_EDIFACT - D3 - CONTRL - D3_CONTRL_Def	MI_AS2_11_Ch		Draft	
AS2_M_O_X12_4010_997_Agr	MarketInc	Acme	EDI_X12 - 4010 - 997 - 4010_997_Def	MI_AS2_11_Ch		Draft	
AS2_O_M_EDIFACT_D98A_ORDERS_Agr	Acme	MarketInc	EDI_EDIFACT - D98A - ORDERS - D98A_ORDERS_Def		MI_AS2_11_	Draft	
AS2_O_M_HIPAA_4010X092A1_270_Agr	Acme	MarketInc	EDI_X12 - 4010X092A1 - 270 - 4010X092A1_270_Def		MI_AS2_11_	Draft	
AS2_O_M_X12_4010_850_Agr	Acme	MarketInc	EDI_X12 - 4010 - 850 - 4010_850_Def		MI_AS2_11_	Draft	
Acme_GlobalChips_X12_4010_850_File	Acme	GlobalChip	EDI_X12 - 4010 - 850 - 850def		GlobalChips_	Active	8/24/2009
FILE_M_O_15sync_64_catalogueResponse_Agr	MarketInc	Acme	15sync - 6.4 - catalogueResponse - catalogueResponse_Def			Draft	
FILE_M_O_AQ_Agr	MarketInc	Acme	EDI_X12 - 4010 - 850 - 4010_850_Def		OS_AQ_IN_	Draft	
FILE_M_O_X12_4010VICS_852_Agr	MarketInc	Acme	EDI_X12 - 4010VICS - 852 - 4010VICS_852_Def		OS_File_10_	Draft	
FILE_O_M_15sync_64_CatalogueRequest_Agr	Acme	MarketInc	15sync - 6.4 - catalogueRequest - catalogueRequest_Def		MI_File_10_	Draft	
FILE_O_M_X12_4010VICS_997_Agr	Acme	MarketInc	EDI_X12 - 4010VICS - 997 -		MI File_10_	Draft	

Note: Turn off validation during deployment by setting the property `b2b.deploy.validation=false`.

This property is set in Oracle Enterprise Manager Fusion Middleware Control. Changing the property requires a SOA Server restart. See [Section B.1, "Properties To Set in Fusion Middleware Control,"](#) for more information.

To deploy an agreement from the Deploy tab:

1. Click the **Administration** tab.
2. Click the **Deploy** tab.
3. Use the search parameters to find the agreement you want to deploy and click **Search**.
4. Highlight one or more agreements and click **Deploy**.

6.3.1 Redeploying an Agreement

If you deploy a previously deployed agreement, the first version is moved to an inactive state and the most recently deployed agreement is active.

6.4 Deleting and Exporting Agreements

Only agreements in the draft state can be deleted. Purging an agreement returns its status to the draft state. Agreements that have deployed versions in active, inactive, or retired states cannot be deleted.

An agreement can be exported to a ZIP file by using the **Export** button on the **Agreement** tab.

Part III

Oracle B2B Administration

This part describes how to use Oracle B2B administration features.


This part contains the following chapters:

- [Chapter 7, "Using Document Protocols"](#)
- [Chapter 8, "Managing Deployments"](#)
- [Chapter 9, "Creating Types"](#)
- [Chapter 10, "Importing and Exporting Data"](#)
- [Chapter 11, "Batching EDI Messages"](#)
- [Chapter 12, "Managing Callouts"](#)
- [Chapter 13, "Purging Data"](#)
- [Chapter 14, "Configuring Listening Channels"](#)
- [Chapter 15, "Configuring B2B System Parameters"](#)

Using Document Protocols

A document protocol defines the document type of the message payload. Oracle B2B document protocols are shown in [Figure 7-1](#).

Figure 7-1 Oracle B2B Document Protocols



You can define nearly any protocol by using the Custom protocol and the many guideline documents in Oracle B2B Document Editor.

This chapter contains the following topics:

- [Section 7.1, "Using the Custom Document Protocol"](#)
- [Section 7.2, "Using the EDI EDIFACT Document Protocol"](#)
- [Section 7.3, "Using the EDI X12 Document Protocol"](#)
- [Section 7.4, "Using the HL7 Document Protocol"](#)
- [Section 7.5, "Using the OAG Document Protocol"](#)
- [Section 7.6, "Using the Positional Flat File Document Protocol"](#)
- [Section 7.7, "Using the RosettaNet Document Protocol"](#)
- [Section 7.8, "Using the UCCNet Document Protocol"](#)
- [Section 7.9, "Changing Document Details"](#)
- [Section 7.10, "Using Document Routing IDs"](#)

For related information, see the following:

- [Chapter 3, "Creating Guideline Files"](#)

- [Chapter 4, "Creating Document Definitions"](#)

7.1 Using the Custom Document Protocol

Oracle B2B supports custom document protocols to create documents needed for proprietary transactions. With XML messages, you have the advantage of schema enforcement (XSDs).

With non-XML messages, you can create trading partner agreements for specific message types.

When creating a Custom document, you specify rules to identify the incoming document. For XML documents, specify an XPath expression and a value, which is the expected result of the expression.

For non-XML documents such as a flat file, you can specify start and end positions or a document routing ID.

Document Version Parameters

No parameters need to be set when you create the document version for a Custom document.

Document Type Parameters

When you create a Custom document type, you can set ebXML messaging service (ebMS) parameters to identify the ebXML document. [Figure 7-2](#) shows the document type parameters for a Custom document.

Figure 7-2 Document Type Parameters for a Custom Document

[Table 7-1](#) describes the document type parameters for a Custom document.

Table 7-1 Document Type Parameters for a Custom Document

Parameter	Description
ebMS Tab	-
Action name	The action name for the ebXML header, which is also an identification criteria for inbound and outbound messages. ebMS documents require an action name to avoid run-time errors.
Service name	The service name for the ebXML header, which is also an identification criteria for inbound messages. ebMS documents require a service name to avoid run-time errors.
Service type	The service type for the ebXML header, which is also an identification criteria for inbound messages. ebMS documents require a service type to avoid run-time errors.
From Role	The trading partner that sends the message. A value provided here overrides the Identifiers values supplied on the Profile tab.
To Role	The trading partner that receives the message. A value provided here overrides the Identifiers values supplied on the Profile tab.

Document Definition Parameters

When you create a Custom document definition, select the file type—XML or Flat—and set parameters in the tabbed areas. [Figure 7-3](#) shows the document definition parameters for an XML-type Custom document.

Figure 7-3 Document Definition Parameters for an XML-Type Custom Document

The screenshot shows a window titled "Document Definition" with a "Save" button in the top right corner. The main title is "Custom-1.0-PurchaseOrder-PurchaseOrder_Def". Below the title, there is a prompt: "Enter the document definition name and select the required definition file." The configuration fields are as follows:

- Document Definition Name:** PurchaseOrder_Def
- Description:** An empty text input field.
- Definition:** Custom_PurchaseOrder.xsd, with an "Update..." button next to it.
- Root XSD Name:** An empty text input field.
- Identification Type:** XML (selected from a dropdown menu).
- Reset Parameter:** A button located at the bottom right of the configuration area.

At the bottom of the window, there are four tabs: "XML", "Routing", "XPath", and "Correlation". The "XML" tab is currently selected. Under the "XML" tab, the following parameters are visible:

- Identification Expression (XPath):** `//*[local-name()='PurchaseOrder']`
- Identification Value:** An empty text input field.
- DTD/XSD NamespaceConversion:** None (selected from a dropdown menu).

[Figure 7-4](#) shows the document definition parameters for a flat-file Custom document.

Figure 7–4 Document Definition Parameters for a Flat-File Custom Document

Table 7–2 describes the document definition parameters for a Custom document.

Table 7–2 Document Definition Parameters for a Custom Document

Parameter	Description
XML Tab	(Available if XML is selected from Identification Type)
Identification Expression (XPath)	Locates a node in the XML payload
Identification Value	Provides the value to match in the node identified by the Identification Expression. If the values match, then the document is successfully identified. If the value is left blank, then Oracle B2B checks for the existence of the node and the document is successfully identified.
DTD/XSD NamespaceConversion	Select from None , Both , Inbound , or Outbound .
Routing Tab	-
Document Routing ID	Sets the consumer name to the back-end application
XPath Tab	See Section 7.1.1, "How to Configure the XPath Expression for a Custom XML Document," for more information
XPath Name1	The XML XPath name for retrieving the value from the payload
XPath Expression1	The XML XPath expression for retrieving the value from the payload (see Note below table)
XPath Name2	The XML XPath name for retrieving the value from the payload
XPath Expression2	The XML XPath expression for retrieving the value from the payload (see Note below table)
XPath Name3	The XML XPath name for retrieving the value from the payload
XPath Expression3	The XML XPath expression for retrieving the value from the payload (see Note below table)

Table 7–2 (Cont.) Document Definition Parameters for a Custom Document

Parameter	Description
Correlation Tab	-
Correlation From XPath Name	The name of the correlation property for initiating the correlation.
Correlation From XPath Expression	The XML XPath for retrieving the value from the payload to initiate the correlation. (see Note below table)
Correlation To XPath Name	The name of the correlation property for the correlation.
Correlation To XPath Expression	The XML XPath for retrieving the value from the payload for the correlation. (see Note below table)
Flat Tab	-
Identification Start Position	Used in combination with the end position to retrieve a value from the payload between the start and end positions
Identification End Position	Used in combination with the start position to retrieve a value from the payload between the start and end positions
Identification Value	A value between the start and end positions

Note: When using EDI documents which have default namespace, the usage of

```
//*[local-name()='...']
```

can be used, but the more common usage

```
//Segment-TH/Field-101-A1/text()
```

cannot be used.

7.1.1 How to Configure the XPath Expression for a Custom XML Document

The XPath expression identifies a Custom XML document. You configure the XPath expression when you specify the document type parameters.

The options when configuring an XPath expression are as follows:

- [Option 1: Specify the XPath and the Matching Value](#)
- [Option 2: Check for the Existence of a Node](#)
- [Option 3: Check the Value of an Attribute](#)

7.1.1.1 Option 1: Specify the XPath and the Matching Value

Assume that the transaction ID is 12345. Set the parameters as follows:

Field	Value
Identification Value	12345
Identification Expression	//*[local-name()='TransactionID']/text()

Oracle B2B compares the value of **Identification Expression** in the payload to the value specified in **Identification Value**. If the values match, then the document is identified successfully and the corresponding document type and document protocol

version are used to identify the agreement. [Example 7–1](#) shows an excerpt of the XML payload for this option.

Example 7–1 Specify the XPath and the Matching Value

```
<?xml version="1.0" encoding="UTF-8" ?>
<Message xmlns:ns1="http://www.example1.org" xmlns:ns2="http://www.example2.org"
  xmlns="http://www.example3.org"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:ns="http://www.example4.org">
  <MessageHeader>
    <Source>201944019</Source>
    <Destination>205704856</Destination>
    <TransactionID>123456</TransactionID>
    <Version>1-0-0</Version>
  </MessageHeader>
  <Body>
    <ns:Case xsi:schemaLocation="http://www.example4.org" ns1:caseCategoryID="1">
      <ns1:OfficialProvisionNumber>String</ns1:OfficialProvisionNumber>
    </ns:Case>
  </Body>
</Message>
```

7.1.1.2 Option 2: Check for the Existence of a Node

Assume that you are checking for the existence of a node called `registerCommand`. Set the parameters as follows:

Field	Value
Identification Value	<i>Leave blank.</i>
Identification Expression	<code>/*[local-name()='envelope']/body/transaction/command/*[local-name()='registerCommand']</code>

When the **Identification Value** field is left blank, Oracle B2B checks for the node identified in **Identification Expression**. If a node in the payload matches, then the document is identified successfully. [Example 7–2](#) shows an excerpt of the XML payload for this option.

Example 7–2 Check for the Existence of a Node

```
<uccnet:envelope xmlns:eanucc="http://www.ean-ucc.org/schemas/1.3/eanucc"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:uccnet="http://www.uccnet.org/schemas/2.2/uccnet"
  communicationVersion="2.2"
  xsi:schemaLocation="http://www.uccnet.org/schemas/2.2/uccnet
  http://www.testregistry.net/xmlschema/uccnet/2.2/Envelope.xsd">
  <messageHeader>
    <messageIdentifier>
      <value>791:1_EB3CDC749A1F2BABE03014906CC4605A</value>
    </messageIdentifier>
    <userId>oraclesupXSD</userId>
    <representingParty>
      <gin>0060974050142</gin>
    </representingParty>
  </messageHeader>
  <body>
    <transaction>
      <entityIdentification>
```

```

    <uniqueCreatorIdentification>856</uniqueCreatorIdentification>
    <globalLocationNumber>
      <gin>0060974050142</gin>
    </globalLocationNumber>
  </entityIdentification>
</command>
  <uccnet:registerCommand>
    <registerCommandHeader type="ADD" />
  </uccnet:registerCommand>
</command>
</transaction>
</body>
</uccnet:envelope>

```

7.1.1.3 Option 3: Check the Value of an Attribute

Assume that the value of the country attribute is **US**. Set the parameters as follows:

Field	Value
Identification Value	US
Identification Expression	//*[@country]

Oracle B2B compares the value of the country attribute to the value set for **Identification Value**. If the values match, then the document is identified successfully. [Example 7-3](#) shows an excerpt of the XML payload for this option.

Example 7-3 Check the Value of an Attribute

```

<?xml version="1.0" encoding="windows-1252" ?>
<MyAddress country="US" xmlns="http://www.example.org"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="PO.xsd">
  <name>B2B Buyer</name>
  <street>100 Oracle Parkway</street>
  <city>Redwood City</city>
  <state>CA</state>
  <zip>94065</zip>
</MyAddress>

```

7.2 Using the EDI EDIFACT Document Protocol

Oracle B2B supports message exchanges using UN/EDIFACT, the United Nations Electronic Data Interchange for Administration, Commerce and Transport. These standards prescribe the formats, character sets, and data elements used in purchase orders and invoices.

Oracle B2B supports all versions and document types of EDI EDIFACT, although for some of the newer versions you may need to add the interchange and group guidelines while creating the document version. [Table 7-3](#) lists a few of the transaction sets supported in Oracle B2B.

Table 7-3 Examples of EDI EDIFACT Transaction Sets Supported in Oracle B2B

Set	Description	Version
ORDERS	Purchase Order Message	D98A
ORDRSP	Purchase Order Response Message	D98A

Table 7–3 (Cont.) Examples of EDI EDIFACT Transaction Sets Supported in Oracle B2B

Set	Description	Version
CONTRL	Syntax and Service Report Message	D3

For information about the organization that created and maintains the UN/EDIFACT standards, go to

<http://www.unece.org>

Document Version Parameters

When you create an EDI EDIFACT document version, you can set various parameters. Figure 7–5 shows document version parameters for an EDI EDIFACT document.

Figure 7–5 Document Version Parameters for an EDI EDIFACT Document

Table 7–4 describes the document version parameters for an EDI EDIFACT document.

Table 7–4 Document Version Parameters for an EDI EDIFACT Document

Parameter	Description
Interchange Tab	
Create UNA	Select from always , never , or delimiter-based . If delimiter-based is selected, then UNA is created if the specified delimiters are different from the EDIFACT default value. The Never option does not generate UNA for outbound EDIFACT documents, even if nondefault delimiters are used. The Never option for inbound messages cannot work for B2B if an EDIFACT document is received without UNA and with nondefault delimiters.
Syntax Identifier	Coded identification of the agency controlling syntax and syntax level used in an interchange. EDI position UNB 010 010 S001 0001. The value UNOB is supplied.
Syntax Version Number	Version number of the syntax identified in the syntax identifier (0001). EDI position UNB 010 020 S001 0002. The value 1 is supplied.
Service Code List Directory Version Number	Version number of the service code list directory. EDI position UNB 010 030 S001 0030.
Character Encoding	Coded identification of the character encoding used in the interchange. To be used as specified in the partners' interchange agreement, for the purpose of identifying the character repertoire encoding technique used in the interchange (when the default encoding defined by the character repertoire's associated character set specification is not used). EDI position UNB 010 040 S001 0133.

Table 7-4 (Cont.) Document Version Parameters for an EDI EDIFACT Document

Parameter	Description
Interchange Date	Local date when an interchange or a group was prepared. EDI position UNB 030 010 S004 0017. The value #SystemDate(YMMMDD)# is supplied.
Interchange Time	Local time of day when an interchange or a group was prepared. EDI position UNB 030 020 S004 0019. The value #SystemTime(HHMM)# is supplied.
Recipient's Reference/Password	Reference or password to the recipient's system or to a third-party network as specified in the partners' interchange agreement. To be used as specified in the partners' interchange agreement. It may be qualified by data element 0025. EDI position UNB 060 010 S005 0022.
Recipient's Reference/Password Qualifier	Qualifier for the recipient's reference or password. To be used as specified in the partners' interchange agreement. EDI position UNB 060 020 S005 0025.
Application Reference	Identification of the application area assigned by the sender, to which the messages in the interchange relate; for example, the message type, if all the messages in the interchange are of the same type. Identification of the application area (for example, accounting, purchasing) or of the message type, as applicable. EDI position UNB 070.
Processing Priority Code	Code determined by the sender requesting processing priority for the interchange. To be used as specified in the partners' interchange agreement. EDI position UNB 080.
Interchange Agreement Identifier	Identification by name or code of the type of agreement under which the interchange takes place. Name or code to be specified in the partners' interchange agreement. EDI position UNB 100.
Test Indicator	Indication that the structural level containing the test indicator is a test. EDI position UNB 110.
Interchange ecs File	Use the Browse button to find an ecs file to override the standard file. If not provided, the B2B-provided default file (interchange ecs file of the syntax version number, UNB 010 020) is used.
Group Tab	-
Create Functional Group	Indication of function group (UNG) creation. The value TRUE is supplied.
Date of Group Preparation	Local date when an interchange or a group was prepared. EDI position UNG 040 010. The system date stamp is supplied.
Time of Group Preparation	Local time of day when an interchange or a group was prepared. EDI position UNG 040 020. The system time stamp is supplied.
Controlling Agency	Code identifying a controlling agency. EDI position UNG 070 010. The value UN is supplied.
Group Association Assigned Code	Code assigned by the association responsible for the design and maintenance of the message type concerned that further identifies the message. EDI position UNG 070 030.
Application Password	Password to the recipient's division, department or sectional application system/process. EDI position UNG 080.
Group ecs File	Use the Browse button to find an ecs file to override the standard file. If not provided, the B2B-provided default file is used.
Delimiters Tab	<p>A delimiter is characterized by two levels of separators and a terminator assigned by the sender. Delimiters are also called service characters, data delimiters, or message delimiters. They are specified in the interchange header and cannot be used in a data element value elsewhere in the interchange. In an EDI file, the segment delimiter, the element delimiter, and the subelement delimiter are used.</p> <p>Note: Click Select Hexadecimal Characters next to any of the delimiter fields to provide values.</p>
Segment Delimiter	EDIFACT segment delimiter. The value 0x27 is supplied.
Element Delimiter	EDIFACT element delimiter. The value 0x2b is supplied.

Table 7-4 (Cont.) Document Version Parameters for an EDI EDIFACT Document

Parameter	Description
Subelement Delimiter	EDIFACT subelement delimiter. The value 0x3a is supplied.
Decimal Separator	EDIFACT decimal separator. The value 0x2e is supplied.
Release Character	EDIFACT release character. The value 0x3f is supplied.
Replacement Character	EDIFACT replacement character. The value 0x7c is supplied.
Repeating Separator	EDIFACT repeating separator. The value 0x2a is supplied.
Miscellaneous Tab	-
Check Duplicate Control Number	When this property is selected (set to true), messages with duplicate interchange control numbers are rejected, meaning that the state of the incoming message is set to ERROR.
Ignore Envelope Parameters	Use this option to provide a list of envelope elements, separated by commas, to be ignored during look-up validation. The possible values depend on the identifiers used in the agreement. Possible values include InterchangeSenderID, InterchangeReceiverID, GroupReceiverID, GroupSenderID, TransactionAssociationAssignedCode, InterchangeReceiverQual, InterchangeSenderQual, and InterchangeControlVersion.

Document Type Parameters

When you create an EDI EDIFACT document type, you can set various parameters. [Figure 7-6](#) shows the document type parameters for an EDI EDIFACT document.

Figure 7-6 Document Type Parameters for an EDI EDIFACT Document

[Table 7-5](#) describes the document type parameters for an EDI EDIFACT document.

Table 7-5 Document Type Parameters for an EDI EDIFACT Document

Parameter	Description
Transaction Tab	-
*Functional Group Identifier Code	Code identifying one type of message in a functional group. EDI position UNG 010 0038. Required.

Table 7-5 (Cont.) Document Type Parameters for an EDI EDIFACT Document

Parameter	Description
Controlling Agency	Code identifying the agency controlling the specification, maintenance and publication of the message type. EDI position UNH 020 040 S009 0051.
Transaction Association Assigned Code	Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message. EDI position UNH 020 050 S009 0057.
Common Access Reference	Reference serving as a key to relate all subsequent transfers of data to the same business case or file. EDI position UNH 030 0068.

Document Definition Parameters

When you create an EDI EDIFACT document definition, you can set various parameters. [Figure 7-7](#) shows document definition parameters for an EDI EDIFACT document.

Figure 7-7 Document Definition Parameters for an EDI EDIFACT Document

[Table 7-6](#) describes the document definition parameters for an EDI EDIFACT document.

Table 7-6 Document Definition Parameters for an EDI EDIFACT Document

Parameter	Description
Transaction Tab	-
*Transaction Set ecs File	Use the Browse button to select the ecs file.
Routing Tab	-
Document Routing ID	Sets the consumer name to the back-end application
XPath Tab	See " How to Configure the XPath Expression for a Custom XML Document " on page 7-5 for more information.
XPath Name1	The XML XPath name for retrieving the value from the payload
XPath Expression1	The XML XPath expression for retrieving the value from the payload

Table 7–6 (Cont.) Document Definition Parameters for an EDI EDIFACT Document

Parameter	Description
XPath Name2	The XML XPath name for retrieving the value from the payload
XPath Expression2	The XML XPath expression for retrieving the value from the payload
XPath Name3	The XML XPath name for retrieving the value from the payload
XPath Expression3	The XML XPath expression for retrieving the value from the payload
Correlation Tab	-
Correlation From XPath Name	The name of the correlation property for initiating the correlation.
Correlation From XPath Expression	The XML XPath for retrieving the value from the payload to initiate the correlation.
Correlation To XPath Name	The name of the correlation property for the correlation.
Correlation To XPath Expression	The XML XPath for retrieving the value from the payload for the correlation.
EDIEL Tab	-
FA Assoc Assigned Code	Code for the functional acknowledgment
FA Message Version Number	Version number for the functional acknowledgment
FA Message Release Number	Release number for the functional acknowledgment
Remove FA Segments	Remove functional acknowledgment segments
Map Application Reference	Maps the <code>Application reference</code> field in the interchange envelope of the incoming EDIEL message to the <code>Application reference</code> field in the corresponding outbound CONTRL (FA) message.

7.3 Using the EDI X12 Document Protocol

Oracle B2B supports message exchanges using American National Standards Institute (ANSI) X12. These standards prescribe the formats, character sets, and data elements used in documents such as purchase orders and invoices.

Oracle B2B supports all versions and document types of EDI X12, although for some of the newer versions you may need to add the interchange and group guidelines while creating the document version. [Table 7–7](#) lists a few of the transaction sets supported in Oracle B2B.

Table 7–7 Examples of EDI X12 Transaction Sets Supported in Oracle B2B

Set	Description	Version
850	Purchase Order	4010
855	Purchase Order Acknowledgment	4010
997	Functional Acknowledgment	4010

For information about the organization that created and maintains the ANSI X12 standards, go to

<http://www.ansi.org>

Document Version Parameters

When you create an EDI X12 document version, you can set various parameters. [Figure 7–8](#) shows document version parameters for an EDI X12 document.

Figure 7–8 Document Version Parameters for an EDI X12 Document

Table 7–8 describes the document version parameters for an EDI X12 document.

Table 7–8 Document Version Parameters for an EDI X12 Document

Parameter	Description
Interchange Tab	-
Authorization Information Qualifier	Code to identify the type of information in the authorization information. EDI position ISA 01. The value 00 is supplied.
Authorization Information	Information used for additional identification or authorization of the sender or the data in the interchange. The authorization information qualifier sets the type of information. EDI position ISA 02.
Security Information Qualifier	Code to identify the type of information in the security information. EDI position ISA 03. The value 00 is supplied.
Security Information	Information used to identify the security information about the interchange sender or the data in the interchange. The security information qualifier sets the type of information. EDI position ISA 04.
Interchange Date	Date of the interchange. EDI position ISA 09. The system date stamp is supplied (#SystemDate(YYMMDD) #).
Interchange Time	Time of the interchange. EDI position ISA 10. The system time stamp is supplied (#SystemTime(HHMM) #).
Interchange Control Standard/Repetition Separator	Code to identify the agency responsible for the control standard used by the message that is enclosed by the interchange header and trailer. EDI position is ISA 11. The value U is supplied.
*Interchange Control Version Number	Code specifying the version number of the interchange control segments. EDI position ISA 12. The value 00401 is supplied.
Usage Indicator	Code to indicate whether data enclosed by this interchange envelope is in test or production. EDI position ISA 15. The value P , for production, is supplied.
Interchange ecs File	Use the Browse button to find an ecs file to override the standard file. If not provided, the B2B-provided default file (interchange ecs file of the interchange control version, ISA 12) is used.
Group Tab	-

Table 7–8 (Cont.) Document Version Parameters for an EDI X12 Document

Parameter	Description
Functional Group Date	Date sender generated a functional group of transaction sets. EDI position GS 04. The system date stamp is supplied (#SystemDate (CCYYMMDD) #).
Functional Group Time	Time when the sender generated a functional group of transaction sets (local time at sender's location). EDI position GS 05. The system time stamp is supplied (#SystemTime (HHMM) #).
Responsible Agency Code	Code used in conjunction with data element 480 to identify the issuer of the standard. EDI position GS 06. The value X is supplied.
Version/Release/Industry Identifier Code	Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if the code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if the code in DE455 in GS segment is T, then other formats are allowed.
Group ecs File	Use the Browse button to find an ecs file to override the standard file. If not provided, the B2B-provided default file (group ecs file of EDI X12 version) is used.
Delimiters Tab	Click Select Hexadecimal Characters next to any of the delimiter fields to provide values. See Table 7–4 for more about delimiters.
Segment Delimiter	The value 0x7e is supplied.
Element Delimiter	The value 0x2a is supplied.
Subelement Delimiter	The value 0x5c is supplied.
Decimal Separator	The value 0x2e is supplied.
Replacement Character	The value 0x7c is supplied.
Repeating Separator	The value 0x5e is supplied.
Miscellaneous Tab	-
Check Duplicate Control Number	When this property is selected (set to true), messages with duplicate interchange control numbers are rejected, meaning that the state of the incoming message is set to ERROR.
Ignore Envelope Parameters	Use this option to provide a list of envelope elements, separated by commas, to be ignored during look-up validation. The possible values depend on the identifiers used in the agreement. Possible values include InterchangeSenderID, InterchangeReceiverID, GroupReceiverID, GroupSenderID, TransactionAssociationAssignedCode, InterchangeReceiverQual, InterchangeSenderQual, and InterchangeControlVersion.

Document Type Parameters

When you create an EDI X12 document type, you can set various parameters. [Figure 7–9](#) shows the document type parameters for an EDI X12 document.

Figure 7–9 Document Type Parameters for an EDI X12 Document

Table 7–9 describes the document type parameters for an EDI X12 document.

Table 7–9 Document Type Parameters for an EDI X12 Document

Parameter	Description
Transaction Tab	-
*Functional Group Identifier Code	Uniquely identifies a transaction set GS 01. Required.
Implementation Convention Reference	Reference assigned to identify Implementation Convention. EDI position ST 03.
Transaction Purpose Code	Code identifying the purpose of the transaction set. EDI position BEG/BGN 01.

Document Definition Parameters

When you create an EDI X12 document definition, you can set various parameters. Figure 7–10 shows document definition parameters for an EDI X12 document.

Figure 7–10 Document Definition Parameters for an EDI X12 Document

Document Definition Save

EDI_X12-4010-850-NewDefinition

Enter the document definition name and select the required definition file.

* Document Definition Name:

Description:

Definition: Browse... Upload Definition

Root XSD Name:

Reset Parameter

Transaction | Routing | XPath | Correlation

* Transaction Set ecs File: Browse...

Table 7–10 describes the document definition parameters for an EDI X12 document.

Table 7–10 Document Definition Parameters for an EDI X12 Document

Parameter	Description
Transaction Tab	-
Transaction Set ecs File	Use the Browse button to select the ecs file.
Routing Tab	-
Document Routing ID	Sets the consumer name to the back-end application
XPath Tab	See Section 7.1.1, "How to Configure the XPath Expression for a Custom XML Document," for more information.
XPath Name1	The XML XPath name for retrieving the value from the payload
XPath Expression1	The XML XPath expression for retrieving the value from the payload
XPath Name2	The XML XPath name for retrieving the value from the payload
XPath Expression2	The XML XPath expression for retrieving the value from the payload
XPath Name3	The XML XPath name for retrieving the value from the payload
XPath Expression3	The XML XPath expression for retrieving the value from the payload
Correlation Tab	-
Correlation From XPath Name	The name of the correlation property for initiating the correlation.

Table 7–10 (Cont.) Document Definition Parameters for an EDI X12 Document

Parameter	Description
Correlation From XPath Expression	The XML XPath for retrieving the value from the payload to initiate the correlation.
Correlation To XPath Name	The name of the correlation property for the correlation.
Correlation To XPath Expression	The XML XPath for retrieving the value from the payload for the correlation.

Note: For information about behavior and limitations when the `b2b.FAHandledByB2B` property is set to false, see [Appendix B, "Setting B2B Configuration Properties in Fusion Middleware Control."](#)

7.4 Using the HL7 Document Protocol

Oracle B2B implements the Health Level 7 (HL7) version 2.x and version 3 standards (version 3 supports Custom document protocols) to exchange documents containing health care information using the Generic exchange or MLLP exchange. When using HL7, the standard Oracle B2B features, such as validation, translation, automatic generation of outbound envelope headers, and acknowledgments, are available.

Note: While HL7 BATCH and FILE envelopes are supported, batching is not supported in this release.

For information about the organization that created and maintains the HL7 standards, go to

<http://www.hl7.org>

Document Version Parameters

When you create an HL7 document version, you can set various parameters. [Figure 7–11](#) shows document version parameters for an HL7 document.

Figure 7–11 Document Version Parameters for an HL7 Document

Table 7–11 describes the document version parameters for an HL7 document.

Table 7–11 Document Version Parameters for an HL7 Document

Parameter	Description
Message Header Tab	-
Security	In some applications of HL7, this field is used to implement security features.
Processing ID	MSH.11 - This field is used to decide whether to process the message as defined in HL7 Application (level 7) processing rules. The first component defines whether the message is part of a production, training, or debugging system (refer to HL7 table 0103 - Processing ID for valid values). The second component defines whether the message is part of an archival process or an initial load (refer to HL7 table 0207 - Processing mode for valid values). This allows different priorities to be given to different processing modes.
Accept Acknowledgement Type	Sets the conditions under which application acknowledgments are required to be returned in response to the message. The value AL (always) is supplied. B2B checks the payload (MSH.15) of an incoming message to see if an ACK has to be generated. In some HL7 Systems, MSH.15 is not sent in the payload at all and it is expected that an ACK is still sent.
Application Acknowledgment Type	MSH.16. The value AL (always) is supplied.
Country Code	Sets the country of origin for the message. The value US is supplied.
Character Set	Sets the character set for the entire message. The value ASCII is supplied.
Internationalization Code Identifier	MSH.19
Internationalization Code Text	MSH.19

Table 7–11 (Cont.) Document Version Parameters for an HL7 Document

Parameter	Description
Internationalization Coding System Name	MSH.19
Internationalization Code Alternate Identifier	MSH.19
Internationalization Code Alternate Text	MSH.19
Internationalization Code Alternate Coding System Name	MSH.19
International Version Identifier	MSH.12
International Version ID Text	MSH.12
International Version ID Coding System Name	MSH.12
International Version ID Alternate Identifier	MSH.12
International Version ID Alternate Text	MSH.12
International Version ID Alternate Coding System Name	MSH.12
Batch Header Tab	-
Create Batch Header	Check the box to create batch headers.
Batch Header ecs File	Use the Browse button to find an ecs file to override the standard file. If not provided, the B2B-provided default file is used.
Batch Security	BHS.8
Batch Date	BHS.7. The system date-time stamp is supplied (#SystemDateTime (CCYYMMDDHHMM) #).
File Header Tab	-
Create File Header	Check the box to enable.
File Header ecs File	Use the Browse button to find an ecs file to override the standard file. If not provided, the B2B-provided default file is used.
File Security	FHS.8
File Date	FHS.7. The system date-time stamp is supplied (#SystemDateTime (CCYYMMDDHHMM) #).
Delimiters Tab	Click Select Hexadecimal Characters next to any of the delimiter fields to provide values. See Table 7–4 for more about delimiters.
Element Delimiter	A single character that follows the segment identifier and separates each data element in a segment except the last. The value 0x7c is supplied.
Escape Character	The value 0x5c is supplied.
Repeating Separator	A service character used to separate adjacent occurrences of a repeating data element, or to separate multiple occurrences of a field. The value 0x7e is supplied.
Segment Delimiter	A syntax character indicating the end of a segment (a logical grouping of data fields) within a message. The value 0x0d is supplied.

Table 7–11 (Cont.) Document Version Parameters for an HL7 Document

Parameter	Description
Subcomponent Delimiter	The value 0x26 is supplied.
Subelement Delimiter	The value 0x5e is supplied.
Miscellaneous Tab	-
Ignore Envelope Parameters	Use this option to provide a list of envelope elements, separated by commas, to be ignored during look-up validation. The possible values depend on the identifiers used in the agreement. For an HL7 agreement, the possible values include MessageSendingApp, MessageReceivingApp, MessageSendingFacility, and MessageReceivingFacility.

Document Type Parameters

When you create an HL7 document type, you can set various parameters. [Figure 7–12](#) shows the document type parameters for an HL7 document.

Figure 7–12 Document Type Parameters for an HL7 Document

[Table 7–12](#) describes the document type parameters for an HL7 document.

Table 7–12 Document Type Parameters for an HL7 Document

Parameter	Description
Transaction Tab	-
HL7 Generic ACK	If selected, Oracle B2B sends a generic ACK immediately upon receiving an HL7 message.
Map ACK Control ID	Select to enable mapping the MSH.10 of the business message to the MSH.10 of the acknowledgment. Note: This Map ACK Control ID parameter is for the functional ACK.
Accept Acknowledgement	A functional acknowledgment is generated when MSH.15 has no value. Select None to take no action. Acknowledgment generation is dependent on the value in MSH.15 of the business message. Select AL (always) to generate the acknowledgment under any conditions. Select ER (error/reject) to generate the acknowledgment when the message errors or is rejected. Select SU (successful completion) to generate the acknowledgment when the message is successfully processed.

Document Definition Parameters

When you create an HL7 document definition, you can set various parameters. [Figure 7-13](#) shows document definition parameters for an HL7 document.

Figure 7-13 Document Definition Parameters for an HL7 Document

[Table 7-13](#) describes the document definition parameters for an HL7 document.

Table 7-13 Document Definition Parameters for an HL7 Document

Parameter	Description
Transaction Tab	-
*Transaction Set ecs File	Use the Browse button to find the ecs file.
Document Routing ID	Sets the consumer name to the back-end application
XPath Tab	See Section 7.1.1, "How to Configure the XPath Expression for a Custom XML Document," for more information.
XPath Name1	The XML XPath name for retrieving the value from the payload
XPath Expression1	The XML XPath expression for retrieving the value from the payload
XPath Name2	The XML XPath name for retrieving the value from the payload
XPath Expression2	The XML XPath expression for retrieving the value from the payload
XPath Name3	The XML XPath name for retrieving the value from the payload
XPath Expression3	The XML XPath expression for retrieving the value from the payload
Correlation Tab	-
Correlation From XPath Name	The name of the correlation property for initiating the correlation.

Table 7–13 (Cont.) Document Definition Parameters for an HL7 Document

Parameter	Description
Correlation From XPath Expression	The XML XPath for retrieving the value from the payload to initiate the correlation.
Correlation To XPath Name	The name of the correlation property for the correlation.
Correlation To XPath Expression	The XML XPath for retrieving the value from the payload for the correlation.

About Using HL7

- No business message is produced for an HL7 immediate acknowledgment (transport-level acknowledgment). When using AS2, you see one acknowledgment business message for MDN (transport-level acknowledgment), and for ebMS, you see one acknowledgment business message in the business message report. In summary, because immediate acknowledgments are sent at the transport level, the entry is available only in the wire message report and not in the business message report.
- Negative acknowledgment messages indicating errors in an HL7 exchange may be truncated because of the 80-character length limitation in HL7 versions 2.1 through 2.5.

7.5 Using the OAG Document Protocol

Oracle B2B implements Open Applications Group (OAG) standards, a robust XML standard used across many industries. This standard defines messages as business object documents (BODs).

For information about the organization that created and maintains the OAG standards, go to

<http://www.oagi.org>

Document Version Parameters

No parameters need to be set when you create the document version for an OAG document.

Document Type Parameters

No parameters need to be set when you create the document type for an OAG document.

Document Definition Parameters

When you create an OAG document definition, you can set various parameters. [Figure 7–14](#) shows document definition parameters for an OAG document.

Figure 7–14 Document Definition Parameters for an OAG Document

Table 7–14 describes the document definition parameters for an OAG document.

Table 7–14 Document Definition Parameters for an OAG Document

Parameter	Description
XML Tab	-
Identification Expression (XPath)	Locates a node in the XML payload
Identification Value	Provides the value to match in the node identified by the identification expression. If the values match, then the document is successfully identified. If the value is left blank, then Oracle B2B checks for the existence of the node and the document is successfully identified.
Routing Tab	-
Document Routing ID	Sets the consumer name to the back-end application
XPath Tab	See Section 7.1.1, "How to Configure the XPath Expression for a Custom XML Document," for more information.
XPath Name1	The XML XPath name for retrieving the value from the payload
XPath Expression1	The XML XPath expression for retrieving the value from the payload
XPath Name2	The XML XPath name for retrieving the value from the payload
XPath Expression2	The XML XPath expression for retrieving the value from the payload
XPath Name3	The XML XPath name for retrieving the value from the payload
XPath Expression3	The XML XPath expression for retrieving the value from the payload
Correlation Tab	-
Correlation From XPath Name	The name of the correlation property for initiating the correlation.

Table 7–14 (Cont.) Document Definition Parameters for an OAG Document

Parameter	Description
Correlation From XPath Expression	The XML XPath for retrieving the value from the payload to initiate the correlation.
Correlation To XPath Name	The name of the correlation property for the correlation.
Correlation To XPath Expression	The XML XPath for retrieving the value from the payload for the correlation.

7.6 Using the Positional Flat File Document Protocol

Oracle B2B supports message exchange for positional flat files, for example, NCPDP Telecom documents and SAP iDocs (intermediate documents (text files) used with SAP applications). This adds capabilities beyond handling XML files and traditional EDI files based on various XML and EDI standards.

Note: Positional flat files must be manually upgraded from 10g to 11g.

Document Version Parameters

No parameters need to be set when you create the document version for a positional flat file.

Document Type Parameters

No parameters need to be set when you create the document type for a positional flat file.

Document Definition Parameters

When you create a document definition for a positional flat file, you can set various parameters. [Figure 7–15](#) shows document definition parameters for a positional flat file.

Figure 7–15 Document Definition Parameters for a Positional Flat File (including SAP IDocs)

Table 7–15 describes the document definition parameters for a positional flat file.

Table 7–15 Document Definition Parameters for a Positional Flat File

Parameter	Description
Transaction Tab	-
*Transaction Set ecs File	Use the Browse button to find the ecs file.
Identification Tab	-
Identification Value	Not applicable
Identification Start Position	Used in combination with the end position to retrieve a value from the payload between the start and end positions
Identification End Position	Used in combination with the start position to retrieve a value from the payload between the start and end positions
Routing Tab	-
Document Routing ID	Sets the consumer name to the back-end application
XPath Tab	See Section 7.1.1, "How to Configure the XPath Expression for a Custom XML Document," for more information.
XPath Name1	The XML XPath name for retrieving the value from the payload
XPath Expression1	The XML XPath expression for retrieving the value from the payload
XPath Name2	The XML XPath name for retrieving the value from the payload
XPath Expression2	The XML XPath expression for retrieving the value from the payload
XPath Name3	The XML XPath name for retrieving the value from the payload
XPath Expression3	The XML XPath expression for retrieving the value from the payload
Correlation Tab	-

Table 7–15 (Cont.) Document Definition Parameters for a Positional Flat File

Parameter	Description
Correlation From XPath Name	The name of the correlation property for initiating the correlation.
Correlation From XPath Expression	The XML XPath for retrieving the value from the payload to initiate the correlation.
Correlation To XPath Name	The name of the correlation property for the correlation.
Correlation To XPath Expression	The XML XPath for retrieving the value from the payload for the correlation.

7.7 Using the RosettaNet Document Protocol

Oracle B2B implements the nonproprietary, XML-based RosettaNet standards to exchange documents over the Internet. RosettaNet standards prescribe when information should be exchanged, acknowledged, or confirmed, and how messages in an exchange should be packaged and physically exchanged between trading partners. In addition to using the RosettaNet document guideline files in Oracle B2B Document Editor, you can also download standard DTD files from the RosettaNet Web site.

A RosettaNet DTD, when used with Oracle B2B in a SOA composite application, must be converted to an XSD. An AQ Adapter added to the composite application can convert the inbound DTD to an XSD and manipulate the data as needed. Likewise, the AQ Adapter can convert the outbound XSD to a DTD for Oracle B2B to send the message out.

RosettaNet standards are specified by using of the RosettaNet Partner Interface Process (PIP), RosettaNet Dictionaries, and RNIF. Oracle B2B supports all PIPs. (The RosettaNet Technical Dictionary is not supported in Oracle B2B.)


For information about the RosettaNet consortium and its history, and for a complete list of PIP clusters and segments, go to

<http://www.rosettanet.org>

7.7.1 PIPs

A PIP is an XML-based dialog that defines the business processes between trading partners. It defines the structure, sequence of steps, roles (buyer and seller) activities, data elements, values, and value types for each business document message exchanged between trading partners.

Using PIP 3A4 as an example, you can see how a PIP defines a dialog between trading partners, as shown in [Figure 7–16](#).

Figure 7–16 PIP 3A4 Message Exchange Between Buyer and Seller

A PIP sequence combines a cluster, segment, and type. The PIP sequence 3A4, for example, encodes the information shown in [Table 7–16](#).

Table 7–16 PIP 3A4 Breakdown

Element	Description
3	Order manage <i>cluster</i> , with which trading partners can: <ul style="list-style-type: none"> Order catalog products Create custom orders Manage product distribution and delivery Support product returns and financial transactions
3A	Quote and order entry <i>segment</i>
3A4	Specific PIP <i>type</i> , which supports: <ul style="list-style-type: none"> Submittal of a purchase order by a buyer Submittal of an acceptance purchase order by a seller Ability of a buyer to cancel or change a purchase order based on the acknowledgment response

Document Version Parameters

No parameters need to be set when you create the document version for a RosettaNet document.

Document Type Parameters

When you create a RosettaNet document type, you can set various parameters. [Figure 7–17](#) shows document type parameters for a RosettaNet document.

Figure 7–17 Document Type Parameters for a RosettaNet Document

Table 7–17 describes document type parameters for a RosettaNet document.

Table 7–17 Document Type Parameters for a RosettaNet Document

Parameter	Description
Service Header Tab	-
*From Role	The trading partner that sends the message (in Partner Role Description of the PIP).
*To Role	The trading partner that receives the message (the role the trading partner receiving the message plays in the PIP).
*From Service	The service that sends the message.
*To Service	The service to which the message is sent.
*Business Transaction Name	The name of the business transaction is required.
*Business Action	The name of the business action is required. The value must be consistent with the Global Business Action Code.
*Time to Perform for Collaboration	The time to perform the business action is required.
*Collaboration Name	The RosettaNet collaboration name signifies the business transaction between trading partners (the roles as buyer and seller) depending on a common transaction. Required.
*Collaboration Code	The textual form of the abbreviated collaboration name. Required.

Document Definition Parameters

When you create a RosettaNet document definition, you can set various parameters. [Figure 7–18](#) shows the document definition parameters for a RosettaNet document.

Figure 7–18 Document Definition Parameters for a RosettaNet Document

Table 7–18 describes the document definition parameters for a RosettaNet document.

Table 7–18 Document Definition Parameters for a RosettaNet Document

Parameter	Description
Parameters Tab	-
Document Routing ID	Sets the consumer name to the back-end application
DTD/XSD Namespace	A converted document can optionally replace the original RosettaNet document. Select Both to replace the RosettaNet document with the converted document for both the inbound and outbound messages. Select Inbound to replace the RosettaNet document with the converted document for the inbound message. Select Outbound to replace the RosettaNet document with the converted document for the outbound message. Select None for no replacement. None passes the DTD instance as-is. Inbound converts the instance DTD to XSD. Outbound converts the instance XSD to DTD. Both convert both inbound and outbound formats.
XPath Tab	See Section 7.1.1, "How to Configure the XPath Expression for a Custom XML Document,"
XPath Name1	The XML XPath name for retrieving the value from the payload
XPath Expression1	The XML XPath expression for retrieving the value from the payload
XPath Name2	The XML XPath name for retrieving the value from the payload
XPath Expression2	The XML XPath expression for retrieving the value from the payload
XPath Name3	The XML XPath name for retrieving the value from the payload
XPath Expression3	The XML XPath expression for retrieving the value from the payload
Correlation Tab	Correlation is required for a two-action PIP, for example, a 3A4.

Table 7–18 (Cont.) Document Definition Parameters for a RosettaNet Document

Parameter	Description
Correlation From XPath Name	The name of the correlation property for initiating the correlation. For example, Pip3A4PurchaseOrderRequest in <code>/*[local-name()='Pip3A4PurchaseOrderRequest']/*[local-name()='thisDocumentIdentifier']/text()</code> .
Correlation From XPath Expression	The XML XPath for retrieving the value from the payload to initiate the correlation.
Correlation To XPath Name	The name of the correlation property for the correlation. Correlation-to represents the other message that takes part in the correlation. For example, Pip3A4PurchaseOrderConfirmation in <code>/*[local-name()='Pip3A4PurchaseOrderConfirmation']/*[local-name()='requestingDocumentIdentifier']/text()</code> .
Correlation To XPath Expression	The XML XPath for retrieving the value from the payload for the correlation.

7.7.2 RosettaNet Validation

RosettaNet validation compares the elements in RosettaNet XML-format business documents to the requirements specified in the RosettaNet Message Guideline specification to determine their validity. This specification defines requirements for details such as element datatypes, element lengths, element value lists, and element cardinality. PIPs that require RosettaNet dictionary validation are also validated when a dictionary is present.

The minimum validation-level requirements on the sections of a RosettaNet XML-format business document are as follows. These requirements cover the preamble, delivery header, service header, and service content sections of a document. Documents not following one or more of these requirements are identified as invalid.

1. The XML-format business document requires compliance with its DTD.
2. Elements with datatypes, lengths, or both that are specified in the RosettaNet Message Guideline specification require validation against this specification.
3. An element's list of values specified in the entity instance list in the corresponding RosettaNet Message Guideline specification requires validation against this specification.
4. If the Message Guideline specification defines the cardinality specification of an element differently from the corresponding DTD specification, the Message Guideline specification takes precedence.
5. If a PIP requires dictionary validation, and a dictionary is included, the service content requires validation against the dictionary as a part of action performance.
6. Cross-tag validation is based on message guidelines.

7.8 Using the UCCNet Document Protocol

Oracle B2B implements UCCNet, which enables trading partners—typically retailers and suppliers in the retail and consumer goods industries—to exchange documents with UCCNet. [Table 7–19](#) lists the UCCNet document types supported in Oracle B2B.

Table 7–19 UCCNet Document Types

Standard
registerCommand

Table 7–19 (Cont.) UCCNet Document Types

Standard
confirmCommand
linkCommand
checkComplianceCommand
documentCommand
documentIdentificationCommand
notificationStateCommand
queryCommand
registerLinkCommand
publicationCommand
publishCommand
catalogueItemMaintenanceCommand
priceCommand
validateCommand
registerOwnershipCommand
subscriptionCommand
notifyCommand
response

For information about the organization that created and maintains the UCCNet standards, go to

<http://www.1sync.org>

Document Version Parameters

No parameters need to be set when you create the document version for a UCCNet document.

Document Type Parameters

No parameters need to be set when you create the document type for a UCCNet document.

Document Definition Parameters

When you create a UCCNet document definition, you can set various parameters. [Figure 7–19](#) shows document definition parameters for a UCCNet document.

Figure 7–19 Document Definition Parameters for a UCCNet Document

Document Definition Save

UCCNet-v3-t3-NewDefinition
Enter the document definition name and select the required definition file.

* Document Definition Name

Description

Definition

Root XSD Name

XML | Routing | XPath | Correlation

Identification Expression (XPath)

Identification Value

Table 7–20 describes the document definition parameters for a UCCNet document.

Table 7–20 Document Definition Parameters for a UCCnet Document

Parameter	Description
XML Tab	-
Identification Expression (XPath)	Locates a node in the XML payload
Identification Value	Provides the value to match in the node identified by the Identification Expression. If the values match, then the document is successfully identified. If the value is left blank, then Oracle B2B checks for the existence of the node and the document is successfully identified.
Routing Tab	-
Document Routing ID	Sets the consumer name to the back-end application
XPath Tab	See Section 7.1.1, "How to Configure the XPath Expression for a Custom XML Document,"
XPath Name1	The XML XPath name for retrieving the value from the payload
XPath Expression1	The XML XPath expression for retrieving the value from the payload
XPath Name2	The XML XPath name for retrieving the value from the payload
XPath Expression2	The XML XPath expression for retrieving the value from the payload
XPath Name3	The XML XPath name for retrieving the value from the payload
XPath Expression3	The XML XPath expression for retrieving the value from the payload
Correlation Tab	-

Table 7–20 (Cont.) Document Definition Parameters for a UCCnet Document

Parameter	Description
Correlation From XPath Name	The name of the correlation property for initiating the correlation.
Correlation From XPath Expression	The XML XPath for retrieving the value from the payload to initiate the correlation.
Correlation To XPath Name	The name of the correlation property for the correlation.
Correlation To XPath Expression	The XML XPath for retrieving the value from the payload for the correlation.


7.8.1 Creating a 1Sync Document

The 1Sync document protocol helps in the data synchronization between seller and buyer, which enables the transfer of product and location information with the continuous synchronization of the data over time.

Use the Custom document protocol or the UCCNet document protocol to create a 1Sync XML document.


Note: The GS-1 organization has changed the standard name from UCCNet to 1Sync. Use either the seeded UCCNet document protocol or create a new Custom document protocol, 1Sync, as illustrated in the figure. The functionality is the same.

Figure 7–20 shows a document definition for a 1Sync document, using the Custom document protocol.

Figure 7–20 1Sync Document Definition


You can correlate 1Sync request and response messages as follows:

- Use the document routing ID on the **Routing** tab. The routing ID **1Sync_64_catalogueRequest** is shown Figure 7–21.

Figure 7–21 The Routing Tab for a 1Sync Document Definition

- Use correlation parameters on the **Correlation** tab. The following parameters and values are shown in [Figure 7–22](#).
 - **Correlation From XPath Name:** From_catalogueRequest_messageId
 - **Correlation From XPath Expression:**
`/*[local-name()='envelope']/*[local-name()='header']/*[local-name()='messageId']`

This value matches the correlationFrom value in the payload.

Figure 7–22 The Correlation Tab for a 1Sync Document Definition

See the following for more information:

- [Section 7.1, "Using the Custom Document Protocol"](#)
- [Section 1.7, "Oracle B2B Samples and Cookbooks."](#) A 1Sync example is provided with the B2B samples.

7.9 Changing Document Details

Document details—document protocol versions and document type parameters—can be changed for a remote trading partner from the **Partners > Documents** tab. Host administrators can change any remote trading partner's document details here (host administrators must change their own data on the **Administration > Document** tab), and remote administrators can change document details for their own data, if the remote administrator has been granted access to those document types. See [Section 1.4.2, "Restricting Access to Document Types,"](#) for more information.

[Figure 7–23](#) shows the **Version** tab in the **Document Details** section, where parameters for the document protocol version can be changed.

Figure 7–23 Changing Document Details

The screenshot displays the Oracle B2B interface. The top navigation bar includes 'Administration', 'Partners', 'Reports', 'Metrics', 'Help', and 'Logout'. The user is logged in as 'weblo'. The main content area is titled 'MarketInc' and contains a 'Documents' table and a 'Document Details' section.

Definitions	Sender	Receiver
EDI_X12-4010VICS-852-4010VICS_852_Def	<input checked="" type="checkbox"/>	<input type="checkbox"/>
EDI_X12-4010VICS-997-4010VICS_997_Def	<input type="checkbox"/>	<input checked="" type="checkbox"/>
EDI_X12-4010X092A1-270-4010X092A1_270_Def	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
EDI_X12-4010X092A1-271-4010X092A1_271_Def	<input checked="" type="checkbox"/>	<input type="checkbox"/>
HL7-2.3.1-ACK_A01-ACK_A01_Def	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
HL7-2.3.1-ADT_A01-ADT_A01_Def	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
PositionalFlatFile-NCPDP_51-B1_CSBR-B1_CSBR_Def	<input checked="" type="checkbox"/>	<input type="checkbox"/>
RosettaNet-V01.00-Pip7B1WorkInProcessNotification-WorkInProcessNotification_Def	<input checked="" type="checkbox"/>	<input type="checkbox"/>
RosettaNet-V02.00-Pip3A4PurchaseOrderConfirmation-PurchaseOrderConfirmation_Def	<input checked="" type="checkbox"/>	<input type="checkbox"/>


The 'Document Details' section includes checkboxes for 'Override Version Param' and 'Override DocType Param'. The 'Version' tab is active, showing the following parameters:

Parameter	Value	Parameter	Value
Authorization Information Qualifier	00	Interchange Control Standard/Repetition Separator	U
Authorization Information		* Interchange Control Version Number	00401
Security Information Qualifier	00	Usage Indicator	P
Security Information		Interchange ecs File	X12_4010VICS_852_
Interchange Date	#SystemDate(YMMDD)#		
Interchange Time	#SystemTime(HHMM)#		

Delimiters, and parameters such as **Interchange Control Version Number**, **Interchange Date**, and **Interchange Time** are typically changed for different remote trading partners.

[Figure 7–24](#) shows the **Document Type** tab, where parameters for the document type can be changed.

Figure 7-24 Changing Document Details



Use the **Override Version Param** and **Override DocType Param** parameters to indicate that override values are provided. Document type parameter values set for a remote trading partner take precedence over the default document type parameter values set for the document definition when the document was created on the **Administration > Document** tab.

To override document details:

1. Click the **Partners** tab.
2. Click the **Documents** tab.
3. Select a remote trading partner.
4. Select a document definition.
5. Select the override types that apply:
 - **Override Version Param**
 - **Override DocType Param**
6. Provide values to override values on the **Version** tabs or the **Document Type** tabs, or both.
7. Click **Save**.

7.9.1 Changing Document Definitions After Deploying an Agreement

Changes to a document definition after an agreement is deployed are not reflected in the trading partner's profile. Use the **Document Details** area on the **Partners >**

Documents tab to change document protocol version and document type parameters. Then redeploy the agreement.

7.9.2 Changing Document Definitions After Importing Metadata


If you import B2B metadata and then change the document from the **Administration > Document** tab, then you must also make the same changes to the supported document definition for the host and remote trading partners from the **Partners > Documents** tab. Use the **Version**, **Document Type**, and **Definitions** tabs under **Document Details** to make the changes.

7.10 Using Document Routing IDs

A document routing ID is useful in two circumstances: when enqueueing to an AQ queue and when using B2B documents in a SOA composite application. If you set a document routing ID for messages enqueueing to an AQ queue (inbound only), then the AQ consumer name is set to the document routing ID. Within a SOA composite application, if you use a document routing ID in your B2B binding component instead of the document definition, then all messages with the same document routing ID are routed to the same SOA composite.

This is useful if you have many different document definitions, but you want them to be handled the same way. The WSDL uses the document routing ID instead of the document definitions. In a SOA composite application, the B2B Configuration Wizard provides an option to use the document routing ID instead of selecting a document definition, as shown in [Figure 7–25](#).

Figure 7–25 Document Routing ID Option in Oracle JDeveloper



When using AQ, if you set the routing ID value instead of using the default b2buser, then do not set it to a numeric value. Use a combination of alphabetic and numeric values.

Managing Deployments

Deploying an agreement is the process of validating and activating a set of run-time data that is used for run-time transactions.

This chapter contains the following topics:

- Section 8.1, "Introduction to Agreement Deployment States"
- Section 8.2, "Managing Deployed Agreements"

See Chapter 6, "Creating and Deploying Trading Partner Agreements," for more information about how to deploy an agreement.

8.1 Introduction to Agreement Deployment States

You can manage the state of a deployment—Active, Inactive, Retired, or Purged—as shown in Figure 8–1. You can also search on the deployed agreements in the run-time repository, as well as export an agreement.

Figure 8–1 Managing a Deployed Agreement

The screenshot displays the Oracle B2B 'Manage Deployments' web interface. At the top, there is a navigation bar with 'ORACLE B2B' on the left and 'Administration | Partners | Reports | Metrics | Help | Logout' on the right. Below this, a secondary navigation bar contains 'Import/Export', 'Document', 'Deploy', 'Manage Deployments' (highlighted), 'Types', 'Schedule Batch', 'Manage Batch', and 'Callout'. The main content area is titled 'Manage Deployment' and includes a sub-header: 'You can manage the state of a deployment -- Active, Inactive, Retired, or Purged -- search for deployed agreements, and export an agreement.' Below the sub-header are icons for 'Active', 'Inactive', 'Retire', and 'Purge'. A search section is present with a 'Search' button, a 'Saved Search' dropdown set to 'Default', and a '* Required' label. The search filters include: 'Match' (radio buttons for 'All' and 'Any'), 'Name' (Contains dropdown), 'Responding Partner' (Contains dropdown), 'Initiating Partner' (Contains dropdown), '* State' (Equals dropdown set to 'Active'), and 'Document Definition' (Equals dropdown). 'Search', 'Reset', and 'Save...' buttons are at the bottom of the search section. Below the search section is a table titled 'Deployments' with the following data:

Agreement	User	State	First Deployed Date	Last Deployed Date
Acme_GlobalChips_X12_4010_850_File	weblogic	Active	8/24/2009 1:30 PM	8/24/2009 1:30 PM
GlobalChips_Acme_X12_4010_850_File	weblogic	Active	8/24/2009 1:30 PM	8/24/2009 1:30 PM

8.2 Managing Deployed Agreements

A deployed agreement is initially in the Active state. [Table 8–1](#) describes the deployment states.

Table 8–1 *Deployed Agreement States*

State	Description	When to Use
Active	The agreement has been successfully deployed and is ready to process messages. From an Active state, a deployed agreement can move to an Inactive state only.	When you are ready to receive or send messages using the agreement.
Inactive	The agreement can be changed to Active or Retired states. The agreement will not accept any new messages. However, all in-flight messages will be processed successfully. From an Inactive state, a deployed agreement can be moved to a Retired state or can be moved back to an Active state.	When a newer version of the same agreement is made Active, the previous version is changed to the Inactive state automatically. Also, when you do not want to receive new messages, but want to continue the in-flight messages, you can change the agreement to Inactive.
Retired	The agreement cannot be redeployed. No messages will be processed. From a Retired state, a deployed agreement can be purged only.	When you no longer want to receive or send messages using this agreement
Purged	The agreement is deleted from the system.	When you want to clean up unused agreements. Differs from Retired agreements, where you can still see the agreement in the system for information purposes.

[Table 8–2](#) describes the information displayed for a deployed agreement.

Table 8–2 *Deployed Agreements*

Field	Description
Agreement	The name of the agreement, as created on the Partners > Agreement page.
User	The logged-in user name.
State	The state can be active, inactive, retired, or purged.
First Deployed Date	The date that the agreement was first deployed.
Last Deployed Date	The date that the agreement was last deployed.

8.2.1 Searching for Deployed Agreements


Use the search parameters described in [Table 8–3](#) to search for deployed agreements.

Table 8–3 Search Parameters for Searching on Deployed Agreements

Parameter	Description
Name	Enter a string that is contained in the agreement name, equals the name, or is at the end of the name.
Responding Partner	Enter a string that is contained in the responding partner name, equals the name, or is at the end of the name.
Initiating Partner	Enter a string that is contained in the initiating partner name, equals the name, or is at the end of the name.
*State	Select from All , Active , Inactive , or Retire .
Document Definition	Select from one of the document definitions you previously created. See Chapter 4, "Creating Document Definitions," for more information.

- Click **Reset** to return the search parameters shown in [Table 8–3](#) to their previous settings.
- Click **Advanced** to select additional search parameters, as shown in [Figure 8–2](#).

Figure 8–2 Advanced Search Parameters



If you select the document search parameters from the **Add Fields** list, use them as follows: Select a document protocol name first to populate the list of document protocol versions; next select a document protocol version to populate the list of document types; and then select a document type to populate the list of document definitions.

The Saved Search feature is not available.

8.2.2 Changing the Deployment State

To change the deployment state:

1. Click the **Administration** link.
2. Click the **Manage Deployments** tab.
3. Select an agreement.
4. Click one of the available actions:
 - If the state is **Active**, then **Inactive** is available.
 - If the state is **Inactive**, then **Active** or **Retire** is available.
 - If the state is **Retired**, then **Purge** is available.

8.2.3 Exporting an Active Agreement

You can export active agreements. For agreements that use HTTPS or digital signature and encryption, the key store password of the host trading partner is not included as part of the export file. This is because a key store is specific to each computer. Therefore, when the export file is imported on a different computer, you must re-create the key store password and update the key store location (if needed) for the host trading partner in the B2B interface. If the export file is imported back or the key store and its location have not changed on the target computer, then the key store password and location may be identical to the first key store and key store password you used. This applies only to the host trading partner.

Caution: Do *not* manually edit exported files. If you do so, Oracle B2B cannot guarantee their integrity.

To export an active agreement:

1. Click the **Administration** link.
2. Click the **Manage Deployments** tab.
3. Select an agreement (or multiple agreements).
4. Click **Export**.

The system-provided file name is `MDS_EXPORT_DD_MM_YYYY.zip`. You can choose whether you want to open the file or save it, in which case you can specify a file name and download location. Each agreement is a separate ZIP file within `MDS_EXPORT_DD_MM_YYYY.zip`.

Exporting can take some time based on the agreement metadata.

Creating Types

You can create identifier types, contact information types, and trading partner parameter types. With custom types, Oracle B2B can meet individual specifications for document exchange, contact information, and trading partner parameters.

This chapter contains the following topics:

- [Section 9.1, "Creating Custom Identifier Types"](#)
- [Section 9.2, "Creating Custom Contact Information Types"](#)
- [Section 9.3, "Creating Custom Trading Partner Parameter Types"](#)

See [Section 5.2, "Creating Trading Partner Profiles,"](#) for information on *adding* custom types and values to a trading partner profile.

9.1 Creating Custom Identifier Types


Identifier types, or identifiers, help in identifying a trading partner (as exchange identifiers) or can be used to define additional inputs for various document protocols.

Oracle B2B has preseeded many of the commonly required identifiers. A new custom identifier can be created as required.

To create an identifier type:

1. Click the **Administration** link.
2. Click the **Types** tab.
3. In the **Identifiers** area, click **Add**.
4. Provide a name and optional description, as shown in [Figure 9-1](#).

Figure 9–1 Creating an Identifier Type



5. Click **Save**.

See [Task 3, "Add Identifier Types and Values"](#) on page 5-4 for how to add the new type and a value to a trading partner’s profile.

Oracle B2B provides predefined identifiers for the supported document protocols, as listed in [Table 9–1](#). You can deleted unused types to further customize your B2B environment. A type that is used by a trading partner cannot be deleted.

Table 9–1 Identifier Types Defined in Oracle B2B

Name	Description
AS1 Identifier	The specification for using EDI over SMTP to transmit data using e-mail. AS1 also works with non-EDI document types such as XML and TXT files. The AS1 Identifier and the Name identifier are required for AS1 exchanges.
AS2 Identifier	An alias for the service address (specified by the AS2-From/AS2-To fields) inside an AS2 transaction. The value can be any unique name that a trading partner recognizes. The AS2 Identifier and the Name identifier are required for AS2 exchanges.
DUNS	A unique, sequentially-generated, nine-digit number that is obtained from Dun and Bradstreet, formally as a D-U-N-S number. The DUNS Identifier and the Name identifier are required for RNIF exchanges.
EDI Group ID	Used to identify multiple branches within a trading partner’s company. The group ID can be the same as the interchange ID.
EDI Group ID Qualifier	Similar to EDI Interchange ID Qualifier, this qualifier applies to EDIFACT only (not X12).

Table 9–1 (Cont.) Identifier Types Defined in Oracle B2B

Name	Description
EDI Interchange ID	A unique identifier for a trading partner that can come from different sources. For example, if the trading partner has a Dun & Bradstreet number, that number can be used for the interchange ID. In most cases, the selected VAN assigns the interchange ID.
EDI Interchange ID Qualifier	Informs the network of the type of interchange ID that follows. Typical qualifiers include ZZ, indicating that the interchange ID that follows is mutually defined; 01, indicating that the interchange ID is the trading partner's Dun and Bradstreet number; 12, indicating that the interchange ID is a telephone number.
EDI Interchange Internal ID	Identifies the trading partner based on the EDI interchange internal ID.
EDI Interchange Internal Sub ID	Identifies the trading partner based on the EDI interchange internal sub-ID.
Generic Identifier	<p>The IP address to use for identifying trading partners if you are using the generic exchange protocol (EDI X12 over Generic Exchange, EDI EDIFACT over Generic Exchange, or Custom Document over Generic Exchange) with the HTTP or HTTPS transport protocol. Do <i>not</i> enter the host name.</p> <p>The Generic Identifier and the Name identifier are required for Generic HTTP and Generic Email exchanges.</p> <p>Wildcard characters are not permitted in the IP address.</p>
HL7 Batch Application ID	Identifies the trading partner based on the HL7 batch application ID. BHS.3 and BHS.5 have the same definition as the corresponding field in the MSH segment.
HL7 Batch Application Universal ID	Identifies the trading partner based on the HL7 batch application universal ID.
HL7 Batch Application Universal ID Type	Identifies the trading partner based on the HL7 batch application universal ID type.
HL7 Batch Facility ID	Identifies the trading partner based on the HL7 batch facility ID.
HL7 Batch Facility Universal ID	Identifies the trading partner based on the HL7 batch facility universal ID.
HL7 Batch Facility Universal ID Type	Identifies the trading partner based on the HL7 batch facility universal ID type.
HL7 File Application ID	Identifies the trading partner based on the HL7 file application ID. FSH.3 and FSH.5 have the same definition as the corresponding field in the MSH segment.
HL7 File Application Universal ID	Identifies the trading partner based on the HL7 file application universal ID.
HL7 File Application Universal ID Type	Identifies the trading partner based on the HL7 file application universal ID type.
HL7 File Facility ID	Identifies the trading partner based on the HL7 file facility ID. This field further describes the sending/receiving application. The facility ID can have an organizational entity, unit, product or vendor's identifier.
HL7 File Facility Universal ID	Identifies the trading partner based on the HL7 file facility universal ID.
HL7 File Facility Universal ID Type	Identifies the trading partner based on the HL7 file facility universal ID type.
HL7 Message Application ID	Identifies the sending/receiving application.
HL7 Message Application Universal ID	For outbound messages, this field is used to override the Message Application Universal ID, which is MSH.3 for the sender and MSH.5 for the receiver. For inbound messages, this field is used for lookup.

Table 9–1 (Cont.) Identifier Types Defined in Oracle B2B

Name	Description
HL7 Message Application Universal ID Type	For outbound messages, this field is used to override the Message Application Universal ID Type, which is MSH.3 for the sender and MSH.5 for the receiver. For inbound messages, this field is used for lookup.
HL7 Message Facility ID	Identifies the trading partner based on the HL7 message facility ID.
HL7 Message Facility Universal ID	For outbound messages, this field is used to override the Message Facility Universal ID, which is MSH.4 for the sender and MSH.6 for the receiver. For inbound messages, this field is used for lookup.
HL7 Message Facility Universal ID Type	For outbound messages, this field is used to override Message Facility Universal ID, which is MSH.4 for the sender and MSH.6 for the receiver. For inbound messages, this field is used for lookup.
MLLP ID	The TCP/IP Minimum Lower Layer Protocol (MLLP) is the standard for HL7. The MLLP ID and the Name identifier are required for MLLP exchanges.
Name	Identifies the trading partner by its name. The value for this type is automatically supplied when you create or edit the trading partner name, for example, Acme or GlobalChips. The Name identifier is required for Generic File, Generic FTP, Generic SFTP, Generic AQ, and Generic JMS exchanges.
ebMS Identifier	This type, OASIS ebXML Messaging Services (ebXML), specifies a secure and reliable way to exchange messages using HTTP, HTTPS, SOAP, XMLDsig, and XMLEncrypt. The ebMS Identifier and the Name identifier are required for ebMS exchanges.

9.2 Creating Custom Contact Information Types

Oracle B2B provides a centralized location for trading partner contact information. After you create a type, you can add it to a trading partner's profile and change its value.

You can create any type of contact information. You may want to create types for contact names, e-mail addresses, telephone and fax numbers, and so on. You can delete unused types to further customize your B2B environment. A type that is used by a trading partner cannot be deleted.

To create a contact information type:

1. Click the **Administration** link.
2. Click the **Types** tab.
3. In the **Contact Information** area, click **Add**.
4. Provide a name for the contact information type, an optional description, and click **Save**.

The string that you provide in the **Name** field is displayed in a list under the **Type** field on the **Partners > Profile** page.

See [Task 4, "Add Contact Information"](#) on page 5-5 for how to add the new type and a value to a trading partner's profile.

9.3 Creating Custom Trading Partner Parameter Types

Trading partner parameter types are string types. After you create a type, you can add it to a trading partner's profile and change its value.

To create a trading partner parameter type and default value:

1. Click the **Administration** link.
2. Click the **Types** tab.
3. In the **Trading Partner Parameters** area, click **Add**.
4. Provide the following information and click **Save**.
 - Name (required)
 - Default Value (optional)
 - Group Name (optional)
 - Display Name (optional; however, the value of Display Name, not Name, appears when you add this type to a trading partner profile)
 - Description (optional)

See [Task 5, "Add a Trading Partner Parameter and Value"](#) on page 5-5 for how to add the new type and a value to a trading partner's profile.

There are no predefined trading partner parameter types. You may want to create a type named `Country`, for example. Then the value—a specific country code—can be configured for each trading partner. You can delete unused types to further customize your B2B environment. A type that is used by a trading partner cannot be deleted.

Importing and Exporting Data

For design-time data, use the Oracle B2B interface to import and export B2B repositories.

This chapter contains the following topics:

- [Section 10.1, "Importing and Exporting the Design-Time Repository"](#)
- [Section 10.2, "What Is Copied When You Import or Export from the Import/Export Tab"](#)
- [Section 10.3, "About the Exported File"](#)

See [Chapter 18, "B2B Command-Line Tools,"](#) for information on importing and exporting data using `ant`.

10.1 Importing and Exporting the Design-Time Repository

Oracle B2B design-time data can be exported and saved to a ZIP file. The ZIP file can be imported back into Oracle B2B so that the data is available in the B2B interface. This is useful when migrating data from a test environment to a production environment.

Caution: Do *not* manually edit exported files. If you do so, Oracle B2B cannot guarantee their integrity.


You can also export data from other areas of the Oracle B2B interface:

- Click **Partners** > **Profile** to export trading partner data. See [Section 5.2, "Creating Trading Partner Profiles,"](#) for more information.
- Click **Partners** and then select an agreement to export. See [Section 6.4, "Deleting and Exporting Agreements,"](#) for more information.
- Click **Administration** > **Manage Deployments** to export deployed agreements. See [Section 8.2.3, "Exporting an Active Agreement,"](#) for more information.

You can import sample files that use the following document types: Custom, EDI EDIFACT, EDI X12, HL7, and RosettaNet. See [Section 1.7, "Oracle B2B Samples and Cookbooks,"](#) for the download location and information about the scenarios presented in the samples.

[Figure 10–1](#) shows the **Import/Export** tab, where you import and export design-time data.

Figure 10–1 Importing and Exporting Data



When you import metadata, the updates to your existing B2B are incremental unless you select the **Replace Existing Metadata** option. To delete all existing data before importing metadata, use the **Purge** tab under the **Administration** link. See [Chapter 13, "Purging Data,"](#) for more information.

Caution: Complete export operations without interruption or idle time. Leaving the browser idle for more than a few minutes during export operations can cause file corruption.

To import data:

1. Click the **Administration** link.
2. Click the **Import/Export** tab.
3. Click **Browse** to find the metadata repository ZIP file.

The default name for exported metadata is `MDS_EXPORT_DD_MM_YEAR.zip`.

If you are importing a ZIP file that contains multiple ZIP files within it, you must unzip the containing file and import each ZIP file separately. Individual ZIP files are created when you export multiple agreements at the same time.

4. If you select **Replace Existing Metadata**, then current metadata in the Metadata Service (MDS) repository is overwritten. If it is not selected, then only new data is copied to the MDS repository.
5. Click **Import**.

Depending on the size of the design-time repository contents, this process can take time.

Note: If you export Active Agreements, and if this list has more than one agreement, the export file indicates `all.zip` will consist of many zip files (for example, `a.zip`, `b.zip`, and so on), each consisting of separate Agreements. The underlying ZIP files, `a.zip` and `b.zip`, must be individually imported. If you attempt to import `all.zip`, then the import will return following error:

```
Import of file all.zip failed. Error -: B2B-52321: No meta data found to import
```

To export data:

Caution: Do *not* manually edit exported files.


1. Click the **Administration** link.
2. Click the **Import/Export** tab.
3. Select **Entire Repository** or **Active Agreements**.

The entire repository includes all data in the B2B design-time repository—agreements in all states, all trading partner configurations, and so on. Active agreements are all deployed agreements that are not inactive, retired, or purged.
4. (Optional) Narrow the list of agreements by using the **Search** option.
 - a. Select **Agreement** or **Document Type**.
 - b. Enter part or all of an agreement name or document type name and click **Search**.
 - c. Click **Search**.
 - d. Select one or more agreements from the search results.

If you select multiple agreements, each agreement is exported in its own ZIP file, and all the individual ZIP files are contained in the export ZIP file.
5. Click **Export**.
6. Select **Open with** or **Save to Disk**.

The system-provided file name is `MDS_EXPORT_DD_MM_YYYY.zip`. As shown in [Figure 10-2](#), you can choose whether you want to open the file or save it, in which case you can specify a file name and download location.

Figure 10–2 Exporting Data



10.2 What Is Copied When You Import or Export from the Import/Export Tab

Clicking **Import** imports whatever is in the export file (that is, the file that was previously exported), which can possibly include B2BUser and ParameterValue objects. A warning message is displayed to indicate that, if the file contains credential- and policy-related data, then the credential and policy stores must also be imported.

User information—including user permissions for document-type access (see [Section 1.4.2, "Restricting Access to Document Types"](#))—is not copied when you export a repository.

ParameterValue objects for passwords are copied when you export a repository.

The B2B import and export functionality is separate from the credential store and policy store import and export functionality. Use the Oracle WebLogic Server tools to import and export identity, credential, and policy stores.

Passwords are not copied when you import a repository. Passwords must be re-created in the destination B2B instance. Passwords are not copied when you export the design-time repository.

Callout library JAR files are not copied during import or export. See [Table 12–1, "Callout Details"](#) for more information.

If you export the design-time repository and then continue to make changes to the repository contents in the Oracle B2B interface, and if you later import the exported file (the contents of which are now older), then updates are as follows:

- If **Replace Existing Metadata** is not checked during import, then new data created in the Oracle B2B interface after the file was exported is left untouched.
- If **Replace Existing Metadata** is checked during import, then data updated or deleted after the file was exported is overwritten with the older contents of the imported file.

If an import fails, then the changes are rolled back and the design-time repository remains unchanged. A message appears indicating that the import was unsuccessful.

10.3 About the Exported File

Design-time repository contents that are exported to a file represent a copy of the current data. This file is no longer accessible for changes with the Oracle B2B user interface until it is imported back into Oracle B2B. Do not manually edit exported files.

10.3.1 Exported ZIP Files Containing Agreement Names in Multibyte Character Languages

If you select multiple agreements to export, and any of those agreement names are in a multibyte character language, then in the export ZIP file, which contains a separate ZIP file for each agreement, the ZIP file names for the agreement names in multibyte characters are garbled. This affects your ability to import the ZIP file back into Oracle B2B. Use one of the following approaches for working with this type of file:

- To import a ZIP file containing multiple agreements, in which one or more of the agreement names are in a multibyte character language, use a UTF-8-based unzip tool, such as WinZip version 11.2, to unzip the export file. Then import the individual ZIP files into B2B.
- Alternatively, you can export agreement names that use a multibyte character language one at a time (one per ZIP file). Then import the individual ZIP files as you normally would.

Batching EDI Messages

For outbound messages, use the Oracle B2B interface to batch, schedule, and send outbound EDI X12 and EDI EDIFACT messages. (Inbound messages to Oracle B2B are automatically debatched.)

This chapter contains the following topics:

- [Section 11.1, "Setting Up a Batch"](#)
- [Section 11.2, "Managing Batched Messages"](#)

See the following for more information about EDI:

- [Section 7.2, "Using the EDI EDIFACT Document Protocol"](#)
- [Section 7.3, "Using the EDI X12 Document Protocol"](#)


11.1 Setting Up a Batch

Batching is often used to group messages by document type; for example, you may want to send out a batch of purchase orders or a batch of invoices, to one or more trading partners. You can also batch multiple document types, sent to one or more trading partners.

When batching more than 1000 documents, where the payload size is greater than 30 KB, specific settings are required. See [Section A.1.9, "Settings for Batching a Large Number of Documents."](#)

[Figure 11-1](#) shows where you set up a batch transmission of EDI messages.

Figure 11–1 Scheduling a Batch



To set up a batch, do the following:

- [Task 1, "Search for Agreements to Batch"](#)
- [Task 2, "Create the Batch"](#)
- [Task 3, "Schedule the Batch"](#)

Task 1 Search for Agreements to Batch

1. Click the **Administration** link.
2. Click the **Schedule Batch** tab.
3. Use the search parameters described in [Table 11–1](#) to identify which agreements you want to batch.

Use the document search parameters as follows: Select a document protocol name first to populate the list of document protocol versions; next select a document protocol version to populate the list of document types; and then select a document type to populate the list of document definitions.

Table 11–1 Search Parameters for Creating a Batch

Parameter	Description
Match All or Any	If you select All , then fields with values are matched using an <i>and</i> condition. If you select Any , then fields with values are matched using an <i>or</i> condition.
Responding Partner	Select Starts With , Contains , Equals , or Ends With , and type the appropriate portion of the name of the responding trading partner.
Agreement	Select Starts With , Contains , Equals , or Ends With , and type the appropriate portion of the name of the agreement.
Document Protocol Name	Select EDI_EDIFACT or EDI_X12 .
Document Protocol Version	Select a document protocol version that you previously created.

Table 11–1 (Cont.) Search Parameters for Creating a Batch

Parameter	Description
Document Type	Select a document type that you previously created.
Document Definition	Select a document definition that you previously created.

4. Click **Search**.

Active, deployed agreements (outbound) that meet your search criteria are displayed.

5. Go to [Task 2, "Create the Batch"](#).

Task 2 Create the Batch

1. Enter a name for the batch.
2. Select the agreements you want to batch.
3. Click **Create Batch**.
4. Go to [Task 3, "Schedule the Batch"](#).

Task 3 Schedule the Batch

1. Click **Launch Scheduler**.
2. Select the **Non-Repeating Event** tab or the **Repeating Event** tab.
3. For a nonrepeating event, do one of the following:
 - Enter the date in the format shown in the Scheduler dialog and click **OK**.
 - Or, click the **Calendar** icon, specify a date and time, and click **OK**.

For a repeating event (see [Figure 11–2](#)), enter details on the interval to trigger the event by specifying the minutes, hour, month, year, and date details. Then click **OK**.

Figure 11–2 Scheduling the Batch

You can see the batches you create on the **Manage Batch** tab.

11.2 Managing Batched Messages

Figure 11–3 shows where you can search for batches that you previously created, view details of a batch, and disable, update, or delete a batch.

Figure 11–3 Managing Batched EDI Messages

Manage Batch
 You can search for batches you previously created in order to enable or disable them.

Search Advanced Saved Search Default

Match All Any

Receiver

Batch Name

Document Type

Schedule Batch Enable Disable Delete Update

Batch Name	Enabled	Schedule
batch1	Enabled	Initiate event at August 24, 2009 1:52 PM

Details of batch1

Receiver	Document Type	Document Protocol	Document Version
GlobalChips	850	EDI_X12	4010

For the **Update** batch action, only the documents definitions selected can be updated. Ensure that you reselect all the documents that are to be part of the batch and not just the new ones.

In some cases, B2B may not pick up the batched messages when you update the batching schedule. If you see that batched messages are not being picked up, delete the batch and create a new batch schedule with the same name as the previous batch. The same name must be used so that B2B picks up the previous messages in WAIT_BATCH status.

Managing Callouts

This chapter describes how to create and use Java callouts, which transform the formats of messages exchanged between the host and remote trading partners. You can use callouts to invoke an XSLT style sheet, and any Java program in general.


This chapter contains the following topics:

- [Section 12.1, "Introduction to Callouts"](#)
- [Section 12.2, "Creating a Callout"](#)
- [Section 12.3, "Including a Callout in an Agreement"](#)
- [Section 12.4, "Implementing a Callout"](#)

12.1 Introduction to Callouts

Callouts are used in environments in which a host trading partner application does not use the same message format as the remote trading partner. For example, a remote trading partner sends a RosettaNet XML-formatted purchase order request to a host trading partner, as shown in [Figure 12-1](#).

Figure 12-1 A Purchase Order Example: Using Callouts for Differently Formatted XML Messages



In this example, the host application of the host trading partner is an Oracle E-Business Suite application that does not use RosettaNet XML-formatted messages. To enable communication between these two different formats, you create two callouts, as follows:

- One callout, `callout_inbound`, for example, transforms the RosettaNet XML-formatted purchase order request into an Oracle E-Business Suite XML format understood by the Oracle E-Business Suite application. The Oracle E-Business Suite application, in turn, responds to the request message with a purchase order acceptance message in Oracle E-Business Suite XML format.
- The other callout, `callout_outbound`, for example, transforms the Oracle E-Business Suite XML format back into a RosettaNet XML-formatted message for the remote trading partner.

These two callouts are then associated with the two agreements created for this exchange, as follows:

- Include `callout_outbound` in the agreement for the outbound message, that is, the agreement for the initiating purchase order request.
- Include `callout_inbound` in the agreement for the inbound message, that is, the agreement for the responding purchase order acceptance.

Because a document definition is a component of an agreement, a callout is associated with a specific document definition.

This purchase order example depicts a simple association of one callout to one agreement. In reality, however, the same callout can be included in many different agreements by changing the value of one or more callout parameters. See [Figure 12-3](#) for where you add parameters and see [Table 12-2](#) for a list of parameter attributes.

12.1.1 Transport Callouts

Another type of callout is the transport callout, which is associated with a channel. For the inbound message, B2B invokes the transport callout immediately after it receives a message from the transport. For the outbound message, B2B invokes the transport callout immediately before it sends a message to the transport. Transport callouts can be selected in the channel configuration, as shown in [Figure 12-2](#), and can be used with any protocol.

Figure 12-2 Transport Callouts

The screenshot shows the MarketInc Channels configuration page. At the top, there are tabs for Profile, Users, Documents, and Channels. The Channels tab is selected. Below the tabs, there is a 'MarketInc' header and a 'Save' button. The main content area is titled 'Channel' and contains a table with two columns: 'Name' and 'Protocol'. The table lists several channels with their corresponding protocols. Below the table, there is a 'Channel Details' section with a 'Transport Protocol' dropdown set to 'TCP'. There are also tabs for 'Transport Protocol Parameters', 'Channel Attributes', 'Exchange Protocol Parameters', and 'Security'. The 'Channel Attributes' tab is active, showing fields for 'Ack Mode', 'Response Mode', 'Retry Interval', 'Retry Count', and 'Description'. There are also checkboxes for 'Enable Channel', 'Disable Channel', and 'Compressed', and a 'Transport Callout' dropdown set to 'Callout_transport1'.

Name	Protocol
MI_AS2_11_Channel	AS2-1.1
MI_File_10_Channel	Generic File-1.0
MI_HTTP_10_Channel	Generic HTTP-1.0
MI_MLLP_10_CLI_Channel	MLLP-1.0
MI_RNIF_0200_Channel	RosettaNet-V02.00
MI_ebMS_20_Channel	ebMS-2.0

You can use transport callouts to extract custom headers for inbound and outbound messages using the MLLP protocol. [Example 12-1](#) shows how to set and get the `CUSTOM_HEADER` property in the callout.

Example 12-1 Setting and Getting the `CUSTOM_HEADER` Property

```
import java.util.*;
import oracle.tip.b2b.callout.*;
import oracle.tip.b2b.callout.exception.*;

public class SampleCallout implements Callout {
    public void execute(CalloutContext context, List input, List output)
        throws CalloutDomainException, CalloutSystemException {
        try {
            CalloutMessage cmIn = (CalloutMessage)input.get(0);
            String s =cmIn.getBodyAsString();
```

```
//for getting the CUSTOM_HEADER
Properties params = (Properties)cmIn.getParameters();
String customHeader = (String)params.get("CUSTOM_HEADER");

//for setting the CUSTOM_HEADER
CalloutMessage cmOut = new CalloutMessage(s);
cmOut.setParameter("CUSTOM_HEADER", "your_value");
output.add(cmOut);

} catch (Exception e) {
throw new CalloutDomainException(e);
}
}
}
```

See [Section 5.5.1.4, "Using a Transport Callout to Extract Custom Headers,"](#) for more information.

Transport callouts are created like other callouts, from the **Callout** tab, as described in [Section 12.2, "Creating a Callout."](#) Although a transport callout is not added to an agreement, all transport callouts appear in the **Callouts** list on the **Agreement** tab; therefore, it is available for selection. To avoid confusion, when you create a transport callout, provide a name that indicates its type so that you do not select it from the **Callouts** list on the **Agreement** tab.

12.1.2 Creating a Callout Library JAR File

If the callout JAR file provided with Oracle B2B is not sufficient for your needs, you can create your own callout JAR file outside of Oracle B2B, following the standards described in the *Oracle Fusion Middleware B2B Callout Java API Reference*. Use the **Configuration** tab of the **Administration** link to specify the directory location of this external JAR file. It is recommended that you create an external JAR file for your callouts; do not bundle your callouts with b2b.jar.

Note: MySampleCallout is a restricted keyword and should not be used. It is already packaged into b2b.jar.

12.2 Creating a Callout

To create a callout, provide callout details—the implementation class name and library name—and callout parameters, as shown in [Figure 12-3](#).

Figure 12-3 Creating a Callout

Callout Save Cancel

Callouts are used in environments in which a host trading partner application does not use the same message format as the remote trading partner. Callouts transform the formats of messages exchanged between the host and remote trading partners.

Callout + x

Name
Callout2

Callout Details

* Implementation Class:

* Library Name:

Description:

Timeout:

Parameters + x

Name	Type	Value	Mandatory	Encrypted
pname	Integer	5	False	False


You can create multiple callouts with the same name if you assign them different implementation names. You cannot delete a callout that is included in an agreement.

Table 12-1 lists the callout details that you provide.

Table 12-1 Callout Details

Field	Description
*Implementation Class	Enter the class file name without <code>.class</code> . Note: Oracle B2B includes a predefined class file named <code>XSLTCalloutImpl</code> that you can use for XML-to-XML transformations.

Table 12–1 (Cont.) Callout Details

Field	Description
*Library Name	<p>Enter the JAR file name that has the callout implementation classes.</p> <p>Note: If you specify one or more of your own callout JAR files, you must specify the directory location. Use the Configuration tab from the Administration link. The directory location for the default <code>b2b.jar</code> file included with Oracle B2B does not need to be specified.</p> <p>The callout library must be manually migrated from one environment to another. The B2B export/import feature does not migrate the callout library JAR.</p> <p>See Section 15.1, "Setting Configuration Parameters," for information on specifying the callout directory for your own callout JAR files.</p>
	
Description	Enter a description.
Timeout (seconds)	Enter the time limit in which to process the callout.

Callout parameters are similar in concept to global variables to which you can assign local values that are applicable only to a specific callout use. Or, you can create a callout parameter and assign it a default value that is applicable to all callout uses. Changes to callout parameters for an existing callout affect all agreements that use that callout.

[Table 12–2](#) lists the optional callout parameter attributes.

Table 12–2 Callout Parameter Attributes

Field	Description
Name	Enter a parameter name.
Type	<p>Select from Integer, Float, String, Boolean, or Date types. The format for the Date type is MM/DD/YYYY.</p> <p>Note: Changing a type can invalidate the parameter default value.</p>
Value	Enter a value. If Encrypted is set to True , then this value is encrypted.
Mandatory	Select True or False .
Encrypted	Select True or False .
Description	Enter an optional description.

After you create a callout, it is available to include in an agreement. See [Section 12.3, "Including a Callout in an Agreement,"](#) for more information. If you change a callout after it is deployed with an agreement, a server restart is required.

To create a callout:

1. Click **Administration**, and then **Callout**.
2. In the **Callout** section, click **Add**.
3. Enter a name for the callout.
(You may want to indicate if you are creating a transport callout in the name.)
4. Enter callout details, as described in [Table 12-1](#).
5. (Optional) Click **Add** in the **Parameters** section.
6. Enter a parameter name and attributes, as described in [Table 12-2](#).
7. Click **Save**.

You can edit the details, parameters, or parameter values at any time, but not the callout name.

12.3 Including a Callout in an Agreement

After you create a callout, it is available to include in an agreement, as shown in [Figure 12-4](#).

Figure 12-4 Specifying a Callout in an Agreement

The screenshot shows the 'Agreement' configuration page for 'Acme_GlobalChips_EDIFACT_D98A_Orders_AS2'. At the top, there are buttons for 'Save', 'Reset', 'Validate', and 'Deploy'. Below the title bar, a diagram shows 'Acme' connected to 'GlobalChips' via 'ORDERS_def'. The 'Details' section contains the following fields:

- * Agreement Id: Acme_GlobalChips_EDIFACT_D98A
- * Name: Acme_GlobalChips_EDIFACT_D98A
- Description: Acme_GlobalChips_EDIFACT_D98A
- Start Date: [Empty field]
- End Date: [Empty field]
- Callout: A dropdown menu with 'Callout_for_timecard_app' selected. A 'Callout Details' link is visible to the right.

To include a callout in an agreement:

1. Click **Partners**.
2. Click an agreement name.
3. Select a callout.
4. Click **Save**.

To update the value of a callout parameter for a specific agreement:

1. Click **Partners**.
2. Click an agreement name.
3. Select a callout.
4. Click **Callout Details**.
5. Enter a value for the parameter name, as shown in [Figure 12-5](#).

Figure 12–5 Entering Callout Details

Callout Details

Name mycallout
 Description
 Implementation Class com.acme.mycallout
 Library Name mycallout.jar
 Timeout 30

Callout Parameters and Values

Name	Type	Value
pname1	Integer	5

6. Click OK.

12.4 Implementing a Callout

[Example 12–2](#) shows how an incoming XML document is transformed to another XML document. The directory structure is `oracle.tip.callout`. In this example, note that setting the output `CalloutMessage` in the output list is required (`output.add(cmOut)`).

[Example 12–3](#) shows how to create a synchronous callback callout for use with Transport Synch Callback. See [Section 5.5.2, "Using Transport Sync Callback"](#) for more information.

Example 12–2 Code Example of an XML-to-XML Transformation

```
import java.io.*;
import java.net.*;
import java.util.*;
import oracle.xml.parser.v2.*;
import oracle.tip.b2b.callout.Callout;
import oracle.tip.b2b.callout.CalloutMessage;
import oracle.tip.b2b.callout.CalloutContext;
import oracle.tip.b2b.callout.exception.*;

/**
 * This sample callout transforms the incoming XML document
 * to another XML document. It also shows how to generate
 * Functional Ack and Error message.
 */
public class XSLTCalloutImpl implements Callout {
    public void execute(CalloutContext context,
                      List input,
                      List output)
        throws CalloutDomainException, CalloutSystemException {
        try {

            // (1) Retrieve the callout properties from CalloutContext
            String xsltFile = context.getStringProperty("xsltFile");
```

```

// (2) Get the input callout message
CalloutMessage cmIn = (CalloutMessage)input.get(0);

// (3) Process the message
// instantiate a stylesheet
URL xslURL = new URL("file://" + xsltFile);
XSLProcessor processor = new XSLProcessor();
XSLStylesheet xsl = processor.newXSLStylesheet(xslURL);

// parser input XML content
DOMParser parser = new DOMParser();
parser.setPreserveWhitespace(true);
parser.parse(new StringReader(cmIn.getBodyAsString()));
XMLDocument xml = parser.getDocument();
processor.showWarnings(true);
processor.setErrorStream(System.err);

// Transform the document
StringWriter strWriter = new StringWriter();
processor.processXSL(xsl, xml, new PrintWriter(strWriter));

// (4) Create a output callout message
// create a callout output message
CalloutMessage cmOut =
    new CalloutMessage(strWriter.getBuffer().toString());
strWriter.close();

// create Functional Ack callout message
// this is an optional step
CalloutMessage fa = new CalloutMessage(/*set FA payload here*/);
fa.setParameter("functional_ack", "true");
//setting your own doctype and revision
//set the doc type name and revision as defined in b2b ui
fa.setParameter("doctype_name", "fa");
fa.setParameter("doctype_revision", "1.0");

// create Error callout message
// this is an optional step
CalloutMessage err = new CalloutMessage(/* set the payload that causes this
error */);
err.setParameter("error_message", "true");
err.setParameter("error_desc", "set the error desc");

    output.add(cmOut);
    output.add(fa);
    output.add(err);

// (5) Throw an exception, if any
} catch (Exception e) {
    throw new CalloutDomainException(e);
}
}
}

```

Example 12-3 Code Example of a Sync Callback Callout

```

import java.io.FileInputStream;
import java.util.List;
import java.util.Properties;
import oracle.tip.b2b.callout.Callout;

```

```

import oracle.tip.b2b.callout.CalloutContext;
import oracle.tip.b2b.callout.CalloutMessage;
import oracle.tip.b2b.callout.exception.CalloutDomainException;
import oracle.tip.b2b.callout.exception.CalloutSystemException;
import oracle.tip.b2b.domain.B2BParameters;
import oracle.tip.b2b.system.B2BRuntimeError;
import oracle.tip.b2b.system.ErrorKeys;

public class SyncSampleCallout implements Callout {

    public void execute(CalloutContext calloutContext, List input, List output)
        throws CalloutDomainException, CalloutSystemException {
        try
        {
            CalloutMessage message = new CalloutMessage();

            Properties properties = new Properties();

            /*
            properties.put("FROM_PARTY", "MarketInc");
            properties.put(B2BParameters.TO_PARTY, "OracleServices");
            properties.put(B2BParameters.DOCTYPE_NAME, "271");
            properties.put(B2BParameters.DOCTYPE_REVISION, "4010X092A1");
            */

            properties.put("FROM_PARTY", "Acme");
            properties.put(B2BParameters.TO_PARTY, "GlobalChips");
            properties.put(B2BParameters.DOCTYPE_NAME, "CustomDocumentType");
            properties.put(B2BParameters.DOCTYPE_REVISION, "1.0");

            message.setParameters(properties);

            FileInputStream inStream = new FileInputStream("/tmp/GlobalChips_
12345.dat");

            byte[] content = new byte[inStream.available()];

            inStream.read(content);

            inStream.close();

            message.setBody(content);

            output.add(message);
        }
        catch(Exception e) {
            new B2BRuntimeError(ErrorKeys.B2B_RUNTIME_ERROR, e);
        }
    }
}

```


Use the Oracle B2B interface to purge design metadata and instance data.

This chapter contains the following topics:

- [Section 13.1, "Purging Design Metadata and Instance Data"](#)

See the following for alternate methods of purging:

- [Chapter 18, "B2B Command-Line Tools"](#)

13.1 Purging Design Metadata and Instance Data

Use the Oracle B2B interface to purge design metadata and instance data. Design metadata contains partner profile data, identifiers, document definitions, channels, and agreements. When you purge this data, predefined data that is part of the installation (the host trading partner name, protocols, and identification types, for example) is not purged. Instance data is created during run time when messages are processed. Instance, or run-time, data contains the business messages and message-related data.

Specific instance data can be purged from the **Business Message** tab of the **Reports** link. See [Section 16.1.2, "Purging Messages,"](#) for more information.

Purging does not remove artifacts that B2B creates in the Credential Store, such as passwords. See *Oracle Fusion Middleware Security Guide* for more information about the Credential Store.

With an instance message purge, you can optionally purge control number information. Control numbers are used in EDI (X12 and EDIFACT) and HL7 message standards. B2B keeps track of control numbers for inbound and outbound messages. For outbound messages, B2B generates the control numbers in a sequence from an internal control number table. Because purging instance data and control numbers resets the sequence (the control number table is reset), an outbound message after a purge may have the same control number as a message before the purge. If this is undesirable, do not purge control numbers.

Purging is useful for:

- Managing disk space and improving performance
- Removing repositories on a test system

Caution: Purging is an irreversible operation. Ensure that you first archive any important data.

To purge design metadata or instance data:

1. Click the **Administration** tab, and then the **Purge** tab.
2. (Optional if purging instance data.) Select **Purge Control Number** to reset the sequence.
3. Click **Purge Design Metadata** or **Purge Instance Data**, as shown in [Figure 13-1](#).

Figure 13-1 Purging Design Metadata or Instance Data



If you select **Purge Design Metadata**, then the message **Do you want to delete all the design metadata from the repository permanently?** appears.

If you select **Purge Instance Data**, then the message **Do you want to delete all the runtime data from the repository permanently?** appears.

4. Click **Yes**.

Configuring Listening Channels

A listening channel is used to send messages to Oracle B2B. A listening channel listens on an endpoint for messages. If a listening channel is marked as internal, then it can be used by any internal business application. If it is used as an external channel, then any trading partner can send a message to Oracle B2B using this channel.

This chapter contains the following topics:


- [Section 14.1, "Adding a Listening Channel and Protocol"](#)
- [Section 14.2, "Using Transport Protocols"](#)
- [Section 14.3, "Adding Listening Channel Details"](#)
- [Section 14.4, "Configuring a Listening Channel"](#)

14.1 Adding a Listening Channel and Protocol

Listening channels are used globally. You do not need to select a listening delivery channel in an agreement. Listening channels are used for any trading partner to send inbound messages to Oracle B2B or for any back-end business application to send outbound messages to Oracle B2B.

When you add a listening channel, you also specify the protocol that the channel uses, as shown in [Figure 14-1](#).

Figure 14–1 Adding a Protocol for a Listening Channel



By using a global listening channel, you can keep all messages in one directory from which Oracle B2B pulls. This approach is useful for File, FTP, and SFTP (SSH FTP) exchanges.

Table 14–1 describes the listening channel protocols supported by Oracle B2B.


Table 14–1 Listening Channel Protocols

Protocol	Description
AS1-1.0	Applicability Statement 1 (AS1) provides S/MIME and uses SMTP to transmit data using e-mail. Security, authentication, message integrity, and privacy are assured by the use of encryption and digital signatures. Use nonrepudiation to make it impossible for the intended recipient of a message to deny having received it. AS1 works with almost any type of data.
Generic File-1.0, Generic AQ-1.0, Generic FTP-1.0, Generic SFTP-1.0, Generic JMS-1.0, Generic Email-1.0	Using the Generic options, you can send messages with or without security. The Generic exchange protocol supports MIME and S/MIME, including S/MIME 3.0-based signing and encryption. There is no receipt acknowledgment support with the Generic protocols (the acknowledgment mode must be set to None).

14.2 Using Transport Protocols

The transport protocol used to send the message is determined by the listening channel you select, as shown in the **Channel Details** area in [Figure 14–2](#).

Figure 14–2 Channel Details: The Transport Protocol



[Table 14–2](#) describes the transport protocols available in Oracle B2B.

Table 14–2 Transport Protocols Available in Oracle B2B

Protocol	Description
Email	Use Email for AS1 and Email listening channels.
File	The File transport enables files to be picked up from a shared file directory.
AQ	Oracle AQ provides secure, bidirectional, asynchronous communication. The location of the application location is transparent, using any number of Oracle connectivity options, including OCI, JDBC, or PL/SQL. Both XML and non-XML message payloads are supported.
FTP	FTP enables files to be passed with FTP between applications. FTP runs on default port 21. To change to another port, provide the value in the Control Port field. To enable SSL, use the Channel Mask field. The default is None (no SSL).
SFTP	SFTP enables files to be passed using SSH FTP. SFTP runs on default port 22, which can be changed to another port. SFTP supports two modes of authentication, password authentication and public key authentication. To use password authentication, provide a password, which is used for authentication. To use public key authentication, provide the private key file location. You may also need to provide a pass phrase if the private key file is pass-phrase protected.
JMS	JMS enables applications to send and receive messages to and from the queues and topics administered by any Java Message Service (JMS) provider, including Oracle WebLogic JMS and non-Oracle providers such as MQSeries JMS (IBM). If a user name and password are not provided, the local JNDI is used, including in a clustered environment, provided that the destinations are distributed.
	Oracle B2B does not support javax.jms.ObjectMessage.

14.3 Adding Listening Channel Details

Listening channel details include transport protocol parameters, channel attributes, exchange protocol parameters, and security specifications.

14.3.1 Transport Protocol Parameters

A transport protocol defines the properties specific to a given use of a protocol endpoint. The transport is responsible for message delivery using the selected transport protocol, mode (synchronous or asynchronous), server, and protocol endpoint address (the trading partner address, such as a URI). [Table 14–3](#) describes the transport protocol parameters and lists the protocols to which the parameters apply.

Table 14–3 *Transport Protocol Parameters*

Protocol/Parameter	Description	Protocol Used With
Archival Directory	B2B channels move the processed files to this directory. By default, it is a destructive read—processed files are deleted from the endpoint. In this case, files are moved to the path provided.	Generic File-1.0 (optional) Generic FTP-1.0 (optional) Generic SFTP-1.0 (optional)
Cache Connections	If enabled, file listing and processing of the file occur in the same session (contrary to the default, in which listing and processing occur in different sessions).	Generic FTP-1.0 (optional)
Channel mask	To enable SSL for FTP, enter one of the following: <ul style="list-style-type: none"> ■ <code>Control</code>—Encrypts the control channel ■ <code>Data</code>—Encrypts the data channel ■ <code>Both</code>—Encrypts both the data and control channels The default is None (no SSL).	Generic FTP-1.0 (optional)
Cipher suites	Sets of ciphers defined in SSL.	Generic FTP-1.0 (optional)
Connection factory	The JNDI location or Java class name for the connection factory, as in <code>jms/b2b/B2BQueueConnectionFactory</code> .	Generic JMS-1.0 (optional)
Consumer	The client that receives the message.	Generic AQ-1.0 (optional)
Content type	The content type of the payload being sent over e-mail. The default content type is <code>text/plain</code> ; other examples include <code>application/xml</code> and <code>application/edi</code> . This value is used only for the delivery channel (to send e-mail) and not for the listening channel. On the listening channel side, intelligence is built into the transport adapter to deal with different content types, so no configuration is required.	AS1-1.0 (optional) Generic Email-1.0 (optional)
Control port	Provide a value to change the default FTP port value (21)	Generic FTP-1.0 (optional)
Data port	For active FTP connections, use this option to configure the static/fixed data port of the FTP server.	Generic FTP-1.0 (optional)
Datasource	The JNDI name of the JDBC data source to access AQ queues.	Generic AQ-1.0 (optional)
Destination name	The JMS destination name.	Generic JMS-1.0 (optional)
Destination Provider	Enables B2B to connect to JMS queues or topics available on remote servers. JNDI properties required to connected to the target server are expected as the value. Use <code>;</code> (semicolon) as the separator for each key/value pair.	Generic JMS-1.0 (optional)
Email ID	The e-mail address to which messages are delivered (similar to specifying the path for a file channel or queues in AQ or JMS).	AS1-1.0 (required) Generic Email-1.0 (required)
Email Server	Select IMAP or POP3 .	AS1-1.0 (required) Generic Email-1.0 (required)
Enable CCC	Enables B2B to authenticate in an SSL session and do the rest of the file transfer commands on a plain socket.	Generic FTP-1.0 (optional)

Table 14–3 (Cont.) Transport Protocol Parameters

Protocol/Parameter	Description	Protocol Used With
Enable Marker	If enabled, creates a zero-byte file with the same name as the source, indicating completion of reading or writing. The file carries the same name as the source, but with the extension marker.	Generic File-1.0 (optional) Generic FTP-1.0 (optional)-1.0 Generic SFTP-1.0 (optional)
Encoding	The encoding used in B2B to convert the contents of the inbound files.	Generic FTP-1.0 (optional)
Filename format ¹	The following filename formats can be used: %FROM_PARTY% %TO_PARTY% %DOCTYPE_NAME% %DOCTYPE_REVISION% %MSG_ID% %TIMESTAMP% This filename format can be used for ebMS documents only: %ACTIONNAME% These formats can be used in any combination; for example, %TO_PARTY%_%DOCTYPE_NAME%_%DOCTYPE_REVISION%.dat produces something like Acme_4010_850.dat. Any file extension is allowed. See footnote below.	Generic File-1.0 (optional) Generic FTP-1.0 (optional) Generic SFTP-1.0 (optional)
Folder	An absolute directory path is recommended.	AS1-1.0 (optional) Generic Email-1.0 (optional)
Folder name	An absolute directory path is recommended.	Generic File-1.0 (required) Generic FTP-1.0 (required)
Host name	The trading partner's transport or e-mail server exchanging messages.	AS1-1.0 (required) Generic AQ-1.0 (optional) Generic FTP-1.0 (required) Generic SFTP-1.0 (required) Generic Email-1.0 (required)
Is Binary	Treats the message as binary content, with no translation or validation. Agreements are identified based on the file naming convention.	This parameter is <i>not</i> available with Generic File-1.0, Generic FTP-1.0, and Generic SFTP-1.0, although it appears in the B2B interface for these protocols.
Is Map Payload Alone	Indicates that the payload is sent alone as part of a JMS message of type <code>javax.jms.MapMessage</code>	Generic JMS-1.0 (optional)
Is topic	Select to indicate that JMS is communicating with a topic (not a queue).	Generic JMS-1.0 (optional)
Is Van Mailbox	If enabled, B2B treats the endpoint as a VAN Mailbox and operates accordingly.	Generic FTP-1.0 (optional)
Message type	Select a JMS messages type: BYTES , TEXT , or MAP .	Generic JMS-1.0 (optional)
Minimum Age	Files arriving at the endpoint are processed after the time interval entered, in milliseconds.	Generic File-1.0 (optional) Generic FTP-1.0 (optional) Generic SFTP-1.0 (optional)
Pass phrase and Confirm pass phrase	If you enter a private key file location, and if the private key file is pass-phrase protected, then enter the pass phrase.	Generic SFTP-1.0 (optional)
Password and Confirm Password	To use password authentication, provide a key store password, which is used for authentication.	AS1-1.0 (optional) Generic AQ-1.0 (optional) Generic FTP-1.0 (optional) Generic SFTP-1.0 (optional) Generic JMS-1.0 (optional) Generic Email-1.0 (optional)

Table 14–3 (Cont.) Transport Protocol Parameters

Protocol/Parameter	Description	Protocol Used With
Path	The absolute directory path where messages are sent from or received.	Generic SFTP-1.0 (required)
Polling interval	The time interval in seconds during which Oracle B2B polls the server for inbound messages.	AS1-1.0 (optional) Generic File-1.0 (optional) Generic AQ-1.0 (optional) Generic FTP-1.0 (optional) Generic SFTP-1.0 (optional) Generic JMS-1.0 (optional) Generic Email-1.0 (optional)
Port number	AQ runs on default port 1521. SFTP runs on default port 22, which can be changed to another port. FTP runs on default port 21, which is not displayed. See the description of Control Port for how to change this port number.	Generic AQ-1.0 (optional) Generic SFTP-1.0 (required)
Preserve Filename	Retains the file name.	Generic File-1.0 (optional) Generic FTP-1.0 (optional) Generic SFTP-1.0 (optional)
Private key	To use public key authentication, provide the private key file location. You may also need to provide a pass phrase if the private key file is pass-phrase protected.	Generic SFTP-1.0 (optional)
Queue name	The AQ queue name.	Generic AQ-1.0 (optional)
Recipient	The value used when delivering a message to the AQ queue. For example, if you set the recipient to <code>testuser</code> , then the message can be consumed only by the consumer with the name <code>testuser</code> (in other words, the recipient is on the sending side and the consumer is on the listening side).	Generic AQ-1.0 (optional)
Send as attachment	If enabled, the message (payload) is sent as an e-mail attachment instead of the typical delivery in which the payload is the message body.	This parameter is <i>not</i> available with AS1-1.0 and Generic Email-1.0, although it appears in the B2B interface for these protocols.
SID	System ID to identify an Oracle database.	Generic AQ-1.0 (optional)
Subject	The subject header of the e-mail message.	This parameter is <i>not</i> available with AS1-1.0 and Generic Email-1.0, although it appears in the B2B interface for these protocols.
Subscriber ID	The JMS subscriber ID is required if JMS is communicating with a topic.	Generic JMS-1.0
Transfer Type	Select binary or ascii for the file transfer mode.	Generic FTP-1.0 (optional)
Use JMS ID	Uses the JMS message ID as the B2B message ID. This facilitates correlation at the JMS level.	Generic JMS-1.0 (optional)
Use proxy	Select this option if a proxy server is used.	Generic FTP-1.0 (optional) Generic SFTP-1.0 (optional)
User name	The user name (login name) to connect to the target servers. This value is optional for AQ and JMS because B2B can use the configured JNDI data sources to connect to queues.	AS1-1.0 (required) Generic AQ-1.0 (optional) Generic FTP-1.0 (required) Generic SFTP-1.0 (required) Generic JMS-1.0 (optional) Generic Email-1.0 (required)

¹ In File/FTP channels, if the `filename` format is set then the `directory name` format is ignored.

14.3.2 Channel Attributes

The channel is the communication interface between the host trading partner's host application and its installation. [Table 14-4](#) describes the channel attributes and lists the protocols to which the attributes apply.

Table 14-4 Channel Attributes

Protocol/Parameter	Description	Protocol Used With
Ack Mode	Select Sync , Async , or None for the mode in which the trading partner receives messages. Select None for all generic exchanges.	This parameter is <i>not</i> available with AS1-1.0, although it appears in the B2B interface for this protocol.
Description	Provide an optional description.	AS1-1.0 (optional) Generic File-1.0 (optional) Generic AQ-1.0 (optional) Generic FTP-1.0 (optional) Generic SFTP-1.0 (optional) Generic JMS-1.0 (optional) Generic Email-1.0 (optional)
Enable/Disable Channel	The channel is the communication interface between the host trading partner's host application and its installation.	AS1-1.0 (required) Generic File-1.0 (required) Generic AQ-1.0 (required) Generic FTP-1.0 (required) Generic SFTP-1.0 (required) Generic JMS-1.0 (required) Generic Email-1.0 (Required)
Internal	Select this option if the channel is internal to the host trading partner's enterprise. This feature is disabled for AS1.	Generic File-1.0 (optional) Generic AQ-1.0 (optional) Generic FTP-1.0 (optional) Generic SFTP-1.0 (optional) Generic JMS-1.0 (optional) Generic Email-1.0 (optional)
Response Mode	Select Sync , Async , or None ,	This parameter is <i>not</i> available with AS1-1.0, although it appears in the B2B interface for this protocols.

Table 14–4 (Cont.) Channel Attributes

Protocol/Parameter	Description	Protocol Used With
Retry Count	The number of times that Oracle B2B retries sending the message.	This parameter is <i>not</i> available with AS1-1.0, Generic File-1.0, Generic AQ-1.0, Generic FTP-1.0, Generic SFTP-1.0, Generic JMS-1.0, and Generic Email-1.0, although it appears in the B2B interface for these protocols.
Retry Interval	The time interval in seconds during which Oracle B2B attempts to resend the message. A time interval of 2 minutes increments the HH:MM:SS timestamp as follows: If the sent timestamp is 3:42:58, then 42 minutes is incremented by 2 minutes and the retry is sent at 3:44:00. The seconds are dropped in the retry increment. Subsequent retries are at 2 minute intervals. For protocols with acknowledgments, B2B waits for the acknowledgment (formerly called the Time to Acknowledge parameter). If it is not received, the retry interval setting causes B2B to retry	This parameter is <i>not</i> available with AS1-1.0, Generic File-1.0, Generic AQ-1.0, Generic FTP-1.0, Generic SFTP-1.0, Generic JMS-1.0, and Generic Email-1.0, although it appears in the B2B interface for these protocols.
Transport Callout	For the inbound message, B2B invokes the transport callout immediately after it receives a message from the transport. For the outbound message, B2B invokes the transport callout immediately before it sends a message to the transport.	AS1-1.0 (optional) Generic File-1.0 (optional) Generic AQ-1.0 (optional) Generic FTP-1.0 (optional) Generic SFTP-1.0 (optional) Generic JMS-1.0 (optional) Generic Email-1.0 (optional)

14.3.3 Exchange Protocol Parameters

The exchange protocol defines the headers, acknowledgments, and packaging that puts the headers and payload together (the message exchange mechanism). The exchange protocol also defines signing and compression. [Table 14–5](#) describes the exchange protocol parameters and lists the protocols to which the parameters apply.

Table 14–5 Exchange Protocol Parameters

Protocol/Parameter	Description	Protocol Used With
Signed and Compressed	If selected, the message is first signed, and then compressed. If <i>not</i> selected, the message is first compressed, and then signed.	AS1-1.0 (optional)

14.3.4 Security Parameters

Security parameters are not available for any of the protocols, although the B2B interface displays security parameters for the AS1-1.0 protocol, as described in [Table 14–6](#).

Table 14–6 Security Parameters: Not Available for Listening Channel Protocols

Protocol/Parameter	Description	Protocol Used With
Ack Signed	Select this option to ensure that the responder acknowledges receipt of the messages; nothing needs to be provided.	This parameter is <i>not</i> available with AS1-1.0, although it appears in the B2B interface for this protocol.
Digital Signature	If Message Signed is selected, then select one of the following: SMIME 3.0 with MD5 - RSA SMIME 3.0 with SHA1 - RSA	This parameter is <i>not</i> available with AS1-1.0, although it appears in the B2B interface for this protocol.
Encryption	If Message Encrypted is selected, then select one of the following: SMIME 3.0 with DES SMIME 3.0 with 3DES SMIME 3.0 with RC2 - 40 SMIME 3.0 with RC2 - 64 SMIME 3.0 with RC2 - 128	This parameter is <i>not</i> available with AS1-1.0, although it appears in the B2B interface for this protocol.
Message Encrypted	Select this option to enable message encryption. This option requires you to select an encryption schema in the Encryption field.	This parameter is <i>not</i> available with AS1-1.0, although it appears in the B2B interface for this protocol.
Message Signed	Select this option to provide one of the digital signatures in the Digital Signature field.	This parameter is <i>not</i> available with AS1-1.0, although it appears in the B2B interface for this protocol.

14.4 Configuring a Listening Channel


To configure a listening channel, add a listening channel protocol, and then transport protocol parameters, channel attributes, exchange protocol parameters, and security parameters, depending on the channel protocol you selected.

To add a listening channel protocol:

1. Click the **Administration** link.
2. Click the **Listening Channel** tab.
3. Click **Add**.
4. Provide a name for the listening channel.
5. Select a protocol.

[Figure 14–3](#) shows the list of protocols.

Figure 14–3 Adding a Listening Channel Protocol



See [Table 14–1](#) for a description of the protocols.

The transport protocol that appears under **Channel Details** is based on your protocol selection in Step 5.

6. Click **Save**.

To add transport protocol parameters:

1. Click the **Transport Protocol Parameters** tab.
2. Provide transport protocol parameters, depending on the channel/transport protocols.

[Table 14–3](#) describes the transport protocol parameters (listed in alphabetical order) and the protocols to which the parameters apply.

3. Click **Save**.

To add channel attributes:

1. Click the **Channel Attributes** tab.
2. Provide channel attributes, depending on the channel/transport protocols selected.

[Table 14–4](#) describes the channel attributes (listed in alphabetical order) and the protocols to which the attributes apply.

3. Click **Save**.

To add exchange protocol parameters:

1. Click the **Exchange Protocol Parameters** tab.
2. Provide exchange protocol parameters, depending on the channel/transport protocols selected.

[Table 14-5](#) describes the exchange protocol parameters (listed in alphabetical order) and the protocols to which the attributes apply.

3. Click **Save**.

Configuring B2B System Parameters

Configuration settings are accessible in the Oracle B2B interface on the **Configuration** tab. Settings on the **Configuration** tab override property settings using the Oracle Enterprise Manager Fusion Middleware Control Console. See [Appendix B, "Setting B2B Configuration Properties in Fusion Middleware Control."](#)

This chapter contains the following topics:

- [Section 15.1, "Setting Configuration Parameters"](#)

15.1 Setting Configuration Parameters

[Table 15–1](#) shows the configuration settings available in the Oracle B2B interface.

Figure 15–1 Configuration Parameters in the Oracle B2B Interface

The screenshot shows the Oracle B2B Configuration Parameters interface. The top navigation bar includes tabs for Manage Deployments, Types, Schedule Batch, Manage Batch, Callout, Purge, Listening Channel, and Configuration. The Configuration tab is selected. A 'Save' button is located in the top right corner. The configuration parameters are organized into several sections:

- Acknowledgment:**
 - Functional Ack Handled by B2B:
 - Functional Ack internal properties:
 - Notify Inbound Receipt Acks:
 - Notify Inbound Functional Acks:
- Miscellaneous:**
 - Default Trading Partner:
 - Ignore Correlation:
 - Additional MIME Types:
 - Log Payload:
 - Reconnect on Error:
 - HTTP Header Delimiter:
 - Treat Reply To message as Request:
 - Generic Message Type:
- Miscellaneous(continued):**
 - Outbound Dispatcher Count:
 - Inbound Dispatcher Count:
 - Auto Stack Handler:
 - Auto Stack Handler:
 - Partial Batch Commit Size:
 - Exception Queue:
- Non Purgeable:**
 - Use JMS Queue as default:
 - Callout Directory:
 - SMTP Host:
- Performance:**
 - Large Payload Size:
 - Large Payload Directory:
- UI:**
 - Show Payload:
 - Enable Auto Search:
 - Payload Display Size:

Table 15–1 describes the configuration parameters.

Table 15–1 Configuration Settings

Field	Description
Acknowledgment	-
Functional Ack Handled by B2B	<p>If set to true, then B2B autogenerates the functional acknowledgment (FA) message for inbound EDI and HL7 messages. Inbound FA messages are consumed when this option is true. When this option is set to false, B2B does not autogenerate the FA document. The back-end application (middleware) must generate the FA and provide it to B2B as an outbound message. When option is set to false, inbound FA documents are passed back to the back-end application.</p> <p>If the document does not require an FA (as indicated by the agreement-level setting), then this option is ignored. The default value for this property is true.</p> <p>See Section B.1, "Properties To Set in Fusion Middleware Control," for more information.</p> <p>When Functional Ack Handled by B2B is set to false, then Notify Inbound Functional Acks must be set to false also for the inbound FA to be sent to the back-end application. If Notify Inbound Functional Acks is set to true (while Functional Ack Handled by B2B is set to false), then the incoming 997 (FA doc) generates only a notification and the 997 document itself is <i>not</i> sent back to the back-end application.</p>
Functional Ack Internal Properties	Generates the internal properties structure in the functional acknowledgment XML for EDI transactions. A document type 997 (for X12) or CONTRL (for EDIFACT) must exist. The default value is false, which means that the functional acknowledgment uses the original message-internal properties. If true, then the FA message autogenerated by B2B contains interchange/group envelope information from the original message.
Notify Inbound Receipt Acks	If set to true, B2B sends an acknowledgment notification to the application when an exchange acknowledgment is received.
Notify Inbound Functional Acks	<p>If set to true, B2B sends an acknowledgment notification to the application when a functional acknowledgment is received.</p> <p>When Functional Ack Handled by B2B is set to false, then Notify Inbound Functional Acks must be set to false also for the inbound FA to be sent to the back-end application. If Notify Inbound Functional Acks is set to true (while Functional Ack Handled by B2B is set to false), then the incoming 997 (FA doc) generates only a notification and the 997 document itself is <i>not</i> sent back to the back-end application.</p>
Miscellaneous	-
Default Trading Partner	Defaults to this trading partner if trading partner agreement identification fails. Used for HL7 documents.
Ignore Correlation	When an acknowledgment is received from a trading partner, it is correlated to the actual business message of the sender. If the correlation fails, an exception is generated and the acknowledgment processing stops. To ignore the correlation and process the acknowledgment, set this property to true.
Additional MIME Types	Use to specify attachments (additional MIME types) in addition to the default MIME types supported by B2B for ebxml exchanges. By default, B2B supports application/xml : application/octet-stream : application/EDIFACT : application/EDI-X12 : application/jpg : image/jpeg : application/gzip : application/x-gzip : application/pkcs7-signature.
Log Payload	If true, B2B logs the payload in a diagnostic log (also depends on log level setting). Error messages are logged by default. Payload logging is useful for diagnostic purposes, but may be undesirable for security reasons. The default value is false.
Reconnect on Error	If set to true, the AQ adapter retries the enqueue operation when the initial enqueue fails. This parameter is not available in this release.

Table 15–1 (Cont.) Configuration Settings

Field	Description
HTTP Header Delimiter	A delimiter to separate the HTTP headers provided in the Additional Transport Headers field for HTTP delivery channel configuration.
Treat Reply to Message as Request	Used in ebMS to indicate that the conversation message is to be considered as a request message.
Generic Message Type	If this property is enabled (set to true), B2B finds the agreement for the specific message type first, and then the generic message type. The default value is false.
Miscellaneous (continued)	-
Outbound Dispatcher Count	The number of dispatchers used for handling the outbound messages. Used in message sequencing for MLLP. The default value is 0.
Inbound Dispatcher Count	The number of dispatchers used for handling the inbound messages. Used in message sequencing for MLLP. The default value is 0.
Auto Stack Handler	Used in stacking for MLLP. If true, the stack handler processes stacked messages in automatic mode. The default value is false.
Auto Stack Handler Interval	Used in stacking for MLLP. Enter comma-separated values for the time interval in seconds for the stack handler to process the stacked messages. The default value is 1.
Partial Batch Commit Size	Used while debatching an EDI message that has large transaction sets. Instead of using a single commit, which is prone to errors in case of failure, this feature enables specifying a partial batch commit size. For example, if Partial Batch Commit Size=10, then, for an envelope with more than 10 transactions, B2B calls a separate commit for every 10 transaction sets.
Exception Queue	Select a JMS internal delivery channel for the host trading partner to use as the exception queue. A null default value for this parameter means that exceptions are sent to the JMS queue (B2B_IN_QUEUE) if Use JMS Queue as default is set to true or to the AQ queue (IP_IN_QUEUE) if Use JMS Queue as default is set to false. AQ queues are not supported for use as custom exception queues.
Non Purgeable	The nonpurgeable parameters— Use JMS Queue as default and Callout Directory —retain their values even after a metadata repository purge is invoked.
Use JMS Queue as default	If this option is set to true, then B2B starts to poll on the JMS queue, B2B_OUT_QUEUE for outbound messages, and delivers all inbound messages to B2B_IN_QUEUE. Polling on IP_OUT_QUEUE is stopped. If this option is set to false (the default), then B2B starts to poll on the AQ queue, IP_OUT_QUEUE for outbound messages, and delivers all inbound messages to IP_IN_QUEUE. Polling on B2B_OUT_QUEUE is stopped. When a non-Oracle database is used and therefore no AQ queues are available, the JMS queues are used no matter how this option is set. If you select a queue from Exception Queue , then exception messages are sent to that configured queue. The default queues continue to be valid for other messages, depending on the setting for Use JMS Queue as default . If the value of Use JMS Queue as default is set to true before purging the metadata repository, then after a purge, the value continues to be true and does not revert back to the default value, false.
Callout Directory	Specify a directory for the callout JAR file location if you do not use the default callout. The callout directory path cannot end with / or \. The default file location, /MyCalloutDir, is retained after purging the metadata repository.
SMTP Host	Specify the host name of the SMTP server in the enterprise to send the negative MDN to the trading partner for an AS1 exchange.
Performance	-
Large Payload Size	Specify a large payload size, in bytes. The default value is 2,000,000 (2MG).

Table 15–1 (Cont.) Configuration Settings

Field	Description
Large Payload Directory	The default directory is /tmp. For Windows-based systems, change the directory to an appropriate directory, such as C:\temp.
UI	-
Show Payload	Enables the payload to be displayed in reports accessible from the Reports tab. If set to true, the database is automatically searched with the default search parameters and the results are displayed.
Enable Auto Search	Enables automatic searching in reports accessible from the Reports tab. The default value is true. If set to false, a blank result table is displayed on the report pages until the Search button is clicked.
Payload Display Size	The default value is 1,048,576 KB. This parameter (in bytes) is used to display the payload only if its size is less than the value configured in the interface.

To set configuration parameters:

1. Click the **Administration** link.
2. Click the **Configuration** tab.
3. Provide values for the configuration parameters, as described in [Table 15–1](#).
4. Click **Save**.

Part IV

Reports and Metrics

This part contains the following chapters:

- [Chapter 16, "Creating Reports"](#)
- [Chapter 17, "Using B2B Metrics"](#)

Creating Reports

Oracle B2B reports provide real-time status on the run-time behavior of deployed data.

This chapter contains the following topics:

- [Section 16.1, "Introduction to Reports"](#)
- [Section 16.2, "Creating Business Message Reports"](#)
- [Section 16.3, "Creating Wire Message Reports"](#)
- [Section 16.4, "Creating Application Message Reports"](#)
- [Section 16.5, "Creating Error Reports"](#)
- [Section 16.6, "Creating Conversation Reports"](#)

16.1 Introduction to Reports

Use the **Reports** link to search on data in the run-time repository. The Saved Search function is not available.

The following message types are available for searching:

- Business messages—See [Section 16.2, "Creating Business Message Reports"](#)
- Wire messages—See [Section 16.3, "Creating Wire Message Reports"](#)
- Application messages—See [Section 16.4, "Creating Application Message Reports"](#)
- Error messages—See [Section 16.5, "Creating Error Reports"](#)
- Conversation messages—See [Section 16.6, "Creating Conversation Reports"](#)

Note: In a cluster environment, if system time stamps are not synchronized for all nodes in the cluster, then you may see message time stamps that look incorrect, but are not. For example, given an unsynchronized, multinode cluster, if an outbound message is received on one node, but the reply is sent from another node, it is possible for a report to show message receipt at 4 a.m., but an acknowledgment sent at 3:55 a.m.

16.1.1 The Monitor User Role

For individuals such as business analysts who create and analyze message reports, Oracle B2B provides a monitor user role that an administrator can assign to trading partner users. This role provides a user with access to only the functionality of the **Reports** tab of Oracle B2B. A user with the Monitor role cannot see or access the other

parts of the interface or see data for other trading partners. See [Section 5.3, "Adding Trading Partner Users,"](#) for how to assign the Monitor role.

16.1.2 Purging Messages

From the **Business Message** tab, use the **Purge** button to purge one or more messages that display after you search the instance data.

16.1.3 Resubmitting Messages from Oracle B2B

If errors that occur when sending an inbound or outbound message are internal to Oracle B2B, then you can correct the problem and resend the message. For example, if B2B attempts to send a message to an endpoint that is not configured correctly, or if the agreement is not configured correctly, correct the error and use **Resubmit** for application messages or wire messages.

Resubmitting an application message, for an outbound message, replays the message from the time of receipt of the message and goes through agreement lookup, message translation (for EDI) and then finally the delivery is attempted. An application message resubmit is helpful when the agreement settings or document configuration is not as required and the message must be restructured with updated settings.

Resubmitting an application message, for an inbound message, attempts to deliver the message again to the back-end application. Resubmitting is useful when the back-end application is down and the delivery must be retried.

Resubmitting a wire message, for an outbound message, tries to redeliver only the previously processed message. There is no repackaging or other message transformation. This is helpful when the problem was with the delivery endpoint (for example, the partner's server is down and unable to receive the message).

Resubmitting a wire message, for an inbound message, replays the message from the time of receipt from the trading partner. The exchange and document are re-identified and an agreement lookup is done. The processed message is then delivered to the back-end. This is useful when the agreement or document setting are not correct and the message must be translated and validated again.

Note: If you resubmit an inbound AS2 synchronous wire message, the MDN is generated, but it is not returned to the sender in synchronous mode. This is because the sender is not the one who is initiating the originating message. In this scenario, the MDN message state is in the MSG_COMPLETE state.

16.2 Creating Business Message Reports

Business message status reports identify business message instance details for a document protocol. These details include the sending and receiving trading partners, the agreement name, the business action, the business message ID, the status, the exchange protocol and document protocol, and message details.

[Figure 16–1](#) shows a business message report.

Figure 16–1 Business Message Report

The screenshot shows the 'Business Message' report interface. At the top, there are tabs for 'Business Message', 'Wire Message', 'Application Message', 'Error', and 'Conversation'. Below the tabs is a search area with a 'Search' button and a 'Reset' button. The search area includes a 'Match' section with radio buttons for 'All' and 'Any', and several dropdown menus for 'Sender', 'Receiver', 'Agreement', 'Send Time Stamp', 'Receive Time Stamp', 'State', and 'Message Id'. The 'Send Time Stamp' is set to 'Less Than' 09/30/2009 12:00:00 AM. The 'Receive Time Stamp' is set to 'Greater Than'. The 'State' is set to 'Equals'. The 'Message Id' is set to 'Contains'. Below the search area is a table of results with columns: Details, State, Document Type, Agreement, Sender, Receiver, Receive Time Stamp, Send Time Stamp, and Created Date. The table shows 14 rows of results, all with 'MSG_COMPLETE' state and 'FILE_O_R_X12_4010_850_Agr' agreement.

Details	State	Document Type	Agreement	Sender	Receiver	Receive Time Stamp	Send Time Stamp	Created Date
1	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:53 PM	Thursday, September 17, 2009 9:06:53 PM	Thursday, September 17, 2009 9:06:53 PM
2	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:53 PM	Thursday, September 17, 2009 9:06:53 PM	Thursday, September 17, 2009 9:06:53 PM
3	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:53 PM	Thursday, September 17, 2009 9:06:53 PM	Thursday, September 17, 2009 9:06:53 PM
4	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:52 PM	Thursday, September 17, 2009 9:06:52 PM	Thursday, September 17, 2009 9:06:52 PM
5	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:52 PM	Thursday, September 17, 2009 9:06:52 PM	Thursday, September 17, 2009 9:06:52 PM
6	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:52 PM	Thursday, September 17, 2009 9:06:52 PM	Thursday, September 17, 2009 9:06:52 PM
7	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:52 PM	Thursday, September 17, 2009 9:06:52 PM	Thursday, September 17, 2009 9:06:52 PM
8	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:52 PM	Thursday, September 17, 2009 9:06:52 PM	Thursday, September 17, 2009 9:06:52 PM
9	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:51 PM	Thursday, September 17, 2009 9:06:51 PM	Thursday, September 17, 2009 9:06:51 PM
10	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:51 PM	Thursday, September 17, 2009 9:06:51 PM	Thursday, September 17, 2009 9:06:51 PM
11	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:51 PM	Thursday, September 17, 2009 9:06:51 PM	Thursday, September 17, 2009 9:06:51 PM
12	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:51 PM	Thursday, September 17, 2009 9:06:51 PM	Thursday, September 17, 2009 9:06:51 PM
13	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:50 PM	Thursday, September 17, 2009 9:06:50 PM	Thursday, September 17, 2009 9:06:50 PM
14	MSG_COMPLETE	850	FILE_O_R_X12_4010_850_Agr	OracleServices	RetailerInc	Thursday, September 17, 2009 9:06:50 PM	Thursday, September 17, 2009 9:06:50 PM	Thursday, September 17, 2009 9:06:50 PM

To create a business message report:

1. Click **Reports**, and then **Business Message**.
2. Provide search parameters.

Field	Description
Match	Select All or Any .
Sender	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of a trading partner name.
Receiver	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of a trading partner name.
Agreement	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of a trading partner agreement name.
Send Time Stamp	Select from Less Than , Greater Than , Greater Than Equals , Equals , or Less Than Equals . Provide a date and time in the format shown (MM/DD/YYYY HH:MM:SS AM/PM) or click the Select Date and Time icon.
Receive Time Stamp	Select from Less Than , Greater Than , Greater Than Equals , Equals , or Less Than Equals . Provide a date and time in the format shown (MM/DD/YYYY HH:MM:SS AM/PM) or click the Select Date and Time icon.

Field	Description
State	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of a message state: MSG_COMPLETE MSG_ERROR MSG_WAIT_TRANSMIT MSG_WAIT_FA MSG_WAIT_BATCH
Message ID	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of a message ID.

3. To add more search fields, click **Advanced** and select from **Add Fields**.

Field	Description
Document Protocol Name	Enter Custom, EDI_EDIFACT, EDI_X2, HL7, OAG, PositionalFlatFile, RosettaNet, or UCCNet. (Equals is the only operator.)
Document Type	Select from a previously created document type, for example, 850 for EDI X12. (Equals is the only operator.)
Document Protocol Version	Select from a previously created document protocol version. (Equals is the only operator.)
Document Definition	Select from a previously created document definition. (Equals is the only operator.)

Use the document search parameters as follows: Select a document protocol name first to populate the list of document protocol versions; next select a document protocol version to populate the list of document types; and then select a document type to populate the list of document definitions.


4. Click **Search**.

View the results, as shown in [Figure 16-1](#).

5. In the **Details** column of the **Results** area, click the icon to see report details.

[Figure 16-2](#) shows the business message details.

Figure 16–2 Business Message Details



16.3 Creating Wire Message Reports

Wire messages are the native format of data sent from trading partners. Wire messages can contain several sections, such as payloads, attachments, or trailers. Wire message status reports identify details about wire message instances, such as the transport protocol name, the transport protocol revision, and the protocol message identification and its state. The reports enable you to go from a business message to its corresponding wire message and from a wire message to its corresponding business messages.

Figure 16–3 shows a wire message report.

Figure 16–3 Wire Message Report

The screenshot displays the 'Wire Message' report interface. At the top, there are tabs for 'Business Message', 'Wire Message', 'Application Message', 'Error', and 'Conversation'. The 'Wire Message' tab is selected. Below the tabs is a search area with a 'Search' button and a 'Saved Search' dropdown. The search criteria include: Match (All/Any), Url (Contains), Transport Protocol (Contains), State (Contains), and Created Date (Less Than 09/30/2009 12:00:00 AM). Below the search area is a table of results with columns: Details, State, Transport Protocol, Url, and Created Date. The table shows 14 rows of data, all with a state of 'COMPLETE' and a URL of 'file://localhost/tmp/retailerinc_in'.

Details	State	Transport Protocol	Url	Created Date
1	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:53 PM GMT-07:00
2	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:53 PM GMT-07:00
3	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:53 PM GMT-07:00
4	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:52 PM GMT-07:00
5	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:52 PM GMT-07:00
6	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:52 PM GMT-07:00
7	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:52 PM GMT-07:00
8	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:52 PM GMT-07:00
9	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:51 PM GMT-07:00
10	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:51 PM GMT-07:00
11	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:51 PM GMT-07:00
12	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:51 PM GMT-07:00
13	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:50 PM GMT-07:00
14	COMPLETE	File	file://localhost/tmp/retailerinc_in	Thursday, September 17, 2009 9:06:50 PM GMT-07:00

To create a wire message report:

1. Click **Reports**, and then **Wire Message**.
2. Provide search parameters.


Field	Value
URL	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of the URL.
Transport Protocol	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of the transport protocol.
State	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of a message state: MSG_COMPLETE MSG_ERROR MSG_WAIT_TRANSMIT MSG_WAIT_FA MSG_WAIT_BATCH
Created Date	Select from Less Than , Greater Than , Greater Than Equals , Equals , or Less Than Equals . Provide a date and time in the format shown (MM/DD/YYYY HH:MM:SS AM/PM) or click the Select Date and Time icon.
Message ID	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of a message ID.

3. To add more search fields, click **Advanced** and select from **Add Fields**.

Field	Description
Document Protocol Name	Select from Custom, EDI_EDIFACT, EDI_X2, HL7, OAG, PositionalFlatFile, RosettaNet, or UCCNet. (Equals is the only operator.)
Document Type	Select from a previously created document type, for example, 850 for EDI X12. (Equals is the only operator.)
Document Protocol Version	Select from a previously created document protocol version. (Equals is the only operator.)
Document Definition	Select from a previously created document definition. (Equals is the only operator.)

4. Click **Search**.
View the results, as shown in [Figure 16-3](#).
5. In the **Details** column of the **Results** area, click the icon to see report details.
[Figure 16-4](#) shows wire message details.

Figure 16-4 Wire Message Details



16.4 Creating Application Message Reports

This report provides information related to the SOA Composite—the name, version, and so on, if a back-end composite application sent or received the message.

Figure 16–5 shows an application message report.

Figure 16–5 Application Message Report

The screenshot displays the 'Application Message' report interface. At the top, there are tabs for 'Business Message', 'Wire Message', 'Application Message', 'Error', and 'Conversation'. Below the tabs is a search panel with a 'Search' button and a 'Saved Search' dropdown set to 'Default'. The search criteria are as follows:

- Match: All Any
- Created Date: Less Than 09/30/2009 12:00:00 AM (UTC-08:00) US Pacific Time
- Document Definition: Equals
- State: Contains
- Document Protocol Name: Equals
- Document Protocol Version: Equals
- Composite Name: Contains
- Document Type: Equals

Buttons for 'Search', 'Reset', and 'Save...' are located at the bottom right of the search panel. Below the search panel, the results are displayed in a table with the following columns: Details, Sender Id Type, Sender Value, Receiver Id Type, Receiver Value, Document Type, Document Definition, Document Protocol Name, Document Protocol Version, Direction, State, Created Date, Application Name, Composite Name, Composite Version, Reference Name, and Service Name. The table contains 14 rows of data, all showing 'OUTBOUND' direction and 'MSG_COMPLETE' state, with a 'Created Date' of 'Thursday, September 17'.

To create an application message report:

1. Click **Reports**, and then **Application Message**.
2. Provide search parameters.

Field	Description
Match	Select All or Any .
Created Date	Select from Less Than , Greater Than , Greater Than Equals , Equals , or Less Than Equals . Provide a date and time in the format shown (MM/DD/YYYY HH:MM:SS AM/PM) or click the Select Date and Time icon.
Document Protocol Name	Select from Custom, EDI_EDIFACT, EDI_X2, HL7, OAG, PositionalFlatFile, RosettaNet, or UCCNet. (Equals is the only operator.)
Document Protocol Version	Select from a previously created document protocol version. (Equals is the only operator.)
Document Type	Select from a previously created document type, for example, 850 for EDI X12. (Equals is the only operator.)
Document Definition	Select from a previously created document definition. (Equals is the only operator.)
State	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of a message state: MSG_COMPLETE MSG_ERROR MSG_WAIT_TRANSMIT MSG_WAIT_FA MSG_WAIT_BATCH


Field	Description
Composite Name	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of the SOA composite application name.

- To add more search fields, click **Advanced** and select from **Add Fields**.

Field	Description
Application Name	Provide the name of the application.
Composite Version	Provide the version of the SOA composite application in Oracle JDeveloper.
ECID	Select from Starts With , Equals , Contains , or Ends With . Provide an instance ID.
Sender ID Type	Provide the sender's identifier type, such as Name, DUNS, or MLLP ID.
Service Name	Provide the name of the B2B service binding component.
Receiver ID Type	Provide the receiver's identifier type, such as Name, DUNS, or MLLP ID
Receiver Value	Provide the value of the receiver's identifier type. For example, if DUNS is the Receiver ID Type, provide the DUNS number.
Sender Value	Provide the value of the sender's identifier type. For example, if Name is the Sender ID Type, provide the trading partner name as set in the identifier type in the trading partner's profile.
Reference Name	Provide the name of the B2B reference binding component.
Fabric CompositeDn	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of the composite name.

- Click **Search**.
View the results, as shown in [Figure 16-5](#).
- In the **Details** column of the **Results** area, click the icon to see report details.
[Figure 16-6](#) shows application message details.

Figure 16–6 Application Message Details



16.5 Creating Error Reports

Error status reports provide error message details. These details include the error code, error text, business message identification, message date, and message details.

Figure 16–7 shows an error report.

Figure 16–7 Error Report

The screenshot shows the 'Error Message' search interface. At the top, there are tabs for 'Business Message', 'Wire Message', 'Application Message', 'Error', and 'Conversation'. The 'Error' tab is selected. Below the tabs is a search area with a 'Search' button and a 'Saved Search' dropdown set to 'Default'. The search criteria are as follows:

- Match: All Any
- Error Code: Contains []
- Error Level: Contains []
- Error Severity: Contains []
- Error Text: Contains []
- Error Description: Contains []
- Send Time Stamp: Greater Than 04/30/2009 12:00:00 AM (UTC-08:00) US Pacific Time

Buttons for 'Search', 'Reset', and 'Save...' are located at the bottom right of the search area. Below the search area is a 'Result' section containing a table with the following columns: Details, Error Code, Error Description, Error Level, Error Severity, Error Text, and Send Time Stamp.

Details	Error Code	Error Description	Error Level	Error Severity	Error Text	Send Time Stamp
[]	B2B-50547	Machine Info: (staqj22) Desc...	ERROR_LEVEL_COLLABORA...	ERROR	Agreement not found for trading partners: FromTP null, ToT...	4/30/2009 3:23 PM
[]	B2B-50547	Machine Info: (staqj22) Desc...	ERROR_LEVEL_COLLABORA...	ERROR	Agreement not found for trading partners: FromTP GlobalChi...	4/30/2009 3:23 PM
[]	B2B-50547	Machine Info: (staqj22) Desc...	ERROR_LEVEL_COLLABORA...	ERROR	Agreement not found for trading partners: FromTP null, ToT...	4/30/2009 3:23 PM
[]	B2B-50547	Machine Info: (staqj22) Desc...	ERROR_LEVEL_COLLABORA...	ERROR	Agreement not found for trading partners: FromTP null, ToT...	4/30/2009 1:21 PM
[]	B2B-50547	Machine Info: (staqj22) Desc...	ERROR_LEVEL_COLLABORA...	ERROR	Agreement not found for trading partners: FromTP GlobalChi...	4/30/2009 1:21 PM
[]	B2B-50547	Machine Info: (staqj22) Desc...	ERROR_LEVEL_COLLABORA...	ERROR	Agreement not found for trading partners: FromTP GlobalChi...	4/30/2009 1:21 PM
[]	B2B-50547	Machine Info: (staqj22) Desc...	ERROR_LEVEL_COLLABORA...	ERROR	Agreement not found for trading partners: FromTP null, ToT...	4/30/2009 1:21 PM
[]	B2B-50547	Machine Info: (staqj22) Desc...	ERROR_LEVEL_COLLABORA...	ERROR	Agreement not found for trading partners: FromTP null, ToT...	4/30/2009 1:21 PM
[]	B2B-50547	Machine Info: (staqj22) Desc...	ERROR_LEVEL_COLLABORA...	ERROR	Agreement not found for trading partners: FromTP null, ToT...	4/30/2009 1:19 PM
[]	B2B-50547	Machine Info: (staqj22) Desc...	ERROR_LEVEL_COLLABORA...	ERROR	Agreement not found for trading partners: FromTP GlobalChi...	4/30/2009 1:19 PM
[]	B2B-50547	Machine Info: (staqj22) Desc...	ERROR_LEVEL_COLLABORA...	ERROR	Agreement not found for trading partners: FromTP null, ToT...	4/30/2009 1:19 PM
[]	B2B-50547	Machine Info: (staqj22) Desc...	ERROR_LEVEL_COLLABORA...	ERROR	Agreement not found for trading partners: FromTP null, ToT...	4/30/2009 1:18 PM

To create an error report:

1. Click **Reports**, and then **Error**.
2. Provide search parameters.

Field	Description
Match	Select All or Any .
Error Code	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of an error code.
Error Level	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of an error level
Error Severity	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of an error severity.
Error Text	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of the error text.
Error Description	Select from Starts With , Equals , Contains , or Ends With . Provide all or part of the error description.
Send Time Stamp	Select from Less Than , Greater Than , Greater Than Equals , Equals , or Less Than Equals . Provide a date and time in the format shown (MM/DD/YYYY HH:MM:SS AM/PM) or click the Select Date and Time icon.


3. To add more search fields, click **Advanced** and select from **Add Fields**.

Field	Description
Document Definition	Select from a previously created document definition. (Equals is the only operator.)

Field	Description
Document Type	Select from a previously created document type, for example, 850 for EDI X12. (Equals is the only operator.)
Document Protocol Version	Select from a previously created document protocol version. (Equals is the only operator.)
Document Protocol Name	Select from Custom, EDI_EDIFACT, EDI_X2, HL7, OAG, PositionalFlatFile, RosettaNet, or UCCNet. (Equals is the only operator.)

- Click **Search**.
View the results, as shown in [Figure 16-7](#).
- In the **Details** column of the **Results** area, click the icon to see report details.
[Figure 16-8](#) shows error report details.

Figure 16-8 Error Reports



16.6 Creating Conversation Reports

A conversation message results when the correlation XPath is set in a document definition to correlate messages. A correlation message also shows messages that are correlated automatically. For example, an AS2 message and its acknowledgment (MDN) are automatically correlated as part of a conversation. In RosettaNet, request

and response messages are also correlated, in addition to the acknowledgments sent and received. These related messages are displayed on the **Conversation** tab.

Figure 16–9 shows a conversation report.

Figure 16–9 Conversation Report

The screenshot shows a software interface for searching conversation messages. At the top, there are tabs for 'Business Message', 'Wire Message', 'Application Message', 'Error', and 'Conversation'. Below the tabs is a search form titled 'Conversation Message'. The search form includes a 'Search' button, a 'Reset' button, and a 'Save...' button. The search criteria are as follows:

- Match: All Any
- Send Time Stamp: Greater Than (UTC-08:00) US Pacific Time
- Collaboration Name: Contains
- Collaboration Id: Contains

Below the search form is a 'Result' section with a table listing collaboration IDs and names:

Collaboration Id	Collaboration Name
8C5784CD120F8A4CFA80000DD8FF000	
8C5784CD120F8A4F7090000DD959000	
8C5784CD120F8A50B730000DD9B3000	
8C5784CD120F8A532880000DDA07000	
8C5784CD120F8A598210000DDAA6000	
8C5784CD120F8A5999B0000DDABB000	
8C5784CD120F8A59ABC0000DDAC9000	
8C5784CD120F8A78F160000DDDB59000	

Below the results table is a section titled 'Conversation details for 8C5784CD120F8A4CFA80000DD8FF000' with a table showing details for a specific message:

Details	Collaboration Name	Document Type	Agreement	Sender	Receiver	Receive Time Stamp	Send Time Stamp
		ORDERS_FILE	GlobalParts_Custom_1.0_OR...	GlobalParts	Acme	4/30/2009 1:08 PM	4/30/2009 1:08 PM

To create a conversation report:

1. Click **Reports**, and then **Conversation**.
2. Provide search parameters.


Field	Description
Match	Select All or Any .
Send Time Stamp	Select from Less Than , Greater Than , Greater Than Equals , Equals , or Less Than Equals . Provide a date and time in the format shown (MM/DD/YYYY HH:MM:SS AM/PM) or click the Select Date and Time icon.
Collaboration Name	Applies to ebMS and RosettaNet documents and is available from header information.
Collaboration ID	Applies to ebMS and RosettaNet documents and is available from header information.

No additional fields can be added using the **Advanced** search button.

3. Click **Search**.
View the results, as shown in Figure 16–9.
4. In the **Details** column of the **Results** area, click the icon to see report details.

Figure 16–10 shows conversation report details.

Figure 16–10 Conversation Report Details



Using B2B Metrics

Oracle B2B metrics provide system-level and partner-level status on B2B run-time data. This includes status on messages and errors, message counts, active document types and trading partners, and error messages.

This chapter contains the following topics:


- [Section 17.1, "Introduction to B2B Metrics"](#)
- [Section 17.2, "B2B System Metrics"](#)
- [Section 17.3, "B2B Partner Metrics"](#)

17.1 Introduction to B2B Metrics

Use the **Metrics** tab to view current run-time data in the repository. The **Metrics** tab reflects changes that occur in the run-time repository (for example, purging the run-time instance data).

Metrics data shown in the **Messages and Errors** chart and the **Message Count** chart, shown in [Figure 17–1](#), display data for the last 10 hours or the last 20 hours.

Figure 17–1 The Messages and Errors Chart and Message Count Chart



The metrics tables show all data from the time the first message was received. Current data is available by using the **Refresh** button. In contrast, changes are *not* immediately reflected in Oracle Enterprise Manager Fusion Middleware Control, which is based on dynamic monitoring service (DMS) metrics collected from the Weblogic managed server node. Enterprise Manager also shows limited information (the top 5 partners, the top 5 documents) and the data is available only from the last restart of the server. See *Oracle Fusion Middleware Administrator's Guide for Oracle SOA Suite and Oracle Business Process Management Suite* for more information.

Most fields in the active document types, active trading partners, and errors tables can be sorted in ascending or descending order, as shown in [Figure 17–2](#).

Figure 17–2 Sorting Columns

Active Document Types								
Name	No. Of Messages Processed		Average Processing Time (millicsec)		Average Message Size (kb)		Error	
	From	To	From	To	From	To	From	To
EDI_EDIFACT-D98A-ORDERS	2	2	6,568	5,266	11,803	11,815	0	0
HL7-2.3.1-ADT_A01	2	2	3,599	3,108.5	1,277	1,277	0	0
EDI_X12-4010-850	2	2	10,259.5	9,786.5	717	716	0	0
Custom-1.0-ORDERS_FILE	6	2	5,099.83	344	729	730	0	0
UserDefined-1.0-ORDERS_FTP	2	2	176.5	173.5	728	729	0	0

Errors						
Error Code	Error	Initiating Partner	Responding Partner	Document Type	Timestamp	Business Message Id
B2B-50547	Agreement not found for tra...	GlobalChips	Acme	PROCESS_PO	2009-04-30 13:19...	8C5784CD120F8AEB1DB00000...
B2B-50547	Agreement not found for tra...	GlobalChips	Acme	PROCESS_PO	2009-04-30 13:21...	8C5784CD120F88013B200000...
B2B-50547	Agreement not found for tra...	GlobalChips	Acme	PROCESS_PO	2009-04-30 13:21...	8C5784CD120F88024CB00000...
B2B-50547	Agreement not found for tra...	GlobalChips	Acme	PROCESS_PO	2009-04-30 15:23...	8C5784CD120F91FD8E00000...

This is useful to identify the largest average message size or to group all the responding partner error messages, for example. You can resize columns to see any text that may be obscured. For error text, place the mouse over the text to see the entire message. The business message IDs in the **Errors** area link to business message details, as shown in [Figure 17–3](#).

Figure 17–3 Business Message Details

Business Message

Receiver: Acme

Agreement Id: [blank]

Agreement: [blank]

Document Type: CONFIRM_BOD

Document Protocol: OAG

Document Version: [blank]

Message Type: FUNCTIONAL_ACK

Direction: INBOUND

State: MSG_ERROR

Acknowledgement Mode: NONE

Response Mode: ASYNC

Send Time Stamp: Thursday, April 30, 2009 1:18:49 PM GMT-08:00

Receive Time Stamp: Thursday, April 30, 2009 1:18:49 PM GMT-08:00

Document Retry Interval: 0

Document Remaining Retry: 0

Native Message Size: 3799

Translated Message Size: [blank]

Business Action Name: [blank]

Business Transaction Name: [blank]

Xpath Name1: [blank]

Xpath Value1: [blank]

Xpath Expression1: [blank]

Xpath Name2: [blank]

Xpath Value2: [blank]

Xpath Expression2: [blank]

Xpath Name3: [blank]

Xpath Value3: [blank]

Xpath Expression3: [blank]

Correlation From XPath Name: [blank]

Time (millicsec)	Average Message
Inbound	Outbound
5,065.08	11.54
3,599	1.25
9,938.67	0.7
650.79	0.71
176.5	0.71

Time (millicsec)	Average Message
To	From
2,397.61	1.08
3,735.7	3.02
226.17	9.07

Business Message Id
8C5784CD120F8ADEF2C00000DDB75000
8C5784CD120F8AEB17D00000DDB82000
8C5784CD120F8AEB1DB00000DDB89000
8C5784CD120F8AEB26300000DDB90000

17.2 B2B System Metrics

[Figure 17–4](#) shows system metrics summary data.

Figure 17-4 System Metrics




Table 17-1 describes the information on the System metrics tab.

Table 17-1 B2B System Metrics

Area/Field	Description
Summary	Active partners are partners for which at least one agreement has been deployed. Active agreements are agreements that have been deployed and are in the active state. Active document types are document types that have been included in deployed and active agreements.
Messages and Errors	Processed messages = Completed messages + Errored messages Details of the errored messages are listed under Errors .
Message Count	Active messages are shown in this trend of inbound and outbound message quantity over time.
Active Document Types	Active document types are document types that have been included in active agreements. Details of the errors are listed under Errors . Messages processed include completed plus errored messages, that is, active messages.
Name	Name of the document definition
No. of Messages Processed	Shows the number of document messages exchanged between the host and trading partners. Outbound indicates messages sent from the host to the trading partner and Inbound indicates messages sent from the trading partner to the host.
Average Processing Time (millisec)	Shows the average document processing time, in milliseconds, for exchanged messages. Outbound indicates messages sent from the host to the trading partner and Inbound indicates messages sent from the trading partner to the host.
Average Message Size (kb)	Shows the average document size, in kilobytes, for outbound and inbound messages.
Errors	Shows the document error count.

Table 17-1 (Cont.) B2B System Metrics

Area/Field	Description
Active Trading Partners	Active trading partners are partners for which an agreement has been deployed and is in an active state. The host trading partner is included in the list. Messages processed include completed plus errored messages, that is, active messages.
Name	Name of the trading partner
No. of Messages Processed	Shows the number of messages sent by (From column) and received by (To column) the specified trading partner.
Average Processing Time (millisec)	Shows the average document processing time, in milliseconds, for the specified trading partner.
Average Message Size (kb)	Shows the average document size, in kilobytes, for the specified trading partner.
Errors	Shows the document error count.
Errors	Error message text is available from the Java resource bundle. The business message IDs link to business message details.

17.3 B2B Partner Metrics

Figure 17-5 shows metrics summary data for a selected trading partner.

Figure 17-5 Partner Metrics




Table 17-2 describes the information on the **Partners** metrics tab. The data displayed is specific to the trading partner selected under **Active Trading Partners**.

Table 17–2 B2B Partner Metrics

Area/Field	Description
Messages and Errors	Processed messages = Completed messages + Errored messages Details of the errored messages are listed under Errors .
Message Count	Active messages are shown in this trend of inbound and outbound message quantity over time.
Summary	The number of messages processed, the average processing time, the average message size, and the number of errors are summarized for the selected trading partner.
No. of Messages Processed	Shows the number of messages sent by (From column) and received by (To column) the specified trading partner.
Average Processing Time (millisec)	Shows the average document processing time, in milliseconds, for the specified trading partner.
Average Message Size (kb)	Shows the average document size, in kilobytes, for the specified trading partner.
Errors	Shows the document error count.
Active Document Types	Active document types are document types that have been included in active agreements. Details of the errors are listed under Errors . Messages processed include completed plus errored messages, that is, active messages.
Name	Name of the document definition
No. of Messages Processed	Shows the number of document messages exchanged between the host and trading partners. Outbound indicates messages sent from the host to the trading partner and Inbound indicates messages sent from the trading partner to the host.
Average Processing Time (millisec)	Shows the average document processing time, in milliseconds, for exchanged messages. Outbound indicates messages sent from the host to the trading partner and Inbound indicates messages sent from the trading partner to the host.
Average Message Size (kb)	Shows the average document size, in kilobytes, for outbound and inbound messages.
Errors	Shows the document error count.
Errors	Error message text is available from the Java resource bundle. The business message IDs link to business message details.

Part V

Scripts and Utilities

This part describes how to do various tasks using scripts and utilities that are provided in Oracle B2B.

This part contains the following chapters:

- [Chapter 18, "B2B Command-Line Tools"](#)
- [Chapter 19, "Using the Oracle B2B Web Services"](#)
- [Chapter 20, "Scripts for Archiving and Restoring Data"](#)
- [Chapter 21, "Utilities for Enqueuing and Dequeuing"](#)

B2B Command-Line Tools

B2B command-line tools are available for a number of tasks.

Notes: Command-line tools are for administrator use only. No security or permission checks are performed to prevent the logged-in user from purging, importing, or exporting data.

Note: All of the command-line tools can be run without any JNDI credentials. To restrict the command-line tools from anonymous use, provide the following information in the `jndi.properties` file:

```
java.naming.security.principal=weblogic
java.naming.security.credentials=weblogic_password
```

This chapter contains the following topics:

- [Section 18.1, "Prerequisites for Running the Command-line Tools"](#)
- [Section 18.3, "Purging Data"](#)
- [Section 18.4, "Importing Data"](#)
- [Section 18.5, "Exporting Data"](#)
- [Section 18.6, "Deploying Agreements"](#)
- [Section 18.7, "Validating B2B Metadata"](#)
- [Section 18.8, "CPP/CPA Templates"](#)
- [Section 18.9, "CPP/CPA Import"](#)
- [Section 18.10, "CPP/CPA Export"](#)
- [Section 18.11, "Creating Oracle B2B Metadata Based on selfservice.xsd"](#)
- [Section 18.12, "Resubmitting a Message"](#)
- [Section 18.13, "Errors During Import"](#)

18.1 Prerequisites for Running the Command-line Tools

Do the following before using the command-line tools:

1. Set `ORACLE_HOME` to your Oracle Fusion Middleware installation directory and then set the following environment variables:

```
ANT_HOME - $ORACLE_HOME/.../modules/org.apache.ant_1.7.0
```

```
JAVA_HOME - $ORACLE_HOME/.../jdk160_11
```

2. Create `jndi.properties`.

```
cd $ORACLE_HOME/bin
ant -f ant-b2b-util.xml b2bcreate-prop
```

3. Edit the `jndi.properties` file to include the weblogic password.

18.2 Archiving Data

Oracle B2B uses Oracle Data Pump as the archiving mechanism for Oracle B2B runtime instance data in Oracle database. Oracle B2B enables archiving functionality only when the Oracle B2B repository is Oracle database. You can configure start date, end date, and message state to archive and/or purge the runtime data.

In order to improve the performance and synchronize archive and purge activity, a new column (`JOB_ID`) is added in each runtime table - `B2B_BUSINESS_MESSAGE`, `B2B_EXT_BUSINESS_MESSAGE`, `B2B_APP_MESSAGE`, `B2B_WIRE_MESSAGE` and `B2B_DATA_STORAGE`.

Oracle B2B will mark the target runtime data (by start date, end date, and message state) with a unique `JOB_ID`. If you select to archive the runtime data, Oracle B2B will invoke Data Pump PL/SQL API with `JOB_ID` to export the runtime data. Oracle B2B will purge the runtime messages by `JOB_ID` if you also want to purge them.

After the runtime data is archived/exported, Oracle B2B can also use Oracle Data Pump to import the runtime data into an Oracle B2b repository.

Before archiving data, you must set up the permissions and the archival directory.

Note: The `b2b_archive` utility only supports Oracle database. No other databases are supported.

To do initial setup:

1. On the machine running the database, create a directory in which to dump the archive file. For example:

```
mkdir /tmp/archive
```

2. Grant permissions to this directory so that the database process can write to it.

```
chmod 777 /tmp/archive
```

3. Log in to the database as `sysdba`.

```
sqlplus / as sysdba
```

4. Set up the `B2B_EXPORT_DIR`.

```
SQL> create or replace DIRECTORY B2B_EXPORT_DIR as '/tmp/archive'
```

5. If your SOA schema user is `b2b_soainfra`, the user needs to be granted permission for the export.

```
SQL> grant read, write on directory B2B_EXPORT_DIR to dev_soainfra;
SQL> grant exp_full_database to dev_soainfra;
```

Note: Make sure that the initial setup steps detailed above are performed before attempting to archive.

To archive data:

1. Log in as the soainfra schema user.

```
$ sqlplus b2b_soainfra/password
```

2. Execute the archive procedure. For example:

```
SQL> exec b2b_archive_procedure('21-JAN-2008', '28-JAN-2008', 'MSG_COMPLETE',
'JAN.dmp', 'N');
```

The signature of the procedure is

```
b2b_archive_procedure(fromDate, toDate, messageState, fileName, shouldPurge);
```

Table 18–1 Parameters for B2B Archive Procedure

Parameter	Description
fromDate	Starting date for archival
toDate	Ending date for archival
messageState	State of the business message
fileName	Name of the archive file to be created by the database. Verify that a file with this name does not exist in that directory.
shouldPurge	A value of Y will remove the rows that are archived.

18.3 Purging Data

Note: Before purging data, exporting or archiving data is recommended. See [Section 18.2, "Archiving Data."](#)

No security or permission checks are performed to prevent the logged-in user from purging data.

The `b2bpurge` utility only supports Oracle database. No other databases are supported.

The following utility purges both design-time and run-time data and resets the environment to the installation time.

```
ant -f ant-b2b-util.xml b2bpurge
```

[Table 18–2](#) lists the options for this utility.

Table 18–2 Options for ant -f ant-b2b-util.xml b2bpurge

Option	Description	Domain	Required
mode	Specifies purging design-time or run-time data. (see Note below)	DT RT	No ¹

Table 18–2 (Cont.) Options for `ant -f ant-b2b-util.xml b2bpurge`

Option	Description	Domain	Required
<code>msgState</code>	Deletes messages with the specified message state. Used for run-time data.	MSG_COMPLETE MSG_ERROR MSG_WAIT_TRANSMIT MSG_WAIT_FA MSG_WAIT_BATCH	No. If <code>msgstate</code> is present, then start and end must be used.
<code>purgecontrolnumber</code>	Deletes control numbers. Used for run-time data.	true false (default)	No
<code>fromdate</code>	Deletes all messages, which created on or after this date.	Date format dd-mm-yyyy hh:mm AM/PM	No
<code>todate</code>	Deletes all messages, which created on or before this date.	Date format dd-mm-yyyy hh:mm AM/PM	No
<code>tp</code>	Based on trading partner.		No
<code>direction</code>			No
<code>msgtype</code>	Type of the message		No
<code>agreement</code>	Name of the agreement		No
<code>idtype</code>			No
<code>idvalue</code>			No
<code>archive</code>	Should archive		Default value is true
<code>archivename</code>	File name of archived file		No

¹ The option `-Dmode=RT` is a mandatory argument for `b2bpurge` to delete only runtime records. This option must be set for every runtime record purge, otherwise purges all of the metadata and runtime data. (Example: `ant -f ant-b2b-util.xml b2bpurge -Dmode=RT`)

Note: When only `-Dmode=RT -Dtp=trading_partner_name` options are used, this option deletes all records matching Trading Partner name with `SenderName` or in `ReceiverName`.

Example 18–1 Removes Design-Time Data

```
ant -f ant-b2b-util.xml b2bpurge -Dmode=DT
```

Example 18–2 Purges Run-Time Data

```
ant -f ant-b2b-util.xml b2bpurge -Dmode=RT
```

Example 18–3 Purges Run-Time Data, Including Control Numbers

```
ant -f ant-b2b-util.xml b2bpurge -Dmode=RT -Dpurgecontrolnumber=true
```

Example 18–4 Purges Messages with the Specified State Between the Specified Dates

```
ant -f ant-b2b-util.xml b2bpurge -Dmode=RT -Dstart=01-FEB-2009 -Dend=10-FEB-2009
```



```
-Dmsgstate=MSG_COMPLETE
```

Note: When using `archivename` the value must be a unique file name. An existing file name used with `archivename` throws an exception.

18.4 Importing Data

Note: No security or permission checks are performed to prevent the logged-in user from importing data.

The following utility imports a configuration ZIP file to the repository. Basic validation is performed, but it is not a complete validation as with deployment validation. No data is overwritten unless you use the `overwrite` option.

```
ant -f ant-b2b-util.xml b2bimport -Dlocalfile=true -Dexportfile="/tmp/export.zip"
```

Table 18–3 lists the options for this utility.

Table 18–3 Options for `ant -f ant-b2b-util.xml b2bimport`

Option	Description	Domain	Required
<code>exportfile</code>	Location of the export (ZIP) file	-	Yes
<code>overwrite</code>	Overwrites the existing business elements. For example, an existing delivery channel with the same trading partner name as a delivery channel in the import file is replaced if this option is set to <code>true</code> .	<code>true</code> <code>false</code> (default)	No
<code>localfile</code>	If the export file location exists on the server, then set this option to <code>true</code> to improve performance. The export file must be on the server on which B2B is running.	<code>true</code> <code>false</code> (default)	No

18.5 Exporting Data

Note: No security or permission checks are performed to prevent the logged-in user from exporting data.

The following utility exports the entire repository (without policy details) if no other options are specified.

```
ant -f ant-b2b-util.xml b2bexport
```

Table 18–4 lists the options for this utility.

Table 18–4 Options for ant -f ant-b2b-util.xml b2bexport

Option	Description	Domain	Required
exportfile	Location of the ZIP file where the exported data is stored	/tmp/export.zip (default)	No
tpname	The trading partner name to be exported	Name of the trading partner	No
tpanames	One or more agreement names to be exported. If one agreement is exported, then the ZIP file contains the folder /soa/b2b. If multiple agreements are exported, then the ZIP file contains an individual ZIP file for each of the agreements.	Agreement names must be separated by a comma	No
active	Exports agreements that have been deployed and are in active state.	true false (default)	No
policies	Set to true to export the entire repository with user and role details, which is needed for the policy store. A warning is displayed to remind you to export the policy store also. See Section 10.2, "What Is Copied When You Import or Export from the Import/Export Tab," for more information.	true false (default)	No
localfile	Set to true for improved performance if the export file is on the same computer as Oracle B2B.	true false (default)	No

Example 18–5 Exports the Trading Partner Acme to /tmp/Acme.zip

```
ant -f ant-b2b-util.xml b2bexport -Dtpname="Acme" -Dexportfile="/tmp/Acme.zip"
```

Example 18–6 Exports an Agreement from Design-Time with Listening Channel Details to /tmp/acmeGc.zip

```
ant -f ant-b2b-util.xml b2bexport -Dtpanames="Acme_GC_Agreement1"
-Dexportfile="/tmp/AcmeGc.zip"
```

Listening channels are deactivated while exporting and must be reactivated after you import data.

Example 18–7 Exports Multiple Deployed and Active Agreements to /tmp/export.zip

```
ant -f ant-b2b-util.xml b2bexport -Dtpanames="Acme_GC_Agreement1, GC_Acme_
Agreement1" -Dactive=true
```

No listening channels are exported.

18.6 Deploying Agreements

The following utility validates and deploys all agreements in the repository. If an agreement is already deployed, then it is deployed again. The older version of the

agreement is then in an inactive state. Turning off validation is useful when deploying large numbers of agreements, where you are certain that the data is valid. It requires a SOA Server restart. Validation can be turned off by setting the property `b2b.deploy.validation` to false.

```
ant -f ant-b2b-util.xml b2bdeploy
```

Table 18–5 lists the options for this utility.

Table 18–5 Options for ant -f ant-b2b-util.xml b2bdeploy

Options	Description	Domain	Required
tpanames	One or more names of agreements to be deployed	Agreement names must be separated by a comma	No

Example 18–8 Deploys the Agreements Acme_GC_Agreement1 and GC_Acme_Agreement1

```
ant -f ant-b2b-util.xml b2bdeploy -Dtpanames="Acme_GC_Agreement1,GC_Acme_Agreement1"
```

18.7 Validating B2B Metadata

The following utility validates B2B metadata, including agreements, trading partners, and documents. All agreements are validated if no options are specified.

```
ant -f ant-b2b-util.xml b2bvalidate
```

Table 18–6 lists the options for this utility.

Table 18–6 Options for ant -f ant-b2b-util.xml b2bvalidate

Options	Description	Domain	Required
args	File names of the trading partner, agreement, or document protocol	File names must be separated by a comma	Yes

Example 18–9 Validates All Agreements

```
ant -f ant-b2b-util.xml b2bvalidate
```

Example 18–10 Validates Agreement tpa_ID1234.xml

```
ant -f ant-b2b-util.xml b2bvalidate -Dargs="tpa_ID1234.xml"
```

Example 18–11 Validates Trading Partner tp_MyCompany.xml and Agreement tpa_ID1234.xml

```
ant -f ant-b2b-util.xml b2bvalidate -Dargs="tp_MyCompany.xml,tpa_ID1234.xml"
```

18.8 CPP/CPA Templates

The following utility creates a `cpp_cpa.properties` template file, which is used in the `propfile` option.

```
ant -f ant-b2b-util.xml b2bcreate-cpaprop
```

Table 18–7 lists the options for this utility.

Table 18–7 Options for ant -f ant-b2b-util.xml b2bcpaimport

Option	Description	Domain	Required
propfile	Property file that stores configuration details for b2bcpaimport and b2bcpaexport	-	Yes

Example 18–12 Creates a Property File Template That Is Used in the propfile Option

```
ant -f ant-b2b-util.xml b2bcreate-cpaprop
```

18.8.1 Properties of cpp_cpa.properties

The following properties can be configured as part of the `cpp_cpa.properties` file:

- [CPA Import Properties](#)
- [CPA Export Properties](#)
- [Common Properties](#)

18.8.1.1 CPA Import Properties

The CPA import properties are as follows:

`oracle.tip.b2b.ebms.BPSSDocument` (Optional Property)

This property holds the absolute path for the BPSS document, which is used to get the BPSS document details to be imported into the Oracle B2B repository. If the property does not exist, then the values are imported from the CPA document. Multiple BPSS documents are separated by ; (semi-colon).

`oracle.tip.b2b.ebms.CPADocument` (Required Property)

This property is used to get the absolute path of the CPA document to be imported into the Oracle B2B repository.

`oracle.tip.b2b.ebms.xsdLocation` (Optional Property)

This property is used to specify the absolute path of the schema file location. This schema file is used for document validation. It is used only when a BPSS document is specified.

`oracle.tip.b2b.ebms.internalDeliveryChannel.protocol` (Optional Property)

The default internal delivery channel is an AQ queue. If you want to add a specific internal delivery channel (JMS/FTP/FILE/SFTP), then this property is used in Oracle B2B configuration. Specify all the required properties with respect to the specific transport protocol. Then use the specific channel to send messages to back-end applications.

18.8.1.2 CPA Export Properties

The CPA export properties are as follows:

`oracle.tip.b2b.ebms.OutputFolder` (Required Property)

This property is used to place the generated CPP/CPA files in the specified location.

`oracle.tip.b2b.ebms.Host` (Required Property)

This property is used to set the host trading partner.

`oracle.tip.b2b.ebms.HostEndPoint` (Required Property)

This property is used to set the host endpoint while generating the CPP/CPA export.

oracle.tip.b2b.ebms.HostCertificateAlias (Optional Property)

For secure message transfer, this property is used to get the host certificate details to the CPP/CPA export.

oracle.tip.b2b.ebms.TPCertificateAlias (Optional Property)

For secure message transfer, this property is used to get the trading partner certificate details to the CPP/CPA export.

oracle.tip.b2b.ebms.BPSSExport (Optional Property)

This Boolean property is used to generate the BPSS document.

18.8.1.3 Common Properties

The common properties are as follows:

oracle.tip.b2b.ebms.LogDirectory (Required Property)

This property is used to store the log files.

oracle.tip.b2b.ebms.LogLevel (Required Property)

This property is used to specify the mode of the logs, such as DEBUG, INFO, or ERROR.

oracle.tip.b2b.ebms.LogType (Required Property)

This property is used to specify whether the log file is stored as text or XML.

18.9 CPP/CPA Import

The following utility converts an ebXML standard `cpa.xml` file to an Oracle B2B metadata file, which must then be imported into Oracle B2B.

```
ant -f ant-b2b-util.xml b2bcpaimport
```

Table 18–8 lists the options for this utility.

Table 18–8 Options for `ant -f ant-b2b-util.xml b2bcpaimport`

Option	Description	Domain	Required
propfile	Property file that stores configuration details for <code>b2bcpaimport</code> and <code>b2bcpaexport</code>	-	Yes

Example 18–13 Converts CPA-Formatted XML to an Oracle B2B ZIP File

```
ant -f ant-b2b-util.xml b2bcpaimport -Dpropfile="/tmp/cpp_cpa.properties"
```

18.10 CPP/CPA Export

The following utility converts an Oracle B2B metadata file (data exported from Oracle B2B) to an ebXML standard `cpa.xml` file (a CPA-ready configuration).

```
ant -f ant-b2b-util.xml b2bcpaexport
```

Table 18–9 lists the options for this utility.

Table 18–9 Options for ant -f ant-b2b-util.xml b2bcpaimport

Option	Description	Domain	Required
propfile	Property file that stores configuration details for b2bcpaimport and b2bcpaexport	-	Yes

Example 18–14 Converts an Oracle B2B ZIP File to a CPA-Formatted XML File

```
ant -f ant-b2b-util.xml b2bcpaexport -Dpropfile="/tmp/cpp_cpa.properties"
```

18.11 Creating Oracle B2B Metadata Based on selfservice.xsd

The following utility creates the selfservice.xsd file, which is used to understand or create selfservice XML based on the XSD structure.

```
ant -f ant-b2b-util.xml b2bselfservicexsd
```

The following utility creates Oracle B2B metadata from the XML file that is created based on selfservice.xsd.

```
ant -f ant-b2b-util.xml b2bselfservice
```

See [Appendix E](#) or information about selfservice protocols, identifications, and security specifications.

[Table 18–10](#) lists the options for these utilities.

Table 18–10 Options for ant -f ant-b2b-util.xml b2bselfservicexsd

Option	Description	Domain	Required
input	XML file absolute location	-	Yes
output	Location for Oracle B2B metadata stored as a ZIP file	-	No

Example 18–15 Converts b2bselfservicexsd-Generated XML to an Oracle B2B Metadata ZIP file (stored in /tmp/soa.zip)

```
ant -f ant-b2b-util.xml b2bselfservice -Dinput="/tmp/selfservice1.xml"
```

Example 18–16 Converts b2bselfservicexsd-Generated XML to an Oracle B2B Metadata ZIP file (stored in /tmp/as11b2b.zip)

```
ant -f ant-b2b-util.xml b2bselfservice -Dinput="/tmp/selfservice1.xml"
-Doutput="/tmp/as11b2b.zip"
```

18.11.1 Using Selfservice to Batch Create Document Protocols, Trading Partners, and Agreements

When using a multiple file approach, you must make sure that the names of the selfservice XML files are in following order, otherwise, an error claiming that the referenced object does not exist might be thrown.

1. Document Protocols selfservice XML files.
2. Trading Partner selfservice XML files (HOST must be first in this list).

3. Trading Partner Agreement selfservice XML files.

For example:

1. doc_selfservice.xml to hold Document Protocols.
2. tp_selfservice.xml to hold Trading Partner details.
3. tpa_selfservice.xml to hold Agreements details.

Example 18–17 Converts Several b2bselfservicexsd-Generated XML Files Within a Folder to an Oracle B2B Metadata ZIP file (stored in /tmp/as11b2b.zip)

```
ant -f ant-b2b-util.xml b2bselfservice -Dinput="/folder"
-Doutput="/tmp/as11b2b.zip"
```

18.11.2 Using Selfservice Samples

Selfservice XML samples are bundled along with its schemas and ECS files, which are together with the B2B metadata of B2B Samples configuration.

Selfservice Samples are found in `$samples/selfservice` folder.

Samples are not available for all of the document and exchange protocol combinations. However, by replacing the document protocol details and exchange protocol details in the existing samples, you can create new XML files.

Note: Selfservice XML files can also be created using the XSD, which is useful for the advanced user who wants to start from scratch.

X12 Samples

The X12 samples are located in:

```
$samples/selfservice/x12/b2b-201-X12_4010_850_File/x12_ss.xml
```

The schemas are located in:

```
$samples/selfservice/x12/b2b-201-X12_4010_850_File/schemas
```

Use the following command:

```
ant -f ant-b2b-util.xml b2bselfservice
-Dinput="$samples/selfservice/x12/b2b-201-X12_4010_850_File/x12_ss.xml"
```

Custom Samples

The Custom samples are located in:

```
$samples/selfservice/custom/b2b-101-Custom_1.0_orders_generic_file/custom_ss.xml
```

The schemas are located in;

```
$samples/selfservice/custom/b2b-101-Custom_1.0_orders_generic_file/schemas
```

Use the following command:

```
ant -f ant-b2b-util.xml b2bselfservice -Dinput="$samples/selfservice/
custom\b2b-101-Custom_1.0_orders_generic_file/custom_ss.xml"
```

ebMS Samples

The ebMS samples are located in:

```
$samples/selfservice/custom/ b2b-106-Custom_1.0_orders_ebMS/buyer_setup_
selfservice/ ebms_buyer_ss.xml
```

The schemas are located in:

```
$samples/selfservice/custom/ b2b-106-Custom_1.0_orders_ebMS/buyer_setup_
selfservice/schemas
```

Use the following command:

```
ant -f ant-b2b-util.xml b2bselfservice -Dinput="$samples/selfservice/custom/
b2b-106-Custom_1.0_orders_ebMS/buyer_setup_selfservice/ ebms_buyer_ss.xml"
```

18.12 Resubmitting a Message

The following utility resubmits an application message or a wire message for a selected business message.

```
ant -f ant-b2b-util.xml b2bresubmit
```

Note: The resubmit functionality for payload rectification will only work for Outbound Message for AppMessage only. This is not valid for inbound cases.

```
ant -f ant-b2b-util.xml b2bresubmit -Dmsgsource=appMsg
-Dmsgid=12345
-Dpayloadpath=/scratch/viramamo/fmwhome/AS11gR1SOA/bin/3a4_req.xml
```

Table 18–11 lists the options for this utility.

Table 18–11 Options for ant -f ant-b2b-util.xml b2bresubmit

Option	Description	Domain	Required
direction	The direction of the message	INBOUND OUTBOUND	Yes
msgsource	The message source	APPMSG WIREMSG	Yes
msgid	The message ID	-	Yes
doctype	Document Type		
msgstate	Message State		
fromdate	The sendTimestamp of the message	Date format to be provided within Double Quotes dd-mm-yyyy hh:mm AM/PM	
todate	The sendTimestamp of the message		
agreement	Agreement Name		

Table 18–11 (Cont.) Options for ant -f ant-b2b-util.xml b2bresubmit

Option	Description	Domain	Required
payloadpath	This option is applicable for outbound application message resubmission, by providing the rectified file path.		

Example 18–18 Resubmits an Outbound Message with Message ID 12345

```
ant -f ant-b2b-util.xml b2bresubmit -Ddirection=outbound -Dmsgsource=appMsg
-Dmsgid=12345\
```

Other Examples

```
ant -f ant-b2b-util.xml b2bresubmit -Dmsgsource=appMsg -Ddoctype=850
```

```
ant -f ant-b2b-util.xml b2bresubmit -Dmsgsource=appMsg -Dfromdate="29/11/2009 5:40
AM" -Dtodate="30/11/2009 7:39 AM"
```

```
ant -f ant-b2b-util.xml b2bresubmit -Dmsgsource=appMsg -Dagreement="Acme_
GlobalChips_X12_4010_850_File"
```

```
ant -f ant-b2b-util.xml b2bresubmit -Dmsgsource=wireMsg -Dmsgstate=MSG_ERROR
```

```
ant -f ant-b2b-util.xml b2bresubmit -Dmsgsource=appMsg -Dfromdate="29/11/2009 5:40
AM" -Dtodate="30/11/2009 7:39 AM" -Ddirection=OUTBOUND
```

```
ant -f ant-b2b-util.xml b2bresubmit -Dmsgsource=appMsg -Dfromdate="29/11/2009 5:40
AM" -Dtodate="30/11/2009 7:39 AM" -Ddirection=INBOUND
```

```
ant -f ant-b2b-util.xml b2bresubmit -Dmsgsource=appMsg -Dmsgid=12345
-Dpayloadpath="/tmp/850.xml"
```

18.13 Errors During Import

If you get the following broken pipe error, use Oracle WebLogic Server Administration Console to increase Maximum Message Size to 200000000.

```
[java] Exception in thread "main" java.lang.Exception: java.rmi.UnmarshalException: Broken pipe;
nested exception is:
[java] java.net.SocketException: Broken pipe
[java] at
oracle.tip.b2b.utility.B2BCommandLineUtility.upgradeRepository(B2BCommandLineUtility.java:548)
[java] at oracle.tip.b2b.utility.B2BCommandLineUtility.main(B2BCommandLineUtility.java:601)
[java] Caused by: java.rmi.UnmarshalException: Broken pipe; nested exception is:
[java] java.net.SocketException: Broken pipe
```

Using the Oracle B2B Web Services

This chapter provides information about using the Oracle B2B Web Services. It contains the following topics:

- [Section 19.1, "Introduction to Oracle B2B Web Services"](#)
- [Section 19.2, "Using the Outbound Web Service"](#)
- [Section 19.3, "Using the Translation Web Service"](#)
- [Section 19.4, "Using the Query API"](#)

19.1 Introduction to Oracle B2B Web Services

Oracle B2B exposes web services to retrieve the document details in Oracle JDeveloper. These are partner-facing web services, where the user can send messages to Oracle B2B. Similarly, Oracle B2B provides a web service exposed to the back end to receive the messages, and process and send to partner, based on the agreements deployed in Oracle B2B.

To use the Oracle B2B web services, create a web service proxy in your application in Oracle JDeveloper. The Web Services Description Language (WSDL) files for the web services are available at the following URLs on the system where Oracle B2B is installed.

`http://host_name:port_number/b2b/services/URI`

A URL suffixed with just a URL pattern of Servlet entered in the Web browser, without any URI, provides the list of WSDLs available for download (with no security restrictions).

Oracle B2B provides the following web service APIs:

- **Outbound Web Service API** provides a built-in internal listening channel. See [Section 19.2, "Using the Outbound Web Service"](#) for more information.
- **Translation Web Service API** is exposed to translate the native payload, such as HL7, EDI, to XML format. See [Section 19.3, "Using the Translation Web Service"](#) for more information.
- **Query API** helps to retrieve the configured details in Oracle B2B. See [Section 19.4, "Using the Query API"](#) for more information.

Security For Oracle B2B Web Services

Oracle Web Services Manager allows integrating various types of policies without impacting the run time and flow of the web service, and it provides security of service infrastructure. Signing, encryption/decryption, authentication, authorization,

auditing, and reporting will be provided by this tool kit. Hence, this web service implementation will not address the details of security, signing, and encryption. Web service methods hold the business logic instead of security details. Based on the policy enforced in Oracle Weblogic Server console, the web service client must attach security details with the web services port.

19.2 Using the Outbound Web Service

The Outbound Web Service is exposed as a built-in internal listening channel, and messages are enqueued to this service. Based on the details and headers in `soap:body`, agreement identification is done and the message are routed to the partner.

Table 19–1, Table 19–2, and Table 19–3 describe the Outbound Web Service request, response and fault notification message parameters.

Table 19–1 Outbound Web Service Request Parameters

Header	Data Type	Description	Required
from	String	Host name or identification value	No
to	String	Trading Partner name or identification value	Yes
@type	String Example: DUNS	Identification type	No
documentProtocolVersion	String Example: 4010	Document type version	Yes ¹
documentTypeName	String Example: 850	Document type name	
action	String Example: PurchaseOrder	ebMS action name	
service	String Example: OrderProcessing	ebMS service name	
serviceType	String Example: string Default: string	ebMS service type	
messageId	String	Message ID given in this parameter is used to create APP_Message.	No
replyToMessageId	String Example: <reply_msgID>:collaborationID	Holds the message ID of which message this reply goes to, along with the collaboration ID.	No
messageType	String	Type of the message	No
encoding	String Example: ISO-8859-1 Default: UTF-8	Encoding format	No
payload	Xsd:anyType	Holds the payload	Yes
attachment	Xsd:anyType	Attachment, if any	No

¹ Either `documentProtocolVersion` and `documentTypeName` must be present, or `action`, `service`, and `serviceType` must be present. A custom generic case only requires `action` and not the others.

Table 19–2 Outbound Web Service Response Parameters

Header	Data Type	Description	Required
isTransmitted	Boolean	If <code>true</code> , the message was successfully transmitted; otherwise <code>false</code> .	Yes

Table 19–3 Outbound Web Service Fault Message Parameters

Header	Data Type	Description
ExceptionMessage	String	If a fault is found, the Exception Stack Trace is transmitted.

19.3 Using the Translation Web Service

The Translation Web Service translates the XML payload, such as HL7, EDI, to native format.

[Table 19–4](#), [Table 19–5](#), and [Table 19–6](#) describe the Translation Web Service request, response and fault notification message parameters.

Note: If a non-EDI XML is sent, then the translated content contains the same payload as it is, provided the agreement matches in Oracle B2B server.

If the EDI XML is sent for translation, and the document is involved as part of a batch, then the translated response will not translate the payload.

Note: The Translation Web Service translates the EDI XML payload native format, but does not translate the native payload to XML.

Note: Translation Web service requests are not differentiated from other outbound requests in reporting and metrics.

Table 19–4 Translation Web Service Request Parameters

Header	Data Type	Description	Required
from	String	Host name or identification value	No
to	String	Trading Partner name or identification value	No
@type	String Example: DUNS	Identification type	No
documentProtocolVersion	String Example: 4010	Document type version	Yes
documentTypeName	String Example: 850	Document type name	Yes
encoding	String Example: ISO-8859-1 Default: UTF-8	Encoding format	No
payload	Xsd:anyType	Holds the payload	Yes

Table 19–5 Translation Web Service Response Parameters

Header	Data Type	Description	Required
payload	Xsd:anyType	Translated message, with the same encoding type sent in the request.	Yes

Table 19–6 Translation Web Service Fault Message Parameters

Header	Data Type	Description
ExceptionMessage	String	If a fault is found, the Exception Stack Trace is transmitted.

19.4 Using the Query API

The Query API retrieves the configured details from Oracle B2B, and share them with applications.

Before initiating a message transmission from applications, a health check request is made for the given parameters. This check finds if any configurations exist, and how many are active. If no configuration is found, the application can stop message flow in its layer with the message "no configuration found in B2B."

The following APIs are provided:

- `Is Trading Partner Agreement Setup` returns true if agreement found for the given inputs. See [Section 19.4.1, "Is Trading Partner Agreement Setup Parameters"](#) for parameter details.
- `Get Trading Partner Agreement Information` returns agreement details. See [Section 19.4.2, "Get Trading Partner Agreement Information Parameters"](#) for parameter details.

19.4.1 Is Trading Partner Agreement Setup Parameters

Table 19–7 Is Trading Partner Agreement Setup Request Parameters

Header	Data Type	Description	Required
from	String	Host name or identification value	No
to	String	Trading Partner name or identification value	No
@type	String Example: DUNS	Identification type	No
document	String Example: Sales Order	Name of the internal application document or AIA EBO to be sent out	Yes
action	String Example: Update	A sub-classification which identifies the specific interaction with the Trading Partner	Yes

Table 19–8 Is Trading Partner Agreement Setup Response Parameters

Header	Data Type	Description	Required
MatchedTPACount	integer	Number of Agreements present in an active state in the Oracle 2B Repository	Yes

Table 19–9 Is Trading Partner Agreement Setup Fault Message Parameters

Header	Data Type	Description
ExceptionMessage	String	If a fault is found, the Exception Stack Trace is transmitted.

19.4.2 Get Trading Partner Agreement Information Parameters

Table 19–10 Get Trading Partner Agreement Information Request Parameters

Header	Data Type	Description	Required
from	String	Host name or identification value	No
to	String	Trading Partner name or identification value	No
@type	String Example: DUNS	Identification type	No
document	String Example: Sales Order	Name of the internal application document or AIA EBO to be sent out	No
action	String Example: Update	A sub-classification which identifies the specific interaction with the Trading Partner	No

Table 19–11 Get Trading Partner Agreement Information Response Parameters

Header	Data Type	Description	Required
AgreementID	String	Unique Agreement ID of the matching agreement	Yes
B2BDocumentDef	String	Document definition in Oracle B2B used for creating the Oracle B2B document type	Yes
B2BDocumentType	String	Document type defined in Oracle B2B for the requested application document and action	Yes
B2BDocumentRevision	String	Document revision defined in Oracle B2B for the requested application document and action	Yes
B2BDocumentProtocol	String	DocumentProtocol name defined in Oracle B2B for the requested application document and action	Yes
Direction	String	Document direction	Yes
XSLTFile	String	XSLT file to be used by the AIA layer to generate the Oracle B2B TP document	No

Table 19–12 Get Trading Partner Agreement Information Fault Message Parameters

Header	Data Type	Description
ExceptionMessage	String	If a fault is found, the Exception Stack Trace is transmitted.

Scripts for Archiving and Restoring Data

This chapter describes how to archive and restore B2B business messages using SQL scripts.

This chapter contains the following topics:

- [Section 20.1, "Introduction to Archiving and Restoring B2B Business Messages"](#)
- [Section 20.2, "Archiving B2B Business Messages"](#)
- [Section 20.3, "Restoring B2B Business Messages"](#)

See [Chapter 10, "Importing and Exporting Data,"](#) for information on importing and exporting design-time data.

20.1 Introduction to Archiving and Restoring B2B Business Messages

Oracle B2B uses Oracle Data Pump, an Oracle Database 11g feature that enables fast bulk data and metadata movement, to archive B2B run-time instance data *in Oracle databases*.¹

You can specify criteria for archiving (and optionally purging) business messages based on start date, end date, and message state. The targeted business messages are marked with `JOB_ID`, a column in the B2B run-time tables that is used to synchronize archive and purge activity. B2B invokes the Data Pump PL/SQL API using `JOB_ID`. Hence, when you archive business messages, all the associated tables are also archived. Archived business messages can also be restored by using the Data Pump to import the run-time data into Oracle B2B (Oracle Metadata Service repository) and accessing it through B2B reports.

20.2 Archiving B2B Business Messages

To archive business messages, set up the archive directory and permissions and then run the archive procedure. The procedure provides an option to purge the archived rows.

To set up the archive directory and permissions:

1. On the computer running the database, create a directory for the archive file. For example,

```
mkdir /tmp/archive
```

¹ For non-Oracle databases, external database archiving tools can be used to export and import run-time data.

2. Give permissions to this directory so that the database process can write to it. For example,

```
chmod 777 /tmp/archive
```

3. Log in to the database as sysdba.

```
sqlplus /as sysdba
```

4. Set up B2B_EXPORT_DIR.

```
SQL> create or replace B2B_EXPORT_DIR as '/tmp/archive'
```

5. Grant the SOA schema user (for example, b2b_soainfra) permission for the export.

```
SQL> grant read, write on directory B2B_EXPORT_DIR to b2b_soainfra;
SQL> grant exp_full_database to b2b_soainfra;
```

To archive, with an option to purge:

Set up the archive directory and permissions before using the following PL/SQL API.

1. Log in as the SOA schema user.

```
$ sqlplus b2b_soainfra/password
```

2. Execute the archive procedure, for example,

```
SQL> exec b2b_archive_procedure('21-JAN-2008','28-JAN-2008','MSG_
COMPLETE','JAN.dmp','N');
```

The signature of the procedure is

```
b2b_archive_procedure(fromDate, toDate, messageState, fileName, should_purge);
```

[Table 20–1](#) lists the parameters for the b2b_archive_procedure API.

Table 20–1 *b2b_archive_procedure Parameters*

Parameter	Example	Description
fromDate	21-JAN-2008	Starting date for archival, DD-MON-YYYY
toDate	28-JAN-2008	Ending date for archival, DD-MON-YYYY
messageState	MSG_ COMPLETE	State of the business message. The MSG_COMPLETE state is typically archived. Other possible states are MSG_INVALID, MSG_CONTINUE_PROCESS, MSG_COLLAB_WAIT, MSG_PROCESS_ACK, MSG_SEND_ACK, MSG_WAIT_ACK, MSG_ERROR, MSG_WAIT_TRANSMIT, MSG_SEND_EXP, MSG_PROCESS_EXP, MSG_ABORTED, MSG_TRANSMITFAILED, MSG_WAIT_FA, MSG_SEND_FA, MSG_WAIT_BATCH
fileName	JAN.dmp	Name of the archive file to be created by the database. Ensure that a file with this name does not exist in the archive directory.
should_purge	N	Y removes the archived rows. The default is N.

20.3 Restoring B2B Business Messages

To restore business messages, set up the import directory and permissions and then run the restore procedure.

To set up the import directory and permissions:

1. On the PC running the database, create a directory for the import file.

```
mkdir /tmp/import
```

2. Give permissions to this directory so that the database process can read from it.

```
chmod 777 /tmp/import
```

3. Log in to the database as sysdba.

```
sqlplus /as sysdba
```

4. Set up B2B_IMPORT_DIR.

```
SQL> create or replace B2B_IMPORT_DIR as '/tmp/import'
```

5. Grant the SOA schema user (b2b_soainfra) permission for the export.

```
SQL> grant read, write on directory B2B_IMPORT_DIR to b2b_soainfra;
```

```
SQL> grant imp_full_database to b2b_soainfra;
```

To restore business messages:

Set up the import directory and permissions before using the following PL/SQL API.

1. Log in as the SOA infra schema user.

```
$ sqlplus soa_infra_user/password
```

2. Execute the import procedure, for example

```
SQL> exec b2b_restore_procedure('JAN.dmp');
```

The signature of the procedure is

```
b2b_restore_procedure(fileName)
```

Use the **Reports** tab to search for and display the imported data.

Utilities for Enqueuing and Dequeuing

Oracle B2B provides utilities to test and verify your installation and configuration before connecting to the host (back-end) applications. Use the utilities to learn how to send and receive business messages to and from Oracle B2B through the default AQ queue interface or the JMS queue interface. Other AQ internal delivery channels can be handled in the same way. See the B2B samples for examples of how to implement these utilities (See [Section 1.7, "Oracle B2B Samples and Cookbooks,"](#) for information about the samples.)

This chapter contains the following topics:

- [Section 21.1, "AQ Enqueue and Dequeue Utilities"](#)
- [Section 21.2, "JMS Enqueue and Dequeue Utilities"](#)
- [Section 21.3, "Using the attachmentsDescriptor.xsd"](#)

21.1 AQ Enqueue and Dequeue Utilities

You can enqueue to and dequeue from an AQ queue using Java. `IPEnqueue` and `IPDequeue` must be executed in the Oracle B2B environment.

21.1.1 AQ Enqueue

[Table 21-1](#) lists the Java AQ enqueue utility properties.

Table 21-1 *IPEnqueue Properties*

Name	Description
queue	The outbound AQ queue name. If unspecified, the Java enqueue utility uses the default outbound queue <code>IP_OUT_QUEUE</code> .
replyToMsgID	The message ID to which the sending message is replying, typically used for the response message type.
from	Trading partner that sends the message
to	Trading partner that receives the message
doctypeName	Document type name for the message
doctypeRevision	Document protocol revision for the message
payload	Payload file name
attachment	Attachment file name
url	The database URL format is <code>jdbc:oracle:thin:@host:port:sid</code>

Table 21–1 (Cont.) IPEnqueue Properties

Name	Description
user	The database user
password	The database password
eventName	Action name
msgID	Message ID (optional). B2B generates its own message ID if it is not provided as part of an enqueue.
msgType	Provide an optional message type: <ul style="list-style-type: none"> ■ Request = 1 (default) ■ Response = 2 ■ Functional Ack = 9

Example: `ipenqueue.properties`

```

queue           =
url             = jdbc:oracle:thin:@host:1521:sid
user           = user1
password       = password
replyToMsgID   =
from           = Acme
to             = GlobalChips
doctypeName    = 850
doctypeRevision = 4010
payload        = Acme_850.xml
attachment     =

```

Note: In Windows ja_JP locale instances, the VARCHAR/String values are not enqueued correctly to the queue. The INT and CLOB values are enqueued correctly. This causes some fields, such as the `from` and `to` fields, to be null when the IPEnqueue utility is used to enqueue a file. As a workaround, in ja_JP locales, `orai18n.jar` should be added to the classpath while using `oracle.tip.b2b.data.IPEnqueue`.

21.1.2 AQ Dequeue

To dequeue messages, use the IPDequeue utility.

Table 21–2 lists the Java AQ dequeue utility properties.

Table 21–2 IPDequeue Properties

Name	Description
queue	The inbound AQ queue name. If unspecified, the Java dequeue utility uses the default inbound queue <code>IP_IN_QUEUE</code> .
count	The number of messages to dequeue. If unspecified, only one message is dequeued.
output	Output file name
url	The database URL format is <code>jdbc:oracle:thin:@host:port:sid</code>
user	The database user

Table 21–2 (Cont.) IPDequeue Properties

Name	Description
password	The database password

Example: `ipdequeue.properties`:

```
queue           =
count          = 1
output         = t1.trc
url            = jdbc:oracle:thin:@host:1521:sid
user          = user1
password       = password
```

21.2 JMS Enqueue and Dequeue Utilities

You can enqueue to and dequeue from a JMS destination (queue or topic) using utilities. If a user name and password are not provided, the local JNDI is used, including in a clustered environment, provided that the destinations are distributed. Oracle B2B does not support `javax.jms.ObjectMessage`.

21.2.1 JMS Enqueue

Use the JMS enqueue utility to send a message to a JMS destination (queue or topic). This utility expects a property file to be provided as a command-line argument where it reads the details to be sent.

[Table 21–3](#) lists the properties that can be configured in the file.

Table 21–3 JMS Enqueue Properties

Name	Description
destination	JNDI name of queue or topic to send message to
cf	JNDI name of connection factory to use
factory	Factory provider class
isTopic	Indicator for topic (optional)
url	The JNDI URL format is <code>url=t3://host_name:port_number/</code>
user	The application server administrator userID.
password	The application server administrator password
from	From party
to	To party
eventName	Action name
doctypeName	Document type name
doctypeRevision	Document type revision
payload	Payload file path
attachment	Attachment file path
msgID	Message ID (optional). B2B generates its own message ID if it is not provided as part of an enqueue.

Table 21–3 (Cont.) JMS Enqueue Properties

Name	Description
replyToMsgID	Reply to message (optional)
msgType	Message type; the default is Request (optional).

[Example 21–1](#) shows the sample `jms_enqueue.properties` file.

Example 21–1 Sample `jms_enqueue.properties` File

```
##### Destination Details #####
destination = jms/b2b/B2B_IN_QUEUE
cf = jms/b2b/B2BQueueConnectionFactory

##### Server and Factory Details #####
factory=weblogic.jndi.WLInitialContextFactory
url=t3://host_name:port_number/
#user=<uncomment and provide you username>
#password=<uncomment and provide you password if required>

##### Payload Details #####
from=Acme
to=GlobalChips
#eventName=SampleEvent
doctypeName=Custom
doctypeRevision=1.0
payload=/scratch/work/GlobalChips_1234.dat
```

See the sample documentation for how to run these utilities.

21.2.2 Enqueue—Using a JMS JCA Adapter or Custom Utilities

The properties used by the AQ and JMS utilities are translated internally before the message is sent to the destination. Ensure that the properties in [Table 21–4](#) are set as part of the `javax.jms.Message` delivered to the destination that B2B listens on.

Table 21–4 How AQ/JMS Properties Are Translated for Custom Utilities

AQ/JMS Utilities	Translated Value—For Custom Utilities	JMS Message
from	FROM_PARTY	Sent as a string type message property
to	TO_PARTY	Sent as a string type message property
doctypeName	DOCTYPE_NAME	Sent as a string type message property
doctypeRevision	DOCTYPE_REVISION	Sent as a string type message property
eventName	ACTION_NAME	Sent as a string type message property
msgID	MSG_ID	Sent as a string type message property
replyToMsgID	INREPLYTO_MSG_ID	Sent as a string type message property

Table 21–4 (Cont.) How AQ/JMS Properties Are Translated for Custom Utilities

AQ/JMS Utilities	Translated Value—For Custom Utilities	JMS Message
msgType	MSG_TYPE	Sent as a string type message property
attachment	ATTACHMENT	Sent as a string type message property
payload	-	Sent as the message body

21.2.3 JMS Dequeue

This utility receives messages from the destination. The `count` property can be specified to control the number of messages to be picked up from the destination. Retrieved messages are written to the file `JMSDequeue.txt` at the current path (where you run the utility).

See the samples documentation for how to run these utilities.

[Example 21–2](#) shows the sample JMS dequeue properties file.

Example 21–2 Sample jms_dequeue.properties File

```
##### Destination Details#####
destination = jms/b2b/B2B_IN_QUEUE
cf = jms/b2b/B2BQueueConnectionFactory
count=1

##### Server and Factory Details #####
factory=weblogic.jndi.WLInitialContextFactory
url=t3://host_name:port_number/
#user=<uncomment and provide your username>
#password=<uncomment and provide your password if required>
```

21.3 Using the attachmentsDescriptor.xsd

Use the `attachmentsDescriptor.xsd` file for sending attachments.

[Example 21–3](#) shows a sample attachment XML file.

Example 21–3 Sample Attachment XML File

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<!--Sample XML file generated by XMLSpy v2005 sp1 U (http://www.xmlspy.com)-->
<Attachments xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="AttachmentsDescriptor.xsd" version="1.0" boundary="boundary---">
  <AttachmentPart>
    <Location>file:///home/user_dir/data.xml</Location>
    <Content-Type>
      <Top-Level-Type>text</Top-Level-Type>
      <Sub-Type>plain</Sub-Type>
      <Parameter Value="charset" Name="us-ascii"/>
    </Content-Type>
    <!--Content-Transfer-Encoding>BASE64</Content-Transfer-Encoding-->
    <Content-ID/>
    <Content-Description/>
  </AttachmentPart>
</Attachments>
```


Part VI

Appendixes

This part contains the following appendixes:

- [Appendix A, "Performance Tuning and Large Payloads"](#)
- [Appendix B, "Setting B2B Configuration Properties in Fusion Middleware Control"](#)
- [Appendix C, "Back-End Applications Interface"](#)
- [Appendix D, "Exception Handling"](#)
- [Appendix E, "Self Service Utility Protocols, Identifications, Security Specifications"](#)

Performance Tuning and Large Payloads

This appendix contains the following topics:

- [Section A.1, "Settings for Performance Tuning"](#)
 - [Section A.1.1, "Memory Arguments"](#)
 - [Section A.1.2, "Heap Size Settings"](#)
 - [Section A.1.3, "MDS Cache Size"](#)
 - [Section A.1.4, "Number of Threads"](#)
 - [Section A.1.5, "Stuck Thread Max Time"](#)
 - [Section A.1.6, "Tablespace Size"](#)
 - [Section A.1.7, "JTA Settings"](#)
 - [Section A.1.8, "Configuring High-Volume Systems"](#)
 - [Section A.1.9, "Settings for Batching a Large Number of Documents"](#)
 - [Section A.1.10, "Streaming Inbound and Outbound Attachments"](#)
- [Section A.2, "Handling Large Payloads"](#)
 - [Section A.2.1, "Introduction to Large Payload Support"](#)
 - [Section A.2.2, "Large Payloads and 32-Bit Windows PCs"](#)
 - [Section A.2.3, "Settings for a Large Dataset Scenario"](#)

A.1 Settings for Performance Tuning

To improve performance, set memory arguments appropriately based on your requirements and system. Code clean-up, multithreading, and table indexing are major contributors to maximizing the use of available resources. Java performance tuning also helps in sharing the resources among the various processes based on the usage and need.

When using the large payload settings, the internal delivery channel must be the default channel or a JMS queue.

Changes to B2B configuration properties typically require a server restart. See the following for more information:

- [Appendix B, "Setting B2B Configuration Properties in Fusion Middleware Control"](#)
- *Oracle Fusion Middleware Administrator's Guide for Oracle SOA Suite and Oracle Business Process Management Suite*

The syntax in various examples in this section reflect generic UNIX format.

The following settings improved Oracle B2B performance based on 2 GB of RAM on a 32-bit computer and 200 MB of B2B configuration data. When working in a Windows operating system with large payloads, a 64-bit server is recommended.

A.1.1 Memory Arguments

Memory arguments are captured in `DOMAIN_HOME/bin/setSOADomainEnv.sh`. Memory tuning applies to Oracle JRocket or SUN JVM, as shown in [Example A-1](#) and [Example A-2](#).

Example A-1 Settings for Oracle JRocket

```
export JAVA_VENDOR Oracle
DEFAULT_MEM_ARGS="-Xms1024m -Xmx1024m"
```

Example A-2 Settings for Sun JVM

```
export JAVA_VENDOR Sun
DEFAULT_MEM_ARGS="-Xms1024m -Xmx1024m"
if ["$JAVA_VENDOR" != "Oracle"];then
  DEFAULT_MEM_ARGS="$DEFAULT_MEM_ARGS -XX:CompileThreshold=100000 -XX:PermSize=256m
  -XX:MaxPermSize=256m"
```

`-Xms` and `-Xmx` can be increased up to 2 GB based on memory availability.

A.1.2 Heap Size Settings

Verify the heap size settings in the `setSOADomain.sh` script (see `DEFAULT_MEM_ARGS`) before starting any of the following servers in the WebLogic domain:

- The SOA managed server
- The WebLogic Admin Server

Using precise heap settings when starting the servers is necessary for B2B to process large payloads.

A.1.3 MDS Cache Size

To set the Metadata Service (MDS) instance cache size, use Oracle Enterprise Manager Fusion Middleware Control to set `b2b.mdsCache` to a value such as 200000. See [Appendix B.1, "Properties To Set in Fusion Middleware Control,"](#) for more information.

A.1.4 Number of Threads

Changing the value of `b2b.inboundThreadCount` and `b2b.outboundThreadCount` can improve Oracle B2B message processing. The recommended value depends on your system. For a 2 GB computer, a setting of 3 to 5 is recommended. The `b2b.inboundThreadSleepTime` and `b2b.inboundThreadSleepTime` properties put a thread to sleep after message processing. A setting between 10 and 1000 (milliseconds) is recommended.

A.1.5 Stuck Thread Max Time

Changing the value of **Stuck Thread Max Time** can improve Oracle B2B message processing if a thread is stuck. This is the maximum amount of time that the server

checks the number of seconds that a thread must be continually working before the server considers the thread stuck.

Only if you see a stuck thread exception should you change the **Stuck Thread Max Time** setting in Oracle WebLogic Server Administration Console. Increasing this number can degrade performance.

Navigate to **Environment > Servers > soa_server_name > Configuration > Tuning**. Set **Stuck Thread Max Time**, shown in [Figure A-1](#), to a maximum of 1200. (The default value is 600 seconds.)

Figure A-1 Changing Stuck Thread Max Time

The screenshot displays the Oracle WebLogic Server Administration Console interface. The main content area is titled "Settings for soa_server1" and is currently on the "Tuning" tab. The "Stuck Thread Max Time" setting is highlighted, showing a value of 600. Other visible settings include "Socket Readers" (33), "Maximum Open Sockets" (-1), "Stuck Thread Timer Interval" (60), "Accept Backlog" (300), and "Login Timeout" (5000). The left sidebar shows the "Domain Structure" tree with "soa_domain" expanded to "Environment" > "Servers". The "System Status" section at the bottom left shows "Health of Running Servers" with 2 servers in "OK" status.

A.1.6 Tablespace Size

If you store more than an a 150 MG configuration, extend or add a data file to increase tablespace size, as shown in [Example A-3](#).

Example A-3 Increasing Tablespace Size

```
ALTER TABLESPACE sh_mds add DATAFILE 'sh_mds01.DBF' SIZE 100M autoextend on next 10M maxsize
unlimited;
ALTER TABLESPACE sh_ias_temp add TEMPFILE 'sh_ias_temp01.DBF' SIZE 100M autoextend on next 10M
maxsize unlimited;
```

A.1.7 JTA Settings

On slower Windows computers (2 to 4 GB, 32-bit), the JTA timeout must be increased for Oracle B2B. Use the Oracle WebLogic Server Administration Console to increase the JTA transaction timeout to a higher number, depending on your environment. In some situations, the suggested setting is an increase to 90 seconds, and if required, to higher values.

A.1.8 Configuring High-Volume Systems

To improve performance on systems handling a large number of messages per second, the following steps are recommended:

1. Create a separate table space for the B2B_DATA_STORAGE table so that the LOB data can be stored separately.
2. Increase the block size for the tablespace for storing LOB data to reduce insert contention.

A.1.9 Settings for Batching a Large Number of Documents

The following are recommended to batch more 1000 documents, where the payload size is greater than 30 KB.

- Install the SOA server on a 64-bit computer.
- Set the batch commit size to a value greater than 0, such as 100.
- Use the Oracle WebLogic Server Administration Console to increase the JTA transaction timeout to a higher value.
- In `setSOADomainEnv.sh`, change the heap size setting from `-Xms1024m` to `-Xmx2048m`.

A.1.10 Streaming Inbound and Outbound Attachments

To stream attachments from the SOA WS binding layer, add the following properties in `composite.xml` for services and references:

```
streamIncomingAttachments="true" streamOutgoingAttachments="true"
```

[Example A-4](#) shows a sample.

Example A-4 Properties for Streaming Inbound and Outbound Attachments

```
<binding.ws
port="http://services.otn.com#wsdl.endpoint(MIMEService/MIMEService)"
xmlns:ns="http://xmlns.oracle.com/sca/1.0"
streamIncomingAttachments="true" streamOutgoingAttachments="true"/>
```


>

A.2 Handling Large Payloads

Oracle B2B can handle large payloads through the SOA Infrastructure and JMS internal queues.

A.2.1 Introduction to Large Payload Support

Inbound Setup

Figure A-2 shows the properties to set for inbound cases. Go to **Administration > Configuration**.

Figure A-2 Large Payload Size

The screenshot shows a configuration window titled "Performance". It contains two input fields: "Large Payload Size" with the value "2000000" and "Large Payload Directory" with the value "/tmp".

If a composite is deployed to handle the large payload, this is the only configuration needed. If B2B is not delivering the payload to a composite, set **Use JMS Queue as default** to true, as shown in Figure A-3. Go to **Administration > Configuration**.

Figure A-3 Use JMS Queue

The screenshot shows a configuration window titled "Non Purgeable". It contains three input fields: "Use JMS Queue as default" with the value "true", "Callout Directory" with the value "/MyCalloutDir", and "SMTP Host" which is empty.

With **Use JMS Queue as default** set to true, the payload is delivered to B2B_IN_QUEUE, a JMS-based queue.

Outbound Setup

Figure A-4 shows the properties to set for the outbound case.

Figure A-4 Large Payload Directory

The screenshot shows a configuration window with one input field: "Large Payload Directory" with the value "/tmp".

You must also notify B2B that a service engine is handing over a large payload. The change involves two steps:

The `b2b.largePayload` property must be set in the BPEL process when sending a large payload to Oracle B2B. For composite samples, which do not handle large payload, there is no change.

Code change in Oracle B2B to handle this flag

1. Declare the `Variable_largePayload` variable in an outbound BPEL process in the `<variables>` section.

```
<variable name="Variable_largePayload" type="xsd:string"/>
```

2. In the Assign activity, copy 'true' into the variable.

```
<copy>
  <from expression="'true'"/>
  <to variable="Variable_largePayload"/>
</copy>
```

3. Assign the variable to `b2b.largePayload` in the Invoke activity.

```
<bpelx:inputProperty name="b2b.largePayload"
  variable="Variable_largePayload"/>
```

Notes:

If BPEL is not sending a large payload to Oracle B2B, this property should not be set.

Once the code is checked in, any Large Payload Sample must be updated to confirm to this.

In BPEL and Mediator, if `b2b.largePayload` is set to `true`, then `largePayloadDir` must be present (set it in Oracle B2B). If `b2b.largePayload` is not set, then this directory should not matter.

Oracle B2B retains the large payloads in the large payload processing directory, after sending the payload to corresponding endpoints.

About Large Payload Support

1. If you are doing large payload testing, set **Log Payload** on the **Administration > Configuration** tab to false.
2. If you are doing large payload testing, set **Show Payload** on the **Administration > Configuration** tab to false to avoid listing the payload in reports.
3. If an enqueue script is used when working with large payloads, add

```
eventName=LARGE_PAYLOAD=true
```


4. Increase the maximum heap size to use `-Xmx2048m`.
5. Increase the database tablespace size for `soadatasource` to have `autoextend` on and increase the tablespace file size maximum limit.

```
alter database datafile '/scratch/$user/auto_
work/db230/oradata/db230/SH_soainfra.dbf' autoextend on next
10M maxsize 4096M
```

6. Set the transaction timeout in Oracle WebLogic Administration Server:
 - Weblogic Console Services -> JTA Timeout Seconds=720 seconds

- Weblogic Console Services -> JDBC->DataSources->SOADataSource - increase XA timeout to 120-180 seconds
- 7. If Oracle B2B is used alone (without the SOA Infrastructure), the JTA timeout can be set in `b2b.jtaTimeout` by using Oracle Enterprise Manager Fusion Middleware Control. See *Oracle Fusion Middleware Administrator's Guide for Oracle SOA Suite and Oracle Business Process Management Suite* for more information.
- 8. For an outbound SOA composite, always select the **Use file streaming** option for the File Adapter, as shown in [Figure A-5](#).

Figure A-5 The File Adapter Use File Streaming Option



A.2.2 Large Payloads and 32-Bit Windows PCs

On a 32 bit Windows computer, the payload size limit is 50 MB. This is because the heap size cannot be set to more than 1536m due to Windows-specific limits. Java VM throws an out-of-memory exception.

A.2.3 Settings for a Large Dataset Scenario

The following suggested settings are based on a dataset with approximately 2,500 trading partners, an export ZIP file that is approximately 253 MB in size, and assumes a 6 GB computer. Using these settings can considerably reduce data upload time when using the Upgrade Assistant.

1. Use Oracle WebLogic Server Administration Console to increase the
 - JTA transaction timeout from 30 to 350

- Maximum message size from the default size to 200000000
2. Add indices for better performance. Using Oracle Database 11g Enterprise Edition Release 11.1.0.7.0 - Production, with the Partitioning, OLAP, Data Mining and Real Application Testing options, do the following:

```
SQL> create index idx_mds_attr on
rc1_mds.MDS_ATTRIBUTES ("ATT_VALUE", "ATT_LOCALNAME");
Index created.
```

```
SQL> create index idx_mds_path on
rc1_mds.MDS_PATHS ("PATH_CONTENTID", "PATH_PARTITION_ID");
Index created.
```

```
SQL> commit;
```

3. Start the managed server with the following updated memory setting:

```
DEFAULT_MEM_ARGS="-Xms1024m -Xmx2048m"
```

4. Change *ORACLE_HOME*/bin/UA default memory from the default 256 to 2048. The default is

```
$JAVA_HOME/bin/java ${JAVAMODE} -Xmx256m -classpath ${CLASSPATH}
-Dua.home=$base_dir -Dice.pilots.html4.ignoreNonGenericFonts=true
-Dsun.lang.ClassLoader.allowArraySyntax=true
-Doracle.installer.oui_loc=$OUI_HOME oracle.ias.upgrade.UpgradeDriver
$ARGUMENTS
```

Change the default to

```
$JAVA_HOME/bin/java ${JAVAMODE} -Xmx2048m -classpath ${CLASSPATH}
-Dua.home=$base_dir -Dice.pilots.html4.ignoreNonGenericFonts=true
-Dsun.lang.ClassLoader.allowArraySyntax=true
-Doracle.installer.oui_loc=$OUI_HOME oracle.ias.upgrade.UpgradeDriver
$ARGUMENTS
```

5. Change the value of Stuck Thread Max Time from 600 to 2000.

Setting B2B Configuration Properties in Fusion Middleware Control

Use Oracle Enterprise Manager Fusion Middleware Control to set B2B configuration properties for properties that are not set on the **Configuration** tab of the Oracle B2B interface (see [Chapter 15, "Configuring B2B System Parameters"](#)). B2B properties can also be set by using the `configmbeanutil` utility.

This appendix contains the following topics:

- [Section B.1, "Properties To Set in Fusion Middleware Control"](#)
- [Section B.2, "Using the `configmbeanutil` Utility"](#)

B.1 Properties To Set in Fusion Middleware Control

The following properties can be set in Oracle Enterprise Manager Fusion Middleware Control. See *Oracle Fusion Middleware Administrator's Guide for Oracle SOA Suite and Oracle Business Process Management Suite* for how to set the properties.

Note: Restarting the SOA Server is required for changes to B2B properties.

- To turn off validation during deployment, set this property to false:

`b2b.deploy.validation`

This is useful when deploying a large number of agreements where you are certain that the data is valid.

- To set the Metadata Service (MDS) instance cache size, set this property:

`b2b.mdsCache cache_size`

A ratio of 5:1 is recommended for the `xmx-to-mdsCache` values. For example, if the `xmx` size is 1024, maintain `mdsCache` at 200 MB.

- To set the number of threads and thread sleep time to improve message processing, set the following:

`b2b.inboundThreadCount`
`b2b.inboundThreadSleepTime`
`b2b.outboundThreadCount`
`b2b.outboundThreadSleepTime`
`b2b.defaultThreadCount`
`b2b.defaultThreadSleepTime`

The recommended values for `b2b.inboundThreadCount` and `b2b.outboundThreadCount` depend on your system. For a 2 GB computer, a setting of 3 to 5 is recommended.

The `b2b.inboundThreadSleepTime` and `b2b.inboundThreadSleepTime` properties put a thread to sleep after message processing. A setting between 10 and 1000 (milliseconds) is recommended.

- To set up File, FTP, or Email transports in an HA environment, specify a unique name for each instance by using

```
b2b.HAInstanceName unique_instance_name
```

If you use `#ServerName#` for the value, B2B retrieves the WebLogic Server name as the `HAInstanceName`.

- To turn off the EDI envelope validation, you can set comma separated envelope header for the property:

```
b2b.edi.ignoreValidation
```

For example:

```
b2b.edi.ignoreValidation=InterchangeSenderID,InterchangeReceiverID
```

or ALL to turn off the complete envelope header validation.

- To turn off the hl7 envelope validation, you can set comma separated envelope header for the property:

```
b2b.hl7.ignoreValidation
```

For example:

```
b2b.hl7.ignoreValidation = MessageReceivingFacility,MessageSendingApp
```

or set ALL to turn off the complete envelope header validation.

- Use the following properties to control inbound and outbound FA validation:

```
b2b.fa.outbound.validation
```

```
b2b.fa.inbound.validation
```

To turn off the outbound FA validation, set the `b2b.fa.outbound.validation` property to `false`. The default value is `true`.

To turn off the inbound FA validation, set the `b2b.fa.inbound.validation` property to `false`. The default value is `true`.

- To swap the interchange and group IDs in the generated FA from the sender to the receiver and vice versa, set this property to `true`:

```
b2b.FAInternalProperties
```

Caution: This property should *not* be set using Oracle Enterprise Manager Fusion Middleware Control Console. Use the **Functional Ack internal properties** configuration parameters on the **Administration > Configuration** tab. Settings on the **Configuration** tab override properties set using the Oracle Enterprise Manager Fusion Middleware Control Console.

The test usage indicator parameter is also mapped; that is, an inbound message set as a test message generates an FA with the flag set to test message. Setting `b2b.FAInternalProperties` to `true`, by default, does not map ISA segment elements (1-4).

- To specify how a functional acknowledgment is handled, set this property to `true` or `false`:

`b2b.FAHandledByB2B`

Caution: This property should *not* be set using Oracle Enterprise Manager Fusion Middleware Control Console. Use the **Functional Ack Handled by B2B** configuration parameter on the **Administration > Configuration** tab. Settings on the **Configuration** tab override properties set using the Oracle Enterprise Manager Fusion Middleware Control Console.

When the `b2b.FAHandledByB2B` property is set to `false`, then for an inbound EDI message, B2B does not generate a functional acknowledgment (FA).

If the FA is marked as expected in an agreement, then the message is placed into the `MSG_WAIT_FA` state and the back-end application is expected to generate the FA and push it to B2B as an outbound message back to the partner.

The following limitations apply when generating the FA from the back-end application:

- The FA is correlated with the original message based on the `ReferToMsgID` value set in the enqueue properties. The FA is correlated based on control numbers also.
- If the FA indicates that there was an error in the received message, the status of the correlated message is not updated to indicate an error. The correlated message is updated to `MSG_COMPLETE`.

These limitations are not present when the FA is generated by B2B (that is, when `b2b.FAHandledByB2B` is `true`).

- To correlate inbound and outbound FAs correctly if the the same control numbers are used between the same trading partners, set this property to `true`:

`b2b.FACorrelatedByInterchangeId`

By default Oracle B2B does not correlate inbound and outbound FAs correctly if the the same control numbers are used between the same trading partners. Set this property to `true` so that Oracle B2B will correlate based on Control Number + (Interchange Sender ID + Interchange Receiver ID) for both Inbound and Outbound messages.

- To enable row level locking, set this parameter to `true`:

`b2b.rowLockingForCorrelation`

Use this row level locking parameter so that the original EDIFACT message can be accessed sequentially when the correlated FA and Ack are processed concurrently. It avoids a racing condition when Oracle B2B updates the original message.

- To specify how errors are flagged, set this parameter to `true` or `false`:

`b2b.outboundOneErrorAllError`

For outbound messages, `b2b.outboundOneErrorAllError` can be set to `true` or `false`. The default is `false`. If the parameter is set to `true`, then for outbound messages, even with a single message in error, all outbound batch messages are set to the error state. None of the batched messages are sent to the trading partner.

When using the `b2b.outboundOneErrorAllError` parameter, inbound messages behave as if `b2b.outboundOneErrorAllError` is set to `false`; that is, if an error occurs during an inbound message process, then only that message is flagged with the error and other messages are passed. There is no option to flag every message as failed.

- To turn on payload obfuscation, set this property to `true`:

`b2b.payloadObfuscation`

See [Section 1.4.1, "Payload Obfuscation,"](#) for more information.

- To ignore interchange validation errors for EDI messages, use this property:

`b2b.edi.ignoreValidation`

If you add or update this flag, a server restart is not needed. However, if you remove the flag, the server must be restarted for the change to take effect.

- To identify the toTP from the TP information present in the incoming message, use this property:

`b2b.edi.identifyToTP`

This property is used for inbound message processing. If it is set to `true`, the toTP is identified from the TP information present in the incoming message. The default value is `false`.

- To check for duplicate messages, use this property:

`b2b.checkDuplicate`

If this property is set to `false`, a check for a duplicate of the incoming business message is not performed. By default, Oracle B2B checks for duplicate messages based on the business message ID of the incoming message.

- To indicate whether reported errors are cumulative or not, use this property:

`b2b.errorsCumulativeReported`

Set this property to `true` (the default) to report errors in a cumulative fashion. If set to `false`, then the error text and error description fields are not concatenated with the description starting on a new line. This property is most useful with EDI batching error messages.

- To use EDI `ecs` and `xsd` files from Oracle B2B 10g version, use this property:

`b2b.setDynamicNamespace`

When using EDI `ecs` and `xsd` files in Oracle B2B 11g which were used in Oracle B2B 10g, the XEngine may generate dynamic namespace for the translated xml. For example,

```
xmlns="NS_31CA8D0F33324F95A0BF15D85539C27E20060518215520"
```

To turn off dynamic namespace generation for inbound EDI messages, set this property to `false`.

B.2 Using the configmbeanutil Utility

You can also use the configmbeanutil utility to set properties.

To use the configmbeanutil utility:

Note: To access the Fusion Middleware directory, you must provide an mbean property file (mbeanutil.properties) that contains host, port, user, and password information. For example,

```
host=myfmw.com
port=7001
user=weblogic
password=mypwd
```

1. Set the `MW_HOME` environment variable to point to the Fusion Middleware installation directory. For example,

```
setenv MW_HOME /scratch/$user/fmwhome
```

2. Set the `JAVA_HOME` environment variable. For example,

```
setenv JAVA_HOME ${MW_HOME}/jdk160_14_R27.6.4-18
```

3. Add the Java bin directory to the `PATH` environment variable. For example,

```
setenv PATH ${JAVA_HOME}/bin:${PATH}
```

[Example B-1](#), [Example B-2](#), [Example B-3](#), and [Example B-4](#) show uses for this utility.

Example B-1 To Print All Properties to the Console

```
java -cp $MW_HOME/AS11gR1SOA/soa/modules/oracle.soa.b2b_11.1.1/b2b.jar:$MW_HOME/
wls_server_10.3/server/lib/wljmxclient.jar:$MW_HOME/modules/
glassfish.jaxb_1.2.0.0_2-1-7.jar oracle.tip.b2b.utility.ConfigMBeanUtility
```

Example B-2 To Add a Property

```
java -cp $MW_HOME/AS11gR1SOA/soa/modules/oracle.soa.b2b_11.1.1/b2b.jar:$MW_HOME/
wls_server_10.3/server/lib/wljmxclient.jar:$MW_HOME/modules/
glassfish.jaxb_1.2.0.0_2-1-7.jar oracle.tip.b2b.utility.ConfigMBeanUtility add
b2b.test cool ok
```

Example B-3 To Update a Property

```
java -cp $MW_HOME/AS11gR1SOA/soa/modules/oracle.soa.b2b_11.1.1/b2b.jar:$MW_HOME/
wls_server_10.3/server/lib/wljmxclient.jar:$MW_HOME/modules/
glassfish.jaxb_1.2.0.0_2-1-7.jar oracle.tip.b2b.utility.ConfigMBeanUtility
update b2b.test thru
```

Example B-4 To Remove a Property

```
java -cp $MW_HOME/AS11gR1SOA/soa/modules/oracle.soa.b2b_11.1.1/b2b.jar:$MW_HOME/
wls_server_10.3/server/lib/wljmxclient.jar:$MW_HOME/modules/
glassfish.jaxb_1.2.0.0_2-1-7.jar oracle.tip.b2b.utility.ConfigMBeanUtility
remove b2b.test
```


Back-End Applications Interface

This appendix contains the following topics:

- [Section C.1, "Mapping B2B IP_MESSAGE_TYPE to SCA Normalized Message Properties"](#)
- [Section C.2, "Normalized Message Properties"](#)

C.1 Mapping B2B IP_MESSAGE_TYPE to SCA Normalized Message Properties

[Table C-1](#) maps the B2B IP_MESSAGE_TYPE to SCA normalized message properties.

Table C-1 B2B IP_MESSAGE_TYPE to AS11 SCA Normalized Message Property Mapping

AQ (IP_MESSAGE_TYPE)	SCA	JMS
MSG_ID	b2b.messageId	MSG_ID
INREPLYTO_MSG_ID	b2b.replyToMessageId	INREPLYTO_MSG_ID
FROM_PARTY	b2b.fromTradingPartnerId	FROM_PARTY
-	b2b.fromTradingPartnerIdType	-
TO_PARTY	b2b.toTradingPartnerId	TO_PARTY
-	b2b.toTradingPartnerIdType	-
ACTION_NAME	-	ACTION_NAME
DOCTYPE_NAME	b2b.documentTypeName	DOCTYPE_NAME
DOCTYPE_REVISION	b2b.documentProtocolVersion	DOCTYPE_REVISION
-	b2b.documentProtocolName	-
-	b2b.documentDefinitionName	-
MSG_TYPE	b2b.messageType	MSG_TYPE
-	b2b.conversationId	-
PAYLOAD	body	-
ATTACHMENT	attachments	-

C.2 Normalized Message Properties

Header manipulation and propagation are key business integration messaging requirements. Like other SOA components such as Oracle BPEL Process Manager, Oracle Mediator, and Oracle JCA, Oracle B2B relies on header support to solve

integration needs. For example, you can preserve a file name from the source directory to the target directory by propagating it through message headers.

Normalized messages have two parts, properties and payload. Typically, properties are name-value pairs of scalar types. To fit the existing complex headers into properties, properties are flattened into scalar types.

Manipulating headers in design time is simplified by using predetermined complex properties. In B2B, you can manipulate headers with reserved key words. However, some properties are dynamically generated based on your input. These definitions are not predetermined and hence cannot be accounted for in the list of predetermined property definitions. You cannot design header manipulation of the dynamic properties before they are defined. To address this limitation, you must generate all the necessary services (composite entry points) and references. This restriction applies to services that are expected to generate dynamic properties. After dynamic properties are generated, they are stored for each composite, and can be manipulated in the composite editor.

Figure C-1 shows the Properties tab of an Invoke activity, part of a BPEL process that includes a B2B binding component. Enter values and specify the input or output type for B2B properties on this dialog.

Figure C-1 Invoke Activity Showing B2B Normalized Message Properties




Table C-2 lists the predetermined properties of a normalized message for Oracle B2B.

Table C-2 Properties for Oracle B2B

Property Name	Propagable (Yes/No)	Direction (Inbound /Outbound)	Data Type	Range of Valid Values	Description
b2b.conversationId	No	Both	String	-	The ID used to relate the message to the message response
b2b.documentDefinitionName	No	Both	String	-	The document definition, for example, 850_def for an EDI X2 document
b2b.documentProtocolName	No	Both	String	-	The document protocol, for example, X12 for an EDI X12 document
b2b.documentProtocolVersion	No	Both	String	-	The document version, for example, 4010 for an EDI X12 document
b2b.documentTypeName	No	Both	String	-	The document type, for example, 850 for an EDI X12 document
b2b.fromTradingPartnerId	No	Both	String	-	The trading partner identifier of the sender, for example, the name, such as Acme, or a DUNS number
b2b.fromTradingPartnerIdType	No	Both	String	-	The trading partner identifier type for the sender, for example, Name or DUNS
b2b.messageId	No	Both	String	-	A unique message ID, not directly related to ECID. (ECID information is stored in the B2B AppMessage table.)
b2b.messageType	No	Both	String	-	Message type values are: <ul style="list-style-type: none"> ■ Request = 1 ■ Response = 2 ■ Functional Ack = 9
b2b.replyToMessageId	No	Both	String	-	The message ID to which the sending message is replying
b2b.toTradingPartnerId	No	Both	String	-	The trading partner identifier of the receiver, for example, the name, such as Acme, or a DUNS number.
b2b.toTradingPartnerIdType	No	Both	String	-	The trading partner identifier type for the receiver, for example, Name or DUNS. If no value is found, the Name type is assumed.

Exception Handling

Oracle B2B handles exceptions for inbound and outbound messages. This appendix describes the exception handling, error messages, and structures for Oracle B2B.

This appendix contains the following topics:

- [Section D.1, "Inbound Messages"](#)
- [Section D.2, "Outbound Messages"](#)
- [Section D.3, "Using a JMS Queue for Error Message Delivery"](#)
- [Section D.4, "Using a Custom Exception Queue for Error Message Delivery"](#)
- [Section D.5, "Inbound Exception Handling Scenarios"](#)
- [Section D.6, "Exception Payload Definition"](#)

D.1 Inbound Messages

This section describes the following inbound message types:

- [Request or Response Messages](#)
- [Acknowledgment Messages](#)
- [Exception Messages](#)

D.1.1 Request or Response Messages

For an incoming request, response, or functional acknowledgment message that results in an exception, the following actions occur when you use the default error handling settings:

- An exception message is sent to the application.

The exception message is enqueued to `IP_IN_QUEUE` and has the recipient name `b2berroruser`. The enqueued exception is based on `ipException.xsd` and contains information such as the error message (`errorText` has a short description and `errorDescription` has a longer description) and the error code.

- An exception message is sent to the trading partner, if mandated by the exchange specification.

The exception message is sent back to the trading partner only if there is enough information to identify the outgoing trading partner agreement. For this purpose, the flag `B2BHeader.sendException` is used. The flag is set to true when enough information is extracted from the incoming message to send the exception message to the trading partner.

- Oracle B2B catches exceptions thrown by exchange or document layers.
If the `B2Bheader.sendException` flag is set to `true`, the outgoing trading partner agreement is processed and an exception message is sent to the trading partner.

D.1.1.1 Inbound ebMS, AS1, and AS2 Messages

If the following types of failure occur while an incoming message is processing, then the receiving trading partner sends a negative acknowledgment to the sender.

- Decryption fails
- Verification fails
- Agreement is not found
- Document identification fails
- Document validation fails (and so on)

The negative acknowledgment message has the reference for the original (request) message details to correlate at the sender side.

D.1.2 Acknowledgment Messages

For an incoming acknowledgment message that results in an exception, the following actions occur when you use the default error handling settings:

- An exception message is sent to the application.
The exception message is enqueued to `IP_IN_QUEUE` and has the recipient name `b2berroruser`. The enqueued exception is based on `ipException.xsd` and contains information such as error text and error code.
- No exception message is sent back to the trading partner.

D.1.3 Exception Messages

For an incoming exception message, the following actions occur when you use the default error handling settings:

- The original message is updated so that it is in an errored state. The incoming exception is processed and delivered to the application normally.
- If the incoming exception message itself results in an exception, an exception message is sent to the application.

The exception message is enqueued to `IP_IN_QUEUE` and has the recipient name `b2berroruser`. The enqueued exception is based on `ipException.xsd` and contains information such as error text and error code. No exception message is sent back to the trading partner in this case.

Exceptions can be delivered to default queues (`B2B_IN_QUEUE` or `IP_IN_QUEUE`) or custom JMS queues configured for exception messages. See [Section D.4, "Using a Custom Exception Queue for Error Message Delivery"](#) for more information.

D.2 Outbound Messages

If an exception occurs while an outbound message is being sent (for example, if the trading partner identification fails), then an exception message is sent to the application. When you use the default error handling settings, the exception message

is enqueued to `IP_IN_QUEUE` and has the recipient name `b2berroruser`. The enqueued exception is based on `ipException.xsd` and contains information such as error text and error code.

If an exception occurs during Oracle B2B startup, then an exception message is enqueued to `IP_IN_QUEUE` and has the recipient name `b2berroruser`. The enqueued exception is based on `ipException.xsd` and contains information such as error text and error code. The correlation ID is not populated in this case.

Note the following:

- When the exception message is sent back to the application, the document type is `Exception` instead of the original message document type.
- When the exception message is sent back to the application, `inReplyToMessageId` is populated with the correlation ID value.
- For inbound exception handling, a business message is always created and populated with the available information. It also points to the corresponding wire message. The wire message is updated so that it is in an errored state. For the outbound direction, only the business message is updated, because the wire message does not exist. However, if a transmission failure occurs, then the wire message table does have an entry.
- The error reports are updated to show only business messages; a business message is always created in the inbound and outbound directions.

D.3 Using a JMS Queue for Error Message Delivery

The default settings, as described in [Section D.1](#) and [Section D.2](#), use an AQ queue, `IP_IN_QUEUE`, as the exception queue. You can configure B2B to use a JMS queue by setting the **Use JMS Queue as default** parameter to true on the **Configuration** tab. The JMS queue, `B2B_IN_QUEUE`, becomes the default exception queue unless you have configured a custom JMS exception queue and selected it as the value for the **Exception Queue** parameter (see [Section D.4, "Using a Custom Exception Queue for Error Message Delivery."](#)) In general, B2B sends inbound messages to `B2B_IN_QUEUE` and polls on `B2B_OUT_QUEUE` for outbound messages.


Because JMS queues cannot use `b2berroruser` as the consumer, a JMS message property is used to filter exception messages for error handling. Specifically, when the `MSG_TYPE` value equals 3 (`MSG_TYPE='3'`), all exception messages are received by the JMS receiver. (For successful messages, `MSG_TYPE='1'`.) All JMS message properties are of type `string`.

See [Table 15-1, "Configuration Settings"](#) for more information on the **Use JMS Queue as default** parameter.

D.4 Using a Custom Exception Queue for Error Message Delivery

You can create custom JMS exception queues by configuring JMS internal delivery channels (JMS queues or topics) for the host trading partner on the **Partners > Channels** tab, as shown in [Figure D-1](#).

Figure D–1 Creating a Custom Exception Queue



Then select the queue from the **Exception Queue** parameter on the **Configuration** tab. The **Exception Queue** dropdown lists all JMS internal delivery channels from the host trading partner.

A null default value for this parameter means that the JMS queue, B2B_IN_QUEUE, is the exception queue if **Use JMS Queue as default** is set to true, and that the AQ queue, IP_IN_QUEUE, is the exception queue if **Use JMS Queue as default** is set to false.

If B2B fails to deliver an exception message to the selected custom exception queue, then the exception message is sent to the default internal delivery channel.

See [Table 15–1, "Configuration Settings"](#) for more information on the **Exception Queue** parameter.

D.5 Inbound Exception Handling Scenarios

[Table D–1](#) describes inbound exception handling scenarios.

Table D-1 Inbound Exception Handling Scenarios

If an exception occurs because. . .	Then Oracle B2B does . . .
The identification of the exchange fails or the exchange is not supported	<ul style="list-style-type: none"> ■ Notifies the middleware ■ Updates the wire message as in an errored state ■ Creates a business message in an errored state for the wire message ■ Sends a transport error message to the trading partner if the <code>sendException</code> flag is set in the exchange layer
Message unpacking fails	<ul style="list-style-type: none"> ■ Notifies the middleware ■ Updates the wire message as in an errored state ■ Creates a business message in an errored state for the wire message
Incoming message decoding fails	<ul style="list-style-type: none"> ■ Notifies the middleware ■ Updates the wire message as in an errored state ■ Creates a business message in an errored state for the wire message ■ Sends an exception message to the trading partner, if the <code>sendException</code> flag is set in the exchange layer
The message is duplicated	<ul style="list-style-type: none"> ■ Notifies the middleware ■ Updates the wire message as a duplicated message error ■ Creates a business message as a duplicated message error for the wire message
Document identification fails	<ul style="list-style-type: none"> ■ Notifies the middleware ■ Updates the wire message as in an errored state ■ Creates a business message in an errored state for the wire message ■ Sends an exception message to the trading partner, if the <code>sendException</code> flag is set in the exchange layer
Incoming trading partner agreement processing fails	<ul style="list-style-type: none"> ■ Notifies the middleware ■ Updates the wire message as in an errored state ■ Creates a business message in an errored state for the wire message ■ Sends an exception message to the trading partner, if the <code>sendException</code> flag is set in the exchange layer
Incoming document processing fails	<ul style="list-style-type: none"> ■ Notifies the middleware ■ Updates the wire message as in an errored state ■ Creates a business message in an errored state for the wire message ■ Sends an exception message to the trading partner, if the <code>sendException</code> flag is set in the exchange layer

Note the following:

- The exception is sent back to the trading partner only for RosettaNet exchanges. For other exchanges, a failure is reported as mandated in the respective specifications. For example, for an ebMS exchange, an acknowledgment is sent along with the error list that is defined. For an AS2 exchange, the acknowledgment is sent indicating an error, without exception details.

- An exception is sent back to the trading partner for all message types except acknowledgments.

D.6 Exception Payload Definition

[Example D-1](#) shows the definition for the exception payload, `ipException.xsd`.

Example D-1 Exception Payload Definition

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns="http://integration.oracle.com/B2B/Exception"
targetNamespace="http://integration.oracle.com/B2B/Exception">

  <xs:element name="Exception">
    <!--xs:complexType name="Exception"-->
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="correlationId"/>
        <xs:element ref="b2bMessageId"/>
        <xs:element ref="errorCode"/>
        <xs:element ref="errorText"/>
        <xs:element ref="errorDescription"/>
        <xs:element ref="errorSeverity"/>
        <xs:element ref="errorDetails" minOccurs="0" />
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="correlationId" type="xs:string"/>
  <xs:element name="b2bMessageId" type="xs:string"/>
  <xs:element name="errorCode" type="xs:string"/>
  <xs:element name="errorText" type="xs:string"/>
  <xs:element name="errorDescription" type="xs:string"/>
  <xs:element name="errorSeverity" type="xs:string"/>
  <xs:element name="errorDetails">
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="parameter" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="parameter">
    <xs:complexType>
      <xs:attribute name="name" type="xs:string" use="required" />
      <xs:attribute name="value" type="xs:string" use="required" />
    </xs:complexType>
  </xs:element>
</xs:schema>
```

Self Service Utility Protocols, Identifications, Security Specifications

This appendix gives the values for protocols, identifications and security specifications used in selfservice utility.

This appendix contains the following topics:

- [Section E.1, "Protocols"](#)
- [Section E.2, "Identifications"](#)
- [Section E.3, "Security Specifications"](#)
- [Section E.4, "Exchange Protocols Parameter Values"](#)
- [Section E.5, "Transport Protocols Parameter Values"](#)
- [Section E.6, "Document Protocol Parameter Values"](#)

E.1 Protocols

Table E-1 Document Protocols

Document Protocol Name
EDI_X12
EDI_EDIFACT
HL7
RosettaNet
Custom

Table E-2 Exchange Protocols

Exchange Protocol Name
AS2
MLLP
ebMS2
ebMS1
RNIF20
RNIF11
AS1

Table E-2 (Cont.) Exchange Protocols

Exchange Protocol Name
Generic-File
Generic-AQ
Generic-FTP
Generic-SFTP
Generic-JMS
Generic-HTTP
Generic-Email

Table E-3 Transport Protocols

Transport Protocol Name
HTTP
File
AQ
JMS
FTP
SFTP
AS1
TCP
Email

E.2 Identifications

Any of the following columns value can be used as Identification name in Self-Service. Name Identifier will be created by Self-Service using the Trading Partner name.

Table E-4 Identifications

Identification Name	Identification ID
Generic Identifier	Generic
DUNS	DUNS
ebMS Identifier	ebMS
AS2 Identifier	AS2
MLLP ID	MLLP
AS1 Identifier	AS1
EDI Interchange ID	InterchangeID
EDI Interchange ID Qualifier	InterchangeIDQualifier
EDI Group ID	GroupID
EDI Interchange Internal ID	InterchangeInternalID
EDI Interchange Internal Sub ID	InterchangeInternalSubID
EDI Group ID Qualifier	GroupIDQualifier

Table E-4 (Cont.) Identifications

Identification Name	Identification ID
HL7 Message Application ID	Message-ApplicationID
HL7 Message Application Universal ID	Message-ApplicationUniversalID
HL7 Message Application Universal ID Type	Message-ApplicationUniversalIDType
HL7 Message Facility ID	Message-FacilityID
HL7 Message Facility Universal ID	Message-FacilityUniversalID
HL7 Message Facility Universal ID Type	Message-FacilityUniversalIDType
HL7 Batch Application ID	Batch-ApplicationID
HL7 Batch Application Universal ID	Batch-ApplicationUniversalID
HL7 Batch Application Universal ID Type	Batch-ApplicationUniversalIDType
HL7 Batch Facility ID	Batch-FacilityID
HL7 Batch Facility Universal ID	Batch-FacilityUniversalID
HL7 Batch Facility Universal ID Type	Batch-FacilityUniversalIDType
HL7 File Application ID	File-ApplicationID
HL7 File Application Universal ID	File-ApplicationUniversalID
HL7 File Application Universal ID Type	File-ApplicationUniversalIDType
HL7 File Facility ID	File-FacilityID
HL7 File Facility Universal ID	File-FacilityUniversalID
HL7 File Facility Universal ID Type	File-FacilityUniversalIDType

E.3 Security Specifications

Any of the following columns value can be used as Identification name in Self-Service.

Table E-5 Security Specifications

Security Specifications Name	Security Specifications ID
SMIME 3.0 with MD5 - RSA	SMIME-3_0-MD5-RSA
SMIME 3.0 with SHA1 - RSA	SMIME-3_0-SHA-RSA
SMIME 2.0 with MD5 - RSA	SMIME-2_0-MD5-RSA
SMIME 2.0 with SHA1 - RSA	SMIME-2_0-SHA-RSA
XMLDSIG with SHA1 - DSA	XMLDSIG-1_0-SHA-DSA
XMLDSIG with SHA1 - RSA	XMLDSIG-1_0-SHA-RSA
SMIME 3.0 with DES	SMIME-3_0-DES
SMIME 3.0 With 3DES	SMIME-3_0-3DES
SMIME 3.0 with RC2-40	SMIME-3_0-RC2-40
SMIME 3.0 with RC2-64	SMIME-3_0-RC2-64
SMIME 3.0 with RC2-128	SMIME-3_0-RC2-128
SMIME 2.0 with DES	SMIME-2_0-DES
SMIME 2.0 With 3DES	SMIME-2_0-3DES
SMIME 2.0 with RC2-40	SMIME-2_0-RC2-40

Table E-5 (Cont.) Security Specifications

Security Specifications Name	Security Specifications ID
SMIME 2.0 with RC2-64	SMIME-2_0-RC2-64
SMIME 2.0 with RC2-128	SMIME-2_0-RC2-128
XMLENC with 3DES - RSA-v1.5	XMLENC-1_0-3DES-RSA-V1_5
XMLENC with AES-128 - RSA-OAEP	XMLENC-1_0-AES128-RSA-OAEP
XMLENC with AES-192 - RSA-OAEP	XMLENC-1_0-AES192-RSA-OAEP
XMLENC with AES-256 - RSA-OAEP	XMLENC-1_0-AES256-RSA-OAEP

E.4 Exchange Protocols Parameter Values

Table E-6 Exchange Protocols Parameter Values

Exchange	Parameter Value Name	Domain	Required
AS2	Receipt-Delivery-Option	String, any URL	No
	Signed-And-Compressed	Boolean, false (default), true	No
MLLP	ImmediateACK	String, any of these values - None(default), Default, Simple, Custom	No
	ImmediateACK-Custom-File	Absolute File Path	No
	ImmediateACK-mapAckControlID	Boolean, false (default), true	No
	ImmediateACK-MapImmTriggerEvt	Boolean, false (default), true	No
	DiscardHL7ACK	String, any of these values - None (default), AA, AE, AR, CA, CE, CR	No
	Start-Block-Char	Hexadecimal, 0x0B(default)	No
	End-Block-Char	Hexadecimal, 0x1C(default)	No
	Carriage-Return-Char	Hexadecimal, 0x0D(default)	No
	Identify-TP-by-delivery-channel	Boolean, false (default), true	No
ebMS2.0	Duplicate-Elimination	Boolean, false (default), true	No
	messageOrderSemantics	String	No
	PersistDuration	String	No
	SendPartyTypeAndValue	Boolean, false (default), true	No
ebMS1.0	Duplicate-Elimination	Boolean, false (default), true	No
	SendPartyTypeAndValue	Boolean, false (default), true	No
AS1	Signed-And-Compressed	Boolean, false (default), true	No

E.5 Transport Protocols Parameter Values

Table E-7

Transport	Parameter Name Value	Domain	Required
HTTP	url	String, any URL	Yes
	user	String	No
	password	String	No
	additional_headers	String	No
	use_proxy	Boolean, false (default), true	No

Table E-7 (Cont.)

Transport	Parameter Name Value	Domain	Required
File	polling_interval	Integer, 5(default)	No
	folder	String	Yes
	filename_format	String	No
AQ	sid	String, orcl(default)	No
	port	Integer, 1521(default)	No
	schema	String	No
	queue_name	String	No
	password	String	No
	host	String	No
	polling_interval	Integer	No
	recipient	String	No
	consumer	String	No
	datasource	String, either datasource or jdbc (host, sid, port, schema)	No
JMS	queue_name	String	No
	jndi_connection_factory_location	String	No
	is_topic	Boolean, false (default), true	No
	is_map_message	String, Any of these values BYTES,TEXT,MAP	No
	is_map_payload_alone	Boolean, false (default), true	No
	Subscriber_ID	String	No
	user	String	No
	password	String	No
polling_interval	Integer, 5(default)	No	
FTP	host	String	Yes
	polling_interval	Integer, 5(default)	No
	folder	String	Yes
	user	String	Yes
	password	String	No
	channel_mask	String, None (default)	No
	cipher_suites	String	No
	control_port	Integer	No
	data_port	Integer	No
	use_proxy	Boolean, false (default), true	No
	filename_format	String	No
	sourcefile_encoding	String	No

Table E-7 (Cont.)

Transport	Parameter Name Value	Domain	Required
SFTP	host	String	Yes
	port	Integer	No
	polling_interval	Integer, 5(default)	No
	folder	String	Yes
	user	String	Yes
	password	String	No
	private_key	String	No
	pass_phrase	String	No
	use_proxy	Boolean, false (default), true	No
	filename_format	String	No
TCP	sockettype	String, Either of Server, Client (default)	No
	host	String	No
	port	Integer	No
	PermanentConnectionType	Boolean, false (default), true	No
	Sequencing	Boolean, false (default), true	No
	pollinterval	Integer, 10(default)	No
	timeout	Integer, 300(default)	No
Email	host	String	Yes
	password	String	No
	user	String	No
	polling_interval	Integer	No
	content-type	String	No
	send_as_attachment	String	No
	folder	String	No
	email-id	String	Yes
	subject	String	No
	server	String, either of IMAP (default), PoP3	Yes

E.6 Document Protocol Parameter Values

This section contains the following tables:

- [Table E-8, " EDI_X12 Document Protocol Parameter Values"](#)
- [Table E-9, " EDI_EDIFACT Document Protocol Parameter Values"](#)
- [Table E-10, " HL7 Document Protocol Parameter Values"](#)
- [Table E-11, " RosettaNet Document Protocol Parameter Values"](#)
- [Table E-12, " Custom Document Protocol Parameter Values"](#)
- [Table E-13, " Common Parameter Values"](#)
- [Table E-14, " AgrDocType Parameter Values"](#)

Table E-8 EDI_X12 Document Protocol Parameter Values

Document	Parameter Value Name	Domain	Required
Document Protocol Version	InterchangeAuthorizationInfoQual	String, 00(default)	No
	InterchangeAuthorizationInfo	String	No
	InterchangeSecurityInfoQual	String, 00(default)	No
	InterchangeSecurityInfo	String	No
	InterchangeDate	Date, #SystemDate(YMMDD)#(default)	No
	InterchangeTime	Time, #SystemTime(HHMM)#(default)	No
	InterchangeControlStandard_RepeatingSeparator	String, U (default)	No
	InterchangeControlVersion	String, 00401(default)	No
	InterchangeAckRequested	String, 0(default)	No
	InterchangeUsageIndicator	String, P (default)	No
	InterchangeECSFileBlob	Absolute file path of ecs	No
	GroupDate	Date, #SystemDate(CCYMMDD)# (default)	No
	GroupTime	Time, #SystemTime(HHMM)#(default)	No
	GroupAgencyCode	String, X (default)	No
	GroupVersionNumber	String	No
	GroupECSFileBlob	Absolute file path of ecs	No
	SegmentDelimiter	Hexadecimal, 0x7e(default)	No
	ElementDelimiter	Hexadecimal, 0x2a(default)	No
	SubelementDelimiter	Hexadecimal, 0x5c (default)	No
	DecimalSeparator	Hexadecimal, 0x2e (default)	No
ReplacementChar	Hexadecimal, 0x7c (default)	No	
RepeatingSeparator	Hexadecimal, 0x5e (default)	No	
Document Type	GroupID	String	Yes
	TransactionID	String	Yes
	TransactionImplementationReference	String	No
	TransactionPurposeCode	String	No
Document Definition	TransactionECSFileBlob	Absolute file path of ecs	Yes
	DocumentRoutingID	String	No
	Common Parameter Values (see Table E-13, "Common Parameter Values")		

Table E-9 EDI EDIFACT Document Protocol Parameter Values

Document	Parameter Value Name	Domani	Required
Document Protocol Version	UNACreation	String, any of these values - always, never, delimiterbased	No
	CharSet	String, UNOB(default)	No
	InterchangeControlVersion	String, 1(default)	No
	InterchangeServiceCodeList	String	No
	InterchangeCharacterEncoding	String	No
	InterchangeDate	Date, #SystemDate(YYMMDD)# (default)	No
	InterchangeTime	Date, #SystemTime(HHMM)# (default)	No
	InterchangeRecipientRefPassword	String	No
	InterchangeRecipientRefPasswordQual	String	No
	InterchangeApplicationRef	String	No
	InterchangeProcessingPriority	String	No
	InterchangeAgreementIdentifier	String	No
	InterchangeTestIndicator	String	No
	InterchangeECSFileBlob	Absolute file path of ecs	No
	FunctionalGroupCreation	String	No
	GroupDate	Date, #SystemDate(YYMMDD)# (default)	No
	GroupTime	Time, #SystemTime(HHMM)# (default)	No
	GroupAgencyCode	String, UN (default)	No
	GroupAssociationCode	String	No
	GroupApplicationPassword	String	No
	GroupECSFileBlob	Absolute file path of ecs	No
	SegmentDelimiter	Hexadecimal, 0x27 (default)	No
	ElementDelimiter	Hexadecimal, 0x2b (default)	No
	SubelementDelimiter	Hexadecimal, 0x3a (default)	No
	DecimalSeparator	Hexadecimal, 0x2e (default)	No
	ReleaseCharacter	Hexadecimal, 0x3f (default)	No
	ReplacementChar	Hexadecimal, 0x7c (default)	No
RepeatingSeparator	Hexadecimal, 0x2a (default)	No	
Document Type	GroupID	String	Yes
	TransactionControllingAgency	String	No
	TransactionAssociationAssignedCode	String	No
	TransactionCommonAccessRef	String	No
Document Definition	TransactionECSFileBlob	Absolute file path of ecs	Yes
	DocumentRoutingID	String	No
	FAAssocAssignedCode	String	No
	FAMessageVersionNumber	String	No
	FAMessageReleaseNumber	String	No
	RemoveFASegments	String	No
Common Parameter Values (see Table E-13, "Common Parameter Values")			

Table E-10 HL7 Document Protocol Parameter Values

Document	Parameter Name Value	Domain	Required
Document Protocol Version	Security	String	No
	ProcessingID	String, P (default)	No
	AcceptAcknowledgementType	String, AL (default)	No
	AppAcknowledgementType	String, AL (default)	No
	CountryCode	String, US (default)	No
	CharacterSet	String, ASCII (default)	No
	BatchCreation	Boolean, false (default), true	No
	BatchECSFile	Absolute file path of ecs	No
	FileCreation	Boolean, false (default), true	No
	FileECSFile	Absolute file path of ecs	No
	InternatCodeID	String	No
	InternatCodeText	String	No
	InternatCodeSystem	String	No
	InternatCodeAlternateID	String	No
	InternatCodeAlternateText	String	No
	InternatCodeAlternateSystem	String	No
	InternationalVersionID	String	No
	InternationalVersionIDText	String	No
	InternationalVersionIDSystem	String	No
	InternationalVersionIDAlternateID	String	No
	InternationalVersionIDAlternateText	String	No
	InternationalVersionIDAlternateSystem	String	No
	ElementDelimiter	Hexadecimal, 0x7c (default)	No
	ReleaseCharacter	Hexadecimal, 0x5c (default)	No
	Repeating-Separator	Hexadecimal, 0x7e (default)	No
	SegmentDelimiter	Hexadecimal, 0x0d (default)	No
	SubcomponentDelimiter	Hexadecimal, 0x26 (default)	No
	SubelementDelimiter	Hexadecimal, 0x5e (default)	No
	BatchSecurity	String	No
	FileSecurity	String	No
	FileDate	Date, #SystemDateTime(CCYYMMDDHHMM)# (default)	No
	BatchDate	Date, #SystemDateTime(CCYYMMDDHHMM)# (default)	No
	Document Type	hl7-gen-Ack	Boolean, false (default), true
hl7-mapAckControlID		Boolean, false (default), true	No
hl7-acceptAcknowledgement		String, Any of these values - None, AL, ER, SU	No
Document Definition	MessageECSFileBlob	Absolute file path of ecs	Yes
	DocumentRoutingID	String	No
	Common Parameter Values (see Table E-13, "Common Parameter Values")		

Table E-11 RosettaNet Document Protocol Parameter Values

Document	Parameter Value Name	Domain	Required
Document Type	FromRole	String	Yes
	ToRole	String	Yes
	ServiceHeader	String	Yes
	ToService	String	Yes
	BusinessTransaction	String	Yes
	ServiceHeader	String	Yes
	CollaborationTimeToPerform	String	Yes
	CollaborationName	String	Yes
	CollaborationCode	String	Yes
Document Definition	DocumentRoutingID	String	No
	DTDXSDDocumentNamespaceConversion	String, any of these values - Both, Inbound, Outbound, None	No
	Common Parameter Values (see Table E-13, "Common Parameter Values")		

Table E-12 Custom Document Protocol Parameter Values

Document	Parameter Value Name	Domain	Required
Document Type	ActionName	String	No
	Service	String	No
	ServiceType	String	No
	FromRole	String	No
	ToRole	String	No
Document Definition	IdentificationExpression	String	No
	IdentificationExpressionValue	String	No
	DTDXSDDocumentNamespaceConversion	String, any of these values - None, Both, Inbound, Outbound	No
	IdentificationStartPosition	String	No
	IdentificationEndPosition	String	No
	FlatIdentificationExpressionValue	String	No
	DocumentRoutingID	String	No
Common Parameter Values (see Table E-13, "Common Parameter Values")			

Table E-13 Common Parameter Values

Parameter Value Name	Domain	Required
XPathName1	String, XPathName1 (default)	No
XPathExpression1	String	No
XPathName2	String, XPathName2 (default)	No
XPathExpression2	String	No
XPathName3	String, XPathName3 (default)	No
XPathExpression3	String	No
CorrelationFromXPathName	String, CorrelationFromXPathName (default)	No
CorrelationFromXPathXPR	String	No

Table E-13 (Cont.) Common Parameter Values

Parameter Value Name	Domain	Required
CorrelationToXPathName	String, CorrelationToXPathName (default)	No
CorrelationToXPathXPR	String	No

Table E-14 AgrDocType Parameter Values

Parameter Value Name	Domain	Required	Applicable Documents
validate	boolean	No	X12, EDIFACT, HL7, RosettaNet, Custom
translate	boolean	No	X12, EDIFACT, HL7
fa	boolean	No	X12, EDIFACT, HL7

A

Administration page, 2-5
administrator role, 5-7
agreements
 active, 8-4
 exporting, 8-4
 creating, 6-2
 definition, 6-1
 deleting, 6-7
 deploying, 2-13, 6-5
 deployment states, 8-1
 functional acknowledgements, 6-4
 redeploying, 6-6
 trading partners, 2-12
 translation, 6-4
 validation, 6-4
Analyzer, 3-11
Applicability Statement 1 (AS1)
 channel, 5-13
 identifier, 9-2
Applicability Statement 2 (AS2)
 exchange protocol, 5-13
 identifier, 9-2
application message reports, 16-7
archiving B2B business messages, 20-1
AS2
 See Applicability Statement 2 (AS2) exchange protocol
Auto Create Agreement, 5-35

B

B2B binding components
 in SOA composite, 2-15
B2B Configuration Wizard, 2-17
B2B IP_MESSAGE_TYPE, C-1
B2B reference, 2-15
B2B service, 2-15
B2B transaction, creating, 2-9
b2b.checkDuplicate, B-4
b2bcpaexport command line tool, 18-9
b2bcpaimport command line tool, 18-9
b2bcreate-cpaprop command line tool, 18-7
b2b.defaultThreadCount property, B-1
b2b.defaultThreadSleepTime property, B-1

b2bdeploy command line tool, 18-6
b2b.deploy.validation property, B-1
b2b.edi.ignoreValidation property, B-4
b2b.errorsCumulativeReported, B-4
b2bexport command line tool, 18-5
b2b.FAHandledByB2B property, B-3
b2b.FAInternalProperties property, B-2
b2b.HAInstanceName property, B-2
B2BHeader.sendException flag, D-1, D-2
b2bimport command line tool, 18-5
b2b.inboundThreadCount property, B-1
b2b.inboundThreadSleepTime property, B-1
b2b.mdsCache property, B-1
b2b.outboundOneErrorAllError property, B-4
b2b.outboundThreadCount property, B-1
b2b.outboundThreadSleepTime property, B-1
b2b.payloadObfuscation property, B-4
b2b.purge command line tool, 18-3
B2BUser, 10-4
b2buser, 7-37
b2bvalidate command line tool, 18-7
batched messages
 creating, 11-3
 managing, 11-4
 scheduling, 11-3
 searching for agreements, 11-2
 setting up, 11-1
business message reports, creating, 16-2
business messages
 archiving, 20-1
 restoring, 20-2
business-to-business e-commerce
 comparison to traditional transactions, 1-2
 description, 1-1

C

Callout Directory parameter, 12-6
callouts
 code example, 12-8
 creating, 12-4
 creating a library JAR file, 12-4
 defining callout JAR file library location, 12-6
 definition, 12-1
 differently formatted XML messages, 12-2
 implementation class, 12-5

- implementing, 12-8
- including in an agreement, 12-7
- library name, 12-6
- parameter attributes, 12-6
- predefined XSLTCalloutImpl class file, 12-5
- transport, 12-3
- channel attributes
 - configuring, 5-22
- CLIENT-CERT authentication method, 1-5
- cloning trading partners, 5-2
- command line tools
 - b2bcpaexport, 18-9
 - b2bcpaimport, 18-9
 - b2bcreate-cpaprop, 18-7
 - b2bdeploy, 18-6
 - b2bexport, 18-5
 - b2bimport, 18-5
 - b2bpurge, 18-3
 - b2bvalidate, 18-7
 - introduction, 18-1
 - prerequisites for running, 18-1
- configuration parameters, setting, 15-1
- control number information, purging, 13-1
- conversation report, creating, 16-12
- CPP/CPA
 - exporting, 18-9
 - importing, 18-9
 - templates, creating, 18-7
- custom contact information types, creating, 9-4
- custom document protocols
 - configuring XPath expressions, 7-5
 - definition, 7-2
 - document definition parameters, 7-3
 - document type parameters, 7-2
 - document version parameters, 7-2
- custom headers
 - extracting, 5-32
- custom identifier types, creating, 9-1
- custom trading partner parameter types,
 - creating, 9-4

D

- Data Generator, 3-9
- deployed agreement states
 - active, 8-2
 - changing, 8-4
 - inactive, 8-2
 - purged, 8-2
 - retired, 8-2
- deployed agreements
 - managing, 8-2
 - metrics, 2-8
 - searching, 8-2
- deploying agreements, 18-6
- dequeuing
 - See* Java dequeue command
- design metadata, 13-1
- design-time repository
 - description, 10-1

- exported file, 10-5
- exporting, 10-3
- importing, 10-2
 - what is imported or exported, 10-4
- document definitions
 - adding, 5-11
 - changing after importing metadata, 7-37
 - creating, 2-11, 4-3
 - definition, 4-1
 - deleting, 4-7
 - EDI EDIFACT, 7-7
 - example, 4-3
 - trading partner agreements, 6-3
- document guidelines
 - available types, 3-1
 - example, 3-3
- document protocols
 - custom, 7-2
 - definition, 7-1
 - EDI, 3-1
 - EDI EDIFACT, 7-7
 - EDI X12, 4-2, 7-12
 - EDIEL, 1-3
 - HL7, 1-2, 1-10, 3-1, 7-17
 - introduction, 4-1
 - managing, 2-5
 - NCPDP Telecom, 1-3, 3-1
 - OAG, 1-3, 7-22
 - ParserSchema, 3-1
 - Partner Interface Process (PIP), 7-26
 - Positional Flat File Document Protocol, 7-24
 - proprietary transactions, 7-2
 - RosettaNet, 1-2, 1-3, 1-10, 3-1, 7-26
 - supported, 1-2
 - UCCnet, 1-2, 1-3, 7-30
- Document Routing IDs, 7-37
- document types
 - restricting access, 1-6
- DUNS, 9-2
- dynamic endpoints, 5-31

E

- ebMS Identifier, 9-4
- ebMS-1.0, 1-3, 5-13, 5-17
- ebMS-2.0, 5-13, 5-17
- ebXML messaging service (ebMS) parameters, 7-2
- EDI
 - document guidelines, 3-1
 - Group ID, 9-2
 - Group ID Qualifier, 9-2
 - Interchange ID, 9-3
 - Interchange ID Qualifier, 9-3
 - Interchange Internal ID, 9-3
 - Interchange Internal Sub ID, 9-3
- EDI EDIFACT
 - definition, 7-7
 - document definition parameters, 7-11
 - document definitions, 7-7
 - document protocols, 7-7

- document type parameters, 7-10
- document version parameters, 7-8
- Oracle B2B support, 1-3
- samples, 1-10
- traditional transaction comparison, 1-2
- UNA, 7-8
- EDI X12
 - definition, 7-12
 - document definition parameters, 7-15
 - document hierarchy, 4-2
 - document type parameters, 7-14
 - document version parameters, 7-12
 - Oracle B2B support, 1-3
 - samples, 1-10
 - traditional transaction comparison, 1-2
- EDI EL
 - Oracle B2B support, 1-3
- enqueue, JMS JCA adapter, 21-4
- enqueueing
 - See Java enqueue command
- enqueueing and dequeuing, 21-1
- error message reports, creating, 16-10
- errorDescription, D-1
- errorText, D-1
- exception handling
 - description, D-1
 - inbound exception handling scenarios, D-4
 - inbound messages, D-1
 - acknowledgement messages, D-2
 - document identification failure, D-5
 - document processing failure, D-5
 - ebMS, AS1, and AS2 failures, D-2
 - exception messages, D-2
 - exchange identification failure, D-5
 - exchange not supported, D-5
 - message decoding failure, D-5
 - message duplicated, D-5
 - message unpacking failure, D-5
 - request or response messages, D-1
 - scenarios, D-4
 - trading partner agreement failure, D-5
 - outbound messages, D-2
 - payload definition, D-6
- Exception Queue parameter, 15-4, D-3
- exchange protocol parameters
 - configuring, 5-25
- exporting
 - active agreement, 8-4
 - CPP/CPA files, 18-9
 - data, 18-5
 - description, 10-1
 - design-time repository to file, 10-1
 - restrictions, 8-4, 10-1
 - types of export supported, 10-1

F

- FusionOrderDemo_R1PS1.zip, 2-25

G

- Generic AQ-1.0, 1-3, 5-13
- Generic Email-1.0, 1-3, 5-14
- Generic File-1.0, 1-3, 5-13
- Generic FTP-1.0, 1-3, 5-14
- Generic HTTP-1.0, 1-3, 5-14
- Generic Identifier, 9-3
- Generic JMS-1.0, 1-3, 5-14
- Generic SFTP-1.0, 1-3, 5-14
- generic support for TCP, 5-30

H

- Health Level 7 (HL7)
 - Batch Application ID, 9-3
 - Batch Application Universal ID, 9-3
 - Batch Application Universal ID Type, 9-3
 - Batch Facility ID, 9-3
 - Batch Facility Universal ID, 9-3
 - Batch Facility Universal ID Type, 9-3
 - definition, 7-17
 - document definition parameters, 7-21
 - document guidelines, 3-1
 - document type parameters, 7-20
 - document version parameters, 7-17
 - File Application ID, 9-3
 - File Application Universal ID, 9-3
 - File Application Universal ID Type, 9-3
 - File Facility ID, 9-3
 - File Facility Universal ID, 9-3
 - File Facility Universal ID Type, 9-3
 - immediate acknowledgment, 7-22
 - Message Application ID, 9-3
 - Message Application Universal ID, 9-3
 - Message Application Universal ID Type, 9-4
 - Message Facility ID, 9-4
 - Message Facility Universal ID, 9-4
 - Message Facility Universal ID Type, 9-4
 - negative acknowledgment messages, 7-22
 - Oracle B2B support, 1-3
 - samples, 1-10
 - traditional transaction comparison, 1-2
- host administrator role, 1-4
- host monitor role, 1-4
- host trading partner, 5-1
 - agreements, 6-3
 - key store information, 5-6

I

- Identity Store, creating a new user, 5-7
- iDoc, 1-3
- import errors, 18-13
- importing
 - CPP/CPA files, 18-9
 - data, 18-5
 - description, 10-1
 - design-time repository from file, 10-1
- instance data, 2-7, 13-1
- instance metadata, 13-1

- ipException.xsd file, D-3
 - enqueued exception, D-1, D-2, D-3
 - exception payload definition, D-6

J

- Java dequeue command, 21-1
- Java enqueue command, 21-1
- JMS
 - dequeue properties, 21-5
 - enqueue and dequeue, 21-3
 - enqueue properties, 21-3
 - JCA adapter, 21-4
- JMS adapter properties, 2-23
- JMS integration type, 2-23

L

- large payloads
 - 32-bit Windows, A-7
 - description, A-5
 - inbound setup, A-5
 - outbound setup, A-5
- listening channel
 - adding, 14-1
 - adding channel attributes, 14-10
 - adding details, 14-4
 - adding exchange protocol parameters, 14-11
 - adding transport protocol parameters, 14-10
 - configuring, 14-9
 - definition, 14-1
 - protocols, 14-2
- logging in, user interface tool, 2-2
- logPayload property, A-6

M

- message exchange protocol
 - ebMS-1.0, 1-3
 - ebMS-2.0, 1-3
 - Generic AQ-1.0, 1-3
 - Generic Email-1.0, 1-3
 - Generic File-1.0, 1-3
 - Generic FTP-1.0, 1-3
 - Generic HTTP-1.0, 1-3
 - Generic JMS-1.0, 1-3
 - Generic SFTP-1.0, 1-3
 - MLLP-1.0, 1-3
 - RosettaNet-01.10, 1-3
 - RosettaNet-V02.00, 1-3
- message sequencing, 5-32
- messages, purging, 16-2
- Metadata Service (MDS)
 - managing metadata, 1-4
 - repository, 1-4
- metrics
 - introduction, 17-1
 - summary data, 17-3
- Metrics page, 2-8
- MIME, 1-2
- Minimum Lower Layer Protocol (MLLP)

- delivery channels, 5-29
 - description, 5-13
 - ID, 9-4
 - message exchange protocol, 1-3
- Monitor role, 16-1
- monitor role, 5-7

N

- NCPDP Telecom
 - document guidelines, 3-1
 - Oracle B2B support, 1-3
- normalized message properties, C-1
 - mapping IP_MESSAGE_TYPE to, C-1

O

- OAM-SSO protected URLs, 1-5
- Open Applications Group (OAG)
 - document definition parameters, 7-22
 - document type parameters, 7-22
 - document version parameters, 7-22
 - introduction, 7-22
 - Oracle B2B support, 1-3
- Oracle B2B
 - adding a channel, 5-15
 - adding a user, 5-9
 - Administration page, 2-5
 - as a binding component, 1-8
 - available channels, 5-13
 - channel attributes, 5-22
 - command line tools, 18-1
 - configuration parameters, 15-1
 - document protocols, 4-1
 - exception handling, D-1
 - getting started, 2-1
 - in a SOA implementation, 1-8
 - in JDeveloper environment, 2-14
 - introduction, 1-1
 - logging in, 2-2
 - metadata, 1-4
 - metrics, 17-1
 - Metrics page, 2-8
 - partner metrics, 17-4
 - Partners page, 2-6
 - port information, 2-3
 - process flow, 3-1
 - Reports page, 2-7
 - resubmitting messages, 16-2
 - samples, 1-10
 - security features, 1-4
 - supported protocols, 1-2
 - trading partners, 5-1
 - transport protocols, 14-3
 - user interface, 2-5
 - user interface, accessing, 2-2
- Oracle B2B Document Editor, 2-1, 2-10
 - Analyzer, 3-11
 - Data Generator, 3-9
 - document definitions, 4-3

- document guidelines, 3-1
- installation, 3-3
- introduction, 3-1
- Oracle BPEL Process Manager, 1-9
- Oracle Business Activity Monitoring (BAM), 1-9
- Oracle Data Pump, 20-1
- Oracle Enterprise Manager Fusion Middleware Control, 1-11
- Oracle JDeveloper, 2-1, 2-14
- Oracle Mediator, 1-9
- Oracle Metadata Service repository, 20-1
- Oracle Platform Security Services, 1-4
- Oracle SOA Suite overview, 1-8
- Oracle WebLogic Server Administration Console
 - administering Oracle B2B, 1-10
 - Security Realms, 5-7

P

- ParameterValue, 10-4
- ParserSchema, document guidelines, 3-1
- Partner Interface Process (PIP)
 - document definition parameters, 7-28
 - document type parameters, 7-27
 - document version parameters, 7-27
 - introduction, 7-26
- partner metrics, 17-4
- Partners page, 2-6
- payload obfuscation, 1-5
- performance tuning, 1-10
 - description, A-1
 - heap size settings, A-2
 - JTA settings, A-4
 - large payloads, A-5
 - MDS cache size, A-2
 - memory arguments, A-2
 - number of threads, A-2, B-2
 - Stuck Thread Max Time, A-2
 - tablespace, A-4
- positional flat file, 1-3
- positional flat files
 - document definition parameters, 7-24
 - document type parameters, 7-24
 - document version parameters, 7-24
 - introduction, 7-24
- predefined identifier types, 9-2
- process flow, overview, 2-9
- properties
 - setting in Enterprise Manager, B-1
 - setting on the Configuration tab, 15-1
- proprietary transactions, 7-2
- protocols
 - Custom, 7-2
 - document, 7-1
 - EDI EDIFACT, 7-7
 - EDI X12, 7-12
 - HL7, 7-17
 - OAG, 7-22
 - positional flat file, 7-24
 - RosettaNet, 7-26
 - UCCnet, 7-30
- purging
 - data, 18-3
 - design metadata, 13-1
 - messages, 16-2

R

- reference, 1-8
- remote administrator role, 1-4
- remote monitor role, 1-4
- remote trading partners, 5-3
 - agreements, 6-3
 - definition, 5-1
- reports
 - business message status, 16-2
 - conversation message status, 16-12
 - description, 16-1
 - error message status, 16-10
 - monitor user role, 16-1
- Reports page, 2-7
- restoring B2B business messages, 20-2
- restricting access to document types, 1-6
- resubmitting messages, 16-2
- roles
 - administrator role, 5-7
 - host administrator, 1-4
 - host monitor, 1-4
 - monitor role, 5-7
 - remote administrator, 1-4
 - remote monitor, 1-4
- RosettaNet
 - definition, 7-26
 - dictionaries, 7-26
 - document guidelines, 3-1
 - document type definition (DTD), 7-26
 - Message Guideline specification, 7-30
 - Oracle B2B support, 1-3
 - Partner Interface Process (PIP), 7-26
 - samples, 1-10
 - traditional transaction comparison, 1-2
 - validation, 7-30
- RosettaNet-01.10, 1-3, 5-13, 5-17
- RosettaNet-V02.00, 1-3, 5-13, 5-17
- run-time
 - data, 2-7
 - metadata, 13-1

S

- sample SOA implementation, 1-8
- SAP iDoc, 1-3
- SCA normalized message properties, C-1
- Secure Socket Layer, 1-5
- security
 - configuring, 5-27
 - features, 1-4
- Security Realms, 5-7
- SegmentCount macro, 3-9
- service, 1-8

- service components
 - introduction, 2-17
- setSOADomain.sh script, A-2
- SMIME, 1-2
- SOA composite application, 1-8
- SOA Server, 1-10
- SOAP, 1-2
- supported protocols, 1-2
- system parameters, setting, 15-1

T

- trading partner agreements
 - creating, 2-12, 6-1, 6-2
 - definition, 6-1
 - deleting, 6-7
 - deploying, 6-5
 - functional acknowledgements, 6-4
 - host trading partner, 6-3
 - redeploying, 6-6
 - remote trading partner, 6-3
 - translation, 6-4
 - validation, 6-4
- trading partners, 2-6, 2-12
 - adding users, 5-7
 - cloning, 5-2
 - configuring, 5-1
 - contact information, 5-5
 - creating a profile, 5-2
 - creating custom parameter types, 9-4
 - custom identifier types, 9-1
 - definition, 5-1
 - host, 5-1
 - host key store information, 5-6
 - identifying types and values, 5-4
 - overview, 5-1
 - parameters and values, 5-5
 - remote, 5-1, 5-3

- transport callouts, 5-32, 12-3
- transport protocol parameters
 - configuring, 5-16
- transport protocols
 - available in Oracle B2B, 14-3
 - using, 14-3

U

- UCCnet
 - definition, 7-30
 - document definition parameters, 7-31
 - document type parameters, 7-31
 - document version parameters, 7-31
 - Oracle B2B support, 1-3
 - traditional transaction comparison, 1-2
- UNA, 7-8
- Unicode support, 2-16
- Use JMS Queue as default parameter, 15-4, D-3
- user interface
 - accessing, 2-2
 - main page, 2-3
- users
 - accessing user interface tool, 2-2
 - admin user name, 2-2

V

- validating B2B metadata, 18-7

X

- XMLDSig, 1-2
- XMLEncrypt, 1-2
- XMLSchema, document guidelines, 3-1
- XSLTCalloutImpl class file, 12-5