

## **Oracle® Fusion Middleware**

Programming Message-Driven Beans for Oracle WebLogic  
Server

11g Release 1 (10.3.3)

**E15493-02**

April 2010

This document is a resource for software developers who  
develop applications that use message-driven beans (MDBs).

Oracle Fusion Middleware Programming Message-Driven Beans for Oracle WebLogic Server, 11g Release 1 (10.3.3)

E15493-02

Copyright © 2007, 2010, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

---

---

# Contents

<b>Preface</b> .....	v
Documentation Accessibility .....	v
Conventions .....	v
<b>1 Understanding Message-driven Beans</b>	
1.1 JCA-Based MDBs .....	1-1
<b>2 MDB Life Cycle</b>	
2.1 Overview .....	2-1
2.2 MDBs and Concurrent Processing .....	2-1
2.3 Limitations for Multi-threaded Topic MDBs .....	2-2
<b>3 MDBs and Messaging Models</b>	
3.1 Point-to-Point (Queue) Model: One Message Per Listener .....	3-1
3.2 Publish/Subscribe (Topic) Model .....	3-2
3.3 Exactly-Once Processing .....	3-3
<b>4 Deploying MDBs</b>	
4.1 Destination and MDBs: Collocation vs. non-Collocation .....	4-1
4.2 Collocated Destination/MDBs .....	4-1
4.3 Non-Collocated Destination/MDBs .....	4-2
4.4 JMS Distributed Destinations .....	4-3
<b>5 Programming and Configuring MDBs: Main Steps</b>	
5.1 Required JMS Configuration .....	5-1
5.2 Create MDB Class and Configure Deployment Elements .....	5-1
<b>6 Programming and Configuring MDBs: Details</b>	
6.1 Configuring EJBs to Use Logical Message Destinations .....	6-1
6.1.1 Configuring Logical JMS Message Destinations for Individual MDBs .....	6-1
6.1.2 Configuring Application-Scoped Logical JMS Message Destinations .....	6-2
6.2 Configuring Destination Type .....	6-3
6.3 Configuring Transaction Management Strategy for an MDB .....	6-3

6.4	Configuring Suspension of Message Delivery During JMS Resource Outages.....	6-4
6.5	Configuring the Number of Seconds to Suspend a JMS Connection.....	6-4
6.5.1	How the EJB Container Determines How Long to Suspend a JMS Connection .....	6-5
6.5.2	Turning Off Suspension of a JMS Connection.....	6-5
6.6	Manually Suspending and Resuming Message Delivery .....	6-5
6.7	Configuring MDBs for Destinations .....	6-5
6.7.1	Whether to Use Wrappers .....	6-6
6.7.2	How to Set provider-url.....	6-7
6.7.3	How to Set initial-context-factory .....	6-7
6.7.4	How to Set destination-jndi-name .....	6-7
6.7.5	How to Set connection-factory-jndi-name .....	6-7
6.7.6	Common Destination Scenarios: Illustrations and Key Element Settings .....	6-8
6.8	Configuring Durable Topic Subscriptions .....	6-10
6.8.1	Configuring a Durable Topic Subscription for a Non-Clustered Server .....	6-10
6.8.2	Configuring a Durable Topic Subscription for a Cluster.....	6-11
6.8.3	Configuring Automatic Deletion of Durable Topic Subscriptions.....	6-11
6.9	Configuring Message Handling Behaviors .....	6-12
6.9.1	Ensuring Message Receipt Order .....	6-12
6.9.2	Preventing and Handling Duplicate Messages .....	6-12
6.9.3	Redelivery and Exception Handling.....	6-13
6.10	Using the Message-Driven Bean Context.....	6-14
6.11	Configuring a Security Identity for a Message-Driven Bean .....	6-14
6.12	Using MDBs With Cross Domain Security .....	6-15

## 7 Using EJB 3.0 Compliant MDBs

7.1	Implementing EJB 3.0 Compliant MDBs .....	7-1
7.2	Programming EJB 3.0 Compliant MDBs.....	7-1
7.2.1	Example MDB Using Annotations .....	7-2
7.3	activationConfig Properties.....	7-3

## 8 Migration and Recovery for Clustered MDBs

## 9 Using Batching with Message-Driven Beans

9.1	Configuring MDB Transaction Batching .....	9-1
9.2	How MDB Transaction Batching Works .....	9-2

## 10 Deployment Elements for MDBs

10.1	message-destination-descriptor Element of the weblogic-ejb-jar.xml File.....	10-1
10.2	ejb Element of the weblogic-application.xml File .....	10-3
10.3	message-driven Element of the ejb-jar.xml File.....	10-3
10.4	activationConfig Properties.....	10-4











































































































