

Agile

Version e6.1

ORACLE

Oracle® Agile Engineering Data Management

Installation Manual for Plot Management for
Agile e6.1.1

Part No. E15612-01

August 2009

Copyright and Trademarks

Copyright © 1995, 2009, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third party content, products and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third party content, products or services.

CONTENTS

Copyright and Trademarks..... iii

Preface v

Installation..... 1

 Load the Data Model1

 Define the Application Library1

 License Control.....2

 Access to the Plot Order Function.....2

 Update an Existing Installation2

Preface

The Oracle documentation set includes Adobe® Acrobat™ PDF files. The [Oracle Technology Network \(OTN\) Web site](http://www.oracle.com/technology/documentation/agile.html) (<http://www.oracle.com/technology/documentation/agile.html>) contains the latest versions of the Oracle Agile EDM PDF files. You can view or download these manuals from the Web site, or you can ask your Agile administrator if there is an Oracle Documentation folder available on your network from which you can access the documentation (PDF) files.

Note To read the PDF files, you must use the free Adobe Acrobat Reader™ version 7.0 or later. This program can be downloaded from the [Adobe Web site](http://www.adobe.com) (<http://www.adobe.com>).

Note Before calling Agile Support about a problem with an Oracle Agile EDM manual, please have the full part number ready, which is located on the title page.

TTY Access to Oracle Support Services

Oracle provides dedicated Text Telephone (TTY) access to Oracle Support Services within the United States of America 24 hours a day, 7 days a week. For TTY support, call 800.446.2398. Outside the United States, call +1.407.458.2479.

Readme

Any last-minute information about Oracle Agile EDM can be found in the Release Notes file on the [Oracle Technology Network \(OTN\) Web site](http://www.oracle.com/technology/documentation/agile_eseries.html) (http://www.oracle.com/technology/documentation/agile_eseries.html)

Agile Training Aids

Go to the [Oracle University Web page](http://www.oracle.com/education/chooser/selectcountry_new.html) (http://www.oracle.com/education/chooser/selectcountry_new.html) for more information on Agile Training offerings.

Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

Installation

Load the Data Model

1. Start Agile e6.1.1
2. Login with the user **edbcusto**.
3. Load the following loader files bin with mode import/insert:
 - dtv_cdd.bin
 - lgv_cdd.bin
 - lgv_cdd_cust.bin
4. Log out and log in.
5. Search in the list of data classes for all classes “CDD%”.
6. Select the resulting lines and use “Create Database Object” to include the added tables to the database.

The following message is displayed:

”The view does not contain any Where condition, continue with operation anyway?”

7. Confirm with YES.
8. Search for the class names T_PAC_MUL and select again “Create Database Object” to modify this already existing table in the database.

Note Only if this is the first installation of the Agile e6.1 Plot Management, please exit Agile e6.1 and login as the user “plotkernel” or “plotcusto”!

9. Load the loader file axa_cdd_dat.bin with mode import/insert.

Define the Application Library

To make the plot management application library available for the server process, add a new section into your application environment file.

You can do this via the Agile e6.1.1 administration desktop:

1. Select “Manage existing environment”.
2. Follow the dialog to insert a new section.

Note You can also insert a new section into the application environment file in Agile_e6/init with an editor!

The following section entries are necessary:

<Custom>

...

<Cdd Name="Plot Management" Library="epsrv_cdd" Startup="immediately"
Entry="Plotmanagement_Entry"/>

...

</Custom>

ID	Name	Version	Type	State	Library	Entry	Sub-m...
Lut	LUT LookUp T...	33.4	DYNAMIC	RUNNING	epsrv lut	Lut Entry	
Mgt	Mgt Drag & Drop	33.2	EMBEDDED	RUNNING		Mgt Entry	
Nmt	NetMeeting		DYNAMIC	UNLOADED	epsrv nmt	Nmt Entry	
Nsv	Number Server	33.6	EMBEDDED	RUNNING		Nsv Entry	
Pac	Folders	33.2	DYNAMIC	RUNNING	epsrv pac	Pac Entry	
Pdm	Generic PDM ...	33.20	DYNAMIC	RUNNING	epsrv pdm	Pdm Entry	Er
Plotm...	Plotmanagement	5.0.1.03	DYNAMIC	RUNNING	epsrv cdd	Plotma...	Fns
PrvPde	ProView PDE ...		DYNAMIC	UNLOADED	epsrv p...	PrvPde...	
PrvPdi	ProView PDI ...		DYNAMIC	UNLOADED	epsrv p...	PrvPdi...	

(Manager > Monitor > Libraries)

License Control

The Plot Management module is part of the Product Data Management solution. Please activate the solution Product Data Management in the Available Licenses mask (System > Licenses).

In the current Agile e6.1.1 version the Plot Management is inhibited for the web client. To make the Plot Management available for the web client, please set the default parameter E6-PDM-PLT-{H} to ON.

Access to the Plot Order Function

In the shipped version, the user has access to the plot order interface through the document type masks (of type: DRAWING and DRAWFILE) and through the item and project mask.

If access to the plot management interface is required from other document types (forms or lists), please attach the selection CDD-PLOTTEN-CG to the related menu (NOS menu for forms or SEL menu for lists).

Update an Existing Installation

1. Open the Oracle SQLplus Worksheet.
2. Execute the SQL file cdd_upd.sql with the following command:
start cdd_upd.sql.

A log file CDD_UPD.LOG will be created in the current directory.

Note Check the log file for errors. The following error may occur:

```
SQL> ALTER TABLE T_PAC_MUL ADD
  2 (
  3   CDD_FILE_SEL VARCHAR(2000)
  4 );
  CDD_FILE_SEL VARCHAR(2000)
  *
```

ERROR at line 3:
ORA-01430: column being added already exists in table

3. Start Agile e6.1.
4. Login with the user:
 - plotkernel and the password PLOTKERNEL OR
 - plotcusto and the password PLOTCUSTO.
5. Search in the list of number variants for the number variant PAC and write down the current number for later use.
6. Delete the old Logic Models before importing the new loader files.

Note Keep in mind that all previous data owned by the user plotkernel and plotcusto will be deleted prior to the loading process!
Copy the logic model CDD_CUSTOMIZE first.

7. Open the Oracle SQLplus Worksheet.
8. Execute the SQL file upd_del_verbund.sql with following command:

```
start upd_del_verbund.sql CDD_CUSTOMIZE
start upd_del_verbund.sql CDD_DELETE
start upd_del_verbund.sql CDD_MENU
start upd_del_verbund.sql CDD_NTREE
start upd_del_verbund.sql CDD_PAC_DOC_RLI
start upd_del_verbund.sql CDD_PLOT
start upd_del_verbund.sql CDD_PLOTORDER
start upd_del_verbund.sql CDD_PLOTTEN
start upd_del_verbund.sql CDD_PLOTTER_PK_SFR
start upd_del_verbund.sql CDD_PLOT_DEF
start upd_del_verbund.sql CDD_PLO_PAC_TFR_LGV
start upd_del_verbund.sql CDD_SELPLOTTER
start upd_del_verbund.sql CDD_STATUS
start upd_del_verbund.sql CDD_UTIL
```
9. Delete DTV definitions (e.g. Tables, Masks, Menus, ...) from the repository
 1. Run the SQL-Script cdd_del_dtv.sql.
10. The following loader files have to be loaded:
 - dtv_cdd.bin
 - lgv_cdd.bin
 - lgv_cdd_cust.bin
11. Load the files dtv_cdd.bin, lgv_cdd.bin and lgv_cdd_cust.bin with mode import/insert.

Note Please exit Agile e6.1.1 and log in again as user plotkernel!

12. Set the number variant PAC to the value as described in step 2.
13. Adapt the logic model CDD_CUSTOMIZE.
14. In the shipment version the user has access to the plot order interface through the document type masks of the type DRAWING and DRAWFILE and through the item and project mask.
If access to the plot management interface is required from other document types (forms or lists), please attach the selection CDD-PLOTTEN-CG to the related menu (NOS menu for forms or SEL menu for lists).