

**Oracle® Enterprise Single Sign-on
Provisioning Gateway**

CLI Guide

Release 10.1.4.1.0

E12612-01

November 2008

Copyright © 2006-2008, Oracle. All rights reserved.

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Table of Contents

About ESSO-PG CLI	4
Audience.....	4
ESSO-PG Command-line Interface (CLI) Guide	5
Installing the ESSO-PG CLI	6
Command Syntax	7
Modes of Operation	8
Smart Defaults	9
Operation Execution	10
Provisioning Operations	12
Parameters	13
Syntax	14
Escaping a Comma.....	15
Setting up SSL for the Java CLI	16
Examples.....	18

About ESSO-PG CLI

The Oracle Enterprise Single Sign-On Provisioning Gateway (ESSO-PG) command-line interface (CLI) is used to send provisioning requests to the ESSO-PG Web service. This guide describes the .NET and Java CLIs.

Audience

This guide is intended for experienced personnel responsible for installing the CLI and using the CLI commands.

Acronym or Abbreviation	Full Name
SSO Agent	ESSO-LM Agent
SSO Administrative Console	ESSO-LM Administrative Console
ESSO-LM	Oracle Enterprise Single Sign-On Logon Manager
ESSO-AM	Oracle Enterprise Single Sign-On Authentication Manager
ESSO-KM	Oracle Enterprise Single Sign-On Kiosk Manager
ESSO-PG	Oracle Enterprise Single Sign-On Provisioning Gateway
ESSO-PR	Oracle Enterprise Single Sign-On Password Reset
SSO	ESSO-LM
FTU	First Time Use
SSO Agent	ESSO-LM Agent

ESSO-PG Command-line Interface (CLI) Guide

The ESSO-PG server exposes a Web service interface that allows any provisioning server to submit instructions to the ESSO-PG server. The ESSO-PG command line interface (CLI) is supplied as an integration component for provisioning solutions.

This document describes:

- The format of CLI [syntax](#), [return values](#), [commands](#), [options](#), and [parameters](#)
- [Escaping parameters](#) containing spaces and quotes
- Setting up [SSL for the Java CLI](#)
- [Examples](#) illustrating the proper usage of CLI commands



This document describes the .NET and Java CLIs. The functionality of both CLIs is almost identical. The minor differences are noted throughout the document.

There are two versions of the Java CLI; one for version 1.5 and one for version 1.4. They behave almost identically. The one noteworthy difference is discussed in [Installing the v-GO PM CLI](#).

This document does not describe the platform-specific implementation of the CLI.

Installing the ESSO-PG CLI

Please refer to the *ESSO-PG Installation and Setup Guide* for detailed information on installing the CLI.

By default, the .NET CLI will be installed unless you choose to customize the installation. There are two installation options for the Java CLI, Java CLI 1.5 and Java CLI 1.4. You can choose to install either one or both.

For Java 1.5 and .Net installations, there are no further steps needed to be taken after installation.

For Java CLI 1.4, you must perform the following additional steps:

1. Copy the files in the %Passlogix Home%\v-GO PM\Client\CLI\java14\ endorsed directory to %JAVA_HOME%\lib\ endorsed. There are five files to copy: sax.jar, dom.jar, jaxp-api.jar, xalan.jar, and xercesImpl.jar.
2. Run pmcli.bat to execute the Java CLI. The following exception will be thrown the first time any command is issued. Please ignore this exception:

```
Oct 19, 2005 3:01:56 PM org.apache.xml.security.Init registerHereFunction  
  
INFO: Unable to patch xalan function table.  
  
java.lang.NoSuchFieldException: m_functions  
  
... (call stack) ...
```

Command Syntax

The CLI is the command-line tool used to send provisioning requests to the ESSO-PG Web service.



Differences between .NET and Java CLI

The .NET CLI executable is called `pmcli.exe`.

The Java CLI implementation is in a class library called `pmcli.jar`. A batch file, `pmcli.bat`, is provided to execute this library. On Windows, an environment variable, `%PMCLI_ROOT%`, must be set to point to the location where `pmcli.jar` and its supporting libraries reside before executing the batch file.

The Java CLI can also be executed manually without the batch file in the following manner:

```
java -cp <classpath> pmcli.Main <args>
```

The `pmcli.bat` file might need to be edited and the `%P%` value redefined according to the directions given in the `pmcli.bat` file. The `%P%` value refers to the path where the properties file is stored. The Java CLI can be customized using the properties file. This file must live along a path *without any spaces* in the name. By default, the Java CLI is installed on Windows under Program Files, which requires that if a properties file is used, the value of `%P%` must be set to refer to a directory name *without any spaces* where the file can be placed.

The CLI uses the following syntax:

```
usage: pmcli [-url service]    [-agent name]    [-u login id]
           [-p password]      [-t date/time]  [-f inputfile]
           [-security <sec_opts>]    "operation"
```

The CLI accepts switches in the following format or any combination:

Syntax	Description
-arg=value	Value specified after "="
-arg value	Value specified as next argument
-arg:value	Value specified after ":"
--arg	Double dash to start an arg
/arg	Forward slash to start an arg

In version 7.0, the CLI supports the following new switches:

Switch	Description
-u, -p	Equivalent to <code>-security username=<value> password=<value></code>
-f	Executes batch operations from a file, then exits
-t	Alias for <code>-exec</code> . Specifies time to execute provisioning operation.

Modes of Operation

There are three supported modes of operation:

- **Command line mode**

In this mode, you specify the provisioning operation by entering it on the command line. The following provisioning operations are supported:

ADD_CREDENTIAL	Add new credential
MODIFY_CREDENTIAL	Modify an existing credential
DELETE_CREDENTIAL	Delete an existing credential
DELETE_USER	Delete SSO user and their stored credentials
STATUS	Get status of a pending instruction
CANCEL	Cancel a pending provisioning instruction
EXT_SEARCH	Search for logon and pending requests
SET_SETTINGS	Change the current storage settings
GET_SETTINGS	Retrieve the current storage settings

GET_SCHEMA	Retrieve the available storage schemas
CHECK_SERVER	Check status of server

Each of these [operations](#) and their [parameters](#) are described in a later section of this document.

- Batch mode**
 Batch mode allows you to pass a series of provisioning operations to the CLI in a file specified through the `-f` switch.
- Interactive mode**
 If there is no operation specified on the command line and a batch file is indicated, the CLI enters interactive mode. In this mode, provisioning operations are specified in a shell-like environment until you enter `quit` or `exit`.



If both a batch file and operation are specified on the command line, batch mode takes precedence.

Interactive mode supports three additional commands not available in the command-line mode or batch mode:

Command	Description
<code>HELP</code>	List all commands available
<code>HELP [operation]</code>	Show syntax for a specific command
<code>QUIT, EXIT, Q, E</code>	Exit from interactive mode or stop executing the batch

Smart Defaults

If the `url`, `agent`, `username`, or `password` switch is not specified, the CLI uses the following defaults:

Switch	Default
<code>-url</code>	http://localhost/v-GO%20PM%20Service/UP.asmx
<code>-agent</code>	The current machine name (on Windows %MACHINENAME%).
<code>-username</code>	The current logged-on user.
<code>-password</code>	The CLI will prompt for a password.

For security reasons, the .NET CLI will obfuscate the password entered by a user (*if you are prompted for a password). For platform-independent reasons, the Java CLI will *not* obfuscate the password entered by a user.

	<p>Differences between .NET and Java CLI</p> <p>For security reasons, the .NET CLI will obfuscate the password entered by a user (if the user is prompted for a password). For platform-independent reasons, the Java CLI will <i>not</i> obfuscate the password entered by a user.</p>
---	--

Operation Execution

When an operation has been executed by the CLI, it outputs the results to the screen. The format output will depend on the operation executed. In general, the result is as follows:

[RESULT] ID: **[GUID]**

[RESPONSE]

where:

[RESULT] The result of the provisioning server.

success A request has been successfully created and placed in the directory.

	<p>The agent processes this request and marks it either success or failure.</p>
---	---

noSuchRequest The request ID does not exist. This applies to the `status` and `cancel` operations.

CouldNotCancel The request is in a state that does not allow it to be canceled. This applies to the `cancel` operation.

[GUID] The unique identifier of the provisioning instruction that was successfully submitted.

[RESPONSE] Additional results returned by the particular provisioning instruction. This applies to the `status`, `ext_search`, `get_settings`, and `get_schema` operations. The results are generally in **name-value** pair format. This attribute format can be viewed as descriptors for the information being returned.

In the event of an error, the output will be the exception followed by a descriptive message:

[exception]: [descriptive error message]

Usage

The command, `pmcli -?`, will display usage and syntax information.

Status Results

When the ESSO-LM Agent has finished processing a provisioning instruction, the `Result` attribute of the instruction is set to the result of execution. If the agent fails to process an instruction, the attribute is set to `Failed`, and the `Description` is set to the specific error that occurred. The possible error cases are:

- Failure to decrypt the provisioning instruction
- Failure to delete the requested instruction
- Invalid or unknown instruction type
- Failed to find application specified in instruction
- Failed to treat modify instruction as an add instruction
- Failed to add instruction, credential already exists
- Failed to add instruction, required field not included

Provisioning Operations

The following table lists the specific provisioning operations that can be executed and the specific syntax for each operation:

Command	Description
add_credential	Add a new credential for a given user.
delete_credential	Delete an existing credential associated with a given user.
modify_credential	Modify an existing credential associated with a given user.
delete_user	Delete SSO user and their stored credentials.
status	Get status of pending and submitted provisioning instructions.
cancel	Cancel a pending provisioning instruction.
ext_search	Searches for applications, users, and event log entries.
set_settings	Change the current storage settings.
get_settings	Retrieve the current storage settings.
get_schema	Retrieve the available storage schemas.
check_server	Checks the status of the server (no errors on success).

Parameters

The operation parameters define the specific characteristics for the request. The set of expected parameters are listed per operation. Each parameter consists of a name-value pair specified as follows:

<name>=<value>

The following table describes all the parameters supported:

Name	Value
sso_userid	The user's ID as known by PM. This is the ID used by the Provisioning Service to locate the user in PM's data store.
sso_application	The name of the application to add a credential to.
sso_description	The description of the credential. This field is optional.
sso_app_userid	<p>The application's user ID field for this credential.</p> <div data-bbox="584 814 1380 919" style="border: 1px solid black; padding: 5px;">  This field is only required if the identified application is configured with a third field. </div>
sso_password	<p>The password field for this credential.</p> <div data-bbox="584 974 1380 1079" style="border: 1px solid black; padding: 5px;">  This field is only required if the identified application is configured with a third field. </div>
sso_other1	<p>The third field for this credential.</p> <div data-bbox="584 1136 1380 1241" style="border: 1px solid black; padding: 5px;">  This field is only required if the identified application is configured with a third field. </div>
sso_other2	<p>The fourth field for this credential.</p> <div data-bbox="584 1297 1380 1402" style="border: 1px solid black; padding: 5px;">  This field is only required if the identified application is configured with a fourth field. </div>
command_id	The GUID submitted by a successful provisioning request.

SET_SETTINGS

The following describes the specific settings for the `set_settings` operation:

Name	Value
name	A comma-delimited list of storage key names.
value	A comma-delimited list of storage values.

EXT_SEARCH

The following table defines the specific settings for the `ext_search` operation:

Name	Value
catalog	The catalog to search.
userId	The <code>sso_userid</code> of the user to find (<code>ext_search</code>).
logon	A comma-delimited list of application logon names.
returnLogons	Return a list of GUIDs associating stored credential containers to application templates for the selected user.
returnInstructions	Return a list of pending instructions.
uidMatch	Do an exact or substring match on <code>userId</code> .
startDate	The start date of the event log.
endDate	The end date of the event log.
eventType	The type of event to filter the search on.

Syntax

The syntax describes the parameters and format expected for each operation. The following defines each operation and its syntax:

```
ADD_CREDENTIAL sso_userid sso_application [sso_app_userid]
[sso_password] [sso_description] [sso_other1] [sso_other2]
```

```
MODIFY_CREDENTIAL sso_userid sso_application sso_app_userid
[sso_description] [sso_password] [sso_other1] [sso_other2]
```

```
DELETE_CREDENTIAL sso_userid sso_application
[sso_app_userid] [sso_password] [sso_other1] [sso_other2]
```

```
DELETE_USER sso_userid
```

```
STATUS sso_userid command_id
```

```
CANCEL sso_userid command_id
```

```
EXT_SEARCH CATALOG=Applications [userId]
```

```
EXT_SEARCH CATALOG=Users [userId] [logon="logon1,logon2,..."]
[returnLogons=true|false] [returnInstructions=true|false]
[uidMatch=substring|equal]
```

	<p>If <code>uidMatch</code> is not specified, <code>equal</code> is assumed. If <code>returnLogons</code> and <code>returnInstructions</code> are not specified, <code>false</code> is assumed.</p>
---	---

```
EXT_SEARCH CATALOG=EventLog [startDate=mm/dd/yyyy]  
[endDate=mm/dd/yyyy] [eventType=amducs]
```

The possible values of eventType are:

- a Add Logon
- m Modify Logon
- d Delete Logon
- u Delete User
- c Cancel Request
- s Status Request

These can be used in combination to return matching events.

```
SET_SETTINGS name="key1,key2,..." value="value1,value2,..."
```

Valid keys can be obtained using **GET_SCHEMA**. The number of keys and values must be identical. Each key in the name list is paired with its matching value on the value list (based on position).

GET_SETTINGS

There are no parameters for this command.

GET_SCHEMA

There are no parameters for this command.

CHECK_SERVER

There are no parameters for this command.

Escaping a Comma

Parameters that take comma-delimited values support the \ (backslash) as an escape character for commas. For example, to enter the value **CN=USERS,DC=DOMAIN,DC=COM** for the UserPath in AD, you would issue the following command:

```
SET_SETTINGS name="Storage\AD\UserPath"  
value="CN=USERS\,DC=DOMAIN\,DC=COM"
```

Commas that are not escaped are treated as delimiters between multiple values or keys.

Setting up SSL for the Java CLI

To set up SSL support for the Java CLI, you must modify a properties file to point to the Java Keystore File root:

1. Download a public version (no private key) of the SSL certificate that will be used. This can be retrieved from the server that is hosting IIS. Save this public certificate as an `ssl.cer` as follows:
 - a. From the server with the SSL certificate, open the Microsoft Management Console by selecting **Start > Run > type MMC** and click **OK**.
 - b. Click **File > Add/Remove Certificates Snap-in**. On the **Standalone** tab, click **Add**.
 - c. Select the **Certificate** snap-in and click **Add**.
 - d. Select **Computer Account** and click **Next**.
 - e. Select **Local Computer** and click **Finish**.
 - f. Under the **Console Root**, expand **Certificates (Local Computer)**.
 - g. Expand **Personal** and click **Certificates**.
 - h. Right-click the SSL certificate and select **All Tasks > Export**.
 - i. On the Certificate Export Wizard panel, click **Next**.
 - j. On the Export Private Key panel, click **No, do not export the private key**.
 - k. Select the file format you want to use (either DER or BASE-64) and click **Next**.
 - l. Browse to locate the file you want to export. Click **Next**.
 - m. Save as an `ssl.cer` file.
 - n. Click **Finish**, and then click **OK**.
 - o. This file will be imported into the java keystore on the client (we will create this next).
2. Verify that JDK 1.42+ is installed on the client workstation. There is a binary called `keytool.exe` that you will use to create the keystore.
3. Create a file called `pmcli.jks` with an alias of `pmssl` as follows:
 - a. Run:


```
keytool -import -trustcacerts -file ssl.cer -alias pmssl -keystore pmcli.jks
```
 - b. Enter a password for the keystore.
 - c. When prompted to trust certificate, click **Yes**.
 - d. Copy the `pmcli.jks` file to the folder where `pmcli.jar` is located.
4. Create a `pmcli.properties` file in the folder defined for property files in `pmcli.bat`.
5. Edit `pmcli.properties` by adding the following line:


```
rmi.ssl.trust.keystore.location=pmcli.jks
```

Save the file.
6. Add the full path to the directory where `pmcli.properties` lives (*not* the full path to the file) to the CLASSPATH.
7. Run `pmcli.bat` and pass an https URL to the `-url` switch.



Enabling SSL will still allow the CLI to communicate with an http service.

Examples

The following examples demonstrate how the CLI is used.

	A backslash (\) indicates a line continuation.
---	--

1. Switches example:

```
pmcli -username=johns
pmcli -username johns
pmcli -username:johns
pmcli -u:johns
pmcli -u=johns
pmcli -u johns
pmcli /u:johns
pmcli --u:johns
```

The above calls are equivalent and apply to all switches.

2. Smart defaults example:

```
pmcli -p:Password
    url defaults to http://localhost/v-go%20pm%20service/up.asmx
    agent defaults to machine name
    username is current logged in user

pmcli -u:Administrator -p:Password
    url defaults to http://localhost/v-go%20pm%20service/up.asmx
    agent defaults to machine name

pmcli -url:http://test.com/v-go%20pm%20service/up.asmx -p:mypassword
    agent defaults to machine name
    username is current logged in user
```

```
pmcli
```

```
url defaults to http://localhost/v-go%20pm%20service/up.asmx
```

```
agent defaults to machine name
```

```
username is current logged in user
```

```
password is prompted (CLI will prompt you for a password)
```

3. This example adds a Lotus Notes credential for the SSO user *joeuser*:

```
pmcli -url "http://example.com/v-GO PM Service/UP.asmx" -agent "PM Agent" -username=PMAdmin -password=mysecretpassword add_credential sso_userid=joeuser sso_application="Lotus Notes" sso_app_userid=lotususer sso_password=password123 sso_other1=mydomain
```

The first four switches to the CLI indicate:

- the location of the ESSO-PG Web service
- the identifier for this agent
- the credentials to use to authenticate against the Web service
- the operation and its parameters.

In this case, the SSO user to provision is *joeuser* and a credential was added for Lotus Notes with credentials of *lotususer* and *password123* in the *mydomain* domain.

4. This example deletes all credentials for the ESSO-LM user *joeuser*:

```
pmcli -url "http://example.com/v-GO PM Service/UP.asmx" -agent "PM Agent" -username=PMAdmin -password=mysecretpassword delete_user sso_userid=joeuser
```

5. This example returns a list of users with provisioned logons and instructions on the system:

```
pmcli -url "http://example.com/v-GO PM Service/UP.asmx" -agent "PM Agent" -username=PMAdmin -password=mysecretpassword ext_search catalog=users returnLogons=true returnInstructions=true
```

6. This example demonstrates how to execute operations from a batch file:

```
pmcli -url:"http://example.com/v-GO PM Service/UP.asmx" -agent:"PM Agent" -u:PMAdmin -p:mysecretpassword -f:c:\operations.txt
```

The file `operations.txt` contains provisioning operations, one on each line:

```
add_credential sso_userid=joeuser sso_application="Lotus Notes" ...
add_credential sso_userid=janeuser sso_application="Lotus Notes" ...
delete_credential sso_userid=jackuser sso_application="Lotus Notes"
```

7. This example demonstrates how to run the CLI in interactive mode:

```
pmcli -url:"http://example.pass.com/v-GO PM Service/UP.asmx" -agent:  
"PM Agent" -u:PMAdmin -p:mysecretpassword
```

The CLI will enter interactive mode:

```
Passlogix (R) v-GO PM CLI Version 6.0.0  
Copyright (C) Passlogix, Inc. 1998-2005. All rights reserved.
```

```
URL: http://example.pass.com/v-GO PM Service/UP.asmx  
AGENT: PM Agent"  
USERNAME: PMAdmin  
EXECUTE: 10/17/2005-15:07:04
```

```
-----  
Type 'e[xit]' or 'q[uit]' to end session.
```

```
HELP  
HELP [operation]
```

```
    operation - displays help information on that operation.
```

```
> _
```

The user can enter provisioning operations at the prompt similar to the operations in batch mode until a quit or exit is encountered.

8. Specifying the `-t` switch on the command line followed by a time indicates that the provisioning operation should only be executed by the ESSO-LM Agent *on* or *after* the specified time. The operation will exist on the directory service and the v ESSO-LM Agent will execute it, but the logon will not be available to the ESSO-LM user until the time specified. The format of `-t` is:

```
Java:    MM/DD/YYYY-HH:MM:SS  
.NET:   "MM/DD/YYYY HH:MM:SS"
```