

Oracle® Database

Licensing Information

11g Release 2 (11.2)

E10594-04

March 2010

Oracle Database Licensing Information, 11g Release 2 (11.2)

E10594-04

Copyright © 2004, 2010, Oracle and/or its affiliates. All rights reserved.

Contributor: Manmeet Ahluwalia, Charlie Berger, Michelle Bird, Carolyn Bruse, Rich Buchheim, Sandra Cheevers, Leo Cloutier, Bud Endress, Prabhaker Gongloor, Kevin Jernigan, Anil Khilani, Mughees Minhas, Trish McGonigle, Dennis MacNeil, Paul Narth, Anu Natarajan, Paul Needham, Martin Pena, Jill Robinson, Mark Townsend

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Preface	v
Audience.....	v
Documentation Accessibility	v
Related Documents	vi
Conventions	vi
1 Oracle Database Editions	
The Oracle Database Product Family	1-1
Feature Availability by Edition	1-2
Features Specific to the Windows Platform	1-6
Special-Use Licensing.....	1-6
Changes in Product Licensing	1-11
2 Options and Packs	
Oracle Database Options	2-1
Oracle Management Packs	2-11
Other Oracle Products	2-24
A Third-Party Licenses	
Third-Party Product Licensing for Oracle Database	A-1
Third-Party Product Licensing for Oracle Exadata	A-42
Index	

Preface

This document, which is part of the Program Documentation under the terms of your Oracle licensing agreement, is intended to help you understand the features, functionality, and options available for Oracle Programs. If you have a question about your licensing needs, please contact your Oracle sales representative or refer to the resources listed in "[Related Documents](#)" on page -vi for more information.

Oracle Database 11g is available in multiple editions, each suitable for different development and deployment scenarios.

Oracle also offers several database options and packs that enhance the capabilities of Oracle Database for specific application requirements. *Oracle Database Licensing Information* provides information on these optional database products.

This Preface contains these topics:

- [Audience](#)
- [Documentation Accessibility](#)
- [Related Documents](#)
- [Conventions](#)

Audience

This book is intended for all purchasers of Oracle Database 11g.

Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible to all users, including users that are disabled. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Accessibility standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For more information, visit the Oracle Accessibility Program Web site at <http://www.oracle.com/accessibility/>.

Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

Deaf/Hard of Hearing Access to Oracle Support Services

To reach Oracle Support Services, use a telecommunications relay service (TRS) to call Oracle Support at 1.800.223.1711. An Oracle Support Services engineer will handle technical issues and provide customer support according to the Oracle service request process. Information about TRS is available at <http://www.fcc.gov/cgb/consumerfacts/trs.html>, and a list of phone numbers is available at <http://www.fcc.gov/cgb/dro/trsphonebk.html>.

Related Documents

For more information, see these Oracle resources:

- *Oracle Database New Features Guide* for information on the features new to this release of Oracle Database
- The Software Investment Guide, available at:
<http://www.oracle.com/corporate/pricing/sig.pdf>

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Oracle Database Editions

This chapter describes the four Oracle Database editions and the features available with those editions. It contains the following sections:

- [The Oracle Database Product Family](#)
- [Feature Availability by Edition](#)
- [Features Specific to the Windows Platform](#)
- [Special-Use Licensing](#)

The Oracle Database Product Family

Oracle Database is available in five editions, each suitable for different development and deployment scenarios. Oracle also offers several database options, packs, and other products that enhance the capabilities of Oracle Database for specific purposes. This section describes the Oracle Database editions. The database options and associated products are described in [Chapter 2, "Options and Packs"](#).

Oracle Database Standard Edition One Oracle Database Standard Edition One delivers unprecedented ease of use, power, and performance for workgroup, department-level, and Web applications. From single-server environments for small business to highly distributed branch environments, Oracle Database Standard Edition One includes all the facilities necessary to build business-critical applications.

Oracle Database Standard Edition Oracle Database Standard Edition delivers the unprecedented ease of use, power, and performance of Standard Edition One, with support for larger machines and clustering of services with Oracle Real Application Clusters (Oracle RAC). Oracle RAC is not included in the Standard Edition of releases prior to Oracle Database 10g, nor is it an available option with those earlier releases.

Oracle Database Enterprise Edition Oracle Database Enterprise Edition provides the performance, availability, scalability, and security required for mission-critical applications such as high-volume online transaction processing (OLTP) applications, query-intensive data warehouses, and demanding Internet applications. Oracle Database Enterprise Edition contains all of the components of Oracle Database, and can be further enhanced with the purchase of the options and packs described in [Chapter 2, "Options and Packs"](#).

Oracle Database Express Edition Oracle Database Express Edition (Oracle Database XE) is an entry-level edition of Oracle Database that is quick to download, simple to install and manage, and is free to develop, deploy, and distribute. Oracle Database XE makes it easy to upgrade to the other editions of Oracle without costly and complex

migrations. Oracle Database XE can be installed on any size machine with any number of CPUs, stores up to 4GB of user data, using up to 1GB of memory, and using only one CPU on the host machine. Support is provided by an online forum. The current version of Oracle Database XE is Oracle Database 10g Release 2.

Oracle Database Personal Edition Oracle Database Personal Edition supports single-user development and deployment environments that require full compatibility with Oracle Database Standard Edition One, Oracle Database Standard Edition, and Oracle Database Enterprise Edition.

Personal Edition includes all of the components that are included with Enterprise Edition, as well as all of the options that are available with Enterprise Edition, with the exception of the Oracle Real Application Clusters option, which cannot be used with Personal Edition. Personal Edition is available on Windows platforms only. The Management Packs are not included in Personal Edition.

Feature Availability by Edition

Table 1–1 lists feature availability for Oracle Database Standard Edition One (SE1), Standard Edition (SE), and Enterprise Edition (EE). The Y value in a column means that the feature is available in the specified release; N means that it is unavailable. This table can help you understand the difference between the editions and determine whether you require Enterprise Edition (or Personal Edition for a single-user environment).

Note that Oracle Database XE is a separate product from the rest of the Oracle Database product family. The features available with Oracle Database XE are documented in *Oracle Database Express Edition Licensing Information*, which is installed along with the product itself. The current version of Oracle Database XE is Oracle Database 10g Release 2.

Table 1–1 Feature Availability for Oracle Database Editions

Feature/Option	SE1	SE	EE	Notes
High Availability				
Oracle Fail Safe	Y	Y	Y	Windows only
Oracle RAC One Node	N	N	Y	Extra cost option
Oracle Data Guard—Redo Apply	N	N	Y	
Oracle Data Guard—SQL Apply	N	N	Y	
Oracle Data Guard—Snapshot Standby	N	N	Y	
Oracle Active Data Guard	N	N	Y	Extra cost option
Rolling Upgrades—Patch Set, Database, and Operating System	N	N	Y	
Online index rebuild	N	N	Y	
Online index-organized table organization	N	N	Y	ALTER TABLE ... MOVE ONLINE operations
Online table redefinition	N	N	Y	Using the DBMS_REDEFINITION package
Duplexed backup sets	N	N	Y	
Block change tracking for fast incremental backup	N	N	Y	
Unused block compression in backups	N	N	Y	
Block-level media recovery	N	N	Y	
Lost Write Protection	N	N	Y	
Automatic Block Repair	N	N	Y	Requires Active Data Guard option
Parallel backup and recovery	N	N	Y	
Tablespace point-in-time recovery	N	N	Y	
Trial recovery	N	N	Y	
Fast-start fault recovery	N	N	Y	
Flashback Table	N	N	Y	
Flashback Database	N	N	Y	
Flashback Transaction	N	N	Y	
Flashback Transaction Query	N	N	Y	
Oracle Total Recall	N	N	Y	Extra cost option
Scalability				
Oracle Real Application Clusters	N	Y	Y	Extra cost with EE, included with SE
Automatic Workload Management	N	Y	Y	Requires Oracle Real Application Clusters

Table 1–1 (Cont.) Feature Availability for Oracle Database Editions

Feature/Option	SE1	SE	EE	Notes
Performance				
Client Side Query Cache	N	N	Y	
Query Results Cache	N	N	Y	
PL/SQL Function Result Cache	N	N	Y	
In-Memory Database Cache	N	N	Y	Extra cost option
Database Smart Flash Cache	N	N	Y	Solaris and Oracle Enterprise Linux only
Support for Oracle Exadata Storage Server Software	N	N	Y	
Security				
Advanced Security Option	N	N	Y	Extra cost option
Oracle Label Security	N	N	Y	Extra cost option
Virtual Private Database	N	N	Y	
Fine-grained auditing	N	N	Y	
Oracle Database Vault	N	N	Y	Extra cost option
Secure External Password Store	N	N	Y	
Development Platform				
SQLJ	Y	Y	Y	Requires Oracle Programmer
Oracle Developer Tools for Visual Studio .NET	Y	Y	Y	Windows only
Microsoft Distributed Transaction Coordinator support	Y	Y	Y	Windows only
Active Directory integration	Y	Y	Y	Windows only
Native .NET Data Provider—ODP.NET	Y	Y	Y	Windows only
.NET Stored Procedures	Y	Y	Y	Windows only
Manageability				
Oracle Change Management Pack	N	N	Y	Extra cost option
Oracle Configuration Management Pack	N	N	Y	Extra cost option
Oracle Diagnostic Pack	N	N	Y	Extra cost option
Oracle Tuning Pack	N	N	Y	Extra cost option, also requires the Diagnostic Pack
Oracle Provisioning and Patch Automation Pack	N	N	Y	Extra cost option
Oracle Real Application Testing	N	N	Y	Extra cost option
Database Resource Manager	N	N	Y	
Instance Caging	N	N	Y	
SQL Plan Management	N	N	Y	

Table 1–1 (Cont.) Feature Availability for Oracle Database Editions

Feature/Option	SE1	SE	EE	Notes
VLDB, Data Warehousing, Business Intelligence				
Oracle Partitioning	N	N	Y	Extra cost option
Oracle OLAP	N	N	Y	Extra cost option
Oracle Data Mining	N	N	Y	Extra cost option
Oracle Data Profiling and Quality	N	N	Y	Extra cost option
Oracle Data Watch and Repair Connector	N	N	Y	Extra cost option
Oracle Advanced Compression	N	N	Y	Extra cost option
Basic Table Compression	N	N	Y	
Bitmapped index, bitmapped join index, and bitmap plan conversions	N	N	Y	
Parallel query/DML	N	N	Y	
Parallel statistics gathering	N	N	Y	
Parallel index build/scans	N	N	Y	
Parallel Data Pump Export/Import	N	N	Y	
In-memory Parallel Execution	N	N	Y	
Parallel Statement Queuing	N	N	Y	
Transportable tablespaces, including cross-platform	N	N	Y	Import of transportable tablespaces supported into SE, SE1, and EE
Summary management—Materialized View Query Rewrite	N	N	Y	
Asynchronous Change Data Capture	N	N	Y	
Integration				
Basic Replication	Y	Y	Y	SE1/SE: read-only, updateable materialized view
Advanced Replication	N	N	Y	Multi-master replication
Oracle Streams	Y	Y	Y	SE1/SE: no capture from redo
Database Gateways	Y	Y	Y	Separate product license
Messaging Gateway	N	N	Y	
Networking				
Oracle Connection Manager	N	N	Y	Available via a custom install of the Oracle Database client, usually installed on a separate machine See "Oracle Connection Manager" on page 1-8 for more information
Infiniband Support	N	N	Y	
Content Management				
Oracle Spatial	N	N	Y	Extra cost option
Semantic Technologies (RDF/OWL)	N	N	Y	Requires Oracle Spatial and the Oracle Partitioning option

Features Specific to the Windows Platform

The following features related to application development are available only on Windows platforms:

- COM Automation
- Microsoft Transaction Server/COM+ integration
- Oracle OLE DB Provider
- Oracle Objects for OLE (OO4O)
- VLM Support
- OLE DB .NET and ODBC .NET support
- Native .NET Data Provider - ODP .NET
- Oracle Database Extensions for .NET (.NET Stored Procedures)

Special-Use Licensing

Oracle Database Express Edition

Oracle Database Express Edition may be used for free, for the purposes of developing, prototyping and running applications. It can also be used for free to provide demonstrations and training. It may also be distributed for free with any applications. However, any use of the Oracle Database Express Edition is subject to the following limitations:

1. Express Edition is limited to a single instance on any server.
2. Express Edition may be installed on a multiple CPU server, but may only be executed on one processor in any server.
3. Express Edition may be used only to support up to 4GB of user data (not including Express Edition system data).
4. Express Edition may use up to 1 GB RAM of available memory.

The Oracle technical support organization will not provide technical support, phone support, or updates for Oracle Database Express Edition.

Oracle Standard Edition and Oracle Real Application Clusters (Oracle RAC)

When used with Oracle Real Application Clusters in a clustered server environment, Oracle Database Standard Edition requires the use of Oracle Clusterware. Third-party clusterware management solutions are not supported.

The license restrictions for Standard Edition must be adhered to. The maximum number of CPUs defined is for the entire cluster; it is not a per node maximum.

Oracle Automatic Storage Management is required for creating and managing all Oracle database file types. Raw volumes, partitions, or third-party cluster file systems are not supported for storing Oracle database files with Oracle Standard Edition and Oracle RAC. Refer to *Oracle Database Storage Administrator's Guide* for a comprehensive list of all database file types.

ASM Cluster File System (ACFS) or a local OS file system must be used to store all non-database files. No Oracle-maintained copies of any non-database files can exist in any other locations, with the following exceptions:

1. Customers who want to manually script maintenance of a standby database can create a second copy of their archive logs outside of Oracle ASM on a local file system only, designated by the `LOG_ARCHIVE_DEST_n` parameter.
2. RMAN backups of files can reside on either a local or network mounted file system.

No other cluster software can be installed on the system, including OCFS, OCFS2, third-party clusterware, third-party cluster volume managers, and third-party cluster file systems.

Grid Infrastructure

The Grid Infrastructure is the foundation for Oracle Grid. It includes Oracle Clusterware, Oracle Automatic Storage Management (Oracle ASM), ASM Cluster File System (ACFS), and ASM Dynamic Volumes (ADVM).

- Oracle Clusterware provides cluster membership and high availability services. It provides the cluster membership for features such as Oracle Real Application Clusters and Oracle ASM. It includes the following features:
 - Application monitoring, restart, and failover
 - Cluster membership services
 - Server monitoring and fencing
 - Single Client Access Name (SCAN)
 - Server Pools
 - Grid Naming Services
- Oracle ASM is a storage manager for Oracle database files and file systems. It includes the following features:
 - Dynamic storage rebalancing
 - Storage mirroring
 - Online disk add/drop
- ACFS is a shared file system enabling simultaneous access to files from multiple nodes. It includes the following features:
 - Shared file system with concurrent access to files from multiple nodes
 - Local file system
- ASM Dynamic Volumes provides volume manager services, enabling Oracle ASM to host ACFS and other file systems. It includes the following features:
 - Volume management services for ACFS
 - Volume management services for third-party file systems

The following components of Oracle Grid Infrastructure can be used free of charge and without any restrictions in standalone server or cluster configurations:

- Oracle Automatic Storage Management (Oracle ASM)
- ASM Dynamic Volumes
- ASM Cluster File System (ACFS) (excludes ACFS snapshots, and other add-on features)
- Oracle Clusterware solely in support of ASM/ADVM/ACFS in a cluster configuration

- Oracle Restart solely in support of Oracle Databases and Oracle ASM on a standalone server

In addition, Oracle Clusterware can be used to protect any application (restarting or failing over the application in the event of a failure), free of charge, if one or more of the following conditions are met:

- The server OS is supported by a valid Oracle Unbreakable Linux support contract.
- The product to be protected is either:
 - Any Oracle product (e.g. Oracle Applications, Siebel, Hyperion, Oracle Database EE, Oracle Database XE)
 - Any third-party product that directly or indirectly stores data in an Oracle database
- At least one of the servers in the cluster is licensed for Oracle Database (SE or EE)

A cluster is defined to include all the machines that share the same Oracle Cluster Registry (OCR) and Voting Disk.

Oracle Database Vault and Oracle9i Database Release 2 (9.2.0.8)

A separate Oracle Database 11g can be installed and used to administer Oracle Database Vault when installed with Oracle9i Database Release 2 (9.2.0.8), without additional license requirements. All 9.2.0.8 databases managed by Database Control in this manner must be correctly licensed with the Oracle Database Vault option. The installation of Oracle Database 11g deployed in this manner may not be used or deployed for other uses.

Oracle Connection Manager

Oracle Connection Manager can be installed and used on a machine different from the machine where the Oracle Database is installed and used. It is not necessary to obtain a separate license for the machine running Oracle Connection Manager.

Oracle Database Gateway for ODBC

Oracle Database Gateway for ODBC can be installed and used on a machine different from the machine where the Oracle Database is installed and used. It is not necessary to obtain a separate license for the machine running Oracle Gateway for ODBC.

Support of Real Application Testing in Earlier Releases

The full functionality of Oracle Real Application Testing is available only on Oracle Database 11g Release 1 or higher. Partial functionality of Oracle Real Application Testing is available to customers wishing to upgrade from Oracle9i Database Release 2 or Oracle Database 10g.

The functionality available on Oracle9i Database Release 2 is as follows:

- **Database Replay:** Only the Workload Capture feature is supported, and the captured workload may only be replayed only on Oracle Database 11g. This feature can be used only to facilitate upgrades from Oracle 9i Database Release 2 to Oracle Database 11g.

The functionality available on Oracle Database 10g Release 2 is as follows:

- **Database Replay:** Only the Workload Capture feature is supported, and the captured workload may be replayed only on Oracle Database 11g. This feature can be used only to facilitate upgrades from Oracle Database 10g Release 2 to Oracle Database 11g.

- **SQL Performance Analyzer:** Only the Remote SQL Test Execute and SQL Capture into SQL Tuning Set features are supported. These features can be used only to facilitate upgrades from Oracle9i Database Release 2 and Oracle Database 10g Release 1 to Oracle Database 10g Release 2 or higher. When upgrading to Oracle Database 10g Release 2 from earlier releases (Oracle 9i Database or Oracle Database 10g Release 1), Oracle Database 11g is needed to remotely execute SQL on the target database (that is, Oracle Database 10g Release 2). Real Application Testing licensing is required for both systems, Oracle Database 10g Release 2 and Oracle Database 11g.

Oracle Scheduler

Oracle Scheduler is a database feature that provides job scheduling functionality. Execution of jobs on machines where the Oracle database is installed is included with the Oracle Database license. For enterprise scheduling, the execution of jobs on remote machines where no Oracle database is installed is licensed as part of System Monitoring Plug-in for Hosts.

Oracle Secure Backup Express

Oracle Secure Backup Express is bundled with the Oracle Database. Oracle's technical support organization will provide technical support, phone support, or updates to you for Oracle Secure Backup Express when it is used to back up another Oracle Product that has a valid Customer Support Identifier (CSI). For example, if Oracle Secure Backup Express is used to back up an Oracle database that has a valid Customer Support Identifier, then Oracle Support provides technical support for the backup of this database.

Updates and technical support are only provided to customers who maintain technical support services for their Oracle licenses in accordance with Oracle's Technical Support Policies. Oracle Secure Backup is a separately licensed product and is supported in accordance with Oracle's Technical Support Policies.

Legato Storage Manager and Legato Single Server Version. Oracle Secure Backup Express is the replacement product for Legato Storage Manager (LSM) and Legato Single Server Version (LSSV). If you are currently using LSM or LSSV, then you can use Oracle Secure Backup Migration Guide to learn how to migrate these products to Oracle Secure Backup Express.

Oracle Secure Backup Express can back up an Oracle database as well as Oracle home files and other file system data requiring tape protection.

For more information, refer to *Oracle Secure Backup Licensing Information*.

Oracle Wallet

An Oracle Wallet is a PKCS#12 container used to store authentication and encryption keys. The database secure external password store feature stores passwords in an Oracle Wallet for authentication to the Oracle database. Oracle Advanced Security uses the Oracle Wallet to store credentials for PKI authentication to the Oracle Database, network encryption, and transparent data encryption. Oracle Wallet Manager is an application that wallet owners can use to manage and edit Oracle Wallets. Oracle Wallets can be deployed on clients, middle tiers, and database servers free of charge. However, the following features that use an Oracle Wallet in turn require licensing of the Oracle Advanced Security Option: PKI credentials for authentication to Oracle Database, network encryption (SSL/TLS) to the Oracle database from middle tiers and database clients, and transparent data encryption master keys. Oracle Advanced Security option is not required when configuring wallets to secure communication

between the Oracle database and Oracle Internet Directory as part of the enterprise user security feature of Oracle Database.

Infrastructure Repository Databases

A separate Oracle Database can be installed and used as a Recovery Manager (RMAN) repository without additional license requirements, provided that all the Oracle databases managed in this repository are correctly licensed. This repository database may also be used for the Oracle Enterprise Grid Control repository. It may not be used or deployed for other uses.

A separate Oracle Database can be installed and used as a Oracle Enterprise Manager Grid Control (OEM Grid Control) repository without additional license requirements, provided that all the targets (databases, applications, and so forth) managed in this repository are correctly licensed. This database may also be used for the RMAN repository. It may not be used or deployed for other uses.

Oracle Advanced Security and Enterprise User Security

If you wish to use Enterprise User Security in Oracle Database Enterprise Edition, you no longer need to license the Oracle Advanced Security Option for password-based authentication. However, you must license Oracle Internet Directory (OID). If you wish to use stronger authentication alternatives (such as Kerberos or PKI) for Enterprise User Security, you must license Oracle Advanced Security and the Oracle Internet Directory (OID). Any Oracle Advanced Security licenses purchased on or before January 31, 2004, have restricted use of the Oracle Internet Directory (OID) to support enterprise user security. Please contact your Oracle sales representative for additional information.

XStream

XStream, which is built on the infrastructure of Oracle Streams, provides application programming interfaces (APIs) that enable client applications to receive real-time data changes from an Oracle database (using XStream Out APIs) and to send real-time data changes to an Oracle database (using XStream In APIs). These data changes can be shared between Oracle databases and other systems, such as filesystems and non-Oracle databases. XStream is licensed via the Oracle GoldenGate product. You must purchase a license for this product before using the XStream APIs. Please contact your Oracle sales representative for additional information.

Restricted-Use Licensing

The following restricted-use licenses are included with Oracle Database 11g in the editions indicated:

- A restricted-use license for Oracle Internet Directory (OID) is included with all editions (except for Oracle Database Express Edition) if users use the Directory Naming feature to configure Oracle Net Services. OID may not be used or deployed for other uses. Please contact your Oracle sales representative for additional information on Oracle Internet Directory (OID).
- A restricted-use license for Oracle Application Server Containers for J2EE (OC4J) is included with all editions (except for Oracle Database Express Edition). This embedded version is provided solely to support Oracle Enterprise Manager (Database and Grid Control), Advanced Queuing Servlet, Ultra Search, and Warehouse Builder, and may not be used or deployed for other purposes.
- A restricted-use license for Oracle HTTP Server is with all editions (except for Oracle Database Express Edition) when the HTTP Server is running on the same server as the database. Running Oracle HTTP server on a different server requires

that other server be licensed to use the HTTP server, either through an Oracle Database license or an Oracle Application Server license.

Changes in Product Licensing

Oracle Warehouse Builder Enterprise ETL Option

The following features, previously licensed with the Oracle Warehouse Builder ETL Option, are no longer licensed with the Oracle Database. Instead, they are licensed via the Oracle Data Integrator Enterprise Edition:

- Slowing Changing Dimensions (SCD) Type 2 and 3
- XML Files as a target
- Transportable ETL modules, multiple configurations, and pluggable mappings
- Operators for pluggable mapping, pluggable mapping input signature, pluggable mapping output signature
- Design Environment Support for RAC
- Target load ordering
- Seeded spatial and streams transformations
- Process Flow Activity templates
- Process Flow variables support
- Process Flow looping activities such as For Loop and While Loop
- Process Flow Route and Notification activities
- Metadata lineage and impact analysis
- Metadata change propagation
- Schedulable Mappings and Process Flows
- Metadata Extensibility
- Deployment to Discoverer EUL
- Deployment to Oracle BI Beans catalog

Options and Packs

This chapter describes the separately licensed Oracle Database options, management packs, and other products you can purchase to enhance the capabilities of Oracle Database in specific application environments. This chapter contains the following sections:

- [Oracle Database Options](#)
- [Oracle Management Packs](#)
- [Other Oracle Products](#)

You may not use the options, packs, or products described below without separately purchased licenses. The fact that these options, packs, or products may be included in product CDs or downloads or described in documentation that you receive does not authorize you to use them without purchasing appropriate licenses.

Oracle Database Options

All the Oracle Database options can be purchased with Oracle Database Enterprise Edition. Oracle Real Application Clusters (Oracle RAC) is included with Oracle Database Standard Edition. You cannot purchase any options with Oracle Database Standard Edition One or Oracle Express Edition. The Personal Edition includes all options except Oracle RAC at no additional cost.

This section describes the following database options:

- [Oracle Active Data Guard](#)
- [Oracle Advanced Compression](#)
- [Oracle Advanced Security](#)
- [Oracle Data Mining](#)
- [Oracle Data Profiling and Quality Option](#)
- [Oracle Data Watch and Repair Connector](#)
- [Oracle Database Vault](#)
- [Oracle In-Memory Database Cache](#)
- [Oracle Label Security](#)
- [Oracle On-Line Analytical Processing \(OLAP\)](#)
- [Oracle Partitioning](#)
- [Oracle RAC One Node](#)

- [Oracle Real Application Clusters \(Oracle RAC\)](#)
- [Oracle Real Application Testing](#)
- [Oracle Spatial](#)
- [Oracle Total Recall](#)

Oracle Active Data Guard

Oracle Active Data Guard enhances the Quality of Service (QoS) for production databases by off-loading resource-intensive operations to one or more standby databases, which are synchronized copies of the production database. With Oracle Active Data Guard, a physical standby database can be used for real-time reporting, with minimal latency between reporting and production data. Compared with traditional replication methods, Active Data Guard is very simple to use, transparently supports all datatypes, and offers very high performance. Oracle Active Data Guard also allows backup operations to be off-loaded to the standby database, and be done very fast using intelligent incremental backups. Oracle Active Data Guard thus is a very effective way to insulate interactive users and critical business tasks on the production system from the impact of such long-running operations. Oracle Active Data Guard provides the additional benefit of high availability and disaster protection by quickly failing over to the standby database in the event of a planned or an unplanned outage at the production site.

The Active Data Guard option contains the following features:

- Physical Standby with Real-time Query
- Fast Incremental Backup on Physical Standby
- Automatic Block Repair

If a physical standby database in a Data Guard configuration has any of the above features enabled, then the Active Data Guard option must be licensed for every such physical standby, and also for the primary database.

Oracle Advanced Compression

Oracle Advanced Compression provides comprehensive data compression capabilities to compress all types of data, backups, and network traffic in an application transparent manner. With Advanced Compression, Oracle includes table compression targeted at OLTP workloads, resulting in reduced storage consumption and improved query performance while incurring minimal write performance overhead. Advanced Compression can be used to compress any unstructured content using SecureFiles Compression. Deduplication provides the ability to automatically eliminate redundant copies of SecureFiles data. RMAN offers multiple backup compression levels, to meet the needs of various environments, including faster compression and better compression ratio choices. Note that the `RMAN DEFAULT COMPRESS` option does not require Advanced Compression. With Advanced Compression, Data Pump exports can now be compressed to reduce disk space requirements. Note that the `COMPRESSION=METADATA_ONLY` option for Data Pump does not require Advanced Compression, and is the default behavior. Finally, Data Guard can compress redo data resulting in reduced network traffic and faster gap resolution.

The Oracle Advanced Compression option contains the following features:

- Data Guard Network Compression
- Data Pump Compression (`COMPRESSION=METADATA_ONLY` does not require the Advanced Compression option)

- Multiple RMAN Compression Levels (RMAN DEFAULT COMPRESS does not require the Advanced Compression option)
- OLTP Table Compression
- SecureFiles Compression and Deduplication

Oracle Advanced Security

Oracle Advanced Security provides transparent data encryption of data stored in the database, the encryption of disk-based backups of the database, and also network encryption for data traveling across the network between the database and client or mid-tier applications. In addition it provides a complete suite of strong authentication services to Oracle Database. Network encryption is implemented using industry-standard data encryption and data integrity algorithms. This feature provides a choice of algorithms and cipher strengths for deployment. Strong authentication services support a comprehensive suite of industry-standard third-party authentication options. The authentication options include single sign-on services to the Oracle Database by interoperating with existing authentication frameworks and two-factor authentication choices such as smart cards and token cards.

Oracle Advanced Security includes the following features:

- Transparent Data Encryption (TDE) for columns
- Transparent Data Encryption (TDE) for tablespace
- Transparent Data Encryption (TDE) for SecureFiles
- DataPump Export File encryption
- RMAN backup encryption
- Hardware Security Module (HSM) TDE Master Key Protection
- Database strong authentication support (PKI, Kerberos, Radius)
- Smartcard support (PKCS#11)
- Transport Layer Security (TLS) Support
- Native network encryption
- SSL/TLS network encryption
- SSL acceleration
- Certificate Revocation List (CRL) support

Oracle Data Mining

Oracle Data Mining enables you to build advanced business intelligence applications that mine corporate databases, reveal new patterns and relationships, and integrate that information into business applications. This option embeds data mining functionality into Oracle Database for making classifications, predictions, and associations. All model-building, scoring, and metadata management operations are accessible by way of either a Java or PL/SQL API.

The Oracle Data Mining option includes the following features:

APIs and GUIs Supported to Access Algorithms:

- PL/SQL API—for model build, model apply, and data transformations
- Java API—for model build, model apply & data transformations

- Oracle Data Miner (GUI)
- Spreadsheet Add-in for Predictive Analytics

Algorithm Category and Supported Algorithms:

- Classification
 - Naive Bayes
 - Decision Trees
 - Support Vector Machines
 - Logistic Regression
- Regression
 - Multivariate Linear Regression
 - Support Vector Machines
- Anomaly Detection
 - One Class Support Vector Machines
- Attribute Importance
 - Minimum Description Length
- Association Rules
 - A Priori
- Clustering
 - Hierarchical K-Means Clustering
 - Hierarchical O-Clustering
- Predictive Analytics (PL/SQL Packages)
 - Predict
 - Explain
 - Profile
- Feature Extraction
 - Nonnegative Matrix Factorization

Oracle Data Profiling and Quality Option

The Data Profiling and Quality option enables you to convert raw data into quality information. Developers and data librarians can gain insight into their data and identify previously unknown data quality problems. Subsequently, developers can define rules and generate mappings that correct the data. Based on the data rules, developers can also create data auditors to ensure the quality of incoming data on a repeated basis.

To write corrected data back into a source system, see "[Oracle Data Watch and Repair Connector](#)" on page 2-5.

The Oracle Data Profiling and Quality option includes the following features:

- Data Profiling
- Data Rules

- Data Auditors
- Data Auditor Monitor Usage in Process Flows
- Data Corrections

Oracle Data Watch and Repair Connector

Use this in conjunction with the [Oracle Data Profiling and Quality Option](#) on page 2-4. This combination of options constitutes a Data Watch and Repair solution. You can profile and cleanse data in the database and write the corrected data back into the source application.

Oracle Database Vault

Oracle Database Vault lets you control who, when, and where data and applications can be accessed—protecting your business against the most common security threat: malicious internal users. Enforcing separation of duties, even among administrators, Oracle Database Vault additionally serves as a powerful preventive control to help comply with today's stringent compliance and privacy requirements.

- It improves your ability to meet compliance requirements like Sarbanes-Oxley and other regulations that mandate control of access to, and release of, sensitive information
- It controls access to application and database data, even by super-users and other highly privileged users
- It enforces multi factor authorization via flexible business rules
- It shows who is accessing what and when via over three dozen out-of-the-box security reports

Oracle Database Vault is an option for Oracle Database 10g or later. However, it has also been provided for earlier releases as well, including Oracle9i Database Release 2 (9.2.0.8) on a limited number of platforms. Please contact your Oracle Sales Representative if you are interested in Oracle Database Vault as an option on Oracle9i Database.

The Oracle Database Vault option includes the following features:

- Realms
- Separation of Duty
- Factors
- Command Rules
- Rule Sets

Oracle In-Memory Database Cache

Oracle In-Memory Database Cache enables you to improve application transaction response time by caching a performance critical subset of tables from an Oracle Database to the application tier. Applications perform read/write operations on the cache tables using standard SQL with automatic persistence, transactional consistency, and data synchronization with the Oracle database.

Oracle In-Memory Database Cache includes the following features:

- Data access using PL/SQL, JDBC, ODBC, ttClasses, OCI, and Pro*C/C++ interfaces

- Transaction Log API (XLA) for change notification
- In-memory Database Cache Grid
- Automatic data synchronization with the Oracle database
- Transactional replication between the in-memory cache databases
- Automated failure detection and database failovers
- TimesTen Extension for Oracle SQL Developer
- TimesTen Plug-in for Oracle Enterprise Manager

Oracle Label Security

Oracle Label Security provides sophisticated and flexible security based on row labels for fine-grained access control. This option employs labeling concepts used by government, defense, and commercial organizations to protect sensitive information and provide data separation. It includes a powerful tool to manage policies, labels, and user label authorizations.

By default, Oracle Label Security is configured to use Oracle Database for all policy management. Users interested in centralized policy management using the Oracle identity management infrastructure must additionally license Oracle Identity and Access Management Suite. Please contact your Oracle sales representative for additional information.

The Oracle Label Security option includes the following features:

- Label based access control (LBAC)
- Multi-level security (MLS)
- Label factors for Database Vault (Confidential, Sensitive)
- User label authorizations (Confidential, Sensitive: PII)
- Data labels (Sensitive: PII)

Oracle On-Line Analytical Processing (OLAP)

The OLAP option to Oracle Database is a full-featured OLAP server embedded in Oracle Database Enterprise Edition. Oracle OLAP cube datatypes improve business intelligence tools and applications by providing excellent query performance, rich analysis, and fast incremental updates of data sets. OLAP cubes are easily queried by SQL-based business intelligence tools through cube-organized materialized views and OLAP cube views. Cube-organized materialized views provide an alternative summary management solution to table-based materialized views. As with a table-based materialized view, an OLAP cube is accessed by SQL-based tools transparently using the automatic SQL query rewrite feature of the materialized views. SQL-based tools can access both summary data and rich analytic content directly through OLAP cube views. Multidimensional OLAP tools can provide a full-dimensional OLAP experience using the Oracle OLAP multidimensional API to cubes. A single OLAP cube can service each of these types of applications.

The Oracle OLAP option includes the following features:

- OLAP Cube Definition, Storage, and Querying
- OLAP API and Metadata
- OLAP Cube Materialized Views

- Analytic Workspaces
- SQL Access to OLAP Cubes

Oracle Partitioning

Oracle Partitioning enhances the data management environment for OLTP, data mart, data warehouse, and content management applications by adding significant manageability, availability, and performance capabilities to large underlying database tables and indexes. Oracle Partitioning lets you store large tables as individually managed smaller pieces, while retaining a single application-level view of the data.

The Oracle Partitioning option includes the following features:

- Table Partitions and Subpartitions
- Local Index Partitions and Subpartitions
- Global Index Partitions and Subpartitions
- Range Partitioning
- Hash Partitioning
- List Partitioning
- Interval Partitioning
- Reference Partitioning
- System Partitioning
- Virtual Column-based Partitioning
- Composite Partitioning
- Subpartition Template
- Fast Partition Split
- Partition Exchange

Oracle RAC One Node

Oracle RAC One Node is the one-node version of Oracle Real Application Clusters (Oracle RAC). It enables customers to standardize on a single deployment model for all their database needs. Oracle RAC One Node makes the database highly available in the presence of computer hardware failures, software failures, or planned software maintenance events. In the event of failures, the database instance is restarted on an available server in the cluster and the client connections are moved to the new instance. Oracle RAC One Node can be online upgraded to full Oracle RAC (RAC license required) in order to scale to multiple servers.

Oracle RAC One Node includes the following features:

- Database Cold Failover to another node in the cluster in case of server or instance failure
- Online migration of the database instance to another server
- Support for online rolling upgrades of the database, grid infrastructure, and OS homes
- Online upgrade to Oracle Real Application Clusters
- Policy-managed Server Pools

- ASM Cluster File System snapshots

Oracle Real Application Clusters (Oracle RAC)

Oracle Real Application Clusters (Oracle RAC) is a database computing environment that harnesses the processing power of multiple interconnected computers using clustering technology. Oracle RAC enables multiple servers to mount a single databases, providing unlimited scalability and high availability for all applications. Oracle RAC makes the database highly available in the presence of computer hardware or software failure: in the event any computer in the cluster fails, the database continues to provide service on the surviving computers in the cluster. Oracle RAC provides scalable performance: as demand for database throughput grows, additional computers can be added to the database cluster with no downtime. Oracle RAC also supports a single-system image for ease of management.

Oracle Real Application Clusters includes the following features:

- Real Application Clusters
- Connection Load Balancing
- Fast Connection Failover
- Hot Cluster Failover
- Includes all the capabilities of Oracle RAC One Node

Oracle Real Application Testing

The Oracle Real Application Testing option comprises a suite of features that help protect database applications from undesirable impact of routine changes such as hardware/software upgrades, configuration changes, platform migrations, and so forth. These features enable comprehensive testing of real-world applications so that any issues resulting from system changes are fully identified and addressed during testing, and unexpected problems encountered when a change is finally made in the production systems are minimized.

The Oracle Real Application Testing option includes the following features:

- Database Replay
- SQL Performance Analyzer (SPA)
- SQL Tuning Sets (STS)

In order to use the features listed above, you must purchase licenses for the Oracle Real Application Testing option, with one exception: SQL Tuning Sets (STS) can be used if you have licensed either Oracle Tuning Pack or Oracle Real Application Testing. Oracle Real Application Testing functionality can be accessed by Enterprise Manager as well as through the database server command-line APIs. The use of either interface requires an Oracle Real Application Testing option license.

In addition, the use of the 'Replay Compare Period Report' requires a license of Oracle Diagnostics Pack.

Command-Line APIs

The Database Replay feature can also be accessed by way of database server APIs and command-line interfaces:

- `DBMS_WORKLOAD_CAPTURE` package is part of the Oracle Real Application Testing option

- `DBMS_WORKLOAD_REPLAY` package is part of the Oracle Real Application Testing option

The use of the `DBMS_WORKLOAD_REPLAY.COMPARE_PERIOD_REPORT()` function also requires a license of Oracle Diagnostics Pack.

The SQL Performance Analyzer feature can also be accessed by way of database server APIs and command-line interfaces:

- `DBMS_SQLPA` package is part of Oracle Real Application Testing option

SQL Tuning Sets can also be accessed by way of database server APIs and command-line interfaces. The following subprograms, part of the `DBMS_SQLTUNE` package, provide an interface to manage SQL tuning sets and are part of the Oracle Real Application Testing option:

- `ADD_SQLSET_REFERENCE`
- `CAPTURE_CURSOR_CACHE_SQLSET`
- `CREATE_SQLSET`
- `CREATE_STGTAB_SQLSET`
- `DELETE_SQLSET`
- `DROP_SQLSET`
- `LOAD_SQLSET`
- `PACK_STGTAB_SQLSET`
- `REMOVE_SQLSET_REFERENCE`
- `SELECT_CURSOR_CACHE`
- `SELECT_SQLSET`
- `SELECT_WORKLOAD_REPOSITORY`
- `UNPACK_STGTAB_SQLSET`
- `UPDATE_SQLSET`

The Oracle Real Application Testing license is required on both capture and replay systems for Database Replay and is charged by the total number of CPUs on those systems.

Oracle Spatial

Oracle Spatial provides advanced spatial analysis features for complex geographic information systems (GIS) applications, enterprise applications, and location-based services applications. It augments the Oracle Locator feature, which provides storage, analysis, and indexing of location data accessible through SQL and standard programming languages, supporting seamless integration of location data into enterprise applications, and use of any leading third-party GIS tool to access location data. Oracle Spatial advanced features include GeoRaster for storage, indexing, and analysis of image and gridded raster data, such as satellite imagery and remotely sensed data; a network data model that allows users to model and analyze link-node networks (graphs) for applications; a topology data model and schema to persistently manage topology; a fully functional geocoding engine and routing engine; location-based analysis functions for business intelligence applications, including location-based classification, binning, association, and correlation; and support for 3D and point cloud data used in visualization, city modeling, simulations and Lidar-based

map production. Oracle Spatial also supports spatial data manipulation and analysis such as buffer generation, area/distance calculations, linear referencing, and more.

Note: Oracle Locator, a feature of Oracle Database 11g (XE, SE1, SE, and EE), includes the spatial vector geometry type, spatial indexing and operators, and a limited set of spatial functions.

For detailed lists of functions included in Locator and those included only in Oracle Spatial option, please refer to Appendix B of *Oracle Spatial Developer's Guide*.

Oracle Spatial also includes Semantic database features including support for W3C Resource Description Framework (RDF) triple storage, indexing and querying, Web Ontology Language (OWL), ontology management, and semantic inferencing.

Note: The Semantic database features in Oracle Spatial require the Oracle Partitioning option.

The Oracle Spatial option includes the following features:

- Selected Spatial Functions
- Linear Referencing System
- GeoRaster Storage, Indexing and Querying
- Network Data Model
- Topology Data Model
- Spatial Analysis and Mining Functions
- Spatial Routing Engine
- Geocoding Engine
- Spatial Web Services (new with 11g)
- 3-D Geometry, Surface, and Point Cloud Storage, Indexing and Querying (new with 11g)
- Semantic Content Storage, Indexing and Querying (RDF/OWL Support)

Oracle Total Recall

Oracle Total Recall provides the ability to transparently track and archive historical changes to all data stored in an Oracle database. History data is stored in a secure and highly optimized storage and can be accessed in a seamless manner using Flashback Queries. With Total Recall, you can enable history tracking on tables instantaneously and retain the history data any length of time. In addition, Total Recall provides for easier manageability by automating purge of historical data based on specified retention policy. History tracking is non-intrusive and completely transparent to applications. Flashback queries are supported across most DDL changes; complex DDL changes are accommodated with the Associate/Disassociate feature.

The Oracle Total Recall option includes the following features:

- Flashback Data Archive
- Associate/Disassociate

Oracle Management Packs

The sections that follow describe the Oracle management packs. The management packs can be purchased only with Enterprise Edition. The features in these packs are accessible through Oracle Enterprise Manager Database Control, Oracle Enterprise Manager Grid Control, Desktop Widgets, and APIs provided with Oracle Database software.

This section describes the following management packs:

- [Oracle Change Management Pack](#)
- [Oracle Configuration Management Pack](#)
- [Oracle Data Masking Pack](#)
- [Oracle Diagnostics Pack](#)
- [Oracle Provisioning and Patch Automation Pack](#)
- [Oracle Tuning Pack](#)

Oracle Change Management Pack

Oracle Change Management Pack enables administrators to evaluate, plan, and implement database schema changes. Using Oracle Change Management Pack, administrators can investigate and track changes, compare and synchronize objects and schemas, modify schema objects, evaluate the change impact, and if required undo changes that have been made previously. Oracle Change Management Pack makes change management simple and efficient and minimizes chances for error, thereby reducing the opportunity for data loss and system down-time.

Oracle Change Management Pack includes the following features:

- Dictionary Baselines
- Dictionary Comparisons
- Dictionary Synchronizations
- Realtime Schema Change Tracking
- Reverse Engineering Dictionary objects
- Copying Dictionary Object
- Object Definition Update
- Evaluate Change Impact
- Clone and Propagate Schema

Enterprise Manager

The following licensed pages and links in Enterprise Manager apply to Oracle Change Management Pack.

From the Enterprise Manager Home page, select the **Schema** property page. In the Change Management section, the following links and associated pages are licensed as part of the pack:

- **Dictionary Baselines:** All links, buttons, and drilldowns on this page are licensed features of this pack.
- **Dictionary Comparisons:** All links, buttons, and drilldowns on this page are licensed features of this pack.

- **Dictionary Synchronizations:** All links, buttons, and drilldowns on this page are licensed features of this pack.

Command-Line APIs

The following API is licensed under Oracle Change Management Pack:

- `DBMS_METADATA_DIFF`

init.ora Parameters

The use of the following `init.ora` parameter is licensed under Oracle Change Management Pack:

- `ENABLE_DDL_LOGGING`: when set to TRUE (default: FALSE)

Oracle Configuration Management Pack

The Configuration Management Pack for Oracle Database automates the time-consuming, costly, and often error-prone process of software configuration, software and hardware inventory tracking, patching, policy management, and compliance, ensuring consistency across deployments. You can access the Configuration Management Pack for Oracle Database functionality through Enterprise Manager licensed links and by installing the Configuration Change Console and Application Configuration Console. All three of these components comprise the features provided by the Configuration Management Pack for Oracle Database.

Note: To obtain all features of the Configuration Management Pack for Oracle Database, you need to enable the Configuration Management Pack for Non-Oracle Systems in Grid Control for the host on which you have the licensed Configuration Management Pack for Oracle Database. If you already have the licensed Pack for Oracle Database, you are entitled to the Configuration Management Pack for Non Oracle Systems for the host on which you have the Configuration Management Pack for Oracle Database.

Oracle Configuration Management Pack includes the following features:

- Database and host configuration management
- Patching
- Policy and security management
- Policy groups
- Deployments/installations, including patch-level
- Client system analyzer
- Security at a glance
- Real-time configuration change detection
- Application configuration management

Any and all methods of accessing Oracle Configuration Management Pack functionality, whether through Enterprise Manager Console, Desktop Widgets, command-line APIs, or direct access to the underlying data, requires an Oracle Configuration Management Pack license.

Enterprise Manager

The following licensed pages and links in Enterprise Manager apply to Oracle Configuration Management Pack:

- **Grid Control Home page:**
 - All links in the **All Targets Policy Violations** section
 - Database, Hardware, and Operating System related information in the **Deployments Summary** section
 - All links in the **Security Policy Violations** section
 - All links in the **Critical Patch Advisories for Oracle Homes** section
- From the **Grid Control Home** page, click the **Targets** tab, then the **Databases** sub-tab. On the **Databases** page, the Policy Violations links are licensed as part of the pack.
- From the **Grid Control Home** page, click the **Deployments** tab. On the **Deployments** page, the following items are licensed as part of the pack:
 - All links in the **Configuration** and **Client Configurations** sections
- From the **Grid Control Home** page, select the **Compliance** tab to display the **Policy Violations** page, which is grouped in the **Violations** sub-tab. All links, sub-navigation tabs, and features available on or linked to from the Grid Control **Policies Violations** page for policies related to databases and hosts are licensed as part of this pack.
- From the **Grid Control Home** page, select the **Compliance** tab, then the **Policy Groups** sub-tab. On the Grid Control **Policy Group Evaluation Results** page, all links and features are licensed as a part of this pack.
- From the **Grid Control Home** page, select the **Compliance** tab, then the **Security at a Glance** sub-tab. On the Grid Control **Security at a Glance** page, all links and features are licensed as a part of this pack.
- From the **Grid Control Hosts** page, click a specific host to display the **Host Home** page. The following links are licensed as part of the pack:
 - All links in the **Security** section
 - Under **Related Links**, the following links are licensed:
 - * **Deployments**
 - * **Metric and Policy Settings**
- From the **Host Home** page, click the **Targets** tab. The following links and columns are licensed:
 - **Policy Violations** and associated links
 - **Compliance Score (%)**
- From the **Host Home** page, click the **Configuration** tab. The following buttons are licensed:
 - Save
 - History
 - Compare Configuration
 - Compare to Multiple Configurations

- From the **Grid Control Home** page, click the **Targets** tab, then select the **Systems** sub-tab. On the **Systems** page, the following items are licensed as part of the pack:
 - **Policy Violations** links
- From the **Systems** page, click any system **Name**. On the **System Home** page, everything is licensed as part of the pack except for the Status and Alerts sections.
- From the **Grid Control Home** page, click the **Targets** tab, then select the **Groups** sub-tab. On the **Groups** page, the following items are licensed as part of the pack:
 - **Policy Violations** links
- From the **Groups** page, click any group **Name**. On the **Group Home** page, everything is licensed as part of the pack except for the Status and Alerts sections.
- From the **Groups Home** page, click the **Administration** tab. The following links and features are licensed features of the pack:
 - **Hardware** and **Operating Systems** related information in the **Deployments Summary** section
 - **Host Operating System and Hardware Summaries** selection for the **Configuration Searches** section
- Click the **Setup** link on the upper right corner of the Enterprise Manager console, then click the **Monitoring Templates** link. On the **Monitoring Templates** page, click any Name. The **Policies** sub-tab on the **View Monitoring Template** page is a licensed feature of the pack.

Configuration Management Pack Database Reports

The following reports are part of the Configuration Management Pack for Oracle Database. All reports in each of these sections are licensed for this pack. To display the Report Definitions page, click the **Reports** tab on the Grid Control Home page.

- All reports under **Deployment and Configuration**
- Monitoring reports
 - **Alerts and Policy Violations**
 - **Disabled Policies**
- Security reports
 - **Security Policy Overview**

Additional Licensed Features

With the purchase of the Configuration Management Pack for Oracle Database, you also are entitled to the features described in the following sections. These features are restricted to the Oracle Database targets in the Oracle Database Home and the Platform (hardware and operating system) for the CPUs you have licensed.

Configuration Change Console

The Configuration Change Console offers real-time change detection and integration capabilities as described below.

Real-time Change Detection The Configuration Change Console is a policy-based system designed to help organizations and administrators support their IT compliance goals and help deliver the level of service expected by their users. The console includes a set of predefined frameworks created by industry experts to meet common

compliance requirements. This enables IT departments to quickly and easily demonstrate compliance with government regulations and industry standards such as SOX, PCI, and ITIL.

The frameworks provide predefined controls mapped to application, device, and user event detection rules. These mappings empower the enterprise to monitor adherence for best practices from a centralized dashboard and provide concrete evidence in the form of reports for internal and external audits, reducing both the risk and cost of compliance. The console also provides an easy-to-use interface enabling administrators to define their own specific frameworks, policies, and controls and map them to the devices across their environment that they decide to monitor.

The Configuration Change Console automates the detection and capture of user and application actions that result in changes to the infrastructure without requesting or requiring user input. This automates the compliance audit trail and minimizes the time required to uncover compliance breaches.

Examples of components monitored for configuration change include:

- Files and directories
- Processes
- User accounts
- Server resources
- Databases
- Middleware
- Network devices

Integration Capabilities The Configuration Change Console complements many existing IT infrastructure and service management systems through the following integration approaches:

- **Change management system integration** — The Configuration Change Console integrates with popular change management systems (such as Remedy) to create a closed-loop change management solution. Integration is achieved through an adapter that enables communication between the change management system and Configuration Change Console. This integration enables the Configuration Change Console to determine if a change was authorized or unauthorized through an open request for change in the change management system.
- **Simple Network Management Protocol traps** — The Configuration Change Console can send an alert whenever a specific change is detected to any third-party system.
- **Standards-based APIs** — The Configuration Change Console is based on industry standards such as Java Platform, Enterprise Edition (J2EE), and Extensible Markup Language (XML), and can integrate with similar standards-based interfaces.

Configuration Change Console Restricted-use Licensing Configuration Change Console Server includes restricted-use licenses for Oracle Database (Enterprise Edition), Oracle BEA Weblogic, and Oracle Business Intelligence, solely for the purpose of running the Configuration Change Console Release Server.

- **Restricted-use License for Oracle Database (Enterprise Edition)**

Oracle includes restricted-use licenses for Oracle Database (Enterprise Edition) with licenses of Configuration Change Console Release. If you want to use the Oracle Database (Enterprise Edition) not solely for the purposes of running

Configuration Change Console Release Server, then you must purchase full-use licenses for Oracle Database (Enterprise Edition).

- **Restricted-use License for Oracle BEA Weblogic**

Oracle includes restricted-use licenses for Oracle BEA Weblogic with licenses of the Configuration Change Console Release. If you want to use the Oracle BEA Weblogic not solely for the purposes of running the Configuration Change Console Release 5 Server, then you must purchase full-use licenses for Oracle BEA Weblogic.

- **Restricted-use License for Oracle Business Intelligence**

Oracle includes restricted-use licenses for Oracle Business Intelligence with licenses of Configuration Change Console Release 5 (10.2.0.5). If you want to use Oracle Business Intelligence not solely for the purposes of reporting on the data within the Configuration Change Console Release 5 (10.2.0.5) Server, then you must purchase full-use licenses for Oracle Business Intelligence. You may use the restricted-use license to, (1) utilize out-of-box reports shipped with the Configuration Change Console, (2) modify out-of-box report visualization and layouts, (3) add additional data to reports with the Configuration Change Console repository as the sole source of additional data, (4) create new reports with the Configuration Change Console repository as the sole source of data.

Application Configuration Console

Enterprises today require a comprehensive solution for managing their application infrastructure underlying their mission-critical applications. The Application Configuration Console provides IT infrastructure teams with an automated “gold master” approach to application infrastructure configuration management that enables smooth delivery and support of mission-critical business applications. IT infrastructure personnel can capture the current state of configuration settings for IT assets, monitor them for changes, and automate processes for provisioning changes as well as set up new environments throughout the application lifecycle — from development, testing, and through production.

The Application Configuration Console provides:

- Management of database and IT infrastructure configuration data at individual property levels
- System-level configuration comparisons
- Template-based configuration collections
- Policy enforcement at individual configuration property levels
- Intelligent parameter-setting for configuration properties
- Change tracking and alerts for individual configuration property changes
- Blueprints for configuration collection of 100+ software assets
- Role-based views of configuration data
- Agentless collections

Configuration Management Pack Enterprise Manager Repository Views

The following repository views are part of Oracle Configuration Management Pack:

- **Policy Definition Views**
 - MGMT\$POLICIES

- MGMT\$POLICY_PARAMETERS
- MGMT\$POLICY_VIOLATION_CTXT
- MGMT\$POLICY_VIOL_ANNOTATIONS
- MGMT\$POLICY_VIOL_NOTIF_LOG
- **Policy Association Views**
 - MGMT\$TARGET_POLICIES
 - MGMT\$TARGET_POLICY_SETTINGS
 - MGMT\$TARGET_POLICY_EVAL_SUM
 - MGMT\$TARGET_COMPLIANCE_SCORE
- **Policy Violation Views**
 - MGMT\$POLICY_VIOLATION_CURRENT
 - MGMT\$POLICY_VIOLATION_HISTORY
 - MGMT\$POLICY_VIOLATION_CONTEXT
- **Configuration Views**
 - MGMT\$DB_TABLESPACES
 - MGMT\$DB_DATAFILES
 - MGMT\$DB_CONTROLFILES
- **Oracle Home Patching**
 - MGMT\$CPF_ADVISORY_INFO
 - MGMT\$CPF_HOMES_INFO
 - MGMT\$CPF_PATCH_INFO
 - MGMT\$EM_HOMES_PLATFORM
 - MGMT\$HOMES_AFFECTED
 - MGMT\$PATCH_ADVISORIES
 - MGMT\$APPL_PATCH_AND_PATCHSET
 - MGMT\$APPLIED_PATCHES
 - MGMT\$APPLIED_PATCHSETS
- **Linux Patching**
 - MGMT\$HOSTPATCH_HOSTS
 - MGMT\$HOSTPATCH_GROUPS
 - MGMT\$HOSTPATCH_GRP_COMPL_HIST
 - MGMT\$HOSTPATCH_HOST_COMPL
- **Security Views**
 - MGMT\$ESA_ALL_PRIVS_REPORT
 - MGMT\$ESA_ANY_DICT_REPORT
 - MGMT\$ESA_ANY_PRIV_REPORT
 - MGMT\$ESA_AUDIT_SYSTEM_REPORT

- MGMT\$ESA_BECOME_USER_REPORT
- MGMT\$ESA_CATALOG_REPORT
- MGMT\$ESA_CONN_PRIV_REPORT
- MGMT\$ESA_CREATE_PRIV_REPORT
- MGMT\$ESA_DBA_GROUP_REPORT
- MGMT\$ESA_DBA_ROLE_REPORT
- MGMT\$ESA_DIRECT_PRIV_REPORT
- MGMT\$ESA_EXMPT_ACCESS_REPORT
- MGMT\$ESA_KEY_OBJECTS_REPORT
- MGMT\$ESA_OH_OWNERSHIP_REPORT
- MGMT\$ESA_OH_PERMISSION_REPORT
- MGMT\$ESA_POWER_PRIV_REPORT
- MGMT\$ESA_PUB_PRIV_REPORT
- MGMT\$ESA_SYS_PUB_PKG_REPORT
- MGMT\$ESA_TABSP_OWNERS_REPORT
- MGMT\$ESA_TRC_AUD_PERM_REPORT
- MGMT\$ESA_WITH_ADMIN_REPORT
- MGMT\$ESA_WITH_GRANT_REPORT
- **Client Configuration Views**
 - MGMT\$CSA_COLLECTIONS
 - MGMT\$CSA_FAILED
 - MGMT\$CSA_HOST_OS_COMPONENTS
 - MGMT\$CSA_HOST_SW
 - MGMT\$CSA_HOST_COOKIES
 - MGMT\$CSA_HOST_CUSTOM
 - MGMT\$CSA_HOST_RULES
 - MGMT\$CSA_HOST_CPUS
 - MGMT\$CSA_HOST_IOCARDS
 - MGMT\$CSA_HOST_NICS
 - MGMT\$CSA_HOST_OS_PROPERTIES
 - MGMT\$CSA_HOST_OS_FILESYSTEMS
 - MGMT\$ECM_CONFIG_HISTORY
 - MGMT\$ECM_CONFIG_HISTORY_KEY1
 - MGMT\$ECM_CONFIG_HISTORY_KEY2
 - MGMT\$ECM_CONFIG_HISTORY_KEY3
 - MGMT\$ECM_CONFIG_HISTORY_KEY4
 - MGMT\$ECM_CONFIG_HISTORY_KEY5

- MGMT\$ECM_CONFIG_HISTORY_KEY6
- MGMT\$HW_NIC
- MGMT\$OS_COMPONENTS
- MGMT\$OS_FS_MOUNT
- MGMT\$OS_HW_SUMMARY
- MGMT\$OS_HW_SUMMARY
- MGMT\$OS_PATCHES
- MGMT\$OS_SUMMARY
- MGMT\$SOFTWARE_COMP_PATCHSET
- MGMT\$SOFTWARE_COMPONENT_ONEOFF
- MGMT\$SOFTWARE_COMPONENTS
- MGMT\$SOFTWARE_DEPENDENCIES
- MGMT\$SOFTWARE_HOMES
- MGMT\$SOFTWARE_ONEOFF_PATCHES
- MGMT\$SOFTWARE_OTHERS
- MGMT\$SOFTWARE_PATCHES_IN_HOMES
- MGMT\$SOFTWARE_PATCHSETS

Oracle Data Masking Pack

Oracle Data Masking Pack offers the ability to mask regulated or confidential data on test or development systems.

Oracle Data Masking Pack includes the following features:

- Mask format libraries
- Mask definitions
- Masking techniques
 - Condition-based masking
 - Compound masking
 - Deterministic masking
- Application masking templates import or export
- Mask format library import or export
- Masking script generation
- Clone and Mask workflow

Enterprise Manager

The following licensed pages and links in Enterprise Manager apply to Oracle Data Masking Pack.

From the Enterprise Manager Home page, select the **Schema** sub-tab. In the Data Masking section, the following links and associated pages are licensed as part of the pack:

- **Definitions:** All links, buttons, and drilldowns on this page are licensed features of this pack.
- **Format Library:** All links, buttons, and drilldowns on this page are licensed features of this pack.

Oracle Diagnostics Pack

Oracle Diagnostics Pack provides automatic performance diagnostic and advanced system monitoring functionality.

Oracle Diagnostics Pack includes the following features:

- Automatic Workload Repository
- Automatic Database Diagnostic Monitor (ADDM)
- Active Session History (ASH)
- Performance monitoring (database and host)
- Event notifications: notification methods, rules, and schedules
- Event history and metric history (database and host)
- Blackouts
- Dynamic metric baselines
- Monitoring templates
- Memory-access based performance monitoring
- Supporting functionality to perform per stream bottleneck detection and per component top wait event analysis
- Execution of the Real Application Testing 'Replay Compare Period Report'

In order to use the features listed above, you must purchase licenses for Oracle Diagnostics Pack. A new initialization parameter, `CONTROL_MANAGEMENT_PACK_ACCESS`, controls access to Oracle Diagnostics Pack and Oracle Tuning Pack. This parameter can be set to one of three values:

- `DIAGNOSTIC+TUNING`: Oracle Diagnostics Pack and Oracle Tuning Pack functionally is enabled in the database server.
- `DIAGNOSTIC`: Only Oracle Diagnostics Pack functionality is enabled in the server.
- `NONE`: Oracle Diagnostics Pack and Oracle Tuning Pack functionally is disabled in the database server.

Any and all methods of accessing Oracle Diagnostics Pack functionality, whether through Enterprise Manager Console, Desktop Widgets, command-line APIs, or direct access to the underlying data, requires an Oracle Diagnostics Pack license.

Enterprise Manager

To determine which links in Enterprise Manager Grid Control and Database Control are part of Oracle Diagnostics Pack, click the **Setup** link on the top right-hand part of the Enterprise Manager Home page.

- When you click the **Setup** link, the navigation bar contains the **Management Pack Access** link. Click this link.
- This will take you to the **Management Pack Access** page, which allows you to grant and remove access from all the management packs.

- For Enterprise Manager Database Control, click the **Remove Access** radio button for the Diagnostics Pack and click **Apply**.
- For Enterprise Manager Grid Control, click the appropriate check box for the Diagnostics Pack and click **Apply**.

This procedure disables all the links and tabs associated with Oracle Diagnostics Pack in Enterprise Manager. All the disabled links and tabs are part of Oracle Diagnostics Pack and therefore require a pack license.

Command-Line APIs

Oracle Diagnostics Pack features can also be accessed by way of database server APIs and command-line interfaces:

- The DBMS_WORKLOAD_REPOSITORY package is part of this pack.
- The DBMS_ADDM package is part of this pack.
- The DBMS_ADVISOR package is part of this pack if you specify ADDM as the value of the `advisor_name` parameter, or if you specify for the value of the `task_name` parameter any value starting with the ADDM prefix.
- The DBMS_WORKLOAD_REPLAY.COMPARE_PERIOD_REPORT function is part of this pack.
- The V\$ACTIVE_SESSION_HISTORY dynamic performance view and its underlying table, X\$ASH, are part of this pack.
- The DBA_STREAMS_TP_PATH_BOTTLENECK view is part of this pack.
- All views beginning with DBA_ADDM_ are part of this pack.
- Some data in DBA_STREAMS_TP_COMPONENT_STAT requires Oracle Diagnostics Pack. The following filter clause to any query on DBA_STREAMS_TP_COMPONENT_STAT shows Diagnostics-Pack-dependent data:

```
where STATISTIC_UNIT = 'PERCENT'
```

For example, the following query shows Diagnostics-Pack-dependent data only:

```
SELECT * FROM DBA_STREAMS_TP_COMPONENT_STAT
       where STATISTIC_UNIT = 'PERCENT';
```

- All data dictionary views beginning with the prefix DBA_HIST_ are part of this pack, along with their underlying tables. The only exception are the views: DBA_HIST_SNAPSHOT, DBA_HIST_DATABASE_INSTANCE, DBA_HIST_SNAP_ERROR, DBA_HIST_SEG_STAT, DBA_HIST_SEG_STAT_OBJ, and DBA_HIST_UNDOSTAT. They can be used without the Oracle Diagnostics Pack license.
- All data dictionary views with the prefix DBA_ADVISOR_ are part of this pack if queries to these views return rows with the value ADDM in the ADVISOR_NAME column or a value of ADDM* in the TASK_NAME column or the corresponding TASK_ID.
- The following reports found in the /rdbms/admin/ directory of the Oracle home directory are part of this pack: awrrpt.sql, awrrpti.sql, awrgprt.sql, awrgrpti.sql, awrgdrpt.sql, awrgdrpi.sql, addmrpt.sql, addmrpti.sql, ashrpt.sql, ashrpti.sql, awrddrpt.sql, awrddrpi.sql, awrsqrpti.sql, awrsqrpt.sql, awrextr.sql, awrload.sql, awrinfo.sql, spawrrac.sql.

Oracle Diagnostics Pack Enterprise Manager Repository Views

- **Monitoring Views**

- MGMT\$BLACKOUT_HISTORY
- MGMT\$BLACKOUTS
- MGMT\$ALERT_ANNOTATIONS
- MGMT\$ALERT_NOTIF_LOG
- MGMT\$TARGET_METRIC_COLLECTIONS
- MGMT\$METRIC_COLLECTIONS
- MGMT\$TARGET_METRIC_SETTINGS
- MGMT\$AVAILABILITY_CURRENT
- MGMT\$AVAILABILITY_HISTORY
- MGMT\$ALERT_CURRENT
- MGMT\$ALERT_HISTORY
- MGMT\$METRIC_DETAILS
- MGMT\$METRIC_CURRENT
- MGMT\$METRIC_HOURLY
- MGMT\$METRIC_DAILY
- **Template Views**
 - MGMT\$TEMPLATES
 - MGMT\$TEMPLATE_POLICY_SETTINGS
 - MGMT\$TEMPLATE_METRIC_COLLECTION
 - MGMT\$TEMPLATE_METRIC_SETTINGS

Oracle Provisioning and Patch Automation Pack

Oracle Provisioning and Patch Automation Pack automates the deployment of software, applications, and patches for the database and underlying operating system. It makes critical data center operations easy, efficient and scalable resulting in lower operational risk and cost of ownership. The ability to provision the entire software stack that includes the operating system and the database, supplemented by comprehensive reporting tools make Oracle Provisioning and Patch Automation Pack an extremely significant entity in overall System Management space.

Oracle Provisioning and Patch Automation Pack contains the following features:

- Automated patching for Oracle database products and the operating system
- Critical Patch Facility
- Bare metal OS provisioning
- Single instance and RAC provisioning, including when invoked in the context of Real Application Testing
- Single click cluster scale up and scale down
- Single instance-to-RAC conversion
- CLI driven runtime of the above operations
- Enterprise Security Advisor
- Provisioning and deployment reports

Oracle Tuning Pack

Oracle Tuning Pack provides database administrators with expert performance management for the Oracle environment, including SQL tuning and storage optimizations. Oracle Diagnostics Pack is a prerequisite product to Oracle Tuning Pack. Therefore, to use Oracle Tuning Pack, you must also have Oracle Diagnostics Pack.

Oracle Tuning Pack includes the following features:

- SQL Access Advisor
- SQL Tuning Advisor
- Automatic SQL Tuning
- SQL Tuning Sets
- Automatic Plan Evolution of SQL Plan Management
- SQL Monitoring
- Reorganize objects

In order to use the features listed above, you must purchase licenses for Oracle Tuning Pack, with one exception: SQL Tuning Sets can be used if you have licensed either Oracle Tuning Pack or Oracle Real Application Testing. A new initialization parameter, `CONTROL_MANAGEMENT_PACK_ACCESS`, is introduced to control access to Oracle Diagnostics Pack and Oracle Tuning Pack in the database server. This parameter can be set to one of three values:

- `DIAGNOSTIC+TUNING`: Oracle Diagnostics Pack and Oracle Tuning Pack functionally is enabled in the database server.
- `DIAGNOSTIC`: Only Oracle Diagnostics Pack functionality is enabled in the server.
- `NONE`: Oracle Diagnostics Pack and Oracle Tuning Pack functionally is disabled in the database server.

Any and all methods of accessing Oracle Tuning Pack functionality, whether through Enterprise Manager Console, Desktop Widgets, command-line APIs, or direct access to the underlying data, requires an Oracle Tuning Pack license.

Enterprise Manager

To determine which links in Enterprise Manager Grid Control and Database Control are part of Oracle Tuning Pack, click the **Setup** link on the top right-hand part of the Enterprise Manager Home page.

- When you click the **Setup** link, the navigation bar contains the **Management Pack Access** link. Click this link.
- This will take you to the Management Pack Access page, which allows you to grant and remove access from all the management packs.
 - For Enterprise Manager Database Control, click the **Remove Access** radio button for the Tuning Pack and click **Apply**.
 - For Enterprise Manager Grid Control, click the appropriate check box for the Tuning Pack and click **Apply**.

This procedure disables all the links and tabs associated with Oracle Tuning Pack in Enterprise Manager. All the disabled links and tabs are part of Oracle Tuning Pack and therefore require a pack license.

Command-Line APIs

Oracle Tuning Pack features can also be accessed by way of database server APIs and command-line interfaces:

- `DBMS_SQLTUNE`
- `DBMS_ADVISOR`, when the value of the `advisor_name` parameter is either SQL Tuning Advisor or SQL Access Advisor.
- `V$SQL_MONITOR`
- `V$SQL_PLAN_MONITOR`
- The following report found in the `/rdbms/admin/` directory of the Oracle home directory is part of this pack: `sqltrpt.sql`.

Other Oracle Products

In addition to the options and packs described in this chapter, Oracle provides two additional products for specific customer environments.

This section describes the following products:

- [Oracle Database Lite](#)
- [Oracle Programmer](#)
- [Oracle Secure Backup](#)

Oracle Database Lite

Oracle Database Lite Client Oracle Database Lite Client is a small general-purpose relational database used for mobile and embedded applications. Oracle Database Lite client can be used as a standalone database in embedded hardware and software applications or may be used as the data store for disconnected mobile applications when used with the Oracle Database Lite Mobile Server.

Each user must purchase a Named User Plus license.

Oracle Database Lite Mobile Server Oracle Database Lite Mobile Server is middle-tier infrastructure for mobile and disconnected applications that performs data synchronization and provides management for applications, users, and devices. Oracle Database Lite Mobile Server can use the Oracle Database Lite client as a data store for mobile and disconnected applications, providing efficient, reliable, and secure data management running locally on mobile and small-footprint devices (handhelds, notebooks, communicators, and so forth). The Lite Mobile Server supports scalable synchronization of data between devices and an Oracle Database.

Oracle Database Mobile Server is licensed by CPU.

Note: When Lite Mobile Server is used with Lite Client, customers must purchase at least one CPU license for Lite Mobile Server and a Named User Plus license for each client user.

Oracle Programmer

Oracle Programmer is a separate Oracle product that provides a programmatic interface to any edition of Oracle Database for application programmers. Programmer provides a rich set of interfaces for developers who build enterprise applications that

access and manipulate Oracle Database. This product is licensed separately from the Oracle Database products. Oracle Programmer is a family of the following products:

- Three embedded SQL-style interfaces: precompilers, SQL*Module, and SQLJ
- Two utilities to generate host-language bindings from database schemas: Object Type Translator and JPub

Oracle Secure Backup

Oracle Secure Backup provides tape backup management for the entire Oracle environment. You can use Oracle Secure Backup to back up Oracle databases and host file systems to tape through direct-attached or network-attached tape drives. Oracle Secure Backup provides centralized management and control over backup and restore operations.

Oracle Secure Backup is available in the following forms, each suitable for different development and deployment scenarios:

Oracle Secure Backup For environments that consist of many servers, Oracle Secure Backup offers high performance data protection from server to tape. This protection is crucial for local and offsite storage of business-critical data.

Oracle Secure Backup Express For environments that consist of a single server, Oracle Secure Backup Express offers the same tape backup functionality as Oracle Secure Backup, but is limited to a single host with one direct-attached tape drive.

Third-Party Licenses

This appendix contains licensing information about third-party products included with Oracle Database 11g Release 2 (11.2) and Oracle Exadata. This appendix contains the following sections:

- [Third-Party Product Licensing for Oracle Database](#)
- [Third-Party Product Licensing for Oracle Exadata](#)

Third-Party Product Licensing for Oracle Database

This section includes third-party license information for certain third-party products included with Oracle Database 11g Release 2 (11.2).

Third-Party Products Included with Oracle Database

Oracle acknowledges that the following third-party proprietary and open source software are used in the provided programs covered by this documentation.

Antlr

ANTLR 3 License

[The BSD License]

Copyright (c) 2003-2007, Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other Materials provided with the distribution.
- Neither the name of the author nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License, Version 2.0

The following applies to all products licensed under the Apache 2.0 License:

You may not use the identified files except in compliance with the Apache License, Version 2.0 (the "License.")

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>. A copy of the license is also reproduced below.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain

to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work\ by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The Apache Software License, Version 1.1

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names identified above with the specific software must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Software Foundation, Jakarta POI

Apache POI version 3.2, Copyright (c) 2001-2007 The Apache Software Foundation. All rights reserved. Licensed under the Apache 2.0 License Agreement.

Apache Software Foundation, mod_perl

Under the terms of the PERL license, Oracle is required to provide the following notices. Note, however, that the Oracle program license that accompanied this product determines your right to use the Oracle program, including the CPAN software, and the terms contained in the following notices do not change those rights.

This program contains the following third-party code: mod_perl

Copyright (c) 1999-2008, The Apache Software Foundation

You may obtain a standard version of the above program here:

<http://perl.apache.org>.

Apache FOP

Apache FOP 0.20.5

Copyright (c) 1999-2000, The Apache Software Foundation.

All rights reserved. Licensed under the Apache 1.1 License Agreement.

The names "Xerces", "Xalan", "Batik", "Jakarta", "Apache Avalon", "Avalon Excalibur", "Avalon Framework" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation and without limiting the foregoing, contains portions originally based on software copyright (c) 1999, International Business Machines, Inc., <http://www.ibm.com>, portions originally based on software copyright (c) 1999, Lotus Development Corporation, <http://www.lotus.com>, and portions originally created by Stefano Mazzocchi. For more information on the Apache Software Foundation, please see <http://www.apache.org/>.

Apache Software Foundation, commons-logging.jar

Apache Commons Logging

Copyright 2003-2007 The Apache Software Foundation

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

Apple MDNS (Bonjour)

Copyright (c) 2002-2004 Apple Computer, Inc.

All rights reserved.

Licensed under the Apache License, Version 2.0 (the "License")

To accommodate license compatibility with the widest possible range of client code licenses, the shared library code, which is linked at runtime into the same address space as the client using it, is licensed under the terms of the "Three-Clause BSD License".

The Linux Name Service Switch code, contributed by National ICT Australia Ltd (NICTA) is licensed under the terms of the NICTA Public Software Licence (which is

substantially similar to the "Three-Clause BSD License", with some additional language pertaining to Australian law).

Atsuhiko Yamanaka, JCraft, Inc., Java Secure Channel

Copyright (c) 2002,2003,2004,2005,2006,2007,2008 Atsuhiko Yamanaka, JCraft, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Baltimore Technologies, GTE Cybertrust Root Keys

ORACLE IS PROVIDING THE GTE CYBERTRUST ROOT KEY CERTIFICATES ON AN "AS IS" BASIS WITHOUT WARRANTY OF ANY KIND; ORACLE DOES NOT WARRANT THAT THE GTE CYBERTRUST ROOT KEY CERTIFICATES WILL BE PROVIDED UNINTERRUPTED OR ERROR-FREE; FURTHERMORE, ORACLE DISCLAIMS ALL EXPRESS AND IMPLIED WARRANTIES, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Certicom, SSL Plus

This product was developed using the SSL Plus Toolkit(tm) from Certicom, copyright (c) 2007 by Certicom Corporation.

Comprehensive Perl Archive Network (CPAN) Modules: DBD::Oracle, Compress::Zlib, Compress::Raw::Zlib

This program contains third-party code from the Comprehensive Perl Archive Network ("CPAN"). Under the terms of the CPAN license, Oracle is required to provide the following notices. Note, however, that the Oracle program license that accompanied this product determines your right to use the Oracle program, including the CPAN software, and the terms contained in the following notices do not change those rights.

Source code for the CPAN modules may be obtained at the following sites:

<http://www.cpan.org/>

Copyright (c) 1995-2007 Paul Marquess. All rights reserved.

This program is free software; you can redistribute it and/or modify it under the same terms as Perl itself.

The "Artistic License"

Preamble The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

"Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.

"Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as uunet.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
 - b) use the modified Package only within your corporation or organization.
 - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines (or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to emulate subroutines and variables of the language defined by this Package shall not be considered part of this Package, but are the equivalent of input as in Paragraph 6, provided these subroutines do not change the language in any way that would cause it to fail the regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always permitted provided that the use of this Package is embedded; that is, when no overt attempt is made to make this Package's interfaces visible to the end user of the commercial distribution. Such use shall not be construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Comprehensive Perl Archive Network (CPAN) Modules: Apache::DBI, DBI, Devel::Symdump, Digest::HMAC, Digest::MD2, Digest::SHA1, HTML::Parser, HTML::Tagset, libnet, libwin32, libwww-perl, Mail::Sender, MIME::Base64,

Net::Daemon, Perl Interpreter, Perl XML::Parser, PIRPC, Storable, Time-HiRes, URI, Win32::TieRegistry, Win32API::Registry

This program contains third-party code from the Comprehensive Perl Archive Network (CPAN). Under the terms of the CPAN license, Oracle is required to provide the following notices. Note, however, that the Oracle program license that accompanied this product determines your right to use the Oracle program, including the CPAN software, and the terms contained in the following notices do not change those rights. You may obtain copies of the original source code for the CPAN modules at the following site: <http://www.cpan.org/>.

FCKeditor

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

For more information about FCKeditor, go to:

<http://www.fckeditor.net/>

FreeBSD, MD5_Crypt

"THE BEER-WARE LICENSE" (Revision 42):

I wrote this file. As long as you retain this notice you can do whatever you want with this stuff. If we meet some day, and you think this stuff is worth it, you can buy me a beer in return. Poul-Henning Kamp

GNU, Jgroups

This product uses JGroups v 2.6.2, located in the installation tree at lib/java/shared/org.jgroups/2.6.2/src/JGroups-2.6.2.src.zip in source form and at lib/java/shared/org.jgroups/2.6.2/jgroups-core.jar as a compiled library, which is licensed under the LGPL v. 2.1, a copy of which appears below. As a courtesy to you, this product is provided together with the Oracle program. It is licensed to you under the LGPL. You may have additional rights with respect to this program as set forth in your license, or other, agreement with Oracle.

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages—typically libraries—of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot

distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY

PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

Copyright (C)

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

signature of Ty Coon, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

Info-ZIP, Zip Utility and Unzip Utility

This is version 2005-Feb-10 of the Info-ZIP copyright and license. The definitive version of this document should be available at

<ftp://ftp.info-zip.org/pub/infozip/license.html> indefinitely.

Copyright (c) 1990-2005 Info-ZIP. All rights reserved.

For the purposes of this copyright and license, "Info-ZIP" is defined as the following set of individuals:

Mark Adler, John Bush, Karl Davis, Harald Denker, Jean-Michel Dubois, Jean-loup Gailly, Hunter Goatley, Ed Gordon, Ian Gorman, Chris Herborth, Dirk Haase, Greg Hartwig, Robert Heath, Jonathan Hudson, Paul Kienitz, David Kirschbaum, Johnny Lee, Onno van der Linden, Igor Mandrichenko, Steve P. Miller, Sergio Monesi, Keith Owens, George Petrov, Greg Roelofs, Kai Uwe Rommel, Steve Salisbury, Dave Smith, Steven M. Schweda, Christian Spieler, Cosmin Truta, Antoine Verheijen, Paul von Behren, Rich Wales, Mike White

This software is provided "as is," without warranty of any kind, express or implied. In no event shall Info-ZIP or its contributors be held liable for any direct, indirect, incidental, special or consequential damages arising out of the use of or inability to use this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

- Redistributions of source code must retain the above copyright notice, definition, disclaimer, and this list of conditions.
- Redistributions in binary form (compiled executables) must reproduce the above copyright notice, definition, disclaimer, and this list of conditions in documentation and/or other materials provided with the distribution. The sole exception to this condition is redistribution of a standard UnZipSFX binary (including SFXWiz) as part of a self-extracting archive; that is permitted without inclusion of this license, as long as the normal SFX banner has not been removed from the binary or disabled.
- Altered versions--including, but not limited to, ports to new operating systems, existing ports with new graphical interfaces, and dynamic, shared, or static library versions--must be plainly marked as such and must not be misrepresented as being the original source. Such altered versions also must not be misrepresented as being Info-ZIP releases--including, but not limited to, labeling of the altered versions with the names "Info-ZIP" (or any variation thereof, including, but not limited to, different capitalizations), "Pocket UnZip," "WiZ" or "MacZip" without the explicit permission of Info-ZIP. Such altered versions are further prohibited from misrepresentative use of the Zip-Bugs or Info-ZIP e-mail addresses or of the Info-ZIP URL(s).
- Info-ZIP retains the right to use the names "Info-ZIP," "Zip," "UnZip," "UnZipSFX," "WiZ," "Pocket UnZip," "Pocket Zip," and "MacZip" for its own source and binary releases.

Stemming Technology 2.2, XLT API Developer Toolkit v.1.0.5 (including Updates), and Linguistic Databases (including Updates) for English, French, German, Italian, Spanish and Dutch from Inxight

Copyright (c) Inxight Software, Inc.

Jack Dongarra, BLAS and LAPACK C API

Copyright (c) , Jack Dongarra

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of BLAS or LPACK nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Jean-loup Gailly and Mark Adler, zlib

Oracle gratefully acknowledges the contributions of Jean-loup Gailly and Mark Adler in creating the zlib general purpose compression library which is used in this product.

JGoodies Looks

The BSD License for the JGoodies Looks

=====

Copyright (c) 2003 JGoodies Karsten Lentzsch. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of JGoodies Karsten Lentzsch nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Jython

Copyright (c) 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007 Jython Developers All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Jython Developers nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MapInfo Corp., Projections Code

Portions of this software Copyright 1992-2000, MapInfo Corporation, ALL RIGHTS RESERVED.

Massachusetts Institute of Technology, Kerberos

Copyright © 1985-2006 by the Massachusetts Institute of Technology.

Export of software employing encryption from the United States of America may require a specific license from the United States Government. It is the responsibility of any person or organization contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of M.I.T. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Furthermore if

you modify this software you must label your software as modified software and not distribute it in such a fashion that it might be confused with the original MIT software. M.I.T. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Individual source code files are copyright MIT, Cygnus Support, Novell, OpenVision Technologies, Oracle, Red Hat, Sun Microsystems, FundsXpress, and others.

Project Athena, Athena, Athena MUSE, Discuss, Hesiod, Kerberos, Moira, and Zephyr are trademarks of the Massachusetts Institute of Technology (MIT). No commercial use of these trademarks may be made without prior written permission of MIT.

"Commercial use" means use of a name in a product or other for-profit manner. It does NOT prevent a commercial firm from referring to the MIT trademarks in order to convey information (although in doing so, recognition of their trademark status should be given).

The following copyright and permission notice applies to the OpenVision Kerberos Administration system located in `kadmin/create`, `kadmin/dbutil`, `kadmin/passwd`, `kadmin/server`, `lib/kadm5`, and portions of `lib/rpc`:

Copyright, OpenVision Technologies, Inc., 1996, All Rights Reserved

WARNING: Retrieving the OpenVision Kerberos Administration system source code, as described below, indicates your acceptance of the following terms. If you do not agree to the following terms, do not retrieve the OpenVision Kerberos administration system.

You may freely use and distribute the Source Code and Object Code compiled from it, with or without modification, but this Source Code is provided to you "AS IS" EXCLUSIVE OF ANY WARRANTY, INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, WHETHER EXPRESS OR IMPLIED. IN NO EVENT WILL OPENVISION HAVE ANY LIABILITY FOR ANY LOST PROFITS, LOSS OF DATA OR COSTS OF PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, OR FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, INCLUDING, WITHOUT LIMITATION, THOSE RESULTING FROM THE USE OF THE SOURCE CODE, OR THE FAILURE OF THE SOURCE CODE TO PERFORM, OR FOR ANY OTHER REASON.

OpenVision retains all copyrights in the donated Source Code. OpenVision also retains copyright to derivative works of the Source Code, whether created by OpenVision or by a third party. The OpenVision copyright notice must be preserved if derivative works are made based on the donated Source Code.

OpenVision Technologies, Inc. has donated this Kerberos Administration system to MIT for inclusion in the standard Kerberos 5 distribution. This donation underscores our commitment to continuing Kerberos technology development and our gratitude for the valuable work which has been performed by MIT and the Kerberos community.

Portions contributed by Matt Crawford were work performed at Fermi National Accelerator Laboratory, which is operated by Universities Research Association, Inc., under contract DE-AC02-76CHO3000 with the U.S. Department of Energy.

Portions of `src/lib/crypto` have the following copyright:

Copyright © 1998 by the FundsXpress, INC.

All rights reserved.

Export of this software from the United States of America may require a specific license from the United States Government. It is the responsibility of any person or organization contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of FundsXpress. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. FundsXpress makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The implementation of the Yarrow pseudo-random number generator in `src/lib/crypto/yarrow` has the following copyright:

Copyright 2000 by Zero-Knowledge Systems, Inc.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Zero-Knowledge Systems, Inc. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. ero-Knowledge Systems, Inc. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

ZERO-KNOWLEDGE SYSTEMS, INC. DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL ZERO-KNOWLEDGE SYSTEMS, INC. BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTUOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The implementation of the AES encryption algorithm in `src/lib/crypto/aes` has the following copyright:

Copyright © 2001, Dr Brian Gladman, Worcester, UK. All rights reserved.

LICENSE TERMS

The free distribution and use of this software in both source and binary form is allowed (with or without changes) provided that:

1. distributions of this source code include the above copyright notice, this list of conditions and the following disclaimer;
2. distributions in binary form include the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other associated materials;
3. the copyright holder's name is not used to endorse products built using this software without specific written permission.

DISCLAIMER

This software is provided 'as is' with no explicit or implied warranties in respect of any properties, including, but not limited to, correctness and fitness for purpose.

Portions contributed by Red Hat, including the pre-authentication plug-in framework, contain the following copyright:

Copyright © 2006 Red Hat, Inc.

Portions copyright © 2006 Massachusetts Institute of Technology

All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Red Hat, Inc., nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The implementations of GSSAPI mechglue in GSSAPI-SPNEGO in `src/lib/gssapi`, including the following files:

```
lib/gssapi/generic/gssapi_err_generic.et
lib/gssapi/mechglue/g_accept_sec_context.c
lib/gssapi/mechglue/g_acquire_cred.c
lib/gssapi/mechglue/g_canon_name.c
lib/gssapi/mechglue/g_compare_name.c
lib/gssapi/mechglue/g_context_time.c
lib/gssapi/mechglue/g_delete_sec_context.c
lib/gssapi/mechglue/g_dsp_name.c
lib/gssapi/mechglue/g_dsp_status.c
lib/gssapi/mechglue/g_dup_name.c
lib/gssapi/mechglue/g_exp_sec_context.c
lib/gssapi/mechglue/g_export_name.c
```

lib/gssapi/mechglue/g_glue.c
lib/gssapi/mechglue/g_imp_name.c
lib/gssapi/mechglue/g_imp_sec_context.c
lib/gssapi/mechglue/g_init_sec_context.c
lib/gssapi/mechglue/g_initialize.c
lib/gssapi/mechglue/g_inquire_context.c
lib/gssapi/mechglue/g_inquire_cred.c
lib/gssapi/mechglue/g_inquire_names.c
lib/gssapi/mechglue/g_process_context.c
lib/gssapi/mechglue/g_rel_buffer.c
lib/gssapi/mechglue/g_rel_cred.c
lib/gssapi/mechglue/g_rel_name.c
lib/gssapi/mechglue/g_rel_oid_set.c
lib/gssapi/mechglue/g_seal.c
lib/gssapi/mechglue/g_sign.c
lib/gssapi/mechglue/g_store_cred.c
lib/gssapi/mechglue/g_unseal.c
lib/gssapi/mechglue/g_userok.c
lib/gssapi/mechglue/g_utils.c
lib/gssapi/mechglue/g_verify.c
lib/gssapi/mechglue/gssd_pname_to_uid.c
lib/gssapi/mechglue/mglueP.h
lib/gssapi/mechglue/oid_ops.c
lib/gssapi/spnego/gssapiP_spnego.h
lib/gssapi/spnego/spnego_mech.c

are subject to the following license:

Copyright © 2004 Sun Microsystems, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Kerberos V5 includes documentation and software developed at the University of California at Berkeley, which includes this copyright notice:

Copyright © 1983 Regents of the University of California.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Portions contributed by Novell, Inc., including the LDAP database backend, are subject to the following license:

Copyright (c) 2004-2005, Novell, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- The copyright holder's name is not used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS

OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission is granted to make and distribute verbatim copies of this manual provided the copyright notices and this permission notice are preserved on all copies.

Permission is granted to copy and distribute modified versions of this manual under the conditions for verbatim copying, provided also that the entire resulting derived work is distributed under the terms of a permission notice identical to this one.

Permission is granted to copy and distribute translations of this manual into another language, under the above conditions for modified versions.

PHP, Regular Expression Package

PHP Regular Expression Package

This product includes PHP software, freely available from

The PHP License, version 3.01

Copyright (c) 1999 - 2006 The PHP Group. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, is permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "PHP" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact group@php.net.
4. Products derived from this software may not be called "PHP", nor may "PHP" appear in their name, without prior written permission from group@php.net. You may indicate that your software works in conjunction with PHP by saying "Foo for PHP" instead of calling it "PHP Foo" or "phpfoo"
5. The PHP Group may publish revised and/or new versions of the license from time to time. Each version will be given a distinguishing version number. Once covered code has been published under a particular version of the license, you may always continue to use it under the terms of that version. You may also choose to use such covered code under the terms of any subsequent version of the license published by the PHP Group. No one other than the PHP Group has the right to modify the terms applicable to covered code created under this License.
6. Redistributions of any form whatsoever must retain the following acknowledgment:

"This product includes PHP software, freely available from

".

THIS SOFTWARE IS PROVIDED BY THE PHP DEVELOPMENT TEAM ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE PHP DEVELOPMENT TEAM OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

 This software consists of voluntary contributions made by many individuals on behalf of the PHP Group.

The PHP Group can be contacted via Email at group@php.net.

For more information on the PHP Group and the PHP project, please see .

PHP includes the Zend Engine, freely available at .

RSA Data Security, Bsafe Cert-C Toolkit

This product includes code licensed from RSA Data Security.



Sibental, Inc., AnyChart Flash Chart Component

Flash chart support in Oracle Application Express is based on the Anychart Flash Chart Component. Anychart is a flexible Macromedia Flash-based solution that enables developers to create animated, compact, interactive flash charts. Flash charts are rendered by a browser and require Flash player 8 or later. Flash charts used in interactive reports require Flash Player 9 or later. For more information about Anychart, go to:

<http://www.anychart.com>

Any attempt to unbundle the AnyChart Flash Chart Component from an Oracle product, or to use the AnyChart Flash Chart Component outside of the Oracle product will be in violation of this license and will result in the immediate termination of this license.

SourceForge, Expat - C library for XML Parser

Copyright (c) 1998, 1999, 2000 Thai Open Source Software Center Ltd
and Clark Cooper

Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006 Expat maintainers.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit

persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

SourceForge.net, Jacl (Java Tcl)

This program contains third-party code from Tcl and such code is governed by the following license terms. and the terms contained in the following notices do not change those rights. Notwithstanding anything to the contrary in the Oracle program license, the Tcl software is provided by Oracle AS-IS and without warranty or support of any kind from Oracle or any other party.

SUN MICROSYSTEMS, INC. THROUGH ITS SUN MICROSYSTEMS LABORATORIES DIVISION ("SUN") WILL LICENSE THIS SOFTWARE AND THE ACCOMPANYING DOCUMENTATION TO YOU (a "Licensee") ONLY ON YOUR ACCEPTANCE OF ALL THE TERMS SET FORTH BELOW.

Sun grants Licensee a non-exclusive, royalty-free right to download, install, compile, use, copy and distribute the Software, modify or otherwise create derivative works from the Software (each, a "Modification") and distribute any Modification in source code and/or binary code form to its customers with a license agreement containing these terms and noting that the Software has been modified. The Software is copyrighted by Sun and other third parties and Licensee shall retain and reproduce all copyright and other notices presently on the Software. As between Sun and Licensee, Sun is the sole owner of all rights in and to the Software other than the limited rights granted to Licensee herein; Licensee will own its Modifications, expressly subject to Sun's continuing ownership of the Software. Licensee will, at its expense, defend and indemnify Sun and its licensors from and against any third party claims, including costs and reasonable attorneys' fees, and be wholly responsible for any liabilities arising out of or related to Licensee's development, use or distribution of the Software or Modifications. Any distribution of the Software and Modifications must comply with all applicable United States export control laws.

THE SOFTWARE IS BEING PROVIDED TO LICENSEE "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED. IN NO EVENT WILL SUN BE LIABLE HEREUNDER FOR ANY DIRECT DAMAGES OR ANY INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND.

Portions of Jacl and Tcl Blend are Copyright (c) 1997-1999 The Regents of the University of California.

All rights reserved.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation

for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE UNIVERSITY OF CALIFORNIA BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE UNIVERSITY OF CALIFORNIA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE UNIVERSITY OF CALIFORNIA SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE UNIVERSITY OF CALIFORNIA HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

Sun Microsystems, Sun JDK/JRE

Oracle is required to provide the following notice as part of the license terms for the Sun JRE that the field of use for the JRE is:

- (i) general purpose desktop computers, laptops and servers, and
- (ii) embedded systems (by way of example: embedded applications, cell phones, PDAs, TV devices, digital set top boxes, telematics devices and home gateway devices), provided that the Java Runtime Environment (JRE) is licensed only to run Licensee applications, middleware and database products and the JRE is not licensed to directly run any third party applications. This shall not be understood to prevent third party applications from indirectly and incidentally utilizing the JRE, but only as such is required to enable other Licensee Product functionality.

Sun Microsystems, IPMItool

Copyright © 2003 Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistribution of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Sun Microsystems, Inc. or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any kind.

ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN MICROSYSTEMS, INC. ("SUN") AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES SUFFERED BY LICENSEE AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THIS SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE

OF OR INABILITY TO USE THIS SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that this software is not designed or intended for use in the design, construction, operation or maintenance of any nuclear facility.

xmlsoft.org, libxml2

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mod_ssl, Ralf S. Engelschall

Copyright (c) 1998-2001 Ralf S. Engelschall. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:

This product includes software developed by Ralf S. Engelschall
<rse@engelschall.com> for use in the mod_ssl project
(<http://www.modssl.org/>)

4. The names "mod_ssl" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact rse@engelschall.com.
5. Products derived from this software may not be called "mod_ssl" nor may "mod_ssl" appear in their names without prior written permission of Ralf S. Engelschall.
6. Redistributions of any form whatsoever must retain the following acknowledgment:

This product includes software developed by Ralf S. Engelschall
<rse@engelschall.com> for use in the mod_ssl project
(<http://www.modssl.org/>)

THIS SOFTWARE IS PROVIDED BY RALF S. ENGELSCHALL AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL RALF S. ENGELSCHALL OR HIS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

TCL 8.2.3

This product includes TCL v. 8.2.3 files which require inclusion of the following notice:

This software is copyrighted by the Regents of the University of California, Sun Microsystems, Inc., Scriptics Corporation, and other parties. The following terms apply to all files associated with the software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute, and license this software and its documentation for any purpose, provided that existing copyright notices are retained in all copies and that this notice is included verbatim in any distributions. No written agreement, license, or royalty fee is required for any of the authorized uses.

Modifications to this software may be copyrighted by their authors and need not follow the licensing terms described here, provided that the new terms are clearly indicated on the first page of each file where they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

GOVERNMENT USE: If you are acquiring this software on behalf of the U.S. government, the Government shall have only "Restricted Rights" in the software and related documentation as defined in the Federal Acquisition Regulations (FARs) in Clause 52.227.19 (c) (2). If you are acquiring the software on behalf of the Department of Defense, the software shall be classified as "Commercial Computer Software" and the Government shall have only "Restricted Rights" as defined in Clause 252.227-7013 (c) (1) of DFARs. Notwithstanding the foregoing, the authors grant the U.S. Government and others acting in its behalf permission to use and distribute the software in accordance with the terms specified in this license.

A. CS CodeViewer v1.0; Use of any of this software is governed by the terms of the license below:

Copyright 1999 by CoolServlets.com.

Any errors or suggested improvements to this class can be reported as instructed on CoolServlets.com. We hope you enjoy this program... your comments will encourage further development! This software is distributed under the terms of the BSD License. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither name of CoolServlets.com nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

"THIS SOFTWARE IS PROVIDED BY COOLSERVLETS.COM AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE."

B. DES and 3xDES; Use of any of this software is governed by the terms of the license below:

"Copyright 2000 by Jef Poskanzer <jef@acme.com>. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE."

C. Crimson v1.1.1; Use of any of this software is governed by the terms of the license below:

The Apache Software License, Version 1.1

Copyright (c) 1999-2000 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation

<http://www.apache.org/>

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Crimson" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation and was originally based on software copyright (c) 1999, International Business Machines, Inc.,

<http://www.ibm.com>

For more information on the Apache Software Foundation, please see

<http://www.apache.org/>.

D. Xalan J2; Use of any of this software is governed by the terms of the license below:

The Apache Software License, Version 1.1

Copyright (c) 1999-2000 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation:

<http://www.apache.org/>).

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Xalan" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation and was originally based on software copyright (c) 1999, International Business Machines, Inc.:

<http://www.ibm.com>

For more information on the Apache Software Foundation, please see

<http://www.apache.org/>

E. NSIS 1.0j; Use of any of this software is governed by the terms of the license below:

Copyright (C) 1999-2000 Nullsoft, Inc.

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software. Permission is granted to anyone to use this software for any purpose, including

commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution. Justin Frankel justin@nullsoft.com"

**F. Some Portions licensed from IBM are available at:
<http://oss.software.ibm.com/icu4j/>**

G. Portions Copyright Eastman Kodak Company 1992

H. Lucida is a registered trademark or trademark of Bigelow & Holmes in the U.S. and other countries.

I. Portions licensed from Taligent, Inc.

Additionally for JRE/JDK 1.5 / 5.0

The following software may be included in this product:

A. IAIK PKCS Wrapper

Use of any of this software is governed by the terms of the license below:

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. 4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. 5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Document Object Model (DOM) v. Level 3

Use of any of this software is governed by the terms of the license below:

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used

with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS. COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on August 14 1998 so as to improve compatibility with GPL. This version ensures that W3C software licensing terms are no more restrictive than GPL and consequently W3C software may be distributed in GPL packages. See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

W3C XML Schema Test Collection v. 1.16.2

Use of any of this software is governed by the terms of the license below:

W3C DOCUMENT NOTICE AND LICENSE

Copyright 1994-2002 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

Public documents on the W3C site are provided by the copyright holders under the following license. The software or Document Type Definitions (DTDs) associated with W3C specifications are governed by the Software Notice. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to use, copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.

2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice of the form: "Copyright yyyy [date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>" (Hypertext is preferred, but a textual representation is permitted.)
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on April 05 1999 so as to account for the treatment of DTDs, schema's and bindings. See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org. webmaster (last updated by reagle on 1999/04/99.)

Mesa 3-D graphics library v. 5

Use of any of this software is governed by the terms of the license below:

core Mesa code include/GL/gl.h Brian Paul Mesa

GLX driver include/GL/glx.h Brian Paul Mesa

Ext registry include/GL/glexth SGI SGI Free B

include/GL/glxext.h

Mesa license:

The Mesa distribution consists of several components. Different copyrights and licenses apply to different components. For example, GLUT is copyrighted by Mark Kilgard, some demo programs are copyrighted by SGI, some of the Mesa device

drivers are copyrighted by their authors. See below for a list of Mesa's components and the copyright/license for each.

The core Mesa library is licensed according to the terms of the XFree86 copyright (an MIT-style license). This allows integration with the XFree86/DRI project. Unless otherwise stated, the Mesa source code and documentation is licensed as follows:

Copyright (C) 1999-2003 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL BRIAN PAUL BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Byte Code Engineering Library (BCEL) v. 5

Use of any of this software is governed by the terms of the license below:

Apache Software License

/*

=====

The Apache Software License, Version 1.1

Copyright (c) 2001 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Apache" and "Apache Software Foundation" and "Apache BCEL" must not be used to endorse or promote products derived from this software

without prior written permission. For written permission, please contact apache@apache.org.

5. Products derived from this software may not be called "Apache", "Apache BCEL", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <http://www.apache.org/>.

Regexp, Regular Expression Package v. 1.2

Use of any of this software is governed by the terms of [The Apache Software License, Version 1.1](#).

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <http://www.apache.org>.

CUP Parser Generator for Java v. 0.10k; Use of any of this software is governed by the terms of the license below:

CUP Parser Generator Copyright Notice, License, and Disclaimer

Copyright 1996-1999 by Scott Hudson, Frank Flannery, C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

JLex: A Lexical Analyzer Generator for Java v. 1.2.5

Use of any of this software is governed by the terms of the license below:

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

Java is a trademark of Sun Microsystems, Inc. References to the Java programming language in relation to JLex are not meant to imply that Sun endorses this product.

SAX v. 2.0.1

Use of any of this software is governed by the terms of the license below:

Copyright Status

SAX is free!

In fact, it's not possible to own a license to SAX, since it's been placed in the public domain.

No Warranty

Because SAX is released to the public domain, there is no warranty for the design or for the software implementation, to the extent permitted by applicable law. Except when otherwise stated in writing the copyright holders and/or other parties provide SAX "as is" without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. The entire risk as to the quality and performance of SAX is with you.

Should SAX prove defective, you assume the cost of all necessary servicing, repair or correction.

In no event unless required by applicable law or agreed to in writing will any copyright holder, or any other party who may modify and/or redistribute SAX, be liable to you for damages, including any general, special, incidental or consequential damages arising out of the use or inability to use SAX (including but not limited to loss of data or data being rendered inaccurate or losses sustained by you or third parties or a failure of the SAX to operate with any other programs), even if such holder or other party has been advised of the possibility of such damages.

Copyright Disclaimers

This page includes statements to that effect by David Megginson, who would have been able to claim copyright for the original work.

SAX 1.0

Version 1.0 of the Simple API for XML (SAX), created collectively by the membership of the XML-DEV mailing list, is hereby released into the public domain.

No one owns SAX: you may use it freely in both commercial and non-commercial applications, bundle it with your software distribution, include it on a CD-ROM, list the source code in a book, mirror the documentation at your own web site, or use it in any other way you see fit.

David Megginson, sax@megginson.com

1998-05-11

SAX 2.0

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com

2000-05-05

Cryptix

Use of any of this software is governed by the terms of the license below:

Cryptix General License

Copyright © 1995-2003 The Cryptix Foundation Limited. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Third-Party Product Licensing for Oracle Exadata

This section contains licensing information about third-party products included with Oracle Exadata Storage Cell.

- [Info-ZIP](#)
- [JLine](#)
- [Byacc](#)
- [JDK, JRE, JAI, Java Access Bridge, and Java Mail](#)
- [Third-Party Products Included with Sun Microsystems Products](#)

Info-ZIP

This is version 2007-Mar-4 of the Info-ZIP license. The definitive version of this document should be available at

<ftp://ftp.info-zip.org/pub/infozip/license.html> indefinitely and a copy at <http://www.info-zip.org/pub/infozip/license.html>.

Copyright (c) 1990-2007 Info-ZIP. All rights reserved.

For the purposes of this copyright and license, "Info-ZIP" is defined as the following set of individuals:

Mark Adler, John Bush, Karl Davis, Harald Denker, Jean-Michel Dubois, Jean-loup Gailly, Hunter Goatley, Ed Gordon, Ian Gorman, Chris Herborth, Dirk Haase, Greg Hartwig, Robert Heath, Jonathan Hudson, Paul Kienitz, David Kirschbaum, Johnny Lee, Onno van der Linden, Igor Mandrichenko, Steve P. Miller, Sergio Monesi, Keith Owens, George Petrov, Greg Roelofs, Kai Uwe Rommel, Steve Salisbury, Dave Smith, Steven M. Schweda, Christian Spieler, Cosmin Truta, Antoine Verheijen, Paul von Behren, Rich Wales, Mike White.

This software is provided "as is," without warranty of any kind, express or implied. In no event shall Info-ZIP or its contributors be held liable for any direct, indirect, incidental, special or consequential damages arising out of the use of or inability to use this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the above disclaimer and the following restrictions:

1. Redistributions of source code (in whole or in part) must retain the above copyright notice, definition, disclaimer, and this list of conditions.
2. Redistributions in binary form (compiled executables and libraries) must reproduce the above copyright notice, definition, disclaimer, and this list of conditions in documentation and/or other materials provided with the distribution. The sole exception to this condition is redistribution of a standard UnZipSFX binary (including SFXWiz) as part of a self-extracting archive; that is permitted without inclusion of this license, as long as the normal SFX banner has not been removed from the binary or disabled.
3. Altered versions--including, but not limited to, ports to new operating systems, existing ports with new graphical interfaces, versions with modified or added functionality, and dynamic, shared, or static library versions not from Info-ZIP--must be plainly marked as such and must not be misrepresented as being the original source or, if binaries, compiled from the original source. Such altered versions also must not be misrepresented as being Info-ZIP releases--including, but not limited to, labeling of the altered versions with the names "Info-ZIP" (or any variation thereof, including, but not limited to, different capitalizations), "Pocket UnZip," "WiZ" or "MacZip" without the explicit permission of Info-ZIP. Such altered versions are further prohibited from misrepresentative use of the Zip-Bugs or Info-ZIP e-mail addresses or the Info-ZIP URL(s), such as to imply Info-ZIP will provide support for the altered versions.
4. * "THE BEER-WARE LICENSE" (Revision 42):
5. wrote this file. As long as you retain this notice you can do whatever you want with this stuff. If we meet some day, and you think this stuff is worth it, you can buy me a beer in return. Poul-Henning Kamp Info-ZIP retains the right to use the names "Info-ZIP," "Zip," "UnZip," "UnZipSFX," "WiZ," "Pocket UnZip," "Pocket Zip," and "MacZip" for its own source and binary releases.

JLine

Copyright (c) 2002-2006, Marc Prud'hommeaux (mwp1@cornell.edu) All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
- This software is provided by the copyright holders and contributors *AS IS* and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright owner or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Byacc

Berkeley Yacc is in the public domain. The data structures and algorithms used in Berkeley Yacc are all either taken from documents available to the general public or are inventions of the author. Anyone may freely distribute source or binary forms of Berkeley Yacc whether unchanged or modified.

Distributors may charge whatever fees they can obtain for Berkeley Yacc. Programs generated by Berkeley Yacc may be distributed freely.

JDK, JRE, JAI, Java Access Bridge, and Java Mail

JRE 1.5.0, JDK 1.5.0, Java Advanced Imaging (JAI) 1.1.1_01, Java Access Bridge 1.0.2 (Production Version) and Java Mail 1.1.3. are from Sun Microsystems.

This product includes code provided by Sun Microsystems.



Third-Party Products Included with Sun Microsystems Products

Sun Microsystems has indicated that the following materials may be included in the Java Development Kit and/or JRE materials that are included in this Oracle product.

Sun Microsystems currently provides the following notices as part of the Sun distribution:

A. CS CodeViewer v1.0; Use of any of this software is governed by the terms of the license below:

Copyright 1999 by CoolServlets.com.

Any errors or suggested improvements to this class can be reported as instructed on CoolServlets.com. We hope you enjoy this program... your comments will encourage further development! This software is distributed under the terms of the BSD License. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither name of CoolServlets.com nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

"THIS SOFTWARE IS PROVIDED BY COOLSERVLETS.COM AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE."

B. DES and 3xDES; Use of any of this software is governed by the terms of the license below:

"Copyright 2000 by Jef Poskanzer <jef@acme.com>. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR

BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE."

C. Crimson v1.1.1; Use of any of this software is governed by the terms of the license below:

The Apache Software License, Version 1.1

Copyright (c) 1999-2000 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation

<http://www.apache.org/>

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Crimson" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation and was originally based on software copyright (c) 1999, International Business Machines, Inc.,

<http://www.ibm.com>

For more information on the Apache Software Foundation, please see

<http://www.apache.org/>.

D. Xalan J2; Use of any of this software is governed by the terms of the license below:

The Apache Software License, Version 1.1

Copyright (c) 1999-2000 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation:

<http://www.apache.org/>).

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Xalan" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation and was originally based on software copyright (c) 1999, International Business Machines, Inc.:

<http://www.ibm.com>

For more information on the Apache Software Foundation, please see

<http://www.apache.org/>

E. NSIS 1.0j; Use of any of this software is governed by the terms of the license below:

Copyright (C) 1999-2000 Nullsoft, Inc.

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software. Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution. Justin Frankel justin@nullsoft.com"

**F. Some Portions licensed from IBM are available at:
<http://oss.software.ibm.com/icu4j/>**

G. Portions Copyright Eastman Kodak Company 1992

H. Lucida is a registered trademark or trademark of Bigelow & Holmes in the U.S. and other countries.

I. Portions licensed from Taligent, Inc.

Additionally for JRE/JDK 1.5 / 5.0

The following software may be included in this product:

A. IAIK PKCS Wrapper

Use of any of this software is governed by the terms of the license below:

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. 4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.

5. 5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Document Object Model (DOM) v. Level 3

Use of any of this software is governed by the terms of the license below:

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS. COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on August 14 1998 so as to improve compatibility with GPL. This version ensures that W3C software licensing terms are no more restrictive than GPL and consequently W3C software may be distributed in GPL packages. See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

W3C XML Schema Test Collection v. 1.16.2

Use of any of this software is governed by the terms of the license below:

W3C DOCUMENT NOTICE AND LICENSE

Copyright 1994-2002 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

Public documents on the W3C site are provided by the copyright holders under the following license. The software or Document Type Definitions (DTDs) associated with W3C specifications are governed by the Software Notice. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to use, copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and

without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice of the form: "Copyright ýýýý [\$date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>" (Hypertext is preferred, but a textual representation is permitted.)
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

 This formulation of W3C's notice and license became active on April 05 1999 so as to account for the treatment of DTDs, schema's and bindings. See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org. webmaster (last updated by reagle on 1999/04/99.)

Mesa 3-D graphics library v. 5

Use of any of this software is governed by the terms of the license below:

core Mesa code include/GL/gl.h Brian Paul Mesa

GLX driver include/GL/glx.h Brian Paul Mesa

Ext registry include/GL/glexth.h SGI SGI Free B

include/GL/glexth.h

Mesa license:

The Mesa distribution consists of several components. Different copyrights and licenses apply to different components. For example, GLUT is copyrighted by Mark Kilgard, some demo programs are copyrighted by SGI, some of the Mesa device drivers are copyrighted by their authors. See below for a list of Mesa's components and the copyright/license for each.

The core Mesa library is licensed according to the terms of the XFree86 copyright (an MIT-style license). This allows integration with the XFree86/DRI project. Unless otherwise stated, the Mesa source code and documentation is licensed as follows:

Copyright (C) 1999-2003 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL BRIAN PAUL BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Byte Code Engineering Library (BCEL) v. 5

Use of any of this software is governed by the terms of the license below:

Apache Software License

/*

=====

The Apache Software License, Version 1.1

Copyright (c) 2001 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Apache" and "Apache Software Foundation" and "Apache BCEL" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
5. Products derived from this software may not be called "Apache", "Apache BCEL", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see.

Regexp, Regular Expression Package v. 1.2

Use of any of this software is governed by the terms of [The Apache Software License, Version 1.1](#).

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <http://www.apache.org>.

CUP Parser Generator for Java v. 0.10k; Use of any of this software is governed by the terms of the license below:

CUP Parser Generator Copyright Notice, License, and Disclaimer

Copyright 1996-1999 by Scott Hudson, Frank Flannery, C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

JLex: A Lexical Analyzer Generator for Java v. 1.2.5

Use of any of this software is governed by the terms of the license below:

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

Java is a trademark of Sun Microsystems, Inc. References to the Java programming language in relation to JLex are not meant to imply that Sun endorses this product.

SAX v. 2.0.1

Use of any of this software is governed by the terms of the license below:

Copyright Status

SAX is free!

In fact, it's not possible to own a license to SAX, since it's been placed in the public domain.

No Warranty

Because SAX is released to the public domain, there is no warranty for the design or for the software implementation, to the extent permitted by applicable law. Except when otherwise stated in writing the copyright holders and/or other parties provide SAX "as is" without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. The entire risk as to the quality and performance of SAX is with you.

Should SAX prove defective, you assume the cost of all necessary servicing, repair or correction.

In no event unless required by applicable law or agreed to in writing will any copyright holder, or any other party who may modify and/or redistribute SAX, be liable to you for damages, including any general, special, incidental or consequential damages arising out of the use or inability to use SAX (including but not limited to loss of data or data being rendered inaccurate or losses sustained by you or third parties or a failure of the SAX to operate with any other programs), even if such holder or other party has been advised of the possibility of such damages.

Copyright Disclaimers

This page includes statements to that effect by David Megginson, who would have been able to claim copyright for the original work.

SAX 1.0

Version 1.0 of the Simple API for XML (SAX), created collectively by the membership of the XML-DEV mailing list, is hereby released into the public domain.

No one owns SAX: you may use it freely in both commercial and non-commercial applications, bundle it with your software distribution, include it on a CD-ROM, list the source code in a book, mirror the documentation at your own web site, or use it in any other way you see fit.

David Megginson, sax@megginson.com

1998-05-11

SAX 2.0

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com

2000-05-05

Cryptix

Use of any of this software is governed by the terms of the license below:

Cryptix General License

Copyright © 1995-2003 The Cryptix Foundation Limited. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Index

D

database options, 2-1
 Active Data Guard, 2-2
 Advanced Security, 2-3
 Data Mining, 2-3
 Database Vault, 2-5
 Label Security, 2-6
 OLAP, 2-6
 Oracle Advanced Compression, 2-2
 Oracle RAC One Node, 2-7
 Oracle Real Application Clusters, 2-8
 Partitioning, 2-7
 Real Application Testing, 2-8
 Spatial, 2-9
 Total Recall, 2-10

E

Enterprise Edition, 1-1
Express Edition, 1-1

L

Lite, 2-24

M

management packs, 2-11
 Oracle Change Management, 2-11
 Oracle Configuration Management, 2-12
 Oracle Data Masking Pack, 2-19
 Oracle Diagnostic Pack, 2-20
 Oracle Provisioning and Patch Automation Pack, 2-22
 Oracle Tuning Pack, 2-23

O

OLAP option, 2-6
Oracle Active Data Guard, 2-2
Oracle Advanced Compression, 2-2
Oracle Advanced Security, 2-3
Oracle Change Management Pack, 2-11
Oracle Configuration Management Pack, 2-12
Oracle Data Masking Pack, 2-19
Oracle Data Mining, 2-3

Oracle Data Profiling and Quality Option, 2-4
Oracle Data Watch and Repair Connector, 2-5
Oracle Database Enterprise Edition, 1-1
Oracle Database Express Edition, 1-1
Oracle Database Lite, 2-24
Oracle Database Personal Edition, 1-2
Oracle Database Standard Edition, 1-1
Oracle Database Standard Edition One, 1-1
Oracle Database Vault, 2-5
Oracle Database XE, 1-1
Oracle Diagnostic Pack, 2-20
Oracle HTTP Server, 1-10
Oracle In-Memory Database Cache, 2-5
Oracle Label Security, 2-6
Oracle OLAP, 2-6
Oracle On-Line Analytical Processing, 2-6
Oracle Partitioning, 2-7
Oracle Provisioning and Patch Automation Pack, 2-22
Oracle RAC One Node, 2-7
Oracle Real Application Clusters, 2-8
Oracle Real Application Testing, 2-8
Oracle Secure Backup, 2-25
Oracle Spatial, 2-9
Oracle Total Recall, 2-10
Oracle Tuning Pack, 2-23

P

Personal Edition, 1-2

S

software editions, 1-1
Standard Edition, 1-1
Standard Edition One, 1-1

X

XStream, 1-10

