



**ORACLE® ENTERPRISE PERFORMANCE MANAGEMENT
SYSTEM**

**ORACLE® HYPERION ENTERPRISE PERFORMANCE MANAGEMENT
ARCHITECT**

Release 11.1.2.2

ACCESSIBILITY GUIDE



CONTENTS IN BRIEF

Keyboard Equivalents	2
Transform Classic to EPM Architect Wizard	14
Manage Planning Data Sources	14
Configure Interface Data Source	15
Job Console	15
Data Synchronization	16

Keyboard Equivalents

The following tables describe keyboard equivalents available in Oracle Hyperion EPM Architect. The keyboard equivalents are organized by Performance Management Architect module.

Note: There are cases where you can access a File Input dialog box in the Performance Management Architect module. Shortcut keys are not marked for buttons like Upload, Cancel, Help, and Browse in the File Input dialog box. These are HTML input buttons and therefore do not have a Performance Management Architect shortcut key associated. However JAWS will read the access key to be pressed.

Note: If you are using JAWS® Screen Reading Software, we recommend using the Internet Explorer browser.

Navigating through the User Interface

The following table describes keyboard equivalents to navigating the user interface.

Table 1 General Navigation Keys

Key	Action
General	
Right Arrow and Left Arrow	Expands a dimension or member in the Dimension Library
Down Arrow and Up Arrow	Selects dimensions and members in the Dimension Library
Tab	Selects items on the screen (to the right)
Shift+Tab	Selects previous items on the screen (to the left)
Shift+F10	Displays the context menu for the selected item. Note: Shift+F10 does not display the context menu for Performance Management Architect tabs (such as Application Library) in the Oracle Hyperion Enterprise Performance Management Workspace window. However, you can use the context menu key on your keyboard to display the context menu for a tab.
Date Selection	
Up Arrow and Down Arrow	Traverses through the dates.
Enter	Selects a date.
Tab	Traverses forward through the dates. Shift+Tab is not supported when selecting dates.

Table 2 General Tree and List Navigation Keys

Key	Action
Right Arrow and Left Arrow	If the focus is on the tree or list, press the Left or Right arrow to select the first row and ensure that JAWS is reading the selection correctly. For any item with a plus sign [+] or minus sign [-], right arrow expands the selection and left arrow collapses the selection.
Up Arrow and Down Arrow	Selects the next or previous item in the tree or list.
F2	For any component in the list or tree that has the ability to be edited, press F2 to edit.

Note: If JAWS software is running, non-contiguous selection does not work as expected. If you want to select non-contiguous members JAWS has to be turned off.

Dimension Library

The following sections describe the keyboard shortcuts available in the Dimension Library.

Table 3 Dimension Library Keyboard Shortcuts

Key	Action
Ctrl+Shift+N	Create a new dimension
Ctrl+Shift+Z	Launch the application wizard to create a new application
Ctrl+Shift+F	Create a new folder
Ctrl+Shift+E	Search for dimensions
Ctrl+Alt+I	Clear filter criteria
Ctrl+Shift+S	Clear sort criteria
Ctrl+Alt+V	If the Shared Library pane is closed, this shows Shared Library
Ctrl+Alt+E	If the application pane is closed, this shows the application pane
Ctrl+Alt+P	If the Property Grid is closed, this shows the Property Grid
Ctrl+Alt+L	If the member list is closed or not displayed, this shows the member list
Ctrl+Alt+R	Refresh
Ctrl+Alt+T	Download transaction logs.
Ctrl+Alt+O	Sort dimensions
Ctrl+Alt+F	Filter dimensions
Ctrl+Shift+M	Manage taskflows
Ctrl+Shift+T	View taskflow status

Key	Action
Ctrl+U	Migrate users

You may experience the following issues in the Dimension Library:

- When you insert a shared member, and then select a member in the Selection pane, after clicking OK, the focus does not go back to the selected dimension or member.
- In the Select Top Member dialog box, when navigating to the Search tab, and then to the Advanced Search icon, the default search result displays all the members and the focus is lost.

Dimension Library Panes

The following keyboard shortcuts are supported in the Dimension Library panes.

Table 4 Dimension Library – Panes Accessibility Keys

Key	Action
Ctrl+1	Selects the Shared Library pane.
Ctrl+2	Selects the Application pane.
Ctrl+3	Selects the Property Grid or Member Find pane.
Ctrl+F7	Restores focus.
Shift+Left arrow	Moves the vertical split pane to the left for the Shared Library pane, Application pane, or Property Grid.
Shift+Right arrow	Moves the vertical split pane to the right for the Shared Library pane, Application pane, or Property Grid.
Shift+F10	Displays the context menu of selected item in the Shared Library, Application pane, Property Grid, or Find Member pane. Note: Shift+F10 does not display the context menu for any Oracle Hyperion EPM Architect tabs, such as the Dimension Library tab.

Shared Library Tree

The following keyboard shortcuts are supported in the Shared Library dimension tree.

Table 5 Shared Library – Dimension Tree Accessibility Keys

Key	Action
Up arrow	Selects the next node above the current.
Down arrow	Selects the next node below the current.
Right arrow	Expands a node that displays the plus [+] sign. Note: Properties of a dimension display when you select a dimension in the Shared Library or application and press the right arrow key.

Key	Action
Left arrow	Collapses a node that displays the minus [-] sign. Note: When the focus is on the dimension tree, you can press the Left or Right Arrow to select the first row to be read by JAWS.

Note: The keystrokes listed in the above table are the same if you are working in the Application tree.

Grid Editor

The following keyboard shortcuts are supported in the Grid Editor.

Table 6 Grid Editor – Accessibility Keys

Keys	Action
Grid Editor Wizard	
Tab	Traverses from left to right and top to bottom.
Up arrow	Selects the next node above the current in the tree.
Down arrow	Selects the next node below the current in the tree.
Right arrow	Expands a node that displays the plus [+] sign.
Left arrow	Collapses a node that displays the minus [-] sign.
Grid Editor	
Ctrl+1	Selects the Grid Editor pane.
Ctrl+2	Selects the grid.
Ctrl+F7	Switches the focus to the topmost component. For example, if a dialog box is not in focus, this keyboard shortcut switches the focus to the dialog box.
Shift+F10	Displays the context menu of selected cell(s).
Alt+Shift+R	Displays the context menu for a selected row.
Alt+Shift+C	Displays the context menu for a selected column.
Alt+Shift+D	Displays the context menu for the dimension area in the top left corner to display a different dimension.
Tab	Traverses from left to right and top to bottom.
Arrow up or down	Traverses vertically in the grid.
Arrow right or left	Traverses horizontally in the grid.
Space bar	Selects or deselects a check box.

Keys	Action
F2	Edits a cell in the grid. For example, you can press F2 when the focus is on the Member Formula cell to display the Member Formula dialog box. In addition, the F2 key also enables the drop-down list in properties such as Is ICP.

Member Selector Dialog Box

The following keyboard shortcuts are supported in the Member Selector dialog box.

Table 7 Member Selector – Accessibility Keys

Keys	Action
Tab	Traverses from left to right and top to bottom.
Up arrow	Selects the next node above the current in the tree.
Down arrow	Selects the next node below the current in the tree.
Right arrow	Expands a node that displays the plus [+] sign.
Left arrow	Collapses a node that displays the minus [-] sign.

You may experience the following issues in the Member Selector dialog box:

- The Search > Find label is not read correctly by the screen reader. The screen reader reads the type in text for the find text field instead.
- The screen reader reads the entire URL, but only should read the icon name.
- The screen reader is unable to read the Selections pane label.
- The shortcut keys do not work as expected for the OK, Cancel, and Help buttons.
- When navigating to the Search tab, if you press [Tab] and then reverse tab with [Shift+Tab], the reverse tab does not progress beyond the Search icon.

Member Find Pane

The following keyboard shortcuts are supported in the Member Find pane.

Table 8 Member Find Pane – Accessibility Keys

Keys	Action
Arrow up or down	If the focus is in the Member Find pane, the up or down arrow traverses through the members. Note: To find a member in the Shared Library or the Application pane, press [Enter]. However, JAWS is unable to read the selected member in the pane. To go to the selected member, first get focus on the Shared Library using Ctrl+1 or the Application pane, using Ctrl+2. Then, press [Tab] to select the member.

You may experience an issue with the screen reader when searching for members. Even though the member you search for is highlighted, the screen reader does not read the member as expected. The screen reader should read the member that is highlighted.

View Dimension Association Dialog Box

The following keyboard shortcuts are supported in the View Dimension Association dialog box.

Table 9 View Dimension Association – Accessibility Keys

Keys	Action
Tab	Traverses from left to right and top to bottom.
Arrow up or down	Traverses through the dimension associations.

Plan Type Performance Settings Dialog Box

The following keyboard shortcuts are supported in the Plan Type Performance Settings dialog box.

Table 10 Plan Type Performance Settings – Accessibility Keys

Keys	Action
Tab	Traverses from left to right and top to bottom.
Arrow up or down	Traverses up or down the drop-down menu.
Enter	Selects an item in the drop-down menu.
Up arrow	Traverses up through the dimensions.
Down arrow	Traverses down through the dimensions.

Reorder Children Dialog Box

The following keyboard shortcuts are supported in the Reorder Children dialog box.

Table 11 Reorder Children – Accessibility Keys

Keys	Action
Tab	Traverses from left to right and top to bottom.
F2	Edit the sort order value field. Note: If you press the Escape key to cancel editing, you must press Ctrl+F7 to return focus back to the Reorder Children dialog box.
Arrow up or down	Traverses through the members.

Edit Application Dialog Box

The following keyboard shortcuts are supported in the Edit Application dialog box.

Table 12 Edit Application – Accessibility Keys

Keys	Action
Tab	Traverses from left to right and top to bottom.
Arrow up or down	Traverses through the applications.

Property Grid

The following keyboard shortcuts are supported in the Property Grid.

Table 13 Property Grid – Accessibility Keys

Keys	Action
Tab	Traverses from top to bottom.
Arrow up or down	Traverses through the properties.
F2	Edits any property value. Note: For combo boxes, press F2 to edit, then use the up and down arrow to navigate. To select an element, press [Enter].
Enter	Selects an item in the drop-down menu.
Space bar	Selects or deselects a check box.
Shift+F10	Displays the context menu of the selected item in the Property Grid.

Keep in mind these considerations:

- While navigating through the property grid if the focus is lost because of a warning message, press Ctrl+3 to navigate to the Property Grid and navigate by using the Tab and Arrow keys.
- If focus is lost after pressing Ctrl+S to save a property in the property grid, simply use the Up or Down arrow.
- If you are in “edit mode” in a field that cannot be edited in the Property Grid, to get out of “edit mode” press the Tab or Shift+Tab key.

Security Group/User Selection Dialog Box

The following keyboard shortcuts are supported in the Security Group/User Selection dialog box (accessed via the Property Grid—System category).

Table 14 Security Group/User Selection – Accessibility Keys

Keys	Action
Tab	Traverses from left to right and top to bottom.
Arrow up or down	Traverses up or down in the drop-down menu or if there are multiple users/groups in the list, traverses up or down the user/group list.

Keys	Action
Enter	Selects an item in the drop-down menu.

Alias Dialog Box

The following keyboard shortcuts are supported in the Alias dialog box (accessed via the Property Grid).

Table 15 Alias – Accessibility Keys

Keys	Action
Tab	Traverses from left to right and top to bottom.
Arrow up or down	Traverse through the aliases.
F2	Edits the alias.
Ctrl+F7	Returns focus to the Alias dialog box.

Import Dimensions Dialog Box

The following keyboard shortcuts are supported in the Import Dimensions dialog box.

Table 16 Import Dimensions – Accessibility Keys

Keys	Action
Tab	Traverses from left to right and top to bottom.
Arrow up or down	Traverses up or down the import profiles list.
Enter	When entering the profile name in Name text field, you can press [Enter] to select the name.
Space bar	Use to select the Select Profile button next to Name text field, and it will select the profile from the above list.

Create Import Profile – Map Dimensions Screen

The following keyboard shortcuts are supported in the Import Profile—Map Dimensions screen.

Table 17 Map Dimensions – Accessibility Keys

Keys	Action
Tab	Traverses from left to right and top to bottom.
Space bar	Select or deselect a check box.
Arrow up or down	Navigates up or down drop-down lists.

Note: You may experience the following issue when using a screen reader: If you use the Tab key to traverse through dimensions in the tree, the screen reader reads the selected tree elements as "Not selected."

Create Import Profile – Dimension Mapping Screen

The following keyboard shortcuts are supported in the Import Profile—Import Dimension Mapping screen.

Table 18 Import Dimension Mapping – Accessibility Keys

Keys	Action
Tab	Traverses from left to right and top to bottom.
Arrow up or down	Navigates up or down the dimension mapping or mapping options (properties list).
Arrow right or left	Navigates left or right through the properties listed in the mapping options.
F2	Activates the drop-down list shown in the Mapping Options, Shared Library column.
Space bar	Selects or deselects a check box.
Shift+F10	Displays the context menu of the selected property.

Note: After an import profile is created, on the Profile tab, the screen reader should read the tab name, but reads the type in text instead.

Import Results

The following keyboard shortcuts are supported on the Import Results screen.

Table 19 Import Results Keyboard Shortcuts

Key	Action
Ctrl+1	Selects the main tree of the Profile Name.
Ctrl+2	Selects the Dimension pane.
Ctrl+3	Selects the Record Level Errors / Warning pane.
Ctrl+4	Selects the Details summary pane.
Shift+Down Arrow	Decreases the size of the Details pane and increases the Record Level Errors / Warning pane.
Shift+Up Arrow	Increases the size of the Details pane and decreases the Record Level Errors / Warning pane.
Shift+Left Arrow	Decreases the size of the Dimensions pane and increases the size of the Record Level Errors / Warning pane.
Shift+Right Arrow	Increases the size of the Dimensions pane and decreases the size of the Record Level Errors / Warning pane.

Application Library

The following keyboard shortcuts are supported in the Application Library.

Table 20 Application Library Keyboard Shortcuts

Key	Action
Ctrl+Shift+Z	Launch the application wizard to create a new application
Ctrl+Shift+F	Create a new folder in the Application Library
Ctrl+Alt+1	Display the view pane. (The view pane must always display.)
Ctrl+Shift+I	View icons
Ctrl+Shift+L	View details
Ctrl+Alt+F	Filter applications
Ctrl+Alt+I	Clear filter criteria
Ctrl+Alt+R	Refresh
Ctrl+Alt+M	Manage Planning data sources
Ctrl+Shift+M	Manage taskflows
Ctrl+Shift+T	View taskflow status

Application Library Panes

The following keyboard shortcuts are supported to view panes in the Application Library.

Table 21 Application Library Panes – Accessibility Keys

Key	Action
Ctrl+1	Selects the application list in the upper pane.
Ctrl+2	Selects the lower (application details) pane, starting with the Summary area.
Ctrl+F7	Switches the focus to the topmost component. For example, if a dialog box is not in focus, this keyboard shortcut switches the focus to the dialog box.
Shift+Up arrow	Increases the lower (application details) pane size and the split pane moves up.
Shift+Down arrow	Decreases the lower (application details) pane size and the split pane moves down.
Shift+F10	Displays the context menu of selected item in the Application Library. Note: Shift+F10 does not display the context menu for the Application Library tab.

Find Applications Dialog Box

The following keyboard shortcuts are supported in the Find Applications dialog box.

Table 22 Find Applications – Accessibility Keys

Keys	Action
Tab	Traverses from left to right and top to bottom.
Arrow up or down	Traverses up or down the drop-down menu or the applications list.

Application Creation Wizard

The following keyboard shortcuts are supported in the Application Creation Wizard.

Table 23 Application Creation Wizard – Accessibility Keys

Keys	Action
Tab	<ul style="list-style-type: none"> Traverses from left to right and top to bottom for all application types, except Planning. For Planning applications, use the tab key to traverse from top to bottom. If the Auto Create Local Dimensions check box is selected, the Tab order traverses from top to bottom, moving to the Next button, and so on. Then, after traversing back to the top of the screen and through the application information, pressing the Tab key continues through the Planning and Calendar options. <p>Application Settings screen:</p> <ul style="list-style-type: none"> Traverses from left to right and top to bottom.
Space bar	Selects or deselects a check box.
Application Type Page	
Ctrl+1	Selects the content pane, and on selection, if Screen Reader Support is enabled, the screen reader reads the description of the page. For information on enabling screen reader support, see the <i>Oracle Enterprise Performance Management Workspace, Fusion Edition User's Guide</i> .
Ctrl+2	Selects Application Information area of the page.
Ctrl+3	For Planning applications, selects the Planning area of the page.
Ctrl+4	For Planning applications, selects the Calendar area of the page.
Ctrl+F7	Switches the focus to the topmost component. For example, if a dialog box is not in focus, this keyboard shortcut switches the focus to the dialog box.
Dimension Selection Page	
Arrow	Use the up, down, right, and left arrow to navigate through the list of dimensions.
F2	Edits a dimension.
Space bar	Selects or deselects the Local Dimension check box.
Ctrl+1	Selects the content pane, and on selection, if Screen Reader Support is enabled, the screen reader reads the description of the page. For information on enabling screen reader support, see the <i>Oracle Enterprise Performance Management Workspace, Fusion Edition User's Guide</i> .

Keys	Action
Ctrl+F7	Switches the focus to the topmost component. For example, if a dialog box is not in focus, this keyboard shortcut switches the focus to the dialog box.
Application Settings Page	
Ctrl+1	Selects the content pane, and on selection, if Screen Reader Support is enabled, the screen reader reads the description of the page. For information on enabling screen reader support, see the <i>Oracle Enterprise Performance Management Workspace, Fusion Edition User's Guide</i> .
Ctrl+2	Selects the Application pane.
Ctrl+3	Selects the Property Grid or Member Find pane.
Ctrl+4	Selects the Validation area, and on selection, if Screen Reader Support is enabled, the screen reader reads the description of the page. For information on enabling screen reader support, see the <i>Oracle Enterprise Performance Management Workspace, Fusion Edition User's Guide</i> .
Ctrl+F7	Switches the focus to the topmost component. For example, if a dialog box is not in focus, this keyboard shortcut switches the focus to the dialog box.
Shift+Up Arrow	Increases the lower (details) pane size and the split pane moves up.
Shift+Down Arrow	Decreases the lower (details) pane size and the split pane moves down.
Shift+Right Arrow	Increases the size of the Application pane and decreases the size of the Property Grid pane.
Shift+Left Arrow	Decreases the size of the Application pane and increases the size of the Property Grid pane.
Shift+F10	Displays the shortcut menu of selected application, dimension, member, or property in the Property Grid.

Comparing Applications

The following keyboard shortcuts are supported in the Application Compare feature.

Table 24 Application Compare – Accessibility Keys

Keys	Action
Ctrl+1	Selects the Dimension Compare Results pane.
Ctrl+2	Selects the Application Compare Summary pane.
Ctrl+3	Selects the Property Compare Results pane.
Ctrl+F7	Switches the focus to the topmost component. For example, if a dialog box is not in focus, this keyboard shortcut switches the focus to the dialog box.
Shift+F10	Displays the shortcut menu of the selected item in the Dimension Compare Results list.
Shift+Right Arrow	Increases the size of the Dimension Compare Result pane.
Shift+Left Arrow	Decreases the size of the Dimension Compare Result pane.

Keys	Action
Shift+Down Arrow	Increases the size of the Application Compare Summary pane and decreases the size of the Property Compare Summary pane.
Shift+Up Arrow	Decreases the size of the Application Compare Summary pane and increases the size of the Property Compare Summary pane.

Data Flow

The following keyboard shortcuts are supported in the Data Flow feature.

Table 25 Data Flow – Accessibility Keys

Keys	Action
Ctrl+1	Selects the Data Flow area, and on selection, if Screen Reader Support is enabled, the screen reader reads the description of the page. For information on enabling screen reader support, see the <i>Oracle Enterprise Performance Management Workspace, Fusion Edition User's Guide</i> .
Ctrl+2	Selects the Application Properties summary pane.
Ctrl+F7	Switches the focus to the topmost component. For example, if a dialog box is not in focus, this keyboard shortcut switches the focus to the dialog box.
Shift+Up arrow	Increases the lower (details) pane size and the split pane moves up.
Shift+Down arrow	Decreases the lower (details) pane size and the split pane moves down.
Shift+F10	Displays the shortcut menu of the selected application or link.

Transform Classic to EPM Architect Wizard

The following keyboard shortcuts are supported in the Transform Classic to EPM Architect wizard.

Table 26 Transform Classic to EPM Architect Wizard – Accessibility Keys

Keys	Action
Tab	Traverses from left to right and top to bottom.
Arrow up or down	Traverses through the applications available for transformation.

Manage Planning Data Sources

The following keyboard shortcuts are supported on the Data Source page.

Table 27 Manage Planning Data Sources – Accessibility Keys

Keys	Action
Ctrl+1	Selects Data Sources in the upper pane, and on selection, if Screen Reader Support is enabled, the screen reader reads the description of the page. For information on enabling screen reader support, see the <i>Oracle Enterprise Performance Management Workspace, Fusion Edition User's Guide</i> .
Ctrl+2	Selects the lower (details) pane.
Ctrl+F7	Switches the focus to the topmost component. For example, if a dialog box is not in focus, this keyboard shortcut switches the focus to the dialog box.
Ctrl+D	Launches the Data Source Wizard used to create a new data source.
Shift+Up arrow	Increases the lower (details) pane size and the split pane moves up.
Shift+Down arrow	Decreases the lower (details) pane size and the split pane moves down.
Shift+F10	Displays the shortcut menu of the selected data source.

Configure Interface Data Source

The following keyboard shortcuts and accessibility keys are supported on the Configure Interface Data Source page.

Table 28 Configuring Interface Data Sources – Accessibility Keys

Keys	Action
Ctrl+1	Selects Interface Data Source in the upper pane, and on selection, if Screen Reader Support is enabled, the screen reader
Ctrl+2	Selects the lower (Summary) pane.
Ctrl+F7	Switches the focus to the topmost component. For example, if a dialog box is not in focus, this keyboard shortcut switches the focus to the dialog box.
Shift+Up arrow	Increases the lower (Summary) pane size and the split pane moves up.
Shift+Down arrow	Decreases the lower (Summary) pane size and the split pane moves down.
Shift+F10	Displays the shortcut menu of the selected interface data source.
Ctrl+D	Launches the Interface Data Source Wizard to create new data source.

Job Console

The following keyboard shortcuts are supported in the Job Console.

Table 29 Job Console Keyboard Shortcuts

Key	Action
Ctrl+Shift+Z	Launch the application wizard to create a new application
Ctrl+Shift+L	View details
Ctrl+Alt+R	Refresh
Ctrl+Alt+F	Filter jobs
Ctrl+Alt+I	Clear filter criteria
Ctrl+Alt+M	Manage taskflows
Ctrl+Shift+M	View taskflow status

The following accessibility keys are available to navigate the Job Console.

Table 30 Job Console – Accessibility Keys

Keys	Action
Ctrl+1	Selects list of jobs in the upper pane.
Ctrl+2	Selects the lower (job details) pane, starting with the Summary area.
Ctrl+F7	Switches the focus to the topmost component. For example, if a dialog box is not in focus, this keyboard shortcut switches the focus to the dialog box.
Shift+Up arrow	Increases the lower (job details) pane size and the split pane moves up.
Shift+Down arrow	Decreases the lower (job details) pane size and the split pane moves down.
Shift+F10	Displays the shortcut menu of selected item in the Job Console. Note: Shift+F10 does not display the context menu when the Job Console tab is selected.
Tab	Traverses from left to right and top and bottom.
Arrow up or down	Traverses up or down the list of jobs.
Right Arrow	Navigates through the list of jobs.
Enter	Opens an attachment, after the focus is on the hyperlink.

Data Synchronization

The following keyboard shortcuts are supported in the Data Synchronization.

Table 31 Data Synchronization Keyboard Shortcuts

Key	Action
Ctrl+Shift+Z	Launch the application wizard to create a new application

Key	Action
Ctrl+Shift+G	Create new synchronization
Ctrl+Alt+T	Create new mapping table
Ctrl+Alt+X	Define an external file mapping
Ctrl+Alt+D	Define a data interface table mapping
Ctrl+Alt+N	Define a reusable filter
Ctrl+Shift+I	View icons
Ctrl+Shift+L	View details
Ctrl+Shift+R	Refresh
Ctrl+Alt+F	Filter synchronizations
Ctrl+Alt+I	Clear filter criteria
Ctrl+Alt+M	Manage taskflows
Ctrl+Shift+M	View taskflow status

Note: In the Filter Criteria dialog box, when you tab to select a member in the Selections pane, the tab does not move further, as expected.

The following accessibility keys are available to navigate the Data Synchronizer.

Table 32 Data Synchronization – Accessibility Keys

Keys	Action
Ctrl+1	Selects list of synchronizations in the upper pane, and on selection, if Screen Reader Support is enabled, the screen reader reads the description of the page. For information on enabling screen reader support, see the <i>Oracle Enterprise Performance Management Workspace, Fusion Edition User's Guide</i> .
Ctrl+2	Selects the lower (property details) pane, starting with the Summary area.
Ctrl+F7	Switches the focus to the topmost component. For example, if a dialog box is not in focus, this keyboard shortcut switches the focus to the dialog box.
Shift+Up arrow	Increases the lower (synchronization details) pane size and the split pane moves up.
Shift+Down arrow	Decreases the lower (synchronization details) pane size and the split pane moves down.
Shift+F10	Displays the shortcut menu of the selected item in the Data Synchronizer. Note: Shift+F10 does not display the context menu when the Data Synchronizer tab is selected.
Tab	Traverses left to right and top to bottom.

New Synchronization

The following keyboard shortcuts are supported in the New Synchronization wizard.

Table 33 New Synchronization Wizard – Accessibility Keys

Keys	Action
Tab	Traverses left to right and top to bottom.
Arrow up or down	Traverses up or down the source types, available sources, or destinations.

Mapping Table Designer Wizard

The following keyboard shortcuts are supported in the Mapping Table Designer wizard - Map Data screen.

Table 34 Mapping Table Designer Wizard - Map Data Screen – Accessibility Keys

Keys	Action
Up Arrow	Traverses up one row.
Down Arrow	Traverses down one row.
Alt+D	Inserts a row in the Mapping Table Designer wizard.
F2	Edits a cell.

Reusable Filter Definition

The following keyboard shortcuts are supported in the Filter Definition wizard.

Table 35 Filter Definition Wizard – Accessibility Keys

Keys	Action
Tab	Traverses left to right and top to bottom.
Up Arrow or Down Arrow	Traverses up or down the Combo box items for the application, dimension type, dimension, and filter type.

Data Synchronization – Dimension Mapping

The following keyboard shortcuts are supported in the Data Synchronization—Dimension Mapping.

Table 36 Data Synchronization Dimension Mapping – Accessibility Keys

Keys	Action
Ctrl+1	Selects Dimension Mappings in the upper pane.
Ctrl+2	Selects the lower (details) pane.
Ctrl+F7	Switches the focus to the topmost component. For example, if a dialog box is not in focus, this keyboard shortcut switches the focus to the dialog box.
Shift+Up arrow	Increases the lower (details) pane size and the split pane moves up.
Shift+Down arrow	Decreases the lower (details) pane size and the split pane moves down.
Shift+F10	Displays the shortcut menu of the selected item on the Dimension Mapping page.

COPYRIGHT NOTICE

Performance Management Architect Accessibility Guide, 11.1.2.2

Copyright © 2012, Oracle and/or its affiliates. All rights reserved.

Authors: EPM Information Development Team

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS:

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.