

# **Oracle® Universal Records Management**

Oracle Universal Records Manager Adapter for Documentum Administration Guide

April 2008

The Oracle logo, consisting of the word "ORACLE" in a bold, red, sans-serif font.

Universal Records Manager Adapter for Documentum Administration Guide,  
Copyright © 2008, Oracle. All rights reserved.

<b>1</b>	<b>ADMINISTRATION OVERVIEW.....</b>	<b>3</b>
1.1	OVERVIEW .....	3
1.2	ABOUT THE GUIDE.....	4
1.2.1	<i>Audience</i> .....	4
1.2.2	<i>Conventions</i> .....	4
<b>2</b>	<b>FUNCTIONAL OVERVIEW .....</b>	<b>5</b>
2.1	ADAPTER INITIATION AND CONFIGURATION – ADMINISTRATION. JAR.....	5
2.2	ADAPTER BEHAVIOR – DCTMADAPTER.JAR.....	5
2.2.1	<i>Self description</i> .....	5
2.2.2	<i>Document declaration</i> .....	5
2.2.3	<i>Retention management on selected files</i> .....	5
2.2.4	<i>Record management on selected files</i> .....	5
2.2.5	<i>Document freezing</i> .....	6
2.2.6	<i>Document Disposition</i> .....	6
<b>3</b>	<b>DETAILED DESCRIPTION .....</b>	<b>7</b>
3.1	CONFIGURING THE ADAPTER THROUGH ADMINISTRATION SCREENS .....	7
<b>4</b>	<b>SOURCES CREATED THROUGH ADMINISTRATION AS VIEWED FROM URM .....</b>	<b>22</b>

# **1 Administration Overview**

## **1.1 Overview**

This section contains the following topics:

- About This Guide

## 1.2 About the guide

This guide provides instructions on how to use the Documentum Adapter on a computer running either Microsoft Windows or Linux.

**Note:** The information contained in this document is subject to change as the product technology evolves and as hardware, operating systems, and third-party software are created and modified.

### 1.2.1 Audience

This guide is intended for those users who will be running the adapter to crawl documents and apply dispositions to them. This gives step-by-step procedures on how to run the adapter.

### 1.2.2 Conventions

The following conventions are used throughout this guide:

- Forward slashes (/) are used to separate parts of an Internet address. For example, <http://www.oracle.com/en/index.htm>. A forward slash might or might not appear at the end of an Internet address.
- Backward slashes (\) are used to separate the levels in a path to a Windows server, directory, or file. For example, C:\stellent\idcm1\. A backward slash will always appear after the end of a Windows server, directory, or file path.
- Forward slashes (/) are also used to separate the levels in a path to a UNIX server, directory, or file. For example, /usr/stellent/idcm1.
- File names and file paths within text are indicated by the following convention: *<filename>* file in the *<path\_to\_directory>* directory.
- Notes, technical tips, important notices, and cautions use these conventions.

## 2 Functional Overview

The whole functionality of the Adapter is segregated into the following modules:

- Adapter Initiation and Configuration
- Adapter Behavior

### 2.1 Adapter Initiation and Configuration – administration. jar

The Adapter provides a class, which acts as the entry point to start execution. In the Adapter initiation, Adapter and Adapter Engine are instantiated and a listener is added to the Adapter Engine for listening to the Events. Finally, the Adapter is activated to allow the communication between URM and Documentum repository. The adapter configuration involves details about adapter implementations which enable it to customize its internal behavior to appropriately host the adapter. It describes the capabilities of the adapter as well as how each capability setting alters the framework's internal behavior.

### 2.2 Adapter Behavior – DctmAdapter.jar

The DctmAdapter.jar file contains the Documentum Adapter functionality. It provides various classes (which extend from the generic adapter implementations) to implement the various tasks like Document declaration, retention and record management. These tasks are carried out at the URM end and this Documentum Adapter serves as the bridge between the URM and the Documentum conveying to Documentum Content Server the actions performed on the documents at the URM end.

The Documentum Adapter will be able to perform the following functions:

**2.2.1 Self description.** The adapter supplies several classes to be used by Administration Utility. These classes define what metadata (names, data types, etc.) the adapter can supply to the Oracle Universal Records Management application, define windows controls for use in search creation, and define fields that can be searched.

**2.2.2 Document declaration.** The Adapter supplies functionality to evaluate searching expressions, and use the results to get a list of documents and their metadata for submittal to the Oracle Universal Records Management application.

**2.2.3 Retention management on selected files.** Retention management is performed by collecting metadata belonging to the selected file and sending it to the Oracle Universal Records Management application. When the retention period has expired, the adapter will perform the appropriate disposition action (archive or delete) against the file.

**2.2.4 Record management on selected files.** Record management ensures that a file cannot be modified or deleted from the documentum repository if it is checked into the URM as a record. All such records then become uneditable from the Documentum end.

**2.2.5 Document freezing.** A litigation freeze issued from the Oracle Universal Records Management application causes the adapter to freeze the document. This document then becomes uneditable.

**2.2.6 Document Disposition.** Following are the dispositions supported by the documentum adapter that can be issued by the Oracle Universal Records Management application:

- **Archiving** - Following an archive disposition issued by the Oracle Universal Records Management application, the adapter creates a zip of the original content.
- **Destroy** - This completely destroys the document from the repository.
- **DeleteRevision** - This deletes the selected version of the document.
- **DeleteAllRevisions** - This deletes all the versions of the particular document.


### 3 Detailed description

This section describes the procedure for configuring the administration.jar and running the DctmAdapter.jar file.

#### 3.1 Configuring the Adapter through Administration screens

Before starting the Documentum Adapter, it needs to be configured through the administration screens. The steps to execute administration.jar file are as follows:


1. Open the command prompt either by  
Start →run→ type "cmd" in run window.  
Or by  
Start→programs→accessories→command prompt.
2. Change the path in the command prompt to the directory where administration.jar file is located. (e.g.: path of administration.jar file is C:\Documentum Adapter)



```
C:\WINDOWS\system32\cmd.exe
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.

C:\Documents and Settings\ankita_agrawal>cd\
C:\>cd C:\Documentum Adapter
C:\Documentum Adapter>_
```


- Execute the command `java -jar administration.jar` on command prompt to run the jar file.



```
C:\WINDOWS\system32\cmd.exe
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.


C:\Documents and Settings\ankita_agrawal>cd\
C:\>cd C:\Documentum Adapter
C:\Documentum Adapter>java -jar administration.jar_
```

- Subsequently the executable `administration.jar` file gets started as shown below.







5. A new window Administration-Oracle URM Adapter for Documentum will open. Here the URM and its database configuration details are provided. These details are saved by the Adapter for further reference.




6. Fill the following details in Connection screen and click "save" option of file menu.
- URM Configuration
    - a) Userid
    - b) Password
    - c) URL (e.g.: http:// <hostname>/idc/idcplg)
  - Database Configuration
    - a) Userid
    - b) Password
    - c) Driver
    - d) Connection
  - Connection Pool
    - a) Connection
  - Growable - This needs to be checked.



7. The next screen shows the Documentum Database connection details. Fill in the Documentum User ID, Documentum Password and DocBase and click “save” option of file menu.



8. Create a new Source by clicking the URM Sources. A New button and a new screen will appear. The sources made here are also created and shown in the “External Content” section in URM.



- Clicking on the **New** button a new window “Create new URM Source” opens. Enter a valid Name, Caption, Table name and select the Documentum repository for which the datasource is to be created. Then click Next button.

**Create new URM Source - Step 1 of 3: Source Information**

General

Name  Caption

Table

Repository

Add Defaults

Repository Fields

Type	Name	Size
------	------	------

< Back Next > Finish Cancel

**Create new URM Source - Step 1 of 3: Source Information**

General

Name  Caption

Table

Repository

Add Defaults

Repository Fields


Type	Na	Size
------	----	------

< Back Next > Finish Cancel


- ✚ Enter a Caption and map Documentum Repository fields to URM fields. Right click field Mapping window and select Add. Select any additional fields from URM and map them to the Documentum fields. E.g.: Select URM field as dDocType and map it to the corresponding Documentum Repository field. Click Next.

Caption	dm_document Field	URM Field	
id	Document ID	dDocName	✂
name	Document Name	dDocTitle	✂
date	Creation Date	dCreateDate	✓
doctype	"ADACCT"	dDocType	✓

- In the next screen, make the last modified date as searchable by checking the Searchable checkbox. Click Finish.




- Click Search creation from the Configuration tray. Click New to open the "Create New Search". Enter the Search name and Repository type. Click OK.






**Note:** - When defining a declaration search, a repository will be selected to limit the search to a document type. The document type that is selected for the repository will limit the search to finding only documents that are of that document type or any of its hierarchy of sub types. It is possible to further restrict the search to exclude the hierarchy of sub types or to isolate it to explicit sub types within that hierarchy. This is accomplished by adding terms to the search criteria to limit the search based on the 'Type' metadata field. If the search criterion is defined to require that the 'Type' metadata field is equal to the document type for the repository then that search will not find any of the document sub types for that repository. Explicit sub types can also be included as 'Type' metadata values to include in the search criteria. If the 'Type' metadata field is not explicitly referenced in the search criteria, the default behavior will find all document sub types for a repository's document type.

10. Select the search targets from Documentum Repository Cabinets/Folders. Right Click in the search equation screen and select "Add Terms/Add Groups" to enable the "Search Equation Fields". Define the search equation using the fields provided in the "Edit Entry" box and then click on <Apply> button. After entering all entries save the contents by clicking on "save" option of file menu. The New search name will be stored in dropdown list in search creation page.






11. Click on the Search Mapping of Configuration tray. Select the search name from “Filter by” drop down list. Select URM source, Retention Category for a search. Save all the changes by clicking on Save option of file menu.



12. Enter data in the declaration settings of the advanced screen. New content declarations (for forward search) and historical content declarations (for backward search). Also provide the name for the adapter along with the ports and working directory information. Please note that the historical search runs backward in time starting from the Last processed date to the Cut off Date (Cut off Date should be any day before the Last Processed Date).




13. Before the search preview is displayed the DctmAdapter.jar file run. Open a second command prompt window by either of the two ways below:

Start →run→ type "cmd" in run window.

Or by


Start→programs→accessories→command prompt.

14. Now navigate to the directory where DctmAdapter.jar file is located (e.g.: path of DctmAdapter.jar file is C:\Documentum Adapter).



```
C:\WINDOWS\system32\cmd.exe
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.
C:\Documents and Settings\ankita_agrawal>cd \
C:\>cd C:\Documentum Adapter
C:\Documentum Adapter>_
```

15. Execute the command `java -jar DctmAdapter.jar` in a command prompt to run the adapter jar file. This will initialize the adapter framework.



```
C:\WINDOWS\system32\cmd.exe - java -jar DctmAdapter.jar
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.
C:\Documents and Settings\ankita_agrawal>cd \
C:\>cd "Documentum Adapter"
C:\Documentum Adapter>java -jar DctmAdapter.jar
The framework has initialized. The adapter is now running.
Press enter to terminate...
```

16. Search results based on a Search (created in Section 3.1, point 9) should be visible in the search preview screen. In the search preview screen select the appropriate search that needs to be run and set the time field. Now click on search and all the documents satisfying the search criteria get crawled. The details of all these searched documents are shown in the lower right hand side pane.

The screenshot displays the 'Administration - Oracle URM Adapter for Documentum' window. The left sidebar shows a tree view with 'Search Preview' selected. The main area is divided into three sections: 'Search Values', 'Search Results', and 'Search Statistics'.

**Search Values:** Search: RecordSrch, From: 2/28/08 1:00 AM, To: 3/28/08 4:10 PM, Search button.

**Search Results:** A table with 7 columns: ACL Domain, ACL Name, Creation Date, Format, Group Name, Group Permit, and Language Code. The table contains 6 rows of data.

ACL Domain	ACL Name	Creation Date	Format	Group Name	Group Permit	Language Code
dmadmin	dm_45003039800...	2/28/08 12:14 PM	msw8	docu	5	2
dmadmin	dm_45003039800...	2/28/08 12:16 PM	msw8	docu	5	2
dmadmin	dm_45003039800...	2/28/08 12:17 PM	msw8	docu	5	2
dmadmin	dm_45003039800...	3/5/08 2:50 PM	msw8	docu	5	3
dmadmin	dm_45003039800...	3/5/08 2:31 PM	msw8	docu	5	3
dmadmin	dm_45003039800...	3/5/08 2:06 PM	msw8	docu	5	3

**Search Statistics:** Showing 6 results of 6, Retrieval Time 00:00:00.47, Search Time 00:00:00.

17. The status screen shows the status of Search, Disposition, Freeze and Thaw Statistics. Click the Refresh button to view the latest statistics.

The screenshot shows the 'Administration - Oracle URM Adapter for Documentum' window. The left sidebar contains a tree view with categories: Configuration (Connection, Documentum, URM Sources, Search Creation, Search Mapping, Advanced), Error Management, Search Preview, Status (highlighted), and Log Viewer. The main area has two tabs: 'Adapter Status' (selected) and 'Process Status'. Under 'Adapter Status', there are four sections of statistics, each with 'Attempted', 'Completed', and 'Failed' counts in input fields:

- Search Statistics:** Attempted: 6, Completed: 6, Failed: 0
- Disposition Statistics:** Attempted: 0, Completed: 0, Failed: 0
- Freeze Statistics:** Attempted: 0, Completed: 0, Failed: 0
- Thaw Statistics:** Attempted: 0, Completed: 0, Failed: 0

Below these are three tables:

Search Name	Count	URM Source	Count
Record5rch	6	URMRecord	6

Disposition Type	Count	URM Source	Count
------------------	-------	------------	-------


  

URM Source	Count	URM Source	Count
------------	-------	------------	-------


At the bottom left, the status is 'Active'. At the bottom right, there are 'Refresh' and 'GC' buttons.

## 4 Sources created through administration as viewed from URM

- The sources created above (Section 3.1, point 8) through administration file are seen in the external contents of the URM.



- Next click the Search button as shown in the screen below to list the documents that have been crawled.



➤ The search results are shown below.

The screenshot shows a Microsoft Internet Explorer browser window displaying the Oracle Content Server interface. The browser's address bar shows the URL: `http://10.113.56.127/idc/idcplg?IdcService=GET_DOC_PAGE&Action=GetTemplatePage&Page=HOME_PAGE&Auth=Internet`. The Oracle Content Server page has a navigation menu on the left with options like 'Home', 'Search', 'New Check In', 'My Profile', and 'Help'. The main content area displays search results for the query 'URM\_TEST', indicating that 5 potential items were found. Below the search results, there is a table with columns for Name, Title, Date, Author, and Actions. The table contains five rows of document records.

<input type="checkbox"/> Select All	Name	Title	Date	Author	Actions
<input type="checkbox"/>	0900303980006517	Doc7.xls	3/6/08	sysadmin	
<input type="checkbox"/>	0900303980006515	Doc6.doc	3/6/08	sysadmin	
<input type="checkbox"/>	090030398000596A	Doc8.doc	3/4/08	sysadmin	
<input type="checkbox"/>	0900303980005969	Doc7.xls	3/4/08	sysadmin	
<input type="checkbox"/>	0900303980005967	Doc6.doc	3/4/08	sysadmin	