

# **Oracle Tuxedo Message Queue**

Certified Platform Tables

---

Oracle Tuxedo Message Queue Certified Platform Tables

Copyright © 2012, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Certified Platforms 1

HP-UX 1

IBM AIX 2

Linux 2

Microsoft Windows 2

Solaris 3

---

# Oracle Tuxedo Message Queue Certified Platform Tables

- **Certified Platforms**
  - HP-UX
  - IBM AIX
  - Linux
  - Microsoft Windows
  - Solaris

**Note:** In the release columns, “xx-bit” stands for the Oracle Tuxedo Message Queue (OTMQ) binary.

## Certified Platforms

### HP-UX

Platforms	12cR1 (12.1.1)	12cR2 (12.1.3)
HP-UX 11i v3 (64-bit OS) on Itanium		64-bit

## IBM AIX

<b>Platforms</b>	<b>12cR1 (12.1.1)</b>	<b>12cR2 (12.1.3)</b>
IBM AIX 6.1 (64-bit OS) on IBM PowerPC	64-bit	32-bit, 64-bit
IBM AIX 7.1 (64-bit OS) on IBM PowerPC	64-bit	64-bit

## Linux

<b>Platforms</b>	<b>12cR1 (12.1.1)</b>	<b>12cR2 (12.1.3)</b>
Novell SUSE Linux Enterprise Server 10 (64-bit OS) on x86-64		32-bit
Novell SUSE Linux Enterprise Server 11 (64-bit OS) x86-64	64-bit	
Oracle Linux 5 (64-bit OS) on x86-64	5.6 (64-bit)	5.6 (32-bit), 5.6 (64-bit)
Oracle Linux 6 (64-bit OS) on x86-64		6.0 (64-bit)
Oracle Linux 5.6 (64-bit OS) on Exalogic 2.0	64-bit	64-bit
Oracle Linux 5.8 (64-bit OS) on Exalogic 2.0		64-bit
Red Hat Enterprise Linux 5 (64-bit OS) on x86-64	5.6 (64-bit)	5.6 (64-bit)
Red Hat Enterprise Linux 6 (64-bit OS) on x86-64		6.0 (64-bit)

## Microsoft Windows

<b>Platforms</b>	<b>12cR1 (12.1.1)</b>	<b>12cR2 (12.1.3)</b>
Microsoft Windows 2008 R2 Server (64-bit OS) on x86-64 with MS Visual Studio 2010	64-bit	
Microsoft Windows Server 2008 R2 (64-bit OS) on x86-64 with MS Visual Studio 2013		64-bit

## Solaris

<b>Platforms</b>	<b>12cR1 (12.1.1)</b>	<b>12cR2 (12.1.3)</b>
Oracle Solaris 10 (64-bit) on SPARC	64-bit	64-bit
Oracle Solaris 10 (64-bit) on x86-64	64-bit	
Oracle Solaris 11 (64-bit) on x86-64	64-bit	
Oracle Solaris 11 (64-bit) on SPARC	64-bit	64-bit

## Oracle Tuxedo Message Queue Certified Platform Tables