

Oracle® Tuxedo

Oracle Tuxedo® Certified Platform Tables

Oracle Tuxedo Certified Platform Tables

Copyright © 1996, 2016, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Platform Support Policy	1
Certified Platforms	3
HP-UX	3
IBM AIX	3
Linux	4
Microsoft Windows	7
Solaris	12
Others	13
Supported Weblogic Servers	13
End of Life Platforms	14
End of Life Weblogic Servers	15

Oracle® Tuxedo Certified Platform Tables

- Platform Support Policy
- Certified Platforms
 - HP-UX
 - IBM AIX
 - Linux
 - Microsoft Windows
 - Solaris
 - Others
- Supported Weblogic Servers
- End of Life Platforms
- End of Life Weblogic Servers

Notes: In the Tuxedo release columns, “xx-bit” stands for the Tuxedo binary.

Platform Support Policy

The Oracle policy of operating system platform support for Oracle Tuxedo and related products is as follows:

- x86 or x86-64 denotes various CPUs based on x86 or x86-64 architecture.
- Oracle Tuxedo 32-bit binaries are supported on 64-bit operating systems, such as on Solaris, AIX and Windows. This support is based on OS vendor compatibility assurance that 32-bit applications can run on 64-bit OS without any changes. For more 32-bit application support on 64-bit OS information, please refer to respective OS vendor documentation.
- The virtualization software environments provided by Oracle including OVM, OVM for SPARC (aka LDOMS) and VirtualBox are supported.

Oracle Tuxedo is also considered supported in virtualization software environments provided by the operating system vendor (such as AIX6 WPARs). Even though Oracle has performed limited testing in these environments, the support is based on the OS vendor compatibility statement that software applications will run in a virtualization software environment without any changes.

Other virtualization software environments such as VMware, are also considered supported, provided that the virtualization software environment is supported by the operating system vendor and the support criteria specified in the operating system data sheets are met.

- The Oracle policy is that when the operating system provider discontinues supporting a specific release, Oracle support is also discontinued.
- Oracle will not be able to notify customers and users when support for a specific operating system release is discontinued. As a user of the operating system release, we expect you to find out from the operating system provider of discontinued support and plan accordingly.
- All minor releases higher than the certified OS version are supported with the assumption that OS vendor maintains binary compatibility. For example, if Tuxedo 12.2.2 is certified on Red Hat Enterprise Linux 6.2, Red Hat Enterprise Linux 6.x ($x > 2$) are supported with the assumption that Red Hat will maintain binary compatibility among all minor versions of release 6.
- Tuxedo supports both Standard and Enterprise editions for a Windows server if a certification has been done on one of the platforms. It's based on the assumption that Microsoft maintains binary compatibility between the editions.

Certified Platforms

HP-UX

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1 .1.0	11.1.1 .2.0	11.1.1 .3.0			
HP-UX 11iv2 (B.11.23) (64-bit OS) on Itanium	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	N/A			
HP-UX 11iv2 (B.11.23) (64-bit OS) on PA-RISC	64-bit			N/A			
HP-UX 11iv3 (B.11.31) (64-bit OS) on Itanium	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	N/A	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit
HP-UX 11iv3 (B.11.31) (64-bit OS) on PA-RISC	64-bit			N/A			

IBM AIX

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1 .1.0	11.1.1 .2.0	11.1.1 .3.0			
IBM AIX 6.1 (64-bit OS) on IBM PowerPC	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	N/A	32-bit, 64-bit	32-bit, 64-bit	
IBM AIX 7.1 (64-bit OS) on IBM PowerPC	32-bit, 64-bit		32-bit, 64-bit	N/A	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit

Note: AIX Version 7.2 is supported as IBM declares the binary compatibility between AIX Version 7.2 and AIX Version 7.1.

Linux

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
Asianux 3.0 (32-bit OS) on x86					N/A		
Asianux 3.0 (64-bit OS) on x86-64					N/A		
GreatTurbo Linux Enterprise Server 11 (64-bit OS) on x86-64	11.2 (32-bit)				N/A		
Novell SUSE Linux Enterprise Server 10 (32-bit OS) on x86	32-bit	32-bit	32-bit	N/A		32-bit (10/10 SP2)	
Novell SUSE Linux Enterprise Server 10 (64-bit OS) on x86-64	64-bit	64-bit	64-bit	N/A			
Novell SUSE Linux Enterprise Server 10 (64-bit OS) on s390x			64-bit	N/A			
Novell SUSE Linux Enterprise Server 10 SP1 (64-bit OS) on Itanium					N/A		
Novell SUSE Linux Enterprise Server 11 (32-bit OS) on x86		32-bit	32-bit	N/A			
Novell SUSE Linux Enterprise Server 11 (64-bit OS) on x86-64	64-bit	32-bit, 64-bit	64-bit	64-bit	64-bit	32-bit	
Novell SUSE Linux Enterprise Server 12 (64-bit OS) on x86-64				64-bit	64-bit	64-bit	SP2 (64-bit)

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
Oracle Enterprise Linux 5 (32-bit OS) on x86	5.0 (32-bit)	5.0 (32-bit)	5.0 (32-bit)	N/A			
Oracle Enterprise Linux 5 (64-bit OS) on x86-64	5.0 (64-bit)	5.0 (64-bit)	5.0 (64-bit)	N/A			
Oracle Linux 5 (32-bit OS) on x86				N/A	5.6 (32-bit)		
Oracle Linux 5 (64-bit OS) on x86-64				5.6 (64-bit)	5.6 (32-bit) , 5.4 (64-bit)	5.8 (32-bit) , 5.6 (64-bit)	
Oracle Linux 6 (64-bit OS) on x86-64	6.1 (64-bit)	6.1 (64-bit)	6.1 (32-bit, 64-bit)	6.1 (64-bit)	6.5 (32-bit) , 6.0 (64-bit)	6.5 (32-bit) , 6.0 (64-bit)	6.2 (64-bit)
Oracle Linux 7 (64-bit OS) on x86-64				7.0 (64-bit)	7.0 (64-bit)	7.0 (32-bit, 64-bit)	7.0 (64-bit)
Oracle Linux 6 (32-bit OS) on x86			6.3 (32-bit)	N/A	6.5 (32-bit)		6.7 (32-bit)
Oracle Linux 5.5 (64-bit OS) on ExaLogic X2-2			64-bit				
Oracle Linux 5.6 (64-bit OS) on Exalagic 2.0	32-bit, 64-bit			64-bit	64-bit	64-bit	
Oracle Linux 5.8 (64-bit OS) on Exalagic 2.0	32-bit, 64-bit			64-bit	64-bit	64-bit	
Oracle Linux 6.0 (64-bit OS) on Exalagic 2.0						64-bit	
Red Hat Enterprise Linux 5 (64-bit OS) on s390x			64-bit	N/A			

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
Red Hat Enterprise Linux 5 (32-bit OS) on x86	5.0 (32-bit)	5.0 (32-bit)	5.4 (32-bit)	N/A	5.6 (32-bit)		
Red Hat Enterprise Linux 5 (64-bit OS) on x86-64	5.0 (32-bit, 64-bit)	5.0 (64-bit)	5.4 (64-bit)	5.6 (64-bit)	5.6 (32-bit) , 5.4 (64-bit)	5.4 (32-bit) , 5.6 (64-bit)	
Red Hat Enterprise Linux 5 (64-bit OS) on Itanium				N/A			
Red Hat Enterprise Linux 6 (64-bit OS) on x86-64	6.1 (32-bit, 64-bit)	6.1 (64-bit)	6.1 (32-bit, 64-bit)	6.1 (64-bit)	6.5 (32-bit) , 6.0 (64-bit)	6.5 (32-bit) , 6.0 (64-bit)	6.3 (32-bit) , 6.2 (64-bit)
Red Hat Enterprise Linux 6 (32-bit OS) on x86	6.3 (32-bit)		6.3 (32-bit)	N/A	6.5 (32-bit)		6.7 (32-bit)
Red Hat Enterprise Linux 6 (64-bit OS) on s390x			6.3 (32-bit)	N/A	6.3 (64-bit)	6.3 (64-bit)	
Red Hat Enterprise Linux 7 (64-bit OS) on x86-64			7.0 (64-bit)	7.0 (64-bit)		7.0 (32-bit, 64-bit)	7.0 (32-bit, 64-bit)
NeoKylin Linux 6 (64-bit OS) on x86-64						6.5 (64-bit)	
NeoKylin Linux 7 (64-bit OS) on x86-64						7.2 (64-bit)	

Note: For Oracle 6.5 UEK3 kernel, patch UEK 3.8.13-32 or above should be installed.

Microsoft Windows

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
Microsoft Windows 7 (32-bit OS) on x86 with MS Visual Studio 2005	32-bit (Client Only)			N/A			
Microsoft Windows 7 (64-bit OS) on x86-64 with MS Visual Studio 2005	32-bit (Client Only)			N/A			
Microsoft Windows 7 (32-bit OS) on x86 with MS Visual Studio 2008		32-bit (Client Only)	32-bit (Client Only)	N/A			
Microsoft Windows 7 (64-bit OS) on x86-64 with MS Visual Studio 2008			32-bit (Client Only), 64-bit (Client Only)	N/A			
Microsoft Windows 7 (64-bit OS) on x86-64 with MS Visual Studio 2010			32-bit (Client Only), 64-bit (Client Only)	N/A	64-bit (Client Only)		
Microsoft Windows 7 (64-bit OS) on x86-64 with MS Visual Studio 2012				N/A	64-bit (Client Only)	64-bit (Client Only)	
Microsoft Windows 7 (32-bit OS) on x86 with MS Visual Studio 2010				N/A	32-bit (Client Only)		
Microsoft Windows 7 (32-bit OS) on x86 with MS Visual Studio 2015							32-bit (Client Only)

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
Microsoft Windows 8 (64-bit OS) on x86-64 with Visual Studio 2008	32-bit			N/A			
Microsoft Windows 8 (32-bit OS) on x86 with MS Visual Studio 2010			32-bit (Client Only)	N/A			
Microsoft Windows 8 (64-bit OS) on x86-64 with MS Visual Studio 2010			64-bit (Client Only)	N/A	64-bit (Client Only)		
Microsoft Windows 8 (64-bit OS) on x86-64 with MS Visual Studio 2012				N/A	64-bit (Client Only)	64-bit (Client Only)	
Microsoft Windows 8.1 (64-bit OS) on x86-64 with MS Visual Studio 2010						32-bit (Client Only)	
Microsoft Windows 8.1 (64-bit OS) on x86-64 with MS Visual Studio 2012						64-bit (Client Only)	
Microsoft Windows 10 (32-bit OS) on x86 with MS Visual Studio 2015							32-bit (Client Only)
Microsoft Windows 10 (64-bit OS) on x86-64 with MS Visual Studio 2012						64-bit (Client Only)	
Microsoft Windows 10 (32-bit OS) on x86 with MS Visual Studio 2013						32-bit (Client Only)	
Microsoft Windows 10 (64-bit OS) on x86-64 with MS Visual Studio 2013						32-bit (Client Only)	

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
Microsoft Windows 10 (64-bit OS) on x86-64 with MS Visual Studio 2015							32-bit (Client Only), 64-bit (Client Only)
Microsoft Windows Server 2003 (32-bit OS) on x86 with MS Visual Studio 2005	32-bit				N/A		
Microsoft Windows Server 2003 R2 (32-bit OS) on x86 with MS Visual Studio 2005	32-bit				N/A		
Microsoft Windows Server 2003 R2 (64-bit OS) on x86-64 with MS Visual Studio 2005	32-bit				N/A		
Microsoft Windows Server 2008 (32-bit OS) on x86 with MS Visual Studio 2005	32-bit				N/A		
Microsoft Windows Server 2008 (64-bit OS) on x86-64 with MS Visual Studio 2005	32-bit				N/A		
Microsoft Windows Server 2008 R2 (64-bit OS) on x86-64 with MS Visual Studio 2005	32-bit				N/A		
Microsoft Windows Server 2008 (32-bit OS) on x86 with MS Visual Studio 2008	32-bit	32-bit	32-bit	32-bit	N/A		
Microsoft Windows Server 2008 (64-bit OS) on x86-64 with MS Visual Studio 2008	64-bit	64-bit	64-bit	64-bit	N/A		

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
Microsoft Windows Server 2008 (32-bit OS) on x86 with MS Visual Studio 2010			32-bit	N/A			
Microsoft Windows Server 2008 (64-bit OS) on x86-64 with MS Visual Studio 2010			64-bit	N/A			
Microsoft Windows Server 2008 R2 (64-bit OS) on x86-64 with MS Visual Studio 2008	64-bit	64-bit	32-bit, 64-bit	N/A			
Microsoft Windows Server 2008 R2 (64-bit OS) on x86-64 with MS Visual Studio 2010			32-bit, 64-bit	N/A	32-bit (Client Only), 64-bit	32-bit (Client Only), 64-bit	
Microsoft Windows Server 2008 R2 (64-bit OS) on x86-64 with MS Visual Studio 2012				N/A	64-bit	64-bit	
Microsoft Windows Server 2008 R2 (64-bit OS) on x86-64 with MS Visual Studio 2015							64-bit
Microsoft Windows Server 2012 (64-bit OS) on x86-64 with MS Visual Studio 2013						32-bit	
Microsoft Windows Server 2012 R2 (64-bit OS) on x86-64 with MS Visual Studio 2013						32-bit	

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
Microsoft Windows Server 2012 (64-bit OS) on x86-64 with MS Visual Studio 2008	32-bit			N/A			
Microsoft Windows Server 2012 (64-bit OS) on x86-64 with MS Visual Studio 2010			32-bit, 64-bit	N/A	32-bit (Client Only), 64-bit		
Microsoft Windows Server 2012 (64-bit OS) on x86-64 with MS Visual Studio 2012				N/A	64-bit	64-bit	
Microsoft Windows Server 2012 R2 (64-bit OS) on x86-64 with MS Visual Studio 2010			64-bit	N/A	64-bit	32-bit (Client Only)	
Microsoft Windows Server 2012 R2 (64-bit OS) on x86-64 with MS Visual Studio 2012				N/A	64-bit	64-bit	
Microsoft Windows Server 2012 R2 (64-bit OS) on x86-64 with MS Visual Studio 2015							32-bit (Client Only), 64-bit
Microsoft Windows Server 2012 R2 (64-bit OS) on x86-64 with MS Visual Studio 2017							64-bit
Microsoft Windows Server 2016 (64-bit OS) on x86-64 with MS Visual Studio 2012						64-bit	

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
Microsoft Windows Server 2016 (64-bit OS) on x86-64 with MS Visual Studio 2015							64-bit
Microsoft Windows Vista (32-bit OS) on x86 with MS Visual Studio 2005	32-bit (Client Only)			N/A			

Solaris

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
Oracle Solaris 10 (64-bit OS) on SPARC	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit	N/A	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit
Oracle Solaris 10 (64-bit OS) on x86-64	64-bit	64-bit	64-bit	N/A	64-bit		
Oracle Solaris 11 (64-bit OS) on x86-64	64-bit		64-bit	N/A	64-bit		
Oracle Solaris 11 Express (64-bit OS) on x86-64				N/A	64-bit		
Oracle Solaris 11 (64-bit OS) on SPARC	32-bit, 64-bit		32-bit, 64-bit	N/A	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit
Oracle Solaris 11 Express x86 (64-bit OS) on Exalotic			64-bit	N/A			

Others

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
HP OpenVMS V8.3-1H1 (64-bit OS) on IA64	64-bit		64-bit	N/A			
HP OpenVMS V8.4 (64-bit OS) on IA64			64-bit	N/A			
IBM i 6.1 on IBM PowerPC	32-bit		32-bit	N/A			
IBM i 7.1 on IBM PowerPC			32-bit	N/A			
IBM i 7.2 on IBM PowerPC			32-bit	N/A			

Supported Weblogic Servers

WebLogic Servers	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
WebLogic Server 10gR3 (10.3.0)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
WebLogic Server 11gR1 (10.3.x) (x>0)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
WebLogic Server 12cR1 (12.1.1)			Yes	Yes	Yes	Yes	Yes
WebLogic Server 12cR1 (12.1.2)			Yes			Yes	Yes

WebLogic Servers	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
WebLogic Server 12cR1 (12.1.3)			Yes		Yes	Yes	Yes
WebLogic Server 12cR2 (12.2.1)			Yes			Yes	Yes

End of Life Platforms

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
IBM AIX 5.3 (32-bit OS) on IBM PowerPC	32-bit						
IBM AIX 5.3 (64-bit OS) on IBM PowerPC	32-bit, 64-bit	32-bit, 64-bit	32-bit, 64-bit				
Microsoft Windows XP (32-bit OS) on x86 with MS Visual Studio 2005	32-bit (Client Only)						
Microsoft Windows XP (32-bit OS) on x86 with C++ Builder 2007	32-bit (COR BA Client Only)						
Microsoft Windows XP (32-bit OS) on x86 with MS Visual Studio 2008		32-bit (Client Only)	32-bit (Client Only)				
Microsoft Windows XP (32-bit OS) on x86 with MS Visual Studio 2010			32-bit (Client Only)				

Platforms	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
Solaris 9 (32-bit OS) on SPARC							
Solaris 9 (64-bit OS) on SPARC							

Note: Lifetime support policy for all Oracle Tuxedo releases can be found in [Oracle Documentation](#).

End of Life Weblogic Servers

WebLogic Servers	Tuxedo 10gR3 (10.3)	Tuxedo 11gR1			Tuxedo 12cR1 (12.1.1)	Tuxedo 12cR2 (12.1.3)	Tuxedo 12cR2 (12.2.2)
		11.1.1. 1.0	11.1.1. 2.0	11.1.1. 3.0			
WebLogic Server 7.0	Yes	Yes	Yes				
WebLogic Server 8.1	Yes	Yes	Yes				
WebLogic Server 9.0	Yes	Yes	Yes	Yes	Yes	Yes	
WebLogic Server 9.1	Yes	Yes	Yes	Yes	Yes	Yes	
WebLogic Server 9.2	Yes	Yes	Yes	Yes	Yes	Yes	
WebLogic Server 10.0	Yes	Yes	Yes	Yes	Yes	Yes	

Note: Lifetime support policy for all Oracle WebLogic Server releases can be found in [Oracle Documentation](#).