

JD Edwards EnterpriseOne

Web Client for iPad Quick Start Guide

Release 8.98 Update 4, Service Pack 5

E25437-01

September 2011

This document contains the following topics:

- ["Overview"](#)
- ["Prerequisites"](#)
- ["User Interface"](#)
- ["Using Context-Sensitive Keyboards for Entering Data"](#)
- ["Third-Party Web Site and Google Maps Application Support"](#)
- ["JD Edwards EnterpriseOne Features Not Supported on the iPad"](#)

Overview

Oracle supports JD Edwards EnterpriseOne Web client on the Apple iPad tablet through the Safari Web browser. This availability through Safari Web browser on the iPad enables users in the field to react quickly and efficiently to time-sensitive business tasks.

Prerequisites

Before you access JD Edwards EnterpriseOne Web client on the iPad, make sure the following prerequisites are met:

- Access the JD Edwards EnterpriseOne Current MTR Index on My Oracle Support for supported releases of iPad and Safari Web browser for iOS:

[https://support.oracle.com/CSP/ui/flash.html#tab=KBHome\(page=KBHome&id=\(\)\),\(page=KBNavigator&id=\(bmDocTitle=JD%20Edwards%20EnterpriseOne%20Current%20MTR%20Index&viewingMode=1143&bmDocType=REFERENCE&bmDocID=747323.1&bmDocDsrc=KB&from=BOOKMARK\)\)](https://support.oracle.com/CSP/ui/flash.html#tab=KBHome(page=KBHome&id=()),(page=KBNavigator&id=(bmDocTitle=JD%20Edwards%20EnterpriseOne%20Current%20MTR%20Index&viewingMode=1143&bmDocType=REFERENCE&bmDocID=747323.1&bmDocDsrc=KB&from=BOOKMARK)))

- Disable the pop-up blocker in the iPad settings for Safari.

To disable the Safari pop-up blocker on the iPad:

1. On the iPad, tap the Settings icon.
2. On Settings, scroll down and tap the Safari option.
3. On Safari, toggle the "Block Pop-ups" setting to the OFF position.

User Interface

On the Safari Web browser on the iPad, the appearance of the JD Edwards EnterpriseOne Web client applications is the same as how they appear in a Web browser on a desktop client. The difference between the two lies in how you navigate and interact with the JD Edwards EnterpriseOne application forms and features.

On the iPad, you use touch-screen gestures to navigate and interact with JD Edwards EnterpriseOne Web client applications. You can use gestures that are native to the iPad. For example, you can use a native gesture such as swiping your finger upward on the iPad screen to scroll down through a form. You can tap a field or a cell in the application grid to access a keyboard for entering data.

You also can use context-sensitive gestures designed specifically for JD Edwards EnterpriseOne Web client. For a list of context-sensitive gestures, see [JD Edwards EnterpriseOne Context-Sensitive Gestures](#).

Note: Some JD Edwards EnterpriseOne Web client features are not supported on the iPad. See [JD Edwards EnterpriseOne Features Not Supported on the iPad](#) for more information.

Increasing the JD Edwards EnterpriseOne Menu Display Size

You can use the native iPad reverse-pinch gesture to zoom in on the JD Edwards EnterpriseOne Menu. Alternatively, you can tap Preferences on the JD Edwards EnterpriseOne Menu and then tap the Zoom check box to increase the display size of the menu.

JD Edwards EnterpriseOne Context-Sensitive Gestures





Oracle provides context-sensitive gestures for working with the JD Edwards EnterpriseOne Web client. To perform a context-sensitive gesture, you must begin the gesture in a particular area in the Web client application, either in the menu area, the form area, or the grid area. For example, performing a context-sensitive gesture in the menu area at the top of a form closes a form; performing a context-sensitive gesture in the form area opens the Form Exit menu.

Note: On the iPad, you can access a description of all JD Edwards EnterpriseOne context-sensitive gestures by clicking the "About(i)" link in the upper-right corner of any JD Edwards EnterpriseOne application.

The following sections describe the JD Edwards EnterpriseOne context-sensitive gestures.

Menu Context-Sensitive Gestures

This table contains descriptions of context-sensitive gestures that you can start from the navigation menu on the left side of the screen:

Gesture	Action
 <p>Cross swipe</p>	Performs a close or cancel if one of these operations is on the form.
 <p>Swipe down</p>	Performs a find (search) if the Find operation is on the form.
 <p>Caret swipe</p>	Performs an add if the Add operation is on the form.
 <p>Check mark swipe</p>	Performs a select or OK if one of these operations is on the form.

Form Context-Sensitive Gestures

This table contains descriptions of context-sensitive gestures that you can perform in the form area:

Gesture	Action
Three-finger swipe, right to left	Closes the menu.
Three-finger swipe, left to right	Opens the menu. If the menu is already open, this gesture accesses the next open application.
Two-finger, single tap	Opens the Form Exit menu on a form.

Grid Context-Sensitive Gestures

This table contains descriptions of context-sensitive gestures that you can perform in the grid area of a form:

Gesture	Action
Three-finger downward swipe	Performs a search if a Find button is available.

Gesture	Action
Three-finger upward swipe	After performing a find, you can use this gesture to perform the Next Page operation, which enables you to scroll through additional pages of records in the grid.
Two-finger single tap	Opens the Row Exit menu.

Using Context-Sensitive Keyboards for Entering Data

The JD Edwards EnterpriseOne Web client for iPad supports the iPad context-sensitive keyboard feature. A numeric keyboard appears when you tap a field that requires only numeric characters; an alpha keyboard appears when you tap a field that requires only alpha characters. If a field allows both alpha and numeric characters, you can toggle back and forth between the alpha keyboard and numeric keyboard to enter the data.

Third-Party Web Site and Google Maps Application Support

JD Edwards EnterpriseOne Web client applications can contain URLs to third-party Web sites. If a user taps a URL on the iPad, the iPad opens another Safari Web client window with the specified Web site address in the URL.

If a JD Edwards EnterpriseOne application contains a URL defined with a Google Maps Web site address, you can tap the URL and the iPad will launch the Google Maps application for iPad. For example, the following URL will take you to a map in the Google Maps application, showing the location of One Technology Way in Denver, Colorado:

<http://maps.google.com/?q=one+technology+way+80237>

The Google Maps application must be installed on the iPad to support this functionality.

JD Edwards EnterpriseOne Features Not Supported on the iPad

The following JD Edwards EnterpriseOne Web client features are not supported on the iPad:

- Maximize button on the JD Edwards EnterpriseOne Menu.
- New Window button.
- Import/Export Grid functions.
- Copy and paste feature in a grid.
- Drag and drop features.
- Hot key support
- Accessibility.

JD Edwards EnterpriseOne Web client applications in Safari Web Browser on the iPad are not accessible for users with disabilities.

- Edit mode in Rich Text Editor (RTE).
You cannot edit content in RTE.

- Object linking and embedding (OLE) feature in the Media Object Viewer.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

JD Edwards EnterpriseOne Web Client for iPad, Release 8.98 Update 4, Service Pack 5
E25437-01

Copyright © 2011, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

