

Oracle TSAM for OpenVMS

Installation Guide

11g Release 1 (11.1.1.2)

July 2011

ORACLE®

Copyright © 2007, 2011, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Installing Oracle TSAM on OpenVMS

Preparing to Install Oracle TSAM	2-1
Verifying the Hardware and Software Configuration	2-2
Verifying the User ID Privileges and Quotas	2-2
Installing Oracle TSAM	2-3
Uninstalling Oracle TSAM	2-3
Post Installation	2-4
Running tsam_setenv.com after Rebooting	2-4

Installing Oracle TSAM on OpenVMS

This chapter explains how to install and configure the Oracle TSAM system on your OpenVMS system.

The topics covered in this chapter include:

- [Preparing to Install Oracle TSAM](#)
- [Installing Oracle TSAM](#)
- [Uninstalling Oracle TSAM](#)
- [Post Installation](#)

Preparing to Install Oracle TSAM

Note: Before you begin the installation process, you may wish to review the Polycenter product installation utility (PCSI). This utility is used to install Oracle TSAM and you should have a working knowledge of its operation.

Before installing Oracle TSAM, you must:

- Verify that your machine meets the hardware and software requirements.
- Verify that you (as the person installing Oracle TSAM) have the necessary user ID privileges and quotas.
- Verify that you have installed Oracle Tuxedo 11g Release 1 (11.1.1.2.0) with server components

Verifying the Hardware and Software Configuration

Before you install Oracle TSAM, you must verify that the machine on which you wish to install Oracle TSAM meets the minimum hardware and software requirements.

Use the following procedure to verify your machine meets the requirements.

1. Review the hardware and software configuration of the machine on which you wish to install Oracle TSAM.
2. Compare your configuration with the hardware and software requirements. For more information, see [Oracle TSAM Supported Platforms, Web Containers and DBMS](#).
3. Verify that the machine on which you wish to install Oracle TSAM has at least 100 megabytes of available disk space.

Verifying the User ID Privileges and Quotas

The person installing Oracle TSAM must log on to the machine with the user ID privileges and quotas as listed in [Table 1](#)

Table 1 User ID Privileges and Quotas

User ID Privileges	User ID Quotas
CMKRNL	ASTLM: 400
SETPRV	BIOLM: 500
SYSLCK	DIOLM: 500
SYSNAM	ENGLM: 500
SYSGBL	FILLM: 500
PRMGBL	BYTLM: 5000000

Table 1 User ID Privileges and Quotas

	DGFLQUOTA: 30000
	PRCLM: 5
DETACH	TQELM: 500
	WSDEFAULT: 512
	WSEXTENT: 8192
	WSQUOTA: 1024

Use the following procedure to verify the user ID privileges.

1. Open the user account file for editing.
2. Enter the following line in the user account file.

```
Run:set proc/priv=all
```

Installing Oracle TSAM

1. Log on to the machine using the user ID that you verified in "Verifying the User ID Privileges and Quotas."
2. Start the product installation utility (PCSI):

```
product install TSAM /source=src_dir/destination=dest_dir
```

where:

- `src_dir` is the directory in which you put the installation package (PCSI).
 - `dest_dir` is the directory where Oracle Tuxedo is installed. `dest_dir` must be a valid directory name.
3. The PCSI utility will run core package installation directly.
 4. The PCSI utility will install the required files. You can monitor the progress of the installation on the screen.

Uninstalling Oracle TSAM

Use the following procedure to remove Oracle TSAM:

Note: This procedure removes all the TSAM files and directories under the Oracle Tuxedo installation directory. It does not remove temporary files, which are not part of the Core package and may have been created after installation. Temporary files may have to be removed manually using the delete command.

1. Log on to the machine with the user ID that you used to install the Oracle TSAM system.
2. Change the current directory to the `dest_dir.bin` directory, and the `dest_dir` is the directory where Oracle Tuxedo is installed.
3. On the command line, enter the following:

```
@tsam_preuninstall.com
```
4. On the command line, enter the following:

```
product remove tsam
```

Post Installation

Running `tsam_setenv.com` after Rebooting

Before you can use the Oracle TSAM, you must configure it using a DCL script (`tsam_setenv.com`). This script must be run each time the machine is rebooted. You may put the DCL script into the start-up environment so that when the machine is rebooted the script is executed.

Do the following steps:

1. Log on to the machine with the user ID that you used to install the Oracle TSAM system.
2. Change the current directory to the `dest_dir.bin` directory, and the `dest_dir` is the directory where tuxedo is installed.
3. On the command line, enter the following command: `@tsam_setenv.com`