

Oracle® Tuxedo Mainframe Adapter for OSI TP

Release Notes

Release 11g R1 (11.1.1.2.0)

August 2010

ORACLE®

Copyright © 2007, 2010, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

About Oracle Tuxedo Mainframe Adapter for OSI TP 11g R1 (11.1.1.2.0) Release	1
What's New.	1
Supported Platforms.	1
Pre-Installation Considerations	2
Prerequisite Software	2
Special Consideration for Windows	2
Location for OSIRUNDIR	2
Using a Non-Privileged User to Run OSIADMIN.	3
Fixed Problems	3

Oracle Tuxedo Mainframe Adapter for OSI TP 11g R1 Release Notes

The following topics are discussed in this document.

- [About Oracle Tuxedo Mainframe Adapter for OSI TP 11g R1 \(11.1.1.2.0\) Release](#)
- [Supported Platforms](#)
- [Pre-Installation Considerations](#)
- [Prerequisite Software](#)
- [Special Consideration for Windows](#)
- [Fixed Problems](#)

About Oracle Tuxedo Mainframe Adapter for OSI TP 11g R1 (11.1.1.2.0) Release

What's New

The Oracle Tuxedo Mainframe Adapter for OSI TP 11g R1 (11.1.1.2.0) release provides support for Oracle Tuxedo 11gR1 (11.1.1.2.0).

Supported Platforms

The Oracle Tuxedo Mainframe Adapter for OSI TP Version 11g R1 (11.1.1.2.0) support platforms running Oracle Tuxedo 11gR1 (11.1.1.2.0) on the operating systems listed in [Table 1](#).

Table 1 Oracle Tuxedo Mainframe Adapter for OSI TP 11g R1 Supported Platforms

Operating System
AIX 5.3 (32-bit) on Power
Solaris 10 (32-bit) on SPARC
Windows 2008 Server (32-bit) on x86 with VS2008

Note: For AIX 5.3, maintenance level 5300-07 or later is required.

Pre-Installation Considerations

Complete the following tasks prior to installing Oracle Tuxedo Mainframe Adapter for OSI TP:

- Read the *Oracle Tuxedo Mainframe Adapter for OSI TP 11g R1 (11.1.1.2.0) Release Notes*.
- Review the Upgrade Prerequisites in the *Oracle Tuxedo Mainframe Adapter for OSI TP 11g R1 (11.1.1.2.0) Installation Guide* if you are upgrading from a previous version of eLink OSI TP.
- Make sure you have installed and verified the correct Oracle Tuxedo version and patch level.
- Make sure the Oracle Tuxedo environment is configured properly.

Prerequisite Software

Install Oracle Tuxedo 11gR1 (11.1.1.2.0) software and make sure it is configured and working properly prior to installing Oracle Tuxedo Mainframe Adapter for OSI TP software.

Special Consideration for Windows

Location for OSIRUNDIR

The directory pointed to by the environment variable `OSIRUNDIR` contains run-time files for the OSI TP gateway. You should place this directory at some location under the `HOME` path for the Windows User ID you use to boot Tuxedo. For example, on Windows 2008, the `HOME` path defaults to `C:\Users\userid` where `userid` is your Windows User ID.

The recommended choice is to set `OSIRUNDIR` to:

```
%LOCALAPPDATA%\osirun
```

If you point `OSIRUNDIR` to some location that is not under your `HOME` path, you may encounter security errors when you run the `OSIADMIN` command.

Note: The above guideline applies even if the Windows User ID you use to boot Tuxedo is a member of the Administrators group.

Using a Non-Privileged User to Run OSIADMIN

If the Windows User ID that you plan to use to run `OSIADMIN` is not a member of the Administrators group, then you should set the parameter `AdminAccount` in the tailor configuration file. If you fail to do this, then you may encounter security errors when you run the `OSIADMIN` command.

The documentation for the `AdminAccount` parameter follows.

Parameter Name: `AdminAccount`

Default: None

Description: The name of a Windows user or group. This name can be of the form "name" for a local user or group, or "domain\name" for a domain user or group.

In all cases, the `LocalSystem` account and all members of the local Administrators group will have the privilege to run `OSIADMIN` commands. If the `AdminAccount` parameter is configured in the tailor file, then the user or group specified will also have the privilege to run `OSIADMIN` commands.

As with all tailor parameters, the parameter setting takes effect upon the next boot of the `GWOSITP` process.

The `AdminAccount` tailor parameter only applies to a Windows system; it is ignored if specified on a Unix platform.

Fixed Problems

This section describes known problems from prior releases that have been fixed with the current release of the Oracle Tuxedo Mainframe Adapter for OSI TP software. [Table 2](#) lists a bug number for each problem.

Table 2 Fixed Problems

	Bug number	Description
1	9493882	Problem: Gateway shuts down quiescently in abnormal situation and cannot be restarted.