

**SeeBeyond™ eBusiness Integration Suite**

# **xCBL ETD Library User's Guide**

*Release 4.5.2*



The information contained in this document is subject to change and is updated periodically to reflect changes to the applicable software. Although every effort has been made to ensure the accuracy of this document, SeeBeyond Technology Corporation (SeeBeyond) assumes no responsibility for any errors that may appear herein. The software described in this document is furnished under a License Agreement and may be used or copied only in accordance with the terms of such License Agreement. Printing, copying, or reproducing this document in any fashion is prohibited except in accordance with the License Agreement. The contents of this document are designated as being confidential and proprietary; are considered to be trade secrets of SeeBeyond; and may be used only in accordance with the License Agreement, as protected and enforceable by law. SeeBeyond assumes no responsibility for the use or reliability of its software on platforms that are not supported by SeeBeyond.

e\*Gate, e\*Insight, e\*Way, e\*Xchange, e\*Xpressway, eBI, iBridge, Intelligent Bridge, IQ, SeeBeyond, and the SeeBeyond logo are trademarks and service marks of SeeBeyond Technology Corporation. All other brands or product names are trademarks of their respective companies.

© 2001 by SeeBeyond Technology Corporation. All Rights Reserved. This work is protected as an unpublished work under the copyright laws.

**This work is confidential and proprietary information of SeeBeyond and must be maintained in strict confidence.**

Version 20011226155231.

# Contents

<b>List of Figures</b>	<b>5</b>
<b>List of Tables</b>	<b>6</b>
<hr/>	
<b>Chapter 1</b>	
<b>Introduction</b>	<b>7</b>
User's Guide Purpose and Scope	7
Intended Audience	7
Document Organization	8
Writing Conventions	8
Supporting Documents	10
SeeBeyond Web Site	10
xCBL Web Site	10
<hr/>	
<b>Chapter 2</b>	
<b>xCBL Template Installation</b>	<b>11</b>
<b>System Requirements</b>	<b>11</b>
External System Requirements	11
<b>Installing xCBL ETD Templates</b>	<b>12</b>
Windows NT and Windows 2000	12
Before installation	12
Installation procedure	12
UNIX	15
Before installation	15
Installation procedure	15
<b>Files and Directories Created by the Installation</b>	<b>16</b>
xCBL directories	16

**Chapter 3**

<b>Overview of xCBL</b>	<b>18</b>
<b>Introduction to xCBL</b>	<b>18</b>
Differences Between 20r3 and 30r2	19
Compatibility Between 20r3 and 30r2	19
<b>Components of the xCBL ETD Library</b>	<b>20</b>
Example of a 20r3 xCBL File	20
Category contents	21
Example of a 30r2 xCBL File	22
AccountDetail contents	23

---

**Chapter 4**

<b>xCBL ETD Library</b>	<b>26</b>
<b>xCBL 20r3 Files</b>	<b>26</b>
<b>xCBL 30r2 Files</b>	<b>34</b>
<b>Index</b>	<b>64</b>

# List of Figures

Figure 1	Select Components Dialog Box	13
Figure 2	Select Sub-components Dialog Box on CD-ROM 3	13
Figure 3	Select Sub-components Dialog Box on CD-ROM 5	15
Figure 4	Category.xsc Components	22
Figure 5	AccountDetail.xsc Components	25

# List of Tables

<b>Table 1</b>	<b>xCBL ETD Library Directory Structure</b>	<b>17</b>
<b>Table 2</b>	<b>Category Contents</b>	<b>21</b>
<b>Table 3</b>	<b>AccountDetail Contents</b>	<b>23</b>
<b>Table 4</b>	<b>xCBL 20r3 .dtd Files and Corresponding 20r3 .jar and .xsc Files</b>	<b>26</b>
<b>Table 5</b>	<b>xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files</b>	<b>34</b>

# Introduction

This chapter introduces you to this user's guide, its general purpose and scope, and its organization. It also provides sources of related documentation and information.

---

## 1.1 User's Guide Purpose and Scope

This document acquaints you with the XML Common Business Library (xCBL), and in particular, the SeeBeyond Technology Corporation™ (SeeBeyond™) xCBL ETD Library—this Java version ETD library is a feature of the SeeBeyond e\*Gate Integrator system.

This manual includes:

- Procedures for installing xCBL files and where to find them after installation
- Overview of xCBL, including an explanation why it is used
- Lists the different types xCBL ETD template files in SeeBeyond's xCBL ETD Library

**Important:** *Any operation explanations given here are generic, for reference purposes only, and do not necessarily address the specifics of setting up and/or operating individual e\*Gate systems.*

This document does not contain information on software installation and system administration procedures (see “[Supporting Documents](#)” on page 10).

---

## 1.2 Intended Audience

The reader of this guide is presumed to be a developer or system administrator with responsibility for maintaining the e\*Gate system, to have moderate to advanced level knowledge of Windows NT and Windows 2000 operations and administration, and to be thoroughly familiar with Windows-style GUI operations.

---

## 1.3 Document Organization

This document is organized topically as follows:

- **Chapter 1 “Introduction”** gives a general preview of this document, its purpose, scope, and organization.
- **Chapter 2 “xCBL Template Installation”** explains how to install xCBL files and where to find them after installation.
- **Chapter 3 “Overview of xCBL”** provides an overview of xCBL, including the differences between versions 2.0 and 3.0.
- **Chapter 4 “xCBL ETD Library”** lists the different types of xCBL ETD template files in the xCBL ETD Library.

---

## 1.4 Writing Conventions

The writing conventions listed in this section are observed throughout this document.

### Hypertext Links

When you are using this guide online, cross-references are also hypertext links and appear in **blue text** as shown below. Click the **blue text** to jump to the section.

For information on these and related topics, see **“Parameter, Function, and Command Names” on page 9**.

### Command Line

Text to be typed at the command line is displayed in a special font as shown below.

`java -jar ValidationBuilder.jar`

Variables within a command line are set in the same font and bold italic as shown below.

`stcregutil -rh host-name -rs schema-name -un user-name  
-up password -ef output-directory`

### Code and Samples

Computer code and samples (including printouts) on a separate line or lines are set in Courier as shown below.

Configuration for BOB\_Promotion

However, when these elements (or portions of them) or variables representing several possible elements appear within ordinary text, they are set in *italics* as shown below.

*path* and *file-name* are the path and file name specified as arguments to **-fr** in the **stcregutil** command line.

## Notes and Cautions

Points of particular interest or significance to the reader are introduced with **Note**, **Caution**, or **Important**, and the text is displayed in *italics*, for example:

**Note:** *The Actions menu is only available when a Properties window is displayed.*

## User Input

The names of items in the user interface such as icons or buttons that you click or select appear in **bold** as shown below.

Click **Apply** to save, or **OK** to save and close.

## File Names and Paths

When names of files are given in the text, they appear in **bold** as shown below.

Use a text editor to open the **ValidationBuilder.properties** file.

When file paths and drive designations are used, with or without the file name, they appear in **bold** as shown below.

In the **Open** field, type **D:\setup\setup.exe** where **D:** is your CD-ROM drive.

## Parameter, Function, and Command Names

When names of parameters, functions, and commands are given in the body of the text, they appear in **bold** as follows:

The default parameter **localhost** is normally only used for testing.

The Monk function **iq-put** places an Event into an IQ.

You can use the **stccb** utility to start the Control Broker.

## Additional Conventions

**Windows Systems:** The e\*Gate system is fully compliant with both Windows NT and Windows 2000 platforms. When this document references Windows, such statements apply to both Windows platforms.

**UNIX Systems:** This guide uses the backslash (“\”) as the separator within path names. If you are working on a UNIX system, please make the appropriate substitutions.

---

## 1.5 Supporting Documents

The following SeeBeyond documents provide additional information:

- *e\*Gate Integrator Installation Guide*
- *e\*Gate Integrator Intelligent Queue Services Reference Guide*
- *e\*Gate Integrator System Administration and Operations Guide*
- *e\*Gate Integrator User's Guide*
- *e\*Insight eBusiness Integration Suite™ Primer*
- *e\*Insight eBusiness Integration Suite Deployment Guide*
- *e\*Way Intelligent Adapter for Commerce One Market Site User's Guide*
- *UN/EDIFACT ETD Library User's Guide*
- *X12 ETD Library User's Guide*
- *XML Toolkit*

See the *e\*Insight eBusiness Integration Suite Primer* for a complete list of e\*Gate-related documentation. You can also refer to the appropriate Microsoft Windows or UNIX documents, if necessary. For information about the DTDWizard, see the *XML Toolkit*.

---

## 1.6 SeeBeyond Web Site

The SeeBeyond Web site is your best source for up-to-the-minute product news and technical support information. The site's URL is:

<http://www.seebeyond.com>

---

## 1.7 xCBL Web Site

The xCBL Web site is a very good source for up-to-the-minute product news and technical information. The site's URL is:

<http://www.xcbl.org>

# xCBL Template Installation

This chapter tells you how to install xCBL files and where to find them after installation.

---

## 2.1 System Requirements

The xCBL ETD Library is available on the following operating systems:

- Windows 2000, Windows 2000 SP1, and Windows 2000 SP2
- Windows NT 4.0 SP6a
- Solaris 2.6, 7, and 8
- AIX 4.3.3
- HP-UX 11.0 and HP-UX 11.i

To use the xCBL ETD Library, you need the following:

- An e\*Gate Participating Host, version 4.5 or later. For AIX operating systems, you need an e\*Gate Participating Host, version 4.5.1.
- A TCP/IP network connection.
- 506054 KB of disk space is required to install both xCBL Version 20r3 and xCBL Version 30r2 on a Windows or UNIX system.

**Note:** *Additional disk space is required to run e\*Gate and process and queue xCBL data; the amount necessary will vary based on the type and size of the data being processed.*

### 2.1.1 External System Requirements

The xCBL ETD Library supports the following external systems:

- xCBL 20r3
- xCBL 30r2

---

## 2.2 Installing xCBL ETD Templates

This section explains how to install the xCBL ETD template files. The xCBL ETD Library Version 20r3 is located on CD-ROM 3 and the xCBL ETD Library Version 30r2 is located on CD-ROM 5.

### 2.2.1 Windows NT and Windows 2000

#### Before installation

- Exit all Windows programs before running the setup program, including any anti-virus applications.
- You must have Administrator privileges to install this product.

#### Installation procedure

##### To install the xCBL 20r3 ETD templates on Windows


- 1 Log on to the workstation on which you want to install the xCBL templates.
- 2 If performing a complete installation of e\*Gate, insert installation CD-ROM 1 into the CD-ROM drive.
- 3 If the Autorun feature on the CD-ROM drive is enabled, the setup application should launch automatically. Otherwise, navigate to the \Setup folder on the CD-ROM and double-click **Setup.exe**.
- 4 Follow the on-screen prompts and the instructions in the *e\*Gate Integrator Installation Guide* to install e\*Gate (Registry Host, Participating Host, and GUI).
- 5 When finished with Step 4, insert CD-ROM 3 into the CD-ROM drive.
- 6 Follow the on-screen prompts on the Add-ons CD-ROM to navigate through the introductory screens and to accept the license agreement.
- 7 When the **User Information** dialog box appears, type your name and company name, and then click **Next**.
- 8 When prompted, select the destination directory into which to install the add-ons in the **Choose Destination Location** dialog box. The setup utility recommends the appropriate directory for your e\*Gate installation; we recommend you do not change the default. Click **Next**.

**Note:** Spaces are not valid characters in e\*Gate path names.

- 9 When the **Select Components** dialog box appears, highlight **ETD Libraries** and then click **Change**.


**Note:** Do not select the check box.

**Figure 1** Select Components Dialog Box



- 10 When the **Select Sub-components** dialog box appears (see [Figure 2 on page 13](#)), select the **Java xCBL ETD Library Version v20r3** check box and then click **Continue**.

**Figure 2** Select Sub-components Dialog Box on CD-ROM 3



**Note:** To see exactly how much disk space that particular library requires, look below the **Description** region to **Space Required**. As additional libraries are selected, the total amount of disk space required for the installation displays here.

- 11 After making your selections, click **Continue**. The **Select Components** dialog box reappears. Click **Next** to continue.
- 12 Follow the rest of the on-screen instructions to install the xCBL ETD Library 20r3 template. For details about the e\*Gate installation, see the *e\*Gate Integrator Installation Guide*.

**Note:** Be sure to install the template file in the suggested installation directory. The installation utility detects and suggests the appropriate installation directory. Unless you are directed to do so by SeeBeyond support personnel, do not change the suggested installation directory setting.

#### To install the xCBL 30r2 ETD templates on Windows


- 1 Log on to the workstation on which you want to install the 30r2 template.
- 2 Insert CD-ROM 5 into the CD-ROM drive.
- 3 If the CD-ROM drive's Autorun feature is enabled, the setup application should launch automatically. Otherwise, navigate to the \Setup\Addons folder on the CD-ROM and double-click **Setup.exe**.
- 4 The InstallShield setup application launches. Follow the on-screen instructions until you come to the **User Information** dialog box. Type your name and company name and then click **Next**.
- 5 The **Choose Destination Location** dialog box appears. The setup utility recommends the appropriate destination folder; we strongly recommend that you do not change the default. Click **Next**.
- 6 When the **Select Components** dialog box appears, highlight **ETD Libraries**, and then click **Change**. This allows you to select the xCBL templates that you want to install. See [Figure 1 on page 13](#).

**Note:** Do not select the check box.

- 7 When the **Select Sub-components** dialog box appears (see Figure 3), select the **Java xCBL ETD Library Version v30r2**.

**Note:** The Java xCBL ETD Library Version 20r3 is located on CD-ROM 3.

**Figure 3** Select Sub-components Dialog Box on CD-ROM 5



- 8 Click **Continue**. The **Select Components** dialog box reappears. Click **Next** to continue.
- 9 Follow the rest of the on-screen instructions to install the xCBL ETD Library 30r2 template. For details about the e\*Gate installation, see the *e\*Gate Integrator Installation Guide*.

*Be sure to install the template file in the suggested installation directory. The installation utility detects and suggests the appropriate installation directory. Unless you are directed to do so by SeeBeyond support personnel, do not change the suggested installation directory setting.*

## 2.2.2 UNIX

When copying the generated files from UNIX to Windows, make sure the file names remain lowercase. Some Windows tools are particular about case conversions (for example, WinZip). File transfer protocol (FTP) does not have case problems.

### Before installation

You do not need root privileges to install the xCBL ETD template libraries. Log in under the user name that you want to own the xCBL ETD Library templates. Ensure that this user has sufficient privileges to create files in the e\*Gate directory tree.

### Installation procedure

#### To install the xCBL ETD templates on a UNIX system

- 1 Log on to the workstation containing the CD-ROM drive, and insert the installation CD-ROM into the drive.
- 2 If necessary, mount the CD-ROM drive.

- 3 At the shell prompt, type:

**cd /cdrom**

- 4 Start the installation script by typing:

**setup.sh**

A menu of options appears.

- 5 Select the **e\*Gate Addon Applications** option.

- 6 Follow the rest of the on-screen instructions to install the xCBL template files. For details about e\*Gate installation, see the *e\*Gate Integrator Installation Guide*.

**Note:** Be sure to install the template files in the suggested installation directory. The installation utility detects and suggests the appropriate installation directory. Unless you are directed to do so by SeeBeyond support personnel, do not change the suggested installation directory setting.

---

## 2.3 Files and Directories Created by the Installation

The xCBL ETD templates installation on Windows NT or Windows 2000 places files within the e\*Gate directory tree.

The UNIX installation places the files in the same path locations and directories as the Windows NT or Windows 2000 installation. All file names are also the same. For details about the files in the xCBL ETD Library, see [Chapter 4](#).

### xCBL directories

xCBL uses the term “directory” to refer to each version of xCBL. This is not to be confused with the usual sense of file system ‘directories’ in the following discussion.

The e\*Gate xCBL ETD Library is organized into subdirectories as follows: There is a parent directory for all xCBL versions:

**<eGate>\Server\registry\repository\default\etd\templates\xcbl**

Under this directory there is a directory for each version: **20r3** and **30r2**. Under each version directory there are subdirectories for the libraries and the DTD files: **\lib** and **\dtd**. The Java **.jar** and **.xsc** files are stored in the **\lib** directory, and the **.dtd** files are stored in the **\dtd** directory, as illustrated in Table 1.

**Note:** DTD files are Document Type Definition files. A DTD is a file containing metadata that describes an XML document. The DTD specifies the rules for how the XML elements, attributes, and other data are defined and logically related in the XML document.

**Table 1** xCBL ETD Library Directory Structure

Directories	Directory Contents
<eGate>\Server\registry\repository\default\etd\templates\xcb\	
<b>20r3\</b>	\dtd xCBL .dtd files \lib Java .xsc and .jar files
<b>30r2\</b>	\dtd xCBL .dtd files \lib Java .xsc and .jar files

Java messages are stored as files with the following characters:

- Messages are of file type **.xsc**.
- Compressed Java files and classes are of file type **.jar**.

Both the **.jar** and **.xsc** files carry the same name. For example: **StatusEvent.jar** and **StatusEvent.xsc**.

To learn more about these specialized template files, open and examine them, using the ETD Editor feature in e\*Gate. For complete information on xCBL, see the URL shown under “[xCBL Web Site](#)” on page 10.

## Chapter 3

# Overview of xCBL

This chapter presents an overview of xCBL, the differences between xCBL 20r3 and 30r2, and then provides an example of an xCBL element.

---

### 3.1 Introduction to xCBL

Originally Business-to-Business (B2B) e-commerce exchanged information using Electronic Data Interchange (EDI). Although EDI messages use standard data elements and document models, they can be complex—which can make them expensive to use.

**Note:** *X12 (which is used within the United States) and UN/EDIFACT (which is used across international industries) are the accepted EDI standards. See the **X12 ETD Library User's Guide** and the **UN/EDIFACT ETD Library User's Guide** for more information on these products.*

In an attempt to streamline the process of EDI, companies and initiatives turned to the Extensible Markup Language (XML), which is a simplified meta-language that has emerged as the standard for “self-describing data exchange” in Internet applications. Although the goal was to transport EDI transactions as Internet XML/EDI messages, most of the XML/EDI efforts failed to take advantage of the power of XML—mainly validation, structure, and reuse of information components.

e-commerce’s requirement for stronger data typing and validation than XML could provide led to the development of the Common Business Library (CBL) in 1997. Two years later the “x” was added to the name to represent the relationship of xCBL with XML.

xCBL is a set of XML business documents and their components; that is, a set of XML building blocks that allows for the creation of reusable XML documents that promote interoperability between applications. The xCBL schema document framework provides data typing and validation that allows eBusinesses to exchange documents across multiple platforms, which in turn gives global access to buyers, suppliers, and providers of business services. Additionally, xCBL is a collection of common business elements that form the foundation of EDI and Internet commerce protocols, and has been modeled after X12 and UN/EDIFACT. This preserves and extends the EDI elements, while at the same time providing a common framework for its reusable components to “speed the implementation of standards and facilitate their interoperation.”

e\*Gate supports the DTD format of xCBL version 2 release 3 (20r3) and version 3 release 2 (30r2). Each version of xCBL has its own set of DTD files, which in turn correspond to xCBL elements (see [Chapter 4](#)).

**Note:** A DTD (Document Type Definition) is a file containing metadata that describes an XML document. The DTD specifies the rules for how the XML elements, attributes, and other data are defined and logically related in the XML document.

### 3.1.1 Differences Between 20r3 and 30r2

Although the scope of 20r3 is much more limited than the scope of 30r2, many applications use it as it encompasses most of the procurement scenarios in many B2B e-Commerce applications. 30r2 is decidedly different in both scope and design from the earlier versions of xCBL and provides support for such standards as:

- X12
- UN/EDIFACT
- RosettaNet

The major difference between 20r3 and 30r2 is that the latter version is not an extensible set of Order Management documents as is the former. Instead, 30r2 serves as a central language that manages different syntaxes. It consists of an extensive set of messages that provides interoperability across a large range of direct goods and procurement scenarios, as well as providing a simple set of messages for doing e-Commerce.

### 3.1.2 Compatibility Between 20r3 and 30r2

xCBL 30r2 is compatible with xCBL 20r3, with the following exceptions:

- Generally there is no loss of data when translating from a 20r3 document to a 30r2 document.
- There is substantial loss of data when translating a fully populated 30r2 document to a 20r3 document because mandatory elements in a 30r2 document do not have corresponding elements in a 20r3 document.
  - ◆ The core/key data for this translation usually transfers without loss of data when translating from 30r2 to 20r3.

---

## 3.2 Components of the xCBL ETD Library

e\*Gate uses the DTD version of xCBL, and the DTD files correspond to an xCBL ETD element. **Category.dtd** (see “[Category.dtd on page 21](#)”) is an example of a 20r3 **.dtd** file and **AccountDetail.dtd** (see “[AccountDetail.dtd on page 24](#)”) is an example of a 30r2 **.dtd** file that SeeBeyond has converted to **.xsc** files and their corresponding **.jar** files. SeeBeyond delivers full sets of **.xsc** and **.jar** files from **.dtd** files for both 20r3 and 30r2 that are ready to use. For complete lists of the 20r3 and 30r2 **.dtd** files and their corresponding **.jar** and **.xsc** files, see [Table 4 on page 26](#) (v20r3) and [Table 5 on page 34](#) (30r2).

Event Type Definition (ETD) **.xsc** files define the structure and syntax of message formats that are used to identify, validate, and translate message data content. Java ETDs also contain **.jar** files, which function much like Zip files in that they compress and store Java **.class** files. The **.class** files support the **.xsc** structure (message, parsing, and validation).

### 3.2.1 Example of a 20r3 xCBL File

[Figure 4 on page 22](#) shows an example of the **Category.xsc** file after it has been generated. The file, along with its accompanying **.jar** file, has been created by SeeBeyond from the original **.dtd** files and is delivered with e\*Gate.

Although only **Category**, which is a 20r3 xCBL element, is highlighted in this section, all of the 20r3 xCBL Library can be found at the following URL:

<http://www.xcbl.org/xcbl20/distribution.html>

xCBL publishes documentation and sample data for the library that can be found at the following URL:

<http://www.xcbl.org/xcbl20/documentation.html>

**Note:** For information about the e\*Gate Java ETD Editor and the e\*Gate Java Collaboration Rules Editor, see the **e\*Gate Integrator User’s Guide**, the **Java Collaboration Rules Editor Help file**, and the **Java ETD Editor Help file**.

## Category contents

**Category** is an xCBL element that defines a product classification. Table 2 lists the contents of the **Category** element. See “[Category.dtd on page 21](#)” for an example how the contents of this element are structured in the **.dtd** file and see [Table 4 on page 26](#) for a complete list of the 20r3 **.dtd**, **.jar**, and **.xsc** files.

**Table 2** Category Contents

Name	Type	Function
CategoryID	string	A unique identification of the category.
TreeName	string	Identifies the name of the tree to which this category belongs. If the tree is not listed in the <b>TreeNameCode</b> , specify the tree as “Other,” and then name the tree in the <b>TreeNameOther</b> element.
TreeNameOther (optional)	string	Identifies the name of the tree to which this category belongs. This element becomes mandatory when the <b>TreeName</b> element has a value of “Other.”
Agency (optional)	string	The standards agency that maintains the category tree.
AgencyID	AgencyCode	The code that identifies the standards agency that maintains the category tree. If the agency is not listed in the <b>AgencyCode</b> , specify an attribute of “Other,” and then name the agency in the <b>AgencyOther</b> element.
AgencyOther (optional)	string	The name of the standards agency that maintains the code list; it can be between 1 and 70 characters in size. This element becomes mandatory when the <b>AgencyID</b> element has a value of “Other.”

*Note that the quotation marks are not required when specifying the attribute of “Other.”*

### Category.dtd

```
<!ELEMENT CategoryID (#PCDATA)>
<!ATTLIST CategoryID e-dtype CDATA #FIXED 'string'>

<!ELEMENT TreeName (#PCDATA)>
<!ATTLIST TreeName e-dtype CDATA #FIXED 'TreeNameCode'>

<!ELEMENT TreeNameOther (#PCDATA)>
<!ATTLIST TreeNameOther e-dtype CDATA #FIXED 'string'>
<!ENTITY % Category-Content
"((CategoryID),(TreeName),(TreeNameOther)?,(%Agency-Class; )?)">

<!ELEMENT Category (%Category-Content;)>
```

```
<!ENTITY % Category-Attrs "">
<!ENTITY % Category-Dtypes "">
<!ATTLIST Category %Category-Attrs;
    a-dtype CDATA #FIXED '%Category-Dtypes;'>
```

**Figure 4** Category.xsc Components



### 3.2.2 Example of a 30r2 xCBL File

**Figure 5 on page 25** shows an example of the **AccountDetail.xsc** file after it has been generated. The file, along with its accompanying **.jar** file, has been created by SeeBeyond from the original **.dtd** files and is delivered with e\*Gate.

Although only **AccountDetail**, which is an xCBL element, is highlighted in this section, all of the xCBL documents, elements, datatypes, and exchange diagrams can be found at the following URL:

<http://www.xcbl.org/xcbl30/xcbl30dtdschemas.html>

xCBL publishes documentation and sample data for the library that can be found at the following URL:

<http://www.xcbl.org/xcbl30/DTD/structureref/xCBLtdtdrefframe.htm>

**Note:** For information about the e\*Gate Java ETD Editor and the e\*Gate Java Collaboration Rules Editor, see the **e\*Gate Integrator User's Guide**, the **Java Collaboration Rules Editor Help file**, and the **Java ETD Editor Help file**.

## AccountDetail contents

**AccountDetail** is an xCBL element that contains information that identifies a financial institution account. Table 3 lists the contents of the **AccountDetail** element. See

[“AccountDetail.dtd” on page 24](#) for an example how the contents of this element are structured in the **.dtd** file and see [Table 5 on page 34](#) for a complete list of the 30r2 **.dtd**, **.jar**, and **.xsc** files.

**Table 3** AccountDetail Contents

Name	Type	Function
AccountID	string	An identifier or number for the account.
SecondaryAccountID	string	A secondary identifier or number for the account.
IBAN	string	The International Bank Account Number (IBAN).
AccountControlKey	string	The control number to uniquely identify the account at the financial institution.
AccountTypeCoded	AccountTypeCode	Code that qualifies the type of account.
AccountTypeCodedOther	string	Allows for the entry of non-standard <b>AccountTypeCoded</b> . If <b>AccountTypeCoded</b> has a value of ‘Other,’ this element becomes mandatory. Do not use white space for this code if it can be avoided.
AccountName1	string	The primary name or holder on the account.
AccountName2	string	The secondary name or holder on the account.
Currency	CurrencyCoded	The currency that applies to this account.
AccountReferences	ListOfReferenceCoded	A list of coded references that are used to specify an identifier or name associated with the account.
<i>Note that the quotation marks are not required when specifying the attribute of “Other.”</i>		

### AccountDetail.dtd

```
<!ELEMENT AccountID (#PCDATA)>
<!ATTLIST AccountID e-dtype CDATA #FIXED 'string'>
<!ATTLIST AccountID xmlns CDATA #FIXED 'XCBL30.sox'>

<!ELEMENT SecondaryAccountID (#PCDATA)>
<!ATTLIST SecondaryAccountID e-dtype CDATA #FIXED 'string'>
<!ATTLIST SecondaryAccountID xmlns CDATA #FIXED 'XCBL30.sox'>

<!ELEMENT IBAN (#PCDATA)>
<!ATTLIST IBAN e-dtype CDATA #FIXED 'string'>
<!ATTLIST IBAN xmlns CDATA #FIXED 'XCBL30.sox'>

<!ELEMENT AccountControlKey (#PCDATA)>
<!ATTLIST AccountControlKey e-dtype CDATA #FIXED 'string'>
<!ATTLIST AccountControlKey xmlns CDATA #FIXED 'XCBL30.sox'>

<!ELEMENT AccountTypeCoded (#PCDATA)>
<!ATTLIST AccountTypeCoded e-dtype CDATA #FIXED 'AccountTypeCode'>
<!ATTLIST AccountTypeCoded xmlns CDATA #FIXED 'XCBL30.sox'>

<!ELEMENT AccountTypeCodedOther (#PCDATA)>
<!ATTLIST AccountTypeCodedOther e-dtype CDATA #FIXED 'string'>
<!ATTLIST AccountTypeCodedOther xmlns CDATA #FIXED 'XCBL30.sox'>


<!ELEMENT AccountName1 (#PCDATA)>
<!ATTLIST AccountName1 e-dtype CDATA #FIXED 'string'>
<!ATTLIST AccountName1 xmlns CDATA #FIXED 'XCBL30.sox'>

<!ELEMENT AccountName2 (#PCDATA)>
<!ATTLIST AccountName2 e-dtype CDATA #FIXED 'string'>
<!ATTLIST AccountName2 xmlns CDATA #FIXED 'XCBL30.sox'>

<!ELEMENT AccountReferences (%ListOfReferenceCoded-Class;)>
<!ATTLIST AccountReferences xmlns CDATA #FIXED 'XCBL30.sox'>
<!ENTITY % AccountDetail-Content
"((AccountID),(SecondaryAccountID)?,(IBAN)?,(AccountControlKey)?,(AccountTypeCoded),(AccountTypeCodedOther)?,(AccountName1),(AccountName2)?,(%Currency-Class;)?,(AccountReferences)?)">

<!ELEMENT AccountDetail (%AccountDetail-Content;)>
<!ENTITY % AccountDetail-Attrs "">
<!ENTITY % AccountDetail-Dtypes "">
<!ATTLIST AccountDetail %AccountDetail-Attrs;
      a-dtype CDATA
      #FIXED "%AccountDetail-Dtypes;">
<!ATTLIST AccountDetail xmlns CDATA #FIXED 'XCBL30.sox'>
```

**Figure 5** AccountDetail.xsc Components



# xCBL ETD Library

This chapter contains two tables that list the different types of xCBL ETD template files (20r3 and 30r2) in SeeBeyond's xCBL ETD Library.

## 4.1 xCBL 20r3 Files

Table 4 lists the 20r3 .dtd file names and the corresponding 20r3 .jar and .xsc file names.

**Table 4** xCBL 20r3 .dtd Files and Corresponding 20r3 .jar and .xsc Files

.dtd File Names	.jar and .xsc File Names
cbl.dtd	This file is a compilation of all the 20r3 .dtd files.
Agency.dtd	Agency.jar Agency.xsc
AllowOrCharge.dtd	AllowOrCharge.jar AllowOrCharge.xsc
AllowOrChgDesc.dtd	AllowOrChgDesc.jar AllowOrChgDesc.xsc
Attachment.dtd	Attachment.jar Attachment.xsc
AvailabilityCheckHeader.dtd	AvailabilityCheckHeader.jar AvailabilityCheckHeader.xsc
AvailabilityCheckRequest.dtd	AvailabilityCheckRequest.jar AvailabilityCheckRequest.xsc
AvailabilityCheckResult.dtd	AvailabilityCheckResult.jar AvailabilityCheckResult.xsc
AvailabilityCheckSummary.dtd	AvailabilityCheckSummary.jar AvailabilityCheckSummary.xsc
AvailabilityResultItem.dtd	AvailabilityResultItem.jar AvailabilityResultItem.xsc
BaseItemDetail.dtd	BaseItemDetail.jar BaseItemDetail.xsc
CardInfo.dtd	CardInfo.jar CardInfo.xsc

**Table 4** xCBL 20r3 .dtd Files and Corresponding 20r3 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
CatalogDelete.dtd	CatalogDelete.jar CatalogDelete.xsc
Category.dtd	Category.jar Category.xsc
CatHdrRef.dtd	CatHdrRef.jar CatHdrRef.xsc
CodedValue.dtd	CodedValue.jar CodedValue.xsc
Contact.dtd	Contact.jar Contact.xsc
ContactCoded.dtd	ContactCoded.jar ContactCoded.xsc
Contract.dtd	Contract.jar Contract.xsc
ContractPricingData.dtd	ContractPricingData.jar ContractPricingData.xsc
DesInfo.dtd	DesInfo.jar DesInfo.xsc
Description.dtd	Description.jar Description.xsc
Dimension.dtd	Dimension.jar Dimension.xsc
ErrorInfo.dtd	ErrorInfo.jar ErrorInfo.xsc
Hazardous.dtd	Hazardous.jar Hazardous.xsc
Identifier.dtd	Identifier.jar Identifier.xsc
Invoice.dtd	Invoice.jar Invoice.xsc
InvoiceDetail.dtd	InvoiceDetail.jar InvoiceDetail.xsc
InvoiceHeader.dtd	InvoiceHeader.jar InvoiceHeader.xsc
InvoiceParties.dtd	InvoiceParties.jar InvoiceParties.xsc
KeyVal.dtd	KeyVal.jar KeyVal.xsc
LangString.dtd	LangString.jar LangString.xsc
LineItem.dtd	LineItem.jar LineItem.xsc

**Table 4** xCBL 20r3 .dtd Files and Corresponding 20r3 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
ListOfAllowOrCharge.dtd	ListOfAllowOrCharge.jar ListOfAllowOrCharge.xsc
ListOfAttachment.dtd	ListOfAttachment.jar ListOfAttachment.xsc
ListOfAvailabilityResultItem.dtd	ListOfAvailabilityResultItem.jar ListOfAvailabilityResultItem.xsc
ListOfBaseItemDetail.dtd	ListOfBaseItemDetail.jar ListOfBaseItemDetail.xsc
ListOfCategory.dtd	ListOfCategory.jar ListOfCategory.xsc
ListOfContactCoded.dtd	ListOfContactCoded.jar ListOfContactCoded.xsc
ListOfDescInfo.dtd	ListOfDescInfo.jar ListOfDescInfo.xsc
ListOfDescription.dtd	ListOfDescription.jar ListOfDescription.xsc
ListOfDimension.dtd	ListOfDimension.jar ListOfDimension.xsc
ListOfErrorInfo.dtd	ListOfErrorInfo.jar ListOfErrorInfo.xsc
ListOfHazardous.dtd	ListOfHazardous.jar ListOfHazardous.xsc
ListOfIdentifier.dtd	ListOfIdentifier.jar ListOfIdentifier.xsc
ListOfInvoiceDetail.dtd	ListOfInvoiceDetail.jar ListOfInvoiceDetail.xsc
ListOfKeyVal.dtd	ListOfKeyVal.jar ListOfKeyVal.xsc
ListOfLangString.dtd	ListOfLangString.jar ListOfLangString.xsc
ListOfNote.dtd	ListOfNote.jar ListOfNote.xsc
ListOfOrderDetail.dtd	ListOfOrderDetail.jar ListOfOrderDetail.xsc
ListOfOrderResponseDetail.dtd	ListOfOrderResponseDetail.jar ListOfOrderResponseDetail.xsc
ListOfOrderStatusDetailRequest.dtd	ListOfOrderStatusDetailRequest.jar ListOfOrderStatusDetailRequest.xsc
ListOfOrderStatusDetailResult.dtd	ListOfOrderStatusDetailResult.jar ListOfOrderStatusDetailResult.xsc
ListOfOrderStatusItem.dtd	ListOfOrderStatusItem.jar ListOfOrderStatusItem.xsc

**Table 4** xCBL 20r3 .dtd Files and Corresponding 20r3 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
ListOfOrderStatusItemResult.dtd	ListOfOrderStatusItemResult.jar ListOfOrderStatusItemResult.xsc
ListOfPackage.dtd	ListOfPackage.jar ListOfPackage.xsc
ListOfPackageInfo.dtd	ListOfPackageInfo.jar ListOfPackageInfo.xsc
ListOfPackageMark.dtd	ListOfPackageMark.jar ListOfPackageMark.xsc
ListOfPackageType.dtd	ListOfPackageType.jar ListOfPackageType.xsc
ListOfParameter.dtd	ListOfParameter.jar ListOfParameter.xsc
ListOfPartNum.dtd	ListOfPartNum.jar ListOfPartNum.xsc
ListOfPartTreeNode.dtd	ListOfPartTreeNode.jar ListOfPartTreeNode.xsc
ListOfPartyCoded.dtd	ListOfPartyCoded.jar ListOfPartyCoded.xsc
ListOfPaymentCurrency.dtd	ListOfPaymentCurrency.jar ListOfPaymentCurrency.xsc
ListOfPrice.dtd	ListOfPrice.jar ListOfPrice.xsc
ListOfPriceCatAction.dtd	ListOfPriceCatAction.jar ListOfPriceCatAction.xsc
ListOfPriceResultItem.dtd	ListOfPriceResultItem.jar ListOfPriceResultItem.xsc
ListOfProdAttribute.dtd	ListOfProdAttribute.jar ListOfProdAttribute.xsc
ListOfProdCatAction.dtd	ListOfProdCatAction.jar ListOfProdCatAction.xsc
ListOfProdCatDoc.dtd	ListOfProdCatDoc.jar ListOfProdCatDoc.xsc
ListOfProdCatGroup.dtd	ListOfProdCatGroup.jar ListOfProdCatGroup.xsc
ListOfQuantity.dtd	ListOfQuantity.jar ListOfQuantity.xsc
ListOfReferenceCoded.dtd	ListOfReferenceCoded.jar ListOfReferenceCoded.xsc
ListOfRelatedPartNum.dtd	ListOfRelatedPartNum.jar ListOfRelatedPartNum.xsc
ListOfSpecialCond.dtd	ListOfSpecialCond.jar ListOfSpecialCond.xsc

**Table 4** xCBL 20r3 .dtd Files and Corresponding 20r3 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
ListOfStatusReason.dtd	ListOfStatusReason.jar ListOfStatusReason.xsc
Measurement.dtd	Measurement.jar Measurement.xsc
Money.dtd	Money.jar Money.xsc
MoneyRange.dtd	MoneyRange.jar MoneyRange.xsc
NameAddress.dtd	NameAddress.jar NameAddress.xsc
OrderDetail.dtd	OrderDetail.jar OrderDetail.xsc
OrderHeader.dtd	OrderHeader.jar OrderHeader.xsc
OrderParty.dtd	OrderParty.jar OrderParty.xsc
OrderReference.dtd	OrderReference.jar OrderReference.xsc
OrderResponseDetail.dtd	OrderResponseDetail.jar OrderResponseDetail.xsc
OrderResponseHeader.dtd	OrderResponseHeader.jar OrderResponseHeader.xsc
OrderResponseSummary.dtd	OrderResponseSummary.jar OrderResponseSummary.xsc
OrderStatusCheckSummary.dtd	OrderStatusCheckSummary.jar OrderStatusCheckSummary.xsc
OrderStatusDetail.dtd	OrderStatusDetail.jar OrderStatusDetail.xsc
OrderStatusDetailRequest.dtd	OrderStatusDetailRequest.jar OrderStatusDetailRequest.xsc
OrderStatusDetailResult.dtd	OrderStatusDetailResult.jar OrderStatusDetailResult.xsc
OrderStatusHeader.dtd	OrderStatusHeader.jar OrderStatusHeader.xsc
OrderStatusItem.dtd	OrderStatusItem.jar OrderStatusItem.xsc
OrderStatusItemResult.dtd	OrderStatusItemResult.jar OrderStatusItemResult.xsc
OrderStatusRequest.dtd	OrderStatusRequest.jar OrderStatusRequest.xsc
OrderStatusResult.dtd	OrderStatusResult.jar OrderStatusResult.xsc

**Table 4** xCBL 20r3 .dtd Files and Corresponding 20r3 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
OrderSummary.dtd	OrderSummary.jar OrderSummary.xsc
Package.dtd	Package.jar Package.xsc
PackageType.dtd	PackageType.jar PackageType.xsc
PartNum.dtd	PartNum.jar PartNum.xsc
PartNumContract.dtd	PartNumContract.jar PartNumContract.xsc
PartTreeNode.dtd	PartTreeNode.jar PartTreeNode.xsc
Party.dtd	Party.jar Party.xsc
PartyCoded.dtd	PartyCoded.jar PartyCoded.xsc
Payment.dtd	Payment.jar Payment.xsc
PaymentCurrency.dtd	PaymentCurrency.jar PaymentCurrency.xsc
Price.dtd	Price.jar Price.xsc
PriceCatAction.dtd	PriceCatAction.jar PriceCatAction.xsc
PriceCatalog.dtd	PriceCatalog.jar PriceCatalog.xsc
PriceCatDetail.dtd	PriceCatDetail.jar PriceCatDetail.xsc
PriceCatHdr.dtd	PriceCatHdr.jar PriceCatHdr.xsc
PriceCheckHeader.dtd	PriceCheckHeader.jar PriceCheckHeader.xsc
PriceCheckRequest.dtd	PriceCheckRequest.jar PriceCheckRequest.xsc
PriceCheckResult.dtd	PriceCheckResult.jar PriceCheckResult.xsc
PriceCheckSummary.dtd	PriceCheckSummary.jar PriceCheckSummary.xsc
PriceDetail.dtd	PriceDetail.jar PriceDetail.xsc
PriceResultItem.dtd	PriceResultItem.jar PriceResultItem.xsc

**Table 4** xCBL 20r3 .dtd Files and Corresponding 20r3 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
PricingData.dtd	PricingData.jar PricingData.xsc
ProdAttribute.dtd	ProdAttribute.jar ProdAttribute.xsc
ProdCatAction.dtd	ProdCatAction.jar ProdCatAction.xsc
ProdCatDetail.dtd	ProdCatDetail.jar ProdCatDetail.xsc
ProdCatDoc.dtd	ProdCatDoc.jar ProdCatDoc.xsc
ProdCatGroup.dtd	ProdCatGroup.jar ProdCatGroup.xsc
ProdCatHdr.dtd	ProdCatHdr.jar ProdCatHdr.xsc
ProductCatalog.dtd	ProductCatalog.jar ProductCatalog.xsc
PurchaseOrder.dtd	PurchaseOrder.jar PurchaseOrder.xsc
PurchaseOrderResponse.dtd	PurchaseOrderResponse.jar PurchaseOrderResponse.xsc
Quantity.dtd	Quantity.jar Quantity.xsc
QuantityCoded.dtd	QuantityCoded.jar QuantityCoded.xsc
QuantityRange.dtd	QuantityRange.jar QuantityRange.xsc
Range.dtd	Range.jar Range.xsc
Reference.dtd	Reference.jar Reference.xsc
ReferenceCoded.dtd	ReferenceCoded.jar ReferenceCoded.xsc
RelatedPartNum.dtd	RelatedPartNum.jar RelatedPartNum.xsc
RelatedParts.dtd	RelatedParts.jar RelatedParts.xsc
SpecialCond.dtd	SpecialCond.jar SpecialCond.xsc
Status.dtd	Status.jar Status.xsc
StatusEvent.dtd	StatusEvent.jar StatusEvent.xsc

**Table 4** xCBL 20r3 .dtd Files and Corresponding 20r3 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
StatusReason.dtd	StatusReason.jar StatusReason.xsc
Tax.dtd	Tax.jar Tax.xsc
TermOfDelivery.dtd	TermOfDelivery.jar TermOfDelivery.xsc
TieredContractPricingData.dtd	TieredContractPricingData.jar TieredContractPricingData.xsc
Transport.dtd	Transport.jar Transport.xsc
UnitOfMeasure.dtd	UnitOfMeasure.jar UnitOfMeasure.xsc
UnitPrice.dtd	UnitPrice.jar UnitPrice.xsc
VarianceQuantity.dtd	VarianceQuantity.jar VarianceQuantity.xsc
<i>There are three .dtd files in 20r3 that contain only one string. Because of this, they did not generate .jar and .xsc files, and are not included in this table: Note.dtd, PackageInfo.dtd, and PackageMark.dtd.</i>	

## 4.2 xCBL 30r2 Files

Table 5 lists the 30r2 .dtd file names and the corresponding 30r2 .jar and .xsc file names.

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

.dtd File Names	.jar and .xsc File Names
xcbl30.dtd	This file is a compilation of all the 30r2 .dtd files.
AcademicTitle.dtd	AcademicTitle.jar AcademicTitle.xsc
AccountDetail.dtd	AccountDetail.jar AccountDetail.xsc
Action.dtd	Action.jar Action.xsc
ActualPayment.dtd	ActualPayment.jar ActualPayment.xsc
ActualPaymentStatus.dtd	ActualPaymentStatus.jar ActualPaymentStatus.xsc
AddressType.dtd	AddressType.jar AddressType.xsc
Adjustment.dtd	Adjustment.jar Adjustment.xsc
AdvanceShipmentNotice.dtd	AdvanceShipmentNotice.jar AdvanceShipmentNotice.xsc
Agency.dtd	Agency.jar Agency.xsc
AllowOrCharge.dtd	AllowOrCharge.jar AllowOrCharge.xsc
AllowOrChargeSummary.dtd	AllowOrChargeSummary.jar AllowOrChargeSummary.xsc
AllowOrChargeTreatment.dtd	AllowOrChargeTreatment.jar AllowOrChargeTreatment.xsc
AllowOrChgDesc.dtd	AllowOrChgDesc.jar AllowOrChgDesc.xsc
ASNBaseItemDetail.dtd	ASNBaseItemDetail.jar ASNBaseItemDetail.xsc
ASNDates.dtd	ASNDates.jar ASNDates.xsc
ASNDetail.dtd	ASNDetail.jar ASNDetail.xsc
ASNHeader.dtd	ASNHeader.jar ASNHeader.xsc
ASNItemDetail.dtd	ASNItemDetail.jar ASNItemDetail.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
ASNOrderNumber.dtd	ASNOrderNumber.jar ASNOrderNumber.xsc
ASNPartialOrder.dtd	ASNPartialOrder.jar ASNPartialOrder.xsc
ASNPurpose.dtd	ASNPurpose.jar ASNPurpose.xsc
ASNReferences.dtd	ASNReferences.jar ASNReferences.xsc
ASNStatus.dtd	ASNStatus.jar ASNStatus.xsc
ASNSummary.dtd	ASNSummary.jar ASNSummary.xsc
ASNTYPE.dtd	ASNTYPE.jar ASNTYPE.xsc
AssociatedDocuments.dtd	AssociatedDocuments.jar AssociatedDocuments.xsc
ATPResponse.dtd	ATPResponse.jar ATPResponse.xsc
Attachment.dtd	Attachment.jar Attachment.xsc
AttributeName.dtd	AttributeName.jar AttributeName.xsc
AttributeType.dtd	AttributeType.jar AttributeType.xsc
AttributeValue.dtd	AttributeValue.jar AttributeValue.xsc
AuctionCategory.dtd	AuctionCategory.jar AuctionCategory.xsc
AuctionCreate.dtd	AuctionCreate.jar AuctionCreate.xsc
AuctionCreateDetail.dtd	AuctionCreateDetail.jar AuctionCreateDetail.xsc
AuctionCreateHeader.dtd	AuctionCreateHeader.jar AuctionCreateHeader.xsc
AuctionCreateResponse.dtd	AuctionCreateResponse.jar AuctionCreateResponse.xsc
AuctionCreateResponseDetail.dtd	AuctionCreateResponseDetail.jar AuctionCreateResponseDetail.xsc
AuctionCreateResponseHeader.dtd	AuctionCreateResponseHeader.jar AuctionCreateResponseHeader.xsc
AuctionCreateSummary.dtd	AuctionCreateSummary.jar AuctionCreateSummary.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
AuctionCurrency.dtd	AuctionCurrency.jar AuctionCurrency.xsc
AuctionDetail.dtd	AuctionDetail.jar AuctionDetail.xsc
AuctionItem.dtd	AuctionItem.jar AuctionItem.xsc
AuctionItemAttribute.dtd	AuctionItemAttribute.jar AuctionItemAttribute.xsc
AuctionParticipants.dtd	AuctionParticipants.jar AuctionParticipants.xsc
AuctionPartners.dtd	AuctionPartners.jar AuctionPartners.xsc
AuctionPricingDetail.dtd	AuctionPricingDetail.jar AuctionPricingDetail.xsc
AuctionResult.dtd	AuctionResult.jar AuctionResult.xsc
AuctionResultDetail.dtd	AuctionResultDetail.jar AuctionResultDetail.xsc
AuctionResultHeader.dtd	AuctionResultHeader.jar AuctionResultHeader.xsc
AuctionResultItem.dtd	AuctionResultItem.jar AuctionResultItem.xsc
AuctionResultResponse.dtd	AuctionResultResponse.jar AuctionResultResponse.xsc
AuctionResultResponseHeader.dtd	AuctionResultResponseHeader.jar AuctionResultResponseHeader.xsc
AuctionResultSummary.dtd	AuctionResultSummary.jar AuctionResultSummary.xsc
AuctionSpecifications.dtd	AuctionSpecifications.jar AuctionSpecifications.xsc
AuthorizationReference.dtd	AuthorizationReference.jar AuthorizationReference.xsc
AvailabilityCheckRequest.dtd	AvailabilityCheckRequest.jar AvailabilityCheckRequest.xsc
AvailabilityCheckRequestBaseItemDetail.dtd	AvailabilityCheckRequestBaseItemDetail.jar AvailabilityCheckRequestBaseItemDetail.xsc
AvailabilityCheckRequestDetail.dtd	AvailabilityCheckRequestDetail.jar AvailabilityCheckRequestDetail.xsc
AvailabilityCheckRequestHeader.dtd	AvailabilityCheckRequestHeader.jar AvailabilityCheckRequestHeader.xsc
AvailabilityCheckRequestItemDetail.dtd	AvailabilityCheckRequestItemDetail.jar AvailabilityCheckRequestItemDetail.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
AvailabilityCheckRequestSummary.dtd	AvailabilityCheckRequestSummary.jar AvailabilityCheckRequestSummary.xsc
AvailabilityCheckResult.dtd	AvailabilityCheckResult.jar AvailabilityCheckResult.xsc
AvailabilityCheckResultDetail.dtd	AvailabilityCheckResultDetail.jar AvailabilityCheckResultDetail.xsc
AvailabilityCheckResultHeader.dtd	AvailabilityCheckResultHeader.jar AvailabilityCheckResultHeader.xsc
AvailabilityCheckResultItemDetail.dtd	AvailabilityCheckResultItemDetail.jar AvailabilityCheckResultItemDetail.xsc
AvailabilityCheckResultSummary.dtd	AvailabilityCheckResultSummary.jar AvailabilityCheckResultSummary.xsc
AvailabilityDeliveryOption.dtd	AvailabilityDeliveryOption.jar AvailabilityDeliveryOption.xsc
AvailabilityToPromise.dtd	AvailabilityToPromise.jar AvailabilityToPromise.xsc
AvailabilityToPromiseDetail.dtd	AvailabilityToPromiseDetail.jar AvailabilityToPromiseDetail.xsc
AvailabilityToPromiseHeader.dtd	AvailabilityToPromiseHeader.jar AvailabilityToPromiseHeader.xsc
AvailabilityToPromiseItemDetail.dtd	AvailabilityToPromiseItemDetail.jar AvailabilityToPromiseItemDetail.xsc
AvailabilityToPromisePurpose.dtd	AvailabilityToPromisePurpose.jar AvailabilityToPromisePurpose.xsc
AvailabilityToPromiseResponse.dtd	AvailabilityToPromiseResponse.jar AvailabilityToPromiseResponse.xsc
AvailabilityToPromiseResponseDetail.dtd	AvailabilityToPromiseResponseDetail.jar AvailabilityToPromiseResponseDetail.xsc
AvailabilityToPromiseResponseHeader.dtd	AvailabilityToPromiseResponseHeader.jar AvailabilityToPromiseResponseHeader.xsc
AvailabilityToPromiseResponseItemDetail.dtd	AvailabilityToPromiseResponseItemDetail.jar AvailabilityToPromiseResponseItemDetail.xsc
AvailabilityToPromiseResponseSummary.dtd	AvailabilityToPromiseResponseSummary.jar AvailabilityToPromiseResponseSummary.xsc
AvailabilityToPromiseSummary.dtd	AvailabilityToPromiseSummary.jar AvailabilityToPromiseSummary.xsc
BankDetail.dtd	BankDetail.jar BankDetail.xsc
BaseCharacteristicLocation.dtd	BaseCharacteristicLocation.jar BaseCharacteristicLocation.xsc
BaseCharacteristicProduct.dtd	BaseCharacteristicProduct.jar BaseCharacteristicProduct.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
BaseItemDetail.dtd	BaseItemDetail.jar BaseItemDetail.xsc
BasePlanningDetail.dtd	BasePlanningDetail.jar BasePlanningDetail.xsc
BaseShippingDetail.dtd	BaseShippingDetail.jar BaseShippingDetail.xsc
BasisMonetaryRange.dtd	BasisMonetaryRange.jar BasisMonetaryRange.xsc
Buyer.dtd	Buyer.jar Buyer.xsc
CardInfo.dtd	CardInfo.jar CardInfo.xsc
CargoClassification.dtd	CargoClassification.jar CargoClassification.xsc
Carrier.dtd	Carrier.jar Carrier.xsc
CarrierReference.dtd	CarrierReference.jar CarrierReference.xsc
CatalogContract.dtd	CatalogContract.jar CatalogContract.xsc
CatalogData.dtd	CatalogData.jar CatalogData.xsc
CatalogHeader.dtd	CatalogHeader.jar CatalogHeader.xsc
CatalogProvider.dtd	CatalogProvider.jar CatalogProvider.xsc
CatalogSchema.dtd	CatalogSchema.jar CatalogSchema.xsc
CatalogSystem.dtd	CatalogSystem.jar CatalogSystem.xsc
CategoryAttribute.dtd	CategoryAttribute.jar CategoryAttribute.xsc
CategoryName.dtd	CategoryName.jar CategoryName.xsc
CertificatePurpose.dtd	CertificatePurpose.jar CertificatePurpose.xsc
ChangeOrder.dtd	ChangeOrder.jar ChangeOrder.xsc
ChangeOrderDetail.dtd	ChangeOrderDetail.jar ChangeOrderDetail.xsc
ChangeOrderHeader.dtd	ChangeOrderHeader.jar ChangeOrderHeader.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
ChangeOrderItemDetail.dtd	ChangeOrderItemDetail.jar ChangeOrderItemDetail.xsc
ChangeOrderNumber.dtd	ChangeOrderNumber.jar ChangeOrderNumber.xsc
ChangeOrderPackageDetail.dtd	ChangeOrderPackageDetail.jar ChangeOrderPackageDetail.xsc
ChangeOrderSummary.dtd	ChangeOrderSummary.jar ChangeOrderSummary.xsc
ChangeType.dtd	ChangeType.jar ChangeType.xsc
CharacteristicAttribute.dtd	CharacteristicAttribute.jar CharacteristicAttribute.xsc
CharacteristicCombination.dtd	CharacteristicCombination.jar CharacteristicCombination.xsc
CharacteristicLocation.dtd	CharacteristicLocation.jar CharacteristicLocation.xsc
CharacteristicOther.dtd	CharacteristicOther.jar CharacteristicOther.xsc
CharacteristicProduct.dtd	CharacteristicProduct.jar CharacteristicProduct.xsc
CharacteristicProductGroup.dtd	CharacteristicProductGroup.jar CharacteristicProductGroup.xsc
CheckResultBaseItemDetail.dtd	CheckResultBaseItemDetail.jar CheckResultBaseItemDetail.xsc
CommunicationDetail.dtd	CommunicationDetail.jar CommunicationDetail.xsc
Company.dtd	Company.jar Company.xsc
Conditions.dtd	Conditions.jar Conditions.xsc
ConditionsOfSale.dtd	ConditionsOfSale.jar ConditionsOfSale.xsc
Contact.dtd	Contact.jar Contact.xsc
ContactFunction.dtd	ContactFunction.jar ContactFunction.xsc
ContactNumber.dtd	ContactNumber.jar ContactNumber.xsc
ContactRelationType.dtd	ContactRelationType.jar ContactRelationType.xsc
Contract.dtd	Contract.jar Contract.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
ContractType.dtd	ContractType.jar ContractType.xsc
CostAllocation.dtd	CostAllocation.jar CostAllocation.xsc
Country.dtd	Country.jar Country.xsc
Currency.dtd	Currency.jar Currency.xsc
CurrencyAvailabilityCheckList.dtd	CurrencyAvailabilityCheckList.jar CurrencyAvailabilityCheckList.xsc
DateCoded.dtd	DateCoded.jar DateCoded.xsc
DateFormat.dtd	DateFormat.jar DateFormat.xsc
DateQualifier.dtd	DateQualifier.jar DateQualifier.xsc
DefaultLanguage.dtd	DefaultLanguage.jar DefaultLanguage.xsc
DeliveryDetail.dtd	DeliveryDetail.jar DeliveryDetail.xsc
Description.dtd	Description.jar Description.xsc
DestinationRef.dtd	DestinationRef.jar DestinationRef.xsc
Dimension.dtd	Dimension.jar Dimension.xsc
Discounts.dtd	Discounts.jar Discounts.xsc
EncryptedField.dtd	EncryptedField.jar EncryptedField.xsc
EncryptedInfo.dtd	EncryptedInfo.jar EncryptedInfo.xsc
ErrorInfo.dtd	ErrorInfo.jar ErrorInfo.xsc
ExceptionQuantities.dtd	ExceptionQuantities.jar ExceptionQuantities.xsc
Fee.dtd	Fee.jar Fee.xsc
FIAccount.dtd	FIAccount.jar FIAccount.xsc
FIAccountData.dtd	FIAccountData.jar FIAccountData.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
FIAccountDetail.dtd	FIAccountDetail.jar FIAccountDetail.xsc
FinancialChargesAllocation.dtd	FinancialChargesAllocation.jar FinancialChargesAllocation.xsc
FinancialInstitution.dtd	FinancialInstitution.jar FinancialInstitution.xsc
FinancialInstitutionDetail.dtd	FinancialInstitutionDetail.jar FinancialInstitutionDetail.xsc
FITransfer.dtd	FITransfer.jar FITransfer.xsc
FXAmounts.dtd	FXAmounts.jar FXAmounts.xsc
FXDates.dtd	FXDates.jar FXDates.xsc
FXIdentificationData.dtd	FXIdentificationData.jar FXIdentificationData.xsc
FXRateRequest.dtd	FXRateRequest.jar FXRateRequest.xsc
FXRateRequestDetail.dtd	FXRateRequestDetail.jar FXRateRequestDetail.xsc
FXRateRequestHeader.dtd	FXRateRequestHeader.jar FXRateRequestHeader.xsc
FXRateRequestSummary.dtd	FXRateRequestSummary.jar FXRateRequestSummary.xsc
FXRateResponse.dtd	FXRateResponse.jar FXRateResponse.xsc
FXRateResponseDetail.dtd	FXRateResponseDetail.jar FXRateResponseDetail.xsc
FXRateResponseHeader.dtd	FXRateResponseHeader.jar FXRateResponseHeader.xsc
GPSCoordinates.dtd	GPSCoordinates.jar GPSCoordinates.xsc
Hazardous.dtd	Hazardous.jar Hazardous.xsc
HazardousIdentifiers.dtd	HazardousIdentifiers.jar HazardousIdentifiers.xsc
HazardousPlacardInformation.dtd	HazardousPlacardInformation.jar HazardousPlacardInformation.xsc
HazardousShipmentInformation.dtd	HazardousShipmentInformation.jar HazardousShipmentInformation.xsc
HazardousTemperatures.dtd	HazardousTemperatures.jar HazardousTemperatures.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
IDAssignedBy.dtd	IDAssignedBy.jar IDAssignedBy.xsc
Identifications.dtd	Identifications.jar Identifications.xsc
Identifier.dtd	Identifier.jar Identifier.xsc
IndicativeRateDetail.dtd	IndicativeRateDetail.jar IndicativeRateDetail.xsc
Invoice.dtd	Invoice.jar Invoice.xsc
InvoiceBaseItemDetail.dtd	InvoiceBaseItemDetail.jar InvoiceBaseItemDetail.xsc
InvoiceDates.dtd	InvoiceDates.jar InvoiceDates.xsc
InvoiceDetail.dtd	InvoiceDetail.jar InvoiceDetail.xsc
InvoiceHeader.dtd	InvoiceHeader.jar InvoiceHeader.xsc
InvoiceItemDetail.dtd	InvoiceItemDetail.jar InvoiceItemDetail.xsc
InvoiceMedium.dtd	InvoiceMedium.jar InvoiceMedium.xsc
InvoiceParty.dtd	InvoiceParty.jar InvoiceParty.xsc
InvoicePaymentStatus.dtd	InvoicePaymentStatus.jar InvoicePaymentStatus.xsc
InvoicePricingDetail.dtd	InvoicePricingDetail.jar InvoicePricingDetail.xsc
InvoicePurpose.dtd	InvoicePurpose.jar InvoicePurpose.xsc
InvoiceReferences.dtd	InvoiceReferences.jar InvoiceReferences.xsc
InvoiceSummary.dtd	InvoiceSummary.jar InvoiceSummary.xsc
InvoiceTotals.dtd	InvoiceTotals.jar InvoiceTotals.xsc
InvoiceType.dtd	InvoiceType.jar InvoiceType.xsc
InvoicingDetail.dtd	InvoicingDetail.jar InvoicingDetail.xsc
IsMultiVendor.dtd	IsMultiVendor.jar IsMultiVendor.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
IsPriceUpdate.dtd	IsPriceUpdate.jar IsPriceUpdate.xsc
IsReplacement.dtd	IsReplacement.jar IsReplacement.xsc
IsRequired.dtd	IsRequired.jar IsRequired.xsc
ItemCharacteristic.dtd	ItemCharacteristic.jar ItemCharacteristic.xsc
ItemDetail.dtd	ItemDetail.jar ItemDetail.xsc
ItemIdentifiers.dtd	ItemIdentifiers.jar ItemIdentifiers.xsc
ItemPackagingReference.dtd	ItemPackagingReference.jar ItemPackagingReference.xsc
ItemResourceAuthorization.dtd	ItemResourceAuthorization.jar ItemResourceAuthorization.xsc
ItemStatus.dtd	ItemStatus.jar ItemStatus.xsc
KeyFigure.dtd	KeyFigure.jar KeyFigure.xsc
KeyFigureData.dtd	KeyFigureData.jar KeyFigureData.xsc
KeyFigureInformation.dtd	KeyFigureInformation.jar KeyFigureInformation.xsc
KeyVal.dtd	KeyVal.jar KeyVal.xsc
Language.dtd	Language.jar Language.xsc
LanguageString.dtd	LanguageString.jar LanguageString.xsc
LegalReportingInformation.dtd	LegalReportingInformation.jar LegalReportingInformation.xsc
LineItemNum.dtd	LineItemNum.jar LineItemNum.xsc
LineItemNumberReference.dtd	LineItemNumberReference.jar LineItemNumberReference.xsc
LineItemType.dtd	LineItemType.jar LineItemType.xsc
ListOfActualPayment.dtd	ListOfActualPayment.jar ListOfActualPayment.xsc
ListOfAdjustments.dtd	ListOfAdjustments.jar ListOfAdjustments.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
ListOfAgency.dtd	ListOfAgency.jar ListOfAgency.xsc
ListOfAllowOrCharge.dtd	ListOfAllowOrCharge.jar ListOfAllowOrCharge.xsc
ListOfASNItemDetail.dtd	ListOfASNItemDetail.jar ListOfASNItemDetail.xsc
ListOfASNPackageDetail.dtd	ListOfASNPackageDetail.jar ListOfASNPackageDetail.xsc
ListOfAttachment.dtd	ListOfAttachment.jar ListOfAttachment.xsc
ListOfAuctionCategory.dtd	ListOfAuctionCategory.jar ListOfAuctionCategory.xsc
ListOfAuctionCreateDetail.dtd	ListOfAuctionCreateDetail.jar ListOfAuctionCreateDetail.xsc
ListOfAuctionCreateResponseDetail.dtd	ListOfAuctionCreateResponseDetail.jar ListOfAuctionCreateResponseDetail.xsc
ListOfAuctionItemAttribute.dtd	ListOfAuctionItemAttribute.jar ListOfAuctionItemAttribute.xsc
ListOfAuctionItemComponentResponse.dtd	ListOfAuctionItemComponentResponse.jar ListOfAuctionItemComponentResponse.xsc
ListOfAuctionItemComponents.dtd	ListOfAuctionItemComponents.jar ListOfAuctionItemComponents.xsc
ListOfAuctionPartners.dtd	ListOfAuctionPartners.jar ListOfAuctionPartners.xsc
ListOfAuctionResultDetail.dtd	ListOfAuctionResultDetail.jar ListOfAuctionResultDetail.xsc
ListOfAuctionResultItem.dtd	ListOfAuctionResultItem.jar ListOfAuctionResultItem.xsc
ListOfAvailabilityCheckRequestItemDetail.dtd	ListOfAvailabilityCheckRequestItemDetail.jar ListOfAvailabilityCheckRequestItemDetail.xsc
ListOfAvailabilityCheckResultItemDetail.dtd	ListOfAvailabilityCheckResultItemDetail.jar ListOfAvailabilityCheckResultItemDetail.xsc
ListOfAvailabilityToPromiseItemDetail.dtd	ListOfAvailabilityToPromiseItemDetail.jar ListOfAvailabilityToPromiseItemDetail.xsc
ListOfAvailabilityToPromiseResponseItemDetail.dtd	ListOfAvailabilityToPromiseResponseItemDetail.jar ListOfAvailabilityToPromiseResponseItemDetail.xsc
ListOfBankDetail.dtd	ListOfBankDetail.jar ListOfBankDetail.xsc
ListOfCarrierReference.dtd	ListOfCarrierReference.jar ListOfCarrierReference.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
ListOfCertificatePurpose.dtd	ListOfCertificatePurpose.jar ListOfCertificatePurpose.xsc
ListOfChangeOrderItemDetail.dtd	ListOfChangeOrderItemDetail.jar ListOfChangeOrderItemDetail.xsc
ListOfChangeOrderPackageDetail.dtd	ListOfChangeOrderPackageDetail.jar ListOfChangeOrderPackageDetail.xsc
ListOfCharacteristicCombinations.dtd	ListOfCharacteristicCombinations.jar ListOfCharacteristicCombinations.xsc
ListOfCommunicationDetail.dtd	ListOfCommunicationDetail.jar ListOfCommunicationDetail.xsc
ListOfContact.dtd	ListOfContact.jar ListOfContact.xsc
ListOfContactNumber.dtd	ListOfContactNumber.jar ListOfContactNumber.xsc
ListOfContract.dtd	ListOfContract.jar ListOfContract.xsc
ListOfDateCoded.dtd	ListOfDateCoded.jar ListOfDateCoded.xsc
ListOfDescription.dtd	ListOfDescription.jar ListOfDescription.xsc
ListOfDestinationRef.dtd	ListOfDestinationRef.jar ListOfDestinationRef.xsc
ListOfDimension.dtd	ListOfDimension.jar ListOfDimension.xsc
ListOfDocumentAttached.dtd	ListOfDocumentAttached.jar ListOfDocumentAttached.xsc
ListOfDocumentLoose.dtd	ListOfDocumentLoose.jar ListOfDocumentLoose.xsc
ListOfEncryptedField.dtd	ListOfEncryptedField.jar ListOfEncryptedField.xsc
ListOfErrorInfo.dtd	ListOfErrorInfo.jar ListOfErrorInfo.xsc
ListOfFee.dtd	ListOfFee.jar ListOfFee.xsc
ListOfFIAccount.dtd	ListOfFIAccount.jar ListOfFIAccount.xsc
ListOfFXRateRequestDetail.dtd	ListOfFXRateRequestDetail.jar ListOfFXRateRequestDetail.xsc
ListOfFXRateResponseDetail.dtd	ListOfFXRateResponseDetail.jar ListOfFXRateResponseDetail.xsc
ListOfHazardous.dtd	ListOfHazardous.jar ListOfHazardous.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
ListOfHazardousIdentifiers.dtd	ListOfHazardousIdentifiers.jar ListOfHazardousIdentifiers.xsc
ListOfIdentifier.dtd	ListOfIdentifier.jar ListOfIdentifier.xsc
ListOfInvoiceItemDetail.dtd	ListOfInvoiceItemDetail.jar ListOfInvoiceItemDetail.xsc
ListOfInvoicingDetail.dtd	ListOfInvoicingDetail.jar ListOfInvoicingDetail.xsc
ListOfItemCharacteristic.dtd	ListOfItemCharacteristic.jar ListOfItemCharacteristic.xsc
ListOfItemDetail.dtd	ListOfItemDetail.jar ListOfItemDetail.xsc
ListOfKeyFigureData.dtd	ListOfKeyFigureData.jar ListOfKeyFigureData.xsc
ListOfKeyVal.dtd	ListOfKeyVal.jar ListOfKeyVal.xsc
ListOfLanguage.dtd	ListOfLanguage.jar ListOfLanguage.xsc
ListOfLanguageString.dtd	ListOfLanguageString.jar ListOfLanguageString.xsc
ListOfLocation.dtd	ListOfLocation.jar ListOfLocation.xsc
ListOfLocationGroupedPlanningDetail.dtd	ListOfLocationGroupedPlanningDetail.jar ListOfLocationGroupedPlanningDetail.xsc
ListOfLocationGroupedPlanningResponse.dtd	ListOfLocationGroupedPlanningResponse.jar ListOfLocationGroupedPlanningResponse.xsc
ListOfLocationGroupedShippingDetail.dtd	ListOfLocationGroupedShippingDetail.jar ListOfLocationGroupedShippingDetail.xsc
ListOfLocationGroupedShippingResponse.dtd	ListOfLocationGroupedShippingResponse.jar ListOfLocationGroupedShippingResponse.xsc
ListOfLocationPlanningItemDetail.dtd	ListOfLocationPlanningItemDetail.jar ListOfLocationPlanningItemDetail.xsc
ListOfLocationSchedule.dtd	ListOfLocationSchedule.jar ListOfLocationSchedule.xsc
ListOfLocationShippingItemDetail.dtd	ListOfLocationShippingItemDetail.jar ListOfLocationShippingItemDetail.xsc
ListOfLocationShipSchedule.dtd	ListOfLocationShipSchedule.jar ListOfLocationShipSchedule.xsc
ListOfMaterialGroupedPlanningDetail.dtd	ListOfMaterialGroupedPlanningDetail.jar ListOfMaterialGroupedPlanningDetail.xsc
ListOfMaterialGroupedPlanningResponse.dtd	ListOfMaterialGroupedPlanningResponse.jar ListOfMaterialGroupedPlanningResponse.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
ListOfMaterialGroupedShippingDetail.dtd	ListOfMaterialGroupedShippingDetail.jar ListOfMaterialGroupedShippingDetail.xsc
ListOfMaterialGroupedShippingResponse.dtd	ListOfMaterialGroupedShippingResponse.jar ListOfMaterialGroupedShippingResponse.xsc
ListOfMeasurement.dtd	ListOfMeasurement.jar ListOfMeasurement.xsc
ListOfMessageID.dtd	ListOfMessageID.jar ListOfMessageID.xsc
ListOfMVBVariables.dtd	ListOfMVBVariables.jar ListOfMVBVariables.xsc
ListOfNameAddress.dtd	ListOfNameAddress.jar ListOfNameAddress.xsc
ListOfNameValuePair.dtd	ListOfNameValuePair.jar ListOfNameValuePair.xsc
ListOfOrderReferences.dtd	ListOfOrderReferences.jar ListOfOrderReferences.xsc
ListOfOrderResponseItemDetail.dtd	ListOfOrderResponseItemDetail.jar ListOfOrderResponseItemDetail.xsc
ListOfOrderResponsePackageDetail.dtd	ListOfOrderResponsePackageDetail.jar ListOfOrderResponsePackageDetail.xsc
ListOfOrderStatusItem.dtd	ListOfOrderStatusItem.jar ListOfOrderStatusItem.xsc
ListOfOrderStatusRequestDetail.dtd	ListOfOrderStatusRequestDetail.jar ListOfOrderStatusRequestDetail.xsc
ListOfOrderStatusResultDetail.dtd	ListOfOrderStatusResultDetail.jar ListOfOrderStatusResultDetail.xsc
ListOfOrderStatusResultItem.dtd	ListOfOrderStatusResultItem.jar ListOfOrderStatusResultItem.xsc
ListOfOrganizationAddress.dtd	ListOfOrganizationAddress.jar ListOfOrganizationAddress.xsc
ListOfPackage.dtd	ListOfPackage.jar ListOfPackage.xsc
ListOfPackageCharacteristic.dtd	ListOfPackageCharacteristic.jar ListOfPackageCharacteristic.xsc
ListOfPackageDescription.dtd	ListOfPackageDescription.jar ListOfPackageDescription.xsc
ListOfPackageDetail.dtd	ListOfPackageDetail.jar ListOfPackageDetail.xsc
ListOfPackageIdentifier.dtd	ListOfPackageIdentifier.jar ListOfPackageIdentifier.xsc
ListOfPackageMark.dtd	ListOfPackageMark.jar ListOfPackageMark.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
ListOfPackageType.dtd	ListOfPackageType.jar ListOfPackageType.xsc
ListOfParameter.dtd	ListOfParameter.jar ListOfParameter.xsc
ListOfPartners.dtd	ListOfPartners.jar ListOfPartners.xsc
ListOfPartNum.dtd	ListOfPartNum.jar ListOfPartNum.xsc
ListOfParty.dtd	ListOfParty.jar ListOfParty.xsc
ListOfPartyCoded.dtd	ListOfPartyCoded.jar ListOfPartyCoded.xsc
ListOfPaymentDocumentDetail.dtd	ListOfPaymentDocumentDetail.jar ListOfPaymentDocumentDetail.xsc
ListOfPaymentException.dtd	ListOfPaymentException.jar ListOfPaymentException.xsc
ListOfPaymentInstructions.dtd	ListOfPaymentInstructions.jar ListOfPaymentInstructions.xsc
ListOfPaymentRequestAcknDetail.dtd	ListOfPaymentRequestAcknDetail.jar ListOfPaymentRequestAcknDetail.xsc
ListOfPaymentRequestDetail.dtd	ListOfPaymentRequestDetail.jar ListOfPaymentRequestDetail.xsc
ListOfPaymentStatusRequestDetail.dtd	ListOfPaymentStatusRequestDetail.jar ListOfPaymentStatusRequestDetail.xsc
ListOfPaymentStatusResponseDetail.dtd	ListOfPaymentStatusResponseDetail.jar ListOfPaymentStatusResponseDetail.xsc
ListOfPersonAddress.dtd	ListOfPersonAddress.jar ListOfPersonAddress.xsc
ListOfPrice.dtd	ListOfPrice.jar ListOfPrice.xsc
ListOfPriceCheckRequestItemDetail.dtd	ListOfPriceCheckRequestItemDetail.jar ListOfPriceCheckRequestItemDetail.xsc
ListOfPriceCheckResultItemDetail.dtd	ListOfPriceCheckResultItemDetail.jar ListOfPriceCheckResultItemDetail.xsc
ListOfProductIdentifierCoded.dtd	ListOfProductIdentifierCoded.jar ListOfProductIdentifierCoded.xsc
ListOfQuantity.dtd	ListOfQuantity.jar ListOfQuantity.xsc
ListOfQuantityCoded.dtd	ListOfQuantityCoded.jar ListOfQuantityCoded.xsc
ListOfQuoteDetails.dtd	ListOfQuoteDetails.jar ListOfQuoteDetails.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
ListOfRateOfExchangeDetail.dtd	ListOfRateOfExchangeDetail.jar ListOfRateOfExchangeDetail.xsc
ListOfReference.dtd	ListOfReference.jar ListOfReference.xsc
ListOfReferenceCoded.dtd	ListOfReferenceCoded.jar ListOfReferenceCoded.xsc
ListOfRegion.dtd	ListOfRegion.jar ListOfRegion.xsc
ListOfRelatedInvoiceRef.dtd	ListOfRelatedInvoiceRef.jar ListOfRelatedInvoiceRef.xsc
ListOfRemittanceAdviceDetail.dtd	ListOfRemittanceAdviceDetail.jar ListOfRemittanceAdviceDetail.xsc
ListOfRequestQuoteDetails.dtd	ListOfRequestQuoteDetails.jar ListOfRequestQuoteDetails.xsc
ListOfReturnedIdentification.dtd	ListOfReturnedIdentification.jar ListOfReturnedIdentification.xsc
ListOfRules.dtd	ListOfRules.jar ListOfRules.xsc
ListOfScheduleDetail.dtd	ListOfScheduleDetail.jar ListOfScheduleDetail.xsc
ListOfScheduleLine.dtd	ListOfScheduleLine.jar ListOfScheduleLine.xsc
ListOfSealInfo.dtd	ListOfSealInfo.jar ListOfSealInfo.xsc
ListOfSecondaryMessageInformation.dtd	ListOfSecondaryMessageInformation.jar ListOfSecondaryMessageInformation.xsc
ListOfShipScheduleDetail.dtd	ListOfShipScheduleDetail.jar ListOfShipScheduleDetail.xsc
ListOfShipToSubInformation.dtd	ListOfShipToSubInformation.jar ListOfShipToSubInformation.xsc
ListOfStatusReason.dtd	ListOfStatusReason.jar ListOfStatusReason.xsc
ListOfStructuredNote.dtd	ListOfStructuredNote.jar ListOfStructuredNote.xsc
ListOfSubsidiary.dtd	ListOfSubsidiary.jar ListOfSubsidiary.xsc
ListOfTaxSummary.dtd	ListOfTaxSummary.jar ListOfTaxSummary.xsc
ListOfTimeSeriesKeyFigureData.dtd	ListOfTimeSeriesKeyFigureData.jar ListOfTimeSeriesKeyFigureData.xsc
ListOfTimezone.dtd	ListOfTimezone.jar ListOfTimezone.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
ListOfTradingPartnerID.dtd	ListOfTradingPartnerID.jar ListOfTradingPartnerID.xsc
ListOfTradingPartnerOrganization.dtd	ListOfTradingPartnerOrganization.jar ListOfTradingPartnerOrganization.xsc
ListOfTradingPartnerOrganizationDeletion.dtd	ListOfTradingPartnerOrganizationDeletion.jar ListOfTradingPartnerOrganizationDeletion.xsc
ListOfTradingPartnerResponseInfo.dtd	ListOfTradingPartnerResponseInfo.jar ListOfTradingPartnerResponseInfo.xsc
ListOfTradingPartnerType.dtd	ListOfTradingPartnerType.jar ListOfTradingPartnerType.xsc
ListOfTradingPartnerUser.dtd	ListOfTradingPartnerUser.jar ListOfTradingPartnerUser.xsc
ListOfTradingPartnerUserDeletion.dtd	ListOfTradingPartnerUserDeletion.jar ListOfTradingPartnerUserDeletion.xsc
ListOfTransport.dtd	ListOfTransport.jar ListOfTransport.xsc
ListOfTransportEquipment.dtd	ListOfTransportEquipment.jar ListOfTransportEquipment.xsc
ListOfTransportRouting.dtd	ListOfTransportRouting.jar ListOfTransportRouting.xsc
ListOfUserRole.dtd	ListOfUserRole.jar ListOfUserRole.xsc
ListOfValidBidCurrency.dtd	ListOfValidBidCurrency.jar ListOfValidBidCurrency.xsc
ListOfValues.dtd	ListOfValues.jar ListOfValues.xsc
ListOfX509Certificate.dtd	ListOfX509Certificate.jar ListOfX509Certificate.xsc
Location.dtd	Location.jar Location.xsc
LocationGroupedPlanningDetail.dtd	LocationGroupedPlanningDetail.jar LocationGroupedPlanningDetail.xsc
LocationGroupedPlanningResponse.dtd	LocationGroupedPlanningResponse.jar LocationGroupedPlanningResponse.xsc
LocationGroupedShippingDetail.dtd	LocationGroupedShippingDetail.jar LocationGroupedShippingDetail.xsc
LocationGroupedShippingResponse.dtd	LocationGroupedShippingResponse.jar LocationGroupedShippingResponse.xsc
LocationIdentifier.dtd	LocationIdentifier.jar LocationIdentifier.xsc
LocationPlanningItemDetail.dtd	LocationPlanningItemDetail.jar LocationPlanningItemDetail.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
LocationSchedule.dtd	LocationSchedule.jar LocationSchedule.xsc
LocationShippingItemDetail.dtd	LocationShippingItemDetail.jar LocationShippingItemDetail.xsc
LocationShipSchedule.dtd	LocationShipSchedule.jar LocationShipSchedule.xsc
LongDescription.dtd	LongDescription.jar LongDescription.xsc
Manufacturer.dtd	Manufacturer.jar Manufacturer.xsc
ManufacturerPartNumber.dtd	ManufacturerPartNumber.jar ManufacturerPartNumber.xsc
MaterialGroupedPlanningDetail.dtd	MaterialGroupedPlanningDetail.jar MaterialGroupedPlanningDetail.xsc
MaterialGroupedPlanningResponse.dtd	MaterialGroupedPlanningResponse.jar MaterialGroupedPlanningResponse.xsc
MaterialGroupedShippingDetail.dtd	MaterialGroupedShippingDetail.jar MaterialGroupedShippingDetail.xsc
MaterialGroupedShippingResponse.dtd	MaterialGroupedShippingResponse.jar MaterialGroupedShippingResponse.xsc
MaximumValue.dtd	MaximumValue.jar MaximumValue.xsc
Measurement.dtd	Measurement.jar Measurement.xsc
MeasurementRange.dtd	MeasurementRange.jar MeasurementRange.xsc
MeasurementValue.dtd	MeasurementValue.jar MeasurementValue.xsc
MessageAcknowledgement.dtd	MessageAcknowledgement.jar MessageAcknowledgement.xsc
MessageID.dtd	MessageID.jar MessageID.xsc
MinimumValue.dtd	MinimumValue.jar MinimumValue.xsc
MonetaryLimit.dtd	MonetaryLimit.jar MonetaryLimit.xsc
MonetaryRange.dtd	MonetaryRange.jar MonetaryRange.xsc
MonetaryValue.dtd	MonetaryValue.jar MonetaryValue.xsc
MVBVariable.dtd	MVBVariable.jar MVBVariable.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
NameAddress.dtd	NameAddress.jar NameAddress.xsc
NameValuePair.dtd	NameValuePair.jar NameValuePair.xsc
Note.dtd	Note.jar Note.xsc
ObjectAttribute.dtd	ObjectAttribute.jar ObjectAttribute.xsc
Order.dtd	Order.jar Order.xsc
OrderDates.dtd	OrderDates.jar OrderDates.xsc
OrderDetail.dtd	OrderDetail.jar OrderDetail.xsc
OrderHeader.dtd	OrderHeader.jar OrderHeader.xsc
OrderNumber.dtd	OrderNumber.jar OrderNumber.xsc
OrderParty.dtd	OrderParty.jar OrderParty.xsc
OrderReferences.dtd	OrderReferences.jar OrderReferences.xsc
OrderRequest.dtd	OrderRequest.jar OrderRequest.xsc
OrderRequestHeader.dtd	OrderRequestHeader.jar OrderRequestHeader.xsc
OrderRequestNumber.dtd	OrderRequestNumber.jar OrderRequestNumber.xsc
OrderRequestParty.dtd	OrderRequestParty.jar OrderRequestParty.xsc
OrderResponse.dtd	OrderResponse.jar OrderResponse.xsc
OrderResponseDetail.dtd	OrderResponseDetail.jar OrderResponseDetail.xsc
OrderResponseHeader.dtd	OrderResponseHeader.jar OrderResponseHeader.xsc
OrderResponseItemDetail.dtd	OrderResponseItemDetail.jar OrderResponseItemDetail.xsc
OrderResponseNumber.dtd	OrderResponseNumber.jar OrderResponseNumber.xsc
OrderResponsePackageDetail.dtd	OrderResponsePackageDetail.jar OrderResponsePackageDetail.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
OrderResponseSummary.dtd	OrderResponseSummary.jar OrderResponseSummary.xsc
OrderStatusDetailRequest.dtd	OrderStatusDetailRequest.jar OrderStatusDetailRequest.xsc
OrderStatusDetailResult.dtd	OrderStatusDetailResult.jar OrderStatusDetailResult.xsc
OrderStatusItem.dtd	OrderStatusItem.jar OrderStatusItem.xsc
OrderStatusReference.dtd	OrderStatusReference.jar OrderStatusReference.xsc
OrderStatusRequest.dtd	OrderStatusRequest.jar OrderStatusRequest.xsc
OrderStatusRequestDetail.dtd	OrderStatusRequestDetail.jar OrderStatusRequestDetail.xsc
OrderStatusRequestHeader.dtd	OrderStatusRequestHeader.jar OrderStatusRequestHeader.xsc
OrderStatusRequestSummary.dtd	OrderStatusRequestSummary.jar OrderStatusRequestSummary.xsc
OrderStatusResult.dtd	OrderStatusResult.jar OrderStatusResult.xsc
OrderStatusResultDetail.dtd	OrderStatusResultDetail.jar OrderStatusResultDetail.xsc
OrderStatusResultHeader.dtd	OrderStatusResultHeader.jar OrderStatusResultHeader.xsc
OrderStatusResultItem.dtd	OrderStatusResultItem.jar OrderStatusResultItem.xsc
OrderStatusResultReference.dtd	OrderStatusResultReference.jar OrderStatusResultReference.xsc
OrderStatusResultSummary.dtd	OrderStatusResultSummary.jar OrderStatusResultSummary.xsc
OrderSummary.dtd	OrderSummary.jar OrderSummary.xsc
OrderType.dtd	OrderType.jar OrderType.xsc
OrganizationAddress.dtd	OrganizationAddress.jar OrganizationAddress.xsc
OrganizationAddresses.dtd	OrganizationAddresses.jar OrganizationAddresses.xsc
OtherInvoiceParties.dtd	OtherInvoiceParties.jar OtherInvoiceParties.xsc
Package.dtd	Package.jar Package.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
PackageCharacteristic.dtd	PackageCharacteristic.jar PackageCharacteristic.xsc
PackageDescription.dtd	PackageDescription.jar PackageDescription.xsc
PackageDetail.dtd	PackageDetail.jar PackageDetail.xsc
PackageDoc.dtd	PackageDoc.jar PackageDoc.xsc
PackageIdentifier.dtd	PackageIdentifier.jar PackageIdentifier.xsc
PackageMark.dtd	PackageMark.jar PackageMark.xsc
PackageReference.dtd	PackageReference.jar PackageReference.xsc
PackageType.dtd	PackageType.jar PackageType.xsc
Partner.dtd	Partner.jar Partner.xsc
PartNum.dtd	PartNum.jar PartNum.xsc
PartNumbers.dtd	PartNumbers.jar PartNumbers.xsc
Party.dtd	Party.jar Party.xsc
PartyCoded.dtd	PartyCoded.jar PartyCoded.xsc
PartyTaxInformation.dtd	PartyTaxInformation.jar PartyTaxInformation.xsc
PayerParty.dtd	PayerParty.jar PayerParty.xsc
PaymentAmount.dtd	PaymentAmount.jar PaymentAmount.xsc
PaymentDates.dtd	PaymentDates.jar PaymentDates.xsc
PaymentException.dtd	PaymentException.jar PaymentException.xsc
PaymentInstructions.dtd	PaymentInstructions.jar PaymentInstructions.xsc
PaymentMean.dtd	PaymentMean.jar PaymentMean.xsc
PaymentMethod.dtd	PaymentMethod.jar PaymentMethod.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
PaymentParty.dtd	PaymentParty.jar PaymentParty.xsc
PaymentRecord.dtd	PaymentRecord.jar PaymentRecord.xsc
PaymentRequest.dtd	PaymentRequest.jar PaymentRequest.xsc
PaymentRequestAcknDetail.dtd	PaymentRequestAcknDetail.jar PaymentRequestAcknDetail.xsc
PaymentRequestAcknHeader.dtd	PaymentRequestAcknHeader.jar PaymentRequestAcknHeader.xsc
PaymentRequestAcknowledgment.dtd	PaymentRequestAcknowledgment.jar PaymentRequestAcknowledgment.xsc
PaymentRequestDetail.dtd	PaymentRequestDetail.jar PaymentRequestDetail.xsc
PaymentRequestHeader.dtd	PaymentRequestHeader.jar PaymentRequestHeader.xsc
PaymentRequestParty.dtd	PaymentRequestParty.jar PaymentRequestParty.xsc
PaymentRequestSummary.dtd	PaymentRequestSummary.jar PaymentRequestSummary.xsc
PaymentStatusRequest.dtd	PaymentStatusRequest.jar PaymentStatusRequest.xsc
PaymentStatusRequestDetail.dtd	PaymentStatusRequestDetail.jar PaymentStatusRequestDetail.xsc
PaymentStatusRequestHeader.dtd	PaymentStatusRequestHeader.jar PaymentStatusRequestHeader.xsc
PaymentStatusRequestSummary.dtd	PaymentStatusRequestSummary.jar PaymentStatusRequestSummary.xsc
PaymentStatusResponse.dtd	PaymentStatusResponse.jar PaymentStatusResponse.xsc
PaymentStatusResponseDetail.dtd	PaymentStatusResponseDetail.jar PaymentStatusResponseDetail.xsc
PaymentStatusResponseHeader.dtd	PaymentStatusResponseHeader.jar PaymentStatusResponseHeader.xsc
PaymentTerm.dtd	PaymentTerm.jar PaymentTerm.xsc
PaymentTerms.dtd	PaymentTerms.jar PaymentTerms.xsc
PercentageAllowanceOrCharge.dtd	PercentageAllowanceOrCharge.jar PercentageAllowanceOrCharge.xsc
PercentQualifier.dtd	PercentQualifier.jar PercentQualifier.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
PersonAddress.dtd	PersonAddress.jar PersonAddress.xsc
PersonCommunicationType.dtd	PersonCommunicationType.jar PersonCommunicationType.xsc
PersonProfile.dtd	PersonProfile.jar PersonProfile.xsc
PlanningSchedule.dtd	PlanningSchedule.jar PlanningSchedule.xsc
PlanningScheduleHeader.dtd	PlanningScheduleHeader.jar PlanningScheduleHeader.xsc
PlanningScheduleResponse.dtd	PlanningScheduleResponse.jar PlanningScheduleResponse.xsc
PlanningScheduleResponseHeader.dtd	PlanningScheduleResponseHeader.jar PlanningScheduleResponseHeader.xsc
PlanningScheduleSummary.dtd	PlanningScheduleSummary.jar PlanningScheduleSummary.xsc
POBox.dtd	POBox.jar POBox.xsc
Price.dtd	Price.jar Price.xsc
PriceCheckRequest.dtd	PriceCheckRequest.jar PriceCheckRequest.xsc
PriceCheckRequestBaseItemDetail.dtd	PriceCheckRequestBaseItemDetail.jar PriceCheckRequestBaseItemDetail.xsc
PriceCheckRequestDetail.dtd	PriceCheckRequestDetail.jar PriceCheckRequestDetail.xsc
PriceCheckRequestHeader.dtd	PriceCheckRequestHeader.jar PriceCheckRequestHeader.xsc
PriceCheckRequestItemDetail.dtd	PriceCheckRequestItemDetail.jar PriceCheckRequestItemDetail.xsc
PriceCheckRequestSummary.dtd	PriceCheckRequestSummary.jar PriceCheckRequestSummary.xsc
PriceCheckResult.dtd	PriceCheckResult.jar PriceCheckResult.xsc
PriceCheckResultDetail.dtd	PriceCheckResultDetail.jar PriceCheckResultDetail.xsc
PriceCheckResultHeader.dtd	PriceCheckResultHeader.jar PriceCheckResultHeader.xsc
PriceCheckResultItemDetail.dtd	PriceCheckResultItemDetail.jar PriceCheckResultItemDetail.xsc
PriceCheckResultSummary.dtd	PriceCheckResultSummary.jar PriceCheckResultSummary.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
PriceMultiplier.dtd	PriceMultiplier.jar PriceMultiplier.xsc
PricingDetail.dtd	PricingDetail.jar PricingDetail.xsc
PrimaryID.dtd	PrimaryID.jar PrimaryID.xsc
PrimaryMessageInformation.dtd	PrimaryMessageInformation.jar PrimaryMessageInformation.xsc
Product.dtd	Product.jar Product.xsc
ProductAttachment.dtd	ProductAttachment.jar ProductAttachment.xsc
ProductCatalog.dtd	ProductCatalog.jar ProductCatalog.xsc
ProductID.dtd	ProductID.jar ProductID.xsc
ProductIdentifierCoded.dtd	ProductIdentifierCoded.jar ProductIdentifierCoded.xsc
ProductIDStandard.dtd	ProductIDStandard.jar ProductIDStandard.xsc
ProductName.dtd	ProductName.jar ProductName.xsc
ProductPrice.dtd	ProductPrice.jar ProductPrice.xsc
ProductVendorData.dtd	ProductVendorData.jar ProductVendorData.xsc
PurchaseOrderReference.dtd	PurchaseOrderReference.jar PurchaseOrderReference.xsc
Purpose.dtd	Purpose.jar Purpose.xsc
Quantity.dtd	Quantity.jar Quantity.xsc
QuantityAllowanceOrCharge.dtd	QuantityAllowanceOrCharge.jar QuantityAllowanceOrCharge.xsc
QuantityCoded.dtd	QuantityCoded.jar QuantityCoded.xsc
QuantityRange.dtd	QuantityRange.jar QuantityRange.xsc
QuantityValue.dtd	QuantityValue.jar QuantityValue.xsc
QuotationRequestReference.dtd	QuotationRequestReference.jar QuotationRequestReference.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
Quote.dtd	Quote.jar Quote.xsc
QuoteDetails.dtd	QuoteDetails.jar QuoteDetails.xsc
QuotedItem.dtd	QuotedItem.jar QuotedItem.xsc
QuoteHeader.dtd	QuoteHeader.jar QuoteHeader.xsc
QuoteItemDetail.dtd	QuoteItemDetail.jar QuoteItemDetail.xsc
QuoteSummary.dtd	QuoteSummary.jar QuoteSummary.xsc
QuoteType.dtd	QuoteType.jar QuoteType.xsc
Range.dtd	Range.jar Range.xsc
Rate.dtd	Rate.jar Rate.xsc
RateOfExchangeDetail.dtd	RateOfExchangeDetail.jar RateOfExchangeDetail.xsc
Reference.dtd	Reference.jar Reference.xsc
ReferenceCoded.dtd	ReferenceCoded.jar ReferenceCoded.xsc
Region.dtd	Region.jar Region.xsc
RelatedInvoiceRef.dtd	RelatedInvoiceRef.jar RelatedInvoiceRef.xsc
RelatedProduct.dtd	RelatedProduct.jar RelatedProduct.xsc
RemittanceAdvice.dtd	RemittanceAdvice.jar RemittanceAdvice.xsc
RemittanceAdviceDetail.dtd	RemittanceAdviceDetail.jar RemittanceAdviceDetail.xsc
RemittanceAdviceHeader.dtd	RemittanceAdviceHeader.jar RemittanceAdviceHeader.xsc
RequestedResponse.dtd	RequestedResponse.jar RequestedResponse.xsc
RequestForQuotation.dtd	RequestForQuotation.jar RequestForQuotation.xsc
RequestQuoteDate.dtd	RequestQuoteDate.jar RequestQuoteDate.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
RequestQuoteDetails.dtd	RequestQuoteDetails.jar RequestQuoteDetails.xsc
RequestQuoteHeader.dtd	RequestQuoteHeader.jar RequestQuoteHeader.xsc
RequestQuotePurpose.dtd	RequestQuotePurpose.jar RequestQuotePurpose.xsc
RequestQuoteReference.dtd	RequestQuoteReference.jar RequestQuoteReference.xsc
RequestQuoteSummary.dtd	RequestQuoteSummary.jar RequestQuoteSummary.xsc
ResponseType.dtd	ResponseType.jar ResponseType.xsc
ReturnableContainerInfo.dtd	ReturnableContainerInfo.jar ReturnableContainerInfo.xsc
ReturnedIdentification.dtd	ReturnedIdentification.jar ReturnedIdentification.xsc
ReturnMessageInformation.dtd	ReturnMessageInformation.jar ReturnMessageInformation.xsc
Rule.dtd	Rule.jar Rule.xsc
RulesProfile.dtd	RulesProfile.jar RulesProfile.xsc
SalesRequirement.dtd	SalesRequirement.jar SalesRequirement.xsc
ScheduleDetail.dtd	ScheduleDetail.jar ScheduleDetail.xsc
ScheduleLine.dtd	ScheduleLine.jar ScheduleLine.xsc
ScheduleOrderReference.dtd	ScheduleOrderReference.jar ScheduleOrderReference.xsc
ScheduleParty.dtd	ScheduleParty.jar ScheduleParty.xsc
ScheduleReferences.dtd	ScheduleReferences.jar ScheduleReferences.xsc
SchemaCategory.dtd	SchemaCategory.jar SchemaCategory.xsc
SealInfo.dtd	SealInfo.jar SealInfo.xsc
Seallssuer.dtd	Seallssuer.jar Seallssuer.xsc
SealStatusDescription.dtd	SealStatusDescription.jar SealStatusDescription.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
SecondaryMessageInformation.dtd	SecondaryMessageInformation.jar SecondaryMessageInformation.xsc
ServiceLevel.dtd	ServiceLevel.jar ServiceLevel.xsc
Severity.dtd	Severity.jar Severity.xsc
ShipmentStatusEvent.dtd	ShipmentStatusEvent.jar ShipmentStatusEvent.xsc
ShippingSchedule.dtd	ShippingSchedule.jar ShippingSchedule.xsc
ShippingScheduleHeader.dtd	ShippingScheduleHeader.jar ShippingScheduleHeader.xsc
ShippingScheduleResponse.dtd	ShippingScheduleResponse.jar ShippingScheduleResponse.xsc
ShippingScheduleResponseHeader.dtd	ShippingScheduleResponseHeader.jar ShippingScheduleResponseHeader.xsc
ShippingScheduleSummary.dtd	ShippingScheduleSummary.jar ShippingScheduleSummary.xsc
ShipScheduleDetail.dtd	ShipScheduleDetail.jar ShipScheduleDetail.xsc
ShipToSubInformation.dtd	ShipToSubInformation.jar ShipToSubInformation.xsc
ShortDescription.dtd	ShortDescription.jar ShortDescription.xsc
SourceTargetID.dtd	SourceTargetID.jar SourceTargetID.xsc
SpecialHandling.dtd	SpecialHandling.jar SpecialHandling.xsc
SpotRateDetail.dtd	SpotRateDetail.jar SpotRateDetail.xsc
Status.dtd	Status.jar Status.xsc
StatusEvent.dtd	StatusEvent.jar StatusEvent.xsc
StatusReason.dtd	StatusReason.jar StatusReason.xsc
StructuredNote.dtd	StructuredNote.jar StructuredNote.xsc
Subsidiary.dtd	Subsidiary.jar Subsidiary.xsc
Tax.dtd	Tax.jar Tax.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
TaxReference.dtd	TaxReference.jar TaxReference.xsc
TermsOfDelivery.dtd	TermsOfDelivery.jar TermsOfDelivery.xsc
TimeSeries.dtd	TimeSeries.jar TimeSeries.xsc
TimeSeriesData.dtd	TimeSeriesData.jar TimeSeriesData.xsc
TimeSeriesDetail.dtd	TimeSeriesDetail.jar TimeSeriesDetail.xsc
TimeSeriesHeader.dtd	TimeSeriesHeader.jar TimeSeriesHeader.xsc
TimeSeriesKeyFigureData.dtd	TimeSeriesKeyFigureData.jar TimeSeriesKeyFigureData.xsc
TimeSeriesParty.dtd	TimeSeriesParty.jar TimeSeriesParty.xsc
TimeSeriesRequest.dtd	TimeSeriesRequest.jar TimeSeriesRequest.xsc
TimeSeriesRequestDetail.dtd	TimeSeriesRequestDetail.jar TimeSeriesRequestDetail.xsc
TimeSeriesResponse.dtd	TimeSeriesResponse.jar TimeSeriesResponse.xsc
TimeSeriesResponseDetail.dtd	TimeSeriesResponseDetail.jar TimeSeriesResponseDetail.xsc
TimeSeriesResponseHeader.dtd	TimeSeriesResponseHeader.jar TimeSeriesResponseHeader.xsc
TimeSeriesSummary.dtd	TimeSeriesSummary.jar TimeSeriesSummary.xsc
Timezone.dtd	Timezone.jar Timezone.xsc
Title.dtd	Title.jar Title.xsc
TotalAllowOrCharge.dtd	TotalAllowOrCharge.jar TotalAllowOrCharge.xsc
TrackingInformation.dtd	TrackingInformation.jar TrackingInformation.xsc
TradingPartnerOrganization.dtd	TradingPartnerOrganization.jar TradingPartnerOrganization.xsc
TradingPartnerOrganizationDelete.dtd	TradingPartnerOrganizationDelete.jar TradingPartnerOrganizationDelete.xsc
TradingPartnerOrganizationDeletion.dtd	TradingPartnerOrganizationDeletion.jar TradingPartnerOrganizationDeletion.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
TradingPartnerOrganizationHeader.dtd	TradingPartnerOrganizationHeader.jar TradingPartnerOrganizationHeader.xsc
TradingPartnerOrganizationInformation.dtd	TradingPartnerOrganizationInformation.jar TradingPartnerOrganizationInformation.xsc
TradingPartnerOrganizationPurpose.dtd	TradingPartnerOrganizationPurpose.jar TradingPartnerOrganizationPurpose.xsc
TradingPartnerOrganizationVisibility.dtd	TradingPartnerOrganizationVisibility.jar TradingPartnerOrganizationVisibility.xsc
TradingPartnerResponse.dtd	TradingPartnerResponse.jar TradingPartnerResponse.xsc
TradingPartnerResponseInfo.dtd	TradingPartnerResponseInfo.jar TradingPartnerResponseInfo.xsc
TradingPartnerType.dtd	TradingPartnerType.jar TradingPartnerType.xsc
TradingPartnerUser.dtd	TradingPartnerUser.jar TradingPartnerUser.xsc
TradingPartnerUserDelete.dtd	TradingPartnerUserDelete.jar TradingPartnerUserDelete.xsc
TradingPartnerUserDeletion.dtd	TradingPartnerUserDeletion.jar TradingPartnerUserDeletion.xsc
TradingPartnerUserInformation.dtd	TradingPartnerUserInformation.jar TradingPartnerUserInformation.xsc
TradingPartnerUserPurpose.dtd	TradingPartnerUserPurpose.jar TradingPartnerUserPurpose.xsc
TransitDirection.dtd	TransitDirection.jar TransitDirection.xsc
Transport.dtd	Transport.jar Transport.xsc
TransportEquipment.dtd	TransportEquipment.jar TransportEquipment.xsc
TransportLocation.dtd	TransportLocation.jar TransportLocation.xsc
TransportLocationList.dtd	TransportLocationList.jar TransportLocationList.xsc
TransportMeans.dtd	TransportMeans.jar TransportMeans.xsc
TransportMode.dtd	TransportMode.jar TransportMode.xsc
TransportPackagingTotals.dtd	TransportPackagingTotals.jar TransportPackagingTotals.xsc
TransportQuantities.dtd	TransportQuantities.jar TransportQuantities.xsc

**Table 5** xCBL 30r2 .dtd Files and Corresponding 30r2 .jar and .xsc Files

<b>.dtd File Names</b>	<b>.jar and .xsc File Names</b>
TransportRouting.dtd	TransportRouting.jar TransportRouting.xsc
TypeOfAllowanceOrCharge.dtd	TypeOfAllowanceOrCharge.jar TypeOfAllowanceOrCharge.xsc
UnitOfMeasurement.dtd	UnitOfMeasurement.jar UnitOfMeasurement.xsc
UnitPrice.dtd	UnitPrice.jar UnitPrice.xsc
UOM.dtd	UOM.jar UOM.xsc
UserAdministration.dtd	UserAdministration.jar UserAdministration.xsc
UserID.dtd	UserID.jar UserID.xsc
UserRole.dtd	UserRole.jar UserRole.xsc
UserStatus.dtd	UserStatus.jar UserStatus.xsc
ValidateAttributes.dtd	ValidateAttributes.jar ValidateAttributes.xsc
ValidBidCurrency.dtd	ValidBidCurrency.jar ValidBidCurrency.xsc
ValidityDates.dtd	ValidityDates.jar ValidityDates.xsc
VisibilityRules.dtd	VisibilityRules.jar VisibilityRules.xsc
X509Certificate.dtd	X509Certificate.jar X509Certificate.xsc
X509CertificateInfo.dtd	X509CertificateInfo.jar X509CertificateInfo.xsc

# Index

## C

compatible systems  
    UNIX 9  
    Windows NT/2000 9  
conventions, writing in document 8

## D

directory structure  
    xCBL 17  
document  
    organization 8  
DTD files  
    20r3 26  
    30r2 34

## E

e\*Gate  
    directory tree  
        of xCBL ETD templates 16

## I

Installation  
    before installing  
        on Windows NT/2000 12  
    xCBL ETD templates  
        on UNIX 15  
        on Windows NT/2000 12

## R

reader 7

## S

SeeBeyond  
    Web site 10  
supporting documents 10

## U

UN/xCBL ETD templates

installing on UNIX 15  
installing on Windows NT/2000 12  
UNIX  
    installing xCBL ETD templates 15  
user guide  
    purpose and scope 7

## W

Web site  
    for SeeBeyond 10  
    for xCBL 10  
Windows NT/2000  
    before installing 12  
    installing xCBL ETD templates 12

## X

xCBL  
    20r3 DTD files 26  
    30r2 DTD files 34  
    directory structure 17  
    introduction to 18  
    Web site 10  
xCBL 20r3  
    .dtd files that do not generate .xsc files 33  
xCBL ETD Library  
    directories  
        groupings of  
        explained 16  
    files 26  
xCBL ETD templates  
    e\*Gate directory tree 16  
    installation 12–16