

SeeBeyond ICAN Suite

eInsight Enterprise Service Bus User's Guide

Release 5.0.3



The information contained in this document is subject to change and is updated periodically to reflect changes to the applicable software. Although every effort has been made to ensure the accuracy of this document, SeeBeyond Technology Corporation (SeeBeyond) assumes no responsibility for any errors that may appear herein. The software described in this document is furnished under a License Agreement and may be used or copied only in accordance with the terms of such License Agreement. Printing, copying, or reproducing this document in any fashion is prohibited except in accordance with the License Agreement. The contents of this document are designated as being confidential and proprietary; are considered to be trade secrets of SeeBeyond; and may be used only in accordance with the License Agreement, as protected and enforceable by law. SeeBeyond assumes no responsibility for the use or reliability of its software on platforms that are not supported by SeeBeyond.

SeeBeyond, e*Gate, and e*Way are the registered trademarks of SeeBeyond Technology Corporation in the United States and select foreign countries; the SeeBeyond logo, e*Insight, and e*Xchange are trademarks of SeeBeyond Technology Corporation. The absence of a trademark from this list does not constitute a waiver of SeeBeyond Technology Corporation's intellectual property rights concerning that trademark. This document may contain references to other company, brand, and product names. These company, brand, and product names are used herein for identification purposes only and may be the trademarks of their respective owners.

© 2004 by SeeBeyond Technology Corporation. All Rights Reserved. This work is protected as an unpublished work under the copyright laws.

This work is confidential and proprietary information of SeeBeyond and must be maintained in strict confidence.

Version 20040225002428.

List of Figures	8
------------------------	----------

List of Tables	11
-----------------------	-----------

Chapter 1

Introduction	13
Overview	13
Intended Audience	13
Contents of This Guide	14
Writing Conventions	15
Additional Conventions	15
Supporting Documents	15

Chapter 2

Introduction to eInsight ESB and the SeeBeyond Integrated Composite Application Network Suite	16
The SeeBeyond ICAN Suite	16
Overview of eInsight ESB	16
SeeBeyond ICAN Suite Integration	17
eInsight ESB Architecture	17
Automated Web Services Description and Discovery	18
Business Process Modeling and Design	18
Business Process Designer	18
Design Phase Overview	19
Runtime Phase Overview	19
eInsight ESB Database	19
Real-Time Business Process Monitoring and Alerting	20
Summary of Features	20

Chapter 3

Designing Business Process Models	22
Overview	22
Building a Business Process Model	22
Modeling a Business Process	23
Business Process Designer	23
Using the Business Process Designer	24
Modeling Elements	25
Activity	25

Link modeling elements	26
Branching Activities	27
Intermediate Events	28
Scope	29
While	29
Validating a Business Process Model	30
Saving a Business Process Model	30

Chapter 4

Configuring Business Process Models 32

Overview 32

Configuring Modeling Elements 32

Business Rule Activity	32
Business Rule Links	32
Business Rule Designer	33
Method Palette	33

Business Process Properties 34

General	34
Business Process Attributes	35
Partners	36
Message Correlation	38
Message Correlation Example	38
Correlation Keys and Sets	39
WSDL Files	42
WSDL Interface Designer and Viewer	44
Sub-Processes	45
Sub-Process Overview	45
Repeating Nodes	46
XPath Predicates	46
Business Processes as Web Services	46
Web Service Application	47

Chapter 5

Exception Handling 48

Overview 48

Scope and Process Level Exceptions	48
Exception Handling Configuration	48
Compensation	51

Chapter 6

Deploy Business Process Models 53

Overview 53

The Business Process and the Connectivity Map	53
Deploy a Business Process	55

Chapter 7

Persistence and Monitoring 56

Overview	56
eInsight Engine Configuration	56
Create the eInsight Database	57
Run Database Scripts	58
Download Database Scripts	59
Configure Persistence for the Business Process	60
Configure connection information	60
Database Connection Information	61
Monitoring	62
Monitoring Options	63
Business Process Monitoring Tools	63
Controlling the Business Process display mode	64
Controlling the display of instance data	64

Chapter 8

Implementation 66

Overview	66
About the Sample	66
Road Map	67
Step 1: Create the Input Files and DTDs	67
Step 2: Create a New Project and Environment	68
Step 3: Create the Business Process Model	68
Step 4: Create a Connectivity Map and Deployment Profile	68
Step 5: Run and Test the System	68
Case Study: Payroll Processing	68
Before You Begin	69
Input Files and DTDs	70
Input XML Files	70
Input and Output DTD Files	70
Create a New Project and Environment	71
Environment	71
Create the Business Process Model	72
Add Modelling Elements to the Business Process Model	72
Configure Modeling Elements	74
Configure Business Rules	75
Decision Element	76
Configure Business Rule Activities	78
Update Status Activity	78
Set Bonus Activity	80
Match Fields Activity	81
Create a Connectivity Map and Deployment Profile	82
Configure the File Systems	83
Deployment Profile	85
Run and Test the System	86

Chapter 9

Task Assignment	88
User Activity Overview	88
User Activity Configuration	88
Flex Attributes	91
Organizational Roles	92
Task Assignment	93
Using the Worklist Manager	94
Manage Tasks	95
Case Study Overview	96
Create the Input File	97
Create a New Project and Environment	97
Create the eVision Pages and Business Process Models	97
Create a Connectivity Map and Deployment Profile	97
Run and Test the System	97
Case Study: Audit Processing	97
Before You Begin	97
LDAP Configuration	98
Input File	99
ICAN Configuration	100
Create a New Project and Environment	100
Create the eVision Pages	102
Create the Business Process Models	104
Create the SubProcess	104
Create the Parent Business Process	108
Configure the Modeling Elements	109
Create a Connectivity Map and Deployment Profile	112
Configure the File Systems	113
Deployment Profile	114
Run and Test the System	115
Test the Task Assignment System	116

Appendix A

Method Palette	118
Operators	118
String	121
Number	125
Boolean	127
Nodes	128
Datetime	130
Conversion	131
Data Type Conversions	132
String	132
Boolean	133

Float	133
Double	134
Decimal	134
Byte	135
Short	135
Int	135
Long	136
Duration	136
dateTime	136
time	137
date	137
gYearMonth	137
gYear	138
gMonthDay	138
gDay	138
gMonth	138
hexBinary	138
base64Binary	139
anyURI	139
QName	139
NOTATION	139

Glossary	141
-----------------	------------

Index	143
--------------	------------

List of Figures

Figure 1	eInsight ESB and the ICAN Suite	17
Figure 2	Sample Business Process Model	22
Figure 3	Business Process Model	24
Figure 4	Business Process Designer Toolbar Options	24
Figure 5	Link Example	26
Figure 6	Octogonal Link Style	26
Figure 7	Validate Business Process Model	30
Figure 8	Business Rule Designer	33
Figure 9	Business Process Properties: General Tab	34
Figure 10	New Business Process Attribute	35
Figure 11	Business Process Properties: Business Process Attributes Tab	36
Figure 12	Business Properties: Partner Tab	37
Figure 13	New Partner	37
Figure 14	Activity Properties	38
Figure 15	Message Correlation: First Business Process	39
Figure 16	Message Correlation: Second Business Process	39
Figure 17	Business Process Properties: Correlations Tab	40
Figure 18	New Correlation Key Dialog Box	41
Figure 19	New Correlation Set Dialog Box	42
Figure 20	Business Process Properties: WSDL Tab	43
Figure 21	Load WSDL dialog box	43
Figure 22	WSDL Interface Designer	44
Figure 23	WSDL Viewer	45
Figure 24	Browse Web Services	47
Figure 25	Web Service Application	47
Figure 26	Build an Exception Handler	49
Figure 27	Named Exception Handler	49
Figure 28	Named Exception Properties	49
Figure 29	Configured Exception	50
Figure 30	Catch All Exceptions (Process-Level)	51
Figure 31	Configure Catch All Exceptions	51
Figure 32	Compensation	52

List of Figures

Figure 33	Connectivity Map with Business Process	54
Figure 34	Connectivity Map: Business Process Binding	54
Figure 35	Deployment Profile	55
Figure 36	eInsight Engine Configuration	57
Figure 37	Install_db.bat	60
Figure 38	Business Property Sheet	60
Figure 39	Properties of Database Scripts	61
Figure 40	Monitor View	63
Figure 41	Integration Road Map	67
Figure 42	Business Process Model	69
Figure 43	New Environment	72
Figure 44	Building the Model	74
Figure 45	Linked Model	74
Figure 46	Add Business Rules to Links	76
Figure 47	Decision Properties	77
Figure 48	Completed Decision Gate Properties	78
Figure 49	Update Status Activity	80
Figure 50	Set Bonus Activity	81
Figure 51	Match Fields Activity	82
Figure 52	Configure Binding	83
Figure 53	Inbound File eWay	84
Figure 54	Outbound File eWay	85
Figure 55	Deployment Profile	86
Figure 56	Bootstrap Command Example	87
Figure 57	Configured User Activity	89
Figure 58	Worklist Manager Settings	89
Figure 59	Copy Business Process Attribute	90
Figure 60	Business Rules	90
Figure 61	Reset Destination	91
Figure 62	Flex Attributes in the Business Rule Designer	91
Figure 63	Flex Attributes	92
Figure 64	LDAP Connection Settings	93
Figure 65	Worklist Manager: Assignments Tab	94
Figure 66	Worklist Manager Login	95
Figure 67	Worklist Manager: Task View	96
Figure 68	Example: slapd.conf	98
Figure 69	Worklist Viewer Database Properties	100
Figure 70	New Environment	101

List of Figures

Figure 71	User Management	102
Figure 72	auditPage Layout	103
Figure 73	exitPage Properties	104
Figure 74	New Business Process Attribute	105
Figure 75	New WSDL File	105
Figure 76	subBusiness Process	106
Figure 77	Add Business Rule to Link	107
Figure 78	Add Business Rule to Second Link	107
Figure 79	BusinessProcess1	109
Figure 80	User Activity Properties	110
Figure 81	Connect to LDAP	111
Figure 82	Assign Users	112
Figure 83	Completed Connectivity Map	113
Figure 84	Deployment Profile	115
Figure 85	Method Palette: Operator tab	118
Figure 86	Method Palette: String tab	122
Figure 87	Method Palette: Number tab	125
Figure 88	Method Palette: Boolean tab	127
Figure 89	Method Palette: Nodes tab	128
Figure 90	Method Palette: Datetime tab	131
Figure 91	Method Palette: Conversion	132

List of Tables

Table 1	Writing Conventions	15
Table 2	Activity Elements	26
Table 3	Branching Activities	28
Table 4	Intermediate Events	28
Table 5	Scope Element	29
Table 6	While Element	29
Table 7	Monitor: Display Mode	64
Table 8	Monitor: Display Instance Data	64
Table 9	Rename Elements	75
Table 10	Match Fields	81
Table 11	Operator Methods	119
Table 12	String Methods	122
Table 13	Number Methods	126
Table 14	Boolean Methods	127
Table 15	Nodes Methods	129
Table 16	String	132
Table 17	Boolean	133
Table 18	Float	133
Table 19	Double	134
Table 20	Decimal	134
Table 21	Byte	135
Table 22	Short	135
Table 23	Int	135
Table 24	Long	136
Table 25	Duration	136
Table 26	dateTime	136
Table 27	time	137
Table 28	date	137
Table 29	gYearMonth	137
Table 30	gYear	138
Table 31	gMonthDay	138
Table 32	gDay	138

List of Tables

Table 33	gMonth	138
Table 34	hexBinary	139
Table 35	base64Binary	139
Table 36	anyURI	139
Table 37	QName	139
Table 38	NOTATION	139

Chapter 1

Introduction

The *eInsight Enterprise Service Bus User's Guide* provides instructions and background information for all users of the SeeBeyond Technology Corporation™ (SeeBeyond™) eInsight Enterprise Service Bus™ (eInsight ESB) application. This chapter introduces you to this guide, its general purpose and scope, and its organization. It also provides sources of related documentation and information.

In this chapter

- **Overview** on page 13
- **Contents of This Guide** on page 14
- **Writing Conventions** on page 15
- **Supporting Documents** on page 15

1.1 Overview

This guide explains how to use eInsight ESB. This user's guide includes information on the following topics:

- Working with modeling elements and the Business Process Designer.
- Creating and configuring business process models.
- Setting up the eInsight ESB database for Persistence and Monitoring.
- Creating and running the sample project.
- Using Task Assignment with the User Activity and Work List Manager.

1.2 Intended Audience

This guide is intended for experienced PC users who have the responsibility of helping to set up and maintain a fully functioning ICAN Suite system. This person must also understand any operating systems on which eInsight ESB will be installed (Windows or UNIX) and must be thoroughly familiar with Windows-style GUI operations.

1.3 Contents of This Guide

This document includes the following information:

- **Chapter 1, “Introduction”** provides an overview of this document’s purpose, contents, writing conventions, and supported documents.
- **Chapter 2, “Introduction to eInsight ESB and the SeeBeyond Integrated Composite Application Network Suite”** describes SeeBeyond’s product suite and how it works with eInsight ESB.
- **Chapter 3, “Designing Business Process Models”** describes business process elements and procedures related to building a business process model.
- **Chapter 4, “Configuring Business Process Models”** discusses configurations and options.
- **Chapter 5, “Exception Handling”** explains the concept of exception handling and how to configure various methods of handling errors.
- **Chapter 6, “Deploy Business Process Models”** discusses deployment of the business process model.
- **Chapter 7, “Persistence and Monitoring”** describes these features and how to set up the required database instances.
- **Chapter 8, “Implementation”** gives a step-by-step example of a simple implementation.
- **Chapter 9, “Task Assignment”** gives a step-by-step example of a Task Assignment implementation.
- **Appendix A, “Method Palette”** describes the methods available from the Business Rules Designer.
- The **“Glossary”** defines eInsight ESB specific terms.
- **“Index”**

1.4 Writing Conventions

The following writing conventions are observed throughout this document.

Table 1 Writing Conventions

Text	Convention	Example
Button, file, icon, parameter, variable, method, menu, and object names.	Bold text	<ul style="list-style-type: none"> ▪ Click OK to save and close. ▪ From the File menu, select Exit. ▪ Select the logicalhost.exe file. ▪ Enter the timeout value. ▪ Use the getClassname() method. ▪ Configure the Inbound File eWay.
Command line arguments and code samples	Fixed font. Variables are shown in bold italic .	<code>bootstrap -p password</code>
Hypertext links	Blue text	For more information, see "Writing Conventions" on page 15.

Additional Conventions

Windows Systems

For the purposes of this guide, references to "Windows" will apply to Microsoft Windows Server 2003, Windows XP, and Windows 2000.

Path Name Separator

This guide uses the backslash ("\") as the separator within path names. If you are working on a UNIX system, please make the appropriate substitutions.

1.5 Supporting Documents

The following SeeBeyond documents provide additional information about the SeeBeyond Integrated Composite Application Network Suite:

- *SeeBeyond Integrated Composite Application Network Suite Primer*
- *eInsight Enterprise Service Bus Installation Guide*
- *eGate Integrator for eInsight ESB User's Guide*

Chapter 2

Introduction to eInsight ESB and the SeeBeyond Integrated Composite Application Network Suite

This chapter provides an overview of the SeeBeyond Integrated Composite Application Network (ICAN) Suite and explains how eInsight ESB interacts with the other suite components.

2.1 The SeeBeyond ICAN Suite

SeeBeyond delivers the ICAN Suite, which allows companies to rapidly assemble enterprise scale, end-user applications built on existing systems and infrastructure. ICAN is an application-level network that unifies connectivity among people, application systems and devices in different locations and across organizations.

The notion of business services facilitates the implementation of extended applications. Service-oriented architectures clarify design and enable reuse by sharing logic and data among different client systems and users.

2.2 Overview of eInsight ESB

eInsight Enterprise Service Bus (ESB) is a streamlined, distributed integration platform that combines Web services support, transformation and content-based routing. eInsight ESB is a rapidly implemented, limited edition version of eInsight Business Process Manager.

The Enterprise Service Bus edition provides a lower-cost alternative to deploy integrated business processes as composite applications built on a services-oriented architecture. eInsight Enterprise Service Bus is sold standalone and supports SeeBeyond applications and eWay Intelligent Adapters, which can be purchased separately as plug-ins to eInsight ESB to access external applications and data.


2.2.1 SeeBeyond ICAN Suite Integration

eInsight ESB is tightly integrated with the SeeBeyond® Integrated Composite Application Network™ Suite and is compatible with the other ICAN suite products (also, see Figure 1), including:

- eVision Studio
- ePortal Composer
- eBAM Studio
- eTL Integrator
- eView Studio
- SeeBeyond eWay™ Intelligent Adapters

Thus, as your organization's integration needs grow, you can leverage and reuse the eInsight ESB integration components that you have already deployed.

Figure 1 eInsight ESB and the ICAN Suite



2.2.2 eInsight ESB Architecture

eInsight ESB speeds the design and deployment of business processes by providing an open process modeling environment using BPMN (Business Process Modeling Notation) for the graphical notation of a business process and by automatically generating the BPEL4WS code needed to implement the business process across all of the participating Web services (e.g. for applications and business partners).

Business analysts drag and drop components into the process model and then specify the additional flow control and business rules that manage what services get called at what time. eInsight supports importing and exporting BPEL4WS to share processes with 3rd party tools.

The technologies that carry out eInsight ESB business process functions are entirely based on industry standards. eInsight ESB uses the following standards:

- Business Process Modeling Notation (**BPMN**), from the Business Process Management Initiative (BPMI) standards body, provides a standard graphical view for Business Process Execution Language for Web Services (**BPEL4WS**).
- Web Services Business Process Execution Language (**BPEL4WS**) is the underlying code generated when creating a business process.
- Web Services Description Language (**WSDL**) is an XML-based language used to define Web services and describe how to access them.
- J2EE Connector Architecture (**JCA**) provides a mechanism to access external applications and data. The JCA engine is implemented as a standard JCA 1.5 module and it plugs into the SeeBeyond Integration Server.

Automated Web Services Description and Discovery

All eInsight business processes are automatically described using generated WSDL, and these services are available for internal and external consumption using SeeBeyond's centralized UDDI registry. This means that configuring an activity within a larger business process to consume a Web service is as simple as selecting the Web service you want to call in the internal or external UDDI registry using the SeeBeyond UDDI Browser.

2.2.3 Business Process Modeling and Design

You can use eInsight ESB to streamline operations by creating business logic that helps you reach outward to include customers and trading partners. Using eInsight ESB to implement business process management removes inefficiencies by orchestrating a unified work flow. This flow can include multiple systems/users, therefore extending to customers.

eInsight ESB allows you to model the business processes that your department or even your entire company performs on a regular basis. The tools provided allow for various scenarios and events that may take place in your process.

2.2.4 Business Process Designer

The Business Process Designer serves as the front-end design tool used to create a visualization of your business workflow and increase understanding of the business processes involved. As the business user, you are able to integrate logic into the business process. The Business Process Designer includes the following major areas:

- **Enterprise Explorer** - Displays a hierarchical representation of all the business process models and related components. This view shows you what is currently being displayed on the modeling canvas.
- **Business Rule Designer** - Allows you to graphically configure relationships between Input and Output Attributes.

2.2.5 Design Phase Overview

The basic steps that you will perform to design a business process model are as follows:

- 1 Plan and design a model that represents a business process taking place in your company.
- 2 Set up a Project and related components necessary to your business process model.
- 3 Create the new business process model in the eInsight Business Process Designer, using activities, links, decision and exception handling logic, and any other elements that express the actual business process.
- 4 Validate, generate and save the business process code to the Repository, where business processes configuration and deployment information is stored.
- 5 Create a Connectivity Map to configure the relationship between your components.
- 6 Select or create an Environment where your business process will run.
- 7 Select or create a Deployment Profile and activate it to complete the deployment process.

2.2.6 Runtime Phase Overview

Once all of the design phase tasks are complete and the system is running, you can monitor and manage business process activity and the overall Project with the Enterprise Manager.

In the runtime phase, processes are coordinated that enable the execution of business processes, activities and tasks. Runtime phase tasks:

- Receive messages that instantiate business process instances.
- Write monitoring, persistence and recoverability data to a database.

eInsight ESB Database

eInsight ESB components connect to a database to provide:

- **Persistence** - Instance data is written to a database table to ensure that data is able to persist in the system.
- **Recoverability** - Using the database allows you to recover data from the last state of consistency.
- **Monitoring** - Instance data is written to database tables and then read by the Enterprise Manager to provide current and historical system information.

2.2.7 Real-Time Business Process Monitoring and Alerting

Once the automated business processes are up and running, the Enterprise Manager provides a dashboard delivering instant visibility into the state of each business process activity. This allows organizations to monitor all aspects of both internal processes and those involving B2B trading communities. Processes are normally monitored for exceptions using business rules that alert managers as needed. This proactive alerting enables managers to respond instantly to business events such as increased customer demand, inventory shortages and quality problems.

2.2.8 Summary of Features

eInsight ESB provides the following additional features:

- Provides reuse and scalable ROI for organizations that want to deploy integrated business processes
- Streamlines basic integration services needed by small to medium size enterprises in a cost-effective way as eInsight ESB creates business logic that helps organizations integrate and orchestrate Web services as well as proprietary or legacy applications
- Allows business analysts to model, in a graphical drag and drop environment, the business processes that their department or even entire company performs.
- eInsight ESB is tightly integrated with the ICAN Suite and leverages over 80 packaged SeeBeyond eWay™ Intelligent Adapters that provide out-of-the-box connectivity to a variety of systems, applications, databases and legacy technologies.
- Provides graphical transformation capabilities to drag-and-drop and visualize the mapping of data transformations between the systems being integrated.
- Resource Management - eInsight ESB uses a distributed and open architecture that enables components to access system resources (memory and processing power) as needed and in conjunction with other components.
- Security - The security module fulfills security needs such as authentication and authorization access to eInsight ESB functions.
- Repository storage and access - The setup, component, and configuration information for the elements of a Project, including business process and related eInsight ESB components, are stored in the Repository.
- Deployment abilities - Deployment profiles contain the information necessary to activate a Project business processes and associated components. When a deployment profile is activated, active business processes are made available as Web Services and published to SeeBeyond's UDDI Registry.
- Monitoring - The Enterprise Manager provides web-based monitoring abilities to observe and correct business process activity.
- Connectivity Mapping - The Connectivity Map maintains the relationships between eInsight and other system components. The Connectivity Map specifies the topology of services that will be invoked, by:

- ◆ Identifying the order and nature that services are invoked.
- ◆ Depicting relationships between the components, including the publish/subscribe information for data routing.
- ◆ Defining the partners fulfilling the services that are invoked.
- Version Control - This feature maintains a history of business process versions, through a check-in and check-out process.
- Impact Analysis - Impact Analysis allows you to view how changes to one component or business process will impact other components or business processes of a Project or all Projects in the Repository.
- Import and Export of Business Process Models - The ability to import and export business process models makes it possible to recreate the processes on other systems or to reuse processes that may be similar in other areas.

Chapter 3

Designing Business Process Models

You can use eInsight ESB to configure the components depicted by each activity in your business process models. This chapter provides the background information you need to create and understand business process models.

3.1 Overview

Topics in this chapter are:


- [“Building a Business Process Model” on page 22](#)
- [“Using the Business Process Designer” on page 24](#)
- [“Modeling Elements” on page 25](#)

3.2 Building a Business Process Model

A *business process* is a collection of actions that take place in your company, revolving around a specific business practice. These processes can involve a variety of participants and may include internal and external computer systems or employees. In eInsight ESB, you create a graphical representation of the business process called a *business process model*.

A business process modeled in eInsight ESB may look something like Figure 2.

Figure 2 Sample Business Process Model



Add a Business Process to your Project

Adding a business process to your Project provides an empty modeling canvas for you to work with and allows you to name the business process. Before you create a model of your business process, you must add a new business process to your project.

- 1 From the Enterprise Explorer pane, right-click on a **Project**.
- 2 Select **New** and **Business Process** from the context menu.
- 3 Enter a new name for your business process.

Note: See the *eGate Integrator User's Guide* for more information about creating a new Project.

3.2.1 Modeling a Business Process

To model a business process, drag and drop modeling elements on the Business Process Designer, and then link these components to reflect the logical flow of the business process. eInsight ESB provides the tools you need to quickly develop business process models, including graphic editing tools to help you adjust, size, and align model components.

Business Process Designer

Once you create a new business process, you will build your model in the Business Process Designer (as shown in Figure 3). The Business Process Designer is the area in the Enterprise Designer where you view, create, and edit your business process models.

You can also drag and drop many other ICAN component operations from the Project Explorer directly onto the Business Process Designer or an activity. Some component operations that you can use in a business process include:

- File eWay: Read and Write operations
- Object Type Definition (OTD): Marshal and Unmarshal operations
- Java Collaboration Definition operations
- eVision Pages and PageFlows


Create a Business Process Model

Begin designing your business process model by dragging and dropping modeling elements onto the Business Process Designer from the toolbar.

The **Start** and **End** Activity appear on the blank Business Process Designer, by default. There is only one starting point for any business process model. There can be multiple end points.

- 1 Drag the appropriate modeling elements to your blank business process to the Business Process Designer (Figure 3).

Figure 3 Business Process Model



Project Explorer

Business Process Designer


- 2 Draw links between the modeling elements to show the process flow (Figure 3)
- 3 Select **Save** to save your changes to the SeeBeyond Repository.

This will validate your business process, generate the code to run it and save your changes to the SeeBeyond Repository.

3.3 Using the Business Process Designer

Using the Business Process Designer is very similar to any of the other ICAN Suite interfaces. When you create a new Business Process, you see the Business Process Designer and the a new Business Process Designer toolbar appears, as shown in Figure 4.

Figure 4 Business Process Designer Toolbar Options



- **Map Business Process Attributes** - Selecting this icon reveals the Business Rules Designer in the lower portion of the Business Process Designer.
- **Show Business Process Code** - You can toggle this icon to see and edit the corresponding Business Process Execution Language (BPEL) code.
- **Synchronize Graphical Model and Business Process Code** - This icon will update the BPEL code on demand. The BPEL code is also synchronized when the model is saved.

- **Validate Business Process Model** - Click this icon to check for any errors in your Business Process Model.
- **Show Property Sheet** - This icon shows the Property Sheet for the modeling element that is selected.
- **Print** - You can print the model from the toolbar. This options also allows you to control the scale of the printed model.
- **Zoom** - Zoom control over the view of the model is available from the toolbar.

3.4 Modeling Elements

eInsight ESB provides a palette of modeling elements to assist you in customizing your business process model. The Business Process Designer is where the you create the business process flow. Like other objects, business processes appear in the Enterprise Explorer.

Elements from the Enterprise Explorer can either be dropped onto empty canvas or onto an Activity. Many elements provide custom settings so that you can model every detail of your process. Each business process model you create consists of some or all of the elements as described in the following sections:

- **Activity** on page 25
- **Branching Activities** on page 27
- **Intermediate Events** on page 28
- **Scope** on page 29
- **While** on page 29

Activity

There are several different kinds of activities you can include in a business process model. Table 2 shows examples of each of the different kinds of activities described below.

Add an activity

- 1 To add an activity to the modeling canvas do the following:
- 2 Click an activity from the eInsight ESB toolbar or the Project Explorer list, then drag and drop it where you want it.
- 3 Click on the activity name and begin typing to rename it from the default. The activity name must contain at least one character (A-Z, a-z, or 0-9), it must start with a letter or an underscore (_) and it may contain spaces.

The selected activity appears on the modeling canvas.


Link modeling elements

eInsight ESB supports orthogonal and diagonal link styles – this setting applies to all links in a model and is an automated application of the style.

To link modeling elements

- 1 Move your cursor over the connector portion of your modeling element.
- 2 Hold the cursor over the outside edge of the modeling element until it changes from the arrow pointer to a hand (see Figure 5).

Figure 5 Link Example



- 3 Drag a line from the first activity to the connector of the second activity, and then release the mouse.

To change link style

- 1 Right-click the business process.
- 2 From the context menu, select Toggle Link Style.

Figure 6 Octogonal Link Style













Table 2 Activity Elements

Button	Command	Function
	Start Node	The Start Node is a modeling element indicating the start of the process. This element appears in the Business Process Designer, by default, when you create a new business process model. A Start Node can only link to a Receive Activity .
	Link	Links indicate the flow of the business process by connecting activities together. eInsight ESB ensures the model is being properly linked because it does not allow invalid links to connect. Links can also accept business rules. A link with a business rule is marked with a blue icon.

Table 2 Activity Elements

Button	Command	Function
	End Node	The modeling element indicating the completed state of a business process. This element appears in the Business Process Designer, by default, when you create a new business process model.
	Receive Activity	This Activity type is the only element that a Start Node can link to. It is used to indicate the invocation of a business process or to wait for the arrival of an inbound message. The Receive Activity represents the actual method by which a business process is initiated.
	Activity	An Activity is a step in the business process in which eInsight ESB invokes a Web Service or an ICAN component. Depending upon the configuration of the component, a response may or may not be required.
	Reply Activity	<p>The Reply Activity allows a business process to respond to the external system or user that originally invoked the business process. The original receive at the beginning of the business process is paired with the Reply at the end of the process. In cases where a message must be sent back to the caller of the business process, the Reply uses information that correlates the message in the calling system.</p> <p>A Reply acts as the last step in a business process in which the business process is acting as a Web Service or sub-process. A Reply correlates the outbound message back to the calling process, for example, it can reply to an external system as a Web Service.</p>
	Business Rule Activity	This Activity is used to map and manipulate data in the Business Rules Designer. You can also add a Business Rule to some links for the same purpose.
	Compensate	This element is used to invoke compensation on an inner scope that has already completed normally. This construct can be invoked only from within a fault handler or another compensation handler.
	Empty Activity	This activity allows data to pass through without any changes.
	Wait Activity	The Wait activity acts as a timer. You can build a model in which there are two simultaneous paths within a set scope, one for the business process and one for the timer. If the timer condition takes place first, an exception is thrown, handled and the business process path is abandoned.
	User Activity	This activity is used to represent and configure a step in a business process that requires human intervention. The User Activity is used in Task Assignment.

Branching Activities

Branching Activities are objects you add to your business process models to specify the logical flow of information. eInsight ESB provides three different kinds of Branching Activities—Decisions, Event Based Decisions, and Flow.




Add a Branching activity

To add a Branching Activity to the modeling canvas:

- 1 Click on the Branching Activities toolbar icon and select the type of Branching Activity you would like to add.
- 2 Click on your choice and drag it from the menu to the Business Process Designer canvas.

The selected Branching activity appears on the modeling canvas.

Table 3 Branching Activities

	Decision	A Decision allows one of several possible paths to execute, based on expression logic. This element is used to create complex expressions that determine the path of the business process. It also contains the expression and connection names. Decisions allow you to define expressions that are evaluated to determine the proper business process flow. Expressions are built using the Business Rules Designer interface and Business Process Attributes.
	Event Based Decision	Multiple inbound messages can be juxtaposed against one or more timeout conditions, to allow the type of message received to determine the appropriate business process path.
	Flow	Allows you to specify one or more business process paths to be performed concurrently.

Intermediate Events

Intermediate Events are those activities that can receive a Business Process. Some intermediate events handle exceptions that may occur during your business process or compensate for exceptions that occur.

Add an Intermediate event

To add an **Intermediate event** to the modeling canvas:

- 1 Click on the **Intermediate event** toolbar icon and select the type of **Intermediate event** you would like to add.
- 2 Click on your choice and drag it from the menu to the Business Process Designer canvas.

Table 4 Intermediate Events








	Timer Event	A Timer Event is set upon Activities, sets of Activities or a business process as a whole to ensure that process(es) complete within given amount of time. Timeout conditions also allow you to design the process that takes place after a timeout condition takes place. This modeling element is used with Event Based decisions only.
---	-------------	---


Table 4 Intermediate Events

	Message Event	This is similar to a Receive Activity, but it occurs only in the middle of a process. Each of these elements can be a different message.
	Catch Named Exception	Each automated system (backend system) or Web service can publish their possible error codes (for instance, fault 15 is “bad data”). Those codes can be mapped to exception handlers. Each exception handler is connected to the scope that surrounds one or more steps in a business process. The components within that scope will throw the exceptions when things go wrong and the exception handler will automatically initiate the appropriate process to handle the problem.
	Catch All Exceptions	This exception handler is configured to handle all exceptions that occur in a scope.
	Compensation Handler	Used when something in a business process fails and requires a rollback of upstream activities (like money has to be returned to the customer account). On an automatic basis in the business process, upstream steps in the business process are notified that the failure has occurred and certain transactions need to be reversed, sometimes in a sequential order. The compensation handler allows you to design the process and circumstances in which the compensation takes place.
	Throw	This element exists in case you want to create an error along a certain business process path.
	Terminate	This element allows you to terminate an entire business process, before it reaches an end node.

Scope

The behavior for one or more activities can be defined by a scope. A scope can provide exception handlers, event handlers, a compensation handler, and data variables. The exception handlers for the scope can be used to catch the faults caused by the possible exception responses.


Table 5 Scope Element

	Scope	The Scope element allows you to apply exception handling to a set of sequential or simultaneous steps in a business process.
---	-------	--

While

This modeling element makes it possible to have repeating or looping logic inside of a business process.

Table 6 While Element

	While	This allows you to create a looping process within a business process (for instance, a negotiation process may take several weeks, but the manager wants to review the daily status). The loop continues until the negotiation is complete, and then the business process continues.
---	-------	--


3.4.1 Validating a Business Process Model

After creating a business process model, you can check to see if there are any problems such as activities that are not connected or an incorrect number of output links from an activity.

To check the business process for errors

- On the toolbar, select **Validate Business Process Model**.
 - ♦ If an error is encountered, a message box displays information about the error.
 - ♦ If there are multiple errors, you see a **Next** option to view each error.
 - ♦ If there are no errors, a message appears stating that there were no errors, as shown in **Figure 7**.

Figure 7 Validate Business Process Model



3.4.2 Saving a Business Process Model

Even if a business process model is not complete and/or contains errors, you can save it as a “work in progress” and return to it later.

To save a business process model

- 1 Do one of the following:
 - ♦ Pull down the **File** menu and select **Save**

- ◆ Press **Ctrl+s** on the Keyboard
- ◆ On the toolbar, click **Save**.

Chapter 4

Configuring Business Process Models

This chapter provides the background information you need to configure business process models.

4.1 Overview

Most of the advanced modeling elements and some of the basic modeling elements allow you to configure settings that customize your business processes. Topics in this chapter are:

- [Configuring Modeling Elements](#) on page 32
- [Business Process Properties](#) on page 34

4.2 Configuring Modeling Elements

Some modeling elements have configuration options. This section describes those elements and how to configure each option.

4.2.1 Business Rule Activity

The Business Rule Activity is used to map and manipulate data in the Business Rule Designer. You can also add a Business Rule to some links for the same purpose.

Business Rule Links

You can configure logic in a Business Rule Activity or add a Business Rule to a link.

Add a Business Rule Activity

- 1 Select the Business Rule Activity from the Business Process toolbar.
- 2 Drag the Business Rule Activity to the Business Process Designer.
- 3 Click the **Map Business Process Attributes** icon on the toolbar.

The **Business Rules Designer** appears in the lower part of the Business Process Designer.

Add a Business Rule to a Link

- 1 Right-click on a link that you have created.
- 2 Select **Add Business Rule**.
- 3 Click the **Map Business Process Attributes** icon on the toolbar.

The **Business Rules Designer** appears in the lower part of the Business Process Designer.


Business Rule Designer

The Business Rule Designer allows you to configure relationships between Input and Output Attributes. Some attributes are automatically configured for each activity when you drag and drop a component on the Business Process Designer (as shown in Figure 8).

The Business Rules Designer appears when you click the **Map Business Process Attributes** icon (as shown in Figure 8). It is active when you:

- Add or select a link with a Business Rule.
- Add or select a Business Rule activity.

Figure 8 Business Rule Designer



Method Palette

Use the Method Palette in the Business Rule Designer (as shown in Figure 8) to configure data passed between input and output nodes. You can drag and drop a method from the method palette to the Business Rules Designer and then configure the method.

See [“Method Palette” on page 118](#) for more information about each method available in the Method Palette.

4.3 Business Process Properties


Each Business process has a set of properties that you can change and create. These properties provide rapid creation and deletion of business process attributes. eInsight ESB uses this information to automatically create the appropriate business process attributes and input/output structures, for use in the Business Rule Designer.

Edit Business Process Properties

- 1 Right-click on the **Business Process** you want to edit.
- 2 Select **Open Business Process Properties Sheet**.

The **Business Process Properties** dialog appears as shown in Figure 9.

Figure 9 Business Process Properties: General Tab



4.3.1 General

The General Tab is the first tab you see when you begin to edit a business process property. You can change the business process name, edit the target namespace and select the Persistence State from this tab.

Edit General Business Process Properties

- 1 From the **General** tab, you can edit:
 - ♦ **Business Process Name** - Change the default name.
 - ♦ **Target Namespace** - address of the business process.
 - ♦ **Persist State** - See [“Configure Persistence for the Business Process” on page 60](#) for more information.
 - ♦ **Theme** - The default Theme is BPMN. Select Custom 1 for a different look.

- 2 Click **OK** to Save your changes and exit the **Business Process Properties** dialog box.

4.3.2 Business Process Attributes

Business Process Attributes are data values used by a business process. They make it possible to share data between activities in a business process as well as move data to and from the components that implement those activities. Complex structures such as OTDs and Collaborations are represented automatically in the Enterprise Explorer and are available for use in your business process.

Some examples of Business Process Attributes are:

- customer names
- addresses
- order quantities
- item descriptions

Business Process Attributes are used to pass values between the business process and external sources. Business Process Attributes can also be assigned to specific activities. For example, the customer name is passed to an order process from the originating source. The customer name may be used by several of the activities in the business process and is included in the business process output.


eInsight ESB can pass all or part of a complex structure or it can even assemble a composite input to a component or Web Service from multiple business process attributes.

Create New Business Process Attribute

- 1 Select the **Business Process Attributes** tab (see Figure 11).
- 2 Select **New** to add a **New Business Process Attribute**.

The **New Business Process Attribute** dialog box appears as in Figure 10.

Figure 10 New Business Process Attribute




- 3 From this dialog, complete the following information:
 - ♦ Enter a **Name** for the attribute.
 - ♦ Select or browse for an existing **Namespace**.

- ◆ Select an available **Type** for your attribute.
- 4 Click **Add** to Save the attribute or Close to return to the **Business Process Properties** dialog box.

Edit a Business Process Attribute

- 1 Select the **Business Process Attributes** tab (see Figure 11).

Figure 11 Business Process Properties: Business Process Attributes Tab



- 2 Select an existing attribute and:
 - ◆ **Rename:** Select and double click the attribute name to rename it.
- Note: Some attributes cannot be renamed.*
- ◆ **Delete:** Select Delete to remove the attribute.
- 3 Click **OK** to Save your changes and exit the **Business Process Properties** dialog box.


4.3.3 Partners

The Partner is an abstracted identification for an external system that will appear in the Binding dialog within the Connectivity Map Editor. Multiple activities can use the same external system – hence, multiple Activities may have the same Partner. By default, eInsight ESB assigns this identification to speed up and automate the model development.

Create New Partner

- 1 Select the **Partner** tab (see Figure 12).


Figure 12 Business Properties: Partner Tab



- 2 Select **New** to add a **New Partner**.

The **New Partner** is added to the Partner list, as shown in Figure 13.

Figure 13 New Partner



- 3 Click the Partner name to rename the Partner.

Delete a Partner

You can only delete a Partner that is not in use.

- 1 Select the **Partner** tab (see Figure 12).
- 2 Select the Partner name that you want to remove.

- 3 Select **Delete** to remove the Partner.


The **New Partner** is removed from the Partner list.

Select a Partner for an Activity

- 1 Select an activity from the Business Process.
- 2 Click the Show Property Sheet icon from the eInsight ESB toolbar.

The activity's property sheet appears, as shown in Figure 14.

Figure 14 Activity Properties



- 3 Click the Partner field and select or change the default Partner from the drop-down list.

4.3.4 Message Correlation

In some situations, you want to impose conditions on a set of messages, process a group of messages together or make a decision contingent on the receipt or non-receipt of all messages of a certain type. These situations can be handled using Message Correlation.

You can use Message Correlation when you want to sort messages into separate groups and execute your business rules on a group-by-group basis rather than an message-by-message basis. Messages in the same group are linked.

Groups are stored in memory, to facilitate processing each one as a unit. eInsight ESB refers to these groups as containers. As eInsight ESB retrieves a message, it correlates the received message against a business process instance. If found, eInsight ESB stores the message in the container for that business process. Otherwise, it will instantiate a new instance of that business process.

Message Correlation Example

In this example, the business process, expects to receive three course grades. The courses are Math, English and Computer Science. Each message contains the course grade, the course type, and a Correlation ID to indicate where this message belongs.

A new message arrives with a Correlation ID of 101. The first thing eInsight ESB does is correlate that message to see if there is a match on the newly arrived message. Since this is the very first message, there is no match and a new instance is created. The second message has a Correlation ID equal to 101 and is forwarded to the same business instance as above. The third message has a Correlation ID of 102. Thus it is forwarded to a new business instance and so on.


This process can continue based on conditions set by the user. This is based on Count or time expiration. A sample business process is shown below for Message Correlation. The first business process uses a File eWay to read a DTD based message, unmarshal it and then invoke the second business process passing in the unmarshaled message.

Figure 15 Message Correlation: First Business Process



The second business process receives the unmarshaled message using Event Based Decision and Timer Events. The Event Based Decision and Timer Events are in a While loop. The While continues to loop until either a count has been reached or time has expired. When a messages are received, they are stored in containers.

Figure 16 Message Correlation: Second Business Process



The Timer Event is used to set the expiration time. If time expires, then the loop condition is set to false to terminate the loop. If a message is received, then message counter is incremented and if the maximum number of messages have been received, then loop is terminated. At the end, the date is written to a file.

4.3.5 Correlation Keys and Sets

Configuring Correlation consists of the following steps:

- [“Create a Correlation Key” on page 40](#)

A *correlation key* is a value that you can assign to a business process, like a Purchase Order number. The correlation key provides a way to associate and route information about specific business process instances. For asynchronous message exchange between components, you must implement correlation of the instance identification. An example of when you use asynchronous message exchanges is when you create a Receive activity in the middle of a business process.

- **“Add Correlation Sets” on page 41**

Correlation sets are groups of properties shared by all messages in the group. A correlation set matches messages and conversations with a business process instance. For example, you may wish to assign a Purchase Order number and an invoice number to a transaction, so that all information about the purchase and payment are associated.


- **“Bind Sets of Correlations to Activities” on page 42**

When using one or more correlation sets within a business process, the values must be initialized at some point. If the user chooses to initialize the set within an Activity, they will also identify which Business Process Attribute will be used (or both).

Create a Correlation Key


- 1 Select the **Correlations** tab (see Figure 17).

Figure 17 Business Process Properties: Correlations Tab



- 2 Select **New** from the **Correlation Keys** section of the dialog box. The **New Correlation Key** dialog appears as shown in Figure 18.

Figure 18 New Correlation Key Dialog Box




- 3 From the **New Correlation Key** dialog box:
 - A Enter a **Name** (alias) for the Correlation Key
 - B Select a **Message Type** from the list to alias. Select one or more correlation keys that comprise a unique identifier for a step in a business process.
- 4 Click Add to save the new alias to the **Selected Alias List**
- 5 Click **OK** to save your changes and exit the **New Correlation Key** dialog box.

Add Correlation Sets

- 1 Select the **Correlations** tab (see Figure 17).
- 2 Select **New** from the **Correlation Set** section of the dialog box.
The **New Correlation Set** dialog appears as shown in Figure 19.

Figure 19 New Correlation Set Dialog Box



- 3 From the New Correlation Set dialog box:
 - A Enter a **Name** for the new Correlation Set.
 - B Select **Correlation Keys** from the list to add to the Correlation Set.
 - C Click the arrow button to move your selections to the Correlation Set.
- 4 Click **OK** to save your changes and exit.

Bind Sets of Correlations to Activities

- 1 Select an Activity.
- 2 Select **Show Property Sheet** from the toolbar.
- 3 Locate **Use Correlations** and select **Yes**.

4.3.6 WSDL Files


WSDL files are used to invoke and operate Web services. WSDL files can be used for web services on the Internet and/or to access and invoke remote applications and databases.

The WSDL tab is available from the Business Process Properties dialog. From this dialog, you can upload a WSDL file that represents predefined Business Process Attributes for use in your business process.

Upload a WSDL File

- 1 Select the **WSDL** tab (see Figure 20).


Figure 20 Business Process Properties: WSDL Tab



- 2 Click **Load** to upload a WSDL file.

The **Load WSDL** dialog box appears, as shown in Figure 21.

Figure 21 Load WSDL dialog box



- 3 From the **Load WSDL** dialog box:
 - A Select **URL** or **File**, to choose where your WSDL file is located.
 - B Enter the path to the WSDL file.

You can also use the browse button to locate a File location.
- 4 Click **UPLOAD**.


Note: *eInsight ESB does not create the full WSDL Input message if the required inputs/leaf nodes are not mapped in the Business Rule Designer. The part of the message which has not been mapped is not generated. This can cause errors at runtime.*

WSDL Interface Designer and Viewer

Create a New WSDL File

- 1 Click **Create** to create a new WSDL file.
- 2 The **WSDL Interface Designer** appears, as shown in Figure 22.

Figure 22 WSDL Interface Designer



- 3 Specify the following:
 - PortType
 - Operation
 - Input and/or Output and/or Fault
- 4 Click on each WSDL definition to select the Business Process Attribute and Message Type that you will use.

Note: If you accept the defaults for WSDL creation, the file is unique.

Edit a WSDL file

- 1 Select the WSDL tab from the Business Process Property sheet.
- 2 Select a WSDL file from the list and click Edit.
- 3 The WSDL Interface Designer appears, as shown in Figure 22.

View a WSDL file

- 1 Select the WSDL tab from the Business Process Property sheet.
- 2 Select a WSDL file from the list and click **View**.
- 3 The WSDL Viewer appears, as shown in Figure 23.

Figure 23 WSDL Viewer

```

WSDL Viewer
<definitions targetNamespace="UserDefined/SeeBeyond/eInsight/29382:f8338b3550:-7ffe"
  name="special"
  xmlns:tns="UserDefined/SeeBeyond/eInsight/29382:f8338b3550:-7ffe"
  xmlns:ns1="urn:stc:egate:otd:input_Payroll"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns="http://schemas.xmlsoap.org/wsdl/"
  xmlns:ns2="urn:stc:egate:otd:output_Payroll">
  <import namespace="urn:stc:egate:otd:input_Payroll"
    location="sbynrepo:EInsightManager/WSDLRepositoryObject/{5D000000-D7ACF030F80000-C0A8021A-01}.wsdl"/>
  <import namespace="urn:stc:egate:otd:output_Payroll"
    location="sbynrepo:EInsightManager/WSDLRepositoryObject/{56000000-D7ACF030F80000-C0A8021A-01}.wsdl"/>
  <portType name="PortType1">
    <operation name="Operation1">
      <output name="OP_Message1"
        message="ns2:output.Payroll"/>
    </operation>
    <operation name="Operation2">
      <input name="IP_Message1"
        message="ns1:input.Payroll"/>
    </operation>
  </portType>
</definitions>

```

- 4 From the WSDL Viewer you can copy all or part of the WSDL code to the clipboard, and paste it to a text file.

You cannot edit from the WSDL Viewer.

4.3.7 Sub-Processes

Sub-processes are deployed business processes that can be invoked within the same Integration Server. When a sub-process is dropped into a business process, the Business Rules Designer is used to configure the input and output attributes for the sub-process.

Sub-processes are necessary when using the User Activity. See [Create the SubProcess](#) on page 104 for a detailed example of a sub-process.

Sub-Process Overview

- Create a Business Process (this is the parent process). Create an Empty Activity as a placeholder for the sub-process.
- Create a second Business Process (this is the sub-process). Create an empty Receive Activity at the beginning of the Business Process and Reply Activity at the end.
- Create or upload a WSDL file that represents the inputs and outputs of the sub-process.
- Create a Partner from the Business Process Property Sheet: Partner tab.
- In the sub-process, open the properties of the initial Receive and select the appropriate Partner, portType, and operation. Do the same for the Reply.

Note: *If the sub-process is to be invoked as a synchronous request/reply web service, the Receive and Reply must have the same partner, portType, and operation.*

- Generate the Business Process Code and save the sub-process.
- Return to the parent process from the Project Explorer, drag the first operation under the sub-process to the sub-process placeholder in the parent business process.

Note: *It is not always the first operation - it is the operation assigned to the Receive/Reply in the sub-process.*

- Perform any input/output mappings using the Business Rule Designer, in the parent business process.

Note: See [Create the SubProcess](#) on page 104 for a detailed example of a sub-process.

4.3.8 Repeating Nodes

For Web Services/components that contain repeating nodes, the Business Rule Designer displays repeating nodes within the input/output Attributes for each Activity. Repeating nodes contain the repeating icon. For direct node mapping, repeating nodes are used to dynamically populate 1-n values based on the runtime data.

Mapping Elements within Repeating Nodes

- 1 From the Method Palette, in the Business Rule Designer, select the **copy-from** method and drop it into the operator canvas.
This action opens the **copy-from** entry box.
- 2 Enter the XPath expression and link it to the input of the appropriate activity.
The link from the appropriate output is implied within the XPath expression.

XPath Predicates

The XPath predicate functionality allows the user to isolate particular elements within repeating nodes at runtime.


When assigning values in the Business Rule Designer, you can access a *predicate* operator to extract particular elements from repeating nodes within a business process attribute. The Attribute uses the repeating characteristic of the node from the underlying OTD. The operator includes an example for the xpath syntax. At runtime, the XPath expression selects the correct element and performs the mapping as designed.

4.3.9 Business Processes as Web Services

A Business Process can be exposed as a Web Service. Business Processes can also invoke other external web services. The Web Services created are available to be invoked by any Web Service client. Upon activation, the WSDL for the business process is placed in

the ICAN Repository and browsable from a UDDI browser, as shown in [Browse Web Services](#) on page 47.


Figure 24 Browse Web Services



Web Service Application

Use the Web Service Application icons in the Connectivity Map to map a business process to a web service, as shown in Figure 25.

Figure 25 Web Service Application



Chapter 5

Exception Handling

This chapter explains the concept of exception handling and how to configure various methods of handling errors.

5.1 Overview

eInsight ESB ensures the integrity of critical business transactions and long-lived processes as they flow between multiple applications and multiple enterprises via automated exception handling capabilities. Exceptions can be automatically handled so that every process either completes or is successfully backed out using compensating transactions to ensure consistent information flows between systems.

5.1.1 Scope and Process Level Exceptions

In eInsight ESB, Exception Handling allows one or more components to throw an exception that is caught by eInsight ESB within a Scope or at the process-level. Scope allows you to define a range for handling exceptions. The range of the Scope can span one or more Activities in the business process. When your exceptions handler is not attached to a Scope, the Exception Handling is at the process level.

You can configure eInsight ESB to catch all exceptions or certain exceptions that you specify. The elements that you use to configure Exception Handling in your model are:

- Catch Named Exceptions
- Catch All Exceptions

Exception Handling Configuration

Exception handlers are configured to catch errors that are thrown by components and/or Web Services. These systems can be configured to publish one or more exceptions.


Catch Named Exception

To catch a named exception, there must be a defined fault in the WSDL file for your business process. You can use defined faults or create a WSDL file that includes faults with the WSDL Interface Designer (see [WSDL Interface Designer and Viewer](#) on page 44).

- 1 Drag a Scope element to the Business Process Designer.


- 2 Drag one or more activities into the Scope and connect the Scope to the rest of your business process, as shown in Figure 26.

Figure 26 Build an Exception Handler



- 3 Drag the **Catch Named Exception** activity onto the Exception icon of the **Scope** for which the Exception Handler applies. See Figure 27.

Figure 27 Named Exception Handler



- 4 Select the Exception Handler activity and then click the **Show/Hide Property Sheet** from the Business Process Designer toolbar.

The property sheet appears on the right of your screen, as shown in Figure 29.

Figure 28 Named Exception Properties

Exception Name	ns2:MarshalException
Output	output_Payroll.marshall.Fault1
Alert Properties	Click button to configure
Logger Properties	Click button to configure


- 5 In the Exception Handler properties, double-click the empty fields to reveal a drop-down list and configure the following:
 - ♦ The **Exception Name** – which is the runtime value for the exception that will be passed from the component to eInsight ESB at runtime.

- ♦ The **Output** – which is the output Attribute that contains the runtime name of the thrown fault.

The fault name is auto-populated with values based on the components (and the associated WSDL files) in the Business Process Designer. If the drop-down lists are unpopulated, then there is no WSDL in use with defined exceptions. In this case, you must:

- ♦ Load a WSDL file with defined faults. See [“WSDL Files” on page 42](#) for more information.
 - ♦ Create a WSDL file with defined faults. See [“WSDL Interface Designer and Viewer” on page 44](#) for details.
- 6 Close the Property Sheet by clicking the **Show/Hide Property Sheet** on the Business Process Designer toolbar.

Figure 29 Configured Exception




Once the Exception Handler is configured, the red icon will turn green and the Exception name appears on the link. See Figure 29 for an example of the configured Exception Handler.

Catch All Exceptions

To use **Catch All Exceptions**:


- 1 Drag the **Catch All Exceptions** activity to a **Scope** in the Business Process Designer or onto the canvas, as shown in Figure 30. This will capture any and all exceptions that occur.

Figure 30 Catch All Exceptions (Process-Level)



- 2 Double-click the Exception activity to configure the Exception Handler, as shown in Figure 30.

Figure 31 Configure Catch All Exceptions



You can configure the Exception Handler to perform an action when an exception is encountered. In Figure 30, the Exception Handler has been configured to write the exception to a file.

Compensation

Exception handling in business processes relies heavily on the concept of *compensation*. Compensation is an application-specific activity that reverse the effects of a previous activity that was carried out as part of a larger unit of work that is being abandoned.

Business processes are often of long duration and use asynchronous messages for communication. They also manipulate sensitive business data in back-end databases and line-of-business applications. As a result, the overall business transaction may fail or be cancelled after many transactions have been committed during its progress. In these cases, the partial work may need to be reversed.


Compensation allows the modeler to create the process flow for executing complex compensations. Exception Handlers for parent scopes invoke the correct Compensation Handlers in the appropriate order.

The Compensation Activity is used as an exception handler to initiate the compensation process. Compensation is used with the Scope element.

Configure Compensation

- 1 Drop a Compensation Handler within a Scope to create the compensation logic for a given Scope.

Figure 32 Compensation



- 2 Model the Compensation process as a business process.

Chapter 6

Deploy Business Process Models

6.1 Overview

Topics in this chapter are:

- [The Business Process and the Connectivity Map](#) on page 53
- [Deploy a Business Process](#) on page 55


6.1.1 The Business Process and the Connectivity Map

The Connectivity Map represents connection information in the ICAN Suite. The flow is represented at a higher level than in the Business Process Model. eInsight ESB also uses the information in the Connectivity Map to establish and maintain connections to systems for the correct step in a business process.

Creating the Connectivity Map that Includes a Business Process

- 1 Drag the desired Business Process from the Enterprise Explorer to the Connectivity Map Editor.
- 2 Add the external systems and components to the Connectivity Map Editor, as shown in Figure 33.


Figure 33 Connectivity Map with Business Process



Open the Business Process to Connect the Activities

- 1 Double-click on the Business Process in the Connectivity Map to open the Binding Dialog.
- 2 Connect the Activities to the appropriate component, as shown in Figure 34.

Figure 34 Connectivity Map: Business Process Binding




- ◆ Receive Activities appear in the left pane.
- ◆ Invoke and Reply Activities appear in the right pane.

6.1.2 Deploy a Business Process

A business process is like any other ICAN Suite component. After creating your Environment, Logical Host and other necessary hosts, create a Deployment Profile.

Figure 35 Deployment Profile



The deployable components along with the Business Process from the Connectivity Map will appear in your Deployment Profile. Drag and drop the Business Process to the desired Integration Server. Activate your Deployment Profile to complete the deployment of the components to the target hosts. For more information about Deploying a Project, see the *eGate Integrator User's Guide*.

Chapter 7

Persistence and Monitoring

This chapter discusses Persistence and Monitoring. Both of these features require that you have a database available.

7.1 Overview

eInsight ESB contains database scripts to create the eInsight ESB database schema. The database schema allows you to collect and persist data from your business process. Once the data is persisted, you can also use the Enterprise Manager to monitor business processes. See [Database Support](#) on page 25 for information about supported databases.

The main areas to be configured in order to have persistence are:

- [eInsight Engine Configuration](#) on page 56
- [Run Database Scripts](#) on page 58
- [Configure Persistence for the Business Process](#) on page 60


7.1.1 eInsight Engine Configuration

To configure the eInsight Engine

- 1 Right-click the Integration Server (IS) in your Environment from the Environment Explorer and open the tree structure that contains properties.
- 2 Navigate to, and select the eInsight Engine.

The properties dialog appears for the eInsight Engine, as shown in [Figure 36 on page 57](#).

Figure 36 eInsight Engine Configuration



3 Configure the following to connect to a database:

- A** Database - Select Sybase 12.5, Oracle 8.1.7, Oracle 9i, or SQL Server 2000.
- B** Database Host - Enter the name of the machine where your database resides.
- C** Database Port - Enter the port number to connect to your database.
- D** Database User Name - Enter the User Name for your database.
- E** Enable Monitoring - Select True to use Monitoring.
- F** Password - Enter the password for your database user.
- G** Persistence Mode - Select Database to use persistence.
- H** SID - Enter the database name or SID.

Note: The other eInsight ESB settings can be left as default, or you can change the options to your preference.

7.1.2 Create the eInsight Database

To create the runtime recoverability database schema, you can run a database script that is automatically installed with eInsight ESB.

Configure database connection

- 1 Expand the SeeBeyond folder in the Project Explorer.
- 2 Expand the eInsight folder that is located under the SeeBeyond folder.
- 3 Expand the Run Database Scripts folder.
- 4 Right-click the Database Scripts folder and choose Properties.
- 5 Enter your database configuration information.

Note: *If you are using a Sybase or SQL Server database, you need to modify the scripts before you execute. Enter the database user and password that has privileges to your Sybase or SQL Server database. See [Modify Scripts](#) on page 58 for more information.*

Run Database Scripts

The database user that executes these scripts must have permission to create/delete tables.

Install Scripts

- 1 Expand the SeeBeyond folder in the Project Explorer.
- 2 Expand the eInsight folder that is located under the SeeBeyond folder.
- 3 Expand the Run Database Scripts folder.
- 4 Select the appropriate database install file for Oracle, SQLServer or Sybase.
- 5 Right-click the file associated with the appropriate database (Oracle Install, SQLServer Install or Sybase Install) and select Run.

Uninstall Scripts

- 1 Expand the SeeBeyond folder in the Project Explorer.
- 2 Expand the eInsight folder that is located under the SeeBeyond folder.
- 3 Expand the Run Database Scripts folder.
- 4 Select the appropriate database file for Oracle, SQLServer or Sybase.
- 5 Right-click the file associated with the appropriate database (Oracle Uninstall, SQLServer Uninstall or Sybase Uninstall) and select Run.

Modify Scripts

- 1 Expand the SeeBeyond folder in the Project Explorer.
- 2 Expand the eInsight folder that is located under the SeeBeyond folder.
- 3 Expand the Run Database Scripts folder.
- 4 From the Run Database Scripts folder, select the script you will modify.
- 5 Right-click and select Open to view the script and make changes.

Note: *You will be prompted to Save or Discard your changes when you close the script.*

7.1.3 Download Database Scripts

This is an alternative method to [“Run the Business Process Database Script” on page 61](#). You may wish to download the database scripts and run them outside of the ICAN environment.

Download the compressed script files

To create the runtime recoverability database schema, you can download a Database Script that is automatically installed with eInsight.

- 1 Expand the SeeBeyond folder in the Project Explorer.
- 2 Expand the eInsight folder that is located under the SeeBeyond folder.
- 3 Expand the Download Database Scripts folder.
- 4 Select the appropriate database file: Oracle, SQLServer or Sybase.
- 5 Right-click the file associated with the appropriate database (Oracle.zip, SQLServer.zip or Sybase.zip) and select Export.
- 6 Unzip the database script to a local folder.

Included in the zipped file are:

- install_db.bat - This script will create the tablespace, users, tables, stored procedures, and any initial value.
 - uninstall_db.bat - This script reverses what the install_db.bat script creates (drops tables and users, deletes stored procedures).
 - database specific sql scripts - These scripts are called by the install_db.bat and uninstall_db.bat commands (such as, create_tables.sql, drop_tables.sql, etc.)
 - A Readme.txt file with additional instructions, specific to your database application.
- 7 Follow the specific instructions in the Readme.txt file, for your database.

To execute Database Scripts

- 1 Open a command window and navigate to the directory where script is located.


Important: *The database user that executes these scripts must have permission to create tables.*

- 2 Enter the following at the command prompt, as shown in Figure 37:

```
install_db <user> <password> <tns>
```

- ♦ <user> is the database username
- ♦ <password> is the database user password
- ♦ <tns> is the database or tns name

Figure 37 Install_db.bat




Note: The default user and password created from these scripts is "insight". You can modify the user, password, disk space allocated for tables, and user permissions. The table and column definitions should not be modified.

7.1.4 Configure Persistence for the Business Process

- 1 Right-click your Business Process and select Open Property Sheet.
- 2 Select Yes for the Persist State option, as shown in Figure 38.

You set the persistence state for individual business processes. The default setting is no for Persist State.

Figure 38 Business Property Sheet




- 3 Click the Save All toolbar icon.

This creates a Database Install Script option under your Business Process.

Configure connection information

- 1 Right-click the Database Install Script under the Business Process and select Properties.

Figure 39 Properties of Database Scripts



- 2 Enter the connection information for your database (as shown in Figure 39).

Run the Business Process Database Script

- 1 From the Project Explorer, expand your Business Process.
- 2 Expand the Database Scripts folder.
- 3 From the Database Scripts folder, right-click the appropriate database and select Run.

The scripts complete the database creation process.

Uninstall Script for the Business Process

- 1 From the Project Explorer, expand your Business Process.
- 2 Under the Business Process, expand the Database Scripts folder.
- 3 Right-click the appropriate uninstall script and choose Run.

Database Connection Information

Oracle

```
Database Type: oracle
Database DriverName: oracle.jdbc.driver.OracleDriver
Database URL: jdbc:oracle:thin:@<host>:<port>:<SID>
Database User ID: <userid>
Database Password: *****
```

Sybase

```
Database Type: sybase
Database DriverName: com.sybase.jdbc2.jdbc.SybDriver
Database URL: jdbc:sybase:Tds:<host>:<port>/<dbname>
Database User ID: <userid>
Database Password: *****
```

SQL Server

```
Database Type: sqlserver
Database DriverName: com.seebeyond.jdbc.sqlserver.SQLServerDriver
Database URL:
jdbc:seebeyond:sqlserver:<host>:<port>;DatabaseName=<dbname>
Database User ID: <userid>
Database Password: *****
```

7.2 Monitoring

The Enterprise Manager allows users to quickly identify problems with components or systems. From the Enterprise Manager, you can double-click on business process components to go directly to the problem.

From the Enterprise Manager (Monitoring interface), you can:


- Filter the list of displayed instances to quickly identify exceptions.
- Navigate to particular versions of a Business Process to monitor the progress of instances.
- Use a Web based interface allows users to securely access the monitoring environment over the internet.

Once persistence is configured, you can use the Enterprise Manager to monitor your business process instances.

To monitor your business process

- 1 Create a number of instances in your business process.
- 2 Launch the Enterprise Manager.
- 3 Select the Home tab.
- 4 Select the Monitor icon to bring up the tree structure which allows you to navigate through projects or environments.
- 5 Select the Projects tab.
- 6 Navigate to the correct Project/Deployment Profile/Connectivity Map, and select the Business Process name.

Figure 40 Monitor View



To monitor after changes are made to the business process model

Especially when using versioning, it is important that you use this procedure to ensure the proper view of the business process appears in the monitor. Once you have made a change to the business process, you must:

- 1 Click Save to save the Business Process.
- 2 Right-click the business process and select Check-In.
- 3 Right-click the business process and select Check-Out.
- 4 Click Save to save the Business Process again.
- 5 Run the database script (see [Run Database Scripts](#) on page 58).

7.2.1 Monitoring Options

Using the monitor console, you can view and interact with Business Processes instances in both Project and Environment views.

- In Project view, you can start, stop and set the cache.
- In Environment view, you can start, stop, and examine Business Process Instances using an exact graphical model of the business process.

Business Process Monitoring Tools





Interactive monitoring tools allow you to control the view of Business Process Instances, and manage the display of Instance details. The monitor console provides a suite of controls arrayed in toolbar format across the top of the Details window. Before

you start monitoring, you should be well acquainted with these tools. This page describes the tools, in left-to-right order, as they appear in the console.

Controlling the Business Process display mode

The display of Business Process Instances and the Instance List in the console viewer are controlled by the buttons described in the following table. (These buttons are located in the upper left of the Details window.)

Table 7 Monitor: Display Mode

	Hide SVG hides the rendered image of a Business Process Instance in the Details window.
	Show SVG renders the image of a Business Process Instance in the Details window.
	Show Instance List displays the attributes of the current Business Process Instance in list format, and adds the tools described in the following table.
	Hide Instance List hides the attributes of the current Business Process Instances, and removes the instance tools from the interface.

Controlling the display of instance data

When the monitor is in Instance monitoring mode, you can manipulate the view of Instance data using the buttons described in the following table. (These buttons are located in the upper right of the Details window).

Table 8 Monitor: Display Instance Data







	Choose Preferences allows you to add, move, and sort the columns in the Business Process Instance.
	Start starts a stopped Business Process Instance.
	Stop stops a Business Process Instance.
	Filter Instances allows you to set criteria to display a specific instance or group of Instances.
	Business Process Instance Attributes displays the attributes of an Instance when the instance is selected in the Instance List .

Table 8 Monitor: Display Instance Data

	<p>Activity Details allows you to see the details of an Activity. Defines a step within a particular Business Process. when the Activity is selected in the Instance List.</p>
---	--

Note: *Please see the Enterprise Manager Help for more information about monitoring business processes.*

Chapter 8

Implementation

The case study in this chapter is designed to illustrate functionality, in addition to showing a working example of a business process implementation.

8.1 Overview

Implementing a business process is translating the vision of the business user into a functioning system. You implement a business process model by using modeling components. Business process modeling components are mostly pre-configured but some may require modification.

About the Sample

This chapter will guide you through creating a simple eInsight project or you may download and import the project, instead.

This sample and the accompanying files can be found in the eInsight_Sample.zip file. You may download the eInsight_Sample.zip file from the Documentation tab of the Enterprise Manager. It is one of the files available when you upload the eInsightDocs.sar file.

Download the eInsight Sample Project

- 1 Open the Enterprise Manager and click on the Documentation tab.
- 2 Select eInsight Business Process Manager from the Products list.
- 3 Select Download Sample and save to your local drive.

This compressed file contains the eInsight_Payroll_Sample.zip file as well as:

- input.dtd
- output.dtd
- bonus.xml
- no_bonus.xml

Import the Sample Project

To run the project, you must import the eInsight_Payroll_Sample.zip file.

- 1 Right-click your Repository folder in the Enterprise Explorer and select Import.

The Import Manager dialog appears.

- 2 Click Browse and find eInsight_Payroll_Sample.zip.
- 3 Select the file and click Import. Close the Import Manager dialog.
- 4 Click Refresh all from Repository in the Enterprise Explorer toolbar.


Once the import is complete, you will still need to read **“Create a new Environment” on page 71** and **“Step 5: Run and Test the System” on page 68** to make your sample run.

8.1.1 Road Map

Each type of implementation involves a different approach, however, there are certain similarities. To give you an overview of the complete process, the following implementation road map contains high-level steps for this implementation. The road map is further refined and given more detail in the case study that immediately follows.

Figure 41, illustrates the major steps in the integration process for this implementation.

Figure 41 Integration Road Map



Step 1: Create the Input Files and DTDs

The first step in this implementation requires that you create two input files for the system. In an actual implementation, your input files may come from an external system.

The first step also entails creating your Document Type Definition (DTD) files. The DTD file tells the system which elements it should expect from the input files and how to format the output data.

Step 2: Create a New Project and Environment

In the second step of this implementation, you will create a new Project where your business process will reside and a new Environment for your Project.

Step 3: Create the Business Process Model

In this step, you will create a new business process, add the modelling elements and link them together. You will also configure the modelling elements and links to process the data.

Step 4: Create a Connectivity Map and Deployment Profile

When you create the Connectivity Map, you are making the connections between the system components and the external systems. You will also create a Deployment Profile that you will activate when you put the system into production.

Step 5: Run and Test the System


To run the system, you must invoke the Bootstrap. This action will pick up your Deployment Profile and execute your business process. Once the system processes your input files, an output file is created. To verify that this implementation has completed properly, check the output file.

8.2 Case Study: Payroll Processing

This case study begins with a description of the scenario and then shows how to set it up. The case study discussed in this chapter illustrates a simplified implementation of payroll processing. In this case, eInsight ESB receives payroll data as XML files.

Once eInsight ESB has received the data, a check is made to see if the employee is eligible for a bonus, if they are, the bonus is set. Finally, the payroll is processed and a message added to the paystub, indicating whether a bonus was paid. Figure 42 shows the components involved in the business process implementation.

Figure 42 Business Process Model



- 1 The first File eWay picks up the input XML files containing the employee’s information from a local folder on your computer. The payroll information is used to start a business process instance. eInsight ESB retrieves the information and uses it to execute the decision logic.
- 2 eInsight ESB uses the decision logic information it contains to check the employee’s probation status and continues along one path or the other, depending on that status. The decision logic determines whether the employee is eligible for a bonus, and then moves forward to the next activity in the business process based on the result.
- 3 If the employee is eligible for a bonus, the next activity is **Set Bonus**; if the employee is not eligible, the next activity is **Update Status**.
 - Let’s assume the employee is not eligible for a bonus because they have been employed for less than three months. The Probation status is *true*, therefore eInsight ESB proceeds to the corresponding activity, **Update Status**, in the business process. Once the Comment and Bonus fields are updated, eInsight ESB moves forward to the next activity in the business process—**Match Fields**.
 - Otherwise, the employee is eligible for a bonus and eInsight ESB uses the information to verify eligibility. When the **Verify Bonus** activity is finished, eInsight ESB moves forward to the next activity in the business process—**Match Fields**.
 - The **Match Fields** activity uses the Business Rule function to match the data fields in your input file to the data format of your output file.
- 4 eInsight ESB then proceeds to the **Prepare Output** activity and finally the **Process Payroll** activity. **Process Payroll** is a File eWay that performs two functions: it sends a status report to the payroll system, and also writes the data to the output file.
- 5 eInsight ESB has performed the final activity in the business process and completes successfully.

8.2.1 Before You Begin

To complete this exercise, you need to have the following:

- ICAN 5.0 products installed:
 - ♦ eGate Integrator
 - ♦ eInsight Enterprise Service Bus
 - ♦ File eWay

- A directory on your local drive named **data**.

Input Files and DTDs

The sample system you are creating requires input information. For this exercise, you will create two input files: **Bonus.xml** and **No Bonus.xml**. These files are in an XML format. You do not need to have an XML editor to create these files. Any simple text editor will work.

The system you are creating also needs a structure for receiving information. That structure is described in the Document Type Definition (DTD) files.

Input XML Files

The XML files that you create here, contain the data that the system receives and changes to create your final output.

Create the Input files

- 1 Copy the following code sections each to separate text files:

- **Bonus.xml**

```
<?xml version="1.0" encoding="UTF-8"?>
  <Payroll>
    <FirstName>Vanessa</FirstName>
    <LastName>Smith</LastName>
    <Probation>false</Probation>
    <Comments></Comments>
    <Bonus></Bonus>
  </Payroll>
```

- **No Bonus.xml**

```
<?xml version="1.0" encoding="UTF-8"?>
  <Payroll>
    <FirstName>Tonya</FirstName>
    <LastName>Lee</LastName>
    <Probation>true</Probation>
    <Comments></Comments>
    <Bonus></Bonus>
  </Payroll>
```

- 2 Rename the files to **Bonus.xml** and **No Bonus.xml**.
- 3 Save the files to **C:\data**.

Input and Output DTD Files

Create the Document Type Definitions

These files are later used to define the way data is mapped in the system.

- 1 Copy the following code sections each to separate text files:

- **Input.dtd**

```
<?xml version="1.0" encoding="UTF-8"?>
<!ELEMENT Payroll (FirstName, LastName, Probation, Comments, Bonus)>
<!ELEMENT FirstName (#PCDATA)>
<!ELEMENT LastName (#PCDATA)>
```

```
<!ELEMENT Probation (#PCDATA)>  
<!ELEMENT Comments (#PCDATA)>  
<!ELEMENT Bonus (#PCDATA)>
```

▪ **Output.dtd**

```
<?xml version="1.0" encoding="UTF-8"?>  
<!ELEMENT Payroll (FName, LName, Message, BonusTotal)>  
<!ELEMENT FName (#PCDATA)>  
<!ELEMENT LName (#PCDATA)>  
<!ELEMENT Message (#PCDATA)>  
<!ELEMENT BonusTotal (#PCDATA)>
```

- 2 Rename the files to **Input.dtd** and **Output.dtd**.
- 3 Save the files to a local folder.

8.2.2 Create a New Project and Environment

Create a new Project

- 1 Launch the Enterprise Designer.
- 2 Right-click your Repository and select **Project**.
A new Project appears in your Project Explorer tree structure.
- 3 Rename the Project to **Payroll**.
- 4 Click the **Save All** toolbar button to save your changes.

Add the Input and Output DTD files to your Project

- 1 Right-click your Payroll Project and select **New: Object Type Definition**.
The **New Object Type Definition Wizard** appears.
- 2 Select the **DTD** option from the choices given.
- 3 Click **Next** to continue.
- 4 Navigate to the local folder where your **Input.dtd** and **Output.dtd** files are located.
- 5 Select the **Input** and **Output** DTD files. (You can select multiple files using the CTRL key).
- 6 Click **Next** to continue.
The **Select Document Elements** dialog appears.
- 7 Select both **DTD** files.
- 8 Click **Next** to continue.
The **Select OTD** dialog appears.
- 9 Click **Finish** (do not change any of the default settings).


Environment

Create a new Environment

- 1 Select the **Environment Explorer** tab from the Enterprise Designer.

- 2 Right-click on your **Repository** and select **New Environment**.
 - 3 Right-click on your **Environment** and select **New Logical Host**.
 - 4 Right-click on your **Environment** and select **New File External System**.
The system prompts you to name the **File External System**.
 - 5 Enter **Pay_IN** as the name of your **File External System**.
 - 6 Select **Inbound File eWay** as the **External System Type**.
 - 7 Repeat step 4 and name the **File External System: Pay_OUT**.
 - 8 Select **Outbound File eWay** as the **External System Type**.
 - 9 Right-click the **Logical Host** and select **New SeeBeyond Integration Server**.
- Your new Environment will look like Figure 43.

Figure 43 New Environment



8.2.3 Create the Business Process Model

Create a new Business Process

- 1 Click the **Project Explorer** tab and right-click on your **Payroll** project.
- 2 Select **New: Business Process**.

A new Business Process appears in your directory tree under your Payroll project and a blank Business Process appears in the Business Process Designer (right pane).

Add Modelling Elements to the Business Process Model

This section contains detailed instructions to build your model.

Add the File Receive Activity

This activity uses an inbound **File eWay**.

- 1 Double-click the **SeeBeyond Project** from the Project Explorer tree view.

- 2 Double-click **eWays** under the SeeBeyond Project.
- 3 Double-click **File** under eWays.
- 4 Double-click **FileClient** under File.
- 5 Select and drag the **Receive** activity from **FileClient** to the Business Process Designer.
- 6 Place the **Receive** activity to the right of the **Start** activity.

Add the Unmarshal Activity

This activity unmarshalls the input data.

- 1 Double-click your **Payroll** project from the Project Explorer tree view.
- 2 Expand the **Input_Payroll DTD**, located under your Project.
- 3 Select and drag the Input_Payroll **Unmarshal** activity.
- 4 Place the activity to the right of the **FileClient Receive** activity.

Add the Decision Element

The decision element contains logic that determines what will happen to the incoming data. You will configure the logic in a later step.

- 1 Select **Branching Activities** from the Business Process Toolbar.
- 2 Select **Decision** from the **Branching Activities** drop-down list.
- 3 Drag the **Decision** to the Business Process Designer.

The **Decision** element and **Decision.end** appear on the Business Process Designer canvas.


- 4 Place the Decision to the right of the **input_Payroll.unmarshal** activity. Leave a space between the Decision and Decision.end.

Add the Business Rule Activities

The Business Rule Activities allow you to map and transform data. You will configure the Business Rule Activities later in this exercise.

- 1 Select the **Business Rule** Activity from the Business Process Toolbar and drag the activity to the Business Process Designer.
- 2 Repeat step 1 until you have three **Business Rule Activities** on your canvas.
- 3 Group the **Business Rule Activities** as shown in Figure 44.

Figure 44 Building the Model



Add the Marshal Activity

This activity marshals the data and prepares it for output.

- 1 Double-click your **Payroll** project from the Project Explorer tree view.
- 2 Click the icon next to **output_Payroll DTD** to expand.
- 3 Select and drag the output_Payroll DTD **Marshal** operation to the Business Process Designer.
- 4 Place the activity to the right of the last **Business Rule** Activity.

Add the File Write Activity

This activity is an outbound **File eWay**.


- 1 Double-click the **SeeBeyond Project** from the Project Explorer tree view.
- 2 Double-click **eWays** under the SeeBeyond Project.
- 3 Double-click **File** under **eWays**.
- 4 Double-click **FileClient** under **File**.
- 5 Select and drag the **Write** activity from **FileClient** to the Business Process Designer.
- 6 Place the **Write** activity to the left of the **End** activity.

8.2.4 Configure Modeling Elements

Draw links to connect the model

- 1 Move your mouse over the **Start** activity until a hand appears.
- 2 Click and hold your mouse to drag a **Link** between the elements.
- 3 Repeat steps 1 and 2 to connect the entire model as shown in Figure 45

Figure 45 Linked Model



Rename Modeling Elements

You should rename the elements to represent the activity's role in the business process. This makes it easier to understand the model.

- 1 From the Business Process Designer, click an element label (the name or title under the activity).
A sunken box appears around the label.
- 2 Type to rename the element.
- 3 See Table 9 and rename each of the elements as described in steps 1 and 2.

Table 9 Rename Elements

Current Name	Rename to
FileClient.Receive	Receive File
input_Payroll.unmarshal	Read File
Decision	Check Eligibility
Case 1	Bonus
Case 2	No Bonus
Business Rule (upper)	Update Status
Business Rule (lower)	Set Bonus
Business Rule	Match Fields
output_Payroll.marshall	Prepare Output
FileClient.write	Process Payroll


Configure Business Rules

Add Business Rules to Links

There are two links in this exercise that use Business Rules applied to links, to move data through the business process model.

- 1 From the Business Process Designer, select the link between **Receive File** and **Read File**.
- 2 Right-click on the link and select **Add Business Rule**.
- 3 Double-click the link with the new Business Rule icon or select the toolbar icon called **Map Business Process Attributes**.
The Business Rules Designer appears in the lower pane of the Business Process Designer.
- 4 Link the **text** node to the **contents** node, as shown in [Figure 46 on page 76](#).

Figure 46 Add Business Rules to Links




- 5 Select the link between **Prepare Output** and **Process Payroll**.
- 6 Right-click on the link and select **Add Business Rule**.
- 7 Double-click the link with the new Business Rule icon or select the toolbar icon called **Map Business Process Attributes**.
The Business Rules Designer appears in the lower pane of the Business Process Designer.
- 8 Link the **contents** node to the **text** node.

Decision Element

Configure the Decision Logic

- 1 Double-click the **Decision** element.
The **Decision Gate Properties** dialog appears, shown in Figure 47.

Figure 47 Decision Properties




Configure Case 1

- 2 Select the case: **No Bonus**.
- 3 Select the **String Literal** icon from the **Method Pallet** and drag it to the Business Rules Designer.
The **Input** dialog appears.
- 4 Type **true** and click **OK**.
- 5 Select the **equal** method from the Method Pallet and drag it to the Business Rules Designer.
- 6 In the **Link Condition** section, find the **input_Payroll.unmarshal.Output** node and expand it.
- 7 Expand the **Payroll** node and select **Probation**.
- 8 Drag a link from the **Probation** node and connect it the **equal** method box, where you see **Any 1**.
- 9 Drag a link from the **equal** method box where you see **Any 2** to the **String Literal** method box, and connect.
- 10 Drag a link from the **Return Boolean** section of the **equal** method box, to the **Result (boolean)** pane on the right.

Your **Decision** mapper should look like [Figure 48 on page 78](#).

Figure 48 Completed Decision Gate Properties



Configure Case 2

- 1 Select the case: **Bonus**.
- 2 Locate the **Default Condition** drop-down menu.
- 3 Click **OK** to exit the **Decision Gate Properties** dialog.

Your business process model should look like [Figure 42 on page 69](#).

8.2.5 Configure Business Rule Activities

Update Status Activity

If an employee, in our example, is on Probation, the employee is ineligible for a bonus. In this case, the activity will take the path of the **Update Status** Activity. The **Comments** field is set to let the employee know that they are ineligible for a bonus and the **Bonus** field is set to **\$0.00**.


Configure the Update Status Activity

- 1 Select the **Update Status** Activity.
- 2 Click the **Map Business Process Attributes** toolbar icon to see the Business Rules Designer.
- 3 Drag the **Concat** method onto the Business Rules Designer from the Method Palette.
- 4 Drag the **String Literal** method onto the Business Rules designer from the Method Palette.
The **Input** dialog appears.
- 5 Type **Not Eligible for Bonus**.
- 6 Link the **String Literal** method to **string1** on the **Concat** method
- 7 On the left pane, expand the **input_Payroll.unmarshal.Output** node and then expand the **Payroll** node.
- 8 Select **Comments** and drag a link to **string2** on the **Concat** method.
- 9 On the right pane, expand the **input_Payroll.unmarshal.Output** node and then expand the **Payroll** node.
- 10 Drag a link from **Return String** on the **Concat** method to **Comments** on the right pane.
- 11 Drag another **Concat** method onto the Business Rules Designer from the Method Palette.
- 12 Drag a **String Literal** method onto the Business Rules designer from the Method Palette.
The **Input** dialog appears.
- 13 Type **\$0.00** to set the Bonus amount.
- 14 Link the **String Literal** method to **string1** on the **Concat** method
- 15 On the left pane, expand the **input_Payroll.unmarshal.Output** node and then expand the **Payroll** node.
- 16 Select **Bonus** and drag a link to **string2** on the **Concat** method.
- 17 On the right pane, expand the **input_Payroll.unmarshal.Output** node and then expand the **Payroll** node.

Drag a link from **Return String** on the **Concat** method to **Bonus** on the right pane.

When you are done, your screen should look like Figure 49.

Figure 49 Update Status Activity



Set Bonus Activity


The **Set Bonus** Activity sets the **Bonus** and **Comments** fields for employees that are eligible for a **Bonus**.

- 1 Select the **Set Bonus** Activity.
 - 2 Click the **Map Business Process Attributes** toolbar icon to see the Business Rules Designer.
 - 3 Drag the **Concat** method onto the Business Rules Designer from the Method Palette.
 - 4 Drag the **String Literal** method onto the Business Rules Designer from the Method Palette.
- The **Input** dialog appears.
- 5 Type **Eligible for Bonus**.
 - 6 Link the **String Literal** method to **string1** on the **Concat** method
 - 7 On the left pane, expand the **input_Payroll.unmarshal.Output** node and then expand the **Payroll** node.
 - 8 Select **Comments** and drag a link to **string2** on the **Concat** Method.
 - 9 On the right pane, expand the **input_Payroll.unmarshal.Output** node and then expand the **Payroll** node.
 - 10 Drag a link from **Return String** on the **Concat** method to **Comments** on the right pane.
 - 11 Drag another **Concat** method onto the Business Rules Designer from the Method Palette.
 - 12 Drag a **String Literal** method onto the Business Rules Designer from the Method Palette.

The **Input** dialog appears.

- 13 Type **\$1500** to set the bonus that all eligible employees will receive.
 - 14 Link the **String Literal** method to **string1** on the **Concat** method
 - 15 On the left pane, expand the **input_Payroll.unmarshal.Output** node and then expand the **Payroll** node.
 - 16 Select **Bonus** and drag a link to **string2** on the **Concat** Method.
 - 17 On the right pane, expand the **input_Payroll.unmarshal.Output** node and then expand the **Payroll** node.
 - 18 Drag a link from **Return String** on the **Concat** method to **Bonus** on the right pane.
- When you are done, your screen should look like Figure 50.

Figure 50 Set Bonus Activity



Match Fields Activity

The Match Fields Activity maps the input data into the proper format for output.

- 1 Select the **Match Fields** Business Rule Activity.
- 2 On the left pane, expand the **input_Payroll.unmarshal.Output** node and then expand the **Payroll** node.
- 3 On the right pane, expand the **output_Payroll.marshall.Input** node and then expand the **Payroll** node.
- 4 Draw a link between the following fields:

Table 10 Match Fields


From	To
FirstName	FName
LastName	LName
Comments	Message

Table 10 Match Fields

From	To
Bonus	BonusTotal

Your screen will look like Figure 51, when you are finished.

Figure 51 Match Fields Activity



8.2.6 Create a Connectivity Map and Deployment Profile

Create the Connectivity Map


- 1 Right-click your Project and select **New: Connectivity Map**.
A new node will appear under your Project. The default name is **CMap1**.
- 2 Select the **External Applications** toolbar icon and select **File External Applications**.
- 3 Drag the **File** icon to the Connectivity Map canvas.
- 4 Drag a second **File** icon to the canvas.
- 5 Select **BusinessProcess1** from the Project Explorer and drag it to the canvas.
- 6 Place the **Business Process** between the two **File** icons.

Configure the Business Process

- 1 Select your **Business Process** from the Project Explorer and drag it to the canvas.
- 2 Double-click the **Business Process**.
The **Business Process Service** dialog appears as shown in Figure 52.
- 3 Drag a link from **File Sender** Service to the **File1** icon.
- 4 Drag a link from the **File Receiver** Service to **File2** icon.

- 5 Click the minimize button on the **Business Process** dialog to close the dialog.

Figure 52 Configure Binding




Configure the File Systems

Configure the Inbound File eWay

- 1 Double-click the link to **File_input** to configure it.
The **Templates** dialog appears.
- 2 Select Inbound **File eWay** and select **OK**.
The **Properties** dialog appears, as shown in [Figure 53 on page 84](#).
- 3 Change the **Directory** to **C:\data**.

Figure 53 Inbound File eWay



- 4 Change **Input** file name to ***.xml**.
- 5 Click **OK** to save changes.


Configure the Outbound File eWay

- 1 Double-click the link **File_output** to configure it.
- 2 Connect File Receiver to **File_output**.
The **Templates** dialog appears.
- 3 Select **Outbound File eWay** and select **OK**.

The **Properties** dialog appears, as shown in [Figure 54 on page 85](#).

- 4 Change the **Directory** to **C:\data**.

Figure 54 Outbound File eWay



- 5 Change the **Output** file name to **output%d.txt**.
- 6 Click **OK** to save changes.

Deployment Profile


Create the Deployment Profile

- 1 Right-click your **Project** from the **Project Explorer**.
- 2 Select **New: Deployment Profile**.
- 3 The **Create Deployment Profile** dialog appears.
- 4 The **Deployment Profile** is called **Deployment1** by default. You can accept the default name.
- 5 Select the **Environment (Environment1)** that you created previously.

Configure the Deployment Profile

- 1 Drag **BusinessProcess11** from the middle pane to the **Integration Server (IntegrationSvr1)** located in the **LogicalHost** window.
- 2 Drag **File1 -> BusinessProcess11** from the middle pane to the **Pay_IN** window.
- 3 Drag **BusinessProcess11 -> File2** to the **Pay_OUT** window.
- 4 Click **Activate**.

Figure 55 Deployment Profile



- 5 Click **No**, so the change will not apply to the **Logical Host** immediately. (This is because your Logical Host is not running yet.)

8.2.7 Run and Test the System

Start the Logical Host

The Bootstrap process executes your **Payroll Project** and begins the process of polling your input data. The Bootstrap process is performed from a command prompt. Bootstrap will pick up the deployment profile the first time it runs; after that you would select reactivate and click **Yes** to apply the most recent changes to the Logical Host.

Note: The Bootstrap command is case sensitive on Windows.

To run the Bootstrap

- 1 Open a Windows command prompt as shown in the following Figure 56.
- 2 Navigate to where you installed the Logical Host; for example, **ican50\logicalhost\bootstrap\bin**, then type the following command:

```
CD \ican50\logicalhost\bootstrap\bin
```

- 3 To start the Bootstrap process, type the following command:

```
bootstrap -e environment_name -l logicalhost_name  
-r repository_URL -i username -p password
```

environment_name is the name of your environment (for example, *Environment1*),


logicalhost_name is the name of your Logical Host (for example, *LogicalHost1*),

repository_URL is the full URL of your Repository including the Repository name (for example, *http://localhost:12000/MyRep*),

username is your user name, and

password is your password.

Figure 56 Bootstrap Command Example



Check output

- 1 Navigate to **C:\data** and check for an **output.txt** file.
- 2 Open the **output.txt** file and examine the data. It will look like this:

```
<?xml version="1.0" encoding="UTF-8"?>
<Payroll>
  <FName>Vanessa</FName>
  <LName>Smith</LName>
  <Message>Eligible for Bonus</Message>
  <BonusTotal>$1500</BonusTotal>
</Payroll>
<?xml version="1.0" encoding="UTF-8"?>
<Payroll>
  <FName>Tonya</FName>
  <LName>Lee</LName>
  <Message>Not Eligible for Bonus</Message>
  <BonusTotal>$0.00</BonusTotal>
</Payroll>
```

Chapter 9

Task Assignment

This chapter covers the User Activity and its role in Task Assignment. The case study in this chapter is designed to illustrate the functionality of the User Activity, in addition to showing a working example of Task Assignment using the Worklist Manager and Worklist Viewer.

9.1 User Activity Overview

The User Activity allows users to participate in business processes. eInsight ESB supports the definition of organization hierarchies and user roles for task assignment. Tasks can be escalated and delegated by users from custom worklists and activity processing windows. Working with SeeBeyond eVision Studio, eInsight ESB can create tailored workflow tasks with processing pages that are tailored specifically for each task. See [Case Study: Audit Processing](#) on page 97 for a complete Task Assignment example.

- 1 Create the Business Process and add a User Activity.
- 2 Set up a repository of users, organizational structures and roles in LDAP. (See [Organizational Roles](#) on page 92.)
- 3 Set up user assignments. See [Configure Task Assignment](#) on page 93.
- 4 Use the Worklist Manager to [Manage Tasks](#) on page 95.

See [“Case Study: Audit Processing” on page 97](#) for an end to end User Activity exercise.

9.1.1 User Activity Configuration

This section provides an overview of how to configure the User Activity. This option uses LDAP to determine who belongs to the organizational structure.

Configure a User Activity

The basic steps to configure the **User Activity** are as follows:

- 1 Create a business process model, (see [“Building a Business Process Model” on page 22](#)).
- 2 Configure your database for persistence and run the Database Scripts, (see [“Persistence and Monitoring” on page 56](#)).


- 3 Add a **User Activity** as part of your business model. See [“Configure a User Activity” on page 88](#).
- 4 Create an **eVision Studio PageFlow** (see the *eVision Studio User’s Guide* for details).
- 5 Drag the **eVision PageFlow** to the **User Activity**, see [“Create the eVision Pages” on page 102](#).

Figure 57 Configured User Activity



- 6 Add a **Worklist Viewer** to your **Environment**, see [“Create a New Project and Environment” on page 100](#).
- 7 Add **Flex Attributes** (optional). See [Flex Attributes](#) on page 91 for details.

Figure 58 Worklist Manager Settings



- 8 Run Task Assignment, see [“Task Assignment” on page 93](#).

Configure a User Activity inside a While Loop

When creating a business process that includes a User Activity inside of a While Loop (see “[While](#)” on page 29), you must take a few extra steps in the configuration, as outlined below.

- 1 Configure the User Activity as described above (“[Configure a User Activity](#)” on page 88).
- 2 Add a business rule to the link leaving the User Activity.
- 3 Open the Business Rule Designer and expand the **WLVTask.Input** node.
- 4 Copy a business process attribute from the left pane to the right pane, as shown in Figure 59.

The purpose of this step is to create an output container.

Figure 59 Copy Business Process Attribute



- 5 Open the Business Rules pane and click **Show Single Mapping**, as shown in Figure 60.

Figure 60 Business Rules



- 6 Right-click the copy rule and select **Reset Destination**, as shown in Figure 61.

Figure 61 Reset Destination




- 7 Save the business process.

Flex Attributes

Flex attributes are customizable attributes for use with Task Assignment. The attributes appear in the Business Rule Designer (as shown in [Figure 62 on page 91](#)) and also, as columns in the Worklist Manager. You can map values to these attributes in the Business Rule Designer, so that the values appear in the Worklist Manager. You can also label the attributes so they are easily identifiable in the Worklist Manager.


Figure 62 Flex Attributes in the Business Rule Designer



Customize Flex Attribute Labels

- 1 From the Environment Explorer tab, right-click the WLV component and select **Properties**.
- 2 From the **WLV Configuration** options, select **Flex Attribute Labels**, as shown in [Figure 63 on page 92](#).

Figure 63 Flex Attributes



- 3 Create labels for as many attributes as necessary.
- 4 Click **OK** to save changes.

Organizational Roles

Organizational roles help define processes based on a person's position or title. By entering information about the structure of your organization, you can make processes easier to manage.

Support for LDAP means that you can use repositories of users, hierarchical organizational structures, and roles. An LDAP based applications can be used to populate the Worklist Manager with members of your organization and their organizational role. You assign rights based on organizational role assignments.

Figure 64 LDAP Connection Settings

The screenshot shows a 'properties' dialog box with the following fields and options:

- Host Information:**
 - Host: localhost
 - Port: 389
 - Base DN: o=MegaNova,c=US
 - Type: Meganova
 - SSL
 - Anonymous
- User Information:**
 - User DN: (empty)
 - Append Base
 - Password: (empty)

Buttons: OK, Cancel

For example, you may allow managers to view their subordinate’s activity list (also called a **Worklist**) and the ability to reassign tasks in that list. As a manager, when you login to your Worklist, you see your tasks and the tasks of your direct reports.

Note: See your third party software vendor’s manual for information about setting up your organization’s information in LDAP.


9.1.2 Task Assignment

Task assignment allows you to set up and view tasks, depending on your organizational role. With certain management level rights, you may assign a person who will receive a task, if the activity fails. See **Case Study: Audit Processing** on page 97 for a complete Task Assignment example.

Configure Task Assignment

- 1 Double-click the **User Activity**.
The Worklist Manager dialog displays (see Figure 65).
- 2 Click **Search** to find an LDAP source, as shown in Figure 64.
The user list displays (See Figure 65).
- 3 Click **OK** to return to the Worklist Manager dialog.

Figure 65 Worklist Manager: Assignments Tab



- 4 Navigate the Roles or Groups list to find your assignees.
- 5 Select individuals from the list and click **Assign**.
- 6 Select the **Condition** tab to enter an expression.

You can create expressions in the Business Rule environment to evaluate an activity for user completion.

- 7 You may also:
 - ♦ Add another rule by choosing **Add**.
 - ♦ Delete an assignment from this page by selecting an expression and choosing **Delete**.
- 8 Click **OK** when you have completed the configuration.

Using the Worklist Manager

Login to the Worklist Manager to view your list of tasks. You will see your own tasks as well as any subordinates assigned to you (if applicable). You can manage your tasks and/or the tasks of your subordinates from this view. See Figure 67 for an example of a

manager's Worklist view. See **Task Assignment** on page 88 for a complete Task Assignment example.

Manage Tasks

From the Worklist Manager, you can manage your tasks and/or the tasks of your subordinates. You can access the Worklist Manager with a web browser by entering:

`http://<localhost>:<port>/wlm`

- <localhost>: The system where your Repository is running.
- <port>: The port number to access your Repository.

Figure 66 Worklist Manager Login




Figure 67 Worklist Manager: Task View

Task Id	Task Type	Task Type Priority	Assigned To	Current Owner	Business Process	Due Date	Status	Subject	Business Process Id	Start Date
1064890611114	DemoType	High	[GRose]	--	Demo	2003-04-07 18:13:28.0	Pending2	xxxxxx	102	2003-09-29 19:56:49.933 200
1064890670027	DemoType	High	[GRose]	--	Demo	2003-04-07 18:13:28.0	Pending2	xxxxxx	102	2003-09-29 20:01:08.757 200
1064890871959	DemoType	High	[GRose]	--	Demo	2003-04-07 18:13:28.0	Completed	xxxxxx	102	2003-09-29 20:01:11.86 200
1064890873712	DemoType	High	[GRose]	--	Demo	2003-04-07 18:13:28.0	Completed	xxxxxx	102	2003-09-29 20:01:13.613 200
1064891401651	DemoType	High	[GRose]	--	Demo	2003-04-07 18:13:28.0	Pending2	xxxxxx	102	2003-09-29 20:09:59.727 200
1064891404075	DemoType	High	[Avo]	--	Demo	2003-04-07 18:13:28.0	Pending2	xxxxxx	102	2003-09-29 20:10:03.963 200
1064891406017	DemoType	High	[GRose]	--	Demo	2003-04-07 18:13:28.0	Completed	xxxxxx	102	2003-09-29 20:10:05.897 200
1064891407600	DemoType	High	[GRose]	--	Demo	2003-04-07 18:13:28.0	Completed	xxxxxx	102	2003-09-29 20:10:07.49 200

Here is an explanation of the options you will see:

- **Checkout/Checkin** is necessary to ensure that more than one person is not working on the same task. This is the first thing you must do before you can make any changes to a task.
- **Escalate** sends the task to the user’s manager.
- **History** provides a record of all past information about the task.
- **Reassign** allows you to pass a task to another team member. Click **Reassign** and select a name from the drop-down list. This option is available for manager’s only.
- **Execute** opens the task so that you can perform the task.
- **Complete** commits the changes. You must select **Complete** before leaving the Worklist Manager or your changes will be lost.

Note: See **Case Study: Audit Processing** on page 97 for a complete Task Assignment example.

9.2 Case Study Overview

Implementing a User Activity is the process of translating the vision of the business user into a functioning task assignment system. The User Activity must be configured but some may require modification.

Create the Input File

The first step in this implementation requires that you create the input file for the system. In an actual implementation, your input may come from an external system.

Create a New Project and Environment

In the second step of this implementation, you will create a new Project where your business process and eVision Pages will reside and a new Environment for your Project.

Create the eVision Pages and Business Process Models

In this step, you will create a new business process and a subprocess with a user activity that links to the task management system. You will also create the eVision Pages that act as the user interface to the system.

Create a Connectivity Map and Deployment Profile

When you create the Connectivity Map, you are making the connections between the system components and the external systems. You will also create a Deployment Profile that you will activate when you put the system into production.

Run and Test the System

To run the system, you must invoke the Bootstrap. This action will pick up your Deployment Profile and execute your task assignment system. Once the system processes your input files and data entered, an output file is created. To verify that this implementation has completed properly, check the output file.

9.3 Case Study: Audit Processing

The case study discussed in this chapter illustrates a simplified implementation of an auditing system. In this case, eInsight ESB receives data as a text file as well as user input from an eVision page.

Once the system receives the data, a task appears in the Worklist Manager for the assigned user(s). The user has the option to complete the task or escalate the task to a manager. If the user is a manager, he/she also has the option to reassign the task to a subordinate.

9.3.1 Before You Begin

To complete this exercise, you need to have the following:

- ICAN 5.0 products installed:
 - ◆ eGate Integrator

- ◆ eInsight Enterprise Service Bus
- ◆ eVision Studio
- ◆ File eWay
- An Oracle database.
- An LDAP directory server. (For this example, **OpenLDAP** is used with the **MegaNova** database).
- A directory on your local drive named **data**.

LDAP Configuration

This sample uses the OpenLDAP application as the LDAP directory, with custom data (MegaNova). You will need to follow the instructions for your LDAP application to add data to the LDAP database. You must create your own directory data and data file. You can use the names suggested in our example, or substitute your own. If your directory structure is not the same, the sample may not run as written.

1 Install an LDAP application.

For this example, OpenLDAP is used. At publication, this application is available from:

```
http://www.openldap.org
```

2 Install the binary file or compile your own. Install or uncompress it to:

```
c:\ldap
```

3 After installation, create a configuration file for your LDAP installation. See your LDAP documentation for details.

This configuration file is used in our sample:

Figure 68 Example: slapd.conf

```
include c:/ldap/schema/core.schema
include c:/ldap/schema/cosine.schema
include c:/ldap/schema/inetorgperson.schema
include c:/ldap/schema/stc.schema

pidfile c:/ldap/slapd.pid
argsfile c:/ldap/slapd.args

databasesldbm
suffix "o=MegaNova,c=US"
rootdn "cn=Manager,o=MegaNova,c=US"
rootpw secret
directoryc:/ldap/MegaNovaDB
indexobjectClasseq
```

4 Add the schema definition to your schema folder:

Example: c:/ldap/schema/stc.schema

```
# schema/stc.schema
#
# Auxiliary Object Class to be used with Person (or subtypes of it)
#
```

```
# Roles allows a user to be cross functional
attributetype (1.3.6.1.4.1.1351.666.1.1
  NAME 'stcWFRole'
  DESC 'STC WorkFlow User Roles' SUP organizationalUnitName )

# Group provide department level groupings
attributetype (1.3.6.1.4.1.1351.666.1.2
  NAME 'stcWFGroup'
  DESC 'STC WorkFlow User Group' SUP organizationalUnitName )

# Manager shows hierarchy in the organization
attributetype (1.3.6.1.4.1.1351.666.1.3
  NAME 'stcWFManager'
  DESC 'STC WorkFlow User Manager'
  EQUALITY distinguishedNameMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.12 SINGLE-VALUE )

# stcWorkFlowPerson
# The stcWorkFlowPerson represents people who are associated with an
# organization in both a department and a role. It is an auxiliary
class
objectclass( 1.3.6.1.4.1.1351.666.1
  NAME 'stcWorkFlowPerson'
  DESC 'STC Work Flow Assignment Person'
  AUXILIARY
  MAY (
    stcWFRole $ stcWFGroup $ stcWFManager )
  )
```

- 5 Start the LDAP server from the command line.

Example: c:\ldap> slapd.exe

- 6 Create or add the sample data (.ldif file) to the LDAP server.

Example: c:\ldap> ldapmodify -a -v -D cn=Manager,o=MegaNova,c=US
-h localhost -P 2 -x -w secret -f MegaNova.ldif

You can manually modify the .ldif file or use an LDAP software utility, such as the OpenLDAP browser Softerra LDAP Browser from:

<http://www.softerra.com/products/products.php>

Input File

The sample system you are creating requires input information. For this exercise, you will create an input file: **input1.txt**. The file that you create here, contains the data that the system receives and changes to create your final output.

Create the Input File

- 1 Create a text file with your name, for example:

- **input1.txt:**

Mary Smith


- 2 Save the file to c:\data.

9.3.2 ICAN Configuration

Run Worklist Manager Database Scripts

- 1 From the Enterprise Explorer, expand the SeeBeyond folder and the eInsight ESB folder.
- 2 Right-click the **Worklist Viewer** and select **Checkout**.
- 3 Right-click the **Database Scripts** folder and select **Properties**, as shown in Figure 69.

Figure 69 Worklist Viewer Database Properties



- 4 Configure the database properties to connect to your database.

Note: The Oracle user must have DBA privileges to create the new wlm user

- 5 Right-click on the **Oracle Install Scripts** and select **Run**.
 - A View your database to verify that the tablespace **wlm_data** exists.
 - B View your database to verify that the user **wlm** is defined.

9.3.3 Create a New Project and Environment

Create a new Project

- 1 Launch the Enterprise Designer.
- 2 Right-click your Repository and select **New Project**.

A new Project appears in your Project Explorer tree structure.
- 3 Rename the Project to **wlmProject**.
- 4 Click the **Save All** toolbar button to save your changes.

Create a new Environment

- 1 Select the **Environment Explorer** tab from the Enterprise Designer.
- 2 Right-click on your **Repository** and select **New Environment**.
- 3 Right-click on your **Environment** and select **New Logical Host**.
- 4 Right-click on your **Environment** and select **New File External System**.

The system prompts you to name the **File External System**.
- 5 Enter **File_IN** as the name of your **File External System**.


- 6 Select **Inbound File eWay** as the **External System Type**.
- 7 Repeat step 4 and name the **File External System: File_OUT**.
- 8 Select **Outbound File eWay** as the **External System Type**.
- 9 Right-click **Logical Host** and select **New SeeBeyond Integration Server**.

Create a Worklist Viewer and eVision External System

- 1 From the Environment Explorer create a **New Worklist Viewer** and name it **myWLV**.
- 2 Right-click on the **myWLV** and select **Properties**.
- 3 Select the **WLM Connector External System Configuration** and configure the following options:
 - A Database Password: **wlm**
 - B Database URL: enter your Oracle settings
 - C Database User ID: **wlm**
- 4 Add an **eVision External System** and name it **eV1**.
- 5 Select **OK**.

Your new Environment will look like Figure 70.

Figure 70 New Environment



Add the LDAP users to your environment

- 1 Right-click on your Environment and select User Management.
- 2 Add the following users to the Worklist Manager:
 - ♦ GRose
 - ♦ CPina
 - ♦ KComella
- 3 Fill in the Password information and Add a Role for each user, as follows:
 - ♦ Password: **pass**
 - ♦ Role: **all**

Figure 71 User Management



In the LDAP hierarchy for this example, the order from manager to subordinate is:


- KComella - Senior Manager
 - ♦ CPina - Manager
 - ♦ GRose - User

9.3.4 Create the eVision Pages

- 1 Right-click on your Project (**wlmProject**) and select New Page Layout.
- 2 Create a new Blank Page and name it **auditPage**.

- A Select the **html text** element from the Page tools and place it on the top center of the eVision page.
- B Replace the default text with **Audit Info**.
- C Select another **html text** element and place it on the page, under and to the left of Audit Info.
- D Enter **Name** for the default text.
- E Select a **textbox** element and place it on the eVision page, to the right of the Name label.
- F Place a **Submit Button** under the **textbox**, as shown in Figure 72.

Figure 72 auditPage Layout



- 3 Create a new Blank Page and name it **exitPage**.
 - A Select an **html link** element and place it near the top and center on the eVision page.
 - B Enter **Close Window** as the default text.
 - C Enter **window.close()** in the properties field for the **onclick()** function.
 - D Enter **close** for the **href** property field, as shown in Figure 73.

Figure 73 exitPage Properties

[-] (id)	
lname	link0
[-] coreAttrs	
class	
style	container:positione...
title	
[-] events	
onClick	window.close()
[-] focus	
tabIndex	
[-] this	
fontColor	
fontSize	16
href	close window
text	Close this window
z-index	0


9.3.5 Create the Business Process Models

This section contains detailed instructions to build your model.

Create the SubProcess

- 1 Click the **Project Explorer** tab and right-click on your **wlmProject**.
- 2 Select **New: Business Process**.
A new Business Process appears in your directory tree under your Project and a blank Business Process appears in the Business Process Designer (right pane).
- 3 Rename the business process to **subBusinessProcess**.
- 4 Right-click on the business process and select the **Open Property Sheet**.
- 5 Click on the **Business Process Attribute** tab.
- 6 Click **Create** to add a new Business Process Attribute.
 - A Name the new Business Process Attribute: **stringMessage**.
 - B Select **SimpleDataTypes** for the namespace
 - C Select **String** for the type, as shown in Figure 74.


Figure 74 New Business Process Attribute



Create the WSDL file

- 1 Click on the WSDL tab and click **Create**.
- 2 Click **porttype** and **operation**.
- 3 Click **input operation**.
- 4 Go up one level to create an **output operation**.
- 5 For **IP_Message1**, select **stringMessage** for the Business Process Attribute.
- 6 For **OP_Message1**, select **stringMessage** for the Business Process Attribute.

Figure 75 New WSDL File



- 7 Select **OK**.


Create a Partner

- 1 Click on the **Partners** tab.
- 2 Create a new partner called **wlmpartner**.

Create the SubProcess Model

- 1 Select a Receive Activity from the eInsight ESB toolbar and place it on the Business Process Designer (to the right of the Start Activity).
- 2 Select a Reply Activity from the eInsight ESB toolbar and place it on the Business Process Designer (to the left of the End Activity).
- 3 Select the Show operation from the **auditPage** and place it on the Business Process Designer, between the Receive and Reply Activities.
- 4 Select the Show operation from the **exitPage** and place it on the Business Process Designer, to the right of the auditPage.
- 5 Link the activities:
 - A Move your mouse over the **Start** activity until a hand appears.
 - B Click and hold your mouse to drag a **Link** between the elements.
- 6 Repeat steps 5A and 5B to connect the entire model.


Figure 76 subBusiness Process



Add Business Rules to the Links


- 1 Right-click on the link between the **Receive Activity** and the **auditPage** and select **Add a Business Rule**.
- 2 Map the **stringMessage** value node to the text of the **Name** element in the input of the **auditPage**, as shown in Figure 77.

Figure 77 Add Business Rule to Link



- 3 Right-click on the link between the **exitPage** and the **Reply Activity** and select **Add a Business Rule**.
 - A Place a **Concat Method** on the **Business Rule Designer** from the Method Palette.
 - B Map a link from the left pane's **Receive Activity:stringMessage** to **String1** of the **Concat Method Box**.
 - C Place a **String Literal Method** on the **Business Rule Designer** and enter **“:”**.
 - D Map a link from the **String Literal** to **String2** of the **Concat Method Box**.
 - E Place another **Concat Method** on the **Business Rule Designer**.
 - F Map a link from the first **Concat Method Box**'s **Return String** to **String1** of the second **Concat Method Box**.
 - G Map a link from the **text0** node under **auditPage.show.Output** to **String2** of the second **Concat Method Box**.
 - H Map a link from the **Return String** of the second **Concat Method Box** to the **value** node under **stringMessage**.

Figure 78 Add Business Rule to Second Link



Define the WSDL for the Receive and Reply Activity

- 1 Select the **Receive** Activity and then click **Property Sheet** from the eInsight ESB toolbar.
 - A Select **wImpartner** from the **Partner** field.
 - B Select **sbcUserDef:PortType1** for the **Port Type**.
 - C Select **Operation1** for the **Operation**.
- 2 Repeat for the **Reply** Activity.

Create the Parent Business Process

- 1 Right-click the **wlmProject** and select **New Business Process**.
- 2 Add a **File Receive** Activity:
 - A Double-click the **SeeBeyond Project** from the Project Explorer tree view.
 - B Double-click **eWays** under the SeeBeyond Project.
 - C Double-click **File** under eWays.
 - D Double-click **FileClient** under File.
 - E Select and drag the **Receive** activity from **FileClient** to the Business Process Designer.
 - F Place the **Receive** activity to the right of the **Start** activity.
- 3 Add the File Write Activity:
 - A Double-click the **SeeBeyond Project** from the Project Explorer tree view.
 - B Double-click **eWays** under the SeeBeyond Project.
 - C Double-click **File** under eWays.
 - D Double-click **FileClient** under File.
 - E Select and drag the **Write** activity from **FileClient** to the Business Process Designer.
 - F Place the **Write** activity to the left of the **End** activity.
- 4 Add a User Activity:
 - A Select the User Activity icon from the eInsight ESB toolbar.
 - B Place the User Activity on the Business Process Designer, between the File Receive and File Write Activities.
- 5 Drag and drop the SubBusiness Process Operation Node (from the Project Explorer pane) onto the User Activity.

Figure 79 BusinessProcess1



9.3.6 Configure the Modeling Elements


- 1 Right-click on the link between the **File Receive Activity** and the **User Activity** and select **Add a Business Rule**.
- 2 Map a link from the **File Receive text** node to the input of the **subBusiness Process value** node.
- 3 Right-click on the link between the **User Activity** and the **File Write Activity** and select **Add a Business Rule**.
- 4 Map a link from the output **text** node of the **User Activity** to the **File Write text** node.

Configure the User Activity

- 1 Double-click the **User Activity**.


The User Activity properties appear, as shown in Figure 80.

Figure 80 User Activity Properties



- 2 Click **Add** to create a new Case.
- 3 Click **Connect** to access the **LDAP** user directory.

Figure 81 Connect to LDAP



The image shows a dialog box titled "Specify Lookup Source" with a close button (X) in the top right corner. The dialog contains a "Properties" section with the following fields:


LDAP Provider URL	ldap://localhost:389
LDAP Base DN	o=MegaNova,c=US
LDAP Initial Context Factory	com.sun.jndi.ldap.LdapCtxFactory
Organizational Unit	People
LDAP Attribute Group	stcWFGroup
LDAP Attribute Role	stcWFRole
LDAP Version	3

At the bottom of the dialog are "OK" and "Cancel" buttons.

For this example, accept the default configuration.

- 4 Select the following users, for the first case and the default, from the LDAP directory:
 - A GRose (located under Roles:Marketing)
 - B CPina (located under Roles:Executives)
 - C KComella (located under Roles:Executives)

Figure 82 Assign Users



- 5 Create a **True** condition for the first case.

Note: Note this is a static configuration. Dynamic allows you to assign users during runtime.

9.3.7 Create a Connectivity Map and Deployment Profile


Create the Connectivity Map

- 1 Right-click your Project and select **New: Connectivity Map**.
A new node will appear under your Project. The default name is **CMap1**.
- 2 Select the **External Applications** toolbar icon and select **File External Applications**.
- 3 Drag the **File** icon to the Connectivity Map canvas.
- 4 Drag a second **File** icon to the canvas.
- 5 Select **BusinessProcess1** from the Project Explorer and drag it to the canvas.
- 6 Select **subBusinessProcess** from the Project Explorer and drag it to the canvas.
- 7 Add a **WebConnector** and a **WLM Connector** to the Connectivity Map.

Configure the Connectivity Map Elements

- 1 Double-click the **BusinessProcess11** and **SubBusinessProcess1**.
The **Business Process Service** dialogs appear.
 - A Drag a link from **File Sender** Service to the **File1** icon.
 - B Drag a link from the **File Receiver** Service to **File_output** icon.
 - C Drag a link from the **WSPPProvider** to the **WebConnector**.
 - D Drag the **WLMPartner** to the **WLM Connector**.
 - E Drag the **UASubProcPartner** to the **WLMPartner** on the SubProcess.
- 2 Click the minimize buttons on the **Business Process** dialogs to close.

Figure 83 Completed Connectivity Map



Configure the File Systems

Configure the Inbound File eWay

- 1 Double-click the link to **File1** to configure it.
The **Templates** dialog appears.
 - 2 Select **Inbound File eWay** and select **OK**.
The **Properties** dialog appears.
 - 3 Change the **Directory** to **C:\data**.
 - 4 Change **Input** file name to **input*.txt**.
 - 5 Click **OK** to save changes.

Configure the Outbound File eWay

- 1 Double-click the link **File2** to configure it.
The **Templates** dialog appears.
 - 2 Select **Outbound File eWay** and select **OK**.
The **Properties** dialog appears.

- 3 Change the **Directory** to **C:\data**.
- 4 Change the **Output** file name to **output%d.txt**.
- 5 Click **OK** to save changes.

Deployment Profile


Create the Deployment Profile

- 1 Right-click your **Project** from the **Project Explorer**.
- 2 Select **New: Deployment Profile**.
- 3 The **Create Deployment Profile** dialog appears.
- 4 The **Deployment Profile** is called **Deployment1** by default. You can accept the default name.
- 5 Select the **Environment** (**Environment1**) that you created previously.

Configure the Deployment Profile

- 1 Drag **BusinessProcess11** and **SubBusinessProcess1** from the middle pane to the **Integration Server** (**IntegrationSvr1**) located in the **LogicalHost** window.
- 2 Drag **File1** -> **BusinessProcess11** from the middle pane to the **File_IN** window.
- 3 Drag **BusinessProcess11** -> **File2** to the **File_OUT** window.
- 4 Drag **WebConnector1**->**BusinessProcess11** to **eV1**.
- 5 Drag **SubBusinessProcess1**->**WebConnector1** to **eV1**.
- 6 Drag **BusinessProcess11**->**WLMConnector** to **myWLV**.

Figure 84 Deployment Profile



- 7 Click **Activate**.
- 8 Click **No**, so the change will not apply to the **Logical Host** immediately. (This is because your Logical Host is not running yet.)

9.3.8 Run and Test the System

Start the Logical Host

The Bootstrap process executes your **Project** and begins the process of polling your input data. The Bootstrap process is performed from a command prompt. Bootstrap will pick up the deployment profile the first time it runs; after that you would select reactivate and click **Yes** to apply the most recent changes to the Logical Host.

Note: The Bootstrap command is case sensitive on Windows.

To run the Bootstrap

- 1 Open a Windows command prompt.
- 2 Navigate to where you installed the Logical Host; for example, **ican50\logicalhost\bootstrap\bin**, then type the following command:

```
CD \ican50\logicalhost\bootstrap\bin
```
- 3 To start the Bootstrap process, type the following command:

```
bootstrap -e environment_name -l logicalhost_name  
-r repository_URL -i username -p password
```

environment_name is the name of your environment (for example, *Environment1*),

logicalhost_name is the name of your Logical Host (for example, *LogicalHost1*),

repository_URL is the full URL of your Repository including the Repository name (for example, *http://localhost:12000/MyRep*),

username is your user name, and

password is your password.

Test the Task Assignment System

- 1 Connect to **http://localhost:18003/wlm** (This is the default for all WLMs).
- 2 Login as **GRose**.

Note: *Username: GRose, Password: pass.*

The task list is empty.

- 3 Copy your **input1.txt** file to **c:/data**.
- 4 Click refresh in the Worklist Manager.

A new task appears.

- 5 Select the new task and click the **Checkout** button.
- 6 Click **Execute** to launch the task.

The eVision **auditPage** appears, with the name portion completed with the name in your file.

- 7 Enter an amount in the amount text field.

The exit page appears.

- 8 Click Close Window.

You are back to the task view.

- 9 Click Complete from the task view.

The task disappears from your task list.

Other tests

- 1 Login as **CPina**.
- 2 Escalate the task.
- 3 Logout and login as **KComella**.
- 4 Allow the **KComella** to complete the task.

Check output

- 1 Navigate to **C:\data** and check for an **output.txt** file.
- 2 If the file exists, open it and examine the data. It should look like this:

Mary Smith:10,000

Note: *Your input depends on the contents of your file and the entry you make in the Amount field.*

Appendix A

Method Palette

This appendix describes each method that appears in the Business Rule Designer's Method Palette.

10.4 Operators

Operators are the methods that allow you to manipulate data with standard mathematical operators.

Figure 85 Method Palette: Operator tab




Table 11 Operator Methods







Method Box	Name	Description/Usage
	addition	Adds the value of <i>number1</i> to the value of <i>number2</i> , returns the sum.
	division	Divides the value of <i>number1</i> by the value of <i>number2</i> , returns the quotient.
	greater or equal	Returns Boolean true if <i>number1</i> is greater than or equal to <i>number2</i> ; otherwise, returns Boolean false.
	lesser or equal	Returns Boolean true if <i>number1</i> is less than or equal to <i>number2</i> ; otherwise, returns Boolean false.
	mod	Used to divide two numbers and return only the remainder.
	negative	Converts the input number to negative. Result is a negative number having the same absolute value as the input number.

Table 11 Operator Methods (Continued)










Method Box	Name	Description/Usage
 <p>The method box for the OR operator features a yellow header with the text "OR OR" and a small upward-pointing arrow. Below the header, there are two input fields labeled "boolean1" and "boolean2". At the bottom, there is a "return boolean" field.</p>	OR	Returns Boolean false if both <i>boolean1</i> and <i>boolean2</i> are false; otherwise, returns Boolean true.
 <p>The method box for the AND operator features a yellow header with the text "AND AND" and a small upward-pointing arrow. Below the header, there are two input fields labeled "boolean1" and "boolean2". At the bottom, there is a "return boolean" field.</p>	AND	Returns Boolean true if both <i>boolean1</i> and <i>boolean2</i> are true; otherwise, returns Boolean false.
 <p>The method box for the EQUAL operator features a yellow header with the text "EQUAL" and a small upward-pointing arrow. Below the header, there are two input fields labeled "any1" and "any2". At the bottom, there is a "return boolean" field.</p>	EQUAL	Returns Boolean true if <i>number1</i> is equal to <i>number2</i> ; otherwise, returns Boolean false.
 <p>The method box for the greater than operator features a yellow header with a red greater-than symbol (>) and the text "greater than" and a small upward-pointing arrow. Below the header, there are two input fields labeled "any1" and "any2". At the bottom, there is a "return boolean" field.</p>	greater than	Returns Boolean true if <i>number1</i> is greater than <i>number2</i> ; otherwise, returns Boolean false.
 <p>The method box for the less than operator features a yellow header with a red less-than symbol (<) and the text "lesser than" and a small upward-pointing arrow. Below the header, there are two input fields labeled "any1" and "any2". At the bottom, there is a "return boolean" field.</p>	less than	Returns Boolean true if <i>number1</i> is less than <i>number2</i> ; otherwise, returns Boolean false.
 <p>The method box for the multiplication operator features a yellow header with a blue asterisk (*) and the text "multiplication" and a small upward-pointing arrow. Below the header, there are two input fields labeled "number1" and "number2". At the bottom, there is a "return number" field.</p>	multiplication	Multiplies the value of <i>number1</i> by the value of <i>number2</i> , returns the product.

Table 11 Operator Methods (Continued)

Method Box	Name	Description/Usage
	not equal	Returns Boolean true if <i>number1</i> is not equal to <i>number2</i> ; otherwise, returns Boolean false.
	subtraction	Subtracts the numerical value of <i>number2</i> from the numerical value of <i>number1</i> , returns the difference.
	not	Returns the inverse of <i>boolean1</i> .

10.5 String

The String methods allow you to manipulate string data.

Figure 86 Method Palette: String tab




Table 12 String Methods

Symbol	Name	Description
	bytes to text	Decodes bytes into text using the specified encoding. If no encoding is specified, the platform's default encoding is used.
	contains	Returns true if the second string is contained within the first string, otherwise it returns false
	copy to	Allows you to type in the xpath expression for the destination of a copy operation. This is useful for entering xpath predicates. Note: This is for advanced users who are familiar with xpath and BPEL syntax.

Table 12 String Methods (Continued)






Symbol	Name	Description
	starts with	Returns true if the first string starts with the second string, otherwise it returns false
	string length	Returns the number of characters in a string
	text to bytes	Encodes the input text into a sequence of bytes using the specified encoding. If no encoding is specified, the platform's default encoding is used
	substring after	Returns the part of the string in the string argument that occurs after the substring in the substring argument
	translate	Performs a character by character replacement. It looks in the value argument for characters contained in string1, and replaces each character for the one in the same position in the string2

Table 12 String Methods (Continued)








Symbol	Name	Description
 <p>The symbol for the 'concat' method shows a blue double-headed arrow icon, the text 'concat', two input fields labeled 'string1' and 'string2', and an output field labeled 'return string'.</p>	concat	Returns the concatenation of all its arguments
 <p>The symbol for the 'copy from' method shows a document icon, the text 'copy from', and an example XPath expression: /*Business process attribute1*/<Part>/<XPath Query1></p>	copy from	Allows you to type in xpath expression for the source of a copy operation. This is useful for entering xpath predicates. Note: This is for advanced users who are familiar with xpath and BPEL syntax
 <p>The symbol for the 'normalize space' method shows a text icon, the text 'normalize space', one input field labeled 'string1?', and an output field labeled 'return string'.</p>	normalize space	Removes leading and trailing spaces from a string
 <p>The symbol for the 'string' method shows a blue double-headed arrow icon, the text 'string', one input field labeled 'object1?', and an output field labeled 'return string'.</p>	string	Converts the value argument to a string
 <p>The symbol for the 'string literal' method shows a blue 'A' icon, the text 'string literal', and one input field labeled 'Lit 1'.</p>	string literal	A sequence of characters of fixed length and content
 <p>The symbol for the 'substring' method shows a blue double-headed arrow icon, the text 'substring', three input fields labeled 'string1', 'number2', and 'number3?', and an output field labeled 'return string'.</p>	substring	Returns a part of the string in the string argument

Table 12 String Methods (Continued)

Symbol	Name	Description
	substring before	Returns the part of the string in the string argument that occurs before the substring in the substring argument.

10.6 Number

The Number methods allow you to work with number data.

Figure 87 Method Palette: Number tab










Table 13 Number Methods

Symbol	Name	Function
	ceiling	Returns the smallest integer that is not less than the number argument
	sum	Returns the total value of a set of numeric values in a node-set
	floor	Returns the largest integer that is not greater than the number argument
	number	Converts the value argument to a number
	round	Rounds the number argument to the nearest integer
	number literal	A literal number string of fixed length and content

10.7 Boolean

Boolean methods allow you to apply boolean logic to your data.

Figure 88 Method Palette: Boolean tab






Table 14 Boolean Methods

Symbol	Name	Function
	boolean	Converts the value argument to Boolean and returns true or false.
	true	Returns true
	false	Returns false

Table 14 Boolean Methods (Continued)

Symbol	Name	Function
 <p>The symbol shows a method palette for 'lang'. It has a title bar with 'lang' and an up arrow. Below the title bar, there is a 'string1' input field and a 'return boolean' output field.</p>	lang	Returns true if the language argument matches the language of the xsi:lang element, otherwise it returns false
 <p>The symbol shows a method palette for 'not'. It has a title bar with 'NOT not' and an up arrow. Below the title bar, there is a 'boolean1' input field and a 'return boolean' output field.</p>	not	Returns true if the condition argument is false, and false if the condition argument is true

10.8 Nodes

Node methods allow you manipulate your data.

Figure 89 Method Palette: Nodes tab




Table 15 Nodes Methods











Symbol	Name	Function
	count	Returns the number of nodes in a node-set
	getCurrentTime	Gets the current time in ISO 8601 format (e.g. 2003-08-15T02:03:49.92Z).
	id	Selects elements by their unique ID
	local name	Returns the local part of a node. A node usually consists of a prefix, a colon, followed by the local name
	namespace uri	Returns the namespace URI of a specified node
	getBPId	Gets the business process instance ID.

Table 15 Nodes Methods (Continued)




Symbol	Name	Function
 The symbol shows a method palette for 'get GUID'. It has a yellow header with a blue 'ID' icon, a plus sign, and an up arrow. Below the header, the text 'GUID' is displayed.	getGUID	Gets a randomly generated globally unique ID.
 The symbol shows a method palette for 'last'. It has a yellow header with a blue plus sign and an up arrow. Below the header, the text 'return number' is displayed.	last	Returns the position number of the last node in the processed node list
 The symbol shows a method palette for 'name'. It has a yellow header with a blue plus sign and an up arrow. Below the header, the text 'node-set 1?' and 'return string' are displayed.	name	Returns the name of a node
 The symbol shows a method palette for 'position'. It has a yellow header with a blue icon of a document with a checkmark and an up arrow. Below the header, the text 'return number' is displayed.	position	Returns the position in the node list of the node that is currently being processed

10.8.1 Datetime

Datetime methods allow you to manipulate date, time and duration of data.

Figure 90 Method Palette: Datetime tab




	decrement datetime	Dynamically decreases the date or time by a certain duration, such as days or hours.
	increment datetime	Dynamically increases the date or time by a certain duration, such as days or hours.
	duration literal	Allows you to set an actual date or time.

10.8.2 Conversion

The Convert method allows you to make conversions from various data types.

Figure 91 Method Palette: Conversion



	<p>convert</p>	<p>The convert function that takes in one input link and one output link. The data type conversions are described in “Data Type Conversions” on page 132.</p>
--	----------------	---

10.9 Data Type Conversions

The Business Rule Designer supports a Convert function that takes in one input link and one output link. The Convert function is implemented from tree to tree mapping only. The Convert function is valid for conversions between leaf nodes. The Conversion function checks if the mapping is valid. The valid conversions are based off the following conversions.

10.9.1 String

Table 16 String

To	From
Boolean	custom
Float	parse
Double	parse

Table 16 String (Continued)

To	From
Decimal	parse
Byte	parse
Short	parse
Int	parse
Long	parse
Duration	parse
dateTime	parse
time	parse
date	parse
gYearMonth	parse
gYear	parse
gMonthDay	parse
gDay	parse
gMonth	parse
hexBinary	textToByte
base64Binary	textToByte
anyURI	parse
QName	parse
NOTATION	parse

10.9.2 Boolean

Table 17 Boolean

To	From
String	toString

10.9.3 Float

Table 18 Float

To	From
String	toString
Boolean	boolean

Table 18 Float (Continued)

To	From
Double	floatToDouble
Decimal	floatToDecimal
Byte	floatToByte
Short	floatToShort
Int	floatToInt
Long	floatToLong

10.9.4 Double

Table 19 Double

To	From
String	toString
Boolean	boolean
Float	doubleToFloat
Decimal	doubleToDecimal
Byte	doubleToByte
Short	doubleToShort
Int	doubleToInt
Long	doubleToLong

10.9.5 Decimal

Table 20 Decimal

To	From
String	toString
Boolean	boolean
Float	decimalToFloat
Double	decimalToDouble
Byte	decimalToByte
Short	decimalToShort
Int	decimalToInt
Long	decimalToLong

10.9.6 Byte

Table 21 Byte

To	From
String	toString
Boolean	boolean()
Float	byteToFloat
Double	byteToDouble
Decimal	byteToDecimal
Short	byteToShort
Int	byteToInt
Long	byteToLong

10.9.7 Short

Table 22 Short

To	From
String	toString
Boolean	boolean()
Float	shortToFloat
Double	shortToDouble
Decimal	shortToDecimal
Byte	shortToByte
Int	shortToInt
Long	shortToLong

10.9.8 Int

Table 23 Int

To	From
String	toString
Boolean	boolean()
Float	intToFloat
Double	intToDouble

Table 23 Int (Continued)

To	From
Decimal	intToDecimal
Byte	intToByte
Short	intToShort
Long	intToLong

10.9.9 Long

Table 24 Long

To	From
String	toString
Boolean	boolean()
Float	longToFloat
Double	longToDouble
Decimal	longToDecimal
Byte	longToByte
Short	longToShort
Int	longToInt

10.9.10 Duration

Table 25 Duration

To	From
String	toString
Boolean	boolean

10.9.11 dateTime

Table 26 dateTime

To	From
String	toString
Boolean	boolean
time	dateTimeToTime
date	dateTimeToDate

Table 26 dateTime (Continued)

To	From
gYearMonth	dateTimeToGYearMonth
gYear	dateTimeToGYear
gMonthDay	dateTimeToGMonthDay
gDay	dateTimeToGDay
gMonth	dateTimeToGMonth

10.9.12 time

Table 27 time

To	From
String	toString
Boolean	boolean

10.9.13 date

Table 28 date

To	From
String	toString
Boolean	boolean
gYearMonth	dateToGYearMonth
gYear	dateToGYear
gMonthDay	dateToGMonthDay
gDay	dateToGDay
gMonth	dateToGMonth

10.9.14 gYearMonth

Table 29 gYearMonth

To	From
String	toString
Boolean	boolean
gYear	gYearMonthToGYear
gMonth	gYearMonthToGMonth

10.9.15 gYear

Table 30 gYear

To	From
String	toString
Boolean	boolean

10.9.16 gMonthDay

Table 31 gMonthDay

To	From
String	toString
Boolean	boolean
gDay	gMonthDayToGDay
gMonth	gMonthDayToGMonth

10.9.17 gDay

Table 32 gDay

To	From
String	toString
Boolean	boolean

10.9.18 gMonth

Table 33 gMonth

To	From
String	toString
Boolean	boolean

10.9.19 hexBinary

Table 34 hexBinary

To	From
String	byteToText
Boolean	boolean
base64Binary	hexBinaryToBase64Binary

10.9.20 base64Binary

Table 35 base64Binary

To	From
String	byteToText
Boolean	boolean
hexBinary	base64BinaryToHexBinary

10.9.21 anyURI

Table 36 anyURI

To	From
String	toString
Boolean	boolean

10.9.22 QName

Table 37 QName

To	From
String	toString
Boolean	boolean

10.9.23 NOTATION

Table 38 NOTATION

To	From
String	toString

Table 38 NOTATION (Continued)

To	From
Boolean	boolean

Glossary

activity

An organizational unit for performing a specific function. An activity defines a step of a particular business process.

activity states

The stages that activities within the business process instance go through as the business process version is being run.

Business Process Attribute

Attributes pass user-defined control information (programming arguments) to and from the eInsight Enterprise Service Bus and its activities.

business process

A business process is a collection of actions and messages, revolving around a specific business practice, that flow in a specific pattern to produce an end result.

business process attributes

Business process attributes pass user-defined control information (programming arguments) to and from the e*Insight Business Process Manager, external sources, and internal components.

business process instance (BPI)

A unique instantiation of a business process.

business process model

The graphical representation of a business process.

business process version

A form or variant of the original business process model.

Collaboration

A component of an eWay that receives and processes Events and forwards the output to other eGate components.

eInsight Enterprise Service Bus (eInsight ESB)

The component within the ICAN Suite that facilitates the automation of the business process flow of business activities.

Decision

Controls the logical flow of data-based decisions in the business process model. A Decision outputs specific information when specified input conditions are met.

GUI

Graphical User Interface. A type of computer interface that enables the user to perform actions via the use of symbols, visual metaphors and pointing devices.

Business Process Designer

The Business Process Designer is the portion of the eInsight ESB where you create the business process model, in the form of a flow chart.

security

Security is the ability to limit user access to specific items based on a pre-determined profile of the user.

state

See *activity states*

string

A sequence of text characters.

Sub-process

A sub-process is a business process which is called, or used by, another business process, as a sub-component.

tree view

The tree view displays a hierarchical representation of all the components, and their activities.

User activity

Allows external applications to access attributes in the business process.

Index

A

Activity 27

B

Bootstrap Command 87
 bootstrap command 86, 115
 Branching Activities 27
 Branching Activity
 Decision 27
 Business Process Attributes 35
 Business Process Designer 23
 Business Process Execution Language (BPEL) 24
 Business Process Name 34
 Business Process Properties 34
 Business Rule Activity 27, 32
 Business Rule Designer 32
 Business Rule Links 32
 Business Rules Designer 24

C

Catch All Exception 28
 Catch All Exceptions 29, 48
 Catch Named Exception 28
 Catch Named Exceptions 29, 48
 Checkin 96
 Checkout 96
 Compensate Activity 27
 Compensation 51
 Compensation Handler 28, 29
 Complete 96
 Condition 94
 conventions
 path name separator 15
 Windows 15
 Correlation Key 39
 Correlation set 40

D

Database Host 57
 Database Port 57
 Database Scripts 61

Decision 28
 design
 Business Process Model 22, 32, 34
 document
 conventions 15

E

Empty Activity 27
 End Activity 23
 Environment
 Bootstrap 86, 115
 errors 30
 Escalate 96
 Event Based Decision 27, 28
 eVision Pages and PageFlows 23
 Execute 96

F

File eWay 23
 Flow 27, 28

G

Groups 94

H

History 96

I

Intermediate event
 Timer Event 28
 Intermediate Events 28

J

Java Collaboration Definition 23

L

LDAP 88
 Link 26
 Login 95

M

Map Business Process Attributes 24
 Message Correlation 38
 Message Event 28, 29
 Message Type 41

Index

Method Palette 33

O

Object Type Definition (OTD) 23

P

Partner 37

Persist State 34

port number 95

Print 25

Project 23

R

Reassign 96

Receive Activity 27

Repeating Nodes 46

Reply Activity 27

Roles 94

S

Save 30

Script 61

Show Business Process Code 24

Show Property Sheet 25

Start Activity 23

Sub-Process 45

supporting documents 15

Synchronize Graphical Model and Business Process Code 24

T

Task Assignment 93

Task View 96

Terminate 28, 29

Theme 34

Throw 28, 29

Timer Event 28

toolbar 32

Type 36

U

Use Correlations 42

User Activity 27, 34

V

Validate Business Process Model 25, 30

W

Wait Activity 27

While 29

Windows 86, 115

Worklist Manager 88

writing conventions 15

WSDL Files 42

WSDL Interface Designer and Viewer 44

X

XPath Expression 46

XPath Predicate 46

Z

Zoom 25