



Sun™ HIPPI/P 1.1 Release Notes

Sun Microsystems, Inc.
901 San Antonio Road
Palo Alto, CA 94303-4900
U.S.A. 650-960-1300

Part No. 806-3677-10
February 2000, Revision A

Send comments about this document to: docfeedback@sun.com

Copyright 2000 Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, California 94303-4900 U.S.A. All rights reserved.

This product or document is protected by copyright and distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and other countries, exclusively licensed through X/Open Company, Ltd. For Netscape Communicator™, the following notice applies: (c) Copyright 1995 Netscape Communications Corporation. All rights reserved.

Sun, Sun Microsystems, the Sun logo, AnswerBook2, docs.sun.com, Sun Enterpris, and Solaris are trademarks, registered trademarks, or service marks of Sun Microsystems, Inc. in the U.S. and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

The OPEN LOOK and Sun™ Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

RESTRICTED RIGHTS: Use, duplication, or disclosure by the U.S. Government is subject to restrictions of FAR 52.227-14(g)(2)(6/87) and FAR 52.227-19(6/87), or DFAR 252.227-7015(b)(6/95) and DFAR 227.7202-3(a).

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 2000 Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, Californie 94303 Etats-Unis. Tous droits réservés.

Ce produit ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd. La notice suivante est applicable à Netscape Communicator™: (c) Copyright 1995 Netscape Communications Corporation. Tous droits réservés.

Sun, Sun Microsystems, le logo Sun, AnswerBook2, docs.sun.com, Sun Enterpris, et Solaris sont des marques de fabrique ou des marques déposées, ou marques de service, de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

L'interface d'utilisation graphique OPEN LOOK et Sun™ a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciés de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui en outre se conforment aux licences écrites de Sun.

CETTE PUBLICATION EST FOURNIE "EN L'ETAT" ET AUCUNE GARANTIE, EXPRESSE OU IMPLICITE, N'EST ACCORDEE, Y COMPRIS DES GARANTIES CONCERNANT LA VALEUR MARCHANDE, L'APTITUDE DE LA PUBLICATION A REPENDRE A UNE UTILISATION PARTICULIERE, OU LE FAIT QU'ELLE NE SOIT PAS CONTREFAISANTE DE PRODUIT DE TIERS. CE DENI DE GARANTIE NE S'APPLIQUERAIT PAS, DANS LA MESURE OU IL SERAIT TENU JURIDIQUEMENT NUL ET NON AVENU.



Adobe PostScript

Contents

Preface	v
Before You Read This Book	v
Using UNIX Commands	v
Typographic Conventions	vi
Shell Prompts	vi
Related Documentation	vii
Ordering Sun Documentation	vii
Accessing Sun Documentation Online	vii
Sun Welcomes Your Comments	viii
1. Sun HIPPI/P 1.1 Release Notes	1
General Issues	1
AP and DR	1
Broadcasting	1
Character Device Interface	2
Platform Support	2
Software Support	2
Getting Started	2
Obtaining the Software	3

- ▼ To Obtain the Sun HIPPI/P 1.1 Software From the Web 3

Known Bugs 3

- `sink(1M)` and `blast(1M)` Can Fail Under Solaris 2.6 (4307714) 3

- ▼ To Use `sink(1M)` or `blast(1M)` in the Solaris 2.6 Operating Environment 4

Documentation Errata 4

Preface

This document contains the release notes for the Sun HIPPI/P 1.1 release.

Before You Read This Book

This book is intended for system administrators who have a working knowledge of UNIX® systems, particularly those based on the Solaris™ operating environment. If you do not have such knowledge, first read the *Solaris User and System Administrator* collection in AnswerBook2™ format provided with this system and consider UNIX system administration training.

Using UNIX Commands

This document may not contain information on basic UNIX® commands and procedures such as shutting down the system, booting the system, and configuring devices.

See one or more of the following for this information:

- AnswerBook2 online documentation for the Solaris 2.x software environment, particularly those dealing with Solaris system administration
- Other software documentation that you received with your system

Typographic Conventions

Typeface or Symbol	Meaning	Examples
AaBbCc123	The names of commands, files, and directories; on-screen computer output	Edit your <code>.login</code> file. Use <code>ls -a</code> to list all files. % You have mail.
AaBbCc123	What you type, when contrasted with on-screen computer output	% su Password:
<i>AaBbCc123</i>	Book titles, new words or terms, words to be emphasized	Read Chapter 6 in the <i>User's Guide</i> . These are called <i>class</i> options. You <i>must</i> be superuser to do this.
	Command-line variable; replace with a real name or value	To delete a file, type <code>rm filename</code> .

Shell Prompts

Shell	Prompt
C shell	<i>machine_name</i> %
C shell superuser	<i>machine_name</i> #
Bourne shell and Korn shell	\$
Bourne shell and Korn shell superuser	#

Related Documentation

Application	Title	Part Number
Installation	<i>Sun HIPPI/P 1.1 Installation and User Guide</i>	806-3673
Reference	<i>Sun HIPPI/P 1.1 Reference Manual</i>	806-3674

Ordering Sun Documentation

Fatbrain.com, an Internet professional bookstore, stocks select product documentation from Sun Microsystems, Inc.

For a list of documents and how to order them, visit the Sun Documentation Center on Fatrain.com at:

<http://www1.fatrain.com/documentation/sun>

Accessing Sun Documentation Online

The `docs.sun.com`SM web site enables you to access Sun technical documentation on the Web. You can browse the `docs.sun.com` archive or search for a specific book title or subject at:

<http://docs.sun.com>

Sun Welcomes Your Comments

We are interested in improving our documentation and welcome your comments and suggestions. You can email your comments to us at:

`docfeedback@sun.com`

Please include the part number (806-3677-10) of your document in the subject line of your email.

Sun HIPPI/P 1.1 Release Notes

This document includes the general issues, supported platforms, and supported software, bugs, and documentation errata for the Sun HIPPI/P 1.1 release. At the time this document was printed, no patches are needed for this release of the Sun HIPPI/P 1.1 Network Interface Card (NIC).

General Issues

This section contains the general issues for this release of the Sun HIPPI/P 1.1 NIC. You must be aware of these issues before you attempt to install and use the Sun HIPPI/P 1.1 NIC on your system.

AP and DR

The Sun HIPPI/P 1.1 release does not support Alternate Pathing (AP) and Dynamic Reconfiguration (DR); thus, you cannot have alternate paths to a Sun HIPPI/P 1.1 NIC, nor can you safely remove a board that has a Sun HIPPI/P 1.1 NIC attached to it.

Broadcasting

The Sun HIPPI/P 1.1 release does not support broadcasting. The Sun HIPPI/P 1.1 network is a connection-oriented network, not a packet-based network, such as Ethernet.

Character Device Interface

This release of the Sun HIPPI/P 1.1 software does not include the Character Device Interface packages or documentation. If you have support issues, contact your Sun representative.

Platform Support

This section contains a list of the platforms that support the Sun HIPPI/P 1.1 NIC and the number of devices that are supported on each platform.

TABLE 0-1 Platform Support

Platform Name	Number of Devices Supported
Sun Enterprise 10000	Four (4) per domain
Sun Enterprise 3x00, 4x00, 5x00, 6x00	Four (4) per platform
Ultra 60	One (1) per platform
Ultra 80	One (1) per platform

Software Support

The following list contains the Solaris operating environment releases supported by the Sun HIPPI/P 1.1 release.

- Solaris 2.6
- Solaris 7
- Solaris 8

Getting Started

You can obtain the Sun HIPPI/P 1.1 software from one of the following sources:

- The Web
- The Sun HIPPI/P 1.1 CD-ROM

Obtaining the Software

If you plan to use the Sun HIPPI/P 1.1 CD-ROM to obtain the software, refer to the *Sun HIPPI/P 1.1 Installation and User Guide* for instructions. If you plan to obtain the Sun HIPPI/P 1.1 software from the Web, use the following procedure.

▼ To Obtain the Sun HIPPI/P 1.1 Software From the Web

1. **Using your web browser, go to** <http://www.sun.com/servers/sw/>
2. **Click on the** `HIPPI/P 1.1` **link.**
3. **Click on the** `Click here to download` **link.**
The downloaded file is named `sun_hippi_1_1.zip`.
4. **Log in as superuser if you have not already done so.**
5. **Change directories to the directory in which you downloaded the software.**
6. **Unzip the downloaded file.**

The Sun HIPPI/P 1.1 packages are located in the following directory:

`/download_directory/hippi_1.1/Product`

Refer to “To Install Sun HIPPI/P By Using `pkgadd(1M)`” in the *Sun HIPPI/P 1.1 Installation and User Guide* to complete the rest of the installation.

Known Bugs

This section contains the known bugs that were discovered during this release.

`sink(1M)` and `blast(1M)` Can Fail Under Solaris 2.6 (4307714)

The `sink(1M)` and `blast(1M)` commands can fail when they are executed on a domain that is running the Solaris 2.6 operating environment. These commands are part of the loopback tests in the *Sun HIPPI/P 1.1 Installation and User Guide*; however, this behavior happens anytime `sink(1M)` or `blast(1M)` are executed in the Solaris 2.6 operating environment.

Workaround: If you plan to use `sink(1M)` and/or `blast(1M)`, use the following steps.

▼ To Use `sink(1M)` or `blast(1M)` in the Solaris 2.6 Operating Environment

1. As superuser, kill the HIPPI daemon by typing:

```
# hippid -k
```

You can now safely use the `sink(1M)` and/or `blast(1M)` commands; however, you cannot terminate a `sink(1M)` or `blast(1M)` process that is waiting to receive or send data without executing the following step.

2. If necessary, terminate the `sink(1M)` or `blast(1M)` process by typing:

```
# hippid off hipn  
# hippid on hipn
```

Where *n* equals the instance number of the HIPPI NIC interface.

3. Restart the HIPPI daemon by typing:

```
# hippid
```

Documentation Errata

This section contains errors that were found in the documentation after it was released.

The *Sun HIPPI/P 1.1 Installation and User Guide* contains several instances of the default MTU size. The size should be 57384.