

## Sun™ Management Center 4.0 Version 4 Add-On Software Release Notes

Sun Microsystems, Inc. www.sun.com

Part No. 820-4781-10 June 2008, Revision A Copyright 2008 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at http://www.sun.com/patents and one or more additional patents or pending patent applications in the U.S. and in other countries.

This document and the product to which it pertains are distributed under licenses restricting their use, copying, distribution, and decompilation. No part of the product or of this document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any.

Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and in other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, Java, docs.sun.com, Solaris, Sun Management Center, Netra, Sparc Enterprise, Sun Fire, Sun Blade, and Sun Ultra are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and in other countries.

All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and in other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

The OPEN LOOK and Sun<sup>TM</sup> Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

U.S. Government Rights—Commercial use. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 2008 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, Californie 95054, États-Unis. Tous droits réservés.

Sun Microsystems, Inc. possède les droits de propriété intellectuels relatifs à la technologie décrite dans ce document. En particulier, et sans limitation, ces droits de propriété intellectuels peuvent inclure un ou plusieurs des brevets américains listés sur le site http://www.sun.com/patents, un ou les plusieurs brevets supplémentaires ainsi que les demandes de brevet en attente aux les États-Unis et dans d'autres pays.

Ce document et le produit auquel il se rapporte sont protégés par un copyright et distribués sous licences, celles-ci en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a.

Tout logiciel tiers, sa technologie relative aux polices de caractères, comprise, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit peuvent dériver des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux États-Unis et dans d'autres pays, licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, Java, AnswerBook2, docs.sun.com, Solaris, Sun Management Center, Netra, Sparc Enterprise, Sun Fire, Sun Blade, et Sun Ultra sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux États-Unis et dans d'autres pays.

Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux États-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

L'interface utilisateur graphique OPEN LOOK et  $Sun^{TM}$  a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox dans la recherche et le développement du concept des interfaces utilisateur visuelles ou graphiques pour l'industrie informatique. Sun détient une license non exclusive de Xerox sur l'interface utilisateur graphique Xerox, cette licence couvrant également les licenciés de Sun implémentant les interfaces utilisateur graphiques OPEN LOOK et se conforment en outre aux licences écrites de Sun.

LA DOCUMENTATION EST FOURNIE "EN L'ÉTAT" ET TOUTES AUTRES CONDITIONS, DÉCLARATIONS ET GARANTIES EXPRESSES OU TACITES SONT FORMELLEMENT EXCLUES DANS LA LIMITE DE LA LOI APPLICABLE, Y COMPRIS NOTAMMENT TOUTE GARANTIE IMPLICITE RELATIVE À LA QUALITÉ MARCHANDE, À L'APTITUDE À UNE UTILISATION PARTICULIÈRE OU À L'ABSENCE DE CONTREFAÇON.

## Contents

Sun Management Center 4.0 Version 4 Add-On Software Release Notes 1
What's New in This Release 1
Supported Systems and Environments 2
Recommended Patches 3
Obtaining the Add-On Software 4
Installation 5
Installing Sun Management Center 4.0 Software 6
Updating From Sun Management Center 3.6 or 3.6.1 Software 7
Known Bugs 8
SunMC Does Not Show NEM Entities 8
Additional Fan Sensor Threshold Not Displayed 8
Fan FRU Data Not Shown 8
SunMC Console Falsely Displays Description Information of New Objects Created With Empty Description Field 9
Network Interfaces Table Displays Only On-Board Network Interfaces 9
Config Reader Tables and Physical Views Do Not Display REM, FEM 9
Physical View Does Not Display Service Processor 10
SunMC Console Does Not Show All Tabs for Sun Fire T1000/T2000 Systems $10$
Processors Table Does Not Appear in Web Console 11

## Sun Management Center 4.0 Version 4 Add-On Software Release Notes

This document contains release notes for the Sun<sup>TM</sup> Management Center 4.0 Version 4 add-on software (or *Common Config Reader*) for SPARC® Enterprise, Sun Fire<sup>TM</sup>, Sun Blade<sup>TM</sup>, Sun Ultra<sup>TM</sup>, and Netra<sup>TM</sup> systems. The document includes the following sections:

- "What's New in This Release" on page 1
- "Supported Systems and Environments" on page 2
- "Recommended Patches" on page 3
- "Obtaining the Add-On Software" on page 4
- "Installation" on page 5
- "Known Bugs" on page 8

## What's New in This Release

Server/console packages for x86 are now provided to allow SPARC agent platforms to be monitored from x86 consoles. Support for x86 consoles is only included in core Sun Management Center 4.0, or later.

## Supported Systems and Environments

Sun Management Center 4.0 Version 4 add-on software adds support for Netra T5440 systems.

TABLE 1 lists the software versions required for Sun Management Center 4.0 Version 4 add-on software.

TABLE 1 Minimum Required Software Versions

Host	Required Software	Version
Server machine	Solaris Operating System <sup>1 2</sup>	8, 9, 10
		Server supported S10U3 & newer, and Console S9 & S10U3 & newer are required for x86 support
	Sun Management Center server base software	3.6, 3.6.1 or 4.0 release required for systems without x86 support.
		4.0 Core release required for x86 support
	Sun Management Center Common Config Reader add-on software	4.0 Version 4 or later.
Monitored platform	Solaris Operating System kernel update $^{12}$	8 - kernel update 122702-02 or higher 9 - kernel update 118558-26 or newer 10 - kernel update 119850-18 or newer
	Sun Management Center base software	3.6, 3.6.1, or 4.0 Core release
	Sun Management Center Common Config Reader add-on software	4.0 Version 4 or later.
Workstations or common network location (for console layer)	Solaris Operating System <sup>1</sup> , for SPARC	8, 9, 10
	Solaris Operating System <sup>1</sup> , for x86.	Server supported S10U3 & newer Console S9 & S10U3 newer
	Sun Management Center console base software	3.6, 3.6.1, or 4.0 Core release

<sup>1</sup> Solaris Operating System distribution must be at least "End User Systems Support."

**Note** – The Sun Management Center server and agent machines must use the same versions of add-on software.

<sup>2</sup> The Solaris operating environment is dependent on the supported platform. Refer to the platform documentation for details of the Solaris version supported by your platform.

Sun Management Center 4.0 Version 4 add-on software supports the following platforms:

- Netra 210 server
- Netra 240 server
- Netra 440 server
- Netra T2000 server
- Netra T5440 server
- Sun Netra T5220 server
- Sun Blade 1500 workstation
- Sun Blade 2500 workstation
- Sun Blade T6300 Server
- Sun Blade T6320 server
- Sun Fire V125 server <sup>1</sup>
- Sun Fire V210 server <sup>3</sup>
- Sun Fire V215 server
- Sun Fire V240 server
- Sun Fire V245 server
- Sun Fire V250 server
- Sun Fire V440 server
- Sun Fire V445 server
- Sun Fire T1000 server<sup>2</sup>
- Sun Fire T2000 server
- Sun SPARC Enterprise T1000 server
- Sun SPARC Enterprise T2000 server
- Sun SPARC Enterprise T5120 server
- Sun SPARC Enterprise T5140 server
- Sun SPARC Enterprise T5220 server
- Sun SPARC Enterprise T5240 server
- Sun Ultra 25 workstation
- Sun Ultra 45 workstation

### **Recommended Patches**

Solaris™ software patches and Sun Management Center patches might be available for the core Sun Management Center 4.0 application and for this add-on software. You must install all the patches required for your operating system before installing Sun Management Center 4.0 software and this add-on.

If you have a Sun service contract, you can download the patches from:

http://sunsolve.sun.com

- 1. SunMC 4.0 Version 4 require ALOM 1.6.7, or later, on these systems.
- 2. Both single- and dual-drive versions of the Sun Fire T1000 server are supported.

For more information about the patches required for the latest update to Sun Management Center 4.0 software, see the corresponding *Sun Management Center Software Release Notes*.

These release notes contains information to supplement the *Sun Management Center* 4.0 *Installation and Configuration Guide*, 820-2215. Also refer to the preface of that document for a full list of related documentation.

You can find Sun Management Center 4.0 documentation and add-on software release notes at:

http://docs.sun.com/app/docs/col1/1734.1

## Obtaining the Add-On Software

The Sun Management Center add-on software packages are provided as a zipped file on the software download sites:

http://wwws.sun.com/software/download/

http://www.sun.com/downloads/

If you do not see the listing for Sun Management Center under the "New Downloads", tabs use the index under the "Downloads A-Z" tab<sup>3</sup> or use the "View by Category" tab and look in the "System Administration" section under "System Management".

The software is also available from http://www.sun.com/software/ under the "Sun N1 Software" selection by clicking on the "Sun Management Center" link and selecting "Get Sun Management Center 4.0".

<sup>3.</sup> Sun Management Center products may be listed under S for Sun Management.

### Installation

If you plan to install and set up the SunMC 4.0 Version 4 add-on software on top of core Sun Management Center 4.0 refer to the Sun Management Center 4.0 Installation and Configuration Guide.




**Caution** – Use the installation and setup scripts provided with the Sun Management Center software. Do *not* manually add packages or manually change configuration files.

Only install the Sun Management Center 4.0 Version 4 add-on software on core Sun Management Center 3.6, or 3.6.1 or Sun Management Center 4.0 or later.

If you plan to continue using core Sun Management Center 3.6 or 3.6.1, uninstall any previously installed version of the add-on software before you install the Sun Management Center 4.0 Version 4 add-on software.

This SunMC 4.0 Version 4 add-on software is installed using a separate zip file, requiring a change to the installation procedure. FIGURE 1-1 shows a high-level view of the installation process.

FIGURE 1-1 Installation Process Flow



### Installing Sun Management Center 4.0 Software

If you have not yet installed any core Sun Management Center 3.6, 3.6.1, or 4.0 software, you must install that *before* installing this Version 4 add-on software.

**Note** – The installation process for Sun Management Center 4.0 software includes uninstallation of previous releases of Sun Management Center software. Refer to the *Sun Management Center Installation and Configuration Guide* for detailed information about upgrading from earlier releases.

#### ▼ To Install Sun Management Center 4.0 Software

- 1. Refer to the Sun Management Center 4.0 Supplement for Sun Fire, Sun Blade, and Netra Systems for information about preparing for installation.
- 2. Refer to the Sun Management Center Installation and Configuration Guide for instructions for installing the core software.

If you are updating a previous release of Sun Management Center software, read the information about updating the software from your currently installed release.

**Note** – Do *not* install Common Config Reader as part of this step.

In the course of performing this installation you will come to a dialog that allows you to select from a list of add-on products. *Do not* install the Common Config Reader add-on product.

3. Perform the steps outlined in the procedure "To Install the 4.0 Version 4 Add-On Software" on page 6.

#### ▼ To Install the 4.0 Version 4 Add-On Software

1. Download the software.

Refer to "Obtaining the Add-On Software" on page 4 of this document for information about obtaining the software.

- 2. Unzip the zip file to a directory located at a path named downloadpath.
- 3. Log in as superuser on the host machine.

4. Change the directory to the path where the core Sun Management Center 4.0 software is installed.

The directory will look similar to this:

installed\_directory/SUNWsymon/sbin

5. Run the es-guiinst or es-inst installation script.

You will be prompted to enter a pointer to the path named

downloadpath/disk1/image/

using *downloadpath* as described in Step 2. You will then see a list of add-on products that you can install.

- 6. Choose the Common Config Reader add-on product.
- 7. Complete the remaining steps included in the installation script.
- 8. Follow the steps to set up the software.

The installation wizard will prompt you to set up the software. For more information, refer to the *Sun Management Center Installation and Configuration Guide*.

## Updating From Sun Management Center 3.6 or 3.6.1 Software

If you have already installed core Sun Management Center 3.6, or later, software on your server and console systems, use the following procedures:

- "To Uninstall Previous Versions of the Add-On Software" on page 7 If the version of the add-on software included with the core Sun Management Center 3.6 software is installed on any systems in your configuration, you must follow this procedure. Otherwise, you may skip this step.
- "To Install the 4.0 Version 4 Add-On Software" on page 6 Follow this procedure to install this Sun Management Center 4.0 Version 4 add-on software.

#### ▼ To Uninstall Previous Versions of the Add-On Software

• Refer to the Sun Management Center 4.0 Installation and Configuration Guide.

The appendixes of the guide provide instructions for uninstalling add-on products using the es-guiuninst wizard or the es-uninst command-line script. Uninstall only the Common Config Reader add-on software.

## Known Bugs

This section describes software bugs known at the time of this release that you might notice or that can affect the operation of Sun Management Center 4.0 Version 4 add-on software.

#### SunMC Does Not Show NEM Entities

On some Sun Blade servers, Network Expansion modules (NEM) do not appear in the Expansion Cards table portion in the Config Reader.

Workaround: None.

[6525058]

### Additional Fan Sensor Threshold Not Displayed

On some sun4v systems, the Common Config Reader's Tachometers (Numeric) table displays only one set of threshold values for fan sensors.

Workaround: Use the SC showenvironment command to view any additional fan sensor thresholds.

SC> showenvironment

[6569502]

#### Fan FRU Data Not Shown

Fan FRU information is not displayed in the Common Config Reader Fans table.

*Workaround*: You can get the information through the SC command line.

SC> showfru /SYS/FANBD0

[6576446]

## SunMC Console Falsely Displays Description Information of New Objects Created With Empty Description Field

If an object is newly created without Description information, the SunMC Console's Info tab, instead of showing a blank entry in the field, displays information in the Description field of an existing object created with a non-blank Description field.

Workaround: Make sure that the Description information is included when creating new objects.

[6585734]

## Network Interfaces Table Displays Only On-Board Network Interfaces

On sun4v systems, the SunMC Network Interfaces table shows only on-board network interfaces, not plugged-in network interface cards. This does not indicate a defect of an NIC's interface.

The table properly shows both on-board and plugged-in network interfaces on sun4u systems.

Workaround: None.

[6628642]

# Config Reader Tables and Physical Views Do Not Display REM, FEM

On Sun Blade T6320 the Expansion Cards table should display the Raid Expansion Module (REM) and Fabric Expansion Model (FEM). In addition, the physical view (front) of the Sun Blade T6320 Server Module should highlight the REM and FEM (and display their properties in the right hand side window) when the mouse is moved over the image. Currently there's no such information displayed in the table or the physical view.

Workaround: Use the showfru command to view these FRUs.

sc> showfru

### Physical View Does Not Display Service Processor

The physical view (front) of the Sun Blade T6320 Server Module should highlight the service processor (and display its properties in the right hand side window) when the mouse is moved over the image. Currently there's no such information displayed in the physical view.

*Workaround*: The service processor properties are correctly displayed in the Other Components table.

[6628816]

## SunMC Console Does Not Show All Tabs for Sun Fire T1000/T2000 Systems

The SunMC Console does not display all tabs for Sun Fire T2000/T1000 Systems. Applications and Hardware tabs are not displayed.

*Workaround:* To display all the tabs in the SunMC GUI console go to the /var/opt/SUNWsymon/cfg directory and rename the following files:

```
nonagent-sparc-enterprise-t1000-family-j.x
nonagent-sparc-enterprise-t2000-family-j.x
sparc-enterprise-t1000-family-j.x
```

#### The files are to be renamed as:

```
nonagent-SPARC-Enterprise-T1000-family-j.x
nonagent-SPARC-Enterprise-T2000-family-j.x
SPARC-Enterprise-T1000-family-j.x
SPARC-Enterprise-T2000-family-j.x
```

[6631540]

## Processors Table Does Not Appear in Web Console

The Web Console (browser based https://<server\_system>:6789), to view an agent system, the Hardware -> Config Reader -> Device Information node may not expand to show the tables within that node (Processors, Media Devices, Network Interfaces, Indicators and Other Devices). If there is no triangle icon beside the Device Information node, then it cannot be expanded.

Workaround: Use the Java GUI Console instead of the Web Console.

[6662409]

## SunMC Displays All Disks as "Not Configured" With LDOMS Setup

With LDOMS setup the SunMC Media devices table shows "Not Configured" as the Availability status for all disks. The physical path and type of the disk are also not displayed on the table. Without LDOMS setup the correct status (Running/Full power) is displayed. This issue occurs on Sun SPARC Enterprise T2000 Systems.

[6666611]