



Sun™ Management Center 3.5 Version 3 Release Notes for Sun Fire™ Midrange Systems

Sun Microsystems, Inc.
www.sun.com

Part No. 817-3627-10
February 2004, Revision 01

Submit comments about this document at: <http://www.sun.com/hwdocs/feedback>

Copyright 2004 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and in other countries.

This document and the product to which it pertains are distributed under licenses restricting their use, copying, distribution, and decompilation. No part of the product or of this document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any.

Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and in other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, docs.sun.com, Sun Fire, and Solaris are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and in other countries.

All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and in other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

The OPEN LOOK and Sun™ Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

U.S. Government Rights—Commercial use. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 2004 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, Californie 95054, Etats-Unis. Tous droits réservés.

Sun Microsystems, Inc. a les droits de propriété intellectuels relatants à la technologie qui est décrit dans ce document. En particulier, et sans la limitation, ces droits de propriété intellectuels peuvent inclure un ou plus des brevets américains énumérés à <http://www.sun.com/patents> et un ou les brevets plus supplémentaires ou les applications de brevet en attente dans les Etats-Unis et dans les autres pays.

Ce produit ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y ena.

Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, docs.sun.com, Sun Fire, et Solaris sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays.

Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits protant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

L'interface d'utilisation graphique OPEN LOOK et Sun™ a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciées de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui en outre se conforment aux licences écrites de Sun.

LA DOCUMENTATION EST FOURNIE "EN L'ÉTAT" ET TOUTES AUTRES CONDITIONS, DECLARATIONS ET GARANTIES EXPRESSES OU TACITES SONT FORMELLEMENT EXCLUES, DANS LA MESURE AUTORISEE PAR LA LOI APPLICABLE, Y COMPRIS NOTAMMENT TOUTE GARANTIE IMPLICITE RELATIVE A LA QUALITE MARCHANDE, A L'APTITUDE A UNE UTILISATION PARTICULIERE OU A L'ABSENCE DE CONTREFAÇON.



Contents

Changes in Software	1
General Information	2
Automatic Diagnosis and Recovery Features Not Reported	2
Use CLI Commands for Hot-Swapping Operations	2
Required Software Versions	3
Obtaining the Add-on Software	4
Finding the Documentation	4
Known Bugs	4
Platform Agent Physical View Still Shows Removed Components (Bug ID 4970824)	5
Platform Agent Monitor Slot SC View Shows System Controller Connected After Hot-Swapped Out (Bug ID 4973201)	5
Dynamic Reconfiguration Module Does Not Update Tables After Hot-Swap Operations on cPCI/hPCI Cards (Bug ID 4974969)	5
SC Table Displays Incorrect Values (Bug ID 4975830)	6
SC Power Status Is Not Updated in SC Table After Powering Off Spare System Controller (Bug ID 4976504)	6
When Power Supply Is Powered Off, Sun Management Center Does Not Receive Notice (Bug ID 4976872)	7
Platform Administration Tables Not Updated Quickly After Domain Dynamic Reconfiguration Operation (Bug ID 4979271)	7

Platform Administration Domain X View Keyswitch Operations Fail to Show Correct State (Bug ID 4982790)	8
SC Table Displays Incorrect SC Board Type for New SC Board Type (Bug ID 4983881)	8
Platform Administration Chassis and Domain X Syslog Loghosts Cannot Be Removed or Cleared (Bug ID 4984145)	8
Platform Administration Chassis and Domain X Trap Host Can Be Removed and Cleared (Bug ID 4984162)	9
Platform Administration Slot SC Time Zone Does Not Update Quickly When Changed Using CLI Command (Bug ID 4984906)	9
Platform Administration Slot System Controller Network Setup Accepts Invalid Network Mask and IP Address (Bug ID 4984961)	9
Upgrading Add-on Software Fails Using Sun Management Center 3.5 Install Wizard (Bug ID 4994230)	10
Agent Update Status Reports "Failed," But Is Actually Successful (Bug ID 4994784)	10
Documentation Errata	10
Package Table Has Some Incorrect Base Layers Where Packages Belong	11
Power Off Option Listed Incorrectly As Available for Power Supplies (Bug ID 4979650)	11
Chassis Uptime in Chassis Table Is Displayed in Milliseconds (Bug ID 4983723)	11
Power Supply Domain Is Missing From the Power Supply Table (Bug ID 4983868)	12
Platform Administration Test Board Option Is Available for CPU Boards <i>Only</i> (Bug ID 4984111)	12
L2 Repeater Name in L2 Repeater Table Should Be RP x (Bug ID 4985851)	12
Description for Property Disk Name in Disk Device Table Is Incorrect (Bug ID 4987337)	13
Descriptions of L2 Repeater and Fan Tray Domains Are Incorrect (Bug ID 4988664)	13

Sun Management Center 3.5 Version 3 Release Notes for Sun Fire Midrange Systems

This document contains the Sun Management Center 3.5 Version 3 Release Notes for the Sun Fire Midrange Systems. It includes the following sections:

- [“Changes in Software” on page 1](#)
- [“Required Software Versions” on page 3](#)
- [“Obtaining the Add-on Software” on page 4](#)
- [“Finding the Documentation” on page 4](#)
- [“Known Bugs” on page 4](#)

Changes in Software

This section describes changes in Sun Fire Midrange Systems add-on software between the release of Sun Management Center 3.5 software and this release of Sun Management Center 3.5 add-on software for Sun Fire Midrange Systems, Version 3.

- Adds support for peripheral component interconnect plus (PCI+) input/output (I/O) boards.
- Adds support for UltraSPARC IV central processing units (CPUs).
- Adds support for two new models in the Sun Fire Midrange Systems family: E6900 and E4900. The supported model numbers for the release are:
 - E6900
 - E4900
 - 6800
 - 4800
 - 4810
 - 3800

- Changes system title to the more generic Sun Fire Midrange Systems rather than listing all the model numbers.

For more detailed information about situations that might affect the performance of Sun Management Center 3.5 add-on software for Sun Fire Midrange Systems, Version 3, refer to the *Sun Fire Midrange Systems Firmware 5.16.0 Release Notes*.

General Information

This section describes general information about this release of Sun Management Center 3.5 add-on software for Sun Fire Midrange Systems, Version 3.

Automatic Diagnosis and Recovery Features Not Reported

Sun Management Center does not report the fault event information reported in the automatic diagnosis and recovery features provided in firmware release 5.15 and greater as described in the *Sun Fire Midrange Systems Platform Administration Manual* and the *Sun Fire Midrange System Controller Command Reference Manual* for 5.15 and greater.

Use CLI Commands for Hot-Swapping Operations

Use command-line interface (CLI) commands to perform hot-swap operations, rather than Sun Management Center 3.5 Version 3 add-on software for Sun Fire Midrange Systems. For more information about hot-swapping operations on Sun Fire Midrange Systems, refer to the latest *Sun Fire Midrange Systems Dynamic Reconfiguration User Guide*, *Sun Fire Midrange System Controller Command Reference Manual*, and *Sun Fire E6900/E4900 or 6800/4810/4800/3800 Systems Service Manual*

Required Software Versions

TABLE 1 lists the software versions required for Sun Management Center 3.5 add-on software for Sun Fire Midrange Systems, Version 3.

TABLE 1 Required Software Versions

Host	Required Software	Version
Server machine	Solaris Operating Environment	8 2/02 and 9 12/03 and forward
	Sun Management Center base software	3.5
	Sun Management Center Sun Fire Midrange Systems add-on software	3.5 Version 3
System controllers	Real-Time Operating System (RTOS)	36 and greater
	Sun Fire Midrange Systems Firmware	5.16.0 and greater
Sun Fire Midrange Systems domains	Solaris Operating Environment	8 2/02 and 9 12/03 ¹ and forward
	Sun Management Center base software	3.5
	Sun Management Center Sun Fire Midrange Systems add-on software	3.5 Version 3
Workstations or common network location (for console layer)	Solaris Operating Environment	2.6, 7, 8, 9
	Sun Management Center base software	3.5

¹ Solaris Operating Environment must be at least Solaris 8 2/04 or Solaris 9 4/04 if a Sun Fire Midrange Systems domain contains any uniboards with UltraSPARC IV processors.

Note – The Sun Management Center server and agent machines need to use the same versions of add-on software.

Obtaining the Add-on Software

The Sun Management Center 3.5 add-on software packages and documents for Sun Fire Midrange Systems, Version 3, are supplied in a zip file named SunManagementCenter_3_5_SunFire_Supplements_V3 on the software download site:

<http://www.sun.com/software/download/index.html>

If you don't see the listing for **Sun Management Center 3.5, Enterprise Systems Products Sun Fire Supplements - Version 3** under New Downloads, do the following:

1. Click on the **A-Z Index of All Products**.
2. Click on **S**.
3. Scroll down and click on **Sun Management Center 3.5, Enterprise Systems Products Sun Fire Supplements - Version 3**.
4. Click on **Download**.
5. Log in to the **Download Center**.
6. Click on **Accept** to accept the **License Agreement**, and click on **Continue**.
7. Follow the instructions on the download page.

Finding the Documentation

The English and localized documentation can be found in the following directory of the downloaded zip file:

/disk2/image/Additional_Addon_Docs/

Known Bugs

This section describes software bugs known at the time of this release and that you may notice or that can affect the operation of Sun Management Center 3.5 add-on software for Sun Fire Midrange Systems, Version 3.

Platform Agent Physical View Still Shows Removed Components (Bug ID 4970824)

After central processing unit/memory (CPU/MEM) boards, input/output (I/O) boards, power supplies, fan trays, system controllers, and L2 repeaters are dynamically reconfigured (DR), unassigned, and removed successfully, the Platform Agent physical view still shows the image of the component in the chassis with -- for every monitored attribute on the right side of the window.

Workaround: Close and reopen the Details window.

Platform Agent Monitor Slot SC View Shows System Controller Connected After Hot-Swapped Out (Bug ID 4973201)

The Platform Agent Slot system controller (SC) view and hardware platform physical and logical views show the system controller connected after it has been hot-swapped out.

Workarounds:

1. Restart the platform agent.
2. Wait for the next refresh cycle (about 30 minutes).
3. On the system controller command line interface (CLI), issue any command to refresh the Sun Management Center console.

Dynamic Reconfiguration Module Does Not Update Tables After Hot-Swap Operations on cPCI/hPCI Cards (Bug ID 4974969)

The Dynamic Reconfiguration module does not correctly update tables after hot-swap operations on compact PCI/hot-swap PCI (cPCI/hPCI) cards on a Sun Fire Link PCI (WPCI) board. Upon removal of the card, the Attachment Points -> cPCI/hPCI table continues to show the card in the table. Upon insertion of the card, the Attachment Points -> cPCI/hPCI table continues to *not* show the card in the table.

Workarounds:

1. Restart the domain agent.
2. Wait for the next refresh cycle (about 30 minutes).
3. On the system controller command line interface (CLI), issue any command to refresh the Sun Management Center console.

SC Table Displays Incorrect Values (Bug ID 4975830)

In Hardware -> Platform Administration -> Platform -> Slots, the following properties in the SC table display these incorrect values.

- SC IP Address: 0 . 0 . 0 . 0
- SC Netmask: 0 . 0 . 0 . 0
- SC Number Connections of Main SC: 1
- SC Number Connections of Spare SC: -1

Workaround: None

SC Power Status Is Not Updated in SC Table After Powering Off Spare System Controller (Bug ID 4976504)

In Hardware -> Platform Administration -> Platform -> Slots, the SC Power Status property in the SC table still shows that the spare system controller is powered on after it has been powered off.

Workarounds:

1. Restart the platform agent.
2. Wait for the next refresh cycle (about 30 minutes).
3. On the system controller command line interface (CLI), issue any command to refresh the Sun Management Center console.

When Power Supply Is Powered Off, Sun Management Center Does Not Receive Notice (Bug ID 4976872)

When a power supply is powered off, notice is not sent to Sun Management Center; therefore, the power supply Status property field still says `PoweredOn`.

Workarounds:

1. Restart the platform agent.
2. Wait for the next refresh cycle (about 30 minutes).
3. On the system controller command line interface (CLI), issue any command to refresh the Sun Management Center console.

Platform Administration Tables Not Updated Quickly After Domain Dynamic Reconfiguration Operation (Bug ID 4979271)

The Sun Management Center Platform Administration tables are not updated in a timely manner when a domain dynamic reconfiguration (DR) operation completes successfully, such as a system board being powered off. (*See also* Bug ID 4976872).

Workarounds:

1. Restart the platform agent.
2. Wait for the next refresh cycle (about 30 minutes).
3. On the system controller command line interface (CLI), issue any DR command to refresh the Sun Management Center console.

Platform Administration Domain X View Keyswitch Operations Fail to Show Correct State (Bug ID 4982790)

The Platform Administration Domains table may not show the correct Domain Keyswitch position.

Workarounds:

1. Right-click on the Domains table, and click the Refresh button. The Domain Keyswitch value is updated.
2. Switch to another table in Platform Administration, then switch back to the Domains table. The Domain Keyswitch value is updated.

SC Table Displays Incorrect SC Board Type for New SC Board Type (Bug ID 4983881)

Sun Management Center shows all system controller (SC) boards to be of type SC, regardless of the SC's revision.

Workaround: Use the `showboards` CLI command to display the correct SC revision number. Refer to the *Sun Fire Midrange System Controller Command Reference Manual* for more information about the `showboards` command.

Platform Administration Chassis and Domain X Syslog Loghosts Cannot Be Removed or Cleared (Bug ID 4984145)

From the Platform Administration Chassis and Domain X Setup Loghosts dialog box, the Syslog Loghosts entry cannot be removed or cleared. If you attempt to remove or clear the Syslog Loghosts entry, the data remains unchanged, and you receive *no* warning.

Workaround: None.

Platform Administration Chassis and Domain X Trap Host Can Be Removed and Cleared (Bug ID 4984162)

From the Platform Administration Chassis and Domain X Setup Loghosts dialog box, the Simple Network Management Protocol (SNMP) Trap Host entry can be removed or cleared, and you receive *no* warning.



Caution – Sun Management Center does *not* function correctly if the SNMP trap host is not set.

Workaround: Do *not* remove or clear the SNMP Trap Host entry.

Platform Administration Slot SC Time Zone Does Not Update Quickly When Changed Using CLI Command (Bug ID 4984906)

By design, Sun Management Center does not automatically update the Platform Administration Slot SC table when the SC time zone is changed. The SC Timezone property is updated at the next refresh cycle.

Workarounds:

1. Restart the platform agent.
2. Wait for the next refresh cycle (about 30 minutes).

Platform Administration Slot System Controller Network Setup Accepts Invalid Network Mask and IP Address (Bug ID 4984961)

In the SC Network Settings dialog window, the netmasks and IP addresses you enter are *not* checked for validity by Sun Management Center.

Workarounds:

1. Visually inspect the netmasks and IP addresses before submitting the network setup updates.

2. Check the SC via an open telnet session by running the `showplatform` CLI command.

Upgrading Add-on Software Fails Using Sun Management Center 3.5 Install Wizard (Bug ID 4994230)

If you install the base Sun Management Center 3.5 software and the Sun Fire Midrange Systems add-on software for both the agent and server layers, and then try to upgrade the Sun Fire Midrange Systems add-on software using the GUI installation command `es-guiinst`, the installation fails with an erroneous error message “insufficient disk space.”

Workarounds:

1. Use the command line interface (CLI) command `es-inst` to do the upgrade.
2. First use the graphical user interface (GUI) command `es-guiuninst` to uninstall the previous add-on software, and then use the GUI command `es-guiinst` to install the new add-on software.

Agent Update Status Reports “Failed,” But Is Actually Successful (Bug ID 4994784)

After performing an agent update on Sun Fire Midrange Systems domains, the Manage Jobs status reports “Failed,” but the agent update actually succeeds.

Workaround: Check the agent-update log file (`var/opt/SunWsymon/log/agent-update.log`) on the domain for the correct status, instead of relying on the status in the Manage Jobs window.

Documentation Errata

This section describes documentation errors known at the time of this release and that you may notice or that can affect the operation of Sun Management Center 3.5 add-on software for Sun Fire Midrange Systems, Version 3.

Package Table Has Some Incorrect Base Layers Where Packages Belong

Base layers where some packages belong are incorrect in Table 2-1, Sun Management Center Packages for Sun Fire Midrange Systems, on page 14 of the *Sun Management Center 3.5 Version 3 Supplement for Sun Fire Midrange Systems*. The following base layers are correct for their corresponding packages and should be substituted for those packages in Table 2-1.

Package	Layer
SUNWesspc	Server, Console
SUNWessps	Server
SUNWensda	Server, Agent
SUNWenspa	Server, Agent, Console
SUNWesccd	Server, Console
SUNWesccp	Server, Console
SUNWescdf	Server, Console

Power Off Option Listed Incorrectly As Available for Power Supplies (Bug ID 4979650)

The power off option is not listed on the Platform Administration module menu for power supplies, which is correct. However, Table 3-29 on page 92 of the *Sun Management Center 3.5 Version 3 Supplement for Sun Fire Midrange Systems*, indicates that you can power off a power supply, which is incorrect. You *cannot* power off a power supply from the Sun Management Center console.

Chassis Uptime in Chassis Table Is Displayed in Milliseconds (Bug ID 4983723)

The description for the Chassis Uptime property field in Table 3-14, Platform Chassis, page 77 of the *Sun Management Center 3.5 Version 3 Supplement for Sun Fire Midrange Systems* should read:

“Displays the time the chassis has been up in milliseconds (ms)”

Power Supply Domain Is Missing From the Power Supply Table (Bug ID 4983868)

The Power Supply Domain property should be added to Table 3-20, Platform Power Supply, on page 83 of the *Sun Management Center 3.5 Version 3 Supplement for Sun Fire Midrange Systems*. The field belongs between the Power Supply Test Status and the Slot Status properties. The description for the property should be:

“Displays `Isolated`, because a power supply cannot be assigned to a domain”

Platform Administration Test Board Option Is Available for CPU Boards *Only* (Bug ID 4984111)

These three areas of the *Sun Management Center 3.5 Version 3 Supplement for Sun Fire Midrange Systems* are affected by this bug:

- Table 3-29 on pages 91 and 92 indicates that you *can* test CPU boards; it does *not* indicate that you can test I/O boards. This table is correct.
- In Table 3-30 on page 92, it should say after Test that the action enables you to test a CPU board *only*.
- On page 96, there should be a Note under To Test a Board saying that you can test *only* CPU boards.

L2 Repeater Name in L2 Repeater Table Should Be RP x (Bug ID 4985851)

On page 81 of the *Sun Management Center 3.5 Version 3 Supplement for Sun Fire Midrange Systems*, Table 3-18, Platform Slots L2 Repeaters, the RP0 x in the description of the L2 Repeater Name should be RP x , where x is the slot number containing the repeater.

Description for Property Disk Name in Disk Device Table Is Incorrect (Bug ID 4987337)

On page 130 of the *Sun Management Center 3.5 Version 3 Supplement for Sun Fire Midrange Systems*, Table 4-9, Domain Disk Devices, the description for the property Disk Name in the Disk Device Table is incorrect. The description for Disk Name should be:

“Displays the disk name with bus controller, such as c1t0d0 or c2t0d0”

Descriptions of L2 Repeater and Fan Tray Domains Are Incorrect (Bug ID 4988664)

- On page 82, Table 3-18, Platform Slots L2 Repeaters, of the *Sun Management Center 3.5 Version 3 Supplement for Sun Fire Midrange Systems*, the description of L2 Repeater Domain should read:

“Displays `Isolated`, because an L2 repeater cannot be assigned to a domain”

- On page 82, Table 3-19, Platform Slots Fan Trays, the description of Fan Domain should read:

“Displays `Isolated`, because a fan tray cannot be assigned to a domain”

