



Sun StorEdge™ 6320 System 1.3 Release Notes

Release 1.3.1

Sun Microsystems, Inc.
www.sun.com

Part No. 819-5607-10
January 2006, Revision A

Submit comments about this document at: <http://www.sun.com/hwdocs/feedback>

Copyright © 2006 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in this product or document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and other countries.

This product or document is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any.

Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and in other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, Java, and Sun StorEdge are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon architecture developed by Sun Microsystems, Inc.

U.S. Government Rights - Commercial Software. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

Netscape is a trademark or registered trademark of Netscape Communications Corporation in the United States and other countries.

Products covered by and information contained in this service manual are controlled by U.S. Export Control laws and may be subject to the export or import laws in other countries. Nuclear, missile, chemical biological weapons or nuclear maritime end uses or end users, whether direct or indirect, are strictly prohibited. Export or reexport to countries subject to U.S. embargo or to entities identified on U.S. export exclusion lists, including, but not limited to, the denied persons and specially designated nationals lists is strictly prohibited.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright © 2006 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, Etats-Unis. Tous droits réservés.

Sun Microsystems, Inc. a les droits de propriété intellectuelle relatants à la technologie incorporée dans ce produit. En particulier, et sans la limitation, ces droits de propriété intellectuelle peuvent inclure un ou plus des brevets américains énumérés à <http://www.sun.com/patents> et un ou les brevets plus supplémentaires ou les applications de brevet en attente dans les Etats - Unis et les autres pays.

Ce produit ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a.

Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, Java, et Sun StorEdge sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays.

Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

Netscape est une marque de Netscape Communications Corporation aux Etats-Unis et dans d'autres pays.

Ce produit est soumis à la législation américaine en matière de contrôle des exportations et peut être soumis à la réglementation en vigueur dans d'autres pays dans le domaine des exportations et importations. Les utilisations, ou utilisateurs finaux, pour des armes nucléaires, des missiles, des armes biologiques et chimiques ou du nucléaire maritime, directement ou indirectement, sont strictement interdites. Les exportations ou réexportations vers les pays sous embargo américain, ou vers des entités figurant sur les listes d'exclusion d'exportation américaines, y compris, mais de manière non exhaustive, la liste de personnes qui font objet d'un ordre de ne pas participer, d'une façon directe ou indirecte, aux exportations des produits ou des services qui sont régis par la législation américaine sur le contrôle des exportations et la liste de ressortissants spécifiquement désignés sont rigoureusement interdites.

LA DOCUMENTATION EST FOURNIE "EN L'ETAT" ET TOUTES AUTRES CONDITIONS, DECLARATIONS ET GARANTIES EXPRESSES OU TACITES SONT FORMELLEMENT EXCLUES, DANS LA MESURE AUTORISEE PAR LA LOI APPLICABLE, Y COMPRIS NOTAMMENT TOUTE GARANTIE IMPLICITE RELATIVE A LA QUALITE MARCHANDE, A L'APTITUDE A UNE UTILISATION PARTICULIERE OU A L'ABSENCE DE CONTREFAÇON.



Sun StorEdge 6320 System 1.3.1 Release Notes

The Sun StorEdge™ 6320 systems is a complete, preconfigured storage solution.

These release notes provide the latest information about the Sun StorEdge™ 6320 system. The information could affect the installation and operation of the system. Be sure to read this document before you begin the system installation or read other array documentation.

This document applies to Release 1.3.1. The Release Notes consists of the following sections:

- “Release 1.3.1 Changes” on page 1
- “System Requirements” on page 2
- “Software Packages” on page 3
- “Known Issues and Bugs” on page 7
- “Release Documentation” on page 10
- “Sun StorEdge 6320 System Terminology” on page 11
- “Service Contact Information” on page 12

Release 1.3.1 Changes

The following changes were made to this release:

- Seagate ST3146807FC drive firmware version 0407 was added to this release.
- Sun StorEdge 6320 array firmware version 3.2.3 was added to this release.

System Requirements

For information about the Sun StorEdge 6320 hardware and software platform installation requirements, refer to the *Sun StorEdge 6320 System Installation Guide*.

For information on the required software packages and patches to update to this release, refer to the next section.

Data Host Software Patches

TABLE 1 lists the minimum level of the software patches required on the data host.

Note – If the data host needs a software package, install it before you install the patches.

TABLE 1 Data Host Software Patches

Platform	Patch Number/Source	Patch Description
Solaris 10 operating system, first release or later	http://www.sunsolve.sun.com	Sun StorEdge SAN Foundation 4.4.6 software
Solaris 9 operating system, first release or later, and Solaris 8 04/01 or later	112392-05 or later http://www.sunsolve.sun.com	Sun StorEdge SAN Foundation 4.2 or higher software: For patch and product information, refer to the <i>Sun StorEdge SAN Foundation 4.x Installation Guide</i> at http://www.sun.com/storage/san VERITAS VxVM 3.5 general patch*
Microsoft Windows NT operating systems	Microsoft http://www.sunsolve.sun.com	Microsoft Windows NT Service Pack, SP 6A Sun StorEdge Traffic Manager 3.x NT
Microsoft Windows 2000 Server and Advanced Server	Microsoft http://www.sunsolve.sun.com	Microsoft Windows 2000 Service Pack, SP 3 Sun StorEdge Traffic Manager 3.x Windows 2000

TABLE 1 Data Host Software Patches (*Continued*)

Platform	Patch Number/Source	Patch Description
IBM AIX 4.3.3	IBM	ML 10
	http://www.sunsolve.sun.com	Sun StorEdge Traffic Manager 3.x AIX
IBM AIX 5.1 32 and 64 bit	IBM	ML 03
	http://www.sunsolve.sun.com	Sun StorEdge Traffic Manager 3.x AIX
HP-UX 11.00 and 11.i	Available from Hewlett-Packard	Patch set, September 2002
	http://www.sunsolve.sun.com	Sun StorEdge Traffic Manager 3.x HP-UX
Red Hat Linux 7.2 (single-path support only)	Red Hat Linux	Version 2.4.7-10

* Required only for systems running VERITAS Volume Manager with the array.

▼ To Install the Data Host Software Patches

1. **Determine the required data host software patches from the list in TABLE 1.**
2. **Go to:**
<http://www.sunsolve.sun.com>
3. **Navigate to Patch Portal PatchPro →Network Storage Products.**
4. **Download the required patches.**
5. **Use the `patchadd(1M)` command in a CLI session to install the host software patches.**
Refer to the README files for more patch information.

Software Packages

You can manage the Sun StorEdge 6120 with one of the following software packages installed on a host with an Ethernet connection to the array.

- Software packages for Solaris hosts
 - Sun StorEdge 6000 Family Host Installation Software

This package can be used on a Solaris host and includes the Sun StorEdge Configuration Service software, the Storage Automated Diagnostic Environment (Device Edition) software, and the remote configuration command-line interface (CLI) (*sscs*).

Refer to the *Sun StorEdge 6000 Family Host Installation Software Guide* for additional information.

- Software packages for hosts other than Solaris
 - Sun StorEdge Traffic Manager software
 - Remote CLI client (thin-scripting client)
- VERITAS Array Support Library

This is needed if you require VERITAS Volume Manager support with the array.

▼ To Install the Sun StorEdge 6000 Family Host Installation Software

1. Go to:

<http://www.sun.com/download>

2. On the Downloads A-Z tab, click StorEdge 6000 Family Host Installation Software 2.3.

This links you to downloads for all platforms.

3. Click Download.

4. Provide the user name and password to log in.

The license agreement is displayed.

5. Click Accept to accept the license agreement, and then click Continue.

6. To download files, click the file names that are appropriate for your operating system.

7. Run the installation script (*install.sh*) as described in the *Sun StorEdge 6000 Family Host Installation Software Guide*.

6320 Baseline Patches

The following lists the management software patches needed to meet the baseline requirements for Release 1.3.1.

115589-12 – Storage Service Processor software

113193-06 – PatchPro patch

116931-19 – Array firmware 3.2.3

114591-21 – Storage Automated Diagnostic Environment software patch

114709-07 Seagate (ST314680F) 146G 407

114708-05 Seagate (ST373307F) 72G 407

▼ To Install the Management Host Baseline Patches

Note – Both loopcard firmware 7.20 and controller firmware 3.1 **MUST** be in SYNC. Please check 6120/6020 controller and loopcard firmware versions after applying these patches.

1. **Log in to the Storage Automated Diagnostic Environment software on the Storage Service Processor.**

For example, enter:

```
https://host-name:7443
```

```
Login: storage
```

```
Password: !storage
```

2. **Select Monitor > Monitor Devices to view devices that can be monitored.**
3. **Check for alerts on monitored arrays by clicking the array names (for example, sp0-array0).**
4. **If the arrays are displaying alerts, fix the errors and verify that the arrays are healthy before proceeding.**

Refer to the *Sun StorEdge 6320 System 1.2 Reference and Service Manual* for array troubleshooting information.

5. **If you need to change the PatchPro source from PatchPro Server to CD-ROM, select Manage > Service > Revision Setup, and under the Patch Source option click on the down arrow to select CD.**
6. **Click Update Options.**
7. **Create a new system inventory snapshot:**

- a. **Select Manage > Service > Inventory Maintenance and click Generate New Inventory.**

This generates an up-to-date system inventory list.

- b. **Click Save New Inventory.**

This updates your list.

8. Determine and apply the required patches:

- a. **Click Manage > Service > Revision Maintenance.**

- b. **Click Create New Patch Report.**

The system takes about 1 minute to display the Selected Patches link.

You can tell the status by reviewing the Patch Report Status.

- c. **Click Select Patches.**

The system displays the available patches for each device (arrays and the Storage Service Processor).

- d. **Select the devices that you want to update and click Apply Selected. Alternatively, to update patches in all devices, click Apply All Devices.**

The Patch Installation Report generates a log of the applied changes.

- e. **Click Show Log.**

The log displays the progress in installing patches one device at a time. When all of the patches for one device are installed, the log clears and the patches for the next device start logging. (For example, after all the Storage Service Processor patches are installed, the log clears and starts showing the installation of the Array patch.) The log displays a completion message when the session has finished.

Note – The following steps depend on your system’s current baseline installation. If needed, the first pass will install a required patch and subsequent passes will install all the other patches necessary to meet the new baseline requirements.

- f. **Repeat Step 7 through Step 8c to rerun the Patch Status Report.**

- g. **If the Patch Status Report still lists patches to update, repeat Step 8d and Step 8e.**

Note – The PatchPro patch (113193-06) needs to be installed before the Storage Automated Diagnostic Environment software patch (114591-21). The patch CD recommends that you install both patches together. Installation will fail on the first pass for the Storage Automated Diagnostic Environment software patch. The Patch Status Report will list the patch, and installation will succeed on the next pass.

9. Click Move to History to save the installation report.

For more information about Storage Automated Diagnostic Environment software, refer to the *Storage Automated Diagnostic Environment User's Guide*.

10. From the Storage Service Processor, use this command to check for correct patch installation of the to see whether the new patches were installed correctly using this command:

```
[sp0]# showrev -p
```

Known Issues and Bugs

The following sections provide information about known issues and bugs filed against this product release:

- “Known Issues” on page 7
- “Bugs” on page 9

Known Issues

This section includes known issues about this product that are not associated with a Sun bug ID number. This section contains the following topics:

- “Changing the Segment Size of an Existing Pool That Is in Use Causes Loss of Data” on page 8
- “Secure Shell” on page 8
- “Authenticated Proxy Server” on page 8
- “Updating Storage Automated Diagnostic Environment Software Drops the Connection” on page 8
- “Managing the Sun StorEdge 6320 System” on page 8
- “Netscape Version 4.79” on page 8
- “Older Browser Versions” on page 9

Changing the Segment Size of an Existing Pool That Is in Use Causes Loss of Data

Changing the segment size of an existing pool that is in use removes the existing pool from the volume, and the data is lost. Therefore, you should not change the segment size of a pool that is in use.

Secure Shell

Secure shell (SSH) through a Sun StorEdge Remote Response/Point-to-Point Protocol interface is supported. LAN SSH connections, however, are not allowed.

Authenticated Proxy Server

You cannot use an authenticated proxy server, which requires a proxy user name and password, to connect to the Internet and access the Sun external patch distribution server.

Service Processor Accessory Tray Cabling

Caution – To reduce the risk of fire, use only a No. 26 AWG or larger UL Listed or CSA Certified telecommunication line cord.

Updating Storage Automated Diagnostic Environment Software Drops the Connection

After the Storage Automated Diagnostic Environment software patch is installed, the application restarts automatically, which enables the changes to take effect. For a brief period, you have no connection to the Storage Automated Diagnostic Environment software. When the restart has finished, you must refresh the display to reestablish the connection.

Managing the Sun StorEdge 6320 System

The Sun StorEdge 6320 system can be managed through either a browser-based graphical user interface (GUI) or a command-line interface (CLI). You can load the CLI client from the Sun StorEdge Configuration Service host CD or download the CLI client from the Sun web site. You install the CLI client on a supported host system on the customer LAN.

Netscape Version 4.79

If you double-click the top bar of the Netscape™ Version 4.79 window or resize the window, there can be a loss of context on the screen. If this happens, bring up the window menu and select Reload.

Older Browser Versions

If you try to configure a large Sun StorEdge 6320 system using an older generation (HTTP 1.0-based) Web browser such as Netscape 4.x or earlier, you could experience time-out conditions from the browser. In large configurations, older browsers need more time to calculate capacities and can time out before those calculations are complete. In this case, you might need to reload the browser page to continue working with the system.

If timeouts become an issue, update your browser to a version that supports HTTP 1.1 (Netscape 6 or higher).

Updating FRU Versions

After adding a field-replaceable unit (FRU), you must make sure that the FRU version is supported and matches other components. Update the system with the latest patches to update the FRU to the correct version. Use the Storage Automated Diagnostic Environment software installed on the Storage Service Processor to automatically determine and install the baseline patches. See “6320 Baseline Patches” on page 5.

Bugs

There are no open bugs related to this release. Refer to the patch README file for a list of fixed bugs.

Release Documentation

TABLE 2 lists the documentation for the 6320 and related products. The suffix *nn* in a part number indicates that you should use the most current version. This documentation is available online at:

- http://www.sun.com/products-n-solutions/hardware/docs/Network_Storage_Solutions/Midrange/6320/index.html
- <http://www.sun.com/documentation>

TABLE 2 Sun StorEdge 6320 System and Related Documentation

Application	Title	Part Number
Site preparation	<i>Sun StorEdge 6320 System 1.2 Site Prep Guide</i>	816-7877- <i>nn</i>
Safety requirements	<i>Sun StorEdge 6320 System 1.2 Regulatory and Compliance Guide</i>	816-7876- <i>nn</i>
Sun StorEdge 6320 installation procedures	<i>Sun StorEdge 6320 System 1.2 Installation Guide</i>	816-7878- <i>nn</i>
Overview, service, reference, and CLI administration	<i>Sun StorEdge 6320 System 1.2 Reference and Service Manual</i>	816-7879- <i>nn</i>
Management and configuration help	<i>Sun StorEdge Configuration Service online help</i>	n/a
	<i>Sun StorEdge SCS (1M) man page</i>	n/a
Sun StorEdge 6120 release information	<i>Sun StorEdge 6120 Array Release Notes</i>	817-0201- <i>nn</i>
Sun StorEdge 6120 site preparation	<i>Sun StorEdge 6120 Array Site Preparation Guide</i>	817-0960- <i>nn</i>
Sun StorEdge 6120 safety requirements	<i>Sun StorEdge 6120 Array Regulatory and Safety Compliance Manual</i>	817-0961- <i>nn</i>
Sun StorEdge 6120 array installation	<i>Sun StorEdge 6120 Array Installation Guide</i>	817-0199- <i>nn</i>
Sun StorEdge 6120 overview, service, reference, and CLI administration	<i>Sun StorEdge 6020 and 6120 Arrays System Manual</i>	817-0200- <i>nn</i>

TABLE 2 Sun StorEdge 6320 System and Related Documentation (*Continued*)

Application	Title	Part Number
Storage Automated Diagnostic Environment software troubleshooting and diagnostics	<i>Storage Automated Diagnostic Environment 2.2 User's Guide</i>	817-0822- <i>nn</i>
	<i>Storage Automated Diagnostic Environment 2.2 Release Notes</i>	817-0823- <i>nn</i>
SAN Foundation	<i>Sun StorEdge SAN Foundation 4.2 Release Notes</i>	817-3673- <i>nn</i>
	<i>Sun StorEdge SAN Foundation 4.2 Installation Guide</i>	817-3671- <i>nn</i>
Multipathing support	<i>Sun StorEdge Traffic Manager Software Release Notes</i>	817-0385- <i>nn</i>
Cabinet information	<i>Sun StorEdge Expansion Cabinet Installation and Service Manual</i>	805-3067- <i>nn</i>

Sun StorEdge 6320 System Terminology

The Storage Networking Industry Association (SNIA) is developing a standard set of terminology. When it has been adopted by all storage manufacturers, this terminology standard will make it easier for customers to understand terms used by different vendors.

Sun Microsystems is adopting the SNIA terms now. The Sun StorEdge 6320 system is the first storage product to use the new SNIA terminology list.

TABLE 3 shows the Sun StorEdge 6120 terms and the corresponding SNIA terms used for the Sun StorEdge 6320 system.

TABLE 3 Sun StorEdge 6320 Terminology

Sun StorEdge 6120 Array CLI Terminology¹	Sun StorEdge 6320 Terminology
Volume	Storage pool
Slice	Volume
LUN	Volume
Administrative domain	Storage array

TABLE 3 Sun StorEdge 6320 Terminology (*Continued*)

Sun StorEdge 6120 Array CLI Terminology¹	Sun StorEdge 6320 Terminology
Partner Group	HA configuration
Array	Tray
Enclosure	Tray
Expansion unit	Expansion unit

¹—This is the Tenet-based CLI terminology used on the Sun StorEdge 6120 arrays.

Service Contact Information

If you need help installing or using this product, go to:

<http://www.sun.com/service/contacting>