



# Sun StorEdge™ 6320 System 1.3 Release Notes

---

Release 1.3.4

Sun Microsystems, Inc.  
www.sun.com

Part No. 820-2107-10  
April 2007, Revision A

Submit comments about this document at: <http://www.sun.com/hwdocs/feedback>

Copyright © 2007 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in this product or document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and other countries.

This product or document is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any.

Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and in other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, Java, and Sun StorEdge are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon architecture developed by Sun Microsystems, Inc.

U.S. Government Rights - Commercial Software. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

Netscape is a trademark or registered trademark of Netscape Communications Corporation in the United States and other countries.

Products covered by and information contained in this service manual are controlled by U.S. Export Control laws and may be subject to the export or import laws in other countries. Nuclear, missile, chemical biological weapons or nuclear maritime end uses or end users, whether direct or indirect, are strictly prohibited. Export or reexport to countries subject to U.S. embargo or to entities identified on U.S. export exclusion lists, including, but not limited to, the denied persons and specially designated nationals lists is strictly prohibited.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

---

Copyright © 2007 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, Etats-Unis. Tous droits réservés.

Sun Microsystems, Inc. a les droits de propriété intellectuelle relatant à la technologie incorporée dans ce produit. En particulier, et sans la limitation, ces droits de propriété intellectuelle peuvent inclure un ou plus des brevets américains énumérés à <http://www.sun.com/patents> et un ou les brevets plus supplémentaires ou les applications de brevet en attente dans les Etats - Unis et les autres pays.

Ce produit ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a.

Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, Java, et Sun StorEdge sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays.

Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

Netscape est une marque de Netscape Communications Corporation aux Etats-Unis et dans d'autres pays.

Ce produit est soumis à la législation américaine en matière de contrôle des exportations et peut être soumis à la réglementation en vigueur dans d'autres pays dans le domaine des exportations et importations. Les utilisations, ou utilisateurs finaux, pour des armes nucléaires, des missiles, des armes biologiques et chimiques ou du nucléaire maritime, directement ou indirectement, sont strictement interdites. Les exportations ou réexportations vers les pays sous embargo américain, ou vers des entités figurant sur les listes d'exclusion d'exportation américaines, y compris, mais de manière non exhaustive, la liste de personnes qui font objet d'un ordre de ne pas participer, d'une façon directe ou indirecte, aux exportations des produits ou des services qui sont régis par la législation américaine sur le contrôle des exportations et la liste de ressortissants spécifiquement désignés sont rigoureusement interdites.

LA DOCUMENTATION EST FOURNIE "EN L'ETAT" ET TOUTES AUTRES CONDITIONS, DECLARATIONS ET GARANTIES EXPRESSES OU TACITES SONT FORMELLEMENT EXCLUES, DANS LA MESURE AUTORISEE PAR LA LOI APPLICABLE, Y COMPRIS NOTAMMENT TOUTE GARANTIE IMPLICITE RELATIVE A LA QUALITE MARCHANDE, A L'APTITUDE A UNE UTILISATION PARTICULIERE OU A L'ABSENCE DE CONTREFAÇON.



Adobe PostScript

# Contents

---

<b>Sun StorEdge 6320 System 1.3.4 Release Notes</b>	<b>1</b>
Release 1.3.4 Changes	1
Online Disk Firmware Download	2
Increased Disk Fault Tolerance	2
Latent Fault Detection for Hotspares	3
Enhanced Backend Fault Isolation Task (BEFIT)	3
System Requirements	3
Data Host Software Patches	3
▼ To Install the Data Host Software Patches	5
Software Packages	5
▼ To Install the Sun StorEdge 6000 Family Host Installation Software	6
6320 Baseline Patches	7
Upgrading to Release 1.3.4	8
Known Issues and Bugs	8
Known Issues	8
Bugs	10
Release Documentation	11
Sun StorEdge 6320 System Terminology	12
Service Contact Information	13



# Sun StorEdge 6320 System 1.3.4 Release Notes

---

The Sun StorEdge™ 6320 systems is a complete, preconfigured storage solution.

These release notes provide the latest information about the Sun StorEdge™ 6320 system. The information could affect the installation and operation of the system. Be sure to read this document before you begin the system installation or read other array documentation.

This document applies to Release 1.3.4. The Release Notes consists of the following sections:

- [“Release 1.3.4 Changes” on page 1](#)
- [“System Requirements” on page 2](#)
- [“Software Packages” on page 4](#)
- [“Upgrading to Release 1.3.4” on page 7](#)
- [“Known Issues and Bugs” on page 7](#)
- [“Release Documentation” on page 10](#)
- [“Sun StorEdge 6320 System Terminology” on page 11](#)
- [“Service Contact Information” on page 12](#)

---

## Release 1.3.4 Changes

The following changes were added to this release:

[TABLE 1](#) lists the new patches for the 6320 system

**TABLE 1** 6320 Patches

---

Sun StorEdge 6320 Array Service Processor Patch	115589-15
Sun StoreEdge 6320 Array Firmware Partch 3.2.6	116931-22
Time Zone commands and zoneifno database	113225-08
Java Patch	j2sdk-1_4_2_13-solaris-sparc.tar.Z
Patch pro patch	113193-09

---

---

## System Requirements

For information about the Sun StorEdge 6320 hardware and software platform installation requirements, refer to the *Sun StorEdge 6320 System Installation Guide*.

For information on the required software packages and patches to update to this release, refer to the next section.

## Data Host Software Patches

[TABLE 2](#) lists the minimum level of the software patches required on the data host.

---

**Note** – If the data host needs a software package, install it before you install the patches.

---

**TABLE 2** Data Host Software Patches

Platform	Patch Number/Source	Patch Description
Solaris 10 operating system, first release or later	<a href="http://www.sunsolve.sun.com">http://www.sunsolve.sun.com</a>	Sun StorEdge SAN Foundation 4.4.6 software
Solaris 9 operating system, first release or later, and Solaris 8 04/01 or later	112392-05 or later <a href="http://www.sunsolve.sun.com">http://www.sunsolve.sun.com</a>	Sun StorEdge SAN Foundation 4.2 or higher software: For patch and product information, refer to the <i>Sun StorEdge SAN Foundation 4.x Installation Guide</i> at <a href="http://www.sun.com/storage/san">http://www.sun.com/storage/san</a> Veritas VxVM 3.5 general patch*
Microsoft Windows NT operating systems	Microsoft <a href="http://www.sunsolve.sun.com">http://www.sunsolve.sun.com</a>	Microsoft Windows NT Service Pack, SP 6A Sun StorEdge Traffic Manager 3.x NT
Microsoft Windows 2000 Server and Advanced Server	Microsoft <a href="http://www.sunsolve.sun.com">http://www.sunsolve.sun.com</a>	Microsoft Windows 2000 Service Pack, SP 3 Sun StorEdge Traffic Manager 3.x Windows 2000
IBM AIX 4.3.3	IBM <a href="http://www.sunsolve.sun.com">http://www.sunsolve.sun.com</a>	ML 10 Sun StorEdge Traffic Manager 3.x AIX
IBM AIX 5.1 32 and 64 bit	IBM <a href="http://www.sunsolve.sun.com">http://www.sunsolve.sun.com</a>	ML 03 Sun StorEdge Traffic Manager 3.x AIX
HP-UX 11.00 and 11.i	Available from Hewlett-Packard <a href="http://www.sunsolve.sun.com">http://www.sunsolve.sun.com</a>	Patch set, September 2002 Sun StorEdge Traffic Manager 3.x HP-UX
Red Hat Linux 7.2 (single-path support only)	Red Hat Linux	Version 2.4.7-10

\* Required only for systems running Veritas Volume Manager with the array.

## ▼ To Install the Data Host Software Patches

---

**Note** – Make sure that the hardware in the system has no faults and is fully functional before upgrading or downgrading the software on the system.

---

1. **Determine the required data host software patches from the list in [TABLE 2](#).**
2. **Go to:**  
`http://www.sunsolve.sun.com`
3. **Accept the license agreement, then under Support Resources scroll down to Patchfinder and click on it.**

The Patches and Updates page is displayed.

4. **Under Patchfinder, enter the patch ID and click Find Patch.**
5. **Download the required patches.**
6. **Use the `patchadd(1M)` command in a CLI session to install the host software patches.**

Refer to the README files for more patch information.

If you have trouble finding patches you need using Patchfinder, try using PatchPro (under Legacy Patch Tools, on the same page).

---

## Software Packages

You can manage the Sun StorEdge 6320 with one of the following software packages installed on a host with an Ethernet connection to the array.

- Software packages for Solaris hosts
  - Sun StorEdge 6000 Family Host Installation Software

This package can be used on a Solaris host and includes the Sun StorEdge Configuration Service software, the Storage Automated Diagnostic Environment (Device Edition) software, and the remote configuration command-line interface (CLI) (`sscs`).

Refer to the *Sun StorEdge 6000 Family Host Installation Software Guide* for additional information.
- Software packages for hosts other than Solaris
  - Sun StorEdge Traffic Manager software



- Remote CLI client (thin-scripting client)
- Veritas Array Support Library

This is needed if you require Veritas Volume Manager support with the array.

## ▼ To Install the Sun StorEdge 6000 Family Host Installation Software

**1. Go to:**

<http://www.sun.com/download>

**2. On the Downloads A-Z tab, click StorEdge 6000 Family Host Installation Software 2.3.**

This links you to downloads for all platforms.

**3. Click Download.**

**4. Provide the user name and password to log in.**

The license agreement is displayed.

**5. Click Accept to accept the license agreement, and then click Continue.**

**6. To download files, click the file names that are appropriate for your operating system.**

**7. Run the installation script (`install.sh`) as described in the *Sun StorEdge 6000 Family Host Installation Software Guide*.**

## 6320 Baseline Patches

The following lists the management software patches needed to meet the baseline requirements for Release 1.3.4.

115589-15 – Storage Service Processor software

113193-09 – PatchPro patch

116931-22 – Array firmware 3.2.5

114591-22 – Storage Automated Diagnostic Environment (StorADE) software patch

112945-33 – Sun OS 5.9: wbem

113225-08 – Timezone commands and zoneinfo database

**TABLE 3** Drive Patches

Patch #	Drive	Drive Capacity	Firmware Version
114709-07	Seagate (ST314680F)	146G	407
114708-05	Seagate (ST373307F)	72G	407
120392-02	Fujitsu MAT3073FC	73GB	1203
120393-02	Fujitsu MAT3147FC	146GB	1203
120394-02	Fujitsu MAT3300FC	300GB	1203
120395-02	Fujitsu MAU3036FC	36GB	1003
120396-02	Fujitsu MAU3073FC	72GB	1003
120397-02	Fujitsu MAU3147FC	146GB	1003
116464-02	Hitachi DK32EJ72FC	73GB	2q0j
116465-02	Hitachi DK32EJ14FC	146GB	2q0j
116465-02	Hitachi DK32EJ146F	146GB	2Q0J
116464-02	Hitachi DK32EJ72F	72GB	2Q0J
116463-02	Hitachi DK32EJ36F	36GB	2Q0J
120400-02	Hitachi HUS1073FA	72GB	2A08
120401-02	Hitachi HUS1014FA	146GB	2A08

**Note** – The PatchPro patch (113193-09) must be installed before the StorADE patch (114591-22).

---

# Upgrading to Release 1.3.4

This upgrade must be performed by a Sun Service technician. Please call Sun Service to arrange an installation or upgrade to release 1.3.4.

---

## Known Issues and Bugs

The following sections provide information about known issues and bugs filed against this product release:

- [“Known Issues” on page 7](#)
- [“Bugs” on page 9](#)

## Known Issues

This section includes known issues about this product that are not associated with a Sun bug ID number. This section contains the following topics:

- [“Unable to Delete Volume Pool when Using the Management GUI” on page 7](#)
- [“Changing the Segment Size of an Existing Pool That Is in Use Causes Loss of Data” on page 8](#)
- [“Secure Shell” on page 8](#)
- [“Authenticated Proxy Server” on page 8](#)
- [“Updating Storage Automated Diagnostic Environment Software Drops the Connection” on page 8](#)
- [“Managing the Sun StorEdge 6320 System” on page 8](#)
- [“Netscape Version 4.79” on page 9](#)
- [“Older Browser Versions” on page 9](#)

### *Unable to Delete Volume Pool when Using the Management GUI*

Different Java versions can use different algorithms for password generation and encryption. Therefore, after upgrading a version of Java, all arrays should be unconfigured and then reconfigured again. This replaces an old user password with a new one that is generated by the new Java version.

## *Changing the Segment Size of an Existing Pool That Is in Use Causes Loss of Data*

Changing the segment size of an existing pool that is in use removes the existing pool from the volume, and the data is lost. Therefore, you should not change the segment size of a pool that is in use.

## *Secure Shell*

Secure shell (SSH) through a Sun StorEdge Remote Response/Point-to-Point Protocol interface is supported. LAN SSH connections, however, are not allowed.

## *Authenticated Proxy Server*

You cannot use an authenticated proxy server, which requires a proxy user name and password, to connect to the Internet and access the Sun external patch distribution server.

## *Service Processor Accessory Tray Cabling*

---

**Caution** – To reduce the risk of fire, use only a No. 26 AWG or larger UL Listed or CSA Certified telecommunication line cord.

---

## *Updating Storage Automated Diagnostic Environment Software Drops the Connection*

After the Storage Automated Diagnostic Environment software patch is installed, the application restarts automatically, which enables the changes to take effect. For a brief period, you have no connection to the Storage Automated Diagnostic Environment software. When the restart has finished, you must refresh the display to reestablish the connection.

## *Managing the Sun StorEdge 6320 System*

The Sun StorEdge 6320 system can be managed through either a browser-based graphical user interface (GUI) or a command-line interface (CLI). You can load the CLI client from the Sun StorEdge Configuration Service host CD or download the CLI client from the Sun web site. You install the CLI client on a supported host system on the customer LAN.

## *Netscape Version 4.79*

If you double-click the top bar of the Netscape™ Version 4.79 window or resize the window, there can be a loss of context on the screen. If this happens, bring up the window menu and select Reload.

## *Older Browser Versions*

If you try to configure a large Sun StorEdge 6320 system using an older generation (HTTP 1.0-based) Web browser such as Netscape 4.x or earlier, you could experience time-out conditions from the browser. In large configurations, older browsers need more time to calculate capacities and can time out before those calculations are complete. In this case, you might need to reload the browser page to continue working with the system.

If timeouts become an issue, update your browser to a version that supports HTTP 1.1 (Netscape 6 or higher).

## *Updating FRU Versions*

After adding a field-replaceable unit (FRU), you must make sure that the FRU version is supported and matches other components. Update the system with the latest patches to update the FRU to the correct version. Use the Storage Automated Diagnostic Environment software installed on the Storage Service Processor to automatically determine and install the baseline patches. See [“6320 Baseline Patches” on page 6](#).

## **Bugs**

There are no open bugs related to this release. Refer to the patch README file for a list of fixed bugs.

---

# Release Documentation

TABLE 4 lists the documentation for the 6320 and related products. The suffix *nn* in a part number indicates that you should use the most current version. This documentation is available online at:

- [http://www.sun.com/products-n-solutions/hardware/docs/Network\\_Storage\\_Solutions/Midrange/6320/index.html](http://www.sun.com/products-n-solutions/hardware/docs/Network_Storage_Solutions/Midrange/6320/index.html)
- <http://www.sun.com/documentation>

**TABLE 4** Sun StorEdge 6320 System and Related Documentation

Application	Title	Part Number
Getting started	<i>Sun StorEdge 6320 System 1.2 Start Here</i>	816-7875- <i>nn</i>
Site preparation	<i>Sun StorEdge 6320 System 1.2 Site Prep Guide</i>	816-7877- <i>nn</i>
Safety requirements	<i>Sun StorEdge 6320 System 1.2 Regulatory and Compliance Guide</i>	816-7876- <i>nn</i>
Sun StorEdge 6320 installation procedures	<i>Sun StorEdge 6320 System 1.2 Installation Guide</i>	816-7878- <i>nn</i>
Overview, service, reference, and CLI administration	<i>Sun StorEdge 6320 System 1.2 Reference and Service Manual</i>	816-7879- <i>nn</i>
Management and configuration help	<i>Sun StorEdge Configuration Service online help</i>	n/a
	<i>Sun StorEdge SCS (1M) man page</i>	n/a
Storage Automated Diagnostic Environment software troubleshooting and diagnostics	<i>Storage Automated Diagnostic Environment 2.2 User's Guide</i>	817-0822- <i>nn</i>
	<i>Storage Automated Diagnostic Environment 2.2 Release Notes</i>	817-0823- <i>nn</i>
SAN Foundation	<i>Sun StorEdge SAN Foundation 4.2 Release Notes</i>	817-3673- <i>nn</i>

**TABLE 4** Sun StorEdge 6320 System and Related Documentation (*Continued*)

<b>Application</b>	<b>Title</b>	<b>Part Number</b>
	<i>Sun StorEdge SAN Foundation 4.2 Installation Guide</i>	817-3671- <i>nn</i>
Multipathing support	<i>Sun StorEdge Traffic Manager Software Release Notes</i>	817-0385- <i>nn</i>
Cabinet information	<i>Sun StorEdge Expansion Cabinet Installation and Service Manual</i>	805-3067- <i>nn</i>

## Sun StorEdge 6320 System Terminology

The Storage Networking Industry Association (SNIA) is developing a standard set of terminology. When it has been adopted by all storage manufacturers, this terminology standard will make it easier for customers to understand terms used by different vendors.

Sun Microsystems is adopting the SNIA terms now. The Sun StorEdge 6320 system is the first storage product to use the new SNIA terminology list.

[TABLE 5](#) shows the Sun StorEdge 6320 terms and the corresponding SNIA terms used for the Sun StorEdge 6320 system.

**TABLE 5** Sun StorEdge 6320 Terminology

<b>Sun StorEdge 6320 Array CLI Terminology<sup>1</sup></b>	<b>Sun StorEdge 6320 Terminology</b>
Volume	Storage pool
Slice	Volume
LUN	Volume
Administrative domain	Storage array
Partner Group	HA configuration
Array	Tray
Enclosure	Tray
Expansion unit	Expansion unit

<sup>1</sup>—This is the Tenet-based CLI terminology used on the Sun StorEdge 6320 arrays.

---

# Service Contact Information

If you need help installing or using this product, go to:

<http://www.sun.com/service/contacting>