



Sun StorageTek™ Business Analytics Application Developer's Guide

Release 5.0 SP1

Sun Microsystems, Inc.
www.sun.com

Part No. 819-6233-10
March 2006, Revision 01

Submit comments about this document at: <http://www.sun.com/hwdocs/feedback>

COPYRIGHT

Copyright © 2006 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, U.S.A. All rights reserved. Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in the product that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and in other countries. U.S. Government Rights - Commercial software. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements. Use is subject to license terms. This distribution may include materials developed by third parties.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and in other countries, exclusively licensed through X/Open Company, Ltd. Sun, Sun Microsystems, the Sun logo, Java, Jiro, Solaris, Sun StorEdge, and StorageTek are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. The product is covered and controlled by U.S. Export Control laws and may be subject to the export or import laws in other countries. Nuclear, missile, chemical biological weapons or nuclear maritime end uses or end users, whether direct or indirect, are strictly prohibited. Export or reexport to countries subject to U.S. embargo or to entities identified on U.S. export exclusion lists, including, but not limited to, the denied persons and specially designated nationals lists is strictly prohibited.

Copyright © 2006 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, Etats-Unis. Tous droits réservés.

Sun Microsystems, Inc. détient les droits de propriété intellectuels relatifs à la technologie incorporée dans le produit qui est décrit dans ce document. En particulier, et ce sans limitation, ces droits de propriété intellectuelle peuvent inclure un ou plus des brevets américains listés à l'adresse <http://www.sun.com/patents> et un ou les brevets supplémentaires ou les applications de brevet en attente aux Etats - Unis et dans les autres pays.

L'utilisation est soumise aux termes de la Licence. Cette distribution peut comprendre des composants développés par des tierces parties. Des parties de ce produit pourront être dérivées des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, Java, Jiro, Solaris, Sun StorEdge, et StorageTek sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays.

Ce produit est soumis à la législation américaine en matière de contrôle des exportations et peut être soumis à la réglementation en vigueur dans d'autres pays dans le domaine des exportations et importations. Les utilisations, ou utilisateurs finaux, pour des armes nucléaires, des missiles, des armes biologiques et chimiques ou du nucléaire maritime, directement ou indirectement, sont strictement interdites. Les exportations ou réexportations vers les pays sous embargo américain, ou vers des entités figurant sur les listes d'exclusion d'exportation américaines, y compris, mais de manière non exhaustive, la liste de personnes qui font objet d'un ordre de ne pas participer, d'une façon directe ou indirecte, aux exportations des produits ou des services qui sont régis par la législation américaine en matière de contrôle des exportations et la liste de ressortissants spécifiquement désignés, sont rigoureusement interdites.

TABLE OF CONTENTS

CHAPTER ONE - INTRODUCTION

| | |
|---------------------|----|
| Database Timestamps | 8 |
| ETL Structure | 10 |

CHAPTER TWO - OWNERSHIP TABLES

| | |
|----------------------------|----|
| gsa_acom | 12 |
| gsa_dashboards | 12 |
| gsa_dashboard_default | 13 |
| gsa_dashboard_detail | 13 |
| gsa_product | 13 |
| gsa_site | 13 |
| gsa_site_allocation | 14 |
| gsa_view_default | 14 |
| gsa_views | 14 |
| gsa_user_views | 15 |
| gsa_views_asset_allocation | 16 |
| Users | 16 |

CHAPTER THREE - GENERAL TABLES

| | |
|------------------------|----|
| gsa_agent_version | 17 |
| gsa_alerts | 18 |
| gsa_config_event_types | 18 |
| gsa_gsmdb_version | 18 |
| gsa_grace_periods | 19 |
| gsa_last_update_params | 19 |
| gsa_purge_tables | 19 |
| gsa_upgrade_log | 20 |

CHAPTER FOUR - ASSETS

| | |
|--------------------------------|----|
| gsa_asset_types | 21 |
| gsa_asset_reference | 22 |
| gsa_asset_data | 22 |
| gsa_asset_array | 23 |
| gsa_asset_backup_client_policy | 23 |
| gsa_asset_database | 23 |
| gsa_asset_hosts | 24 |
| gsa_asset_nas | 24 |
| gsa_asset_nas_filesystem | 25 |
| gsa_asset_switches | 25 |
| gsa_asset_tlib | 26 |

CHAPTER FIVE – DATA POLLING

| | |
|--------------------------------|----|
| gsa_dp_data_collection | 27 |
| gsa_dp_data_collection_obj | 27 |
| gsa_data_collection_stats | 28 |
| gsa_job_schedule | 30 |
| gsa_job_step | 30 |
| gsa_times | 30 |
| gsa_transactions | 31 |
| gsa_policy_class_cmd_assetcols | 32 |
| gsa_policy_class_commands | 32 |
| gsa_policy_class_master | 32 |
| gsa_policy_class_parameter | 32 |
| gsa_policy_default_rules | 33 |
| gsa_policy_instance_master | 34 |
| gsa_policy_instance_notify | 34 |
| gsa_policy_instance_values | 34 |

CHAPTER SIX - FABRIC TABLES

| | |
|----------------------------|----|
| gsa_fabric_object_Types | 35 |
| gsa_fabric_port_types | 36 |
| gsa_fabric_ports | 37 |
| gsa_fabric_port_perf | 37 |
| gsa_fabric_status_types | 38 |
| gsa_fabric_sw_status_types | 38 |
| gsa-fabric_switch | 38 |
| gsa_fabric_zone | 39 |

CHAPTER SEVEN - ARRAY TABLES

| | |
|------------------------------|----|
| gsa_array_config_v2 | 41 |
| gsa_cache_perf | 42 |
| gsa_disk_perf | 42 |
| gsa_fctrl_perf | 43 |
| gsa_local_unit_mapping_v2 | 43 |
| gsa_phydisk_v2 | 44 |
| gsa_remote_unit_mapping_v2 | 45 |
| gsa_storage_unit_config_v2 | 45 |
| gsa_su_reference_config_v2 | 47 |
| gsa_array_HBA_config_v2 | 47 |
| gsa_host_storage_unit_v2 | 48 |
| gsa_daily_storage_allocation | 49 |
| gsa_alias | 51 |
| gsa_bcv_alias | 51 |

CHAPTER EIGHT - CONFIGURATION TABLES

| | |
|-------------------------------|----|
| gsa_config_event_types | 52 |
| gsa_config_table | 52 |
| gsa_manual_array_port_to_host | 52 |

CHAPTER NINE – HOST TABLES

| | |
|-----------------------------|----|
| gsa_homepage_capacity_cache | 54 |
| gsa_host_interfaces | 55 |
| gsa_HBA_config | 55 |
| gsa_host_config | 56 |
| gsa_host_filesystem | 57 |
| gsa_logical_volume_config | 58 |
| gsa_logical_volume_relation | 59 |
| gsa_physicalvolume_config | 60 |
| gsa_physicalvolume_path | 61 |
| gsa_host_netshares | 63 |
| gsa_host_fs_size_daily | 63 |
| gsa_filesystem_forecast | 64 |
| gsa_filesystem_limit | 64 |

CHAPTER TEN – SRM TABLES

| | |
|-------------------------------|----|
| gsa_srm_filesystem | 65 |
| gsa_srm_mount_points | 66 |
| gsa_srm_usage_factors | 67 |
| gsa_srm_usage_details | 68 |
| gsa_srm_filesystem_consumers | 68 |
| gsa_srm_largest_files | 69 |
| gsa_srm_largest_old_files | 70 |
| gsa_srm_user | 71 |
| gsa_srm_size_distribution | 72 |
| gsa_srm_type_distribution | 73 |
| gsa_srm_temporary_directories | 74 |

CHAPTER ELEVEN – BACKUP TABLES

| | |
|-----------------------------|----|
| gsa_backup_calendar | 75 |
| gsa_backup_cat_usage | 76 |
| gsa_backup_client_policy | 77 |
| gsa_backup_detail_new | 77 |
| gsa_backup_events | 78 |
| gsa_backup_filelist | 79 |
| gsa_backup_frequency | 80 |
| gsa_backup_frequency_long | 81 |
| gsa_backup_legato_errmsg | 82 |
| gsa_backup_master | 82 |
| gsa_backup_schedule_current | 84 |
| gsa_backup_schedule_queue | 85 |
| gsa_backup_status_NEW | 86 |
| gsa_backup_tape_capacity | 87 |
| gsa_backup_vol_info | 87 |
| gsa_backup_volume_media | 88 |
| gsa_backup_host_exclusion | 90 |
| gsa_backup_db_usage | 90 |

| | |
|------------------------------|-----|
| gsa_bu_client_policy_current | 90 |
| gsa_bu_devices | 91 |
| gsa_bu_device_class | 92 |
| gsa_bu_drives | 93 |
| gsa_bu_events | 94 |
| gsa_bu_events_temp | 95 |
| gsa_bu_filespaces | 95 |
| gsa_bu_jobs | 96 |
| gsa_bu_jobs_temp | 99 |
| gsa_bu_lib_volumes | 99 |
| gsa_bu_libs | 100 |
| gsa_bu_occupancy | 101 |
| gsa_bu_paths | 102 |
| gsa_bu_report_params | 103 |
| gsa_bu_storage_pools | 104 |
| gsa_bu_summary | 106 |
| gsa_bu_volume_history | 108 |
| gsa_bu_volumes | 109 |
| gsa_debug_job_status | 110 |
| gsa_restore_filelist | 111 |
| gsa_restore_status | 112 |

CHAPTER TWELVE – TAPE LIBRARY TABLES

| | |
|----------------------------|-----|
| gsa_tlib_config | 114 |
| gsa_tlib_slots | 115 |
| gsa_tlib_drives | 116 |
| gsa_tlib_contents | 118 |
| gsa_tlib_interfaces | 119 |
| gsa_tlib_cell_statisitics | 120 |
| gsa_tlib_status | 121 |
| gsa_tlib_events | 122 |
| gsa_tlib_utilization_cache | 123 |
| gsa_tlib_alias | 123 |

CHAPTER THIRTEEN – DATABASE TABLES

| | |
|-------------------------------|-----|
| gsa_dba_app_storage_unit | 125 |
| gsa_dba_database_server | 125 |
| gsa_dba_db_specific_data | 126 |
| gsa_dba_db_stats | 127 |
| gsa_dba_logical_storage_unit | 127 |
| gsa_dba_physical_storage_unit | 128 |
| gsa_dba_served_databases | 129 |
| gsa_dba_io_indicators | 129 |

CHAPTER FOURTEEN – NAS TABLES

| | |
|--------------------|-----|
| gsa_nas_component | 130 |
| gsa_nas_config | 131 |
| gsa_nas_filesystem | 132 |

| | |
|--------------------------------|-----|
| gsa_nas_filesystem_mapping | 133 |
| gsa_nas_filesystem_options | 134 |
| gsa_nas_interface | 135 |
| gsa_nas_logicalvolume_config | 135 |
| gsa_nas_logicalvolume_relation | 136 |
| gsa_nas_options | 137 |
| gsa_nas_physicalvolume_config | 138 |
| gsa_nas_physicalvolume_path | 138 |
| gsa_nas_share | 139 |

CHAPTER FIFTEEN – CUSTOM REPORTS

| | |
|----------------------------|-----|
| gsa_custom_report_choices | 141 |
| gsa_custom_report_cols | 141 |
| gsa_custom_report_criteria | 141 |
| gsa_custom_report_order | 142 |
| gsa_custom_report_tags | 142 |
| gsa_custom_reports | 142 |
| gsa_custom_report_wizards | 143 |
| gsa_custom_chart_stat | 143 |
| gsa_performance_statistics | 144 |

CHAPTER SIXTEEN – RESERVATION SYSTEM

| | |
|-------------------------|-----|
| gsa_reservation | 146 |
| gsa_reservation_comment | 146 |

CHAPTER ONE - INTRODUCTION

This chapter introduces the logical design of the Sun StorageTek Business Analytics database. **Note:** With the acquisition of StorageTek, Sun Microsystems has re-branded and re-named Global Storage Manager (GSM) as Sun StorageTek Analytics, a member of the Enterprise Storage Manager portfolio of software solutions. The functionality of Business Analytics is identical to GSM, only the name has changed. The database tables are logically grouped as follows in this guide:

- Ownership
- General
- Asset
- Data Polling
- Policy Alerting
- Switch
- Storage
- Configuration
- Host
- Backup
- NAS
- Database
- Custom Reports

The basic design of the Sun StorageTek Business Analytics database is discussed in the next section. In this document, the user tables are contained in the assured database unless otherwise noted.

ACCESSING REPORTS

The ownership tables control what data you can view or otherwise manipulate through the Sun StorageTek Business Analytics reports. The Sun StorageTek Business Analytics report is what is generated when you select a menu item using the Sun StorageTek Business Analytics Management Console. The Management Console provides the graphical user interface through which standard and customized reports are obtained. The reports display data stored in the assured database.

Within the ownership tables, the view_id and user_id are unique numbers that link users to their assigned views. The ownership is related to other table groups by acom_id. The acom_id is a unique number assigned by the database when sites are configured. Each data table in the other groups (switch, storage, host, backup) is associated with an acom_id.

Switch, storage and host table groups are associated by acom_id and WWPN. The WWPN is a sixteen-digit World Wide Name (WWN) which uniquely identifies the Host Bus Adapters, fabric switches, switch ports, and Fibre Channel adapters used in the SAN.

The Backup group of tables can be associated with the host group of tables using the acom_id and by correlating the backup client to the host name.

DATABASE TIMESTAMPS

There are two types of timestamps used in the database. The two types are

- Basic
- Enhanced

Basic – Collected data from the environment is inserted directly into the database. Two timestamps are associated with each row of data

timestamp – Appended to the data by the local agent. This is the time the data is collected by the agent

agg_gmt_timestamp – Appended to the data by the central aggregator and is in GMT. This is applied at the time the data is inserted into the database. This timestamp is consistent across a broad section of data that is accomplished in the same data insertion transaction.

Enhanced – Collected data from the environment is checked against the data stored in the database for changes. If the collected data is the same as that stored in the database, then only the last_update column is changed.

If the data is not the same as that stored in the database, one of two events occur:

If the data is new, a row is added to the table

If the data is a change to the data that is stored in the database, the to_time is changed to the present and a new row is added to the database.

The enhanced time fields are described as follows:

timestamp - Appended to the data by the local agent – see above

last_update – The time the data was last updated

to_time – Used to determine if the data is current or historical; will be a three-day “grace period” for configuration data calculated on the agg_gmt_timestamp.

agg_gmt_timestamp - Appended to the data by the Central Manager's Aggregator and is in expressed in GMT. This is applied at the time the data is inserted into the database. This timestamp is consistent across a broad section of data that is part of the same data insertion transaction.

EXTRACT, TRANSFORMATION, AND LOAD PROCESS

The new Storage Wizard functionality of Sun StorageTek Business Analytics is designed upon a series of newly designed data warehouse tables. These data warehouse tables have the prefixes of “gsr_” in the assurent database and are populated through a database extraction, transformation, and loading process (ETL). The ETL process is responsible for looking up any newly inserted storage array data in the legacy array tables, normalizing and transforming the data into a format suitable for rapid query, and loading the data into the storage data warehouse tables.

By default, the ETL process is set up to run as a policy alerting item at 4:00 am each day in the application for the default user (gsmuser). This policy is controlled by the Policy Alert Agent. To view the policy, log in to the Sun Storagetek Business Analytics application as gsmuser, and go to Tools-> Policy Alerting. The name of the policy is “ETL data loading process” and should be enabled by default. To schedule the ETL process at another time, modify this policy accordingly.

The ETL process will invoke a database stored procedure **gsr_main_proc_etl** in the assurent database. The execution result of the stored procedure is kept in the gsr_statistics table. The best time to schedule the ETL process is during the off hours, when the load on the database server is light, and after the records for the array tables are newly populated by the array agents.

By default, the ETL process is set up to run in “incremental mode”. This means that the program will only process “delta” records, those records that are changed since the last ETL process; therefore, the impact on the database resources for the daily ETL process is lessened.

However, in the case of an upgrade for a very large database, the ETL process may consume a lot of resources in order to go through the legacy records for the first time and build the data warehouse tables to be used by the storage wizard. If you need to upgrade a large database, you should plan the upgrade process accordingly by allocating enough time and database resources to allow the ETL process to complete.

ETL Structure

The ETL logic consists of three parts: extraction (implemented in `gsr_xtrt_proc_etl` proc), transformation (`gsr_trnf_proc_etl`), and loading (`gsr_load_proc_etl`). All are called in proper order from the `gsr_main_proc_etl` stored procedure, which is the entry point of the ETL logic. The `gsr_main_proc_etl` stored procedure syntax is described below.

| Parameter | Data Type | Default Value | Description |
|--------------------------|-----------|---------------|---|
| <code>@p_batch_id</code> | INT | NULL | Is the batch unique (among already existing in the <code>gsr_statistics</code> table) number. It's generated automatically if not supplied. |
| <code>@p_Beg_From</code> | CHAR(1) | NULL | Is used to run not the entire ETL process, but a specific part – extraction, transformation, or loading. If it's NULL (default), then the entire ETL process runs. If it's set to E or X, only the extraction runs. If set to T, only the transformation runs. If L, the only loading is run. |
| <code>@p_Use_Trnx</code> | CHAR(1) | NULL | If NULL or set to Y, the logic makes use of explicit transactions. Otherwise, the default for the server type of transactions is enforced. |

| Parameter | Data Type | Default Value | Description |
|------------------|------------------|----------------------|---|
| @p_mode | INT | 0 | <p>Controls delta versus full load processing. When it's NULL or set to 0, only the data added to the ASSURENT database since the last ETL run, based on the last update date, is processed (last delta). When set to 1, all data in the database is processed – full load.</p> <p>In production environments, deltas (versus full load) are recommended for processing mode.</p> |
| @p_batch_size | INT | 100000 | Sets the number of rows to process in one procedure or statement. For the default value (100,000), the procedure logic will break the entire amount into 10 pieces, containing approximately 10,000 each. If the parameter is set to 1,000,000, or higher, all work will be done in one procedure or statement. |
| @p_ClnDt | CHAR(1) | 'N' | Controls data cleansing. The default value is N, which means no data cleansing provided. When set to yes, the logic will check all attributes for specific object in every record, correcting them if needed. This mechanism is intended to be invoked only when data issues arise or are possible. |
| @p_PrnMsg | CHAR(1) | 'N' | Controls screen output. Its default value is N. When set to Y, the same information that is always recorded in the gsr_statistics table is printed on the screen as well. |

Table 1 - ETL Structure

Because all the parameters have default values, the stored procedure, gsr_main_proc_etl, is typically called without having been passed any parameters.

```
EXEC gsr_main_proc_etl
```

CHAPTER TWO - OWNERSHIP TABLES

In the Sun StorageTek Business Analytics application, ownership controls what reports are available to a Management Console user. This chapter briefly describes some tables that are used to determine ownership.

GSA_ACOM

This table contains information that uniquely identifies a Local Manager. The Local Manager is located and integrated into each customer site or location. When you enter and submit data using the Management Console's **Add a New Site** form, the data is stored in this table. The gsat_bvm_acom_list table stores associations between Local Managers and Sites that are created using the Management Console.

The Central Manager Database Setup creates a default Local Manager.

| Column Name | Datatype | Description |
|-------------|--------------|-----------------------------|
| acom_id | int(4) | Local Manager ID |
| acom_sn | varchar(32) | Local Manager short name |
| acom_name | varchar(128) | Name of Local Manager |
| ip_address | varchar(8) | IP address of Local Manager |
| timestamp | datetime(8) | Time created |

Table 2 – gsa_acom

GSA_DASHBOARDS

This table links a user to their current dashboard. Dashboard Administration is accessed using the Tools pull-down menu. The dashboard_id column is a primary key.

| Column Name | Datatype | Description |
|-----------------------|--------------|---|
| dashboard_id | int(4) | Dashboard identifier |
| dashboard_name | varchar(32) | User-defined dashboard name |
| dashboard_description | varchar(255) | Optional descriptive text |
| dashboard_type | char(1) | A (all) or P (private) |
| created_date | datetime(8) | Time created |
| created_by | int(4) | User ID of creator |
| delete_flag | bit(1) | Deleted flag; 0 if not deleted and 1 if deleted |
| deleted_date | datetime(8) | Time deleted if applicable or null |

Table 3 – gsa_dashboards

GSA_DASHBOARD_DEFAULT

This table links a user to their current dashboard. Dashboard Administration is accessed using the Tools pull-down menu.

| Column Name | Datatype | Description |
|--------------------|-----------------|----------------------|
| user_id | int(4) | User ID |
| dashboard_id | int(4) | Dashboard identifier |

Table 4 – gsa_dashboard_default

GSA_DASHBOARD_DETAIL

This table identifies the components in the dashboard layout.

| Column Name | Datatype | Description |
|--------------------|-----------------|---------------------------|
| dashboard_id | int(4) | Dashboard identifier |
| component_type | char(1) | P(ane) |
| component_id | int(4) | Pane identifier |
| valid_from | datetime(8) | Not currently used (null) |
| valid_to | datetime(8) | Not currently used (null) |

Table 5 – gsa_dashboard_default

GSA_PRODUCT

This table is the link between the user table and the site table.

| Column Name | Datatype | Description |
|--------------------|-----------------|---------------------------------|
| user_id | int(4) | User ID |
| site_id | int(4) | Site identifier |
| product | varchar (128) | Storability product name or N/A |
| timestamp | datetime(8) | Time created |

Table 6 – gsa_product

GSA_SITE

This table identifies a customer site that was defined by using the Management Console's Site/Local Manager Administration menu. A site is defined as a set of acom_ids, and represents a single logical or physical location. Sites may be assigned as assets within asset views.

The Central Manager Database Setup creates a default site to which the default Local Manager is assigned.

| Column Name | Datatype | Description |
|--------------------|-----------------|--------------------|
| site_id | int(4) | Site identifier |

| | | |
|---------------|--------------|--------------------------|
| acom_id | int(4) | Local Manager identifier |
| site_name | varchar(128) | Site name |
| site_location | varchar(128) | Site location |
| timestamp | datetime(8) | Time created |

Table 7 – gsa_site

GSA_SITE_ALLOCATION

This table correlates storage and backup data to users at the server level. While the acom_id allocates data at the site level, this allows for the allocation of individual or groups of servers to a user.

| Column Name | Datatype | Description |
|--------------------|-----------------|----------------------------------|
| user_id | int(4) | User identifier |
| site_id | int(4) | Site identifier |
| h_ip_address | varchar(15) | Host IP address |
| bu_client | varchar(64) | Backup client |
| bu_master_server | varchar(20) | Backup Master Server |
| bu_class | varchar(64) | Backup class/policy |
| start_date | datetime(8) | Last update agg_gmt_timestamp |
| expire_date | datetime(8) | Expiration agg_gmt_timestamp |
| timestamp | datetime(8) | Time created |

Table 8 – gsa_site_allocation Table

GSA_VIEW_DEFAULT

The table contains the default view assigned to users through the use of the Management Console's User Wizard. All users are assigned a default view.

| Column Name | Datatype | Description |
|--------------------|-----------------|--------------------|
| user_id | int(4) | User identifier |
| view_id | int(4) | View identifier |

Table 9 - gsa_view_default

GSA_VIEWS

The table contains the views created in the Sun StorageTek Business Analytics application using the Management Console's Views Wizard. There are two types: Composite and Asset.

| Column Name | Datatype | Description |
|--------------------|-----------------|--------------------|
| view_id | int(4) | View identifier |

| | | |
|------------------|--------------|--------------------------------------|
| view_name | varchar(32) | View name |
| view_description | varchar(255) | Optional view description |
| view_type | char(1) | A (asset) or C (composite) |
| created_date | datetime(8) | Date created |
| created_by | int(1) | User ID of creator |
| delete_flag | bit(1) | Zero (not deleted); one if deleted |
| deleted_date | datetime(8) | Date deleted; null if not deleted |
| deleted_by | int(4) | User ID of user who deleted the view |

Table 10 - gsa_views

GSA_USER_VIEWS

The table links views to the users who have been assigned to them.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| user_id | int(4) | User identifier |
| view_id | int(4) | View identifier |
| configuration_date | datetime(8) | Date and time configured |
| configured_by | int(4) | User ID of user who configured the view |

Table 11 - gsa_user_views

GSA_VIEWS_ASSET_ALLOCATION

The table links views to the assets that have been assigned to them.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| view_id | int(4) | View identifier |
| asset_type | char(1) | Asset type indicator for host, array, tlib, switch, NAS, etc. |
| asset_id | int(4) | Define a unique asset of a certain asset typ |
| valid_from | datetime(8) | Timestamp data was entered; may be null |
| valid_to | datetime(8) | Expiration date of the record; may be null |

Table 12 - gsa_user_views

USERS

This portal database table contains the users added to the Sun StorageTek Business Analytics application through the use of the Management Console's Users Wizard. The user, GSMUser, was created during the Central Manager Database Setup.

| Column Name | Datatype | Description |
|--------------------|-----------------|------------------------------|
| user_id | int(4) | Primary key. Unique user ID |
| OrgID | int(4) | Organization ID |
| RoleID | int(4) | Role ID |
| Username | varchar(20) | User name |
| FName | varchar(30) | First name |
| MI | char(1) | Middle Initial |
| LName | varchar(50) | Last Name |
| Email | varchar(50) | Email address |
| Phone | varchar(20) | Phone |
| PSW | varchar(10) | Encrypted password |
| ASSOCAuth | int(4) | |
| FirstLogIn | int(4) | |
| CreatorUserId | int(4) | User ID who created the user |
| Admin | int(4) | Administrative user flag |

Table 13 - Users

CHAPTER THREE - GENERAL TABLES

This chapter briefly describes general tables, including:

- gsa_agent_version
- gsa_alerts

It also covers two tables associated with the database purge functionality. The table layout of each table is also shown.

GSA_AGENT_VERSION

This table identifies all Smart Agents and identifies their software version. This information provides useful reference for a software inventory application, for example. It is also used to support the Agent Status report in the Management Console.

| Column Name | Datatype | Description |
|------------------|--------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | IP address of agent |
| port | int(4) | Agent's TCP port number (e.g., 17132 for Host Agent) |
| agent_name | varchar(255) | Name of Smart Agent |
| version | varchar(15) | Software version |
| compile_time | datetime(8) | Date and time compiled |
| managed_entities | int(4) | Number of managed devices; used for licensing |
| tz_name | varchar(50) | Name of the agent host's current locale |
| tz | char(6) | Specifies how many hours from UTC the agent host's current locale is within a range of "-12:00 to +12:00". For example, New Delhi locale will report "tz" as "+5:30". |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |

| Column Name | Datatype | Description |
|--------------------|-----------------|----------------------------|
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 14 – gsa_agent_version

GSA_ALERTS

This table identifies alerts that have been forwarded to the specified Local Manager (acom_id) from all deployed smart agents (or other Local Managers). The table is used to support the Agent Alerts report in the Management Console. **Note:** Severity level 0 alerts are logged only after debug level logging is turned on for an agent.

| Column Name | Datatype | Description |
|--------------------|-----------------|-------------------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(16) | IP address of agent |
| port | int(4) | Agent TCP port number |
| when_occurred | datetime(8) | Alert occurrence timestamp |
| severity | int(4) | Severity (e.g., 3) |
| error_id | int(4) | Error Code |
| progrname | varchar(30) | Agent |
| descr | varchar(200) | Descriptive text on the error |
| timestamp | datetime(8) | Time collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 15 – gsa_alerts

GSA_CONFIG_EVENT_TYPES

This table describes the configuration event types for the Table Purge functionality accessed using the Tools menu of the Management Console.

| Column Name | Datatype | Description |
|--------------------|-----------------|----------------------------|
| event_id | int(4) | Currently always 1 (purge) |
| event_description | varchar(50) | Is "purge" |

Table 16 - gsa_config_event_types

GSA_GSMDB_VERSION

This table contains the Central Manager Database software version information that can be displayed through the Management Console's *About Sun Storagetek Business Analytics* report under the *Help* pulldown menu. It is located in the portal database. The gsmkey column is the primary key.

| Column Name | Datatype | Description |
|--------------------|-----------------|---------------------------------|
| gsmkey | int(4) | Product identifier (e.g., 1) |
| tag | char(50) | Patch level (e.g., p1) |
| major | int(4) | Major release level (e.g., 4) |
| minor | int(4) | Minor release level (e.g., 0) |
| point | int(4) | Point identifier (e.g., 2) |
| patch | int(4) | Patch number |
| install_datetime | datetime(8) | Software installation timestamp |
| action | char(50) | |

Table 17 - gsa_gsmdb_version

GSA_GRACE_PERIODS

The gsa_grace_periods table is the source of the grace period for the expiration date of various data, by table name. The business_grouping column will be used to apply the same grace period across all related tables. All tables have a default grace period of three days with the exception of the SRM tables (367 days).

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| gsm_table_name | varchar(30) | Database table name |
| business_grouping | varchar(30) | backup, nas, host, database, array, fcswitch |
| grace_period_days | int(4) | Grace period in days |

Table 18 – gsa_grace_periods

GSA_LAST_UPDATE_PARAMS

This table identifies last update intervals for specified database tables. The *config* column is the primary key.

| Column Name | Datatype | Description |
|--------------------|-----------------|---------------------------------------|
| config | varchar(30) | Table name (e.g., gsa_host_storage) |
| hr_interval | int(4) | Last update interval (e.g., 72 hours) |

Table 19 – gsa_last_update_params

GSA_PURGE_TABLES

This table is used for the Configure Purge Tables function. Configure Purge Tables is accessed from Database Administration under the **Tools** pull-down menu. Refer to the *Administration* chapter for additional information on how you can set up purging rows of specific database table while a “grace period” for maintaining data is observed.

| Column Name | Datatype | Description |
|--------------------|-----------------|---------------------------|
| table_id | int(4) | Internal table identifier |

| | | |
|----------------|-------------|--|
| table_name | varchar(30) | Table name |
| min_day_to_run | int(4) | Minimum number of days to maintain data before it is eligible to be purged |
| timestamp | datetime(8) | Time collected from agent |

Table 20 – gsa_purge_tables

GSA_UPGRADE_LOG

This table stores information that pertains to a Central Manager database upgrade installation.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| script_name | varchar(255) | Name of database upgrade installation script |
| successfu | char(1) | Indicates whether (y/n) the upgrade script completed successfully |
| exec_time | datetime(8) | How long the script executed |

Table 21 - gsa_upgrade_log

CHAPTER FOUR - ASSETS

Assets are physical devices that include fabric switches, servers, arrays, and tape libraries. The assets are monitored by the Sun StorageTek Business Analytics agents, and are assigned to one or more asset views. The *View Administration* menus allow the administrator to assign assets to asset views. This chapter describes some database tables that store information used for this functionality. If the agent type (e.g., NAS) is not deployed, the related table (e.g., gsa_asset_nas) will be empty.

The tables that are populated using the *Define Fields for Asset Reports* administrative menus are also covered in this chapter.

GSA_ASSET_TYPES

This table identifies the asset types within the Sun StorageTek Business Analytics application.

| Column Name | Datatype | Description |
|-------------------|-------------|---|
| asset_type | char(1) | Primary key. Type of asset |
| asset_description | varchar(20) | Description of asset |
| asset_table_name | varchar(50) | Name of asset table (e.g., gsa_asset_array) |

Table 22 - gas_asset_types

The seed data for asset types is identified below.

| asset_type | asset_description | asset_table_name |
|------------|----------------------|--------------------------------|
| A | array | gsa_asset_array |
| B | backup_client_policy | gsa_asset_backup_client_policy |
| D | databases | gsa_asset_database |
| F | fabric switches | gsa_asset_switches |
| H | hosts | gsa_asset_hosts |
| N | nas devices | gsa_asset_nas |
| S | site | gsa_site |
| T | tape library | gsa_asset_tlib |
| asset_type | asset_description | asset_table_name |

| | | |
|---|-------|-----------|
| V | views | gsa_views |
|---|-------|-----------|

GSA_ASSET_REFERENCE

The table contains information that is populated using the *Define Fields for Asset Report* functionality of the Management Console application. This functionality is accessed from *Reporting Administration* under the *Tools* pulldown menu.

| Column Name | Datatype | Description |
|-------------|-------------|--|
| asset_type | char(15) | Text field that indicates the type of asset (host, array, tlib, switch, nas, etc.) |
| field_num | int(4) | System-generated number that identifies a field_type and field_name |
| field_type | varchar(30) | Defines the type of data stored in the field (number, text, date) |
| field_name | varchar(64) | User-defined field name |
| timestamp | datetime(8) | Creation timestamp |
| to_time | datetime(8) | Expiration timestamp |

Table 23 - gsa_asset_reference

GSA_ASSET_DATA

The table contains all user-entered data for an asset.

| Column Name | Datatype | Description |
|---------------------------|--------------|---|
| asset_type | char(15) | Text field that indicates the type of asset (host, array, tlib, switch, nas, etc.) |
| site_id | int(4) | Site identifier |
| dev_id1, dev_id2, dev_id3 | varchar(100) | Used to define a unique asset of a particular asset type; one or more columns may be null |
| field_num | int(4) | System-generated number that identifies a field_type and field_name |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| field_value | varchar(255) | User entered field value; may be text, number, or date |
| timestamp | datetime(8) | Creation timestamp |
| to_time | datetime(8) | Expiration timestamp |

Table 24 - gsa_asset_data

GSA_ASSET_ARRAY

The table contains information for the asset type of array.

| Column Name | Datatype | Description |
|--------------------|-----------------|-------------------------------------|
| asset_id | int(4) | Index. Uniquely identifies an asset |
| site_id | int(4) | Site identifier |
| array_id | char(32) | Array identifier |
| array_name | varchar(64) | Array name |
| array_maker | varchar(20) | Array manufacturer |
| array_model | varchar(20) | Array model |
| last_update | datetime(8) | Last update timestamp |

Table 25 - gsa_asset_data

GSA_ASSET_BACKUP_CLIENT_POLICY

The table contains information for the asset type of backup client policy.

| Column Name | Datatype | Description |
|--------------------|-----------------|-------------------------------------|
| asset_id | int(4) | Index. Uniquely identifies an asset |
| site_id | int(4) | Site identifier |
| ip_address | char(15) | Client IP address |
| master_server | varchar(132) | Master Server name |
| client | varchar(128) | Backup client name |
| policy | varchar(128) | Policy name |
| last_update | datetime(8) | Last update timestamp |

Table 26 - gsa_asset_data

GSA_ASSET_DATABASE

The table contains information for the asset type of database.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| asset_id | int(4) | Index. Uniquely identifies an asset |
| site_id | int(4) | Site identifier |
| instance_name | varchar(64) | Database Server instance name |
| db_server_ip | varchar(15) | Unique Database Server Identifier |
| port_no | int | Database server port number (e.g., 1433 SQL Server) |
| database_type | varchar(25) | Type of Database: Oracle, Sybase, etc |
| version | varchar(25) | Database Server version |
| instance_name | varchar(64) | Database Server instance name |
| last_update | datetime(8) | Last update timestamp |

Table 27 - gsa_asset_database

GSA_ASSET_HOSTS

The table contains information for the asset type of host.

| Column Name | Datatype | Description |
|--------------------|-----------------|-------------------------------------|
| asset_id | int(4) | Index. Uniquely identifies an asset |
| site_id | int(4) | Site identifier |
| nodename | varchar(64) | Host's node name |
| hostid | varchar(20) | Host's identifier |
| last_update | datetime(8) | Last update timestamp |

Table 28 - gsa_asset_hosts

GSA_ASSET_NAS

The table contains information for the asset type of NAS.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| asset_id | int(4) | Index. Uniquely identifies an asset |
| gsa_id | char(64) | Application-generated unique identifier for the device |

| | | |
|-------------|-------------|-------------------------------|
| system_id | char(32) | Device system ID |
| nodename | varchar(64) | Configured name of the device |
| vendor | char(32) | Manufacturer of the device |
| product | char(32) | Product name |
| model | varchar(32) | Device model |
| last_update | datetime(8) | Last update timestamp |

Table 29 - gsa_asset_nas

GSA_ASSET_NAS_FILESYSTEM

The table contains information for the asset type of NAS filesystem.

| Column Name | Datatype | Description |
|-----------------|--------------|--|
| asset_id | int(4) | Index. Uniquely identifies an asset |
| site_id | int(4) | Site identifier |
| gsa_id | char(64) | Application-generated unique identifier for the device |
| filesystem_name | varchar(255) | File system name |
| filesystem_type | char(20) | File system type |
| nodename | char(255) | Node name |
| last_update | datetime(8) | Last update timestamp |

Table 30 - gsa_asset_nas_filesystem

GSA_ASSET_SWITCHES

The table contains information for the asset type of switches.

| Column Name | Datatype | Description |
|--------------|-------------|-------------------------------------|
| asset_id | int(4) | Index. Uniquely identifies an asset |
| site_id | int(4) | Site identifier |
| switch_wwn | char(16) | Switch World Wide Name |
| switch_name | varchar(64) | Switch name |
| Column Name | Datatype | Description |
| vendor_name | char(32) | Switch vendor manufacturer |
| switch_model | char(32) | Device model |
| last_update | datetime(8) | Last update timestamp |

Table 31 - gsa_asset_switches

GSA_ASSET_TLIB

The table contains information for the asset type of tape libraries.

| Column Name | Datatype | Description |
|--------------------|-----------------|-------------------------------------|
| asset_id | int(4) | Index. Uniquely identifies an asset |
| site_id | int(4) | Site identifier |
| lib_id | varchar(128) | Unique tape library identifier |
| lib_index | int(4) | |
| vendor | varchar(128) | Library manufacturer |
| model | varchar(64) | Device model |
| alias | varchar(128) | Alias or null if no alias defined |
| last_update | datetime(8) | Last update timestamp |

Table 32 – gsa_asset_tlib

CHAPTER FIVE – DATA POLLING

The messaging infrastructure allows the scheduled and on-demand collection of agent data that appears in Sun StorageTek Business Analytics reports. Some tables in the chapter are used for Policy Execution or Data Collection. All these user tables are contained in the portal database.

GSA_DP_DATA_COLLECTION

This table contains the default (seed data) for agent data collection.

| Column Name | Datatype | Description |
|------------------------------|-------------|---|
| collection_scheme_id | int(4) | Unique collection scheme identifier |
| collection_type | varchar(32) | Collection Type (e.g., Host) as seen in the Management Console's <i>Data Polling Schedule</i> menu under <i>Tools</i> . |
| collection_metric | varchar(32) | Collection Metric (e.g., FileSystem) as seen in the Management Console's <i>Data Polling Schedule</i> menu under <i>Tools</i> . |
| default_start_time | datetime(8) | Default start time in format mm/dd/yyyy hh/mm/ss AM/PM |
| default_interval_type | varchar(32) | Type of interval for recurring collection (e.g., hourly) |
| default_interval | int(4) | Default interval (e.g., 3) |
| min_collection_interval_type | varchar(32) | Minimum collection interval (e.g., hourly) type |
| min_collection_interval | int(4) | Minimum interval (e.g., 1) |

Table 33 - gsa_dp_data_collection

GSA_DP_DATA_COLLECTION_OBJ

This table contains the default timeout used by the Data Aggregator Agent for the collection of requested agent objects.

| Column Name | Datatype | Description |
|----------------------|--------------|---|
| collection_scheme_id | int(4) | Unique collection scheme identifier |
| callback_table | varchar(128) | Table name (e.g., gsa_alerts) |
| sequence | int(4) | Sequence number |
| default_timeout | int(4) | Default timeout (e.g., 1200) in seconds |

Table 34 - gsa_dp_data_collection_obj

GSA_ DATA_COLLECTION_STATS

This table contains data from the Data Aggregator's **gsa_data_collection_stats** object. The Management Console Polling Schedules window allows you to set the frequency of scheduled data collection for the Collection Type of Data Aggregator and Collection Metric of Collection Statistics.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| rid | int(4) | The Routing Agent ID (rid) of the first Routing Agent the data collection requests went through. This field is not found in the gsa_data_collection_stats object |
| agg_host | char(16) | The IP address of the host where the Data Aggregator is running. |
| agg_port | int(4) | The TCP port where the gsa_data_collection_stats object is published on. |
| object_name | varchar(64) | This is the base name of the table that was collected with no version information. |
| object_version | char(5) | This is the version of the table. If the table does not have a version, the column is NULL. For example, the gsa_some_table_2_1 would contain the table_version 2_1 and the gsa_somerother_table would contain a NULL table_version. |
| session_id | int(4) | The unique identifier for the collection request. |
| transaction_id | int(4) | This is the transaction id for this request. All requests are assigned a transaction_id. If an alert was generated by this request, the transaction_id can be joined to the alerts table to see the text for the error(s). |
| data_timeout | int(4) | The timeout value used for this collection. |
| target_site_id | int(4) | The site_id requested for this collection (if specified, NULL if not specified). |
| target_rid | int(4) | The rid requested for this collection (if specified, NULL if not specified). |
| target_host | char(16) | The agent target IP address requested for this collection (if specified, NULL if not specified). |
| target_port | int(4) | The agent target port requested for this collection (if specified, NULL if not specified). |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| data_arrival | datetime(8) | Date/time the agent data was received from the environment (also signifies the start of data insertion). |
| rows | int(4) | The number of rows returned from the environment. |
| data_insertion | datetime(8) | Date/time the insertion of this data was completed. If an error occurred during the data request and, therefore, no insertion was attempted, this should be NULL. |
| errors | int(4) | Count of the errors that occurred during the insertion process. |
| last_error | int(4) | If <i>errors</i> are greater than zero, contains the error string for the last error that occurred. |
| agt | datetime(8) | GMT date/time originally inserted into the database associated with this record's object_name. |
| agg_gmt_timestamp | datetime(8) | GMT date/time added by Data Aggregator for the gsa_data_collection_stats table; this is not found in the gsa_data_collection_stats object. |

Table 35 - gsa_data_collection_stats

GSA_JOBS

The table contains information on scheduled data collection or policy execution. The sch_job_id column is the primary key.

| Column Name | Datatype | Description |
|--------------------|-----------------|--------------------------------------|
| sch_job_id | int(4) | Unique scheduled job identifier |
| sch_job_name | varchar(20) | Data Collection or Execute Policy |
| sch_job_purpose | varchar(20) | Collect data or execute policy |
| sch_job_category | varchar(20) | Data collection or policy management |
| sch_job_owner | int(4) | User ID of creator |
| sch_job_desc | varchar(20) | Collect Data or Execute Policy |

Table 36 - gsa_jobs

GSA_JOB_SCHEDULE

The table contains information on jobs created for data collection or policy execution. The sch_id and sch_job_id columns are primary keys.

| Column Name | Datatype | Description |
|--------------------|-----------------|---------------------------------|
| sch_id | int(4) | Unique schedule identifier |
| sch_job_id | int(4) | Unique scheduled job identifier |
| sch_name | char(15) | Schedule name (e.g., Collect) |
| sch_type | char(15) | aggregator or policyAgent |
| sch_state | int(4) | 0=disabled; 1=enabled |
| sch_user_id | int(4) | User ID of creator |

Table 37 - gsa_job_schedule

GSA_JOB_STEPS

The table contains information on the discrete actions comprising the steps within a scheduled job. The sch_step_id and sch_job_id columns are primary keys.

| Column Name | Datatype | Description |
|--------------------|-----------------|----------------------------------|
| sch_job_id | int(4) | Unique scheduled job identifier |
| sch_step_id | int(4) | Unique execution step identifier |
| sch_step_name | varchar(20) | Step name (e.g., First Step) |
| sch_step_type | varchar(20) | Step type |
| sch_step_target | varchar(32) | Step command's target component |
| sch_step_command | text(16) | Text of command |
| sch_step_params | varchar(128) | Optional command parameters |
| sch_step_cond_ | varchar(20) | Conditions; may be null |

Table 38 - gsa_scheduled_jobs

GSA_TIMES

The table contains information on the frequencies of job schedules. The sch_id column is the primary key.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| sch_id | int(4) | Unique schedule identifier |
| sch_start_time | datetime(8) | Schedule start time in format dd/mm/yy hh/mm/ss (a.m./p.m.) |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| sch_end_time | datetime(8) | Schedule end time in format dd/mm/yy hh/mm/ss (a.m./p.m.) |
| sch_start_date | datetime(8) | Scheule start date in format dd/mm/yy hh/mm/ss (a.m. /p.m.) |
| sch_end_date | datetime(8) | Schedule end date in format dd/mm/yy hh/mm/ss (a.m./p.m.) |
| sch_interval_type | varchar(12) | Interval type (e.g., hourly) |
| sch_interval | int(4) | Interval per schedule type |
| sch_day_of_week | varchar(50) | Day of week |
| sch_week_of_month | char(7) | Week of month |
| sch_day_of_month | char(8) | Day of month |
| sch_month_of_year | char(12) | Month of year |

Table 39 – gsa_times

GSA_TRANSACTIONS

The table tracks transactions related to polling schedules. The transaction_id column is the primary key.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| transaction_id | int(4) | Unique transaction identifier |
| transaction_source | varchar(128) | Source of transaction (e.g., Install) |
| transaction_type | varchar(255) | Transaction type |
| owner_user_id | int(4) | User ID associated with the transaction |
| timestamp | datetime(8) | Creation timestamp |

Table 40 - gsa_transactions

CHAPTER SIX – POLICY ALERTING

Sun StorageTek Business Analytics provides the ability to create and execute policies using the Management Console's Policy Alerting menus. The policies are monitored and executed by the Policy Agent. This chapter describes some tables used for this functionality. All these user tables are contained in the portal database.

GSA_POLICY_CLASS_CMD_ASSETCOLS

The table contains columns for the different classes of assets (e.g., Host) associated with the commands used for Policy Management.

| Column Name | Datatype | Description |
|-------------------------|--------------|----------------------------------|
| policy_class_command_id | int(4) | Unique policy command identifier |
| asset_col_name | varchar(128) | Asset column name |
| asset_type | char(2) | Acronym for asset (e.g., Fabric) |
| sequence | int(4) | Sequence number |

Table 41 - gsa_policy_class_cmd_assetcols

GSA_POLICY_CLASS_COMMANDS

The table contains the SQL commands used to enforce policy management.

| Column Name | Datatype | Description |
|-------------------------|--------------|--|
| policy_class_command_id | int(4) | Unique policy command identifier |
| policy_class_id | int(4) | Unique policy class identifier |
| command_type | char(10) | Command type (e.g., sql) |
| command_value | varchar(255) | Stored procedure (e.g., gsa_proc_utilizedisk_sr) |

Table 42 - gsa_policy_class_commands

GSA_POLICY_CLASS_MASTER

The table contains descriptions of the policies displayed in the Policy Alerting menus of the Management Console.

| Column Name | Datatype | Description |
|-------------------------|--------------|---|
| policy_class_id | int(4) | Unique policy class identifier |
| policy_class_short_name | char(30) | Policy short name (e.g., Host Filesystem Alert) |
| policy_class_long_name | varchar(255) | Description of the policy |

Table 43 - gsa_policy_class_commands

GSA_POLICY_CLASS_PARAMETER

The table contains the various parameters used within the various policies defined using the Policy Alerting menus of the Management Console.

| Column Name | Datatype | Description |
|------------------------|-----------------|---|
| policy_class_id | int(4) | Unique policy class identifier |
| policy_class_param_id | int(4) | Unique policy parameter identifier |
| param_name | varchar(64) | Parameter name (e.g., nodename) |
| param_desc | varchar(128) | Parameter description (e.g., Host Name) |
| param_type | char(10) | Parameter type (e.g., input/condition) |
| param_field_type | char(10) | Field data type (e.g., datetime(8)) |
| policy_default_rule_id | int(4) | Unique default rule identifier |

Table 44 - gsa_policy_class_parameter

GSA_POLICY_DEFAULT_RULES

The table contains information on the default policy rules.

| Column Name | Datatype | Description |
|---------------------|-----------------|---------------------------------------|
| policy_default_rule | int(4) | Unique policy default rule identifier |
| rule_name | varchar(128) | Rule name (e.g., used_percentage) |
| rule_desc | varchar(64) | Rule description (e.g., Sort Order) |
| rule_field_type | char(10) | Field data type (e.g., varchar) |

Table 45 - gsa_policy_default_rules

GSA_POLICY_INSTANCE_MASTER

The table contains information on instances of policies. The policy_instance_id column is the primary key.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| policy_class_id | int(4) | Unique policy class identifier |
| policy_instance_id | int(4) | Unique policy instance identifier |
| user_id | int(4) | User identifier |
| view_id | int(4) | View identifier |
| enabled | char(1) | Identifies policy enabled status (y/n) |
| notify_always | char(1) | Identifies policy notify status (y/n); if yes notified even when threshold not exceeded |
| create_time | datetime(8) | Creation timestamp |

Table 46 - gsa_policy_instance_master

GSA_POLICY_INSTANCE_NOTIFY

The table contains information on policy notifications. The policy notifications are sent to specified email recipients.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| policy_instance_id | int(4) | Unique policy instance identifier |
| notify_type | char(10) | Notification type; currently always email) |
| notify_value | varchar(64) | Recipients of notifications (email address) |

Table 47 - gsa_policy_instance_notify

GSA_POLICY_INSTANCE_VALUES

The table contains parameter values related to policies.

| Column Name | Datatype | Description |
|-----------------------|-----------------|--|
| policy_class_id | int(4) | Unique policy class identifier |
| policy_class_param_id | int(4) | Unique policy class parameter identifier |
| param_operator | char(10) | Parameter operator |
| param_value | varchar(255) | Paramter value |

Table 48 - gsa_policy_instance_values

CHAPTER SEVEN - FABRIC TABLES

The Fabric Agent provides one, unified fabric agent for different fabric vendor products and interfaces. See the Sun StorageTek Business Analytics Support Matrix for the latest information on the Fabric Agent. This chapter briefly describes the Fabric Agent tables, including:

gsa_fabric_object_types
gsa_abric_ports
gsa_fabric_switch
gsa_fabric_zone
gsa_fabric_ports_perf

GSA_FABRIC_OBJECT_TYPES

This table contains information on fabric switch objects.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| object_type | int(4) | Internal object identifier; primary key |
| type_name | varchar(12) | Name of object type |

Table 49 - gsa_fabric_object_types

The metadata loaded at installation time for object_type is listed below.

| object_type | type_name |
|--------------------|------------------|
| 0 | invalid |
| 1 | port |
| 2 | switch |
| 3 | hb |
| 4 | node |
| 5 | device |
| 6 | addrunit |
| 7 | hba |
| 8 | host |
| object_type | type_name |
| 9 | fabric |

| | |
|----|--------------|
| 10 | zone |
| 11 | zoneset |
| 12 | oshandle |
| 13 | security |
| 14 | enclosure |
| 15 | platform |
| 16 | bridge |
| 17 | route |
| 18 | portstats |
| 19 | porterrors |
| 20 | zone_alias |
| 21 | zoningcaps |
| 22 | zone_member |
| 23 | portmodule |
| 24 | fullzonedb |
| 25 | activezonedb |

Table 50 - Object Type Metadata

GSA_FABRIC_PORT_TYPES

This table maintains the type of switch ports.

| Column Name | Datatype | Description |
|--------------------|-----------------|----------------------------|
| port_type | int(4) | See below. Primary key. |
| type_short_name | varchar(3) | Abbreviation for type name |
| type_name | varchar(20) | Description of port type |

Table 51 – gsa_fabric_port_types

The metadata for port_type and type_name is listed as follows: 0=unknown, 1=fabric port, 2=public port, 3=expansion port, 4=fabric end port, 5=loop end port, 6=B port, 7=generic port, 8=U port, 9=other.

GSA_FABRIC_PORTS

This table provides a list of the ports in the fabric. The table is populated with the WWN of the fabric name server as well as the WWNs of the individual switch ports.

The port status is either online or offline.

| Column Name | Datatype | Description |
|-------------------------|-----------------|-------------------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| domain | int(4) | Switch domain identifier |
| port | int(4) | Port number |
| sw_port_id | char(6) | Switch Port ID |
| fabric_wwn | char(16) | WWN of fabric name server |
| port_wwn | char(16) | Switch port WWN |
| port_state | int(4) | On-Line or Off-Line indicator |
| port_type | int(4) | Port type |
| current_speed_mbits_sec | int(4) | Current port speed (mbits) |
| att_port_id | char(10) | Attached Port ID |
| att_port_wwn | char(16) | Attached Port WWN |
| att_node_wwn | char(16) | Attached node's WWN |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 52 – gsa_fabric_port

GSA_FABRIC_PORT_PERF

This table maintains the fabric switch port-level performance data that has been collected from fabric switches.

| Column Name | Datatype | Description |
|--------------------|-----------------|----------------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | Agent host IP address |
| switch_wwn | char(16) | WWN of fabric switch |
| port_wwn | char(16) | WWN of switch port |
| att_port_wwn | char(16) | Attached node's port's WWN |
| att_node_wwn | char(16) | Attached node's WWN |

| | | |
|-----------------------|-------------|-----------------------------------|
| report_interval_sec | int(4) | |
| sample_interval_sec | int(4) | |
| cnt_errors | bigint(8) | Port error counter |
| cnt_busy | bigint(8) | Port busy counter |
| rx_frames_per_sec | bigint(8) | Received frames per second |
| tx_frames_per_sec | bigint(8) | Transmitted frames per second |
| rx_bytes_per_sec | bigint(8) | Received bytes per second |
| tx_bytes_per_sec | bigint(8) | Transmitted bytes per second |
| rx_peak_bytes_per_sec | bigint(8) | Peak received bytes per second |
| tx_peak_bytes_per_sec | bigint(8) | Peak transmitted bytes per second |
| timestamp | datetime(8) | Time collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 53 – gsa_fabric_port_perf

GSA_FABRIC_STATUS_TYPES

This table maintains the the status of fabrics.

| Column Name | Datatype | Description |
|-------------|-------------|-------------------------|
| oper_status | int(4) | See below. Primary key. |
| status_name | varchar(16) | Status text string |

Table 54 – gsa_fabric_status_types

The status_name values are as follows: 0=unknown, 1=functional, 2=not available, 3=under testing, 4=defective.

GSA_FABRIC_SW_STATUS_TYPES

This table maintains the the status of fabrics.

| Column Name | Datatype | Description |
|-------------|-------------|-------------------------|
| status | int(4) | See below. Primary key. |
| status_name | varchar(16) | Status text string |

Table 55 – gsa_fabric_status_types

The status_name values are as follows: 1=unknown, 2=Online, 3=Offline

GSA-FABRIC_SWITCH

This table is populated with detailed information on the specified fabric switch. All IP Address fields are populated with a default value of 0.0.0.0.

| Column Name | Datatype | Description |
|-------------|----------|---------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |

| | | |
|-------------------|-------------|---|
| fabric_wwn | char(16) | WWN of the fabric name server |
| switch_name | varchar(64) | Switch name |
| data_ip_address | char(15) | |
| mgt_ip_address | char(15) | Management interface IP address |
| dev_ip_address1 | char(15) | Secondary Management IP address |
| dev_ip_address2 | char(15) | Tertiary Management IP address |
| firmware | varchar(64) | Firmware version |
| vendor_name | char(32) | Switch vendor name (e.g., McData) |
| switch_model | char(32) | Model |
| switch_role | int(4) | Switch role in fabric |
| switch_state | int(4) | Numeric representation of the state of the switch |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 56 – gsa_fabric_switch

GSA_FABRIC_ZONE

This table is populated with detailed information on the specified zones and active zone set. Refer to the current release of the Business Analytics Support Matrix to determine the fabric products and product interfaces that support collection of zone details.

| Column Name | Datatype | Description |
|--------------------|-----------------|-------------------------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | IP address of agent |
| z_type | int(4) | Zone type identifier |
| z_name | varchar(64) | Zone name |
| member_type | int(4) | Type of connected device identifier |
| member_name | varchar(64) | Connected device name |
| effective | int(4) | Zone in effect indicator |

| | | |
|-------------------|-------------|----------------------------------|
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 57 – gsa_fabric_zone

CHAPTER EIGHT - ARRAY TABLES

Sun StorageTek Business Analytics provides storage array agents supporting different vendor product lines or interfaces; including EMC Symmetrix, EMC Clariion, HDS 9200 and 9500 series, HP/Compaq EVA, HP/Compaq HSG80, IBM ESS/Shark, LSI, HP XP, and HiCommand. This chapter describes the storage array tables populated by these agents, including:

- gsa_array_config_v2
- gsa_cache_perf
- gsa_disk_ctl_perf
- gsa_fctl_perf
- gsa_HBA_config_v2
- gsa_host_storage_unit_v2
- gsa_local_unit_mapping_v2
- gsa_phy_disk_v2
- gsa_remote_unit_mapping_v2

GSA_ARRAY_CONFIG_V2

This table contains information on a storage array, including the name, manufacturer, model, cache size, physical disks, and controllers.

| Column Name | Datatype | Description |
|-----------------|-------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| array_id | char(32) | Array identifier |
| array_name | varchar(64) | Array name |
| array_maker | varchar(20) | Array manufacturer |
| array_model | varchar(20) | Array model |
| array_sw | varchar(20) | Firmware revision |
| product_line | varchar(20) | Distinguishes between product lines from same manufacturer, such as EMC Symmetrix and EMC Clariion |
| agent_name | varchar(20) | Identifies the agent that reported the data |
| cache_size | int(4) | Cache size (MB) |
| phydisks | int(4) | Number of disks |
| controllers | int(4) | Number of controllers |
| mgt_ip_address | char(15) | Device Management IP address. Default is 0.0.0.0 |
| data_ip_address | char(15) | See above |
| dev_ip_address1 | char(15) | Controller IP. Default is 0.0.0.0 |
| dev_ip_address2 | char(15) | Controller IP. Default is 0.0.0.0 |
| Column Name | Datatype | Description |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |

| | | |
|-------------------|-------------|-------------------------------|
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 58 – gsa_array_config_v2

GSA_CACHE_PERF

This table provides information on the cache performance of a specified storage array. The *Sun StorageTek Business Analytics Agent Quick Fact Sheet* identifies the array agents that support the collection of performance details.

| Column Name | Datatype | Description |
|-------------------|--------------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | IP address of agent |
| array_id | char(32) | Array identifier |
| cache_hits_sec | numeric(13) (20,0) | Number of cache hits per second for all I/O |
| cache_misses_sec | numeric(13) (20,0) | Number of cache misses per second for all I/O |
| timestamp | datetime(8) | Time collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 59 – gsa_cache_perf

GSA_DISK_PERF

This table provides information on the disk I/O performance of a specified storage array. This table is only populated for EMC symmetrix devices by the EMC Agent.

| Column Name | Datatype | Description |
|-------------|--------------------|---------------------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | IP address of agent |
| addr_1 | varchar(20) | Disk adapter address(e.g., 16A) |
| addr_2 | varchar(20) | Disk adapter address |
| addr_3 | varchar(20) | Disk adapter address |
| io_per_sec | numeric(13) (20,0) | I/O per second |

| | | |
|-------------------|--------------------|--|
| rd_io_per_sec | numeric(13) (20,0) | Average number of read operations per second for each physical disk |
| wr_io_per_sec | numeric(13) (20,0) | Average number of write operations per second for each physical disk |
| timestamp | datetime(8) | Time collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 60 – gsa_disk_perf

GSA_FCTRL_PERF

This table provides I/O performance statistics (io_per_sec) related to the front-end processor of a specified (array_id) storage array.

| Column Name | Datatype | Description |
|--------------------|--------------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| array_id | char(32) | Array identifier |
| addr_1 | varchar(20) | Front end adapter address |
| io_per_sec | numeric(13) (20,0) | Average I/O per second |
| rd_io_per_sec | numeric(13) (20,0) | Average number of read operations per second received by the controller |
| wr_io_per_sec | numeric(13) (20,0) | Average number of write operations per second received by the controller |
| timestamp | datetime(8) | Time collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 61 – gsa_fctr_perf

GSA_LOCAL_UNIT_MAPPING_V2

This table maps the local storage unit (lun/hyper/unit) to the units on the local array that protects the data. For example, BCVs in an EMC array or Snapview in an HSG80 Compaq array use this mapping.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| array_id | char(32) | Array identifier |
| su_id | varchar(255) | Unique volume ID of source volume |
| d_su_id | varchar(255) | Unique volume ID of destination (snapshot) volume |
| d_array_id | varchar(20) | Destination array ID |

| | | |
|----------------|-------------|--|
| session_name | char(64) | Name associated with particular local copy relationship |
| mapping_type | char(20) | |
| mapping_status | char(20) | Status of local copy (active, inactive, offline, failed) |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |

Table 62 – gsa_logical_unit_mapping_v2

GSA_PHYDISK_V2

This table identifies a physical disk in a managed storage array, including the Local Manager that collected the data, the storage array, and its capacity.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| array_id | char(32) | Storage array identifier |
| disk_size | varchar(20) | Disk size |
| addr_1 | varchar(255) | Agent/array first unique ID of disk (e.g., cabinet) |
| addr_2 | char(20) | Agent/array second unique ID of disk (disk name) |
| addr_3 | int(4) | Agent/array third unique ID of disk |
| disk_size | int(4) | Numeric size of the disk (MB) |
| timestamp | datetime(8) | Time collected from agent |

| Column Name | Datatype | Description |
|--------------------|-----------------|-------------------------------|
| | | |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 63 – gsa_phys_disk_v2

GSA_REMOTE_UNIT_MAPPING_V2

For the remote mapping information, two tables are used. This is necessary as the agent only retrieves information about the local array. The actual mapping between arrays is accomplished at the database level. The two tables are:

- gsa_remote_unit_mapping - For each LUN, this table stores the unique identifier of the lun it is mapped to.
- gsa_su_reference_mapping - This table is discussed later.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | IP address of agent |
| array_id | varchar(20) | Array identifier |
| su_id | varchar(20) | Unique volume ID of source volume |
| d_su_id | varchar(255) | Unique volume ID of destination volume |
| session_name | char(20) | Name associated with the remote copy |
| mapping_type | char(20) | |
| mapping_status | char(20) | Status of remote copy (e.g., active) |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 64 – gsa_remote_unit_mapping

GSA_STORAGE_UNIT_CONFIG_V2

This table identifies each storage unit configuration within the storage array.

| Column Name | Datatype | Description |
|--------------------|-----------------|---------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| array_id | char(32) | Array identifier |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| su_id | varchar(20) | Agent/array-specific, unique persistent identifier of storage unit(or volume, or logical unit) within the array |
| addr1 | varchar(200) | Agent/array-specific first unique identifier of disk containing all or part of storage unit |
| addr2 | char(20) | Agent/array-specific second unique identifier of disk containing all or part of storage unit |
| addr3 | int(4) | Agent/array-specific third unique identifier of disk containing all or part of storage unit; -1 means not applicable |
| addr4 | int(4) | Agent/array-specific fourth unique identifier used to identify a particular section or slice of this disk; -1 means not applicable |
| size | int(4) | Raw size in MB |
| configuration | varchar(64) | Agent/array-specific identifier for the volume configuration |
| type | char(20) | The type of this storage unit, such as Volume, Hot Spare, or Free. |
| status | char(20) | Status of the particular slice |
| primary_su | varchar(2) | Indicator of how much of the raw capacity of this disk section will be counted in computing the total usable capacity of the storage unit; assigned according to RAID type |
| component_1 | varchar(64) | Represents a second level of intermediate storage from which the storage unit is constructed. For example, a RAID 1 mirror set underlying a RAID 0 stripe set for Storageworks. Default value is N/A (not applicable). |
| component_2 | varchar(64) | Represents an intermediate storage container from which the storage unit is constructed. For example, an EMC meta member or a RAID group. Default value is N/A (not applicable). |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| Column Name | Datatype | Description |

| | | |
|-------------------|-------------|----------------------------|
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |
|-------------------|-------------|----------------------------|

Table 65 – gsa_storage_unit_config_v2

GSA_SU_REFERENCE_CONFIG_V2

This table will store the unique identifier for each LUN in the array. At the database level, it can be used to cross reference information to find the remote lun id and site_id. This table is only populated if Sun StorageTek Business Analytics knows the LUN is a member of a remote pair.

| Column Name | Datatype | Description |
|-------------------|--------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| array_id | char(32) | Array identifier |
| su_id | varchar(255) | Agent/array-specific, unique persistent identifier of storage unit(or volume, or logical unit) within the array |
| su_uid | varchar(255) | Agent/array-specific, unique persistent identifier of storage unit(or volume, or logical unit) within the remote array |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 66 – gsa_su_reference_config_v2

GSA_ARRAY_HBA_CONFIG_V2

This configuration table is used to store local mapping information for retrieved HBA configurations.

| Column Name | Datatype | Description |
|-------------|-------------|--------------------------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of Local Manager |
| array_id | char(32) | Array identifier |
| vendor | char(20) | Manufacturer |
| array_model | char(32) | Array model |
| version | varchar(64) | |
| Column Name | Datatype | Description |
| wwn | char(20) | HBA WWN |
| port_wwn | char(20) | Front-end controller World Wide Port |

| | | Name |
|-------------------------|-------------|---|
| port_id | char(20) | Unique, persistent name identifier for the controller and port |
| type | int(4) | Indicates port type. Is populated with -1 for older agents not publishing the column. |
| mode | char(20) | Indicates operating mode of port (Fabric, FC-AL, Point-to-point, Unknown. Is populated with Unknown for older agents not publishing the column. |
| security | char(10) | Security setting on port (LUN, Port, Off, N/A, Unknown). |
| current_speed_mbits_sec | int(4) | Current port speed in mbytes per second |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last date agent checked array configuration changed |
| to_time | datetime(8) | Last date this configuration was valid |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 67 – gsa_array_HBA_config_v2

GSA_HOST_STORAGE_UNIT_V2

This table represents the mapping of storage units (volumes) to host ports via specific controller paths.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| array_id | char(32) | Array identifier |
| wwn_alias | varchar(64) | WWN alias (if defined using the Management Console) |
| wwn_id | varchar(64) | For a volume assignment with LUN Security, represents the WWN of the host port; may be null indicating the volume is not assigned a specific WWN (e.g., direct-attached SCSI) |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| su_id | varchar(255) | Agent/array-specific, unique persistent identifier of storage unit (or volume, or logical unit) within the array |
| fe_port | varchar(20) | Front end controller port through which this su_id is assigned; may be null if su_id is mapped but not assigned |
| mapped | int(4) | Value of 1 indicates the su_id mapped to the front end controller port |
| assigned | int(4) | Value of 1 indicates the su_id is assigned; 0 indicates not assigned and -1 specifies an error |
| scsi_vbus | int(4) | Indicates a "virtual bus number" (if applicable) |
| scsi_target | int(4) | Indicates the SCSI target number for a SCSI port |
| scsi_lun | int(4) | SCSI LUN and host path combination |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 68 - host_storage_unit

GSA_DAILY_STORAGE_ALLOCATION

This table contains information about storage allocated to hosts.

| Column Name | Datatype | Description |
|--------------------|-----------------|--------------------|
| site_id | int(4) | Site identifier |
| array_id | char(32) | Array identifier |
| array_name | varchar(64) | Array name |
| array_maker | varchar(20) | Array manufacturer |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| array_model | varchar(20) | Array model |
| su_id | varchar(255) | Agent/array-specific, unique persistent identifier of storage unit (or volume, or logical unit) within the array |
| configuration | varchar(20) | Agent/array-specific identifier for the volume configuration (e.g., 2-Way Mir(ror)) |
| raw_size | int(4) | Raw size in MB |
| usable_size | int(4) | Usable capacity in MB |
| spindle_count | int(4) | Number of spindles |
| host | char(15) | Host name/host ID/Unassigned |
| ip_address | char(15) | IP address (typically null) |
| host_id | char(20) | Host identifier (typically null) |
| host_site | int(4) | Host's site identifier |
| user_id | int(4) | Matches site identifier (typically null) |
| mapped_site_id | int(4) | Site ID of mapped volume |
| mapped_array_id | int(4) | Array ID of mapped volume |
| mapped_su_id | int(4) | Mapped, agent/array-specific, unique persistent identifier of storage unit (or volume, or logical unit) within the array |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 69 – gsa_daily_storage_allocation

CHAPTER NINE - CONFIGURATION TABLES

This chapter briefly describes configuration tables, including:

- gsa_alias
- gsa_bcv_alias
- gsa_config_event_types
- gsa_config_table
- gsa_manual_array_port_to-host

The table columns for each table are described.

GSA_ALIAS

This table contains aliases assigned to switches, fabrics, and storage arrays. An alias provides a more convenient method to identify one of these components in a management report, when compared to viewing its World Wide Name, for example.

The Sun StorageTek Business Analytics administrator uses the Maintain Aliases functionality (see also the *Administration* chapter) to add, modify, or delete aliases.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| alias_type | int(4) | Numeric identifier for alias type (e.g., Fabric WWN) |
| id | varchar(32) | Identifies what was aliased (e.g., Array ID) |
| alias | varchar(128) | Is the alias |

Table 70 – gsa_alias Table

GSA_BCV_ALIAS

This table tracks the true owner of BCV (EMC Business Continuance Volume) backup copies. This is necessary since all the BCV backups get assigned to the master/media server.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| user_id | int(4) | User |
| site_id | int(4) | Site identifier |
| bu_client | varchar(64) | Backup client |
| bu_class | varchar(64) | Class name defined on Master Serverbbb |
| bu_master_server | varchar(20) | Master Server name |
| bcv_alias | varchar(64) | Alias |

Table 71 - bcv_alias Table

GSA_CONFIG_EVENT_TYPES

This table tracks the configuration events for purging table data. Currently, the only type of configuration event is purge.

| Column Name | Datatype | Description |
|--------------------|-----------------|---------------------|
| event_id | int(4) | Event identifier |
| event_desc | varchar(50) | Configuration event |

Table 72 – gsa_config_event_types

GSA_CONFIG_TABLE

This table contains purge data configuration details.

| Column Name | Datatype | Description |
|--------------------|-----------------|----------------------------|
| entry_id | int(4) | Database insert identifier |
| table_id | int(4) | Table identifier |
| event_id | int(4) | Event identifier |
| retention_day | int(4) | Number of retention days |
| timestamp | datetime(8) | Time collected from agent |

Table 73 – gsa_config_table

GSA_MANUAL_ARRAY_PORT_TO_HOST

This table is used to store a manual mapping of a volume to a host. The Management Console's administrative function, Manual Volume to Host Allocation, populates this table.

| Column Name | Datatype | Description |
|--------------------|-----------------|------------------------|
| mhmp_id | numeric(9) | Manual host mapping ID |
| acom_ID | char(15) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| nodename | varchar(20) | Host's node name |
| hostid | varchar(20) | Host's identifier |
| host_WWPN | varchar(20) | Host HBA WWPN |
| array_port_id | varchar(20) | Array' port's WWPN |
| array_id | varchar(20) | Array identifier |

| Column Name | Datatype | Description |
|--------------------|-----------------|----------------------|
| | | |
| from_time | datetime(8) | Creation timestamp |
| to_time | datetime(8) | Expiration timestamp |

Table 74 - manual_array_port_to_host Table

CHAPTER TEN – HOST TABLES

This chapter describes tables related to host servers. The Host Agent and/or Remote Host Agent populate these tables. However, the Remote Host Agent currently does not collect Host Bus Adapter (HBA) information.

GSA_HOMEPAGE_CAPACITY_CACHE

The table stores data that appears on the Management Console Home Page.

| Column Name | Datatype | Description |
|--------------------|------------------|--|
| company | varchar(64) | Company name |
| site_id | int(4) | Site identifier |
| site_fullname | varchar(128) | Site name |
| array_id | char(32) | Array identifier |
| host | varchar(128) | Host name allocated storage from the specified array |
| configuration | varchar(20) | Volume configuration |
| hostConfigSize | int(4) | Disk capacity utilized |
| hostConfigVolume | int(4) | Volume identifier |
| array_name | varchar(20) | Storage array name |
| array_maker | varchar(20) | Array manufacturer |
| array_model | varchar(20) | Storage array model |
| rdate | datetime(8) | Last read timestamp |
| customer_name | varchar(255) | Not used |
| array_total | numeric 9 (18,0) | Total capacity (GB) of the array |

Table 75 – gsa_homepage_capacity_cache

GSA_HOST_INTERFACES

This table stores information on the host's IP network interfaces.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| nodename | varchar(64) | Node name |
| hostid | char(20) | Host identifier |
| interface_name | varchar(255) | Interface name (e.g., Local Area Connection) |
| mac_address | char(20) | MAC address of Ethernet adapter |
| interface_ip | char(15) | Host's IP address (IPV4) |
| interface_ip_name | varchar(255) | Interface IP name (often NULL) |
| subnet_mask | char(15) | Subnet mask |
| default_gateway | char(15) | IP address of default gateway |
| interface_status | char(15) | UP/DOWN |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 76 – gsa_host_interfaces

GSA_HBA_CONFIG

This table stores information on the Host Bus Adapter(s) installed in a particular host server and its switch port connection(s).

| Column Name | Datatype | Description |
|--------------------|-----------------|------------------------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| nodename | varchar(64) | Node name |
| hostid | char(20) | Host identifier |
| api_version | int(4) | The HBA API running on the adapter |
| vendor | varchar(128) | Manufacturer (e.g., Emulex) |
| model | varchar(20) | HBA model (e.g., LP8000) |
| Column Name | Datatype | Description |

| | | |
|-------------------|--------------|---|
| serial_num | varchar(64) | Information in the 'SerialNumber' field from the HBA API |
| port_num | int(4) | HBA port number; -1 if unknown |
| version | char(64) | Firmware version |
| wwn | char(20) | HBA World Wide Name |
| port_id | char(20) | WWPN |
| firmware_version | varchar(64) | Information in the 'FirmwareVersion' field from the HBA API. |
| port_fcid | char(20) | HBA's 6 varcharacter hex fabric port ID if the HBA is in fabric mode, or the 2 varcharacter Arbitrated Loop address if in Loop mode |
| port_type | char(20) | The mode the HBA/driver is in (i.e. fabric, N_Port, point-to-point, Arbitrated Loop, L_Port, etc...) |
| effective_speed | char(32) | Effective speed at which the HBA is currently operating |
| max_speed | char(32) | Maximum supported operating speed of the HBA |
| link_status | char(32) | Current link state from the 'PortState' field of the HBA API (|
| fabric_wwn | char(20) | World Wide Name of the fabric the HBA is connected to |
| ctrl_instance | char(10) | The instance name for this HBA (i.e. fca-pci0 [Solaris], lpfcl [Solaris], etc...); -may be empty string |
| ctrl_num | int(4) | Controller number this HBA is viewed as on the system (i.e. c1t0d5=1 [Solaris], c3t2d1=3 [Solaris], etc...). |
| hardware_path | varchar(128) | The hardware path of the HBA on the system (i.e. /devices/pci@1f,0/pci@1,1/fibre-channel@3 [Solaris]) |
| timestamp | datetime(8) | Time collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 77 – gsa_HBA_config

GSA_HOST_CONFIG

This table identities a host server's operating system, IP address, Operating system version, manufacturer. The information can be used for hardware inventory control, planning of hardware upgrades, and hardware acquisition decisions.

| Column Name | Datatype | Description |
|-------------|----------|-------------|
|-------------|----------|-------------|

| | | |
|-------------------|-------------|--------------------------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | IP address of agent |
| nodename | varchar(20) | Node name |
| host_id | char(20) | Host identifier |
| osname | char(20) | Operating system (e.g., IBM AIX 4.2) |
| vendorname | varchar(64) | Host vendor |
| model | varchar(64) | Host model |
| version_num | varchar(64) | OS version (e.g., Service Pack 4) |
| release_level | char(20) | Kernel path |
| numcpus | int(4) | Number of CPUs |
| memory | numeric(13) | Numeric amount of memory/cache |
| timestamp | datetime(8) | Time collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 78 – gsa_host_config

GSA_HOST_FILESYSTEM

This table is populated with information that allows monitoring to what extent various file systems are utilizing their physical disk.

| Column Name | Datatype | Description |
|-----------------|--------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | Server IP address |
| nodename | varchar(64) | Node name |
| hostid | char(20) | Host identifier |
| device | varchar(255) | Disk used for file system (e.g., /dev/hd4) |
| filesystem_name | varchar(255) | Mount point for the filesystem (e.g., /home) |
| filesystem_type | varchar(20) | Type of file system (e.g., ufs) |
| blocksize | int(4) | Size, in bytes, of a block |
| total_blocks | numeric(13) | Total number of blocks in the filesystem including both reserved and non-reserved blocks |
| blocks_used | numeric(13) | Total number of blocks allocated to existing files and directories in the filesystem |

| Column Name | Datatype | Description |
|------------------|-------------|--|
| blocks_available | numeric(13) | Total number of blocks in the filesystem available for |

| | | |
|----------------------|-------------|---|
| | | creation of new files by non-super users |
| total_files | numeric(13) | Total number of addressable structures (i.e. inodes in UNIX) in the filesystem |
| files_used | numeric(13) | Number of addressable structures allocated to existing files and directories in the filesystem |
| files_available | numeric(13) | Number of addressable structures in the filesystem available for creation of new files by non-super users |
| filesystemid | numeric(13) | File system identifier |
| lvm | varchar(20) | Logical Volume Manager |
| logical_device_group | varchar(64) | Logical device group the mounted device is a member of |
| logical_device_name | varchar(64) | Logical device name of the mounted device |
| timestamp | datetime(8) | Time collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 79 – gsa_host_filesystem

GSA_LOGICAL_VOLUME_CONFIG

This table is designed to describe all the logical devices currently configured on a host. This includes logical characteristics of physical devices (i.e. capacity).

| Column Name | Datatype | Description |
|--------------------|-----------------|------------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | Server IP address |
| nodename | varchar(20) | Host's node name |
| hostid | char(20) | Host's host id |
| lvm | varchar(20) | Logical Volume Manager |

| Column Name | Datatype | Description |
|-----------------------|-----------------|--|
| logical_device_group | varchar(20) | Logical device group the mounted device is a member of |
| logical_device_name | varchar(20) | Logical device name of the mounted device |
| device_layout | varchar(20) | Predetermined set of values that specifies the aggregate layout of the device being reported. SIMPLE CONCAT RAID0 RAID1 SIMPLE or CONCAT RAID5 RAID0+1 RAID1+0 |
| capacity | int(4) | The total capacity of the device being reported |
| blocksize | int(4) | Size, in bytes, of each block of the device |
| logical_device_status | varchar(20) | Status of the device being reported |
| logical_device_group | varchar(20) | Logical device group the mounted device is a member of |
| logical_device_name | varchar(20) | Logical device name of the mounted device |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 80 – gsa_logical_volume_config

GSA_LOGICAL_VOLUME_RELATION

This table is designed to describe the relationship between logical devices found in the gsa_logicalvolume_config table. Devices are shown in this table as “using” a particular device, meaning this will describe a “top-down” dependency relationship between

devices. A “bottom-up” relationship can be derived from relating the columns in reverse. Below are descriptions of each column in the table.

| Column Name | Datatype | Description |
|---------------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of the agent |
| nodename | varchar(20) | Host's node name |
| hostid | char(20) | Host's host id |
| lvm | varchar(15) | The lvm for a device used by the device described by the lvm, logical_device_group and logical_device_name columns |
| logical_device_group | varchar(64) | Logical_device_group for a device used by the device described by the lvm, logical_device_group and logical_device_name columns |
| logical_device_name | varchar(64) | Logical_device_name for a device used by the device described by the lvm, logical_device_group and logical_device_name columns. |
| uses_logical_device_group | varchar(64) | Associated logical device group; may be N/A |
| uses_logical_device_name | varchar(64) | Associated logical device name (e.g., Harddisk0) |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 81 – gsa_logical_volume_relation

GSA_PHYSICALVOLUME_CONFIG

This table is designed to describe the physical characteristics of all the physical disk devices currently visible to a host. These are devices from a global perspective, meaning that if a host is presented multiple paths to the same device from a storage array, there should only be one entry in this table for that device.

| Column Name | Datatype | Description |
|--------------------|-----------------|--------------------|
|--------------------|-----------------|--------------------|

| | | |
|------------------------|-------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | Server IP address |
| nodename | varchar(20) | Host's node name |
| hostid | varchar(20) | Host's host id |
| physical_device_name | varchar(64) | Unique physical system device (i.e. c1t0d5 [Solaris]) and represents the entire device |
| vendor | char(32) | Information found in the 'Vendor' field from iostat output |
| product | char(32) | Information found in the 'Product' field from iostat output |
| serial_num | char(32) | Information found in the 'Serial No' field from iostat output |
| volume_id | char(32) | Unique volume id for the device |
| arrayid | char(20) | Unique id for the array supplying the device |
| physical_device_status | varchar(20) | Status of the physical device |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 82 – gsa_physicalvolume_config

GSA_PHYSICALVOLUME_PATH

This table is designed to describe the information about the physical volume path, including name and physical location information, including controller, SCSI ID and LUN identification.

| Column Name | Datatype | Description |
|----------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| nodename | varchar(20) | Host's node name |
| hostid | char(20) | Host's host id |
| physical_device_name | varchar(64) | Unique physical system device (i.e. c1t0d5 [Solaris]) and represents the entire device |

| | | |
|-----------------------|-------------|--|
| path_device_name | varchar(64) | Host device name of the path this row in the table is pertaining |
| ctlr_instance | varchar(20) | HBA instance as referenced by the host |
| ctlr_num | int(4) | Controller number associated with the path used to access the device |
| channel | int(4) | SCSI channel the device is being accessed through |
| target | int(4) | SCSI target the device is being accessed through |
| lun | int(4) | SCSI lun the device is being accessed through |
| array_wwpn | varchar(20) | World Wide Port Name of the array port that is providing this device |
| path_status | varchar(20) | Status of the path being reported |
| path_software_name | varchar(20) | What pathing software (if any) is being used to access this device |
| path_software_version | varchar(20) | The pathing software version (if any) that is being used to access this device |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |

| Column Name | Datatype | Description |
|--------------------|-----------------|------------------------------|
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 83 - -gsa_physicalvolume_path

GSA_HOST_NETSHARES

This table is designed to describe all the host's network shares.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | Server IP address |
| nodename | varchar(64) | Host's node name |
| hostid | char(20) | Host's host id |
| share_name | varchar(255) | Share name |
| share_type | char(16) | CIFS/NFS |
| share_path | varchar(255) | Directory path of share (e.g., C:\WINNT) |
| file_system_name | varchar(255) | Typically N/A |
| options | varchar(255) | List of options (e.g., Max. uses) |
| timestamp | datetime(8) | Time collected from agent |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 84 – gsa_host_netshares

GSA_HOST_FS_SIZE_DAILY

This table stores the host's allocated storage on a daily basis.

| Column Name | Datatype | Description |
|--------------------|-----------------|--------------------------------|
| site_id | int(4) | Site identifier |
| ip_address | char(15) | Server IP address |
| nodename | varchar(64) | Host's node name |
| hostid | char(20) | Host's host id |
| gb_used | numeric(13) | Storage allocated (GB) |
| user_id | int(4) | Matches site_id |
| timestamp | datetime(8) | Date/time collected from agent |
| agg_gmt_date_only | datetime(8) | Date (month/day/year) |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 85 – gsa_host_fs_size_daily

GSA_FILESYSTEM_FORECAST

This table is used for the capacity forecasting report's section on file systems.

| Column Name | Datatype | Description |
|--------------------|-----------------|-------------------------------------|
| site_id | int(4) | Site identifier |
| nodename | varchar(120) | Host name |
| perctUsed | real(4) | Percentage used |
| TotalGB | real(4) | Total file system capacity in GB |
| UsedGB | real(4) | Consumed file system capacity in GB |
| date | datetime(8) | Date timestamp |

Table 86 – gsa_filesystem_forecast

GSA_FILESYSTEM_LIMIT

This table stores file system usage restrictions.

| Column Name | Datatype | Description |
|--------------------|-----------------|--------------------------|
| ip_address | varchar(15) | IP address of host agent |
| filesystem_name | varchar(20) | File system name |
| usage_limit | float(8) | Usage limit |

Table 87 – gsa_filesystem_limit

CHAPTER ELEVEN – SRM TABLES

This chapter briefly describes tables related to the Storage Resource Management (SRM) Agent functionality, including:

gsa_srm_filesystem
gsa_srm_mount_points
gsa_srm_usage_factors
gsa_srm_filesystem_consumers
gsa_srm_largest_files
gsa_srm_largest_old_files
gsa_srm_user
gsa_srm_size_distribution
gsa_srm_type_distribution
gsa_srm_temporary_directories
gsa_usage_details

GSA_SRM_FILESYSTEM

This table lists all filesystems on the host, which is identified by host_id.

| Column Name | Datatype | Description |
|-----------------------|-------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| nodename | varchar(64) | DNS name of the host |
| host_id | char(20) | Unique ID (automatically generated by the agent) for the host |
| filesystem_id | numeric(13) | Unique ID (automatically generated by the agent) for the file system (matches the filesystem_id generated by hostAgent.gsa_host_filesystem table) |
| filesystem_type | varchar(20) | File system type (e.g., NTFS) |
| filesystem_attributes | int(4) | A bitmap of attributes (e.g. local/remote,readonly/read-write,shared-by-cluster-node/private,clean/dirty,compressed/uncompressed,encrypted/unencrypted etc.) |
| block_size | numeric(13) | Size of basic file system allocation unit in bytes (e.g. cluster size in NTFS, block size in UFS) |
| total_capacity | numeric(13) | Total capacity of filesystem in bytes (which is multiple of block_size) |
| used_capacity | numeric(13) | Used capacity of filesystem in bytes (which is mulitple of block_size) |
| file_count | numeric(13) | Number of files on the file system |
| dir_count | numeric(13) | Number of directories on the file system |
| average_file_size | numeric(13) | Average file size on the system. Unit bytes per file (and not blocks per file). |

| Column Name | Datatype | Description |
|---------------------|-----------------|--|
| median_file_size | numeric(13) | Median file size on the system. Unit bytes per file (and not blocks per file) |
| user_data_size | numeric(13) | Bytes used for storing actual user data (contents of files). Summation of actual file size (in bytes) of all files on the system |
| metadata_size | numeric(13) | Bytes used (not blocks) for storing the metadata (includes storage required for file system data structures like boot record, inode/cluster allocaiton table, directory data etc.) |
| block_size_overhead | numeric(13) | Space wasted in bytes because of internal fragementation. For every file, the last allocated block may not be completely filled up, leading to internal fragmentation |
| last_scan_time | datetime(8) | Scanner time stamp |
| timestamp | datetime(8) | Timestamp when the data was published. |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 88 – gsa_filesystem

GSA_SRM_MOUNT_POINTS

This table maintains the mount points for file systems.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| nodename | varchar(64) | DNS name of the host |
| hostid | varchar(20) | Unique ID (automatically generated by the agent) for the host |
| filesystem_id | numeric(13) | Unique ID (automatically generated by the agent) for the file system (matches the filesystem_id generated by hostAgent.gsa_host_filesystem table) |
| mount_point | varchar(64) | Mount point for this volume |
| last_scan_time | datetime(8) | Scanner time stamp |

| Column Name | Datatype | Description |
|--------------------|-----------------|--------------------|
|--------------------|-----------------|--------------------|

| | | |
|-------------------|-------------|--|
| timestamp | datetime(8) | Timestamp when the data was published. |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 89 – gsa_srm_mount_points

GSA_SRM_USAGE_FACTORS

This table stores information on per file system usage factors (access factor, modification factor, creation factor etc.).

| Column Name | Datatype | Description |
|----------------------|--------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| nodename | varchar(64) | DNS name of the host |
| hostid | char(15) | Unique ID (automatically generated by the agent) for the host |
| filesystem_id | int(4) | Unique ID (automatically generated by the agent) for the file system (matches the filesystem_id generated by hostAgent.gsa_host_filesystem table) |
| factor_type | varchar(128) | Type of usage factor (e.g., modification) |
| time_span_type | varchar(20) | Unit of the time span (e.g. year, month, day etc.) |
| time_span | int(4) | Duration for which the factor is being reported (unit of this duration is given by time_span_type) |
| userdata_factor_... | numeric(9) | Factor value in percentage (range: 0 - 100 %) |
| filecount_factor_... | numeric(9) | Factor value in percentage (range: 0 - 100 %) |
| last_scan_time | datetime(8) | Scanner time stamp |
| timestamp | datetime(8) | Timestamp when the data was published. |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 90 – gsa_srm_usage_factors

GSA_SRM_USAGE_DETAILS

This table is used within the new email archive, unauthorized files, and user-defined specific file filter functionality of the SRM Agent Configuration and reports.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager identifier |
| ip_address | char(15) | IP address of agent |
| nodename | varchar(64) | DNS name of the host |
| hostid | char(20) | Unique ID (automatically generated by the agent) for the host |
| filesystem_id | int(4) | Unique ID (automatically generated by the agent) for the file system (matches the filesystem_id generated by hostAgent.gsa_host_filesystem table) |
| resource_name | varchar(255) | Resource name |
| extension_name | varchar(255) | File system extension |
| resource_type | varchar(20) | Resource type |
| owner | varchar(255) | Filesystem owner |
| file_timestamp | datetime(8) | File timestamp |
| size | numeric(13) | Actual file size (in bytes, not allocation blocks) |
| filter_name | varchar(255) | Filer name |
| last_scan_time | datetime(8) | Scanner time stamp |
| access_time | datetime(8) | File last accessed timestamp |
| creation_time | datetime(8) | File creation timestamp |
| timestamp | datetime(8) | Timestamp when the data was published. |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation_agg_gmt_timestamp |

Table 91 - gsa_usage_details

GSA_SRM_FILESYSTEM_CONSUMERS

This table stores information on file system usage, which is broken down into usage per consumer (i.e., user who owns files on that file system).

| Column Name | Datatype | Description |
|--------------------|-----------------|--------------------|
|--------------------|-----------------|--------------------|

| | | |
|-------------------|--------------|---|
| acom_id | int(4) | Local Manager identifier |
| ip_address | char(15) | IP address of agent |
| nodename | varchar(64) | DNS name of the host |
| hostid | varchar(20) | Unique ID (automatically generated by the agent) for the host |
| filesystem_id | numeric(13) | Unique ID (automatically generated by the agent) for the file system (matches the filesystem_id generated by hostAgent.gsa_host_filesystem table) |
| owner | varchar(255) | Identifies the srm_user_id |
| consumed_blocks | numeric(13) | Identifies the allocated space (in number of blocks) used up by the files (and dirs) for this user (identified by owner srm_user_id) |
| consumed_space | numeric(13) | Shows the bytes consumed by the files (not metadata) created by this user on this filesystem |
| last_scan_time | datetime(8) | Scanner time stamp |
| timestamp | datetime(8) | Timestamp when the data was published. |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 92 – gsa_srm_filesystem_consumers

GSA_SRM_LARGEST_FILES

This table contains information on the largest files in the file system.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager identifier |
| ip_address | char(15) | IP address of the agent |
| nodename | varchar(64) | DNS name of the host |
| hostid | varchar(20) | Unique ID (automatically generated by the agent) for the host |
| filesystem_id | numeric(13) | Unique ID (automatically generated by the agent) for the file system (matches the filesystem_id generated by hostAgent.gsa_host_filesystem table) |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| file_name | varchar(255) | Is the file path beginning from the mount point onwards (i.e., excluding the mount point) |
| type | varchar(255) | Type of the file. The file extension is mapped to a MIME type and this MIME type is reported |
| owner | varchar(255) | Creator of the file (identifies the srm_user_id) |
| file_timestamp | datetime(8) | Last modification timestamp |
| size | numeric(13) | Actual file size (in bytes, not allocation blocks) |
| access_time | datetime(8) | File last accessed timestamp |
| creation_time | datetime(8) | File creation timestamp |
| last_scan_time | datetime(8) | Scanner time stamp |
| timestamp | datetime(8) | Timestamp when the data was published. |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 93 – gsa_srm_largest_files

GSA_SRM_LARGEST_OLD_FILES

This table stores information on the files that were not modified after a (user specified) time stamp, sorted on the file size.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager identifier |
| ip_address | char(15) | IP address of the agent |
| nodename | varchar(64) | DNS name of the host |
| hostid | varchar(20) | Unique ID (automatically generated by the agent) for the host |
| filesystem_id | numeric(13) | Unique ID (automatically generated by the agent) for the file system (matches the filesystem_id generated by hostAgent.gsa_host_filesystem table) |
| file_name | varchar(255) | Is the file path beginning from the mount point onwards (i.e., excluding the mount point) |
| type | varchar(255) | Type of the file. The file extension is mapped to a MIME type and this MIME type is reported |
| Column Name | Datatype | Description |

| | | |
|-------------------|--------------|--|
| owner | varchar(255) | Creator of the file (identifies the srm_user_id) |
| file_timestamp | datetime(8) | Last modification timestamp |
| size | numeric(13) | Actual file size (in bytes, not allocation blocks) |
| last_scan_time | datetime(8) | Scanner time stamp |
| access_time | datetime(8) | File last accessed timestamp |
| creation_time | datetime(8) | File creation timestamp |
| timestamp | datetime(8) | Timestamp when the data was published. |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 94 – gsa_srm_largest_old_files

GSA_SRM_USER

This table maintains a list of all groups and domains and the users within them.

| Column Name | Datatype | Description |
|-----------------|--------------|--|
| acom_id | int(4) | Local Manager identifier |
| ip_address | char(15) | IP address of agent |
| nodename | varchar(64) | DNS name of the host |
| hostid | char(20) | Unique ID (automatically generated by the agent) for the host |
| srm_user_id | varchar(128) | A local user ID on this host or an user ID in the domain |
| srm_user_name | varchar(255) | User name corresponding to the srm_user_id |
| srm_group_id | varchar(128) | A local group ID on this host or a group ID in the domain |
| srm_group_name | varchar(128) | Group name corresponding to the srm_user_id |
| allocated_quota | numeric(13) | Total quota allocated for this user on this host (in allocation units) |
| used_quota | numeric(13) | Quota space used upfor this user on this host (in allocation units) |
| srm_owner_type | varchar(16) | Owner type (e.g., user) |
| last_scan_time | datetime(8) | Scanner time stamp |

| Column Name | Datatype | Description |
|--------------------|-----------------|---------------------------------------|
| timestamp | datetime(8) | Timestamp when the data was published |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 95 – gsa_srm_user

GSA_SRM_SIZE_DISTRIBUTION

This table maintains information on how the data is distributed across files of various sizes.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager identifier |
| ip_address | char(15) | IP address of agent |
| nodename | varchar(64) | DNS name of the host |
| hostid | varchar(15) | Unique ID (automatically generated by the agent) for the host |
| filesystem_id | numeric(13) | Unique ID (automatically generated by the agent) for the file system (matches the filesystem_id generated by hostAgent.gsa_host_filesystem table) |
| range_start | numeric(13) | Start of the size range in bytes (not allocation blocks) |
| range_stop | numeric(13) | End of the size range in bytes (not allocation blocks) |
| file_count | numeric(13) | Number of files that fall within this size range |
| median_file_size | numeric(13) | Median file size on the system. Unit bytes per file (and not blocks per file) |
| average_file_size | numeric(13) | Average file size (in bytes, not allocation units) of the files that fall within this size range |
| consumed_blocks | numeric(13) | Total space (in bytes, which is integral multiple of the block_size value) consumed by the files that fall within this size range |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| consumed_space | numeric(13) | Total space (actual file size) consumed by the files that fall within this size range |
| last_scan_time | datetime(8) | Scanner time stamp |
| timestamp | datetime(8) | Timestamp when the data was published |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 96 – gsa_srm_size_distribution

GSA_SRM_TYPE DISTRIBUTION

This table maintains information on how the data is distributed across files of various type.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager identifier |
| ip_address | char(15) | IP address of agent |
| nodename | varchar(64) | DNS name of the host |
| hostid | char(20) | Unique ID (automatically generated by the agent) for the host |
| filesystem_id | numeric(13) | Unique ID (automatically generated by the agent) for the file system (matches the filesystem_id generated by hostAgent.gsa_host_filesystem table) |
| file_type | varchar(128) | Type of the file (file extension) |
| file_count | numeric(13) | Number of files that fall into this category |
| consumed_space | numeric(13) | Total space (in bytes, which is integral multiple of the block_size value) consumed by the files of the same type |
| consumed_blocks | numeric(13) | Total space (in blocks) consumed by the files of the same type |
| last_scan_time | datetime(8) | Scanner time stamp |
| timestamp | datetime(8) | Timestamp when the data was published |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |

| Column Name | Datatype | Description |
|--------------------|-----------------|----------------------------|
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 97 – gsa_srm_type_distribution

GSA_SRM_TEMPORARY_DIRECTORIES

This table maintains information on storage occupied by temporary data.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager identifier |
| ip_address | char(15) | IP address of agent |
| nodename | varchar(64) | DNS name of the host |
| hostid | char(20) | Unique ID (automatically generated by the agent) for the host |
| filesystem_id | numeric(13) | Unique ID (automatically generated by the agent) for the file system (matches the filesystem_id generated by hostAgent.gsa_host_filesystem table) |
| directory_name | varchar(255) | Directory path beginning from the mount point onwards (i.e., excluding the mount point) |
| owner | varchar(255) | Owner of the directory (identifies the srm_user_id) |
| consumed_space | numeric(13) | Total space (allocation units) consumed by the files that fall within this size range |
| file_count | numeric(13) | Number of files that fall into this category |
| access_time | datetime(8) | Accessed timestamp |
| last_scan_time | datetime(8) | Scanner time stamp |
| timestamp | datetime(8) | Timestamp when the data was published |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 98 – gsa_srm_temporary_directories

CHAPTER TWELVE – BACKUP TABLES

Sun StorageTek Business Analytics provides three backup agents supporting the Semantec Veritas NetBackup, IBM Tivoli Storage Manager (TSM), and EMC Legato NetWorker backup products. While the agents share broad areas of similarity, each agent has unique attributes that are based on the differences among the product lines and interfaces. Some tables are populated by all agents, but some are populated by only specific agent(s).

GSA_BACKUP_CALENDAR

This table supports calendar-based scheduling, including specific date overrides.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | NetBackup Master Server IP address |
| master_server | varchar(128) | NetBackup Master Server name |
| policy | varchar(128) | Identifies a NetBackup policy |
| schedule | char(128) | Full, incremental, on-demand, cumulative incremental, Random |
| backup_type | int(4) | Backup type identifier |
| schedule_type | varchar(16) | Backup schedule type; see below |
| value_1 | varchar(16) | See below |
| value_2 | varchar(16) | See below |
| value_3 | varchar(16) | See below |
| timestamp | datetime(8) | Timestamp collected from agent |
| ts_offset | int(4) | Difference between agent timestamp and database time in minutes |
| from_time | datetime(8) | Creation agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp (last_update plus grace period if any) |
| last_update | datetime(8) | Last update agg_gmt_timestamp |

Table 99 – gsa_backup_calendar

The different meanings of the schedule_type, value_1, value_2, and value_3 columns are described below.

| schedule_type | value_1 | value_2 | value_3 |
|----------------------|----------------------------|---|--|
| DATES | 0 = include schedule entry | date in seconds in the epoch | -1 = ignore |
| | 1 = exclude schedule entry | | |
| DAY_OF_MONTH | 1-31 = day of month | -1 = ignore | -1 = ignore |
| | 32 = last day of month | | 0 = retries tag present |
| DAY_OF_WEEK | 1-7 = Sun - Sat | 1-4 = week of the month 5 = last week of month | -1 = ignore 0 = retries tag present |
| | | | |

GSA_BACKUP_CAT_USAGE

This table identifies how much storage the backup server's catalog has utilized.

| Column Name | Datatype | Description |
|--------------------|-----------------|--------------------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| server_name | varchar(64) | Backup server name |
| product | char(3) | Product designator (e.g., NBU) |
| cat_path | varchar(128) | Directory path to the catalog |
| blocks_used | int(4) | Usage of free space by catalog |
| blocks_available | int(4) | File system blocks available |
| filesystemid | int(4) | File system identifier |
| timestamp | datetime(8) | Timestamp collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 100 – gsa_backup_cat_usage

GSA_BACKUP_CLIENT_POLICY

This table identifies a backup policy that is assigned to a backup client.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| master_server | varchar(132) | Master Server name |
| client | varchar(128) | Backup client name |
| policy | varchar(128) | Policy name |
| active_status | char(10) | Policy status (e.g., ACTIVE) |
| effective_date | datetime(8) | Date policy went into effect |
| timestamp | datetime(8) | Timestamp collected from agent |
| from_time | datetime(8) | Creation agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp (last_update plus grace period if any) |
| last_update | datetime(8) | Last update agg_gmt_timestamp |

Table 101 – gsa_backup_client_policy

GSA_BACKUP_DETAIL_NEW

This table provides detailed information on a backup job. The details include a job identifier, the media server, the number of backed up files, as well as the status of the job.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int | Local Manager ID |
| ip_address | varchar(15) | IP address of agent |
| backup_id | varchar(139) | Backup identifier; client_name plus julian_time |
| copy_number | int(4) | Primary or secondary copy identifier |
| frag_mumber | int(4) | Number of fragments, if applicable |
| kilobytes | int(4) | Amount (KB) of backed up data |
| remainder | int(4) | Amount of remaining data to back up |
| media_type | int(4) | Tape or other media |
| Column Name | Datatype | Description |
| density | int(4) | Density of tape (e.g., 8mm) |

| | | |
|-------------------|--------------|---|
| file_number | int(4) | Incremental counter of files to back up |
| media_id | varchar(128) | Media identifier (000007) |
| host_id | varchar(128) | Backup client |
| block_sz | int(4) | Kilobytes backed up per second |
| offset | int(4) | File offset of current file being backed up |
| media_date | datetime(8) | |
| dev_written_on | int(4) | Specifies the storage unit used |
| flags | int(4) | |
| timestamp | datetime(8) | Time collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 102 - gsa_backup_detail_NEW

GSA_BACKUP_EVENTS

This table collects the SNMP events sent by Netbackup via ENE. The table is not populated unless you are using this optional Netbackup software application.

| Column Name | Datatype | Description |
|---------------|--------------|--|
| acom_id | int(4) | Local Manager identifier |
| ip_address | varchar(15) | IP address of agent |
| job_id | varchar(128) | Job identifier |
| class | varchar(128) | Allows grouping of multiple clients with similar backup needs; each backup client belongs to one or more classes |
| client | varchar(128) | Backup client |
| schedule | varchar(128) | Full, incremental, on-demand, cumulative incremental |
| schedule_type | varchar(128) | Type of schedule |
| storage_unit | varchar(128) | Tape library drive or disk on media server |
| Column Name | Datatype | Description |
| volume_pool | varchar(64) | Pool of volumes to store backups |
| status | int(4) | Status of backup |

| | | |
|----------------------|--------------|--|
| error_msg | varchar(128) | Error message, if applicable |
| host_id | varchar(32) | Backup client |
| error_explanation | varchar(255) | Detailed information on an error |
| error_recommendation | varchar(255) | Recommended action to circumvent error |
| timestamp | datetime(8) | Time collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 103 – gsa_backup_events

GSA_BACKUP_FILELIST

This table provides the listing of files that were backed up during a backup operation. Each backup that occurs during a scheduled window is assigned both a backup identifier as well as a job identifier.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | IP address of agent |
| backup_id | varchar(128) | Backup identifier; client_name plus julian_time |
| job_id | varchar(128) | Backup job identifier |
| client | varchar(128) | Backup client name |
| slave | varchar(128) | Secondary backup server name |
| master | varchar(128) | Master server named |
| storage_unit | varchar(128) | Tape library drive or disk on media server |
| class | varchar(128) | Backup class |
| filelist | varchar(128) | File list (e.g., /var) |
| job_type | int(4) | Job type indicator |
| kilobytes | int(4) | Backed up data in KB |
| files | int(4) | Number of files |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| status | int(4) | Job status indicator |
| status_message | varchar(255) | Status message (e.g., the requested operation was successful) |
| timestamp | datetime(8) | Time collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 104 - gsa_backup_filelist-2_2

GSA_BACKUP_FREQUENCY

This table presents all frequency-based schedule information where the frequency is less than or equal to one (1) week.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| master_server | varchar(128) | Master Server name |
| policy | varchar(128) | Policy name; allows grouping of multiple clients with similar backup needs; each backup client is assigned one or more policies |
| schedule | varchar(128) | Schedule (e.g., Full) |
| schedule_type | int(4) | See backup_calendar |
| backup_type | int(4) | From gsa_backup_types table |
| retention_level | int(4) | Specifies time image is held in the images database |
| frequency | int(4) | Specifies the period of time that will elapse until the next backup operation can begin on this schedule. |
| day_of_week | int(4) | Day(s) of week window opens |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| open_window | int(4) | Specifies the beginning of the window during which backup application is allowed to start running this backup. If no window times are open, the schedule is only available for manual backups. |
| close_window | int(4) | Specifies the end window, which defines when the associated open window is closed. |
| timestamp | datetime(8) | Time collected from agent |
| ts_offset | int(4) | Difference between agent time and database time in minutes |
| from_time | datetime(8) | Creation agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| last_update | datetime(8) | Last update agg_gmt_timestamp |

Table 105 - gsa_backup_frequency Table

GSA_BACKUP_FREQUENCY_LONG

This table presents all frequency-based schedule information where the frequency is greater than one (1) week.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int | Local Manager ID |
| ip_address | varchar(15) | Master Server IP address |
| master_server | varchar(128) | Master Server name |
| policy | varchar(128) | Policy name |
| schedule | varchar(128) | Schedule (e.g., Full) |
| backup_type | int(4) | From gsa_backup_types table |
| retention_level | int(4) | Specifies time image is held in the images database |
| frequency | int(4) | Specifies the period of time that will elapse until the next backup operation can begin on this schedule. |
| Column Name | Datatype | Description |
| day_of_week | int(4) | Day(s) of week window opens |

| | | |
|--------------|-------------|---|
| open_window | int(4) | Specifies the beginning of the window during which NetBackup is allowed to start running this backup. If no window times are open, the schedule is only available for manual backups. |
| close_window | int(4) | Specifies the end window, which defines when the associated open window is closed. |
| timestamp | datetime(8) | Time collected from agent |
| ts_offset | int(4) | Difference between agent time and database time in minutes |
| from_time | datetime(8) | Creation agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| last_update | datetime(8) | Last update agg_gmt_timestamp |

Table 106 - gsa_backup_frequency_long

GSA_BACKUP_LEGATO_ERRMSG

This table stores Legato NetWorker backup error messages.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| backup_id | varchar(139) | Backup identifier; client_name plus julian_time |
| job_id | varchar(128) | Job identifier |
| sequence_num | int(4) | |
| error_msg | varchar(255) | Error message |
| timestamp | datetime(8) | Time collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 107 - gsa_backup_Legato_errmsg Table

GSA_BACKUP_MASTER

This table shows information on backup operations controlled by the specified classes and schedules. The Master server is identified by IP address.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int | Local Manager ID |
| ip_address | varchar(15) | IP address of Master Backup Server |
| backup_id | varchar(139) | Backup identifier; client_name plus julian_time |
| client | varchar(128) | Backup client |
| class | varchar(128) | Name of class |
| class_type | int(4) | Specifies the type of configured class. Standard type is used for most UNIX clients. Special classes may be defined for other types of backups, such as ones for Microsoft Exchange clients and/or Oracle databases. |
| proxy_client | varchar(128) | SNMP proxy client; may be NULL |
| creator | varchar(64) | Identifies the system user (e.g., root) who configured this information. |
| schedule | varchar(128) | Full, incremental, on-demand, cumulative incremental |
| schedule_type | int(4) | Schedule type designator |
| retention_level | int(4) | Retention level indicator |
| start_date | datetime(8) | Start of backup window date |
| elapsed_time | int(4) | Time elapsed within window |
| expiration_date | datetime(8) | Expiration of backup window |
| compressed | int(4) | Compression on/off flag (class attribute) |
| encrypted | int(4) | Software encryption on/off flag (class attribute) |
| backed_up_kb | int(4) | Backed up data in kilobytes |
| backed_up_files | int(4) | Number of backed up files |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| number_of_copies | int(4) | Primary or secondary copy |
| number_of_frags | int(4) | Maximum fragment size; zero is unlimited |
| db_compressed | int(4) | Flag indicating that software compression is turned on or off |
| catalog_file_name | varchar(255) | Name of catalog file |
| status | int(4) | Status code (0=success) |
| timestamp | datetime(8) | Agent timestamp |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 108 - gsa_backup_master

GSA_BACKUP_SCHEDULE_CURRENT

This table holds the current week's backup schedule. It is populated from both gsa_backup_frequency and gsa_backup_calendar.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | Master Server IP address |
| master_server | varchar(32) | Master Server name |
| policy | varchar(64) | Policy name (e.g., Standard) |
| schedule | varchar(32) | Full, incremental, on-demand, cumulative incremental, User-Backup, etc. |
| backup_type | int(4) | Backup type identifier |
| retention_level | int(4) | Retention level indicator; specifies the time the image is held in the images database |
| frequency | int(4) | Specifies the period of time that will elapse until the next backup operation can begin on this schedule. |
| day_of_week | int(4) | Day(s) of week window opens |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| open_window | int(4) | Specifies the beginning of the window during which NetBackup is allowed to start running this backup. If no window times are open, the schedule is only available for manual backups. |
| close_window | int(4) | Specifies the end window, which defines when the associated open window is closed. |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| override_flag | varchar(1) | 'Y' if override present; 'N' if no override |
| scheduled_start | datetime(8) | Indicates when backup window opens |
| ts_offset | int(4) | Difference between agent time and database time in minutes |
| launch_window | int(4) | Number of seconds to wait for a job to start before declaring this entry 'Never Run' |

Table 109 - gsa_backup_schedule_current

GSA_BACKUP_SCHEDULE_QUEUE

This table contains all schedules that are to be run or have been run over a window of time specified using configuration parameters. At the end of the window, records are rolled into *gsa_backup_exception_history*.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | Master Server IP address |
| master_server | varchar(32) | Master Server name |
| client | varchar(64) | Backup client |
| policy | varchar(64) | Policy name |
| schedule | varchar(32) | Schedule (e.g., Weekly-Full) |
| status | char(1) | 'N' = Never Run; 'F' = Failed 'A' = Ambiguous; 'S' = Success |
| scheduled_start | datetime(8) | Time job was scheduled to start |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| ts_offset | int(4) | Difference between agent time and database time in minutes |
| launch_window | int(4) | Number of seconds to wait for a job to start before declaring this entry 'Never Run' |
| backup_type | int(4) | Backup type identifier |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 110 - gsa_backup_schedule_queue

GSA_BACKUP_STATUS_NEW

This table shows successfully completed backups for a specified server as well as backups that did not complete successfully and any associated error messages.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | IP address of agent |
| master_server | varchar(32) | Master server name |
| time | datetime(8) | |
| netbackup_version | varchar(32) | Software release indicator |
| message_type | int(4) | Message type indicator |
| message_severity | int(4) | Severity level |
| server | varchar(128) | Server name |
| job_id | varchar(128) | Backup job identifier |
| job_group_id | int(4) | Job group ID |
| client | varchar(128) | Host name of backup client |
| class | varchar(128) | Class name |
| schedule | varchar(128) | Full, incremental, on-demand, cumulative incremental |
| status | int(4) | Status code (0=successful) |
| error_msg | varchar(128) | Error message text |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 111 - gsa_backup_status_new

GSA_BACKUP_TAPE_CAPACITY

This table contains the typical capacity in MB of specified tape media.

| Column Name | Datatype | Description |
|---------------------|-----------------|---|
| media_type_desc | varchar(255) | Media description (9840 R, DLT III, DLT IV, LTO ULTRIUM 1, LTO ULTRIUM 2, etc.) |
| typical_capacity_mb | int(4) | Typical capacity of the media in MB |

Table 112 - gsa_backup_tape_capacity

GSA_BACKUP_VOL_INFO

This table contains tape library media usage information.

| Column Name | Datatype | Description |
|--------------------|-----------------|----------------------------|
| acom_id | int(4) | Site identifier |
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | Media Server IP address |
| master_server | varchar(128) | Master server name |
| media_id | varchar(128) | Media identifier |
| media_type_desc | varchar(255) | Media description |
| media_type | varchar(8) | Media type indicator |
| bar_code | varchar(255) | Bar code |
| description | varchar(255) | Descriptive text |
| volume_pool_desc | varchar(255) | Volume pool description |
| volume_pool_type | int(4) | Volume pool type indicator |
| robot_type_desc | varchar(255) | Robotics description |
| robot_type | int(4) | Type code |
| robot_number | int(4) | Robotics number (e.g., 0) |
| Column Name | Datatype | Description |

| | | |
|------------------|--------------|--|
| robot_slot | int(4) | Slot number (e.g., 408) |
| robot_host | varchar(128) | Media server |
| volume_group | varchar(255) | Volume group name |
| creation_date | datetime(8) | Creation timestamp |
| assigned_date | datetime(8) | Timestamp when volume was assigned to the specified volume group |
| last_mount_date | datetime(8) | Volume last mount timestamp |
| first_mount_date | datetime(8) | Volume first mount timestamp |
| expiration_date | datetime(8) | Expiration date for the assignment to the specified volume group |
| number_of_mounts | int(4) | Specifies the number of time the volume has been mounted |
| max_mounts_all | int(4) | Maximum number of mounts for reads/writes |
| status | int(4) | See backup_schedule_queue |
| from_time | datetime(8) | Creation agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| last_update | datetime(8) | Last update agg_gmt_timestamp |

Table 113 - gsa_backup_volume_info

GSA_BACKUP_VOLUME_MEDIA

This table contains information on configured tape library media.

| Column Name | Datatype | Description |
|------------------------|-----------------|-------------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | Media Server IP address |
| master_server | varchar(128) | Master server name |
| media_id | varchar(128) | Media identifier |
| Column Name | Datatype | Description |
| media_type_description | varchar(255) | Media description |

| media_type | varchar(8) | Media type code |
|-------------------|--------------|--|
| bar_code | varchar(255) | Bar code |
| volume_pool | int(4) | Volume pool identifier |
| volume_pool_desc | varchar(255) | Volume pool |
| volume_pool_type | int(4) | Volume pool type code |
| robot_number | int(4) | Robotics number |
| robot_slot | int(4) | Slot number |
| robot_type | int(4) | Robotics type code |
| robot_type_desc | varchar(32) | Description of robotics |
| creation_date | datetime(8) | Creation timestamp |
| last_mount_date | datetime(8) | Volume last mount timestamp |
| number_of_mounts | int(4) | Specifies the number of time the volume has been mounted |
| expiration_date | datetime(8) | Expiration date for the assignment to the specified volume group |
| last_written_date | datetime(8) | Volume last written timestamp |
| last_read_date | datetime(8) | Volume last read timestamp |
| max_mounts | int(4) | Maximum times volume can be mounted |
| retention_level | int(4) | Retention level code |
| media_status | int(4) | Status code (0=success) |
| media_available | varchar(1) | Indicates (Y/N) whether or not the media is available |
| media_full | varchar(1) | Indicates (Y/N) whether or not the media is full |
| images | int(4) | Number of images |
| num_restores | int(4) | Specifies the number of times the volume has been restored |
| location | varchar(255) | |
| Column Name | Datatype | Description |
| from_time | datetime(8) | Creation agg_gmt_timestamp |

| | | |
|-------------|-------------|-------------------------------|
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| last_update | datetime(8) | Last update agg_gmt_timestamp |

Table 114 - gsa_backup_volume_media

GSA_BACKUP_HOST_EXCLUSION

This table contains hosts excluded from the Management Console Backup Host Exposure report.

| Column Name | Datatype | Description |
|-------------|-------------|---|
| site_id | int(4) | Site identifier |
| ip_address | varchar(15) | IP address of agent |
| nodename | varchar(64) | Backup identifier; client_name plus julian_time |
| host_id | char(20) | Unique host identifier |

Table 115 - gsa_backup_host_exclusion

GSA_BACKUP_DB_USAGE

This table identifies storage utilization on the catalog database server.

| Column Name | Datatype | Description |
|-------------------|--------------|--------------------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| cat_path | varchar(128) | Directory path of catalog |
| mount_point | varchar(128) | Mount point |
| mb_used | float(8) | Available space utilized (MB) |
| mb_available | float(8) | Available space (MB) |
| product | char(3) | Acronym for backup product |
| server_name | varchar(64) | Host name of database server |
| timestamp | datetime(8) | Timestamp collected from agent |
| agg_gmt_timestamp | datetime(8) | Creation agg_gmt_timestamp |

Table 116 – gsa_backup_cat_usage

GSA_BU_CLIENT_POLICY_CURRENT

This table contains information on current backup client and backup policy configurations for the current week only.

| Column Name | Datatype | Description |
|-------------|----------|-------------|
|-------------|----------|-------------|

| | | |
|---------------|--------------|-----------------------|
| acom_id | int | Local Manager ID |
| ip_address | varchar(15) | Agent IP address |
| master_server | varchar(128) | Master server name |
| client | varchar(128) | Backup client name |
| policy | varchar(128) | Policy name |
| day_of_week | int(4) | Day of week (e.g., 1) |

Table 117 -gsa_bu_client_policy_current

GSA_BU_DEVICES

This table consolidates information on all the backup devices and paths for all the TSM servers. It is used to perform trending on the status of all the backup devices.

| Column Name | Datatype | Description |
|---------------------|--------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | IP address of agent |
| server | varchar(128) | Server name |
| library_name | varchar(30) | Tape library name |
| device | char(64) | Device name (e.g., dev/lmcpl) |
| path_online | char(64) | YES/NO |
| drive_name | char(30) | Drive name |
| device_type | char(16) | Device type (e.g., 3590) |
| drive_online | char(40) | YES/NO |
| element | int(4) | Element ID (e.g., 0) |
| acs_drive_id | char(15) | Automated Tape System drive ID; may be null |
| drive_state | char(40) | Drive status (Empty, Loaded, etc.) |
| library_type | varchar(10) | Tape library type |
| acs_id | int(4) | Automated Tape System ID |
| external_mgr | varchar(255) | External device manager |
| shared_flag | char(3) | YES/NO/Null |
| lanfree | char(3) | YES/NO/Null |
| primary_library_mgr | varchar(64) | |
| timestamp | datetime(8) | Agent timestamp |

| Column Name | Datatype | Description |
|-------------|-------------|---|
| from_time | datetime(8) | Creation agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp (last_update plus grace period if any) |

| | | |
|-------------|-------------|-------------------------------|
| last_update | datetime(8) | Last update agg_gmt_timestamp |
|-------------|-------------|-------------------------------|

Table 118 - gsa_bu_devices

GSA_BU_DEVICE_CLASS

This table contains information on device classes that show the device type and the way that device manages its media.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | Agent IP address |
| server_name | varchar(128) | TSM server name |
| devclass_name | varchar(30) | Device class name |
| access_strategy | varchar(12) | Access strategy (Sequential, Random) |
| stgpool_count | int(4) | Storage pool count |
| devtype | varchar(16) | Device type code |
| bdc_format | varchar(8) | Device format (e.g. Drive) |
| capacity | varchar(40) | Capacity (e.g., DLT) |
| mountlimit | varchar(10) | Maximum number of volumes that can be simultaneously mounted for a device class |
| mountwait | int(4) | Maximum amount of time (in minutes) that the server waits for a drive to become available for the current mount request |
| mountretention | int(4) | Amount of time that a mounted volume should remain mounted after its last I/O activity |
| prefix | varchar(8) | Beginning portion of the high-level archive file name on the target server |
| library_name | varchar(30) | Tape library name |
| directory | varchar(255) | Directory (e.g., /apps/tsmdb) |
| servername | varchar(31) | Server name |
| retryperiod | int(4) | Retry period for communications with the target server |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| retryinterval | int(4) | How often the source server tries to connect to the target server when there is a communications failure |
| shared | varchar(3) | Shared flag (Yes/No) |
| last_update_by | varchar(64) | Identifies who last updated the table (e.g., ADMIN) |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 119 - gsa_bu_device_class

GSA_BU_DRIVES

This table provides information on library drives, which is a hardware device capable of performing operations on a specific type of sequential media.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| server | varchar(128) | TSM server name |
| library_name | char(30) | Tape library name |
| drive_name | char(64) | Drive name |
| device_type | char(64) | Device type |
| online | char(40) | YES/NO |
| acs_drive_id | char(15) | Autmated Tape System drive ID; may be null |
| drive_state | char(40) | Drive status (Empty, Loaded, etc.) |
| allocated_to | char(64) | Server allocated to |
| last_updated_by | char(64) | Server last updated by |
| last_update | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| clean_freq | char(10) | Clean frequency schedule |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| Column Name | Datatype | Description |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 120 - gsa_bu_drives**GSA_BU_EVENTS**

This table provides information on TSM events; it stores similar information to that of the EVENTS table in the TSM database.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| server | varchar(128) | Server name |
| scheduled_start | datetime(8) | Scheduled starting date/time for the event |
| actual_start | datetime(8) | Date/time at which the client began processing the scheduled operation |
| domain_name | char(30) | Name of the policy domain to which the schedule belongs |
| schedule_name | char(30) | Name of the schedule that initiated this event |
| node_name | char(30) | Backup client name |
| status | char(10) | Status (Completed, Missed, Failed, and more) |
| result | int(4) | Return code from the client that identifies whether the schedule has processed successfully |
| reason | char(80) | Result explanatory text; may be blank (null) |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |

Table 121 - gsa_bu_events

GSA_BU_EVENTS_TEMP

This table provides a temporary table on TSM events.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| server | varchar(128) | Server name |
| scheduled_start | datetime(8) | Scheduled starting date/time for the event |
| actual_start | datetime(8) | Date/time at which the client began processing the scheduled operation |
| domain_name | char(30) | Name of the policy domain to which the schedule belongs |
| schedule_name | char(30) | Name of the schedule that initiated this event |
| node_name | char(30) | Backup client name |
| status | char(10) | Status (Completed, Missed, Failed) |
| result | int(4) | Return code from the client that identifies whether the schedule has processed successfully |
| reason | char(80) | Result explanatory text; may be blank (null) |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 122 - gsa_bu_events_temp

GSA_BU_FILESPACES

This table provides information on the file spaces that belong to a client node.

| Column Name | Datatype | Description |
|--------------------|-----------------|---------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| server | varchar(128) | TSM server name |
| node_name | char(64) | Backup client name |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| filespace_name | char(255) | File space name (e.g., /usr) for the client |
| filesystem_id | numeric(13) | Unique ID (automatically generated by the agent) for the file |
| filespace_type | char(32) | Type of file space |
| capacity | float(8) | Amount of space (MB) assigned to this file space on the client node |
| pct_utilized | float(8) | Percentage of the file space that is occupied |
| backup_start | datetime(8) | Start date and time of the last incremental backup of the file space |
| backup_end | datetime(8) | End date and time of the last incremental backup of the file space |
| delete_occurred | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM when file deletion occurred |
| unicode_filespace | char(3) | Filespace name in unicode notation |
| filespace_hexname | char(255) | Filespace name in hex notation |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 123 - gsa_bu_filespaces

GSA_BU_JOBS

This table combines scheduled event status information as well as event summary data for a scheduled event.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| server | varchar(128) | TSM server name |
| scheduled_start | datetime(8) | Scheduled starting date/time for the event |
| Column Name | Datatype | Description |

| | | |
|---------------|-------------|--|
| actual_start | datetime(8) | Date/time at which the client began processing the scheduled operation |
| start_time | datetime(8) | Start time |
| end_time | datetime(8) | End time |
| activity | varchar(64) | Process or session (e.g., backup, archive, migration) |
| number | int(4) | Process or session number |
| entity | varchar(64) | User or storage pools associated with the activity |
| address | char(15) | Address/network address (e.g. IPAddr:Port#) |
| domain_name | char(30) | TSM Policy Domain Name |
| schedule_name | char(30) | Name of schedule that initiated the event |
| examined | int(4) | Number of objects (files and/or directories) examined by the process or session |
| affected | int(4) | Number of objects affected (moved, copied, or deleted) by the process or session |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| failed | int(4) | Number of objects that failed in the process or session |
| bytes | bigint(8) | Number of bytes |
| idle | int(4) | How long session is idle while the server is waiting for a request from the client |
| mediaw | int(4) | How long session awaited a completion of a mount |
| processes | int(4) | Number of processes |
| status | char(10) | Status (Completed, In Progress) |
| successful | char(3) | YES/NO |
| result | int(4) | Return code from the client that identifies whether the schedule has processed successfully |
| reason | char(80) | Result explanatory text; may be blank (null) |
| volume_name | varchar(64) | Volume name |
| drive_name | varchar(64) | Drive name |
| library_name | varchar(64) | Library name |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| comm._wait | int(4) | How long the server was waiting to receive expected data from the client or waiting for the communication layer to accept data to be sent to the client |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 124 - gsa_bu_jobs

GSA_BU_JOBS_TEMP

This table provides temporary information kept on TSM backups.

| Column Name | Datatype | Description |
|--------------------|-----------------|-------------------------|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| server | varchar(128) | TSM server name |
| start_time | datetime(8) | Start time |
| end_time | datetime(8) | End time |
| activity | varchar(64) | |
| entity | varchar(64) | Backup client name |
| schedule_name | char(30) | Name of backup schedule |

Table 125 - gsa_bu_jobs_temp

GSA_BU_LIB_VOLUMES

This table contains information on backup library volumes.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | Agent IP address |
| server_name | varchar(128) | Server name |
| library_name | varchar(30) | Library name |
| volume_name | varchar(255) | Volume name |
| status | varchar(10) | Volume status (Private, Scratch) |
| owner | varchar(64) | Ownership |
| last_use | varchar(10) | Last used for (e.g., Data) |
| home_element | int(4) | Element address of the SCSI library slot containing the tape. (Does not apply to libraries which contain their own supervisor, such as the IBM 3494 where TSM does not physically control actions.) |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| cleanings_left | int(4) | Number of cleaning cycles remaining on cleaner tapes in SCSI libraries where TSM must physically control cleaning. (Is null for libraries, such as the IBM 3494, where the library is controlled by its own supervisor) |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 126 - gsa_bu_lib_volumes

GSA_BU_LIBS

This table contains information on tape unit libraries.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | Agent IP address |
| server_name | varchar(128) | Server name |
| library_name | varchar(30) | A collection of drives for which volume mounts are accomplished via a single method, typically either manually or by robotic actions |
| library_type | varchar(10) | Type of library (e.g. SCSI/MANUAL/349X/EXTERNAL) |
| acs_id | int(4) | ACS identifier (number for the ACSLS library) |
| private_category | int(4) | Specifies the category number for private volumes that must be mounted by name. This parameter is optional. The default value is 300 (X'12C'). It can be a number from 1 to 65279. This parameter is valid only when LIBTYPE=349X. |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| scratch_category | int(4) | Specifies the category number to be used for scratch volumes in the library. This parameter is optional. The default value is 301 (X'12D'). You can specify a number from 1 to 65279. This parameter is valid only when LIBTYPE=349X. |
| external_mgr | varchar(255) | Specifies the location of the external library manager where TSM can send media access requests. This is required and valid only when LIBTYPE=EXTERNAL. |
| shared | varchar(3) | Shared (yes/no) |
| lanfree | varchar(3) | LAN free (yes/no) |
| obeymountretensio | varchar(3) | Observe mount retention (yes/no) |
| primary_lib_mgs | varchar(64) | Specifies the name of the server that is responsible for controlling access to library resources. This parameter is required and valid only when LIBTYPE=SHARED. |
| last_update_by | varchar(64) | Identifies who last updated the table (e.g., ADMIN) |
| last_update | datetime(8) | Last written timestamp |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |

Table 127 - gsa_bu_libs

GSA_BU_OCCUPANCY

This table reflects the file space objects inventory that reside in storage pools.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | Agent IP address |
| server_name | varchar(128) | TSM server name |
| node_name | char(64) | Node name owning file spaces |
| type | char(20) | The type of data. Possible values are Arch (archive data), Bkup, SPmg (migrated data) |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| filespace_name | char(64) | Filespace name belonging to the node |
| stgpool_name | char(30) | Storage pool name where the file space currently resides |
| num_files | numeric(13) | Number of logical files that belong to the file space and are stored in the storage pool |
| physical_mb | float(8) | Amount of physical space (MB) occupied by the file space. Physical space includes empty space within aggregate files, from which files may have been deleted or expired |
| logical_mb | float(8) | Amount of logical space (MB) occupied by the file space. Logical space is the actual space used to store files, including empty space within aggregates |
| filespace_id | numeric(13) | Filespace identifier (FSID) for the file space. The server assigns a unique FSID when a file space is first stored on the server. |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 128 - gsa_bu_occupancy

GSA_BU_PATHS

A TSM path represents a data and control path from a source to a destination. To use a library or drive with TSM, a path must be defined between the device and either the TSM server or another designated data mover.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | Agent IP address |
| server_name | varchar(128) | TSM server name |
| source_name | char(64) | Name of server or data mover defined as the source for the path |
| source_type | char(15) | Data mover, drive or server |
| destination_name | char(64) | Name of device defined as the destination for the path |
| destination_type | char(15) | Data Mover/Library |
| library_name | char(64) | Name of the library to which the drive belongs |
| Column Name | Datatype | Description |

| | | |
|-------------------|--------------|--|
| node_name | char(64) | Node name |
| device | char(64) | Device special file name by which the library's robotic mechanism is known (e.g., dev/lmcpl) |
| external_mgr | varchar(255) | External device manager |
| lun | char(24) | LUN |
| initiator_id | int(4) | Initiator ID |
| directory | char(128) | Name of directory |
| online | char(40) | Online status (YES/NO) for the path |
| last_update_by | varchar(64) | Identifies who last updated the table (e.g., ADMIN) |
| last_update | datetime(8) | Last written timestamp |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm:ss) in GMT |

Table 129 - gsa_bu_paths

GSA_BU_REPORT_PARAMS

This table is used to control the behavior of the TSM Daily Status report and can be updated using the Management Console's TSM Parameters user interface accessed under Tools.

| Column Name | Datatype | Description |
|-----------------------|-------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | Agent IP address |
| window_start | datetime(8) | Scheduled start |
| window_end | datetime(8) | Scheduled end |
| diskvol_warning_pct | int(4) | Disk volume full warning percentage (e.g., 10) |
| diskpool_warning_pct | int(4) | Disk pool full warning percentage (e.g., 80) |
| reclaim_warning_pct | int(4) | Reclamation warning percentage (e.g., 10) |
| tapevol_thresh_pct | int(4) | Tape volume threshold percentage (e.g., 65) |
| tapevol_warning_cnt | int(4) | Tape volume warning count |
| Column Name | Datatype | Description |
| tapedrive_warning_pct | int(4) | Tape drive warning percentage |
| tapepath_warning_pct | int(4) | Tape path warning percentage |

| | | |
|----------------------|--------|---------------------------------|
| susptape_warning_pct | int(4) | Suspect tape warning percentage |
| susptape_error_pct | int(4) | Suspect tape error percentage |

Table 130 - gsa_bu_report_params

GSA_BU_STORAGE_POOLS

This table contains information on TSM storage pools.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | Agent IP address |
| server_name | varchar(128) | Server name |
| stgpool_name | varchar(31) | Storage pool name |
| pool_type | varchar(31) | Type of storage pool (e.g., Primary) |
| devclass | varchar(31) | Name of the device class assigned to the storage pool |
| est_capacity_mb | float(8) | Estimated capacity in MB |
| pct_utilized | float(8) | Percentage of capacity utilized |
| pct_migr | float(8) | Percentage migrated |
| pct_logical | float(8) | The logical occupancy of the storage pool as a percentage of the total occupancy |
| highmig | int(4) | High migration threshold |
| lowmig | int(4) | Low migration threshold |
| migprocess | int(4) | Number of processes used to migrate files out of the storage pool |
| nextstgpool | varchar(31) | Storage pool that is the destination for data migrated from this storage pool |
| bsp_maxsize | float(8) | The maximum size of files that may be stored in the storage pool during a session with a client |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| access | varchar(15) | Specifies how client nodes and server processes (such as migration and reclamation) can access files in the storage pool. The default value is READWRITE. READWrite access specifies that client nodes and server processes can read and write to files stored on volumes in the storage pool and READONLY, which specifies that client nodes can only read files from the volumes in the storage pool. |
| bsp_description | varchar(255) | Optional description for the storage pool |
| ovflocation | varchar(255) | The location where volumes in the storage pool are stored when they are ejected from an automated library |
| cache | varchar(3) | Whether cache (YES/NO) is enabled for files migrated to the next storage pool |
| collocate | varchar(20) | Whether collocation is enabled (YES/ NO) |
| reclaim | int(4) | Threshold that specifies when volumes in the storage pool are reclaimed |
| maxscratch | int(4) | Maximum scratch volumes that a server can request for the storage pool |
| reusedelay | int(4) | Number of days that must elapse after all files have been deleted from a volume before the server returns that volume to scratch or reuses the volume |
| migr_running | varchar(20) | Whether at least one migration process is running indicator (Yes/No) |
| migr_mb | float(8) | Data migrated out of the storage pool in MB |
| migr_seconds | int(4) | Amount of time (in seconds) that has elapsed since migration began, if applicable |
| recl_running | varchar(20) | Whether a reclamation process is active for the storage pool |
| recl_volume | varchar(255) | The name of the volume for which migration or reclamation process is active |
| chg_time | datetime(8) | Change timestamp |
| chg_admin | varchar(255) | Change administrator (e.g., ADMIN) |
| reclaimstgpool | varchar(31) | Reclamation storage pool |
| migr_delay | int(4) | Migration delay |
| migcontinue | varchar(20) | Migration continue flag (Yes/No) |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| dataformat | varchar(12) | Data format (e.g., Native) |
| copystgpools | varchar(255) | Copy storage pool(s) that will have data simultaneously written to them when data is backed up or archived to the primary storage pool |
| copycontinue | varchar(20) | Whether a server should continue writing data to other copy storage pools in the list or terminate the entire transaction when a write failure occurs to one of the copy pools in the list |
| crcdata | varchar(9) | Whether data is validated by a cyclic redundancy check (CRC) when data is transferred during data storage and retrieval on a device (YES/NO) |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 131 - gsa_bu_storage_pools

GSA_BU_SUMMARY

This table provides summary information on TSM backups.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address of agent |
| server | varchar(128) | TSM server name |
| start_time | datetime(8) | Start activity timestamp |
| end_time | datetime(8) | End activity timestamp |
| activity | varchar(64) | Process or session number (e.g., BACKUP, FULL_DBBACKUP, TAPE MOUNT) |
| number | int(4) | Process or session number |
| entity | varchar(64) | User or storage pools associated with the activity |
| address | char(15) | Client IP address |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| schedule_name | char(30) | Name of backup schedule |
| examined | int(4) | Number of objects (files/directories) examined during the activity |
| affected | int(4) | Number of objects (files/directories) affected (moved/copied/deleted) by the process or session |
| failed | int(4) | Number of objects that failed in the process or session |
| bytes | bigint(8) | Number of bytes |
| idle | int(4) | How long session was idle while the server was waiting for a request from the client |
| mediaw | int(4) | How long session awaited a completion of a mount |
| processes | int(4) | Number of processes |
| status | char(10) | Status (Completed, In Progress) |
| successful | char(3) | YES/NO |
| volume_name | varchar(64) | Volume name |
| drive_name | varchar(64) | Drive name (e.g., 3590A) |
| library_name | varchar(64) | Library name (e.g., 3494LIB) |
| last_use | varchar(64) | How last used (Data, DbBackup) |
| comm._wait | int(4) | How long the server was waiting to receive expected data from the client or waiting for the communication layer to accept data to be sent to the client |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 132 - gsa_bu_summary

GSA_BU_VOLUME_HISTORY

This table contains information on the historical usage of backup volumes.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | Agent IP address |
| server_name | varchar(128) | Server name |
| date_time | datetime(8) | Time stamp (yy/mm/dd hh/mm:ss) AM/PM |
| is_unique | int(4) | |
| type | varchar(20) | Type of volume (e.g., BACKUPFULL) |
| backup_series | int(4) | The full backup and all incremental backups that apply to that full backup. Another series begins with the next full backup of the database. |
| backup_operation | int(4) | For BACKUPFULL or BACKUPINCR volume types, the operation number of this backup volume within the backup series. The full backup within a backup series is operation 0. The first incremental backup for that full backup is operation 1, the second incremental backup is operation 2, and so on. |
| volume_seq | int(4) | The sequence or position of the volume within the backup series. |
| devclass | varchar(31) | The name of the device class associated with this volume. |
| volume_name | varchar(255) | Volume name |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| location | varchar(255) | The location of the volume. This information is available only for volume types of BACKUPFULL, BACKUPINCR, DBDUMP, EXPORT and RPFILE. For RPFILE this location field is the server name defined in the device class definition used by the PREPARE command when the DEVCLASS parameter is specified. |
| command | varchar(255) | When the volume type is EXPORT or BACKUPSET, this field shows the command that was used to generate the volume. If the EXPORT or BACKUPSET is on more than one volume, the command is displayed with the first volume but not with any of the other volumes. When any volume type other than EXPORT or BACKUPSET is used, this field is blank. |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 133 - gsa_bu_volume_history

GSA_BU_VOLUMES

This table contains information on backup volumes within a TSM backup environment.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | Agent IP address |
| server_name | varchar(128) | Server name |
| volume_name | varchar(255) | Volume name |
| stgpool_name | varchar(31) | Storage pool name |
| Column Name | Datatype | Description |
| devclass_name | varchar(31) | Device class assigned to the storage pool |

| | | |
|-------------------|--------------|---|
| est_capacity_mb | float(8) | Estimated capacity of the volume in MB |
| pct_utilized | float(8) | Percentage of capacity utilized |
| status | varchar(10) | Volume status (e.g., Online, Full) |
| access | varchar(15) | Whether the volume is available to the server |
| pct_reclaim | float(8) | Percentage reclaimed |
| scratch | varchar(20) | Whether this volume was originally a scratch volume that the server acquired for its use. If the volume was a scratch volume, the server returns the volume to scratch when the volume becomes empty. |
| error_state | varchar(20) | Whether the volume is in error state. The server cannot write to a volume in error state |
| num_sides | int(4) | Information reserved for TSM |
| times_mounted | int(4) | Number of times mounted |
| write_pass | int(4) | Number of times the volume has been written to from the beginning to end |
| last_write_time | datetime(8) | Date/time volume was last written |
| last_read_time | datetime(8) | Date/time volume was last read |
| pending_date | datetime(8) | The date that the status of the volume changed to pending |
| write_errors | int(4) | Number of write errors |
| read_errors | int(4) | Number of read errors |
| location | varchar(255) | Location of the volume |
| chg_time | datetime(8) | Date/time changed |
| chg_admin | varchar(30) | Administrator who defined or most recently updated the volume |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm:ss) in GMT |

Table 134 - gsa_bu_volumes

GSA_DEBUG_JOB_STATUS

This table stores information on backup jobs. The debug_job_status table contains the same fields as those described below for the job status table.

| Column Name | Datatype | Description |
|-------------|----------|-------------|
|-------------|----------|-------------|

| | | |
|-------------------|--------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | IP address of agent |
| job_start_time | datetime(8) | Date/time job started |
| product_version | varchar(32) | Backup application (e.g., TSM) |
| message_type | int(4) | Message severity code |
| message_severity | int(4) | Severity level |
| server | varchar(128) | Server name |
| job_id | varchar(128) | Backup job identifier |
| job_group_id | int(4) | Job group ID |
| client | varchar(128) | Host name of backup client |
| class | varchar(128) | Class name |
| schedule | varchar(128) | Full, incremental, on-demand, cumulative incremental, etc. |
| status | int(4) | Status code (0=successful) |
| status_msg | varchar(128) | Status message text |
| job_type | int(4) | Job type code |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm:ss) in GMT |

Table 135 - gsa_debug_job_status

GSA_RESTORE_FILELIST

This table provides information on the restored files.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | integer | Local Manager ID |
| ip_address | ip_address | IP address where the Agent is installed |
| backup_id | int(4) | Backup identifier; client_name plus julian_time |
| job_id | varchar(128) | Job identifier |
| Column Name | Datatype | Description |
| client | varchar(128) | Backup client |
| slave | varchar(128) | Backup slave |
| master | varchar(128) | Master server |
| storage_unit | varchar(128) | Tape library drive or disk on media server |
| class | varchar(128) | NetBackup class |
| job_type | int(4) | Type of job (e.g., restore) |

| | | |
|-------------------|--------------|--------------------------------|
| kilobytes | int(4) | Size of restore in KB |
| files | int(4) | Number of files in restore job |
| status | int(4) | Status indicator |
| status_message | varchar(255) | Status message text |
| job_start_time | datetime(8) | Job start time |
| timestamp | datetime(8) | Inserted by the agent |
| agg_gmt_timestamp | datetime(8) | Inserted by the Aggregator |

Table 136 - gsa_restore_file_list

GSA_RESTORE_STATUS

This table provides information on the the status of restore jobs.

| Column Name | Datatype | Description |
|------------------|--------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address where the Agent is installed |
| job_start_time | datetime(8) | Job start time |
| product_version | varchar(32) | Backup software release |
| message_type | int(4) | Type of message indicator |
| message_severity | int(4) | Message severity |
| server | varchar(128) | Server name |
| job_id | varchar(128) | Job identifier |
| job_group_id | varchar(128) | Job group identifier |
| client | varchar(128) | Backup client |
| class | varchar(128) | Class |

| Column Name | Datatype | Description |
|--------------------|-----------------|----------------------------|
| schedule | varchar(128) | Schedule name |
| status | int(4) | Status indicator |
| status_message | varchar(255) | Status message text |
| timestamp | datetime(8) | Inserted by the agent |
| agg_gmt_timestamp | datetime(8) | Inserted by the Aggregator |

Table 137 - gsa_restore_status

CHAPTER THIRTEEN – TAPE LIBRARY TABLES

This chapter describes the tape library tables.

GSA_TLIB_CONFIG

The Tape Library Unit Agent populates this table with high-level, configuration information on a Tape Library Unit.

| Column Name | Datatype | Description |
|--------------|--------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address where Tape Library Unit Agent is installed |
| agent | varchar(32) | Agent (STK, ACSLS) |
| lib_id | varchar(128) | <vendor>-<model>-<s/n> |
| lib_index | int(4) | Integer index of the library;if only 1 library, this would be module number 0 |
| vendor | varchar(128) | Maker of the library |
| lib_count | int(4) | Count of the libraries in the library table |
| lib_detected | int(4) | This is a table of library detected on the SCSI bus |
| model | varchar(64) | The model of the library |
| fw_ver | varchar(64) | The micro code level of the library |
| hw_ver | vrchar(64) | Hardware version of the library |
| build_date | datetime(8) | Build timestamp |
| serial_no | varchar(64) | The model serial number of the library |
| drive_cap | int(4) | Capacity of the number of drives the library can hold |
| url | varchar(256) | Url provided at the library level - Can be used for web based monitoring |
| alias | varchar(128) | Alias of the library. The alias is associated with the serial number of the library |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 138 – tlib_config

GSA_TLIB_SLOTS

The Tape Library Unit Agent populates this table with information on the cells.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address where Tape Library Unit Agent is installed |
| agent | varchar(32) | Agent (STK, ACSLS) |
| lib_id | varchar(128) | <vendor>-<model>-<s/n> |
| lib_index | int(4) | Integer index of the library; if only 1 library, this would be module number 0 |
| slot_type | int(4) | Type of slot code for: <ul style="list-style-type: none"> • slot • CAP • passthru • drive • transient drive |
| component_id | varchar(64) | Slot number |
| panel | varchar(5) | Panel - all libraries |
| row | varchar(5) | Row - all libraries |
| column | varchar(5) | Column - all libraries |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| Column Name | Datatype | Description |

| | | |
|-------------------|-------------|---|
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 139 – tlib_slots

GSA_TLIB_DRIVES

The Tape Library Unit Agent populates this table with information on the tape library's drives.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address where Tape Library Unit Agent is installed |
| agent | varchar(32) | Agent (STK, ACSLS) |
| lib_id | varchar(128) | <vendor>-<model>-<s/n> |
| lib_index | int(4) | Integer index of the library; if only 1 library, this would be module number 0 |
| componet_id | varhcar(128) | Component id - drive |
| vendor | varchar(64) | Maker of the drive |
| model | varchar(64) | Model number of the tape drive |
| serial_no | varchar(64) | Serial number of the tape drive |
| firm_version | varchar(64) | The firmware version of the drive firmware |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| media_type | varchar(64) | The model of the drive. Other values might be returned to describe new model of drives. These values and their corresponding drive model will be read from a file at the agent start. undetermined (1), dlt2000 (2), dlt2000XT (3), dlt4000 (4), dlt7000 (5), dlt12000 (6), dlt20000(7), drive9840 (8), twinPeaks4890 (9) , silverton4490or4791 (10), redWoodSD3 (11), timberLine9490 (12), timberLine9491 (13), drve4781or4480 (14), dlt8000 (15) |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 140 – tlib_drives

GSA_TLIB_CONTENTS

This table is designed to provide overall system information.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address where the Tape Library Unit Agent is installed |
| agent | varchar(32) | Agent (STK, ACSLS) |
| lib_id | varchar(128) | <vendor>-<model>-<s/n> |
| lib_index | int(4) | Integer index of the library; if only 1 library, this would be module number 0 |
| slot_type | int(4) | Slot type code for: <ul style="list-style-type: none"> • CAP • passthru • Slot • Transient drive |
| component_id | varchar(128) | Component id - drive |
| media_type | varchar(64) | The type of media (e.g., DLT IV) |
| media_id | varchar(64) | Barcode – volume label |
| media_class | char(16) | Data, Cleaning |
| lib_status_flag | char(1) | Is the tape in the library or not <ul style="list-style-type: none"> - Y – yes in the library - N – not in the library |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| Column Name | Datatype | Description |

| | | |
|-------------------|-------------|---|
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 141 – tlib_contents

GSA_TLIB_INTERFACES

This table is designed to provide information on the interfaces (e.g., SCSI) to the Tape Library Unit.

| Column Name | Datatype | Description |
|-------------|--------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | IP address where the Tape Library Agent is installed |
| agent | varchar(32) | Agent (STK, ACSLS) |
| lib_id | varchar(128) | <vendor>-<model>-<s/n> |
| lib_index | int(4) | Integer index of the library; if only 1 library, this would be module number 0 |
| owner_type | varchar(32) | Owner type code for library, robot, drive, passthru |
| owner_id | varchar(128) | Component_index |
| if_type | varchar(32) | - SCSI - type of SCSI Mechanical fibre -ethernet |
| hw_addr | varchar(64) | WWPN, MAC |
| if_addr | varchar(32) | - SCSI address - port_id - IP address |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 142 - tlib_interfaces

GSA_TLIB_CELL_STATISTICS

This table provides statistical information on the activities of the Tape Library Unit. The tlib_statistics table contains the same identical fields as those described below for the tlib_cell_statistics table.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | char(15) | IP address where the Tape Library Agent is installed |
| agent | varchar(32) | Agent (STK, ACSLS) |
| lib_id | varchar(128) | <vendor>-<model>-<s/n> |
| lib_index | int(4) | Integer index of the library; if only 1 library, this would be module number 0 |
| type | int(4) | Code for library, CAP, Drive, Media, or Robot |
| start | datetime(8) | Start date/time |
| end_time | datetime(8) | Expiration |
| interval | int | Collection interval in seconds |
| duration | int | Duration in seconds |
| stat_type | varchar(64) | Type of statistic (Enter, Eject) |
| successes | int(4) | Counter for successes |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| retries | int(4) | Library Media Drive # of mount retries |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 143 – tlib_cell_statistics

GSA_TLIB_STATUS

This table provides general status information on the enterprise-wide Tape Library Units.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | ipaddress | IP address where the Tape Library Agent is installed |
| agent | varchar(32) | Agent (STK, ACSLS) |
| lib_id | varchar(128) | <vendor>-<model>-<s/n> |
| lib_index | int(4) | Integer index of the library; if only 1 library, this would be module number 0 |
| type | int(4) | Type code |
| id_1 | varchar(32) | Component ID (e.g., Drive) |
| id_2 | varchar(32) | Sub component ID (e.g., cap a) |
| status | | <ul style="list-style-type: none"> • Okay • Empty • Loaded • Busy • INIT • OFFLINE • UNKNOWN • DEGRADED |

| | | |
|-------------------|-------------|--|
| | | <ul style="list-style-type: none"> OPEN (CAP) |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 144 – tlib_status

GSA_TLIB_EVENTS

This table provides events generated by the Tape Library Unit Agent.

| Column Name | Datatype | Description |
|--------------|--------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | IP address where the Tape Library Agent is installed |
| agent | varchar(32) | Agent (STK, ACSLS) |
| lib_id | varchar(128) | <vendor>-<model>-<s/n> |
| lib_index | int(4) | Integer index of the library; if only 1 library, this would be module number 0 |
| type | int(4) | Type code |
| id_1 | varchar(32) | Component ID (e.g., Drive) |
| id_2 | varchar(32) | Sub component ID (e.g., cap a) |
| event_source | varchar(32) | FSC(error) source/trap IP |
| event_id | varchar(128) | FSD(error) id/trap OID |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| event_msg | varchar(256) | Description |
| event_time | datetime(8) | Time of the event |
| serverity | int(4) | The severity of the event |
| timestamp | datetime(8) | Time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 145 - tlib_events

GSA_TLIB_UTILIZATION_CACHE

This table provides information that is used in the Management Console's Enterprise Library Overview pane.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| site_id | int | Site identifier |
| lib_id | varchar(128) | <vendor>-<model>-<s/n> |
| lib_index | int(4) | Integer index of the library; if only 1 library, this would be module number 0 |
| alias | varchar(128) | Alias name |
| free_cells | int(4) | Number of free cells |
| active_cells | int(4) | Number of active cells |
| total_cells | int(4) | Number of total cells in the tape library |
| percent_utilized | int(4) | Percentage of total cells in the tape library |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll timestamp (yy/mm/dd hh/mm/ss) in GMT |

Table 146 - tlib_cache_utilization

GSA_TLIB_ALIAS

This table provides aliases for tape libraries.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | ipaddress | IP address where the Tape Library Agent is installed |
| lib_id | varchar(128) | <vendor>-<model>-<s/n> |
| lib_index | int(4) | Integer index of the library; if only 1 library, this would be module number 0 |
| type | int(4) | Library type. |
| id_1 | varchar(32) | Identifier |
| id_2 | varchar(32) | Identifier |
| alias_source | varchar(32) | |
| alias_type | varchar(32) | |
| alias_id | varchar(32) | |
| timestamp | datetime(8) | Inserted by the agent |
| last_update | datetime(8) | Insert stored procedure produced |
| to_time | datetime(8) | Insert stored procedure produced |
| agg_gmt_timestamp | datetime(8) | Inserted by the Aggregator |

Table 147 - tlib_alias

CHAPTER TWELVE – DATABASE TABLES

This chapter briefly describes the following database tables:

dba_app_storage_unit
dba_database_server
dba_db_specific_data
dba_db_stats
dba_logical_storage_unit
dba_physical_storage_unit
dba_served_databases
dba_io_indicators

The table layout of each table is also shown.

GSA_DBA_APP_STORAGE_UNIT

This table presents the database server and storage information.

| Column Name | Datatype | Description |
|-------------------|--------------|--|
| acom_id | int(4) | Local Manager ID |
| db_server_ip | char(15) | IP address of database server |
| port_no | int(4) | Database server TCP port number |
| db_name | varchar(64) | Database Name |
| unit_name | varchar(128) | Unit name (e.g., sysdepends) |
| owner | varchar(128) | Owner (dbo) |
| measure_type | varchar(25) | Measure of the application storage unit (e. g. table_row_count, table_size, index_size, or view_row_count) |
| measure | varchar(25) | Actual measurement value of the measure for the storage unit |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM in GMT |

Table 148 – gsa_dba_app_storage_unit

GSA_DBA_DATABASE_SERVER

This table presents the database servers that have been installed.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| db_server_ip | varchar(15) | Unique Database Server Identifier |
| port_no | int(4) | Database server port number (e.g., 1433 SQL Server) |
| database_type | varchar(25) | Type of Database : e.g. Oracle. Sybase, etc |
| version | varchar(25) | Database Server version |
| instance_name | varchar(64) | Database Server instance name |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM in GMT |

Table 149 – gsa_dba_database_server

GSA_DBA_DB_SPECIFIC_DATA

This table presents database specific information.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| db_server_ip | varchar(15) | Unique Database Server Identifier |
| port_no | int(4) | Database server port number |
| db_name | varchar(64) | Database Name |
| map_type | varchar(25) | Type of Map. The type will have value either PSU_LSU_map or LSU_ASU_map |
| item1 | varchar(255) | Map Item1 (e.g., PRIMARY) |
| item2 | varchar(255) | Map Item2 (e.g., SYSMESSAGES) |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM in GMT |

Table 150 – gsa_dba_db_specific_data

GSA_DBA_DB_STATS

This table consists of the database statistical data.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| db_server_ip | varchar(15) | Unique Database Server Identifier |
| port_no | int(4) | Database server port number |
| db_name | varchar(64) | Database Name |
| tables_count | int(4) | Number of tables |
| views_count | int(4) | Number of views |
| indexes_count | int(4) | Number of indexes |
| users_count | int(4) | Number of users |
| active_users_count | int(4) | Number of active users |
| sessions_count | int(4) | Number of sessions |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM in GMT |

Table 151 – gsa_dba_db_stats

GSA_DBA_LOGICAL_STORAGE_UNIT

This table contains information about storage units at the database system level

| Column Name | Datatype | Description |
|--------------------|-----------------|-----------------------------------|
| acom_id | int(4) | Local Manager ID |
| db_server_ip | varchar(15) | Unique Database Server Identifier |
| port_no | int(4) | Database server port number |
| db_name | varchar(64) | Database Name |
| unit_type | char(25) | Logical Storage Unit Type |
| unit_name | varchar(128) | Logical storage unit name |
| used_space | int(4) | Used Space (in bytes) |
| total_space | int(4) | Total Space (in bytes) |
| Column Name | Datatype | Description |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd |

| | | |
|-------------------|-------------|--|
| | | hh/mm:ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM in GMT |

Table 152 – gsa_dba_logical_storage_unit

GSA_DBA_PHYSICAL_STORAGE_UNIT

This table contains information about storage units at the operating system level

| Column Name | Datatype | Description |
|---------------------|--------------|---|
| acom_id | int(4) | Local Manager ID |
| db_server_ip | varchar(15) | Unique Database Server Identifier |
| port_no | int(4) | Database server port number |
| unit_type | varchar(25) | Physical storage unit type |
| unit_name | varchar(128) | Physical storage unit name |
| physical_type | char(10) | Physical type |
| physical_name | varchar(200) | Physical name |
| used_space | int(4) | Used Space (in bytes) |
| total_space | int(4) | Total Space (in bytes) |
| auto_increment | int(4) | A boolean value indicating, whether the storage unit is allowed to increment automatically or not. Values : true false |
| auto_incr_max_limit | int(4) | The maximum limit, up to which it can grow, for a storage unit which is allowed to autoincrement. Otherwise, the total size of storage unit. For unlimited autoincrement storage units it will contain 'Unlimited' |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM in GMT |

Table 153 – gsa_dba_physical_storage_unit

GSA_DBA_SERVED_DATABASES

This table contains Database type, name and version information

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| db_server_ip | char(15) | Unique Database Server Identifier |
| port_no | int(4) | Database server port number |
| db_name | varchar(64) | Database Name |
| owner | varchar(32) | Database Owner |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| last_update | datetime(8) | Insert stored procedure produced |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM in GMT |

Table 154 – gsa_dba_served_databases

GSA_DBA_IO_INDICATORS

This table presents the database server performance data.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| db_server_ip | char(15) | Unique Database Server Identifier |
| port_no | int(4) | Database server port number |
| unit_type | varchar(64) | Physical storage unit type |
| unit_name | varchar(255) | Unit name |
| reads | int(4) | Number of reads |
| writes | int(4) | Number of writes |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM in GMT |

Table 155 - gsa_dba_io_indicators

CHAPTER FOURTEEN – NAS TABLES

This chapter briefly describes the NAS tables. The table layout of each table is also shown.

GSA_NAS_COMPONENT

This table contains summary configuration and status information for each major component of NAS server.

| Column Name | Datatype | Description |
|------------------------|-------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | LM's IP address |
| gsa_id | varchar(64) | Globally-unique identifier for this device |
| component_id | varchar(20) | Short identifier of the component |
| name | varchar(64) | Long identifier of the component |
| serial | varchar(20) | Serial number of the component |
| type | varchar(20) | Standardized component type |
| model | varchar(20) | Model of the component |
| software_name | varchar(20) | Name of software running on the component if applicable |
| software_version | varchar(20) | Version of software running on component if applicable |
| software_version_minor | varchar(20) | Minor version of software used on component |
| firmware_version | varchar(20) | Firmware version of individual component if applicable |
| numcpus | int(4) | Number of CPUs in individual component |
| volatile_memory | int(4) | amount of regular (volatile) memory (in MB) on the component |
| nonvolatile_memory | int(4) | amount of NVRAM (non-volatile memory) on the component |
| uptime | int(4) | Seconds since last reboot of the component, -1 for unknown |
| power_status | int(4) | Total number of failed power supplies |
| fan_status | int(4) | Total number of failed fans |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| battery_status | int(4) | Numeric code indicating status of batteries |
| disk_status | int(4) | Total number of failed disks |
| temperature_status | int(4) | 0: Temperature Normal, 1: Temperature too high, -1: Unknown or not available |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to-time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM in GMT |

Table 156 – gsa_nas_component

GSA_NAS_CONFIG

This tale contains summary configuration information for NAS server, one row per server.

| Column Name | Datatype | Description |
|------------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | LMs IP address |
| nas_ip_address | varchar(15) | Contains the IP address of the NAS server interface through which the data was obtained |
| gsa_id | varchar(64) | Globally-unique identifier for this device |
| system_id | varchar(32) | Device system ID |
| nodename | varchar(64) | Configured name of the device |
| vendor | varchar(32) | Manufacturer of the device |
| product | varchar(32) | Product line of the device |
| model | varchar(20) | Product model number |
| cluster_status | varchar(12) | Status of cluster |
| cluster_partner | varchar(64) | Cluster partner identifier |
| cluster_partner_status | varchar(64) | Status of cluster partner |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| Column Name | Datatype | Description |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |

| | | |
|-------------------|-------------|--|
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM in GMT |
|-------------------|-------------|--|

Table 157 – gsa_nas_config

GSA_NAS_FILESYSTEM

This table is designed to describe all the currently mounted filesystems on a NAS server, and is very similar to the corresponding table for host agent.

| Column Name | Datatype | Description |
|----------------------|---------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | LM's IP address |
| gsa_id | varchar(64) | Globally-unique identifier for this device |
| filesystem_name | varchar(255) | Mount point for the filesystem |
| filesystem_type | varchar(20) | Type of filesystem |
| mount_device | varchar(255) | Device path that is being mounted |
| blocksize | int(4) | Size, in bytes, of a block |
| total_blocks | numeric(20,0) | Total blocks in filesystem |
| blocks_available | numeric(20,0) | Available blocks in standard filesystem (not including snapshots). |
| blocks_used | numeric(20,0) | Blocks used in filesystem (not including snapshots). |
| snapshot_reserved | numeric(20,0) | Blocks reserved for use in snapshots |
| snapshot_used | numeric(20,0) | Blocks actually used in snapshots |
| total_files | numeric(20,0) | Total number of addressable structures (i.e. inodes in UNIX) in the filesystem |
| files_used | numeric(20,0) | Number of addressable structures allocated to existing files and directories in the filesystem |
| files_available | numeric(20,0) | Number of addressable structures in the filesystem available for creation of new files by non-super users |
| lvm | varchar(20) | Logical volume manager used to manage the device |
| Column Name | Datatype | Description |
| logical_device_group | varchar(32) | Logical device group the mounted device is a member of |

| | | |
|---------------------|-------------|--|
| logical_device_name | varchar(32) | The logical device name of the mounted device |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM in GMT |

Table 158 – gsa_nas_filesystem

GSA_NAS_FILESYSTEM_MAPPING

This table represents filesystem copies, e.g. snapshots.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | LMs ip address |
| gsa_id | varchar(64) | Globally-unique identifier for this device |
| destination_name | varchar(255) | Name of the destination snapshot or destination filesystem |
| destination_name | varchar(255) | Full pathname to the destination snapshot or destination filesystem |
| source_name | varchar(255) | Name of the source filesystem |
| mapping_type | varchar(16) | Initially, "snapshot" (or "SnapShot" if we want compatibility with the array agents). |
| mapping_status | varchar(16) | status is one of "split" or "failed" |
| last_sync_time | datetime(8) | Time when copy was last synchronized (current time if currently in sync) |
| schedule | varchar(32) | be a scheduled snapshot, show the snapshot schedule |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM in GMT |

Table 159 - gsa_nas_filesystem_mapping

GSA_NAS_FILESYSTEM_OPTIONS

This table will contain a summary of all file system-specific options (as far as possible). Not all options need be defined for all file systems.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int | Local Manager ID |
| ip_address | varchar(15) | LM's IP address |
| gsa_id | varchar(64) | Globally-unique identifier for this device |
| filesystem_name | varchar(255) | As defined for gsa_nas_filesystem |
| option_name | varchar(255) | Filesystem options |
| option_value | varchar(255) | Literal string value for the option |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM in GMT |

Table 160 - gsa_nas_filesystem_options

GSA_NAS_INTERFACE

This table describes the varcharacteristics of an interface within the NAS server, such as an Ethernet adapter or a storage adapter.

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| if_name | varchar(32) | Interface name |
| if_usage | int(4) | Usage identifier |
| if_type | int(4) | Globally-unique identifier for this interface |
| if_speed | int(4) | Interface device speed |
| if_phys_addr | varchar(16) | Slot identifier |
| if_node_WWN | varchar(16) | Adapter WWN |
| if_node_WWN | varchar(16) | Adapter port WWN |
| if_mtu | varchar(16) | Message Transfer Unit size for Ethernet adapter |
| if_admin_status | int(4) | Status of management interface |
| if_oper_status | int(4) | Status of specified interface |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |

Table 161 - gsa_nas_interface

GSA_NAS_LOGICALVOLUME_CONFIG

This table is designed to describe all the varcharacteristics of logical devices currently configured on the NAS server.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | LM's IP address |
| gsa_id | varchar(64) | Globally-unique identifier for this device |
| type | varchar(20) | Predetermined set of values that specifies the type of logical device being reported |
| raw_blocks | numeric(20,0) | Total amount of all raw space contributing to the device being reported, including parity and mirrors, in blocks of size blocksize |

| Column Name | Datatype | Description |
|--------------------|-----------------|--------------------------------|
| capacity | numeric(20,0) | The total data capacity of the |

| | | |
|-----------------------|-------------|---|
| | | device being reported, in blocks (multiples of blocksize), not including parity or additional mirrors |
| blocksize | int(4) | The size, in bytes, of each block of the device |
| device_layout | varchar(20) | One of a predetermined set of values that specifies the layout of the device being reported |
| logical_device_status | varchar(20) | Status of the device being reported |
| lvm | varchar(20) | Logical volume manager used to manage the device |
| logical_device_group | varchar(64) | Logical device group the mounted device is a member of |
| logical_device_name | varchar(64) | The logical device name of the mounted device |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM in GMT |

Table 162 - NAS_logicalvolume_config

GSA_NAS_LOGICALVOLUME_RELATION

This table is designed to describe the relationship between logical devices found in the gsa_logicalvolume_config table.

| Column Name | Datatype | Description |
|----------------------|-----------------|---|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | LMs ip address |
| gsa_id | varchar(64) | Globally-unique identifier for this device |
| uses_lvm | varchar(20) | Contains the lvm for a device used by the device described by the lvm, logical_device_group and logical_device_name columns |
| logical_device_group | varchar(64) | Logical device group the mounted device is a member of |

| Column Name | Datatype | Description |
|---------------------------|-----------------|--|
| logical_device_name | varchar(64) | The logical device name of the mounted device |
| uses_logical_device_group | varchar(64) | Contains the logical_device_group for a device used by the device described by the lvm, logical_device_group and logical_device_name columns |
| uses_logical_device_name | varchar(64) | Contains the logical_device_name for a device used by the device described by the lvm, logical_device_group and logical_device_name columns |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM in GMT |

Table 163 - gsa_nas_logicalvolume_relation

GSA_NAS_OPTIONS

This table will contain a summary of all options for the NAS environment.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | IP address of agent |
| gsa_id | varchar(64) | Globally-unique identifier for this device |
| option_type | int(4) | One of the following: 1 (license option) or 2 (configuration option) |
| option_name | varchar(255) | Option name |
| option_value | varchar(255) | Option value |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| Column Name | Datatype | Description |
| last_update | datetime(8) | Last update |

| | | |
|-------------------|-------------|---|
| | | agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM in GMT |

Table 164 - gsa_nas_options

GSA_NAS_PHYSICALVOLUME_CONFIG

This table is designed to describe the physical characteristics of all the physical disk devices currently visible to the NAS server, whether internal to the NAS server or accessed through an external array.

| Column Name | Datatype | Description |
|------------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | LM's IP address |
| gsa_id | varchar(64) | Globally-unique identifier for this device |
| physical_device_name | varchar(64) | A unique physical system device and represents the entire device |
| vendor | varchar(20) | Vendor of the physical disk |
| product | varchar(20) | Product information for the device |
| serial_number | varchar(20) | Serial number of the component |
| location_1 | varchar(12) | Identifier 1 of physical drive location |
| location_2 | varchar(12) | Identifier 2 of physical drive location |
| volume_id | varchar(64) | unique volume id for the device (if applicable) |
| array_id | varchar(64) | unique gsa_id for the array supplying the device, if applicable |
| physical_device_status | varchar(20) | display the status of the physical device |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm:ss) AM/PM in GMT |

Table 165 - gsa_nas_physicalvolume_config

GSA_NAS_PHYSICALVOLUME_PATH

This table is designed to describe all the paths to devices listed in the gsa_physicalvolume_config table, one row per unique path

| Column Name | Datatype | Description |
|----------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | LM's IP address |
| gsa_id | varchar(64) | Globally-unique identifier for this device |
| component_id | varchar(20) | Identifier of major component through which this path is accessed |
| path_device_name | varchar(64) | NAS server device name of the path this row in the table is pertaining to |
| array_wwpn | varchar(16) | Array WWPN |
| physical_device_name | varchar(64) | match a single entry in the physical_device_name column of the gsa_nas_physicalvolume_config table |
| ctrl_instance | varchar(20) | controller number associated with the path used to access the device |
| if_name | varchar(32) | HBA instance as referenced by the NAS server |
| target | int(4) | SCSI target the device is being accessed through |
| channel | varchar(8) | SCSI channel the device is being accessed through, "N/A" if not applicable |
| lun | int(4) | SCSI lun the device is being accessed through |
| path_status | varchar(16) | status of the path being reported |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM in GMT |

Table 166 - gsa_nas_physicalvolume_path

GSA_NAS_SHARE

The primary purpose of a NAS device is to share out its storage, so this table is a key component of the agent.

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | varchar(15) | LM's ip address |
| gsa_id | varchar(64) | Globally-unique identifier for this device |

| | | |
|-------------------|--------------|---|
| share_type | varchar(16) | One of CIFS, NFS, FTP |
| share_name | varchar(255) | Name of the share |
| share_path | varchar(255) | -- CIFS, the "mount point" -- NFS and FTP, the same as "share_name" above |
| filesystem_name | varchar(255) | Filesystem containing the shared directory, to join with the gsa_nas_filesystem table |
| options | varchar(255) | share-specific options, including permissions and non-permission options |
| timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM |
| last_update | datetime(8) | Last update agg_gmt_timestamp |
| to_time | datetime(8) | Expiration agg_gmt_timestamp |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM in GMT |

Table 167 - gsa_nas_share

CHAPTER FIFTEEN – CUSTOM REPORTS

This chapter briefly describes some tables used to support the Custom Report Wizards and the Charting Wizards. Refer to the Management Console User's Guide for information on using the Report Wizards and Charting Wizards that allow you to create customized views and charts.

GSA_CUSTOM_REPORT_CHOICES

This table lists the logical groups of columns that are available to build custom reports.

| Column Name | Datatype | Description |
|---------------------|--------------|--|
| logical_grouping_id | int(4) | Provides a unique ID that identifies one charting wizard from another. |
| db_column_name | varchar(30) | Database column name |
| display_column | varchar(255) | Display column name |
| column_type | varchar(2) | 'SS' String, 'NN' Numeric, 'DD' date, 'BB' Boolean, 'LN' Numeric-Picklist, 'LB' Boolean-Picklist, 'LS' String-Picklist, 'LD' Date-Picklist |
| constraint_flag | varchar(1) | 'Y' if it can be constrained |
| data_source_tag | varchar(1) | This is a partial to full key into gsa_custom_report_tags |

Table 168 - gsa_custom_report_choices

GSA_CUSTOM_REPORT_COLS

This table is used when a customized view is created to set the ordering of fields in the displayed view.

| Column Name | Datatype | Description |
|---------------------|--------------|--|
| logical_grouping_id | int(4) | Provides a unique ID that identifies one charting wizard from another. |
| report_id | int(4) | From gsa_custom_reports |
| ordering | int(4) | Used to order the columns |
| display_column | varchar(255) | User interface display name |
| db_column_name | varchar(30) | Database column name |

Table 169 - gsa_custom_report_cols

GSA_CUSTOM_REPORT_CRITERIA

This table saves the where clause (filter criteria) for a user defined report.

| Column Name | Datatype | Description |
|--------------------|-----------------|-------------------------------------|
| report_id | int | From gsa_custom_reports |
| ordering | int | Used to rebuild criteria |
| criteria | varchar(255) | Where clause |
| display_criteria | varchar(30) | Where clause seen on user interface |

Table 170 –gsa_custom_report_cols

GSA_CUSTOM_REPORT_ORDER

This table stores the ordering for the columns specified in a user defined report.

| Column Name | Datatype | Description |
|--------------------|-----------------|-------------------------------|
| report_id | int | From gsa_custom_reports |
| ordering | int | How to order columns |
| ascending_flag | varchar(255) | 'Y' ascending; 'N' descending |
| db_column_name | varchar(30) | Column name in database |

Table 171 - custom_report_order

GSA_CUSTOM_REPORT_TAGS

This table maps composite strings built from tags found in gsa_custom_report_choices to either a table or a view in the database that can be used for the report.

| Column Name | Datatype | Description |
|---------------------|-----------------|---|
| logical_grouping_id | int | From gsa_custom_reports |
| data_source_tag | varchar(128) | Composite fork into gsa_custom_report_choices |
| db_data_source | varchar(30) | Defines the database table the wizard queries |

Table 172 - custom_report_tags

GSA_CUSTOM_REPORTS

This table is used by the custom report wizards. The column report_id is the primary key.

| Column Name | Datatype | Description |
|---------------------|-----------------|---|
| report_id | int | Is a unique ID that identifies one wizard from another. Is used to link the wizard attributes in different tables together for the same wizard. |
| user_id | int | User Identifier. |
| logical_grouping_id | int | From gsa_custom_report_choices. |
| report_name | varchar(255) | Is the user-assigned report name. |
| distinct_flag | char(1) | |
| share_mode | char(1) | |
| chart_type | char(1) | Type of chart indicator |
| chart_title | varchar(128) | Chart title |

Table 173 – gsa_custom_reports

GSA_CUSTOM_REPORT_WIZARDS

This table is used by the Management Console's Charting Wizards.

| Column Name | Datatype | Description |
|---------------------|-----------------|--|
| logical_grouping_id | int(4) | Provides a unique ID that identifies one charting wizard from another. |
| wizard_window_title | varchar(255) | Defines the page title for Step 1 for each particular charting wizard. |
| wizard_step_title | varchar(255) | Defines the window title for all the steps for each particular wizard. |
| charting_flag | char(1) | N(o) or Y(ES) |

Table 174 – gsa_custom_report_wizards

GSA_CUSTOM_CHART_STAT

This table contains the metadata that can be used in the generation of the select clause of the SQL query for a custom chart. You access the Charting Wizards under the Assets pull-down menu on the Management Console Home Page.

| Column Name | Datatype | Description |
|---------------------|-----------------|--|
| stat_id | int(4) | Unique identifier for the statistic (e.g., total number of files) |
| stat_name | varchar(32) | Statistic name |
| stat_expr | varchar(255) | Expression in the Wizard (e.g., max(backed_up_kb)) |
| stat_caption | varchar(32) | Caption (for above example, BKB(MAX)) |
| stat_type | varchar(8) | |
| logical_grouping_id | int(4) | Provides a unique ID that identifies one charting wizard from another. |

Table 175 - gsa_custom_chart_stat

GSA_PERFORMANCE_STATISTICS

This table is populated by the Host Statistics Agent (GSMstats), which is used to collect metrics from the CPU, IO, and MEMORY of a backup server. The table is used to create custom reports and charts (e.g., using Host Performance Charting Wizard).

| Column Name | Datatype | Description |
|--------------------|-----------------|--|
| acom_id | int(4) | Local Manager ID |
| ip_address | int(4) | IP address of installed agent. |
| system_type | varchar(50) | Defines the system type. |
| system_id | varchar(50) | Uniquely identifying name of system device resides on. |
| class | varchar(50) | The class of this device. (e.g. IO, MEMORY, CPU) |

| Column Name | Datatype | Description |
|--------------------|-----------------|---|
| subclass | varchar(50) | Sub-class of the device (e.g. SCSI, FIBRE). |
| device_type | varchar(50) | Specific type of device (e.g. TAPE, DISK). |
| instance | varchar(50) | Name of the device being monitored (e.g. DevRmt0). |
| stat_type | varchar(50) | What kind of statistic being measured (e.g. READ, WRITE). |
| collect_interval | int(4) | Configured interval to collect data. |
| start | datetime(8) | Start time of data collection in seconds. |
| end_time | datetime(8) | End time of data collection in seconds. |
| duration | int(4) | End time minus start time in seconds. A -1 indicates that the measurement is a snapshot in time. Status information is recorded this way. In this instance, the start and end times should be the same. |
| count_value | numeric(13) | Value (count) of the measurement being collected. The meaning of this value will change based on the unit column. |
| unit | varchar(50) | Defines how to interpret the results in the count column (e.g. BYTES, SECONDS). |
| timestamp | datetime(8) | Time when the row was inserted into the database. |
| agg_gmt_timestamp | datetime(8) | Poll time stamp (yy/mm/dd hh/mm/ss) AM/PM in GMT |

Table 176 - gsa_performance_statistics

CHAPTER SIXTEEN – RESERVATION SYSTEM

GSA_RESERVATION

This table will store reservations associated with the use of the Storage Provisioning Wizard under the Provisioning pull-down menu on the Management Console Home Page. Refer to the *Management Console User's Guide* to obtain additional information on the Storage Provisioning Wizard.

| Column Name | Datatype | Description |
|---------------------|--------------|--|
| gsa_id | int(4) | |
| creation_gmt_time | datetime(8) | Timestamp of reservation's creation |
| expiration_gmt_time | datetime(8) | When the reservation expires |
| change_control | varchar(128) | |
| status | int(4) | Designates status (e.g., open) |
| user_name | varchar(20) | User name |
| user_id | int(4) | Internal group ID associated with the user |

Table 177 - gsa_reservation

GSA_RESERVATION_COMMENT

This table will store comments defined in existing reservations. Refer to the *Sun Storagetek Business Analytics Administrator's Guide* for additional information on storage provisioning.

| Column Name | Datatype | Description |
|-------------------|--------------|--|
| gsa_id | int(4) | Unique ID generated by the application |
| creation_gmt_time | datetime(8) | Timestamp of reservation's creation |
| user_name | varchar(20) | User name |
| comment | varchar(255) | Comment text |

Table 178 - gsa_reservation_comment