



Sun Java™ System

Messaging Server 6 Administration Guide

2005Q1

Sun Microsystems, Inc.
4150 Network Circle
Santa Clara, CA 95054
U.S.A.

Part No: 819-0105

Copyright © 2005 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in the product that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and in other countries.

THIS PRODUCT CONTAINS CONFIDENTIAL INFORMATION AND TRADE SECRETS OF SUN MICROSYSTEMS, INC. USE, DISCLOSURE OR REPRODUCTION IS PROHIBITED WITHOUT THE PRIOR EXPRESS WRITTEN PERMISSION OF SUN MICROSYSTEMS, INC.

U.S. Government Rights - Commercial software. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

This distribution may include materials developed by third parties.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and in other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, Java, Solaris, JDK, Java Naming and Directory Interface, JavaMail, JavaHelp, J2SE, iPlanet, the Duke logo, the Java Coffee Cup logo, the Solaris logo, the SunTone Certified logo and the Sun ONE logo are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon architecture developed by Sun Microsystems, Inc.

Legato and the Legato logo are registered trademarks, and Legato NetWorker, are trademarks or registered trademarks of Legato Systems, Inc. The Netscape Communications Corp logo is a trademark or registered trademark of Netscape Communications Corporation.

The OPEN LOOK and Sun(TM) Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

Products covered by and information contained in this service manual are controlled by U.S. Export Control laws and may be subject to the export or import laws in other countries. Nuclear, missile, chemical biological weapons or nuclear maritime end uses or end users, whether direct or indirect, are strictly prohibited. Export or reexport to countries subject to U.S. embargo or to entities identified on U.S. export exclusion lists, including, but not limited to, the denied persons and specially designated nationals lists is strictly prohibited.

This product includes software developed by Computing Services at Carnegie Mellon University (<http://www.cmu.edu/computing/>).

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright © 2005 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, Etats-Unis. Tous droits réservés.

Sun Microsystems, Inc. détient les droits de propriété intellectuelle relatifs à la technologie incorporée dans le produit qui est décrit dans ce document. En particulier, et ce sans limitation, ces droits de propriété intellectuelle peuvent inclure un ou plusieurs des brevets américains listés à l'adresse <http://www.sun.com/patents> et un ou des brevets supplémentaires ou des applications de brevet en attente aux Etats - Unis et dans les autres pays.

CE PRODUIT CONTIENT DES INFORMATIONS CONFIDENTIELLES ET DES SECRETS COMMERCIAUX DE SUN MICROSYSTEMS, INC. SON UTILISATION, SA DIVULGATION ET SA REPRODUCTION SONT INTERDITES SANS L'AUTORISATION EXPRESSE, ECRITE ET PREALABLE DE SUN MICROSYSTEMS, INC.

Cette distribution peut comprendre des composants développés par des tierces parties.

Des parties de ce produit peuvent être dérivées des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, Java, Solaris, JDK, Java Naming and Directory Interface, JavaMail, JavaHelp, J2SE, iPlanet, le logo Duke, le logo Java Coffee Cup, le logo Solaris, le logo SunTone Certified et le logo Sun[tm] ONE sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays.

Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

Legato, le logo Legato, et Legato NetWorker sont des marques de fabrique ou des marques déposées de Legato Systems, Inc. Le logo Netscape Communications Corp est une marque de fabrique ou une marque déposée de Netscape Communications Corporation.

L'interface d'utilisation graphique OPEN LOOK et Sun(TM) a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciés de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui, en outre, se conforment aux licences écrites de Sun.

Les produits qui font l'objet de ce manuel d'entretien et les informations qu'il contient sont regis par la législation américaine en matière de contrôle des exportations et peuvent être soumis au droit d'autres pays dans le domaine des exportations et importations. Les utilisations finales, ou utilisateurs finaux, pour des armes nucléaires, des missiles, des armes biologiques et chimiques ou du nucléaire maritime, directement ou indirectement, sont strictement interdites. Les exportations ou réexportations vers des pays sous embargo des Etats-Unis, ou vers des entités figurant sur les listes d'exclusion d'exportation américaines, y compris, mais de manière non exclusive, la liste de personnes qui font objet d'un ordre de ne pas participer, d'une façon directe ou indirecte, aux exportations des produits ou des services qui sont regis par la législation américaine en matière de contrôle des exportations et la liste de ressortissants spécifiquement désignés, sont rigoureusement interdites.

Ce produit comprend du logiciel développé par Computing Services à Carnegie Mellon University (<http://www.cmu.edu/computing/>).

LA DOCUMENTATION EST FOURNIE "EN L'ETAT" ET TOUTES AUTRES CONDITIONS, DECLARATIONS ET GARANTIES EXPRESSES OU TACITES SONT FORMELLEMENT EXCLUES, DANS LA MESURE AUTORISEE PAR LA LOI APPLICABLE, Y COMPRIS NOTAMMENT TOUTE GARANTIE IMPLICITE RELATIVE A LA QUALITE MARCHANDE, A L'APTITUDE A UNE UTILISATION PARTICULIERE OU A L'ABSENCE DE CONTREFACON.

Contents

List of Tables	21
List of Figures	27
Preface	29
Who Should Use This Book	29
Before You Read This Book	30
How This Book Is Organized	30
Conventions Used in This Book	32
Typographic Conventions	32
Symbols	33
Default Paths and File Names	33
Command Line Prompts	34
Related Documentation	34
Messaging Server Documents	34
Communications Services Documents	35
Where to Find This Manual Online	36
Accessing Sun Resources Online	36
Contacting Sun Technical Support	36
Related Third-Party Web Site References	37
Sun Welcomes Your Comments	37
Chapter 1 Post-install Tasks and Layout	39
To Create UNIX System Users and Groups	40
To Prepare Directory Server for Messaging Server Configuration	41
Location of comm_dssetup.pl	41
comm_dssetup.pl Requirements	42
To Run the comm_dssetup.pl Script	43
To Create the Initial Messaging Server Runtime Configuration	51
Messaging Server Pre-requisites	51

Messaging Server Configuration Checklist	52
Running the configure Program	52
To Perform a Silent Installation	57
To Install Messaging Server against a Directory Server Replica	58
To Install Messaging Server Provisioning Tools	59
Delegated Administrator for Messaging	59
LDAP Provisioning Tools	61
SMTP Relay Blocking	62
Enabling Start-up After a Reboot	64
Handling sendmail Clients	65
Solaris 8	65
Solaris 9 and Above	66
Configuring Messenger Express and Communications Express Mail Filters	67
Performance and Tuning	68
Post-Installation Directory Layout	68
Post-Installation Port Numbers	70
Chapter 2 Upgrading to Sun Java Systems Messaging Server	73
Before You Begin	73
Overview of the Upgrade Process	74
Creating Upgrade Files to Update your Configuration	74
About Upgrade Files	74
Running the UpgradeMsg5toMsg6.pl Perl Script	76
Running the Upgrade Utility	78
Overview of the Upgrade Utility	78
Running the do_the_upgrade.sh Utility	78
MTA Configuration	79
configutil Parameters	79
Backup Configuration	80
mboxlist Database	80
Migrating User Mailboxes	80
Requirements	81
Migration Instructions	81
Chapter 3 Configuring High Availability	85
Cluster Agent Installation	86
Messaging Server and High Availability Notes	86
Using the useconfig Utility	86
Veritas Cluster Server Agent Installation	87
Veritas Cluster Server Requirements	88
VCS 3.5 Installation and Configuration Notes	88
MsgSrv Attributes	91

Sun Cluster Agent Installation	92
Sun Cluster Requirements	92
About HAStoragePlus	92
Configuring Messaging Server with Sun Cluster and HA StoragePlus	93
Binding IP Addresses on a Server	97
Unconfiguring High Availability	99
Unconfiguring Veritas Cluster Server	99
Unconfiguring Messaging Server HA Support for Sun Cluster 3.x	100
Chapter 4 Configuring General Messaging Capabilities	103
To Modify Your Passwords	104
Managing Mail Users, Mailing Lists and Domains	105
To Remove a User from Messaging Server	105
To Remove a Domain from Messaging Server	106
Managing Messaging Server with Sun ONE Console	106
Starting and Stopping Services	107
To Start and Stop Services in an HA Environment	107
To Start and Stop Services in a non-HA Environment	108
Automatic Restart of Failed or Unresponsive Services	110
Automatic Restart in High Availability Deployments	112
To Schedule Automatic Tasks	113
To Configure a Greeting Message	114
To Set a Per-Domain Greeting Message	115
To Set a User-Preferred Language	117
To Set a Domain Preferred Language	117
To Configure a Server Site Language	118
To Customize Directory Lookups	118
Encryption Settings	122
Setting a Failover LDAP Server	122
Chapter 5 Configuring POP, IMAP, and HTTP Services	123
General Configuration	124
Enabling and Disabling Services	124
Specifying Port Numbers	124
Ports for Encrypted Communications	125
Service Banner	126
Login Requirements	126
To Set the Login Separator for POP Clients	126
To Allow Log In without Using the Domain Name	127
Password-Based Login	127
Certificate-Based Login	128
Performance Parameters	128

Number of Processes	129
Number of Connections per Process	129
Number of Threads per Process	130
Dropping Idle Connections	131
Logging Out HTTP Clients	131
Client Access Controls	132
To Configure POP Services	132
To Configure IMAP Services	134
To Configure HTTP Services	136
Chapter 6 Enabling Single Sign-On (SSO)	141
Access Manager SSO for Sun Java System Servers	141
SSO Limitations and Notices	142
Configuring Messaging Server to Support SSO	142
Troubleshooting SSO	144
Trusted Circle SSO (Legacy)	144
Trusted Circle SSO Overview and Definitions	144
Trusted Circle SSO Applications	145
Trusted Circle SSO Limitations	146
Example Trusted Circle SSO Deployment Scenarios	146
Setting Up Trusted Circle SSO	148
Messenger Express Trusted SSO Configuration Parameters	152
Chapter 7 Configuring and Administering Multiplexor Services	155
Multiplexor Services	155
Multiplexor Benefits	156
About Messaging Multiplexor	157
How the Messaging Multiplexor Works	158
Encryption (SSL) Option	159
Certificate-Based Client Authentication	159
User Pre-Authentication	160
MMP Virtual Domains	161
About SMTP Proxy	162
Setting Up the Messaging Multiplexor	163
Before You Configure MMP	163
Multiplexor Configuration	164
Multiplexor Files	164
Starting the Multiplexor	166
Modifying an Existing MMP	166
Configuring MMP with SSL	166
A Sample Topology	168
MMP Tasks	171

To Configure Mail Access with MMP	172
To Set a Failover MMP LDAP Server	172
About Messenger Express Multiplexor	172
How Messenger Express Multiplexor Works	173
Setting Up the Messenger Express Multiplexor	174
Testing Your Setup	177
Administering Your Messenger Express Multiplexor	178
Chapter 8 MTA Concepts	181
The MTA Functionality	181
MTA Architecture and Message Flow Overview	185
The Dispatcher	187
Creation and Expiration of Server Processes	187
To Start and Stop the Dispatcher	188
Rewrite Rules	189
Channels	189
Master and Slave Programs	190
Channel Message Queues	192
Channel Definitions	192
The MTA Directory Information	194
The Job Controller	194
To Start and Stop the Job Controller	195
Chapter 9 MTA Address Translation and Routing	197
The Direct LDAP Algorithm and Implementation	197
Domain Locality Determination	197
Alias expansion of local addresses	202
Processing the LDAP Result	207
Address Reversal	221
Asynchronous LDAP Operations	223
Settings Summary	224
Chapter 10 About MTA Services and Configuration	225
Compiling the MTA Configuration	226
The MTA Configuration File	226
Mappings File	229
File Format in the Mappings File	230
Mapping Operations	232
Other MTA Configuration Files	243
Alias File	244
TCP/IP (SMTP) Channel Option Files	244
Conversion File	244

Dispatcher Configuration File	245
Mappings File	246
Option File	246
Tailor File	247
Job Controller File	247
Aliases	254
The Alias Database	255
The Alias File	255
Including Other Files in the Alias File	256
Command Line Utilities	256
SMTP Security and Access Control	256
Log Files	257
To Convert Addresses from an Internal Form to a Public Form	257
To Set Address Reversal Controls	259
The Forward Lookup Table and FORWARD Address Mapping	261
Controlling Delivery Status Notification Messages	264
To Construct and Modify Status Notifications	265
To Customize and Localize Delivery Status Notification Messages	267
Internationalization of Generated Notices	270
Additional Status Notification Message Features	271
Controlling Message Disposition Notifications	277
To Customize and Localize Message Disposition Notification Messages	278
Chapter 11 Configuring Rewrite Rules	281
Rewrite Rule Structure	282
Rewrite Rule Patterns and Tags	284
A Rule to Match Percent Hacks	286
A Rule to Match Bang-Style (UUCP) Addresses	286
A Rule to Match Any Address	287
Tagged Rewrite Rule Sets	287
Rewrite Rule Templates	287
Ordinary Rewriting Templates: A%B@C or A@B	288
Repeated Rewrites Template, A%B	288
Specified Route Rewriting Templates, A@B@C@D or A@B@C	289
Case Sensitivity in Rewrite Rule Templates	289
How the MTA Applies Rewrite Rules to an Address	290
Step 1. Extract the First Host or Domain Specification	291
Step 2. Scan the Rewrite Rules	293
Step 3. Rewrite Address According to Template	294
Step 4. Finish the Rewrite Process	294
Rewrite Rule Failure	295
Syntax Checks After Rewrite	295
Handling Domain Literals	295

Template Substitutions and Rewrite Rule Control Sequences	296
Username and Subaddress Substitution, \$U, \$0U, \$1U	299
Host/Domain and IP Literal Substitutions, \$D, \$H, \$nD, \$nH, \$L	300
Literal Character Substitutions, \$\$, \$%, \$@	300
LDAP Query URL Substitutions, \$]...[.....	300
General Database Substitutions, \$(...)	302
Apply Specified Mapping, \${...}	302
Customer-supplied Routine Substitutions, \$[...]	303
Single Field Substitutions, \$&, \$!, \$*, \$#	304
Unique String Substitutions	304
Source-Channel-Specific Rewrite Rules (\$M, \$N)	305
Destination-Channel-Specific Rewrite Rules	
(\$C, \$Q)	305
Direction-and-Location-Specific Rewrite Rules	
(\$B, \$E, \$F, \$R)	306
Host-Location-Specific Rewrites (\$A, \$P, \$S, \$X)	307
Changing the Current Tag Value, \$T	307
Controlling Error Messages Associated with Rewriting (\$?)	308
Handling Large Numbers of Rewrite Rules	309
Testing Rewrite Rules	309
Rewrite Rules Example	310
Chapter 12 Configuring Channel Definitions	313
Channel Keywords Listed Alphabetically	314
Channel Keywords Categorized by Function	317
Configuring Channel Defaults	332
Configuring SMTP Channels	333
Configuring SMTP Channel Options	334
SMTP Command and Protocol Support	335
TCP/IP Connection and DNS Lookup Support	343
SMTP Authentication, SASL, and TLS	351
Using Authenticated Addresses from SMTP AUTH in Header	352
Specifying Microsoft Exchange Gateway Channels	353
Transport Layer Security	354
Configuring Message Processing and Delivery	355
Setting Channel Directionality	357
Implementing Deferred Delivery Dates	358
Specifying the Retry Frequency for Messages that Failed Delivery	358
Processing Pools for Channel Execution Jobs	360
Service Job Limits	360
Setting Connection Transaction Limits	362
Message Priority Based on Size	363
SMTP Channel Threads	363

Expansion of Multiple Addresses	364
Enable Service Conversions	365
Configuring Address Handling	365
Address Types and Conventions	366
Interpreting Addresses that Use ! and %	367
Adding Routing Information in Addresses	368
Disabling Rewriting of Explicit Routing Addresses	369
Address Rewriting Upon Message Dequeue	370
Specifying a Host Name to Use When Correcting Incomplete Addresses	370
Legalizing Messages Without Recipient Header Lines	371
Stripping Illegal Blank Recipient Headers	372
Enabling Channel-Specific Use of the Reverse Database	372
Enabling Restricted Mailbox Encoding	373
Generating of Return-path: Header Lines	373
Constructing Received: Header Lines from Envelope To: and From: Addresses	374
Handling Comments in Address Header Lines	374
Handling Personal Names in Address Header Lines	375
Specifying Alias File and Alias Database Probes	376
Subaddress Handling	376
Enabling Channel-specific Rewrite Rules Checks	377
Removing Source Routes	378
Specifying Address Must be from an Alias	378
Configuring Header Handling	378
Rewriting Embedded Headers	379
Removing Selected Message Header Lines	379
Generating/Removing X-Envelope-to: Header Lines	381
Converting Date to Two- or Four-Digits	381
Specifying Day of Week in Date	381
Automatic Splitting of Long Header Lines	382
Header Alignment and Folding	382
Specifying Maximum Length Header	383
Sensitivity Checking	383
Setting Default Language in Headers	384
Attachments and MIME Processing	384
Ignoring the Encoding: Header Line	384
Automatic Defragmentation of Message/Partial Messages	385
Automatic Fragmentation of Large Messages	386
Imposing Message Line Length Restrictions	387
Limits on Messages, Quotas, Recipients, and Authentica Attempts	387
Limits on Unsuccessful Authentication Attempts	388
Specifying Absolute Message Size Limits	388
Retargeting Messages Exceeding Limit on Size or Recipients	389
Handling Mail Delivery to Over Quota Users	391

Handling SMTP Mail with Lines Exceeding 1000 Characters	392
Controlling the Length of General and Filename Content-type and Content-disposition Parameters	392
Limiting Message Recipients	392
Limiting Header Size	393
File Creation in the MTA Queue	393
Controlling How Multiple Addresses on a Message are Handled	393
Spreading a Channel Message Queue Across Multiple Subdirectories	394
Setting Session Limits	395
Configuring Logging and Debugging	395
Logging Keywords	395
Debugging Keywords	396
Setting Loopcheck	396
Miscellaneous Keywords	397
Process Channel Overrides	397
Channel Operation Type	397
Pipe Channel	398
Specifying Mailbox Filter File Location	398
Spam Filter Keywords	399
Routing After Address Validation But Before Expansion	399
NO-SOLICIT SMTP Extension Support	403
Setting Limits on Bad RCPT TO: Addresses	403
Chapter 13 Using Pre-defined Channels	405
To Deliver Messages to Programs Using the Pipe Channel	407
To Configure the Native (/var/mail) Channel	408
To Temporarily Hold Messages Using the Hold Channel	409
The Conversion Channel	410
MIME Overview	411
Selecting Traffic for Conversion Processing	413
To Control Conversion Processing	414
To Bounce, Delete, or Hold Messages Using the Conversion Channel Output	423
Conversion Channel Example	425
Automatic Arabic Character Set Detection	425
Character Set Conversion and Message Reformatting	430
Character Set Conversion	432
Message Reformatting	433
Service Conversions	439
Chapter 14 Integrating Spam and Virus Filtering Programs Into Messaging Server	441
Integrating Spam Filtering Programs Into Messaging Server—Theory of Operations	442
Deploying and Configuring Third Party Spam Filtering Programs	442

Loading and Configuring the Spam Filtering Software Client Library	443
Specifying the Messages to Be Filtered	444
Specifying Actions to Perform on Spam Messages	451
Using Symantec Brightmail Anti-Spam	455
How Brightmail Works	455
Brightmail Requirements and Performance Considerations	457
Deploying Brightmail	457
Brightmail Configuration Options	458
Using SpamAssassin	459
SpamAssassin Overview	460
SpamAssassin/Messaging Server Theory of Operations	460
SpamAssassin Requirements and Usage Considerations	461
Deploying SpamAssassin	462
SpamAssassin Configuration Examples	462
Testing SpamAssassin	469
SpamAssassin Options	471
Using Symantec Anti-Virus Scanning Engine (SAVSE)	473
SAVSE Overview	474
SAVSE Requirements and Usage Considerations	474
Deploying SAVSE	475
SAVSE Configuration Example	475
SAVSE Options	478
Support for Sieve Extensions	480
Chapter 15 LMTP Delivery	483
LMTP Delivery Features	484
Messaging Processing in a Two-Tier Deployment Without LMTP	484
Messaging Processing in a Two-Tier Deployment With LMTP	486
LMTP Overview	487
Configuring LMTP Delivery	488
To Configure the Inbound MTA Relays with LMTP	488
Configuring the Back End Stores with LMTP and No MTA	494
Configuring Relays for Sending Messages Via LMTP to Back End Systems with Message Stores and Full MTAs	496
Configuring LMTP on Back End Message Store Systems Having Full MTAs	497
LMTP Protocol as Implemented	498
Chapter 16 Vacation Automatic Message Reply	503
Vacation Autoreply Overview	503
Configuring Autoreply	504
Configuring Autoreply on the Back-end Store System	505
Configuring Autoreply on the Relay	505

Vacation Autoreply Theory of Operation	506
Vacation Autoreply Attributes	508
Chapter 17 Mail Filtering and Access Control	511
PART 1. MAPPING TABLES	511
Controlling Access with Mapping Tables	512
Access Control Mapping Tables—Operation	512
Access Control Mapping Table Flags	514
SEND_ACCESS and ORIG_SEND_ACCESS Tables	517
MAIL_ACCESS and ORIG_MAIL_ACCESS Mapping Tables	519
FROM_ACCESS Mapping Table	521
PORT_ACCESS Mapping Table	523
To Limit Specified IP Address Connections to the MTA	525
When Access Controls Are Applied	526
To Test Access Control Mappings	527
To Add SMTP Relaying	528
Allowing SMTP Relaying for External Sites	530
Configuring SMTP Relay Blocking	531
How the MTA Differentiates Between Internal and External Mail	531
Differentiate Authenticated Users' Mail	533
Prevent Mail Relay	534
To Use DNS Lookups Including RBL Checking for SMTP Relay Blocking	535
Handling Large Numbers of Access Entries	537
PART 2. MAILBOX FILTERS	540
Sieve Filter Support	540
Sieve Filtering Overview	541
To Create User-level Filters	542
To Create Channel-level Filters	542
To Create MTA-Wide Filters	544
Routing Discarded Messages Out the FILTER_DISCARD Channel	545
To Debug User-level Filters	545
imsimta test -exp Output	547
imsimta test -exp Syntax	549
Chapter 18 Managing the Message Store	551
Overview	552
Message Store Directory Layout	553
How the Message Store Removes Messages	556
Specifying Administrator Access to the Store	557
To Add an Administrator	558
To Modify an Administrator Entry	558
To Delete an Administrator Entry	559

About Shared Folders	559
Shared Folder Access Rights	561
Shared Folder Tasks	564
To Create a Public Folder	564
To Change a Public Folder's Access Control Rights	565
To Enable or Disable Listing of Shared Folders	566
To Set Up Distributed Shared Folders	566
To Monitor and Maintain Shared Folder Data	568
About Message Store Quotas	570
User Quotas	571
Domain Quotas	571
Exceptions for Telephony Application Servers	572
Configuring Message Store Quotas	573
To Specify a Default User Quota	574
To Specify Individual User Quotas	575
To Specify Domain Quotas	575
To Deploy Quota Notification	575
To Enable or Disable Quota Enforcement	577
To Set a Grace Period	579
Netscape Messaging Server Quota Compatibility Mode	580
To Set the Automatic Message Removal (Expire and Purge) Feature	581
imexpire Theory of Operation	581
To Deploy the Automatic Message Removal Feature	582
Configuring Message Store Partitions	593
To Add a Partition	594
To Move Mailboxes to a Different Disk Partition	595
Changing the Default Message Store Partition Definition	597
Performing Message Store Maintenance Procedures	597
To Manage Mailboxes	597
To Monitor Quota Limits	603
To Monitor Disk Space	604
Using the stored Utility	604
Reducing Message Store Size Due to Duplicate Storage of Identical Messages	606
Backing Up and Restoring the Message Store	610
Creating a Mailbox Backup Policy	611
To Create Backup Groups	612
Messaging Server Backup and Restore Utilities	613
Excluding Bulk Mail When You Perform Backups	615
Considerations for Partial Restore	616
To Restore Messages from a Mailbox that has Been Incrementally Backed-up	617
To Use Legato Networker	618
To Use a Third Party Backup Software (Besides Legato)	622
Troubleshooting Backup and Restore Problems	623

Message Store Disaster Backup and Recovery	623
Monitoring User Access	624
Troubleshooting the Message Store	625
Standard Message Store Monitoring Procedures	626
Message Store Startup and Recovery	629
Repairing Mailboxes and the Mailboxes Database	632
Common Problems and Solutions	637
Chapter 19 Configuring Security and Access Control	641
About Server Security	642
About HTTP Security	643
Configuring Authentication Mechanisms	644
To Configure Access to Plaintext Passwords	646
To Transition Users	647
User Password Login	647
IMAP, POP, and HTTP Password Login	648
SMTP Password Login	648
Configuring Encryption and Certificate-Based Authentication	649
Obtaining Certificates through the Administration Console	651
To Create Self-signed Certificates	655
To Enable SSL and Selecting Ciphers	656
To Set Up Certificate-Based Login	658
How to Optimize SSL Performance Using the SMTP Proxy	660
Network Security Services Tools	660
Managing Certificates and Keys	660
Configuring Administrator Access to Messaging Server	661
Hierarchy of Delegated Administration	662
To Provide Access to the Server as a Whole	663
To Restrict Access to Specific Tasks	663
Configuring Client Access to POP, IMAP, and HTTP Services	664
How Client Access Filters Work	665
Filter Syntax	666
Filter Examples	671
To Create Access Filters for Services	672
To Create Access Filters for HTTP Proxy Authentication	673
Enabling POP Before SMTP	675
To Install the SMTP Proxy	675
Configuring Client Access to SMTP Services	679
User/Group Directory Lookups Over SSL	679
Chapter 20 Administering S/MIME for Communications Express Mail	681
What is S/MIME?	682

Concepts You Need to Know	682
Required Software and Hardware Components	683
Requirements for Using S/MIME	684
Private and Public Keys	684
Keys Stored on Smart Cards	685
Keys Stored on the Client Machine	685
Publish Public Keys in LDAP Directory	685
Give Mail Users Permission to Use S/MIME	686
Multi-language Support	686
Getting Started After Installing Messaging Server	686
The S/MIME Applet	687
A Basic S/MIME Configuration	688
Accessing LDAP for Public Keys, CA certificates and CRLs Using Credentials	693
Parameters of the smime.conf File	694
Messaging Server Options	701
Securing Internet Links With SSL	702
Securing the Link Between Messaging Server and Communications Express Mail	702
Securing the Link Between the Messaging Server and S/MIME Applet	703
Key Access Libraries for the Client Machines	703
Example	704
Verifying Private and Public Keys	705
Finding a User's Private or Public Key	705
When is a Certificate Checked Against a CRL?	706
Accessing a CRL	706
Proxy Server and CRL Checking	708
Using a Stale CRL	708
Determining Which Message Time to Use	709
Trouble Accessing a CRL	710
When a Certificate is Revoked	711
Granting Permission to Use S/MIME Features	711
S/MIME Permission Examples	712
Managing Certificates	712
CA Certificates in an LDAP Directory	712
Public Keys and Certificates in an LDAP Directory	714
Verifying That Keys and Certificates Exist in the LDAP Directory	715
Network Security Services Certificates	717
Communications Express S/MIME End User Information	717
Logging In for the First Time	718
Signature and Encryption Settings	719
Enabling the Java Console	721
Chapter 21 Managing Logging	723
Overview of Logging	723

Types of Logging Data	724
Types of Messaging Server Log Files	724
Tracking a Message Across the Various Log Files	726
Tools for Managing Logging	728
Managing MTA Message and Connection Logs	728
Understanding the MTA Log Entry Format	729
Enabling MTA Logging	733
Specifying Additional MTA Logging Options	734
MTA Message Logging Examples	735
Enabling Dispatcher Debugging	751
Managing Service Logs	753
Understanding Service Log Characteristics	753
Understanding Service Log File Format	756
Defining and Setting Service Logging Options	757
Searching and Viewing Service Logs	760
Working With Service Logs	761
Using Message Tracing for Message Store Logging	764
Message Store Logging Examples	766
Chapter 22 Troubleshooting the MTA	769
Troubleshooting Overview	770
Standard MTA Troubleshooting Procedures	770
Check the MTA Configuration	771
Check the Message Queue Directories	771
Check the Ownership of Critical Files	771
Check that the Job Controller and Dispatcher are Running	772
Check the Log Files	774
Run a Channel Program Manually	775
Starting and Stopping Individual Channels	775
An MTA Troubleshooting Example	777
Common MTA Problems and Solutions	781
TLS Problems	782
Changes to Configuration Files or MTA Databases Do Not Take Effect	782
The MTA Sends Outgoing Mail but Does Not Receive Incoming Mail	783
Dispatcher (SMTP Server) Won't Start Up	783
Timeouts on Incoming SMTP connections	784
Messages are Not Dequeued	785
MTA Messages are Not Delivered	787
Messages are Looping	789
Received Message is Encoded	791
Server-Side Rules (SSR) Are Not Working	792
Asterisks in the Local Parts of Addresses or Received Fields	793
General Error Messages	793

Errors in mm_init	794
Compiled Configuration Version Mismatch	797
Swap Space Errors	798
File open or create errors	798
Illegal Host/Domain Errors	799
Errors in SMTP channels: os_smtp_* errors	800
Chapter 23 Monitoring the Messaging Server	801
Automatic Monitoring and Restart	801
Daily Monitoring Tasks	802
Checking postmaster Mail	802
Monitoring and Maintaining the Log Files	802
Setting Up the msprobe Utility	803
Monitoring System Performance	803
Monitoring End-to“stored” on page 816-end Message Delivery Times	803
Monitoring Disk Space	804
Monitoring CPU Usage	806
Monitoring the MTA	807
Monitoring the Size of the Message Queues	807
Monitoring Rate of Delivery Failure	808
Monitoring Inbound SMTP Connections	808
Monitoring the Dispatcher and Job Controller Processes	809
Monitoring LDAP Directory Server	810
Monitoring slapd	810
Monitoring Message Access	810
Monitoring imapd, popd and httpd	811
Monitoring stored	812
Monitoring the Message Store	813
Monitoring the State of Message Store Database Locks	814
Monitoring the Number of Database Log Files in the mboxlist Directory	814
Utilities and Tools for Monitoring	815
immonitor-access	815
stored	815
counterutil	816
Log Files	819
imsimta counters	819
imsimta qm counters	822
MTA Monitoring Using SNMP	823
imquotacheck for Mailbox Quota Checking	823
Monitoring Using msprobe and watcher Functions	824
Appendix A SNMP Support	829
SNMP Implementation	830

SNMP Operation in the Messaging Server	830
Configuring SNMP Support for the Messaging Server on Solaris 8	831
Monitoring from an SNMP Client	832
Co-existence with Other Sun Java System Products on Unix Platforms	833
SNMP Information from the Messaging Server	833
applTable	834
assocTable	835
mtaTable	836
mtaGroupTable	837
mtaGroupAssociationTable	839
mtaGroupErrorTable	840
Appendix B Administering Event Notification Service in Messaging Server	843
Loading the ENS Publisher in Messaging Server	843
To Load the ENS Publisher on Messaging Server	844
Running Sample Event Notification Service Programs	844
To Run the Sample ENS Programs	845
Administering Event Notification Service	845
Starting and Stopping ENS	845
To Start and Stop ENS	846
iPlanet Event Notification Service Configuration Parameters	846
Appendix C Managing Mail Users and Mailing Lists with the Console Interface (NOT	
RECOMMENDED)	847
Managing Mail Users	847
To Access Mail Users	847
To Specify User Email Addresses	849
To Configure Delivery Options	851
To Specify Forwarding Addresses	853
To Configure Auto-Reply Settings	854
To Configure Authorized Services	855
Managing Mailing Lists	856
To Access Mailing Lists	856
To Specify Mailing List Settings	858
To Specify List Members	860
To Define Message-Posting Restrictions	863
To Define Moderators	864
Appendix D Short Message Service (SMS)	867
Introduction	867
Requirements	869
SMS Channel Theory of Operation	870

Directing Email to the Channel	870
The Email to SMS Conversion Process	872
The SMS Message Submission Process	876
Site-defined Address Validity Checks and Translations	880
Site-defined Text Conversions	881
SMS Channel Configuration	886
Adding an SMS Channel	886
Creating an SMS Channel Option File	889
Available Options	890
Adding Additional SMS Channels	911
Adjusting the Frequency of Delivery Retries	912
Sample One-Way Configuration (MobileWay)	912
Configuring the SMS Channel for Two-Way SMS	914
SMS Gateway Server Theory of Operation	915
Function of the SMS Gateway Server	916
Behavior of the SMPP Relay and Server	916
Remote SMPP to Gateway SMPP Communication	917
SMS Reply and Notification Handling	918
SMS Gateway Server Configuration	920
Setting Up Bidirectional SMS Routing	921
Enabling and Disabling the SMS Gateway Server	922
Starting and Stopping the SMS Gateway Server	922
SMS Gateway Server Configuration File	923
Configuring Email-To-Mobile on the Gateway Server	923
Configuring Mobile-to-Email Operation	926
Configuration Options	927
Global Options	928
SMPP Relay Options	931
SMPP Server Options	934
Gateway Profile Options	936
Configuration Example for Two-Way SMS	941
SMS Gateway Server Storage Requirements	944
Appendix E Installation Worksheets	947
Directory Server Installation	948
Administration Server Initial Runtime Configuration	950
Directory Server Setup Script (comm_dssetup.pl)	952
Messaging Server Initial Runtime Configuration	954
Glossary	957
Index	959

List of Tables

Table 1	How This Book Is Organized	30
Table 2	Typographic Conventions	32
Table 3	Symbol Conventions	33
Table 4	Default Paths and File Names	34
Table 1-1	Optional Flags for the Messaging Server <code>configure</code> Program	52
Table 1-2	Ownership and Access Mode Changes to <code>Sun_MsgSvr</code>	64
Table 1-3	Post-Installation Directories and Files	68
Table 1-4	Port Numbers Designated During Installation	70
Table 1-5	Potential Port Number Conflicts	71
Table 2-1	Messaging Server Configuration Files that Generate <code>*.MERGED</code> or <code>*.CHANGES</code> files	75
Table 3-1	Supported Versions of Sun Cluster Server and Veritas Cluster Server	85
Table 3-2	Veritas Cluster Server Attributes	91
Table 4-1	Passwords Set in Messaging Server Initial Runtime Configuration	104
Table 4-2	Start, Stop, Restart in a Sun Cluster 3.0/3.1 Environment	107
Table 4-3	Start, Stop, Restart in Veritas 1.3, 2.0, 2.1, and 3.5 Environments	107
Table 4-4	Services Monitored by <code>watcher</code> and <code>msprobe</code>	111
Table 4-5	HA Automatic Restart Parameters	112
Table 6-1	Access Manager Single Sign-On Parameters	143
Table 6-2	SSO Interoperability	146
Table 6-3	Trusted Circle Single Sign-On Parameters	152
Table 7-1	Messaging Multiplexor Configuration Files	165
Table 7-2	MMP Commands	166
Table 9-1	Object Classes Resulting from Various <code>schematag</code> Values	207
Table 9-2	Attributes to Check Against	208
Table 9-3	MTA Options Which Set the Retrieved Disk Quota and Message Quota Attributes	212
Table 9-4	MTA Options, Default Attributes, and Metacharacters	212
Table 9-5	Single-Character Prefixes for options in the <code>DELIVERY_OPTIONS</code> MTA option.	214

Table 9-6	Additional Metacharacters for Use in Delivery Options	214
Table 9-7	Integers Controlling Behavior Modification of the \$nI and \$nS Metacharacters	216
Table 9-8	Special Template Strings	216
Table 9-9	Group Expansion Default Attributes and MTA Option to Set	218
Table 9-10	local.imta.schematag Values and Attributes	221
Table 9-11	Settings for the LDAP_USE_ASYNC MTA Option	223
Table 10-1	Addresses and Associated Channels	228
Table 10-2	Messaging Server Mapping Tables	229
Table 10-3	Mapping Pattern Wildcards	232
Table 10-4	Mapping Template Substitutions and Metacharacters	235
Table 10-5	MTA Configuration Files	243
Table 10-6	Job Controller Configuration File Options	253
Table 10-7	REVERSE mapping table flags	258
Table 10-8	FORWARD mapping table flags Flags Description	261
Table 10-9	Notification Message Substitution Sequences	266
Table 10-10	Delivery Status and Message Disposition Notification Options	270
Table 10-11	Keywords for Sending Notification Messages to the Postmaster and Sender	276
Table 11-1	Summary of Special Patterns for Rewrite Rules	285
Table 11-2	Summary of Template Formats for Rewrite Rules	287
Table 11-3	Extracted Addresses and Host Names	291
Table 11-4	Summary of Rewrite Rule Template Substitutions and Control Sequences	297
Table 11-5	LDAP URL Substitution Sequences	301
Table 11-6	Single Field Substitutions	304
Table 11-7	Sample Addresses and Rewrites	310
Table 12-1	Channel Keywords Alphabetized	314
Table 12-2	Channel Keywords Categorized by Function	317
Table 12-3	SMTP Channels	333
Table 12-4	SMTP Command and Protocol Keywords	335
Table 12-5	TCP/IP Connection and DNS Lookup Keywords	344
Table 12-6	authrewrite Bit Values	352
Table 12-7	Message Processing and Delivery Keywords	356
Table 12-8	missingrecipientpolicy Values	371
Table 13-1	Predefined Channels	405
Table 13-2	Local Channel Options	408
Table 13-3	Conversion Channel Environment Variables	418
Table 13-4	Conversion Channel Output Options	421
Table 13-5	Special Directives Commonly Used By the Conversion Channel	423

Table 13-6	Conversion Parameters	427
Table 13-7	CHARSET-CONVERSION Mapping Table Keywords	431
Table 14-1	MTA Channel Keywords for Spam Filters	449
Table 14-2	MTA Spam Filter Options (option.dat)	452
Table 14-3	Selected Brightmail Configuration File Options	458
Table 14-4	SpamAssassin Options (spamassassin.opt)	471
Table 14-5	Returned String for the SpamAssassin mode Option	473
Table 14-6	ICAP Options	478
Table 14-7	Returned Verdict String for the ICAP mode Option	480
Table 15-1	LMTP Status Codes for Recipients	500
Table 16-1	Prefix Characters for the Autoreply Rule in DELIVERY_OPTIONS	504
Table 17-1	Access Control Mapping Tables	513
Table 17-2	Access Mapping Flags	514
Table 17-3	PORT_ACCESS Mapping Flags	524
Table 17-4	filter Channel Keyword <i>URL-pattern</i> Substitution Tags (Case-insensitive)	543
Table 18-1	Message Store Command-line Utilities	552
Table 18-2	Message Store Directory Description	555
Table 18-3	ACL Rights Characters	562
Table 18-4	Variables for Configuring Distributed Shared Folders	566
Table 18-5	readership Options	569
Table 18-6	Message Store Quota Attributes	572
Table 18-7	Message Store <i>configutil</i> parameters	573
Table 18-8	<i>imexpire</i> Attributes	585
Table 18-9	<i>imexpire</i> Folder Patterns Using Regular Expressions	587
Table 18-10	Expire and Purge <i>configutil</i> Log and Scheduling Parameters	592
Table 18-11	<i>mbxutil</i> Options	598
Table 18-12	<i>stored</i> Options	605
Table 18-13	<i>relinker configutil</i> Parameters	609
Table 18-14	<i>stored</i> Operations	628
Table 18-15	Message Store Database Snapshot Parameters	632
Table 18-16	<i>reconstruct</i> Options	633
Table 19-1	Some SASL and SASL-related <i>configutil</i> Parameters	645
Table 19-2	SSL Ciphers for Messaging Server	657
Table 19-3	Wildcard Names for Service Filters	668
Table 20-1	Required Hardware and Software for Client Machine	683
Table 20-2	Required Software for Server Machine	684
Table 20-3	Summary of <i>smime.conf</i> Parameters	692

Table 20-4	S/MIME Configuration Parameters in smime.conf File	695
Table 20-5	Special Libraries for the Client Machines	704
Table 20-6	Signature and Encryption Checkboxes of Communications Express Mail	720
Table 21-1	Messaging Server Log Files	725
Table 21-2	Logging Entry Codes	730
Table 21-3	Dispatcher Debugging Bits	751
Table 21-4	Logging Levels for Store and Administration Services	754
Table 21-5	Categories in Which Log Events Occur	755
Table 21-6	Store and Administration Log File Components	756
Table 22-1	MTA Log Files	774
Table 23-1	counterutil alarm Statistics	817
Table 23-2	counterutil imapstat Statistics	818
Table 23-3	counterutil diskstat Statistics	818
Table 23-4	counterutil serverresponse Statistics	819
Table 23-5	msprobe and watcher configutil Options	825
Table 23-6	Useful Alarm Message configutil Parameters	827
Table B-1	iBiff Configuration Parameters	846
Table C-1	LDAP URL Options	861
Table D-1	SMS Attributes	870
Table D-2	Fields in Generated in a BIND_TRANSMITTER PDU	877
Table D-3	Mandatory Fields in Generated SUBMIT_SM PDUs	878
Table D-4	Optional Fields in Generated SUBMIT_SM PDUs	879
Table D-5	SMS Channel Options	890
Table D-6	USE_HEADER_FROM Values	896
Table D-7	Valid Values for USE_UCS2	897
Table D-8	Numeric Plan Indicator Values	898
Table D-9	Typical TON Values	899
Table D-10	SMS Priority Values Interpreted for Each SMS Profile Type	899
Table D-11	Mapping for Translating Priority: Header to SMS Priority Flags	900
Table D-12	Result of Values for DEFAULT_PRIVACY and USE_HEADER_SENSITIVITY	900
Table D-13	SMS Interpretation of Privacy Values	901
Table D-14	Mapping Translation of Sensitivity: Headers to SMS Privacy Values	901
Table D-15	DEFAULT_VALIDITY_PERIOD Format and Values	902
Table D-16	DEBUG Bitmask	909
Table D-17	Substitution Sequences	909
Table D-18	Two-Way Configuration Exceptions	914
Table D-19	SMPP Server Protocol Data Units	917

Table D-20	Global Options	928
Table D-21	DEBUG Bitmask	931
Table D-22	SMPP Relay Options	932
Table D-23	SMPP Server Options	934
Table D-24	SMS Gateway Server Profile Options	936
Table D-25	Priority Flag Mapping from SMS to Email	940
Table D-26	Privacy Flags Mapping from SMS to Email	941
Table D-27	SMS Gateway Server Storage Requirements	944
Table E-1	Directory Server Installation Parameters	948
Table E-2	Administration Server Initial Runtime Configuration Program Parameters	950
Table E-3	comm_dssetup.pl Script Parameters	952
Table E-4	Messaging Server Initial Runtime Configuration Program Parameters	954

List of Figures

Figure 3-3	A Simple Sun Java System Messaging Server HA configuration	93
Figure 5-1	HTTP Service Components	136
Figure 6-1	Simple SSO Deployment	147
Figure 6-2	Complex SSO Deployment	147
Figure 7-1	Clients and Servers in an MMP Installation	158
Figure 7-2	Multiple MMPs Supporting Multiple Messaging Servers	169
Figure 7-3	Overview of iPlanet Messenger Express Multiplexor	173
Figure 8-1	Messaging Server, Simplified Components View (Messenger Express not Shown)	183
Figure 8-2	MTA Architecture	184
Figure 8-3	Master and Slave Programs	191
Figure 8-4	ims-ms Channel	191
Figure 14-1	Brightmail and Messaging Server Architecture	455
Figure 15-1	Two Tier Deployment Without LMTP	485
Figure 15-2	Two Tier Deployment With LMTP	486
Figure 18-1	Message Store Directory Layout	554
Figure 18-2	Example of Ed's Client Shared Mail Folder List	560
Figure 18-3	Distributed Shared Folders—Example	567
Figure 18-4	Automatic Message Removal (Expire/Purge) GUI—Rough Drawing	589
Figure 18-5	Message Store Digest Repository	607
Figure 18-6	Backup Group Directory Structure	620
Figure 19-1	Encrypted Communications with Messaging Server	650
Figure 20-1	S/MIME Applet	687
Figure 20-2	Verifying Private and Public Keys.	705
Figure A-1	SNMP Information Flow	831
Figure D-1	Logical Flow For One-Way and Two-Way SMS	868
Figure D-2	SMS Channel Email Processing	873
Figure D-3	SMS Channel Email Processing (<i>continued</i>)	874

Preface

This guide explains how to administer the Sun Java™ System Messaging Server and its accompanying software components. Messaging Server provides a powerful and flexible cross-platform solution to meet the email needs of enterprises and messaging hosts of all sizes using open Internet standards.

Topics covered in this chapter include:

- [Who Should Use This Book](#)
- [Before You Read This Book](#)
- [How This Book Is Organized](#)
- [Conventions Used in This Book](#)
- [Related Documentation](#)
- [Where to Find This Manual Online](#)
- [Accessing Sun Resources Online](#)
- [Contacting Sun Technical Support](#)
- [Related Third-Party Web Site References](#)
- [Sun Welcomes Your Comments](#)

Who Should Use This Book

You should read this book if you are responsible for administering and deploying Messaging Server at your site. You should also have read the *Sun Java System Communications Services Deployment Planning Guide* (<http://docs.sun.com/doc/819-0063>).

Before You Read This Book

This book assumes that you are responsible for installing the Messaging Server software and that you have a general understanding of the following:

- The Internet and the World Wide Web
- Messaging Server protocols
- Sun Java System Administration Server
- Sun Java System Directory Server and LDAP
- Sun Java System Console
- System Administration and Networking on the following platforms:
- General Deployment Architectures

How This Book Is Organized

This manual contains the following chapters and appendix:

Table 1 How This Book Is Organized

Chapter	Description
Preface	General information about using this book.
Chapter 1, "Post-install Tasks and Layout"	Describes the tasks required to get you to a point where you have a functioning Messaging Server.
Chapter 2, "Upgrading to Sun Java Systems Messaging Server"	Describes how to upgrade from Messaging Server 5.2 to Messaging Server 6 2005Q1.
Chapter 3, "Configuring High Availability"	Provides information on how to configure the Veritas Cluster Server and Sun Cluster high availability clustering software for use with the Messaging Server.
Chapter 4, "Configuring General Messaging Capabilities"	Describes the general Messaging Server tasks.
Chapter 5, "Configuring POP, IMAP, and HTTP Services"	Describes how to configure your server to support POP, IMAP and HTTP services by using the Sun ONE Console or by using command-line utilities.
Chapter 6, "Enabling Single Sign-On (SSO)"	Explains how to enable Single Sign-On.
Chapter 7, "Configuring and Administering Multiplexor Services"	Describes the Messaging Multiplexor (MMP) for standard mail protocols (POP, IMAP and SMTP) and the Messenger Express Multiplexor used for the Messenger Express web interface.
Chapter 8, "MTA Concepts"	Provides a conceptual description of the MTA.

Table 1 How This Book Is Organized

Chapter	Description
Chapter 9, "MTA Address Translation and Routing"	Describes MTA Address Translation and Routing.
Chapter 10, "About MTA Services and Configuration"	Describes general MTA services and configuration.
Chapter 11, "Configuring Rewrite Rules"	Describes how to configure rewrite rules in the <code>imta.cnf</code> file.
Chapter 12, "Configuring Channel Definitions"	Explains how to use channel keyword definitions in the MTA configuration file <code>imta.cnf</code> .
Chapter 13, "Using Pre-defined Channels"	Describes how to use pre-defined channel definitions in the MTA.
Chapter 14, "Integrating Spam and Virus Filtering Programs Into Messaging Server"	Describes how to integrate and configure spam and virus filtering software with Messaging Server.
Chapter 15, "LMTP Delivery"	Describes LMTP operation and deployment.
Chapter 16, "Vacation Automatic Message Reply"	Describes the vacation autoreply mechanism.
Chapter 17, "Mail Filtering and Access Control"	Discusses how to filter mail based on its source (sender, IP address and so on) or header strings.
Chapter 18, "Managing the Message Store"	Describes the message store and its administration interface.
Chapter 19, "Configuring Security and Access Control"	Describes how to configure security and access control to the messaging server.
Chapter 20, "Administering S/MIME for Communications Express Mail"	Describes how to administer S/MIME.
Chapter 21, "Managing Logging"	Describes Messaging Server logging facility.
Chapter 22, "Troubleshooting the MTA"	Describes common tools, methods, and procedures for troubleshooting the MTA.
Chapter 23, "Monitoring the Messaging Server"	Describes the monitoring of the Messaging Server.
Appendix A, "SNMP Support"	Describes how to enable SNMP support for the Messaging Server.
Appendix B, "Administering Event Notification Service in Messaging Server"	Describes how to enable the Event Notification Service Publisher (ENS Publisher) and administer Event Notification Service (ENS) in Messaging Server.

Table 1 How This Book Is Organized

Chapter	Description
Appendix C, “Managing Mail Users and Mailing Lists with the Console Interface (NOT RECOMMENDED)”	NOT RECOMMENDED.
Appendix D, “Short Message Service (SMS)”	Describes how to implement the Short Message Service (SMS).
Appendix E, “Installation Worksheets”	Provides worksheets by which you can plan your installation.
Glossary	Complete list of terms that are used in this documentation set.
Index	Index

Conventions Used in This Book

The tables in this section describe the conventions used in this book.

Typographic Conventions

The following table describes the typographic changes used in this book.

Table 2 Typographic Conventions

Typeface	Meaning	Examples
AaBbCc123 (Monospace)	Any text that appears on the computer screen or text that you should type. Can be API and language elements, HTML tags, web site URLs, command names, file names, directory path names, on-screen computer output, sample code.	<p>Edit your <code>.login</code> file.</p> <p>Use <code>ls -a</code> to list all files.</p> <p>% You have mail.</p>
AaBbCc123 (Monospace bold)	Text you should type when it appears within a code example or other on-screen computer output.	<p>% su</p> <p>Password:</p>

Table 2 Typographic Conventions (*Continued*)

Typeface	Meaning	Examples
<i>AaBbCc123</i> (Italic)	A placeholder in a command or path name that you should replace with a real name or value (for example, a variable). Also can be a book title, new term, or word to be emphasized.	The file is located in the <i>msg_svr_base/bin</i> directory. Read Chapter 6 in the <i>User's Guide</i> . These are called <i>class</i> options. <i>Do not</i> save the file.

Symbols

The following table describes the symbol conventions used in this book.

Table 3 Symbol Conventions

Symbol	Description	Example	Meaning
[]	Optional command options.	ls [-l]	The -l option is not required.
{ }	Contains a set of choices for a required command option.	-d {y n}	The -d option requires that you use either the <i>y</i> argument or the <i>n</i> argument.
-	Joins simultaneous multiple keystrokes.	Control-A	Press the Control key while you press the A key.
+	Joins consecutive multiple keystrokes.	Ctrl+A+N	Press the Control key, release it, and then press the subsequent keys.
>	Indicates menu item selection in a graphical user interface.	File > New > Templates	From the File menu, choose New. From the New submenu, choose Templates.

Default Paths and File Names

The following table describes the default paths and file names used in this book.

Table 4 Default Paths and File Names

Term	Description
<i>msg_svr_base</i>	Represents the base installation directory for Messaging Server. The default value of the <i>msg_svr_base</i> installation is as follows: Solaris™ systems: /opt/SUNWmsgsr Linux systems: /opt/sun/messaging

Command Line Prompts

Command line prompts (for example, % for a C-Shell, or \$ for a Korn or Bourne shell) are not displayed in most examples. Depending on which operating system you are using, you will see a variety of different command line prompts. However, you should enter the command as it appears in the document unless specifically noted otherwise.

Related Documentation

The <http://docs.sun.com>SM web site enables you to access Sun technical documentation online. You can browse the archive or search for a specific book title or subject.

Messaging Server Documents

Use the following URL to see all the Messaging Server documentation:

http://docs.sun.com/coll/MessagingServer_05q1

The following documents are available:

- *Sun Java System Messaging Server Release Notes*
(<http://docs.sun.com/doc/819-0104>)
- *Sun Java System Messaging Server Administration Guide*
(<http://docs.sun.com/doc/819-0105>)
- *Sun Java System Messaging Server Administration Reference*
(<http://docs.sun.com/doc/819-0106>)

- *Sun Java System Messaging Server MTA Developer's Reference*
(<http://docs.sun.com/doc/819-0107>)
- *Sun Java System Messenger Express Customization Guide*
(<http://docs.sun.com/doc/819-0108>)

The Messaging Server product suite contains other products such as Sun Java™ System Console, Directory Server, and Administration Server. Documentation for these and other products can be found at the following URL:

<http://docs.sun.com/db/prod/java.sys>

In addition to the software documentation, see the Messaging Server Software Forum for technical help on specific Messaging Server product questions. The forum can be found at the following URL:

<http://swforum.sun.com/jive/forum.jsp?forum=15>

Communications Services Documents

Use the following URL to see the documentation that applies to all Communications Services products:

http://docs.sun.com/coll/MessagingServer_05q1

The following documents are available:

- *Sun Java System Messenger Express Customization Guide*
(<http://docs.sun.com/doc/819-0108>)
- *Sun Java System Communications Services Delegated Administrator Guide*
(<http://docs.sun.com/doc/819-0114>)
- *Sun Java System Communications Services Deployment Planning Guide*
(<http://docs.sun.com/doc/819-0063>)
- *Sun Java System Communications Services Schema Reference*
(<http://docs.sun.com/doc/819-0113>)
- *Sun Java System Communications Services Schema Migration Guide*
(<http://docs.sun.com/doc/819-0112>)
- *Sun Java System Event Notification Service Guide*
(<http://docs.sun.com/doc/819-0109>)
- *Sun Java System Communications Express Administration Guide*
(<http://docs.sun.com/doc/819-0115>)

- *Sun Java System Communications Express Customization Guide*
(<http://docs.sun.com/doc/819-0116>)

Where to Find This Manual Online

You can find the *Messaging Server Administration Guide* online in PDF and HTML formats. This book can be found at the following URLs:

(<http://docs.sun.com/doc/819-0105>)

Accessing Sun Resources Online

For product downloads, professional services, patches and support, and additional developer information, go to the following:

- **Download Center**
<http://www.sun.com/software/download/>
- **Professional Services**
<http://www.sun.com/service/sunps/sps.html>
- **Sun Enterprise Services, Solaris Patches, and Support**
<http://sunsolve.sun.com/>
- **Developer Information**
<http://developers.sun.com/prodtech/index.html>

Contacting Sun Technical Support

If you have technical questions about this product that are not answered in the product documentation, go to <http://www.sun.com/service/contacting>.

Related Third-Party Web Site References

Sun is not responsible for the availability of third-party web sites mentioned in this document. Sun does not endorse and is not responsible or liable for any content, advertising, products, or other materials that are available on or through such sites or resources. Sun will not be responsible or liable for any actual or alleged damage or loss caused or alleged to be caused by or in connection with use of or reliance on any such content, goods, or services that are available on or through such sites or resources.

Sun Welcomes Your Comments

Sun is interested in improving its documentation and welcomes your comments and suggestions.

To share your comments, go to <http://docs.sun.com> and click Send Comments. In the online form, provide the document title and part number. The part number is a seven-digit or nine-digit number that can be found on the title page of the book or at the top of the document. For example, the title of this book is *Sun Java System Messaging Server 6 2005Q1 Administration Guide*, and the part number is 819-0105.

Post-install Tasks and Layout

This chapter assumes that you have read the *Sun Java System Messaging Server Deployment Planning Guide* (<http://docs.sun.com/doc/819-0063>) and installed Messaging Server with the Sun Java™ Enterprise System installer (see the *Sun Java Enterprise System Installation Guide* (<http://docs.sun.com/doc/819-0056>)). Performing the following tasks should get you to a point where you have a functioning Messaging Server. You will still want to customize your deployment as well as provision and/or migrate users and groups. Customizing is described in the later chapters of this guide. Provisioning is described in the *Sun Java System Communications Services Delegated Administrator Guide* (<http://docs.sun.com/doc/819-0114>).

This chapter consists of the following sections:

- “To Create UNIX System Users and Groups” on page 40
- “To Prepare Directory Server for Messaging Server Configuration” on page 41
- “To Create the Initial Messaging Server Runtime Configuration” on page 51
- “To Install Messaging Server against a Directory Server Replica” on page 58
- “To Install Messaging Server Provisioning Tools” on page 59
- “SMTP Relay Blocking” on page 62
- “Enabling Start-up After a Reboot” on page 64
- “Handling sendmail Clients” on page 65
- “Configuring Messenger Express and Communications Express Mail Filters” on page 67
- “Performance and Tuning” on page 68
- “Post-Installation Directory Layout” on page 68

- [“Post-Installation Port Numbers” on page 70](#)

To Create UNIX System Users and Groups

System users run specific server processes, and privileges need to be given to these users so that they have appropriate permissions for the processes they are running.

Set up a system user account and group for all Sun Java System servers, and set permissions for the directories and files owned by that user. To do so, follow the steps below.

NOTE For security reasons, in some deployments it may be desirable to have different system administrators for different servers. This is done by creating different system users and groups per server. For example, the system user for Messaging Server would be different from the system user for Web Server, and system administrators Messaging Server would not be able to administer the Web Server.

1. Log in as superuser.
2. Create a group to which your system users will belong. In the following example, the `mailsrv` group is created:

```
# groupadd mailsrv
```

3. Create the system user and associate it with the group you just created. In addition, set the password for that user. In the following example, the user `mail` is created and associated with the `mailsrv` group:

```
# useradd -g mailsrv mail
```

`useradd` and `usermod` commands are in `/usr/sbin`. See UNIX man pages for more information.

4. You might also need to check the `/etc/group` and `/etc/passwd` files to be sure that the user has been added to the system group that you created.

NOTE Should you decide not to set up UNIX system users and groups prior to installing Messaging Server, you will be able to specify them when you run the [“To Create the Initial Messaging Server Runtime Configuration”](#) on page 51.

To Prepare Directory Server for Messaging Server Configuration

This section provides instructions on how to run the Directory Server Setup script (`comm_dssetup.pl`) that configures your LDAP Directory Server to work with your Messaging Server, Calendar Server, or User Management Utility configurations. The `comm_dssetup.pl` script prepares the Directory Server by setting up new schema, index, and configuration data in your Directory Server. It must be run for new installations of Messaging Server and Communications Express. It is also a good idea to run the latest `comm_dssetup.pl` if you are upgrading any of the component products that depend on Directory Server.

The following topics are explained:

- [“Location of `comm_dssetup.pl`”](#) on page 41
- [“`comm_dssetup.pl` Requirements”](#) on page 42
- [“To Run the `comm_dssetup.pl` Script”](#) on page 43

Location of `comm_dssetup.pl`

In earlier versions of Java Enterprise System, this utility was bundled with Messaging Server and Calendar Server and did not have to be separately installed. However, starting with Java Enterprise System 2005Q1, the script is now a separately installable shared component.

To install `comm_dssetup.pl`, choose one of the following methods:

- When using the Java Enterprise System installation program, at the component selection panel, select `comm_dssetup.pl`. (Selecting Directory Server automatically selects `comm_dssetup.pl`, too.)

- If you are upgrading from an earlier version of Java Enterprise System and are not using the Java Enterprise System installation program, download the following patches:

Solaris Sparc: 118245 and 118242

Solaris x86: 118256 and 118243

Linux: 118247 only

As installed, `comm_dssetup.pl` is found in the following directory:

Solaris: `/opt/SUNWcomds/sbin`

Linux: `/opt/sun/comms/dssetup/sbin`

comm_dssetup.pl Requirements

Before you run the `comm_dssetup.pl` script, be sure to read the following requirements:

- Prior to running the `comm_dssetup.pl` script, your directory server must be installed and configured.
- Run the `comm_dssetup.pl` script as superuser.
- Run `comm_dssetup.pl` prior to running the Messaging Server, Calendar Server, Communications Express, or User Management Utility Initial Runtime Configuration programs.
 - Generally, if you run `comm_dssetup.pl` on a directory server for one product (for example, Calendar Server), you don't need to run it again for another product (like Messaging Server), as long as both products are using the same directory server. However, you will need to run `comm_dssetup` again if you change some of the answers you gave when running `comm_dssetup`. For example, if you want to use a different user/group suffix for the *next* configuration of Messaging Server, say because you ran `commdirmig` (migrated from Sun LDAP Schema 1 to Sun LDAP Schema 2).
- The `comm_dssetup.pl` script must be run on your directory server machine.
- Be sure that your directory server is running prior to running `comm_dssetup.pl`.
- Whenever you install a new version of Messaging Server, you will need to run the new version of `comm_dssetup.pl` on your Directory Server machine. New schema and new indexes may be added to each Messaging Server distribution.

- If the configuration data and user and group data are split into separate directory instances, you will need to run the `comm_dssetup` script on both instances.
- For UNIX systems, use the version of Perl that ships with Directory Server to avoid versioning problems: `dir_server_root/bin/slapd/admin/bin/perl`.
- If you are running `comm_dssetup.pl` on a remote directory server:
 - Copy the `dssetup.zip` file from the `msg_svr_base/install` directory to the remote directory server. You may want to copy it to a directory like `/tmp` or `/var/tmp`. If you don't wish to install `comm_dssetup` on all Directory Server machines, you can copy the zip file to other Directory Server machines instead of installing it.
 - Unzip the `dssetup.zip` file (which contains the `comm_dssetup.pl` and required schema).
 - Run the `comm_dssetup.pl` script on the remote directory server.
- If you are running a replicated directory server, you need to make sure you run the `comm_dssetup.pl` script against the master and replica directories.
- When you run the Directory Server Setup script (`comm_dssetup.pl`) to prepare Directory Server for Messaging Server configuration, record your installation parameters in [Table E-3 on page 952](#). You will need some of these parameters for the Messaging Server initial runtime configuration.

To Run the `comm_dssetup.pl` Script

You can either run `comm_dssetup.pl` in:

- “Interactive Mode” on [page 43](#)
- “Silent Mode” on [page 49](#)

Use the Installation Worksheets in the *Sun Java System Messaging Server Deployment Planning Guide* (<http://docs.sun.com/doc/819-0063>) to record your answers.

Interactive Mode

The following questions will be asked if you specify `comm_dssetup.pl` without any arguments:

1. Introduction

```
# perl comm_dssetup.pl

Welcome to the Directory Server preparation tool for Java Enterprise
Communications Server.
(Version XX Revision XX)

This tool prepares your directory server for Sun Java System Messaging
Server install.

The logfile is /var/tmp/dssetup_YYYYMMDDHHSS

Do you want to continue [y]:
```

Press enter to continue. Enter No to exit.

2. Installation Root of Directory Server

```
Please enter the full path to the directory where the Java
Enterprise Directory Server was installed.

Directory server root [/var/opt/mps/serverroot]
```

Indicate the location of the installation root of the Directory Server on the Directory Server machine. Note that the Directory server root location is different on Linux.

3. Directory Server Instance

```
Please select a directory server instance from the following
list:

[1]  slapd-varrius

Which instance do you want [1]:
```

If multiple instances of Directory Server reside on the machine, choose the one that will be configured with Messaging Server.

4. Directory Manager Distinguished Name (DN)

```
Please enter the directory manager DN [cn=Directory Manager]:
Password:
```

The Directory Manager DN (`cn=Directory Manager`) is the administrator who is responsible for the user and group data in the Organization Tree. Be sure that the Directory Manager DN you specify in this script is the same DN that you set up in your Directory Server installation as well as your Messaging Server installation.

5. User and Group Directory Server

```
Will this directory server be used for users/groups [Yes]:
```

If you enter `Yes`, more questions will be asked regarding the user/group tree.

If you enter `No`, it is assumed that this directory instance is only used to store configuration data; you will skip to the question about updating schema files. After you finish running this script against the configuration directory instance, you need to run this script against the directory instance that stores user and group data before moving on in the installation process.

6. User and Group Base Suffix

```
Please enter the Users/Groups base suffix [o=usergroup]:
```

The User and Group base suffix is the top entry in the Organization Tree which holds the namespace for user and group entries. Be sure that the User and Group base suffix you select is the same as what you specified during your Directory Server installation and in your Messaging Server installation.

NOTE If you installed Access Manager, be sure the suffix specified in Access Manager installation is the same as what you specify for this question. If you do not use the same suffix, Messaging Server will not recognize your Access Manager installation.

For more information on the Organization Tree, see Chapter 12, Provisioning and Schema Concepts for Messaging Server 6.0 in the *Sun Java Enterprise System 2003Q4 Installation Guide* at

<http://docs.sun.com/source/816-6874/provisioning-concepts.html>.

7. Schema Type

```
There are 3 possible schema types:
 1 - schema 1 for systems with iMS 5.x data
 1.5 - schema 2 compatibility for systems with iMS 5.x data
      that has been converted with commdirmig
 2 - schema 2 native for systems using Access Manager

Please enter the Schema Type (1, 1.5, 2) [1]:
```

Choose Option 1 if you are planning to use Sun LDAP Schema 1.

Choose Option 1.5 if you plan to use Sun LDAP Schema 2, Compatibility Mode. For more information, see the *Sun Java System Communications Services Schema Migration Guide*.

Choose Option 2 if you plan to use Sun LDAP Schema 2, Native Mode.

`comm_dssetup.pl` will no longer terminate if Access Manager is not installed. Instead it will warn you that Access Manager is not installed and offer to install schema 2 for you. The warning screen looks like this:

```
Please enter the Schema Type (1, 1.5, 2) [1]: 2

Access Manager has not been configured for this new user/group suffix

You can opt to continue, but you will not be able to use features that
depend on Access Manager

Are you sure you want this schema type? [n]:
```

For more information on your schema options, see *Sun Java System Messaging Server Deployment Planning Guide* (<http://docs.sun.com/doc/819-0063>).

8. Domain Component (DC) Tree Base Suffix

Please enter the DC Tree base suffix [o=internet]:

NOTE In [Step 7](#), if you choose Option 1 or 1.5, you will be asked to provide your DC Tree Base Suffix. If you choose Option 2 - Sun LDAP Schema 2 - Native Mode, you will not be asked this question.

The DC Tree mirrors the local DNS structure and is used by the system as an index to the Organization Tree that contain the user and group data entries. The DC Tree base suffix is the name of the top entry on the DC tree. You can either choose the default `o=internet` or another name.

For more information on the DC Tree or the Organization Tree, see Chapter 12, Provisioning and Schema Concepts for Messaging Server 6.0 in the *Sun Java Enterprise System 2003Q4 Installation Guide* at <http://docs.sun.com/source/816-6874/provisioning-concepts.html>.

9. Updating Schema Files

Do you want to update the schema files [yes]:

If you answer `Yes`, new elements will be added to your schema. It is recommended that you update the Directory with the new schema files each time you install newer versions of Messaging Server.

10. Configuring New Indexes

Do you want to configure new indexes [yes]:

If you answer `Yes` to [Step 5](#) (User and Group Directory Server), you will be asked if you want to configure new indexes, which are used to create caches to improve efficiency of directory searches. It is recommended that you answer `Yes` to this question. However, there are several conditions under which you wouldn't want to create the indexes:

- If this is for a master user/group Directory Server that is only used to serve replicas, that is, there are no direct queries done against the user/group Directory Server.
- If you have a production user/group Directory Server with lots of entries in which you don't want a lot of downtime while the indexes are created.

11. Summary of Settings

```
Here is a summary of the settings that you chose:
Server Root                : /var/opt/mps/serverroot/
Server Instance            : slapd-varrius
Users/Groups Directory     : Yes
Update Schema              : yes
Schema Type                : 1
DC Root                    : o=internet
User/Group Root            : o=usergroup
Add New Indexes            : yes
Directory Manager DN       : cn=Directory Manager
```

```
Now ready to generate a shell script and ldif file to modify the
Directory.
```

```
No changes to the Directory Server will be made this time.
```

```
Do you want to continue [y]:
```

A summary of your settings will be displayed before your directory configuration is updated. No changes will be made at this time.

NOTE In [Step 7](#), if you choose Option 2: Sun LDAP Schema 2 - Native Mode, the DC Root in the Summary of Settings will be the same value that you entered for the User/Group Root.

If you want to change any of your settings, enter `No` and re-run the script.

If you enter `Yes` to continue, the `comm_dssetup.pl` script will create an LDIF file and a shell script that will be used to update the indexes and schema in your directory server:

```
/var/tmp/dssetup_YYYYMMDDHHMMSS.sh
/var/tmp/dssetup_YYYYMMDDHHMMSS.ldif
```


where *YYYYMMDDHHMMSS* indicates the time and date stamps when the files were created.

NOTE You can either choose to run the script now or later. If you choose to run the script now, enter *Yes* when asked if you want to continue. If you want to run the script later, you can invoke the script by using `/var/tmp/dssetup_YYYYMMDDHHMMSS.sh`.

Silent Mode

To enable the silent mode, specify all the arguments at one time:

Syntax

```
# perl comm_dssetup.pl -i yes|no -c Directory_Server_Root -d
Directory_instance -r DC_tree -u User_Group_suffix -s yes|no -D
"DirectoryManagerDN" -w password -b yes|no -t 1|1.5|2 -m yes|no [-S
path-to-schema-files]
```

Options

The options for this command are:

Option	Description
-i <i>yes no</i>	Answers the following question: "Do you want to configure new indexes?" Specify <i>yes</i> to configure new indexes. Specify <i>no</i> if you don't want to configure new indexes.
-c <i>Directory_Server_Root</i>	Directory Server Root path name. For example: <code>/var/opt/mps/serverroot</code>
-d <i>Directory_instance</i>	Directory Server instance subdirectory. For example: <code>slapd-budgie</code>
-r <i>DC_tree</i>	DC tree suffix. For example: <code>o=internet</code>
-u <i>User_Group_suffix</i>	User/Group suffix e.g. <code>o=usergroup</code>
-s <i>yes no</i>	Answers the following question: "Do you want to update the schema?" Specify <i>yes</i> to update the schema files. Specify <i>no</i> if you don't want to update the schema files.
-D <i>DirectoryManagerDN</i>	Directory Manager DN. For example, <code>"cn=Directory Manager"</code>

Option	Description
<code>-w password</code>	Directory Manager password
<code>-b yes no</code>	Answers the following question: “Will this directory server be used for users and groups?” Specify <code>yes</code> if the directory server will be used for configuration and user/groups. Specify <code>no</code> if this directory will be only used for configuration data.
<code>-t 1 1.5 2</code>	Determines the schema version that you want to use for your Messaging Server: <ul style="list-style-type: none"> • Choose <code>1</code> for Sun LDAP Schema 1. • Choose <code>1.5</code> for Sun LDAP Schema 2 (Compatibility Mode). See the <i>Sun Java System Communications Services Schema Migration Guide</i> for more information. • Choose <code>2</code> for Sun LDAP Schema 2 (Native Mode).
<code>-m yes no</code>	Answers the following question: “Do you want to modify the directory server?” Specify <code>yes</code> to modify the directory. Specify <code>no</code> if you don’t want to modify the directory.
<code>-R <yes no></code>	Execute reindexing if new indexes found and <code>-m yes</code> is given
<code>-S path-to-schema-files</code>	Specifies the directory path to schema files. For example: <code>./schema.</code>

Example

```
# perl comm_dssetup.pl -i yes -c /var/opt/mps/serverroot -d slapd-budgie
-r o=internet -u o=usergroup -s yes -D "cn=Directory Manager" -w password -b
yes -t 1 -m yes
```

Once you set all the options for the `comm_dssetup.pl` script, you will see the following summary screen before the script is actually run:

```
Here is a summary of the settings that you chose:
Server Root                : /var/opt/mps/serverroot/
Server Instance            : slapd-budgie
Users/Groups Directory     : Yes
Update Schema              : yes
Schema Type                : 1
DC Root                    : o=internet
User/Group Root            : o=usergroup
Add New Indexes            : yes
Schema Directory           : ./schema
Directory Manager DN       : "cn=Directory Manager"
```

Each option is further described in the “[Interactive Mode](#)” on page 43 section.

To Create the Initial Messaging Server Runtime Configuration

The initial runtime configuration program provides a configuration to get your Messaging Server up and running. It is meant to create an *initial runtime configuration* to setup a generic functional messaging server configuration. Thus it gives you a base working configuration from which you can make your specific customization. The program is only meant to be run once. Subsequent running of this program will result in your configuration being overwritten. To modify your initial runtime configuration, use the configuration utilities described here and in the *Sun Java System Messaging Server Administration Reference* (<http://docs.sun.com/doc/819-0106>).

Messaging Server Pre-requisites

Before running the initial runtime configuration program, you must:

- Install and configure the Administration Server. (See the *Sun Java Enterprise System Installation Guide* (<http://docs.sun.com/doc/819-0056>). If you don't configure the administration server, you can still configure Messaging Server, but then you can not use the console to administer the Messaging Server.

- Install and configure the Directory Server. (See the *Sun Java Enterprise System Installation Guide*.)
- Run the `comm_dssetup.pl` program. (See “[To Prepare Directory Server for Messaging Server Configuration](#)” on page 41).
- Record your Administration and Directory installation and configuration parameters in the checklists supplied in [Appendix E, “Installation Worksheets”](#).

Messaging Server Configuration Checklist

When you run the Messaging Server initial runtime configuration program, record your parameters in [Table E-4 on page 954](#). To answer certain questions, refer to your Directory and Administration Server installation checklists in the *Messaging Server Deployment Planning Guide*.

Running the configure Program

The following steps walk you through configuring the Messaging Server initial runtime configuration:

1. Invoke the Messaging Server initial runtime configuration with the following command:

```
/msg_svr_base/sbin/configure [flag]
```

You might need to use the `xhost(1)` command if you are configuring Messaging Server on a remote system.

[Table 1-1](#) describes optional flags you can set with the `configure` program:

Table 1-1 Optional Flags for the Messaging Server `configure` Program

Flag	Description
<code>-nodisplay</code>	Invokes a command-line configuration program.
<code>-noconsole</code>	Invokes a GUI user interface program.
<code>-state [statefile]</code>	Uses a silent installation file. Must be used with <code>-nodisplay</code> and <code>-noconsole</code> flags. See To Perform a Silent Installation .

Once you run the `configure` command, the configuration program will start:

2. Welcome

The first panel in the `configure` program is a copyright page. Select `Next` to continue or `Cancel` to exit. If you didn't configure the administration server you will be warned, select `okay` to continue.

3. Enter the Fully Qualified Host Name (FQHN).

This is the machine on which Messaging Server will operate. When you installed the server using the Java Enterprise System installer, you probably specified the physical host name. However, if you are installing a cluster environment, you will want to use the logical hostname. Here is the chance to change what you originally specified.

4. Select directory to store configuration and data files.

Select the directory where you want to store the Messaging Server configuration and data files. Specify a pathname that is not under the `msg_svr_base`. Symbolic links will be created under `msg_svr_base` to the configuration and data directory. For more information on these symbolic links, see [“Post-Installation Directory Layout” on page 68](#).

Make sure you have large enough disk space set aside for these files.

5. You will see a small window indicating that components are being loaded.

This may take a few minutes.

6. Select Components to Configure

Select the Messaging components that you want to configure.

- Message Transfer Agent: Handles routing, delivering user mail, and handling SMTP authentication. The MTA provides support for hosted domains, domain aliases, and server-side filters.
- Message Store: Provides the foundation for unified messaging services through its universal Message Store. Access to the message store is available through multiple protocols (HTTP, POP, IMAP). If you are only configuring a Message Store, you must also select the MTA.
- Messenger Express: Handles the HTTP protocol retrieval of messages from the Message Store. If you are only configuring Messenger Express, you must also select the Message Store and the MTA.

- **Messaging Multiplexor:** Acts as a proxy to multiple messaging server machines within an organization. Users connect to the Multiplexor server, which redirects each connection to the appropriate mail server. This component is not enabled by default. If you do check the MMP as well as the Message Store, they will be enabled on the same system; a warning message will appear for you to change your change port numbers after configuration (For instructions on doing so, see “[Post-Installation Port Numbers](#)” on page 70.)

To configure the MMP, see the *Chapter 7, “Configuring and Administering Multiplexor Services,”* and the *Sun Java System Messaging Server Administration Reference* (<http://docs.sun.com/doc/819-0106>).

Check any components you want to configure, and uncheck those components you do not wish to configure.

7. Enter the system user name and the group that will own the configured files.

For information on setting up system users and groups, see “[To Create UNIX System Users and Groups](#)” on page 40.

8. Configuration Directory Server Panel

Enter your Configuration Directory LDAP URL, Administrator and Password. This is taken from the Administration Server configuration.

Gather the Configuration Server LDAP URL from your Directory Server installation. See the Directory Server Installation worksheet from *Messaging Server Deployment Planning Guide* (<http://docs.sun.com/doc/819-0063>).

The Directory Manager has overall administrator privileges on the Directory Server and all Sun Java System servers that make use of the Directory Server (for example, the Messaging Server). It also has full administration access to all entries in the Directory Server. The default and recommended Distinguished Name (DN) is `cn=Directory Manager` and is set during Directory Server configuration.

NOTE If you select something other than the default, you will have a mismatch between the Administration Server and the configuration Directory Server. This will require manual post-configuration steps. So modify this entry only if you really know what you are doing.

9. User/Group Directory Server Panel

Enter your Users and Groups Directory LDAP URL, Administrator and Password.

Gather the User/Group Server LDAP URL information from the host and port number information from your Directory Server installation. See the Directory Server Installation worksheet from *Messaging Server Deployment Planning Guide* (<http://docs.sun.com/doc/819-0063>).

The Directory Manager has overall administrator privileges on the Directory Server and all Sun Java System servers that make use of the Directory Server (for example, the Messaging Server) and has full administration access to all entries in the Directory Server. The default and recommended Distinguished Name (DN) is `cn=Directory Manager` and is set during Directory Server configuration.

If you are installing against a replicated Directory Server instance, you must specify the credentials of the replica, not the master directory.

10. Postmaster Email Address

Enter a Postmaster Email Address.

Select an address that your Administrator will actively monitor. For example, `pma@siroe.com` for a postmaster on the `siroe` domain. Note that this address cannot begin with “Postmaster.”

Note that the user of the email address is not automatically created. Therefore, you will need create it by using a provisioning tool.

11. Password for administrator accounts

Enter an initial password that will be used for service administrator, server, user/group administrator, end user administrator privileges as well as PAB administrator and SSL passwords.

After the initial runtime configuration, you might change this password for individual administrator accounts. For more information, see [“To Modify Your Passwords” on page 104](#).

12. Default Email Domain

Enter a Default Email Domain.

This email domain is the default that is used if no other domain is specified. For example, if `siroe.com` is the default email domain, then this is the domain to which messages addressed to user IDs without a domain will be sent.

If you are using the User Management Utility, the command-line interface for provisioning users and groups with Sun LDAP Schema 2, you will want to specify the same default domain during its configuration. For more information, see the *Sun Java System Communications Services Delegated Administrator Guide* (<http://docs.sun.com/doc/819-0114>).

13. Organization DN

Enter an Organization DN under which users and groups will be created. The default is the email domain prepended to the user/group suffix.

For example, if your user/group suffix is `o=usergroup`, and your email domain is `siroe.com`, then the default is `o=siroe.com, o=usergroup` (where `o=usergroup` is your user/group Directory suffix which was specified in “[To Prepare Directory Server for Messaging Server Configuration](#)” on page 41).

If you choose the same your user/group Directory suffix as your Organization DN, you may have migration problems if you decide to create a hosted domain. If you want to set up a hosted domain during initial runtime configuration, then specify a DN one level below the User/Group suffix.

14. Ready to Configure

The configuration program will check for enough disk space on your machine and then outline the components it is ready to configure.

To configure the Messaging components, select **Configure Now**. To change any of your configuration variables, select **Back**. Or to exit from the configuration program, select **Cancel**.

15. Starting Task Sequence, Sequence Completed, and Installation Summary Panels

You can read the installation status by selecting Details on the final Installation Summary page. To exit the program, select Close.

A log file is created in

`/msg_svr_base/install/configure_YYYYMMDDHHMMSS.log`, where `YYYYMMDDHHMMSS` identifies the 4-digit year, month, date, hour, minute, and second of the configuration.

An initial runtime configuration is now set up for your Messaging Server. To change any configuration parameter, refer to other parts of this document for instructions on doing so.

To start Messaging Server, use the following command:

```
/opt/SUNWmsgsr/sbin/start-msg
```

To Perform a Silent Installation

The Messaging Server initial runtime configuration program automatically creates a silent installation *state* file (called `saveState`) that can be used to quickly configure additional Messaging Server instances in your deployment where the Messaging Server Solaris packages have been installed. All of your responses to the configuration prompts are recorded in that file.

By running the silent installation, you instruct the `configure` program to read the silent installation *state* file. The `configure` program uses the responses in this file rather than ask the same installation questions again for subsequent initial runtime configurations of Messaging Server. When you use the *state* file in a new installation, you are not asked any questions. Instead, all of the *state* file responses are automatically applied as the new installation parameters.

The silent installation `saveState` *state* file is stored in the `msg_svr_base/install/configure_YYYYMMDDHHMMSS` directory, where `YYYYMMDDHHMMSS` identifies the 4-digit year, month, date, hour, minute, and second of the `saveState` file.

To use the silent installation *state* file to configure another Messaging Server instance on another machine in the deployment, follow these steps:

1. Copy the silent installation *state* file to a temporary area on the machine where you are performing the new installation.

2. Review and edit the silent installation *state* file as necessary.

You will probably want to change some of the parameters and specifications in the *state* file. For example, the default email domain for the new installation may be different than the default email domain recorded in the *state* file. Remember that the parameters listed in the *state* file will be automatically applied to this installation.

3. Run the following command to configure other machines with the silent installation file:

```
msg_svr_base/sbin/configure -nodisplay -noconsole -state \  
fullpath/saveState
```

where *fullpath* is the full directory path of where the *saveState* file is located. (See [Step 1](#) of this section).

NOTE After running the silent installation program, a new *state* file is created from the silent installation in directory location: *msg_svr_base/install/configure_YYYYMMDDHHMMSS/saveState*, where *YYYYMMDDHHMMSS* identifies the 4-digit year, month, date, hour, minute, and second of the directory containing the *saveState* file.

To Install Messaging Server against a Directory Server Replica

There might be limitations that prevent you from installing Messaging Server against a Directory Server master:

- You do not have Directory Server master credentials.
- Messaging Server cannot communicate directly with the Directory Server master.

To install Messaging Server against a Directory Server replica, follow these steps:

1. Run the `comm_dssetup.pl` program against all Directory Servers including the Directory Server replicas as noted in “[comm_dssetup.pl Requirements](#)” on [page 42](#).

2. Run the Messaging `configure` program (located in `msg_svr_base/sbin/configure`) using the replicated Directory Server credentials as described in [Step 8](#) and [Step 9](#) in [To Create the Initial Messaging Server Runtime Configuration](#).

Because of invalid privileges, the `configure` program will fail in trying to configure the Directory Server Administrators. It will, however, produce the `msg_svr_base/config/*.ldif` files that are needed to allow proper privileges to the Directory Server replicas.

3. Move the `*.ldif` files to the Directory Server master.
4. Run the `ldapmodify` command on the `*.ldif` files.

See the Sun Java System Directory Server documentation for more information on `ldapmodify` or in the `msg_svr_base/install/configure_YYYYMMDDHHMMSS.log`.

5. Re-run the `configure` program.

Your Directory Server replica (and master) are now configured to work with your Messaging Server.

To Install Messaging Server Provisioning Tools

The following sections provide a summary of install information about the supported provisioning tools:

- [“Delegated Administrator for Messaging” on page 59](#)
- [“LDAP Provisioning Tools” on page 61](#)
- [“To Create UNIX System Users and Groups” on page 40](#)

Delegated Administrator for Messaging

Two GUI provisioning tools are available for Messaging Server, the iPlanet Delegated Administrator (Sun LDAP Schema 1) and the Communications Services Delegated Administrator (Sun LDAP Schema 2). This section discusses the former. For details on the latter see the *Sun Java System Communications Services Delegated Administrator Guide* (<http://docs.sun.com/doc/819-0114>).

To install the iPlanet Delegated Administrator (Sun LDAP Schema 1), you need to download it from the Sun Software page. Contact your Sun Java System representative for information on the download location information.

NOTE The iPlanet Delegated Administrator can only be installed after Messaging Server and Web Server are installed and configured. For more information on installing iPlanet Delegated Administrator, see the iPlanet Delegated Administrator documentation.

iPlanet Delegated Administrator is only available for those customers with existing Messaging Server 5.x installations and who are currently installing Messaging Server 6. It is not available to those customers new to the Messaging Server product.

iPlanet Delegated Administrator must be used with Sun Java System Web Server 6.0 (which is only bundled with the previous Messaging Server 5.2 product). You cannot use Web Server 6.1 (bundled with the Java Enterprise System installer) with iPlanet Delegated Administrator.

Be sure to read the *Sun Java System Messaging Server Release Notes* (<http://docs.sun.com/doc/819-0104>).

Summary of Installation Steps: To install and configure iPlanet Delegated Administrator for Messaging with Messaging Server:

NOTE When you install the following products, use the Java Enterprise System installer. Note that some of these products have their own configuration whereas other product configurators are embedded in the Java Enterprise System installer/configurator. For more information, refer to specific product documentation.

1. Be sure that either Sun Java System Directory Server 5.2 is installed and configured.

For more information, read the appropriate *Sun Java System Directory Server Installation Guide*.

2. Install and configure Messaging Server.

Messaging Server will detect that you are using Sun LDAP Schema 1 since Sun Java System Access Manager will not be installed.

3. Install Sun Java System Web Server 6.0 from your previous Messaging Server 5.2 bundle.

Review the Sun Java System Web Server documentation and the Sun Java System Delegated Administrator documentation.

4. Install iPlanet Delegated Administrator for Messaging 1.2 Patch 2. Contact your Sun support representative to obtain the latest version.

Refer to the iPlanet Delegated Administrator documentation.

LDAP Provisioning Tools

Sun LDAP Schema 1 users and groups can be provisioned using the LDAP Directory tools (Schema 2 is not supported).

Summary of Installation Steps:

1. If Directory Server is not already installed, be sure to install and configure it.

For more information, refer to the *Sun Java Enterprise System Installation Guide* (<http://docs.sun.com/doc/819-0056>).

2. Configure Access Manager to recognize data in your Directory Server.

Before Access Manager can recognize the data in your LDAP directory, you must add special object classes to entries for all organizations, groups and users that will be managed by Access Manager. If you have not done this already, do it before you start provisioning new accounts. Sample scripts are bundled in the Access Manager product to help you automatically add these object classes to your directory. For more information on these post-installation steps, see the *Sun Java System Access Manager Migration Guide* (<http://docs.sun.com/doc/819-7645>).

3. Install and configure Messaging Server with help from this guide.

Messaging Server will detect which Sun Java System LDAP Schema you are using, depending on whether or not Access Manager is installed.

4. Install and configure Sun Java System Web Server 6.1 to enable mail filtering in Messenger Express. For more information on enabling mail filtering, see “[Configuring Messenger Express and Communications Express Mail Filters](#)” on page 67. To install Web Server, refer to the *Sun Java Enterprise System Installation Guide*.

Though mail filtering is not a provisioning tool, its functionality existed in the previous GUI version of Delegated Administrator for Messaging.

5. Refer to the Sun Java System Messaging Server documentation to perform LDAP provisioning.

For Sun LDAP Schema 1 LDAP provisioning, use the *Messaging Server 5.2 Provisioning Guide* and *Sun Java System Communications Services Schema Reference Manual*. (The *Sun Java System Schema Reference Manual* contains object classes and attributes for both Sun LDAP Schema 1 and v.2.)

SMTP Relay Blocking

By default, Messaging Server is configured to block attempted SMTP relays; that is, it rejects attempted message submissions to external addresses from unauthenticated external sources (external systems are any other system than the host on which the server itself resides). This default configuration is quite aggressive in blocking SMTP relaying in that it considers all other systems to be external systems.

After installation, it is important to manually modify your configuration to match the needs of your site. Specifically, your messaging server should recognize its own internal systems and subnets from which SMTP relaying should always be accepted. If you do not update this configuration, you might encounter problems when testing your MTA configuration.

IMAP and POP clients that attempt to submit messages via the Messaging Server system's SMTP server destined for external addresses, and who do not authenticate using SMTP AUTH (SASL), will find their submission attempts rejected. Which systems and subnets are recognized as internal is typically controlled by the `INTERNAL_IP` mapping table, which may be found in the file `msg_svr_base/config/mappings`.

For instance, on a Messaging Server system whose IP address is 192.45.67.89, the default `INTERNAL_IP` mapping table would appear as follows:

```
INTERNAL_IP

$(192.45.67.89/24) $Y
127.0.0.1 $Y
* $N
```

The initial entry, using the `$(IP-pattern/significant-prefix-bits)` syntax, is specifying that any IP address that matches the first 24 bits of 192.45.67.89 should match and be considered internal. The second entry recognizes the loopback IP address 127.0.0.1 as internal. The final entry specifies that all other IP addresses should not be considered internal.

You may add additional entries by specifying additional IP addresses or subnets before the final `$N` entry. These entries must specify an IP address or subnet (using the `$(.../...)` syntax to specify a subnet) on the left side and `$Y` on the right side. Or you may modify the existing `$(.../...)` entry to accept a more general subnet.

For instance, if this same sample site has a class-C network, that is, it owns all of the 192.45.67.0 subnet, then the site would want to modify the initial entry so that the mapping table appears as follows:

```
INTERNAL_IP

$(192.45.67.89/24) $Y
127.0.0.1 $Y
* $N
```

Or if the site owns only those IP addresses in the range 192.45.67.80–192.45.67.99, then the site would want to use:

```
INTERNAL_IP

! Match IP addresses in the range 192.45.67.80–192.45.67.95
$(192.45.67.80/28) $Y
! Match IP addresses in the range 192.45.67.96–192.45.67.99
$(192.45.67.96/30) $Y
127.0.0.1 $Y
* $N
```

Note that the `msg_svr_base/sbin/imsimta test -match` utility can be useful for checking whether an IP address matches a particular `$(.../...)` test condition. The `imsimta test -mapping` utility can be more generally useful in checking that your `INTERNAL_IP` mapping table returns the desired results for various IP address inputs.

After modifying your `INTERNAL_IP` mapping table, be sure to issue the `msg_svr_base/sbin/imsimta cnbuild` and the `msg_svr_base/sbin/imsimta restart` utilities so that the changes take effect.

Further information on the mapping file and general mapping table format, as well as information on `imsimta` command line utilities, can be found in the *Sun Java System Messaging Server Administration Reference* (<http://docs.sun.com/doc/819-0106>). In addition, information on the `INTERNAL_IP` mapping table can be found in “To Add SMTP Relaying” on page 528.

Enabling Start-up After a Reboot

You can enable Messaging Server start-up after system reboots by using the bootup script: `msg_svr_base/lib/Sun_MsgSvr`. That is, by default, Messaging Server will not restart after a system reboot unless you run this script. In addition, this script can also start up your MMP, if enabled.

To enable `Sun_MsgSvr`:

1. Copy the `Sun_MsgSvr` script into the `/etc/init.d` directory.
2. Change the following ownerships and access modes of the `Sun_MsgSvr` script:

Table 1-2 Ownership and Access Mode Changes to `Sun_MsgSvr`

Ownership (chown(1M))	Group Ownership (chgrp(1M))	Access Mode (chmod(1M))
root (superuser)	sys	0744

3. Go to the `/etc/rc2.d` directory and create the following link:

```
ln /etc/init.d/Sun_MsgSvr S92Sun_MsgSvr
```

4. Go to the `/etc/rc0.d` directory and create the following link:

```
ln /etc/init.d/Sun_MsgSvr K08Sun_MsgSvr
```


Handling sendmail Clients

If end users send messages through `sendmail` clients, you can configure Messaging Server to work with those clients over protocol. Users can continue to use the UNIX `sendmail` client.

To create compatibility between `sendmail` clients and Messaging Server, you can create and modify a `sendmail` configuration file.

NOTE Each time a new `sendmail` patch is applied to your system, you will need to modify the `submit.cf` file as described in the following instructions for [Solaris 9 and Above](#) and above. On Solaris 8, follow the instructions below.

When you upgraded previous versions of Messaging Server, the `/usr/lib/sendmail` binary was replaced with a component of the `sendmail` product. In Messaging Server 6 2005Q1, this replacement during upgrade no longer occurs. Therefore, you need to obtain the proper version of the `/usr/lib/sendmail` binary from the most current `sendmail` patch.

Solaris 8

On Solaris 8 operating systems, follow these steps:

1. Find the file `main-v7sun.mc` file in directory `/usr/lib/mail/cf` and create a copy of this file.

In the example in this section, a copy called `sunone-msg.mc` is created.

2. In the `sunone-msg.mc` file, add the following lines before the `MAILER` macros:

```
FEATURE('nullclient', 'smtp:rhino.west.sesta.com')dnl
MASQUERADE_AS('west.sesta.com')dnl
define('confDOMAIN_NAME', 'west.sesta.com')dnl
```

Note that `rhino.west.sesta.com` is the localhost name and `west.sesta.com` is the default email domain as described in [“Default Email Domain” on page 56](#) in [To Create the Initial Messaging Server Runtime Configuration](#). In an HA environment, use the logical host name. See [Chapter 3, “Configuring High Availability,”](#) for more information about logical host names for High Availability.

3. Compile the `sunone-msg.mc` file:

```
/usr/ccs/bin/make sunone-msg.cf
```

The `sunone-msg.mc` will output `sunone-msg.cf`.

- 4. Make a backup copy of the existing `sendmail.cf` file located in the `/etc/mail` directory.**
- Copy and rename `/usr/lib/mail/cf/sunone-msg.cf` to `sendmail.cf` file.
 - Move the new `sendmail.cf` file to `/etc/mail` directory.

Solaris 9 and Above

On Solaris 9 platforms, `sendmail` is no longer a `setuid` program. Instead, it is a `setgid` program.

To create the `sendmail` configuration file on Solaris 9 platforms:

- Find the file `submit.mc` file in directory `/usr/lib/mail/cf` and create a copy of this file.

In the example in this section, a copy called `sunone-submit.mc` is created.

- Change the following line in the file `sunone-submit.mc`:

```
FEATURE( 'msp' )dn
```

to

```
FEATURE( 'msp', 'rhino.west.sesta.com' )dnl
```

where `rhino.west.sesta.com` is the localhost name.

Note that `rhino.west.sesta.com` is the localhost name and `west.sesta.com` is the default email domain as described in “[Default Email Domain](#)” on page 56 in [To Create the Initial Messaging Server Runtime Configuration](#). In an HA environment, use the logical host name. See [Chapter 3, “Configuring High Availability,”](#) for more information about logical host names for High Availability.

3. Compile the `sunone-submit.mc` file:

```
/usr/ccs/bin/make sunone-submit.cf
```

The `sunone-submit.mc` will output `sunone-submit.cf`.

4. Make a backup copy of the existing `submit.cf` file in `/etc/mail` directory.
 - a. Copy and rename `/usr/lib/mail/cf/sunone-submit.cf` file to `submit.cf` file.
 - b. Move the new `submit.cf` file to the `/etc/mail` directory.

Configuring Messenger Express and Communications Express Mail Filters

Mail filters are accessible through Messenger Express and Communications Express. There is no need to deploy the `.war` file if you use only Communications Express, but to deploy the mail filters within Messenger Express you need to issue the following commands:

If you're using Web Server as your web container :

```
# cd web_svr_base/bin/https/httpadmin/bin/
# ./wdeploy deploy -u /MailFilter -i https-srvr_instance -v
https-virtual_svr_instance msg_svr_base/SUNWmsgmf/MailFilter.war
```

If using App Server as your Web container :

```
# cd app_svr_base/sbin
# ./asadmin
asadmin> deploy --user admin msg_svr_base/SUNWmsgmf/MailFilter.war
```

In both cases, set the following `configutil` parameter and restart `mshttpd` :

```
# cd msg_svr_base/sbin/
# ./configutil -o "local.webmail.sieve.port" -v "WS_port_no|AS_port_no"
# ./stop-msg http
# ./start-msg http
```

You can also use the Administration Console to deploy `.war` files; for more information please consult the *Sun Java System Web Server 6.1 Administrator's Guide* (<http://docs.sun.com/app/doc/819-0130>), or the *Sun Java System Application Server Enterprise Edition 8.1 Administration Guide* (<http://docs.sun.com/doc/819-0215>.)

Information on mailfilters for end-users is available in the Messenger Express and Communications Express on-line help files.

Performance and Tuning

Please refer to the *Messaging Server Deployment Planning Guide* at (<http://docs.sun.com/doc/819-0063>), particularly the section concerning Performance Considerations for a Messaging Server Architecture.

Post-Installation Directory Layout

After installing the Sun Java System Messaging Server, its directories and files are arranged in the organization described in [Table 1-3](#). The table is not exhaustive; it shows only those directories and files of most interest for typical server administration tasks.

Table 1-3 Post-Installation Directories and Files

Directory	Default Location and Description
Messaging Server Base (<i>msg_svr_base</i>)	<p><code>/opt/SUNWmsgsr/</code> (default location)</p> <p>The directory on the Messaging Server machine dedicated to holding the server program, configuration, maintenance, and information files.</p> <p>Note that only one Messaging Server Base directory per machine is permitted.</p>

Table 1-3 Post-Installation Directories and Files (*Continued*)

Directory	Default Location and Description
Configuration config	<p><i>msg_svr_base/config/</i></p> <p>Contains all of the Messaging Server configuration files such as the <code>imta.cnf</code> and the <code>msg.conf</code> files.</p> <p>On Solaris and Linux platforms only: This directory is symbolically linked (on UNIX platforms) to the <code>config</code> sub-directory of the data and configuration directory (default: <code>/var/opt/SUNWmsgsr/</code>) that you specified in the initial runtime configuration.</p>
Log log	<p><i>msg_svr_base/log/</i></p> <p>Contains the Messaging Server log files like the <code>mail.log_current</code> file.</p> <p>On Solaris and Linux platforms only: This directory is symbolically linked (on UNIX platforms) to the <code>log</code> sub-directory of the data and configuration directory (default: <code>/var/opt/SUNWmsgsr/</code>) that you specified in the initial runtime configuration.</p>
Data data	<p><i>msg_svr_base/data/</i> (required location)</p> <p>Contains databases, configuration, log files, site-programs, queues, store and message files.</p> <p>The data directory includes the <code>config</code> and <code>log</code> directories.</p> <p>On Solaris and Linux platforms only: This directory is symbolically linked (on UNIX platforms) to the data and configuration directory (default: <code>/var/opt/SUNWmsgsr/</code>) that you specified in the initial runtime configuration.</p>
System Administrator Programs sbin	<p><i>msg_svr_base/sbin/</i> (required location)</p> <p>Contains the Messaging Server system administrator executable programs and scripts such as <code>imsimta</code>, <code>configutil</code>, <code>stop-msg</code>, <code>start-msg</code>, and <code>uninstaller</code>.</p>
Library lib	<p><i>msg_svr_base/lib/</i> (required location)</p> <p>Contains shared libraries, private executable programs and scripts, daemons, and non-customizable content data files. For example: <code>imapd</code> and <code>qm_maint.hlp</code>.</p>
SDK Include Files include	<p><i>msg_svr_base/include/</i> (required location)</p> <p>Contains Messaging header files for Software Development Kits (SDK).</p>
Examples examples	<p><i>msg_svr_base/examples/</i> (required location)</p> <p>Contains the examples for various SDKs, such as Messenger Express AUTH SDK.</p>

Table 1-3 Post-Installation Directories and Files (*Continued*)

Directory	Default Location and Description
Installation Data install	<i>msg_svr_base/install/</i> (required location) Contains installation-related data files such as installation log files, silent installation files, factory default configuration files, and the initial runtime configuration log files.

Post-Installation Port Numbers

In the installation and initial runtime configuration programs, port numbers will be chosen for various services. These port numbers can be any number from 1 to 65535.

[Table 1-4](#) lists the port numbers that are designated after installation:

Table 1-4 Port Numbers Designated During Installation

Port Number	Service (configutil parameter)
389	Standard Directory Server LDAP Port on the machine where you install Directory Server. This port is specified in the Directory Server installation program. (<i>local.ugldapport</i>)
110	Standard POP3 Port. This port may conflict with the MMP port if installed on the same machine. (<i>service.pop.port</i>)
143	Standard IMAP4 Port. This port may conflict with the MMP port if installed on the same machine. (<i>service.imap.port</i>)
25	Standard SMTP Port. (<i>service.http.smtpport</i>)
80	Messenger Express HTTP Port. This port may conflict with the Web Server port if installed on the same machine. (<i>service.http.port</i>)
992	POP3 over SSL port. For encrypted communications. (<i>service.pop.sslport</i>)
993	IMAP over SSL Port. For encrypted communications. This port may conflict with the MMP port if installed on the same machine. (<i>service.imap.sslport</i>)
443	HTTP over SSL Port. For encrypted communications. (<i>service.http.sslport</i>)
7997	Messaging and Collaboration ENS (Event Notification Service) Port.
27442	Port that is used Job Controller for internal product communication.

Table 1-4 Port Numbers Designated During Installation (*Continued*)

Port Number	Service (configutil parameter)
49994	Port that is used by the Watcher for internal product communication. See the <i>Sun Java System Messaging Server Administration Guide</i> for more information on the Watcher. (<code>local.watcher.port</code>)
user-specified	Administration Server HTTP Port. (For listening to Console requests).

If certain products are installed on the same machine, you will encounter port number conflicts. [Table 1-5](#) shows potential port number conflicts:

Table 1-5 Potential Port Number Conflicts

Conflicting Port Number	Port	Port
143	IMAP Server	MMP IMAP Proxy
110	POP3 Server	MMP POP3 Proxy
993	IMAP over SSL	MMP IMAP Proxy with SSL
80	Web Server port	Messenger Express

If possible, it is recommended that you install products with conflicting port numbers on separate machines. If you are unable to do so, then you will need to change the port number of one of conflicting products.

To change port numbers, use the `configutil` utility. See the *Sun Java System Messaging Server Administration Reference* (<http://docs.sun.com/doc/819-0106>) for complete syntax and usage.

The following example uses the `service.http.port` `configutil` parameter to change the Messenger Express HTTP port number to 8080.

```
configutil -o service.http.port -v 8080
```


Upgrading to Sun Java Systems Messaging Server

This chapter describes how to upgrade from Messaging Server 5.2 to Messaging Server 6 2005Q1.

Before You Begin

Prior to performing the upgrade, ensure the following:

- Messaging Server 6 2005Q1 is installed and configured on either the same or a different system from the Messaging Server 5.2 system.

NOTE Unlike previous versions of Messaging Server, you cannot upgrade your existing Messaging Server without first installing and configuring Messaging Server 6 2005Q1.

Also note that you cannot use this upgrade program with Messaging Server versions older than version 5.2. Therefore, you must first migrate or upgrade to Messaging Server 5.2, install Messaging Server 6 2005Q1 and then run this upgrade program. See the iPlanet Messaging Server 5.2 Migration Guide <http://docs.sun.com/source/816-6017-10/index.html> for more information on migrating to Messaging Server 5.2.

- Existing Messaging Server 5.2 installations are configured with MTA Direct LDAP Lookup not with `imsimta dirsnc`.

- In addition, Messaging Server 6 2005Q1 does not support multiple instances. If you have multiple instances of Messaging Server version 5.2, you may only choose one instance to upgrade to Messaging Server 6 2005Q1. Furthermore, running the upgrade utility more than once in an attempt to migrate multiple instances will overwrite your configuration.

Overview of the Upgrade Process

There are three steps to upgrading from Messaging Server 5.2 to Messaging Server 6 2005Q1. The following topics outline the process:

1. [“Creating Upgrade Files to Update your Configuration” on page 74](#)
(`UpgradeMsg5toMsg6.pl`)
2. [“Running the Upgrade Utility” on page 78](#) (`do_the_upgrade.sh`)
 - [MTA Configuration](#) (`make_mta_config_changes.sh`)
 - [configutil Parameters](#) (`make_configutil_changes.sh`)
 - [Backup Configuration](#) (`make_backup_config_changes.sh`)
 - [mboxlist Database](#) (`make_mboxlistdb_changes.sh`)
3. [“Migrating User Mailboxes” on page 80](#) (optional)

Creating Upgrade Files to Update your Configuration

This section describes how special upgrade files are created in order to update your configuration on your Messaging Server 6 2005Q1 system:

- [“About Upgrade Files” on page 74](#)
- [“Running the UpgradeMsg5toMsg6.pl Perl Script” on page 76](#)

About Upgrade Files

Prior to running an upgrade utility to move from Messaging Server 5.2 to 6, you first need to run the `UpgradeMsg5toMsg6.pl` Perl script (located in `msg_svr_base/sbin`).

UpgradeMsg5toMsg6.pl compares your 5.2 configuration files with your Messaging Server 6 configuration files and creates two sets of files for each configuration file: *.CHANGES files and *.MERGED files.

The *.CHANGES files and *.MERGED files are generated in the work space directory, /var/tmp/UpgradeMsg5toMsg6.ScratchDir.

The *.CHANGES files show critical configuration file differences between Messaging Server 5.2 and Messaging Server 6 2005Q1. These files highlight the configuration entities that are only found in Messaging Server 6 2005Q1, the configuration entities from Messaging Server 5.2 that are obsolete in Messaging Server 6 2005Q1, and the configuration entities that are only found in the Messaging Server 5.2. Note that not all *.CHANGES files will show differences between the versions of configuration files, and not all configuration files will generate *.CHANGES files.

The *.MERGED files are a consolidation of Messaging Server 5.2 and Messaging Server 6 configuration values and settings. In general, configuration parameter values from Messaging Server 5.2 are retained over the Messaging Server 6 2005Q1 version if:

- There is no default value in the Messaging Server 6 2005Q1 version, or
- The value specified in your 5.2 configuration is not a default setting.

Table 2-1 lists the configuration files that generate *.MERGED or *.CHANGES files:

Table 2-1 Messaging Server Configuration Files that Generate *.MERGED or *.CHANGES files

Configuration Information	Description	Generates *.MERGED File	Generates *.CHANGES File
job_controller.cnf	Job Controller File	X	X
conversions	Conversions File	X	
channel_option, where channel is an SMTP channel	SMTP channel option files	X	
native_option	Native channel option file (exception to channel_option)	X	X
channel_headers.opt, where channel is an SMTP channel	Header option files	X	
dispatcher.cnf	Dispatcher File	X	X
imta_tailor	Tailor File	X	X

Table 2-1 Messaging Server Configuration Files that Generate *.MERGED or *.CHANGES files (*Continued*)

Configuration Information	Description	Generates *.MERGED File	Generates *.CHANGES File
option.dat	Global MTA Option File	X	X
aliases	Aliases File	X	
imta.cnf	MTA Configuration File; only the include references (like file directory locations) are changed. Rewrite rule and channel settings are retained from your 5.2 configuration. To include LMTP in your imta.cnf, copy the LMTP information from your Messaging Server 6 imta.cnf file.	X	In some instances, a *.CHANGES file may be generated.
mappings	Mappings File	X	
mappings.locale	Localized Mappings File	X	
internet.rules	Internet Rule Configuration File	X	
backup-groups.conf	Backup Group Definitions	X	X
configutil	Changes of configuration parameters in local.conf and msg.conf configuration files.		X

Running the UpgradeMsg5toMsg6.pl Perl Script

To run the `UpgradeMsg5toMsg6.pl` to create sets of files by which you'll be able to update your configuration, follow these steps:

1. Both your 5.2 and Messaging Server 6 2005Q1 systems can be running at this point.
2. If your Messaging Server 5.2 and 6 versions are not on the same machine, transfer, extract and copy the Messaging Server 5.2 *server-root* directory to the Messaging Server 6 2005Q1 system. If your server versions are installed on the same machine, you can skip this step.

If your Message Store is too large to transfer from one system to another, you can transfer just the essential portions of the server instance to the new system. There are comments inside of the `UpgradeMsg5toMsg6.pl` which cover this in detail.

You don't have to copy the Messaging Server 5.2 store data to the Messaging Server 6 2005Q1 system, however, you must ensure that the Messaging Server 5.2 `mboxlist` directory is accessible during the upgrade process.

3. Run the `UpgradeMsg5toMsg6.pl` upgrade script (located in `msg_svr_base/sbin`) against the `msg-instance` of 5.2 version and the `msg_svr_base` of the Messaging Server 6 2005Q1 version. For example:

```
perl UpgradeMsg5toMsg6.pl /usr/sunone/server5/msg-budgie \
/opt/SUNWmsgsr
```

where `/usr/sunone/server5/msg-budgie` is the `msg-instance` of the 5.2 Messaging Server and `/opt/SUNWmsgsr` is the `msg_svr_base` of the Messaging Server 6 2005Q1.

*.MERGED and *.CHANGES files (as described in [Table 2-1](#)) will be created.

4. Carefully review the *.MERGED files; if you don't want to use the suggested recommendations, you must manually adjust the settings.

This utility does not update the Messenger Express customization files. Therefore, you need to manually change these files in order to keep the relevant information from Messaging Server 5.2 and add any new information from the Messaging Server 6 2005Q1 installation.

Running the Upgrade Utility

This section describes the `do_the_upgrade.sh` utility (located in `/var/tmp/UpgradeMsg5toMsg6.ScratchDir`), a shell script that is made up of four sub-scripts. The following topics are covered in this section:

- “Overview of the Upgrade Utility” on page 78
- “Running the `do_the_upgrade.sh` Utility” on page 78 (`do_the_upgrade.sh`)
- “MTA Configuration” on page 79 (`make_mta_config_changes.sh`)
- “configutil Parameters” on page 79 (`make_configutil_changes.sh`)
- “Backup Configuration” on page 80 (`make_backup_config_changes.sh`)
- “mboxlist Database” on page 80 (`make_mboxlistdb_changes.sh`)

Overview of the Upgrade Utility

The `do_the_upgrade.sh` utility is made up of four shell scripts that, with your `*.MERGED` files, update the configuration and file directory locations of your MTA configuration, your configutil parameters, backup parameters, and your `mboxlist` database in your Messaging Server 6 2005Q1 system.

You can either run the `do_the_upgrade.sh` utility, or you can individually run one or more of the scripts that make up the `do_the_upgrade.sh` utility (`make_mta_config_changes.sh`, `make_configutil_changes.sh`, `make_backup_config_changes.sh`, and `make_mboxlistdb_changes.sh`).

If you want to upgrade an MTA relay machine from Messaging Server 5.2 to Messaging Server 6 2005Q1, you only need to run the `make_mta_config_changes.sh` and the `make_backup_config_changes.sh` (described in “Backup Configuration” on page 80).

When executing either the `do_the_upgrade.sh` utility or any of the sub-scripts, be sure that neither Messaging Server 5.2 nor 6 2005Q1 is up and running.

Running the `do_the_upgrade.sh` Utility

To run the `do_the_upgrade.sh` utility:

1. Shut down both the 5.2 and 6 Messaging Servers.
2. Run the utility:

```
# sh /var/tmp/UpgradeMsg5toMsg6.ScratchDir/do_the_upgrade.sh
```

After running the `do_the_upgrade.sh` script, you can either continue to reference your 5.2 partition paths (though you will not be able to remove your Messaging Server 5.2 *server-root* directory) or you can manually move the 5.2 store partitions to the appropriate Messaging Server 6 2005Q1 directory location. You should perform this step prior to restarting Messaging Server.

MTA Configuration

The MTA upgrade configuration sub-script that makes up of part of the `do_the_upgrade.sh` utility is called `make_mta_config_changes.sh` (located in `/var/tmp/UpgradeMsg5toMsg6.ScratchDir`).

The `make_mta_config_changes.sh` script backs up, renames, and moves the `*.MERGED` server configuration files to their original names and locations within the Messaging Server 6 2005Q1 file directory structure.

Once the script has finished renaming and moving the files, it automatically runs the `imsimta cnbuild` command to recompile the MTA configuration.

NOTE If you want to upgrade an MTA relay machine from Messaging Server 5.2 to Messaging Server 6 2005Q1, you only need to run the `make_mta_config_changes.sh` and the `make_backup_config_changes.sh` (described in [“Backup Configuration” on page 80](#)).

configutil Parameters

The `configutil` upgrade configuration sub-script that makes up part of the `do_the_upgrade.sh` utility is called `make_configutil_changes.sh` script (located in `/var/tmp/UpgradeMsg5toMsg6.ScratchDir`).

The `make_configutil_changes.sh` script incorporates new or updated parameters in the `msg.conf` and `local.conf` files. If default values are not specified in `configutil` parameters in Messaging Server 6 2005Q1, any Messaging Server 5.2 values are carried forward to the Messaging Server 6 2005Q1 version.

Backup Configuration

The backup upgrade configuration sub-script that makes up part of the `do_the_upgrade.sh` utility is called `make_backup_config_changes.sh` script (located in `/var/tmp/UpgradeMsg5toMsg6.ScratchDir`).

The `make_backup_config_changes.sh` script upgrades the configuration of your backup services such as those in your `backup-groups.conf` file.

mboxlist Database

The `mboxlist` database upgrade configuration sub-script that makes up part of the `do_the_upgrade.sh` utility is called `make_mboxlistdb_changes.sh` script (located in `/var/tmp/UpgradeMsg5toMsg6.ScratchDir`).

The `make_mboxlistdb_changes.sh` script transfers and upgrades your 5.2 `mboxlist` database and upgrades it to the Messaging Server 6 2005Q1 directory structure. The script copies the four `*.db` files (`folder.db`, `quota.db`, `peruser.db`, and `subscr.db`) from `server-root/msg-instance/store/mboxlist` on your Messaging Server 5.2 system to `msg_svr_base/data/store/mboxlist` on your Messaging Server 6 2005Q1 system.

Migrating User Mailboxes

This section describes how to migrate user mailboxes from Messaging Server 5.2 to your Messaging Server 6 2005Q1 system. If you are upgrading Messaging Server 5.2 to Messaging Server 6 and upgrading the entire message store database, you do not need to follow this procedure. The `make_mboxlistdb_changes.sh` script described in the previous section can be used to upgrade your database more efficiently.

You only need to perform this procedure if:

- You are migrating from Windows to UNIX or from UNIX to Windows.
- You do not want to migrate the entire message store all at once.
- You need to rename your users, including `UIDS`, domain names, and default domain changes.

If you choose to migrate mailboxes using this procedure, do not map the partition paths to the Messaging Server 5.2 partitions and also do not run the `make_mboxlist_changes.sh` script.

The `make_configutil_changes.sh` script generated by the upgrade script automatically sets the partition path to map to the Messaging Server 5.2 partitions. You need to alter this manually. In addition, you should remove the invocation of the `make_mboxlistdb_changes.sh` script from your `do_the_upgrade.sh` script.

To move user mailbox data from Messaging Server 5.2 to Messaging Server 6 2005Q1 in an online method, follow the steps described in this section. You should not need to bring the Messaging Server down while you move data.

The following topics are outlined:

- “Requirements” on page 81
- “Migration Instructions” on page 81

Requirements

The only requirement for migration is that `stored` should be running on both the old and new messaging servers.

Migration Instructions

To migrate your user mailboxes from your 5.2 system to your Messaging Server 6 2005Q1 system:

1. Notify users in advance that until data move process is completed, they do not have access to their mailboxes. Be sure that users log out of their mail systems before the data move takes place.
2. Change the `mailUserStatus` user LDAP attribute on all user entries on the 5.2 message store from `active` to `hold` in order to hold incoming users' messages in the hold queue and to prevent access to the mailboxes over IMAP, POP, and HTTP.

For more information on `mailUserStatus`, see the *Sun Java System Communications Services Schema Reference Manual* (<http://docs.sun.com/doc/819-0113>).

3. Ensure that both your 5.2 and 6 2005Q1 Messaging Servers are up and running during this process.

4. Change the `mailHost` attribute in all user entries from the old mail server to the new mail server.

To do so, use the following `ldapsearch` command to find the user entries where the `mailHost` attribute needs to be modified:

```
ldapsearch -h ldap.siroe.com -b "o=internet" \
  "(&(objectclass=maildomain)(mailHost=oldmail.siroe.com))"
```

Then, use the `ldapmodify` command to appropriately change the entries to the new mail server. (Use the `ldapmodify` that comes with Messaging and/or Directory Server. Do NOT use the Solaris `ldapmodify`.)

For more information on `mailhost`, see the *Sun Java System Communications Services Schema Reference Manual*.

5. On the old system, split your user entries into equal groups using the `backup-groups.conf` file. (You can also place the user names into files and use the `-u` option in step 6)
6. Move the user data from the Messaging Server 5.2 message store to the Messaging Server 6 2005Q1 message store.

This is done by backing up the Messaging Server 5.2 message store with the `imsbackup` utility and restoring the message store to Messaging Server 6 2005Q1 with `imsrestore` utility. For example, to migrate mailboxes from `oldmail.siroe.com` to `newmail.siroe.com`, run the following command on `oldmail.siroe.com`:

```
/<server-root>/bin/msg/store/bin/imsbackup -f- /<instance>/<group> \
| rsh newmail.siroe.com /opt/SUNWmsgsr/lib/msg/imsrestore.sh \
-f- -cy -v1
```

You can run multiple concurrent backup and restore sessions (one per group) to maximize the transfer rate into the new message store. See the *Messaging Server Reference Manual* (<http://docs.sun.com/doc/819-0106>) for more information about the `imsbackup` and `imsrestore` utilities as well as “[Backing Up and Restoring the Message Store](#)” on page 610.

7. Set Messaging Server 6 2005Q1 to be the new default messaging server for the system.

Change the A record of `oldmail.siroe.com` to point to `newmail.siroe.com` (the server responsible for domain(s) previously hosted on `oldmail.siroe.com`).

8. Release the messages in the hold queue on your Messaging Server 5.2 system by issuing the following command:

```
imsimta process_held -uid=user -domain=domain
```

where *user* is the user ID and *domain* is the domain where the user resides.

9. Ensure that the user clients are pointing to the new mail server.

After the upgrade finishes, have the users point to the new server through their mail client program (in this example, have it point to `newmail.siroe.com` from `oldmail.siroe.com`).

An alternative is to use an MMP which obviates the need to have users point their clients directly at the new mail server; the MMP will get that information from the `mailHost` attribute which is stored in the LDAP user entries and will automatically re-direct them to the new server.

Configuring High Availability

This section provides the information you need to configure the Veritas Cluster Server or Sun Cluster high availability clustering software and prepare it for use with the Messaging Server. It is assumed you have read the chapter on High Availability in the *Messaging Server Deployment Planning Guide* (<http://docs.sun.com/doc/819-0063>) as well as the appropriate Veritas or Sun Cluster Server documentation for detailed planning, installation instructions, required patches, and other information as needed.

Table 3-1 lists the versions of Sun Cluster Server and Veritas Cluster Server that are currently supported with Messaging Server:

Table 3-1 Supported Versions of Sun Cluster Server and Veritas Cluster Server

Cluster	Supported Versions
Sun Cluster Server	Sun Cluster 3.1
Veritas Cluster Server	Veritas Cluster Server 1.3, Veritas Cluster Server 2.0, and Veritas Cluster Server 3.5

This chapter consists of the following sections:

- “Cluster Agent Installation” on page 86
- “Veritas Cluster Server Agent Installation” on page 87
- “Sun Cluster Agent Installation” on page 92
- “Unconfiguring High Availability” on page 99

Cluster Agent Installation

A cluster agent is a Messaging Server program that runs under the cluster framework.

The Sun Cluster Messaging Server agent (`SUNWscims`) is installed when you select Sun Cluster 3.1 through the Java Enterprise System installer. The Veritas Cluster Messaging Server agent (`SUNWmsgvc`) can be found in the Messaging Server Product subdirectory on the Java Enterprise System CD,

`Solaris_sparc/Product/messaging_svr/Packages/SUNWmsgvc`. (Note that you must use the `pkgadd(1M)` command to install the VCS cluster agent.)

Messaging Server and High Availability Notes

Some items of note regarding the Messaging Server and high availability (applies to both Veritas Cluster, and Sun Cluster) installation:

- Clustering software needs to be installed before installing and configuring Messaging Server. Run the installation on the cluster node currently pointed at by the HA logical host name for Messaging Server. Use the cluster alias when prompted for any node names. When installing Messaging Server, tell the Administration Server that the node that they are installing on is the logical name of the cluster regardless of which physical machine is involved.
- When running the Messaging Server Initial Runtime Configuration (see [“To Create the Initial Messaging Server Runtime Configuration” on page 51](#)), be sure to specify the fully-qualified HA logical host name of the cluster of Messaging Server.
- Configure Messaging Server using the cluster host name. If you do otherwise, then you’ll need to re-configure a second time using the cluster host name.

Using the useconfig Utility

The `useconfig` utility allows you to share a single configuration between multiple nodes in an HA environment. This utility is not meant to upgrade or update an existing configuration.

For example, if you are upgrading your first node, you will install through the Java Enterprise System installer and then configure Messaging Server. You will then failover to the second node where you will install the Messaging Server package through the Java Enterprise System installer, but you will not have to run the Initial Runtime Configuration Program (`configure`) again. Instead, you can use the `useconfig` utility.

To enable the utility, run `useconfig` utility to point to your previous Messaging Server configuration.

```
msg_svr_base/sbin/useconfig install/configure_YYYYMMDDHHMMSS
```

where `configure_YYYYMMDDHHMMSS` is your previous configuration settings file.

On a brand new node, you can find the `configure_YYYYMMDDHHMMSS` in the `msg_svr_base/data/setup` directory on the shared disk.

The following sections on “[Veritas Cluster Server Agent Installation](#)” on page 87 and “[Sun Cluster Agent Installation](#)” on page 92 describe when you can use the `useconfig` utility.

Veritas Cluster Server Agent Installation

Messaging Server can be configured with Veritas Cluster Server 1.3, 2.0, and 3.5. The instructions in this section only cover Veritas Cluster 3.5; for Veritas 1.3 and 2.0, review the *Sun Java Enterprise System Installation Guide* (<http://docs.sun.com/doc/819-0056>).

Be sure to review the Veritas Cluster Server documentation prior to following these procedures.

-
- NOTE**
- Veritas Volume Manager (VxVM) has a cluster feature that requires a separate license. This feature provides a global view of the file systems on shared storage, similar to the Sun Cluster 3.0 global file system. See the Veritas Cluster Server documentation for more information.
 - `FsckOpt` was optional in pre-3.5 Veritas releases. However, it is required for configuring the `Mount` resource. `FsckOpt` must include a `-y` or `-n`, otherwise the resource will not come online.
 - Veritas Cluster Server 2.0 Explorer cannot be used to manage Veritas Cluster Server 3.5.
-

After installing Messaging Server through the Java Enterprise System installer and configuring HA, be sure to review [“Binding IP Addresses on a Server” on page 97](#) for additional steps associated with configuring HA support.

Veritas Cluster Server Requirements

- Veritas Cluster Software is already installed and configured.
- As described in the following instructions (in [“VCS 3.5 Installation and Configuration Notes” on page 88](#)), you will install the Veritas Cluster Agent package for Messaging Server along with the Messaging Server software on both nodes.

VCS 3.5 Installation and Configuration Notes

The following instructions describe how to configure Messaging Server as an HA service, by using Veritas Cluster Server 3.5.

The default `main.cf` configuration file sets up a resource group called `ClusterService` that launches the `VCSweb` application. This group includes network logical host IP resources like `csgnic` and `webip`. In addition, the `ntfr` resource is created for event notification.

1. Launch Cluster Explorer from one of the nodes.

Note that these Veritas Cluster Server instructions assume you are using the graphical user interface to configure Messaging Server as an HA service.

To launch Cluster Explorer, run the following command:


```
# /opt/VRTSvcs/bin/hagui
```

The `VRTSscsm` package must be installed in order to use the GUI.

2. Add `s1ms_dg` disk group resource of type `DiskGroup` and enable it.
3. Add `s1ms_mt` mount resource of type `Mount`.
 - a. Unlike in Veritas Cluster Server 2.0, you must add `-y` (or `-n`) to `FsckOpt`. Null options cause `Mount` to hang. See the Solaris Man page for more information on `fsck_vxfs`.
 - b. Be sure to click the `Link` button to enable linking resources, if they are not already enabled.
4. Create a link between `s1ms_mt` and `s1ms_dg`. Enable the resource `s1ms_mt`.

Figure depicts the dependency tree:

Figure 3-1 Veritas Cluster Server Dependency Tree



5. Run the Java Enterprise System installer, selecting Administration Server and Messaging Server.


- a. During Administration Server configuration, be sure to specify the logical host name when asked to provide a hostname.
- b. Run the Messaging Server Initial Runtime Configuration from the primary node (for example, Node_A) to install Messaging Server.
- c. Install the Veritas Cluster Server agent package, `SUNWmsgvc`, (located in the Messaging Server `Product` subdirectory on the Java Enterprise System CD) by using the `pkgadd(1M)` command.

Messaging Server and the Veritas agent are now installed on Node_A.

6. Switch to the backup node (for example, Node_B).
7. Run the Java Enterprise System installer to install Messaging Server on the backup node (Node_B).
8. After installing Messaging Server, you can use the `useconfig` utility to obviate the need for creating an additional initial runtime configuration on the backup node (Node_B). The `useconfig` utility allows you to share a single configuration between multiple nodes in an HA environment. This utility is not meant to upgrade or update an existing configuration. See [“Using the useconfig Utility” on page 86](#).

The Veritas agent is now installed on Node_B.

9. From the Cluster Explorer, Select Import Types... from the File menu which will display a file selection box.
10. Import the `MsgSrvTypes.cf` type from the `/etc/VRTSvcs/conf/config` directory. Import this type file. Note that you need to be on a cluster node to find this file.
11. Now create a resource of type `MsgSrv` (for example, `Mail`). This resource requires the logical host name property to be set.
12. The `Mail` resource depends on `slms_mt` and `webip`. Create links between the resources as shown in the following dependency tree:

Figure 3-2 Veritas Cluster Dependency Tree

- a. Enable all resources and bring `Mail` online.
 - b. All servers should be started.
13. Switch over to `Node_A` and check if the High Availability configuration is working.
 14. Change the group attribute `OnlineRetryLimit` from 3 to 0, otherwise the failed-over service might restart on the same node.

MsgSrv Attributes

This section describes `MsgSrv` additional attributes that govern the behavior of the `mail` resource. To configure Messaging Server with Veritas Cluster Server, see [Table 3-2](#).

Table 3-2 Veritas Cluster Server Attributes

Attribute	Description
<code>FaultOnMonitorTimeouts</code>	If unset (=0), monitor (probe) time outs are not treated as resource fault. Recommend setting this to 2. If the monitor times out twice, the resource will be restarted or failed over.
<code>ConfInterval</code>	Time interval over which faults/restarts are counted. Previous history is erased if the service remains online for this duration. Suggest 600 seconds.
<code>ToleranceLimit</code>	Number of times the monitor should return OFFLINE for declaring the resource FAULTED. Recommend leaving this value at '0' (default).

Sun Cluster Agent Installation

This section describes how to install and configure the Messaging Server as a Sun Cluster Highly Available (HA) Data Service. These installation instructions apply to Sun Cluster 3.1. The following topics are covered in this section:

- “Sun Cluster Requirements” on page 92
- “About HAStoragePlus” on page 92
- “Configuring Messaging Server with Sun Cluster and HA StoragePlus” on page 93
- “Binding IP Addresses on a Server” on page 97

Documentation for Sun Cluster 3.1 can be found at:

<http://docs.sun.com/db/prod/cluster#hic>

Note that Veritas File System (VxFS) is supported with Sun Cluster 3.1.

Sun Cluster Requirements

This section presumes the following:

- Sun Cluster 3.1 is installed and configured on a Solaris 8 or 9 operating system with required patches.
- The Sun Cluster agent `SUNWscims` is installed on your systems.
- If logical volumes are being created, either Solstice DiskSuite or Veritas Volume Manager is used.

About HAStoragePlus

It is highly recommended that you use the HAStoragePlus resource type to make locally mounted file systems highly available within a Sun Cluster environment. Any file system resident on a Sun Cluster global device group can be used with HAStoragePlus. Unlike a globally mounted file system like HAStorage, HAStoragePlus is available only on one cluster node at any given point of time. These locally mounted file systems can only be used in failover mode and in failover resource groups. HAStoragePlus offers FFS (failover file system), in contrast to HAStorage’s GFS (global file system).

HAStoragePlus has a number of benefits:

- HAStoragePlus bypasses the global file service layer completely. For disk-IO intensive data services, this leads to a significant performance increase.
- HAStoragePlus can work with any file system (like UFS, VxFS, and so forth), even those that might not work with the global file service layer. If a file system is supported by the Solaris operating system, it will work with HAStoragePlus.

For more information on HAStoragePlus, read the *Sun Cluster 3.1 Data Service Planning and Administration Guide*.


Configuring Messaging Server with Sun Cluster and HA StoragePlus

This section describes how to configure HA support and HA StoragePlus for Sun Java System Messaging Server for Sun Cluster 3.1 through a simple example.

After configuring HA, be sure to review “[Binding IP Addresses on a Server](#)” on [page 97](#) for additional steps associated with HA support.

The following example assumes that the messaging server has been configured with a HA logical host name and IP address. The physical host names is assumed to be `mail-1` and `mail-2`, with an HA logical host name of `budgie`. [Figure 3-3](#) depicts the nested dependencies of the different HA resources you will create in configuring Messaging Server HA support.

Figure 3-3 A Simple Sun Java System Messaging Server HA configuration



1. Become the superuser and open a console.

All of the following Sun Cluster commands require that you have logged in as superuser. You will also want to have a console or window for viewing messages output to `/dev/console`.

2. Add required resource types.

Configure Sun Cluster to know about the resources types we will be using. This is done with the `scrgadm -a -t` command:

```
# scrgadm -a -t SUNW.HAStoragePlus
# scrgadm -a -t SUNW.ims
```

3. Create a resource group for the Messaging Server.

If you have not done so already, create a resource group and make it visible on the cluster nodes which will run the Messaging Server. The following command creates a resource group named `MAIL-RG`, making it visible on the cluster nodes `mail-1` and `mail-2`:

```
# scrgadm -a -g MAIL-RG -h mail-1,mail-2
```

You may, of course, use whatever name you wish for the resource group.

4. Create an HA logical host name resource and start resource group.

If you have not done so already, create and enable a resource for the HA logical host name, placing it in the resource group. The following command does so using the logical host name `budgie`. Since the `-j` switch is omitted, the name of the resource created will also be `budgie`.

```
# scrgadm -a -L -g MAIL-RG -l budgie
# scswitch -Z -g MAIL-RG
```

5. Create an HAStoragePlus resource.

Next, you need to create an HAStoragePlus resource type for the file systems on which Messaging Server is dependent. The following command creates an HAStoragePlus resource named `disk-rs` and the file system `disk_sys_mount_point` is placed under its control:

```
# scrgadm -a -j disk-rs -g MAIL-RG \  
-t SUNW.HAStoragePlus \  
-x ServicePaths=disk_sys_mount_point-1, disk_sys_mount_point-2
```

The comma-separated list of `ServicePaths` are the mount points of the cluster file systems on which Messaging Server is dependent. In the above example, only two mount points, `disk_sys_mount_point-1` and `disk_sys_mount_point-2`, are specified. If one of the servers has additional file systems on which it is dependent, then you can create an additional HA storage resource and in [Step 10](#) to indicate that additional dependency.

6. Install and configure the Administration Server (See the *Sun Java Enterprise System Installation Guide*).

When specifying the fully qualified domain name, use the HA logical host name created in [Step 4](#).

7. Install and configure the Messaging Server. See [“To Create the Initial Messaging Server Runtime Configuration”](#) on page 51.

- a. In the Initial Runtime Configuration, you are asked to specify a configuration directory in [“To Create the Initial Messaging Server Runtime Configuration”](#) on page 51. Be sure to use the shared disk directory path of your HAStoragePlus resource.
- b. Run the following command to enable the watcher process under Sun Cluster:

```
configutil -o local.autorestart -v 1
```

For more information on the watcher process, refer to the [“Automatic Restart of Failed or Unresponsive Services”](#) on page 110.

8. Run the `ha_ip_config` script to set `service.listenaddr` and `service.http.smtphost` and to configure the `dispatcher.cnf` and `job_controller.cnf` files for high availability. The script ensures that the logical IP address is set for these parameters and files, rather than the physical IP address. It also enables the watcher process (sets `local.watcher.enable` to 1), and auto restart process (`local.auto.restart` to 1).

For instructions on running the script, see [“Binding IP Addresses on a Server” on page 97](#).

The `ha_ip_config` script should only be run once on the machine with the shared disk (for configuration and data).

9. Modify the `imta.cnf` file and replace all occurrences of the physical hostname with the logical name of the cluster.
10. Create an HA Messaging Server resource.

It’s now time to create the HA Messaging Server resource and add it to the resource group. This resource is dependent upon the HA logical host name and HA disk resource.

In creating the HA Messaging Server resource, we need to indicate the path to the Messaging Server top-level directory—the `msg_svr_base` path. These are done with the `IMS_serverroot` extension properties as shown in the following command.

```
# scrgadm -a -j mail-rs -t SUNW.ims -g MAIL-RG \
-x IMS_serverroot=msg_svr_base \
-y Resource_dependencies=disk-rs,budgie
```

The above command, creates an HA Messaging Server resource named `mail-rs` for the Messaging Server which is installed on `IMS_serverroot` in the `msg_svr_base` directory. The HA Messaging Server resource is dependent upon the HA disk resource `disk-rs` as well as the HA logical host name `budgie`.

If the Messaging Server has additional file system dependencies, then you can create an additional HA storage resource for those file systems. Be sure to include that additional HA storage resource name in the `Resource_dependencies` option of the above command.

11. Remove the term `global` from the `/etc/vfstab` file. At bootup, `/etc/vfstab` must be set to ‘no.’ For more information, refer to your Sun Cluster 3.1 documentation.

Before the `vfstab` file is enabled with `HAStoragePlus`, you might first unmount the file systems that are currently global file systems. You can then enable the `vfstab` file with `HAStoragePlus` and remount the file systems.

12. Enable the Messaging Server resource.

It's now time to activate the HA Messaging Server resource, thereby bringing the messaging server online. To do this, use the command

```
# scswitch -e -j mail-rs
```

The above command enables the `mail-rs` resource of the MAIL-RG resource group. Since the MAIL-RG resource was previously brought online, the above command also brings `mail-rs` online.

13. Verify that things are working.

Use the `scstat` command to see if the MAIL-RG resource group is online. You may want to look at the output directed to the console device for any diagnostic information. Also look in the `syslog` file, `/var/adm/messages`.

14. Fail the resource group over to another cluster node in order to make sure failover properly works.

Manually fail the resource group over to another cluster node. (Be sure you have superuser privileges on the node to which you failover.)

Use the `scstat` command to see what node the resource group is currently running on ("online" on). For instance, if it is online on `mail-1`, then fail it over to `mail-2` with the command:

```
# scswitch -z -g MAIL-RG -h mail-2
```

If you are upgrading your first node, you will install through the Java Enterprise System installer and then configure Messaging Server. You will then failover to the second node where you will install the Messaging Server package through the Java Enterprise System installer, but you will not have to run the Initial Runtime Configuration Program (`configure`) again. Instead, you can use the `useconfig` utility.

Binding IP Addresses on a Server

If you are using the Symmetric or N + 1 high availability models, there are some additional things you should be aware of during configuration in order to prepare the Sun Cluster Server for Messaging Server.

Messaging Server running on a server requires that the correct IP address binds it. This is required for proper configuration of Messaging in an HA environment.

Part of configuring Messaging Server for HA involves configuring the interface address on which the Messaging Servers bind and listen for connections. By default, the servers bind to all available interface addresses. However, in an HA environment, you want the servers to bind specifically to the interface address associated with an HA logical host name.

A script is therefore provided to configure the interface address used by the servers belonging to a given Messaging Server instance. Note that the script identifies the interface address by means of the IP address which you have or will be associating with the HA logical host name used by the servers.

The script effects the configuration changes by modifying or creating the following configuration files. For the file

msg_svr_base/config/dispatcher.cnf

it adds or changes `INTERFACE_ADDRESS` option for the SMTP and SMTP Submit servers. For the file

msg_svr_base/config/job_controller.cnf

it adds or changes the `INTERFACE_ADDRESS` option for the Job Controller.

Finally it sets the `configutil service.listenaddr` and `service.http.smtphost` parameters used by the POP, IMAP, and Messenger Express HTTP servers.

Note that the original configuration files, if any, are renamed to `*.pre-ha`.

Run the script as follows:

1. Become superuser.
2. Execute *msg_svr_base*/sbin/ha_ip_config
3. The script presents the questions described below. The script may be aborted by typing `control-d` in response to any of the questions. Default answers to the questions will appear within square brackets, []. To accept the default answer, simply press the RETURN key.
 - a. Logical IP address: Specify the IP address assigned to the logical host name which the Messaging Server will be using. The IP address must be specified in dotted decimal form, for example, 123.456.78.90.

The logical IP address is automatically set in the `configutil` parameter `service.http.smtphost` which allows you to see which machine is running your messaging system in a cluster. For example, if you are using Messenger Express, your server will be able to determine from which mail host to send outgoing mail.

- b. Messaging Server Base (*msg_svr_base*): Specify the absolute path to the top-level directory in which Messaging Server is installed.
- c. Do you wish to change any of the above choices: answer “no” to accept your answers and effect the configuration change. Answer “yes” if you wish to alter your answers.

NOTE In addition, the `ha_ip_config` script automatically enables two new processes `watcher` and `msprobe` with the following parameters: `local.autorestart` and `local.watcher.enable`. These new parameters help to monitor the health of the messaging server. Process failures and unresponsive services result in log messages indicating specific failures. The cluster agents now monitor the `watcher` process and failover whenever it exits. Note that the parameters must be enabled in order for Sun Cluster to function properly.

For more information on the `watcher` and `msprobe` processes, see [“Automatic Restart of Failed or Unresponsive Services”](#) on page 110.

Unconfiguring High Availability

This section describes how to unconfigure high availability. To uninstall high availability, follow the instructions in your Veritas or Sun Cluster documentation.

The High Availability unconfiguration instructions differ depending on whether you are removing Veritas Cluster Server or Sun Cluster.

The following topics are covered in this section:

- [“Unconfiguring Veritas Cluster Server”](#) on page 99
- [“Unconfiguring Messaging Server HA Support for Sun Cluster 3.x”](#) on page 100

Unconfiguring Veritas Cluster Server

To unconfigure the high availability components for Veritas Cluster Server:

1. Bring the `ims5` service group offline and disable its resources.

2. Remove the dependencies between the `mail` resource, the `logical_IP` resource, and the `mountshared` resource.
3. Bring the `ims5` service group back online so the `sharedg` resource is available.
4. Delete all of the Veritas Cluster Server resources created during installation.
5. Stop the Veritas Cluster Server and remove following files on both nodes:


```
/etc/VRTSvcs/conf/config/MsgSrvTypes.cf
/opt/VRTSvcs/bin/MsgSrv/online
/opt/VRTSvcs/bin/MsgSrv/offline
/opt/VRTSvcs/bin/MsgSrv/clean
/opt/VRTSvcs/bin/MsgSrv/monitor
/opt/VRTSvcs/bin/MsgSrv/sub.pl
```
6. Remove the Messaging Server entries from the `/etc/VRTSvcs/conf/config/main.cf` file on both nodes.
7. Remove the `/opt/VRTSvcs/bin/MsgSrv/` directory from both nodes.

Unconfiguring Messaging Server HA Support for Sun Cluster 3.x

This section describes how to undo the HA configuration for Sun Cluster. This section assumes the simple example configuration (described in the “[Sun Cluster Agent Installation](#)” on page 92). For other configurations, the specific commands (for example, [Step 3](#)) may be different but will otherwise follow the same logical order.

1. Become the superuser.

All of the following Sun Cluster commands require that you be running as user `superuser`.

2. Bring the resource group offline.

To shut down all of the resources in the resource group, issue the command

```
# scswitch -F -g MAIL-RG
```

This shuts down all resources within the resource group (for example, the Messaging Server and the HA logical host name).

3. Disable the individual resources.

Next, remove the resources one-by-one from the resource group with the commands:

```
# scswitch -n -j mail-rs
# scswitch -n -j disk-rs
# scswitch -n -j budgie
```

4. Remove the individual resources from the resource group.

Once the resources have been disabled, you may remove them one-by-one from the resource group with the commands:

```
# scrgadm -r -j mail-rs
# scrgadm -r -j disk-rs
# scrgadm -r -j budgie
```

5. Remove the resource group.

Once all the resources have been removed from the resource group, the resource group itself may be removed with the command:

```
# scrgadm -r -g MAIL-RG
```

6. Remove the resource types (optional).

Should you need to remove the resource types from the cluster, issue the commands:

```
# scrgadm -r -t SUNW.ims
# scrgadm -r -t SUNW.HAStoragePlus
```


Configuring General Messaging Capabilities

This chapter describes the general Messaging Server tasks—such as starting and stopping services and configuring directory access—that you can perform by using Sun ONE Server Console (hereafter called Console) or by using command-line utilities. Tasks specific to individual Messaging Server services—such as POP, IMAP, HTTP, and SMTP—are described in subsequent chapters. This chapter contains the following sections:

- [“To Modify Your Passwords” on page 104](#)
- [“Managing Mail Users, Mailing Lists and Domains” on page 105](#)
- [“Managing Messaging Server with Sun ONE Console” on page 106](#)
- [“Starting and Stopping Services” on page 107](#)
- [“Automatic Restart of Failed or Unresponsive Services” on page 110](#)
- [“To Schedule Automatic Tasks” on page 113](#)
- [“To Configure a Greeting Message” on page 114](#)
- [“To Set a User-Preferred Language” on page 117](#)
- [“To Customize Directory Lookups” on page 118](#)
- [“Encryption Settings” on page 122](#)
- [“Setting a Failover LDAP Server” on page 122](#)

To Modify Your Passwords

Because you set up a number of administrators with the same password in during initial configuration (see [“To Create the Initial Messaging Server Runtime Configuration” on page 51](#)), you might want to change the passwords of those administrators.

Refer to [Table 4-1](#), which shows the parameters where default passwords are set up during initial runtime configuration and the utilities you can use to change them. For those parameters that use the `configutil` utility to change for complete syntax and usage.

Table 4-1 Passwords Set in Messaging Server Initial Runtime Configuration

Parameter	Description
<code>local.ugldapbindcred</code>	Password for the user/group administrator set through the <code>configutil</code> utility.
<code>local.service.pab.ldappasswd</code>	Password for user specified by Bind DN for PAB searches set through the <code>configutil</code> utility.
SSL passwords for key files	Passwords that are directly set in the <code>sslpassword.conf</code> file.
Service Administrator Credentials	These are credentials that are directly set in your LDAP Directory (with the <code>ldapmodify</code> command).
Service Administrator for Delegated Administrator	You will only need to change the password of this administrator if you have enabled Sun LDAP Schema 1 and you are using the iPlanet Delegated Administrator utility. To change the password of the Delegated Administrator Service Administrator, you can do so in the Sun ONE Console, your LDAP Directory (with the <code>ldapmodify</code> command), or the Delegated Administrator UI.
Store Administrator	To change the password of the Store Administrator, you can do so in either the Sun ONE Console or in your LDAP Directory (with the <code>ldapmodify</code> command).

The following example uses the `local.enduseradmincred` `configutil` parameter to change the password of the end user administrator.

```
configutil -o local.enduseradmincred -v newpassword
```


Managing Mail Users, Mailing Lists and Domains

All user, mailing list and domain information is stored as entries in an LDAP directory. An LDAP directory can contain a wide range of information about an organization's employees, members, clients, or other types of individuals that in one way or another "belong" to the organization. These individuals constitute the *users* of the organization.

In the LDAP directory, the information about users is structured for efficient searching, with each user entry identified by a set of attributes. Directory attributes associated with a user can include the user's name and other identification, division membership, job classification, physical location, name of manager, names of direct reports, access permission to various parts of the organization, and preferences of various kinds.

In an organization with electronic messaging services, many if not all users hold mail accounts. For Messaging Server, mail-account information is not stored locally on the server; it is part of the LDAP user directory. The information for each mail account is stored as mail attributes attached to a user's entry in the directory.

Creating and managing mail users and mailing lists consists of creating and modifying user and mailing list entries in the directory. This is done using the Delegated Administrator for Sun LDAP Schema 2 and the iPlanet Delegated Administrator for Messaging (for Sun LDAP Schema 1), Delegated Administrator command line utilities, or by directly modifying the LDAP directory for Sun LDAP Schema 1.

To Remove a User from Messaging Server

1. Mark the user as deleted by running the `comadmin user delete` command. (See *Sun Java System Communications Services Delegated Administrator Guide* at (<http://docs.sun.com/doc/819-0114>).

2. Remove services from the user.

A service can be a mailbox or a calendar. For Messaging Server, the program is called `msuserpurge`. (See *Sun Java System Messaging Server Administration Reference* at (<http://docs.sun.com/doc/819-0106>). For calendar services, the program is `csclean`. (See *Sun Java System Calendar Server Administration Guide* <http://docs.sun.com/doc/819-0024>.)

3. Permanently remove the user, by invoking the `comadmin domain purge` command.

To Remove a Domain from Messaging Server

1. Mark the domain as deleted by running the `comadmin domain delete` command. (See *Sun Java System Communications Services Delegated Administrator Guide* (<http://docs.sun.com/doc/819-0114>).
2. Remove services from the users of that domain.

A service can be a mailbox or a calendar. For Messaging Server, the program is called `msuserpurge`. (See *Sun Java System Messaging Server Administration Reference* at <http://docs.sun.com/doc/819-0106>. For calendar services, the program is `csclean`. (See *Sun Java System Calendar Server Administration Guide* <http://docs.sun.com/doc/819-0024>.)

3. Permanently remove the domain, by invoking the `comadmin domain purge` command.

Managing Messaging Server with Sun ONE Console

When the Messaging Server installation process and initial runtime configuration program completes, you can start your Messaging Server through the Admin Console. If your directory and messaging server reside on a single machine, you can use the Console interface to manage both servers.

To invoke the console, run the `/var/opt/mps/serverroot/start console` command.

You can review some of the basic information about an installed Messaging Server by viewing its Information form in the Sun ONE Server Console.

To display the Information form:

1. In Console, open the Messaging Server whose information you want to view.
2. Select the server's icon in the left pane.
3. Click the Configuration tab in the left pane.
4. Click the Information tab in the right pane, if it is not already frontmost.

The Information form appears. It displays the server name, server root directory, installation directory, and instance directory.

Starting and Stopping Services

Services are started and stopped differently depending on whether they are installed in an HA environment or not.

To Start and Stop Services in an HA Environment

While the Messaging Server is running under HA control, you cannot use the normal Messaging Server start, restart, and stop commands to control individual Messaging Server services. If you attempt a `stop-msg` in an HA deployment, the system warns that it has detected an HA setup and will tell you how to properly stop the system.

The appropriate start, stop and restart commands are shown in the tables below. Note that there are no specific HA commands to individually start, restart, or stop other Messaging Server services (for example, SMTP). However, you can run a `stop-msg service` command to stop/restart individual servers such as `imap`, `pop` or `sched`.

Sun Cluster's finest granularity is that of an individual resource. Since Messaging Server is known to Sun Cluster as a resource, `scswitch` commands affect all Messaging Server services as a whole.

Table 4-2 Start, Stop, Restart in a Sun Cluster 3.0/3.1 Environment

Action	Individual Resource	Entire Resource Group
Start	<code>scswitch -e -j resource</code>	<code>sscswitch -Z -g resource_group</code>
Restart	<code>scswitch -n -j resource</code> <code>scswitch -e -j resource</code>	<code>scswitch -R -g resource_group</code>
Stop	<code>scswitch -n -j resource</code>	<code>scswitch -F -g resource_group</code>

Table 4-3 Start, Stop, Restart in Veritas 1.3, 2.0, 2.1, and 3.5 Environments

Action	Individual Resource	Entire Resource Group
Start	<code>hares -online resource -sys system</code>	<code>hagr -online group -sys system</code>
Restart	<code>hares -offline resource -sys system</code> <code>hares -online resource -sys system</code>	<code>hagr -offline group -sys system</code> <code>hagr -online group -sys system</code>
Stop	<code>hares -offline resource -sys system</code>	<code>hagr -offline group -sys system</code>

To Start and Stop Services in a non-HA Environment

You can start and stop services from Console or from the command line. In addition, you only need to run the services that your server actually uses. For example, if you are using Messaging Server solely as a message transfer agent (MTA), you can turn on the MTA alone. Or, if maintenance, repair, or security needs require shutting down the server, you may be able to turn off just the affected service. (If you never intend to run a particular service, you should disable it instead of just turning it off.)

NOTE You must first enable services such as POP, IMAP, and HTTP, before starting or stopping them. For more information, see [“Enabling and Disabling Services” on page 124](#).

Important: If a server process crashes, other processes may hang as they wait for locks held by the server process that crashed. If you are not using automatic restart (see [“Automatic Restart of Failed or Unresponsive Services” on page 110](#)), and if any server process crashes, you should stop all processes, then restart all processes. This includes the POP, IMAP, HTTP, and MTA processes, as well as the `stored` (message store) process, and any utilities that modify the message store, such as `mboxutil`, `deliver`, `reconstruct`, `readership`, or `upgrade`.

Console: Console allows you to start and stop individual services and view status information about each service.

For each service—IMAP, POP, SMTP, and HTTP—the form displays the service’s current state (on or off). If the service is running, the form shows the time at which the service was last started up. It can also display other status information.

To start up, shut down, or view the status of any messaging services:

1. From Console, open the Messaging Server whose services you want to start or stop.
2. Get to the Services General Configuration form in either of these two ways:
 - a. Click the Tasks tab, then click “Start/Stop Services”.
 - b. Click the Configuration tab and select the Services folder in the left pane. Then click the General tab in the right pane.

3. The Services General Configuration form appears.

The left column of the Process Control field lists the services supported by the server; the right column gives the basic status of each of the services (ON or OFF, plus—if it is ON—the time it was last started).

4. To view status information about a service that is currently on, select the service in the Process Control field.

The Service Status field displays status information about the service.

For POP, IMAP, and HTTP the field shows the last connection time, the total number of connections, the current number of connections, the number of failed connections since the service last started, and the number of failed logins since the service last started.

The information in this field helps you to understand the load on the server and the reliability of its service, and it can help spotlight attacks against the server's security.

5. To turn a service on, select it in the Process Control field and click Start.
6. To turn a service off, select it in the Process Control field and click Stop.
7. To turn all enabled services on or off simultaneously, click the Start All or Stop All button.

Command Line: You can use the `start-msg` and `stop-msg` commands to start or stop any of the messaging services (`smtp`, `imap`, `pop`, `store`, `http`, `ens`, `sched`). Examples:

```
msg_svr_base/sbin/start-msg imap
msg_svr_base/sbin/stop-msg pop
msg_svr_base/sbin/stop-msg sched
msg_svr_base/sbin/stop-msg smtp
```

Note that the services must be enabled in order to stop or start them. See [“To Specify What Services are Started” on page 110](#).

NOTE The `start-msg smtp` and `stop-msg smtp` commands start and stop all of the MTA services—not just the SMTP server. If you want more granular control when starting or stopping the MTA services, you can use the `start/stop msg` command for the dispatcher and the job controller. For more information, see the *Messaging Server Reference Manual*.

To Specify What Services are Started

By default the following services are started with `start-msg`:

```
# ./start-msg
Connecting to watcher ...
Launching watcher ...
Starting ens server .... 21132
Starting store server .... 21133
checking store server status ... ready
Starting imap server .... 21135
Starting pop server .... 21138
Starting http server .... 21141
Starting sched server .... 21143
Starting dispatcher server .... 21144
Starting job_controller server .... 21146
```

These can be controlled by enabling or disabling the `configutil` parameters:

`service.imap.enable`, `service.pop.enable`, `service.http.enable`,
`local.smsgateway.enable`, `local.snmp.enable`, `local.imta.enable`, `local.mmp.enable`,
`local.ens.enable`, and `local.sched.enable`. Note that you need to set both
`service.imap.enable` and `service.imap.enablesslport` to 0 in order to disable IMAP.
The same goes for POP and HTTP. See the *Sun Java System Messaging Server
Administration Reference* for details on how these work.

Automatic Restart of Failed or Unresponsive Services

Messaging Server provides two processes called `watcher` and `msprobe` that transparently monitor services and automatically restart them if they crash or become unresponsive (the services hangs). `watcher` monitors server crashes. `msprobe` monitors server hangs by checking the response time. When a server fails or stops responding to requests, it is automatically restarted. [Table 4-4](#).

Table 4-4 Services Monitored by `watcher` and `msprobe`

watcher (crash)	msprobe (unresponsive hang)
IMAP, POP, HTTP, job controller, dispatcher, message store (<code>stored</code>), <code>imsched</code> , MMP. (LMTP/SMTP servers are monitored by the dispatcher and LMTP/SMTP clients are monitored by the <code>job_controller</code> .)	IMAP, POP, HTTP, cert, job controller, message store (<code>stored</code>), <code>imsched</code> , ENS, LMTP, SMTP

Setting `local.watcher.enable=on` (default) will monitor process failures and unresponsive services and will log error messages to the default log file indicating specific failures. To enable automatic server restart, set the `configutil` parameter `local.autorestart` to `yes`. By default, this parameter is set to `no`.

If any of the message store services fail or freeze, all message store services that were enabled at start-up are restarted. For example, if `imapd` fails, at the least, `stored` and `imapd` are restarted. If other message store services were running, such as the POP or HTTP servers, then those will be restarted as well, whether or not they failed.

Automatic restart also works if a message store utility fails or freezes. For example, if `mbxutil` fails or freezes, the system will automatically restart all the message store servers. Note, however, that it will not restart the utility. `msprobe` runs every 10 minutes. Service and process restarts will be performed up to two times within a 10 minute period (configurable using `local.autorestart.timeout`).

Whether or not `local.autorestart` is set to `yes`, the system still monitors the services and sends failure or non-response error messages to the console and `msg_svr_base/data/log/watcher` listens to port 49994 by default, but this is configurable with `local.watcher.port`.

A `watcher` log file is generated in `msg_svr_base/data/log/watcher`. This log file is not managed by the logging system (no rollover or purging) and records all server starts and stops. An example log is shown below:

```

watcher process 13425 started at Tue Oct 21 15:29:44 2003

Watched 'imapd' process 13428 exited abnormally
Received request to restart: store imap pop http
Connecting to watcher ...
Stopping http server 13440 .... done
Stopping pop server 13431 ... done
Stopping pop server 13434 ... done
Stopping pop server 13435 ... done
Stopping pop server 13433 ... done
imap server is not running
Stopping store server 13426 .... done
Starting store server .... 13457
checking store server status ..... ready
Starting imap server ..... 13459
Starting pop server ..... 13462
Starting http server ..... 13471

```

See [“Monitoring Using msprobe and watcher Functions” on page 824](#) for more details on how to configure this feature.

`msprobe` is controlled by `imsched`. If `imsched` crashes, this event will be detected by `watcher` and trigger a restart (if `autorestart` is enabled). However, in the rare occurrence of `imsched` hanging, you will need to kill `imsched` with a `kill imsched_pid`, which will cause the watcher to restart it.

Automatic Restart in High Availability Deployments

Automatic restart in high availability deployments require the following `configutil` parameters to be set:

Table 4-5 HA Automatic Restart Parameters

Parameter	Description/HA Value
<code>local.watcher.enable</code>	Enable watcher. On (Default is On)
<code>local.autorestart</code>	Enable autorestart. On

Table 4-5 HA Automatic Restart Parameters

Parameter	Description/HA Value
<code>local.autorestart.timeout</code>	Failure retry time-out. If a server fails more than twice in this designated amount of time, then the system stops trying to restart the server. If this happens on an HA system, Messaging Server is shutdown and a failover to the other system occurs. The value (set in seconds) should be set to a period value longer than the <code>msprobe</code> interval (<code>local.schedule.msprobe</code>).
<code>local.schedule.msprobe</code>	<code>msprobe</code> run schedule. A crontab style schedule string (see Table 18-10 on page 592). Default is 600 seconds.

To Schedule Automatic Tasks

Messaging Server provides a general task scheduling mechanism using a process called `imsched`. It is intended for scheduling Messaging Server processes. Scheduling non-Messaging Server tasks is not supported. It is enabled by setting the `local.schedule.taskname` `configutil` parameter. If you modify the schedule, you must either restart the scheduler with the command `stop-msg sched` and `start-msg sched`, or you can refresh scheduler process (`refresh sched`).

This parameter requires a command and a schedule on which to execute the command. The format is as follows:

```
configutil -o local.schedule.taskname -v "schedule"
```

taskname is a unique name for this command/schedule combination.

schedule has the format:

minute hour day-of-month month-of-year day-of-week command args

command args can be any Messaging Server command and its arguments. A fully qualified command pathname is required.

minute hour day-of-month month-of-year day-of-week is the schedule for running the command. It follows the UNIX `crontab` format.

The values are separated by a space or tab and can be 0-59, 0-23, 1-31, 1-12 or 0-6 (with 0=Sunday) respectively. Each time field can be either an asterisk (meaning all legal values), a list of comma-separated values, or a range of two values separated by a hyphen. Note that days can be specified by both day of the month and day of the week and both will be required if specified. For example, setting the 17th day of the month and Tuesday will only run the command on the 17th day of a month when it is Tuesday. See [Table 18-10 on page 592](#) for examples of how to set the schedule parameter.

Note that if you modify scheduler, you must either restart the scheduler with the command `stop-msg sched` and `start-msg sched`, or you can send SIGHUP to the scheduler process:

```
kill -HUP scheduler_pid
```

Scheduler Examples

Run `imexpire` in verbose mode at 12:30am, 8:30am, and 4:30pm:

```
configutil -o local.schedule.rm_messages -v "30 0,8,16 * * *"  
/opt/SUNWmsgsr/sbin/imexpire -v
```

Display MTA channel queue message counters every 20 minutes:

```
configutil -o local.schedule.counters -v "20,40,60 * * * *"  
/opt/SUNWmsgsr/sbin/imsimta qm counters -show > temp.txt
```

Run `imsbackup` Monday through Friday at midnight (12AM):

```
configutil -o local.schedule.msbackup -v "0 0 * * 1-5"  
/opt/SUNWmsgsr/sbin/imsbackup -f backupfile /primary
```

To Configure a Greeting Message

Messaging Server allows you to create an email greeting message to be sent to each new user.

Console To create a new-user greeting by using Console:

1. In Console, open the Messaging Server whose new-user greeting you want to configure.
2. Click the Configuration tab. If the server's icon in the left pane is not already highlighted, select it.
3. Click the Miscellaneous tab in the right pane.
4. Create a new-user greeting or make changes, as needed.

You must format the greeting as an email message, with a header (containing at least a subject line), then a blank line, then the message body.

When you create a message, specify its language with the drop-down list above the message field. You can create several messages in several languages, if desired.

5. Click Save.

Command Line: To create a new-user greeting by using the command line:

```
configutil -o gen.newuserforms -v Message
```

Where *Message* must contain a header (with at least a subject line), followed by \$\$, then the message body. The \$ represents a new line.

For example, to enable this parameter, you can set the following configuration variables:

```
configutil -o gen.newuserforms -v 'Subject: Welcome!! $$ Sesta.com welcomes you
to the premier internet experience in Dafandzadgad!
```

Depending on the shell that you are using, it might be necessary to append a special character before \$ to escape the special meaning of \$. (\$ is often the escape character for the shell.)

To Set a Per-Domain Greeting Message

Whenever you create a new hosted domain, it is a good idea to create per-domain greeting messages for your supported languages. If this is not done, the generic greeting message set by `gen.newuserforms` will be sent.

You can set a greeting message for new users in each domain. The message can vary depending on the user's, the domain's, or the site's preferred language. This is done by setting the `mailDomainWelcomeMessage` attribute in the desired LDAP domain entry. The attribute syntax is as follows:

```
mailDomainWelcomeMessage;lang-user_prefLang
mailDomainWelcomeMessage;lang-domain_prefLang
mailDomainWelcomeMessage;lang-gen.sitelanguage
```

The following example sets the domain welcome message for English:

```
mailDomainWelcomeMessage;lang-en: Subject: Welcome!! $$Welcome to the mail
system.
```

The following example sets the domain welcome message for French:

```
mailDomainWelcomeMessage;lang-fr: Subject: Bienvenue!! $$Bienvenue a siroe.com!
```

Using the above examples, we assume the following:

- the domain is `siroe.com`
- a new user belongs to this domain
- the user's preferred language is French as specified by the LDAP attribute `preferredlanguage`

- siroe.com has the above English and French welcome messages available
- the site language is en as specified by `gen.sitelanguage`.

For a list of supported locales and their language value tag, see the *Directory Server Reference Manual* (http://docs.sun.com/source/816-6699-10/ax_inter.html#18744).

When the user logs in for the first time, they will receive the French greeting. If the French welcome message isn't available, they will get the English greeting.

Greeting Message Theory of Operations

Greeting messages can be set by both the LDAP attribute `mailDomainWelcomeMessage` and the `configutil` parameter `gen.newuserforms`. The order in which a message will get chosen, with the top one having the highest preference, is shown below:

```
mailDomainWelcomeMessage;lang-user_prefLang
mailDomainWelcomeMessage;lang-domain_prefLang
mailDomainWelcomeMessage;lang-gen.sitelanguage
mailDomainWelcomeMessage
gen.newuserforms;lang-"$user_prefLang"
gen.newuserforms;lang-"$domain_prefLang"
gen.newuserforms;lang-"$gen.sitelanguage"
gen.newuserforms
```

The algorithm works as follows: if there are no domains (or there are, but there is no per domain welcome message provisioned for them), a welcome message is configured with the `gen.newuserforms` parameter, if specified. If a user has a preferred language (set with the `preferredlanguage` LDAP attribute) and `gen.newuserforms;lang-user_prefLang` is set, the user will receive that welcome message at the time of their first log in to the server. If `gen.newuserforms;lang-gen.sitelanguage` is set, and `preferredlanguage` is not set, but the site language is set (using `gen.sitelanguage` parameter), user will receive that message. If no language tag parameter is set and a untagged `gen.newuserforms` is set, then that message will be sent to the user. If none of the values are set, user will not receive any welcome message.

If the user is in a domain, then similar to the discussion above, the user might receive one of `mailDomainWelcomeMessage;lang-xx`, depending on which one is available in the list and in the order given.

Example: Domain is `fantasia.com`. The domain preferred language is German (`de`). But the new user in this domain has preferred language of Turkish (`tr`). Site language is English. The following values are available (`mailDomainWelcomeMessage` are attributes of the domain `fantasia.com`):

```
mailDomainWelcomeMessage;lang-fr
mailDomainWelcomeMessage;lang-ja
gen.newuserforms;lang-de
gen.newuserforms;lang-en
gen.newuserforms
```

According to the algorithm, the message sent to user will be
gen.newuserforms;lang-de.

To Set a User-Preferred Language

Administrators can set a preferred language for the GUI and server-generated messages by setting the attribute `preferredLanguage` in the user's LDAP entry.

When the server sends messages to users outside of the server's administrative domain it does not know what their preferred language is unless it is responding to an incoming message with a preferred language specified in the incoming message's header. The header fields (`accept-language`, `Preferred-Language` or `X-Accept-Language`) are set according to attributes specified in the user's mail client.

If there are multiple settings for the preferred language—for example, if a user has a preferred language attribute stored in the Directory Server and also has a preferred language specified in their mail client—the server chooses the preferred language in the following order:

1. The `accept-language` header field of the original message.
2. The `Preferred-Language` header field of the original message.
3. The `X-Accept-Language` header field of the original message.
4. The preferred language attribute of the sender (if found in the LDAP directory).

To Set a Domain Preferred Language

A domain preferred language is a default language specified for a particular domain. For example, you may wish to specify Spanish for a domain called `mexico.siroe.com`. Administrators can set a domain preferred language by setting the attribute `preferredLanguage` in the domain's LDAP entry.

To Configure a Server Site Language

You can specify a default site language for your server as follows. The site language will be used to send language-specific versions of messages if no user preferred language is set.

Console: To specify a site language from Console:

1. Open the Messaging Server you want to configure.
2. Click the Configuration tab.
3. In the right pane, click the Miscellaneous tab.
4. From the site language drop-down list, choose the language you wish to use.
5. Click Save.

Command Line: you can also specify a site language at the command line as follows:

```
configutil -o gen.sitelanguage -v value
```

where *value* is one of the local supported languages. See the *Directory Server Reference Manual* for a list of supported locales and the language value tag (http://docs.sun.com/source/816-6699-10/ax_inter.html#18744).

To Customize Directory Lookups

Messaging Server cannot function without an LDAP-based directory system such as the Sun Java System Directory Server. Messaging Server and the Console requires directory access for a number of purposes. For example:

- When you first install a Messaging Server, you enter configuration settings for the server. These settings are stored in a central *configuration directory*. Part of the installation process includes configuring the connection to that directory.
- When you create or update account information for mail users or mail groups, the information is stored in a directory called the *user directory*. Your server group's Administration Server is configured at installation so that when you access Users and Groups, Console connects by default to the configuration directory that defines your *administrative topology*—the set of Sun Java System servers that all share the same configuration directory and user directory.

- When routing messages and delivering mail to mailboxes, Messaging Server looks up information about the sender or recipients in the user directory. By default, Messaging Server looks in the same user directory that its Administration Server has been configured to use.
- When authenticating a user for mail routing lookups.

You can modify each of these directory-configuration settings in the following ways:

- The Administration Server interface of Console lets you change the connection settings for the configuration directory. (For more information, see the Administration Server chapter of *Sun ONE Server Console 5.2 Server Management Guide*.)
- The Users and Groups interface of Console lets you temporarily connect to a different user directory from the default when making changes to user and group information. (For more information, see the Users and Groups chapter of *Sun ONE Server Console 5.2 Server Management Guide*.)
- The Messaging Server interface of Console lets you configure your Messaging Server to connect to a different user directory from the default defined by the Administration Server. This is the configuration task discussed in this section.

Reconfiguring your Messaging Server to connect to a different user directory for user and group lookups is strictly optional. In most cases, the user directory that defines your server's administrative domain is the one used by all servers in the domain.

NOTE If you specify a custom user directory for your Messaging Server lookups, you must also specify that same directory whenever you access the Users and Groups interface of Console to make changes to the directory's user or group information.

Console: To modify the Messaging Server LDAP user-lookup settings by using Console:

1. From Console, open the Messaging Server whose LDAP connection you want to customize.
2. Click the Configuration tab.
3. Select the Services folder in the left pane.

4. Select the LDAP tab in the right pane. The LDAP form appears.

The LDAP form displays the configuration settings for both the configuration directory and the user directory. The configuration-directory settings, however, are read-only in this form. See the Administration Server chapter of *Sun ONE Server Console 5.2 Server Management Guide* if you need to change them.

5. To change the user-directory connection settings, click the box labeled “Use messaging server specific directory settings”.
6. Update the LDAP configuration by entering or modifying any of the following information (for explanations of directory concepts, including definitions of terms such as *distinguished name*, see the *Directory Server Administration Guide*):

Host name: The name of the host machine on which the directory containing your installation’s user information resides. This is typically not the same as the Messaging Server host, although for very small installations it might be.

Port number: The port number on the directory host that Messaging Server must use to access the directory for user lookup. This number is defined by the directory administrator, and may not necessarily be the default port number (389).

Base DN: The search base—the distinguished name of a directory entry that represents the starting point for user lookups. To speed the lookup process, the search base should be as close as possible in the directory tree to the information being sought. If your installation’s directory tree has a “people” or “users” branch, that is a reasonable starting point.

Bind DN: The distinguished name that your Messaging Server uses to represent itself when it connects to the directory server for lookups. The bind DN must be the distinguished name of an entry in the user directory itself that has been given search privileges to the user portion of the directory. If the directory allows anonymous search access, you can leave this entry blank.

7. To change the password used in conjunction with the Bind DN, to authenticate this Messaging Server to the LDAP directory for user lookups, click the Change Bind password button. A Password-Entry window opens, into which you can enter the updated password.

Your own security policies should determine what password you use in this situation. Initially, the password is set to no password. The password is not used if you have specified anonymous access by leaving the Bind DN field blank.

This step updates the password stored in server configuration, but does not change the password in the LDAP server. This account is also used for PAB lookups by default. The following two steps need to be performed after the password has been changed.

8. Modify the password for the user specified in the configuration attribute `local.ugldapbinddn`. This user account exists in the directory server specified in configuration attribute `local.ugldaphost`.
9. If the same account is used for PAB access, specified in the attributes `local.service.pab.ldapbinddn` and `local.service.pab.ldaphost`, then the password stored in `local.service.pab.ldappasswd` must be updated.

To return to using the default user directory, uncheck the “Use messaging server specific directory settings” box.

Command Line: You can also set values for the user-directory connection settings at the command line as follows. Be sure to also set the LDAP and PAB password as described in the steps 8 and 9 above.

To specify whether to use Messaging Server specific directory settings:

```
configutil -o local.ugldapuselocal -v [ yes | no ]
```

To specify the LDAP host name for user lookup:

```
configutil -o local.ugldaphost -v name[:port_number]
```

To specify the LDAP port number for user lookup:

```
configutil -o local.ugldapport -v number
```

To specify the LDAP base DN for user lookup:

```
configutil -o local.ugldapbasedn -v basedn
```

To specify the LDAP bind DN for user lookup:

```
configutil -o local.ugldapbinddn -v binddn
```

Encryption Settings

You can use Console to enable Secure Sockets Layer (SSL) encryption and authentication for Messaging Server and to select the specific encryption ciphers that the server will support across all of its services.

Although this task is a general configuration task, it is described in the section “Enabling SSL” in [Chapter 19, “Configuring Security and Access Control”](#) which also contains background information on all security and access-control topics for Messaging Server.

Setting a Failover LDAP Server

It is possible to specify more than one LDAP server for the user/group directory so that if one fails another takes over:

1. Set `local.ugldaphost` to the multiple LDAP machines. Example:

```
configutil -o local.ugldaphost -v "server1 server2 ..."
```

2. Set `local.ugldapuselocal` to `yes`. This specifies that the user/group LDAP configuration data will be stored in the local configuration file. Otherwise, it is stored in LDAP. Example:

```
configutil -o local.ugldapuselocal -v yes
```

If the first server on the list fails, the existing LDAP connections will get recognized as down and new connections will be made. When a new ldap connection is needed, the ldap library will try all the ldap servers in the order they're listed.

Just as there is failover for the user/group directory one can similarly set failover servers for configuration directory. The configuration attribute is `local.ldaphost`.

Configuring POP, IMAP, and HTTP Services

Messaging Server supports the Post Office Protocol 3 (POP3), the Internet Mail Access Protocol 4 (IMAP4), and the HyperText Transfer Protocol (HTTP) for client access to mailboxes. IMAP and POP are both Internet-standard mailbox protocols. Messenger Express, a web-enabled electronic mail program, lets end users access their mailboxes using a browser running on an Internet-connected computer system using HTTP.

This chapter describes how to configure your server to support one or more of these services by using the Sun ONE Console or by using command-line utilities.

For information on configuring Simple Mail Transfer Protocol (SMTP) services, see [Chapter 10, “About MTA Services and Configuration”](#).

This chapter contains the following sections:

- [“General Configuration” on page 124](#)
- [“Login Requirements” on page 126](#)
- [“Performance Parameters” on page 128](#)
- [“Client Access Controls” on page 132](#)
- [“To Configure POP Services” on page 132](#)
- [“To Configure IMAP Services” on page 134](#)
- [“To Configure HTTP Services” on page 136](#)

General Configuration

Configuring the general features of the Messaging Server POP, IMAP, and HTTP services includes enabling or disabling the services, assigning port numbers, and optionally modifying service banners sent to connecting clients. This section provides background information; for the steps you follow to make these settings, see [“To Configure POP Services” on page 132](#), [“To Configure IMAP Services” on page 134](#), and [“To Configure HTTP Services” on page 136](#).

Enabling and Disabling Services

You can control whether any particular instance of Messaging Server makes its POP, IMAP, or HTTP service available for use. This is not the same as starting and stopping services (see [“Starting and Stopping Services” on page 107](#)); to function, POP, IMAP, or HTTP must be both enabled and started.

Enabling a service is a more “global” process than starting or stopping a service. For example, the Enable setting persists across system reboots, whereas you must restart a previously “stopped” service after a reboot.

There is no need to enable services that you do not plan to use. For example, if a Messaging Server instance is used only as a message transfer agent (MTA), you should disable POP, IMAP, and HTTP. If it is used only for POP services, you should disable IMAP and HTTP. If it used only for web-based email, you should disable both POP and IMAP.

You can enable or disable services at the server level. This process is described in this chapter. [“To Specify What Services are Started” on page 110](#) also describes this process. You can also enable or disable services at the user level by setting specified LDAP attribute `mailAllowedServiceAccess`.

Specifying Port Numbers

For each service, you can specify the port number that the server is to use for service connections:

- If you enable the POP service, you can specify the port number that the server is to use for POP connections. The default is 110.
- If you enable the IMAP service, you can specify the port number that the server is to use for IMAP connections. The default is 143.

- If you enable the HTTP service, you can specify the port number that the server is to use for HTTP connections. The default is 80.

You might need to specify a port number other than the default if you have, for example, two or more IMAP server instances on a single host machine, or if you are using the same host machine as both an IMAP server and a Messaging Multiplexor server. (For information about the Multiplexor, see [Chapter 7, “Configuring and Administering Multiplexor Services”](#).)

Keep the following in mind when you specify a port:

- Port numbers can be any number from 1 to 65535.
- Make sure the port you choose isn’t already in use or reserved for another service.

Ports for Encrypted Communications

Messaging Server supports encrypted communications with IMAP, POP and HTTP clients by using the Secure Sockets Layer (SSL) protocol. For general information on support for SSL in Messaging Server, see [“Configuring Encryption and Certificate-Based Authentication” on page 649](#).

IMAP Over SSL

You can accept the default (recommended) IMAP over SSL port number (993) or you can specify a different port for IMAP over SSL.

Messaging Server provides the option of using separate ports for IMAP and IMAP over SSL because most current IMAP clients require separate ports for them. Same-port communication with both IMAP and IMAP over SSL is an emerging standard; as long as your Messaging Server has an installed SSL certificate (see [“Obtaining Certificates through the Administration Console” on page 651](#)), it can support same-port IMAP over SSL.

Pop Over SSL

The default separate SSL port for POP is 995. One can also initiate SSL over normal POP port with the command “STLS” (see [“To Configure POP Services” on page 132](#)).

HTTP Over SSL

You can accept the default HTTP over SSL port number (443) or you can specify a different port for HTTPS.

Service Banner

When a client first connects to the Messaging Server POP or IMAP port, the server sends an identifying text string to the client. This service banner (not normally displayed to the client's user) identifies the server as Sun Java System Messaging Server, and gives the server's version number. The banner is most typically used for client debugging or problem-isolation purposes.

You can replace the default banner for the POP or IMAP service if you want a different message sent to connecting clients.

You can use Sun ONE Console or the `configutil` utility (`service.imap.banner`, `service.pop.banner`) to set service banners. For detailed syntax information about `configutil`, see the *Sun Java System Messaging Server Administration Reference* (<http://docs.sun.com/doc/819-0106>).

Login Requirements

You can control how users are permitted to log in to the POP, IMAP, or HTTP service to retrieve mail. You can allow password-based login (for all services), and certificate-based login (for IMAP or HTTP services). This section provides background information; for the steps you follow to make these settings, see “[To Configure POP Services](#)” on page 132, “[To Configure IMAP Services](#)” on page 134, or “[To Configure HTTP Services](#)” on page 136. In addition, you can specify the valid login separator for POP logins.

To Set the Login Separator for POP Clients

Some mail clients will not accept @ as the login separator (that is, the @ in an address like `uid@domain`). Examples of these clients are Netscape Messenger 4.76, Netscape Messenger 6.0, and Microsoft Outlook Express on Windows 2000. The workaround is as follows:

1. Make + a valid separator with the following command:

```
configutil -o service.loginseparator -v "@+"
```

2. Inform POP client users that they should login with + as the login separator, not @.

To Allow Log In without Using the Domain Name

A typical login involves the user entering a user ID followed by a separator and the domain name and then the password. Users in the default domain specified during installation, however, can log in without entering a domain name or separator.

To allow users of other domains to log in with just the user ID (that is, without having to use the domain name and separator) set

`sasl.default.ldap.searchfordomain` to 0. Note that the user ID must be unique to the entire directory tree. If it is not unique, logging in without the domain name will not work.

You may wish to modify the attribute that user must enter to log in. For example if you want to allow the user to log in with a phone number (`telephoneNumber`) or employee number (`employeeID`) change the LDAP search defined by `configutil` parameter `sasl.default.ldap.searchfilter`. This parameter is a global default setting for the `inetdomainsearchfilter` per-domain attribute and follows the same syntax.

Refer to the *Sun Java System Messaging Server Administration Reference* (<http://docs.sun.com/doc/819-0106>) for further information on these parameters.

Password-Based Login

In typical messaging installations, users access their mailboxes by entering a password into their POP, IMAP or HTTP mail client. The client sends the password to the server, which uses it to authenticate the user. If the user is authenticated, the server decides, based on access-control rules, whether or not to grant the user access to certain mailboxes stored on that server.

If you allow password login, users can access POP, IMAP, or HTTP by entering a password. (Password- or SSL-based login is the only authentication method for POP services.) Passwords are stored in an LDAP directory. Directory policies determine what password policies, such as minimum length, are in effect.

If you disallow password login for IMAP or HTTP services, password-based authentication is not permitted. Users are then required to use certificate-based login, as described in the next section.

To increase the security of password transmission for IMAP and HTTP services, you can require that passwords be encrypted before they are sent to your server. You do this by selecting a minimum cipher-length requirement for login.

- If you choose 0, you do not require encryption. Passwords are sent in the clear or they are encrypted, depending on client policy.

- If you choose a nonzero value, the client must establish an SSL session with the server—using a cipher whose key length is at least the value you specify—thus encrypting any IMAP or HTTP user passwords the client sends.

If the client is configured to require encryption with key lengths greater than the maximum your server supports, or if your server is configured to require encryption with key lengths greater than what the client supports, password-based login cannot occur. For information on setting up your server to support various ciphers and key lengths, see [“To Enable SSL and Selecting Ciphers” on page 656](#).

Certificate-Based Login

In addition to password-based authentication, Sun Java System servers support the authentication of users through examination of their digital certificates. Instead of presenting a password, the client presents the user’s certificate when it establishes an SSL session with the server. If the certificate is validated, the user is considered authenticated.

For instructions on setting up Messaging Server to accept certificate-based user login to the IMAP or HTTP service, see [“To Set Up Certificate-Based Login” on page 658](#).

You don’t need to uncheck the “Allow password login” box in the IMAP or HTTP System form to enable certificate-based login. If the box is checked (its default state), and if you have performed the tasks required to set up certificate-based login, both password-based and certificate-based login are supported. Then, if the client establishes an SSL session and supplies a certificate, certificate-based login is used. If the client does not use SSL or does not present a client certificate, it will send a password instead.

Performance Parameters

You can set some of the basic performance parameters for the POP, IMAP, and HTTP services of Messaging Server. Based on your hardware capacity and your user base, you can adjust these parameters for maximum efficiency of service. This section provides background information; for the steps you follow to make these settings, see [“To Configure POP Services” on page 132](#), [“To Configure IMAP Services” on page 134](#), or [“To Configure HTTP Services” on page 136](#).

Number of Processes

Messaging Server can divide its work among several executing processes, which in some cases can increase efficiency. This capability is especially useful with multiprocessor server machines, in which adjusting the number of server processes can allow more efficient distribution of multiple tasks among the hardware processors.

There is a performance overhead, however, in allocating tasks among multiple processes and in switching from one process to another. The advantage of having multiple processes diminishes with each new one added. A simple rule of thumb for most configurations is to have one process per hardware processor on your server machine, up to a maximum of perhaps 4 processes. Your optimum configuration may be different; this rule of thumb is meant only as a starting point for your own analyses.

Note: On some platforms you might also want to increase the number of processes to get around certain per-process limits (such as the maximum number of file descriptors), specific to that platform, that may affect performance.

The default number of processes is 1 each for the POP, IMAP, or HTTP service.

Number of Connections per Process

The more simultaneous client connections your POP, IMAP, or HTTP service can maintain, the better it is for clients. If clients are denied service because no connections are available, they must then wait until another client disconnects.

On the other hand, each open connection consumes memory resources and makes demands on the I/O subsystem of your server machine, so there is a practical limit to the number of simultaneous sessions you can expect the server to support. (You might be able to increase that limit by increasing server memory or I/O capacity.)

IMAP, HTTP, and POP have different needs in this regard:

- IMAP connections are generally long-lived compared to POP and HTTP connections. When a user connects to IMAP to download messages, the connection is usually maintained until the user quits or the connection times out. In contrast, a POP or HTTP connection is usually closed as soon as the POP or HTTP request has been serviced.
- IMAP and HTTP connections are generally very efficient compared to POP connections. Each POP reconnection requires re-authentication of the user. In contrast, an IMAP connection requires only a single authentication because the connection remains open for the duration of the IMAP session (login to

logout). An HTTP connection is short, but the user need not reauthenticate for each connection because multiple connections are allowed for each HTTP session (login to logout). POP connections, therefore, involve much greater performance overhead than IMAP or HTTP connections. Messaging Server, in particular, has been designed to require very low overhead by open but idle IMAP connections and by multiple HTTP connections.

NOTE For more information about HTTP session security, see [“About HTTP Security” on page 643](#).

Thus, at a given moment for a given user demand, Messaging Server may be able to support many more open IMAP or HTTP connections than POP connections.

The default value for IMAP is 4000; the default value for HTTP is 6000 connections per process; the default value for POP is 600. These values represent roughly equivalent demands that can be handled by a typically configured server machine. Your optimum configuration may be different; these defaults are meant only as general guidelines.

Typically, active POP connections are much more demanding on server resources and bandwidth than active IMAP connections since IMAP connections are idle most of the time while POP connections are constantly downloading messages. Having a lower number of sessions for POP is correct. Conversely, POP connections only last as long as it takes to download email, so an active POP user is only connected a small percentage of the time, while IMAP connections stay connected between successive mail checks.

Number of Threads per Process

Besides supporting multiple processes, Messaging Server further improves performance by subdividing its work among multiple threads. The server’s use of threads greatly increases execution efficiency, because commands in progress are not holding up the execution of other commands. Threads are created and destroyed, as needed during execution, up to the maximum number you have set.

Having more simultaneously executing threads means that more client requests can be handled without delay, so that a greater number of clients can be serviced quickly. However, there is a performance overhead to dispatching among threads, so there is a practical limit to the number of threads the server can make use of.

For POP, IMAP, and HTTP, the default maximum value is 250 threads per process. The numbers are equal despite the fact that the default number of connections for IMAP and HTTP is greater than for POP. It is assumed that the more numerous IMAP and HTTP connections can be handled efficiently with the same maximum number of threads as the fewer, but busier, POP connections. Your optimum configuration may be different, but these defaults are high enough that it is unlikely you would ever need to increase them; the defaults should provide reasonable performance for most installations.

Dropping Idle Connections

To reclaim system resources used by connections from unresponsive clients, the IMAP4, POP3, and HTTP protocols permit the server to unilaterally drop connections that have been idle for a certain amount of time.

The respective protocol specifications require the server to keep an idle connection open for a minimum amount of time. The default times are 10 minutes for POP, 30 minutes for IMAP, 3 minutes for HTTP. You can increase the idle times beyond the default values, but you cannot make them less.

If a POP or IMAP connection is dropped, the user must reauthenticate to establish a new connection. In contrast, if an HTTP connection is dropped, the user need not reauthenticate because the HTTP session remains open. For more information about HTTP session security, see [“About HTTP Security” on page 643](#).

Idle POP connections are usually caused by some problem (such as a crash or hang) that makes the client unresponsive. Idle IMAP connections, on the other hand, are a normal occurrence. To keep IMAP users from being disconnected unilaterally, IMAP clients typically send a command to the IMAP server at some regular interval that is less than 30 minutes.

Logging Out HTTP Clients

An HTTP session can persist across multiple connections. HTTP clients are not logged out when a connection is dropped. However, if an HTTP session remains idle for a specified time period, the server will automatically drop the HTTP session and the client is logged out (the default time period is 2 hours). When the session is dropped, the client’s session ID becomes invalid and the client must reauthenticate to establish another session. For more information about HTTP security and session ID’s, see [“About HTTP Security” on page 643](#).

Client Access Controls

Messaging Server includes access-control features that allow you to determine which clients can gain access to its POP, IMAP, or HTTP messaging services (and SMTP as well). You can create flexible access filters that allow or deny access to clients based on a variety of criteria.

Client access control is an important security feature of Messaging Server. For information on creating client access-control filters and examples of their use, see [“Configuring Client Access to POP, IMAP, and HTTP Services” on page 664](#) and [“Configuring Client Access to SMTP Services” on page 679](#).

To Configure POP Services

You can perform basic configuration of the Messaging Server POP service by using the `configutil` command or by using Sun ONE Console. Some of the more common POP services options are given in this chapter. A complete listing can be found in the *Sun Java System Messaging Server Administration Reference*.

For more information, see also:

- [“Enabling and Disabling Services” on page 124](#)
- [“To Set the Login Separator for POP Clients” on page 126](#)
- [“Specifying Port Numbers” on page 124](#)
- [“Number of Connections per Process” on page 129](#)
- [“Dropping Idle Connections” on page 131](#)
- [“Number of Threads per Process” on page 130](#)
- [“Number of Processes” on page 129](#)

Console To configure the POP service using Console:

1. From Sun ONE Console, open the Messaging Server you want to configure.
2. Click the Configuration tab and open the Services folder in the left pane.
3. Select POP.
4. Click the System tab in the right pane.
5. To enable the service, check the box labeled “Enable POP service at port” and assign a port number.

6. Specify connection settings as follows:
 - o Set the maximum number of network connections per process. For more information, see [“Number of Connections per Process” on page 129](#).
 - o Set the maximum idle time for connections. For more information, see [“Dropping Idle Connections” on page 131](#).
7. Specify process settings as follows:
 - o Set the maximum number of threads per process. For more information, see [“Number of Threads per Process” on page 130](#).
 - o Set the maximum number of processes. For more information, see [“Number of Processes” on page 129](#).
8. If desired, in the POP service banner field, specify a service banner.
9. Click Save.

NOTE For the POP service, password-based login is automatically enabled.

Command Line You can set values for POP attributes at the command line as follows:

To enable or disable the POP service:

```
configutil -o service.pop.enable -v [ yes | no ]
```

To specify the port number:

```
configutil -o service.pop.port -v number
```

To set the maximum number of network connections per process:

```
configutil -o service.pop.maxsessions -v number
```

To set the maximum idle time for connections:

```
configutil -o service.pop.idletimeout -v number
```

To set the maximum number of threads per process:

```
configutil -o service.pop.maxthreads -v number
```

To set the maximum number of processes:

```
configutil -o service.pop.numprocesses -v number
```

To enable POP over SSL:

```
configutil -o service.pop.enablesslport -v 1  
configutil -o service.pop.sslport -v 995
```

Note that TLS is also supported if SSL is configured correctly.

To specify a protocol welcome banner:

```
configutil -o service.pop.banner -v banner
```

To Configure IMAP Services

You can perform basic configuration of the Messaging Server IMAP service by using the `configutil` command or by using Sun ONE Console. Some of the more common IMAP services options are given in this section. A complete listing can be found in the *Sun Java System Messaging Server Administration Reference*. For more information, see also:

- [“Enabling and Disabling Services” on page 124](#)
- [“Specifying Port Numbers” on page 124](#)
- [“Password-Based Login” on page 127](#)
- [“Number of Connections per Process” on page 129](#)
- [“Dropping Idle Connections” on page 131](#)
- [“Number of Threads per Process” on page 130](#)
- [“Number of Processes” on page 129](#)

Console To configure the IMAP service from the Console:

1. From Sun ONE Console, open the Messaging Server you want to configure.
2. Click the Configuration tab and open the Services folder in the left pane.
3. Select IMAP.
4. Click the System tab in the right pane.
5. To enable the service, check the box labeled “Enable IMAP service at port” and assign a port number.
6. If desired, enable password-based login.
7. Specify connection settings as follows:
 - Set the maximum number of network connections per process. For more information, see [“Number of Connections per Process” on page 129](#).

- Set the maximum idle time for connections. For more information, see [“Dropping Idle Connections” on page 131](#).
8. Specify process settings as follows:
 - Set the maximum number of threads per process. For more information, see [“Number of Threads per Process” on page 130](#).
 - Set the maximum number of processes. For more information, see [“Number of Processes” on page 129](#).
 9. If desired, in the IMAP service banner field, specify a service banner.
 10. Click Save.

Command Line You can set values for the IMAP attributes at the command line as follows:

To enable or disable the IMAP service:

```
configutil -o service.imap.enable -v [ yes | no ]
```

To specify the port number:

```
configutil -o service.imap.port -v number
```

To enable a separate port for IMAP over SSL:

```
configutil -o service.imap.enablesslport -v [ yes | no ]
```

To specify a port number for IMAP over SSL:

```
configutil -o service.imap.sslport -v number
```

To enable or disable password login to the IMAP service:

```
configutil -o service.imap.plaintextmncipher -v value
```

where *value* is one of the following:

- 1 - Disables password login
- 0 - Enables password login without encryption
- 40 - Enables password login and specifies an encryption strength
- 128 - Enables password login and specifies an encryption strength

To set the maximum number of network connections per process:

```
configutil -o service.imap.maxsessions -v number
```

To set the maximum idle time for connections:

```
configutil -o service.imap.idletimeout -v number
```

To set the maximum number of threads per process:

```
configutil -o service.imap.maxthreads -v number
```

To set the maximum number of processes:

```
configutil -o service.imap.numprocesses -v number
```


To specify a protocol welcome banner:

```
configutil -o service.imap.banner -v banner
```

To Configure HTTP Services

POP and IMAP clients send mail directly to Messaging Server MTA for routing or delivery. In contrast, HTTP clients send mail to a specialized web server that is part of Messaging Server. The HTTP service then sends the message to the local MTA or to a remote MTA for routing or delivery, as shown in Figure 5-1. If Messaging Server is used only for web-based email, disable both POP and IMAP.

Figure 5-1 HTTP Service Components



Many of the HTTP configuration parameters are similar to the parameters available for the POP and IMAP services. These include parameters for connection settings and process settings. Some of the more common HTTP service options are given in this section. A complete listing can be found in the *Sun Java System Messaging Server Administration Reference*. For more information, see also:

- “Enabling and Disabling Services” on page 124
- “Specifying Port Numbers” on page 124
- “Password-Based Login” on page 127
- “Number of Connections per Process” on page 129
- “Dropping Idle Connections” on page 131
- “Logging Out HTTP Clients” on page 131
- “Number of Threads per Process” on page 130
- “Number of Processes” on page 129

Some parameters are specific to the HTTP service; these include parameters for message settings and MTA settings.

Message Settings When an HTTP client constructs a message with attachments, the attachments are uploaded to the server and stored in a file. The HTTP service retrieves the attachments and constructs the message before sending the message to an MTA for routing or delivery. You can accept the default attachment spool directory or specify an alternate directory. You can also specify a maximum size allowed for attachments.

MTA Settings By default, the HTTP service sends outgoing web mail to the local MTA for routing or delivery. You might want to configure the HTTP service to send mail to a remote MTA, for example, if your site is a hosting service and most recipients are not in the same domain as the local host machine. To send web mail to a remote MTA, you need to specify the remote host name and the SMTP port number for the remote host.

Console To configure your HTTP service by using Sun ONE Console:

1. From Sun ONE Console, open the Messaging Server you want to configure.
2. Click the Configuration tab and open the Services folder in the left pane.
3. Select HTTP.
4. Click the System tab in the right pane.

5. To enable the service, check the box labeled “Enable HTTP service at port” and assign a port number.
6. If desired, enable password-based login.
7. Specify connection settings as follows:
 - Set the maximum number of network connections per process. For more information, see “[Number of Connections per Process](#)” on page 129.
 - Set the maximum idle time for connections. For more information, see “[Dropping Idle Connections](#)” on page 131.
 - Set the maximum idle time for client sessions. For more information, see “[Logging Out HTTP Clients](#)” on page 131.
8. Specify process settings as follows:
 - Set the maximum number of threads per process. For more information, see “[Number of Threads per Process](#)” on page 130.
 - Set the maximum number of processes. For more information, see “[Number of Processes](#)” on page 129.
9. Specify Message settings as follows:
 - If desired, specify the attachment spool directory.
 - If desired, specify the maximum outgoing mail size. Note that this includes all the attachments encoded in base64, and that base64 encoding requires an extra 33% more space. Thus a 5 megabyte limit in the console results in the maximum size of one message and attachments being about 3.75M.

For more information, see “[Message Settings](#)” on page 137.

10. Specify MTA settings as follows:
 - If desired, specify an alternate MTA host name.
 - If required, specify an alternate MTA port.

For more information, see “[MTA Settings](#)” on page 137.

11. Click Save.

Command Line You can set values for the HTTP attributes at the command line as follows (see *Sun Java System Messaging Server Administration Reference* at <http://docs.sun.com/doc/819-0106> for more info):

To enable or disable the HTTP service:

```
configutil -o service.http.enable -v [ yes | no ]
```

To specify the port number:

```
configutil -o service.http.port -v number
```

To enable a separate port for HTTP over SSL:

```
configutil -o service.http.enablesslport -v [ yes | no ]
```

To specify a port number for HTTP over SSL:

```
configutil -o service.http.sslport -v number
```

To enable or disable password login:

```
configutil -o service.http.plaintextmincipher -v value
```

where *value* is one of the following:

- 1 - Disables password login
- 0 - Enables password login without encryption
- 40 - Enables password login and specifies an encryption strength
- 128 - Enables password login and specifies an encryption strength

To set the maximum number of network connections per process:

```
configutil -o service.http.maxsessions -v number
```

To set the maximum idle time for connections:

```
configutil -o service.http.idletimeout -v number
```

To set the maximum idle time for client sessions:

```
configutil -o service.http.sessiontimeout -v number
```

To set the maximum number of threads per process:

```
configutil -o service.http.maxthreads -v number
```

To set the maximum number of processes:

```
configutil -o service.http.numprocesses -v number
```

To specify the attachment spool directory for client outgoing mail:

```
configutil -o service.http.spooldir -v dirpath
```

To specify the maximum message size:

```
configutil -o service.http.maxmessagesize -v size
```

where *size* is a number in bytes. Note that this includes all the attachments encoded in base64, and that base64 encoding requires an extra 33% more space. Thus a 5 megabyte limit in the console results in the maximum size of one message and attachments being about 3.75M.

To specify an alternate MTA host name:

```
configutil -o service.http.smtphost -v hostname
```

To specify the port number for the alternate MTA host name:

```
configutil -o service.http.smtpport -v portnum
```

Enabling Single Sign-On (SSO)

Single sign-on is the ability for an end user to authenticate once (that is, log on with user ID and password) and have access to multiple applications. The Sun Java System Access Manager (note that this used to be called Identity Server) is the official gateway used for SSO for Sun Java System servers. That is, users must log into Access Manager to get access to other SSO configured servers.

For example, when properly configured, a user can sign in at the Sun Java System Access Manager login screen and have access to Messenger Express, in another window without having to sign in again. Similarly, if the Sun Java System Calendar Server is properly configured, a user can sign in at the Sun Java System Access Manager login screen, then have access to their Calendar in another window without having to sign in again.

It should be noted that Messaging Server provides two methods of deploying SSO. The first way is through the Sun Java System Access Manager, the second way is through communications servers trusted circle technology. Using a trusted circle is the legacy method of implementing SSO. Though this method provides some features not available with Access Manager SSO, we do not recommend using it since all future development will be with the Access Manager. Both methods, however, are described in the following sections:

- [“Access Manager SSO for Sun Java System Servers” on page 141](#)
- [“Trusted Circle SSO \(Legacy\)” on page 144](#)

Access Manager SSO for Sun Java System Servers

This section describes SSO using Access Manager. It consists of the following sections:

- “SSO Limitations and Notices” on page 142
- “Configuring Messaging Server to Support SSO” on page 142
- “Troubleshooting SSO” on page 144

SSO Limitations and Notices

- The Messenger Express session is only valid for as long as the Access Manager session is valid. If the user logs out of Access Manager the webmail session is automatically closed (single sign-off).
- SSO Applications working together must be in the same DNS domain. (Also known as cookie domain).
- SSO Applications must have access to Access Manager verification URL (naming service).
- Browsers must have cookies.

Configuring Messaging Server to Support SSO

Four `configutil` parameters support Messaging Server SSO. Of these four, only one, `local.webmail.sso.amnamingurl` is required to enable SSO with Messaging Server. To enable SSO, set this parameter to the URL where Access Manager runs the naming service. Typically this URL is `http://server/amserver/namingservice`. Example:

```
configutil -o local.webmail.sso.amnamingurl -v
http://sca-walnut:88/amserver/namingservice
```

NOTE Access Manager SSO does not look at `local.webmail.sso.enable` which enables the older SSO mechanism. `local.webmail.sso.enable` should be left to `off` or `unset` otherwise warning messages will be logged about missing configuration parameters which are needed for the old SSO mechanism.

You can modify the SSO configuration parameters shown in [Table 6-3](#), by using the `configutil` command.

Table 6-1 Access Manager Single Sign-On Parameters

Parameter	Description
<code>local.webmail.sso.amnamingurl</code>	<p>The URL where Access Manager runs the naming service. Mandatory variable for single sign-on through Access Manager. Typically this URL is <code>http://server/amserver/namingservice</code>.</p> <p>Default: Not set.</p>
<code>local.webmail.sso.amcookieName</code>	<p>Access Manager cookie name. If Access Manager is configured to use another cookie name, then that name needs to be configured in Messaging Server as <code>local.webmail.sso.amcookieName</code> so that Messaging Server knows what to look for when doing single-sign on. Default value is <code>iPlanetDirectoryPro</code> and must not be changed if Access Manager has the default configuration.</p> <p>Default: <code>iPlanetDirectoryPro</code></p>
<code>local.webmail.sso.amLogLevel</code>	<p>AMSDK logging level. The SSO library used by Messaging Server has its own logging mechanism separate from Messaging Server. Its messages are logged in a file called <code>http_sso</code> under <code>msg_svr_base/log</code>. By default only messages with <i>info</i> or higher are logged, but it is possible to increase the logging level by setting the logging level to a value from 1 to 5 (1 = errors, 2 = warnings, 3 = info, 4 = debug, 5 = maxdebug). Be aware that the library doesn't have the same notion of message importances as Messaging Server and that setting the level to <i>debug</i> can result in a lot of meaningless data. Also the <code>http_sso</code> log file is not managed by common Messaging Server logging code and is never cleaned up or rolled over. It is the responsibility of the system administrator to clean it up when setting the log level higher than the default.</p> <p>Default: 3</p>
<code>local.webmail.sso.singleSignoff</code>	<p>Single sign-off from Messaging Server to Access Manager. Access Manager is the central authentication authority, and single sign-off is always enabled from Access Manager to Messaging Server. This option allows a site to configure whether the <i>logout</i> button in webmail should also log the user out of Access Manager (saving some customization work). By default this is enabled. If this is disabled, a user logging out of the default webmail client is automatically logged back in since <i>logout</i> refers to the root document and the root document refers to the inbox display as long as the Access Manager cookie exists and is valid. Therefore, a site choosing to disable this option needs to customize what happens at webmail logout.</p> <p>Default: yes</p>

Troubleshooting SSO

If there is a problem with SSO, the first thing to do is check the webmail log file `msg_svr_base/log/http` for errors. Increasing the logging level may be helpful (`configutil -o logfile.http.loglevel -v debug`). If this does not help, then check the `amsdk` messages in `msg_svr_base/log/http_sso`, then increase the `amsdk` logging level (`configutil -o local.webmail.sso.amloglevel -v 5`). Note that new logging levels only take effect after server restart.

If SSO is still having problems, make sure you are using fully qualified host names of both Access Manager and Messaging Server during log in. Cookies are only shared between servers of the same domain, and browsers do not know what the domain is for local server names, so one must use the fully qualified names in the browser for SSO to work.

Trusted Circle SSO (Legacy)

This section describes trusted circle SSO. We do not recommend using this method of SSO since all future development will be with the Access Manager. However, there is some functionality available with trusted circle SSO that is not available with Access Manager SSO at this time. This section consists of the following sections:

- [“Trusted Circle SSO Overview and Definitions” on page 144](#)
- [“Trusted Circle SSO Applications” on page 145](#)
- [“Trusted Circle SSO Limitations” on page 146](#)
- [“Example Trusted Circle SSO Deployment Scenarios” on page 146](#)
- [“Setting Up Trusted Circle SSO” on page 148](#)
- [“Messenger Express Trusted SSO Configuration Parameters” on page 152](#)

Trusted Circle SSO Overview and Definitions

Before deploying SSO it is important to understand the following terminology.

- **SSO: Single Sign-On.** The ability to sign on to one application and be able access the other applications. The user identification is the same throughout all applications.

- **Trusted applications.** Applications sharing the SSO scheme (*SSO Prefix*) and trusting each other's cookies and verifications. Also known as *Peer SSO applications*.
- **Trusted circle.** The circle of trusted applications. They share the same SSO Prefix.
- **SSO Prefix.** A string defined by the person deploying SSO and made known to applications so they can use it to find cookies generated by other applications in the same trusted circle. Applications with different prefixes are not in the same circle and the user needs to re-authenticate when moving between these applications. The prefix sometimes, but not always, explicitly contains the trailing - ("-") in the configuration setting.
- **Application ID.** (appid). A unique string defined by the person deploying SSO for each application in the SSO circle.
- **SSO Cookie.** A token that the browser uses to remember that the user has authenticated to some application. The name of the cookie is of the form *SSO_prefix-application ID*. The value of the cookie is the SSO key, usually a session ID generated by the application.
- **Cookie Domain.** A domain within which the application is restricted to send cookies. This is a domain in the DNS sense.
- **Verification URL.** A URL used by one application to verify the cookie it found to another application.

Trusted Circle SSO Applications

Before implementing SSO, you must first consider which applications will be in this trusted circle. The applications which can be in this trusted circle are Messenger Express (with or without Messenger Express Multiplexor), Calendar Express, and the old iPlanet Delegated Administrator for Messaging (not recommended because it only supports Sun LDAP Schema 1).

Table 6-2 shows which applications can be accessed from each other via SSO. From a user's point of view, logging into one of the applications on the first column, SSO works if the user is able to access application across the top row without having to re-enter user id and passwords.

Table 6-2 SSO Interoperability

From:	To:	Calendar Express	Messenger Express	Messenger Express Multiplexor	Delegated Administrator
Calendar Express	SSO	SSO	SSO	SSO	SSO
Messenger Express	SSO	SSO	N/A	N/A	SSO
Messenger Express Multiplexor	SSO	SSO	N/A	N/A	SSO
Delegated Administrator	SSO	SSO	SSO	SSO	N/A


Trusted Circle SSO Limitations

- SSO Applications working together must be in the same domain.
- SSO Applications must have access to each other's SSO verification URL.
- Browsers must support cookies.
- For security purposes, SSO should not be used on machines where the browser is run.
- To switch to a different identity, the browser needs to be restarted.
- Assuming single sign-off is enabled in both Messenger Express and for Sun Java System Calendar Server, if you log out of Sun Java System Calendar Server, then you are supposed to have to login again to Messenger Express. If you log out of Messenger Express, then you would have to login again into Sun Java System Calendar Server. However, it currently does not work this way. You may stay logged into one after logging out of another.

Example Trusted Circle SSO Deployment Scenarios


The simplest SSO deployment scenario consists of only Messenger Express and iPlanet Delegated Administrator for Messaging. A more complicated scenario can be created by adding Calendar Express—on the same machine or a different machine—using the same SSO prefix so they are in the same trusted circle. This is shown in [Figure 6-1](#).

Figure 6-1 Simple SSO Deployment



An even more complex deployment would include Messenger Express Multiplexors and load balancers.

Figure 6-2 Complex SSO Deployment



Setting Up Trusted Circle SSO

This section describes setting up SSO for Messenger Express, iPlanet Delegated Administrator for Messaging, and Calendar Manager.

1. Configure Messenger Express for SSO.

a. Set the appropriate SSO `configutil` parameters.

To enable single sign-on for Messenger Express with Delegated Administrator, set the configuration parameters as follows (assumes your default domain is `siroe.com`). These parameters are described in [Table 6-3](#). You must be root user. `cd` to `instance_root`

```
configutil -o local.webmail.sso.enable -v 1
configutil -o local.webmail.sso.prefix -v ssogrp1
    ssogrp1 is the default SSO Prefix used by iDA, although you can choose a different prefix,
    using the default would save a little typing when configuring iDA and iCS.
configutil -o local.webmail.sso.id -v ims5
    ims5 is a name you pick to identify Messenger Express (ME) to other applications.
configutil -o local.webmail.sso.cookieDomain -v ".siroe.com"
    The above domain must match the domain used by the ME/browser client to connect to
    the servers. Thus, although the hosted domain on this server may be called xyz.com, we
    must use a real domain in the DNS. This value must start with a period.
configutil -o local.webmail.sso.singlesignoff -v 1
configutil -o local.sso.ApplicationID.verifyurl -v \
"http://ApplicationHost:port/verifySSO?"
    ApplicationID is a name we give to the SSO application (example: ida for Delegated
    Administrator, ics50 for Calendar Server). ApplicationHost:port is the host and port number of the
    application. You will have one of these lines for each non-Messaging Server application. Example:
configutil -o local.sso.ida.verifyurl -v \
"http://siroe.com:8080/verifySSO?"
```

b. Restart Messenger Express http server after changing the configuration.

```
cd instance_root
./stop-msg http
./start-msg http
```

2. Configure Directory Server for SSO.

a. Create a proxy user account in the directory.

The proxy user account allows the Delegated Administrator to bind to the Directory Server for proxy authentication. Using the following LDIF code (`proxy.ldif`) you could create a proxy user account entry using `ldapadd`.

```
ldapadd -h mysystem.siroe.com -D "cn=Directory Manager" -w password -v
-f proxy.ldif
```

```
dn: uid=proxy, ou=people, o=siroe.com, o=isp
objectclass: top
objectclass: person
objectclass: organizationalperson
objectclass: inetorgperson
uid: proxy
givenname: Proxy
sn: Auth
cn: Proxy Auth
userpassword: proxypassword
```

- b. Create the appropriate ACIs for proxy user account authentication.

Using the `ldapmodify` utility, create an ACI for each of the suffixes you created at the time you installed the Delegated Administrator.

`osiroot` - The suffix you entered to store the user data (the default is `o=isp`). `osiroot` is the root of the Organization Tree.

`droot` - The suffix you entered to store the domain information. (The default is `o=internet`.)

`osiroot` - The suffix you entered to store the configuration information, it should have been the same value you entered to store the user data.

The following is an example of an ACI entry (`aci1.ldif`) for the `osiroot` for the proxy user created earlier:

```
dn: o=isp
changetype: modify
add: aci
aci: (target="ldap:///o=isp")(targetattr="*)(version 3.0; acl
"proxy";allow (proxy) userdn="ldap:///uid=proxy, ou=people,
o=siroe.com, o=isp";)
```

```
ldapmodify -h siroe.com -D "cn=Directory Manager" -w password -v -f aci1.ldif
```

Create a similar ACI entry (aci2.ldif) for the dcroot:

```
dn: o=internet
changetype: modify
add: aci
aci: (target="ldap:///o=internet")(targetattr="*")(version 3.0; acl
"proxy";allow (proxy) userdn="ldap:///uid=proxy, ou=people,
o=siroe.com, o=isp");
```

```
ldapmodify -h siroe.com -D "cn=Directory Manager" -w password -v -f aci2.ldif
```

3. Configure the Delegated Administrator

- a. Add the proxy user credentials and cookie name for context to the Delegated Administrator `resource.properties` file.

Uncomment and modify the following entries in the Delegated Administrator

`iDA_server_root/nda/classes/netscape/nda/servlet/resource.properties` file:

```
LDAPDatabaseInterface-ldapauthdn=Proxy_Auth_DN
LDAPDatabaseInterface-ldapauthpw=Proxy_Auth_Password
NDAAuth-singleSignOnId=SSO_Prefix-
NDAAuth-applicationId=DelAdminID
```

For example:

```
LDAPDatabaseInterface-ldapauthdn=
    uid=proxy, ou=people, o=siroe.com, o=isp
LDAPDatabaseInterface-ldapauthpw=proxypassword
NDAAuth-singleSignOnId=ssogrpl-
NDAAuth-applicationId=id
```

- b. Add the participating server's verification URL.

To verify a single sign-on cookie it receives, Delegated Administrator must know who to contact. You must provide a verification URL for all known participating servers.

Following the example, assume Messenger Express is installed and its application ID is `msg5`. Edit the Delegated Administrator `iDA_server_root/nda/classes/netnscape/nda/servlet/resource.properties` file and add an entry such as:

```
verificationurl-ssogrp1-msg5=http://webmail_hostname:port/VerifySSO?
verificationurl-ssogrp1-ida=http://iDA_hostname:port/VerifySSO?
verificationurl-ssogrp1-ics50=http://iCS_hostname:port/VerifySSO?
```

4. Add Delegated Administrator single sign-on cookie information and enable UTF8 Parameter Encoding.

a. Define a context identifier for Delegated Administrator.

Edit `Web_Server_Root/https-instancename/config/servlets.properties` and uncomment all lines containing the text `servlet.*.context=ims50`. Where `*` is any string.

b. Specify a cookie name for the context in the Enterprise Server configuration.

Edit the Enterprise Server file

`Web_Server_Root/https-instancename/config/contexts.properties` and add the following line to the bottom of the file before the `#IDACONF-Start` line:

```
context.ims50.sessionCookie=ssogrp1-ida
```

c. Enable UTF8 parameter encoding for `ims5` contexts.

To Enable UTF8 Parameter Encoding for `ims5` Contexts in the Enterprise Server configuration add the following entry to the Enterprise Server `WebServer_Root/https-instancename/config/contexts.properties` file:

```
context.ims50.parameterEncoding=utf8
```

5. Restart Messenger Express.

After you've made the configuration changes described in steps 1a through 2c, you must restart Messenger Express for the changes to take effect:

```
WebServer_Root/https-instance_name/stop
WebServer_Root/https-instancename/start
```

- If you are deploying Calendar in this SSO group, configure Calendar Server.

Edit `ics.conf` and add the following:

```
sso.appid = "ics50"
sso.appprefix = "ssogrp1"
sso.cookieDomain = ".red.ipplanet.com"
sso.enable = "1"
sso.singlesignoff = "true"
sso.userdomain = "mysystem.red.ipplanet.com"
sso.ims5.url="http://mysystem.red.ipplanet.com:80/VerifySSO?"
sso.ida.url=http://mysystem.red.ipplanet.com:8080/VerifySSO?
```

- Restart Calendar Server

```
start-cal
```

- Restart the Messenger Express http server:

```
msg_svr_base/sbin/stop-msg http
msg_svr_base/sbin/start-msg http
```

Messenger Express Trusted SSO Configuration Parameters

You can modify the single sign-on configuration parameters for Messenger Express, shown in [Table 6-3](#), by using the `configutil` command. For more information about `configutil`, see the *Messaging Server Reference Manual*.

Table 6-3 Trusted Circle Single Sign-On Parameters

Parameter	Description
<code>local.sso.appid.verifyurl</code>	<p>Sets the verify URL values for peer SSO applications. <i>appid</i> is the application ID of a peer SSO application whose SSO cookies are to be honored. For example, the default <i>appid</i> for Delegated Administrator is <code>nda45</code>. Its actual value is specified by the Delegated Administrator resource.properties file entry <code>NDAAuth-applicationID</code>.</p> <p>There should be one parameter defined for each trusted peer SSO application. The standard form of the verify URL is:</p> <pre>http://nda-host:port/VerifySSO?</pre> <p>If you are using a load balancer in front of multiple Messenger Express Multiplexors and Message Store servers (running Messenger Express) or Calendar front ends, be sure to assign a <i>different</i> <i>appid</i> for each physical system with the real host names in the <code>verifyurl</code>. This will ensure that the correct system will be used to verify the cookie</p>

Table 6-3 Trusted Circle Single Sign-On Parameters

Parameter	Description
<code>local.webmail.sso.cookieDomain</code>	<p>The string value of this parameter is used to set the cookie domain value of all SSO cookies set by the Messenger Express HTTP server. The default value is null.</p> <p>This domain must match the DNS domain used by the Messenger Express browser to access the server. It is not the hosted domain name.</p>
<code>local.webmail.sso.enable</code>	<p>Enables or disables all single sign-on functionality, including accepting and verifying SSO cookies presented by the client when the login page is fetched, returning an SSO cookie to the client on successful login and responding to requests from other SSO partners to verify its own cookies.</p> <p>If set to any non-zero value, the server performs all SSO functions.</p> <p>If set to zero, the server does not perform any of these SSO functions.</p> <p>The default value is zero.</p>
<code>local.webmail.sso.id</code>	<p>The string value of this parameter is used as the application ID value when formatting SSO cookies set by the Messenger Express HTTP server. The default value is null.</p> <p>This is an arbitrary string. Its value must match what you specify for the Delegated Administrator in its <code>resource.properties</code> file. The corresponding entry in <code>resource.properties</code> would be:</p> <pre>Verificationurl-XXX-YYY=http://webmailhost:webmailport/VerifySSO?</pre> <p>Where XXX is the <code>local.webmail.sso.prefix</code> value set above, and YYY is the value of <code>local.webmail.sso.id</code> set here.</p>
<code>local.webmail.sso.prefix</code>	<p>The string value of this parameter is used as the prefix value when formatting SSO cookies set by the Messenger Express HTTP server. Only SSO cookies with this prefix will be recognized by the server; all other SSO cookies will be ignored.</p> <p>A null value for this parameter effectively disables all SSO functionality on the server.</p> <p>The default value is null.</p> <p>This string must match what's used by the iPlanet Delegated Administrator for Messaging in its <code>resource.properties</code> file without the trailing -. For example, if:</p> <pre>NDAAuth-singleSignOnID=ssogrpl-</pre> <p>Then this value should be set here to <code>ssogrpl</code>.</p>

Table 6-3 Trusted Circle Single Sign-On Parameters

Parameter	Description
local.webmail.sso.singlesignoff	<p>The integer value of this parameter, if set to any non-zero value, clears all SSO cookies on the client with prefix values matching the value configured in local.webmail.sso.prefix when the client logs out.</p> <p>If set to zero, Messenger Express will clear its own SSO cookie when the client logs out.</p> <p>The default value is zero.</p>

Configuring and Administering Multiplexor Services

This chapter describes the two multiplexors that are included with Messaging Server: the Messaging Multiplexor (MMP) for standard mail protocols (POP, IMAP and SMTP) and the Messenger Express Multiplexor used for the Messenger Express web interface.

The following topics are covered in this chapter:

- [“Multiplexor Services” on page 155](#)
- [“About Messaging Multiplexor” on page 157](#)
- [“Setting Up the Messaging Multiplexor” on page 163](#)
- [“Configuring MMP with SSL” on page 166](#)
- [“To Set a Failover MMP LDAP Server” on page 172](#)
- [“About Messenger Express Multiplexor” on page 172](#)

Multiplexor Services

A multiplexor is necessary to achieve horizontal scalability (the ability to support more users by adding more machines), because it provides a single domain name that can be used to connect indirectly to multiple mail stores. A multiplexor can also provide security benefits.

While MMP is managed separately from Messaging Server, the Messenger Express Multiplexor is built-in to the HTTP service (`mshttpd`) that is included with the Message Store and Message Access installation.

Multiplexor Benefits

Message stores on heavily used messaging servers can grow quite large. Spreading user mailboxes and user connections across multiple servers can therefore improve capacity and performance. In addition, it may be more cost-effective to use several small server machines than one large, high-capacity, multiprocessor machine.

If the size of your mail-server installation requires the use of multiple message stores, your organization can benefit in several ways from using the multiplexors. The indirect connection between users and their message stores, coupled with the ease of reconfiguration of user accounts among messaging servers allows for the following benefits:

- **Simplified User Management**

Because all users connect to one server (or more, if you have separate Multiplexor machines for POP, IMAP, SMTP or web access), you can preconfigure email clients and distribute uniform login information to all users. This simplifies your administrative tasks and reduces the possibility of distributing erroneous login information.

For especially high-load situations, you can run multiple Multiplexor servers with identical configurations and manage connections to them by DNS round robin or by using a load-balancing system.

Because the Multiplexors use information stored in the LDAP directory to locate each user's Messaging Server, moving a user to a new server is simple for the system administrator and transparent to the user. The administrator can move a user's mailbox from one Messaging Server to another, and then update the user's entry in the LDAP directory. The user's mail address, mailbox access, and other client preferences need not change.

- **Improved Performance**

If a message store grows prohibitively large for a single machine, you can balance the load by moving some of the message store to another machine.

You can assign different classes of users to different machines. For example, you can choose to locate premium users on a larger and more powerful machine.

The Multiplexors perform some buffering so that slow client connections (through a modem, for example) do not slow down the Messaging Server.

- **Decreased Cost.** Because you can efficiently manage multiple Messaging Servers with a Multiplexor, you might be able to decrease overall costs by purchasing several small server machines that together cost less than one very large machine.
- **Better Scalability.** With the Multiplexors, your configuration can expand easily. You can incrementally add machines as your performance or storage-capacity needs grow, without replacing your existing investment.
- **Minimum User Downtime.** Using the Multiplexors to spread a large user base over many small store machines isolates user downtime. When an individual server fails, only its users are affected.
- **Increased Security.** You can use the server machine on which the Multiplexor is installed as a firewall machine. By routing all client connections through this machine, you can restrict access to the internal message store machines by outside computers. The Multiplexors support both unencrypted and encrypted communications with clients.

About Messaging Multiplexor

The Sun Java System Messaging Multiplexor (MMP) is a specialized messaging server that acts as a single point of connection to multiple back-end messaging servers. With Messaging Multiplexor, large-scale messaging service providers can distribute POP and IMAP user mailboxes across many machines to increase message store capacity. All users connect to the single Multiplexor server, which redirects each connection to the appropriate messaging server.

If you provide electronic mail service to many users, you can install and configure the Messaging Multiplexor so that an entire array of messaging servers will appear to your mail users to be a single host.

The Messaging Multiplexor is provided as part of Messaging Server. You can install the MMP at the same time you install the Messaging Server or other Sun Java System servers, or you can install the MMP separately at a later time. The MMP supports:


- Both unencrypted and encrypted (SSL) communications with mail clients.
- Client certificate-based authentication, described in [“Certificate-Based Client Authentication” on page 159](#).
- User pre-authentication, described in [“User Pre-Authentication” on page 160](#).

- Virtual domains that listen on different IP addresses and automatically append domain names to user IDs, described in [“MMP Virtual Domains” on page 161](#).
- Multiple installations of the MMP on different servers (see the *Sun Java Enterprise System Installation Guide*).
- Enhanced LDAP searching.
- POP before SMTP service for legacy POP clients. For more information, see [“Enabling POP Before SMTP” on page 675](#).

How the Messaging Multiplexor Works

The MMP is a multithreaded server that facilitates distributing mail users across multiple server machines. The MMP handles incoming client connections destined for other server machines (the machines on which user mailboxes reside). Clients connect to the MMP itself, which determines the correct server for the users, connects to that server, and then passes data between the client and server. This capability allows Internet service providers and other large installations to spread message stores across multiple machines (to increase capacity) while providing the appearance of a single mail host for users (to increase efficiency) and for external clients (to increase security). Figure 7-1 shows how servers and clients relate to each other in an MMP installation.

Figure 7-1 Clients and Servers in an MMP Installation



All POP, IMAP, and SMTP clients work with the Messaging Multiplexor. The MMP accepts connections, performs LDAP directory lookups, and routes the connections appropriately. As is typical with other mail server installations, each user is assigned a specific address and mailbox on a specific Messaging Server. However, all connections are routed through the MMP.

In more detail, these are the steps involved in establishing a user connection:

1. A user's client connects to the MMP, which accepts preliminary authentication information (user name).
2. The MMP queries the Directory Server to determine which Messaging Server contains that user's mailbox.
3. The MMP connects to the proper Messaging Server, replays authentication, then acts as a pass-through pipe for the duration of the connection.

Encryption (SSL) Option

Messaging Multiplexor supports both unencrypted and encrypted (SSL) communications between the Messaging Server(s) and their mail clients. Messaging Server supports the new certificate database format (cert8.db).

When SSL is enabled, the MMP supports STARTTLS and the MMP can also be configured to listen on additional ports for SSL IMAP, POP, and SMTP connections.

To enable SSL encryption for your IMAP, POP, and SMTP services, edit the `ImapProxyAService.cfg`, `PopProxyAService.cfg`, and `SmtProxyAService.cfg` files, respectively. You must also edit the `default:ServiceList` option in the `AService.cfg` file to include the list of all IMAP, POP, and SMTP server ports regardless of whether or not they are secure. See “[Configuring MMP with SSL](#)” on page 166 for details.

By default, SSL is not enabled since the SSL configuration parameters are commented out. To enable SSL, you must install an SSL server certificate. Then, you should uncomment and set the SSL parameters. For a list of the SSL parameters, see the *Sun Java System Messaging Server Administration Reference* (<http://docs.sun.com/doc/819-0106>).

Certificate-Based Client Authentication

The MMP can use a certificate mapping file (`certmap`) to match a client's certificate to the correct user in the Users/Groups Directory Server.

In order to use certificate-based client authentication, you must also enable SSL encryption as described in “[Encryption \(SSL\) Option](#)” on page 159.

You also have to configure a store administrator. You can use the mail administrator, but it is recommended that you create a unique user ID, such as `mmpstore` for this purpose so that you can set permissions as needed.

Note that the MMP does not support `certmap` plug-ins. Instead, the MMP accepts enhanced `DNComps` and `FilterComps` property value entries in the `certmap.conf` file. These enhanced format entries use the form:

```
mapname:DNComps FROMATTR=TOATTR
mapname:FilterComps FROMATTR=TOATTR
```

So that a `FROMATTR` value in a certificate's subjectDN can be used to form an LDAP query with the `TOATTR=value` element. For example, a certificate with a subjectDN of "cn=Pilar Lorca, ou=pilar, o=siroe.com" could be mapped to an LDAP query of "(uid=pilar)" with the line:

```
mapname:FilterComps ou=uid
```

To enable certificate-based authentication for your IMAP or POP service:

1. Decide on the user ID you intend to use as store administrator.

While you can use the mail administrator for this purpose, it is recommended that you create a unique user ID for store administrator (for example, `mmpstore`).

2. Make sure that SSL encryption is (or will be) enabled as described in [“Encryption \(SSL\) Option” on page 159](#).
3. Configure the MMP to use certificate-based client authentication by specifying the location of the `certmap.conf` file in your configuration files.
4. Install at least one trusted CA certificate, as described in [“To Install Certificates of Trusted CAs” on page 653](#).

User Pre-Authentication

The MMP provides you with the option of pre-authenticating users by binding to the directory as the incoming user and logging the result.

NOTE Enabling user pre-authentication will reduce server performance

The log entries are in the format:

```
date time (sid 0xhex) user name pre-authenticated - client IP address, server IP address
```


Where *date* is in the format `yyyymmdd`, *time* is in the time configured on the server in the format `hhmmss`, *hex* is the session identifier (*sid*) represented as a hexadecimal number, the *user name* includes the virtual domain (if any), and the IP address is in dot-quad format.

MMP Virtual Domains

An MMP virtual domain is a set of configuration settings associated with a server IP address. The primary use of this feature is to provide different default domains for each server IP address.

A user can authenticate to MMP with either a short-form userID or a fully qualified userID in the form `user@domain`. When a short-form userID is supplied, the MMP will append the `DefaultDomain` setting, if specified. Consequently, a site which supports multiple hosted domains can permit the use of short-form user IDs simply by associating a server IP address and MMP virtual domain with each hosted domain.

The recommended method for locating the user subtree for a given hosted domain is via the `inetDomainBaseDN` attribute in the LDAP domain tree entry for that domain. The MMP's `LdapUrl` setting is not suitable for this purpose since the back-end mail store servers will also need to look up the user in LDAP and do not support virtual domains.

When Sun LDAP Schema 2 is enabled (see the *Sun Java Enterprise System Installation Guide* and *Sun Java System Communications Services Schema Reference Manual*), the user subtree for the specified domain will be all the users in the subtree below the organization node for that domain.

To enable virtual domains, edit the `ImapProxyAService.cfg`, `PopProxyAService.cfg`, or `SmtpproxyAService.cfg` file(s) in the instance directory such that the `VirtualDomainFile` setting specifies the full path to the virtual domain mapping file.

Each entry of a virtual domain file has the following syntax:

```
vdmap name IPaddr
name:parameter value
```

Where *name* is simply used to associate the IP address with the configuration parameters and can be any name you choose to use, *IPaddr* is in dot-quad format, and *parameter* and *value* pairs configure the virtual domain. When set, virtual domain configuration parameter values override global configuration parameter values.

Listed below are the configuration parameters you can specify for a virtual domain:

AuthCacheSize **and** AuthCacheSizeTTL
AuthService
BindDN **and** BindPass
CertMap
ClientLookup
CRAMs
DefaultDomain
DomainDelim
HostedDomains
LdapCacheSize **and** LdapCacheTTL
LdapURL
MailHostAttrs
PreAuth
ReplayFormat
RestrictPlainPasswords
StoreAdmin **and** StoreAdminPass
SearchFormat
TCPAccess
TCPAccessAttr

NOTE Unless the LdapURL is correctly set, the BindDN, BindPass, LdapCacheSize **and** LdapCacheTTL settings will be ignored.

For detailed descriptions of these configuration parameters, see the *Messaging Server Reference Manual*.

About SMTP Proxy

The MMP includes an SMTP proxy which is disabled by default. Most sites do not need the SMTP proxy because Internet Mail standards already provide an adequate mechanism for horizontal scalability of SMTP (DNS MX records).

The SMTP proxy is useful for the security features it provides. First, the SMTP proxy is integrated with the POP proxy to implement the POP before SMTP authorization facility required by some legacy POP clients. For more information, see [“Enabling POP Before SMTP” on page 675](#). In addition, an investment in SSL acceleration hardware can be maximized by using the SMTP proxy. See [“How to Optimize SSL Performance Using the SMTP Proxy” on page 660](#).

Setting Up the Messaging Multiplexor

During the initial runtime configuration of Messaging Server, you determined if you wanted to configure the MMP on a machine. You could either set it up on the same machine as your Messaging Server or set it up on a separate machine.

NOTE MMP does not cache DNS results. A high quality caching DNS server on the local network is a requirement for a production deployment of Messaging Server.

The following sections describe how to set up the MMP:

- “Before You Configure MMP” on page 163
- “Multiplexor Configuration” on page 164
- “Multiplexor Files” on page 164
- “Starting the Multiplexor” on page 166
- “Modifying an Existing MMP” on page 166

More information about the MMP can be found in the following:

- *Sun Java System Messaging Server Administration Reference: MMP Syntax and Structure* (<http://docs.sun.com/doc/819-0106>)

Before You Configure MMP

Before configuring the MMP:

1. Choose the machine on which you will configure the MMP. It is best to use a dedicated machine set aside for the MMP.

NOTE It is recommended that the MMP not be enabled on a machine that is also running either the POP or IMAP servers.

If you install MMP on the same machine as Messaging Server, you must make sure that the POP and IMAP servers are set to non-standard ports. That way, the MMP and Messaging Server ports will not conflict with one another.

2. On the machine that the MMP is to be configured, create a UNIX system user to be used by the MMP. This new user must belong to a UNIX system group. See [“To Create UNIX System Users and Groups” on page 40](#)
3. Set up the Directory Server and its host machine for use with Messaging Server, if they are not already set up. See [“To Prepare Directory Server for Messaging Server Configuration” on page 41](#)
4. If the MMP is upgraded before the backend servers, customers should set the `Capability` option in `ImapProxyAService.cfg` to match the response to the `capability` command from the older backend. This would be:

```
IMAP4 IMAP4rev1 ACL QUOTA LITERAL+ NAMESPACE UIDPLUS CHILDREN LANGUAGE  
XSENDER X-NETSCAPE XSERVERINFO
```

Note that line break is for editorial clarity, and that the configuration value must be on one line.

Multiplexor Configuration

To configure the MMP, you must use the Messaging Server configure program, which gives you the option of enabling the Messaging Multiplexor. For detailed information about the configure program see [“To Create the Initial Messaging Server Runtime Configuration” on page 51](#).

To configure the MMP:

1. Put Sun Java System Messaging Server on the machine where you are installing and configuring the MMP.
2. Configure the MMP by creating the Messaging Server Initial Runtime Configuration. See [“To Create the Initial Messaging Server Runtime Configuration” on page 51](#).

Note the following exception: when installing Messaging Server, check only the Messaging Multiplexor option.

Multiplexor Files

The Messaging Multiplexor files are stored in the `msg_svr_base/config` configuration file directory. You must manually edit the configuration parameters in the Messaging Multiplexor configuration files listed in Table 7-1. For a complete description of all MMP configuration parameters, see the *Sun Java System Messaging Server Administration Reference*.

Table 7-1 Messaging Multiplexor Configuration Files

File	Description
PopProxyAService.cfg	Configuration file specifying configuration variables used for POP services.
PopProxyAService-def.cfg	POP services configuration template. File comes into existence only after initial MMP start with <code>start-msg mmp</code>
ImapProxyAService.cfg	Configuration file specifying configuration variables used for IMAP services.
ImapProxyAService-def.cfg	IMAP services configuration template. File comes into existence only after initial MMP start with <code>start-msg mmp</code>
AService.cfg	Configuration file specifying which services to start and a few options shared by both POP and IMAP services.
AService-def.cfg	Configuration template specifying which services to start and a few options shared by both POP and IMAP services. File comes into existence only after initial MMP start with <code>start-msg mmp</code>
SmtProxyAService.cfg	Optional configuration file specifying configuration variables used for SMTP Proxy services. Required if you enable POP before SMTP; useful for maximizing support for SSL hardware even if POP before SMTP is not enabled. For more information on POP before SMTP, see “Enabling POP Before SMTP” on page 675 .
SmtProxyAService-def.cfg	Configuration template specifying configuration variables used for SMTP Proxy services. File comes into existence only after initial MMP start with <code>start-msg mmp</code>

As an example, the `LogDir` and `LogLevel` parameters can be found in all configuration files. In `ImapProxyAService.cfg`, they are used to specify logging parameters for IMAP-related events; similarly, these parameters in `PopProxyAService.cfg` are used to configure logging parameters for POP-related events. In `SmtProxyAService.cfg`, they are used to specify logging for SMTP Proxy-related events.

In `AService.cfg`, however, `LogDir` and `LogLevel` are used for logging MMP-wide failures, such as the failure to start a POP, IMAP, or SMTP service.

NOTE When the MMP is configured or upgraded, the configuration template files will be overwritten.

Starting the Multiplexor

To start, stop, or refresh an instance of the Messaging Multiplexor, use the one of the following commands in [Table 7-2](#) located in the `msg_svr_base/sbin` directory:

Table 7-2 MMP Commands

Option	Description
<code>start-msg mmp</code>	Starts the MMP (even if one is already running).
<code>stop-msg mmp</code>	Stops the most recently started MMP.
<code>refresh mmp</code>	Causes an MMP that is already running to refresh its configuration without disrupting any active connections.

Modifying an Existing MMP

To modify an existing instance of the MMP, edit the `ImapProxyAService.cfg` and/or `PopProxyAService.cfg` configuration files as necessary. These configuration files are located in the `msg_svr_base/config` subdirectory.

Configuring MMP with SSL

To configure the MMP to use SSL, do the following:

NOTE It is assumed that the MMP is installed on a machine that does not have a Message Store or MTA.

1. If you have installed the Admin Server, use the Admin Console to install an SSL server certificate. Otherwise use the NSS tools to do this. See “[Network Security Services Tools](#)” on page 660.

See <http://docs.sun.com/db/doc/816-5572-10>

2. If you have installed the Admin Server, from the command line, make the following symbolic links to simplify things:

```
cd msg_svr_base/config
ln -s /var/mps/serverroot/alias/admin-serv-instance-cert7.db cert7.db
ln -s /var/mps/serverroot/alias/admin-serv-instance-key3.db key3.db
```

Also, make sure that those files are owned by the system ID under which the MMP will run. Messaging Server supports the new certificate database format (cert8.db).

3. Since the `sslpassword.conf` file is set during the initial Messaging Server runtime configuration, you do not need to set one up. See [“To Create the Initial Messaging Server Runtime Configuration” on page 51](#).

NOTE An alternative approach to steps 1-8 is to copy the following files: `cert7.db`, `key3.db`, `secmod.db`, and `sslpassword.conf` from an existing Messaging or Directory Server. These servers must have a server certificate and a key appropriate for the same domain already installed.

4. Edit the `ImapProxyAService.cfg` file and uncomment the relevant SSL settings.
5. If you want SSL and POP, edit the `PopProxyAService.cfg` file and uncomment the relevant SSL settings.

Additionally, you must edit the `AService.cfg` file and add `|995` after the `110` in the `ServiceList` setting.

6. Make sure that the `BindDN` and `BindPass` options are set in the `ImapProxyAService.cfg` and `PopProxyAService.cfg` files.

You should also set the `DefaultDomain` option to your default domain (the domain to use for unqualified user names).

If you just want server-side SSL support, you are finished. Start the MMP with the following command in the `msg_svr_base/sbin` directory:

```
start-msg mmp
```

If you want client certificate based login, do the following:

1. Get a copy of a client certificate and the CA certificate which signed it.
2. Start the Sun ONE Console as before (on the same machine as the MMP), but this time import the CA certificate as a Trusted Certificate Authority.
3. Use the Store Administrator you created during your Messaging Server installation.

For more information, see the [“Specifying Administrator Access to the Store” on page 557](#).

4. Create a `certmap.conf` file for the MMP. For example:

```
certmap default default
default:DNCmps
default:FilterCmps e=mail
```

This means to search for a match with the `e` field in the certificate DN by looking at the mail attribute in the LDAP server.

5. Edit your `ImapProxyAService.cfg` file and:
 - a. Set `CertMapFile` to `certmap.conf`
 - b. Set `StoreAdmin` and `StorePass` to values from [Step 3](#).
 - c. Set `UserGroupDN` to the root of your Users and Groups tree.
6. If you want client certificates with POP3, repeat [Step 5](#) for the `PopProxyAService.cfg` file.
7. If the MMP is not already running, start it with the following command in the `msg_svr_base/sbin` directory:


```
start-msg mmp
```
8. Import the client certificate into your client. In Netscape™ Communicator, click on the padlock (Security) icon, then select Yours under Certificates, then select Import a Certificate... and follow the instructions.

NOTE All your users will have to perform this step if you want to use client certificates everywhere.

A Sample Topology

The fictional Siroe Corporation has two Messaging Multiplexors on separate machines, each supporting several Messaging Servers. POP and IMAP user mailboxes are split across the Messaging Server machines, with each server dedicated exclusively to POP or exclusively to IMAP (You can restrict client access to POP services alone by removing the `ImapProxyAService` entry from the `ServiceList` setting; likewise, you can restrict client access to IMAP services alone by removing the `PopProxyAService` entry from the `ServiceList` setting.). Each Messaging Multiplexor also supports only POP or only IMAP. The LDAP directory service is on a separate, dedicated machine.

This topology is illustrated below in [Figure 7-2](#).

Figure 7-2 Multiple MMPs Supporting Multiple Messaging Servers

IMAP Configuration Example

The IMAP Messaging Multiplexor in Figure 7-2 is installed on `sandpit`, a machine with two processors. This Messaging Multiplexor is listening to the standard port for IMAP connections (143). Messaging Multiplexor communicates with the LDAP server on the host `phonebook` for user mailbox information, and it routes the connection to the appropriate IMAP server. It overrides the IMAP capability string, provides a virtual domain file, and supports SSL communications.

This is its ImapProxyAService.cfg configuration file:

```

default:LdapUrl          ldap://phonebook.siroe.com/o=internet
default:LogDir           /opt/SUNWmsgsr/config/log
default:LogLevel         5
default:BindDN           "cn=Directory Manager"
default:BindPass         secret
default:BacksidePort     143
default:Timeout          1800
default:Capability       "IMAP4 IMAP4rev1 ACL QUOTA LITERAL+ NAMESPACE UIDPLUS CHILDREN
BINARY LANGUAGE XSENDER X-NETSCAPE XSERVERINFO"
default:SearchFormat     (uid=%s)
default:SSLEnable        yes
default:SSLPorts         993
default:SSLSecmodFile    /opt/SUNWmsgsr/config/secmod.db
default:SSLCertFile      /opt/SUNWmsgsr/config/cert7.db
default:SSLKeyFile       /opt/SUNWmsgsr/config/key3.db
default:SSLKeyPasswdFile ""
default:SSLCipherSpecs   all
default:SSLCertNicknames Siroe.com Server-Cert
default:SSLCacheDir      /opt/SUNWmsgsr/config
default:SSLBacksidePort  993
default:VirtualDomainFile /opt/SUNWmsgsr/config/vdmap.cfg
default:VirtualDomainDelim @
default:ServerDownAlert  "your IMAP server appears to be temporarily out of service"
default:MailHostAttrs    mailHost
default:PreAuth           no
default:CRAMs            no
default:AuthCacheSize    10000
default:AuthCacheTTL     900
default:AuthService       no
default:AuthServiceTTL   0
default:BGMax            10000
default:BGPenalty        2
default:BGMaxBadness     60
default:BGDecay          900
default:BGLinear         no
default:BGExcluded       /opt/SUNWmsgsr/config/bgexcl.cfg
default:ConnLimits       0.0.0.0|0.0.0.0:20
default:LdapCacheSize    10000
default:LdapCacheTTL     900
default:HostedDomains    yes
default:DefaultDomain    Siroe.com

```

POP Configuration Example

The POP Messaging Multiplexor example in Figure 7-2 is installed on `tarpit`, a machine with four processors. This Messaging Multiplexor is listening to the standard port for POP connections (110). Messaging Multiplexor communicates with the LDAP server on the host `phonebook` for user mailbox information, and it routes the connection to the appropriate POP server. It also provides a spoof message file.

This is its `PopProxyAService.cfg` configuration file:

```
default:LdapUrl          ldap://phonebook.siroe.com/o=internet
default:LogDir           /opt/SUNWmsgsr/config/log
default:LogLevel         5
default:BindDN           "cn=Directory Manager"
default:BindPass         password
default:BacksidePort     110
default:Timeout          1800
default:SearchFormat     (uid=%s)
default:SSEnable         no
default:VirtualDomainFile /opt/SUNWmsgsr/config/vdmap.cfg
default:VirtualDomainDelim @
default:MailHostAttrs    mailHost
default:PreAuth          no
default:CRAMs            no
default:AuthCacheSize    10000
default:AuthCacheTTL     900
default:AuthService      no
default:AuthServiceTTL   0
default:BGMax            10000
default:BGPenalty        2
default:BGMaxBadness     60
default:BGDecay          900
default:BGLinear         no
default:BGExcluded       /opt/SUNWmsgsr/config/bgexcl.cfg
default:ConnLimits       0.0.0.0|0.0.0.0:20
default:LdapCacheSize    10000
default:LdapCacheTTL     900
default:HostedDomains    yes
default:DefaultDomain    Siroe.com
```

MMP Tasks

This section describes miscellaneous MMP configuration tasks. These include:

- “To Configure Mail Access with MMP” on page 172
- “To Set a Failover MMP LDAP Server” on page 172

To Configure Mail Access with MMP

The MMP is not configured automatically, it has to be explicitly configured. In addition, the MMP does not make use of the `PORT_ACCESS` mapping table. If you wish to reject SMTP connections from certain IP addresses and you are using the MMP, you must use the `TCPAccess` option. The syntax of this option is the same as `mailDomainAllowedServiceAccess` (see *Sun Java System Communications Services Schema Reference Manual* <http://docs.sun.com/doc/819-0113>). It is also described at “Filter Syntax” on page 666.

To Set a Failover MMP LDAP Server

It is possible to specify more than one LDAP server for the MMP so that if one fails another takes over. Modify your `PopProxyAService.cfg` or `IMAPProxyAService.cfg` to the following:

```
default:LdapUrl "ldap://ldap01.yourdomain ldap02.yourdomain/o=INTERNET"
```

About Messenger Express Multiplexor

The Sun Java System Messenger Express Multiplexor is a specialized server that acts as a single point of connection to the HTTP access service. Messenger Express is the client interface to the Sun Java System Messaging Server HTTP service. All users connect to the single messaging proxy server, which directs them to their appropriate mailbox. As a result, an entire array of messaging servers will appear to your mail users to be a single host.

While Message Messaging Multiplexor (MMP) connects to POP and IMAP servers, the Messenger Express Multiplexor connects to an HTTP server. In other words, the Messenger Express Multiplexor is to Messenger Express as MMP is to POP and IMAP.

Like MMP, the Messenger Express Multiplexor supports:

- Both unencrypted and encrypted (SSL) communication with mail clients

For more information on configuring SSL, refer to Security and Access Control in Chapter 19, “Configuring Security and Access Control”.


- Hosted Domains

Unlike MMP, the Messenger Express Multiplexor is built into the `mshttpd` service, and consequently uses the same logging and configuration mechanisms.

How Messenger Express Multiplexor Works

The Messenger Express Multiplexor is made up of a proxy messaging server that acts as a Multiplexor; it allows you to connect to the HTTP service of Messaging Server (Messenger Express). The Messenger Express Multiplexor facilitates distributing mailboxes across multiple server machines. Clients connect to the Multiplexor when logging onto Messenger Express, which determines the correct server for the users, connects to that server, and then passes data between the client and server. This capability allows large installations to spread message stores across multiple machines (to increase capacity) while providing the appearance of a single mail host for users (to increase efficiency) and for external clients (to increase security). [Figure 7-3 on page 173](#) describes where the Messenger Express Multiplexor resides in an Messaging Server installation.

Figure 7-3 Overview of iPlanet Messenger Express Multiplexor



The Messenger Express Multiplexor interfaces between the Messenger Express client and Messaging Servers by accepting connections and routing them appropriately. As is typical with other mail server installations, each user is assigned a specific address and mailbox on a specific messaging server. However, all HTTP connections are routed through the Messenger Express Multiplexor.

In more detail, these are the steps involved when establishing a user connection:

1. A user's client connects to the Messenger Express Multiplexor, which accepts preliminary authentication information.
2. The Messenger Express Multiplexor queries Directory Server to determine which messaging server contains the user's mailbox.
3. The Messenger Express Multiplexor connects to the associated Messaging Server, replays authentication, then acts as a pass-through pipe for the duration of the session.

Setting Up the Messenger Express Multiplexor

This section will describe the steps you should follow to set up and configure your Messenger Express Multiplexor. Topics that are covered include:

- [“To Install Messaging Server on Proxy Machine” on page 174](#)
- [“To Configure Messenger Express Multiplexor Parameters” on page 174](#)
- [“To Enable Messenger Express Multiplexor” on page 176](#)

To Install Messaging Server on Proxy Machine

The first step is to install Messaging Server on the proxy machine that will become the Messenger Express Multiplexor. For specific installation instructions, see the *Sun Java Enterprise System Installation Guide*.

Be sure to configure the Messaging Server to a users and groups directory server that points to the back-end messaging servers. This directory server will be used to authenticate users to Messaging Server through the Messenger Express Multiplexor.

To Configure Messenger Express Multiplexor Parameters

After you complete the Messaging Server installation on the proxy machine, configure the Messenger Express Multiplexor parameters:

1. Gather the needed back-end Messaging Server information.

Run the `configutil` command in the directory of your back-end messaging servers to determine the values of the parameters that are later described in this section. The configuration of the proxy machine (where the Multiplexor will be enabled) must match the back-end messaging servers to ensure successful setup.

2. Set the configuration parameters for the Messenger Express Multiplexor.

Run the `configutil` command in directory `msg_svr_base/sbin/configutil` of your proxy machine messaging server to set the configuration values. Note that these values should match the values of the back-end messaging servers.

The following sections describe the `configutil` parameters needed to set up the Messenger Express Multiplexor:

- [“LDAP Parameters” on page 175](#)
- [“dcroot” on page 176](#)
- [“Default Domain” on page 176](#)
- [“Login Separator” on page 176](#)

LDAP Parameters

You will need to make sure that the Directory Server parameters are correctly specified prior to enabling the Messenger Express Multiplexor. To determine your LDAP parameters, run the following command in the appropriate back-end Messaging Server instance directory:

- `configutil -o local.ugldaphost`

This parameter displays the users and groups LDAP Directory Server that the back-end messaging servers use. Make sure that `ldaphost` is set to the same value (or a replicated LDAP server containing the same data) that the back-end messaging servers use.

- `configutil -o local.ugldapbinddn`
`configutil -o local.ugldapbindcred`

These parameters display the DN and password of the users and groups Directory Server administrator. Both `ldapbinddn` and `ldapbindcred` must be the same as in your back-end messaging servers specifications.

dcroot

You will need to make sure that the *dcroot* is correctly specified. To determine your *dcroot*, run the following command in the appropriate messaging server instance directory:

```
configutil -o service.dcroot
```

Default Domain

You will need to make sure that the messaging server default domain (*defaultdomain*) is correctly indicated. To determine your messaging server default domain, run the following `configutil` command in the appropriate messaging server instance directory:

```
configutil -o service.defaultdomain
```

Login Separator

Make sure that the login separator (*loginseparator*) is consistent with the login separator used by the back-end messaging server. To determine your messaging server login separator, run the `configutil` command in the appropriate back-end messaging server instance directory:

```
configutil -o service.loginseparator
```

To Enable Messenger Express Multiplexor

Once you set the configuration parameters, you can enable the Messenger Express Multiplexor on the proxy machine. To do so, run the following `configutil` command in the directory `msg_svr_base/sbin/configutil` of the messaging server instance on the proxy machine:

```
configutil -o local.service.http.proxy -v 1
```

where `1` enables the Messenger Express Multiplexor (default `0`).

When a non-local user (users whose mail host is not on the server where they log in) logs in and the value of `local.service.http.proxy` is `0`, the user will be directed to his host, and the user will see the host name change; therefore, the Multiplexor is not enabled.

If the value of `local.service.http.proxy` is set to `1`, the Multiplexor is enabled, the host name does not change, and the entire array of messaging servers will appear to be a single host to your non-local mail users.

For local users (users whose mail host is the server where they log in), the server will use the local message store regardless of the `local.service.http.proxy` parameter value. It is possible to have both proxy and local users coexisting on the same messaging server.

Testing Your Setup

In this section, you will learn how to test your Messenger Express Multiplexor setup and to look for messages in the log files. It is assumed that you have configured and enabled the Messenger Express Multiplexor.

To Access Messenger Express Client

Prior to testing your installation, you should already be familiar with the Messenger Express product. In addition, you should already have a test account that you have previously created.

To test your Messenger Express Multiplexor proxy, follow these steps:

1. Through the Messenger Express Multiplexor, connect to Messenger Express by typing in the browser location:

`http://msgserver_name` in the browser location.

For example:

`http://budgie.sesta.com`

2. Using a test account that you previously created, log in to Messenger Express.
3. You should be able to successfully log in and access messages from the back-end messaging servers.
4. If the messaging server name changes once you log in through Messenger Express, make sure `local.service.http.proxy` is set to 1 and that you have restarted the messaging proxy server. The Messenger Express Multiplexor should provide the appearance of a single mail host to your users.

Error Messages

If you receive an error message when you enter the user id, password, and click Connect, you should review the HTTP log file of the proxy machine. To view the error messages, go to the `msg_svr_base/log` directory. In most cases, the error message will contain sufficient information to diagnose the problem. In those instances where there is not sufficient information to diagnose the problem, contact Customer Support.

Administering Your Messenger Express Multiplexor

This section describes the basic administration capabilities of the Messenger Express Multiplexor.

To Configure and Administer SSL

To configure and administer SSL (otherwise known as Secure Sockets Layer) for your Messenger Express Multiplexor, refer to [“To Enable SSL and Selecting Ciphers” on page 656](#).

To Set Up Multiple Proxy Servers

To set up multiple Messenger Express Multiplexors that are addressed by a single name, you can use a session-aware load balancing device. With this device, all requests can be routed from any given client to a unique server.

To Manage Different Versions of Messaging Server and Messenger Express Multiplexor

If you use different versions of Messaging Server for the Messenger Express Multiplexor and the back-end mail hosts, you need to update the Messenger Express static files to ensure compatibility between the servers.

The static files which make up the Messenger Express interface are served directly from the Messenger Express Multiplexor, not the user’s mail host. The Multiplexor finds these files in the *msg_svr_base/config/html* directory.

To update these files in order to ensure compatibility between servers, replace the entire contents (which consist of these static files that make up the Messenger Express interface) of the directory *msg_svr_base/config/html* in the newer version of Messaging Server with the entire contents of the same directory in the older version of Messaging Server.

For example, if the back-end messaging servers use Messaging Server 6 2003Q4 and you have installed Messaging Server 6 2005Q1 as the Messenger Express Multiplexor, you need to replace the entire contents of the directory *msg_svr_base/config/html* of the Messenger Express Multiplexor with the contents of the same directory from the Messaging Server 6 2003Q4 back-end server. When you eventually upgrade Messaging Server 6 2003Q4 to Messaging Server 6 2005Q1, you can update these static files in directory *msg_svr_base/config/html* for the Messenger Express Multiplexor server as well.

To Configure the Port of the Back-end Messaging Server with the Messenger Express Multiplexor

If you want to configure the port of the back-end HTTP Messaging Server with the Messenger Express Multiplexor, use the following `configutil` command on your Multiplexor machine:

```
local.service.http.proxy.port.hostname
```

where *hostname* is the host of the back-end HTTP Messaging Server.

For example, if the host name of the back-end messaging server is `sesta.com` and the port number is `8888`, the command would be in the following format:

```
configutil -o local.service.http.proxy.port.store.sesta.com -v 8888
```

`local.service.proxy.port` applies to all back-end message stores except those which have their own port (same as `local.service.proxy.admin`).

To Configure Single Sign-on

Single sign-on must be configured on the Messenger Express Multiplexor machine in the same way as the Messaging (HTTP) server, with the following additional configurations:

```
configutil -o local.service.http.proxy.admin -v store_administrator
```

where *store_administrator* is the back-end store administrator specified during your back-end Messaging Server installation.

```
configutil -o local.service.http.proxy.adminpass -v store_admin_password
```

where *store_admin_password* is the back-end store administrator password specified during your back-end Messaging Server installation.

If you are using multiple back-end Messaging Servers that use different store administrators and passwords, you can configure them individually by appending the fully qualified host name to each configuration variable in Messenger Express Multiplexor:

```
configutil -o local.service.http.proxy.admin.hostname -v store_administrator
```

```
configutil -o local.service.http.proxy.adminpass.hostname -v store_admin_password
```

where *hostname* is the host of the back-end HTTP Messaging Server, *store_administrator* and *store_admin_password* are the back-end store administrator and password specified during your back-end Messaging Server installation.

To log the user into the back-end servers, Messenger Express Multiplexor uses the `proxyauth login` command. To enable `proxyauth`, use the following `configutil` parameter on the back-end message store:

```
configutil -o service.http.allowadminproxy -v 1
```

NOTE If Single sign-on is enabled through the Messenger Express Multiplexor, it does not need to be configured on the back-end HTTP Messaging Servers.

To configure Messenger Express Multiplexor SSO with Identity Server, enable the following `configutil` parameters:

```
./configutil -o local.webmail.sso.amcookieName -v iPlanetDirectoryPro  
./configutil -o local.webmail.sso.amNamingURL -v \  
    http://identity host: identity port/amserver/namingService
```

MTA Concepts

This chapter provides a conceptual description of the MTA. It consists of the following sections:

- “The MTA Functionality” on page 181
- “MTA Architecture and Message Flow Overview” on page 185
- “The Dispatcher” on page 187
- “Rewrite Rules” on page 189
- “Channels” on page 189
- “The MTA Directory Information” on page 194
- “The Job Controller” on page 194

The MTA Functionality

The Message Transfer Agent, or *MTA* is a component of the Messaging Server (Figure 8-1 on page 183). At its most basic level, the MTA is a message router. It accepts messages from other servers, reads the address, and routes it to the next server on way to its final destination, typically a user’s mailbox.

Over the years, a lot of functionality has been added to the MTA, and with it, size, power, and complexity. These MTA functions overlap, but, in general, can be classified as follows:

- **Routing.** Accepts a message, expands or transforms it if necessary (for example if it is an alias), and routes it to the next server, channel, program, file, or whatever. The routing function has been expanded to allow administrator specification of the internal and external mechanics of how messages are

routed. For example, it is possible to specify things such as SMTP authentication, use of various SMTP commands and protocol, TCP/IP or DNS lookup support, job submission, process control and message queueing and so on.

- **Address Rewriting.** Envelope addresses are often rewritten as part of the routing process, but envelope or header addresses can also be rewritten to a more desired or appropriate form.
- **Filtering.** The MTA can filter messages based on address, domain, possible virus or spam content, size, IP address, header content, and so on. Filtered messages can be discarded, rejected, modified, sent to a file, sent to a program, or be sent to the next server on its way to a user mailbox.
- **Content Modification.** Message headers or content can be modified. Example: making a message readable to a specific client or in a specific character set or checking for spam or viruses.
- **Auditing.** Tracking who submitted what, where and when.

A number of subcomponents and processes support these functions and are shown in [Figure 8-2 on page 184](#). This chapter describes these subcomponents and processes. In addition, a number of tools allow system administrators to enable and configure these functions. These include MTA options, `configutil` parameters, mapping tables, keywords, channels, and rewrite rules. These are described in later MTA chapters:

- [Chapter 9, “MTA Address Translation and Routing”](#)
- [Chapter 10, “About MTA Services and Configuration”](#)
- [Chapter 11, “Configuring Rewrite Rules”](#)
- [Chapter 12, “Configuring Channel Definitions”](#)
- [Chapter 13, “Using Pre-defined Channels”](#)
- [Chapter 14, “Integrating Spam and Virus Filtering Programs Into Messaging Server”](#)
- [Chapter 15, “LMTP Delivery”](#)
- [Chapter 16, “Vacation Automatic Message Reply”](#)
- [Chapter 17, “Mail Filtering and Access Control”](#)
- [Chapter 19, “Configuring Security and Access Control”](#)
- [Chapter 21, “Managing Logging”](#)

- Chapter 22, “Troubleshooting the MTA”
- Chapter 23, “Monitoring the Messaging Server”

Figure 8-1 Messaging Server, Simplified Components View (Messenger Express not Shown)





Figure 8-2 MTA Architecture



MTA Architecture and Message Flow Overview

This section provides a short overview of MTA architecture and message flow (Figure 8-2). Note that the MTA is a highly complex component and that Figure 8-2 is *simplified* depiction of messages flowing through the system. In fact, this picture is not a perfectly accurate depiction of all messages flowing through the system. For purposes of conceptual discussion, however, it must suffice.

Dispatcher and SMTP Server (Slave Program)

Messages enter the MTA from the internet or intranet via SMTP sessions. When the MTA receives a request for an SMTP connection, the MTA *dispatcher* (a multithreaded connection dispatching agent), executes a *slave program* (`tcp_smtp_server`) to handle the SMTP session. The dispatcher maintains pools of multithreaded processes for each service. As additional sessions are requested, the dispatcher activates an SMTP server program to handle each session. A process in the Dispatcher's process pool may concurrently handle many connections. Together the dispatcher and slave program perform a number of different functions on each incoming message. Three primary functions are:

- Message blocking - messages from specified IP addresses, mail addresses, ports, channels, header strings and so on, may be blocked (Chapter 17, "Mail Filtering and Access Control".)
- Address changing. Incoming `From:` or `To:` addresses may be rewritten to a different form.
- Channel enqueueing. Addresses are run through the rewrite rules to determine which channel the message should be sent.

For more information see "[The Dispatcher](#)" on page 187

Routing and Address Rewriting

SMTP servers enqueue messages, but so can a number of other channels including, the conversion channel and reprocess channel. During this phase of delivery, however, a number of tasks are achieved during this phase of delivery, but the primary tasks are:

- Alias expansion.
- Running the addresses through the rewrite rules to determine to which channel the message should be enqueued and to rewriting the domain part of addresses into their proper or desired format.
- Channel keyword processing.
- Sending the message to the appropriate channel queue.

Channels

The channel is the fundamental MTA component used for message processing. A channel represents a message connection with another system (for example, another MTA, another channel, or the local message store). As mail comes in, different messages require different routing and processing depending on the message's source and destination. For example, mail to be delivered to a local message store will be processed differently from mail to be delivered to the internet which will be processed differently from mail to be sent to another MTA within the mail system. Channels provide the mechanism for customizing the processing and routing required for each connection. In a default installation, the majority of messages go to a channels handling internet, intranet, and local messages.

Specialized channels for specific situations can also be created. For example, suppose that a certain internet domain processes mail very slowly causing mail addressed to this domain to clog up the MTA. A special channel could be created to provide special handling for messages addressed to the slow domain, thus relieving the system of this domain bottleneck.

The domain part of the address determines to what channel the message is enqueued. The mechanism for reading the domain and determining the appropriate channel is called the rewrite rules (see [“Rewrite Rules” on page 189](#)).

Channels typically consist of a channel queue and a channel processing program called a *master program*. After the slave program delivers the message to the appropriate channel queue, the master program performs the desired processing and routing. Channels, like rewrite rules, are specified and configured in the `imta.cnf` file. An example of a channel entry is shown below:

```
tcp_intranet smtp mx single_sys subdirs 20 noreverse maxjobs 7 SMTP_POOL
maytlsserver allowswitchchannel sasls witchchannel tcp_auth
tcp_intranet-daemon
```

The first word, in this case `tcp_intranet` is the channel name. The last word is called the channel tag. The words in between are called channel keywords and specify how messages are to be processed. Hundreds of different keywords allow messages to be processed in many ways. A complete description of channel keywords is provided in the *Sun Java System Messaging Server Administration Reference* and [Chapter 12, “Configuring Channel Definitions”](#).

Message Delivery

After the message is processed, the master program sends the message to the next stop along the message's delivery path. This may be the intended recipient's mailbox, another MTA, or even a different channel. Forwarding to another channel is not shown in the picture, but is common occurrence.

Note that the local parts of addresses and received fields are typically 7-bit characters. If the MTA reads 8-bit characters in the in these fields, it replaces each 8-bit character with asterisks.

The Dispatcher

The Dispatcher is a multithreaded dispatching agent that permits multiple multithreaded server processes to share responsibility for SMTP connection services. When using the Dispatcher, it is possible to have several multithreaded SMTP server processes running concurrently, all handling connections to the same port. In addition, each server may have one or more active connections.

The Dispatcher acts as a central receiver for the TCP ports listed in its configuration. For each defined service, the Dispatcher may create one or more SMTP server processes to handle the connections after they are established.

In general, when the Dispatcher receives a connection for a defined TCP port, it checks its pool of available worker processes for the service on that port and chooses the best candidate for the new connection. If no suitable candidate is available and the configuration permits it, the Dispatcher may create a new worker process to handle this and subsequent connections. The Dispatcher may also create a new worker process in expectation of future incoming connections. There are several configuration options which may be used to tune the Dispatcher's control of its various services, and in particular, to control the number of worker processes and the number of connections each worker process handles.

See [“Dispatcher Configuration File” on page 245](#) for more information.

Creation and Expiration of Server Processes

Automatic housekeeping facilities within the Dispatcher control the creation of new and expiration of old or idle server processes. The basic options that control the Dispatcher's behavior are `MIN_PROCS` and `MAX_PROCS`. `MIN_PROCS` provides a guaranteed level of service by having a number of server processes ready and waiting for incoming connections. `MAX_PROCS`, on the other hand, sets an upper limit on how many server processes may be concurrently active for the given service.

It is possible that a currently running server process might not be able to accept any connections because it is already handling the maximum number of connections of which it is capable, or because the process has been scheduled for termination. The Dispatcher may create additional processes to assist with future connections.

The `MIN_CONNS` and `MAX_CONNS` options provide a mechanism to help you distribute the connections among your server processes. `MIN_CONNS` specifies the number of connections that flags a server process as “busy enough” while `MAX_CONNS` specifies the “busiest” that a server process can be.

In general, the Dispatcher creates a new server process when the current number of server processes is less than `MIN_PROCS` or when all existing server processes are “busy enough” (the number of currently active connections each has is at least `MIN_CONNS`).

If a server process is killed unexpectedly, for example, by the UNIX system `kill` command, the Dispatcher still creates new server processes as new connections come in.

For information about configuring the Dispatcher, see [“Dispatcher Configuration File” on page 245](#).

To Start and Stop the Dispatcher

To start the Dispatcher, execute the command:

```
start-msg dispatcher
```

This command subsumes and makes obsolete any other `start-msg` command that was used previously to start up a component of the MTA that the Dispatcher has been configured to manage. Specifically, you should no longer use `imsimta start smtp`. An attempt to execute any of the obsoleted commands causes the MTA to issue a warning.

To shut down the Dispatcher, execute the command:

```
stop-msg dispatcher
```

What happens with the server processes when the Dispatcher is shut down depends upon the underlying TCP/IP package. If you modify your MTA configuration or options that apply to the Dispatcher, you must restart the Dispatcher so that the new configuration or options take effect.

To restart the Dispatcher, execute the command:

```
imsimta restart dispatcher
```

Restarting the Dispatcher has the effect of shutting down the currently running Dispatcher, then immediately starting a new one.

Rewrite Rules

Rewrite rules determine the following:

- How to rewrite the domain part of an address into its proper or desired format.
- To which channel the message should be enqueued after the address is rewritten.

Each rewrite rule consists of a *pattern* and a *template*. The pattern is a string to match against the domain part of an address. The template specifies the actions to take if the domain part matches the pattern. It consists of two things: 1) a set of instructions (that is, a string of control characters) specifying how the address should be rewritten and 2) the name of the channel to which the message shall be sent. After the address is rewritten, the message is enqueued to the destination channel for delivery to the intended recipient.

An example of a rewrite rule is shown below:

```
siroe.com          $U%D@tcp_siroe-daemon
```

`siroe.com` is the domain pattern. Any message with the address containing `siroe.com` will be rewritten as per the template instructions (`$U%D`). `$U` specifies that the rewritten address use the same user name. `%` specifies that the rewritten address use the same domain separator. `$D` specifies that the rewritten address use the same domain name that was matched in the pattern. `@tcp_siroe-daemon` specifies that the message with its rewritten address be sent to the channel called `tcp_siroe-daemon`. See [Chapter 11, “Configuring Rewrite Rules”](#) for more details.

For more information about configuring rewrite rules, see [“The MTA Configuration File” on page 226](#) and [Chapter 11, “Configuring Rewrite Rules”](#).

Channels

The channel is the fundamental MTA component that processes a message. A channel represents a connection with another computer system or group of systems. The actual hardware connection or software transport or both may vary widely from one channel to the next.

Channels perform the following functions:

- Transmit messages to remote systems, deleting them from their queue after they are sent.

- Accept messages from remote systems, placing them in the appropriate channel queues.
- Deliver messages to the local message store.
- Deliver messages to programs for special processing.

Messages are enqueued by channels on the way into the MTA and dequeued on the way out. Typically, a message enters via one channel and leaves by another. A channel might dequeue a message, process the message, or enqueue the message to another MTA channel.

Master and Slave Programs

Generally (but not always), a channel is associated with two programs: master and slave. The slave program accepts messages from another system and adds them to a channel's message queue. The master program transfers messages from the channel to another system.

For example, an SMTP channel has a master program that transmits messages and a slave program that receives messages. These are, respectively, the SMTP client and server.

The master channel program is typically responsible for outgoing connections where the MTA has initiated the operation. The master channel program:

- Runs in response to a local request for processing.
- Dequeues the message from the channel message queue.
- If the destination format is not the same format as the queued message, performs conversion of addresses, headers, and content, as necessary.
- Initiates network transport of the message.


The slave channel program typically accepts incoming connections where the MTA is responding to an external request. The slave channel program:

- Runs in response to an external event or upon local demand.
- Enqueues a message to a channel. The target channel is determined by passing envelope addresses through a rewrite rule.

For example, [Figure 8-3](#) shows two channel programs, Channel 1 and Channel 2. The slave program in Channel 1 receives a message from a remote system. It looks at the address, applies rewrite rules as necessary, then based on the rewritten address enqueues the message to the appropriate channel message queue.


The master program dequeues the message from the queue and initiates network transport of the message. Note that the master program can only dequeue messages from its own channel queue.

Figure 8-3 Master and Slave Programs



Although a typical channel has both a master and a slave program, it is possible for a channel to contain only a slave program *or* a master program. For example, the `ims-ms` channel supplied with Messaging Server contains only a master program because this channel is responsible only for dequeuing messages to the local message store, as shown in [Figure 8-4](#).

Figure 8-4 `ims-ms` Channel



Channel Message Queues

All channels have an associated message queue. When a message enters the messaging system, a slave program determines to which message queue the message is enqueued. The enqueued messages are stored in message files in the channel queue directories. By default, these directories are stored at the following location: `msg_svr_base/data/queue/channel/*`.

CAUTION Do not add any files or directories in the MTA queue directory (that is, the value of `IMTA_QUEUE` in the `imta_tailor` file) as this will cause problems. When using a separate file system for the MTA queue directories, create a subdirectory under that mount point and specify that subdirectory as the value of `IMTA_QUEUE`.

Channel Definitions

Channel definitions appear in the lower half of the MTA configuration file, `imta.cnf`, following the rewrite rules (see [“The MTA Configuration File” on page 226](#)). The first blank line to appear in the file signifies the end of the rewrite rules section and the start of the channel definitions.

A channel definition contains the name of the channel followed by an optional list of keywords that define the configuration of the channel, and a unique channel tag, which is used in rewrite rules to route messages to the channel. Channel definitions are separated by single blank lines. Comments, but no blank lines, may appear inside a channel definition.

```
[blank line]
! sample channel definition
Channel_Name keyword1 keyword2
Channel_Tag
[blank line]
```


Collectively, the channel definitions are referred to as the channel host table. An individual channel definition is called a channel block. For example, in the example below, the channel host table contains three channel definitions or blocks.

```
! test.cnf - An example configuration file.
!
! Rewrite Rules
    .
    .
    .

! BEGIN CHANNEL DEFINITIONS
! FIRST CHANNEL BLOCK
1
local-host

! SECOND CHANNEL BLOCK
a_channel defragment charset7 usascii
a-daemon

! THIRD CHANNEL BLOCK
b_channel noreverse notices 1 2 3
b-daemon
```

A typical channel entry will look something like this:

```
tcp_intranet smtp mx single_sys subdirs 20 noreverse maxjobs 7 SMTP_POOL
maytlsserver allowswitchchannel sasls witchchannel tcp_auth
tcp_intranet-daemon
```

The first word, in this case `tcp_intranet`, is the channel name. The last word, in this case `tcp_intranet-daemon`, is called the *channel tag*. The channel tag is the name used by rewrite rules to direct messages. The words in between the channel name and channel tag are called *channel keywords* and specify how the message is to be processed. Hundreds of different keywords allow messages to be processed in many ways. A complete listing of channel keywords is listed and described in the *Sun Java System Messaging Server Administration Reference* and [Chapter 12, “Configuring Channel Definitions”](#).

The channel host table defines the channels Messaging Server can use and the names of the systems associated with each channel.

On UNIX systems, the first channel block in the file always describes the local channel, 1. (An exception is a `defaults` channel, which can appear before the local channel.) The local channel is used to make routing decisions and for sending mail sent by UNIX mail tools.

You can also set global options for channels in the MTA Option file, `option.dat`, or set options for a specific channel in a channel option file. For more information on the option files, see [“Option File” on page 246](#), and [“TCP/IP \(SMTP\) Channel Option Files” on page 244](#). For details on configuring channels, see [Chapter 12, “Configuring Channel Definitions”](#). For more information about creating MTA channels, see [“The MTA Configuration File” on page 226](#).

The MTA Directory Information

For each message that it processes, the MTA needs to access directory information about the users, groups, and domains that it supports. This information is stored in an LDAP directory service. The MTA directly accesses the LDAP directory. This is fully described in [Chapter 9, “MTA Address Translation and Routing.”](#)

The Job Controller

Each time a message is enqueued to a channel, the Job Controller ensures that there is a job running to deliver the message. This might involve starting a new job process, adding a thread, or simply noting that a job is already running. If a job cannot be started because the job limit for the channel or pool has been reached, the Job Controller waits until another job has exited. When the job limit is no longer exceeded, the Job Controller starts another job.

Channel jobs run inside processing pools within the Job Controller. A pool can be thought of a “place” where the channel jobs are run. The pool provides a computing area where a set of jobs can operate without vying for resources with jobs outside of the pool. For more information on pools see [“Job Controller File” on page 247](#) and [“Processing Pools for Channel Execution Jobs” on page 360](#).

Job limits for the channel are determined by the `maxjobs` channel keyword. Job limits for the pool are determined by the `JOB_LIMIT` option for the pool.

Messaging Server normally attempts to deliver all messages immediately. If a message cannot be delivered on the first attempt, however, the message is delayed for a period of time determined by the appropriate `backoff` keyword. As soon as the time specified in the `backoff` keyword has elapsed, the delayed message is available for delivery, and if necessary, a channel job is started to process the message.

The Job Controller's in-memory data structure of messages currently being processed and awaiting processing typically reflects the full set of message files stored on disk in the MTA queue area. However, if a backlog of message files on disk builds up enough to exceed the Job Controller's in-memory data structure size limit, then the Job Controller tracks in memory only a subset of the total number of messages files on disk. The Job Controller processes only those messages it is tracking in memory. After a sufficient number of messages have been delivered to free enough in-memory storage, the Job Controller automatically refreshes its in-memory store by scanning the MTA queue area to update its list of messages. The Job Controller then begins processing the additional message files it just retrieved from disk. The Job Controller performs these scans of the MTA queue area automatically.

If your site routinely experiences heavy message backlogs, you might want to tune the Job Controller by using the `MAX_MESSAGES` option. By increasing the `MAX_MESSAGES` option value to allow Job Controller to use more memory, you can reduce the number of occasions when message backlogs overflow the Job Controller's in-memory cache. This reduces the overhead involved when the Job Controller must scan the MTA queue directory. Keep in mind, however, that when the Job Controller does need to rebuild the in-memory cache, the process will take longer because the cache is larger. Note also that because the Job Controller must scan the MTA queue directory every time it is started or restarted, large message backlogs mean that starts or restarts of the Job Controller will incur more overhead than starts or restarts when no such backlog exists.

For information about pools and configuring the Job Controller, see [“Job Controller File” on page 247](#) and [“Configuring Message Processing and Delivery” on page 355](#).

To Start and Stop the Job Controller

To start the Job Controller, execute the command:

```
start-msg job_controller
```

To shut down the Job Controller, execute the command:

```
stop-msg job_controller
```

To restart the Job Controller, execute the command:

```
imsimta restart job_controller
```

Restarting the Job Controller has the effect of shutting down the currently running Job Controller, then immediately starting a new one.

MTA Address Translation and Routing

Prior to Messaging Server 6 2003Q4, Messaging Server used to access all user, domain, and group data from a database that was compiled from information stored in an LDAP server. When directory information was updated in the LDAP server, the database information was synchronized with a program called `dirsync`. The Messaging Server MTA now accesses the LDAP directory directly. This chapter describes the flow of data through the MTA using direct LDAP data access. It contains the following sections:

- [“The Direct LDAP Algorithm and Implementation” on page 197](#)
- [“Address Reversal” on page 221](#)
- [“Asynchronous LDAP Operations” on page 223](#)
- [“Settings Summary” on page 224](#)

The Direct LDAP Algorithm and Implementation

The following sections describe direct LDAP processing.

Domain Locality Determination

Starting with an address of the form `user@domain`, the address translation and routing process first checks to see if `domain` is local.

Rewrite Rule Machinery

A facility has been added to the MTA rewrite rule machinery to check a given string to see if it is a domain we need to handle locally. This new facility is activated by a `$V` or `$Z` metacharacter. These new metacharacters are syntactically similar to the existing `$N`, `$M`, `$Q`, and `$C` metacharacters, that is, they are followed by a pattern string. In the case of `$N`, `$M`, `$Q`, and `$C` the pattern is matched against either the source or destination channel. In the case of `$V` and `$Z` the pattern is a domain and the check is to see whether or not it is local. `$V` causes a rule failure for a nonlocal domain and `$Z` causes a rule failure for a local domain.

The handling of these metacharacters is implemented as the following procedure:

1. Messaging Server checks to see if the current domain matches a valid domain entry in the directory. Go to step 3 if no entry exists.
2. If the domain has an entry in the directory, the attribute specified by the `LDAP_DOMAIN_ATTR_ROUTING_HOSTS` MTA option (default `mailRoutingHosts`) is retrieved from the domain entry. If this attribute is present, it lists the set of hosts able to handle users in this domain. This list is compared against the host specified by the `local.hostname` configutil parameter and the list of hosts specified by the `local.imta.hostnamealiases` configutil parameter. These options can be overridden by the `LDAP_LOCAL_HOST` and `LDAP_HOST_ALIAS_LIST` MTA options, respectively. If there is a match or the attribute is not present on the domain, the domain is local. If no match occurs, the domain is nonlocal.

The handling of domains considered to be nonlocal because of the `mailRoutingHosts` attribute depends on the setting of the `ROUTE_TO_ROUTING_HOST` MTA option. If the option is set to 0 (the default), the address is simply treated as nonlocal and MTA rewrite rules are used to determine routing. If the option is set to 1, a source route consisting of the first value listed in the `LDAP_DOMAIN_ATTR_ROUTING_HOSTS` MTA option is prepended to the address.

3. If no domain entry can be found, remove a component from the left hand side of the domain and go to Step 1. If no components remain continue to Step 4.

A consequence of this backtracking up the domain tree is that if `domain.com` is recognized as local, any subdomain of `domain.com` will be recognized as local. Situations may arise where this is undesirable, so an MTA option, `DOMAIN_Uplevel`, is provided to control this behavior. Specifically, bit 0 (value = 1) of `DOMAIN_Uplevel`, if clear, disables retries with domain components removed. The default value of `DOMAIN_Uplevel` is 0.

4. Vanity domain checking now needs to be performed. Vanity domains do not have domain entries, rather, they are specified by attaching special domain attributes to one or more user entries. The vanity domain check is done by instituting an LDAP search using the LDAP URL specified by the `DOMAIN_MATCH_URL` MTA option. The value of this option should be set to:

```
ldap:///§B?msgVanityDomain?sub?(msgVanityDomain=§D)
```

§B substitutes the value of the `local.ugldapbasedn configutil` parameter; this is the base of the user tree in the directory. The `LDAP_USER_ROOT` MTA option can be used to override the value of this `configutil` option specifically for the MTA.

The actual return value from this search does not matter. What matters is if there is a value to return. If there is a return value the domain is considered to be local, if not it is considered to be nonlocal.

Domain Map Determination of Domain Locality

It is also instructive to note what steps are performed to find valid domain entries in the directory. The steps are schema-level-specific. In the case of Sun LDAP Schema 1, they are:

1. Convert the domain to a base DN in the domain tree. This is done by converting the domain into a series of `dc` components and then adding a domain root suffix. The default suffix is obtained from the `service.dcreot configutil` parameter. The default suffix is `o=internet`. So a domain of the form `a.b.c.d` would typically be converted into `dc=a,dc=b,dc=c,dc=d,o=internet`. The `service.dcreot configutil` parameter can be overridden by setting the `LDAP_DOMAIN_ROOT` MTA option.
2. Look for an entry with the base DN found in Step 1 and an object class of either `inetDomain` or `inetDomainAlias`. The search filter used for this purpose can be overridden by setting the `LDAP_DOMAIN_FILTER_SCHEMA1` MTA option which defaults to `(|(objectclass=inetDomain)(objectclass=inetdomainalias))`.
3. Exit with a failure if nothing is found.
4. If the object class of the entry found is `inetDomain`, check to make sure the entry has an `inetDomainBaseDn` attribute associated with the domain entry. If it is present, it is saved for use in subsequent searches for user entries and processing terminates. If it is not present, the entry is assumed to be a domain alias and processing continues with step 5. The MTA option `LDAP_DOMAIN_ATTR_BASEDN` can be used to override the use of `inetDomainBaseDN`.

5. The entry must be a domain alias; look up the new entry referenced by the `aliasedObjectName` attribute and return to step 4. Processing terminates with a failure if the `noAliasedObjectName` attribute is present. An alternative to the use of `aliasedObjectName` attribute can be specified with the MTA option `LDAP_DOMAIN_ATTR_ALIAS`.

Note that processing can return to step 4 at most once; domain aliases pointing at domain aliases are not allowed.

In Sun LDAP Schema 2, the action taken is much simpler: The directory is searched for an entry with the object class `sunManagedOrganization` where the domain appears as a value of either the `sunPreferredDomain` or `associatedDomain` attribute. If need be, the use of the `sunPreferredDomain` and `associatedDomain` attributes for this purpose can be overridden with the respective MTA options `LDAP_ATTR_DOMAIN1_SCHEMA2` and `LDAP_ATTR_DOMAIN2_SCHEMA2`. The search is done under the root specified by the `service.dcreport.configutil` parameter. The `service.dcreport.configutil` parameter can be overridden by setting the `LDAP_DOMAIN_ROOT` MTA option. Additionally, domain entries in Schema 2 are not required to have `inetDomainBaseDn` attributes; if they do not, the base of the user tree is assumed to be the domain entry itself.

Caching Of Domain Locality Information

Due to the frequency with which domain rewrite operations are performed and the expense of the directory queries (especially the vanity domain check) both negative and positive indications about domains need to be cached. This is implemented with an in-memory open-chained dynamically-expanded hash table. The maximum size of the cache is set by the `DOMAIN_MATCH_CACHE_SIZE` MTA option (default 100000) and the timeout for entries in the cache is set by the `DOMAIN_MATCH_CACHE_TIMEOUT` MTA option (default 600 seconds).

Error Handling

Temporary server failures during this process have to be handled carefully, since when they occur, it is impossible to know whether or not a given domain is local. Basically two outcomes are possible in such a case:

1. Return a temporary (4xx) error to the client telling it to try the address again later.
2. Accept the address but queue it to the reprocessing channel so it can be retried locally later.

Neither of these options is appropriate in all cases. For example, outcome 1 is appropriate when talking to a remote SMTP relay. But outcome 2 is appropriate when dealing with an SMTP submission from a local user.

While it would be possible in theory to handle temporary failures by using multiple rules with the same pattern, the overhead of repeating such queries, even with a cache in place, is unacceptable. For these reasons, the simple success/fall-through-to-the-next-rule matching model of domain rewriting is inadequate. Instead, a special template, specified by the MTA option `DOMAIN_FAILURE`, is used in the event of a domain lookup failure. When a `$v` operation fails, this template replaces the remainder of the current rewrite rule template being processed.

Pattern for Domain Check Rewrite Rule

This domain check needs to be performed before other rewrite rules have a chance to operate. This ordering is insured by using the special `$*` on the left hand side in the rule. The `$*` pattern is checked prior to any other rules.

Putting It All Together

Taking all the machinery described so far into account, the new rewrite rule we need in the `imta.cnf` is:

```
$*          $E$F$U%$H$V$H@localhost
```

and the value of the `DOMAIN_FAILURE` MTA option in the `option.dat` file needs to be:

```
reprocess-daemon$Mtcp_local$1M$1--error$4000000?Temporary lookup failure
```

In this rewrite rule, `localhost` is the host name associated with the local channel. The value of the `DOMAIN_FAILURE` option shown here is the default value so it does not need to appear in `option.dat` under normal circumstances.

The ordering here is especially tricky. The MTA checks `$v` after the address is rebuilt but before the route is added. This lets the MTA to change the route in the event of a temporary lookup failure. Pending channel match checks are applied any time the insertion point changes, so the `@` after the second `$H` invokes the check. If the check succeeds, the remainder of the template applies and rewrite processing concludes. If the check fails, the rewrite fails and rewriting continues with the next applicable rewrite rule. If the check cannot be performed due to a temporary failure, template processing continues with the value specified by the `DOMAIN_FAILURE` MTA option. The value of this template first sets the routing host to `reprocess-daemon`. Then the template checks to see whether or not the MTA is dealing with a reprocessing channel of some sort or `tcp_local`. If the MTA is dealing with such a channel, the rule continues, making the routing host illegal and specifying a temporary failure as the outcome. If the MTA is not dealing with such a channel, the rule is truncated and successfully terminated, thereby rewriting the address to the `reprocess` channel.

Alias expansion of local addresses

Once an address has been determined to be associated with the local channel it automatically undergoes alias expansion. The alias expansion process examines a number of sources of information, including:

1. The alias file (part of the compiled configuration).
2. The alias database.
3. Alias URLs.

The exact alias sources that are checked and the order in which they are checked depends on the setting of the `ALIAS_MAGIC` MTA option in the `option.dat` file. For direct LDAP, set the option to 8764. This means that the URL specified by the `ALIAS_URL0` MTA option is checked first, then the URL specified by the `ALIAS_URL1` MTA option, then the URL specific by the `ALIAS_URL2` MTA option, and finally, the alias file. The alias database is not checked when this setting is active.

Alias Checking with LDAP URLs

Checking of aliases in LDAP is implemented by specifying two special LDAP URLs as alias URLs. The first of these handles regular users and groups; vanity domains are handled by subsequent alias URLs. The first URL is specified as `ALIAS_URL0`:

```
ALIAS_URL0=ldap:/// $V?*?sub?$R
```

The \$V Metacharacter

Metacharacter expansion occurs prior to URL lookup. The two metacharacters used in the `ALIAS_URL0` value are `$V` and `$R`.

The `$V` metacharacter converts the domain part of the address into a base DN. This is similar to the initial steps performed by the `$V` rewrite rule metacharacter described previously in the section entitled “[Rewrite Rule Machinery](#).” `$V` processing consists of the following steps:

1. Get the base DN for user entries in the current domain.
2. Get the canonical domain associated with the current domain. In Sun LDAP Schema 1, the canonical domain name is given by the `inetCanonicalDomainName` attribute of the domain entry if the attribute is present. If the attribute is absent the canonical name is the name constructed in the obvious way from the DN of

the actual domain entry. This will differ from the current domain when the current domain is an alias. The name attribute used to store the canonical name may be overridden with the `LDAP_DOMAIN_ATTR_CANONICAL` MTA option in the `option.dat` file.

In Sun LDAP Schema 2, the canonical name is simply the value of the `SunPreferredDomain` attribute.

3. If the base DN exists, substitute it into the URL in place of the `$v`.
4. Any applicable hosted domain for this entry is now determined. This is done by comparing either the canonical domain (if bit 2 (value = 4) of `DOMAIN_Uplevel` is clear) or the current domain (if bit 2 (value = 4) of `DOMAIN_Uplevel` is set) with the `service.defaultdomain` `configutil` parameter. If they do not match, the entry is a member of a hosted domain. The `service.defaultdomain` `configutil` parameter can be overridden by setting the `LDAP_DEFAULT_DOMAIN` MTA option in the `option.dat` file.
5. If the base DN determination fails, remove a component from the left hand side of the domain and go to Step 1. The substitution fails if no components remain.

`$v` also accepts an optional numeric argument. If it is set to 1 (for example, `$1v`), a failure to resolve the domain in the domain tree will be ignored and the base of the user tree specified by the `local.ugldapbasedn` `configutil` option will be returned.

If the attempt to retrieve the domain's base DN succeeds, the MTA also retrieves several useful domain attributes which will be needed later. The names of the attributes retrieved are set by the following MTA options in the `option.dat` file:

- `LDAP_DOMAIN_ATTR_UID_SEPARATOR` (default `domainUidSeparator`)
- `LDAP_DOMAIN_ATTR_SMARTHOST` (default `mailRoutingSmartHost`)
- `LDAP_DOMAIN_ATTR_CATCHALL_ADDRESS` (default `mailDomainCatchallAddress`)
- `LDAP_DOMAIN_ATTR_BLOCKLIMIT` (default `mailDomainMsgMaxBlocks`)
- `LDAP_DOMAIN_ATTR_REPORT_ADDRESS` (default `mailDomainReportAddress`)
- `LDAP_DOMAIN_ATTR_STATUS` (default `inetDomainStatus`)
- `LDAP_DOMAIN_ATTR_MAIL_STATUS` (default `mailDomainStatus`)
- `LDAP_DOMAIN_ATTR_CONVERSION_TAG` (default `mailDomainConversionTag`)
- `LDAP_DOMAIN_ATTR_FILTER` (default `mailDomainSieveRuleSource`)
- `LDAP_DOMAIN_ATTR_DISK_QUOTA` (no default)

- LDAP_DOMAIN_ATTR_MESSAGE_QUOTA (no default)
- LDAP_DOMAIN_ATTR_AUTOREPLY_TIMEOUT (no default)
- LDAP_DOMAIN_ATTR_NOSOLICIT (no default)
- LDAP_DOMAIN_ATTR_OPTIN (no default)
- LDAP_DOMAIN_ATTR_RECIPIENTLIMIT (no default)
- LDAP_DOMAIN_ATTR_RECIPIENTCUTOFF (no default)
- LDAP_DOMAIN_ATTR_SOURCEBLOCKLIMIT (no default)

Calling a Mapping from a URL

There might be unusual cases where the mapping from domain to base DN is done some other way. In order to accommodate such setups, the URL resolution process has the ability to call an MTA mapping. This is done with a metacharacter sequence of the general form:

`$|/mapping-name/mapping-argument|`

The double quotation (“) initiates and terminates the callout. The character immediately following the \$ is the separator between the mapping name and argument; a character should be chosen that does not collide with the expected character values used in either the mapping name or argument.

The \$R Metacharacter

The \$R metacharacter provides an appropriate filter for the URL. The intent is to produce a filter that searches all the attributes that might contain an email address for a particular user or group. The list of attributes to search comes from the `configutil` parameter `local.imta.mailaliases`. If this parameter is not set, the `local.imta.schematag` `configutil` parameter is examined, and depending on its value, an appropriate set of default attributes is chosen as follows:

<code>sims401</code>	<code>mail,rfc822mailalias</code>
<code>nms41</code>	<code>mail,mailAlternateAddress</code>
<code>ims50</code>	<code>mail,mailAlternateAddress,mailEquivalentAddress</code>

The value of `local.imta.schematag` can be a comma-separated list. If more than one schema is supported, the combined list of attributes with duplicates eliminated is used. The `LDAP_SCHEMATAG` MTA option can be used to override the setting of `local.imta.schematag` specifically for the MTA.

Additionally, the filter searches not only for the address that was originally supplied, but also for an address with the same local part but the domain that was actually found in the domain tree, which was saved in [Step 2](#) in the section entitled “[The \\$V Metacharacter](#).” The iterative nature of the domain tree lookup means the two addresses may be different. This additional check is controlled by bit 1 (value = 2) of the `DOMAIN_UPLEVEL` MTA option in the `option.dat` file. Setting the bit enables the additional address check. The default value of `DOMAIN_UPLEVEL` is 0.

For example, suppose that the domain `siroe.com` appears in the domain tree. Assuming Sun LDAP Schema 1 is in force, a lookup of the address

```
u@host1.siroe.com
```

The filter that results from the expansion of `$R` and an `ims50` `schematag` looks like:

```
(|(mail=u@siroe.com)
  (mail=u@host1.siroe.com)
  (mailAlternateAddress=u@siroe.com)
  (mailAlternateAddress=u@host1.siroe.com)
  (mailEquivalentAddress=u@siroe.com)
  (mailEquivalentAddress=u@host1.siroe.com))
```

If, on the other hand, `DOMAIN_UPLEVEL` was set to 1 rather than 3, the filter would be:

```
(|(mail=u@host1.siroe.com)
  (mailAlternateAddress=u@host1.siroe.com)
  (mailEquivalentAddress=u@host1.siroe.com))
```

Determining the Attributes to Fetch

If the URL specifies an `*` for the list of attributes to return, we replace the asterisk with the list of attributes the MTA is able to use. This list is dynamically generated from the various MTA option settings that specify the options the MTA consumes.

Handling LDAP Errors

At this point the resulting URL is used to perform an LDAP search. If an LDAP error of some kind occurs, processing terminates with a temporary failure indication (4xx error in SMTP). If the LDAP operation succeeds but fails to produce a result, the catchall address attribute for the domain retrieved from the `LDAP_DOMAIN_ATTR_CATCHALL_ADDRESS` MTA option is checked. If it is set, its value replaces the current address.

If no catchall address attribute is set the `smarthost` attribute for the domain retrieved from the `LDAP_DOMAIN_ATTR_SMARTHOST` MTA option is checked. If it is set, an address of the form

```
@smarthost: user@domain
```

is created and alias processing terminates successfully with this result. Additionally, the conversion tag for the domain obtained from the `LDAP_DOMAIN_ATTR_CONVERSION_TAG` MTA option will, if present, be attached to the address so that conversions can be done prior to forwarding to the smarthost. If no catchall address or smarthost exists for the domain, processing of this alias URL terminates unsuccessfully.

Sanity Checks on the LDAP Result

After the LDAP search has returned a result, it is checked to verify that there is only one entry in it. If there are more than one, each entry is checked to see if it has the right object class for a user or a group, a non-deleted status, and for users, a UID. Entries that do not pass this check are ignored. If the list of multiple entries is reduced to one by this check, processing proceeds. If not, a duplicate or ambiguous directory error is returned.

Support for Vanity Domains

The `ALIAS_URL0` check is for a conventional user or a user in a hosted domain. If this fails a vanity domain check is also made. This is done with the following alias URL:

```
ALIAS_URL1=ldap:/// $B?*?sub? (&(msgVanityDomain=$D)$R)
```

Support for Catchall Addresses

Finally, a check for a catchall address of the form `@host` needs to be made in the `mailAlternateAddress` attribute. This form of wildcarding is allowed in both hosted and vanity domains, so the proper alias URL for it is:

```
ALIAS_URL2=ldap:/// $1V?*?sub?(mailAlternateAddress=@$D)
```

NOTE The `+*` subaddress substitution mechanism has always worked with catch-all addresses in direct LDAP mode, but the string that was substituted was the subaddress only, not the entire local part. This has been changed so that the entire local part of the original address will be plugged into the catch-all address as a subaddress when this construct is used.

For example, given an address of the form `foo+bar@domain.com`, no local user `foo` in the `domain.com` domain, and a catch-all address for `domain.com` of `bletch+*@example.com`, the resulting address will now be `bletch+foo+bar@example.com`. It used to be `bletch+bar@example.com`.

Processing the LDAP Result

LDAP alias result processing is done in a number of order-dependent stages. These stages are described in the following sections.

Object Class Check

If the alias search succeeds, the object class of the entry is checked to make sure it contains an appropriate set of object classes for a user or a group. The possible sets of required object classes for users and groups is normally determined by what schemata are active. This is determined by the `local.imta.schematag` setting.

Table 9-1 shows the user and group object classes that result from various `schematag` values.

Table 9-1 Object Classes Resulting from Various `schematag` Values

<code>schematag</code>	User Object Classes	Group Object Classes
<code>sims40</code>	<code>inetMailRouting+inetmailuser</code>	<code>inetMailRouting+inetmailgroup</code>
<code>nms41</code>	<code>mailRecipient + nsMessagingServerUser</code>	<code>mailGroup</code>
<code>ims50</code>	<code>inetLocalMailRecipient+inetmailuser</code>	<code>inetLocalMailRecipient+inetmailgroup</code>

The information in this table, like the rest of schema tag handling, is hard coded. However, there are also two MTA options in the `option.dat` file, `LDAP_USER_OBJECT_CLASSES` and `LDAP_GROUP_OBJECT_CLASSES`, which can be set to specify different sets of object classes for users and groups respectively.

For example, a schema tag setting of `ims50,nms41` would be equivalent to the following option settings:

```
LDAP_USER_OBJECT_CLASSES=inetLocalMailRecipient+inetmailuser,  
mailRecipient+nsMessagingServerUser
```

```
LDAP_GROUP_OBJECT_CLASSES=inetLocalMailRecipient+inetmailgroup,mailGroup
```

The LDAP result is simply ignored if it does not have a correct set of object classes appropriate for a user or a group. The MTA also determines if it is dealing with a user or a group and saves this information. This saved information will be used repeatedly later.

Note that the object class settings described here are also used to construct an actual LDAP search filter that can be used to check to see that an entry has the right object classes for a user or a group. This filter is accessible through the `$K` metacharacter. It is also stored internally in the MTA's configuration for use by channel programs and is written to the MTA option file, `option.dat`, as the `LDAP_UG_FILTER` option when the command `imsimta cnbuild -option` is used. This option is only written to the file. The MTA never reads it from the option file.

Entry Status Checks

Next the entry's status is checked. There are two status attributes, one for the entry in general and another specifically for mail service.

Table 9-2 shows the general and mail-specific user or group attributes in the `schematag` entry to check against depending on what schemata are in effect

Table 9-2 Attributes to Check Against

<code>schematag</code>	Type	General	Mail-specific
<code>sims40</code>	users	<code>inetsubscriberstatus</code>	<code>mailuserstatus</code>
<code>sims40</code>	groups	none	<code>inetmailgroupstatus</code>
<code>nms41</code>	users	none	<code>mailuserstatus</code>
<code>nms41</code>	groups	none	none
Messaging Server 5.0	users	<code>inetuserstatus</code>	<code>mailuserstatus</code>
Messaging Server 5.0	groups	none	<code>inetmailgroupstatus</code>

If necessary the `LDAP_USER_STATUS` and `LDAP_GROUP_STATUS` MTA options in the `option.dat` file can be used to select alternate general status attributes for users and groups respectively. The mail-specific user and group status attributes are controlled by the `LDAP_USER_MAIL_STATUS` and `LDAP_GROUP_MAIL_STATUS` MTA options.

Another factor that plays into this are the statuses for the domain itself (`LDAP_DOMAIN_ATTR_STATUS` and `LDAP_DOMAIN_ATTR_MAIL_STATUS`). All in all there are four status attributes. They are combined by considering them in the following order:

1. Domain status
2. Domain mail status
3. User or group status

4. Mail user or group status

The first of these that specifies something other than “active” takes precedence over all the others. The other permissible status values are “inactive,” “deleted,” “removed,” “disabled,” “hold,” and “overquota.” “Hold,” “disabled,” and “removed” statuses may only be specified for mail domains, mail users, or mail groups. “Overquota” status can only be specified as a mail domain or mail user status.

All statuses default to “active” if a particular status attribute is not present. Unknown status values are interpreted as “inactive.”

When the four statuses are combined, the following statuses for a user or group are possible: “active,” “inactive,” “deleted,” “removed,” “disabled,” “hold,” and “overquota.” Active status causes alias processing to continue. Inactive or overquota status results in immediate rejection of the address with a 4xx (temporary) error. Deleted, removed, and disabled statuses results in immediate rejection of the address with a 5xx (permanent) error. Hold status is treated as active as far as status handling is concerned but it sets an internal flag so that when delivery options are considered later on, any options that are there are overridden with an option list containing a single “hold” entry.

UID Check

The next step is to consider the entry's UID. UIDs are used for a variety of purposes and must be part of all user entries and may be included in group entries. A user entry without a UID is ignored and processing of this alias URL terminates unsuccessfully. UIDs for entries in a hosted domain can consist of the real UID, a separator character, and then a domain. The MTA only wants the real UID so the rest is removed if present using the domain separator character obtained with the `LDAP_DOMAIN_ATTR_UID_SEPARATOR` MTA option in the `option.dat` file.

In the unlikely event that an attribute other than `uid` is used to store UIDs, the `LDAP_UID` MTA option can be used to force use of a different attribute.

Message Capture

Next the LDAP attribute used to specify one or more message capture addresses is checked. The attribute used for this purpose must be specified with the `LDAP_CAPTURE` MTA option. There is no default. Values of this attribute are treated as addresses and a special “capture” notification is generated and sent to these address containing the current message as an attachment. Additionally, the capture addresses are used to seed the address reversal cache in the likely event the address will subsequently appear as an envelope from: address.

Seeding the Reversal Cache

Next the primary address and any aliases attached to the user entry are considered. This information is used to seed the address reversal cache. It plays no part in the current address translation process. First, the primary address, personal name, recipient limit, recipient cutoff, and source block limit attributes are considered. The primary address is normally stored in the “mail” attribute; another attribute can be specified by setting the `LDAP_PRIMARY_ADDRESS` MTA option appropriately. (The primary address reverses to itself, of course.) There is no default attribute for any of the other attributes. If you want to use them, you must specify them with the `LDAP_PERSONAL_NAME`, (see [“Vacation Autoreply Attributes” on page 508](#)) `LDAP_RECIPIENTLIMIT`, `LDAP_RECIPIENTCUTOFF`, (see [“Limiting Message Recipients” on page 392](#)) and `LDAP_SOURCEBLOCKLIMIT` (see [“Specifying Absolute Message Size Limits” on page 388](#)) MTA options. The corresponding domain-level recipient limit, recipient cutoff, and source block limit attributes are also considered at this point. User-level settings completely override any domain-level setting.

Next, any secondary addresses are considered and a cache entry is made for each one. There are two sorts of secondary addresses: Those that undergo address reversal and those that do not. Both must be considered in order to properly seed the address reversal cache because of the need to check for message capture requests in all cases.

Secondary addresses that undergo reversal are normally stored in the `mailAlternateAddress` attribute. Another attribute can be specified by setting the `LDAP_ALIAS_ADDRESSES` MTA option. Secondary addresses that do not undergo reversal are normally stored in the `mailEquivalentAddress` attribute. Another attribute can be specified with the `LDAP_EQUIVALENCE_ADDRESSES` MTA option.

Mail Host and Routing Address

It is now time to consider the `mailhost` and `mailRoutingAddress` attributes. The actual attributes considered can be overridden with the `LDAP_MAILHOST` and `LDAP_ROUTING_ADDRESS` MTA options, respectively. These attributes work together to determine whether or not the address should be acted on at this time or forwarded to another system.

The first step is to decide whether or not `mailhost` is meaningful for this entry. A preliminary check of the delivery options active for the entry is done to see whether or not the entry is `mailhost`-specific. If it is not, `mailhost` checking is omitted. See the description of [“Delivery Options Processing” on page 213](#), and the `#` flag in particular, to understand how this check is done.

In the case of a user entry, the `mailhost` attribute must identify the local system in order to be acted on. The `mailhost` attribute is compared with the value of the `local.hostname` `configutil` parameter and against the list of values specified by the `local.imta.hostnamealiases` `configutil` parameter. The `mailhost` attribute is deemed to identify the local host if any of these match.

A successful match means that the alias can be acted on locally and alias processing continues. An unsuccessful match means that the message needs to be forward to the mailhost to be acted on. A new address of the form

@mailhost:user@domain

is constructed and becomes the result of the alias expansion operation.

The handling of a missing `mailhost` attribute is different depending on whether the entry is a user or a group. In the case of a user, a mailhost is essential, so if no `mailhost` attribute is present a new address of the form

@smarthost:user@domain

is constructed using the smart host for the domain determined by the `LDAP_DOMAIN_ATTR_SMARTHOST` MTA option. An error is reported if no smart host exists for the domain.

Groups, on the other hand, do not require a mailhost, so a missing mailhost is interpreted as meaning that the group can be expanded anywhere. So alias processing continues.

The `mailRoutingAddress` attribute adds one final wrinkle. If it is present, alias processing terminates with the `mailRoutingAddress` as the result. However, if a mailhost is present, it is added to the `mailRoutingAddress` as a source route.

Miscellaneous Attribute Support

Next the `mailMsgMaxBlocks` attribute is considered. First it is minimized with the domain block limit returned from the `LDAP_DOMAIN_ATTR_BLOCKLIMIT` MTA option. If the size of the current message is known to exceed the limit, alias processing terminates with a size-exceeded error. If the size is not known or does not exceed the limit, the limit is nevertheless stored and will be rechecked when the message itself is checked later. The use of `mailMsgMaxBlocks` can be overridden with the `LDAP_BLOCKLIMIT` MTA option.

Next a number of attributes are accessed and saved. Eventually these will be written into the queue file entry for use by the `ims_master` channel program, which will then use them to update the store's user information cache. If the attributes are not found for individual users, domain-level attributes can be used to set defaults.

This step is skipped if the LDAP entry is for a group rather than a user or if the LDAP entry came from the alias cache and not from the LDAP directory. The logic behind the latter criteria is that frequent updates of this information are unnecessary and using the alias cache offers a reasonable criteria for when updates should be done. The names of the attributes retrieved are set by various MTA options.

[Table 9-3](#) shows the MTA options which set the retrieved disk quota and message quota attributes.

Table 9-3 MTA Options Which Set the Retrieved Disk Quota and Message Quota Attributes

MTA option	Attribute
LDAP_DISK_QUOTA	mailQuota
LDAP_MESSAGE_QUOTA	mailMsgQuota

Next a number of attributes are stored for possible use in conjunction with metacharacter substitutions later.

[Table 9-4](#) shows the MTA options, the default attribute, and metacharacters.

Table 9-4 MTA Options, Default Attributes, and Metacharacters

MTA Option	Default Attribute	Metacharacters
LDAP_PROGRAM_INFO	mailProgramDeliveryInfo	\$P
LDAP_DELIVERY_FILE	mailDeliveryFileURL	\$F
LDAP_SPARE_1	no default	\$1E \$1G \$E
LDAP_SPARE_2	no default	\$2E \$2G \$G
LDAP_SPARE_3	no default	\$3E \$3G
LDAP_SPARE_4	no default	\$4E \$4G
LDAP_SPARE_5	no default	\$5E \$5G

Spare slots for additional attributes are included so that you can use them to build customized address expansion facilities.

Next any values associated with the `mailconversiontag` attribute are added to the current set of conversion tags. The name of this attribute can be changed with the `LDAP_CONVERSION_TAG` MTA option. If any values were associated with the domain's `mailDomainConversionTag` attribute, they are attached as well.

Delivery Options Processing

Next the `mailDeliveryOption` attribute is checked. The name of this attribute can be changed with the `LDAP_DELIVERY_OPTION` MTA option. This is a multi valued option and its values determine the addresses produced by the alias translation process. Additionally, the permissible values are different for users and groups. Common permissible values are `program`, `forward`, and `hold`.” User-only values are `mailbox`, `native`, `unix`, and `autoreply`. The group-only values are `members`, `members_offline`, and `file`.

The conversion of the `mailDeliveryOption` attribute into appropriate addresses is controlled by the `DELIVERY_OPTIONS` MTA option. This option not only specifies what addresses are produced by each permissible `mailDeliveryOption` value, but also what the permissible `mailDeliveryOption` values are and whether or not each one is applicable to users, groups, or both.

The value of this option consists of a comma-separated list of `deliveryoption=template` pairs, each pair with one or more optional single character prefixes.

The default value of the `DELIVERY_OPTIONS` option is:

```
DELIVERY_OPTIONS=*mailbox=$M%$\\$2I$_+$2S@ims-ms-daemon, \
&members=*, \
*native=$M@native-daemon, \
/hold=@hold-daemon:$A, \
*unix=$M@native-daemon, \
&file=+$F@native-daemon, \
&@members_offline=*, \
program=$M%$P@pipe-daemon, \
#forward=**, \
*^!autoreply=$M+$D@bitbucket
```

Each delivery option corresponds to a possible `mailDeliveryOption` attribute value and the corresponding template specifies the resulting address using the same metacharacter substitution scheme used by URL processing.

Table 9-5 shows the single character prefixes available for the `DELIVERY_OPTIONS` options.

Table 9-5 Single-Character Prefixes for options in the DELIVERY_OPTIONS MTA option.

Character Prefix	Description
@	Sets a flag saying that the message needs to be redirected to the reprocess channel. Processing of the current user/group is abandoned. Flag ignored for messages originating from the reprocess channel.
*	Delivery option applies to users.
&	Delivery option applies to groups.
\$	Sets a flag saying expansion of this user or group is to be deferred.
^	Sets a flag saying that the vacation start and end times should be checked to see if this delivery option really is in effect.
#	Sets a flag saying expansion of this delivery option does not need to take place on the entry's designated mailhost. That is, the following entry is mailhost-independent. This lets the MTA check to see if all of a given user or group's delivery options are independent of the mailhost. If this condition is satisfied the MTA can act on the entry immediately rather than having to forward the message to the mailhost.
/	Sets a flag that causes all addresses produced by this delivery option to be held. Message files containing these recipient addresses will have a .HELD extension.
!	Sets a flag that says that autoreply operations should be handled internally by the MTA. It only makes sense to use this prefix on an autoreply delivery option. The option's value should direct the message to the bitbucket channel

If neither * nor & are present, the delivery option is taken to apply to both users and groups.

Additional Metacharacters for Use in Delivery Options

Several additional metacharacters have been added to support this new use of the MTA's URL template facility. These include:

[Table 9-6](#) shows additional metacharacters and their descriptions for use in delivery options.

Table 9-6 Additional Metacharacters for Use in Delivery Options

Metacharacter	Description
\$\	Force subsequent text to lower case.
\$\$	Force subsequent text to upper case.

Table 9-6 Additional Metacharacters for Use in Delivery Options (*Continued*)

Metacharacter	Description
\$_	Perform no case conversion on subsequent text.
\$nA	Insert the <i>n</i> th character of the address. The first character is character 0. The entire address is substituted if <i>n</i> is omitted. This is intended to be used to construct autoreply directory paths.
\$D	Insert the domain part of the address.
\$nE	Insert the value of the <i>n</i> th spare attribute. If <i>n</i> is omitted the first attribute is used.
\$F	Insert the name of the delivery file (<code>mailDeliveryFileURL</code> attribute).
\$nG	Insert the value of the <i>n</i> th spare attribute. If <i>n</i> is omitted the second attribute is used.
\$nH	Insert the <i>n</i> th component of the domain from the original address counting from 0. The default is 0 if <i>n</i> is omitted.
\$nI	Insert hosted domain associated with alias. This metacharacter accepts an integer parameter <i>n</i> whose semantics are described in Table 9-7 .
\$nJ	Insert the <i>n</i> th part of the host domain counting from 0. The default for <i>n</i> is 0.
\$nO	Insert source route associated with the current address. This metacharacter accepts an integer parameter <i>n</i> whose semantics are described in Table 9-7 .
\$K	Insert an LDAP filter that matches the object classes for a user or group. See the description of the <code>LDAP_UG_FILTER</code> output-only MTA option.
\$L	Insert the local part of the address.
\$nM	Insert the <i>n</i> th character of the UID. The first character is character 0. The entire UID is substituted if <i>n</i> is omitted.
\$P	Insert the program name (<code>mailProgramDeliveryInfo</code> attribute).
\$nS	Insert subaddress associated with the current address. This metacharacter accepts an integer parameter <i>n</i> whose semantics are described in Table 9-7 .
\$nU	Insert the <i>n</i> th character of the dequoted form of the mailbox part of the current address. The first character is character 0. The entire dequoted mailbox is substituted if <i>n</i> is omitted.
\$nX	Insert the <i>n</i> th component of the mailhost. The entire mailhost is inserted if <i>n</i> is omitted.

[Table 9-7](#) shows how the integer parameter modifies the behavior of the \$nI and \$nS metacharacters.

Table 9-7 Integers Controlling Behavior Modification of the \$nI and \$nS Metacharacters

Integer	Description of Behavior
0	Fail if no value is available (default).
1	Insert value if one is available. Insert nothing if not.
2	Insert value if one is available. Insert nothing and delete preceding character if one is not (this particular behavior is needed by the <code>ims-ms</code> channel).
3	Insert value if one is available. Insert nothing and ignore following character if one is not.

In addition to the metacharacters, [Table 9-8](#) shows two special template strings.

Table 9-8 Special Template Strings

Special Template String	Description
*	Perform group expansion. This value is not valid for user entries.
**	Expand the attribute named by the <code>LDAP_FORWARDING_ADDRESS</code> MTA option. This defaults to <code>mailForwardingAddress</code> .

With group expansion, for example, if a user's `mailDeliveryOption` value is set to `mailbox`, we form a new address consisting of the stripped UID, a percent sign followed by the hosted domain if one is applicable, a plus sign followed by the subaddress if one was specified, and finally `@ims-ms-daemon`.

Delivery Option Defaults

If the list of active delivery options is empty at this point, the first option on the list (usually `mailbox`) is activated for users and the second option on the list (usually `members`) is activated for groups.

Start and End Date Checks

Start and end dates are checked after the delivery option list has been read. There are two attributes whose names are controlled by the `LDAP_START_DATE` (default `vacationStartDate`) and `LDAP_END_DATE` (default `vacationEndDate`) MTA options, respectively. If one or more of the active delivery options specified the `^` prefix

character, the values of these options are checked against the current date. If the current date is outside the range specified by these options, the delivery options with the ^ prefix are removed from the active set. For more information see [“Vacation Autoreply Attributes” on page 508](#).

Optin and Presence Attributes

The `LDAP_OPTIN` MTA option can be used to specify an LDAP attribute containing a list of spam filter opt-in values. If the option is specified and the attribute is present, it is appended to the current spam filter opt-in list. Any values set by the domain level attribute set by the `LDAP_DOMAIN_ATTR_OPTIN` MTA option will also be appended to the list.

The `LDAP_PRESENCE` MTA option can be used to specify a URL that can be resolved to return presence information about the user. If the option is specified and the attribute is present, its value is saved for possible use in conjunction with Sieve presence tests. The domain level attribute set by the `LDAP_DOMAIN_ATTR_PRESENCE` MTA option is used as source for this URL if no value exists for the user entry.

Sieve Filter Handling

Next the `mailSieveRuleSource` attribute is checked for a Sieve filter that applies to this entry. If this attribute exists, it is parsed and stored at this point. The two possible forms for the value of this attribute are a single value that contains a complete Sieve script or multiple values where each value contains a piece of a Sieve script. The latter form is produced by the web filter construction interface. Special code is used to order the values and glue them together properly.

The use of the `mailSieveRuleSource` attribute specifically can be overridden by using the `LDAP_FILTER` MTA option.

Deferred Processing Control

Next the `mailDeferProcessing` attribute is checked. This attribute can be changed by using the `LDAP_REPROCESS` MTA option. Processing continues normally if this attribute exists and is set to `no`. But if this attribute is set to `yes` and the current source channel is not the reprocess channel, expansion of this entry is aborted and the original `user@domain` address is simply queued to the reprocess channel. If this attribute does not exist, the setting of the deferred processing character prefix associated with delivery options processing is checked. (See the section [Delivery Options Processing](#) for examples.) Processing is deferred if it is set. If it is not set, the default for users is `no`. The default for groups is controlled by the MTA option `DEFER_GROUP_PROCESSING`, which defaults to 1 (`yes`). Alias processing concludes at this point for user entries.

Group Expansion Attributes

A number of additional attributes are associated with group expansion and must be dealt with at this point. The names of these attributes are all configurable via various MTA options.

Table 9-9 lists the default attribute names, the MTA option to set the attribute name, and the way the attribute is processed by the MTA. The ordering of the elements in the table shows the order in which the various group attributes are processed. This ordering is essential for correct operation.

Table 9-9 Group Expansion Default Attributes and MTA Option to Set

Default Attribute	(MTA option to Set Attribute Name) How the Attribute is Processed
<code>mgrpMsgRejectAction</code>	(LDAP_REJECT_ACTION) Single valued attribute that controls what happens if any of the subsequent access checks fail. Only one value is defined: TOMODERATOR, which if set instructs the MTA to redirect any access failures to the moderator specified by the <code>mgrpModerator</code> attribute. The default (and any other value of this attribute) causes an error to be reported and the message rejected.
<code>mailRejectText</code>	(LDAP_REJECT_TEXT) The first line of text stored in the first value of this attribute is saved. This text will be returned if any of the following authentication attributes cause the message to be rejected. This means the text can appear in SMTP responses so value has to be limited to US-ASCII to comply with current messaging standards.
<code>mgrpBroadcasterPolicy</code>	(LDAP_AUTH_POLICY) Specifies level of authentication needed to send to the group. Possible tokens are SMTP_AUTH_REQUIRED or AUTH_REQ, both of which mean that the SMTP AUTH command must be used to identify the sender in order to send to the group; PASSWORD_REQUIRED, PASSWD_REQUIRED, or PASSWD_REQ, all of which mean the password to the list specified by the <code>mgrpAuthPassword</code> attribute must appear in an Approved: header field in the message; OR, which changes the OR_CLAUSES MTA option setting to 1 for this list; AND, which changes the OR_CLAUSES MTA option setting to 0 for this list; and NO_REQUIREMENTS, which is a no-op. Multiple values are allowed and each value can consist of a comma-separated list of tokens. If SMTP AUTH is called for it also implies that any subsequent authorization checks will be done against the email address provided by the SASL layer rather than the MAIL FROM address.
<code>mgrpAllowedDomain</code>	(LDAP_AUTH_DOMAIN) Domains allowed to submit messages to this group. A match failure with the OR_CLAUSES MTA option set to 0 (the default) means access checking has failed and all subsequent tests are bypassed. A match failure with the OR_CLAUSES MTA option set to 1 sets a "failure pending" flag; some other access check must succeed in order for access checking to succeed. This check is bypassed if the submitter has already matched an LDAP_AUTH_URL. Can be multivalued and glob-style wildcards are allowed.

Table 9-9 Group Expansion Default Attributes and MTA Option to Set (*Continued*)

Default Attribute	(MTA option to Set Attribute Name) How the Attribute is Processed
mgrpDisallowedDomain	(LDAP_CANT_DOMAIN) Domains not allowed to submit messages to this group. A match means access checking has failed and all subsequent checks are bypassed. This check is bypassed if the submitter has already matched an LDAP_AUTH_URL. Can be multivalued and glob-style wildcards are allowed.
mgrpAllowedBroadcaster	(LDAP_AUTH_URL) URL identifying mail addresses allowed to send mail to this group. Can be multivalued. Each URL is expanded into a list of addresses and each address is checked against the current envelope from: address. A match failure with the OR_CLAUSES MTA option set to 0 (the default) means access checking has failed and all subsequent tests are bypassed. A match failure with the OR_CLAUSES MTA option set to 1 sets a "failure pending" flag; some other allowed access check must succeed in order for access checking to succeed. A match also disables subsequent domain access checks. The expansion that is performed is similar to an SMTP EXPN with all access control checks disabled.
mgrpDisallowedBroadcaster	(LDAP_CANT_URL) URL identifying mail addresses not allowed to send mail to this group. Can be multivalued. Each URL is expanded into a list of addresses and each address is checked against the current envelope from: address. A match means access checking has failed and all subsequent checks are bypassed. The expansion that is performed is similar to an SMTP EXPN with all access control checks disabled.
mgrpMsgMaxSize	(LDAP_ATTR_MAXIMUM_MESSAGE_SIZE) Maximum message size in bytes that can be sent to the group. This attribute is obsolete but still supported for backwards compatibility; the new mailMsgMaxBlocks attribute should be used instead.
mgrpAuthPassword	(LDAP_AUTH_PASSWORD) Specifies a password needed to post to the list. The presence of a mgrpAuthPassword attribute forces a reprocessing pass. As the message is enqueued to the reprocessing channel, the password is taken from the header and placed in the envelope. Then, while reprocessing, the password is taken from the envelope and checked against this attribute. Additionally, only passwords that actually are used are removed from the header field. The OR_CLAUSES MTA option acts on this attribute in the same way it acts on the other access check attributes.
mgrpModerator	(LDAP_MODERATOR_URL) The list of URLs given by this attribute to be expanded into a series of addresses. The interpretation of this address list depends on the setting of the LDAP_REJECT_ACTION MTA option. If LDAP_REJECT_ACTION is set to TOMODERATOR, this attribute specifies the moderator address(es) the message is to be sent to should any of the access checks fail. If LDAP_REJECT_ACTION is missing or has any other value, the address list is compared with the envelope from address. Processing continues if there is a match. If there is no match, the message is again sent to all of the addresses specified by this attribute. Expansion of this attribute is implemented by making the value of this attribute the list of URLs for the group. Any list of RFC822 addresses or DNs associated with the group is cleared, and the delivery options for the group are set to members. Finally, subsequent group attributes listed in this table are ignored.

Table 9-9 Group Expansion Default Attributes and MTA Option to Set (*Continued*)

Default Attribute	(MTA option to Set Attribute Name) How the Attribute is Processed
<code>mgrpDeliverTo</code>	(LDAP_GROUP_URL1) List of URLs which, when expanded, provides a list of mailing list member addresses.
<code>memberURL</code>	(LDAP_GROUP_URL2) Another list of URLs which, when expanded, provides another list of mailing list member addresses.
<code>uniqueMember</code>	(LDAP_GROUP_DN) List of DNs of group members. DNs may specify an entire subtree. Unique member DNs are expanded by embedding them in an LDAP URL. The exact URL to use is specified by the <code>GROUP_DN_TEMPLATE</code> MTA option. The default value for this option is: <code>ldap:/// \$A?mail?sub?(mail=*)</code> \$A specified the point where the <code>uniqueMember</code> DN is inserted.
<code>mgrpRFC822MailMember</code>	(LDAP_GROUP_RFC822) Mail addresses of members of this list.
<code>rfc822MailMember</code>	(LDAP_GROUP_RFC822) <code>rfc822MailMember</code> is supported for backwards compatibility. Either <code>rfc822MailMember</code> or <code>mgrpRFC822MailMember</code> , but not both, can be used in any given group.
<code>mgrpErrorsTo</code>	(LDAP_ERRORS_TO) Sets the envelope originator (MAIL FROM) address to whatever the attribute specifies.
<code>mgrpAddHeader</code>	(LDAP_ADD_HEADER) Turns the headers specified in the attribute into header trimming ADD options.
<code>mgrpRemoveHeader</code>	(LDAP_REMOVE_HEADER) Turns the headers specified into header trimming <code>MAXLINES=-1</code> options.
<code>mgrpMsgPrefixText</code>	(LDAP_PREFIX_TEXT) Adds the specified text to the beginning of the message text, if any.
<code>mgrpMsgSuffixText</code>	(LDAP_SUFFIX_TEXT) Adds the specified text to the ending of the message text, if any.
No Default	(LDAP_ADD_TAG) Checks the subject for the specified text; if it isn't present the text is added at the beginning of the subject field.

One final attribute is checked in the special case of group expansion as part of an SMTP EXPN command: `mgmanMemberVisibility` or `expandable`. The `LDAP_EXPANDABLE` MTA option can be used to select different attributes to check. Possible values are: `anyone`, which means that anyone can expand the group, `all` or `true`, which mean that the user has to successfully authenticate with SASL before expansion will be allowed, and `none`, which means that expansion is not allowed. Unrecognized values are interpreted as `none`. If the attribute is not present, the `EXPANDABLE_DEFAULT` MTA option controls whether the expansion is allowed.

Alias entries are cached in a fashion similar to domain entries. The MTA options controlling the alias cache are `ALIAS_ENTRY_CACHE_SIZE` (default 1000 entries) and `ALIAS_ENTRY_CACHE_TIMEOUT` (default 600 seconds). The entire LDAP return value for a given alias is retained in the cache.

Negative caching of alias entries is controlled by the `ALIAS_ENTRY_CACHE_NEGATIVE` MTA option. A nonzero value enables caching of alias match failures. A zero value disables it. Negative caching of alias entries is disabled by default. The theory is that repeated specification of an invalid address is unlikely to occur very often in practice. In addition, negative caching may interfere with timely recognition of new users added to the directory. However, sites should consider re enabling negative caching of aliases in situations where vanity domains are heavily used. The search performed by the URL specified in `ALIAS_URL0` is less likely to be successful.

Address Reversal

Address reversal with direct LDAP starts with a `USE_REVERSE_DATABASE` value of 4, which disables the use of any reverse database. It then builds on the routing facilities previously discussed. In particular, in the previous version, it began with a reverse URL specification of the form:

```
REVERSE_URL=ldap:///${V}?mail?sub?${Q}
```

The `${V}` metacharacter has already been described in the context of alias URLs. However, the `${Q}` metacharacter, while quite similar in function to the `${R}` metacharacter used in alias URLs, is specifically intended for use in address reversal. Unlike `${R}`, it produces a filter that searches attributes containing addresses that are candidates for address reversal. The list of attributes to search comes from the MTA option `LDAP_MAIL_REVERSES`. If this option is not set, the `local.imta.schematag configutil` parameter is examined, and depending on its value, an appropriate set of default attributes is chosen.

[Table 9-10](#) shows the `local.imta.schematag` values and the default attributes chosen.

Table 9-10 `local.imta.schematag` Values and Attributes

Schema Tag Value	Attributes
sims40	mail,rfc822mailalias
nms41	mail,mailAlternateAddress
ims50	mail,mailAlternateAddress

The use of `$Q` is no longer appropriate, however. In order for message capture and other facilities to work correctly, address reversal has been enhanced to pay attention to the attribute that matched in addition to the fact that a match occurred. This means that `$R` should be used to specify the filter instead of `$Q`. Additionally, the `$N` metacharacter has been added, which returns a list of the attributes of interest to address reversal. The resulting option value is:

```
REVERSE_URL=ldap:/// $V? $N?sub? $R
```

As always, `local.imta.schematag` can be a comma-separated list. If more than one schema is supported, the combined list of attributes, with duplicates eliminated, is used.

Additionally, the filter searches not only for the address that was originally supplied, but also for an address with the same local part but the domain that was actually found in the domain tree (which was saved in [Step 2 on page 198](#). The iterative nature of the domain tree lookup means the two addresses may be different.

For example, suppose that the domain `siroe.com` appears in the domain tree and the MTA looks the address:

```
u@host1.siroe.com
```

The filter that results from the expansion of `$R` and an `ims50` `schematag` will be something like:

```
( | (mail=u@siroe.com)
  (mail=u@host1.siroe.com)
  (mailAlternateAddress=u@siroe.com)
  (mailAlternateAddress=u@host1.siroe.com)
  (mailEquivalentAddress=u@siroe.com)
  (mailEquivalentAddress=u@host1.siroe.com) )
```

Note that the reverse URL explicitly specifies the attribute containing the canonicalized address. Normally this will be the mail attribute.

After the URL is constructed an LDAP search is performed. If the search is successful the first attribute value returned replaces the original address. Unsuccessful searches or errors leave the original address unchanged.

Due to the frequency with which address reversal operations are performed, especially given the number of addresses that can appear in a message header, and the expense of the directory queries involved, both negative and positive results need to be cached. This is implemented with an in-memory, open-chained, dynamically-expanded hash table. The maximum size of the cache is set by the

`REVERSE_ADDRESS_CACHE_SIZE` MTA option (default 100000) and the timeout for entries in the cache is set by the `REVERSE_ADDRESS_CACHE_TIMEOUT` MTA option (default 600 seconds). The cache actually stores addresses themselves, not the LDAP URLs and LDAP results.

Asynchronous LDAP Operations

Asynchronous lookups avoid the need to store an entire large LDAP result in memory, which can cause performance problems in some cases. The MTA provides the ability to perform various types of lookups done by the MTA asynchronously.

Use of asynchronous LDAP lookups is controlled by the MTA option `LDAP_USE_ASYNC`. This option is a bit-encoded value. Each bit, if set, enables the use of asynchronous LDAP lookups in conjunction with a specific use of LDAP within the MTA.

[Table 9-11](#) shows the bit and value settings for the `LDAP_USE_ASYNC` MTA option in the `option.dat` file.

Table 9-11 Settings for the `LDAP_USE_ASYNC` MTA Option

Bit	Value	Specific Use of LDAP
0	1	<code>LDAP_GROUP_URL1</code> (<code>mgrpDeliverTo</code>) URLs
1	2	<code>LDAP_GROUP_URL2</code> (<code>memberURL</code>) URLs
2	4	<code>LDAP_GROUP_DN</code> (<code>UniqueMember</code>) DNS
3	8	<code>auth_list</code> , <code>moderator_list</code> , <code>sasl_auth_list</code> , and <code>sasl_moderator_list</code> nonpositional list parameter URLs
4	16	<code>cant_list</code> , <code>sasl_cant_list</code> nonpositional list parameter URLs
5	32	<code>originator_reply</code> nonpositional list parameter URLs
6	64	<code>deferred_list</code> , <code>direct_list</code> , <code>hold_list</code> , <code>nohold_list</code> nonpositional list parameter URLs
7	128	<code>username_auth_list</code> , <code>username_moderator_list</code> , <code>username_cant_list</code> nonpositional list parameter URLs
8	256	alias file list URLs
9	512	alias database list URLs
10	1024	<code>LDAP_CANT_URL</code> (<code>mgrpDisallowedBroadcaster</code>) outer level URLs
11	2048	<code>LDAP_CANT_URL</code> inner level URLs

Table 9-11 Settings for the LDAP_USE_ASYNC MTA Option (Continued)

Bit	Value	Specific Use of LDAP
12	4096	LDAP_AUTH_URL (mgrpAllowedBroadcaster) outer level URLs
13	8192	LDAP_AUTH_URL inner level URLs
14	16384	LDAP_MODERATOR_URL (mgrpModerator) URLs

The default value of the LDAP_USE_ASYNC MTA option is 0, which means that asynchronous LDAP lookups are disabled by default.

Settings Summary

In order to enable direct LDAP, the following MTA options need to be set:

```
ALIAS_MAGIC=8764
ALIAS_URL0=ldap:/// $V?*?sub?$R
USE_REVERSE_DATABASE=4
USE_DOMAIN_DATABASE=0
REVERSE_URL=ldap:/// $V?mail?sub?$Q
```

If vanity domains are to be supported, the following additional options must be set:

```
DOMAIN_MATCH_URL=ldap:/// $B?msgVanityDomain?sub?(msgVanityDomain=$D)
ALIAS_URL1=ldap:/// $B?*?sub?(&(msgVanityDomain=$D)$R)
ALIAS_URL2=ldap:/// $1V?*?sub?(mailAlternateAddress=@$D)
```

Note that the last of these options also handle the case of wild carded local parts in hosted as well as vanity domains. If wild carded local part support is desired but vanity domain support is not, the following option should be used instead:

```
ALIAS_URL1=ldap:/// $V?*?sub?&(mailAlternateAddress=@$D)
```

The filter `ssrd:$A` clause needs to be removed from the `ims-ms` channel definition in the MTA configuration file (`imta.cnf`).

About MTA Services and Configuration

This chapter describes general MTA services and configuration. More specific and detailed explanations may be found in other chapters. It consists of the following sections:

- [“Compiling the MTA Configuration” on page 226](#)
- [“The MTA Configuration File” on page 226](#)
- [“Mappings File” on page 229](#)
- [“Other MTA Configuration Files” on page 243](#)
- [“Aliases” on page 254](#)
- [“Command Line Utilities” on page 256](#)
- [“SMTP Security and Access Control” on page 256](#)
- [“Log Files” on page 257](#)
- [“To Convert Addresses from an Internal Form to a Public Form” on page 257](#)
- [“Controlling Delivery Status Notification Messages” on page 264](#)
- [“Controlling Message Disposition Notifications” on page 277](#)

Compiling the MTA Configuration

Whenever an MTA configuration file such as `imta.cnf`, `mappings`, `aliases`, or `option.dat` is modified, you must recompile the configuration using the `imsimta refresh` command (see the *Sun Java System Messaging Server Administration Reference*). This command compiles the configuration files into a single image in shared memory (on UNIX) or a dynamic link library (NT).

The compiled configuration has a static and dynamic reloadable part. If the dynamic part is changed, and you run an `imsimta reload`, a running program will reload the dynamic data. The dynamic parts are mapping tables, aliases, and lookup tables.

The main reason for compiling configuration information is performance. Another feature of using a compiled configuration is that configuration changes can be tested more conveniently since the configuration files themselves are not “live” when a compiled configuration is in use.

Whenever a component of the MTA (such as a channel program) must read the configuration file, it first checks to see if a compiled configuration exists. If it does, the image is attached to the running program. If the image attach operation fails, the MTA falls back on the old method of reading the text files instead.

The MTA Configuration File

The primary MTA configuration file is `imta.cnf`. By default, this file is found at `msg_svr_base/config/imta.cnf`. This file contains MTA channel definitions as well as the channel rewrite rules. The channel associated with a rewritten destination address becomes the destination channel. The system will typically work well using default `imta.cnf`.

This section provides a brief introduction to the MTA configuration file. For details about configuring the rewrite rules and channel definitions that make up the MTA configuration file, see [Chapter 11, “Configuring Rewrite Rules”](#), and [Chapter 12, “Configuring Channel Definitions”](#).

By modifying the MTA configuration file, you establish the channels in use at a site and establish which channels are responsible for which sorts of addresses via rewrite rules. The configuration file establishes the layout of the email system by specifying the transport methods available (channels) and the transport routes (rewrite rules) associating types of addresses with appropriate channels.

The configuration file consists of two parts: domain rewriting rules and channel definitions. The domain rewriting rules appear first in the file and are separated from the channel definitions by a blank line. The channel definitions are collectively referred to as the channel table. An individual channel definition forms a channel block.

The following example of an `imta.cnf` configuration file shows how rewrite rules are used to route messages to the proper channel. No domain names are used to keep things as simple as possible. The rewrite rules appear in the upper half of the configuration file followed by the channel definitions in the lower half of the configuration file.

```
! test.cnf - An example configuration file. (1)
!
! This is only an example of a configuration file. It serves
! no useful purpose and should not be used in a real system.
!
! Part I: Rewrite rules
a    $U@a-daemon (2)
b    $U@b-daemon
c    $U%c@b-daemon
d    $U%d@a-daemon
      (3)
! Part II: Channel definitions
l    (4)
local-host

a_channel defragment charset7 usascii (5)
a-daemon

b_channel noreverse notices 1 2 3
b-daemon

</opt/SUNWmsgsr/msg-tango/table/internet.rules (6)
```

The key items (labeled with boldface numbers, enclosed in parentheses) in the preceding configuration file are explained in the following list:

1. Exclamation points (!) are used to include comment lines. The exclamation point must appear in the first column. An exclamation point appearing anywhere else is interpreted as a *literal* exclamation point.

2. The rewrite rules appear in the first half of the configuration file. No blank lines can appear among the lines of rewrite rules. Lines with comments (beginning with an exclamation point in the first column) are permitted.
3. The first blank line to appear in the file signifies the end of the rewrite rules section and the start of the channel blocks. These definitions are collectively referred to as the *channel host table*, which defines the channels that the MTA can use and the names associated with each channel.
4. The first channel block to appear is usually the local or `l` channel. Blank lines then separate each channel block from one another. (An exception is the `defaults` channel, which can appear before the `l` channel).
5. A typical channel definition consists of a channel name (`a_channel`) some keywords which define the configuration of a channel (`defragment charset7 usascii`) and a routing system (`a-daemon`), which is also called a *channel tag*.
6. The contents of other files may be included in the configuration file. If a line is encountered with a less than sign (`<`) in column one, the rest of the line is treated as a file name; the file name should always be an absolute and full file path. The file is opened and its contents are spliced into the configuration file at that point. Include files may be nested up to three levels deep. Any files included in the configuration file must be world-readable just as the configuration file is world-readable.

[Table 10-1](#) shows how some example addresses would be routed by the preceding configuration.

Table 10-1 Addresses and Associated Channels

Address	Queued to channel
u@a	a_channel
u@b	b_channel
u@c	b_channel
u@d	a_channel

Refer to [“Rewrite Rules”](#) on page 189, [“Channel Definitions”](#) on page 192, and [Chapter 11, “Configuring Rewrite Rules”](#) for more information on the MTA configuration file.

NOTE Whenever changes are made to the `imta.cnf` file, the MTA configuration must be recompiled. See [“Compiling the MTA Configuration”](#) on page 226.

Mappings File

Many components of the MTA employ table lookup-oriented information. This type of table is used to transform, that is, *map*, an input string into an output string. Such tables, called *mapping tables*, are usually presented as two columns. The first (left-hand) column provides possible input strings against which to match (pattern), and the second (right-hand) column gives the resulting output string for which the input string is mapped (template).

Most of the MTA databases—databases that contain different types of MTA data and which should not be confused with mapping tables—are instances of just this type of table. The MTA database files, however, do not provide wildcard-lookup facilities, owing to inherent inefficiencies in having to scan the entire database for wildcard matches.

The MTA `mappings` file supports multiple mapping tables. Wildcard capabilities are provided, as well as multistep and iterative mapping methods. This approach is more compute-intensive than using a database, especially when the number of entries is large. However, the attendant gain in flexibility may serve to eliminate the need for most of the entries in an equivalent database, and this may result in lower overhead overall.

Mapping tables are kept in the MTA `mappings` file. This is the file specified with the `IMTA_MAPPING_FILE` option in the MTA `tailor` file; by default, this is `msg_svr_base/config/mappings`. The contents of the `mappings` file is incorporated into the compiled configuration as part of the reloadable section (see “[Compiling the MTA Configuration](#)” on page 226). The `mappings` file should be world readable. Failure to allow world-read access leads to erratic behavior. Whenever changes are made to the `mappings` file, the MTA configuration must be recompiled. See “[Compiling the MTA Configuration](#)” on page 226

[Table 10-2](#) lists the mapping tables described in this book.

Table 10-2 Messaging Server Mapping Tables

Mapping Table	Page	Description
AUTH_REWRITE	352	Used with the <code>authrewrite</code> keyword to modify header and envelope addresses using addressing information obtained from authentication operations (SASL).
CHARSET-CONVERSION	430	Used to specify what sorts of channel-to-channel character set conversions and message reformatting should be done.
COMMENT_STRINGS	374	Used to modify address header comments (strings enclosed in parentheses).

Table 10-2 Messaging Server Mapping Tables

Mapping Table	Page	Description
CONVERSIONS	413	Used to select message traffic for the conversion channel.
FORWARD	261	Used to perform forwarding similar to that performed using the alias file or alias database.
FROM_ACCESS	513	Used to filter mail based on envelope From addresses. Use this table if the To address is irrelevant.
INTERNAL_IP	528	Used to recognize systems and subnets that are internal.
MAIL_ACCESS	513	Used to block incoming connections based on combined information found in SEND_ACCESS and PORT_ACCESS table.
NOTIFICATION_LANGUAGE	264	Used to customize or localize notification messages.
ORIG_MAIL_ACCESS	513	Used to block incoming connections based on combined information found in ORIG_SEND_ACCESS and PORT_ACCESS tables
ORIG_SEND_ACCESS	513	Used to block incoming connections based on envelope From address, envelope To address, source and destination channels.
PERSONAL_NAMES	375	Used to modify personal names (strings preceding angle-bracket-delimited addresses).
PORT_ACCESS	513	Used to block incoming connections based on IP number.
REVERSE	257	Used to convert addresses from an internal form to a public, advertised form.
SEND_ACCESS	513	Used to block incoming connections based on envelope From address, envelope To address, source and destination channels.
<i>SMS_Channel_TEXT</i>	881	Used for site-defined text conversions.
X-ATT-NAMES	421	Used to retrieve a parameter value from a mapping table.
X-REWRITE-SMS-ADDRESS	880	Used for local SMS address validity checks.

File Format in the Mappings File

The `mappings` file consists of a series of separate tables. Each table begins with its name. Names always have an alphabetic character in the first column. The table name is followed by a required blank line, and then by the entries in the table. Entries consist of zero or more indented lines. Each entry line consists of two columns separated by one or more spaces or tabs. Any spaces within an entry must be quoted using the `$` character. A blank line must appear after each mapping table name and between each mapping table; no blank lines can appear between entries in a single table. Comments are introduced by an exclamation mark (!) in the first column.

The resulting format looks like:

<i>TABLE1_NAME</i>	
<i>pattern1-1</i>	<i>template1-1</i>
<i>pattern1-2</i>	<i>template1-2</i>
<i>pattern1-3</i>	<i>template1-3</i>
.	.
.	.
.	.
<i>pattern1-n</i>	<i>template1-n</i>
<i>TABLE2_NAME</i>	
<i>pattern2-1</i>	<i>template2-1</i>
<i>pattern2-2</i>	<i>template2-2</i>
<i>pattern2-3</i>	<i>template2-3</i>
.	.
.	.
.	.
<i>pattern2-n</i>	<i>template2-n</i>
.	.
.	.
<i>TABLE3_NAME</i>	
.	.
.	.
.	.

An application using the mapping table `TABLE2_NAME` would map the string `pattern2-2` into whatever is specified by `template2-2`. Each pattern or template can contain up to 252 characters. There is no limit to the number of entries that can appear in a mapping (although excessive numbers of entries may consume huge amounts of CPU and can consume excessive amounts of memory). Long lines (over 252 characters) may be continued by ending them with a backslash (`\`). The white space between the two columns and before the first column may not be omitted.

Duplicate mapping table names are not allowed in the `mappings` file.

Including Other Files in the Mappings File

Other files may be included in the `mappings` file. This is done with a line of the form:

```
<file-spec
```

This effectively substitutes the contents of the file `file-spec` into the `mappings` file at the point where the include appears. The file specification should specify a full file path (directory, and so forth). All files included in this fashion must be world readable. Comments are also allowed in such included `mappings` file. Includes can be nested up to three levels deep. Include files are loaded at the same time the `mappings` file is loaded—they are not loaded on demand, so there is no performance or memory savings involved in using include files.

Mapping Operations

All mappings in the `mappings` file are applied in a consistent way. The only things that change from one mapping to the next is the source of input strings and what the output from the mapping is used for.

A mapping operation always starts off with an input string and a mapping table. The entries in the mapping table are scanned one at a time from top to bottom in the order in which they appear in the table. The left side of each entry is used as pattern, and the input string is compared in a case-blind fashion with that pattern.

Mapping Entry Patterns

Patterns can contain wildcard characters. In particular, the usual wildcard characters are allowed: an asterisk (*) matches zero or more characters, and each percent sign (%) matches a single character. Asterisks, percent signs, spaces, and tabs can be quoted by preceding them with a dollar sign (\$). Quoting an asterisk or percent sign robs it of any special meaning. Spaces and tabs must be quoted to prevent them from ending prematurely a pattern or template. Literal dollar sign characters should be doubled (\$\$), the first dollar sign quoting the second one.

Table 10-3 Mapping Pattern Wildcards

Wildcard	Description
%	Match exactly one character.
*	Match zero or more characters, with maximal or “greedy” left-to-right matching

Table 10-3 Mapping Pattern Wildcards (*Continued*)

Back match	Description
\$ n*	Match the nth wildcard or glob.
Modifiers	Description
\$_	Use minimal or “lazy” left-to-right matching.
\$@	Turn off “saving” of the succeeding wildcard or glob.
\$^	Turn on “saving” of the succeeding wildcard or glob; this is the default.
Glob wildcard	Description
\$A%	Match one alphabetic character, A-Z or a-z.
\$A*	Match zero or more alphabetic characters, A-Z or a-z.
\$B%	Match one binary digit (0 or 1).
\$B*	Match zero or more binary digits (0 or 1).
\$D%	Match one decimal digit 0-9.
\$D*	Match zero or more decimal digits 0-9.
\$H%	Match one hexadecimal digit 0-9 or A-F.
\$H*	Match zero or more hexadecimal digits 0-9 or A-F.
\$O%	Match one octal digit 0-7.
\$O*	Match zero or more octal digits 0--7.
\$S%	Match one symbol set character, for example, 0-9, A-Z, a-z, _, \$.
\$S*	Match zero or more symbol set characters, that is, 0-9, A-Z, a-z, _, \$.
\$T%	Match one tab or vertical tab or space character.
\$T*	Match zero or more tab or vertical tab or space characters.
\$X%	A synonym for \$H%.
\$X*	A synonym for \$H*.
\$[c]%	Match character c.
\$[c]*	Match arbitrary occurrences of character c.
\$[c ₁ c ₂ ... c _n]%	Match exactly one occurrence of character c ₁ , c ₂ , or c _n .
\$[c ₁ c ₂ ... c _n]*	Match arbitrary occurrences of any characters c ₁ , c ₂ , or c _n .
\$[c ₁ -c _n]%	Match any one character in the range c ₁ to c _n .
\$[c ₁ -c _n]*	Match arbitrary occurrences of characters in the range c ₁ to c _n .
\$< IPv4 >	Match an IPv4 address, ignoring bits.
\$(IPv4)	Match an IPv4 address, keeping prefix bits.

Table 10-3 Mapping Pattern Wildcards (*Continued*)

<code>\$(IPv6)</code>	Match an IPv6 address.
-----------------------	------------------------

Within globs, that is, within a `$(...)` construct, the backslash character, `\`, is the quote character. To represent a literal hyphen, `-`, or right bracket, `]`, within a glob the hyphen or right bracket must be quoted with a backslash.

All other characters in a pattern just represent and match themselves. In particular, single and double quote characters as well as parentheses have no special meaning in either mapping patterns or templates; they are just ordinary characters. This makes it easy to write entries that correspond to illegal addresses or partial addresses.

To specify multiple modifiers, or to specify modifiers and a back match, the syntax uses just one dollar character. For instance, to back match the initial wild card, without saving the back match itself, one would use `$@0`, not `$@$0`.

Note that the `imsimta test -match` utility may be used to test mapping patterns and specifically to test wildcard behavior in patterns.

Asterisk wildcards maximize what they match by working from left to right across the pattern. For instance, when the string `a/b/c` is compared to the pattern `*/*`, the left asterisk matches `a/b` and the right asterisk matches the remainder, `c`.

The `$_` modifier causes wildcard matching to be minimized, where the least possible match is considered the match, working from left to right across the pattern. For instance, when the string `a/b/c` is compared to the pattern `$_*/$_*`, the left `$_*` matches `a` and the right `$_*` matches `b/c`.

IP Matching

With IPv4 prefix matching, an IP address or subnet is specified, optionally followed by a slash and the number of bits from the prefix that are significant when comparing for a match. For example, the following matches anything in the `123.45.67.0` subnet:

```
$(123.45.67.0/24)
```

With IPv4 ignore bits matching, an IP address or subnet is specified, optionally followed by a slash and the number of bits to ignore when checking for a match. For example, the following matches anything in the `123.45.67.0` subnet:

```
$<123.45.67.0/8>
```

The following example matches anything in the range `123.45.67.4` through `123.45.67.7`:

§<123.45.67.4/2>

IPv6 matching matches an IPv6 address or subnet.

Mapping Entry Templates

If the comparison of the pattern in a given entry fails, no action is taken; the scan proceeds to the next entry. If the comparison succeeds, the right side of the entry is used as a template to produce an output string. The template effectively causes the replacement of the input string with the output string that is constructed from the instructions given by the template.

Almost all characters in the template simply produce themselves in the output. The one exception is a dollar sign (\$).

A dollar sign followed by a dollar sign, space, or tab produces a dollar sign, space, or tab in the output string. Note that all these characters must be quoted in order to be inserted into the output string.

A dollar sign followed by a digit *n* calls for a substitution; a dollar sign followed by an alphabetic character is referred to as a “metacharacter.” Metacharacters themselves do not appear in the output string produced by a template, but produce some special substitution or processing. See [Table 10-4](#) for a list of the special substitution and standard processing metacharacters. Any other metacharacters are reserved for mapping-specific applications.

Note that any of the metacharacters \$C, \$E, \$L, or \$R, when present in the template of a matching pattern, influences the mapping process and control whether it terminates or continues. That is, it is possible to set up iterative mapping table entries, where the output of one entry becomes the input of another entry. If the template of a matching pattern does not contain any of the metacharacters \$C, \$E, \$L, or \$R, then \$E (immediate termination of the mapping process) is assumed.

The number of iterative passes through a mapping table is limited to prevent infinite loops. A counter is incremented each time a pass is restarted with a pattern that is the same length or longer than the previous pass. If the string has a shorter length than previously, the counter is reset to zero. A request to reiterate a mapping is not honored after the counter has exceeded 10.

Table 10-4 Mapping Template Substitutions and Metacharacters

Substitution sequence	Substitutes
\$n	The <i>n</i> th wildcarded field as counted from left to right starting from 0.
\$#. . . #	Sequence number substitution.
\$. . . [LDAP search URL lookup; substitute in result.

Table 10-4 Mapping Template Substitutions and Metacharacters (*Continued*)

Substitution sequence	Substitutes
<code>\$... </code>	Applies specified mapping table to supplied string.
<code>\${...}</code>	General database substitution.
<code>}\${domain,attribute{</code>	<p>Adds the capability to access per-domain attributes. <i>domain</i> is the domain in question and <i>attribute</i> is the attribute associated with the domain. If the domain exists and has the attribute, its initial value is substituted into the mapping result; if either the attribute or the domain does not exist, the mapping entry fails.</p> <p><i>attributes</i> can be domain LDAP attributes or the special attributes defined below:</p> <ul style="list-style-type: none"> <code>_base_dn_</code> - The base DN for user entries in the domain <code>_domain_dn_</code> - The DN of the domain entry itself <code>_domain_name_</code> - The name of the domain (as opposed to an alias) <code>_canonical_name_</code> - The canonical name associated with the domain
<code>\$(...)</code>	Invokes site-supplied routine; substitute in result.
Metacharacter	Description
<code>\$C</code>	Continues the mapping process starting with the next table entry; uses the output string of this entry as the new input string for the mapping process.
<code>\$E</code>	Ends the mapping process now; uses the output string from this entry as the final result of the mapping process.
<code>\$L</code>	Continues the mapping process starting with the next table entry; use the output string of this entry as the new input string; after all entries in the table are exhausted, makes one more pass, starting with the first table entry. A subsequent match may override this condition with a <code>\$C</code> , <code>\$E</code> , or <code>\$R</code> metacharacter.
<code>\$R</code>	Continues the mapping process starting with the first entry of the mapping table; uses the output string of this entry as the new input string for the mapping process.
<code>\$nA</code>	Inserts the <i>n</i> th left character of the current address starting from position 0. The entire address is inserted if <i>n</i> is omitted.
<code>\$nX</code>	Inserts the <i>n</i> th left component of the mailhost starting from 0. The entire mailhost is inserted if <i>n</i> is omitted.
<code> \$?x?</code>	Mapping entry succeeds <i>x</i> percent of the time.
<code>\$\</code>	Forces subsequent text to lowercase.
<code>\$\$</code>	Forces subsequent text to uppercase.
<code>\$_</code>	Leaves subsequent text in its original case.

Table 10-4 Mapping Template Substitutions and Metacharacters (*Continued*)

Substitution sequence	Substitutes
<code>\$=</code>	Forces subsequent substituted characters to undergo quoting appropriate for insertion into LDAP search filters.material to uppercase.
<code>\$.x</code>	Match only if the specified flag is set.
<code>\$.x</code>	Match only if the specified flag is clear.

Wildcard Field Substitutions (\$n)

A dollar sign followed by a digit *n* is replaced with the material that matched the *n*th wildcard in the pattern. The wildcards are numbered starting with 0. For example, the following entry would match the input string `PSI%A::B` and produce the resultant output string `b@a.psi.siroe.com`:

```
PSI$%*::* $1@$0.psi.siroe.com
```

The input string `PSI%1234::USER` would also match producing `USER@1234.psi.siroe.com` as the output string. The input string `PSIABC::DEF` would not match the pattern in this entry and no action would be taken; that is, no output string would result from this entry.

Controlling Text Case (\$\, \$^, \$_)

The metacharacter `$$` forces subsequent text to lowercase, `$$^` forces subsequent text to uppercase, and `$$_` causes subsequent text to retain its original case. For instance, these metacharacters may be useful when using mappings to transform addresses for which case is significant.

Processing Control (\$C, \$L, \$R, \$E)

The `$$C`, `$$L`, `$$R`, and `$$E` metacharacters influence the mapping process, controlling whether and when the mapping process terminates. The metacharacter:

- `$$C` causes the mapping process to continue with the next entry, using the output string of the current entry as the new input string for the mapping process.

- `$L` causes the mapping process to continue with the next entry, using the output string of the current entry as the new input string for the mapping process, and, if no matching entry is found, making one more pass through the table starting with the first table entry; a subsequent matching entry with a `$C`, `$E`, or `$R` metacharacter overrides this condition.
- `$R` causes the mapping process to continue from the first entry of the table, using the output string of the current entry as the new input string for the mapping process.
- `$E` causes the mapping process to terminate; the output string of this entry is the final output. `$E` is the default.

Mapping table templates are scanned left to right. To set a `$C`, `$L`, or `$R` flag for entries that may “succeed” or “fail” (for example, general database substitutions or random-value controlled entries), put the `$C`, `$L`, or `$R` metacharacter to the left of the part of the entry that may succeed or fail; otherwise, if the remainder of the entry fails, the flag is not seen.

Check for Special Flags

Some mapping probes have special flags set. These are flags that can be set, and then their presence/absence tested-for using the general mapping table facility of `$.`; `$;` tests. `$.x` causes an entry to match only if the flag `x` is set. `$.x` causes an entry to match only if the flag `x` is clear. See specific mapping table descriptions for any special flags that may apply for that table. (See `$A`, `$T`, `$S`, `$F`, and `$D` in [Table 17-2 on page 514](#).)

When the intention is that an entry should succeed and terminate if the flag check succeeds, but that the mapping process should continue if the flag check fails, then the entry should use the `$C` metacharacter to the left of the flag check and use the `$E` flag to the right of the flag check.

Entry Randomly Succeeds or Fails (\$?x?)

The metacharacters `$.?x?` in a mapping table entry cause the entry to “succeed” `x` percent of the time; the rest of the time, the entry “fails” and the output of the mapping entry’s input is taken unchanged as the output. (Note that, depending upon the mapping, the effect of the entry failing is not necessarily the same as the entry not matching in the first place.) The `x` should be a real number specifying the success percentage.

For instance, suppose that a system with IP address 123.45.6.78 is sending your site just a little too much SMTP email and you’d like to slow it down; you can use a `PORT_ACCESS` mapping table in the following way. Suppose you’d like to allow through only 25 percent of its connection attempts and reject the other 75 percent of its connection attempts. The following `PORT_ACCESS` mapping table uses `$.?25?` to

cause the entry with the `$Y` (accept the connection) to succeed only 25 percent of the time; the other 75 percent of the time, when this entry fails, the initial `$C` on that entry causes the MTA to continue the mapping from the next entry, which causes the connection attempt to be rejected with an SMTP error and the message: `Try again later`.

```
PORT_ACCESS
```

```
TCP | * | 25 | 123.45.6.78 | *           $C$?25?$Y
TCP | * | 25 | 123.45.6.78 | *           $N45s$ 4.40$ Try$ again$ later
```

Sequence Number Substitutions (`$#...#`)

A `$#...#` substitution increments the value stored in an MTA sequence file and substitutes that value into the template. This can be used to generate unique, increasing strings in cases where it is desirable to have a unique qualifier in the mapping table output; for instance, when using a mapping table to generate file names.

Permitted syntax is any one of the following:

```
$#seq-file-spec|radix|width|m#
```

```
$#seq-file-spec|radix|width#
```

```
$#seq-file-spec|radix#
```

```
$#seq-file-spec#
```

The required *seq-file-spec* argument is a full file specification for an already existing MTA sequence file. The optional *radix* and *width* arguments specify the radix (base) in which to output the sequence value, and the number of digits to output, respectively. The default radix is 10. Radices in the range -36 to 36 are also allowed;

for instance, base 36 gives values expressed with digits 0,...,9,A,...,Z. By default, the sequence value is printed in its natural width, but if the specified width calls for a greater number of digits, then the output is padded with 0's on the left to obtain the correct number of digits. Note that if a width is explicitly specified, then the radix must be explicitly specified also.

The optional *m* argument is a modulus. If this fourth argument is specified the value inserted is the sequence number retrieved from the file mod *m*. The default is not to perform any modulus operation.

As noted above, the MTA sequence file referred to in a mapping must already exist. To create an MTA sequence file, use the following UNXI command:

```
touch seq-file-spec
```

or

```
cat >seq-file-spec
```

A sequence number file accessed using a mapping table must be world readable in order to operate properly. You must also have an MTA user account (configured to be `nobody` in the `imta_tailor` file) in order to use such sequence number files.

LDAP query URL substitutions, \$]...[

A substitution of the form `$]ldap-url[` is specially handled. *ldap-url* is interpreted as an LDAP query URL and the result of the LDAP query is substituted. Standard LDAP URLs are used, with the host and port omitted; the host and port are instead specified with the `LDAP_HOST` and `LDAP_PORT` options. That is, the LDAP URL should be specified as:

```
ldap:///dn[?attributes[?scope?filter]]
```

where the square bracket characters `[` and `]` shown above indicate optional portions of the URL. The *dn* is required and is a distinguished name specifying the search base. The optional *attributes*, *scope*, and *filter* portions of the URL further refine the information to return. That is, *attributes* specifies the attribute or attributes to be returned from LDAP directory entries matching this LDAP query. The *scope* may be any of `base` (the default), `one`, or `sub`. *filter* describes the characteristics of matching entries.

Certain LDAP URL substitution sequences are available for use within the LDAP query URL.

Mapping Table Substitutions (\$|...|)

A substitution of the form `$|mapping;argument|` is handled specially. The MTA looks for an auxiliary mapping table named *mapping* in the `MTA mappings` file, and uses *argument* as the input to that named auxiliary mapping table. The named auxiliary mapping table must exist and must set the `$Y` flag in its output if it is successful; if the named auxiliary mapping table does not exist or doesn't set the `$Y` flag, then that auxiliary mapping table substitution fails and the original mapping entry is considered to fail: the original input string is used as the output string.

Note that when you want to use processing control metacharacters such as `$C`, `$R`, or `$L` in a mapping table entry that does a mapping table substitution, the processing control metacharacter should be placed to the left of the mapping table substitution in the mapping table template; otherwise the “failure” of a mapping table substitution means that the processing control metacharacter is not seen.

General Lookup Table or Database Substitutions (\${...})

A substitution of the form `${text}` is handled specially. The *text* part is used as a key to access the general lookup table or database. The database is generated with the `imsimta crdb` utility. If *text* is found in the table, the corresponding template from the table is substituted. If *text* does not match an entry in the table, the input string is used unchanged as the output string.

If you are using the general lookup table you need to set the low order bit of the MTA option `use_text_databases`. That is, set it to an odd number. Changes to the `general.txt` need to be compiled into the MTA configuration using the `imsimta cnbuild` to compile and `imsimta reload` to reload the reloadable data.

If you are using a general database, it should be world readable to insure that it operates properly.

When you want to use processing control metacharacters such as `$C`, `$R`, or `$L` in a mapping table entry that does a general table substitution, the processing control metacharacter should be placed to the left of the general table substitution in the mapping table template; otherwise the “failure” of a general table substitution means that the processing control metacharacter is not seen.

Site-Supplied Routine Substitutions (\$[...])

A substitution of the form `$(image, routine, argument)` is handled specially. The *image, routine, argument* part is used to find and call a customer-supplied routine. At runtime on UNIX, the MTA uses `dlopen` and `dlsym` to dynamically load and call the routine *routine* from the shared library *image*. The routine *routine* is then called as a function with the following argument list:

```
status = routine (argument, arglength, result, reslength)
```

The *argument* and *result* are 252-byte long character string buffers. The *argument* and *result* are passed as a pointer to a character string (for example, in C, as `char*`). The *arglength* and *reslength* are signed, long integers passed by reference. On input, *argument* contains the *argument* string from the mapping table template, and *arglength* the length of that string. On return, the resultant string should be placed in *result* and its length in *reslength*. This resultant string then replaces the `$(image, routine, argument)` in the mapping table template. The *routine* routine should return 0 if the mapping table substitution should fail and -1 if the mapping table substitution should succeed. If the substitution fails, then normally the original input string is used unchanged as the output string.

If you want to use processing control metacharacters such as `$(C)`, `$(R)`, or `$(L)` in a mapping table entry that does a site-supplied routine substitution, you place the processing control metacharacter to the left of the site-supplied routine substitution in the mapping table template; otherwise, the “failure” of a mapping table substitution means that the processing control metacharacter is not seen.

The site-supplied routine callout mechanism allows the MTA's mapping process to be extended in all sorts of complex ways. For example, in a `PORT_ACCESS` or `ORIG_SEND_ACCESS` mapping table, a call to some type of load monitoring service could be performed and the result used to decide whether or not to accept a connection or message.

The site-supplied shared library *image* *image* should be world readable.

Generate UTF-8 Strings

You can generate UTF-8 strings from Unicode character values in the general mapping table facility. A Unicode metacharacter sequence of the form:

```
$(A0A0,20,A1A1&
```

produces a UTF-8 string containing the characters at position A0A0, 20, and A1A1 in it.

Other MTA Configuration Files

In addition to the `imta.cnf` file, Messaging Server provides several other configuration files to help you configure MTA services. These files are summarized in [Table 10-5](#). Note that whenever an MTA configuration file such as `imta.cnf`, `mappings`, `aliases`, or `option.dat` is modified, you must recompile the configuration (see the `imsimta refresh` command in the *Sun Java System Messaging Server Administration Reference*).

Table 10-5 MTA Configuration Files

File	Description
Alias File (mandatory)	Implements aliases not present in the directory. <code>msg_svr_base/config/aliases</code>
TCP/IP (SMTP) Channel Option Files (also called SMTP Option Files)	Sets channel-specific options. <code>msg_svr_base/config/channel_option</code>
Conversion File	Used by the conversion channel to control message body part conversions. <code>msg_svr_base/config/conversions</code>
Dispatcher Configuration File (mandatory)	Configuration file for the Dispatcher. <code>msg_svr_base/config/dispatcher.cnf</code>
Job Controller File (mandatory)	Configuration file used by the Job Controller. <code>/msg_svr_base/config/job_controller.cnf</code>
MTA Configuration File (mandatory)	Used for address rewriting and routing as well as channel definition. <code>/msg_svr_base/config/imta.cnf</code>
Mappings File (mandatory)	Repository of mapping tables. <code>/msg_svr_base/config/mappings</code>
Option File	File of global MTA options. <code>/msg_svr_base/config/option.dat</code>
Tailor File (mandatory)	File to specify locations and some tuning parameters. <code>/msg_svr_base/config/imta_tailor</code>
General Lookup Table (optional)	General lookup facility is equivalent to the general database. Part of reloadable compiled configuration. File to specify locations and some tuning parameters. <code>/msg_svr_base/config/general.txt</code>
Forward Lookup Table (optional)	Lookup facility for To: addresses. Equivalent to forward database. Part of reloadable compiled configuration. <code>/msg_svr_base/config/forward.txt</code>

Table 10-5 MTA Configuration Files

File	Description
Reverse Lookup Table (optional)	Reverse lookup facility for From: addresses. Equivalent to reverse database. Part of reloadable compiled configuration <code>/msg_svr_base/config/reverse.txt</code>

Alias File

The alias file, `aliases`, sets aliases not set in the directory. In particular, the address for root is a good example. Aliases set in this file will be ignored if the same aliases exist in the directory. For more information about aliases and the `aliases` file, see [“Aliases” on page 254](#).

After making changes to the `aliases` file, you must restart the MTA or issue the command `imsimta reload`.

TCP/IP (SMTP) Channel Option Files

TCP/IP channel option files control various characteristics of TCP/IP channels. Channel option files must be stored in the MTA configuration directory and named `x_option`, where `x` is the name of the channel. For example, `msg_svr_base/config/imta/tcp_local_option`. For more information refer to [“Configuring SMTP Channel Options” on page 334](#). For complete information on all channel option keywords and syntax, see the *Messaging Server Reference Manual*.

Conversion File

The conversion file, `conversions`, specifies how the conversion channel performs conversions on messages flowing through the MTA. Any subset of MTA traffic can be selected for conversion and any set of programs or command procedures can be used to perform conversion processing. The MTA looks at the conversion file to choose an appropriate conversion for each body part.

For more information about the syntax of this file, see [“The Conversion Channel” on page 410](#).

Dispatcher Configuration File

The Dispatcher configuration file, `dispatcher.cnf`, specifies Dispatcher configuration information. A default configuration file is created at installation time and can be used without any changes made. However, if you want to modify the default configuration file for security or performance reasons, you can do so by editing the `dispatcher.cnf` file. (For conceptual information, see [“The Dispatcher” on page 187.](#))

The Dispatcher configuration file format is similar to the format of other MTA configuration files. Lines specifying options have the following form:

option=value

The option is the name of an option and *value* is the string or integer to which the options is set. If the *option* accepts an integer *value*, a base may be specified using notation of the form *b%v*, where *b* is the base expressed in base 10 and *v* is the actual value expressed in base *b*. Such option specifications are grouped into sections corresponding to the service to which the following option settings apply, using lines of the following form:

[SERVICE=*service-name*]

The service-name is the name of a service. Initial option specifications that appear before any such section tag apply globally to all sections.

The following is a sample Dispatcher configuration file (`dispatcher.cnf`).

```
! The first set of options, listed without a [SERVICE=xxx]
! header, are the default options that will be applied to all
! services.
!
MIN_PROCS=0
MAX_PROCS=5
MIN_CONNS=5
MAX_CONNS=20
MAX_LIFE_TIME=86400
MAX_LIFE_CONNS=100
MAX_SHUTDOWN=2
!
! Define the services available to Dispatcher
!
[SERVICE=SMTP]
PORT=25
IMAGE=msg_svr_base/lib/tcp_smtp_server
LOGFILE=msg_svr_base/log/tcp_smtp_server.log
```

For more information about the parameters for this file, see the *Messaging Server Reference Manual*.

Mappings File

The `mappings` file defines how the MTA maps input strings to output strings.

Many components of the MTA employ table lookup-oriented information. Generally speaking, this sort of table is used to transform (that is, map) an input string into an output string. Such tables, called mapping tables, are usually presented as two columns, the first (or left-hand) column giving the possible input strings and the second (or right-hand) column giving the resulting output string for the input it is associated with. Most of the MTA databases are instances of this type of mapping table. The MTA database files, however, do not provide wildcard-lookup facilities, owing to inherent inefficiencies in having to scan the entire database for wildcard matches.

The `mappings` file provides the MTA with facilities for supporting multiple mapping tables. Full wildcard facilities are provided, and multi-step and iterative mapping methods can be accommodated as well. This approach is more compute-intensive than using a database, especially when the number of entries is large. However, the attendant gain in flexibility may actually serve to eliminate the need for most of the entries in an equivalent database, and this may actually result in lower overhead overall.

You can test mapping tables with the `imsimta test -mapping` command. For more information about the syntax of the `mappings` file and the `test -mapping` command, see the [“Mappings File” on page 229](#) and the *Messaging Server Reference Manual*.

After making changes to the `mappings` file, you must restart the MTA or issue the command `imsimta reload`.

Option File

The options file, `option.dat`, specifies global MTA options as opposed to channel-specific options.

You can use the options file to override the default values of various parameters that apply to the MTA as a whole. In particular, the option file is used to establish sizes of the various tables into which the configuration and alias files are read. You can also use the options file to limit the size of messages accepted by the MTA, specify the number of channels allowed in the MTA configuration, set the number of rewrite rules allowed, and so on.

In `option.dat`, lines starting with `#`, `!` or `;` are treated as comment lines, even if the preceding line has a trailing `\` meaning that it is being continued. This means that long options that may contain these characters, in particular delivery options, care has to be taken.

For delivery options, where a natural layout would lead to continuation lines starting with a `#` or `!`, there is a safe and neat work around.

For more information about the syntax of the options file, see the *Messaging Server Reference Manual*.

Tailor File

The tailor file, `imta_tailor`, sets the location of various MTA components. For the MTA to function properly, the `imta_tailor` file must always reside in the `msg_svr_base/config` directory.

Although you can edit this file to reflect the changes in a particular installation, you must do so with caution. After making any changes to this file, you must restart the MTA. It is preferable to make the changes while the MTA is down.

NOTE Do not edit this file unless absolutely necessary.

For complete information on this file, see the *Messaging Server Reference Manual*.

Job Controller File

The Job Controller creates and manages channel jobs for delivering messages. These channel jobs run inside processing pools within the Job Controller. A pool can be thought of a “place” where the channel jobs are run. The pool provides a computing area where a set of jobs can operate without vying for resources with jobs outside of the pool. (For information on Job Controller concepts and channel keyword configuration, refer to [“The Job Controller” on page 194](#), [“Processing Pools for Channel Execution Jobs” on page 360](#), and [“Service Job Limits” on page 360](#).)

The Job Controller file, `job_controller.cnf`, specifies the following channel processing information:

- Defines various pools

- Specifies for all channels, the master program name and the slave program name, if applicable

In the `imta.cnf` file, you can specify the name of a process pool (that was defined in `job_controller.cnf`) by using the `pool` keyword. For example, the following fragment from a sample `job_controller.cnf` file defines the pool `MY_POOL`:

```
[POOL=MY_POOL]
job_limit = 12
```

The following fragment from a sample `imta.cnf` file specifies the pool `MY_POOL` in a channel block:

```
channel_x pool MY_POOL
channel_x-daemon
```

If you want to modify the parameters associated with the default pool configuration or add additional pools, you can do so by editing the `job_controller.cnf` file, then stopping and restarting the Job Controller.

The first pool in the Job Controller configuration file is used for any requests that do not specify the name of a pool. The MTA channels defined in the MTA configuration file (`imta.cnf`) can have their processing requests directed to a specific pool by using the `pool` channel keyword followed by the name of the pool. The pool name must match the name of a pool in the Job Controller configuration. If the Job Controller does not recognize the requested pool name, the request is ignored.

In the initial configuration, the following pools are defined: `DEFAULT`, `LOCAL_POOL`, `IMS_POOL`, `SMTP_POOL`.

Examples of Use

Typically, you would add additional pool definitions to the Job Controller configuration if you wanted to differentiate processing of some channels from that of other channels. You might also choose to use pools with different characteristics. For example, you might need to control the number of simultaneous requests that some channels are allowed to process. You can do this by creating a new pool with the job limit, then use the `pool` channel keyword to direct those channels to the new, more appropriate pool.

In addition to the definition of pools, the Job Controller configuration file also contains a table of the MTA channels and the commands that the Job Controller must use to process requests for each channel. The two types of requests are termed “master” and “slave.” Typically, a channel master program is invoked when there is a message stored in an MTA message queue for the channel. The master program dequeues the message.

A slave program is invoked to poll a channel and pick up any messages inbound on that channel. While nearly all MTA channels have a master program, many do not have or need a slave program. For example, a channel that handles SMTP over TCP/IP doesn't use a slave program because a network service, the SMTP server, receives incoming SMTP messages upon request by any SMTP server. The SMTP channel's master program is the MTA's SMTP client.

If the destination system associated with the channel cannot handle more than one message at a time, you need to create a new type of pool whose job limit is one:

```
[POOL=single_job]
job_limit=1
```

On the other hand, if the destination system has enough parallelism, you can set the job limit to a higher value.

[Code Example 10-1](#) shows a sample Job Controller configuration file. [Table 10-6](#) shows the available options.

Code Example 10-1 Sample Job Controller Configuration File in UNIX

```

!MTA Job Controller configuration file
!
!Global defaults
tcp_port=27442           (1)
secret=never mind
slave_command=NULL      (2)
max_life_age=3600       (3)
!
!
!Pool definitions
!
[POOL=DEFAULT]          (4)
job_limit=10            (5)
!
[POOL=LOCAL_POOL]
job_limit=10
!
[POOL=IMS_POOL]
job_limit=1
!
[POOL=SMTP_POOL]
job_limit=1
!
!Channel definitions
!
!
[CHANNEL=1]              (6)
master_command=msg_svr_base/lib/l_master
!
[CHANNEL=ims-ms]
master_command=msg_svr_base/lib/ims_master
!
[CHANNEL=tcp_*]          (7)
anon_host=0
master_command=msg_svr_base/lib/tcp_smtp_client

```

The key items in the preceding example (numbered, enclosed in parentheses, and in bold font) are:

1. This global option defines the TCP port number on which the Job Controller listens for requests.

2. Sets a default `SLAVE_COMMAND` for subsequent `[CHANNEL]` sections.
3. Sets a default `MAX_LIFE_AGE` for subsequent `[CHANNEL]` sections.
4. This `[POOL]` section defines a pool named `DEFAULT`.
5. Set the `JOB_LIMIT` for this pool to 10.
6. This `[CHANNEL]` section applies to a channel named `1`, the UNIX local channel. The only definition required in this section is the `master_command`, which the Job Controller issues to run this channel. Since no wildcard appears in the channel name, the channel must match exactly.
7. This `[CHANNEL]` section applies to any channel whose name begins with `tcp_*`. Since this channel name includes a wildcard, it will match any channel whose name begins with `tcp_`.

Example of Adding Additional Pools

The Job Controller creates and manages channel jobs for delivering messages. These channel jobs run inside processing pools within the Job Controller. A pool can be thought of a “place” where the channel jobs are run. The pool provides a computing area where a set of jobs can operate without vying for resources with jobs outside of the pool. Note that the job limit that is set in the `job_controller` is per pool. So, for example, if you have your `SMTP_POOL` defined with a `job_limit` of 10, then only 10 `tcp_smtp` client processes can run in that pool at any given time.

There are situations where one may want to create additional `tcp_*` channels (say, for example, a `tcp` channel for particularly slow mail sites). It is a good idea to have these channels run in different pools. The reason for this is if we created ten different `tcp_*` channels and they were all running in `SMTP_POOL`, it is possible to only have one `tcp_smtp` client running per `tcp_*` channel at any given time (depending on whether or not there is mail destined for all the `tcp_*` channels and given that `SMTP_POOL` defined with a `job_limit` of 10). Assuming there is heavy load on the system and that all queues have messages waiting to go out the various `tcp_*` channels, this would not be efficient. It is much more likely that one would want to define additional pools for the additional `tcp_*` channels so that there is no contention for slots.

For example, suppose we set up the following `tcp_*` channels:

```
tcp_yahoo smtp mx pool yahoo_pool keyword keyword keyword
tcp-yahoo-daemon

tcp_aol smtp mx keyword keyword keyword pool aol_pool
tcp-aol-daemon

tcp_hotmail smtp mx pool hotmail_pool keyword keyword keyword tcp-hotmail-daemon

...

tcp_sun smtp mx pool sun_pool keyword keyword keyword
tcp-sun-daemon
```

In order to add have ten `tcp_smtp_client` processes for each of the new channels we would add the following in the `job_controller.cnf` file:

```
[POOL=yahoo_pool]
job_limit=10

[POOL=aol_pool]
job_limit=10

[POOL=hotmail_pool]
job_limit=10

...

[POOL=sun_pool]
job_limit=10
```

For more information about pools, see [“Processing Pools for Channel Execution Jobs” on page 360](#). For more information about the syntax of the Job Controller file, see the *Messaging Server Reference Manual*.

Table 10-6 Job Controller Configuration File Options

Option	Description
General Options	Description
<code>INTERFACE_ADDRESS=adapter</code>	Specifies the IP address interface to which the Job Controller should bind. The value specified (<i>adapter</i>) can be one of <code>ANY</code> , <code>ALL</code> , <code>LOCALHOST</code> , or an IP address. By default the Job Controller binds to all addresses (equivalent to specifying <code>ALL</code> or <code>ANY</code>). Specifying <code>INTERFACE_ADDRESS=LOCALHOST</code> means that the Job Controller only accepts connections from within the local machine. This does not affect normal operation, since no inter-machine operation is supported by the Job Controller. However, this may be inappropriate in an HA environment where an HA agent may be checking if the Job Controller is responding. If the machine on which the Messaging Server is running is in an HA environment, has an “internal network” adapter and an “external network” adapter, and you are not confident of your firewall’s ability to block connections to high port numbers, you should consider specifying the IP address of the “internal network” adapter.
<code>MAX_MESSAGES=integer</code>	The Job Controller keeps information about messages in an in-memory structure. In the event that a large backlog builds, it may need to limit the size of this structure. If the number of messages in the backlog exceeds the parameter specified here, information about subsequent messages is not kept in memory. Mail messages are not lost because they are always written to disk, but they are not considered for delivery until the number of messages known by the Job Controller drops to half this number. At this point, the Job Controller scans the queue directory mimicking an <code>imsimta cache -sync</code> command. The default is 100000.
<code>SECRET=file_spec</code>	Shared secret used to protect requests sent to the Job Controller.
<code>SYNCH_TIME=time_spec</code>	The Job Controller occasionally scans the queue files on disk to check for missing files. By default, this takes place every four hours, starting four hours after the Job Controller is started. The format of the <i>time_spec</i> is <code>HH:MM/hh:mm</code> or <code>/hh:mm</code> . The variable <i>hh:mm</i> is the interval between the events in hours (<i>h</i>) and minutes (<i>m</i>). The variable <code>HH:MM</code> is the first time in a day the event should take place. For example specifying, <code>15:45/7:15</code> starts the event at 15:45 and every seven hours and fifteen minutes from then.
<code>TCP_PORT=integer</code>	Specifies the TCP port on which the Job Controller should listen for request packets. Do not change this unless the default conflicts with another TCP application on your system. If you do change this option, change the corresponding <code>IMTA_JBC_SERVICE</code> option in the MTA tailor file, <code>msg_svr_base/config/imta_tailor</code> , so that it matches. The <code>TCP_PORT</code> option applies globally and is ignored if it appears in a <code>[CHANNEL]</code> or <code>[POOL]</code> section.

Table 10-6 Job Controller Configuration File Options (*Continued*)

Option	Description
Pool Option	Description
<code>JOB_LIMIT=integer</code>	Specifies the maximum number of processes that the pool can use simultaneously (in parallel). The <code>JOB_LIMIT</code> applies to each pool individually; the maximum total number of jobs is the sum of the <code>JOB_LIMIT</code> parameters for all pools. If set outside of a section, it is used as the default by any <code>[POOL]</code> section that doesn't specify <code>JOB_LIMIT</code> . This option is ignored inside of a <code>[CHANNEL]</code> section.
Channel Option	Description
<code>MASTER_COMMAND=file_spec</code>	Specifies the full path to the command to be executed by the UNIX system process created by the Job Controller to run the channel and dequeue messages outbound on that channel. If set outside of a section, it is used as the default by any <code>[CHANNEL]</code> section that doesn't specify a <code>MASTER_COMMAND</code> . This option is ignored inside of a <code>[POOL]</code> section.
<code>MAX_LIFE_AGE=integer</code>	Specifies the maximum life time for a channel master job in seconds. If this parameter is not specified for a channel, then the global default value is used. If no default value is specified, 1800 (30 minutes) is used.
<code>MAX_LIFE_CONNS=integer</code>	In addition to the maximum life age parameter, the life expectancy of a channel master job is limited by the number of times it can ask the Job Controller if there are any messages. If this parameter is not specified for a channel, then the global default value is used. If no default value is specified, 300 is used.
<code>SLAVE_COMMAND=file_spec</code>	Specifies the full path to the command to be executed by the UNIX system process created by the Job Controller in order to run the channel and poll for any messages inbound on the channel. Most MTA channels do not have a <code>SLAVE_COMMAND</code> . If that is the case, the reserved value <code>NULL</code> should be specified. If set outside of a section, it is used as the default by any <code>[CHANNEL]</code> section that doesn't specify a <code>SLAVE_COMMAND</code> . This option is ignored inside of a <code>[POOL]</code> section.

Aliases

The MTA provides a facility to support mailbox names associated with the local system that do not necessarily correspond to actual users: *aliases*. Aliases are useful for constructing mailing lists, forwarding mail, and providing synonyms for user names. For a discussion on how alias resolution is handled see [“The \\$V Metacharacter” on page 202](#).

Old-style mailing lists defined in the `aliases` file or aliases database now accept a nonpositional `[capture]` parameter. If used, the `[capture]` parameter specifies a capture address with the same semantics as capture addresses specified by the `LDAP_CAPTURE` attribute applied to a user or group in LDAP.

The Alias Database

Use of the Alias Database is discouraged. Use the `aliases` file instead, especially since it can be dynamically reloaded using the `imsimta reload` command.

The MTA uses the information in the directory and creates the alias database. The alias database is consulted once each time the regular alias files is consulted. However, the alias database is checked before the regular alias file is used. In effect, the database acts as a sort of address rewriter that is invoked prior to using the alias file.

NOTE The format of the database itself is private. Do not try to edit the database directly. Make all required changes in the directory.

The Alias File

The `aliases` file is used to set aliases not set in the directory. In particular, the `postmaster` alias is a good example. Aliases set in this file will be ignored, if the same aliases exist in the directory. Changes can be activated by issuing the `imsimta reload` command (or restarting the MTA). Any line that begins with an exclamation point is considered to be a comment and is ignored. Blank lines are also ignored.

NOTE Messaging Server provides other facilities for address manipulation, such as the address reversal database and specialized mapping tables. For best performance, however, rewrite rules should be used whenever possible to perform address manipulations. See [Chapter 11, “Configuring Rewrite Rules”](#).

A physical line in this file is limited to 1024 characters. You can split a logical line into multiple physical lines using the backslash (`\`) continuation character.

The format of the file is as follows:

```
user@domain: <address> (for users in hosted domains)
```

```
user@domain: <address> (for users in non-hosted domains. Example: default-domain)
```

For example:

```
! A /var/mail/ user
inetmail@siroe.com: inetmail@native-daemon

! A message store user
ms_testuser@siroe.com: mstestuser@ims-ms-daemon
```

Including Other Files in the Alias File

Other files can be included in the primary `aliases` file. A line of the following form directs the MTA to read the `file-spec` file:

```
<file-spec
```

The file specification must be a complete file path specification and the file must have the same protections as the primary `aliases` file; for example, it must be world readable.

The contents of the included file are inserted into the `aliases` file at its point of reference. The same effect can be achieved by replacing the reference to the included file with the file's actual contents. The format of include files is identical to that of the primary `aliases` file itself. Indeed, include files may themselves include other files. Up to three levels of include file nesting are allowed.

Command Line Utilities

Messaging Server provides several command-line utilities that enable you to perform various maintenance, testing, and management tasks for the MTA. For example, you use the `imsimta cnbuild` command to compile the MTA configuration, alias, mapping, security, system wide filter, and option files. For complete information on the MTA command-line utilities, see the *Messaging Server Reference Manual*.

SMTP Security and Access Control

For information about SMTP security and access control, see [Chapter 17, “Mail Filtering and Access Control”](#), and [Chapter 19, “Configuring Security and Access Control”](#).

Log Files

All MTA specific log files are kept in the log directory, (*msg_svr_base/log*). This directory contains log files that describe message traffic through the MTA and log files that describe information about specific master or slave programs.

For more information about MTA log files, see [Chapter 21, “Managing Logging”](#).

To Convert Addresses from an Internal Form to a Public Form

Addresses can be converted from an internal form to a public, advertised form using the Address-Reversal database (also called the *reverse database*) and the REVERSE mapping table. For example, while `uid@mailhost.siroe.com` might be a valid address within the `siroe.com` domain, it might not be an appropriate address to expose to the outside world. You may prefer a public address like `firstname.lastname@siroe.com`.

NOTE Messaging Server provides other facilities for address manipulation, such as the `aliases` file and specialized mapping tables. For best performance, however, rewrite rules should be used whenever possible to perform address manipulations. See [Chapter 11, “Configuring Rewrite Rules”](#).

In the reverse database, the public address for each user is specified by the `mail` attribute of the user entry in the directory. The private or internal address is specified by the `mailAlternativeAddress` attribute. The same is true for distribution lists.

The reverse database contains a mapping between any valid address and this public address. The reverse database is generally located in the MTA database directory. The database is the files whose names are specified with the `IMTA_REVERSE_DATABASE` option in the *msg_svr_base/config/imta_tailor* file, which by default are the files *msg_svr_base/data/db/reversedb.**

If an address is found in the database, the corresponding right side from the database is substituted for the address. If the address is not found, an attempt is made to locate a mapping table named `REVERSE` in the `mappings` file. No substitution is made, and rewriting terminates normally if the table does not exist or no entries from the table match.

If a `REVERSE` mapping table is found in the `mappings` file, and if the address matches a mapping entry, the resulting string replaces the address if the entry specifies a `$Y`. A `$N` discards the result of the mapping. If the mapping entry specifies `$D` in addition to `$Y`, the resulting string runs through the reversal database once more; and if a match occurs, the template from the database replaces the mapping result (and hence the address). The form of general `REVERSE` mapping table entries (that is, entries that apply to all channels) is shown below. Note that flags can be either in front of the new address or at the end.

```
REVERSE

    OldAddress          $Y[Flags]NewAddress
```

The form of *channel-specific* entries (that is, mapping that only occurs only on messages passing through a specific channel) is shown below. Note that you must set `use_reverse_database` to `13` in the `option.dat` for channel-specific entries to work.

```
REVERSE

    source-channel|destination-channel|OldAddress  $Y[Flags]NewAddressS
```

`REVERSE` mapping table flags as shown in [Table 10-7](#).

Table 10-7 `REVERSE` mapping table flags

Flags	Description
<code>\$Y</code>	Use output as new address.
<code>\$N</code>	Address remains unchanged.
<code>\$D</code>	Run output through the reversal database.
<code>\$A</code>	Add pattern as reverse database entry.
<code>\$F</code>	Add pattern as forward database entry.

Table 10-7 REVERSE mapping table flags (*Continued*)

Flags	Description
Flag comparison	Description
\$.B	Match only header (body) addresses.
\$.E	Match only envelope addresses.
\$.F	Match only forward pointing addresses.
\$.R	Match only backwards pointing addresses.
\$.I	Match only message-ids.

To Set Address Reversal Controls

The `reverse` and `noreverse` channel keywords, and the MTA options `USE_REVERSE_DATABASE` and `REVERSE_ENVELOPE` are used to control the specifics of when and how address reversal is applied. By default, the address reversal operation applies to all addresses, not just to backward pointing addresses.

Address reversal can be enabled or disabled by setting the value of the `REVERSE_ENVELOPE` system option (Default: 1-on, 0-off).

`noreverse` on the destination channel specifies that address reversal is not applied to addresses in messages. `reverse` specifies that address reversal is applied. See *Sun Java System Messaging Server Administration Reference* for details.

`USE_REVERSE_DATABASE` controls whether the MTA uses the address reversal database and `REVERSE_MAPPING` as a source of substitution addresses. A value of 0 means address reversal is not used with any channel. A value of 5 (default) specifies that address reversal is applied to all addresses—not just to backward pointing addresses— after they have been rewritten by the MTA address rewriting process. A value of 13 specifies that address reversal is applied to addresses with the `reverse` channel keyword—not just to backward pointing addresses— after they have been rewritten by the MTA address rewriting process. Further granularity of address reversal operation can be specified by setting the bit values of the `USE_REVERSE_DATABASE` option. See *Sun Java System Messaging Server Administration Reference* for details.

The `REVERSE_ENVELOPE` option controls whether or not address reversal is applied to envelope `From` addresses as well as message header addresses.

See the detailed descriptions of these options and keywords in the *Sun Java System Messaging Server Administration Reference* for additional information on their effects.

General Reverse Mapping Example

An example of a general REVERSE Mapping is as follows: suppose that the internal addresses at `siroe.com` are of the form `user@mailhost.siroe.com`. However, the user name space is such that `user@host1.siroe.com` and `user@host2.siroe.com` specify the same person for all hosts at `siroe.com`. The following REVERSE mapping may be used in conjunction with the address-reversal database:

```
REVERSE
*@*.siroe.com      $0@siroe.com$Y$D
```

In this example, addresses of the form `name@anyhost.siroe.com` would be changed to `name@siroe.com`. The `$D` metacharacter causes the address-reversal database to be consulted. The address-reversal database should contain entries of the form:

```
user@mailhost.siroe.com      first.last@siroe.com
```

Channel-Specific Reverse Mapping Example

By default, the address reversal database is used if the routability scope is set to the mail server domains. An example of a channel-specific REVERSE mapping table entry would be as follows:

```
REVERSE
tcp_*|tcp_local|binky@macho.siroe.com      $D$YRebecca.Woods@siroe.com
```

This entry tells the MTA that for any mail with source channel of `tcp_*` going out the destination channel of `tcp_local` to change addresses of the form `binky@macho.siroe.com` to `Rebecca.Woods@siroe.com`

NOTE To enable channel-specific reverse mapping, you must set `USE_REVERSE_DATABASE` option in `option.dat` to 13. (Default=5.)

The Forward Lookup Table and FORWARD Address Mapping

Address reversals are not applied to envelope To: addresses. The reasons for this omission are fairly obvious—envelope To: addresses are continuously rewritten and modified as messages proceed through the mail system. The entire goal of routing is to convert envelope To: addresses to increasingly system and mailbox-specific formats. The canonicalization functions of address reversal are entirely inappropriate for envelope To: addresses.

In any case, plenty of machinery is available in the MTA to perform substitutions on envelope To: addresses. The alias file, alias database and general lookup table, provide precisely this functionality.

The MTA also provides the forward lookup table and FORWARD mapping, used for special sorts of forwarding purposes, such as pattern-based forwarding, source-specific forwarding, or auto-registration of addresses. Note that the forward lookup table and FORWARD mapping are intended for use primarily for certain special sorts of address forwarding; most sorts of address forwarding, however, are better performed using one of the MTA's other forwarding mechanisms.

The various substitution mechanisms for envelope To: addresses provide functionality equivalent to the reversal lookup table, but none yet discussed provide functionality equivalent to the reverse mapping. And circumstances do arise where mapping functionality for envelope To: addresses is useful and desirable.

The FORWARD Mapping Table

The FORWARD mapping table provides this functionality of pattern based forwarding, and also provides a mechanism for source specific forwarding. If a FORWARD mapping table exists in the mapping file, it is applied to each envelope To: address. No changes are made if this mapping does not exist or no entries in the mapping match.

If the address matches a mapping entry, the result of the mapping is tested. The resulting string will replace the envelope To: address if the entry specifies a \$Y; a \$N will discard the result of the mapping. See [Table 10-8](#) for a list of additional flags.

Table 10-8 FORWARD mapping table flags

Flag	Description
\$D	Run output through the rewriting process again

Table 10-8 FORWARD mapping table flags Flags Description

Flag	Description
\$G	Run output through the forward lookup table, if forward lookup table use has been enabled
\$H	Disable further forward lookup table or FORWARD mapping lookups
\$I	Hold the message as a .HELD file
\$N	Address remains unchanged
\$Y	Use output as new address

The `FORWARD` mapping, if present, is consulted before any forward lookup table lookup. If a `FORWARD` mapping matches and has the flag `$G`, then the result of the `FORWARD` mapping will be checked against the forward lookup table, if forward lookup table use has been enabled via the appropriate setting of `USE_FORWARD_DATABASE`. (Note that if channel specific forward lookup table use has been specified, then the source address and source channel will be prefixed to the result of the `FORWARD` mapping before looking up in the forward lookup table.) If a matching `FORWARD` mapping entry specifies `$D`, then the result of the `FORWARD` mapping (and optional forward table lookup) will be run through the MTA address rewriting process again. If a matching `FORWARD` mapping entry specifies `$H`, then no further `FORWARD` mapping or database lookups will be performed during that subsequent address rewriting (that resulting from the use of `$D`).

The example below illustrates the use of a complex `REVERSE` and `FORWARD` mapping. Suppose that a system or pseudo domain named `am.sigurd.innosoft.com` associated with the `mr_local` channel produces RFC 822 addresses of the general form:

```
"lastname, firstname"@am.sigurd.example.com
```

or

```
"lastname,firstname"@am.sigurd.example.com
```

Although these addresses are perfectly legal they often confuse other mailers which do not fully comply with RFC 822 syntax rules—mailers which do not handle quoted addresses properly, for instance. Consequently, an address format which does not require quoting tends to operate with more mailers. One such format is

```
firstname.lastname@am.sigurd.example.com
```

Example of a complex FORWARD and REVERSE mapping:

```

REVERSE

* |mr_local| "*" , $ *"@am.sigurd.innosoft.com $Y"$1,$ $2"@am.sigurd.innosoft.com
* |mr_local| "*" , *"@am.sigurd.innosoft.com $Y"$1,$ $2"@am.sigurd.innosoft.com
* * | "*" , $ *"@am.sigurd.innosoft.com $Y"$3.$2"@am.sigurd.innosoft.com
* * | "*" , *"@am.sigurd.innosoft.com $Y"$3.$2"@am.sigurd.innosoft.com
* |mr_local| * . *"@am.sigurd.innosoft.com $Y"$2,$ $1"@am.sigurd.innosoft.com
* * | * . *"@am.sigurd.innosoft.com $Y"$2.$3"@am.sigurd.innosoft.com

FORWARD

" * , $ *"@am.sigurd.innosoft.com $Y"$0,$ $1"@am.sigurd.innosoft.com
" * , *"@am.sigurd.innosoft.com $Y"$0,$ $1"@am.sigurd.innosoft.com
* . *"@am.sigurd.innosoft.com $Y"$1,$ $0"@am.sigurd.innosoft.com

```

So the goals of the sample mapping tables in the above example are threefold. (1) Allow any of these three address formats above to be used. (2) Present only addresses in the original format to the `mr_local` channel, converting formats as necessary. (3) Present only addresses in the new unquoted format to all other channels, converting formats as necessary. (The `REVERSE` mapping shown assumes that bit 3 in the MTA option `USE_REVERSE_DATABASE` is set.

The Forward Lookup Table

In cases where address forwardings need to be auto-registered or source specific, the forward lookup table is available. Note that use of the Forward lookup table for simple forwarding of messages is generally not appropriate; the `aliases` file or alias lookup table is a more efficient way to perform such forwarding. By default, the forward lookup table is not used at all; its use must be explicitly enabled via the `USE_FORWARD_DATABASE` option. Forward table lookups are performed after address rewriting and after alias expansion is performed, and after any `FORWARD` mapping is checked. If a forward table lookup succeeds, the resulting substituted address is then run through the MTA address rewriting process all over again.

There are two mechanisms available for the forward lookup table, an in-memory hash table or conventional database. Unless the size of the table is prohibitively large then hash table is recommended. (1,000 is not prohibitively large, 100,000 is). The hash table is enabled by setting bit 3 (value 34) in the `use_text_database` option

as well as setting `use_forward_database`. The hash table is read from `msg_svr_base/configure/forward.txt`, compiled into the reloadable part of the configuration, and can be forced to be reloaded into the active MTA processes by the `imsimta reload` command.

The forward database is an MTA `crdb` database, created using the `crdb` utility from a source text file. The format of the source text file by default is expected to be:

```
user1@domain1    changedmailbox1@changeddomain1
user2@domain2    changedmailbox@changeddomain2
```

But if source specific use of the forward database has been enabled by setting bit 3 of the `USE_FORWARD_DATABASE` option, then the source text file format expected is:

```
source-channel|source-address|original-address  changed-address
```

For instance, an entry such as

```
tcp_limited|bob@blue.com|helen@red.com  "helen of troy"@siroe.com
```

will map the To: address `helen@red.com` to “helen of troy”@siroe.com if and only if the message is coming from `bob@blue.com` and the enqueueing channel is `tcp_limited`.

Controlling Delivery Status Notification Messages

Delivery status notifications or *status notifications* are email status messages sent by the MTA to the sender and, optionally, the postmaster. Messaging Server allows you to customize notification messages by content and language. You can also create different messages for each type of delivery status (for example, `FAILED`, `BOUNCED`, `TIMEDOUT`, etc.). In addition, you can create status notifications for messages originating from specific channels.

By default, status notifications are stored in the `msg_svr_base/config/locale/C` directory (specified by the `IMTA_LANG` setting in the `msg_svr_base/config/imta_tailor` file). The filenames are as follows:

```
return_bounced.txt, return_delivered.txt return_header.opt, return_timedout.txt,
return_deferred.txt, return_failed.txt, return_prefix.txt, return_delayed.txt,
return_forwarded.txt, return_suffix.txt.
```


Message text for *.txt files should be limited to 78 characters per line. Note that you shouldn't change these files directly since they'll be overwritten when the Messaging Server is upgraded. If you wish to modify these files and use them as your only set of notification message template files (return_*.txt), copy the files to a new directory and edit them there. Then, set the `IMTA_LANG` option in the `imta_tailor` file to point to the new directory containing those templates. If you wish to have multiple sets of notification files (for example, a set for each language) then you will need to set up a `NOTIFICATION_LANGUAGE` mapping table.

To Construct and Modify Status Notifications

A single notification message is constructed from a set of three files:

`return_prefix.txt` + `return_ActionStatus.txt` + `return_suffix.txt`

To customize or localize notifications, you would create a complete set of `return_*.txt` files for each locale and/or customization and store it in a separate directory. For example, you could have French notification files stored in one directory, Spanish for another, and notifications for a special unsolicited bulk email channel stored in a third.

NOTE Sample files for French, German, and Spanish are included in this release. These files can be modified to suit your specific needs.

For double-byte languages such as Japanese, be sure to construct your text in Japanese, then view the text as if it was ASCII to check for % characters. If there are accidental % characters, then replace them with %%.

The format and structure of status notification message sets is described below.

1. `return_prefix.txt` provides appropriate header text as well as introductory material for the body. The default for US-english locale is as follows:

```
Content-type: text/plain; charset=us-ascii
Content-language: EN-US
```

```
This report relates to a message you sent with the following
header fields: %H
```

Non-US-ASCII status notification messages should change the `charset` parameter and `Content-Language` header value appropriately (for example, for French localized files the values would be `ISO-8859-1` and `fr`). `%H` is a header substitution sequence defined in [Table 10-9](#).

2. `return_<ActionStatus>.txt` contains status-specific text. *ActionStatus* refers to a message's MTA status type. For example, the default text for `return_failed.txt` is as follows:

```
Your message cannot be delivered to the following recipients:
%R
```

The default text for `return_bounced.txt` is:

```
Your message is being returned. It was forced to return by
the postmaster.
```

```
The recipient list for this message was:
%R
```

3. `return_suffix.txt` contains concluding text. By default this file is blank.

Table 10-9 Notification Message Substitution Sequences

Substitutions	Definition
%H	Expands into the message's headers.
%C	Expands into the number of units ¹ the message has been queued.
%L	Expands into the number of units ¹ the message has left in the queue before it is returned.
%F	Expands into the number of units ¹ a message is allowed to stay in the queue.
%S [%s]	Expands to the letter S or s if the previously expanded numeric value was not equal to one. Example: "%C day%s" can expand to "1 day" or "2 days" depending on how many days the message has been queued.
%U [%u]	Expands into the time units ¹ Hour [hour] or Day [day], in use. Example: "%C %U%s" can expand to "2 days" or "1 hour" depending on how many days or hours the message has been queued, and the value of the MTA option <code>RETURN_UNITS</code> . If you have set <code>RETURN_UNITS=1</code> (hours) and your site is using localized status notification messages, you will need to edit <code>return_delayed.txt</code> and <code>return_timedout.txt</code> and replace the word "days" with the word hours for all languages other than English. French, replace jour(s) with heure(s). German, replace Tag(e) with Stunde(n). Spanish, replace día(s) with hora(s)
%R	Expands into the list of the message's recipients.
%%	% (Note that the text is scanned byte by byte for substitutions sequences regardless of character set. Check for unintended % signs if you are using a double byte character set.)
¹ Units is defined by the <code>RETURN_UNITS</code> option in the MTA Options file and can be hours or days (default).	

To Customize and Localize Delivery Status Notification Messages

Delivery Status Notification Messages can be localized such that messages will be returned to different users in different languages. For example, French notifications could be returned to users who have expressed a preference for French.

Localizing or customizing status notification messages consists of two steps:

1. Create a set of localized/customized `return_*.txt` message files and store each set in a separate directory. This is described in [“To Construct and Modify Status Notifications” on page 265.](#))
2. Set up a `NOTIFICATION_LANGUAGE` mapping table.

The `NOTIFICATION_LANGUAGE` mapping table (located in `msg_svr_base/config/mappings`) specifies the set of localized or customized notification message files to use depending upon attributes (for example: language, country, domain, or address) of the *originating message* (the message causing the notification to be sent).

The original sender’s message is parsed to determine status notification type, source channel, preferred language, return address and first recipient. Depending on how the table is constructed, a set of notification files is selected depending on one or more of these attributes.

The format of the `NOTIFICATION_LANGUAGE` mapping table is:

```
NOTIFICATION_LANGUAGE
dsn-type-list|source-channel|preferred-language|return-address|first-recipient $Idirectory-spec
```

`dsn-type-list` is a comma-separated list of delivery status notification types. If multiple types are specified, they must be separated by commas and without spaces (a space will terminate the pattern of the mapping table entry). The types are as follows:

`failed` - Generic permanent failure messages (for example, no such user). Uses the `return_failed.txt` file.

`bounced` - Notification message used in conjunction with manual “bounces.” Done by the postmaster. Uses the `return_bounced.txt` file.

`timedout` - The MTA has been unable to deliver the message within the time allowed for delivery. The message is now being returned. Uses the `return_timedout.txt` file.

`delayed` - The MTA has been unable to deliver the message, but will continue to try to deliver it. Uses the `return_delayed.txt` file.

`deferred` - Non-delivery notification similar to “delayed” but without an indication of how much longer the MTA will continue to try to deliver. Uses the `return_deferred.txt` file.

`forwarded` - A delivery receipt was requested for this message, however, this message has now been forwarded to a system that does not support such receipts. Uses the `return_forwarded.txt` file.

`source-channel` is the channel generating the notification message, that is, the channel at which the message is currently queued. For example, `ims-ms` for the message store’s delivery queue, `tcp_local` for outbound SMTP queues, etc.

`preferred-language` is the language expressed in the message being processed (the message for which the notification is being generated). The sources for this information are first the `accept_language` field. If that doesn’t exist the `Preferred-language: header` field and `X-Accept-Language: header` field are used. For a list of standard language code values, refer to the file `msg_svr_base/config/languages.txt`

This field, if not empty, will be whatever the originator of the message specified for the `Preferred-language:` or `X-Accept-language:` header line. As such, you may find nonsense characters in this field.

`return-address` is the envelope `From:` *address* of the originating message. This is the envelope address to which the notification message will be sent and hence a possible indicator of what language to use.

`first-recipient` is the envelope `To:` address (the first one, if the message is failing to more than one recipient) to which the original message was addressed. For example, in the notification “your message to `dan@siroe.com` could not be delivered”—in this case `dan@siroe.com` is the envelope `To:` address being reported on.

`directory-spec` is the directory containing the `return_*.txt` files to use if the mapping table probe matches. Note that a `$I` must precede the directory specification.

For instance, a site that stores French notification files (return_*.txt) in a directory /lc_messages/table/notify_french/ and Spanish notification files in return_*.txt files in a directory /lc_messages/table/notify_spanish/ might use a table as shown below. Note that each entry must start with one or more spaces, and that there can be no blank lines between entries.

Code Example 10-2 Notification Language Mapping Table—Example

```

NOTIFICATION_LANGUAGE

! Preferred-language: header value specified
!
*|*|fr|*|*   $I/lc_messages/table/notify_french/
*|*|es|*|*   $IIMTA_TABLE/notify_spanish/
*|*|en|*|*   $I/imta/lang/
!
! If no Preferred-language value, then select notification based on the
! country code in the domain name. EX: PF=French Polynesia; BO=Bolivia
!
*|*|*|*.fr|*   $I/imta/table/notify_french/
*|*|*|*.fx|*   $I/imta/table/notify_french/
*|*|*|*.pf|*   $I/imta/table/notify_french/
*|*|*|*.tf|*   $I/imta/table/notify_french/
*|*|*|*.ar|*   $I/imta/table/notify_spanish/
*|*|*|*.bo|*   $I/imta/table/notify_spanish/
*|*|*|*.cl|*   $I/imta/table/notify_spanish/
*|*|*|*.co|*   $I/imta/table/notify_spanish/
*|*|*|*.cr|*   $I/imta/table/notify_spanish/
*|*|*|*.cu|*   $I/imta/table/notify_spanish/
*|*|*|*.ec|*   $I/imta/table/notify_spanish/
*|*|*|*.es|*   $I/imta/table/notify_spanish/
*|*|*|*.gp|*   $I/imta/table/notify_spanish/
*|*|*|*.gt|*   $I/imta/table/notify_spanish/
*|*|*|*.gy|*   $I/imta/table/notify_spanish/
*|*|*|*.mx|*   $I/imta/table/notify_spanish/
*|*|*|*.ni|*   $I/imta/table/notify_spanish/
*|*|*|*.pa|*   $I/imta/table/notify_spanish/
*|*|*|*.ve|*   $I/imta/table/notify_spanish/

```

NOTE A default `mappings.locale` file is provided with the installation and will be included in the `mappings` file to enable notification language mapping. To disable notification language mapping, comment out the include line as follows:

```
! <IMTA_TABLE:mappings.locale
```

(Read the comments in the file and modify to suit your needs.)

Internationalization of Generated Notices

Two option files can be used for both the delivery status and message disposition notification. These are intended to make internationalization of generated notices more flexible. They are as follows:

```
IMTA_LANG:return_option.dat      (DSN)
IMTA_LANG:disposition_option.dat (MDN)
```

The options available for these files are described in

Table 10-10 Delivery Status and Message Disposition Notification Options

Option	Description
DAY (DSN)	The text to insert for a %U or %u substitution when RETURN_UNITS=0 (the default) is set. Note that no distinction is made between %U and %u (unlike the default case where English “Day” or “day”, respectively, would be substituted).
DIAGNOSTIC_CODE (DSN)	Override for the “Diagnostic code:” text used in the construction of the per-recipient section of the first part of a DSN. This field should be specified in the same charset that’s used for the first part of the DSN.
HOUR (DSN)	The text to insert for a %U or %u substitution when RETURN_UNITS=1 is set. Note that no distinction is made between %U and %u (unlike the default case where English “Hour” or “hour”, respectively, would be substituted).
n.n.n (DSN)	When constructing the per-recipient part of a DSN a check will be made to see if there’s an option whose name matches the numeric per-recipient status. If there is the corresponding text will be inserted into the DSN. Additionally, if the REASON option specified above produces a zero length result the REASON field will not be inserted.
ORIGINAL_ADDRESS (DSN)	Override for the “Original address:” text used in the construction of the per-recipient section of the first part of a DSN. This field should be specified in the same charset that’s used for the first part of the DSN.
REASON (DSN)	Override for the “Reason:” text used in the construction of the per-recipient section of the first part of a DSN. This field should be specified in the same charset that’s used for the first part of the DSN.

Table 10-10 Delivery Status and Message Disposition Notification Options

Option	Description
RECIPIENT_ADDRESS (DSN)	Override for the “Recipient address:” text used in the construction of the per-recipient section of the first part of a DSN. This field should be specified in the same charset that’s used for the first part of the DSN.
RETURN_PERSONAL (DSN and MDN)	Override personal name field to be used in conjunction with the From: field. This field should be RFC 2047 encoded. The value set by the RETURN_PERSONAL MTA option is used if this option is not specified.
SUBJECT (DSN and MDN)	Override Subject: field. This value will only be used if the notification didn’t provide a subject field of its own. This field should be RFC 2047 encoded. An appropriate subject will be constructed if this option isn’t used and the notification didn’t provide one.
TEXT_CHARSET (MDN)	Charset text for the first part and subject of the MDN should be converted to. The default is not to perform any conversion.

Additional Status Notification Message Features

The essential procedures for setting up status notification messages is describe in the previous sections. The following sections describe additional functionality.

To Block Content Return on Large Messages

Typically, when a message is bounced or blocked, the content of the message is returned to sender and to the local domain postmaster in the notification message. This can be a strain on resources if a number of very large messages are returned in their entirety. To block the return of content for messages over a certain size, set the `CONTENT_RETURN_BLOCK_LIMIT` option in the MTA options file.

To Remove non-US-ASCII Characters from Included Headers in the Status Notification Messages

The raw format for Internet message headers does not permit non-US-ASCII characters. If non-US-ASCII characters are used in a message header they are encoded using “MIME header encoding” described in RFC 2047. Thus, a Chinese “Subject” line in an email message will actually look like this:

```
Subject: =?big5?Q?=A4j=AB=AC=A8=B1=AD=B1=B0=D3=F5=A5X=AF=B2=?
```

and it is the responsibility of email clients to remove the encoding when displaying headers.

Because the `%H` template copies headers into the body of the notification message, the encoded header text will normally appear. However, Messaging Server will remove the encoding if the character set in the subject (in this case “big5”) matches the character set in the `Content-Type` header character set parameter in `return_prefix.txt`. If it doesn’t match, the Messaging Server will leave the encoding intact.

To Set Notification Message Delivery Intervals

Keywords: `notices`, `nonurgentnotices`, `normalnotices`, `urgentnotices`

Undeliverable messages are held in a given channel queue for specified amount of time before being returned to sender. In addition, a series of status/warning messages can be returned to the sender while Messaging Server attempts delivery. The amount of time and intervals between messages can be specified with the `notices`, `nonurgentnotices`, `normalnotices`, or `urgentnotices` keywords. Examples:

```
notices 1 2 3
```

Transient failure status notification messages are sent after 1 and 2 days for all messages. If the message is still not delivered after 3 days, it is returned to its originator.

```
urgentnotices 2,4,6,8
```

Transient failure notifications are sent after 2, 4, and 6 days for messages of urgent priority. If the message is still not delivered after 8 days, it is returned to its originator.

Note that the `RETURN_UNITS` option in the MTA Options file allows you to specify the units in either hours (1) or days (0). The default is days (0). If you set `RETURN_UNITS=1`, then you will need to schedule the return job to run hourly as well to get hourly notices. When the return job runs every hour it will also roll over the `mail.log*` files every hour. To prevent the hourly rollover of the `mail.log` file, set the `IMTA_RETURN_SPLIT_PERIOD` tailor file option in the `imta.tailor` file to 24. Return job scheduling is controlled by the `local.schedule.return_job` `configutil` parameter.

If no `notices` keyword is specified, the default is to use the `notices` setting for the local, 1, channel. If no setting has been made for the local channel, then the default is to use `notices 3, 6, 9, 12`.

To Include Altered Addresses in Status Notification Messages

Keywords: `includefinal`, `suppressfinal`, `useintermediate`

When the MTA generates a notification message (bounce message, delivery receipt message, and so on), there may be both an “original” form of a recipient address and an altered “final” form of that recipient address available to the MTA. The MTA always includes the original form (assuming it is present) in the notification message, because that is the form that the recipient of the notification message (the sender of the original message, which the notification message concerns) is most likely to recognize.

The `includefinal` and `suppressfinal` channel keywords control whether the MTA also includes the final form of the address. Suppressing the inclusion of the final form of the address may be of interest to sites that are “hiding” their internal mailbox names from external view. Such sites may prefer that only the original, “external” form of address be included in status notification messages.

`includefinal` is the default and includes the final form of the recipient address. `suppressfinal` causes the MTA to suppress the final address form, if an original address form is present, from status notification messages.

The `useintermediate` keyword uses an intermediate form of the address produced after list expansion, but prior to user mailbox name generation. If this information isn’t available, the final form is used.

To Send, Block and Specify Status Notification Messages to the Postmaster

By default, a copy of failure and warning status notification messages are sent to the postmaster unless error returns and warnings are completely suppressed with a blank `Errors-to:` header line or a blank envelope `From:` address. Further granularity of notification message delivery to the postmaster can be controlled by a number of channel keywords described in the sections below and in [Table 10-11](#).

Returned Failed Messages

Keywords: `sendpost`, `nosendpost`, `copysendpost`, `errsendpost`

A channel program may be unable to deliver a message because of long-term service failures or invalid addresses. When this occurs, the MTA channel program returns the message to the sender with an accompanying explanation of why the message was not delivered. Optionally, a copy of all failed messages is sent to the local postmaster. This is useful for monitoring message failures, but it can result in an excessive amount of traffic with which the postmaster must deal. (See [Table 10-11](#).)

Warning Messages

Keywords: `warnpost`, `nowarnpost`, `copywarnpost`, `errwarnpost`

In addition to returning messages, the MTA can send detailed warnings for undelivered messages. This is generally due to time-outs based on the setting of the notices channel keyword, although in some cases channel programs may produce warning messages after failed delivery attempts. The warning messages contain a description of what's wrong and how long delivery attempts continue. In most cases they also contain the headers and the first few lines of the message in question.

Optionally, a copy of all warning messages can be sent to the local postmaster. This can be somewhat useful for monitoring the state of the various queues, although it does result in lots of traffic for the postmaster to deal with. The keywords `warnpost`, `copywarnpost`, `errwarnpost`, and `nowarnpost` are used to control the sending of warning messages to the postmaster. (See [Table 10-11](#).)

Blank Envelope Return Addresses

Keywords: `returnenvelope`

The `returnenvelope` keyword takes a single integer value, which is interpreted as a set of bit flags. Bit 0 (value = 1) controls whether or not return notifications generated by the MTA are written with a blank envelope address or with the address of the local postmaster. Setting the bit forces the use of the local postmaster address; clearing the bit forces the use of a blank address.

NOTE The use of a blank address is mandated by RFC 1123. However, some systems do not properly handle blank envelope From: addresses and may require the use of this option.

Bit 1 (value = 2) controls whether or not the MTA replaces all blank envelope addresses with the address of the local postmaster. This is used to accommodate noncompliant systems that do not conform to RFC 821, RFC 822, or RFC 1123.

Bit 2 (value = 4) prohibits syntactically invalid return addresses.

Bit 3 (value = 8) same as `mailfromdnsverify` keyword.

Postmaster Returned Message Content

Keywords: `postheadonly`, `postheadbody`

When a channel program or the periodic message return job returns messages to both the postmaster and the original sender, the postmaster copy can either be the entire message or just the headers. Restricting the postmaster copy to just the headers adds an additional level of privacy to user mail. However, this by itself does not guarantee message security; postmasters and system managers are typically in a position where the contents of messages can be read using `root` system privileges, if they so choose. (See [Table 10-11](#).)

Setting Per Channel Postmaster Addresses

Keywords: `aliaspostmaster`, `returnaddress`, `noreturnaddress`, `returnpersonal`, `noreturnpersonal`

By default, the Postmaster’s return address that is used when the MTA constructs bounce or status notification messages is `postmaster@local-host`, where *local-host* is the official local host name (the name on the local channel), and the Postmaster personal name is “MTA e-Mail Interconnect.” Care should be taken in the selection of the Postmaster address—an illegal selection may cause rapid message looping and a great number of error messages.

The `RETURN_ADDRESS` and `RETURN_PERSONAL` options can be used to set an MTA system default for the Postmaster address and personal name. Or, if per channel controls are desired, the `returnaddress` and `returnpersonal` channel keywords may be used. `returnaddress` and `returnpersonal` each take a required argument specifying the Postmaster address and Postmaster personal name, respectively. `noreturnaddress` and `noreturnpersonal` are the defaults and signify that the default values should be used. The defaults are established via the `RETURN_ADDRESS` and `RETURN_PERSONAL` options or the normal default values if such options are not set.

If the `aliaspostmaster` keyword is placed on a channel, then any messages addressed to the user name `postmaster` (lowercase, uppercase, or mixed case) at the official channel name is redirected to `postmaster@local-host`, where *local-host* is the official local host name (the name on the local channel). Note that Internet standards require that any domain in the DNS that accepts mail have a valid postmaster account that receives mail. So this keyword can be useful when it is desired to centralize postmaster responsibilities, rather than setting separate postmaster accounts for separate domains. That is, whereas `returnaddress` controls what return postmaster address is used when the MTA generates a notification message from the postmaster, `aliaspostmaster` affects what the MTA does with messages addressed to the postmaster.

Table 10-11 Keywords for Sending Notification Messages to the Postmaster and Sender

Keyword	Description
Returned Message Content	Specifies Addresses on Notifications
notices	Specifies the time that may elapse before notices are sent and messages returned.
nonurgentnotices	Specifies the time that may elapse before notices are sent and messages returned for messages of non-urgent priority.
normalnotices	Specifies the time that may elapse before notices are sent and messages returned for messages of normal priority.
urgentnotices	Specify the time which may elapse before notices are sent and messages returned for messages of urgent priority.
Returned Messages	How to handle failure notices for returned messages.
sendpost	Enables sending a copy of all failed messages to the postmaster.
copysendpost	Sends a copy of the failure notice to the postmaster unless the originator address on the failing message is blank, in which case, the postmaster gets copies of all failed messages except those messages that are actually themselves bounces or notifications.
errsendpost	Sends a copy of the failure notice to the postmaster only when the notice cannot be returned to the originator. If nosendpost is specified, failed messages are never sent to the postmaster.
nosendpost	Disables sending a copy of all failed messages to the postmaster.
Warning Messages	How to handle warning messages.
warnpost	Enables sending a copy of warning messages to the postmaster. The default is to send a copy of warnings to the postmaster unless warnings are completely suppressed with a blank Warnings-to: header or a blank envelope From: address.
copywarnpost	Sends a copy of the warning message to the postmaster unless the originator address on the undelivered message is blank.
errwarnpost	Sends a copy of the warning message to the postmaster when the notice cannot be returned to the originator.
nowarnpost	Disables sending a copy of warning messages to the postmaster.
Returned Message Content	Specifies whether to send entire message or just headers to the postmaster.
postheadonly	Returns only headers to the postmaster. Restricting the postmaster copy to just the headers adds an additional level of privacy to user mail. However, this does not guarantee message security as postmasters and system managers are able to read the contents of messages using root system privileges, if they choose.
postheadbody	Returns both the headers and the contents of the message.

Table 10-11 Keywords for Sending Notification Messages to the Postmaster and Sender

Keyword	Description
Returned Message Content	Specifies Addresses on Notifications
includefinal	Include final form of address in delivery notifications (recipient address).
returnenvelope	Control use of blank envelope return addresses. The <code>returnenvelope</code> keyword takes a single integer value, which is interpreted as a set of bit flags. Bit 0 (value = 1) controls whether or not return notifications generated by the MTA are written with a blank envelope address or with the address of the local postmaster. Setting the bit forces the use of the local postmaster address; clearing the bit forces the use of a blank address. Bit 1 (value = 2) controls whether or not the MTA replaces all blank envelope addresses with the address of the local postmaster. This is used to accommodate noncompliant systems that do not conform to RFC 821, RFC 822, or RFC 1123. Bit 2 (value = 4) prohibits syntactically invalid return addresses. Bit 3 (value = 8) same as <code>mailfromdnsverify</code> keyword.
suppressfinal	Suppress the final address form from notification messages, if an original address form is present, from notification messages.
useintermediate	Uses an intermediate form of the address produced after list expansion, but prior to user mailbox name generation. If this information isn't available, the final form is used.
Returned Message Content	Specifies Addresses on Notifications
aliaspostmaster	Messages addressed to the user name <code>postmaster</code> at the official channel name is redirected to <code>postmaster@local-host</code> , where <code>local-host</code> is the local host name (the name on the local channel).
returnaddress	Specifies the return address for the local postmaster.
noreturnaddress	Use <code>RETURN_ADDRESS</code> option value as postmaster address name.
returnpersonal	Set the personal name for the local postmaster.
noreturnpersonal	Use <code>RETURN_PERSONAL</code> option value as postmaster personal name.

Controlling Message Disposition Notifications

Message Disposition Notifications (MDN) are email reports sent by the MTA to a sender and/or postmaster reporting on a message's delivery disposition. For example, if a message is rejected by a Sieve filter, an MDN will be sent to the sender. MDNs are also known as read receipts, acknowledgements, receipt notifications, or delivery receipts. The Sieve scripting language is typically used for messaging filtering and vacation messages.

To Customize and Localize Message Disposition Notification Messages

The instructions for modifying and localizing MDNs parallel those described in customizing and localizing delivery status notification messages with some minor differences as described here. (See [“To Customize and Localize Delivery Status Notification Messages” on page 267](#) and [“Internationalization of Generated Notices” on page 270](#).)

The mapping (called the `DISPOSITION_LANGUAGE` mapping) parallels the `notification_language` mapping table ([Code Example 10-2 on page 269](#)) used to internationalize status notifications.

However, probes for MDNs to this mapping take the following form:

```
type|modifiers|source-channel|header-language|return|recipient
```

Where:

`type` is disposition type, which can be one of the following: `displayed`, `dispatched`, `processed`, `deleted`, `denied`, or `failed`.

`modifiers` is a comma-separated list of disposition modifiers. The current list is: `error`, `warning`, `superseded`, and `expired`.

`source-channel` is the source channel producing the MDN.

`header-language` is the language specified in one of the following: `accept-language`, `preferred-language`, or `x-accept-language`. (MTA uses the first of these options that is present.)

`return` is the address to which the notification is being returned.

`recipient` is the address that the disposition is about.

The result of the disposition mapping consists of two or three pieces of information separated by vertical bars (`|`). The first piece of information is the directory where the template files for the disposition notification can be found. The second piece of information is the character set into which the standalone disposition text should be forced. (This information is required because some dispositions—notably the dispositions produced by `autoreply echo` or the use of the `:mime` parameter to the `vacation` Sieve action—do not employ template files and consequently cannot inherit the character set from those files.) Finally, the third piece of information is an override subject line for the notification. This information is only used if the `$T` flag is also set by the mapping.

The following additional template files are used to construct MDNs:

```
disposition_deleted.txt disposition_failed.txt  
disposition_denied.txt disposition_prefix.txt  
disposition_dispatched.txt disposition_processed.txt  
disposition_displayed.txt disposition_suffix.txt  
disposition_option.opt
```

The use of these template files parallels that of the various `return_*.txt` files for status notification messages. Message text for `*.txt` files should be limited to 78 characters per line.

Configuring Rewrite Rules

This chapter describes how to configure rewrite rules in the `imta.cnf` file. If you have not already read [Chapter 10, “About MTA Services and Configuration”](#), you should do so before reading this chapter.

This chapter contains the following sections:

- [“Rewrite Rule Structure” on page 282](#)
- [“Rewrite Rule Patterns and Tags” on page 284](#)
- [“Rewrite Rule Templates” on page 287](#)
- [“How the MTA Applies Rewrite Rules to an Address” on page 290](#)
- [“Template Substitutions and Rewrite Rule Control Sequences” on page 296](#)
- [“Handling Large Numbers of Rewrite Rules” on page 309](#)
- [“Testing Rewrite Rules” on page 309](#)
- [“Rewrite Rules Example” on page 310](#)

Messaging Server’s address rewriting facility is the primary facility for manipulating and changing the host or domain portion of addresses. Messaging Server provides other facilities for address manipulation, such as aliases, the address reversal database, and specialized mapping tables. For best performance, however, rewrite rules should be used whenever possible to perform address manipulations.

NOTE When you make changes to rewrite rules in the `imta.cnf` file, you must restart any programs or channels that load the configuration data only once when they start up—for example, the SMTP server—by using the `imsimta restart` command. If you are using a compiled configuration, you must recompile and then restart.

For more information about compiling configuration information and starting programs, see the *Messaging Server Reference Manual*.

Rewrite Rule Structure

Rewrite rules appear in the upper-half of the MTA configuration file, `imta.cnf`. Each rule in the configuration file appears on a single line. Comments, but not blank lines, are allowed between the rules. The rewrite rules end with a blank line, after which the channel definitions follow. The example below shows the rewrite rule section of a partial configuration file.

```
! test.cnf - An example configuration file.
!
! This is only an example of a configuration file. It serves
! no useful purpose and should not be used in a real system.
!
a.com    $U@a-host
b.org    $U@b-host
c.edu    $U%c@b-daemon
d.com    $U%d@a-daemon

! Begin channel definitions
```

Rewrite rules consist of two parts: a pattern, followed by an equivalence string or *template*. The two parts must be separated by spaces, although spaces are not allowed within the parts themselves. The structure for rewrite rules is as follows:

```
pattern template
```

pattern

Indicates the string to search for in the domain name. In [Table 11-3](#) the patterns are a.com, b.org, c.edu, and d.com.

If the pattern matches the domain part of the address, the rewrite rule is applied to the address. A blank space must separate the pattern from the template. For more information about pattern syntax, see [“Rewrite Rule Patterns and Tags” on page 284](#).

template

is one of the following:

UserTemplate%DomainTemplate@ChannelTag[*controls*]

UserTemplate@ChannelTag[*controls*]

UserTemplate%DomainTemplate[*controls*]

UserTemplate@DomainTemplate@ChannelTag[*controls*]

UserTemplate@DomainTemplate@SourceRoute@ChannelTag[*controls*]

where

UserTemplate specifies how the user part of the address is rewritten. Substitution sequences can be used to represent parts of the original address or the results of a database lookup. The substitution sequences are replaced with what they represent to construct the rewritten address. In [Table 11-4](#), the \$U substitution sequence is used. For more information, see [“Template Substitutions and Rewrite Rule Control Sequences” on page 296](#).

DomainTemplate specifies how the domain part of the address is rewritten. Like the *UserTemplate*, the *DomainTemplate* can contain substitution sequences.

ChannelTag indicates the channel to which this message is sent. (All channel definitions must include a channel tag as well as a channel name. The channel tag typically appears in rewrite rules, as well as in its channel definition.)

controls. The applicability of a rule can be limited using controls. Some control sequences must appear at the beginning of the rule; other controls must appear at the end of the rule. For more information about controls, see [“Template Substitutions and Rewrite Rule Control Sequences” on page 296](#).

For more information about template syntax, see [“Rewrite Rule Templates” on page 287](#).

Rewrite Rule Patterns and Tags

This section consists of the following subsections:

- [“A Rule to Match Percent Hacks” on page 286](#)
- [“A Rule to Match Bang-Style \(UUCP\) Addresses” on page 286](#)
- [“A Rule to Match Any Address” on page 287](#)
- [“Tagged Rewrite Rule Sets” on page 287](#)

Most rewrite rule patterns consist either of a specific host name that will match only that host or of a subdomain pattern that will match any host/domain in the entire subdomain.

For example, the following rewrite rule pattern contains a specific host name that will match the specified host only:

```
host.siroe.com
```

The next rewrite rule pattern contains a subdomain pattern that will match any host or domain in the entire subdomain:

```
.siroe.com
```

This pattern will not, however, match the exact host name `siroe.com`; to match the exact host name `siroe.com`, a separate `siroe.com` pattern would be needed.

The MTA attempts to rewrite host/domain names starting from the specific host name and then incrementally generalizing the name to make it less specific. This means that a more specific rewrite rule pattern will be preferentially used over more general rewrite rule patterns. For example, assume the following rewrite rule patterns are present in the configuration file:

```
hosta.subnet.siroe.com
.subnet.siroe.com
.siroe.com
```

Based on the rewrite rule patterns, an address of `jd@hosta.subnet.siroe.com` will match the `hosta.subnet.siroe.com` rewrite rule pattern; an address of `jd@hostb.subnet.siroe.com` will match the `.subnet.siroe.com` rewrite rule pattern; and an address of `jd@hostc.siroe.com` will match the `.siroe.com` rewrite rule pattern.

In particular, the use of rewrite rules incorporating subdomain rewrite rule patterns is common for sites on the Internet. Such a site will typically have a number of rewrite rules for their own internal hosts and subnets, and then will include rewrite rules for the top-level Internet domains into their configuration from the file `internet.rules` (`msg_svr_base/config/internet.rules`).

To ensure that messages to Internet destinations (other than to the internal host destinations handled via more specific rewrite rules) will be properly rewritten and routed to an outgoing TCP/IP channel, ensure that the `imta.cnf` file contains:

- Rewrite rules with patterns that match the top level Internet domains
- Templates that rewrite addresses matching such patterns to an outgoing TCP/IP channel

```
! Ascension Island
.AC                $U%$H$D@TCP-DAEMON
. [text
.   removed for
.   brevity]
! Zimbabwe
.ZW               $U%$H$D@TCP-DAEMON
```

IP domain literals follow a similar hierarchical matching pattern, though with right-to-left (rather than left-to-right) matching. For example, the following pattern matches only and exactly the IP literal `[1.2.3.4]`:

```
[1.2.3.4]
```

The next pattern matches anything in the `1.2.3.0` subnet:

```
[1.2.3.]
```

In addition to the more common sorts of host or subdomain rewrite rule patterns already discussed, rewrite rules may also make use of several special patterns, summarized in [Table 11-1](#), and discussed in the following subsections.

Table 11-1 Summary of Special Patterns for Rewrite Rules

Pattern	Description/Usage
<code>\$*</code>	Matches any address. This rule, if specified, is tried first regardless of its position in the file.
<code>\$%</code>	Percent Hack Rule. Matches any host/domain specification of the form <code>A%B</code> .

Table 11-1 Summary of Special Patterns for Rewrite Rules

Pattern	Description/Usage
\$!	Bang-style Rule. Matches any host/domain specification of the form B!A.
[]	IP literal match-all rule. Matches any IP domain literal.
.	Matches any host/domain specification. For example, joe@[129.165.12.11]

In addition to these special patterns, Messaging Server also has the concept of *tags*, which may appear in rewrite rule patterns. These tags are used in situations where an address may be rewritten several times and, based upon previous rewrites, distinctions must be made in subsequent rewrites by controlling which rewrite rules match the address. For more information, see [“Tagged Rewrite Rule Sets” on page 287](#).

A Rule to Match Percent Hacks

If the MTA tries to rewrite an address of the form A%B and fails, it tries one extra rule before falling through and treating this address form as A%B@localhost. (For more information about these address forms, see [“Rewrite Rule Templates” on page 287](#).) This extra rule is the *percent hack rule*. The pattern is \$%. The pattern never changes. This rule is only activated when a local part containing a percent sign has failed to rewrite any other way (including the match all rule described below).

The percent hack rule is useful for assigning some special, internal meaning to percent hack addresses.

A Rule to Match Bang-Style (UUCP) Addresses

If the MTA tries to rewrite an address of the form B!A and fails, it tries one extra rule before falling through and treating this address form as B!A@localhost. This extra rule is the *bang-style rule*. The pattern is \$!. The pattern never changes. This rule is only activated when a local part containing an exclamation point has failed to rewrite any other way (including the default rule described below).

The bang-style rule can be used to force UUCP style addresses to be routed to a system with comprehensive knowledge of UUCP systems and routing.

A Rule to Match Any Address

The special pattern “.” (a single period) will match any host/domain specification if no other rule matches and the host/domain specification cannot be found anywhere in the channel table. In other words, the “.” rule is used as a last resort when address rewriting would fail otherwise.

NOTE Regarding substitution sequences, when the match-all rule matches and its template is expanded, `$H` expands to the full host name and `$D` expands to a single dot “.”. Thus, `$D` is of limited use in a match-all rule template!

Tagged Rewrite Rule Sets

As the rewrite process proceeds it may be appropriate to bring different sets of rules into play. This is accomplished by the use of the rewrite rule tag. The current tag is prepended to each pattern before looking it up in the configuration file or domain database. The tag can be changed by any rewrite rule that matches by using the `$T` substitution string in the rewrite rule template (described below).

Tags are somewhat sticky; once set they will continue to apply to all hosts that are extracted from a single address. This means that care must be taken to provide alternate rules that begin with the proper tag values once any tags are used. In practice this is rarely a problem since tags are usually used in only very specialized applications. Once the rewriting of the address is finished the tag is reset to the default tag—an empty string.

By convention all tag values end in a vertical bar |. This character is not used in normal addresses and thus is free to delineate tags from the rest of the pattern.

Rewrite Rule Templates

The following sections describe in more detail template formats for rewrite rules. [Table 11-2](#) summarizes the template formats.

Table 11-2 Summary of Template Formats for Rewrite Rules

Template	Page	Usage
A%B	288	A becomes the new user/mailbox name, B becomes the new host/domain specification, rewrite again.
A@B	288	Treated as A%B@B.

Table 11-2 Summary of Template Formats for Rewrite Rules

Template	Page	Usage
A%B@C	288	A becomes the new user/mailbox name, B becomes the new host/domain specification, route to the channel associated with the host C.
A@B@C	288	Treated as A@B@C@C.
A@B@C@D	288	A becomes the new user/mailbox name, B becomes the new host/domain specification, insert C as a source route, route to the channel associated with the host D.

Ordinary Rewriting Templates: A%B@C or A@B

The following template is the most common form of template. The rule is applied to the user part of the address and to the domain part of the address. The new address is then used to route the message to a specific channel (indicated by *ChannelTag*).

```
UserTemplate%DomainTemplate@ChannelTag[ controls]
```

The next form of template is identical in application to the most common form of template. However, this form of template is possible only if *DomainTemplate* and *ChannelTag* are identical.

```
UserTemplate@ChannelTag[ controls]
```

Repeated Rewrites Template, A%B

The following template format is used for meta-rules that require additional rewriting after application of the rule. After the rule is applied, the entire rewriting process is repeated on the resulting new address. (All other rewrite rule formats cause the rewriting process to terminate after the rule has been applied.)

```
UserTemplate%DomainTemplate[ controls]
```

For example, the following rule has the effect of removing all occurrences of the `.removable` domain from the ends of addresses:

```
.removable      $U%H
```


Extreme care must be taken when using these repeating rules; careless use can create a “rules loop.” For this reason meta-rules should only be used when absolutely necessary. Be sure to test meta-rules with the `imsimta test -rewrite` command. For more information on the `test -rewrite` command, see the *Messaging Server Reference Manual*.

Specified Route Rewriting Templates, A@B@C@D or A@B@C

The following template format works in the same way as the more common template `UserTemplate%DomainTemplate@ChannelTag` (note the difference in the first separator character), except that `ChannelTag` is inserted into the address as a source route. The message is then routed to `ChannelTag`:

```
UserTemplate@DomainTemplate@Source-Route
    @ChannelTag[ controls ]
```

The rewritten address becomes `@route:user@domain`. The following template is also valid:

```
UserTemplate@DomainTemplate@ChannelTag[ controls ]
```

For example, the following rule rewrites the address `jdoe@com1` into the source-routed address `@siroe.com:jdoe@com1`. The channel tag becomes `siroe.com:`

```
com1 $U@com1@siroe.com
```

Case Sensitivity in Rewrite Rule Templates

Unlike the patterns in rewrite rules, character case in templates is preserved. This is necessary when using rewrite rules to provide an interface to a mail system that is sensitive to character case. Note that substitution sequences like `$U` and `$D` that substitute material extracted from addresses also preserve the original case of characters.

When it is desirable to force substituted material to use a particular case, for example, to force mailboxes to lowercase on UNIX systems, special substitution sequences can be used in templates to force substituted material to the desired case. Specifically, `$\` forces subsequent substituted material into lower case, `$^` forces subsequent substituted material into upper case, and `$_` says to use the original case.

For example, you can use the following rule to force mailboxes to lowercase for `unix.siroe.com` addresses:

```
unix.siroe.com    $\$U$_%unix.siroe.com
```

How the MTA Applies Rewrite Rules to an Address

The following steps describe how the MTA applies rewrite rules to a given address:

1. The MTA extracts the first host or domain specification from an address.
An address can specify more than one host or domain name as in the case:
`jdoe%hostname@siroe.com.`
2. After identifying the first host or domain name, the MTA conducts a search that scans for a rewrite rule whose pattern matches the host or domain name.
3. When the matching rewrite rule is found, the MTA rewrites the address according to the template portion of that rule.
4. Finally, the MTA compares the channel tag with the host names that are associated with each channel.

If a match is found, the MTA enqueues the message to the associated channel; otherwise, the rewrite process fails. If the matching channel is the local channel, some additional rewriting of the address may take place by looking up the alias database and alias file.

These steps are described in more detail in the subsections that follow.

NOTE Using a channel tag that does not belong to any existing channel will cause messages whose addresses match this rule to be bounced. That is, it makes the matching messages nonroutable.

Step 1. Extract the First Host or Domain Specification

The process of rewriting an address starts by extracting the first host or domain specification from the address. (Readers not familiar with RFC 822 address conventions are advised to read that standard to understand the following discussion.) The order in which host/domain specifications in the address are scanned is as follows:

1. Hosts in source routes (read from left to right)
2. Hosts appearing to the right of the “at” sign (@)
3. Hosts appearing to the right of the last single percent sign (%)
4. Hosts appearing to the left of the first exclamation point (!)

The order of the last two items is switched if the `bangoverpercent` keyword is in effect on the channel that is doing the address rewriting. That is, if the channel attempting to enqueue the message is, itself, marked with the `bangoverpercent` channel keyword.

Some examples of addresses and the host names that could be extracted first are shown in [Table 11-3](#).

Table 11-3 Extracted Addresses and Host Names

Address	First Host Domain Specification	Comments
<code>user@a</code>	<code>a</code>	A “short-form” domain name.
<code>user@a.b.c</code>	<code>a.b.c</code>	A “fully qualified” domain name (FQDN).
<code>user@[0.1.2.3]</code>	<code>[0.1.2.3]</code>	A “domain literal.”
<code>@a:user@b.c.d</code>	<code>a</code>	Source-routed address with a short-form domain name, the “route.”
<code>@a.b.c:user@d.e.f</code>	<code>a.b.c</code>	Source-routed address; route part is fully qualified.
<code>@[0.1.2.3]:user@d.e.f</code>	<code>[0.1.2.3]</code>	Source-routed address; route part is a domain literal.
<code>@a,@b,@c:user@d.e.f</code>	<code>a</code>	Source-routed address with an a to b to c routing.
<code>@a,@[0.1.2.3]:user@b</code>	<code>a</code>	Source-routed address with a domain literal in the route part.
<code>user%A@B</code>	<code>B</code>	This nonstandard form of routing is called a “percent hack.”
<code>user%A</code>	<code>A</code>	

Table 11-3 Extracted Addresses and Host Names (*Continued*)

Address	First Host Domain Specification	Comments
user%A%B	B	
user%%A%B	B	
A!user	A	“Bang-style” addressing; commonly used for UUCP.
A!user@B	B	
A!user%B@C	C	
A!user%B	B	nobangoverpercent keyword active; the default.
A!user%B	A	bangoverpercent keyword active.

RFC 822 does not address the interpretation of exclamation points (!) and percent signs (%) in addresses. Percent signs are customarily interpreted in the same manner as at signs (@) if no at sign is present, so this convention is adopted by the Messaging Server MTA.

The special interpretation of repeated percent signs is used to allow percent signs as part of local user names; this might be useful in handling some foreign mail system addresses. The interpretation of exclamation points conforms to RFC 976’s “bang-style” address conventions and makes it possible to use UUCP addresses with the Messaging Server MTA.

The order of these interpretations is not specified by either RFC 822 or RFC 976, so the `bangoverpercent` and `nobangoverpercent` keywords can be used to control the order in which they are applied by the channel doing the rewriting. The default is more “standard,” although the alternate setting may be useful under some circumstances.

NOTE The use of exclamation points (!) or percent signs (%) in addresses is not recommended.

Step 2. Scan the Rewrite Rules

Once the first host or domain specification has been extracted from the address, the MTA consults the rewrite rules to find out what to do with it. The host/domain specification is compared with the pattern part of each rule (that is, the left side of each rule). The comparison is case insensitive. Case insensitivity is mandated by RFC 822. The MTA is insensitive to case but preserves it whenever possible.

If the host or domain specification does not match any pattern, in which case it is said to “not match any rule,” the first part of the host or domain specification—the part before the first period, usually the host name—is removed and replaced with an asterisk (*) and another attempt is made to locate the resulting host or domain specification, but only in the configuration file rewrite rules (the domain database is not consulted).

If this fails, the first part is removed and the process is repeated. If this also fails the next part is removed (usually a subdomain) and the rewriter tries again, first with asterisks and then without. All probes that contain asterisks are done only in the configuration file rewrite rules table; the domain database is not checked. This process proceeds until either a match is found or the entire host or domain specification is exhausted. The effect of this procedure is to try to match the most specific domain first, working outward to less specific and more general domains.

A more algorithmic view of this matching procedure is:

- The host/domain specification is used as the initial value for the comparison strings `spec_1` and `spec_2`. (For example, `spec_1 = spec_2 = a.b.c`).
- The comparison string `spec_1` is compared with the pattern part of each rewrite rule in the configuration file and then the domain database until a match is found. The matching procedure is exited if a match is found.
- If no match is found, then the left-most, nonasterisk part of `spec_2` is converted to an asterisk. For example, if `spec_2` is `a.b.c` then it is changed to `*.b.c`; if `spec_2` is `*.b.c`, then it is changed to `*.*.c`. The matching procedure is exited if a match is found.
- If no match is found then the first part, including any leading period, of the comparison string `spec_1` is removed. Where `spec_1` has only one part (for example, `.c` or `c`), the string is replaced with a single period, `."`. If the resulting string `spec_1` is of nonzero length, then you return to step 1. If the resulting string has zero length (for example, was previously `."`), then the lookup process has failed and you exit the matching procedure.

For example, suppose the address `dan@sc.cs.siroe.edu` is to be rewritten. This causes the MTA to look for the following patterns in the given order:

```
sc.cs.siroe.edu
*.cs.siroe.edu
.cs.siroe.edu
*.*.siroe.edu
.siroe.edu
*.*.*.edu
.edu
*.*.*.*
.
```

Step 3. Rewrite Address According to Template

Once the host/domain specification matches a rewrite rule, it is rewritten using the template part of the rule. The template specifies three things:

1. A new user name for the address.
2. A new host/domain specification for the address.
3. A channel tag that identifies an existing MTA channel to which messages to this address should be sent.

Step 4. Finish the Rewrite Process

One of two things can happen once the host/domain specification is rewritten.

- If the channel tag is associated neither with the local channel nor a channel marked with the `routeLocal` channel keyword, or there are no additional host/domain specifications in the address, the rewritten specification is substituted into the address replacing the original specification that was extracted for rewriting, and the rewriting process terminates.
- If the channel tag matches the local channel or a channel marked `routeLocal` and there are additional host/domain specifications that appear in the address, the rewritten address is discarded, the original (initial) host/domain specification is removed from the address, a new host/domain specification is extracted from the address, and the entire process is repeated. Rewriting will continue until either all the host/domain specifications are gone or a route

through a non-local, non-routelocal channel is found. This iterative mechanism is how the MTA provides support for source routing. In effect, superfluous routes through the local system and routelocal systems are removed from addresses by this process.

Rewrite Rule Failure

If a host/domain specification fails to match any rewrite rule and no default rule is present, the MTA uses the specification “as-is”; for example, the original specification becomes both the new specification and the routing system. If the address has a nonsensical host/domain specification it will be detected when the routing system does not match any system name associated with any channel and the message will be bounced.

Syntax Checks After Rewrite

No additional syntax checking is done after the rewrite rules have been applied to an address. This is deliberate—it makes it possible for rewrite rules to be used to convert addresses into formats that do not conform to RFC 822. However, this also means that mistakes in the configuration file may result in messages leaving the MTA with incorrect or illegal addresses.

Handling Domain Literals

Domain literals are handled specially during the rewriting process. If a domain literal appearing in the domain portion of an address does not match a rewrite rule pattern as is, the literal is interpreted as a group of strings separated by periods and surrounded by square brackets. The right-most string is removed and the search is repeated. If this does not work, the next string is removed, and so on until only empty brackets are left. If the search for empty brackets fails, the entire domain literal is removed and rewriting proceeds with the next section of the domain address, if there is one. No asterisks are used in the internal processing of domain literals; when an entire domain literal is replaced by an asterisk, the number of asterisks corresponds to the number of elements in the domain literal.

Like normal domain or host specifications, domain literals are also tried in most specific to least specific order. The first rule whose pattern matches will be the one used to rewrite the host or domain specification. If there are two identical patterns in the rules list, the one which appears first will be used.

As an example, suppose the address `dan@[128.6.3.40]` is to be rewritten. The rewriter looks for `[128.6.3.40]`, then `[128.6.3.]`, then `[128.6.]`, then `[128.]`, then `[.]`, then `[*.*.*.*]`, and finally the match-all rule `\". \"`.

Template Substitutions and Rewrite Rule Control Sequences

Substitutions are used to rewrite user names or addresses by inserting a character string into the rewritten address, the value of which is determined by the particular substitution sequence used. This section consists of the following subsections:

- “Username and Subaddress Substitution, \$U, \$OU, \$IU” on page 299
- “Host/Domain and IP Literal Substitutions, \$D, \$H, \$nD, \$nH, \$L” on page 300
- “Literal Character Substitutions, \$\$, \$%, \$@” on page 300
- “LDAP Query URL Substitutions, \$[...]” on page 300
- “General Database Substitutions, \$(...)” on page 302
- “Apply Specified Mapping, \${...}” on page 302
- “Customer-supplied Routine Substitutions, \$[...]” on page 303
- “Single Field Substitutions, \$&, \$!, \$*, \$#” on page 304
- “Unique String Substitutions” on page 304
- “Source-Channel-Specific Rewrite Rules (\$M, \$N)” on page 305
- “Destination-Channel-Specific Rewrite Rules (\$C, \$Q)” on page 305
- “Host-Location-Specific Rewrites (\$A, \$P, \$S, \$X)” on page 307
- “Changing the Current Tag Value, \$T” on page 307
- “Controlling Error Messages Associated with Rewriting (\$?)” on page 308

For example, in the following template, the `$U` is a substitution sequence. It causes the *username* portion of the address being rewritten to be substituted into the output of the template. Thus, if `jdoe@mailhost.siroe.com` was being rewritten by this template, the resulting output would be `jdoe@siroe.com`, the `$U` substituting in the *username* portion, `jdoe`, of the original address:

```
$U@siroe.com
```


Control sequences impose additional conditions to the applicability of a given rewrite rule. Not only must the pattern portion of the rewrite rule match the host or domain specification being examined, but other aspects of the address being rewritten must meet conditions set by the control sequence or sequences. For example, the \$E control sequence requires that the address being rewritten be an envelope address, while the \$F control sequence requires that it be a forward pointing address. The following rewrite rule only applies to (rewrite) envelope To: addresses of the form `user@siroe.com`:

```
siroe.com $U@mail.siroe.com$E$F
```

If a domain or host specification matches the pattern portion of a rewrite rule but doesn't meet all of the criteria imposed by a control sequences in the rule's template, then the rewrite rule fails and the rewriter continues to look for other applicable rules.

[Table 11-4](#) summarizes the template substitutions and control sequences.

Table 11-4 Summary of Rewrite Rule Template Substitutions and Control Sequences

Substitution Sequence	Substitutes
\$D	Portion of domain specification that matched.
\$H	Unmatched portion of host/domain specification; left of dot in pattern.
\$L	Unmatched portion of domain literal; right of dot in pattern literal.
\$U	User name from original address.
\$nA	Inserts the nth left character of the current address starting from position 0. The entire address is inserted if n is omitted.
\$nX	Inserts the nth left component of the mailhost starting from 0. The entire mailhost is inserted if n is omitted.
\$0U	Local part (username) from original address, minus any subaddress.
\$1U	Subaddress, if any, from local part (username) of original address.
\$	Inserts a literal dollar sign (\$).
%	Inserts a literal percent sign (%).
@	Inserts a literal at sign (@).
\	Forces material to lowercase.
^	Forces material to uppercase.
_	Uses original case.
=	Forces subsequent substituted characters to undergo quoting appropriate for insertion into LDAP search filters. material to uppercase.

Table 11-4 Summary of Rewrite Rule Template Substitutions and Control Sequences (*Continued*)

Substitution Sequence	Substitutes
\$W	Substitutes in a random, unique string.
\$]...[LDAP search URL lookup.
\$(text)	General database substitution; rule fails if lookup fails.
\${...}	Applies specified mapping to supplied string.
\$[...]	Invoke customer supplied routine; substitute in result.
\$&n	The <i>n</i> th part of unmatched (or wildcarded) host, counting from left to right, starting from 0.
\$!n	The <i>n</i> th part of unmatched (or wildcarded) host, as counted from right to left, starting from 0.
\$*n	The <i>n</i> th part of matching pattern, counting from left to right, starting from 0.
\$#n	The <i>n</i> th part of matching pattern, counted from right to left, starting from 0.
\$nD	Portion of domain specification that matched, preserving from the <i>n</i> th leftmost part starting from 0
\$nH	Portion of host/domain specification that didn't match, preserving from the <i>n</i> th leftmost part starting from 0
Control Sequence	Effect on Rewrite Rule
\$1M	Apply only if the channel is an internal reprocessing channel.
\$1N	Apply only if the channel is not an internal reprocessing channel.
\$1~	Perform any pending channel match checks. If the checks fail, successfully terminate processing of the current rewrite rule template.
\$A	Apply if host is to the right of the at sign
\$B	Apply only to header/body addresses
\$C <i>channel</i>	Fail if sending to <i>channel</i>
\$E	Apply only to envelope addresses
\$F	Apply only to forward-directed (e.g., To:) addresses
\$M <i>channel</i>	Apply only if <i>channel</i> is rewriting the address
\$N <i>channel</i>	Fail if <i>channel</i> is rewriting the address
\$P	Apply if host is to the right of a percent sign
\$Q <i>channel</i>	Apply if sending to <i>channel</i>
\$R	Apply only to backwards-directed (e.g., From:) addresses
\$S	Apply if host is from a source route
\$T <i>newtag</i>	Set the rewrite rule tag to <i>newtag</i>

Table 11-4 Summary of Rewrite Rule Template Substitutions and Control Sequences (*Continued*)

Substitution Sequence	Substitutes
<code>\$Vhost</code>	Fail if the host name is not defined in the LDAP directory (either in the DC tree or as a virtual domain). If the LDAP search times out, the remainder of the rewrite pattern from directly after the character following the host name is replaced with the MTA option string <code>DOMAIN_FAILURE</code> .
<code>\$X</code>	Apply if host is to the left of an exclamation point
<code>\$Zhost</code>	Fail if the host name is defined in the LDAP directory (either in the DC tree or as a virtual domain). If the LDAP search times out, the remainder of the rewrite pattern from directly after the character following the host name is replaced with the MTA option string <code>DOMAIN_FAILURE</code> .
<code> \$?errmsg</code>	If rewriting fails, return <i>errmsg</i> instead of the default error message. The error message must be in US ASCII.
<code> \$number?errmsg</code>	If rewriting fails, return <i>errmsg</i> instead of the default error message, and set the SMTP extended error code to <i>a.b.c</i> : <ul style="list-style-type: none"> • <i>a</i> is <i>number</i>/ 1000000 (the first digit) • <i>b</i> is (<i>number</i>/1000) remainder 1000 (the value of the digits 2 through 4) • <i>c</i> is <i>number</i> remainder 1000 (the value of the last three digits). The following example sets the error code to 3.45.89: <code> \$3045089?the snark is a boojum</code>

Username and Subaddress Substitution, \$U, \$0U, \$1U

Any occurrences of \$U in the template are replaced with the username (RFC 822 “local-part”) from the original address. Note that user names of the form a."b" will be replaced by "a.b" as RFC2822 deprecates the former syntax from RFC 822 and it is expected that the latter usage will become mandatory in the future.

Any occurrences of \$0U in the template are replaced with the username from the original address, minus any subaddress and subaddress indication character (+). Any occurrences of \$1U in the template are replaced with the subaddress and subaddress indication character, if any, from the original address. So note that \$0U and \$1U are complementary pieces of the username, with \$0U\$1U being equivalent to a simple \$U.

Host/Domain and IP Literal Substitutions, \$D, \$H, \$nD, \$nH, \$L

Any occurrences of \$H are replaced with the portion of the host/domain specification that was not matched by the rule. Any occurrences of \$D are replaced by the portion of the host/domain specification that was matched by the rewrite rule. The \$nH and \$nD characters are variants that preserve the normal \$H or \$D portion from the nth leftmost part starting counting from 0. That is, \$nH and \$nD omit the leftmost n parts (starting counting from 1) of what would normally be a \$H or \$D, substitution, respectively. In particular, \$0H is equivalent to \$H and \$0D is equivalent to \$D.

For example, assume the address `jdoe@host.siroe.com` matches the following rewrite rule:

```
host.siroe.com    $U%$1D@TCP-DAEMON
```

The resulting address is `jdoe@siroe.com` with `TCP-DAEMON` used as the outgoing channel. Here where \$D would have substituted in the entire domain that matched, `host.siroe.com`, the \$1D instead substitutes in the portions of the match starting from part 1 (part 1 being `siroe`), so substitutes in `siroe.com`.

\$L substitutes the portion of a domain literal that was not matched by the rewrite rule.

Literal Character Substitutions, \$\$, \$%, \$@

The \$, %, and @ characters are normally metacharacters in rewrite rule templates. To perform a literal insertion of such a character, quote it with a dollar character, \$. That is, \$\$ expands to a single dollar sign, \$; \$% expands to a single percent, % (the percent is not interpreted as a template field separator in this case); and \$@ expands to a single at sign, @ (also not interpreted as a field separator).

LDAP Query URL Substitutions, \$]...[

A substitution of the form `$]ldap-url[` is interpreted as an LDAP query URL and the result of the LDAP query is substituted. Standard LDAP URLs are used with the host and port omitted. The host and port are instead specified in the `msg.conf` file (`local.ldaphost` and `local.ldappport` attributes).

That is, the LDAP URL should be specified as follows where the square bracket characters, `[]`, indicate optional portions of the URL:

```
ldap:///dn[?attributes[?scope?filter]]
```

The `dn` is required and is a distinguished name specifying the search base. The optional attributes, scope, and filter portions of the URL further refine what information to return. For a rewrite rule, the desired attributes to specify returning might be a `mailRoutingSystem` attribute (or some similar attribute). The scope may be any of `base` (the default), `one`, or `sub`. And the desired filter might be to request the return of the object whose `mailDomain` value matches the domain being rewritten.

If the LDAP directory schema includes attributes `mailRoutingSystem` and `mailDomain`, then a possible rewrite rule to determine to which system to route a given sort of address might appear as the following where here the LDAP URL substitution sequence `$D` is used to substitute in the current domain name into the LDAP query constructed:

```
.siroe.com \  
$U%$H$D@$]ldap:///o=siroe.com?mailRoutingSystem?sub? \  
(mailDomain=$D)
```

For ease in reading, the backslash character is used to continue the single logical rewrite rule line onto a second physical line. [Table 11-5](#) lists the LDAP URL Substitution Sequences.

Table 11-5 LDAP URL Substitution Sequences

Substitution Sequence	Description
<code>\$\$</code>	Literal <code>\$</code> character
<code>\$~ account</code>	Home directory of user account
<code>\$A</code>	Address
<code>\$D</code>	Domain name
<code>\$H</code>	Host name (first portion of fully qualified domain name)
<code>\$L</code>	Username minus any special leading characters such as <code>~</code> or <code>_</code>
<code>\$\$S</code>	Subaddress
<code>\$U</code>	Username

The MTA now caches URL results from lookups done in rewrite rules and mappings. This new URL result cache is controlled by two new MTA options, `URL_RESULT_CACHE_SIZE` (default 10000 entries) and `URL_RESULT_CACHE_TIMEOUT` (default 600 seconds).

General Database Substitutions, `$(...)`

A substitution of the form `$(text)` is handled specially. The text part is used as a key to access the special general database. This database consists of the file specified with the `IMTA_GENERAL_DATABASE` option in the `/imta/config/imta_tailor` file, which is usually the file `/imta/db/generaldb.db`.

This database is generated with the `imsimta crdb` utility. If “text-string” is found in the database, the corresponding template from the database is substituted. If “text-string” does not match an entry in the database, the rewrite process fails; it is as if the rewrite rule never matched in the first place. If the substitution is successful, the template extracted from the database is re-scanned for additional substitutions. However, additional `$(text)` substitutions from the extracted template are prohibited in order to prevent endless recursive references.

As an example, suppose that the address `jdoue@siroe.siroenet` matches the following rewrite rule:

```
.SIROENET $( $H)
```

Then, the text string `siroe` will be looked up in the general database and the result of the look up, if any, is used for the rewrite rule’s template. Suppose that the result of looking up `siroe` is `$u%eng.siroe.com@siroenet`. Then the output of the template will be `jdoue@eng.siroe.com` (i.e., `username = jdoue`, `host/domain specification = eng.siroe.com`), and the routing system will be `siroenet`.

If a general database exists it should be world readable to insure that it operates properly.

Apply Specified Mapping, `${...}`

A substitution of the form `.SIROENET $($H) ${mapping, argument}` is used to find and apply a mapping from the MTA mapping file. The `mapping` field specifies the name of the mapping table to use while `argument` specifies the string to pass to the mapping. The mapping must exist and must set the `$Y` flag in its output if it is successful; if it doesn’t exist or doesn’t set `$Y` the rewrite will fail. If successful the result of the mapping is merged into the template at the current location and re-expanded.

This mechanism allows the MTA rewriting process to be extended in various complex ways. For example, the username part of an address can be selectively analyzed and modified, which normally isn't a feature the MTA rewriting process is capable of.

Customer-supplied Routine Substitutions, `$(...)`

A substitution of the form `$(image, routine, argument)` is used to find and call a customer-supplied routine. At run-time on UNIX, the MTA uses `dlopen` and `dlsym` to dynamically load and call the specified routine from the shared library `image`. The routine is then called as a function with the following argument list:

```
status := routine (argument, arglength, result, reslength)
```

argument and *result* are 252 byte long character string buffers. On UNIX, *argument* and *result* are passed as a pointer to a character string, (for example, in C, as `char*`.) *arglength* and *reslength* are signed, long integers passed by reference. On input, *argument* contains the argument string from the rewrite rule template, and *arglength* the length of that string. On return, the resultant string should be placed in *result* and its length in *reslength*. This resultant string will then replace the `$(image, routine, argument)` in the rewrite rule template. The routine should return 0 if the rewrite rule should fail and -1 if the rewrite rule should succeed.

This mechanism allows the rewriting process to be extended in all sorts of complex ways. For example, a call to some type of name service could be performed and the result used to alter the address in some fashion. Directory service lookups for forward pointing addresses (e.g., To: addresses) to the host `siroe.com` might be performed as follows with the following rewrite rule. The `$F`, described in [“Direction-and-Location-Specific Rewrite Rules \(SB, SE, SF, SR\)” on page 306](#) causes this rule to be used only for forward pointing addresses:

```
siroe.com $F$(LOOKUP_IMAGE,LOOKUP,$U)
```

A forward pointing address `jdoe@siroe.com` will, when it matches this rewrite rule, cause `LOOKUP_IMAGE` (which is a shared library on UNIX) to be loaded into memory, and then cause the routine `LOOKUP` called with `jdoe` as the argument parameter. The routine `LOOKUP` might then return a different address, say, `John.Doe%eng.siroe.com` in the result parameter and the value -1 to indicate that the rewrite rule succeeded. The percent sign in the result string (see [“Repeated Rewrites Template, A%B” on page 288](#)), causes the rewriting process to start over again using `John.Doe@eng.siroe.com` as the address to be rewritten.

On UNIX systems, the site-supplied shared library image should be world readable.

Single Field Substitutions, \$&, \$!, \$*, \$#

Single field substitutions extract a single subdomain part from the host/domain specification being rewritten. The available single field substitutions are shown in [Table 11-6](#).

Table 11-6 Single Field Substitutions

Control Sequence	Usage
\$&n	Substitute the nth element, n=0,1,2,...,9, in the host specification (the part that did not match or matched a wildcard of some kind). Elements are separated by dots; the first element on the left is element zero. The rewrite fails if the requested element does not exist.
\$!n	Substitute the nth element, n=0,1,2,...,9, in the host specification (the part that did not match or matched a wildcard of some kind). Elements are separated by dots; the first element on the right is element zero. The rewrite fails if the requested element does not exist.
\$*n	Substitute the nth element, n=0,1,2,...,9, in the domain specification (the part that did match explicit text in the pattern). Elements are separated by dots; the first element on the left is element zero. The rewrite fails if the requested element does not exist.
\$#n	Substitute the nth element, n=0,1,2,...,9, in the domain specification (the part that did match explicit text in the pattern). Elements are separated by dots; the first element on the right is element zero. The rewrite fails if the requested element does not exist.

Suppose the address `jdoh@eng.siroe.com` matches the following rewrite rule:

```
*.SIROE.COM    $U%$&0.siroe.com@mailhub.siroe.com
```

Then the result from the template will be `jdoh@eng.siroe.com` with `mailhub.siroe.com` used as the routing system.

Unique String Substitutions

Each use of the \$W control sequence inserts a text string composed of upper case letters and numbers that is designed to be unique and not repeatable. \$W is useful in situation where non-repeating address information must be constructed.

Source-Channel-Specific Rewrite Rules (\$M, \$N)

It is possible to have rewrite rules that act only in conjunction with specific source channels. This is useful when a short-form name has two meanings:

1. When it appears in a message arriving on one channel.
2. When it appears in a message arriving on a different channel.

Source-channel-specific rewriting is associated with the channel program in use and the channel keywords `rules` and `norules`. If `norules` is specified on the channel associated with an MTA component that is doing the rewriting, no channel-specific rewrite checking is done. If `rules` is specified on the channel, then channel-specific rule checks are enforced. The keyword `rules` is the default.

Source-channel-specific rewriting is not associated with the channel that matches a given address. It depends only on the MTA component doing the rewriting and that component's channel table entry.

Channel-specific rewrite checking is triggered by the presence of a `$N` or `$M` control sequence in the template part of a rule. The characters following the `$N` or `$M`, up until either an at sign (`@`), percent sign (`%`), or subsequent `$N`, `$M`, `$Q`, `$C`, `$T`, or `$?` are interpreted as a channel name.

For example, `$Mchannel` causes the rule to fail if `channel` is not currently doing the rewriting. `$Nchannel` causes the rule to fail if `channel` is doing the rewriting. Multiple `$M` and `$N` clauses may be specified. If any one of multiple `$M` clauses matches, the rule succeeds. If any of multiple `$N` clauses matches, the rules will fail.

Destination-Channel-Specific Rewrite Rules (\$C, \$Q)

It is possible to have rewrite rules whose application is dependent upon the channel to which a message is being enqueued. This is useful when there are two names for some host, one known to one group of hosts and one known to another. By using different channels to send mail to each group, addresses can be rewritten to refer to the host under the name known to each group.

Destination channel-specific rewriting is associated with the channel to which the message is to be dequeued and processed by, and the channel keywords `rules` and `norules` on that channel. If `norules` is specified on the destination channel, no channel-specific rewrite checking is done. If `rules` is specified on the destination channel, channel-specific rule checks are enforced. The keyword `rules` is the default.

Destination channel-specific rewriting is not associated with the channel matched by a given address. It depends only on the message's envelope `To:` address. When a message is enqueued, its envelope `To:` address is first rewritten to determine to which channel the message is enqueued. During the rewriting of the envelope `To:` address, any `$C` and `$Q` control sequences are ignored. After the envelope `To:` address is rewritten and the destination channel determined, then the `$C` and `$Q` control sequences are honored, as other addresses associated with the message are rewritten.

Destination-channel-specific rewrite checking is triggered by the presence of a `$C` or `$Q` control sequence in the template part of a rule. The characters following the `$C` or `$Q`, up until either an at sign (`@`), percent sign (`%`), or subsequent `$N`, `$M`, `$C`, `$Q`, `$T`, or `$?` are interpreted as a channel name.

For example, `$Qchannel` causes the rule to fail if `channel` is not the destination. For another example, `$Cchannel` causes the rule to fail if `channel` is the destination. Multiple `$Q` and `$C` clauses may be specified. If any one of multiple `$Q` clauses matches, the rule succeeds. If any of multiple `$C` clauses matches, the rule fails.

Direction-and-Location-Specific Rewrite Rules (`$B`, `$E`, `$F`, `$R`)

Sometimes you need to specify rewrite rules that apply only to envelope addresses or, alternately, only to header addresses. The control sequence `$E` forces a rewrite to fail if the address being rewritten is not an envelope address. The control sequence `$B` forces a rewrite to fail if the address being rewritten is not from the message header or body. These sequences have no other effects on the rewrite and may appear anywhere in the rewrite rule template.

Addresses may also be categorized by direction. A forward pointing address is one that originates on a `To:`, `Cc:`, `Resent-to:`, or other header or envelope line that refers to a destination. A backward pointing address is something like a `From:`, `Sender:`, or `Resent-From:`, that refers to a source. The control sequence `$F` causes the rewrite to be applied if the address is forward pointing. The control sequence `$R` causes the rewrite to be applied if the address is reverse pointing.

Host-Location-Specific Rewrites (\$A, \$P, \$S, \$X)

Circumstances occasionally require rewriting that is sensitive to the location where a host name appears in an address. Host names can appear in several different contexts in an address:

- In a source route
- To the right of the at sign (@)
- To the right of a percent sign (%) in the local-part
- To the left of an exclamation point in the local-part

Under normal circumstances, a host name should be handled in the same way, regardless of where it appears. Some situations might require specialized handling.

Four control sequences are used to control matching on the basis of the host's location in the address.

- `$S` specifies that the rule can match a host extracted from a source route.
- `$A` specifies that the rule can match a host found to the right of the @ sign.
- `$P` specifies that the rule can match a host found to the right of a % sign.
- `$X` specifies that the rule can match a host found to the left of an exclamation point (!).

The rule fails if the host is from a location other than the one specified. These sequences can be combined in a single rewrite rule. For example, if `$S` and `$A` are specified, the rule matches hosts specified in either a source route or to the right of the at sign. Specifying none of these sequences is equivalent to specifying all of them; the rule can match regardless of location.

Changing the Current Tag Value, \$T

The `$T` control sequence is used to change the current rewrite rule tag. The rewrite rule tag is prepended to all rewrite rule patterns before they are looked up in the configuration file and domain database. Text following the `$T`, up until either an at sign, percent sign, `$N`, `$M`, `$Q`, `$C`, `$T`, or `$?` is taken to be the new tag.

Tags are useful in handling special addressing forms where the entire nature of an address is changed when a certain component is encountered. For example, suppose that the special host name `internet`, when found in a source route, should be removed from the address and the resulting address forcibly matched against the `TCP-DAEMON` channel.

This could be implemented with rules like the following (`localhost` is assumed to be the official name of the local host):

```
internet                $$U@localhost$Tmtcp-force|
mtcp-force|.           $U%$H@TCP-DAEMON
```

The first rule will match the special host name `internet` if it appears in the source route. It forcibly matches `internet` against the local channel, which insures that it will be removed from the address. A rewrite tag is then set. Rewriting proceeds, but no regular rule will match because of the tag. Finally, the default rule is tried with the tag, and the second rule of this set fires, forcibly matching the address against the `TCP-DAEMON` channel regardless of any other criteria.

Controlling Error Messages Associated with Rewriting (\$?)

The MTA provides default error messages when rewriting and channel matching fail. The ability to change these messages can be useful under certain circumstances. For example, if someone tries to send mail to an Ethernet router box, it may be considered more informative to say something like “our routers cannot accept mail” rather than the usual “illegal host/domain specified.”

A special control sequence can be used to change the error message that is printed if the rule fails. The sequence `$?` is used to specify an error message. Text following the `$?`, up to either an at sign (`@`), percent sign (`%`), `$N`, `$M`, `$Q`, `$C`, `$T`, or `$?` is taken to be the text of the error message to print if the result of this rewrite fails to match any channel. The setting of an error message is “sticky” and lasts through the rewriting process.

A rule that contains a `$?` operates just like any other rule. The special case of a rule containing only a `$?` and nothing else receives special attention --- the rewriting process is terminated without changing the mailbox or host portions of the address and the host is looked up as-is in the channel table. This lookup is expected to fail and the error message will be returned as a result.

For example, assume the final rewrite rule in the MTA configuration file is as follows:

```
. $?Unrecognized address; contact postmaster@siroe.com
```

In this example, any unrecognized host or domain specifications that can fail will, in the process of failing, generate the error message: `Unrecognized address; contact postmaster@siroe.com`.

Handling Large Numbers of Rewrite Rules

The MTA always reads in all the rewrite rules from the `imta.cnf` file and stores them in memory in a hash table. Use of a compiled configuration bypasses the overhead associated with reading the configuration file each and every time the information is needed; a hash table is still used to store all of the rewrite rules in memory. This scheme is adequate for small to medium numbers of rewrite rules. However, some sites may require as many as 10,000 rewrite rules or more, which can consume prohibitive amounts of memory.

The MTA solves this problem by providing an optional facility for storing large numbers of rewrite rules in an ancillary indexed data file. Whenever the regular configuration file is read, the MTA checks for the existence of the domain database. If this database exists, it is opened and consulted whenever an attempted match fails on the rules found in the configuration file. The domain database is only checked if a given rule is not found in the configuration file, so rules can always be added to the configuration file to override those in the database. By default, the domain database is used to store rewrite rules associated with hosted domains. The `IMTA_DOMAIN_DATABASE` attribute is stored in the `imta_tailor` file. The default location for the database is `msg_svr_base/data/db/domaindb.db`.

NOTE DO NOT EDIT THIS FILE BY HAND.

Testing Rewrite Rules

You can test rewrite rules with the `imsimta test -rewrite` command. The `-noimage` qualifier will allow you to test changes made to the configuration file prior to recompiling the new configuration.

You may find it helpful to rewrite a few addresses using this utility with the `-debug` qualifier. This will show you step-by-step how the address is rewritten. For example, issue the following command:

```
% imsimta test -rewrite -debug joe@siroe.com
```

For a detailed description of the `imsimta test -rewrite` utility, see the *Messaging Server Reference Manual*.

Rewrite Rules Example

The following example provides sample rewrite rules and how sample addresses would be rewritten by the rules.

Suppose the configuration file for the system SC.CS.SIROE.EDU contained the rewrite rules shown in the following example:

```

sc                $U@sc.cs.siroe.edu
sc1               $U@sc1.cs.siroe.edu
sc2               $U@sc2.cs.siroe.edu
*                 $U%$&0.cs.siroe.edu
*.cs              $U%$&0.cs.siroe.edu
*.cs.siroe        $U%$&0.cs.siroe.edu
*.cs.siroe.edu    $U%$&0.cs.siroe.edu@ds.adm.siroe.edu
sc.cs.siroe.edu   $U@$D
sc1.cs.siroe.edu  $U@$D
sc2.cs.siroe.edu  $U@$D
sd.cs.siroe.edu   $U@sd.cs.siroe.edu
.siroe.edu        $U%$H.siroe.edu@cds.adm.siroe.edu
.edu              $U%$H$D@gate.adm.siroe.edu
[ ]               $U@[ $L ]@gate.adm.siroe.edu

```

Table 11-7 shows some sample addresses and how they would be rewritten and routed according to the rewrite rules.

Table 11-7 Sample Addresses and Rewrites

Initial address	Rewritten as	Routed to
user@sc	user@sc.cs.siroe.edu	sc.cs.siroe.edu
user@sc1	user@sc1.cs.siroe.edu	sc1.cs.siroe.edu
user@sc2	user@sc2.cs.siroe.edu	sc2.cs.siroe.edu
user@sc.cs	user@sc.cs.siroe.edu	sc.cs.siroe.edu
user@sc1.cs	user@sc1.cs.siroe.edu	sc1.cs.siroe.edu
user@sc2.cs	user@sc2.cs.siroe.edu	sc2.cs.siroe.edu
user@sc.cs.siroe	user@sc.cs.siroe.edu	sc.cs.siroe.edu

Table 11-7 Sample Addresses and Rewrites

Initial address	Rewritten as	Routed to
user@sc1.cs.siroe	user@sc1.cs.siroe.edu	sc1.cs.siroe.edu
user@sc2.cs.siroe	user@sc2.cs.siroe.edu	sc2.cs.siroe.edu
user@sc.cs.siroe.edu	user@sc.cs.siroe.edu	sc.cs.siroe.edu
user@sc1.cs.siroe.edu	user@sc1.cs.siroe.edu	sc1.cs.siroe.edu
user@sc2.cs.siroe.edu	user@sc2.cs.siroe.edu	sc2.cs.siroe.edu
user@sd.cs.siroe.edu	user@sd.cs.siroe.edu	sd.cs.siroe.edu
user@aa.cs.siroe.edu	user@aa.cs.siroe.edu	ds.adm.siroe.edu
user@a.eng.siroe.edu	user@a.eng.siroe.edu	cds.adm.siroe.edu
user@a.cs.sesta.edu	user@a.cs.sesta.edu	gate.adm.siroe.edu —route inserted
user@b.cs.sesta.edu	user@b.cs.sesta.edu	gate.adm.siroe.edu —route inserted
user@[1.2.3.4]	user@[1.2.3.4]	gate.adm.siroe.edu —route inserted

Basically, what these rewrite rules say is: If the host name is one of our short-form names (`sc`, `sc1` or `sc2`) or if it is one of our full names (`sc.cs.siroe.edu`, and so on), expand it to our full name and route it to us. Append `cs.cmu.edu` to one part short-form names and try again. Convert one part followed by `.cs` to one part followed by `.cs.siroe.edu` and try again. Also convert `.cs.siroe` to `.cs.siroe.edu` and try again.

If the name is `sd.cs.siroe.edu` (some system we connect to directly, perhaps) rewrite and route it there. If the host name is anything else in the `.cs.siroe.edu` subdomain, route it to `ds.cs.siroe.edu` (the gateway for the `.cs.siroe.edu` subdomain). If the host name is anything else in the `.siroe.edu` subdomain route it to `cds.adm.siroe.edu` (the gateway for the `.siroe.edu` subdomain). If the host name is anything else in the `.edu` top-level domain route it to `gate.adm.siroe.edu` (which is presumably capable of routing the message to its proper destination). If a domain literal is used send it to `gate.adm.siroe.edu` as well.

Most applications of rewrite rules (like the previous example) will not change the username (or mailbox) part of the address in any way. The ability to change the username part of the address is used when the MTA is used to interface to mailers that do not conform to RFC 822—mailers where it is necessary to stuff portions of the host/domain specification into the username part of the address. This capability should be used with great care if it is used at all.

Rewrite Rules Example

Configuring Channel Definitions

This chapter describes how to use channel keyword definitions in the MTA configuration file `imta.cnf`. Please read [Chapter 10, “About MTA Services and Configuration”](#), as well as [“Channel Definitions” on page 192](#) and [“The MTA Configuration File” on page 226](#) before reading this chapter. This chapter contains the following sections:

- [Channel Keywords Listed Alphabetically](#)
- [Channel Keywords Categorized by Function](#)
- [Configuring Channel Defaults](#)
- [Configuring SMTP Channels](#)
- [Configuring Message Processing and Delivery](#)
- [Configuring Address Handling](#)
- [Configuring Header Handling](#)
- [Attachments and MIME Processing](#)
- [Limits on Messages, Quotas, Recipients, and Authentica Attempts](#)
- [File Creation in the MTA Queue](#)
- [Specifying Mailbox Filter File Location](#)
- [Configuring Logging and Debugging](#)
- [Miscellaneous Keywords](#)

NOTE If you make channel definition changes in `imta.cnf`, you must restart any programs or channels that load the configuration data only once when they start up—for example, the SMTP server—by using the `imsimta restart` command. If you are using a compiled configuration, you must recompile and then restart. For more information about compiling configuration information and starting programs, see the *Messaging Server Reference Manual*.

Channel Keywords Listed Alphabetically

The following table is an alphabetized list of keywords.

Table 12-1 Channel Keywords Alphabetized

Keyword	Page	Keyword	Page	Keyword	Page	Keyword	Page
733	366	822	366	addrreturnpath	373	addrspersfile	391
Aliasdetourhost	399	aliaslocal	376	aliaspostmaster	274	allowetrn	338
allowswitchchannel	350	alternatechannel	389	alternateblocklimit	389	alternatelinelimit	389
alternaterecipientlimit	389	authrewrite	352	backoff	358	bangoverpercent	368
bangstyle	366	bidirectional	357	blocketrn	338	blocklimit	388
cacheeverything	346	cachefailures	346	cachesuccesses	346	channelfilter	398
charset7	341	charset8	341	charsetesc	341	checkehlo	337
commentinc	374	commentmap	374	commentomit	374	commentstrip	374
commenttotal	374	connectalias	370	connectcanonical	370	copysendpost	273
copywarnpost	273	daemon	350	datefour	381	datetwo	381
dayofweek	381	defaultthost	370	defaultmx	348	defaultnameservers	349
deferralrejectlimit	403	deferred	358	defragment	385	dequeue_removeover ute	378
destinationfilter	398	destinationnosolicit	403	destinationspamfilter Xoptin	399	disableetrn	338
dispositionchannel	397	disconnectbadauthlimit	388	disconnectbadcomm andlimit	395	domainetrn	338
domainvrfy	339	dropblank	372	ehlo	337	eightbit	341

Table 12-1 Channel Keywords Alphabetized

Keyword	Page	Keyword	Page	Keyword	Page	Keyword	Page
eightnegotiate	341	eightstrict	341	errsendpost	273	errwarnpost	273
expandchannel	364	expandlimit	364	expnallow	340	expndisable	340
expndefault	340	exproute	368	fileinto	398	filesperjob	360
filter	398	forwardcheckdelete	346	forwardchecknone	346	forwardchecktag	346
header_733	366	header_822	366	header_uucp	366	headerlabelalign	382
headerlimit	393	headerlinelength	382	headerread	379	headertrim	379
holdexquota	391	holdlimit	364	identnone	347	identnonelimited	347
identnonenumeric	347	identnonesybolic	347	identtcp	347	identtcplimited	347
identtcpymbolic	347	ignoreencoding	384	imnnonurgent	358	improute	368
includefinal	272	indenttcpnumeric	347	inner	379	innertrim	379
interfaceaddress	345	interpretencoding	384	language	384	lastresort	349
linelength	387	linelimit	388	localvrfy	339	logging	395
logheader	395	loopcheck	396	mailfromdnsverify	340	master	357
master_debug	396	maxblocks	386	maxheaderaddrs	382	maxheaderchars	382
maxjobs	360	maxlines	386	maxprocchars	382	maysaslsrver	351
maytls	354	maytlsclient	354	maytlsserver	354	missingrecipientpolicy	371
msexchange	353	multiple	391	mustsaslsrver	351	musttls	354
musttlsclient	354	musttlsserver	354	mx	348	namelengthlimit	392
nameservers	349	noaddrreturnpath	373	nobangoverpercent	368	noblocklimit	388
nocache	346	nochannelfilter	398	nodayofweek	381	nodefaulthost	370
nodeferred	358	nodefragment	385	nodestinationfilter	398	nodropblank	372
noehlo	337	noexproute	368	noexquota	391	nofileinto	398
nofilter	398	noheaderread	379	noheadertrim	379	noimproute	368
noinner	379	noinnertrim	379	nolinelimit	388	nologging	395
noloopcheck	396	nomailfromdnsverify	340	nomaster_debug	396	nomsexchange	352
nomx	348	nonrandomemx	348	nonurgentbackoff	358	nonurgentblocklimit	363
nonurgentnotices	272	noreceivedfor	374	noreceivedfrom	374	noremotehost	370
norestricted	373	noreturnaddress	274	noreturnpersonal	274	noreverse	372
normalbackoff	358	normalblocklimit	363	normalnotices	272	norules	377

Table 12-1 Channel Keywords Alphabetized

Keyword	Page	Keyword	Page	Keyword	Page	Keyword	Page
nosasl	351	nosaslserver	351	nosaslswitchchannel	351	nosendetrn	338
nosendpost	273	noservice	365	noslave_debug	396	nosmtp	337
nosourcefilter	398	noswitchchannel	350	notices	272	notificationchannel	397
notls	354	notlsclient	354	notlsserver	354	novrfy	339
nowarnpost	273	nox_env_to	381	parameterlengthlimit	392	percentonly	368
percents	366	personalinc	375	personalmap	375	personalomit	375
personalstrip	375	pool	360	port	345	postheadbody	274
postheadonly	274	randommx	348	receivedfor	374	receivedfrom	374
recipientcutoff	392	recipientlimit	392	rejectsmtplonglines	392	remotehost	370
restricted	373	returnaddress	274	returnenvelope	274	returnpersonal	274
reverse	372	routelocal	369	rules	377	rules	377
saslswitchchannel	351	sendetrn	338	sendpost	273	sensitivitycompanyconfidential	383
sensitivitynormal	383	sensitivitypersonal	383	sensitivityprivate	383	service	365
sevenbit	341	silentetrn	338	single	391	single_sys	350
slave	357	slave_debug	396	smtp	337	smtp_cr	337
smtp_crlf	337	smtp_crorlf	337	smtp_lf	337	sourceblocklimit	388
sourcecommentinc	374	sourcecommentmap	374	sourcecommentomit	374	sourcecommentstrip	374
sourcecommenttotal	374	sourcefilter	398	ourcenosolicit	403	sourcepersonalinc	375
sourcepersonalmap	375	sourcepersonalomit	375	sourcepersonalstrip	375	sourceroute	366
sourcespamfilterXoptin	399	streaming	343	subaddressexact	376	subaddressrelaxed	376
subaddresswild	376	subdirs	394	submit	397	suppressfinal	272
switchchannel	350	threaddepth	363	tlsswitchchannel	354	transactionlimit	362
truncatesmtplonglines	392	unrestricted	373	urgentbackoff	358	urgentblocklimit	363
urgentnotices	272	useintermediate	272	user	398	uucp	366
viaaliasoptional	378	viaaliasrequired	378	vrifyallow	339	vrifydefault	339
vrifyhide	339	warnpost	273	wrapsmtplonglines	392	x_env_to	381

Channel Keywords Categorized by Function

The following table is a categorized list of keywords. The categories are as follows:

- "Address Handling" on 317
- "Attachments and MIME Processing" on 319
- "Character Sets and Eight Bit Data" on 319
- "File Creation in the MTA Queue Area" on 319
- "Headers" on 320
- "Incoming channel matching and switching" on 322
- "Logging and debugging" on 323
- "Long Address Lists or Headers" on 323
- "Mailbox filters" on 323
- "NO-SOLICIT SMTP Extension Support" on 324
- "Notification and Postmaster Messages" on 324
- "Processing Control and Job Submission" on 325
- "Sensitivity limits" on 326
- "Limits on Messages, User Quotas, Privileges, and Authentication Attempts" on 326
- "SMTP Authentication, SASL and TLS" on 327
- "SMTP Commands and Protocol" on 328
- "TCP/IP Connection and DNS Lookup Support" on 330
- "Miscellaneous" on 331

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
Address Handling		
733	366	Use % routing in the envelope; synonymous with percents.
822	366	Use source routes in the envelope; same as sourceroute.
addreturnpath	373	Add Return-path: header to messages enqueued to this channel.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
aliaslocal	376	Look up rewritten addresses in the alias file and alias database.
authrewrite	352	Used on a source channel to have the MTA propagate authenticated originator information, if available, into the headers.
bangoverpercent	368	Group A!B%C as A!(B%C)
bangstyle	366	Use UUCP ! routing in the envelope; synonymous with uucp.
defaultthost	370	Specify a domain name to use to complete addresses
dequeue_removeroute	378	Removes source routes from envelope To: addresses.
exproute	368	Require explicit routing when addresses passed to remote systems.
holdlimit	364	Hold message when number of envelope recipient addresses exceeds this limit.
improute	368	Implicit routing for this channel's addresses
missingrecipientpolicy	371	Set policy for how to legalize (which header to add) messages that are lacking any recipient headers.
noaddreturnpath	373	Do not add Return-path: header when enqueueing message.
nobangoverpercent	368	Group A!B%C as (A!B)%C
nodefaultthost	370	Do not specify a domain name to use to complete addresses
noexproute	368	No explicit routing for this channel's addresses
noimproute	368	No implicit routing for this channel's addresses
noreceivedfrom	374	Construct Received: header lines without including the original envelope From: address.
noremotehost	370	Use local host's domain name as the default domain name to complete addresses
norestricted	373	Same as unrestricted.
noreverse	372	Exempts addresses in messages from address reversal processing
norules	377	Do not enforce channel-specific rewrite rule checks for this channel.
percentonly	368	Ignores bang paths. Use % routing in the envelope.
percents	366	Use % routing in the envelope; synonymous with 733.
remotehost	370	Use remote host's name as the default domain name to complete addresses
restricted	373	The channel connects to mail systems that require encoding.
reverse	372	Checked addresses against address reversal database or REVERSE mapping
routelocal	369	Causes the MTA, when rewriting an address to the channel, to attempt to "short circuit" any explicit routing in the address.
rules	377	Enforce channel-specific rewrite rule checks for this channel.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
sourceroute	366	Synonymous with 822.
subaddressexact	376	Perform no special subaddress handling during entry matching; the entire mailbox, including the subaddress, must match an entry in order for the alias to be considered to match.
subaddressrelaxed	376	After looking for an exact match and then a match of the form name+*, the MTA should make one additional check for a match on just the name portion.
subaddresswild	376	After looking for an exact match including the entire subaddress, the MTA should next look for an entry of the form name+*.
unrestricted	373	Tells the MTA not to perform RFC 1137 encoding and decoding.
uucp	366	Use UUCP! routing in the envelope; synonymous with bangstyle.
viaaliasoptional	378	Final recipient addresses that match the channel are not required to be produced by an alias.
viaaliasrequired	378	Final recipient address that matches the channel must be produced by an alias.
Attachments and MIME Processing		
defragment	385	Partial messages queued to the channel are placed in the defragmentation channel queue instead.
ignoreencoding	384	Ignore Encoding: header on incoming messages.
interpretencoding	384	Interpret Encoding: header on incoming messages, if the need arises.
nodefragment	385	Disables defragmentation.
Character Sets and Eight Bit Data		
charset7	341	Default character set to associate with 7-bit text messages
charset8	341	Default character set to associate with 8-bit text messages
charsetesc	341	Default character set to associate with 7-bit text containing the escape character
eightbit	341	Channel supports eight-bit characters.
eightnegotiate	341	Channel should negotiate use of eight-bit transmission if possible.
eightstrict	341	Reject messages with headers that contain unnegotiated eight-bit data.
sevenbit	341	Do not support 8-bit characters; 8-bit characters must be encoded.
File Creation in the MTA Queue Area		
addrsperfile	391	Limit on the maximum number of recipients that can be associated with a single message file in a channel queue
expandchannel	364	Specifies channel in which to perform deferred expansion due to application of expandlimit.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
expandlimit	364	Processes an incoming message "off-line" when the number of addressees exceeds this limit.
multiple	391	No limit on the number of recipients in a message file, however the SMTP channel defaults to 99.
single	391	A separate copy of the message will be created for each destination address on the channel.
single_sys	391	Create a single message copy for each destination system used.
subdirs	394	Specifies the number of subdirectories across which to spread messages for the channel queues.
Headers		
authrewrite	352	Used on a source channel to have the MTA propagate authenticated originator information, if available, into the headers.
commentinc	374	Leave comments in message header lines intact.
commentmap	374	Runs comment strings in message header lines through the COMMENT_STRINGS mapping table.
commentomit	374	Remove comments from message header lines.
commentstrip	374	Remove problematic characters from comment fields in message header lines.
commenttotal	374	Strip comments (material in parentheses) from all header lines, except Received: header lines. Not recommended.
datefour	381	Expand all year fields to four digits.
datetwo	381	Remove the leading two digits from four-digit dates. Provides compatibility with mail systems that require two digit dates; it should never be used for any other purpose.
dayofweek	381	Retain day of the week information and adds this information to date and time headers if it is missing.
defaulthost	370	Specify a domain name to use to complete addresses
dropblank	372	Strip illegal blank headers from incoming messages.
header_733	366	Use % routing in the message header.
header_822	366	Use source routes in the message header.
headerlabelalign	382	Controls the alignment point for message headers enqueued on this channel; it takes an integer-valued argument.
headerlinelength	382	Controls the length of header lines enqueued on this channel.
headerread	379	Apply header trimming rules from an options file to the message headers upon message enqueue (use with caution) before the original message headers are processed.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
headertrim	379	Applies header trimming rules from an options file to the message headers after the original message headers are processed.
header_uucp	366	Use ! routing in the header
inner	379	Parse messages and rewrite inner headers.
innertrim	379	Apply header trimming rules from an options file to inner message headers (use with caution).
language	384	Specifies the default language in headers.
maxheaderadds	382	Controls how many addresses can appear on a single line.
maxheaderchars	382	Controls how many characters can appear on a single line.
missingrecipientpolicy	371	Set policy for how to legalize (which header to add) messages that are lacking any recipient headers.
nodayofweek	381	Removes day of the week from date and time headers. Provides compatibility with mail systems that cannot process this information; it should never be used for any other purpose.
nodefaulthost	370	Do not specify a domain name to use to complete addresses
nodropblank	372	Do not strip illegal blank headers from incoming messages.
noheaderread	379	Do not apply header trimming rules from option file.
noheadertrim	379	Do not apply header trimming rules from options file.
noinner	379	Do not to rewrite inner message header lines.
noinnertrim	379	Do not apply header trimming to inner message headers.
noreceivedfor	374	Construct <code>Received:</code> header lines without including any envelope recipient information.
noreceivedfrom	374	Construct <code>Received:</code> header lines without including the original envelope <code>From:</code> address.
noremotehost	370	Use local host's domain name as the default domain name to complete addresses
noreverse	372	Exempts addresses in messages queued to the channel from address reversal processing
norules	377	Do not enforce channel-specific rewrite rule checks for this channel.
nox_env_to	381	Remove <code>X-Envelope-to</code> header lines.
personalinc	375	Leave personal name fields in message header lines intact.
personalmap	375	Run personal names through <code>PERSONAL_NAMES</code> mapping table.
personalomit	375	Remove personal name fields from message header lines.
personalstrip	375	Strip problem characters from personal name fields in header lines.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
receivedfor	374	If a message is addressed to just one envelope recipient, to include that envelope To: address in the Received: header line it constructs.
receivedfrom	374	Include the original envelope From: address when constructing a Received: header line for an incoming message if the MTA has changed the envelope From: address.
remotehost	370	Use remote host's name as the default domain name to complete addresses
restricted	373	Channel connects to mail systems that require this encoding.
reverse	372	Check addresses against address reversal database or REVERSE mapping
rules	377	Enforce channel-specific rewrite rule checks for this channel.
sensitivitycompanyconfidential	383	Companyconfidential is the upper sensitivity limit of messages accepted.
sensitivitynormal	383	Normal is the upper sensitivity limit of messages accepted.
sensitivitypersonal	383	Personal is the upper sensitivity limit of messages accepted.
sensitivityprivate	383	Private is the upper sensitivity limit of messages accepted.
sourcecommentinc	374	Leave comments in incoming message header lines.
sourcecommentmap	374	Runs comment strings in header lines through source channels.
sourcecommentomit	374	Remove comments from incoming message header lines, for example, To:, From:, and Cc: headers.
sourcecommentstrip	374	Remove problematic characters from comment field in incoming header lines.
sourcecommenttotal	374	Strip comments (material in parentheses) in incoming messages.
sourcepersonalinc	375	Leave personal names in incoming message header lines intact.
sourcepersonalmap	375	Run personal names through source channels.
sourcepersonalomit	375	Remove personal name fields from incoming message header lines.
sourcepersonalstrip	375	Strip problematic characters from personal name fields in incoming message header lines.
unrestricted	373	Tells the MTA not to perform RFC 1137 encoding and decoding.
x_env_to	381	Enables generation of X-Envelope-to header lines.
Incoming channel matching and switching		
allowswitchchannel	350	Allows switching to this channel from a switchchannel channel
nosaslswitchchannel	351	No switching to this channel upon successful SASL authentication
noswitchchannel	350	No channel switching should be done to or from the channel.
switchchannel	350	Switches from the server channel to the channel associated with the originating host.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
saswitchchannel	351	Cause incoming connections to be switched to a specified channel upon a client's successful use of SASL.
tlsswitchchannel	354	Switches to another channel upon successful TLS negotiation.
Logging and debugging		
logging	395	Log message enqueues and dequeues into the log file and activates logging for a particular channel.
loopcheck	396	Places a string into the SMTP EHLO response banner in order for the MTA to check if it is communicating with itself.
master_debug	396	Create debugging output in the channel's master program output.
nologging	395	Do not log message enqueues and dequeues into the log file.
noloopcheck	396	No string into the SMTP EHLO response banner.
nomaster_debug	396	No debugging output in the channel's master program output.
noslave_debug	396	Do not generate slave debugging output.
slave_debug	396	Generate slave debug output.
Long Address Lists or Headers		
expandchannel	364	Specifies channel in which to perform deferred expansion due to application of expandlimit.
expandlimit	364	Processes an incoming message "off-line" when the number of addressees exceeds this limit.
holdlimit	364	Holds a message when the number of addresses exceeds this limit.
maxprocchars	382	Maximum length header that can be processed and rewritten.
Mailbox filters		
channelfilter	398	Location of channel filter file; same as destinationfilter.
destinationfilter	398	Location of channel filter file that applies to outgoing messages.
destinationspamfilter Xoptin	399	Run messages destined to this channel through spam filtering software X.
fileinto	398	Specify effect on address when a mailbox filter fileinto operation is applied.
filter	398	Specify the location of user filter files.
nochannelfilter	398	No channel filtering for outgoing messages. Also known as nodestinationfilter.
nodestinationfilter	398	Do not perform channel filtering for outgoing messages.
nofileinto	398	Mailbox filter fileinto operator has no effect.
nofilter	398	Do not perform user mailbox filtering.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
nosourcefilter	398	Do not perform channel filtering for incoming messages.
sourcefilter	398	Specify the location of channel filter file for incoming messages.
sourcespamfilterXoption	399	Run messages originating from this channel through spam filtering software X.
NO-SOLICIT SMTP Extension Support		
sourcenosolicit	403	Specifies a comma-separated list of solicitation field values that will be blocked in mail submitted by this channel.
destinationnosolicit	403	Specifies a comma-separated list of solicitation field values that will not be accepted in mail queued to this channel.
Notification and Postmaster Messages (See page 264 for complete notification procedures)		
aliaspostmaster	274	Messages addressed to the user name postmaster at the official channel name are redirected to postmaster@local-host, where local-host is the local host name (the name on the local channel).
copysendpost	273	Sends a copy of the failure notice to the postmaster unless the originator address on the failing message is blank.
copywarnpost	273	Sends a copy of the warning message to the postmaster unless the originator address on the undelivered message is blank.
errsendpost	273	Sends a copy of the failure notice to the postmaster only when the notice cannot be returned to the originator.
errwarnpost	273	Sends a copy of the warning message to the postmaster when the notice cannot be returned to the originator.
includefinal	272	Include final form of recipient address in delivery notifications.
nonurgentnotices	272	Specifies the amount of time that may elapse before notices are sent and messages returned for messages of non-urgent priority.
noreturnaddress	274	Use RETURN_ADDRESS option value as postmaster address name.
noreturnpersonal	274	Use RETURN_PERSONAL option value as postmaster personal name.
normalnotices	272	Specifies the amount of time that may elapse before notices are sent and messages returned for messages of normal priority.
nosendpost	273	Disables sending a copy of all failed messages to the postmaster.
notices	272	Specifies the amount of time that may elapse before notices are sent and messages returned.
nowarnpost	273	Disables sending a copy of warning messages to the postmaster.
postheadbody	274	Returns both the headers and the contents of the message.
postheadonly	274	Returns only headers to the postmaster.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
returnaddress	274	Specifies the return address for the local postmaster.
returnenvelope	274	Control use of blank envelope return addresses.
returnpersonal	274	Set the personal name for the local postmaster.
sendpost	273	Enables sending a copy of all failed messages to the postmaster.
suppressfinal	272	Suppress the final address form from notification messages, if an original address form is present, from notification messages.
urgentnotices	272	Specify the amount of time which may elapse before notices are sent and messages returned for messages of urgent priority.
useintermediate	272	Uses an intermediate form of the address produced after list expansion, but prior to user mailbox name generation.
warnpost	273	Enables sending a copy of warning messages to the postmaster.
Processing Control and Job Submission (See Table 12-7 on page 356 for greater functional granularity)		
backoff	358	Frequency of attempted redelivery of unsuccessfully delivered messages. Can be overridden by the keywords <code>normalbackoff</code> , <code>nonurgentbackoff</code> , <code>urgentbackoff</code> .
bidirectional	357	Channel served by a master and slave program.
deferred	358	Recognize and honor of the <code>Deferred-delivery:</code> header line.
expandchannel	364	Specifies channel in which to perform deferred expansion due to application of <code>expandlimit</code> .
expandlimit	364	Processes an incoming message "off-line" when the number of addressees exceeds this limit.
filesperjob	360	Number of queue entries to be processed by a single job.
immonurgent	358	Starts delivery immediately after submission for urgent, normal, and non-urgent messages.
master	357	Channel served by a master program (<code>master</code>).
maxjobs	360	Maximum number of jobs that can be running concurrently for the channel.
nodeferred	358	Specifies that <code>Deferred-delivery:</code> header line not be honored.
nonurgentbackoff	358	The frequency for attempted redelivery of nonurgent messages.
nonurgentblocklimit	363	Forces messages above this size to lower than nonurgent priority (second class priority), meaning that the messages will always wait for the next periodic job for further processing.
normalbackoff	358	The frequency for attempted redelivery of normal messages.
normalblocklimit	363	Forces messages above this size to nonurgent priority.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
noservice	365	Service conversions for messages coming into this channel must be enabled via <code>CHARSET-CONVERSION</code> .
pool	360	Specifies a pool for a channel. Must be followed by the pool name to which delivery jobs for the current channel should be pooled.
service	365	Unconditionally enables service conversions regardless of <code>CHARSET-CONVERSION</code> entry.
slave	357	Channel served by a slave program (slave).
threaddepth	363	Number of messages triggering new thread with multithreaded SMTP client.
transactionlimit		Limits the number of messages allowed per connection.
urgentbackoff	358	The frequency for attempted redelivery of urgent messages.
urgentblocklimit	363	Forces messages above this size to normal priority.
user	398	Used on pipe channels to indicate under what user name to run.
Sensitivity limits		
sensitivitycompanyconfidential	383	Upper sensitivity limit of messages accepted.
sensitivitynormal	383	Normal is the upper sensitivity limit of messages accepted.
sensitivitypersonal	383	Personal is the upper sensitivity limit of messages accepted.
sensitivityprivate	383	Private is the upper sensitivity limit of messages accepted.
Limits on Messages, User Quotas, Privileges, and Authentication Attempts		
alternatechannel	389	Alternate destination channel for <code>alternateblocklimit</code> , <code>alternatelinelimit</code> , and <code>alternaterecipientlimit</code>
alternateblocklimit	389	Specifies limit on the number of blocks in a message before it will be sent to <code>alternatechannel</code> .
alternatelinelimit	389	Specifies limit on the number of lines in a message before it will be sent to <code>alternatechannel</code> .
alternaterecipientlimit	389	Specifies limit on the number of recipients in a message before it will be sent to <code>alternatechannel</code> .
blocklimit	388	Maximum number of MTA blocks allowed per message.
disconnectbadauthenticationlimit	388	Limit on the number of unsuccessful authentication attempts that will be allowed in a session before the session is disconnected.
disconnectbadcommandlimit	395	Limits the number of session bad commands.
disconnectrecipientlimit	395	Limits the number of session recipients.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
disconnectrejectlimit	395	Limits the number of rejected recipients.
disconnecttransactionlimit	395	Limits the number of transactions.
headerlimit	393	Limit on the maximum size of the primary (outermost) message header
holdexquota	391	Hold messages for users that are over quota.
holdlimit	364	Holds an incoming message when the number of addresses exceeds this limit.
linelength	387	Limits the maximum permissible message line length on a channel-by-channel basis.
linelimit	388	Maximum number of lines allowed per message.
maxblocks	386	Specifies the maximum number of blocks allowed in a message.
maxlines	386	Specifies the maximum number of lines allowed in a message.
nameparameterlengthlimit	392	Controls the points at which the name content-type and filename content-disposition parameters are truncated.
noblocklimit	388	No limit for the number of MTA blocks allowed per message.
noexquota	391	Return to originator any messages to users who are over quota.
nolinelimit	388	No limit specified for the number of lines allowed per message.
nonurgentblocklimit	363	Forces messages above this size to lower than nonurgent priority (second class priority), meaning that the messages will always wait for the next periodic job for further processing.
normalblocklimit	363	Forces messages above this size to nonurgent priority.
parameterlengthlimit	392	Controls the points at which general content-type and content-disposition parameters are truncated.
recipientcutoff.	392	Rejects message if recipients exceed this value.
recipientlimit	392	Limits the number of recipient addresses that will be accepted for the message.
rejectsmtplonglines	392	Rejects messages that contain lines longer than 1000 characters (including CRLF).
sourceblocklimit	388	Maximum number of MTA blocks allowed per incoming message.
truncatesmtplonglines	392	Truncate the line when it is over 1000 characters.
wrapsmtplonglines	392	Wrap the line when it is over 1000 characters.
urgentblocklimit	363	Forces messages above this size to normal priority.
SMTP Authentication, SASL and TLS (See 351 for greater functional granularity)		
authrewrite	352	Used on a source channel to have the MTA propagate authenticated originator information, if available, into the headers.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
maysaslserver	351	Permit clients to attempt to use SASL authentication.
maytls	354	Causes the MTA to offer TLS to incoming connections and to attempt TLS upon outgoing connections.
maytlsclient	354	The MTA SMTP client will attempt TLS use when sending outgoing messages, if sending to an SMTP server that supports TLS.
maytlsserver	354	The MTA SMTP server will advertise support for the STARTTLS extension and will allow TLS use when receiving messages.
msexchange	353	Used on TCP/IP channels to tell the MTA that this is a channel that communicates with Microsoft Exchange gateways and clients.
mustsaslserver	351	SMTP server does not accept messages unless remote client successfully authenticates.
musttls	354	Insist upon TLS in both outgoing and incoming connections.
musttlsclient	354	The MTA SMTP client will insist on TLS use when sending outgoing messages (the MTA will issue the STARTTLS command and that command must succeed).
musttlsserver	354	The MTA SMTP server will advertise support for the STARTTLS extension and will insist upon TLS use when receiving incoming messages.
nomsexchange	352	Default.
nosasl	351	SASL authentication is not permitted or attempted.
nosaslserver	351	SASL authentication is not permitted.
notls	354	TLS will not be permitted or attempted.
notlsclient	354	TLS use will not be attempted by the MTA SMTP client on outgoing connections (the STARTTLS command will not be issued during outgoing connections).
notlsserver	354	TLS use will not be permitted by the MTA SMTP server on incoming connections (the STARTTLS extension will not be advertised by the SMTP server nor the command itself accepted).
saslswitchchannel	351	Cause incoming connections to be switched to a specified channel upon a client's successful use of SASL.
tlsswitchchannel	354	Cause incoming connections to be switched to a specified channel upon a client's successful TLS negotiation. It takes a required value, specifying the channel to which to switch.
SMTP Commands and Protocol (See Table 12-4 on page 335 for greater functional granularity)		
allowetrn	338	Honors ETRN commands.
blocketrn	338	Blocks ETRN commands.
checkehlo	337	Checks the SMTP response banner to determine whether to use EHLO or HELO.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
disableetrn	338	Disable support for the ETRN SMTP command.
domainetrn	338	Honors only those ETRN commands that specify a domain.
domainvrfy	339	Issues VRFY commands using a full address.
ehlo	337	Uses the SMTP EHLO command on initial connections.
eightbit	341	Channel supports eight-bit characters.
eightnegotiate	341	Channel should negotiate use of eight-bit transmission if possible.
eightstrict	341	Reject messages with headers that contain unnegotiated eight-bit data.
expnallow	340	Allows EXPN even if it has been disabled at the SMTP server level with the DISABLE_EXPAND SMTP channel option.
expndisable	340	Disables EXPN unconditionally.
expndefault	340	Allows EXPN if the SMTP server is set to allow it.
localvrfy	339	Issues VRFY commands using a local address.
mailfromdnsverify	340	Verifies domain used on MAIL FROM: command exists in the DNS.
noehlo	337	Does not use the EHLO command.
nomailfromdnsverify	340	Does not verify that the domain used on the MAIL FROM: command exists in the DNS.
nosendetrn	338	Does not send ETRN commands.
nosmtp	337	Does not support the SMTP protocol. This is the default.
novrfy	339	Does not issue VRFY commands.
sendetrn	338	Sends ETRN commands.
sevenbit	341	Do not support 8-bit characters; 8-bit characters must be encoded.
silentetrn	338	Honors ETRN commands without echoing channel information.
smtp	337	Supports the SMTP protocol. The keyword smtp is mandatory for all SMTP channels. (This keyword is equivalent to smtp_cr or lf.)
smtp_cr	337	Accepts lines terminated with a carriage return (CR) without a following line feed (LF).
smtp_crlf	337	Lines must be terminated with a carriage return (CR) line feed (LF) sequence.
smtp_crorlf	337	Lines may be terminated with any of a carriage return (CR), or a line feed (LF) sequence, or a full CRLF.
smtp_lf	337	Accepts lines terminated with linefeed (LF) without preceding CR.
streaming	343	Controls the degree of protocol streaming used in the protocol associated with a channel.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
vrfyellow	339	Provides informative responses to VRFY commands.
vrfydefault	339	Provides default responses to VRFY command, according to channel's HIDE_VERIFY option setting.
vrfyhide	339	Provides obfuscatory responses to SMTP VRFY command.
TCP/IP Connection and DNS Lookup Support (See Table 12-5 on page 344 for greater functional granularity)		
cacheeverything	346	Caches all connection information.
cachefailures	346	Caches only connection failure information.
cachesuccesses	346	Caches only connection success information.
connectalias	370	Deliver to whatever host is listed in the recipient address.
connectcanonical	370	Connect to the host alias for the system to which the MTA would be connected.
daemon	350	Connects to a specific host system regardless of the envelope address.
defaultmx	348	Channel determines whether to do MX lookups from network.
defaultnameservers	349	Consults TCP/IP stack's choice of nameservers.
forwardcheckdelete	346	If reverse DNS lookup performed, next performs a forward lookup on the returned name to check that the returned IP number matches the original; if not, deletes the name and use the IP address.
forwardchecknone	346	Does not perform a forward lookup after a DNS reverse lookup.
forwardchecktag	346	If a reverse DNS lookup has been performed, next performs a forward lookup on the returned name to check that the returned IP number matches the original; if not, tags the name with *.
identnone	347	No perform IDENT lookups; performs IP to hostname translation; includes both hostname and IP address in Received: header.
identnonelimited	347	No IDENT lookups; does perform IP to hostname translation, but does not use the hostname during channel switching; includes both hostname and IP address in Received: header.
identnonenumeric	347	Does not perform IDENT lookups or IP to hostname translation.
identnonesymbolic	347	Does not perform IDENT lookups; does perform IP to hostname translation; includes only the hostname in Received: header.
identtcp	347	Performs IDENT lookups on incoming SMTP connections and IP to hostname translation; include both hostname and IP address in Received: header
identtcplimited	347	Performs IDENT lookups on incoming SMTP connections and IP to hostname translation, but do not use the hostname during channel switching. Include hostname and IP address in Received: header.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
indentcpnumeric	347	Performs IDENT lookups on incoming SMTP connections, but does not perform IP to hostname translation.
identtcp symbolic	347	Performs IDENT lookups on incoming SMTP connections and IP to hostname translation; includes only hostname in Received: header.
interfaceaddress	345	Binds to the specified TCP/IP interface address.
lastresort	349	Specifies a last resort host.
mailfromdnsverify	340	Verifies that the domain used on the MAIL FROM: command exists in the DNS.
mx	348	TCP/IP network and software supports MX records lookup.
nameservers	349	Specifies a list of nameservers to consult rather than consulting the TCP/IP stack's own choice of nameservers; nameservers requires a space separated list of IP addresses for the nameservers.
nocache	346	Does not cache any connection information.
nomailfromdnsverify	340	Does not verify that the domain used on the MAIL FROM: command exists in the DNS.
nomx	348	TCP/IP network does not support MX lookups.
nonrandommx	348	Does MX lookups; does not randomize returned entries with equal precedence.
port	345	Specifies the default port number for SMTP connections. The standard port is 25.
randommx	348	Does MX lookups; randomizes returned entries with equal precedence.
single	350	Specifies that a separate copy of the message should be created for each destination address on the channel.
single_sys	350	Creates single copy of message for each destination system used.
threaddepth	363	Number of messages triggering new thread with multithreaded SMTP client.
Miscellaneous		
deferralrejectlimit	403	Sets limit on the number of bad RCPT TO: addresses
dispositionchannel	397	Overrides the process channel as the place to initially queue delivery status notifications (DSNs).
destinationfilter	398	Used on general MTA channels to specify a channel-level filter to apply to outgoing messages.
filter	398	Takes a required URL argument describing the filter file location
nodestinationfilter	398	No channel mailbox filter is enabled for either direction of the channel.
nosourcefilter	398	No channel mailbox filter is enabled for source channel.
nofilter	398	The default and means that a user mailbox filters are not enabled for the channel.

Table 12-2 Channel Keywords Categorized by Function

Keyword	Page	Definition
notificationchannel	397	Overrides the process channel as the place to initially queue message disposition notifications (MDNs).
sourcefilter	398	Used on general MTA channels to specify a channel-level filter to apply to incoming messages
submit	397	Used to mark a channel as a submit-only channel.
user	398	Used on pipe channels to indicate under what user name to run.

Configuring Channel Defaults

Many configurations involve repetition of various channel keywords on all or nearly all channels. Maintaining such a configuration is both tedious and error-prone. To simplify some configurations, you can specify which keywords are defaults for various channels.

For example, the following line in a configuration file indicates that all channel blocks following the line will inherit the keywords specified in the line:

```
defaults keyword1 keyword2 keyword3 ...
```

The `defaults` line can be thought of as a special channel block that changes the keyword defaults without actually specifying a channel. The `defaults` line also does not require any additional lines of channel block information (if any are specified they will be ignored).

There is no limit on the number of `defaults` lines that can be specified—the effects of multiple defaults lines are cumulative with the most recently encountered (reading from top to bottom) line having precedence.

It may be useful to unconditionally eliminate the effects of any `defaults` lines starting at some point in the configuration file (at the start of a standalone section of channel blocks in an external file, for example). The `nodefaults` line is provided for this purpose. For example, inserting the following line in the configuration file nullifies all settings established by any previous defaults channel and returns the configuration to the state that would apply if no defaults had been specified:

```
nodefaults
```

Like regular channel blocks, a blank line must separate each `defaults` or `nodefaults` channel block from other channel blocks. The `defaults` and `nodefaults` channel blocks are the only channel blocks which may appear before the local channel in the configuration file. However, like any other channel block, they must appear after the last rewrite rule.

Configuring SMTP Channels

Depending on the type of installation, Messaging Server provides several SMTP channels at installation time (see table below). These channels implement SMTP over TCP/IP. The multithreaded TCP SMTP channel includes a multithreaded SMTP server that runs under the control of the Dispatcher. Outgoing SMTP mail is processed by the channel program `tcp_smtp_client`, and runs as needed under the control of the Job Controller.

Table 12-3 SMTP Channels

Channel	Definition
<code>tcp_local</code>	Receives inbound messages from remote SMTP hosts. Depending on whether you use a <code>smarthost/firewall</code> configuration, either sends outbound messages directly to remote SMTP hosts or sends outbound messages to the <code>smarthost/firewall</code> system.
<code>tcp_intranet</code>	Receives and sends messages within the intranet.
<code>tcp_auth</code>	Used as a switch channel for <code>tcp_local</code> ; authenticated users switch to the <code>tcp_auth</code> channel to avoid relay-blocking restrictions.
<code>tcp_submit</code>	Accepts message submissions—usually from user agents—on the reserved submission port 587 (see RFC 2476).
<code>tcp_tas</code>	IA special channel used by sites doing Unified Messaging.

You can modify the definitions of these channels or create new channels by adding or removing channel keywords as described in this section. In addition, an option file may be used to control various characteristics of TCP/IP channels. Such an option file must be stored in the MTA configuration directory (`msg_svr_base/config`) and named `x_option`, where `x` is the name of the channel. Refer to the *Sun Java System Messaging Server Administration Reference* for details.

This section is divided into the following subsections:

- [“Configuring SMTP Channel Options” on page 334](#)

- “SMTP Command and Protocol Support” on page 335
- “TCP/IP Connection and DNS Lookup Support” on page 343
- “SMTP Authentication, SASL, and TLS” on page 351
- “Using Authenticated Addresses from SMTP AUTH in Header” on page 352
- “Using Authenticated Addresses from SMTP AUTH in Header” on page 352
- “Specifying Microsoft Exchange Gateway Channels” on page 353
- “Transport Layer Security” on page 354

Configuring SMTP Channel Options

TCP/IP channel option files control various characteristics of TCP/IP channels. Channel option files must be stored in the MTA configuration directory and named `x_option`, where `x` is the name of the channel. For example, `/msg_svr_base/config/tcp_local_option`

The option file consists of one or more keywords and associated values. For example you can disable mailing list expansion on your server by including the `DISABLE_EXPAND` keyword in the option file and setting the value to 1.

Other option file keywords allow you to:

- Set a limit on the number of recipients allowed per message (`ALLOW_RECIPIENTS_PER_TRANSACTION`)
- Set a limit on the number of messages allowed per connection (`ALLOW_TRANSACTIONS_PER_SESSION`)
- Fine tune the type of information logged to the MTA log file (`LOG_CONNECTION`, `LOG_TRANSPORTINFO`)
- Specify the maximum number of simultaneous outbound connections that the client channel program allows (`MAX_CLIENT_THREADS`)

For information about all channel option keywords and syntax, see the *Messaging Server Reference Manual*.

SMTP Command and Protocol Support

You can specify whether an SMTP channel supports certain SMTP commands, such as EHLO, ETRN, EXPN and VRFY. You can also specify whether the channel support DNS domain verification, which characters the channel accepts as line terminators, and so on. This section describes the following:

- “Channel Protocol Selection and Line Terminators” on page 337
- “EHLO Command Support” on page 337
- “ETRN Command Support” on page 338
- “VRFY Command Support” on page 339
- “DNS Domain Verification” on page 340
- “Character Set Labeling and Eight-Bit Data” on page 341
- “Protocol Streaming” on page 343

Table 12-4 summarizes the keywords described in this section.

Table 12-4 SMTP Command and Protocol Keywords

Channel Keyword(s)	Description
Protocol Selection and Line Terminators	Specifies whether the channel supports the SMTP protocol and specifies the character sequences accepted as line terminators.
smtp	Supports the SMTP protocol. The keyword <code>smtp</code> is mandatory for all SMTP channels. (This keyword is equivalent to <code>smtp_crorlf</code> .)
nosmtp	Does not support the SMTP protocol. This is the default.
smtp_cr	Accepts lines terminated with a carriage return (CR) without a following line feed (LF).
smtp_crlf	Lines must be terminated with a carriage return (CR) line feed (LF) sequence.
smtp_lf	Accepts lines terminated with a linefeed (LF) without a preceding CR.
smtp_crorlf	Lines may be terminated with any of a carriage return (CR), or a line feed (LF) sequence, or a full CRLF.
EHLO keywords	Specifies how the channel handles EHLO commands
ehlo	Uses the SMTP EHLO command on initial connections.
checkehlo	Checks the SMTP response banner to determine whether to use EHLO or HELO.
noehlo	Does not use the EHLO command.

Table 12-4 SMTP Command and Protocol Keywords

Channel Keyword(s)	Description
ETRN keywords	Specifies how the channel handles ETRN commands (requests for queue processing)
allowetrn	Honors ETRN commands.
blocketrn	Blocks ETRN commands.
domainetrn	Honors only those ETRN commands that specify a domain.
silentetrn	Honors ETRN commands without echoing channel information.
sendetrn	Sends ETRN commands.
nosendetrn	Does not send ETRN commands.
VERFY keywords	Specifies how the channel handles VRFY commands
domainvrfy	Issues VRFY commands using a full address.
localvrfy	Issues VRFY commands using a local address.
novrfy	Does not issue VRFY commands.
vrfyallow	Provides informative responses to VRFY commands.
vrfydefault	Provides default responses to VRFY command, according to channel's HIDE_VERIFY option setting.
vrfyhide	Provides obfuscatory responses to SMTP VRFY command.
EXPN Keywords	Specifies how the channel handles EXPN keywords
expnallow	Allows EXPN even if it has been disabled at the SMTP server level with the DISABLE_EXPAND SMTP channel option.
expndisable	Disables EXPN unconditionally.
expndefault	Allows EXPN if the SMTP server is set to allow it. (Default)
DNS Domain Verification	Specifies whether the channel performs DNS domain verification
mailfromdnsverify	Verifies that the domain used on the MAIL FROM: command exists in the DNS.
nomailfromdnsverify	Does not verify that the domain used on the MAIL FROM: command exists in the DNS.
Character Sets and Eight-bit data	Specifies how the channel handles eight-bit data (Note: Although these keywords are commonly used on SMTP channels, they are potentially relevant to any sort of channel.)
charset7	Default character set to associate with 7-bit text messages
charset8	Default character set to associate with 8-bit text messages

Table 12-4 SMTP Command and Protocol Keywords

Channel Keyword(s)	Description
charsetesc	Default character set to associate with 7-bit text containing the escape character
eightbit	Channel supports eight-bit characters.
eightnegotiate	Channel should negotiate use of eight-bit transmission if possible.
eightstrict	Channel should reject messages with headers that contain illegal eight-bit data.
sevenbit	Channel does not support eight-bit characters; eight-bit characters must be encoded.
Protocol streaming	Specify degree of protocol streaming for channel to use
streaming	Controls the degree of protocol streaming used in the protocol associated with a channel.

Channel Protocol Selection and Line Terminators

Keywords: `smtp`, `nosmtp`, `smtp_crlf`, `smtp_cr`, `smtp_crorlf`, `smtp_lf`

The `smtp` and `nosmtp` keywords specify whether or not a channel supports the SMTP protocol. The `smtp` keyword, or one of its variations, is mandatory for all SMTP channels.

The keywords `smtp_crlf`, `smtp_cr`, `smtp_crorlf`, and `smtp_lf` can be used on SMTP channels to specify the character sequences that the MTA will accept as line terminators. The keyword `smtp_crlf` means that lines must be terminated with a carriage return (CR) line feed (LF) sequence. The keyword `smtp_lf` or `smtp` means that an LF without a preceding CR is accepted. Finally, `smtp_cr` means that a CR is accepted without a following LF. These options affect only the handling of incoming material.

Because the SMTP standard requires CRLF as the line terminator, the MTA always generates the standard CRLF sequence. The various `smtp` keywords merely control whether the MTA will accept additional non-standard line terminators. For example, you can specify `smtp_crlf` if you want the MTA to accept only strictly legal SMTP messages and reject any messages with nonstandard line terminators.

EHLO Command Support

Keywords: `ehlo`, `noehlo`, `checkehlo`

The SMTP protocol has been extended (RFC 1869) to allow for negotiation of additional commands. This is done by using the new `EHLO` command, which replaces RFC 821's `HELO` command. Extended SMTP servers respond to `EHLO` by providing a list of the extensions they support. Unextended servers return an unknown command error and the client then sends the old `HELO` command instead.

This fallback strategy normally works well with both extended and unextended servers. Problems can arise, however, with servers that do not implement SMTP according to RFC 821. In particular, some noncompliant servers are known to drop the connection on receipt of an unknown command.

The SMTP client implements a strategy whereby it attempts to reconnect and use `HELO` when any server drops the connection on receipt of an `EHLO`. However, this strategy might not work if the remote server not only drops the connection but also goes into a problematic state upon receipt of `EHLO`.

The channel keywords `ehlo`, `noehlo`, and `checkehlo` are provided to deal with such situations. The `ehlo` keyword tells the MTA to use the `EHLO` command on all initial connection attempts. The `noehlo` keyword disables all use of the `EHLO` command. The `checkehlo` keyword tests the response banner returned by the remote SMTP server for the string “ESMTP”. If this string is found `EHLO` is used; if not, `HELO` is used. The default behavior is to use `EHLO` on all initial connection attempts, unless the banner line contains the string “fire away”, in which case `HELO` is used; note that there is no keyword corresponding to this default behavior, which lies between the behaviors resulting from the `ehlo` and `checkehlo` keywords.

ETRN Command Support

Keywords: `allowetrn`, `blocketrn`, `disableetrn`, `domainetrn`, `silentetrn`, `sendetrn`, `nosendetrn`, `novrfy`

The `ETRN` command, defined in RFC 1985, provides an extension to the SMTP service whereby an SMTP client and server can interact to give the server an opportunity to start the processing of its queues for messages to go to a given host.

Using `ETRN`, an SMTP client can request that a remote SMTP server start processing the message queues destined for sending to the SMTP client. Thus, `ETRN` provides a way to implement “polling” of remote SMTP systems for messages incoming to one’s own system. This can be useful for systems that have only transient connections between each other, for example, sites that are set up as secondary mail exchange (MX) hosts for other sites that only have a dial-up connection to the Internet. By enabling this command, you permit remote, possibly dial-up, servers to request delivery of their mail.

The SMTP client specifies on the SMTP `ETRN` command line the name of the system to which to send messages (generally the SMTP client system's own name). If the remote SMTP server supports the `ETRN` command, it will trigger execution of a separate process to connect back to the named system and send any messages awaiting delivery for that named system.

Responding to ETRN Commands

The `allowetrn`, `blocketrn`, `domainetrn`, and `silentetrn` keywords control the MTA response when a sending SMTP client issues the `ETRN` command, requesting that the MTA attempt to deliver messages in the MTA queues.

By default, the MTA will attempt to honor all `ETRN` commands; that is, the `allowetrn` keyword is enabled. You can specify that the MTA not honor `ETRN` commands by including the `blocketrn` keyword in the channel definition.

You can specify that the MTA honor all `ETRN` commands, but without echoing the name of the channel that the domain matched and that the MTA will be attempting to run by including the `silentetrn` keyword. The `domainetrn` keyword specifies that the MTA honor only `ETRN` commands that specify a domain; it also causes the MTA not to echo back the name of the channel that the domain matched and that the MTA will be attempting to run.

`disableetrn` disables support for the `ETRN` command entirely; `ETRN` is not advertised by the SMTP server as a supported command.

Sending ETRN Commands

The `sendetrn` and `nosendetrn` channel keywords control whether the MTA sends an `ETRN` command at the beginning of an SMTP connection. The default is `nosendetrn`, meaning that the MTA will not send an `ETRN` command. The `sendetrn` keyword tells the MTA to send an `ETRN` command, if the remote SMTP server says it supports `ETRN`. The `sendetrn` keyword should be followed by the name of the system requesting that its messages receive a delivery attempt.

VERFY Command Support

Keywords: `domainvrfy`, `localvrfy`, `vrfyallow`, `vrfydefault`, `vrfyhide`

The `VERFY` command enables SMTP clients to send a request to an SMTP server to verify that mail for a specific user name resides on the server. The `VERFY` command is defined in RFC 821.

The server sends a response indicating whether the user is local or not, whether mail will be forwarded, and so on. A response of 250 indicates that the user name is local; a response of 251 indicates that the user name is not local, but the server can forward the message. The server response includes the mailbox name.

Sending a VRFY Command

Under normal circumstances there is no reason to issue a `VRFY` command as part of an SMTP dialogue. The `SMTP RCPT TO` command should perform the same function that `VRFY` does and return an appropriate error. However, servers exist that can accept any address in a `RCPT TO` (and bounce it later), whereas these same servers perform more extensive checking as part of a `VRFY` command.

By default, the MTA does not send a `VRFY` command (the `novrfy` keyword is enabled).

If necessary, the MTA can be configured to issue the `SMTP VRFY` command by including the `domainvrfy` or `localvrfy` keyword in the channel definition. The keyword `domainvrfy` causes a `VRFY` command to be issued with a full address (`user@host`) as its argument. The `localvrfy` keyword causes the MTA to issue a `VRFY` command with just the local part of the address (`user`).

Responding to a VRFY Command

The `vrfyallow`, `vrfydefault`, and `vrfyhide` keywords control the SMTP server's response when a sending SMTP client issues an `SMTP VRFY` command.

The `vrfyallow` keyword tells the MTA to issue a detailed, informative response. The `vrfydefault` tells the MTA to provide a detailed, informative response, unless the channel option `HIDE_VERIFY=1` has been specified. The `vrfyhide` keyword tells the MTA to issue only a vague, ambiguous response. These keywords allow per-channel control of `VRFY` responses, as opposed to the `HIDE_VERIFY` option, which normally applies to all incoming TCP/IP channels handled through the same SMTP server.

EXPN Support

Keywords: `expnallow`, `expndisable`, `expndefault`

`expnallow` allows `EXPN` even if it has been disabled at the SMTP server level with the `DISABLE_EXPAND SMTP` channel option. `expndisable` disables `EXPN` unconditionally. `expndefault` allows `EXPN` if the SMTP server is set to allow it (default). Expansion can be disabled on a per-list basis, but if it is disabled at the server level, the per-list settings are irrelevant.

DNS Domain Verification

Keywords: `mailfromdnsverify`, `nomailfromdnsverify`

Setting `mailfromdnsverify` on an incoming TCP/IP channel causes the MTA to verify that an entry in the DNS exists for the domain used on the `SMTP MAIL FROM` command and to reject the message if no such entry exists. The default, `nomailfromdnsverify`, means that no such check is performed. Note that performing

DNS checks on the return address domain may result in rejecting some desired valid messages (for instance, from legitimate sites that simply have not yet registered their domain name, or at times of bad information in the DNS); it is contrary to the spirit of being generous in what you accept and getting the e-mail through, expressed in RFC 1123, Requirements for Internet Hosts. However, some sites may desire to perform such checks in cases where unsolicited bulk email (UBE) is being sent with forged e-mail addresses from non-existent domains.

Because the introduction of DNS wildcard entries in the `COM` and `ORG` top-level domains has made `mailfromdnsverify` less useful, the `mailfromdnsverify` code has been modified. When the DNS returns one or more A records, these values are compared against the domain literals specified by the new MTA option `BLOCKED_MAIL_FROM_IPS`. If a match is found, the domain is considered to be invalid. In order to restore correct behavior the current correct setting is:

```
BLOCKED_MAIL_FROM_IPS=[64.94.110.11]
```

This option's value defaults to an empty string.

Character Set Labeling and Eight-Bit Data

Keywords: `charset7`, `charset8`, `charsetesc`, `sevenbit`, `eightbit`, `eightnegotiate`, `eightstrict`

Character Set Labeling

The MIME specification provides a mechanism to label the character set used in a plain text message. Specifically, a `charset=` parameter can be specified as part of the `Content-type:` header line. Various character set names are defined in MIME, including US-ASCII (the default), ISO-8859-1, ISO-8859-2, and many more that have been subsequently defined.

Some existing systems and user agents do not provide a mechanism for generating these character set labels; as a result, some plain text messages may not be properly labeled. The `charset7`, `charset8`, and `charsetesc` channel keywords provide a per-channel mechanism to specify character set names to be inserted into message headers which lack character set labelling. Each keyword requires a single argument giving the character set name. The names are not checked for validity. Note, however, that character set conversion can only be done on character sets specified in the character set definition file `charsets.txt` found in the MTA table directory. The names defined in this file should be used if possible.

The `charset7` character set name is used if the message contains only seven bit characters; the `charset8` character set name will be used if eight bit data is found in the message; `charsetesc` will be used if a message containing only seven bit data happens to contain escape characters also. If the appropriate keyword is not specified no character set name will be inserted into `Content-type:` header lines.

Note that the `charset8` keyword also controls the MIME encoding of 8-bit characters in message headers (where 8-bit data is unconditionally illegal). The MTA normally MIME-encodes any (illegal) 8-bit data encountered in message headers, labeling it as the UNKNOWN charset if no `charset8` value has been specified.

These character set specifications never override existing labels; that is, they have no effect if a message already has a character set label or is of a type other than text. It is usually appropriate to label MTA local channels as follows:

```
l ... charset7 US-ASCII charset8 ISO-8859-1 ...
hostname
```

If there is no `Content-type` header in the message, it is added. This keyword also adds the `MIME-version:` header line if it is missing.

The `charsetesc` keyword tends to be particularly useful on channels that receive unlabeled messages using Japanese or Korean character sets that contain the escape character.

Eight-Bit Data

Some transports restrict the use of characters with ordinal values greater than 127 (decimal). Most notably, some SMTP servers will strip the high bit and thus garble messages that use characters in this eight-bit range.

Messaging Server provides facilities to automatically encode such messages so that troublesome eight bit characters do not appear directly in the message. This encoding can be applied to all messages enqueued to a given channel by specifying the `sevenbit` keyword. A channel should be marked `eightbit` if no such restriction exists.

The SMTP protocol disallows `eightbit` “unless the remote SMTP server explicitly says it supports the SMTP extension allowing `eightbit`.” Some transports such as extended SMTP may actually support a form of negotiation to determine if eight bit characters can be transmitted. Therefore, the use of the `eightnegotiate` keyword is strongly recommended to instruct the channel to encode messages when negotiation fails. This is the default for all channels; channels that do not support negotiation will simply assume that the transport is capable of handling eight bit data.

The `eightstrict` keyword tells Messaging Server to reject any incoming messages with headers that contain illegal eight bit data.

Protocol Streaming

Keywords: `streaming`

Some mail protocols support streaming operations. This means that the MTA can issue more than one operation at a time and wait for replies to each operation to arrive in batches. The `streaming` keyword controls the degree of protocol streaming used in the protocol associated with a channel. This keyword requires an integer parameter; how the parameter is interpreted is specific to the protocol in use.

Under normal circumstances, the extent of streaming support available is negotiated using the SMTP pipelining extension. As such this keyword should never be used under normal circumstances.

The streaming values available range from 0 to 3. A value of 0 specifies no streaming, a value of 1 causes groups of RCPT TO commands to stream, a value of 2 causes MAIL FROM/RCPT TO to stream, and a value of 3 causes HELO/MAIL FROM/RCPT TO or RSET/MAIL FROM/RCPT TO streaming to be used. The default value is 0.

TCP/IP Connection and DNS Lookup Support

You can specify information about how the server handles TCP/IP connections and address lookups. This section describes the following:

- [“TCP/IP Port Number and Interface Address” on page 345](#)
- [“Caching for Channel Connection Information” on page 346](#)
- [“Reverse DNS Lookups” on page 346](#)
- [“IDENT Lookups” on page 347](#)
- [“TCP/IP MX Record Support” on page 348](#)
- [“Nameserver Lookups” on page 349](#)
- [“Last Resort Host” on page 349](#)
- [“Alternate Channels for Incoming Mail \(Switch Channels\)” on page 350](#)
- [“Target Host Choice” on page 350](#)

Table 12-5 lists the TCP/IP connection and DNS lookup keywords described in this section.

Table 12-5 TCP/IP Connection and DNS Lookup Keywords

Channel Keyword(s)	Description
Port Selection and Interface Address	
port	Specifies the default port number for SMTP connections. The standard port is 25.
interfaceaddress	Binds to the specified TCP/IP interface address.
Cache Keywords	
cacheeverything	Caches all connection information.
cachefailures	Caches only connection failure information.
cachesuccesses	Caches only connection success information.
nocache	Does not cache any connection information.
Reverse DNS Lookups	
forwardcheckdelete	If a reverse DNS lookup has been performed, next performs a forward lookup on the returned name to check that the returned IP number matches the original; if not, deletes the name and use the IP address.
forwardchecknone	Does not perform a forward lookup after a DNS reverse lookup.
forwardchecktag	If a reverse DNS lookup has been performed, next performs a forward lookup on the returned name to check that the returned IP number matches the original; if not, tags the name with *.
IDENT Lookups/DNS Reverse Lookups	
identnone	Does not perform IDENT lookups; does perform IP to hostname translation; includes both hostname and IP address in Received: header.
identnonelimited	Does not perform IDENT lookups; does perform IP to hostname translation, but does not use the hostname during channel switching; includes both hostname and IP address in Received: header.
identnonenumeric	Does not perform IDENT lookups or IP to hostname translation.
identnon symbolic	Does not perform IDENT lookups; does perform IP to hostname translation; includes only the hostname in Received: header.
identtcp	Performs IDENT lookups on incoming SMTP connections and IP to hostname translation; include both hostname and IP address in Received: header
identtcp limited	Performs IDENT lookups on incoming SMTP connections and IP to hostname translation, but do not use the hostname during channel switching. Includes both hostname and IP address in Received: header.
identtcp numeric	Performs IDENT lookups on incoming SMTP connections, but does not perform IP to hostname translation.

Table 12-5 TCP/IP Connection and DNS Lookup Keywords

Channel Keyword(s)	Description
identtcpsymbolic	Performs IDENT lookups on incoming SMTP connections and IP to hostname translation; includes only hostname in Received: header.
MX Record Support and TCP/IP Nameserver	Specifies whether and how the channel supports MX record lookups
mx	TCP/IP network and software supports MX records lookup.
nomx	TCP/IP network does not support MX lookups.
defaultmx	Channel determines whether to do MX lookups from network.
randommx	Does MX lookups; randomizes returned entries with equal precedence.
nonrandommx	Does MX lookups; does not randomize returned entries with equal precedence.
nameservers	Specifies a list of nameservers to consult rather than consulting the TCP/IP stack's own choice of nameservers; <code>nameservers</code> requires a space separated list of IP addresses for the nameservers.
defaultnameservers	Consults TCP/IP stack's choice of nameservers.
lastresort	Specifies a last resort host.
Switch keywords	Controls selection of alternate channels for incoming mail
allowswitchchannel	Allows switching to this channel from a <code>switchchannel</code> channel
noswitchchannel	Stays with the server channel; does not switch to the channel associated with the originating host; does not permit being switched to.
switchchannel	Switches from the server channel to the channel associated with the originating host.
tlsswitchchannel	Switches to another channel upon successful TLS negotiation.
saslswitchchannel	Switches to another channel when SASL authentication is successful.
Target Host Choice and Storage of Message Copies	Specifies a target host system and how message copies are stored.
daemon	Connects to a specific host system regardless of the envelope address.
single	Specifies that a separate copy of the message should be created for each destination address on the channel.
single_sys	Creates a single copy of the message for each destination system used.

TCP/IP Port Number and Interface Address

Keywords: port, interfaceaddress

The SMTP over TCP/IP channels normally connect to port 25 when sending messages. The `port` keyword can be used to instruct an SMTP over TCP/IP channel to connect to a nonstandard port. Note that this keyword complements the Dispatcher option `PORT`, which controls which ports the MTA listens on for accepting SMTP connections.

The `interfaceaddress` keyword controls the address to which a TCP/IP channel binds as the source address for outbound connections; that is, on a system with multiple interface addresses this keyword controls which address will be used as the source IP address when the MTA sends outgoing SMTP messages. Note that this keyword complements the Dispatcher option `INTERFACE_ADDRESS`, which controls which interface address a TCP/IP channel listens on for accepting incoming connections and messages.

Caching for Channel Connection Information

Keywords: `cacheeverything`, `nocache`, `cachefailures`, `cachesuccesses`

Channels using the SMTP protocol maintain a cache containing a history of prior connection attempts. This cache is used to avoid reconnecting multiple times to inaccessible hosts, which can waste lots of time and delay other messages. The cache is a per process cache and only persists during a single run of the outbound SMTP delivery channel.

The cache normally records both connection successes and failures. (Successful connection attempts are recorded in order to offset subsequent failures—a host that succeeded before but fails now doesn't warrant as long of a delay before making another connection attempt as does one that has never been tried or one that has failed previously.)

However, the caching strategy used by the MTA is not necessarily appropriate for all situations. Therefore channel keywords are provided to adjust the MTA cache.

The `cacheeverything` keyword enables all forms of caching and is the default. The `nocache` keyword disables all caching.

The `cachefailures` keyword enables caching of connection failures but not successes—this forces a somewhat more restricted retry than `cacheeverything` does. Finally, `cachesuccesses` caches only successes. This last keyword is effectively equivalent to `nocache` for SMTP channels.

Reverse DNS Lookups

Keywords: `forwardchecknone`, `forwardchecktag`, `forwardcheckdelete`

The `forwardchecknone`, `forwardchecktag`, and `forwardcheckdelete` channel keywords can modify the effects of doing reverse DNS lookups. These keywords can control whether the MTA does a forward lookup of an IP name found using a DNS reverse lookup, and if such forward lookups are requested, specify what the MTA does if the forward lookup of the IP name does not match the original IP number of the connection.

The `forwardchecknone` keyword is the default, and means that no forward lookup is done. The `forwardchecktag` keyword tells the MTA to do a forward lookup after each reverse lookup and to tag the IP name with an asterisk (*), if the number found using the forward lookup does not match that of the original connection. The `forwardcheckdelete` keyword tells the MTA to do a forward lookup after each reverse lookup and to ignore (delete) the reverse lookup returned name if the forward lookup of that name does not match the original connection IP address; in this case, the MTA uses the original IP address instead.

NOTE Having the forward lookup not match the original IP address is normal at many sites, where a more “generic” IP name is used for several different IP addresses.

IDENT Lookups

Keywords: `identnone`, `identnonelimited`, `identtnonnumeric`, `identnonesymbolic`, `identtcp`, `identtcpnumeric`, `identtcpsymbolic`, `identtcplimited`

The `IDENT` keywords control how the MTA handles connections and lookups using the `IDENT` protocol. The `IDENT` protocol is described in RFC 1413.

The `identtcp`, `identtcpsymbolic`, and `identtcpnumeric` keywords tell the MTA to perform a connection and lookup using the `IDENT` protocol. The information obtained from the `IDENT` protocol (usually the identity of the user making the SMTP connection) is inserted into the `Received:` header of the message as follows:

- `identtcp` inserts the host name corresponding to the incoming IP number, as reported from a DNS reverse lookup and the IP number itself.
- `identtcpsymbolic` inserts the host name corresponding to the incoming IP number, as reported from a DNS reverse lookup; the IP number itself is not included in the `Received:` header.
- `identtcpnumeric` inserts the actual incoming IP number—no DNS reverse lookup on the IP number is performed.

NOTE The remote system must be running an `IDENT` server for the `IDENT` lookup caused by `identtcp`, `identtcpsymbolic`, or `identtcpnumeric` to be useful.

Be aware that `IDENT` query attempts may incur a performance hit. Increasingly routers will “black hole” attempted connections to ports that they don’t recognize. If this happens on an `IDENT` query, then the MTA does not hear back until the connection times out (a TCP/IP stack controlled time-out, typically on the order of a minute or two).

Another performance factor occurs when comparing `identtcp`, `identtcplimited`, or `identtcpsymbolic` to `identtcpnumeric`. The DNS reverse lookup called for with `identtcp`, `identtcplimited`, or `identtcpsymbolic` incurs some additional overhead to obtain the more user-friendly host name.

The `identnone` keyword disables `IDENT` lookup, but does specify IP to host name translation, and both IP number and host name will be included in the `Received:` header for the message.

The `identnon symbolic` keyword disables `IDENT` lookup, but does do IP to host name translation; only the host name will be included in the `Received:` header for the message.

The `identnone numeric` keyword disables this `IDENT` lookup and inhibits the usual DNS reverse lookup translation of IP number to host name, and might result in a performance improvement at the cost of less user-friendly information in the `Received:` header. This is the default.

The `identtcplimited` and `identnone limited` keywords have the same effect as `identtcp` and `identnone`, respectively, as far as `IDENT` lookups, reverse DNS lookups, and information displayed in `Received:` header. Where they differ is that with `identtcplimited` or `identnone limited` the IP literal address is always used as the basis for any channel switching due to use of the `switchchannel` keyword, regardless of whether the DNS reverse lookup succeeds in determining a host name.

TCP/IP MX Record Support

Keywords: `mx`, `nomx`, `defaultmx`, `randommx`, `nonrandommx`

Some TCP/IP networks support the use of MX (mail forwarding) records and some do not. Some TCP/IP channel programs can be configured not to use MX records if they are not provided by the network that the MTA system is connected to. The `mx`, `nomx`, `defaultmx`, `randommx`, `nonrandommx` keywords control MX record support.

The keyword `randommx` specifies that MX lookups should be done and MX record values of equal precedence should be processed in random order. The keyword `nonrandommx` specifies that MX lookups should be done and MX values of equal precedence should be processed in the same order in which they were received.

The `mx` keyword is currently equivalent to `nonrandommx`; it might change to be equivalent to `randommx` in a future release. The `nomx` keyword disables MX lookups. The `defaultmx` keyword specifies that `mx` should be used if the network says that MX records are supported. The keyword `defaultmx` is the default on channels that support MX lookups in any form.

Nameserver Lookups

Keywords: `nameservers`, `defaultnameservers`

When name server lookups are being performed, the `nameservers` channel keyword may be used to specify a list of name servers to consult rather than consulting the TCP/IP stack's own choice of name servers. The `nameservers` keyword requires a space separated list of IP addresses for the name servers, as shown in the following example:

```
nameservers 1.2.3.1 1.2.3.2
```

The default, `defaultnameservers`, means use the TCP/IP stack's own choice of name servers.

To prevent name server lookups on UNIX, you can modify the `nsswitch.conf` file. On NT, modify the TCP/IP configuration.

Last Resort Host

Keywords: `lastresort`

The `lastresort` keyword is used to specify a host to connect to even when all other connection attempts fail. In effect this acts as an MX record of last resort. This is only useful on SMTP channels.

The keyword requires a single parameter specifying the name of the “system of last resort.” For example:

```
tcp_local_single_sys smtp mx lastresort mailhub.siroe.com
TCP-DAEMON
```

Alternate Channels for Incoming Mail (Switch Channels)

Keywords: `switchchannel`, `allowswitchchannel`, `noswitchchannel`. See also `saslswitchchannel` on 351, and `tlsswitchchannel` on 354

The following keywords control selection of an alternate channel for incoming mail: `switchchannel`, `allowswitchchannel`, `noswitchchannel`.

When the MTA accepts an incoming connection from a remote system, it must choose a channel with which to associate the connection. Normally this decision is based on the transfer used; for example, an incoming SMTP over TCP/IP connection is automatically associated with the `tcp_local` channel.

This convention breaks down, however, when multiple outgoing channels with different characteristics are used to handle different systems over the same transfer. When this happens, incoming connections are not associated with the same channel as outgoing connections, and the result is that the corresponding channel characteristics are not associated with the remote system.

The `switchchannel` keyword provides a way to eliminate this difficulty. If `switchchannel` is specified on the initial channel the server uses, the IP address of the connecting (originating) host will be matched against the channel table and if it matches the source channel will change accordingly. If no IP address match is found or if a match is found that matches the original default incoming channel, the MTA may optionally try matching using the host name found by doing a DNS reverse lookup. The source channel may change to any channel marked `switchchannel` or `allowswitchchannel` (the default). The `noswitchchannel` keyword specifies that no channel switching should be done to or from the channel.

Specification of `switchchannel` on anything other than a channel that a server associates with by default has no effect. At present, `switchchannel` only affects SMTP channels, but there are actually no other channels where `switchchannel` would be reasonable.

Target Host Choice

Keywords: `daemon`, `single`, `single_sys`

The interpretation and usage of the `daemon` keyword depends upon the type of channel to which it is applied.

The `daemon` keyword is used on SMTP channels to control the choice of a target host.

Normally, channels connect to whatever host is listed in the envelope address of the message being processed. The `daemon` keyword is used to tell the channel to instead connect to a specific remote system, generally a firewall or mail hub system, regardless of the envelope address. The actual remote system name should appear directly after the `daemon` keyword, as shown in the following example:

```
tcp_firewall smtp mx daemon firewall.acme.com
TCP-DAEMON
```

If the argument after the `daemon` keyword is not a fully qualified domain name, the argument will be ignored and the channel will connect to the channel's official host. The official host is the fully qualified hostname associated with the channel. This can be specified in the second line of a three line channel block:

```
tcp_firewall smtp mx daemon router
firewall.acme.com
TCP-DAEMON
```

The official host can also be specified after `TCP-DAEMON` in a two-line channel block so outbound connections will identify themselves as a particular host:

```
tcp_firewall smtp mx daemon router
TCP-DAEMON firewall.acme.com
```

When specifying the firewall or gateway system name as the official host name, the argument given to the `daemon` keyword is typically specified as `router`, as shown in the following example:

```
tcp_firewall smtp mx daemon router
firewall.acme.com
TCP-DAEMON
```

Other keywords of interest are `single` and `single_sys`. The `single` keyword specifies that a separate copy of the message should be created for each destination address on the channel. The `single_sys` keyword creates a single copy of the message for each destination system used. Note that at least one copy of each message is created for each channel the message is queued to, regardless of the keywords used.

SMTP Authentication, SASL, and TLS

Keywords: `maysaslserver`, `mustsaslseserver`, `nosasl`, `nosaslserver`, `saslswitchchannel`, `nosaslswitchchannel`)

You can control whether the Messaging Server supports authentication to the SMTP server using SASL (Simple Authentication and Security Layer). SASL is defined in RFC 2222 and for more information about SASL, SMTP authentication, and security is in [Chapter 19, “Configuring Security and Access Control”](#).

The `maysaslserver`, `mustsaslserver`, `nosasl`, `nosaslserver`, `switchchannel`, and `saslswitchchannel` channel keywords are used to configure SASL (SMTP AUTH) use during the SMTP protocol by SMTP channels such as TCP/IP channels.

`nosasl` is the default and means that SASL authentication is not permitted or attempted. It subsumes `nosaslserver`, which means that SASL authentication is not permitted. Specifying `maysaslserver` causes the SMTP server to permit clients to attempt to use SASL authentication. Specifying `mustsaslserver` causes the SMTP server to insist that clients use SASL authentication; the SMTP server does not accept messages unless the remote client successfully authenticates.

Use `saslswitchchannel` to cause incoming connections to be switched to a specified channel upon a client’s successful use of SASL. It takes a required value, specifying the channel to which to switch.

Using Authenticated Addresses from SMTP AUTH in Header

Keywords: `authrewrite`

The `authrewrite` channel keyword and associated `AUTH_REWRITE` mapping table allows modification of header and envelope addresses using addressing information obtained from authentication operations. Specifically, SASL authentication can be configured to provide an authorized email address. Normally the SMTP AUTH information is used, though this may be overridden via the `FROM_ACCESS` mapping. The `authrewrite` keyword takes a required bit value, according to [Table 12-6](#).

Table 12-6 `authrewrite` Bit Values

Bit	Value	Description
0	1	Don’t change anything (default)
1	2	Add either a Sender: or Resent-sender: header field containing the address provided by the authentication operation. The Resent-variant is used if other resent- fields are present.
2	4	Add a Sender: header field containing the address provided by the authentication operation.

Table 12-6 authrewrite Bit Values

Bit	Value	Description
3	8	<p>Construct a probe in a mapping table called AUTH_REWRITE of the form: <i>mail-from / sender / from / auth-sender</i></p> <p>where <i>mail-from</i> is the envelope From: address, <i>sender</i> is the address from the Sender: or Resent-sender: header field, <i>from</i> is the address from the From: or Resent-From: header field, and <i>auth-sender</i> is the address provided by the authentication operation.</p> <p>The result is run through the AUTH_REWRITE mapping. The mapping should return a list of items separated by vertical bars (). The items are consumed, in order, by the setting of the following flags:</p> <p>\$J \$K Replace the envelope From: address for the message</p> <p>\$Y \$T Add an appropriate Sender: or Resent-sender: header field.</p> <p>\$N Reject the message. Mapping result provides text of the error message. If no text is provided, invalid originator address used error message is displayed.</p> <p>\$Z Add an appropriate From: or Resent-from: header field. (Note that in general overriding a From: field is a very bad idea.)</p> <p>The Resent- variants are used if other Resent- fields are present in the header.</p>
4	16	<p>Apply AUTH_REWRITE mapping even when authentication has not provided an authenticated address. If the bit is clear, the mapping is only applied if an authenticated address is available.</p>
5	32	<p>Include the source channel at the beginning of the AUTH_REWRITE mapping probe. It is separated from the remaining information by a . If the bit is clear, the channel is not included.</p>

WARNING The \$Z flag should be highly restricted as there are few legitimate uses for modifying envelope and header addresses.

Specifying Microsoft Exchange Gateway Channels

Keywords: msexchange, nomsexchange

The `msexchange` channel keyword may be used on TCP/IP channels to tell the MTA that this is a channel that communicates with Microsoft Exchange gateways and clients. When placed on an incoming TCP/IP channel which has SASL enabled (via a `maysaslserver` or `mustsaslserver` keyword), it causes the MTA's SMTP server to advertise AUTH using an "incorrect" format (based upon the original ESMTP AUTH specification, which was actually incompatible with correct ESMTP usage, rather than the newer, corrected AUTH specification). Some Microsoft Exchange clients, for instance, does not recognize the correct AUTH format and only recognizes the incorrect AUTH format.

The `msexchange` channel keyword also causes advertisement (and recognition) of broken TLS commands.

`nomsexchange` is the default.

Transport Layer Security

Keywords: `maytls`, `maytlsclient`, `maytlsserver`, `musttls`, `musttlsclient`, `musttlsserver`, `notls`, `notlsclient`, `notlsserver`, `tlsswitchchannel`

The `maytls`, `maytlsclient`, `maytlsserver`, `musttls`, `musttlsclient`, `musttlsserver`, `notls`, `notlsclient`, `notlsserver`, and `tlsswitchchannel` channel keywords are used to configure TLS use during the SMTP protocol by SMTP based channels such as TCP/IP channels.

The default is `notls`, and means that TLS will not be permitted or attempted. It subsumes the `notlsclient` keyword, which means that TLS use will not be attempted by the MTA SMTP client on outgoing connections (the `STARTTLS` command will not be issued during outgoing connections) and the `notlsserver` keyword, which means that TLS use will not be permitted by the MTA SMTP server on incoming connections (the `STARTTLS` extension will not be advertised by the SMTP server nor the command itself accepted).

Specifying `maytls` causes the MTA to offer TLS to incoming connections and to attempt TLS upon outgoing connections. It subsumes `maytlsclient`, which means that the MTA SMTP client will attempt TLS use when sending outgoing messages, if sending to an SMTP server that supports TLS, and `maytlsserver`, which means that the MTA SMTP server will advertise support for the `STARTTLS` extension and will allow TLS use when receiving messages.

Note that for TLS to work, the following conditions must be in place:

- Protections/ownerships of the certificates have to be set so that the `mailsrv` account can access the files.

- The directory where the certificates are stored need to have protections/ownerships set such that the `mailsrv` account can access the files within that directory.

Specifying `musttls` will cause the MTA to insist upon TLS in both outgoing and incoming connections; email will not be exchanged with remote systems that fail to successfully negotiate TLS use. It subsumes `musttlsclient`, which means that the MTA SMTP client will insist on TLS use when sending outgoing messages and will not send to SMTP servers that do not successfully negotiate TLS use (the MTA will issue the `STARTTLS` command and that command must succeed). It also subsumes `musttlsserver`, which means that the MTA SMTP server will advertise support for the `STARTTLS` extension and will insist upon TLS use when receiving incoming messages and will not accept messages from clients that do not successfully negotiate TLS use.

The `tlsswitchchannel` keyword is used to cause incoming connections to be switched to a specified channel upon a client's successful TLS negotiation. It takes a required value, specifying the channel to which to switch.

Configuring Message Processing and Delivery

You can configure when the server attempts to deliver messages based on certain criteria. You can also specify parameters for job processing, such as processing limits for service jobs, or when to spawn a new SMTP channel thread. This section describes the following:

- [“Setting Channel Directionality” on page 357](#)
- [“Implementing Deferred Delivery Dates” on page 358](#)
- [“Specifying the Retry Frequency for Messages that Failed Delivery” on page 358](#)
- [“Processing Pools for Channel Execution Jobs” on page 360](#)
- [“Service Job Limits” on page 360](#)
- [“Message Priority Based on Size” on page 363](#)
- [“SMTP Channel Threads” on page 363](#)
- [“Expansion of Multiple Addresses” on page 364](#)
- [“Enable Service Conversions” on page 365](#)

For conceptual information on message processing and delivery, refer to [“The Job Controller” on page 194](#) and [“Job Controller File” on page 247](#).

[Table 12-7](#) summarizes the keywords described in this section.

Table 12-7 Message Processing and Delivery Keywords

Keyword	Definition
Immediate Delivery	
<code>immonurgent</code>	Starts delivery immediately after submission for urgent, normal, and non-urgent messages.
Channel Directionality	
<code>bidirectional</code>	Channel is served by a master and slave programs.
<code>master</code>	Channel is served by a master program (<code>master</code>).
<code>slave</code>	Channel is served by a slave program (<code>slave</code>).
Deferred Delivery	
<code>backoff</code>	Specifies the frequency for attempted redelivery of deferred messages. Can be overridden by <code>normalbackoff</code> , <code>nonurgentbackoff</code> , <code>urgentbackoff</code> .
<code>deferred</code>	Implements recognition and honoring of the <code>Deferred-delivery:</code> header line.
<code>nodeferred</code>	Default. Specifies that <code>Deferred-delivery:</code> header line not be honored.
<code>nonurgentbackoff</code>	The frequency for attempted redelivery of nonurgent messages.
<code>normalbackoff</code>	The frequency for attempted redelivery of normal messages.
<code>urgentbackoff</code>	The frequency for attempted redelivery of urgent messages.
Message Priority Based on Size	
<code>nonurgentblocklimit</code>	Forces messages above this size to lower than nonurgent priority (second class priority), meaning that the messages will always wait for the next periodic job for further processing.
<code>normalblocklimit</code>	Forces messages above this size to nonurgent priority.
<code>urgentblocklimit</code>	Forces messages above this size to normal priority.
Processing Pools for Channel Execution Jobs	
<code>pool</code>	Specifies the pool in which channels run.
<code>after</code>	Specifies a time delay before channels run.

Table 12-7 Message Processing and Delivery Keywords

Keyword	Definition
Service Job Limits	
	Specifies the number of service jobs and the maximum number of message files to handle per job
maxjobs	Specifies the maximum number of jobs that can be running concurrently for the channel.
filesperjob	Specifies the number of queue entries to be processed by a single job.
SMTP Channel Threads	
threaddepth	Number of messages triggering new thread with multithreaded SMTP client.
Multiple Address Expansion	
	Defines processing for messages with many recipients
expandlimit	Processes an incoming message “off-line” when the number of addressees exceeds this limit.
expandchannel	Specifies channel in which to perform deferred expansion due to application of expandlimit.
holdlimit	Holds an incoming message when the number of addresses exceeds this limit.
Transaction Limits	
	Specifies connection transaction limits
transactionlimit	Limits the number of messages allowed per connection.
Undeliverable Message Notifications	
	Specifies when undeliverable message notifications are sent.
notices	Specifies the amount of time that may elapse before notices are sent and messages returned.
nonurgentnotices	Specifies the amount of time that may elapse before notices are sent and messages returned for messages of non-urgent priority.
normalnotices	Specifies the amount of time that may elapse before notices are sent and messages returned for messages of normal priority.
urgentnotices	Specify the amount of time which may elapse before notices are sent and messages returned for messages of urgent priority.

Setting Channel Directionality

Keywords: master, slave, bidirectional

Three keywords are used to specify whether a channel is served by a master program (`master`), a slave program (`slave`), or both (`bidirectional`). The default, if none of these keywords are specified, is `bidirectional`. These keywords determine whether the MTA initiates delivery activity when a message is queued to the channel.

The use of these keywords reflects certain fundamental characteristics of the corresponding channel program or programs. The descriptions of the various channels the MTA supports indicate when and where these keywords should be used.

Implementing Deferred Delivery Dates

Keywords: `deferred`, `nodeferred`, `immonurgent`

The `deferred` channel keyword implements recognition and honoring of the `Deferred-delivery:` header line. Messages with a `deferred` delivery date in the future are held in the channel queue until they either expire and are returned or the deferred delivery date is reached. See RFC 1327 for details on the format and operation of the `Deferred-delivery:` header line.

The keyword `nodeferred` is the default. It is important to realize that while support for deferred message processing is mandated by RFC 1327, actual implementation of it effectively lets people use the mail system as an extension of their disk quota.

The keyword `immonurgent` starts delivery immediately after submission for urgent, normal, and non-urgent messages.

Specifying the Retry Frequency for Messages that Failed Delivery

Keywords: `backoff`, `nonurgentbackoff`, `normalbackoff`, `urgentbackoff`, `notices`

By default, the frequency of delivery retries for messages that have had delivery failures depends on the message's priority. The default intervals between delivery attempts (in minutes) is shown below. The first number after the priority indicates the number of minutes after the initial delivery failure that the first delivery retry is attempted:

`urgent`: 30, 60, 60, 120, 120, 120, 240
`normal`: 60, 120, 120, 240, 240, 240, 480
`nonurgent`: 120, 240, 240, 480, 480, 480, 960

For urgent messages, a retry is attempted 30 minutes after the initial delivery failure, 60 minutes after the first delivery retry, 60 minutes after the second retry, 120 minutes after the third and so on. Retries after the last specified attempt repeat at the same interval. Thus, for urgent messages, retries occur every 240 minutes.

Delivery attempts continue for a period of time specified by the `notices`, `nonurgentnotices`, `normalnotices`, or `urgentnotices` keywords. If a successful delivery cannot be made, a *delivery failure notification* is generated and the message is returned to sender. (For details on the `notices` keyword, see [“To Set Notification Message Delivery Intervals” on page 272.](#))

The backoff keywords allow you to specify customized sets of delivery retry intervals for messages of varying priorities. `nonurgentbackoff` specifies the intervals for nonurgent messages. `normalbackoff` specifies the intervals for normal messages. `urgentbackoff` specifies the intervals for urgent messages. If none of these keywords is specified, `backoff` specifies the intervals for all messages regardless of priority.

An example, is shown below:

```
urgentbackoff "pt30m" "pt1h" "pt2h" "pt3h" "pt4h" "pt5h" "pt8h" "pt16h"
```

Here, delivery retries of urgent messages is attempted 30 minutes after the initial delivery failure, one hour after the first delivery attempt (1 hour 30 minutes after initial failure), two hours after the second delivery attempt, three hours after the third, four hours after the fourth, five hours after the fifth, eight hours after the sixth, 16 hours after the seventh delivery attempt. Subsequent attempts are made every 16 hours until the period of time specified by the `notices` keyword. If a successful delivery cannot be made, a delivery failure notification is generated and the message is returned to sender. Note that the interval syntax is in ISO 8601P and is described in the *Sun Java System Messaging Server Administration Reference*.

In this next example,

```
normalbackoff "pt30m" "pt1h" "pt8h" "p1d" "p2d" "p1w"
```

a delivery retry of normal messages is attempted 30 minutes after the initial delivery failure, one hour after the first delivery attempt, eight hours after the second attempt, one day after the third, two days after the fourth, one week after the fifth and repeating each week until the period of time specified by the `notices` keyword. If a successful delivery cannot be made, a delivery failure notification is generated and the message is returned to sender.

In this final example,

```
backoff "pt30m" "pt120m" "pt16h" "pt36h" "p3d"
```

all failed message deliveries, regardless of message priority—unless overridden by `nonurgentbackoff`, `normalbackoff`, or `urgentbackoff`—will be retried 30 minutes after the initial delivery failure, two hours after the first retry attempt, 16 hours after the second attempt, 36 hours after the third, three days after the fourth and repeating every three days until the period of time specified by the `notices` keyword. If a successful delivery cannot be made, a delivery failure notification is generated and the message is returned to sender.

Processing Pools for Channel Execution Jobs

Keywords: `pool`

You can configure various channels to share resources by running within the same pool. You might want to configure other channels to run in pools dedicated to a particular channel. Within each pool, messages are automatically sorted into different processing queues according to message priority. Higher priority messages in the pool are processed before lower-priority messages. (See [“Message Priority Based on Size” on page 363.](#))

The pools where the jobs are created can be selected on a channel by channel basis by using the `pool` keyword. The `pool` keyword must be followed by the name of the pool to which delivery jobs for the current channel should be pooled. The name of the pool should not contain more than twelve characters.

For further information on Job Controller concepts and configuration, refer to [“Job Controller File” on page 247](#), [“The Job Controller” on page 194](#) and [“Service Job Limits” on page 360.](#))

Service Job Limits

Keywords: `maxjobs`, `filesperjob`

Each time a message is enqueued to a channel, the Job Controller ensures that there is a job running to deliver the message. This might involve starting a new job process, adding a thread, or simply noting that a job is already running. A single service job may not be sufficient to ensure prompt delivery of all messages, however. (For further information on Job Controller concepts and configuration, refer to [“Job Controller File” on page 247](#), [“Processing Pools for Channel Execution Jobs” on page 360](#) and [“The Job Controller” on page 194.](#))

For any given installation, there is a reasonable maximum number of processes and threads to be started for delivering messages. This maximum number depends on factors such as the number of processors, the speed of the disks, and the characteristics of the connections. In the MTA configuration, it is possible to control the following:

- The maximum number of processes to start running for a given channel (the `maxjobs` channel keyword)
- The maximum number of processes to start for a set of channels (the `JOB_LIMIT` parameter in the relevant pool section of the Job Controller configuration file)
- The number of queued messages received before a new thread or process is started (the `threaddepth` channel keyword)
- For some channels, the maximum number of threads that will run within a given delivery program (`max_client_threads` parameter in the channel option file)

The maximum number of processes to start running for a given channel is the minimum of the `maxjobs` set on the channel and the `JOB_LIMIT` set for the pool that the channel runs in.

Assume a message needs processing. In general, the Job Controller starts new processes as follows:

- If no process is running for a channel and the pool job limit has not been reached, then the Job Controller starts a new process.
- If a channel program is single-threaded or the thread limit has been reached and the backlog increases past a multiple of threads (specified with `threaddepth`) and neither the channel nor pool job limit has been reached, the Job Controller starts a new process
- If a channel program is multithreaded and the thread limit has not been reached and the backlog of messages increase past a multiple of `threaddepth`, a new thread is started.

For SMTP channels in particular, new threads or processes are started as messages are enqueued for different hosts. Thus, for SMTP channels, the Job Controller starts new processes as follows. Assume a message needs processing:

- If no process is running for an SMTP channel and the pool limit has not been reached, the Job Controller starts a new process.
- If the thread limit (`MAX_CLIENT_THREADS`) has been reached, a message is enqueued for a host not yet being serviced, and neither the channel (`maxjobs`) nor pool job limit (`JOB_LIMIT`) has been reached then a new process is started.

- If the thread limit has not been reached and a message is enqueued for a host not yet being serviced, then a new thread is started.
- If the thread limit has not been reached and a message is enqueued that takes the backlog of messages for that host increase past a multiple of `threaddepth`, a new thread is started.

See also [“SMTP Channel Threads” on page 363](#).

The `filesperjob` keyword can be used to cause the MTA to create additional service jobs. This keyword takes a single positive integer parameter which specifies how many queue entries (that is, files) must be sent to the associated channel before more than one service job is created to handle them. If a value less than or equal to zero is given it is interpreted as a request to queue only one service job. Not specifying a keyword is equivalent to specifying a value of zero. The effect of this keyword is maximized; the larger number computed will be the number of service jobs that are actually created.

The `filesperjob` keyword divides the number of actual queue entries or files by the given value. Note that the number of queue entries resulting from a given message is controlled by a large number of factors, including but not limited to the use of the `single` and `single_sys` keywords and the specification of header-modifying actions in mailing lists.

The `maxjobs` keyword places an upper bound on the total number of service jobs that can be running concurrently. This keyword must be followed by an integer value; if the computed number of service jobs is greater than this value only `maxjobs` jobs will actually be created. The default for this value if `maxjobs` is not specified is 100. Normally `maxjobs` is set to a value that is less than or equal to the total number of jobs that can run simultaneously in whatever service pool or pools the channel uses.

Setting Connection Transaction Limits

Keywords: `transactionlimit`

`transactionlimit` limits the number of messages allowed per connection. This can be used to thwart attackers in the following way:

An attacker can connect via SMTP and send many `RCPT TO` commands in an attempt to guess legitimate email addresses. Such an attack can be thwarted by limiting the number of invalid `RCPT TO`s allowed in a transaction. The attacker may respond by using multiple transactions, but with `transactionlimit` you can limit

the number of transaction allowed in an SMTP session. The attacker can use multiple sessions, but now his cost is getting prohibitive. Connection throttling can be used to limit the number of sessions in various ways making the cost really prohibitive in most cases.

This is not without cost our side, however. Some SMTP clients react badly to recipient limits, transaction limits, or both. Exceptions need to be made for these clients. But TCP channel options apply to the SMTP server unconditionally. The solution is to use channel keywords and `switchchannel` to route problematic agents to channels with larger limits.

Message Priority Based on Size

Keywords: `urgentblocklimit`, `normalblocklimit`, `nonurgentblocklimit`

The `urgentblocklimit`, `normalblocklimit`, and `nonurgentblocklimit` keywords may be used to instruct the MTA to downgrade the priority of messages based on size. These keywords affect the priority that the Job Controller applies when processing the message.

SMTP Channel Threads

Keywords: `threaddepth`,

The multithreaded SMTP client sorts outgoing messages to different destinations to different threads. The `threaddepth` keyword may be used to instruct the multithreaded SMTP client to handle only the specified number of messages in any one thread, using additional threads even for messages all to the same destination (hence normally all handled in one thread). The default for this keyword is 10.

Each time the backlog for a channel increases past a multiple of `threaddepth`, the Job Controller tries to increase the amount of processing dedicated to processing messages queued for that channel. For multithreaded channels, the Job Controller advises any job processing messages for that channel to start a new thread, or if all jobs have the maximum threads allowed for the channel (`MAX_CLIENT_THREADS` in the option for the `tcp_*` channels) it will start a new process. For single-threaded channels it will start new process. Note that the Job Controller will not start a new job if the job limit for the channel (`maxjobs`) or the pool (`JOB_LIMIT`) has been reached.

Essentially, `threaddepth` controls how aggressive jobs are scheduled. Let's consider two different situations:

- (1) a normal (outbound) SMTP channel
- (2) a forward-to-a-smart-host SMTP channel

The job controller sorts messages destined for a particular channel by the destination host, and it schedules the jobs to process messages based on the backlog on these destinations hosts.

In the first instance, there will be a large number of destination hosts and the backlog for most of them will be small. There will be lots of threads running and everything should work well, except, perhaps, for destination hosts like aol, yahoo, hotmail, and so on, where there can be a large amount of traffic. With a thread depth of 128, you'd only get a second thread delivering to yahoo once the backlog reached 128. This is not desirable.

In the second instance, there is only the one destination host and having many threads delivering to that host are desirable. If anything, the default value of 10 could be too small.

Use of `threaddepth` may be of particular interest for achieving multithreading on a daemon router TCP/IP channel—a TCP/IP channel that connects to a single specific SMTP server—when the SMTP server to which the channel connects can handle multiple simultaneous connections.

Expansion of Multiple Addresses

Keywords: `expandlimit`, `expandchannel`, `holdlimit`

Most channels support the specification of multiple recipient addresses in the transfer of each inbound message. The specification of many recipient addresses in a single message may result in delays in message transfer processing (online delays). If the delays are long enough, network time-outs can occur, which in turn can lead to repeated message submission attempts and other problems.

The MTA provides a special facility to force deferred (offline) processing if more than a given number of addresses are specified for a single message. Deferral of message processing can decrease on-line delays enormously. Note, however, that the processing overhead is deferred, not avoided completely.

This special facility is activated by using a combination of, for instance, the generic `reprocessing channel` and the `expandlimit` keyword. The `expandlimit` keyword takes an integer argument that specifies how many addresses should be accepted in messages coming from the channel before deferring processing. The default value is infinite if the `expandlimit` keyword is not specified. A value of 0 will force deferred processing on all incoming addresses from the channel.

The `expandlimit` keyword must not be specified on the local channel or the `reprocessing` channel itself; the results of such a specification are unpredictable.

The channel actually used to perform the deferred processing may be specified using the `expandchannel` keyword; the `reprocessing` channel is used by default, if `expandchannel` is not specified, but use of some other reprocessing or processing channel may be useful for special purposes. If a channel for deferred processing is specified via `expandchannel`, that channel should be a reprocessing or processing channel; specification of other sorts of channels may lead to unpredictable results.

The `reprocessing` channel, or whatever channel is used to perform the deferred processing, must be added to the MTA configuration file in order for the `expandlimit` keyword to have any effect. If your configuration was built by the MTA configuration utility, then you should already have a reprocessing channel.

Extraordinarily large lists of recipient addresses are often a characteristic of unsolicited bulk email. The `holdlimit` keyword tells the MTA that messages coming in the channel that result in more than the specified number of recipients should be marked as `.HELD` messages and enqueued to the `reprocess` channel (or to whatever channel is specified via the `expandchannel` keyword). The files will sit unprocessed in the `reprocess` queue awaiting manual intervention by the MTA postmaster.

Enable Service Conversions

Keywords: `service`, `noservice`

The `service` keyword unconditionally enables service conversions regardless of `CHARSET-CONVERSION` entry. If the `noservice` keyword is set, service conversions for messages coming into this channel must be enabled via `CHARSET-CONVERSION`.

Configuring Address Handling

This section describes keywords that deal with address handling. It consists of the following sections:

- [“Enable Service Conversions” on page 365](#)
- [“Address Types and Conventions” on page 366](#)
- [“Interpreting Addresses that Use ! and %” on page 367](#)
- [“Adding Routing Information in Addresses” on page 368](#)

- “Disabling Rewriting of Explicit Routing Addresses” on page 369
- “Address Rewriting Upon Message Dequeue” on page 370
- “Specifying a Host Name to Use When Correcting Incomplete Addresses” on page 370
- “Legalizing Messages Without Recipient Header Lines” on page 371
- “Stripping Illegal Blank Recipient Headers” on page 372
- “Enabling Channel-Specific Use of the Reverse Database” on page 372
- “Enabling Restricted Mailbox Encoding” on page 373
- “Generating of Return-path: Header Lines” on page 373
- “Constructing Received: Header Lines from Envelope To: and From: Addresses” on page 374
- “Handling Comments in Address Header Lines” on page 374
- “Handling Personal Names in Address Header Lines” on page 375
- “Specifying Alias File and Alias Database Probes” on page 376
- “Subaddress Handling” on page 376
- “Enabling Channel-specific Rewrite Rules Checks” on page 377
- “Removing Source Routes” on page 378
- “Specifying Address Must be from an Alias” on page 378

Address Types and Conventions

Keywords: 822, 733, uucp, header_822, header_733, header_uucp

This group of keywords control what types of addresses the channel supports. A distinction is made between the addresses used in the transport layer (the message envelope) and those used in message headers.

822 (sourceroute)

Source route envelope addresses. This channel supports full RFC 822 format envelope addressing conventions including source routes. The keyword `sourceroute` is also available as a synonym for 822. This is the default if no other envelope address type keyword is specified.

733 (percents)

Percent sign envelope addresses. This channel supports full RFC 822 format envelope addressing with the exception of source routes; source routes should be rewritten using percent sign conventions instead. The keyword `percents` is also available as a synonym for `733`.

NOTE Use of `733` address conventions on an SMTP channel results in these conventions being carried over to the transport layer addresses in the SMTP envelope. This may violate RFC 821. Only use `733` address conventions when you are sure they are necessary.

uucp (bangstyle)

Bang-style envelope addresses. This channel uses addresses that conform to RFC 976 bang-style address conventions in the envelope (for example, this is a UUCP channel). The keyword `bangstyle` is also available as a synonym for `uucp`.

header_822

Source route header addresses. This channel supports full RFC 822 format header addressing conventions including source routes. This is the default if no other header address type keyword is specified.

header_733

Percent sign header addresses. This channel supports RFC 822 format header addressing with the exception of source routes; source routes should be rewritten using percent sign conventions instead.

NOTE Use of `733` address conventions in message headers may violate RFC 822 and RFC 976. Only use this keyword if you are sure that the channel connects to a system that cannot deal with source route addresses.

header_uucp

UUCP or bang-style header addresses. The use of this keyword is not recommended. Such usage violates RFC 976.

Interpreting Addresses that Use ! and %

Keywords: `bangoverpercent`, `nobangoverpercent`, `percentonly`

Addresses are always interpreted in accordance with RFC 822 and RFC 976. However, there are ambiguities in the treatment of certain composite addresses that are not addressed by these standards. In particular, an address of the form `A!B%C` can be interpreted as either:

- `A` as the routing host and `C` as the final destination host

or

- `C` as the routing host and `A` as the final destination host

While RFC 976 implies that mailers can interpret addresses using the latter set of conventions, it does not say that such an interpretation is required. Some situations may be better served by the former interpretation.

The `bangoverpercent` keyword forces the former `A!(B%C)` interpretation. The `nobangoverpercent` keyword forces the latter `(A!B)%C` interpretation. `nobangoverpercent` is the default.

NOTE This keyword does not affect the treatment of addresses of the form `A!B@C`. These addresses are always treated as `(A!B)@C`. Such treatment is mandated by both RFC 822 and RFC 976.

The `percentonly` keyword ignores bang paths. When this keyword is set, percents are interpreted for routing.

Adding Routing Information in Addresses

Keywords: `exproute`, `noexproute`, `improute`, `noimproute`

The addressing model that the MTA deals with assumes that all systems are aware of the addresses of all other systems and how to get to them. Unfortunately, this ideal is not possible in all cases, such as when a channel connects to one or more systems that are not known to the rest of the world (for example, internal machines on a private TCP/IP network). Addresses for systems on this channel may not be legal on remote systems outside of the site. If you want to be able to reply to such addresses, they must contain a source route that tells remote systems to route messages through the local machine. The local machine can then (automatically) route the messages to these machines.

The `exproute` keyword (short for “explicit routing”) tells the MTA that the associated channel requires explicit routing when its addresses are passed on to remote systems. If this keyword is specified on a channel, the MTA adds routing information containing the name of the local system (or the current alias for the local system) to all header addresses and all envelope `From:` addresses that match the channel. `noexproute`, the default, specifies that no routing information should be added.

The `EXPROUTE_FORWARD` option can be used to restrict the action of `exproute` to backward-pointing addresses. Another scenario occurs when the MTA connects to a system through a channel that cannot perform proper routing for itself. In this case, all addresses associated with other channels need to have routing indicated when they are used in mail sent to the channel that connects to the incapable system.

Implicit routing and the `improute` keyword is used to handle this situation. The MTA knows that all addresses matching other channels need routing when they are used in mail sent to a channel marked `improute`. The default, `noimproute`, specifies that no routing information should be added to addresses in messages going out on the specified channel. The `IMPROUTE_FORWARD` option can be used to restrict the action of `improute` to backward-pointing addresses.

The `exproute` and `improute` keywords should be used sparingly. They make addresses longer, more complex, and may defeat intelligent routing schemes used by other systems. Explicit and implicit routing should not be confused with specified routes. Specified routes are used to insert routing information from rewrite rules into addresses. This is activated by the special `A@B@C` rewrite rule template.

Specified routes, when activated, apply to all addresses, both in the header and the envelope. Specified routes are activated by particular rewrite rules and as such are usually independent of the channel currently in use. Explicit and implicit routing, on the other hand, are controlled on a per-channel basis and the route address inserted is always the local system.

Disabling Rewriting of Explicit Routing Addresses

Keywords: `routelocal`

The `routelocal` channel keyword causes the MTA, when rewriting an address to the channel, to attempt to “short circuit” any explicit routing in the address. Explicitly routed addresses (using `!`, `%`, or `@` characters) are simplified.

Use of this keyword on “internal” channels, such as internal TCP/IP channels, can allow simpler configuration of SMTP relay blocking.

Note that this keyword should not be used on channels that may require explicit % or other routing.

Address Rewriting Upon Message Dequeue

Keywords: `connectalias`, `connectcanonical`

The MTA normally rewrites addresses as it enqueues messages to its channel queues. No additional rewriting is performed during message dequeue. This presents a potential problem when host names change while there are messages in the channel queues still addressed to the old name.

The `connectalias` keyword tells the MTA to deliver to whatever host is listed in the recipient address. This is the default. The keyword `connectcanonical` tells the MTA to connect to the host alias for the system that to which the MTA would be connected.

Specifying a Host Name to Use When Correcting Incomplete Addresses

Keywords: `remotehost`, `noremotehost`, `defaulthost`, `nodefaulthost`

The MTA often receives addresses that do not contain domain names from misconfigured or in-compliant mailers and SMTP clients. The MTA attempts to make such addresses legal before allowing them to pass further. The MTA does this by appending a domain name to the address (for example, appends `@siroe.com` to `mrochek`).

For envelope `To:` addresses missing a domain name, the MTA always assumes that the local host name should be appended. However for other addresses, such as `From:` addresses, in the case of the MTA SMTP server there are at least two reasonable choices for the domain name: the local MTA host name and the remote host name reported by the client SMTP. Or in some cases, there may be yet a third reasonable choice—a particular domain name to add to messages coming in that channel. Now, either of these two first choices are likely to be correct as both may occur operationally with some frequency. The use of the remote host’s domain name is appropriate when dealing with improperly configured SMTP clients. The use of the local host’s domain name may be appropriate when dealing with a lightweight remote mail client such as a POP or IMAP client that uses SMTP to post

messages. Or if lightweight remote mail clients such as POP or IMAP, clients should have their own specific domain name which is not that of the local host. Then add that specific other domain name may be appropriate. The best that the MTA can do is to allow the choice to be made on a channel by channel basis.

The `noremotehost` channel keyword specifies that the local host's name should be used. The keyword `noremotehost` is the default.

The `defaulthost` channel keyword is used to specify a particular host name to append to incoming bare user id's. It must be followed by the domain name to use in completing addresses (in envelope `From:` and in headers) that come into that channel. (In the case of submit channels, the `defaulthost` keyword's first argument also affects bare envelope `To:` addresses.) An optional second domain name (that has at least one period in it) may be specified to use in completing envelope `To:` addresses. `nodefaulthost` is the default.

The `switchchannel` keyword as described, in the preceding section, "[Alternate Channels for Incoming Mail \(Switch Channels\)](#)" on page 350 can be used to associate incoming SMTP connections with a particular channel. This facility can be used to group remote mail clients on a channel where they can receive proper treatment. Alternatively, it is simpler to deploy standards-compliant remote mail clients (even if a multitude of noncompliant clients are in use) rather than attempting to fix the network-wide problem on your MTA hosts.

Legalizing Messages Without Recipient Header Lines

Keywords: `missingrecipientpolicy`

RFC 822 (Internet) messages are required to contain recipient header lines: `To:`, `Cc:`, or `Bcc:` header lines. A message without such header lines is illegal. Nevertheless, some broken user agents and mailers (for example, many older versions of `sendmail`) emit illegal messages.

The `missingrecipientpolicy` keyword takes an integer value specifying the approach to use for such messages; the default value, if the keyword is not explicitly present, is 1 (pass the illegal message through unchanged).

Table 12-8 `missingrecipientpolicy` Values

Value	Action
0	Place envelope <code>To:</code> recipients in a <code>To:</code> header line.
1	Pass the illegal message through unchanged.

Table 12-8 missingrecipientpolicy Values

Value	Action
2	Place envelope To: recipients in a To: header line.
3	Place all envelope To: recipients in a single Bcc: header line.
4	Generate a group construct (for example, “;”) To: header line, “To: Recipients not specified: ;”
5	Generate a blank Bcc: header line.
6	Reject the message.

Note that the `MISSING_RECIPIENT_POLICY` option can be used to set an MTA system default for this behavior. The initial Messaging Server configuration sets `MISSING_RECIPIENT_POLICY` to 1.

Stripping Illegal Blank Recipient Headers

Keywords: `dropblank`, `nodropblank`

In RFC 822 (Internet) messages, any `To:`, `Resent-To:`, `Cc:`, or `Resent-Cc:` header is required to contain at least one address—such a header may not have a blank value. Nevertheless, some mailers may emit such illegal headers. The `dropblank` channel keyword, if specified on a source channel, causes the MTA to strip any such illegal blank headers from incoming messages.

Enabling Channel-Specific Use of the Reverse Database

Keywords: `reverse`, `noreverse`

The `reverse` keyword tells the MTA that addresses in messages queued to the channel should be checked against, and possibly modified, by the address reversal database or `REVERSE` mapping, if either exists. `noreverse` exempts addresses in messages queued to the channel from address reversal processing. The `reverse` keyword is the default. Refer to [“To Convert Addresses from an Internal Form to a Public Form” on page 257](#) for more information.

Enabling Restricted Mailbox Encoding

Keywords: `restricted`, `unrestricted`

Some mail systems have difficulty dealing with the full spectrum of addresses allowed by RFC 822. A particularly common example of this is sendmail-based mailers with incorrect configuration files. Quoted local-parts (or mailbox specifications) are a frequent source of trouble:

```
"smith, ned"@siroe.com
```

This is such a major source of difficulty that a methodology was laid out in RFC 1137 to work around the problem. The basic approach is to remove quoting from the address, then apply a translation that maps the characters requiring quoting into characters allowed in an atom (see RFC 822 for a definition of an atom as it is used here). For example, the preceding address would become:

```
smith#m#_ned@siroe.com
```

The `restricted channel` keyword tells the MTA that the channel connects to mail systems that require this encoding. The MTA then encodes quoted local-parts in both header and envelope addresses as messages are written to the channel. Incoming addresses on the channel are decoded automatically. The `unrestricted` keyword tells the MTA not to perform RFC 1137 encoding and decoding. The keyword `unrestricted` is the default.

NOTE The `restricted` keyword should be applied to the channel that connects to systems unable to accept quoted local-parts. It should not be applied to the channels that actually generate the quoted local-parts. (It is assumed that a channel capable of generating such an address is also capable of handling such an address.)

Generating of Return-path: Header Lines

Keywords: `addreturnpath`, `noaddreturnpath`

Normally, adding the `Return-path:` header line is the responsibility of a channel performing a final delivery. But for some channels, like the `ims-ms` channel, it is more efficient for the MTA to add the `Return-path:` header rather than allowing the channel to perform add it. The `addreturnpath` keyword causes the MTA to add a `Return-path:` header when enqueueing to this channel.

Constructing Received: Header Lines from Envelope To: and From: Addresses

Keywords: `receivedfor`, `noreceivedfor`, `receivedfrom`, `noreceivedfrom`

The `receivedfor` keyword instructs the MTA that if a message is addressed to just one envelope recipient, to include that envelope To: address in the Received: header line it constructs. The keyword `receivedfor` is the default. The `noreceivedfor` keyword instructs the MTA to construct Received: header lines without including any envelope addressee information.

The `receivedfrom` keyword instructs the MTA to include the original envelope From: address when constructing a Received: header line for an incoming message if the MTA has changed the envelope From: address due to, for example, certain sorts of mailing list expansions. `receivedfrom` is the default. The `noreceivedfrom` keyword instructs the MTA to construct Received: header lines without including the original envelope From: address.

Handling Comments in Address Header Lines

Keywords: `commentinc`, `commentmap`, `commentomit`, `commentstrip`, `commenttotal`, `sourcecommentinc`, `sourcecommentmap`, `sourcecommentomit`, `sourcecommentstrip`, `sourcecommenttotal`

The MTA interprets the contents of header lines only when necessary. However, all registered header lines containing addresses must be parsed to rewrite and eliminate short form addresses and otherwise convert them to legal addresses. During this process, comments (strings enclosed in parentheses) are extracted and may be modified or excluded when the header line is rebuilt.

This behavior is controlled by the use of the `commentinc`, `commentmap`, `commentomit`, `commentstrip`, and `commenttotal` keywords. The `commentinc` keyword tells the MTA to retain comments in header lines. It is the default. The keyword `commentomit` tells the MTA to remove any comments from addressing headers, for example, To:, From:, or Cc: header lines.

The keyword `commenttotal` tells the MTA to remove any comments from all header lines, except Received: header lines; this keyword is not normally useful or recommended. `commentstrip` tells the MTA to strip any nonatomic characters from all comment fields. The `commentmap` keyword runs comment strings through the COMMENT_STRINGS mapping table.

On source channels, this behavior is controlled by the use of the `sourcecommentinc`, `sourcecommentmap`, `sourcecommentomit`, `sourcecommentstrip`, and `sourcecommenttotal` keywords. The `sourcecommentinc` keyword indicates to the MTA to retain comments in header lines. It is the default. The `sourcecommentomit` keyword indicates to the MTA to remove any comments from addressing headers, for example, To:, From:, and Cc: headers. The `sourcecommenttotal` keyword indicates to the MTA to remove any comments from all headers, except Received: headers; as such, this keyword is not normally useful or recommended. And finally, the `sourcecommentstrip` keyword indicates to the MTA to strip any nonatomic characters from all comment fields. The `sourcecommentmap` keyword runs comment strings through source channels.

These keywords can be applied to any channel.

The syntax for the COMMENT_STRINGS mapping table is as follows:

```
(comment_text) | address
```

If the entry template sets the \$Y flag, the original comment is replaced with the specified text (which should include the enclosing parentheses).

Handling Personal Names in Address Header Lines

Keywords: `personalinc`, `personalmap`, `personalomit`, `personalstrip`, `sourcepersonalinc`, `sourcepersonalmap`, `sourcepersonalomit`, `sourcepersonalstrip`

During the rewriting process, all header lines containing addresses must be parsed in order to rewrite and eliminate short form addresses and otherwise convert them to legal addresses. During this process personal names (strings preceding angle-bracket-delimited addresses) are extracted and can be optionally modified or excluded when the header line is rebuilt.

This behavior is controlled by the use of the `personalinc`, `personalmap`, `personalomit`, and `personalstrip` keywords. The keyword `personalinc` tells the MTA to retain personal names in the headers. It is the default. The keyword `personalomit` tells the MTA to remove all personal names. The keyword `personalstrip` tells the MTA to strip any nonatomic characters from all personal name fields. The `personalmap` keyword indicates to the MTA to run the personal names through the PERSONAL_NAMES mapping table.

On source channels, this behavior is controlled by the use of a `sourcepersonalinc`, `sourcepersonalmap`, `sourcepersonalomit`, or `sourcepersonalstrip` keyword. The `sourcepersonalinc` keyword indicates to the MTA to retain personal names in the headers. It is the default. The `sourcepersonalomit` keyword indicates to the MTA to remove all personal names. And finally, the `sourcepersonalstrip` indicates to the MTA to strip any nonatomic characters from all personal name fields. The `sourcepersonalmap` keyword indicates to the MTA to run the personal names through source channels.

These keywords can be applied to any channel.

The syntax of the `PERSONAL_NAMES` mapping table probes is:

```
personal_name | address
```

If the template sets the `$Y` flag, the original personal name is replaced with the specified text.

Specifying Alias File and Alias Database Probes

Keywords: `aliaslocal`

Normally only addresses rewritten to the local channel (that is, the `l` channel on UNIX) are looked up in the alias file and alias database. The `aliaslocal` keyword may be placed on a channel to cause addresses rewritten to that channel to be looked up in the alias file and alias database also. The exact form of the lookup probes that are made is then controlled by the `ALIAS_DOMAINS` option.

Subaddress Handling

Keywords: `subaddressexact`, `subaddressrelaxed`, `subaddresswild`

As background regarding the concept of subaddresses, the native and `ims-ms` channels interpret a `+` character in the local portion of an address (the mailbox portion) specially: in an address of the form `name+subaddress@domain` the MTA considers the portion of the mailbox after the plus character a subaddress. The native channel treats a subaddress as additional cosmetic information and actually deliver to the account name, without regard to the subaddress; the `ims-ms` channel interprets the subaddress as the folder name to which to deliver.

Subaddresses also affect the lookup of aliases by the local channel (that is, the L channel on UNIX) and the lookup of aliases by any channel marked with the `aliaslocal` keyword, and the lookup of mailboxes by the directory channel. The exact handling of subaddresses for such matching is configurable: when comparing an address against an entry, the MTA always first checks the entire mailbox including the subaddress for an exact match; whether or not the MTA performs additional checks after that is configurable.

The `subaddressexact` keyword instructs the MTA to perform no special subaddress handling during entry matching; the entire mailbox, including the subaddress, must match an entry in order for the alias to be considered to match. No additional comparisons (in particular, no wildcard comparisons or comparisons with the subaddress removed) are performed. The `subaddresswild` keyword instructs the MTA that after looking for an exact match including the entire subaddress, the MTA should next look for an entry of the form `name+*`. The `subaddressrelaxed` keyword instructs the MTA that after looking for an exact match and then a match of the form `name+*`, that the MTA should make one additional check for a match on just the name portion. With `subaddressrelaxed`, an alias entry of the following form matches either `name` or `name+subaddress`, transforming a plain name to `newname`, and transforming `name+subaddress` to `newname+subaddress`. The `subaddressrelaxed` keyword is the default.

```
name:    newname+*
```

Thus the `subaddresswild` keyword or the `subaddressrelaxed` keyword may be useful when aliases or a directory channel are in use yet users wish to receive mail addressed using arbitrary subaddresses. These keywords obviate the need for a separate entry for every single subaddress variant on an address.

Note that these keywords only make sense for the local channel (that is, the L channel on UNIX) and the directory channel, or any channel marked with the `aliaslocal` keyword.

Standard Messaging Server configurations rely upon the L channel indeed having `subaddressrelaxed` behavior (the default, when other keywords have not been explicitly used).

Enabling Channel-specific Rewrite Rules Checks

Keywords: `rules`, `norules`

The `rules` keyword tells the MTA to enforce channel-specific rewrite rule checks for this channel. This is the default. The `norules` keyword tells the MTA not to check for this channel. These two keywords are usually used for debugging and are rarely used in actual applications.

Removing Source Routes

Keywords: `dequeue_removertime`

The `dequeue_removertime` keyword removes source routes from envelope `To:` addresses as messages are dequeued. This keyword is currently only implemented on `tcp-*` channels. It is useful for transferring messages to systems that do not handle source routes correctly.

Specifying Address Must be from an Alias

Keywords: `viaaliasoptional`, `viaaliasrequired`

`viaaliasrequired` specifies that any final recipient address that matches the channel must be produced by an alias. A final recipient address refers to the match after alias expansion (if relevant) has been performed. The address cannot be handed directly to the MTA as a recipient address; that is, it is not sufficient for an address to merely rewrite to the channel. After rewriting to the channel, an address must also expand through an alias to be considered to have truly matched the channel.

The `viaaliasrequired` keyword may be used, for example, on the local channel to prevent delivery to arbitrary accounts (such as arbitrary native Berkeley mailboxes on a UNIX system).

The default is `viaaliasoptional`, which means that the final recipient addresses that match the channel are not required to be produced by an alias.

Configuring Header Handling

This section describes keywords that deal with header and envelope information. It consists of the following sections:

- [“Rewriting Embedded Headers” on page 379](#)
- [“Removing Selected Message Header Lines” on page 379](#)
- [“Generating/Removing X-Envelope-to: Header Lines” on page 381](#)

- “Converting Date to Two- or Four-Digits” on page 381
- “Specifying Day of Week in Date” on page 381
- “Automatic Splitting of Long Header Lines” on page 382
- “Header Alignment and Folding” on page 382
- “Specifying Maximum Length Header” on page 383
- “Sensitivity Checking” on page 383
- “Setting Default Language in Headers” on page 384

Rewriting Embedded Headers

Keywords: `noinner`, `inner`

The contents of header lines are interpreted only when necessary. However, MIME messages can contain multiple sets of message headers as a result of the ability to imbed messages within messages (message/RFC822). The MTA normally only interprets and rewrites the outermost set of message headers. The MTA can optionally be told to apply header rewriting to inner headers within the message as well.

This behavior is controlled by the use of the `noinner` and `inner` keywords. The keyword `noinner` tells the MTA not to rewrite inner message header lines. It is the default. The keyword `inner` tells the MTA to parse messages and rewrite inner headers. These keywords can be applied to any channel.

Removing Selected Message Header Lines

Keywords: `headertrim`, `noheadertrim`, `headerread`, `noheaderread`, `innertrim`, `noinnertrim`

The MTA provides per-channel facilities for trimming or removing selected message header lines from messages. This is done through a combination of a channel keyword and an associated header option file or two. Header option file format is described in the MTA chapter of the *Sun Java System Messaging Server Administration Reference*.

The `headertrim` keyword instructs the MTA to consult a header option file associated with the channel and to trim the headers on messages queued to that destination channel accordingly, *after the original message headers are processed*. The `noheadertrim` keyword bypasses header trimming. The keyword `noheadertrim` is the default.

The `innertrim` keyword instructs the MTA to perform header trimming on inner message parts, that is, embedded MESSAGE/RFC822 parts, as well. The `noinnertrim` keyword, which is the default, tells the MTA not to perform any header trimming on inner message parts.

The `headerread` keyword instructs the MTA to consult a header option file associated with the channel and to trim the headers on messages enqueued by that source channel accordingly, *before the original message headers are processed*. Note that `headertrim` header trimming, on the other hand, is applied after the messages have been processed and is the destination channel, rather than the source channel. The `noheaderread` keyword bypasses message enqueue header trimming. `noheaderread` is the default.

Unlike the `headeromit` and `headerbottom` keywords, the `headertrim` and `headerread` keywords may be applied to any channel whatsoever. Note, however, that stripping away vital header information from messages may cause improper operation of the MTA. Be extremely careful when selecting headers to remove or limit. This facility exists because there are occasional situations where selected header lines must be removed or otherwise limited.

CAUTION Stripping away header information from messages may cause improper operation of the MTA. Be careful when selecting headers to remove or limit. These keywords are provided for the rare situations where selected header lines must be removed or limited. Before trimming or removing any header line, you must understand the usage of that header line and have considered the possible implications of its removal.

Header options files for the `headertrim` and `innertrim` keywords have names of the form `channel_headers.opt` with `channel`, the name of the channel with which the header option file is associated. Similarly, header options files for the `headerread` keyword have names of the form `channel_read_headers.opt`. These files are stored in the MTA configuration directory, `instance_root/imta/config/`.

Generating/Removing X-Envelope-to: Header Lines

Keywords: `x_env_to`, `nox_env_to`

The `x_env_to` and `nox_env_to` keywords control the generation or suppression of X-Envelope-to header lines on copies of messages queued to a specific channel. On channels that are marked with the `single` keyword, the `x_env_to` keyword enables generation of these headers while the `nox_env_to` removes such headers from enqueued messages. The default is `nox_env_to`.

The `x_env_to` keyword also requires the `single` keyword in order to take effect.

Converting Date to Two- or Four-Digits

Keywords: `datefour`, `datetwo`

The original RFC 822 specification called for two-digit years in the date fields in message headers. This was later changed to four digits by RFC 1123. However, some older mail systems cannot accommodate four-digit dates. In addition, some newer mail systems can no longer tolerate two-digit dates.

NOTE Systems that cannot handle both formats are in violation of the standards.

The `datefour` and `datetwo` keywords control the MTA's processing of the year field in message header dates. The keyword `datefour`, the default, instructs the MTA to expand all year fields to four digits. Two-digit dates with a value less than 50 have 2000 added, while values greater than 50 have 1900 added.

CAUTION The keyword `datetwo` instructs the MTA to remove the leading two digits from four-digit dates. This is intended to provide compatibility with noncompliant mail systems that require two digit dates; it should never be used for any other purpose.

Specifying Day of Week in Date

Keywords: `dayofweek`, `nodayofweek`

The RFC 822 specification allows for a leading day of the week specification in the date fields in message headers. However, some systems cannot accommodate day of the week information. This makes some systems reluctant to include this information, even though it is quite useful information to have in the headers.

The `dayofweek` and `nodayofweek` keywords control the MTA's processing of day of the week information. The keyword `dayofweek`, the default, instructs the MTA to retain any day of the week information and to add this information to date and time headers if it is missing.

CAUTION The keyword `nodayofweek` instructs the MTA to remove any leading day of the week information from date and time headers. This is intended to provide compatibility with in-compliant mail systems that cannot process this information properly; it should never be used for any other purpose.

Automatic Splitting of Long Header Lines

Keywords: `maxheaderaddr`s, `maxheaderchar`s

Some message transfers, notably some sendmail implementations, cannot process long header lines properly. This often leads not just to damaged headers but to erroneous message rejection. Although this is a gross violation of standards, it is nevertheless a common problem.

The MTA provides per-channel facilities to split (break) long header lines into multiple, independent header lines. The `maxheaderaddr`s keyword controls how many addresses can appear on a single line. The `maxheaderchar`s keyword controls how many characters can appear on a single line. Both keywords require a single integer parameter that specifies the associated limit. By default, no limit is imposed on the length of a header line nor on the number of addresses that can appear.

Header Alignment and Folding

Keywords: `headerlabelalign`, `headerlinelength`

The `headerlabelalign` keyword controls the alignment point for message headers enqueued on this channel; it takes an integer-valued argument. The alignment point is the margin where the contents of headers are aligned. For example, sample header lines with an alignment point of 10 might look like this:

```
To:      joe@siroe.com
From:    mary@siroe.com
Subject: Alignment test
```

The default `headerlabelalign` is 0, which causes headers not to be aligned. The `headerlinelength` keyword controls the length of message header lines enqueued on this channel. Lines longer than this are folded in accordance with RFC 822 folding rules.

These keywords only control the format of the headers of the message in the message queue; the actual display of headers is normally controlled by the user agent. In addition, headers are routinely reformatted as they are transferred across the Internet, so these keywords may have no visible effect even when used in conjunction with simple user agents that do not reformat message headers.

Specifying Maximum Length Header

Keywords: `maxprocchars`

Processing of long header lines containing lots of addresses can consume significant system resources. The `maxprocchars` keyword is used to specify the maximum length header that the MTA can process and rewrite. Messages with headers longer than this are still accepted and delivered; the only difference is that the long header lines are not rewritten in any way. A single integer argument is required. The default is processing headers of any length.

Sensitivity Checking

Keywords: `sensitivitynormal`, `sensitivitypersonal`, `sensitivityprivate`, `sensitivitycompanyconfidential`

The sensitivity checking keywords set an upper limit on the sensitivity of messages that can be accepted by a channel. The default is `sensitivitycompanyconfidential`; messages of any sensitivity are allowed through. A message with no `Sensitivity:` header is considered to be of normal, that is, the lowest, sensitivity. Messages with a higher sensitivity than that specified by such a keyword is rejected when enqueued to the channel with an error message:

```
message too sensitive for one or more paths used
```

Note that the MTA does this sort of sensitivity checking at a per-message, not per-recipient, level: if a destination channel for one recipient fails the sensitivity check, then the message bounces for all recipients, not just for those recipients associated with the sensitive channel.

Setting Default Language in Headers

Keywords: `language`

Encoded words in headers can have a specific language. The `language` keyword specifies the default language.

Attachments and MIME Processing

This section describes keywords that deal with attachments and MIME processing. It consists of the following sections:

- [“Ignoring the Encoding: Header Line” on page 384](#)
- [“Automatic Defragmentation of Message/Partial Messages” on page 385](#)
- [“Automatic Fragmentation of Large Messages” on page 386](#)
- [“Imposing Message Line Length Restrictions” on page 387](#)

Ignoring the Encoding: Header Line

Keywords: `ignoreencoding`, `interpretencoding`

The MTA can convert various nonstandard message formats to MIME using the `Yes` `CHARSET-CONVERSION`. In particular, the RFC 1154 format uses a nonstandard `Encoding: header line`. However, some gateways emit incorrect information on this header line, with the result that sometimes it is desirable to ignore this header line. The `ignoreencoding` keyword instructs the MTA to ignore any `Encoding: header line`.

NOTE Unless the MTA has a `CHARSET-CONVERSION` enabled, such headers are ignored in any case. The `interpretencoding` keyword instructs the MTA to pay attention to any `Encoding: header line`, if otherwise configured to do so, and is the default.

Automatic Defragmentation of Message/Partial Messages

Keywords: `defragment`, `nodefragment`

The MIME standard provides the message/partial content type for breaking up messages into smaller parts. This is useful when messages have to traverse networks with size limits, or traverse unreliable networks where message fragmentation can provide a form of “checkpointing,” allowing for less subsequent duplication of effort when network failures occur during message transfer. Information is included in each part so that the message can be automatically reassembled after it arrives at its destination.

The `defragment` channel keyword and the defragmentation channel provide the means to reassemble messages in the MTA. When a channel is marked `defragment`, any partial messages queued to the channel are placed in the defragmentation channel queue instead. After all the parts have arrived, the message is rebuilt and sent on its way. The `nodefragment` disables this special processing. The keyword `nodefragment` is the default.

Defragmentation Channel Retention Time

Messages are retained in the defragment channel queue only for a limited time. When one half of the time before the first nondelivery notice is sent has elapsed, the various parts of a message will be sent on without being reassembled. This choice of time value eliminates the possibility of a nondelivery notification being sent about a message in the defragment channel queue.

The `notices` channel keyword controls the amount of time that can elapse before nondelivery notifications are sent, and hence also controls the amount of time messages are retained before being sent on in pieces. Set the `notices` keyword value to twice the amount of time you wish to retain messages for possible defragmentation. For example, a `notices` value of 4 would cause retention of message fragments for two days:

```
defragment notices 4
DEFRAGMENT-DAEMON
```

Automatic Fragmentation of Large Messages

Keywords: `maxblocks`, `maxlines`

Some email systems or network transfers cannot handle messages that exceed certain size limits. The MTA provides facilities to impose such limits on a channel-by-channel basis. Messages larger than the set limits are automatically split (fragmented) into multiple, smaller messages. The content type used for such fragments is `message/partial`, and a unique ID parameter is added so that parts of the same message can be associated with one another and, possibly, be automatically reassembled by the receiving mailer.

The `maxblocks` and `maxlines` keywords are used to impose size limits beyond which automatic fragmentation are activated. Both of these keywords must be followed by a single integer value. The keyword `maxblocks` specifies the maximum number of blocks allowed in a message. An MTA block is normally 1024 bytes; this can be changed with the `BLOCK_SIZE` option in the MTA option file. The keyword `maxlines` specifies the maximum number of lines allowed in a message. These two limits can be imposed simultaneously if necessary.

Message headers are, to a certain extent, included in the size of a message. Because message headers cannot be split into multiple messages, and yet they themselves can exceed the specified size limits, a rather complex mechanism is used to account for message header sizes. This logic is controlled by the `MAX_HEADER_BLOCK_USE` and `MAX_HEADER_LINE_USE` options in the MTA option file.

`MAX_HEADER_BLOCK_USE` is used to specify a real number between 0 and 1. The default value is 0.5. A message's header is allowed to occupy this much of the total number of blocks a message can consume (specified by the `maxblocks` keyword). If the message header is larger, the MTA takes the product of `MAX_HEADER_BLOCK_USE` and `maxblocks` as the size of the header (the header size is taken to be the smaller of the actual header size and `maxblocks`) * `MAX_HEADER_BLOCK_USE`.

For example, if `maxblocks` is 10 and `MAX_HEADER_BLOCK_USE` is the default, 0.5, any message header larger than 5 blocks is treated as a 5-block header, and if the message is 5 or fewer blocks in size it is not fragmented. A value of 0 causes headers to be effectively ignored insofar as message-size limits are concerned.

A value of 1 allows headers to use up all of the size that's available. Each fragment always contains at least one message line, regardless of whether or not the limits are exceeded by this. `MAX_HEADER_LINE_USE` operates in a similar fashion in conjunction with the `maxlines` keyword.

Imposing Message Line Length Restrictions

Keywords: `linelength`

The SMTP specification allows for lines of text containing up to 1000 bytes. However, some transfers may impose more severe restrictions on line length. The `linelength` keyword provides a mechanism for limiting the maximum permissible message line length on a channel-by-channel basis. Messages queued to a given channel with lines longer than the limit specified for that channel are automatically encoded.

The various encodings available in the MTA always result in a reduction of line length to fewer than 80 characters. The original message may be recovered after such encoding is done by applying an appropriating decoding filter.

NOTE Encoding can only reduce line lengths to fewer than 80 characters. Specification of line length values less than 80 may not actually produce lines with lengths that comply with the stated restriction.

The `linelength` keyword causes encoding of data to perform “soft” line wrapping for transport purposes. The encoding is normally decoded at the receiving side so that the original “long” lines are recovered. For “hard” line wrapping, see the “Record, text” `CHARSET-CONVERSION`.

Limits on Messages, Quotas, Recipients, and Authentica Attempts

This section describes keywords that set size limits on messages, user quotas, and privileges. It consists of the following sections:

- “Limits on Unsuccessful Authentication Attempts” on page 388
- “Specifying Absolute Message Size Limits” on page 388
- “Retargeting Messages Exceeding Limit on Size or Recipients” on page 389
- “Handling Mail Delivery to Over Quota Users” on page 391
- “Handling SMTP Mail with Lines Exceeding 1000 Characters” on page 392
- “Controlling the Length of General and Filename Content-type and Content-disposition Parameters” on page 392
- “Limiting Message Recipients” on page 392
- “Limiting Header Size” on page 393

Limits on Unsuccessful Authentication Attempts

Keywords: `disconnectbadauthlimit`

This keyword can be used to place a limit on the number of unsuccessful authentication attempts that will be allowed in a session before the session is disconnected. The default value for this option is 3.

Specifying Absolute Message Size Limits

Keywords: `blocklimit`, `noblocklimit`, `linelimit`, `nolinelimit`, `sourceblocklimit`

Although fragmentation can automatically break messages into smaller pieces, it is appropriate in some cases to reject messages larger than some administratively defined limit, (for example, to avoid service denial attacks).

The `blocklimit`, `linelimit`, and `sourceblocklimit` keywords are used to impose absolute size limits. Each of these keywords must be followed by a single integer value.

The keyword `blocklimit` specifies the maximum number of blocks allowed in a message. The MTA rejects attempts to queue messages containing more blocks than this to the channel. An MTA block is normally 1024 bytes; this can be changed with the `BLOCK_SIZE` option in the MTA option file.

The keyword `sourceblocklimit` specifies the maximum number of blocks allowed in an incoming message. The MTA rejects attempts to submit a message containing more blocks than this to the channel. In other words, `blocklimit` applies to destination channels; `sourceblocklimit` applies to source channels. An MTA block is normally 1024 bytes; this can be changed with the `BLOCK_SIZE` option in the MTA option file.

Source block limits can also be specified on a per sender basis by specifying a user LDAP attribute with the MTA option `LDAP_SOURCEBLOCKLIMIT`, and adding this attribute to the senders LDAP entry. Source block limits are also supported based on the sender's domain. Specify a domain LDAP attribute with the MTA option `LDAP_DOMAIN_ATTR_SOURCEBLOCKLIMIT`, and adding this attribute to the sender's domain LDAP entry. There are no defaults for either of these values.

The keyword `linelimit` specifies the maximum number of lines allowed in a message. The MTA rejects attempts to queue messages containing more than this number of lines to the channel. The keywords, `blocklimit` and `linelimit`, can be imposed simultaneously, if necessary.

The MTA options `LINE_LIMIT` and `BLOCK_LIMIT` can be used to impose similar limits on all channels. These limits have the advantage that they apply across all channels. Therefore, the MTA servers can make them known to mail clients prior to obtaining message recipient information. This simplifies the process of message rejection in some protocols.

The `nolinelimit` and `noblocklimit` channel keywords are the default and mean that no limits are imposed, other than any global limits imposed via the `LINE_LIMIT` or `BLOCK_LIMIT` MTA options.

Retargeting Messages Exceeding Limit on Size or Recipients

Keywords: `alternatechannel`, `alternateblocklimit`, `alternatelinelimit`, `alternaterecipientlimit`

The MTA provides the ability to retarget messages that exceed a specified limit on the number of recipients, message size, or message lines to an alternate destination channel. This is implemented as a set of the following channel keywords `alternatechannel`, `alternateblocklimit`, `alternatelinelimit`, and `alternaterecipientlimit` that can be placed on any destination channel. The `alternatechannel` keyword takes a single argument specifying the name of the

alternate channel to use. The other keywords each accept an integer argument specifying a corresponding threshold. A message that exceeds any of these thresholds will be enqueued to the alternate channel instead of the original destination channel.

In the following channel block example, large messages over 5,000 blocks, that would have gone out the `tcp_local` channel to the Internet, instead go out the `tcp_big` channel:

```
tcp_local smtp ... rest of keywords ... alternatechannel tcp_big
alternateblocklimit 5
tcp-daemon
```

```
tcp_big smtp ... rest of keywords . . .
tcp-big-daemon
```

Here are some examples of how the `alternate*` channel keywords can be used:

- If you want to deliver large messages at a delayed or an off-hours time, you can control when the `alternatechannel` (for example, `tcp_big`) runs.

One method is to use the `imsimta qm` utility's `STOP channel_name` and `START channel_name` commands, executing these commands periodically via your own custom periodic job that is run by the Job Controller or via a `cron` job.

- When you want the Job Controller to process large messages or messages with many recipients in their own pool, you might also use the `alternatechannel`.

You can separate small messages or messages with few recipients from the large messages or messages with many recipients, since the latter might take longer for remote SMTP servers to process and accept; you might not want the larger messages to delay delivery of the smaller messages.

Note that the Job Controller's regular scheduling of messages and assigning of messages to threads and processes are acceptable in most configurations.

- When you want to set special TCP/IP channel time-out values for large messages or for messages with many recipients, you can use the `alternatechannel`.

In particular, setting special TCP/IP channel time-out values can be helpful if you want to send messages to remote hosts that take exceptionally long to receive large messages or messages with many recipients.

Note that the default automatic time-out adjustment should be sufficient for most configurations. At most, you might want to adjust the values from the defaults and not use a special channel. In particular, see the channel options `STATUS_DATA_RECV_PER_ADDR_TIME` and `STATUS_DATA_RECV_PER_BLOCK_TIME` in the *Messaging Server Reference Manual*.

- When you want special MIME message fragmentation for especially large messages, you can use the `alternatechannel` and the `alternateblocklimit` channel keywords along with the `maxblocks` channel keyword.

Typically, you would put the desired `maxblocks` size on your regular outbound TCP/IP channels, when you want to fragment messages over a specified size. The `maxblocks` channel keyword is normally both the threshold at which to perform fragmentation and the size to make the fragments.

But, if you want to have a larger threshold trigger and make smaller actual fragments, you can use the `alternatechannel` and `alternateblocklimit` on the outbound TCP/IP channel. You can then use the `maxblock` size on your alternate channel to fragment messages over a particular size.

- You might use the `alternatechannel` in conjunction with special filtering. For instance, a message with many recipients might need more careful scrutiny of its content in case it is spam. You might want to do different filtering based on the outgoing channel (See the `destinationfilter` channel keyword in the *Sun Java System Messaging Server Administration Reference*.)

If you are performing relatively resource-intensive scanning (such as virus filtering) via the conversion channel, very large messages might have a resource issue. You might want to use an alternate conversion channel. Or, you might want to do special conversion procedures within the regular conversion channel, based on the outgoing channel.

- You can use the `alternatechannel` when you want large outgoing messages to go out their own channel, so that they stand out when you analyze the `mail.log*` file or in counters displays.

Furthermore, if you are trying to do careful analysis of delivery statistics, it is useful to process large messages in their own channel. This is because large messages or messages with many recipients that are sent to remote SMTP hosts are likely to take longer to finish processing, thus creating different delivery statistics for larger messages than for typical messages.

Handling Mail Delivery to Over Quota Users

Keywords: `holdexquota`, `noexquota`

The `noexquota` and `holdexquota` keywords control the handling of messages addressed to Berkeley mailbox users (UNIX), that is, users delivered to uid the native channel, who have exceeded their disk quotas.

`noexquota` tells the MTA to return messages addressed to over quota users to the message's sender. `holdexquota` tells the MTA to hold messages to over quota users; such messages remain in the MTA queue until they can either be delivered or they time out and are returned to their sender by the message return job.

Handling SMTP Mail with Lines Exceeding 1000 Characters

Keywords: `rejectsmtplonglines`, `wrapsmtplonglines`, `truncatesmtplonglines`

`rejectsmtplonglines` adds the option of rejecting messages that contain lines longer than the 1000 characters (including CRLF) that SMTP allows. The other options in this area are `wrapsmtplonglines`, which wraps overly long lines, and the default `truncatesmtplonglines`, which truncates overly long lines. Both of these keywords must be applied to the initial channel used for submission (such as `tcp_local`). It will not affect any channel that is switched to subsequently.

Controlling the Length of General and Filename Content-type and Content-disposition Parameters

Keywords: `parameterlengthlimit` and `nameparameterlengthlimit`

`parameterlengthlimit` controls the points at which general content-type and content-disposition parameters are truncated. It defaults to 1024.

`nameparameterlengthlimit` controls the points at which the name content-type and the filename content-disposition parameters are truncated. It defaults to 128. Note that only the outermost message header is processed unless MIME processing is being performed on the message. MIME processing can be enabled in a variety of ways including, but not limited to, the `inner` keyword or the use of charset conversions.

Limiting Message Recipients

Keywords: `recipientlimit` and `recipientcutoff`

`recipientlimit` specifies the total number of recipient addresses that will be accepted for the message. `recipientcutoff` compares the total number of recipients that were presented to the MTA to the specified value. No message will be accepted for delivery if the limit if the value is exceeded. Both keywords accept a single integer argument. The default for both infinite unless the corresponding channel keyword is specified.

Recipient limits can also be set on a sender or sender's domain. This is done by specifying a user or domain LDAP attribute with the appropriate MTA option: `LDAP_RECIPIENTLIMIT`, `LDAP_RECIPIENTCUTOFF`, `LDAP_DOMAIN_ATTR_RECIPIENTLIMIT`, `LDAP_DOMAIN_ATTR_RECIPIENTCUTOFF`, and adding the attribute to the sender's user entry or domain entry.

Limiting Header Size

Keywords: `headerlimit`

Imposes a limit on the maximum size of the primary (outermost) message header. The primary message headers are silently truncated when the limit is reached. If the global MTA option, `HEADER_LIMIT`, is set, it overrides this channel-level limit. Default is no limit.

File Creation in the MTA Queue

This section describes keywords that allow you to control disk resources by specifying file creation in the MTA queue. It consists of the following sections:

- [“Controlling How Multiple Addresses on a Message are Handled” on page 393](#)
- [“Spreading a Channel Message Queue Across Multiple Subdirectories” on page 394](#)

Controlling How Multiple Addresses on a Message are Handled

Keywords: `multiple`, `addrspersfile`, `single`, `single_sys`

The MTA allows multiple destination addresses to appear in each queued message. Some channel programs may only be able to process messages with one recipient, or with a limited number of recipients, or with a single destination system per message copy. For example, the SMTP channels master program establishes a connection only to a single remote host in a given transaction, so only addresses to that host can be processed (this, despite the fact, that a single channel is typically used for all SMTP traffic).

Another example is that some SMTP servers may impose a limit on the number of recipients they can handle at one time, and they may not be able to handle this type of error.

The keywords `multiple`, `addrsperfile`, `single`, and `single_sys` can be used to control how multiple addresses are handled. The keyword `single` means that a separate copy of the message should be created for each destination address on the channel. The keyword `single_sys` creates a single copy of the message for each destination system used. The keyword `multiple`, the default, creates a single copy of the message for the entire channel.

NOTE At least one copy of each message is created for each channel the message is queued to, regardless of the keywords used.

The `addrsperfile` keyword is used to put a limit on the maximum number of recipients that can be associated with a single message file in a channel queue, thus limiting the number of recipients that are processed in a single operation. This keyword requires a single-integer argument specifying the maximum number of recipient addresses allowed in a message file; if this number is reached, the MTA automatically creates additional message files to accommodate them. (The default `multiple` keyword corresponds in general to imposing no limit on the number of recipients in a message file, however the SMTP channel defaults to 99.)

Spreading a Channel Message Queue Across Multiple Subdirectories

Keywords: `subdirs`

By default, all messages queued to a channel are stored as files in the directory `/imta/queue/channel-name`, where *channel-name* is the name of the channel. However, a channel that handles a large number of messages and tends to build up a large store of message files waiting for processing, for example, a TCP/IP channel, may

get better performance out of the file system if those message files are spread across a number of subdirectories. The `subdirs` channel keyword provides this capability: it should be followed by an integer that specifies the number of subdirectories across which to spread messages for the channel, for example:

```
tcp_local single_sys smtp subdirs 10
```

Setting Session Limits

Keywords: `disconnectbadcommandlimit`, `disconnectrecipientlimit`, `disconnectrejectlimit`, `disconnecttransactionlimit`

Four new channel keywords provide the ability to cause the SMTP server to disconnect from the client after some number of errors have been detected:

`disconnectrecipientlimit` - Limits the number of session recipients.

`disconnectrejectlimit` - Limits the number of rejected recipients.

`disconnecttransactionlimit` - Limits the number of transactions.

`disconnectbadcommandlimit` - Limits the number of bad commands.

These are all session limits. With the exception of `disconnectbadcommandlimit`, all of these limits are checked when a `MAIL FROM` or `RSET` command is issued. If any of them have been exceeded, the server will issue a 4xy error and disconnect. The bad command limit differs only in being checked when a bad command is issued.

Configuring Logging and Debugging

This section describe logging and debugging keywords.

- [“Logging Keywords” on page 395](#)
- [“Debugging Keywords” on page 396](#)
- [“Setting Loopcheck” on page 396](#)

Logging Keywords

Keywords: `logging`, `nologging`, `logheader`

The MTA provides facilities for logging each message as it is enqueued and dequeued. The `logging` and `nologging` keywords control logging for messages on a per-channel basis. By default, the initial configuration turns on logging for all channels. You can disable logging for a particular channel by substituting the `nologging` keyword in the channel definition.

`logheader` overrides the `LOG_HEADER` MTA option on a per channel basis. A value of 0 (the default) disables message header logging. See the *Sun Java System Messaging Server Administration Reference* for more information.

For more information about logging, see [Chapter 21, “Managing Logging”](#).

Debugging Keywords

Keywords: `master_debug`, `slave_debug`, `nomaster_debug`, `noslave_debug`

Some channel programs include optional code to assist in debugging by producing additional diagnostic output. Two channel keywords are provided to enable generation of this debugging output on a per-channel basis. The keywords are `master_debug`, which enables debugging output in master programs, and `slave_debug`, which enables debugging output in slave programs. Both types of debugging output are disabled by default, corresponding to `nomaster_debug` and `noslave_debug`.

When activated, debugging output ends up in the log file associated with the channel program. The location of the log file may vary from program to program. Log files are usually kept in the log directory. Master programs usually have log file names of the form `x_master.log`, where `x` is the name of the channel. Slave programs usually have log file names of the form `x_slave.log`.

On UNIX, when `master_debug` and `slave_debug` are enabled for the `l` channel, users then receive `imta_sendmail.log-uniqueid` files in their current directory (if they have write access to the directory; otherwise, the debug output goes to `stdout`.) containing MTA debug information.

Setting Loopcheck

Keywords: `loopcheck`, `noloopcheck`

The `loopcheck` keyword places a string into the SMTP EHLO response banner in order for the MTA to check if it is communicating with itself. When `loopcheck` is set, the SMTP server advertises an `XLOOP` extension.

When it communicates with an SMTP server supporting XLOOP, the MTA's SMTP client compares the advertised string with the value of its MTA and immediately bounce the message if the client is in fact communicating with the SMTP server.

Miscellaneous Keywords

This section describes miscellaneous keywords. It consists of the following sections:

- [“Channel Operation Type” on page 397](#)
- [“Pipe Channel” on page 398](#)
- [“Specifying Mailbox Filter File Location” on page 398](#)
- [“Spam Filter Keywords” on page 399](#)
- [“Routing After Address Validation But Before Expansion” on page 399](#)
- [“NO-SOLICIT SMTP Extension Support” on page 403](#)
- [“Setting Limits on Bad RCPT TO: Addresses” on page 403](#)

Process Channel Overrides

Keywords: `notificationchannel`, `dispositionchannel`

These keywords override the process channel as the place to initially queue delivery status notifications (DSNs) and message disposition notifications (MDNs), respectively. If the named channel does not exist, Messaging Server resumes using the process channel.

`notificationchannel` overrides the process channel as the place to initially queue delivery status notifications (DSNs). If the named channel does not exist, Messaging Server resumes using the process channel.

`dispositionchannel` overrides the process channel as the place to initially queue message disposition notifications (MDNs). If the named channel does not exist, Messaging Server resumes using the process channel.

Channel Operation Type

Keywords: `submit`

Messaging Server supports RFC 2476's Message Submission protocol. The `submit` keyword may be used to mark a channel as a submit-only channel. This is normally useful mostly on TCP/IP channels, such as an SMTP server run on a special port used solely for submitting messages; RFC 2476 establishes port 587 for such message submission use.

Pipe Channel

Keywords: `user`

The `user` keyword is used on pipe channels to indicate under what user name to run.

Note that the argument to `user` is normally forced to lowercase, but original case is preserved if the argument is quoted.

Specifying Mailbox Filter File Location

Keywords: `filter`, `nofilter`, `channelfilter`, `nochannelfilter`, `destinationfilter`, `nodestinationfilter`, `sourcefilter`, `nosourcefilter`, `fileinto`, `nofileinto`)

The `filter` keyword may be used on the native and `ims-ms` channels to specify the location of user filter files for that channel. It takes a required URL argument describing the filter file location. `nofilter` is the default and means that a user mailbox filters are not enabled for the channel.

The `sourcefilter` and `destinationfilter` keywords may be used on general MTA channels to specify a channel-level filter to apply to incoming and outgoing messages, respectively. These keywords take a required URL argument describing the channel filter file location. `nosourcefilter` and `nodestinationfilter` are the defaults and mean that no channel mailbox filter is enabled for either direction of the channel.

The obsolete `channelfilter` and `nochannelfilter` keywords are synonyms for `destinationfilter` and `nodestinationfilter`, respectively.

The `fileinto` keyword, currently supported only for the `ims-ms` and LMTP channels, specifies how to alter an address when a mailbox filter `fileinto` operator is applied. For `ims-ms` channels, the usual usage is:

```
fileinto $U+$S@$D
```

The above specifies that the folder name should be inserted as a sub-address into the original address, replacing any originally present sub-address.

For LMTP channels, the usual usage is:

```
fileinto @$40:$U+$S@$D
```

where \$40 is a 4 and the letter O, not the number zero.

Spam Filter Keywords

Keywords: `destinationspamfilterXoptin`, `sourcespamfilterXoptin`

`destinationspamfilterXoptin` specifies that all messages destined to this channel are run through filtering software X. (Filtering software X is defined by `spamfilterX_library` in `option.dat.`) The filter parameters follow the keyword and the available parameters depend on the filtering program.

`sourcespamfilterXoptin` specifies that all messages originating from this channel are run through filtering software X. (Filtering software X is defined by `spamfilterX_library` in `option.dat.`) The system-wide default parameters follow the keyword and the available parameters depend on the filtering program. If `switchchannel` is in effect, this keyword is placed on the switched-to channel.

For complete details on how these keywords are used, see [“To Specify Channel-level Filtering” on page 448.](#)

Routing After Address Validation But Before Expansion

Keywords: `aliasdetourhost`

`aliasdetourhost` allows source-channel-specific overriding of a hosted user’s `mailHost` attribute value. In particular, `aliasdetourhost` is commonly used to achieve a “detour” in the routing of messages destined for local (hosted on this system) users to a separate host for some kind of processing. A message can be verified (the address is a legitimate local address) on the original host, detoured to the processing host, and then returned to the original host for expansion and delivery.

`aliasdetourhost` allows better configuration and use of “intermediate filtering” sorts of channels and third party filtering hosts. `aliasdetourhost` is usually used in addition to use of an alternate conversion channel. `aliasdetourhost` is used to affect the routing for the local (hosted on this system) users, while an alternate conversion channel is used to affect the routing for remote recipients.

The argument for `aliasdetourhost` is a host or domain name, or a host/domain specification. (Note that rewrite rules can handle host names, IP literal addresses, and channel tags, which are implicitly considered to be host names.) If specified on a source channel, the keyword causes alias expansion of addresses stored in LDAP to stop just prior to the point where mailhost information is checked (after conversion tag information has been processed). At that point the message will be sent to the `aliasdetourhost` value and the address is treated as successfully completed, but before alias expansion and after address validation.

An example of where `aliasdetourhost` can be used to circumvent various problems associated with conversion channel filtering is as follows: assume a system is set up with a front-end MTA and a back-end mail store. User have their delivery options set to `forward` and `mailbox`. The MTA uses the alternate conversion channel for anti-virus/spam system. When a message arrives for this user, the MTA alias expands and produces two recipients, one local and one remote. The remote recipient's copy gets sent directly. The local recipient's copy, on the other hand, goes to your conversion channel, is scanned, and returns. Alias expansion is then applied a second time, producing a second copy to the remote recipient and the local recipient's copy is delivered normally. Net result: Two copies to the remote recipient, one to the local recipient.

Instead of using an alternate conversion channel for locally-hosted users (but possibly still using an alternate conversion channel for other recipients), a channel using `aliasdetourhost` can do the following:

- Accept messages.
- Route messages to an external spam/virus filter
- Re-accept messages for address expansion and delivery.

Example 1:

Assume a third-party scanner running on a separate host from the MTA. The following example allows user entry forwarding to be used without creating spurious duplicates while preserving the ability to perform recipient address validation prior to accepting the message.

1. Create a new channel `tcp_scanner`.

Put the `daemon` keyword on that channel, pointing to your filtering system. Add the `enqueue_remove` route to this channel, too. The `tcp_scanner` channel looks like this in `imta.cnf`:

```
tcp_scanner smtp mx single_sys subdirs 20 noreverse maxjobs 7 pool
SMTP_POOL daemon my_a-v_filter.siroe.com enqueue_remove
tcp_scanner-daemon
```


2. Add `aliasDetourHost tcp_scanner-daemon` to `tcp_local` on all inbound source `tcp` channels that you want scanned, which would likely include `tcp_local`, `tcp_submit`, `tcp_intranet` and `tcp_auth`. Here we show an example for `tcp_local` and `tcp_submit`.

```
! tcp_local
tcp_local smtp mx single_sys remotehost inner switchchannel
identnonenumeric subdirs 20 maxjobs 7 pool SMTP_POOL maytlsserver
maysaslserver saslswitchchannel tcp_auth missingrecipientpolicy 0
aliasdetourhost tcp_scanner-daemon
tcp-daemon
```

```
! tcp_submit
tcp_submit submit smtp mx single_sys mustsaslserver maytlsserver
missingrecipientpolicy 4 aliasdetourhost tcp_scanner-daemon
tcp_submit-daemon
```

Note that the argument for the `aliasdetourhost` (`tcp_scanner-daemon`) is the official hostname of the new channel `tcp_scanner`.

3. Create a rewrite rule to receive the message back from the scanning system via the `tcp_scanner` channel.

```
[1.2.3.4] $E$R$U[1.2.3.4]@tcp_scanner-daemon
```

where `1.2.3.4` is the ip address of the scanner system.

If you don't have this rewrite rule, the message will come in via one of the other `tcp*` source channels and the message will get scanned again because they all have the `aliasdetourhost`. A loop will occur.

4. Recompile your configuration, and restart dispatcher.

```
#imsimta cnbuild
#imsimta restart dispatcher
```

Example 2:

Assume a third-party scanner running on the same host as the MTA but listening on a different port. Assume mail is accepted on port 10024 and relays back on 10025.

1. Create a new channel `tcp_scanner`.

```
! tcp_scanner
tcp_scanner smtp nomx single_sys identnonenumeric subdirs 20 maxjobs 7 pool
SCAN_POOL daemon 127.0.0.1 port 10024 enqueue_removeoute
tcp_scanner-daemon
```

2. Add `aliasDetourHost tcp_scanner-daemon` to `tcp_local` on all inbound source `tcp` channels that you want scanned, which would likely include `tcp_local`, `tcp_submit`, `tcp_intranet`, and so forth. Here we show an example for `tcp_local` and `tcp_submit`.

```
! tcp_local
tcp_local smtp mx single_sys remotehost inner switchchannel
identnonenumeric subdirs 20 maxjobs 7 pool SMTP_POOL maytlsserver
maysaslserver saslswitchchannel tcp_auth missingrecipientpolicy 0
aliasdetourhost tcp_scanner-daemon
tcp-daemon
```

```
! tcp_submit
tcp_submit submit smtp mx single_sys mustsaslserver maytlsserver
missingrecipientpolicy 4 aliasdetourhost tcp_scanner-daemon
tcp_submit-daemon
```

3. Add to the `mappings` file to re-route outbound mail through the `tcp_scanner` channel.

```
CONVERSIONS
```

```
in-chan=tcp_scanner;out-chan=*;CONVERT          No
in-chan=tcp_*;out-chan=tcp_local;CONVERT      Yes,Channel=tcp_scanner
```

4. In `job_controller.cnf`, under `SMTP_POOL`, add a limit to the number of concurrent scans.

Although the scanning software should also have a limit, it's good to keep this set the same so messaging server doesn't try to send mail to the scanner when it's not going to accept the message.

```
!
[POOL=SCAN_POOL]
job_limit=2
!
```

5. Add a new service to `dispatcher.cnf` to accept mail back from the scanner on a special port and source it from `tcp_scan` as to not scan it again

```
!
[SERVICE=SMTP_SCANNING]
INTERFACE_ADDRESS=127.0.0.1
PORT=10025
IMAGE=IMTA_BIN:tcp_smtp_server
LOGFILE=IMTA_LOG:tcp_smtp_server.log
STACKSIZE=2048000
PARAMETER=CHANNEL=tcp_scanner
!
```

6. Recompile your configuration, and restart dispatcher.

```
# imsimta cnbuild
# imsimta restart job_controller
# imsimta restart dispatcher
```

NO-SOLICIT SMTP Extension Support

Keywords: `sourcenosolicit` and `destinationnosolicit`

The NO-SOLICIT SMTP extension described in the Internet-Draft `draft-malamud-no-soliciting-07.txt` has been implemented in Messaging Server as a proposed standard. The following channel keywords can be used to control this facility:

`sourcenosolicit` specifies a comma-separated list of solicitation field values that will be blocked in mail submitted by this channel. This list of values will appear in the NO-SOLICIT EHLO response. Glob-style wildcards can be used in the values, however, values containing wildcards will not appear in the EHLO announcement.

`destinationnosolicit` specifies a comma-separated list of solicitation field values that will not be accepted in mail queued to this channel.

Setting Limits on Bad RCPT TO: Addresses

Keywords: `deferralrejectlimit`

Sets a limit on the number of bad RCPT TO: addresses that are allowed during a single session. After the specified number of TO: addresses have been rejected, all subsequent recipients, good or bad, are rejected with a 4xx error. Provides same functionality as the `ALLOW_REJECTIONS_BEFORE_DEFERRAL` SMTP channel keyword, but on a per-channel basis.

Miscellaneous Keywords

Using Pre-defined Channels

When you first install Messaging Server, several channels are already defined (see [Table 13-1](#)). This chapter describes how to use pre-defined channel definitions in the MTA.

If you have not already read [Chapter 10, “About MTA Services and Configuration”](#) you should do so before reading this chapter. For information about configuring the rewrite rules in the `imta.cnf` file, see [Chapter 11, “Configuring Rewrite Rules”](#).

This chapter contains the following sections:

- [“To Deliver Messages to Programs Using the Pipe Channel”](#) on page 407
- [“To Configure the Native \(`/var/mail`\) Channel”](#) on page 408
- [“To Temporarily Hold Messages Using the Hold Channel”](#) on page 409
- [“The Conversion Channel”](#) on page 410
- [“Character Set Conversion and Message Reformatting”](#) on page 430

The `defaults` Channel is described in [“Configuring Channel Defaults”](#) on page 332.

Table 13-1 Predefined Channels

Channel	Definition
<code>defaults</code>	Used to specify which keywords are defaults for various channels. See “Configuring Channel Defaults” on page 332.
<code>l</code>	UNIX only. Used to make routing decisions and for submitting mail using UNIX mail tools.
<code>ims-ms</code>	Delivers mail to the local store.
<code>native</code>	UNIX only. Delivers mail to <code>/var/mail</code> . (Note that Messaging Server does not support <code>/var/mail</code> access. User must use UNIX tools to access mail from the <code>/var/mail</code> store.)

Table 13-1 Predefined Channels

Channel	Definition
pipe	Used to perform delivery via a site-supplied program or script. Commands executed by the pipe channel are controlled by the administrator via the <code>imsimta</code> program interface.
reprocess process	These channels are used for deferred, offline message processing. The <code>reprocess</code> channel is normally invisible as a source or destination channel; the <code>process</code> channel is visible like other MTA channels.
defragment	Provides the means to reassemble MIME fragmented messages.
conversion	Performs body-part-by-body-part conversions on messages flowing through the MTA.
bitbucket	Used for messages that need to be discarded.
inactive/deleted	Used to process messages for users who have been marked as inactive/deleted in the directory. Typically, bounces the message and returns custom bounce message to the sender of the message.
hold	Used to hold messages for users. For example, when a user is migrated from one mail server to another.
sms	Provides support for one-way email to an SMS gateway.
tcp_local tcp_intranet tcp_auth tcp_submit tcp_tas	Implements SMTP over TCP/IP. The multithreaded TCP SMTP channel includes a multithreaded SMTP server that runs under the control of the Dispatcher. Outgoing SMTP mail is processed by the channel program <code>tcp_smtp_client</code> , and runs as needed under the control of the Job Controller. <code>tcp_local</code> receives inbound messages from remote SMTP hosts. Depending on whether you use a <code>smarthost/firewall</code> configuration, either sends outbound messages directly to remote SMTP hosts or sends outbound messages to the <code>smarthost/firewall</code> system. <code>tcp_intranet</code> receives and sends messages within the intranet. <code>tcp_auth</code> is used as a switch channel for <code>tcp_local</code> ; authenticated users switch to the <code>tcp_auth</code> channel to avoid realy-blocking restrictions. <code>tcp_submit</code> accepts message submissions—usually from user agents—on the reserved submission port 587 (see RFC 2476). <code>tcp_tas</code> is a special channel used by sites doing Unified Messaging.

To Deliver Messages to Programs Using the Pipe Channel

Users might want incoming mail passed to a program instead of to their mailbox. For example, users might want their incoming mail sent to a mail sorting program. The `pipe` channel performs delivery of messages using per-user, site-supplied programs.

To facilitate program delivery, you must first register programs as able to be invoked by the `pipe` channel. Do this by using the `imsimta program` utility. This utility gives a unique name to each command that you register as able to be invoked by the `pipe` channel. End users can then specify the method name as a value of their `mailprogramdeliveryinfo` LDAP attribute.

For example, to add a UNIX command `myprocmail` as a program that can be invoked by a user, you would first register the command by using the `imsimta program` utility as shown in the following example. This example registers a program called `myprocmail` that executes the program `procmail` with the arguments `-d username` and executes as the user:

```
imsimta program -a -m myprocmail -p procmail -g "-d %s" -e user
```

Make sure the executable exists in the `programs` directory `msg_svr_base/data/site-programs`. Make sure also that the execute permissions are set to “others.”

To enable a user to access the program, the user’s LDAP entry must contain the following attributes and values:

```
maildeliveryoption: program
mailprogramdeliveryinfo: myprocmail
```

For more information about the `imsimta program` utility, see the *Messaging Server Reference Manual*.

Alternative delivery programs must conform to the following exit code and command-line argument restrictions:

Exit Code Restrictions. Delivery programs invoked by the `pipe` channel must return meaningful error codes so that the channel knows whether to dequeue the message, deliver for later processing, or return the message.

If the subprocess exits with an exit code of 0 (`EX_OK`), the message is presumed to have been delivered successfully and is removed from the MTA queues. If it exits with an exit code of 71, 74, 75, or 79 (`EX_OSERR`, `EX_IOERR`, `EX_TEMPFAIL`, or `EX_DB`), a temporary error is presumed to have occurred and delivery of the message is deferred. If any other exit code is returned, then the message will be returned to its originator as undeliverable. These exit codes are defined in the system header file `syssexits.h`.

Command Line Arguments. Delivery programs can have any number of fixed arguments as well as the variable argument, `%s`, representing the user name for programs executed by the user or `username+domain` for programs executed by the postmaster, “inetmail.” For example, the following command line delivers a recipient’s mail using the program `procmail`:

```
/usr/lib/procmail -d %s
```

To Configure the Native (/var/mail) Channel

An option file may be used to control various characteristics of the native channel. This native channel option file must be stored in the MTA configuration directory and named `native_option` (for example, `msg_svr_base/config/native_option`).

Option files consist of several lines. Each line contains the setting for one option. An option setting has the form:

```
option=value
```

The *value* may be either a string or an integer, depending on the option's requirements.

Table 13-2 Local Channel Options

Options	Descriptions
<code>FORCE_CONTENT_LENGTH</code> (0 or 1; UNIX only)	If <code>FORCE_CONTENT_LENGTH=1</code> , then the MTA adds a <code>Content-length:</code> header line to messages delivered to the native channel, and causes the channel not to use the “>From” syntax when “From” is at the beginning of the line. This makes local UNIX mail compatible with Sun’s newer mail tools, but potentially incompatible with other UNIX mail tools.

Table 13-2 Local Channel Options (*Continued*)

Options	Descriptions
FORWARD_FORMAT (string)	<p>Specifies the location of the users' <code>.forward</code> files. The string <code>%u</code> indicates that it is substituted in each user id. The string <code>%h</code> indicates that it is substituted in each user's home directory. The default behavior, if this option is not explicitly specified, corresponds to:</p> <pre>FORWARD_FORMAT=%h/.forward</pre>
REPEAT_COUNT (integer) SLEEP_TIME (integer)	<p>In case the user's new mail file is locked by another process when the MTA tries to deliver the new mail, these options provide a way to control the number and frequency of retries the native channel program should attempt. If the file can not be opened after the number of retries specified, the messages remain in the native queue and the next run of the native channel attempts to deliver the new messages again.</p> <p>The <code>REPEAT_COUNT</code> option controls how many times the channel programs attempt to open the mail file before giving up. <code>REPEAT_COUNT</code> defaults to 30, (30 attempts).</p> <p>The <code>SLEEP_TIME</code> option controls how many seconds the channel program waits between attempts. <code>SLEEP_TIME</code> defaults to 2 (two seconds between retries).</p>
SHELL_TIMEOUT (integer)	<p>Controls the length of time in seconds the channel waits for a user's shell command in a <code>.forward</code> to complete. Upon such time-outs, the message are returned to the original sender with an error message resembling "Time-out waiting for <i>user's</i> shell command <i>command</i> to complete." The default is 600 (10 minutes).</p>
SHELL_TMPDIR (directory-specific)	<p>Controls the location where the local channel creates its temporary files when delivering to a shell command. By default, such temporary files are created in users' home directories. Using this option, the administrator may instead choose the temporary files to be created in another (single) directory. For example:</p> <pre>SHELL_TMPDIR=/tmp</pre>

To Temporarily Hold Messages Using the Hold Channel

The hold channel is used to hold the messages of a recipient temporarily prevented from receiving new messages. Messages may be held because a user's name is being changed or their mailbox is being moved from one mailhost or domain to another. There may also be other reasons to temporarily hold messages.

When messages are to be held, they are directed to the hold channel, in the `msg_svr_base/queue/hold` directory, using the same mechanism used to direct messages to the reprocess channel. In this way, the envelope `To:` addresses are unchanged. The messages are written to the hold channel queue, in the `msg-server/queue/hold` directory, as `ZZxxx.HELD` files. This prevents them from being seen by the job controller, and thus they are "held." Use the `imsimta qm dir -held`

command to view a list of .HELD files. These messages can be selected and released using the `imsimta qm release` command. Releasing them changes their name to `ZZxxx.00` and informs the job controller. The messages are then processed by the master program associated with the hold channel, `reprocess.exe`. Thus the message (and the To: addresses) are processed using the normal rewriting machinery.

For more information on the `imsimta qm` command, see the *Sun Java System Messaging Server Administration Reference*.

The Conversion Channel

The `conversion` channel allows you to perform arbitrary body part-by-body part processing on specified messages flowing through the MTA. (Note that a body part is different than a message in that a message can contain multiple body parts as, for instance, in an attachment. Also, body parts are specified and delineated by MIME headers.) This processing can be done by any site-supplied programs or command procedures and may do such things such as convert text or images from one format to another, virus scanning, language translation and so forth. Various message types of the MTA traffic are selected for conversion, and specific processes and programs can be specified for each type of message body part.

The prerequisite for using this chapter is understanding the concept of channels (see “Channels” on page 189). For supplemental information on virus scanning using the `conversion` channel, refer to the Messaging Server Technical Notes at the bottom of the Messaging Server Documentation website at http://docs.sun.com/db/coll/S1_MsgTechNotes.

Implementing the conversion channel consists of A) selecting message traffic for processing, and B) specifying how different messages will be processed. These procedures will be discussed in further detail.

NOTE A default conversion channel is automatically created in the MTA configuration file (`imta.cnf`). This channel can be used as is and requires no modification.

This section consists of the following sections:

- “MIME Overview” on page 411
- “Selecting Traffic for Conversion Processing” on page 413
- “To Control Conversion Processing” on page 414

- [“To Bounce, Delete, or Hold Messages Using the Conversion Channel Output” on page 423](#)
- [“Conversion Channel Example” on page 425](#)

MIME Overview

The conversion channel makes extensive use of the MIME (Multipurpose Internet Mail Extensions) header lines. Knowledge of message construction and MIME header fields is required. For complete information on MIME, refer to RFCs 1806, 2045 through 2049, and 2183. A short overview of MIME is presented here for convenience.

Message Construction

A simple message consists of a header and a body. The header is at the top of the message and contains certain control information such as date, subject, sender, and recipient. The body is everything after the first blank line after the header. MIME specifies a way to construct more complex messages which can contain multiple body parts, and even body parts nested within body parts. Messages like these are called multi-part messages, and, as mentioned earlier, the conversion channel performs body part-by-body part processing of messages.

MIME Headers

The MIME specification defines a set of header lines for body parts. These include MIME-Version, Content-type, Content-Transfer-Encoding, Content-ID, and Content-disposition. The conversion channel uses the Content-type and Content-disposition headers most frequently. An example of some MIME header lines is shown below:

```
Content-type: APPLICATION/wordperfect5.1;name=Poem.wpc
Content-transfer-encoding: BASE64
Content-disposition: attachment; filename=Poem.wpc
Content-description: "Project documentation Draft1 wordperfect format"
```

NOTE MIME header lines are not the same as general, non-MIME header lines such as To:, Subject: and From:. Basically, for Conversion channel discussion, MIME header lines start with the string Content-.

Content-type Header

The MIME `Content-Type` header describes the content of the body-part. The `Content-Type` header format (with an example) is shown below:

```
Content-type: type/subtype; parameter1=value; parameter2=value...
```

type describes the type of content of the body part. Examples of type are Text, Multipart, Message, Application, Image, Audio, and Video.

subtype further describes content type. Each `Content-type` has its own set of subtypes. For examples: `text/plain`, `application/octet-stream`, and `image/jpeg`. Content Subtypes for MIME mail are assigned and listed by the IANA (Internet Assigned Numbers Authority). A copy of the list is at <http://www.isi.edu/in-notes/iana/assignments/media-types/media-types>

parameter is specific to `Content-type/subtype` pairs. For example, the `charset` and the `name` parameters are shown below:

```
Content-type: text/plain; charset=us-ascii  
Content-type: application/msword; name=temp.doc
```

The `charset` parameter specifies a character set for a textual message. The `name` parameter gives a suggested file name to be used if the data were to be written to a file.

NOTE `Content-Type` values, subtypes, and parameter names are case-insensitive.

Content-disposition Header

The MIME `Content-disposition` header provides presentation information for the body-part. It is often added to attachments specifying whether the attachment body part should be displayed (`inline`) or presented as a file name to be copied (attachment). The `Content-disposition` header has the following format:

```
Content-disposition: disposition_type; parameter1=value;parameter2=value...
```

disposition_type is usually `inline` (display the body part) or `attachment` (present as file to save.) Attachment usually has the parameter `filename` with a value specifying the suggested name for the saved file.

For details on the `Content-disposition` header, refer to RFC2183.

Selecting Traffic for Conversion Processing

Unlike other MTA channels, the conversion channel is not normally specified in an address or MTA rewrite rule. Instead, messages are sent to the conversion channel using the `CONVERSIONS` mapping table (specified by the parameter `IMTA_MAPPING_FILE` in the `imta_tailor` file). Entries to the table have the following format:

```
IN-CHAN=source-channel;OUT-CHAN=destination-channel;CONVERT Yes/No
```

As the MTA processes each message it probes the `CONVERSIONS` mapping table (if one is present). If the *source-channel* is the channel from which the message is coming and *destination-channel* is the channel to which the message is going, then the action following `CONVERT` is taken (*Yes* means the MTA diverts the message from its *destination-channel* to the conversion channel; if no match is found, the message will be queued to the regular destination channel).

NOTE An address of the form `user@conversion.localhostname` or `user@conversion` will be routed through the conversion channel, regardless of the `CONVERSIONS` mapping table.

The following example routes all non-internal messages—messages originating from, or destined to, the Internet—to the conversion channel.

```
CONVERSIONS

IN-CHAN=tcp_local;OUT-CHAN=*;CONVERT    Yes
IN-CHAN=*;OUT-CHAN=tcp_local;CONVERT    Yes
```

The first line specifies that messages coming from the `tcp_local` channel will be processed. The second line specifies that messages going to the `tcp_local` channel will also be processed. The `tcp_local` channel handles all messages going to and coming from the Internet. Since the default is to not go through the conversion channel, any other messages won't go through the conversion channel.

Note that this is a very basic table, and that it might not be sufficient for a site with a more customized configuration, for example, one using multiple outbound-to-the-Internet `tcp_*` channels, or using multiple inbound-from-the-Internet `tcp_*` channels.

To Control Conversion Processing

When a message is sent to the conversion channel, it is processed body part-by-body part. Processing is controlled by the MTA `conversions` file, which is specified by the `IMTA_CONVERSION_FILE` option in the `imta_tailor` file (default: `msg_svr_base/conversions`). The `conversions` file consists of line-separated entries that 1) qualify which types of body parts will be processed, and 2) how they will be processed.

Each entry consists of one or more lines containing one or more `name=value` parameter clauses. The values in the parameter clauses conform to MIME conventions. Every line except the last must end with a semicolon (;). A physical line in this file is limited to 252 characters. You can split a logical line into multiple physical lines using the back slash (\) continuation character. Entries are terminated either by a line that does not end in a semicolon, one or more blank lines, or both.

Below is a simple example of a conversion file entry:

Code Example 13-1 conversions File Entry

```
out-chan=ims-ms; in-type=application; in-subtype=wordperfect5.1;
  out-type=application; out-subtype=msword; out-mode=block;
  command="/usr/bin/convert -in=wordp -out=msword 'INPUT_FILE' \ 'OUTPUT_FILE'"
```

The clauses `out-chan=ims-ms; in-type=application; in-subtype=wordperfect5.1` qualify the body part. That is, they specify the type of part to be converted. The header of each part is read and its `Content-Type:` and other header information is extracted. The entries in the `conversion` file are then scanned in order from first to last; any `in-*` parameters present, and the `OUT-CHAN` parameter, if present, are checked. If all of these parameters match the corresponding information for the body part being processed, then the conversion specified by the `command=` or `delete=` clause is performed, and the `out-*` parameters are set.

If no match occurs, then the part is matched against the next `conversions` file entry. Once all body parts have been scanned and processed (assuming there is a qualifying match), then the message is sent onwards to the next channel. If there are no matches, no processing occurs, and the message is sent to the next channel.

`out-chan=ims-ms` specifies that only message parts destined for the `ims-ms` channel will be converted. `in-type=application` and `in-subtype=wordperfect5.1` specifies that the MIME `Content-type` header for the message part must be `application/wordperfect5.1`.

Message parts can be further qualified with additional `in-*` parameters. (See [Table 13-6](#).) The entry above will trigger conversion actions on a message part which has the following MIME header lines:

```
Content-type: APPLICATION/wordperfect5.1;name=Draft1.wpc
Content-transfer-encoding: BASE64
Content-disposition: attachment; filename=Draft1.wpc
Content-description: "Project documentation Draft1 wordperfect format"
```

After the three conversion file qualifying parameters in [Code Example 13-1](#), the next two parameters, `out-type=application` and `out-subtype=mword`, specify replacement MIME header lines to be attached to the “processed” body part. `out-type=application` and `out-subtype=mword` specify that the MIME Content-type/subtype of the outgoing message be `application/mword`.

Note that since the `in-type` and `out-type` parameters are the same, `out-type=application` is not necessary since the conversion channel defaults to the original MIME labels for outgoing body parts. Additional MIME labels for outgoing body parts can be specified with additional output parameters.

`out-mode=block` ([Code Example 13-1](#)) specifies the file type that the site-supplied program will return. In other words, it specifies how the file will be stored and how the conversion channel should be read back in the returned file. For example, an html file is stored in text mode, while an `.exe` program or a zip file is stored in block/binary mode. Mode is a way of describing that the file being read is in a certain storage format.

The final parameter in [Code Example 13-1](#),

```
command="/usr/bin/convert -in=wordp -out=mword `INPUT_FILE` `OUTPUT_FILE`"
```

specifies the action to take on the body part.

The `command=` parameter specifies that a program will execute on the body part. `/usr/bin/convert` is the hypothetical command name; `-in=wordp` and `-out=mword` are hypothetical command line arguments specifying the format of the input text and output text; `INPUT_FILE` and `OUTPUT_FILE` are conversion channel environmental parameters (see [“To Use Conversion Channel Environmental Variables” on page 416](#)) specifying a file containing the original body part and a file where the program should store its converted body part.

NOTE Envelope originator and recipient information is now provided as `x-envelope-from` and `x-envelope-to` fields respectively when a file containing the outer message header is requested by a regular conversion entry.

Instead of executing a command on the body part, the message part can simply be deleted by substituting `DELETE=1` in place of the `command` parameter.

NOTE Whenever the `conversions` file is modified, you must recompile the configuration (see the `imsimta refresh` command in the *Sun Java System Messaging Server Administration Reference*).

Conversion Channel Information Flow

The flow of information is as follows: a message containing body parts comes into the conversion channel. The conversion channel parses the message, and processes the parts one by one. The conversion channel then qualifies the body part, that is, it determines if it should be processed or not by comparing its MIME header lines to the *qualifying parameters*. If the body part qualifies, the conversion processing commences. If MIME or body part information is to be passed to the conversion script, it is stored in an environmental variable (Table 13-3) as specified by *information passing parameters*.

At this point, an action specified by an *action parameter*, is taken on the body part. Typically the action is that the body part be deleted or that it be passed to a program wrapped in a script. The script processes the body part and then sends it back to the conversion channel for reassembling into the post-processed message. The script can also send information to the conversion channel by using the conversion channel *output options*. This can be information such as new MIME header lines to add to the output body part, error text to be returned to the message sender, or special directives instructing the MTA to initiate some action such as bounce, delete, or hold a message.

Finally, the conversion channel replaces the header lines for the output body part as specified by the *output parameters*.

To Use Conversion Channel Environmental Variables

When operating on message body parts, it is often useful to pass MIME header line information, or entire body parts, to and from the site-supplied program. For example, a program may require `Content-type` and `Content-disposition` header line information as well as a message body part. Typically a site-supplied program's main input is a message body part which is read from a file. After processing the body part, the program will need to write it to a file from which the conversion channel can read it. This type of information passing is done by using conversion channel environmental variables.

Environmental variables can be created in the `conversions` file using the `parameter-symbol-*` parameter or by using a set of pre-defined conversion channel environmental variables (see Table 13-4 on page 421).

The following conversions file entry and incoming header show how to pass MIME information to the site-supplied program using environment variables.

conversions file entry:

```
in-channel=*; in-type=application; in-subtype=*;
parameter-symbol-0=NAME; parameter-copy-0=*;
dparameter-symbol-0=FILENAME; dparameter-copy-0=*;
message-header-file=2; original-header-file=1;
override-header-file=1; override-option-file=1;
command="/bin/viro-scan500.sh `INPUT_FILE` `OUTPUT_FILE`"
```

Incoming header:

```
Content-type: APPLICATION/msword; name=Draft1.doc
Content-transfer-encoding: BASE64
Content-disposition: attachment; filename=Draft1.doc
Content-description: "Project documentation Draft1 msword format"
```

`in-channel=*; in-type=application; in-subtype=*` specify that a message body part from any input channel of type application will be processed.

`parameter-symbol-0=NAME` specifies that the first Content-type parameter value (Draft1.doc in our example) be stored in an environment variable called NAME.

`parameter-copy-0=*` specifies that all Content-type parameters of the input body part be copied to the output body part.

`dparameter-symbol-0=FILENAME` specifies that the first Content-disposition parameter value (Draft1.doc in our example) be stored in an environment variable called FILENAME.

`dparameter-copy-0=*` specifies that all Content-disposition parameters of the input body part be copied to the output body part.

`message-header-file=2` specifies that the original header of the message as a whole (the outermost message header) be written to the file specified by the environment variable MESSAGE_HEADERS.

`original-header-file=1` specifies that the original header of the enclosing MESSAGE/RFC822 part are written to the file specified by the environment variable ORIGINAL_HEADERS.

`override-header-file=1` specifies that MIME headers are read from the file specified by environmental variable `OUTPUT_HEADERS`, overriding the original MIME header lines in the enclosing MIME part. `$OUTPUT_HEADERS` is an on-the-fly temporary file created at the time conversion runs. A site-supplied program would use this file to store MIME header lines changed during the conversion process. The conversion channel would then read the MIME header lines from this file when it re-assembles the body part. Note that only MIME header lines can be modified. Other general, non-MIME header lines cannot be altered by the conversion channel.

`override-option-file=1` specifies that the conversion channel read *conversion channel options* from the file named by the `OUTPUT_OPTIONS` environmental variable. See [“To Use Conversion Channel Output Options” on page 420](#).

`command="msg_svr_base/bin/viro-scan500.sh"` specifies the command to execute on the message body part.

Table 13-3 Conversion Channel Environment Variables

Environment Variable	Description
ATTACHMENT_NUMBER	Attachment number for the current part. This has the same format as the ATTACHMENT-NUMBER conversion match parameter.
CONVERSION_TAG	The current list of active conversion tags. This corresponds to the TAG conversion match parameter.
INPUT_CHANNEL	The channel that enqueued the message to the conversion channel. This corresponds to the IN-CHANNEL conversion match parameter.
INPUT_ENCODING	Encoding originally present on the body part.
INPUT_FILE	Name of the file containing the original body part. The site-supplied program should read this file.
INPUT_HEADERS	Name of the file containing the original header lines for the body part. The site-supplied program should read this file.
INPUT_TYPE	MIME Content-type of the input message part.
INPUT_SUBTYPE	MIME content subtype of the input message part.
INPUT_DESCRIPTION	MIME content-description of the input message part.
INPUT_DISPOSITION	MIME content-disposition of the input message part.
MESSAGE_HEADERS	Name of the file containing the original outermost header for an enclosing message (not just the body part) or the header for the part's most immediately enclosing MESSAGE/RFC822 part. The site-supplied program should read this file.
OUTPUT_CHANNEL	The channel the message is headed for. This corresponds to the OUT-CHANNEL conversion match parameter.

Table 13-3 Conversion Channel Environment Variables (*Continued*)

Environment Variable	Description
OUTPUT_FILE	Name of the file where the site-supplied program should store its output. The site-supplied program should create and write this file.
OUTPUT_HEADERS	Name of the file where the site-supplied program should store MIME header lines for an enclosing part. The site-supplied program should create and write this file. Note that file should contain actual MIME header lines (not <code>option=value</code> lines) followed by a blank line as its final line. Note also that only MIME header lines can be modified. Other general, non-MIME header lines cannot be altered by the conversion channel.
OUTPUT_OPTIONS	Name of the file from which the site-supplied program should read conversion channel options. See “To Use Conversion Channel Output Options” on page 420.
PART_NUMBER	The part number for the current part. This has the same format as the PART-NUMBER conversion match parameter.
PART_SIZE	The size in bytes of the part being processed.

Mail Conversion Tags

Mail conversion tags are special tags which are associated with a particular recipient or sender. When a message is being delivered, the tag is visible to the conversion channel program, which may make use of it for special processing. Conversion tags are stored in the LDAP directory.

Mail conversion tags could be used as follows: the administrator can set up selected users with a mail conversion tag value of `harmonica`. The administrator then has a conversion channel setup which, when processing that mail, will detect the presence of the tag and the value of `harmonica`. When that happens, the program will perform some arbitrary function.

Mail conversion tags can be set on a per user or a per domain basis. The recipient LDAP attribute at the domain level is `MailDomainConversionTag` (modifiable with the MTA option `LDAP_DOMAIN_ATTR_CONVERSION_TAG`). At the user level it is `MailConversionTag` (modifiable with the MTA option `LDAP_CONVERSION_TAG`). Both of these attributes can be multivalued with each value specifying a different tag. The set of tags associated with a given recipient is cumulative, that is, tags set at the domain level are combined with tags set at the user level.

Sender-based conversion tags can be set with the MTA options `LDAP_SOURCE_CONVERSION_TAG` and `LDAP_DOMAIN_ATTR_SOURCE_CONVERSION_TAG`, which specify user and domain level LDAP attributes respectively for conversion tags associated with these source address. There is no default attribute for either of these options.

To Use Conversion Channel Output Options

Conversion channel output options (Table 13-4) are dynamic variables used to pass information and special directives from the conversion script to the conversion channel. For example, during body part processing the script may want to send a special directive asking the conversion channel to bounce the message and to add some error text to the returned message stating that the message contained a virus.

The output options are initiated by setting `OVERRIDE-OPTION-FILE=1` in the desired conversion entry. Output options are then set by the script as needed and stored in the environmental variable file, `OUTPUT_OPTIONS`. When the script is finished processing the body part, the conversion channel reads the options from the `OUTPUT_OPTIONS` file.

The `OUTPUT_OPTION` variable is the name of the file from which the conversion channel reads options. Typically it is used as an on-the-fly temporary file to pass information. The example below shows a script that uses output options to return an error message to a sender who mailed a virus.

```

/usr/local/bin/viro_screen2k $INPUT_FILE # run the virus screener

if [ $? -eq 1 ]; then
    echo "OUTPUT_DIAGNOSTIC='Virus found and deleted.'" > $OUTPUT_OPTIONS
    echo "STATUS=178029946" >> $OUTPUT_OPTIONS
else
    cp $INPUT_FILE $OUTPUT_FILE # Message part is OK
fi

```

In this example, the system diagnostic message and status code are added to the file defined by `$OUTPUT_OPTIONS`. If you read the `$OUTPUT_OPTIONS` temporary file out you would see something like:

```

OUTPUT_DIAGNOSTIC="Virus found and deleted."
STATUS=178029946

```

The line `OUTPUT_DIAGNOSTIC='Virus found and deleted'` tells the conversion channel to add the text `Virus found and deleted` to the message.

`178029946` is the `PMDF__FORCERETURN` status per the `pmdf_err.h` file which is found in the `msg_svr_base/include/deprecated/pmdf_err.h`. This status code directs the conversion channel to bounce the message back to the sender. (For more information on using special directives refer to [“To Bounce, Delete, or Hold Messages Using the Conversion Channel Output”](#) on page 423.)

A complete list of the output options is shown below.

Table 13-4 Conversion Channel Output Options

Option	Description
OUTPUT_TYPE	MIME content type of the output message part.
OUTPUT_SUBTYPE	MIME content subtype of the output message part.
OUTPUT_DESCRIPTION	MIME content description of the output message part.
OUTPUT_DIAGNOSTIC	Text to include as part of the message sent to the sender if a message is forcibly bounced by the conversion channel.
OUTPUT_DISPOSITION	MIME content-disposition of the output message part.
OUTPUT_ENCODING	MIME content transfer encoding to use on the output message part.
OUTPUT_MODE	MIME Mode with which the conversion channel should write the output message part, hence the mode with which recipients should read the output message part.
STATUS	Exit status for the converter. This is typically a special directive initiating some action by the conversion channel. A complete list of directives can be viewed in <i>msg_svr_base/include/deprecated/pmdf_err.h</i>

Headers in an Enclosing MESSAGE/RFC822 Part

When performing conversions on a message part, the conversion channel has access to the header in an enclosing MESSAGE/RFC822 part, or to the message header if there is no enclosing MESSAGE/RFC822 part. Information in the header may be useful for the site-supplied program.

If an entry is selected that has `ORIGINAL-HEADER-FILE=1`, then all the original header lines of the enclosing MESSAGE/RFC822 part are written to the file represented by the `ORIGINAL_HEADERS` environment variable. If `OVERRIDE-HEADER-FILE=1`, then the conversion channel will read and use as the header on that enclosing part the contents of the file represented by the `ORIGINAL_HEADERS` environment variable.

To Call Out to a Mapping Table from a Conversion Entry

`out-parameter-*` values may be stored and retrieved in an arbitrarily named mapping table. This feature is useful for renaming attachments sent by clients that send all attachments with a generic name like `att.dat` regardless of whether they are `postscript`, `mword`, `text` or whatever. This is a generic way to relabel the part so that other clients (Outlook for example) will be able to open the part by reading the extension.

The syntax for retrieving a parameter value from a mapping table is as follows:

```
'mapping-table-name:mapping-input[$Y, $N]'
```

`$Y` returns a parameter value. If there is no match found or the match returns `$N`, then that parameter in the conversions file entry is ignored or treated as a blank string. Lack of a match or a `$N` does not cause the conversion entry itself to be aborted.

Consider the following mapping table:

X-ATT-NAMES	
postscript	temp.PS\$Y
wordperfect5.1	temp.WPC\$Y
msword	temp.DOC\$Y

The following conversion entry for the above mapping table results in substituting generic file names in place of specific file names on attachments:

```
out-chan=tcp_local; in-type=application; in-subtype=*;
  in-parameter-name-0=name; in-parameter-value-0=*;
out-type=application; out-subtype='INPUT-SUBTYPE';
out-parameter-name-0=name;
out-parameter-value-0="'X-ATT-NAMES:\\\'INPUT_SUBTYPE\\\'";
command="cp  `INPUT_FILE`  `OUTPUT_FILE`"
```

In the example above, `out-chan=tcp_local; in-type=application; in-subtype=*` specifies that a message to be processed must come from the `tcp_local` channel with the `content-type` header of `application/*` (* specifies that any subtype would do).

`in-parameter-name-0=name; in-parameter-value-0=*` additionally specifies that the message must have a parameter type `name=*` (again, * specifies that any parameter value would do.)

`out-type=application;` specifies that the MIME `Content-type` parameter for the post-processing message be `application`.

`out-subtype='INPUT-SUBTYPE';` specifies that the MIME `subtype` parameter for the post-processing body part be the `INPUT-SUBTYPE` environmental variable, which is the original value of the input `subtype`. Thus, if you wanted change

```
Content-type: application/xxxx; name=foo.doc
```

to

```
Content-type: application/msword; name=foo.doc
```

then you would use

```
out-type=application; out-subtype=msword
```

`out-parameter-name-0=name`; specifies that the first MIME Content-type parameter of the output body part be of type `name=`.

`out-parameter-value-0='X-ATT-NAMES:\\'INPUT_SUBTYPE\\''`; says to take the first MIME subtype parameter value and search the mapping table `X-ATT-NAMES` for a subtype match. If a match is found, the `name` parameter receives the new value specified in the `X-ATT-NAMES` mapping table. Thus, if the parameter is of type `msword`, the `name` parameter will be `temp.DOC`.

To Bounce, Delete, or Hold Messages Using the Conversion Channel Output

This section describes how to use the conversion channel options to bounce, delete, or hold messages. The basic procedure is as follows:

1. Set `OVERRIDE-OPTION-FILE=1` in the appropriate conversions file entry. This tells the conversion channel to read the output options from the `OUTPUT_OPTIONS` file.
2. Use the conversion script to determine what action is required on a particular message body part.
3. In the script, specify the special directive for that action by writing the `STATUS=directive_code` option in the `OUTPUT_OPTIONS` file.

A complete listing of special directives can be found in `msg_svr_base/include/deprecated/pmdf_err.h`. The ones commonly used by the conversion channel are:

Table 13-5 Special Directives Commonly Used By the Conversion Channel

NAME	Hex Value	Decimal Value
PMDF__FORCEHOLD	0x0A9C86AA	178030250
PMDF__FORCERETURN	0x0A9C857A	178029946
PMDF__FORCEDELETE	0x0A9C8662	178030178

We will explain the functions of these directives using examples.

To Bounce Messages

To bounce a message using the conversion channel set `OVERRIDE-OPTION-FILE=1` in the appropriate `conversions` file entry and add the following line to your conversion script:

```
echo "STATUS=178029946" >> $OUTPUT_OPTIONS
```

If you wish to add a short text string to the bounced message add the following line to the conversion script:

```
echo OUTPUT_DIAGNOSTIC=text-string >> $OUTPUT_OPTIONS
```

where *text string* is something like: “The message sent from your machine contained a virus which has been removed. Be careful about executing email attachments.”

To Conditionally Delete Message Parts

It may be useful to delete parts conditionally, depending on what they contain. This can be done using the output options. By contrast, the `DELETE=1` conversion parameter clause unconditionally deletes a message part.

To delete a message part using the output options, set `OVERRIDE-OPTION-FILE=1` in the appropriate `conversions` file entry and add the following line to your conversion script:

```
echo "STATUS=178030178" >> $OUTPUT_OPTIONS
```

To Hold a Message

It may be useful to hold messages conditionally, depending on what they contain. To delete a message part using the output options, set `OVERRIDE-OPTION-FILE=1` in the appropriate `conversions` file entry and add the following line to your conversion script:

```
echo "STATUS=178030250" >> $OUTPUT_OPTIONS
```

This requests that the conversion channel hold the message as a `.HELD` file in the conversion channel queue.

Conversion Channel Example

The `CONVERSIONS` mapping and set of conversion rules seen in examples below cause GIF, JPEG, and BITMAP files sent to the hypothetical channel `tcp_docuprint` to be converted into PostScript automatically. Several of these conversions use the hypothetical `/usr/bin/ps-converter.sh` to make that transformation. An additional rule that converts WordPerfect 5.1 files into Microsoft Word files is included.

```
CONVERSIONS
```

```
IN-CHAN=*;OUT-CHAN=tcp_docuprint;CONVERT Yes
```

```
out-chan=ims-ms; in-type=application; in-subtype=wordperfect5.1;
out-type=application; out-subtype=microsoftword; out-mode=block;
command="/bin/doc-convert -in=wp -out=msw 'INPUT_FILE' 'OUTPUT_FILE'"

out-chan=tcp_docuprint; in-type=image; in-subtype=gif;
out-type=application; out-subtype=postscript; out-mode=text;
command="/bin/ps-convert -in=gif -out=ps 'INPUT_FILE' 'OUTPUT_FILE'"

out-chan=tcp_docuprint; in-type=image; in-subtype=jpeg;
out-type=application; out-subtype=postscript; out-mode=text;
command="/bin/ps-convert -in=jpeg -out=ps 'INPUT_FILE' 'OUTPUT_FILE'"

out-chan=tcp_docuprint; in-type=image; in-subtype=bitmap;
out-type=application; out-subtype=postscript; out-mode=text;
command="/bin/ps-convert -in=bmp -out=ps 'INPUT_FILE' 'OUTPUT_FILE'"
```

Automatic Arabic Character Set Detection

A new `auto_ef` program was added to automatically detect Arabic character sets.

You can call the `auto_ef` program from the conversion channel to automatically detect and label most unlabeled or incorrectly labeled text messages in Arabic character sets. These unlabeled or mislabeled messages are usually sent from Yahoo or Hotmail in Arabic.

Without the correct character set labeling, many mail clients cannot display the messages correctly.

If a message has MIME content-type headers, the `auto_ef` program examines and processes only those with text/plain content type. If the message is not labeled with a MIME content-type header, then `auto_ef` adds a text/plain content-type unconditionally.

To activate or enable this program, you must:

1. Edit your mappings file in the `msg_svr_base/config` directory to enable a conversion channel for the source and destination channel of your choosing. To enable a conversion channel for all mail coming in from the Internet to your local users, add a section to your mappings file similar to the following:

```
CONVERSIONS
```

```
IN-CHAN=tcp*;OUT-CHAN=ims-ms;CONVERT YES
```

Note that the `IN` and `OUT` channels depend on your configuration. If you are deploying on a relay MTA, you must modify the channels to fit your configuration. For example,

```
IN-CHAN=tcp*;OUT-CHAN=tcp*;CONVERT YES
```

Or, you could turn it on for all channels as follows:

```
IN-CHAN=*;OUT-CHAN=*;CONVERT YES
```

2. Create a conversions file in the `msg_svr_base/config` directory that is owned and readable by the Messaging Server user, and that contains the following:

```
!
in-channel=*; out-channel=*;
in-type=text; in-subtype=*;
parameter-copy-0=*; dparameter-copy-0=*;
original-header-file=1; override-header-file=1;
command="msg_svr_base/lib/arabicdetect.sh"
!
```

3. Compile your MTA configuration with the following command:

```
msg_svr_base/sbin/imsimta cnbuild
```

4. Restart with the command:

```
msg_svr_base/sbin/imsimta restart
```

Table 13-6 Conversion Parameters

Parameter	Description
Qualifying Parameters (Specifies the parameters for which the message must match before it will be converted.)	
OUT-CHAN, OUT-CHANNEL	Output channel to match for conversion (wildcards allowed). The conversion specified by this entry is performed only if the message is destined for this specified channel.
IN-CHAN, IN-CHANNEL	Input channel to match for conversion (wildcards allowed). The conversion specified by this entry is only performed if the message is coming from the specified channel.
IN-TYPE	Input MIME type to match for conversion (wildcards allowed). The conversion specified is performed only if this field matches the MIME type of the body part.
IN-SUBTYPE	Input MIME subtype to match for conversion (wildcards allowed). The conversion specified by this entry is performed only if this field matches the MIME subtype of the body part.
IN-PARAMETER-NAME- <i>n</i>	Input MIME Content-Type parameter name that must match for conversion; <i>n</i> = 0, 1, 2.... This parameter can be used with IN-PARAMETER-VALUE- <i>n</i> to distinctly identify a parameter by its name and the value that it holds.
IN-PARAMETER-VALUE- <i>n</i>	Input MIME Content-Type parameter value of corresponding IN-PARAMETER-NAME that must match for conversion. The conversion specified by this entry is performed only if this field matches the corresponding parameter in the body part's Content-Type parameter list. Wildcards allowed.
IN-PARAMETER-DEFAULT- <i>n</i>	Input MIME Content-Type parameter value default if parameter is not present. This value is used as a default for the IN-PARAMETER-VALUE- <i>n</i> test when no such parameter is specified in the body part.
IN-DISPOSITION	Input MIME Content-Disposition to match for conversion.
IN-DPARAMETER-NAME- <i>n</i>	Input MIME Content-Disposition parameter name that must match for conversion; <i>n</i> = 0, 1, 2.... This parameter can be used with IN-DPARAMETER-VALUE- <i>n</i> to distinctly identify a parameter by its name and the value that it holds.
IN-DPARAMETER-VALUE- <i>n</i>	Input MIME Content-Disposition parameter value of corresponding IN-DPARAMETER-NAME that must match for conversion. The conversion specified by this entry is performed only if this field matches the corresponding parameter in the body part's Content-Disposition: parameter list. Wildcards allowed.
IN-DPARAMETER-DEFAULT- <i>n</i>	Input MIME Content-Disposition parameter value default if parameter is not present. This value is used as a default for the IN-DPARAMETER-VALUE- <i>n</i> test when no such parameter is specified in the body part.
IN-DESCRIPTION	Input MIME Content-Description to match for conversion.
IN-SUBJECT	Input Subject from enclosing MESSAGE/RFC822 part.

Table 13-6 Conversion Parameters (Continued)

Parameter	Description
TAG	Input tag, as set by a mail list CONVERSION_TAG parameter.
Output Parameters (Specify the body part's post-conversion output settings.)	
OUT-TYPE	Output MIME type if it is different than the input type.
OUT-SUBTYPE	Output MIME subtype if it is different than the input subtype.
OUT-PARAMETER-NAME- <i>n</i>	Output MIME Content-Type parameter name; <i>n</i> = 0, 1, 2...
OUT-PARAMETER-VALUE- <i>n</i>	Output MIME Content-Type parameter value corresponding to OUT-PARAMETER-NAME- <i>n</i> .
PARAMETER-COPY- <i>n</i>	A list of the Content-Type parameters to copy from the input body part's Content-Type parameter list to the output body part's Content-Type: parameter list; <i>n</i> =0, 1, 2... Uses the same name of the MIME parameter to copy, as matched by an IN-PARAMETER-NAME- <i>n</i> clause.
OUT-DISPOSITION	Output MIME Content-Disposition if it is different than the input MIME Content-Disposition.
OUT-DPARAMETER-NAME- <i>n</i>	Output MIME Content-Disposition parameter name; <i>n</i> =0, 1, 2...
OUT-DPARAMETER-VALUE- <i>n</i>	Output MIME Content-Disposition parameter value corresponding to OUT-DPARAMETER-NAME- <i>n</i> .
DPARAMETER-COPY- <i>n</i>	A list of the Content-Disposition: parameters to copy from the input body part's Content-Disposition: parameter list to the output body part's Content-Disposition: parameter list; <i>n</i> = 0, 1, 2,... Takes as argument the name of the MIME parameter to copy, as matched by an IN-PARAMETER-NAME- <i>n</i> clause. Wildcards may be used in the argument. In particular, an argument of * means to copy all the original Content-Disposition: parameters.
OUT-DESCRIPTION	Output MIME Content-Description if it is different than the input MIME Content-Description.
OUT-MODE	Mode in which to read and store the converted file. This should be BLOCK (binaries and executables) or TEXT.
OUT-ENCODING	Encoding to apply to the converted file when the message is reassembled.
Action Parameters (Specify an action to take on a message part.)	
COMMAND	Command to execute to perform conversion. Command to execute to perform conversion. This parameter is required; if no command is specified, the entry is ignored. Use / to specify paths, not \. Example: command="D: /tmp/mybat.bat "
DELETE	0 or 1. If this flag is set, the message part is deleted. (If this is the only part in a message, then a single empty text part is substituted.)

Table 13-6 Conversion Parameters (Continued)

Parameter	Description
RELABEL	RELABEL=1 will relabel the MIME label to whatever is specified by the Output parameters. Relabel=0 does nothing. Usually relabelling is done on mislabeled parts (example: from Content-type: application/octet-stream to Content-type: application/msword) so users can "doubleclick" to open a part, rather than having to save the part to a file and open it with a program.
SERVICE-COMMAND	SERVICE-COMMAND=command will execute a site-supplied procedure that will operate on entire MIME message (MIME headers and content body part). Also, unlike other CHARSET-CONVERSION operations or conversion channel operations, the service-command are expected to do their own MIME disassembly, decoding, re-encoding, and reassembly. Note that this flag causes an entry to be ignored during conversion channel processing; SERVICE-COMMAND entries are instead performed during character set conversion processing. Use / to specify paths, not \. Example: command="D:/tmp/mybat.bat"
Information Passing Parameters (Used to pass information to and from the site-supplied program.)	
DPARAMETER-SYMBOL- <i>n</i>	Environment variable into which the Content-disposition parameter value, if present, will be stored; <i>n</i> = 0, 1, 2,... Each DPARAMETER-SYMBOL- <i>n</i> is extracted from the Content-Disposition: parameter list in order (<i>n</i> =0 is first parameter, <i>n</i> =2 second, etc.) and placed in the specified environment variable prior to executing the site-supplied program.
PARAMETER-SYMBOL- <i>n</i>	Environment variable into which the Content-Type parameter value, if present, will be stored; <i>n</i> = 0, 1, 2... Each PARAMETER-SYMBOL- <i>n</i> is extracted from the Content-Type: parameter list in order (<i>n</i> =0 is first parameter, <i>n</i> =2 second, etc.) and placed in an environment variable of the same name prior to executing the site-supplied program. Takes as argument the variable name into which the MIME parameter to convert, as matched by an IN-PARAMETER-NAME- <i>n</i> clause.
MESSAGE-HEADER-FILE	Writes all, part, or none of the original header of a message to the file specified by the environmental variable MESSAGE_HEADERS. If set to 1, the original header of the immediately enclosing body part are written to the file specified by the environmental variable MESSAGE_HEADERS. If set to 2, the original header of the message as a whole (the outermost message header) are written to the file.
ORIGINAL-HEADER-FILE	0 or 1. If set to 1, the original header of the enclosing MESSAGE/RFC822 part (not just the body part) are written to the file represented by the environmental variable ORIGINAL_HEADERS.
OVERRIDE-HEADER-FILE	0 or 1. If set to 1, then MIME header lines are read by the conversion channel from the environmental variable OUTPUT_HEADERS, overriding the original header lines in the enclosing MIME part.
OVERRIDE-OPTION-FILE	If OVERRIDE-OPTION-FILE=1, the conversion channel reads options from the OUTPUT_OPTIONS environmental variable.
PART-NUMBER	Dotted integers: <i>a. b. c...</i> The part number of the MIME body part.

Character Set Conversion and Message Reformatting

This section describes character set, formatting, and labelling conversions performed internally by the MTA. Note that some of the examples in this section use old or obsolete technology like DEC VMS, or the `d` channels. Although these technologies are old or obsolete, this does not make the examples DEC- or `d` channel-specific. The examples are still valid in describing how the conversion technology works. We will update the examples in a later release.

One very basic mapping table in Messaging Server is the character set conversion table. The name of this table is `CHARSET-CONVERSION`. It is used to specify what sorts of channel-to-channel character set conversions and message reformatting should be done.

On many systems there is no need to do character set conversions or message reformatting and therefore this table is not needed. Situations arise, however, where character conversions must be done. For example, sites running Japanese OpenVMS may need to convert between DEC Kanji and the ISO-2022 Kanji currently used on the Internet. Another possible use of conversions arises when multinational characters are so heavily used that the slight discrepancies between the DEC Multinational Character Set (DEC-MCS) and the ISO-8859-1 character set specified for use in MIME may become an issue, and actual conversion between the two may therefore be needed.

The `CHARSET-CONVERSION` mapping table can also be used to alter the format of messages. Facilities are provided to convert a number of non-MIME formats into MIME. Changes to MIME encodings and structure are also possible. These options are used when messages are being relayed to systems that only support MIME or some subset of MIME. And finally, conversion from MIME into non-MIME formats is provided in a small number of cases.

The MTA will probe the `CHARSET-CONVERSION` mapping table in two different ways. The first probe is used to determine whether or not the MTA should reformat the message and if so, what formatting options should be used. (If no reformatting is specified, the MTA does not bother to check for specific character set conversions.) The input string for this first probe has the general form:

```
IN-CHAN=in-channel;OUT-CHAN=out-channel;CONVERT
```

Here *in-channel* is the name of the source channel (where the message comes from) and *out-channel* is the name of the destination channel (where the message is going). If a match occurs the resulting string should be a comma-separated list of keywords. [Table 13-7](#) lists the keywords.

Table 13-7 CHARSET-CONVERSION Mapping Table Keywords

Keyword	Description
Always	Force conversion even the message is going to be passed through the conversion channel before going to <i>out-channel</i> .
Appledouble	Convert other MacMIME formats to Appledouble format.
Applesingle	Convert other MacMIME formats to Applesingle format.
BASE64	Switch MIME encodings to BASE64. This keyword only applies to message parts that are already encoded. Messages with Content-transfer-encoding: 7BIT or 8bit do not require any special encoding and therefore this BASE64 option will have no effect on them.
Binhex	Convert other MacMIME formats, or parts including Macintosh type and Mac creator information, to Binhex format.
Block	Extract just the data fork from MacMIME format parts.
Bottom	“Flatten” any message/rfc822 body part (forwarded message) into a message content part and a header part.
Delete	“Flatten” any message/rfc822 body part (forwarded message) into a message content part, deleting the forwarded headers.
Level	Remove redundant multipart levels from message.
Macbinary	Convert other MacMIME formats, or parts including Macintosh type and Macintosh creator information, to Macbinary format.
No	Disable conversion.
QUOTED-PRINTABLE	Switch MIME encodings to QUOTED-PRINTABLE.
Record,Text	Line wrap text/plain parts at 80 characters.
Record,Text= n	Line wrap text/plain parts at n characters.
RFC1154	Convert message to RFC 1154 format.
Top	“Flatten” any message/rfc822 body part (forwarded message) into a header part and a message content part.
UUENCODE	Switch MIME encodings to X-UUENCODE.
Yes	Enable conversion.

Character Set Conversion

If the MTA probes and finds that the message is to be reformatted, it will proceed to check each part of the message. Any text parts are found and their character set parameters are used to generate the second probe. Only when the MTA has checked and found that conversions may be needed does it ever perform the second probe. The input string in this second case looks like this:

```
IN-CHAN=in-channel;OUT-CHAN=out-channel;IN-CHARSET=in-char-set
```

The *in-channel* and *out-channel* are the same as before, and the *in-char-set* is the name of the character set associated with the particular part in question. If no match occurs for this second probe, no character set conversion is performed (although message reformatting, for example, changes to MIME structure, may be performed in accordance with the keyword matched on the first probe). If a match does occur it should produce a string of the form:

```
OUT-CHARSET=out-char-set
```

Here *out-char-set* specifies the name of the character set to which the *in-char-set* should be converted. Note that both of these character sets must be defined in the character set definition table, `charsets.txt`, located in the MTA table directory. No conversion will be done if the character sets are not properly defined in this file. This is not usually a problem since this file defines several hundred character sets; most of the character sets in use today are defined in this file. See the description of the `imsimta chbuild` (UNIX and NT) utility for further information on the `charsets.txt` file.

If all the conditions are met, the MTA will proceed to build the character set mapping and do the conversion. The converted message part will be relabelled with the name of the character set to which it was converted.

The charset-conversion mapping has been extended to provide several additional capabilities:

- A `IN-CHARSET` option can be specified in the output template of a mapping entry. If present this overrides the charset specified in the encoded-word.
- A `RELABEL-ONLY` option that accepts an integer 0 or 1 can be specified. If this option has a value of 1 the `OUT-CHARSET` simply replaces the `IN-CHARSET`; no relabelling is done.
- If the `IN-CHARSET` option is used to set the input charset to `*` the charset will be "sniffed" to determine an appropriate label.

Example: Converting ISO-8859-1 to UTF-8 and back

Suppose that ISO-8859-1 is used locally, but this needs to be converted to UTF-8 for use on the Internet. In particular, suppose the connection to the Internet is via the `tcp_local` and `tcp_internal` and `ims-ms` are where internal messages originate and are delivered. The `CHARSET-CONVERSION` table shown below brings such conversions about.

CHARSET-CONVERSION

<code>IN-CHAN=tcp_internal;OUT-CHAN=tcp_local;CONVERT</code>	Yes
<code>IN-CHAN=tcp_local;OUT-CHAN=tcp_internal;CONVERT</code>	Yes
<code>IN-CHAN=tcp_local;OUT-CHAN=ims-ms;CONVERT</code>	Yes
<code>IN-CHAN=*;OUT-CHAN=*;CONVERT</code>	No
<code>IN-CHAN=tcp_internal;OUT-CHAN=tcp_local;IN-CHARSET=ISO-8859-1</code>	<code>OUT-CHARSET=UTF-8</code>
<code>IN-CHAN=tcp_local;OUT-CHAN=tcp_internal;IN-CHARSET=UTF-8</code>	<code>OUT-CHARSET=ISO-8859-1</code>
<code>IN-CHAN=tcp_local;OUT-CHAN=ims-ms;IN-CHARSET=UTF-8</code>	<code>OUT-CHARSET=ISO-8859-1</code>

Example: Converting EUC-JP to ISO-2022-JP and Back

The `CHARSET-CONVERSION` table shown below specifies a conversion between local usage of EUC-JP and the ISO 2022 based JP code.

CHARSET-CONVERSION

<code>IN-CHAN=ims-ms;OUT-CHAN=ims-ms;CONVERT</code>	No
<code>IN-CHAN=tcp_internal;OUT-CHAN=ims-ms;CONVERT</code>	No
<code>IN-CHAN=tcp_internal;OUT-CHAN=tcp_internal;CONVERT</code>	No
<code>IN-CHAN=tcp_internal;OUT-CHAN=*;CONVERT</code>	Yes
<code>IN-CHAN=*;OUT-CHAN=ims-ms;CONVERT</code>	Yes
<code>IN-CHAN=*;OUT-CHAN=tcp_internal;CONVERT</code>	Yes
<code>IN-CHAN=tcp_internal;OUT-CHAN=*;IN-CHARSET=EUC-JP</code>	<code>OUT-CHARSET=ISO-2022-JP</code>
<code>IN-CHAN=*;OUT-CHAN=ims-ms;IN-CHARSET=ISO-2022-JP</code>	<code>OUT-CHARSET=EUC-JP</code>
<code>IN-CHAN=*;OUT-CHAN=tcp_internal;IN-CHARSET=ISO-2022-JP</code>	<code>OUT-CHARSET=EUC-JP</code>

Message Reformatting

As described above, the `CHARSET-CONVERSION` mapping table is also used to effect the conversion of attachments between MIME and several proprietary mail formats.

The following sections give examples of some of the other sorts of message reformatting which can be affected with the `CHARSET-CONVERSION` mapping table.

Non-MIME Binary Attachment Conversion

Mail in certain non-standard (non-MIME) formats; for example, mail in certain proprietary formats or mail from the Microsoft Mail (MSMAIL) SMTP gateway is automatically converted into MIME format if `CHARSET-CONVERSION` is enabled for any of the channels involved in handling the message. If you have a `tcp_local` channel then it is normally the incoming channel for messages from a Microsoft Mail SMTP gateway, and the following will enable the conversion of messages delivered to your local users:

```
CHARSET-CONVERSION
```

```
IN-CHAN=tcp_local;OUT-CHAN=ims-ms;CONVERT          Yes
```

You may also wish to add entries for channels to other local mail systems. For instance, an entry for the `tcp_internal` channel:

```
CHARSET-CONVERSION
```

```
IN-CHAN=tcp_local;OUT-CHAN=l;CONVERT                Yes
IN-CHAN=tcp_local;OUT-CHAN=tcp_internal;CONVERT     Yes
```

Alternatively, to cover every channel you can simply specify `OUT-CHAN=*` instead of `OUT-CHAN=ims-ms`. However, this may bring about an increase in message processing overhead as all messages coming in the `tcp_local` channel will now be scrutinized instead of just those bound to specific channels.

More importantly, such indiscriminate conversions might place your system in the dubious and frowned upon position of converting messages—not necessarily your own site’s—which are merely passing through your system, a situation in which you should merely be acting as a transport and not necessarily altering anything beyond the message envelope and related transport information.

To convert MIME into the format Microsoft Mail SMTP gateway understands, use a separate channel in your MTA configuration for the Microsoft Mail SMTP gateway; for example, `tcp_msmail`, and put the following in the mappings. file:

```
CHARSET-CONVERSION
```

```
IN-CHAN=*;OUT-CHAN=tcp_msmail;CONVERT              RFC1154
```

Relabelling MIME Headers

Some user agents or gateways may emit messages with MIME headers that are less informative than they might be, but that nevertheless contain enough information to construct more precise MIME headers. Although the best solution is to properly configure such user agents or gateways, if they are not under your control, you can instead ask the MTA to try to reconstruct more useful MIME headers.

If the first probe of the `CHARSET-CONVERSION` mapping table yields a `Yes` or `Always` keyword, then the MTA will check for the presence of a `conversions` file. If a `conversions` file exists, then the MTA will look in it for an entry with `RELABEL=1` and if it finds such an entry, the MTA will then perform any MIME relabelling specified in the entry. See [“To Control Conversion Processing” on page 414](#) for information on `conversions` file entries.

For example, the combination of a `CHARSET-CONVERSION` table such as:

```
CHARSET-CONVERSION

IN-CHAN=tcp_local;OUT-CHAN=tcp_internal;CONVERT          Yes
```

and MTA `conversion` file entries of

```
out-chan=ims-ms; in-type=application; in-subtype=octet-stream;
  in-parameter-name-0=name; in-parameter-value-0=*.ps;
  out-type=application; out-subtype=postscript;
  parameter-copy-0=*; relabel=1

out-chan=ims-ms; in-type=application; in-subtype=octet-stream;
  in-parameter-name-0=name; in-parameter-value-0=*.msw;
  out-type=application; out-subtype=msword;
  parameter-copy-0=* relabel=1
```

will result in messages that arrive on the `tcp_local` channel and are routed to the `ims-ms` channel, and that arrive originally with MIME labelling of `application/octet-stream` but have a filename parameter with the extension `ps` or `msw`, being relabelled as `application/postscript` or `application/msword`, respectively. (Note that this more precise labelling is what the original user agent or gateway should have performed itself.) Such a relabelling can be particularly useful in conjunction with a `MIME-CONTENT-TYPES-TO-MR` mapping table, used to convert such resulting MIME types back into appropriate `MRTYPE` tags, which needs precise MIME labelling in order to function optimally; if all content types were left labelled only as `application/octet-stream`, the `MIME-CONTENT-TYPES-TO-MR` mapping table could only, at best, unconditionally convert all such to one sort of `MRTYPE`.

With the above example and `MIME-CONTENT-TYPES-TO-MR` mapping table entries including

```
APPLICATION/POSTSCRIPT      PS
APPLICATION/MSWORD          MW
```

a labelling coming in as, for example,

```
Content-type: application/octet-stream; name=stuff.ps
```

would be relabelled as

```
Content-type: application/postscript
```

and then converted into an `MRTYPE` tag `PS` to let Message Router know to expect PostScript.

Sometimes it is useful to do relabelling in the opposite sort of direction, "downgrading" specific MIME attachment labelling to `application/octet-stream`, the label for generic binary data. In particular, "downgrading" specific MIME labelling is often used in conjunction with the `convert_octet_stream` channel keyword on the `mime_to_x400` channel (PMDF-X400) or `xapi_local` channel (PMDF-MB400) to force all binary MIME attachments to be converted to X.400 bodypart 14 format.

For instance, the combination of a `CHARSET-CONVERSION` mapping table such as

```
CHARSET-CONVERSION
```

```
IN-CHAN=*;OUT-CHAN=mime_to_x400*;CONVERT      Yes
```

and PMDF conversions file entries of

```
out-chan=mime_to_x400*; in-type=application; in-subtype=*;
out-type=application; out-subtype=octet-stream; relabel=1
```

```
out-chan=mime_to_x400*; in-type=audio; in-subtype=*;
out-type=application; out-subtype=octet-stream; relabel=1
```

```
out-chan=mime_to_x400*; in-type=image; in-subtype=*;
out-type=application; out-subtype=octet-stream; relabel=1
```

```
out-chan=mime_to_x400*; in-type=video; in-subtype=*;
out-type=application; out-subtype=octet-stream; relabel=1
```

will result in downgrading various specific MIME attachment labelling to the generic `application/octet-stream` labelling (so that `convert_octet_stream` will apply) for all messages going to `mime_to_x400*` channels.

MacMIME Format Conversions

Macintosh files have two parts, a resource fork that contains Macintosh specific information, and a data fork that contains data usable on other platforms. This introduces an additional complexity when transporting Macintosh files, as there are four different formats in common use for transporting the Macintosh file parts. Three of the formats, Applesingle, Binhex, and Macbinary, consist of the Macintosh resource fork and Macintosh data fork encoded together in one piece. The fourth format, Appledouble, is a multipart format with the resource fork and data fork in separate parts. Appledouble is hence the format most likely to be useful on non-Macintosh platforms, as in this case the resource fork part may be ignored and the data fork part is available for use by non-Macintosh applications. But the other formats may be useful when sending specifically to Macintoshes.

The MTA can convert between these various Macintosh formats. The `CHARSET-CONVERSION` keywords `Appledouble`, `Applesingle`, `Binhex`, or `Macbinary` tell the MTA to convert other MacMIME structured parts to a MIME structure of `multipart/appledouble`, `application/applefile`, `application/mac-binhex40`, or `application/macbinary`, respectively. Further, the `Binhex` or `Macbinary` keywords also request conversion to the specified format of non-MacMIME format parts that do nevertheless contain `X-MAC-TYPE` and `X-MAC-CREATOR` parameters on the MIME `Content-type`: header. The `CHARSET-CONVERSION` keyword `Block` tells the MTA to extract just the data fork from MacMIME format parts, discarding the resource fork; (since this loses information, use of `Appledouble` instead is generally preferable).

For example, the following `CHARSET-CONVERSION` table would tell the MTA to convert to Appledouble format when delivering to the VMS MAIL mailbox or a GroupWise postoffice, and to convert to Macbinary format when delivering to the Message Router channel:

```
CHARSET-CONVERSION
```

```
IN-CHAN=*;OUT-CHAN=l;CONVERT      Appledouble
IN-CHAN=*;OUT-CHAN=wpo_local;CONVERT  Appledouble
IN-CHAN=*;OUT-CHAN=tcp_internal;CONVERT  Macbinary
```

The conversion to Appledouble format would only be applied to parts already in one of the MacMIME formats. The conversion to Macbinary format would only be applied to parts already in one of the MacMIME formats, or non-MacMIME parts which included `X-MAC-TYPE` and `X-MAC-CREATOR` parameters on the MIME `Content-type`: header.

When doing conversion to Appledouble or Block format, the `MAC-TO-MIME-CONTENT-TYPES` mapping table may be used to indicate what specific MIME label to put on the data fork of the Appledouble part, or the Block part, depending on what the Macintosh creator and Macintosh type information in the original Macintosh file were. Probes for this table have the form `format | type | creator | filename` where `format` is one of `SINGLE`, `BINHEX` or `MACBINARY`, where `type` and `creator` are the Macintosh type and Macintosh creator information in hex, respectively, and where `filename` is the filename.

For example, to convert to Appledouble when sending to the `ims-ms` channel and when doing so to use specific MIME labels for any MS Word or PostScript documents converted from `MACBINARY` or `BINHEX` parts, appropriate tables might be:

```
CHARSET-CONVERSION

  IN-CHAN=*;OUT-CHAN=ims-ms;CONVERT      Appledouble

MAC-TO-MIME-CONTENT-TYPES

! PostScript
  MACBINARY|45505346|76677264|*      APPLICATION/POSTSCRIPT$Y
  BINHEX|45505346|76677264|*      APPLICATION/POSTSCRIPT$Y
! Microsoft Word
  MACBINARY|5744424E|4D535744|*      APPLICATION/MSWORD$Y
  BINHEX|5744424E|4D535744|*      APPLICATION/MSWORD$Y
```

Note that the template (right hand side) of the mapping entry must have the `$Y` flag set in order for the specified labelling to be performed. Sample entries for additional types of attachments may be found in the file `mac_mappings.sample` in the MTA table directory.

If you wish to convert non-MacMIME format parts to Binhex or Macbinary format, such parts need to have `X-MAC-TYPE` and `X-MAC-CREATOR` MIME Content-type: parameter values provided. Note that MIME relabelling can be used to force such parameters onto parts that would not otherwise have them.

Service Conversions

The MTA's conversion service facility may be used to process with site-supplied procedures a message so as to produce a new form of the message. Unlike either the sorts of `CHARSET-CONVERSION` operations discussed above or the `conversion` channel, which operate on the content of individual MIME message parts, conversion services operate on entire MIME message parts (MIME headers and content) as well as entire MIME messages. Also, unlike other `CHARSET-CONVERSION` operations or conversion channel operations, conversion services are expected to do their own MIME disassembly, decoding, re-encoding, and reassembly.

Like other `CHARSET-CONVERSION` operations, conversion services are enabled through the `CHARSET-CONVERSION` mapping table. If the first probe of the `CHARSET-CONVERSION` mapping table yields a `Yes` or `Always` keyword, then the MTA will check for the presence of an MTA `conversions` file. If a `conversions` file exists, then the MTA will look in it for an entry specifying a `SERVICE-COMMAND`, and if it finds such an entry, execute it. The `conversions` file entries should have the form:

```
in-chan=channel-pattern;
  in-type=type-pattern; in-subtype=subtype-pattern;
  service-command=command
```

Of key interest is the command string. This is the command that should be executed to perform a service conversion (for example, invoke a document converter). The command must process an input file containing the message text to be serviced and produce as output a file containing the new message text. On UNIX, the command must exit with a 0 if successful and a non-zero value otherwise.

For instance, the combination of a `CHARSET-CONVERSION` table such as

```
CHARSET-CONVERSION
IN-CHAN=bsout_*;OUT-CHAN=*;CONVERT      Yes
```

and an MTA `conversions` file entry on UNIX of

```
in-chan=bsout_*; in-type=*; in-subtype=*;
service-command="/pmdf/bin/compress.sh compress $INPUT_FILE $OUTPUT_FILE"
```

will result in all messages coming from a `BSOUT` channel being compressed.

Environment variables are used to pass the names of the input and output files as well as the name of a file containing the list of the message's envelope recipient addresses. The names of these environment variables are:

- `INPUT_FILE` - Name of the input file to process
- `OUTPUT_FILE` - Name of the output file to produce
- `INFO_FILE` - Name of the file containing envelope recipient addresses

The values of these three environment variables may be substituted into the command line by using standard command line substitution: that is, preceding the variable's name with a dollar character on UNIX. For example, when `INPUT_FILE` and `OUTPUT_FILE` have the values `a.in` and `a.out`, then the following declaration on UNIX:

```
in-chan=bsout_*; in-type=*; in-subtype=*;
  service-command="/pmdf/bin/convert.sh $INPUT_FILE $OUTPUT_FILE"
```

executes the command

```
/pmdf/bin/convert.sh a.in a.out
```


Integrating Spam and Virus Filtering Programs Into Messaging Server

This chapter describes how to integrate and configure spam and virus filtering software with Messaging Server. The spam/virus filtering technology described in this chapter is more powerful than the technology provided by the conversion channel (see [“The Conversion Channel” on page 410](#)). Messaging Server supports Symantec Brightmail AntiSpam, SpamAssassin, and anti-spam/anti-virus programs which support Internet Content Adaptation Protocol (ICAP, RFC 3507), specifically Symantec AntiVirus Scan Engine.

NOTE In this chapter, references to *anti-spam* or *spam filtering* features also mean, when applicable, *anti-virus* or *virus filtering* features. Some products offer both (Brightmail), while others may offer only spam filtering (SpamAssassin) or only virus filtering (Symantec AntiVirus Scan Engine). Note also that `spam` is used generically in configuration parameters.

This chapter is divided into the following sections:

- [“Integrating Spam Filtering Programs Into Messaging Server—Theory of Operations” on page 442](#)
- [“Deploying and Configuring Third Party Spam Filtering Programs” on page 442](#)
- [“Using Symantec Brightmail Anti-Spam” on page 455](#)
- [“Using SpamAssassin” on page 459](#)
- [“Using Symantec Anti-Virus Scanning Engine \(SAVSE\)” on page 473](#)
- [“Support for Sieve Extensions” on page 480](#)

Integrating Spam Filtering Programs Into Messaging Server—Theory of Operations

From the perspective of Messaging Server, anti-spam solutions operate in much the same way:

1. Messaging Server sends a copy of a message to the spam filtering software.
2. The spam filtering software analyzes the message and returns a verdict of spam or not spam. Some programs, like SpamAssassin may also return a *spam score*, which is a numerical rating of the probability of the message being spam.
3. Messaging Server reads the verdict and takes a Sieve action on the message (see [“Specifying Actions to Perform on Spam Messages”](#) on page 451).

Spam filtering programs interact with the MTA through a protocol. The protocol may be a standard as in ICAP-based programs such as Symantec AntiVirus Scan Engine, proprietary as in Brightmail, or simply non-standard as in SpamAssassin. Each protocol requires software hooks to interface with the MTA. Brightmail and SpamAssassin were the first two spam filtering programs that could be integrated with messaging server. The MTA now supports the programs that use ICAP.

Deploying and Configuring Third Party Spam Filtering Programs

There are five actions required to deploy third-party filtering software on Messaging Server:

- **Determine which spam filtering programs you wish to deploy, and how many servers on which to deploy them.** Messaging Server allows you to filter incoming messages with up to four different spam/virus programs. These programs can be run on separate systems, on the same system as Messaging Server in a single system deployment, or on the same system as the MTA in a two-tier deployment. The number of servers required depends on the message load, the hardware performance, and other factors. Refer to your spam filtering software documentation or representative for guidelines on determining the hardware requirements at your site.
- **Install and configure the spam filtering software.** Refer to your spam filtering software documentation or representative for this information.

- **Load and configure the filtering client library.** This involves specifying the client library and configuration file in the MTA `option.dat` file, and also setting the desired options in the filtering software's configuration file. [“Loading and Configuring the Spam Filtering Software Client Library” on page 443.](#)
- **Specify what messages get filtered.** Messages can be filtered by user, domain, or channel. [“Specifying the Messages to Be Filtered” on page 444.](#)
- **Specify what happens to Spam.** Spam can be discarded, filed into a folder, tagged on the subject line, and so on. [“Specifying Actions to Perform on Spam Messages” on page 451.](#)

NOTE Previous versions of Messaging Server only supported the Brightmail filtering technology and so keywords and options had names, such as `sourcebrightmail` or `Brightmail_config_file`. These keywords and options have been changed to more generic names such as `sourcespamfilter` or `spamfilter_config_file`. The previous Brightmail names are retained for compatibility.

Loading and Configuring the Spam Filtering Software Client Library

Each spam filtering program is expected to provide a client library file and configuration file for Messaging Server. Loading and configuring the client library involves two things:

- Specifying the spam filtering software library paths (`spamfilterX_library`) and configuration files (`spamfilterX_config_file`) in the `option.dat` file. In addition to these options, there are a number of others used to specify spam filtering LDAP attributes, as well as the Sieve actions to use on spam messages.
- Specifying the desired options in the spam filtering software configuration files. Each spam filtering program has a different configuration file and configuration options. These are described in the spam filtering software sections, as well as in the filtering software documentation. See [“Using Symantec Brightmail Anti-Spam” on page 455](#) or [“Using SpamAssassin” on page 459](#), and [“Using Symantec Anti-Virus Scanning Engine \(SAVSE\)” on page 473.](#)

Specifying the Spam Filtering Software Library Paths

Messaging Server can call up to four different filtering systems for your messages. For example, you can run your messages through both the Symantec AntiVirus Scan Engine and SpamAssassin. Each filtering software is identified by a number from 1 to 4. These numbers appear as part of the various spam filter options, LDAP attributes, and channel keywords; an *X* is used as a filter identification number. For example, `sourcespamfilterXoptin` or `spamfilterX_config_file`. If the identifying number is omitted from the keyword or option name it defaults to 1.

The following `option.dat` settings specify Messaging Server to filter messages through both Symantec AntiVirus Scan Engine and SpamAssassin:

```
spamfilter1_library=Symantec_Library_File
spamfilter1_config_file=Symantec_Config_File
spamfilter2_library=SpamAssassin_Library_File
spamfilter2_config_file=SpamAssassin_Config_File
```

When using other options or keywords to configure the system, use the corresponding number at the end of the option or keyword. For example, `sourcespamfilter2optin` would refer to SpamAssassin. `sourcespamfilter1optin` would refer to Symantec AntiVirus Scan Engine. It is not necessary to use numbers sequentially. For example, if you want to temporarily disable the Symantec AntiVirus Scan Engine, you can just comment out the `spamfilter1_library` configuration file.

Specifying the Messages to Be Filtered

Once the spam filtering software is installed and ready to run with Messaging Server, you need to specify what messages to filter. Messaging Server can be configured to filter messages by user, domain, or channel. Each of these scenarios is described in the following sections:

- [“To Specify User-level Filtering” on page 445](#)
- [“To Specify Domain-level Filtering” on page 446](#)
- [“To Specify Channel-level Filtering” on page 448](#)

NOTE The expression *optin* means that a user, domain or channel is selected to receive mail filtering.

To Specify User-level Filtering

It may be desirable to specify filtering on a per-user basis. For example, if spam or virus filtering is offered as a premium service to ISP customers, you can specify which users receive this and which don't. The general steps for user filtering are as follows:

1. Specify the user LDAP attributes that activate the spam filtering software.

Set the `LDAP_OPTINX` options in `option.dat`. Example:

```
LDAP_OPTIN1=SymantecAV
LDAP_OPTIN2=SpamAssassin
```

2. Set filter attributes in the user entries that receive spam filtering.

The values for the filter attributes are multi-valued and depend on the server. Using the example shown in Step 1, the entries are:

```
SymantecAV: virus
SpamAssassin: spam
```

For a program like Brightmail, which can filter both viruses and spam, the valid values are `spam` and `virus`. When used as a multi-valued attribute, each value requires a separate attribute entry. For example, if the filter attribute for Brightmail was set to `Brightmail`, the entries are:

```
Brightmail: spam
Brightmail: virus
```

User-level Filtering Example

This example assumes that Brightmail is used. It also assumes that `LDAP_OPTIN1` was set to `Brightmail` in the `option.dat` file. The user, Otis Fanning, has the `Brightmail` attribute set to `spam` and `virus` in his user entry. His mail is filtered by Brightmail for spam and viruses. [Code Example 14-1](#) shows the Brightmail user entry for Otis Fanning.

Code Example 14-1 Example LDAP User Entry for Brightmail

```
dn: uid=fanning,ou=people,o=sesta.com,o=ISP
objectClass: person
objectClass: organizationalPerson
objectClass: inetOrgPerson
objectClass: inetUser
objectClass: ipUser
objectClass: inetMailUser
objectClass: inetLocalMailRecipient
objectClass: nsManagedPerson
objectClass: userPresenceProfile
```

Code Example 14-1 Example LDAP User Entry for Brightmail

```
cn: Otis Fanning
sn: fanning
initials: OTF
givenName: Otis
pabURI: ldap://ldap.siroe.com:389/ou=fanning,ou=people,o=sesta.com,o=isp,o=pab
mail: Otis.Fanning@sesta.com
mailAlternateAddress: ofanning@sesta.com
mailDeliveryOption: mailbox
mailHost: manatee.siroe.com
uid: fanning
dataSource: iMS 5.0 @(#)ims50users.sh 1.5a 02/3/00
userPassword: password
inetUserStatus: active
mailUserStatus: active
mailQuota: -1
mailMsgQuota: 100
Brightmail: virus
Brightmail: spam
```

If Symantec AntiVirus Scan Engine and SpamAssassin were used, the entry would look like this:

```
SymantecAV: virus
SpamAssassin: spam
```

See [“Using Symantec Brightmail Anti-Spam”](#), [“Using SpamAssassin”](#) or [“Using Symantec Anti-Virus Scanning Engine \(SAVSE\)”](#) for more examples and details.

To Specify Domain-level Filtering

You can specify which domains receive filtering. An example of this feature would be if anti-spam or anti-virus filtering were offered as a premium service to ISP domain customers. The general steps for specifying domain filtering is as follows:

1. Specify the domain LDAP attributes that activates the filtering software.

Set the `LDAP_DOMAIN_ATTR_OPTINX` options in `option.dat`. Example:

```
LDAP_DOMAIN_ATTR_OPTIN1=SymantecAV
LDAP_DOMAIN_ATTR_OPTIN2=SpamAssassin
```

2. Set filter attributes in the domain entries that receive spam filtering.

The values for the filter attributes are multi-valued and depend on the server. Using the example shown in Step 1, the entries would be as follows:

```
SymantecAV: virus
SpamAssassin: spam
```

For a program like Brightmail which can filter both viruses and spam, the valid values are `spam` and `virus`. When used as a multi-valued attribute, each value requires a separate attribute value entry. For example, if

`LDAP_DOMAIN_ATTR_OPTIN1` was set to Brightmail, the entries would be:

```
Brightmail: spam
Brightmail: virus
```

Domain-level Filtering Example

This example assumes that Brightmail is used. It also assumes that `LDAP_DOMAIN_ATTR_OPTIN1` was set to Brightmail in the `option.dat` file. The Brightmail attribute is set to `spam` and `virus` in the `sesta.com` domain entry in the DC tree for Sun LDAP Schema 1. For Sun LDAP Schema 2 you also set Brightmail in the domain entries that receive spam filtering.

All mail sent to `sesta.com` is filtered for spam and viruses by Brightmail. [Code Example 14-2](#) shows the domain entry.

Code Example 14-2 Example LDAP Domain Entry for Brightmail

```
dn: dc=sesta,dc=com,o=internet
objectClass: domain
objectClass: inetDomain
objectClass: mailDomain
objectClass: nsManagedDomain
objectClass: icsCalendarDomain
description: DC node for sesta.com hosted domain
dc: sesta
inetDomainBaseDN: o=sesta.com,o=isp
inetDomainStatus: active
mailDomainStatus: active
mailDomainAllowedServiceAccess: +imap, pop3, http:*
mailRoutingHosts: manatee.siroe.com
preferredMailHost: manatee.siroe.com
mailDomainDiskQuota: 100000000
mailDomainMsgQuota: -1
mailClientAttachmentQuota: 5
Brightmail: spam
Brightmail: virus
```

If Symantec AntiVirus Scan Engine and SpamAssassin were used, the entry would look similar to like this:

```
SymantecAV: virus  
SpamAssassin: spam
```

See “Using Symantec Brightmail Anti-Spam”, “Using SpamAssassin” or “Using Symantec Anti-Virus Scanning Engine (SAVSE)” for more examples and details.

To Specify Channel-level Filtering

Filtering by source or destination channel provides greater flexibility and granularity for spam filtering. For example, you may wish to filter in these ways:

- Only messages from a specific MTA relay to a backend message store
- All incoming mail from a specific MTA.
- All outgoing mail from a specific MTA.
- Incoming and outgoing mail from a specific MTA.

Messaging Server allows you to specify filtering by source or destination channel. The mechanism for doing this are the channel keywords described in [Table 14-1](#). The following example demonstrates how to set up channel-level filtering.

1. Add a rewrite rule in the `imta.cnf` file for all inbound SMTP servers that send messages to a backend message store host. Example:

```
msg_store1.siroe.com    $U@msg_store1.siroe.com
```

2. Add a channel corresponding to the rewrite rule with the `destinationspamfilterXoptin` keyword. Example:

```
tcp_msg_store1 smtp subdirs 20 backoff "pt5m" "pt10" "pt30" "pt1h" \  
"pt2h" "pt4h" maxjobs 1 pool IMS_POOL fileinto $U+$S@$D \  
destinationspamfilterloptin spam  
msg_store1.siroe.com
```


Table 14-1 MTA Channel Keywords for Spam Filters

Channel Keyword	Description
<code>destinationspamfilterXoptin</code>	<p>Specifies that all messages destined to this channel are filtered by anti-spam software <i>X</i> even if those services are not specified by user or domain with the <code>LDAP_OPTIN</code> LDAP attribute. (Filtering software <i>X</i> is defined by <code>spamfilterX_library</code> in <code>option.dat</code>.) The filter parameters depend on the filtering program and follow the keyword. For example, Brightmail parameters are normally <code>spam</code> or <code>virus</code> or <code>spam,virus</code>. The SpamAssassin parameter is <code>spam</code>.</p> <p>In this example, all mail destined for the message store is scanned for spam:</p> <pre>ims-ms destinationspamfilterloptin spam,virus. . .</pre>
<code>sourcespamfilterXoptin</code>	<p>Specifies that all messages originating from this channel are filtered by anti-spam software <i>X</i> even if those services are not specified by user or domain with the <code>LDAP_OPTIN</code> LDAP attribute. The system-wide default parameters follow the keyword, and the available parameters depend on the filtering program. For example, for Brightmail parameters are <code>spam</code> or <code>virus</code> or <code>spam,virus</code>. For SpamAssassin, the parameter is <code>spam</code>. If <code>switchchannel</code> is in effect, this keyword is placed on the switched-to channel.</p>

Channel-level Filtering Examples

These example assume a filtering program specified by the number 1.

Example 1. Filter all mail for spam and viruses from an MTA relay to a backend message store called `msg_store1.siroe.com`.

1. Add a rewrite rule in the `imta.cnf` file that sends messages to a backend message store host. Example:

```
msg_store1.siroe.com $U@msg_store1.siroe.com
```

2. Add a channel corresponding to that rewrite rule with the `destinationspamfilterXoptin` keyword. Example:

```
tcp_msg_store1 smtp subdirs 20 backoff "pt5m" "pt10" "pt30" "pt1h" \
"pt2h" "pt4h" maxjobs 1 pool IMS_POOL fileinto $U+$S@$D \
destinationspamfilterloptin spam,virus
msg_store1.siroe.com
```

Example 2. Filter for spam all incoming mail passing through your MTA (Typically, all incoming messages pass through the `tcp_local` channel):

```

tcp_local smtp mx single_sys remotehost inner switchchannel \
identnonelimited subdirs 20 maxjobs 7 pool SMTP_POOL \
maytllserver maysaslserver saslswitchchannel tcp_auth \
sourcespamfilterloptin spam
tcp-daemon

```

Example 3. Filter all outgoing mail to the Internet passing through your MTA. (Typically, all messages going out to the Internet pass through the `tcp_local` channel.)

```

tcp_local smtp mx single_sys remotehost inner switchchannel \
identnonelimited subdirs 20 maxjobs 7 pool SMTP_POOL \
maytllserver maysaslserver saslswitchchannel tcp_auth \
destinationsspamfilterloptin spam
tcp-daemon

```

Example 4. Filter all incoming and outgoing mail passing through your MTA:

```

tcp_local smtp mx single_sys remotehost inner switchchannel \
identnonelimited subdirs 20 maxjobs 7 pool SMTP_POOL \
maytllserver maysaslserver saslswitchchannel tcp_auth \
sourcespamfilterloptin spam destinationsspamfilterloptin spam
tcp-daemon

```

Example 5. Filter all mail destined to the local message store in a two-tiered system without using user `optin`:

```

ims-ms smtp mx single_sys remotehost inner switchchannel \
identnonelimited subdirs 20 maxjobs 7 pool SMTP_POOL \
maytllserver maysaslserver saslswitchchannel tcp_auth \
destinationsspamfilterloptin spam
tcp-daemon

```

Example 6. Filter all incoming and outgoing mail for spam and viruses (this presumes that your software filters both spam and viruses):

```

tcp_local smtp mx single_sys remotehost inner switchchannel \
identnonelimited subdirs 20 maxjobs 7 pool SMTP_POOL \
maytllserver maysaslserver saslswitchchannel tcp_auth \
destinationsspamfilterloptin spam,virus sourcespamfilterloptin \
spam,virus
tcp-daemon

```

Specifying Actions to Perform on Spam Messages

Spam filtering programs analyze messages and return a verdict of spam or not spam to Messaging Server. Messaging Server then takes action on the message. Actions are specified using the Sieve mail filtering language. Possible actions are to discard the message, file it into a folder, add a header, add a tag to the subject line, and so on. Complex Sieve scripts with if-then-else statements are also possible.

NOTE Refer to the Sieve specification 3028 for the complete Sieve syntax. Also see <http://www.cyrusoft.com/sieve/>

Sieve scripts are specified with the MTA spam filter options (`option.dat`) described in [Table 14-2](#). The primary spam filter action options are `SpamfilterX_null_action`, which specifies the Sieve rule to execute when a null value is returned as the spam verdict value, and `SpamfilterX_string_action`, which specifies the Sieve rule to execute when a string is returned as the spam verdict.

Spam filtering programs typically return a string or a null value to the MTA to indicate that message is spam. Some programs also return a spam score—a number rating the probability of the message being spam or not. This score can be used as part of the action sequence. The following examples show how to specify actions on filtered messages. Each example assumes a filtering program specified by the number 1.

Example 1: File spam messages with a null verdict value to the file `SPAM_CAN`.

```
spamfilter1_null_action=data:,require "fileinto"; fileinto "SPAM_CAN";
```

The same action can be performed on a spam message that returns a string:

```
spamfilter1_string_action=data:,require "fileinto"; fileinto "SPAM_CAN";
```

Example 2: File spam messages with a returned verdict string into a file named after the returned verdict string (this is what `$U` does). That is, if the verdict string returned is `spam`, the message is stored in a file called `spam`.

```
spamfilter1_null_action=data:,require "fileinto"; fileinto "$U";
```

Example 3: Discard spam messages with a string verdict value.

```
spamfilter1_string_action=data:,discard
```

The same action can be performed on a spam message that returns a null value:

```
spamfilter1_null_action=data:,require "fileinto"; fileinto "SPAM_CAN";
```

Example 4. This line adds the header `Spam-test: FAIL` to each message determined to be spam by a string verdict value:

```
spamfilter1_string_action=data:,require ["addheader"];addheader "Spam-test:
FAIL";
```

Example 5. This line adds the string `[PROBABLE SPAM]` to the subject line of the spam messages returning a string:

```
spamfilter1_string_action=data:,addtag "[PROBABLE SPAM]";
```

Example 6. This line assumes a string verdict value and files a spam message in the mailbox `testspam` if the header contains `resent-from` and `User-1`. If the message does not have that header, it files the message into `spam`.

```
spamfilter1_string_action=data:,require "fileinto";\
  if header :contains ["resent-from"] ["User-1"] {\
    fileinto "testspam";\
  } else {\
    fileinto "spam";};
```

Because verdict strings are configurable with most spam filter software, you can specify different actions depending on the returned string. This can be done with the matched pairs `spamfilterX_verdict_n` and `spamfilterX_action_n` options.

Example 7. These matched pair options discard spam messages with the returned verdict string of `remove`.

```
spamfilter1_verdict_0=remove
spamfilter1_action_0=data:,discard
```

Refer to the specific spam filtering software sections for instructions on how to specify the spam verdict string.

Table 14-2 MTA Spam Filter Options (option.dat)

MTA Options for Spam Assassin	Description
<code>SpamfilterX_config_file</code>	Specifies the full file path and name of the filtering software X configuration file. Default: none
<code>SpamfilterX_library</code>	Specifies the full file path and name of the filtering software X shared library. Default: none

Table 14-2 MTA Spam Filter Options (`option.dat`)

MTA Options for Spam Assassin	Description
<code>SpamfilterX_optional</code>	<p>Controls whether certain failures reported by the filtering library X are treated as a temporary processing failure or ignored. The default value of 0 specifies that spam filtering problems cause a temporary processing failure. Changing the value to 1 causes spam filter processing to be skipped in the event of some, but possibly not all, filtering library failures. In particular, if the system gets stuck without a return in the library code, some portion of the MTA may also get stuck. -2 and 2 can also be set. The are the same as 0 and 1 respectively except that they also cause a syslog message to be sent in the event of a problem reported by the spam filter plugin.</p> <p>Default: 0</p>
<code>LDAP_optinX</code>	<p>Specifies the name of the LDAP attribute used to activate filtering software X on a user basis. This should be an attribute in the <code>inetMailUser</code> objectclass.</p> <p>The attribute itself can take multiple values and is case-sensitive. For SpamAssassin, its value should be <code>spam</code> in lowercase.</p> <p>Default: none</p>
<code>LDAP_domain_attr_optinX</code>	<p>Specifies the name of the LDAP attribute used to activate filtering software X on a domain basis. It applies to the destination mail domain. It is just like <code>LDAP_optin</code>, except it should be in the objectclass <code>mailDomain</code>.</p> <p>Default: none</p>
<code>SpamfilterX_null_optin</code>	<p>Specifies a string which, if found, as a value of the attribute defined by <code>LDAP_optinX</code> or <code>LDAP_domain_attr_optinX</code>, causes the MTA to act as if the attribute wasn't there. That is, it disables filtering for that entry. See "Specifying the Messages to Be Filtered" on page 444 for usage details.</p> <p>Default: The empty string. Empty optin attributes are ignored by default. (This is a change from iPlanet Messaging Server 5.2, where empty optin attributes triggered filtering with an empty optin list. The 5.2 behavior can be restored by setting <code>spamfilterX_null_optin</code> to a string that never occurs in practice.)</p>
<code>SpamfilterX_null_action</code>	<p>Defines a Sieve rule specifying what to do with the message when the filtering software X verdict returns as null. Sieve expressions can be stored externally using a file URL. For example:</p> <pre>file:///var/opt/SUNWmsgsr/config/null_action.sieve. Also, do not reject spam using the Sieve reject action, as it tends to deliver a nondelivery notification to the innocent party whose address was used to send the spam.</pre> <p>Default: <code>data:,discard;</code></p>
<code>SpamfilterX_string_action</code>	<p>Defines Sieve rule specifying what to do with the message if the verdict is a string. Sieve expressions can be stored externally using a file URL. For example:</p> <pre>file:///var/opt/SUNWmsgsr/config/null_action.sieve. Also, do not reject spam using the Sieve reject action, as it tends to deliver a nondelivery notification to the innocent party whose server was used to send the spam.</pre> <p>Default: <code>data:,require "fileinto"; fileinto "\$U;</code> where \$U is the string that verdict returned.</p>

Table 14-2 MTA Spam Filter Options (option.dat)

MTA Options for Spam Assassin	Description
<code>spamfilterX_verdict_n</code>	<p>The options <code>spamfilterX_verdict_n</code> and <code>spamfilterX_action_n</code> are matched pairs, where <i>n</i> is a number from 0 to 9. These options allow you to specify Sieve filters for arbitrary verdict strings. This is done by setting <code>spamfilterX_verdict_n</code> and <code>spamfilterX_action_n</code> to the verdict string and sieve filter, respectively, where <i>n</i> is an integer from 0 to 9. For example, a site could have the "reject" verdict cause a sieve reject action by specifying:</p> <pre>spamfilter1_verdict_0=reject spamfilter1_action_0=data:,require "reject"; reject "Rejected by spam filter";</pre> <p>The default values for all the <code>spamfilterX_verdict_n</code> options and the corresponding action options are empty strings.</p> <p>Default: none</p>
<code>spamfilterX_action_n</code>	See <code>spamfilterX_verdict_n</code> . Default: none
<code>spamfilterX_final</code>	<p>Some filtering libraries have the ability to perform a set of actions based on recipient addresses. <code>spamfilterX_final</code> specifies the sort of recipient address passed to the filtering library. A value of 0 results in an intermediate address being used; 1 sends the final form of the recipient address.</p> <p>Default: 0</p>
<code>optin_user_carryover</code>	<p>Forwarding is a challenge for spam filter processing. Consider a user entry that specifies the <code>forward</code> delivery option and specifies the forwarding address of another user. Additionally, the user entry is set to opt in to some specific sort of filtering. Should the filtering be applied to the forwarded message or not? On the one hand, the correct filtering choice for one particular user may not be the correct choice for another. On the other hand, eliminating a filtering operation might be used as means of violating a site's security policy.</p> <p>No single answer is correct in all cases so <code>OPTIN_USER_CARRYOVER</code> controls how the spam filtering optin list is carried from one user or alias entry to another when forwarding occurs. This is a bit-encoded value. The various bit values have the following meanings:</p> <p>bit 0 (value 1). Each LDAP user entry overrides any previously active user/domain opts unconditionally.</p> <p>bit 1 (value 2). If a user's domain has an optin attribute, it overrides any previous user/domain/alias opts that were active.</p> <p>bit 2 (value 4). If a user has an optin attribute, it overrides any previous user/domain/alias opts that were active.</p> <p>bit 3 (value 8). An optin specified by an [optin] non-positional parameter overrides any previous user/domain/alias opts that were active.</p> <p>Default: 0 (opts accumulate if one user has a delivery option that forwards to another. The default insures that site security policies are effective when forwarding; other settings may not.)</p>

Using Symantec Brightmail Anti-Spam

The Brightmail solution consists of the Brightmail server along with realtime anti-spam and anti-virus rule updates downloaded to email servers.


How Brightmail Works

The Brightmail server is deployed at a customer site. Brightmail has email probes set around the Internet for detection of new spam. Brightmail technicians create custom rules to block this spam in realtime. These rules are downloaded to Brightmail servers, also in realtime. The Brightmail database is updated and Brightmail server runs this database filter against the email for the specified users or domains.

Brightmail Architecture

Figure 14-1 depicts the Brightmail architecture.

Figure 14-1 Brightmail and Messaging Server Architecture



When the Brightmail Logistics and Operations Center (BLOC) receives spam from email probes, operators immediately create appropriate spam filtering rules, which are downloaded to Brightmail customer machines. Similarly, the Symantec Security Response realtime virus rules are also sent from Brightmail. These rules are used by customer's Brightmail servers to catch spam and viruses.

The MTA uses the Brightmail SDK to communicate with the Brightmail Server. The MTA dispatches messages based on the response from Brightmail. After the mail (1a) or (1b) is received by the MTA, the MTA sends the message to the Brightmail server (2). The Brightmail server uses its rules and data to determine if the message is a spam or virus (3), and returns a verdict to the MTA. Based on the verdict, the MTA either (4a) discards the message or files the message into a folder, or (4b) delivers it normally to the destination.

Since the Brightmail SDK is third party software, we do not include it in our installation kit. The Brightmail SDK and server software must be obtained from Brightmail Inc. The MTA has configuration settings to tell it whether and where to load the Brightmail SDK to enable Brightmail integration.

Once the SDK is loaded, Brightmail message processing is determined by several factors and levels of granularity (the term used by Brightmail to specify active processing is *optin*). This is specified by the following criteria:

- Whether the source or destination channel is enabled for Brightmail (`imta.cnf`)
- Whether there is a channel default for the services opted in (`imta.cnf`)
- Whether there is a per domain optin (LDAP)
- Whether there is per-user optin (LDAP)

For any particular message recipient, the optins and defaults above are combined, which means, if the channel default is already specified for both spam and virus, then there is no reason to bother with per-user optin. That is, if the system administrator decides to do spam and virus filtering for everyone, then there is no reason to expose to the user the ability to optin for spam or virus. There is no way to opt out of processing, that is, you can not say you do not want the service if a user is already optin via a system or domain optin. This also means that if you are optin for a service, and you have forwarded your mail to another address, that address would get the mail after the filtering has been performed on your behalf.

There are only two services offered, virus or spam detection. Brightmail also provides "content-filtering" service, but this functionality is provided using Sieve, so there is no added value to have Brightmail do the Sieve filtering.

When a message is determined to contain a virus, the Brightmail server can be configured to clean the virus and resubmit the cleaned message back to the MTA. (Due to some undesirable side effects caused by loss of information about the original message in a resubmitted cleaned message, we recommend you do not configure Brightmail to resubmit the cleaned message back to the MTA.) When the message is spam, the verdict back from the Brightmail along with the configuration in Brightmail allows the MTA to determine what happens to the message. The message can be discarded, filed into a folder, tagged as spam or virus on the subject line, passed to a Sieve rule, delivered normally in the `INBOX`, and so on.

The Brightmail servers can be located on the same system as the MTA, or it can be on a separate system. In fact, you can have a farm of Brightmail servers serving one or more MTAs. The Brightmail SDK uses the Brightmail configuration file to determine which Brightmail servers to use.

Brightmail Requirements and Performance Considerations

- Brightmail servers must run on the Solaris Operating System.
- If Brightmail does spam and virus checking, MTA message throughput can be reduced by as much 50%. To keep up with MTA throughput, you may need two Brightmail servers for each MTA.
- While SpamAssassin has the ability to perform different sorts of filtering on a user basis, it is unable to apply two different sets of filtering criteria to the same message at the same time. Thus, SpamAssassin only allows system-wide filtering. Customized filtering for individual users is not possible.

Deploying Brightmail

Perform the following steps to deploy Brightmail.

- **Install and Configure Brightmail.** Refer to the Brightmail software documentation or representative for installation and configuration information. Selected Brightmail configuration options are shown in [“Brightmail Configuration Options” on page 458](#), however the most complete and up-to-date information is in the Brightmail documentation.

- **Load and Configure the Brightmail Client Library.** This involves specifying the Brightmail client library, `libbmiclient.so`, and configuration, `config`, file to the MTA. See “[Loading and Configuring the Spam Filtering Software Client Library](#)” on page 443.
- **Specify what messages to filter for spam.** Messages can be filtered by user, domain, or channel. See “[Specifying the Messages to Be Filtered](#)” on page 444
- **Specify what actions to take on spam messages.** Spam can be discarded, filed into a folder, tagged on the subject line, and so on. See “[Specifying Actions to Perform on Spam Messages](#)” on page 451.
- **Set miscellaneous MTA filter configuration parameters as desired.** See “[MTA Spam Filter Options \(option.dat\)](#)” on page 452.

Brightmail Configuration Options

Selected Brightmail configuration file options are shown in [Table 14-3](#). The most complete listing of Brightmail configuration file options can be obtained from Brightmail. Options and values are not case-sensitive.

Table 14-3 Selected Brightmail Configuration File Options

Brightmail Option	Description
<code>blSWPrecedence</code>	A given message can have multiple verdicts. This specifies the precedence order. So if a message is processed for virus first, then for spam if you specified this option as <code>virus-spam</code> the verdicts are separated by hyphens (-). This is the recommended setting when using Brightmail with Sun Java System Messaging Server.
<code>blSWClientDestinationDefault</code>	Specifies how to deliver normal messages, that is, not a spam or virus, and thus have no verdict. Usually you want to deliver this message normally, so you would specify <code>inbox</code> as the value. There is no default.
<code>blSWLocalDomain</code>	This attribute specifies what domain(s) are considered to be local. There can be multiple lines of this attribute specifying several domains which are all considered local. Local versus foreign domain is used to specify two different handling for a verdict. See below <code>blSWClientDestinationLocal</code> and <code>blSWClientDestinationForeign</code> . For example, you can specify <code>blSWLocalDomain=siroe.com</code>

Table 14-3 Selected Brightmail Configuration File Options

Brightmail Option	Description
<code>blSWClientDestinationLocal</code>	<p>This specifies the verdict and action pair for the local domain. You would normally have two lines for this, one for spam and one for virus. The value is of the form <code>verdict action</code>. For example,</p> <pre>blSWClientDestinationLocal=spam spambox blSWClientDestinationLocal=virus </pre> <p>The default Brightmail interpretation for the “null” action, meaning nothing to the right of the <code> </code>, is to discard the message. So the example above discards the message if it has a verdict of <code>virus</code>. And if the verdict is <code>spam</code>, the above example files the message into the folder called <code>spambox</code>. If the message is not spam or virus, then the verdicts do not match, and the mail is delivered normally based on what’s set in the <code>blSWClientDestinationDefault</code> setting above.</p> <p>When using a separate Brightmail server or servers from the MTA, you can customize the actions taken by each MTA by using the <code>Brightmail_verdict_n/Brightmail_action_n/Brightmail_null_action_n/Brightmail_string_action</code> MTA options to override the actions and verdicts returned by the Brightmail server. In this example, you can use different <code>Brightmail_null_action</code> on the MTA to override the <code>Virus</code> action (which would be to discard it) or to use <code>Brightmail_verdict_0=spambox</code>, and <code>Brightmail_action_0=data:,require "fileinto";fileinto "Junk";</code> to file into a folder called <code>Junk</code> instead of <code>spambox</code>.</p>
<code>blSWClientDesintationForeign</code>	Same format and interpretation as <code>blSWClientDestinationLocal</code> above, except this applies to users in the domain which are NOT local.
<code>blSWUseClientOptin</code>	Always set this to <code>TRUE</code> when used with Sun Java System Messaging Server.
<code>blswcServerAddress</code>	Is of the form <code>ip:port[, ip:port, ...]</code> to specify one or more Brightmail server’s IP address and port numbers

Using SpamAssassin

This section consists of the following subsections:

- [“SpamAssassin Overview” on page 460](#)
- [“SpamAssassin/Messaging Server Theory of Operations” on page 460](#)
- [“SpamAssassin Requirements and Usage Considerations” on page 461](#)
- [“Deploying SpamAssassin” on page 462](#)
- [“SpamAssassin Configuration Examples” on page 462](#)
- [“Testing SpamAssassin” on page 469](#)

- [“SpamAssassin Options” on page 471](#)

SpamAssassin Overview

Messaging Server supports the use of SpamAssassin, a freeware mail filter used to identify spam. SpamAssassin consists of a library written in Perl and a set of applications and utilities that can be used to integrate SpamAssassin into messaging systems.

SpamAssassin calculates a score for every message by performing a series of tests on the message header and body information. Each test succeeds or fails, and a verdict of true (spam) or false (not spam) is rendered. Scores are real numbers that can be positive or negative. Scores that exceed a specified threshold, typically 5.0, are considered to be spam. An example of a SpamAssassin result string is:

```
True ; 18.3 / 5.0
```

True indicates the message is spam. 18.3 is the SpamAssassin score. 5.0 is the threshold.

SpamAssassin is highly configurable. Tests may be added or removed at any time, and the scores of existing tests can be adjusted. This is all done through various configuration files. Further information on SpamAssassin can be found on the SpamAssassin web site.

The same mechanism used for calling out to the Brightmail spam and virus scanning library can be used to connect to the SpamAssassin `spamd` server. The module provided in Messaging Server is called `libspamass.so`.

SpamAssassin/Messaging Server Theory of Operations

`spamd` is the daemon version of SpamAssassin and can be invoked from the MTA. `spamd` listens on a socket for requests and spawns a child process to test the message. The child process dies after processing the message and sending back a result. In theory, the forking should be an efficient process because the code itself is shared among the children processes.

The client portion, `spamc` from the SpamAssassin installation, is not used. Instead, its function is done by a shared library called `libspamass.so`, which is part of the Messaging Server. `libspamass.so` is loaded the same way that the Brightmail SDK is loaded.

From the MTA's point of view, you can almost transparently switch between SpamAssassin and Brightmail for spam filtering. It's not completely transparent, because they do not have same functions. For example, Brightmail can also filter for viruses, but SpamAssassin is only used to filter for spam. The result, or *verdict*, returned by the two software packages are also different. SpamAssassin provides a score, while Brightmail provides just the verdict name, so the configuration would also have some differences.

When using SpamAssassin with the MTA, only a score and verdict is returned from SpamAssassin. The message itself is not modified. That is, options such as adding headers and modifying subject lines must be done by Sieve scripts. In addition, the `mode` option allows you to specify the string that is returned to indicate the verdict. The string choices are null, default, SpamAssassin result string, or a `verdict` string. See [Table 14-4 on page 471](#) for details.

SpamAssassin Requirements and Usage Considerations

- SpamAssassin is free. Go to <http://www.spamassassin.org> for software and documentation.
- SpamAssassin can be tuned and configured to provide very accurate detection of spam. The tuning is up to you and the SpamAssassin community. Messaging Server does not provide or enhance what SpamAssassin can do.
- While no specific numbers are available, SpamAssassin seems to reduce throughput more than Brightmail.
- SpamAssassin integrated with the MTA can be enabled for a user, a domain, or a channel.
- SpamAssassin can be configured to use other online databases such as Vipul Razor or Distributed checksum clearinghouse (DCC).
- Messaging Server does not supply an Secure Socket Layer (SSL) version of `libspamass.so`, however, it is possible to build SpamAssassin to use openSSL.
- Perl 5.6 or later is required.

Where Should You Run SpamAssassin?

SpamAssassin can run on a separate system of its own, on the same system as the Messaging Server in a single system deployment, or on the same system as the MTA in a two-tier deployment. If Local Mail Transfer Protocol (LMTP) is used between the MTA and the message store, the filtering must be invoked from the MTA. It cannot be invoked from the message store. When SMTP is used between the MTA and the message store, it can be invoked from either one, and it can run on either system or a separate third system.

If you want to use a farm of servers running SpamAssassin, you would have to use a load balancer in front of them. The MTA is configured with only one address for the SpamAssassin server.

Deploying SpamAssassin

Perform the following steps to deploy SpamAssassin:

- **Install and configure SpamAssassin.** Refer to the SpamAssassin software documentation for installation and configuration information. See also [“SpamAssassin Options” on page 471](#).
- **Load and configure the SpamAssassin client library.** This involves specifying the client library, `libspamass.so`, and configuration file to the MTA (you must create this file). See [“Loading and Configuring the Spam Filtering Software Client Library” on page 443](#).
- **Specify what messages to filter for spam.** Messages can be filtered by user, domain, or channel. See [“Specifying the Messages to Be Filtered” on page 444](#).
- **Specify what actions to take on spam messages.** Spam can be discarded, filed into a folder, tagged on the subject line, and so on. See [“Specifying Actions to Perform on Spam Messages” on page 451](#).
- **Set miscellaneous filter configuration parameters as desired.** See [“MTA Spam Filter Options \(option.dat\)” on page 452](#).

SpamAssassin Configuration Examples

This section describes some common SpamAssassin configuration examples:

- [“To File Spam to a Separate Folder” on page 463](#)
- [“To Add a Header Containing SpamAssassin Score to Spam Messages” on page 465](#)

- [“To Add the SpamAssassin Result String to the Subject Line” on page 467](#)

NOTE These examples use a number of options and keywords. Refer to [“MTA Channel Keywords for Spam Filters” on page 449](#) and [“MTA Spam Filter Options \(option.dat\)” on page 452](#) for details.

To File Spam to a Separate Folder

This example tests messages arriving at the local message store and files spam into a folder called `spam`. The first three steps can be done in any order.

1. Create the SpamAssassin configuration file.

The name and location of this file is specified in [Step 2](#). A good name is `spamassassin.opt`. This file contains the following lines:

```
host=127.0.0.1
port=2000
mode=0
verdict=spam
debug=1
```

`host` and `port` specify the name of the system where `spamd` is running and the port on which `spamd` listens for incoming requests. `mode=0` specifies that a string, specified by `verdict`, is returned if the message is perceived as spam. `debug=1` turns on debugging in the SpamAssassin library. See [Table 14-4 on page 471](#) for a description of the SpamAssassin configuration parameters.

2. Add the following lines to the `option.dat` file:

```
! for Spamassassin
spamfilter1_config_file1=/opt/SUNWmsgsr/config/spamassassin.opt
spamfilter1_library1=/opt/SUNWmsgsr/lib/libspamass.so
spamfilter1_optional=1
spamfilter1_string_action=data:,require "fileinto"; fileinto "$U;
```

`spamfilter1_config_files` specifies the SpamAssassin configuration file.

`spamfilter1_library` specifies the SpamAssassin shared library.

`spamfilter1_optional=1` specifies that the MTA continue operation if there is a failure by `spamd`.

`spamfilter1_string_action` specifies the Sieve action to take for a spam messages.

In this example, `spamfilter1_string_action` is not necessary because the default value already is `data:,require "fileinto"; fileinto "$U;`. This line specifies that spam messages are sent to a folder. The name of the folder is the spam verdict value returned by SpamAssassin. The value returned by SpamAssassin is specified by the `verdict` option in `spamassassin.opt`. (See [Step 1.](#)) In this case, the folder name is `spam`.

3. Specify the messages to be filtered.

To filter all messages coming into the local message store, change the `imta.cnf` file by adding the `destinationspamfilterXoptin spam` keywords on the `ims-ms` channel:

```
!
! ims-ms
ims-ms defragment subdirs 20 notices 1 7 14 21 28 backoff "pt5m" "pt10m"
"pt30m" "pt1h" "pt2h" "pt4h" maxjobs 4 pool IMS_POOL fileinto
$U+$S@$D destinationspamfilter1optin spam
ims-ms-daemon
```

4. Recompile the configuration and restart the server. Only the MTA needs to be restarted. You do not need to execute `stop-msg`.

```
# imsimta cnbuild
# imsimta restart
```


5. Start the `spamd` daemon. This is normally done with a command of the form:

```
spamd -d
```

`spamd` defaults to only accepting connections from the local system. If SpamAssassin and Messaging Server are running on different systems, this syntax is required:

```
spamd -d -i listen_ip_address -A allowed_hosts
```

where *listen_ip_address* is the address on which to listen and *allowed_hosts* is a list of authorized hosts or networks (using IP addresses) which can connect to this `spamd` instance.

NOTE 0.0.0.0 can be used with `-i listen_ip_address` to have `spamd` listen on all addresses. Listening on all addresses is preferable because it `spamfilterX_verdict_n` avoids having to change command scripts when changing a system's IP address.

To Add a Header Containing SpamAssassin Score to Spam Messages

This example adds the header `Spam-test: result string` to messages determined to be spam by SpamAssassin. An example header might be:

```
Spam-test: True ; 7.3 / 5.0
```

where `Spam-test:` is a literal and everything after that is the result string. `True` means that it is spam (`false` would be not spam). `7.3` is the SpamAssassin score. `5.0` is the threshold. This result is useful for setting up a Sieve filter that can file or discard mail above or between a certain score.

In addition, setting `USE_CHECK` to 0 returns the list of SpamAssassin tests that matched along with the verdict string. See `USE_CHECK` in [Table 14-4 on page 471](#).

1. Specify the messages to be filtered. This is described in [Step 3](#) in “[To File Spam to a Separate Folder](#)” on [page 463](#).

2. Create the SpamAssassin configuration file.

The name and location of this file is specified with `spamfilter_configX_file` (see next step). It consists of the following lines:

```
host=127.0.0.1
port=2000
mode=1
field=
debug=1
```

`host` and `port` specify the name of the system where `spamd` is running and the port on which `spamd` listens for incoming requests. `mode=1` specifies that the SpamAssassin result string is returned if the message is found to be spam. `field=` specifies a string prefix for the SpamAssassin result string. In this example, a prefix is not desired because we are specifying it in the Sieve script. `debug=1` turns on debugging in the SpamAssassin library.

3. Add the following lines to the `option.dat` file:

```
!for Spamassassin
spamfilter_config_file=/opt/SUNWmsgsr/config/spamassassin.opt
spamfilter1_library=/opt/SUNWmsgsr/lib/libspamass.so
spamfilter1_optional=1
spamfilter1_string_action=data:,require ["addheader"];addheader "Spam-test: $U";
```

As in previous examples, the first three options specify the SpamAssassin configuration file, shared library, and to continue MTA operation if there is a failure by the shared library. The following line:

```
spamfilter1_string_action=data:,require ["addheader"];addheader "Spam-test: $U";
```

specifies that a header is added to spam messages. The header has the literal prefix `Spam-test:` followed by the string returned by SpamAssassin. Because `mode=1` was specified in [Step 2](#), the SpamAssassin result string is returned. For example: `True; 7.3/5.0`

4. Recompile the configuration, restart the server and start the `spamd` daemon.

See [“To File Spam to a Separate Folder”](#) on page 463.

To Add the SpamAssassin Result String to the Subject Line

By adding the SpamAssassin result string to the Subject line, users can determine whether they wish to read a message with a SpamAssassin score. For example:

```
Subject: [SPAM True ; 99.3 / 5.0] Free Money At Home with Prescription Xanirex!
```

Note that setting `USE_CHECK` to 0 returns the list of SpamAssassin tests that matched along with the verdict string (see [USE_CHECK](#) in [Table 14-4 on page 471](#)). This list can be very long, so it is best to set `USE_CHECK` to 1.

1. Specify the messages to be filtered. See [Step 3](#) in “To File Spam to a Separate Folder” on page 463.
2. Create the SpamAssassin configuration file.

This step is described in “[To File Spam to a Separate Folder](#)” on page 463.

`mode=1` specifies that the SpamAssassin result string is returned if the message is found to be spam.

```
host=127.0.0.1
port=2000
mode=1
debug=1
```

`host` and `port` specify the name of the system where `spamd` is running and the port on which `spamd` listens for incoming requests. `mode=1` specifies that the SpamAssassin result string is returned if the message is spam. `debug=1` turns on debugging in the SpamAssassin library.

3. Add the following lines to the `option.dat` file:

```
!for Spamassassin
spamfilter1_config_file=/opt/SUNWmsgsr/config/spamassassin.opt
spamfilter1_library=/opt/SUNWmsgsr/lib/libspamass.so
spamfilter1_optional=1
spamfilter1_string_action=data:,addtag "[SPAM detected: $U]";
```

As in previous examples, the first three options specify the SpamAssassin configuration file, shared library, and to continue MTA operation if there is a failure by the shared library. The following line

```
spamfilter1_string_action=data:,addtag "[SPAM detected $U]";
```

specifies that a tag be added to the `Subject:` line. It has the literal prefix `SPAM detected` followed by the field string (default: `Spam-Test`) followed by “[*result string*]” returned by SpamAssassin. Because `mode=1` was specified in [Step 2](#), the SpamAssassin result string is returned. Thus, a subject line looks something like this:

```
Subject: [SPAM detected Spam-Test: True ; 11.3 / 5.0] Make Money!
```

You can also use `addheader` and `addtag` together:

```
spamfilter1_string_action=data:,require ["addheader"];addtag "[SPAM detected $U]";addheader "Spamscore: $U";
```

to get a message like this:

```
Subject: [SPAM detected Spam-Test: True ; 12.3 / 5.0] Vigaro Now!  
Spamscore: Spam-Test: True ; 12.3 / 5.0
```

Set `field=` in `spamassassin.opt` to remove the default value of `Spam-Test`. A cleaner message is returned:

```
Subject: [SPAM True ; 91.3 / 5.0] Vigaro Now!  
Spamscore: True ; 91.3 / 5.0
```

4. Recompile the configuration, restart the server and start the `spamd` daemon.

See [“To File Spam to a Separate Folder”](#) on page 463.

Testing SpamAssassin

To test SpamAssassin, first set `debug=1` in the `spamassassin.opt` file. You do not have to turn on the channel-specific `master_debug` or `slave_debug` in the `imta.cnf`. Then send a test message to a test user. The `msg_svr_base/data/tcp_local_slave.log*` file should have lines similar to these:

```
15:15:45.44: SpamAssassin callout debugging enabled; config
/opt/SUNWmsgsr/config/spamassassin.opt
  15:15:45.44: IP address 127.0.0.1 specified
  15:15:45.44: Port 2000 selected
  15:15:45.44: Mode 0 selected
  15:15:45.44: Field "Spam-Test: " selected
  15:15:45.44: Verdict "spam" selected
  15:15:45.44: Using CHECK rather than SYMBOLS
  15:15:45.44: Initializing SpamAssassin message context
  ...
  15:15:51.42: Creating socket to connect to SpamAssassin
  15:15:51.42: Binding SpamAssassin socket
  15:15:51.42: Connecting to SpamAssassin
  15:15:51.42: Sending SpamAssassin announcement
  15:15:51.42: Sending SpamAssassin the message
  15:15:51.42: Performing SpamAssassin half close
  15:15:51.42: Reading SpamAssassin status
  15:15:51.67: Status line: SPAMD/1.1 0 EX_OK
  15:15:51.67: Reading SpamAssassin result
  15:15:51.67: Result line: Spam: False ; 1.3 / 5.0
  15:15:51.67: Verdict line: Spam-Test: False ; 1.3 / 5.0
  15:15:51.67: Closing connection to SpamAssassin
  15:15:51.73: Freeing SpamAssassin message context
```

If your log file does not contain lines similar to these, or if `spamd` is not running, the following error message is returned in your SMTP dialog after the last period (.) is sent to the SMTP server.

```
452 4.4.5 Error writing message temporaries - Temporary scan failure:
End message status = -1
```

In addition, if `spamfilter1_optional=1` (highly recommended) is set in `option.dat`, the message is accepted, but not filtered. It is as if spam filtering was not enabled, and the following lines appear in `tcp_local_slave.log*`:

```
15:35:15.69: Creating socket to connect to SpamAssassin
15:35:15.69: Binding SpamAssassin socket
15:35:15.69: Connecting to SpamAssassin
15:35:15.69: Error connecting socket: Connection refused
15:35:15.72: Freeing SpamAssassin message context
```

The call to SpamAssassin happens after the SMTP server received the entire message (that is, after the last "." is sent to the SMTP server), but before the SMTP server acknowledges to the sender that it accepted the message.

Another test is to send a sample spam message using `sample-spam.txt` from, for example, the `Mail-SpamAssassin-2.60` directory. This message has the following special text string in it:

```
XJS*C4JDBQADN1.NSBN3*2IDNEN*GTUBE-STANDARD-ANTI-UBE-TEST-EMAIL*C.34X
```

The corresponding `tcp_local_slave.log*` contains something like this:

```
16:00:08.15: Creating socket to connect to SpamAssassin
16:00:08.15: Binding SpamAssassin socket
16:00:08.15: Connecting to SpamAssassin
16:00:08.15: Sending SpamAssassin announcement
16:00:08.15: Sending SpamAssassin the message
16:00:08.15: Performing SpamAssassin half close
16:00:08.15: Reading SpamAssassin status
16:00:08.43: Status line: SPAMD/1.1 0 EX_OK
16:00:08.43: Reading SpamAssassin result
16:00:08.43: Result line: Spam: True ; 1002.9 / 5.0
16:00:08.43: Verdict line: Spam-Test: True ; 1002.9 / 5.0
16:00:08.43: Closing connection to SpamAssassin
16:00:08.43: Mode 0 verdict of spam
16:00:08.43: Mode 0 verdict of spam
16:00:08.47: Freeing SpamAssassin message context
```

A corresponding entry in the `mail.log_current` file would look as follows. Note the `+spam` part of the destination address, which means the message is filed in the folder called `spam`:

```
15-Dec-2003 15:32:17.44 tcp_intranet ims-ms E 1 morchia@siroe.com rfc822;morchia
morchia+spam@ims-ms-daemon
15-Dec-2003 15:32:18.53 ims-ms D 1 morchia@siroe.com rfc822;morchia
morchia+spam@ims-ms-daemon
```

SpamAssassin Options

This section contains the SpamAssassin option table.

Table 14-4 SpamAssassin Options (`spamassassin.opt`)

Options	Description	Default
<code>debug</code>	Specifies whether to turn on debugging in the <code>libspamass.so</code> . Debugging of <code>spamd</code> itself is controlled by the command line invoking <code>spamd</code> . Set to 0 or 1.	0
<code>field</code>	<p>Specifies the string prefix for the SpamAssassin result. SpamAssassin results look like this:</p> <pre>Spam-Test: False ; 0.0 / 5.0 Spam-Test: True ; 27.7 / 5.0</pre> <p>The <code>field</code> option provides the means for changing the <code>Spam-Test:</code> part of the result. Note that the “:” is removed if an empty <code>field</code> value is specified.</p> <p>If <code>USE_CHECK</code> is set to 0, the result string will look similar to this:</p> <pre>Spam-test: False ; 0.3 / 4.5 ; HTML_MESSAGE,NO_REAL_NAME Spam-test: True ; 8.8 / 4.5 ; NIGERIAN_BODY, NO_REAL_NAME,PLING_PLING,RCVD_IN_SBL,SUBJ_ALL_CAPS</pre>	“Spam-test”
<code>host</code>	The name of the system where <code>spamd</code> is running.	localhost

Table 14-4 SpamAssassin Options (`spamassassin.opt`)

Options	Description	Default
mode	<p>Controls the translation of SpamAssassin filter results to verdict information. That is, it specifies what verdict information is returned after a message is processed. Four modes are available. See “The SpamAssassin mode Option” on page 473 for further explanation.</p> <p>0 - Return a <i>verdict string</i> (specified by the <code>verdict</code> option), if the message is spam. The MTA option <code>spamfilterX_string_action</code> can be used to specify what to do if a <i>verdict string</i> is returned. If the <code>verdict</code> option (defined below) is empty or unspecified, and message is spam, a <i>null verdict</i> is returned. The MTA option <code>spamfilterX_null_action</code> can be used to specify what to do if a null verdict is returned.</p> <p>Returns a <i>SpamAssassin default result string</i> if it is not spam. (A default verdict always means to take no action and deliver as normal.)</p> <p>1 - Returns the SpamAssassin <i>result string</i> if the message is found to be spam. Returns a <i>SpamAssassin default result string</i> if it is not spam. (Again, a default verdict always means to take no action and deliver as normal.) A SpamAssassin result string looks something like this: <code>True; 6.5 / 7.3</code></p> <p>2 - Same as mode 1 except that the SpamAssassin result string is returned regardless of whether the message is spam or not spam. No default or null verdict is ever returned and the <code>verdict</code> option is never used.</p> <p>3 - Return the SpamAssassin result string if the message is found to be spam; return the <i>verdict string</i> specified by the <code>verdict</code> option if it is not. You can control the action for the SpamAssassin result string by using the <code>spamfilterX_verdict_n</code> and <code>spamfilterX_action_n</code> matched pair. You can control the action for the <i>verdict string</i> by using <code>spamfilterX_string_action</code>.</p>	0
port	Specifies the port number where <code>spamd</code> listens for incoming requests.	783
USE_CHECK	<p>1 - The <code>spamd CHECK</code> command is used to return the SpamAssassin score.</p> <p>0 - Enables use of the <code>SYMBOLS</code> command which returns a score and a list of the SpamAssassin tests that matched. The system may hang or have other problems with this option in pre-2.55 versions of SpamAssassin. See field above.</p>	
SOCKS_HOST	String. Specifies the name of an intermediate SOCKS server. If this option is specified the ICAP connection is made through the specified SOCKS server and not directly.	""
SOCKS_PORT	Specifies the port that the intermediate SOCKS server is running on.	1080
SOCKS_PASSWORD	Specifies a password (string) use in establishing the connection through the SOCKS server. Whether a username/password is required depends on the SOCKS server configuration.	""
SOCKS_USERNAME	Specifies a username (string) to use in establishing the connection through the SOCKS server.	""
verdict	Specifies the verdict string used for MODE 0.	""

The SpamAssassin `mode` Option

After processing a message, SpamAssassin determines whether a message is spam or not. `mode` allows you to specify the string that is returned to indicate the verdict. The string choices are null, default, SpamAssassin result string, or a verdict string specified with the `verdict` option. (Note that *default* is neither null, the SpamAssassin result string, nor the string specified by `verdict`, but some other non-configurable result string.) The `mode` operations are outlined in the table below.

Table 14-5 Returned String for the SpamAssassin `mode` Option

verdict Setting	Spam?	mode=0	mode=1	mode=2	mode=3
verdict="" (not set)	yes	null	SpamAssassin result	SpamAssassin result	SpamAssassin result
	no	default	default	SpamAssassin result	default
verdict= <i>string</i>	yes	<i>verdict string</i>	SpamAssassin result	SpamAssassin result	SpamAssassin result
	no	default	default	SpamAssassin result	<i>verdict string</i>

The first column indicates whether the `verdict` option is set or not set. The second column indicates whether the message is spam or not. The mode columns indicate the string returned for the various modes. For example, if `verdict` is not set and `mode` is set to 0 and a message is not spam, a default string is returned. If the `verdict` is set to `YO SPAM!` and `mode` is set to 0 and a message is spam, the string `YO SPAM!` is returned.

Using Symantec Anti-Virus Scanning Engine (SAVSE)

In addition to describing how to deploy SAVSE this section can also be useful in deploying other ICAP-supported anti-spam/anti-virus programs. This section consists of the following subsections:

- [“SAVSE Overview” on page 474](#)
- [“SAVSE Requirements and Usage Considerations” on page 474](#)

- [“Deploying SAVSE” on page 475](#)
- [“SAVSE Configuration Example” on page 475](#)
- [“SAVSE Options” on page 478](#)

SAVSE Overview

SAVSE is a TCP/IP server application and communication Application Programming Interface (API) that provides virus scanning services. Designed specifically to protect traffic served through, or stored on, network infrastructure devices, it detects and protects against viruses, worms, and Trojan horses in all major file types, including mobile code and compressed file formats. Refer to the Symantec website for detailed information

NOTE Messaging Server only supports the SAVSE scan function. It does not support the repair or delete functions.

SAVSE Requirements and Usage Considerations

This is a separately licensed product from Symantec.

Only the scan mode is supported, not the scan and repair or scan and delete mode in the SAVSE configuration.

Where Should You Run SAVSE?

SAVSE or another server that supports ICAP can run on a separate system of its own, on the same system as the Messaging Server in a single system deployment, or in a two-tier deployment on the same system as the MTA. If Local Mail Transfer Protocol (LMTP) is used between the MTA and the message store, the filtering must be invoked from the MTA. It cannot be invoked from the message store. When SMTP is used between the MTA and the message store, it can be invoked from either one, and it can run on either system or a separate third system.

If you want to use a farm of servers running SAVSE, you would have to use a load balancer in front of them. The MTA is configured with only one address for the SpamAssassin server.

Deploying SAVSE

Perform the following steps to deploy SAVSE.

- **Install and configure the SAVSE.** Refer to the Symantec software documentation for installation and configuration information. See also [“SAVSE Options” on page 478](#).
- **Load and configure the SAVSE client library.** This involves specifying the client library `libicap.so` and configuration file to the MTA (you must create this file). See [“Loading and Configuring the Spam Filtering Software Client Library” on page 443](#).
- **Specify what messages to filter for viruses.** Messages can be filtered by user, domain, or channel. See [“Specifying the Messages to Be Filtered” on page 444](#).
- **Specify what actions to take on virus messages.** Viruses can be discarded, filed into a folder, tagged on the subject line, and so on. See [“Specifying Actions to Perform on Spam Messages” on page 451](#).
- **Set miscellaneous filter configuration parameters as desired.** See [“MTA Spam Filter Options \(option.dat\)” on page 452](#).

SAVSE Configuration Example

The following example tests messages arriving at the local message store and discards messages with attached viruses. The first three steps can be done in any order.

1. Create the SAVSE configuration file.

The name and location of this file is specified in [Step 2](#). The name used here is `SAVSE.opt`. An example of this file is shown below:

```
host=127.0.0.1
port=1344
mode=0
verdict=virus
debug=1
```

host and port specify the name of the system where the SAVSE program is running and the port (1344 is the default for SAVSE) on which it listens for incoming requests. mode=0 specifies that a string, specified by verdict (in this case the word virus), will be returned if the message is perceived to contain a virus. debug=1 turns on debugging. See [Table 14-6 on page 478](#) for a description of the ICAP configuration parameters.

2. Create an option.dat file. Example:

```
! for Symantec Anti-virus Scan Engine
spamfilter1_config_file=/opt/SUNWmsgsr/config/SAVSE.opt
spamfilter1_library=/opt/SUNWmsgsr/lib/libicap.so
spamfilter1_optional=1
spamfilter1_string_action=data:,discard
```

spamfilter1_config_files specifies the SAVSE configuration file.

spamfilter1_library specifies the location of the SAVSE shared library.

spamfilter1_optional=1 specifies that the MTA continue operation if there is a failure by the SAVSE program.

spamfilter1_string_action specifies the Sieve action to take for a spam messages. This value specifies that messages with viruses are discarded. Since this is the default value, you don't have to specify it unless you are changing the value.

3. Specify the messages to be filtered.

To filter all messages coming into the local message store, change the imta.cnf file by adding the destinationspamfilterloptin spam keywords on the ims-ms channel:

```
!
! ims-ms
ims-ms defragment subdirs 20 notices 1 7 14 21 28 backoff "pt5m" "pt10m"
"pt30m" "pt1h" "pt2h" "pt4h" maxjobs 4 pool IMS_POOL fileinto
$U+$S@$D destinationspamfilterloptin virus
ims-ms-daemon
```

4. Recompile the configuration and restart the server. Only the MTA needs to be restarted. You do not need to execute `stop-msg`.

```
# imsimta cnbuild
# imsimta restart
```

5. Make sure SAVSE is started.

It should have started automatically, but if not, the start command might look something like this: `/etc/init.d/symcscna start`

Other Possible Configurations

Setting `mode` to 0 can be used with a `spamfilterX_null_option` to take some other action, such as filing messages in a particular folder when they are determined to be spam. For example:

```
spamfilter1_null_option=data:,require "fileinto"; fileinto "VIRUS";
```

Note that filing infected messages into a folder is not a good idea in most cases.

Setting `mode` to 1 can be used to start an action. For example, the spam result could be included in the reject message by setting `mode` to 1 and the `spamfilterX_string_action` option in the MTA to something like:

```
spamfilter1_string_action=data:,require "reject"; reject "Message
contained a virus [$U]";
```

Like `fileinto`, using the `reject` action to deal with viruses is rarely a good idea because it sends the virus back to the sender.

You could also add a tag to the spam message header by adding a line to the `option.dat` file. Example:

```
spamfilter1_string_action=data:,addtag "[SPAM detected!]" ;
```

Setting `mode` to 2 can be used where an action needs to be taken regardless of whether or not the message was determined to contain a virus. The addition of a header field that can subsequently be tested is an obvious application for mode 2:

```
spamfilterX_string_action=data:,require ["addheader"];addheader "$U"
```

SAVSE Options

The SAVSE option file is really a more generic ICAP option file. Its name and location is set by `spamfilterX_config_file` in `option.dat`. It consists of lines of the form `option=value`. The one required option is `HOST`. It must be set to the name of system where the ICAP filtering server is running. This option must be set even if the ICAP server is running on the local host. The option file is shown below.

Table 14-6 ICAP Options

Options	Description	Default
debug	Enables or disables debug output from the ICAP interface module. 0 or 1.	0
field	Specifies the prefix for the ICAP result. SAVSE result strings look like this: Virus-Test: False Virus-Test: True; W32.Mydoom.A@mm.enc This option provides a way to change the <code>Virus-Test:</code> part of the result. Note that the ":" is removed if an empty <code>field</code> value is specified.	Virus-test
host	The name of the system where the ICAP filtering server is running	localhost

Table 14-6 ICAP Options

Options	Description	Default
mode	<p>Controls the translation of ICAP filter results to verdict information. That is, it specifies the string information returned after a message is processed. Four modes are available. See “The ICAP mode Option” on page 480 for further explanation</p> <p>0 - Returns a <i>verdict string</i> (specified by the <code>verdict</code> option), if the message contains a virus. The MTA option <code>spamfilterX_string_action</code> can be used to specify what to do if a <code>verdict</code> string is returned. If the <code>verdict</code> option is empty or not set, a <i>null verdict</i> is returned. The MTA option <code>spamfilterX_null_action</code> can be used to specify what to do if a null verdict is returned and if you want to override the default action, which is to discard the message.</p> <p>If the message does not contain a virus, a default string is returned. A default string is unconfigurable and always means to take no action and deliver as normal.</p> <p>1 - Return the ICAP <i>result string</i> if the message is found to contain a virus. If the message does not contain a virus, a default string is returned. A default string always means to take no action and deliver as normal. Below are two examples of a ICAP result string:</p> <pre>VIRUS TEST: FALSE VIRUS-TEST: TRUE; W32.Mydoom.A@mm.enc</pre> <p>2 - Return an ICAP result string unconditionally; no default or null verdict is ever returned and the <code>verdict</code> option is never used. This setting is intended for cases in which an action needs to be taken regardless of whether or not the message was determined to contain a virus. The addition of a header field that can subsequently be tested is an obvious application for mode 2:</p> <pre>spamfilterX_string_action=data:,require ["addheader"];addheader "\$U"</pre> <p>3 - Return the ICAP result string if the message is found to contain a virus; return the <code>verdict</code> string specified by the <code>verdict</code> option if it does not. This setting is intended for cases in which one action needs to be taken if a virus is found and another taken if one is not. You can control the action for the ICAP result string by using the <code>spamfilterX_verdict_n</code> and <code>spamfilterX_action_n</code> matched pair. You can control the action for the <code>verdict</code> string by using <code>spamfilterX_string_action</code>.</p>	0
port	Specifies the port number on which the ICAP server is running.	1344
SOCKS_HOST	String. Specifies the name of an intermediate SOCKS server. If this option is specified, the ICAP connection is made through the specified SOCKS server and not directly.	""
SOCKS_PORT	Integer. Specifies the port on which the intermediate SOCKS server is running.	1080
SOCKS_PASSWORD	String. Specifies a password to use in establishing the connection through the SOCKS server. Whether or not a username/password is required depends on the SOCKS server configuration.	""
SOCKS_USERNAME	String. Specifies a username to use in establishing the connection through the SOCKS server.	""
verdict	Specifies the verdict string used for MODE 0 and 3.	""

The ICAP_{mode} Option

After processing a message, ICAP anti-virus programs like SASVE determines whether a message has a virus or not. `mode` allows you to specify the string returned by the ICAP program indicating this verdict. The string choices are *null*, *default*, *ICAP result string*, or a *verdict string* (specified with the `verdict` option). Note that *default* is not null, the ICAP result string, nor the string specified by `verdict`, but some other non-configurable string returned by the program. The `mode` operations are outlined in the table below.

Table 14-7 Returned Verdict String for the ICAP_{mode} Option

verdict Setting	Virus?	mode=0	mode=1	mode=2	mode=3
<code>verdict=""</code> (not set)	yes	null	ICAP result	ICAP result	ICAP result
	no	default	default	ICAP result	default
<code>verdict=string</code>	yes	<i>verdict string</i>	ICAP result	ICAP result	ICAP result
	no	default	default	ICAP result	<i>verdict string</i>

The first column indicates whether the `verdict` option is set or not set. The second column indicates whether the message contains a virus or not. The mode columns indicate the string returned for the various modes. For example, if `verdict` is not set and `mode` is set to 0 and a message does not have a virus, the ICAP program returns a default. If the `verdict` is set to `WARNING VIRUS!` and `mode` is set to 0 and a message does have a virus, the ICAP program returns the string `WARNING VIRUS!`

Support for Sieve Extensions

In addition to the standard Sieve functions, Messaging Server provides support for a number extensions including `addheader`, `addtag`, `spamttest` and `spamadjust`. `addheader` and `addtag` are described in “[To Add a Header Containing SpamAssassin Score to Spam Messages](#)” on page 465), and “[To Add the SpamAssassin Result String to the Subject Line](#)” on page 467. `spamttest` and `spamadjust` are describe here

These extensions gives administrators the ability to set different threshold values as well as the ability to set up white lists that override SpamAssassin verdicts. The two can even be combined to have different thresholds depending on who sent a particular message. `spamadjust` is a non-standard action. `spamttest` is described in <ftp://ftp.isi.edu/in-notes/rfc3685.txt>.

`spamttest` can be used to compare SpamAssassin scores to specific values using the Sieve [RELATIONAL] extension with the `i;ascii-numeric` comparator. The SpamAssassin score is typically a real number, but `spamttest` forces the score into an integer value between 0 and 10 by first rounding the score to the nearest integer. Values below 0 are forced up to 0 while values above 10 are forced down to 10. Finally, the text string maintained by Messaging Server is appended to produce the test string that the `spamttest` test sees.

`spamadjust` is used to adjust the current spam score. This action takes a single string argument which is scanned for a real numeric value. This value is used to adjust the current spam score. The entire string is also appended to the current score text string. In the example shown below, the string would be “undisclosed recipients.”

Multiple `spamadjust` actions are allowed; each one is added to the current score. Again, the score value always starts at 0. Signed numeric values are allowed, making it possible to lower the current score as well as raise it. There is no `require` clause for `spamadjust`; the `spamttest` extension should be listed instead.

For example, a possible use of `spamadjust` with a SpamAssassin `MODE` setting of 2 might be:

```
spamfilterX_string_action=data:,require ["spamttest"];spamadjust "$U";
```

A system-level Sieve filter could then modify the SpamAssassin score by checking for a particular type of header and, if found, adding 5 to the SpamAssassin score:

```
spamfilter1_string_action=require "spamttest"; \
if header :contains ["to", "cc", "bcc", "resent-to", "resent-cc", "resent-bcc"] \
    ["<undisclosed recipients>", "undisclosed.recipients"] \
{spamadjust "+5 undisclosed recipients";}
```

Finally, a user-level Sieve script could test the resulting value, discard messages certain to be spam, file messages likely to be spam, and allow messages from addresses in the local domain to pass through:

```
spamfilter1_string_action=require ["spamttest", "relational", \
"comparator-i;ascii-numeric", "fileinto"]; \
if anyof (address :matches "from" ["*@siroe.com", \
    "*@*.siroe.com"]) \
    {keep;} \
elseif spamttest :value "ge" :comparator "i;ascii-numeric" "8" \
    {discard;} \
elseif spamttest :value "ge" :comparator "i;ascii-numeric" "5" \
    {fileinfo "spam-likely";} \
else \
    {keep;}
```


LMTP Delivery

The Sun Java System Messaging Server MTA can use LMTP (Local Mail Transfer Protocol, defined in RFC 2033) for delivery to the message store in situations where a multi-tier messaging server deployment is used. In these scenarios, where you are using inbound relays and back end message stores, the relays become responsible for address expansion and delivery methods such as autoreply and forwarding and also for mailing list expansion. Delivery to the back end stores historically has been over SMTP which requires the back end system to look up the recipient addresses in the LDAP directory again, thereby engaging the full machinery of the MTA. For speed and efficiency, the MTA can use LMTP rather than SMTP to deliver messages to the back end store. The Sun Java System Messaging Server's LMTP server is not intended as a general purpose LMTP server, but rather as a private protocol between the relays and the back end message stores. For simplicity of discussion, examples involving two-tier deployments are used.

NOTE By design, LMTP is intended for use in multi-tier deployments. It is not possible to use LMTP with single-system deployments. Also, the Messaging Server's LMTP service as implemented is not designed to work with other LMTP servers or other LMTP clients.

This chapter consists of the following sections:

- [“LMTP Delivery Features” on page 484](#)
- [“Messaging Processing in a Two-Tier Deployment Without LMTP” on page 484](#)
- [“Messaging Processing in a Two-Tier Deployment With LMTP” on page 486](#)
- [“LMTP Overview” on page 487](#)
- [“LMTP Protocol as Implemented” on page 498](#)

- [“Configuring LMTP Delivery” on page 488](#)

LMTP Delivery Features

The MTA’s LMTP server is more efficient for delivering to the back end message store because it:

- Reduces the load on the back end stores.

Because relays are horizontally scalable and back end stores are not, it is good practice to push as much processing to the relays as possible

- Reduces the load on the LDAP servers.

The LDAP infrastructure is often a limiting factor in large messaging deployments.


- Reduces the number of message queues.

Having queues on both the relay and the back end store makes finding a lost message that much harder for the administrator of a messaging deployment.

Messaging Processing in a Two-Tier Deployment Without LMTP

[Figure 15-1](#) presents in pictorial form the following discussion of message processing in a two-tier deployment scenario without LMTP.

Figure 15-1 Two Tier Deployment Without LMTP



Without LMTP, in a two level deployment with relays in front of the store systems, the processing of an inbound message begins with a connection on the SMTP port picked up by the dispatcher on the relay machine and handed off to a `tcp_smtp_server` process. This process does a number of things with the inbound message including:

- Looking up the user in the directory
- Determining if the user is within a domain hosted by this email deployment
- Determining if the user is a valid user in the domain
- Rewriting the envelope address as `@mailhost:user@domain`
- Enqueuing the message for delivery to the mailhost

The `smtp_client` process then picks up the mail message from the queue and sends it to the mailhost. On the mailhost, some very similar processing takes place. A connection on the SMTP port is picked up by the dispatcher and handed off to a `tcp_smtp_server` process. This process does a number of things to the message, including:


- Looking up the user in the directory
- Determining if the user is within a domain hosted by this email deployment
- Determining if the user is a valid user in the domain
- Rewriting the envelope address to direct the message to the `ims_ms` channel
- Enqueuing the message for delivery to the store

Then the `ims_ms` process picks up the mail message and attempts to deliver it to the store. In this scenario, the enqueuing processing is performed twice, and the MTAs each perform an LDAP lookup.

Messaging Processing in a Two-Tier Deployment With LMTP

Figure 15-2 presents in pictorial form the following discussion of message processing in a two-tier deployment scenario with LMTP.

Figure 15-2 Two Tier Deployment With LMTP



With LMTP in place, a connection on the SMTP port of the relay machine is picked up by the dispatcher and handed off to a `tcp_smtp_server` process. This process does a number of things with the inbound message including:

- Looking up the user in the directory
- Determining if the user is within a domain hosted by this email deployment
- Determining if the user is a valid user in the domain
- Determining which back end message store machine hosts the mailbox for the user
- Rewriting the address as `@mailhost:uid@domain.LMTP` or `@mailhost:uid@domain.LMTPNATIVE`
- Enqueuing the message for delivery to the mailhost

Addresses of the format `user@domain.LMTP` and `user@domain.LMTPNATIVE` are routed to the message store system via a `tcp_lmtp` channel or a `tcp_lmtpnative` channel respectively. These channels communicate with the back end message store using LMTP instead of SMTP. On the store machine, a connection to the LMTP port is received by the dispatcher and handed off to the `lmtp_server` process. The LMTP server then inserts the message into the user's mailbox or into the UNIX native mailbox. If message delivery is successful, the message is dequeued on the relay machine. If unsuccessful, the message remains on the relay machine. Note that the LMTP process on the message store does not engage any MTA machinery for processing addresses or messages.

LMTP Overview

For the most part, the MTA itself can be basically absent from the back end server. The only necessary MTA components are:

- The dispatcher
- `libimta`
- The LMTP server
- The `imta.cnf` file
- The `mappings` file
- The `imta.tailor` file

While the dispatcher requires MTA configuration files, these files can be very short. The dispatcher must run on the back end server so that it can start the LMTP servers which run under it. Because the dispatcher and the LMTP server use various functions of `libimta`, this needs to be present on the back end server as well.

The LMTP server does not perform any of the usual MTA enqueueing or dequeuing functions, header processing, or address translations. The relay system performs all the manipulation of the content of the messages and addresses which then presents to the LMTP server the message in exactly the form to be delivered to the message store and with the delivery address already in the form required by the store. Additional recipient information that is usually available as a message is delivered to the store, such as the user's quota, is presented along with the recipient address as LMTP parameters. Should a delivery attempt fail, the message is left enqueueing in the LMTP queue on the relay system.

Configuring LMTP Delivery

Configuring the LMTP delivery mechanism requires configuration on both the relay machines and on the back end stores. On the relays, the `DELIVERY_OPTIONS` MTA option (in `option.dat`) has to be changed so that messages being delivered to the stores are passed to the LMTP channel. The back end store must be configured with the dispatcher, but does not need the job controller. The dispatcher must be configured to run the LMTP server.

In a typical multi-tier deployment, users are provisioned on different backend message store machines. One or more of these backend machines may not have LMTP turned on and therefore the front-end relays need to be aware of which store machines are LMTP aware. This is achieved by using the General Database facility to explicitly name those message stores which are configured to accept LMTP delivery.

To Configure the Inbound MTA Relays with LMTP

To configure inbound MTA relays to use LMTP, do the following:

1. Activate text databases by adding the following line to `option.dat`:

```
USE_TEXT_DATABASES=1
```

In this step, the use of a flat text file for the General Database is enabled in the MTA. Note that if you already use the general database, you may want to skip this step.

2. Create or modify the General Database text file.

```
# cd /opt/SUNWmsgsr/config/
# vi general.txt

LMTP_CS|msg-store.siroe.com  lmtpcs-daemon
LMTP_CS|name-1-lmtp-store.siroe.com  lmtpcs-daemon
LMTP_CS|name-2-lmtp-store.siroe.com  lmtpcs-daemon
..
..
LMTP_CN|Zmar.Talek@siroe.com  lmtpcn-daemon
..
LMTP_CN|Fred.Bloggs@siroe.com  lmtpcn-daemon

# chown mailsrv general.txt
```

There two types of entries, one for handling user specific deliveries to the `lmtpnative` channel and one for handling store wide settings for delivery via the `tcp_lmtpcs` channel.

3. Create or modify the DELIVERY_OPTIONS variable in the options.dat file.

The value of DELIVERY_OPTIONS must be changed. The current default for delivery options is:

```
DELIVERY_OPTIONS=\
    *mailbox=$M%$\$2I$_+$2S@ims-ms-daemon,\
    &members=*,\
    *native=$M@native-daemon,\
    *unix=$M@native-daemon,\
    /hold=$L%$D@hold-daemon,\
    &file=+$F@native-daemon,\
    &@members_offline=*,\
    program=$M%$P@pipe-daemon,\
    #forward=**,\
    **^!autoreply=$M+$D@bitbucket
```

Change this to:

```
DELIVERY_OPTIONS=\
    #*mailbox=@$X:$M$_+$2S%$\$2I@ims-ms-daemon,\
    #&members=*,\
    #*native=@$X:$M,\
    #*unix=@$X:$M,\
    #/hold=$L%$D@hold,\
    #*file=@$X:+$F,\
    #&@members_offline=*,\
    #program=$M%$P@pipe-daemon,\
    #forward=**,\
    #**^!autoreply=$M+$D@bitbucket
```

Note the change in the pattern for the mailbox delivery option and that the autoreply delivery option is now preceded by the character # to force action on the relay machine. The \$X substitution inserts the value of the mailhost attribute for the user. This generates a source routed address.

Also note that for native, UNIX, file and program delivery methods to be useful, the MTA must be running on the target machine.

4. Add an LMTP rewrite rule to the `imta.cnf` file:

```
# cd /opt/SUNWmsgsr/config/
# cp imta.cnf imta.cnf.orig
# vi imta.cnf

!
! pipe
.pipe-daemon $U%H.pipe-daemon@pipe-daemon
!
! tcp_local
! Rules for top level internet domains
<IMTA_TABLE:internet.rules
!
! Do mapping lookup for internal IP addresses
[] $E$R${INTERNAL_IP,$L}$U%[$L]@tcp_intranet-daemon
!
! Do general.txt lookup for lmtp hosts
.domain-name.com $$U%$H$D@$(LMTP_CN|$U@$H$D)
.domain-name.com $$U%$H$D@$(LMTP_CS|$H$D)
!
! tcp_intranet
! Do mapping lookup for internal IP addresses
[] $E$R${INTERNAL_IP,$L}$U%[$L]@tcp_intranet-daemon
.domain-name.com $U%H.domain-name.com@tcp_intranet-daemon
```

In this step, a pair of rewrite rules do a tagged probe of the General Database to see if the source route portion of the address matches any entries for doing LMTP delivery. In the `general.txt` file, which was created in [Step 2](#), there are tagged entries to designate delivery to the backend message store via the appropriate channel. Here, the `$$` in the rewrite rule means that it will only apply when the address contains a source route. If there is a match to an entry in the General Database, the rewrite rule succeeds and the message is sent to the source route backend host via the `tcp_lmtpX` channel which does delivery via LMTP.

If a match is not found, the rewrite process will continue until a match is found in some other rewrite rule. In most cases, if a match is not found via a probe of the General Database, then message is routed via the `tcp_intranet` channel which does delivery via SMTP.

5. Add new channel blocks to `imta.cnf`

You must also include channel definitions for the `lmtpl` and `lmtpln` channels in the channel definition section of the `imta.cnf` file. For example:

```
! tcp_lmtpls (LMTP client - store)
tcp_lmtpls defragment lmtpl port 225 nomx single_sys subdirs 20 maxjobs 7
pool SMTP_POOL dequeue_removalroute
lmtpls-daemon
!
! tcp_lmtpln (LMTP client - native)
tcp_lmtpln defragment lmtpl port 226 nomx single_sys subdirs 20 maxjobs 7
pool SMTP_POOL dequeue_removalroute
!lmtpln-daemon
```

6. Commit your configuration changes.

```
# cd /opt/SUNWmsgsr/bin
# ./imsimta refresh

Compiled configuration done

Killing Dispatcher : 23021

Dispatcher startup requested

Job Controller shutdown requested

Job Controller startup requested
```

NOTE Be sure to use the `lmtpl` channel keyword on LMTP channels. Do not use both `smtp` and `lmtpl` channel keywords on LMTP channels. Note also that by default, the LMTP channel definitions are commented out. You must uncomment them if you want LMTP to work.

If you have an organization with Sun Java System Messaging Server users as well and non-Sun Java System Messaging Server users, you need to be able to indicate which users are on non-Sun Java System Messaging Server machines. Those user's delivery option cannot be set to `mailbox`. Instead, their delivery option must be set to `forward`. That forwarding address should be in the source routed form and can be any of (but not limited to) the following examples:

```
mailForwardingAddress: @nonSJSMSHost.siroe.com:first.last@siroe.com
```

or

```
mailForwardingAddress: @nonSJSMSHost.siroe.com:login@siroe.com
```

or

```
mailForwardingAddress: @nonSJSMSHost.siroe.com:first.last@nonSJSMSHost.siroe.com
```

or

```
mailForwardingAddress: @nonSJSMSHost.siroe.com:login@nonSJSMSHost.siroe.com
```

In other words,

```
@nonSJSMSHost.siroe.com:address-which-is-recognized-by-the-nonSJSMSHost
```

Configuring the Back End Stores with LMTP and No MTA

The back end stores need no MTA if they are receiving messages over LMTP. This means that they have no job controller, and none of the address rewriting machinery associated with the MTA. They do however still require a dispatcher and a simple MTA configuration. In particular they need a `dispatcher.cnf` file and a `mappings` file which comprise the only significant part of the MTA configuration.

The `dispatcher.cnf` file must contain the following:

```
! rfc 2033 LMTP server - store
!
[SERVICE=LMTPESS]
PORT=225
IMAGE=IMTA_BIN:tcp_lmtp_server
LOGFILE=IMTA_LOG:tcp_lmtpss_server.log
PARAMETER=CHANNEL=tcp_lmtpss
STACKSIZE=2048000
! Uncomment the following line and set INTERFACE_ADDRESS to an
appropriate
! host IP (dotted quad) if the dispatcher needs to listen on a
specific
! interface (e.g. in a HA environment).
!INTERFACE_ADDRESS=
!
! rfc 2033 LMTP server - native
!
[SERVICE=LMTPESN]
PORT=226
IMAGE=IMTA_BIN:tcp_lmtpn_server
LOGFILE=IMTA_LOG:tcp_lmtpsn_server.log
PARAMETER=CHANNEL=tcp_lmtpsn
STACKSIZE=2048000
! Uncomment the following line and set INTERFACE_ADDRESS to an
appropriate
! host IP (dotted quad) if the dispatcher needs to listen on a
specific
! interface (e.g. in a HA environment).
!INTERFACE_ADDRESS=
```

Note that by default, the LMTP services in the `dispatcher.cnf` file are commented out. You must uncomment them to get LMTP to work.

The normal dispatcher options of `MAX_CONNS`, `MAX_PROCS`, `MAX_LIFE_CONNS`, and `MAX_LIFE_TIME` can also be set, but need to be set appropriately for your hardware.

The `PORT_ACCESS` mapping is important. The LMTP implementation for the back end servers is intended as a private protocol between Sun Java System Messaging Server relays and back end stores. You must use the `PORT_ACCESS` mapping to make sure that only such relays can connect to these services. Your mapping file should look like this:

```
PORT_ACCESS

TCP | * | 225 | 1.2.3.4 | * | $Y
TCP | * | 226 | 1.2.3.4 | * | $Y
TCP | * | 225 | 1.2.3.5 | * | $Y
TCP | * | 226 | 1.2.3.5 | * | $Y
TCP | * | * | * | * | $N500$ Do$ not$ connect$ to$ this$ machine
```

You should replace the sample IP addresses specified in the `PORT_ACCESS` mapping table here with the IP addresses of your relays on the network that connect to the back end stores.

There has to be an `imta.cnf` file, but it is there merely to make the configuration complete. A minimal `imta.cnf` file consists of the following channel definitions:

```
! tcp_lmtpss (LMTP server - store)
tcp_lmtpss lmtp
tcp_lmtpss-daemon

!
! tcp_lmtpsn (LMTP server - native)
tcp_lmtpsn lmtp
tcp_lmtpsn-daemon
```

Note that by default, the LMTP channel definitions are commented out. You must uncomment them if you want LMTP to work.

Configuring Relays for Sending Messages Via LMTP to Back End Systems with Message Stores and Full MTAs

There are situations where you might want the back end stores to have the full capabilities of the MTA but still to have the load savings of using LMTP. For example, you might want program delivery on the back end store. In this case the relays should be configured as described above in [“To Configure the Inbound MTA Relays with LMTP”](#) on page 488.

Configuring LMTP on Back End Message Store Systems Having Full MTAs

The only changes from the configuration of a back end store messaging system to one with LMTP direct delivery to the store are that the following lines need to be added to the end of the `dispatcher.cnf` file:

```
! rfc 2033 LMTP server - store
!
[SERVICE=LMTPESS]
PORT=225
IMAGE=IMTA_BIN:tcp_lmtp_server
LOGFILE=IMTA_LOG:tcp_lmtpss_server.log
PARAMETER=CHANNEL=tcp_lmtpss
STACKSIZE=2048000
! Uncomment the following line and set INTERFACE_ADDRESS to an appropriate
! host IP (dotted quad) if the dispatcher needs to listen on a specific
! interface (e.g. in a HA environment).
!INTERFACE_ADDRESS=
!
! rfc 2033 LMTP server - native
!
[SERVICE=LMTPESSN]
PORT=226
IMAGE=IMTA_BIN:tcp_lmtpn_server
LOGFILE=IMTA_LOG:tcp_lmtpsn_server.log
PARAMETER=CHANNEL=tcp_lmtpsn
STACKSIZE=2048000
! Uncomment the following line and set INTERFACE_ADDRESS to an appropriate
! host IP (dotted quad) if the dispatcher needs to listen on a specific
! interface (e.g. in a HA environment).
!INTERFACE_ADDRESS=
!
```

Note that by default, the LMTP services in the `dispatcher.cnf` file are commented out. You must uncomment them to get LMTP to work. Also, the LMTP port numbers are just examples, and can be anything you choose.

This is the same as the whole `dispatcher.cnf` file described above for when the back end store is configured only for LMTP. The mappings file also requires the `PORT_ACCESS` mappings as described for LMTP only back end stores.

LMTP Protocol as Implemented

This section provides a sample LMTP dialogue with an explanation of what is seen in that dialogue. The LMTP client on the relay uses standard LMTP protocol to talk to the LMTP server on the back end store. However the protocol is used in specific ways. For example:

```
---> LHLO
<--- 250 OK
```

No action is taken on the `LHLO` message. The reply is always `250 OK`.

```
---> MAIL FROM: address size=messageSizeInBytes
<--- 250 OK
```

No checks or conversions are made on the originator address. The `size=` parameter gives a size in bytes for the message that is to be delivered. This is the size of the message exactly as it appears in the protocol. It is not necessarily the exact size of the message, but the actual message size will not exceed this size. The LMTP server allocates a memory buffer of this size to receive the message.

```
---> RCPT TO: uid+folder@domain xquota=size,number xdfldg=xxx
<--- 250 OK
```

No checks are made on the recipient addresses at the time they are received, but a list of recipients is built for later use. Note that the `@domain` part of the address is omitted for `uids` in the primary domain, and that the `+folder` part is optional. This is the same address format used by the message store channel in the MTA.

The `xquota=` parameter gives the user's message quotas which consist of the maximum total size and the maximum number of messages. The MTA provides this information which it retrieves while performing an LDAP lookup on the user to do the address translation. This information is used to keep the quota information in the message store synchronized with the directory. Getting the quota information does not result in an additional performance hit.

The `xdf1g=` parameter specifies a number which is interpreted as a bit field. These bits control how the message is delivered. For example, the bit whose value is 2, if set, guarantees delivery of the message even if the user is over quota. (Note that `xdf1g` is an internal parameter and the bits in it are subject to change or addition without notice. We do not support other clients using this extension with our server, nor do we support using our client with some other server and this parameter.)

This interaction may be repeated many times, once for each recipient.

```

--->DATA
---> <the message text>
--->.

```

The LMTP client then sends the entire message, dot-stuffed, just as SMTP does. The message finishes with a dot (.) alone on a line. If the message size is exceeded the LMTP server sends:

```

<--- 500 message too big

```

and ends the connection.

Assuming that the message is received correctly, the LMTP server then sends back to the LMTP client the status for each recipient given in the `RCPT TO:` lines. For instance, if the message is delivered successfully, the response is:

```

<--- 250 2.5.0 address OK

```

where `address` is exactly as it appeared on the `RCPT TO:` line.

The conversation can either repeat with another `MAIL FROM:` line or end with the following interaction:

```
----> quit
<--- 221 OK
```

[Table 15-1](#) shows the possible status codes for each recipient. This three-column table shows the short code in the first column, its long-code equivalent in the second column and the status text in the third column. 2.x.x status codes are success codes, 4.x.x codes are retryable errors, 5.x.x codes are non retryable errors.

Table 15-1 LMTP Status Codes for Recipients

Short Code	Long Code	Status Text
250	2.5.0	OK
420	4.2.0	Mailbox Locked
422	4.2.2	Quota Exceeded
420	4.2.0	Mailbox Bad Formats
420	4.2.0	Mailbox not supported
430	4.3.0	IMAP IOERROR
522	5.2.2	Persistent Quota Exceeded
523	5.2.3	Message too large
511	5.1.1	mailbox nonexistent
560	5.6.0	message contains null
560	5.6.0	message contains nl
560	5.6.0	message has bad header
560	5.6.0	message has no blank line

Otherwise, there are changes to the delivery options for mailbox, native (and, therefore, UNIX), and file. The object of these rules is to generate addresses that will cause the messages to be sent through the appropriate LMTP channel to the back end servers. The addresses generated are source routed addresses of the form:

@sourceroute: *localpart@domain*

Vacation Automatic Message Reply

For automatically generated responses to email (autoreply), specifically vacation messages, the MTA uses Message Disposition Notifications (*MDNs*) and the Sieve scripting language. MDNs are email messages sent by the MTA to a sender and/or postmaster reporting on a message's delivery disposition. MDNs are also known as read receipts, acknowledgements, receipt notifications, or delivery receipts. The Sieve is a simple scripting language used to create mail filters.

This section describes the vacation autoreply mechanism. In most cases, modification to the default configuration is unnecessary, but there is a case where you may wish to configure your system such that vacation processing is done on MTA relay machines rather than on back-end message stores.

This chapter consists of the following sections:

- [“Vacation Autoreply Overview” on page 503](#)
- [“Configuring Autoreply” on page 504](#)
- [“Vacation Autoreply Theory of Operation” on page 506](#)
- [“Vacation Autoreply Attributes” on page 508](#)

Vacation Autoreply Overview

Vacation Sieve scripts are generated automatically from the various LDAP vacation attributes (see [“Vacation Autoreply Attributes” on page 508](#)). They can also be specified explicitly for additional flexibility. The underlying mechanism for tracking vacations is a set of files, one per intended recipient, that keep track of when replies were sent to the various senders.

By default, the MTA evaluates vacation on the back-end store systems. However, since MTA relays do not do as much work as back-end stores, for performance reasons, you can have the MTA evaluate vacation on the mail relay machines instead of on the back-end store. Use of this feature, however, can result in vacation responses being sent out more often than intended because different relays handle different messages. If you do not want vacation messages to be sent out more often than you intend, you may share the tracking of files between the relays. If this is also unacceptable to you, you can always have vacation evaluated on the back-end store systems.

Configuring Autoreply

Delivery addresses are generated through a set of patterns. The patterns used depend upon the values defined for the `mailDeliveryOption` attribute. A delivery address is generated for each valid `mailDeliveryOption`. The patterns are defined by the MTA option `DELIVERY_OPTIONS`, which are defined in the `option.dat` file. The default autoreply rule in `DELIVERY_OPTIONS` in the `option.dat` file is:

```
*^!autoreply=$M+$D@bitbucket
```

The MTA notes the “^” on the autoreply `DELIVERY_OPTION` MTA option. This causes the MTA to check the vacation dates. If the current date is within the vacation dates, processing continues and the MTA notes the “!” on the autoreply `DELIVERY_OPTION`. The MTA then creates a vacation Sieve script based on the various autoreply LDAP attributes on the user’s entry. The autoreply rule can have the prefix characters ‘!’, ‘#’, ‘^’, and ‘*’.

You could have the ‘!’ flag on the mailbox delivery option. This would enable the generation of the vacation script unconditionally. It makes sense, however, to have the autoreply machinery enabled by a separate delivery option so that it can be further gated by the ‘^’ flag. Checking the dates at this stage is more efficient than engaging the Sieve logic.

[Table 16-1](#) shows the prefix characters used for the autoreply rule in the first column and their definitions in the second column.

Table 16-1 Prefix Characters for the Autoreply Rule in `DELIVERY_OPTIONS`

Prefix Character	Definition
!	Enable the generation of the autoreply Sieve script.
#	Allows the processing to take place on relays.
^	Option is only evaluated if the vacation dates indicate that it should be evaluated.

Table 16-1 Prefix Characters for the Autoreply Rule in DELIVERY_OPTIONS

Prefix Character	Definition
*	Rule is only applicable to users.

The autoreply rule itself specifies an address destined for the bitbucket channel. The mail is considered delivered by this method once the autoreply is generated, but the MTA machinery requires a delivery address. Anything delivered to the bitbucket channel is discarded.

Configuring Autoreply on the Back-end Store System

The default autoreply rule in DELIVERY_OPTIONS causes the autoreply to take place on the mail server that serves the user. If you want vacation messages to be evaluated on the back-end store system, you do not have to configure anything. This is the default behavior.

Configuring Autoreply on the Relay

If you want to evaluate vacation on the relay rather than on the back-end store system to enhance performance, edit the `option.dat` file and prepend the character `#` to the autoreply rule in DELIVERY_OPTIONS. For example:

1. Use an editor to open the `option.dat` file.
2. Add or change the DELIVERY_OPTIONS option so the autoreply rule now looks like:

```
##^!autoreply=$M+$D@bitbucket
```

The default DELIVERY_OPTIONS option looks like:

```
DELIVERY_OPTIONS=*mailbox=$M%$\$2I$_+$2S@ims-ms-daemon, \
&members=*, \
*native=$M@native-daemon, \
/hold=@hold-daemon:$A, \
*unix=$M@native-daemon, \
&file=+$F@native-daemon, \
```

```
&@members_offline=* \
,program=$M%$P@pipe-daemon, \
#forward=**, \
*^!autoreply=$M+$D@bitbucket
```

This allows the processing to take place on relays. If you have the MTA perform autoreplies on the relays, then either each relay can keep track independently of whether a particular correspondent has sent an away message recently, or this information can be shared between the relays. The former case is simpler, especially if having away messages sent out too many times does not matter. If you want strict application of the away message frequency rules, then the information must be shared between relays. To share the information among the relays, the files should be NFS mounted

The location of these files is controlled by the option `VACATION_TEMPLATE`. This option (in `option.dat`) should be set to `/<path>/%A` where `<path>` is the path to a directory that is shared between the various relay machines. The template needs to be a `file:URL` and you use `$U` to substitute the name of the user. The default setting is:

```
VACATION_TEMPLATE=file:///opt/SUNWmsgsr/data/vacation/$3I/$1U/$2U/$U.vac
```

See [Table 9-6 on page 214](#) for metacharacter descriptions.

NOTE Vacation file templates now have access to the UID, allowing paths to vacation files to be built based on the user's UID. Additionally, the address used in determining the vacation file path is now the one stored in the user's mail attribute; previously the current recipient address was used.

Vacation Autoreply Theory of Operation

The vacation action, when invoked, works as follows:

1. The Sun Java System Messaging Server checks to make sure that the vacation action was performed by a user level rather than a system level Sieve script. An error results if vacation is used in a system level script.
2. The “no vacation notice” internal MTA flag is checked. If it is set, processing terminates and no vacation notice is sent.
3. The return address for the message is now checked. If it is blank processing terminates and no vacation notice is sent.

4. The MTA checks to see if the user's address or any of the additional addresses specified in the `:addresses` tagged argument appear in a `To:`, `Cc:`, `Resent-to:`, or `Resent-cc:` header field for the current message. Processing terminates and no vacation notice is sent if none of the addresses is found in any of the header fields.
5. The Messaging Server constructs a hash of the `:subject` argument and the reason string. This string, along with the return address of the current message, is checked against a per-user record of previous vacation responses. Processing terminates and no response is sent if a response has already been sent within the time allowed by the `:days` argument.
6. The Messaging Server constructs a vacation notice from the `:subject` argument, reason string, and `:mime` argument. Two basic forms for this response message are possible:
 - o A message disposition notification of the form specified in RFC 2298, with the first part containing the reason text.
 - o A single part text reply. (This form is only used to support the “reply” autoreply mode attribute setting.)

Note that `mailautoreplymode` is automatically set to `reply` when vacation messages are configured through Messenger Express.

The “no vacation notice” MTA flag is clear by default. It can be set by a system level Sieve script through the use of the nonstandard `novacation` action. The `novacation` Sieve action is only allowed in a system level Sieve script. It will generate an error if it is used in a user level script. You can use this action to implement site-wide restrictions on vacation replies such as blocking replies to addresses containing the substring “MAILER-DAEMON”.

Per-user per-response information is stored in a set of flat text files, one per local user. The location and naming scheme for these files is specified by the setting of the `VACATION_TEMPLATE` MTA option. This option should be set to a `file: URL`.

Maintenance of these files is automatic and controlled by the `VACATION_CLEANUP` integer MTA option setting. Each time one of these files is opened, the value of the current time in seconds modulo this value is computed. If the result is zero the file is scanned and all expired entries are removed. The default value for the option is 200, which means that there is 1-in-200 chance that a cleanup pass will be performed.

The machinery used to read and write these flat text files is designed in such a way that it should be able to operate correctly over NFS. This allows multiple MTAs to share a single set of files on a common file system.

Vacation Autoreply Attributes

The set of user LDAP directory attributes that the vacation action uses are:

- Attribute defined by `LDAP_PERSONAL_NAME`

Alias processing keeps track of personal name information specified in this attribute and will use this information to construct `From:` fields for any MDNs or vacation replies that are generated. Use with caution to avoid exposing personal information.
- `vacationStartDate`

Vacation start date and time. The value is in the format `YYYYMMDDHHMMSSZ`. This value is normalized to GMT. An autoreply should only be generated if the current time is after the time specified by this attribute. No start date is enforced if this attribute is missing. The MTA can be instructed to look at a different attribute for this information by setting the `LDAP_START_DATE` MTA option to a different attribute name.

This attribute will be read and checked by the code that generated the Sieve script. Vacation processing will be aborted if the current date is before the vacation start date. This attribute cannot be handled by the script itself because at present Sieve lacks date/time testing and comparison facilities.
- `vacationEndDate`

Vacation end date and time. The value is in the format `YYYYMMDDHHMMSSZ`. This value is normalized to GMT. An autoreply should only be generated if the current time is before the time specified by this attribute. No end date is enforced if this attribute is missing. The MTA can be instructed to look at a different attribute for this information by setting the `LDAP_END_DATE` MTA option to a different attribute name.

This attribute will be read and checked by the code that generated the Sieve script. Vacation processing will be aborted if the current date is after the vacation end date. This attribute cannot be handled in the script itself because at present Sieve lacks date/time testing and comparison facilities.
- `mailAutoReplyMode`

Specifies autoreply mode for the user mail account. Valid values of this attribute are:

 - `echo` - Create a multipart that echoes the original message text in addition to the added `mailAutoReplyText` or `mailAutoReplyTextInternal` text.
 - `reply` - Send a single part reply as specified by either `mailAutoReplyText` or `mailAutoReplyTextInternal` to the original sender.

These modes will appear in the Sieve script as nonstandard `:echo` and `:reply` arguments to the vacation action. `echo` will produce a “processed” message disposition notification (MDN) that contains the original message as returned content. `reply` will produce a pure reply containing only the reply text. An illegal value will not manifest as any argument to the vacation action and this will produce an MDN containing only the headers of the original message. Note also that selecting an autoreply mode of `echo` causes an automatic reply to be sent to every message regardless of how recently a previous reply was sent.

The MTA can be instructed to use a different attribute for this information by setting the `LDAP_AUTOREPLY_MODE` MTA option to a different attribute name.

- `mailAutoReplySubject`

Specifies the contents of the subject field to use in the autoreply response. This must be a UTF-8 string. This value gets passed as the `:subject` argument to the vacation action. The MTA can be instructed to use a different attribute for this information by setting the `LDAP_AUTOREPLY_SUBJECT` MTA option to a different attribute name.

Note that because Sieve currently lacks the ability to perform certain substitutions at present, use of `$(SUBJECT)` to insert the original message into the header cannot be implemented.

- `mailAutoReplyText`

Autoreply text sent to all senders except users in the recipient's domain. If not specified, external users receive no vacation message. The MTA can be instructed to use a different attribute for this information by setting the `LDAP_AUTOREPLY_TEXT` MTA option to a different attribute name.

- `mailAutoReplyTextInternal`

Auto-reply text sent to senders from the recipients domain. If not specified, then internal users get the mail autoreply text message. The MTA can be instructed to use a different attribute for this information by setting the `LDAP_AUTOREPLY_TEXT_INT` MTA option to a different attribute name.

The MTA will pass either the `mailAutoReplyText` or `mailAutoReplyTextInternal` attribute value as the reason string to the vacation action.

- `mailAutoReplyTimeOut`

Duration, in hours, for successive autoreply responses to any given mail sender. Used only when `mailAutoReplyMode=reply`. If value is 0 then a response is sent back every time a message is received. This value will be converted to the nonstandard `:hours` argument to the vacation action. (Normally the Sieve vacation action only supports the `:days` argument for this purpose and does not allow a value of 0.)

If this attribute doesn't appear on a user entry, a default time-out will be obtained from the `AUTOREPLY_TIMEOUT_DEFAULT` MTA option. The MTA can be instructed to use a different attribute for this information by setting the `LDAP_AUTOREPLY_TIMEOUT` MTA option.

Mail Filtering and Access Control

This chapter discusses how to filter mail based on its source (sender, IP address and so on) or header strings. Two mail filtering mechanisms are used, controlling access to the MTA using mapping tables and Sieve server-side rules (SSR).

Limiting access to the MTA using the mapping tables allows messages to be filtered based on From: and To: addresses, IP address, port numbers and source or destination channels. Mapping tables allow SMTP relaying to be enabled or disabled. Sieve is a mail filtering script that allows messages to be filtered based on strings found in headers. (It doesn't work on the message body.)

If envelope-level controls are desired, use mapping tables to filter mail. If header-based controls are desired, use Sieve server-side rules.

This chapter is divided into two parts:

PART 1. MAPPING TABLES. Allows the administrator to control access to MTA services by configuring certain mapping tables. The administrator can control who can or cannot send mail, receive mail through Messaging Server.

PART 2. MAILBOX FILTERS. Allows users and administrators to filter messages and specify actions on those filtered messages based on a string found in the message header. Uses the Sieve filter language and can filter at the channel, MTA or user level.

PART 1. MAPPING TABLES

Part 1 contains the following sections:

- [“Controlling Access with Mapping Tables” on page 512](#)
- [“When Access Controls Are Applied” on page 526](#)
- [“To Test Access Control Mappings” on page 527](#)

- [“To Add SMTP Relaying” on page 528](#)
- [“Configuring SMTP Relay Blocking” on page 531](#)
- [“Handling Large Numbers of Access Entries” on page 537](#)
- [“Access Control Mapping Table Flags” on page 514](#)

Controlling Access with Mapping Tables

You can control access to your mail services by configuring certain mapping tables. These mapping tables allow you to control who can or cannot send mail, receive mail, or both. [Table 17-1](#) lists the mapping tables described in this section. The application information string supplied to the `FROM_ACCESS`, `MAIL_ACCESS`, and `ORIG_MAIL_ACCESS` mappings includes the system name claimed in the `HELO/EHLO` SMTP command. This name appears at the end of the string and is separated from the rest of the string (normally “SMTP”) by a slash. The claimed system name can be useful in blocking some worms and viruses.

Access Control Mapping Tables—Operation

Like all mapping tables, access control mapping tables have the same general format (see [“Mappings File” on page 229](#)). They consist of a mapping table name, followed by a line break, followed by one or more mapping entries. Mapping entries consist of a *search pattern* on the left side and a *template* on the right side. The search pattern filters specific messages and the template specifies actions to take on the message. For example:

```
SEND_ACCESS
```

```
*|Elvis1@sesta.com|*|*      $Y
*|Nelson7@sesta.com|*|*    $Y
*|AkiraK@sesta.com|*|*     $Y
*|*@sesta.com|*|*         $NMail$ Blocked
```

In this example all email from the domain `sesta.com` except those of `Elvis1`, `Nelson`, `AkiraK` are blocked.

The search pattern for access control mapping entries consist of a number of search criteria separated by vertical bars (`|`). The order of the search criteria depends on the access mapping table and is described in subsequent sections. But as an example, the `SEND_ACCESS` mapping table has the following search form:

```
src-channel | from-address | dst-channel | to-address
```


where *src-channel* is the channel queuing the message; *from-address* is the address of the message's originator; *dst-channel* is the channel to which the message will be queued; and *to-address* is the address to which the message is addressed. Use of an asterisk in any of these four fields causes that field to match any channel or address, as appropriate.

NOTE Whenever the `mappings` file is modified, you must recompile the configuration (see the `imsimta refresh` command in the *Sun Java System Messaging Server Administration Reference*).

Table 17-1 Access Control Mapping Tables

Mapping Table	Description
SEND_ACCESS (See page 517.)	Used to block incoming connections based on envelope <code>From</code> address, envelope <code>To</code> address, source and destination channels. The <code>To</code> address is checked after rewriting, alias expansion, and so on, have been performed.
ORIG_SEND_ACCESS (See page 517.)	Used to block incoming connections based on envelope <code>From</code> address, envelope <code>To</code> address, source and destination channels. The <code>To</code> address is checked after rewriting but before alias expansion.
MAIL_ACCESS (See page 519.)	Used to block incoming connections based on combined information found in <code>SEND_ACCESS</code> and <code>PORT_ACCESS</code> tables: that is, the channel and address information found in <code>SEND_ACCESS</code> combined with the IP address and port number information found in <code>PORT_ACCESS</code> .
ORIG_MAIL_ACCESS (See page 519.)	Used to block incoming connections based on combined information found in <code>ORIG_SEND_ACCESS</code> and <code>PORT_ACCESS</code> tables: that is, the channel and address information found in <code>ORIG_SEND_ACCESS</code> combined with the IP address and port number information found in <code>PORT_ACCESS</code> .
FROM_ACCESS (See page 521.)	Used to filter mail based on envelope <code>From</code> addresses. Use this table if the <code>To</code> address is irrelevant.
PORT_ACCESS (See page 523.)	Used to block incoming connections based on IP number.

The `MAIL_ACCESS` and `ORIG_MAIL_ACCESS` mappings are the most general, having available not only the address and channel information available to `SEND_ACCESS` and `ORIG_SEND_ACCESS`, but also any information that would be available via the `PORT_ACCESS` mapping table, including IP address and port number information.

Access Control Mapping Table Flags

Table 17-2 shows the access mapping flags relevant for the `SEND_ACCESS`, `ORIG_SEND_ACCESS`, `MAIL_ACCESS`, `ORIG_MAIL_ACCESS`, and `FROM_ACCESS` mapping tables. Note that the `PORT_ACCESS` mapping table, supports a somewhat different set of flags (see **Table 17-3**).

Flags with arguments must have those arguments arranged in the reading order shown in the table. For example:

```
ORIG_SEND_ACCESS
```

```
tcp_local|*|tcp_local|*    $N$D30|Relaying$ not$ allowed
```

In this case, the proper order is the delay period followed by the rejection string. Note that the flags themselves can be in any order. So the following entries have identical results:

```
30|Relaying$ not$ allowed$D$N
$N30|Relaying$ not$ allowed$D
30|$N$DRelaying$ not$ allowed
```

Table 17-2 Access Mapping Flags

Flag	Description
\$A	Set if SASL has been used. See “Check for Special Flags” on page 238 .
\$B	Redirect the message to the bitbucket.
\$D	Set if delay delivery receipts requests (not available in <code>FROM_ACCESS</code>). See “Check for Special Flags” on page 238 .
\$F	Set if failure delivery receipts requested (not available in <code>FROM_ACCESS</code>). See “Check for Special Flags” on page 238 .
\$H	Hold the message as a <code>.HELD</code> file.
\$S	Set if success delivery receipts requested (not available in <code>FROM_ACCESS</code>). See “Check for Special Flags” on page 238 .

Table 17-2 Access Mapping Flags

Flag	Description
\$T	Set if TLS has been used. See “ Check for Special Flags ” on page 238 .
\$U	If used in ORIG_SEND_ACCESS, SEND_ACCESS, ORIG_MAIL_ACCESS, and MAIL_ACCESS, takes a single integer argument from the beginning of the mapping and sets the value of MM_DEBUG accordingly. Additionally, channel-level debugging is also enabled if possible. The result is that you enable debugging based on items such as source IP address, original address, recipient address, and so on.
\$Y	Allow access.
\$V	Causes a forced discard to be performed for all recipient(s).
\$Z	Causes a forced jettison to be performed for all recipient(s).
Flags with Arguments, in Argument Reading Order+ (DO NOT ALPHABETIZE THIS LIST!)	
\$Uinteger	Takes a single integer argument from the beginning of the mapping and sets MM_DEBUG accordingly. Additionally, channel-level debugging is also enabled if possible. The result is that debugging can now be enabled based on things like source IP address, original address, recipient address, and so on.
\$Jaddress	* Replace original envelope From: address with specified <i>address</i> .
\$Kaddress	* ++ Replace original Sender: address with specified <i>address</i> .
\$Iuser identifier	Check specified user for group ID.
\$<string	+++ Send <i>string</i> to syslog (UNIX, user.notice facility and severity) or to the event log (NT) if probe matches.
\$>string	+++ Send <i>string</i> to syslog (UNIX, user.notice facility and severity) or to the event log (NT) if access is rejected.
\$Ddelay	Delay response for an interval of <i>delay</i> hundredths of seconds; a positive value causes the delay to be imposed on each command in the transaction; a negative value causes the delay to be imposed only on the address handover (SMTP MAIL FROM: command for the FROM_ACCESS table; SMTP RCPT TO: command for the other tables).
\$Ttag	Prefix with <i>tag</i> .
\$Aheader	Add the header line <i>header</i> to the message.

Table 17-2 Access Mapping Flags

Flag	Description
<code>\$Gconversion_tag</code>	If used in <code>ORIG_SEND_ACCESS</code> , <code>SEND_ACCESS</code> , <code>ORIG_MAIL_ACCESS</code> , and <code>MAIL_ACCESS</code> , it reads a value from the mapping result and treats it as a set of conversion tags to be applied to the current recipient. If used with <code>FROM_ACCESS</code> , conversion tags are applied to all recipients. <code>\$G</code> is positioned after <code>\$A</code> (header address) in the sequence of arguments read from the mappings. See “Mail Conversion Tags” on page 419 .
<code>\$Sx,y,z</code>	* Causes an additional separated argument to be read from the mapping result. This argument consists of one to three integer values separated by commas. The first value establishes a new minimum <code>blocklimit</code> for the transaction, the second establishes a new minimum <code>recipientlimit</code> , and the third a new minimum <code>recipientcutoff</code> . The argument is read from the mapping result after any capture argument has been read. See “Specifying Absolute Message Size Limits” on page 388 for details.
<code>\$Xerror-code</code>	Issue the specified <i>error-code</i> extended SMTP error code if rejecting the message.
<code>\$, spamadjust_arg</code>	Allows you to perform a sieve <code>spamadjust</code> operation from the access mapping tables. Argument takes the same form as a <code>spamadjust</code> argument. Note also that some of these mappings are applied on a per-recipient basis. Any <code>spamadjust</code> operation that is done applies to all recipients.
<code>\$Nstring</code>	Reject access with the optional error text <i>string</i> .
<code>\$Fstring</code>	Synonym for <code>\$N string</code> ; that is, reject access with the optional error text <i>string</i> .

* Available for `FROM_ACCESS` table only.

+ To use multiple flags with arguments, separate the arguments with the vertical bar character, |, placing the arguments in the order listed in this table.

++ For the `$K` flag to take effect in the `FROM_ACCESS` mapping table, the source channel must include the `authrewrite` keyword.

+++ It is a good idea to use the `$D` flag when dealing with problem senders, to prevent a denial of service attack. In particular, it is a good idea to use `$D` in any `$>` entry or `$<` entry rejecting access.

SEND_ACCESS and ORIG_SEND_ACCESS Tables

You can use the `SEND_ACCESS` and `ORIG_SEND_ACCESS` mapping tables to control who can or cannot send mail, receive mail, or both. The access checks have available a message's envelope `From:` address and envelope `To:` addresses, and knowledge of what channel the message came in, and what channel it would attempt to go out.

If a `SEND_ACCESS` or `ORIG_SEND_ACCESS` mapping table exists, then for each recipient of every message passing through the MTA, the MTA will scan the table with a string of the following form (note the use of the vertical bar character, `|`):

```
src-channel | from-address | dst-channel | to-address
```

The *src-channel* is the channel queueing the message; *from-address* is the address of the message's originator; *dst-channel* is the channel to which the message will be queued; and *to-address* is the address to which the message is addressed. Use of an asterisk in any of these four fields causes that field to match any channel or address, as appropriate.

The addresses here are envelope addresses; that is, envelope `From:` address and envelope `To:` address. In the case of `SEND_ACCESS`, the envelope `To:` address is checked after rewriting, alias expansion, etc., have been performed; in the case of `ORIG_SEND_ACCESS` the originally specified envelope `To:` address is checked after rewriting, but before alias expansion.

If the search string matches a pattern (that is, the left-hand side of an entry in the table), then the resulting output of the mapping is checked. If the output contains the flags `$Y` or `$y`, then the enqueue for that particular `To:` address is permitted. If the output contains any of the flags `$N`, `$n`, `$F`, or `$f`, then the enqueue to that particular address is rejected. In the case of a rejection, optional rejection text may be supplied in the mapping output. This string will be included in the rejection error the MTA issues. If no string is output (other than the `$N`, `$n`, `$F`, or `$f` flag), then default rejection text will be used. For descriptions of additional flags, see [“Access Control Mapping Table Flags” on page 514](#).

Setting the MTA option `ACCESS_ORCPT` to 1 adds an additional vertical bar delimited field to the probe value passed to the `SEND_ACCESS`, `ORIG_SEND_ACCESS`, `MAIL_ACCESS`, and `ORIG_MAIL_ACCESS` mapping tables that contains the original recipient (ORCPT) address. If the message doesn't have an ORCPT address, the original unmodified RCPT `TO:` address is used instead. The default is 0, and the probe value is at the end:

```
src-channel | from-address | dst-channel | to-address | ORCPT_address
```

In the following example, mail sent from UNIX user agents such as mail, Pine, and so on, originates from the local, 1, channel and messages to the Internet go out a TCP/IP channel of some sort. Suppose that local users, with the exception of the postmaster, are not allowed to send mail to the Internet but can receive mail from there. Then the `SEND_ACCESS` mapping table shown in the example below is one possible way to enforce this restriction. In the mapping table, the local host name is assumed to be `sesta.com`. In the channel name “`tcp_*`”, a wild card is used so as to match any possible TCP/IP channel name (for example, `tcp_local`).

Code Example 17-1 `SEND_ACCESS` Mapping Table

```
SEND_ACCESS

* |postmaster@sesta.com|*|*   $Y
* |*|*|postmaster@sesta.com  $Y
1 |*@sesta.com|tcp_*|*       $NInternet$ postings$ are$ not$ \
    permitted
```

In the rejection message, dollar signs are used to quote spaces in the message. Without those dollar signs, the rejection would be ended prematurely and only read “Internet” instead of “Internet postings are not permitted.” Note that this example ignores other possible sources of “local” postings such as from PC-based mail systems or from POP or IMAP clients.

NOTE The client attempting to send the message determines whether the MTA rejection error text is actually presented to the user who attempted to send the message. If `SEND_ACCESS` is used to reject an incoming SMTP message, the MTA merely issues an SMTP rejection code including the optional rejection text; it is up to the sending SMTP client to use that information to construct a bounce message to send back to the original sender.

MAIL_ACCESS and ORIG_MAIL_ACCESS Mapping Tables

The `MAIL_ACCESS` mapping table is a superset of the `SEND_ACCESS` and `PORT_ACCESS` mapping tables. It combines both the channel and address information of `SEND_ACCESS` with the IP address and port number information of `PORT_ACCESS`. Similarly, the `ORIG_MAIL_ACCESS` mapping table is a superset of the `ORIG_SEND_ACCESS` and `PORT_ACCESS` mapping tables. The format for the probe string for `MAIL_ACCESS` is:

port-access-probe-info | app-info | submit-type | send_access-probe-info

Similarly, the format for the probe string for `ORIG_MAIL_ACCESS` is:

port-access-probe-info | app-info | submit-type | orig_send_access-probe-info

Here *port-access-probe-info* consists of all the information usually included in a `PORT_ACCESS` mapping table probe in the case of incoming SMTP messages; otherwise, it is blank. *app-info* includes the system name claimed in the `HELO/EHLO` SMTP command. This name appears at the end of the string and is separated from the rest of the string (normally “SMTP”) by a slash. The claimed system name can be useful in blocking some worms and viruses. *submit-type* may be one of `MAIL`, `SEND`, `SAML`, or `SOML`, corresponding to how the message was submitted into Messaging Server. Normally the value is `MAIL`, meaning it was submitted as a message; `SEND`, `SAML`, or `SOML` can occur in the case of broadcast requests (or combined broadcast/message requests) submitted to the SMTP server. And for the `MAIL_ACCESS` mapping, *send-access-probe-info* consists of all the information usually included in a `SEND_ACCESS` mapping table probe. Similarly for the `ORIG_MAIL_ACCESS` mapping, *orig-send-access-probe-info* consists of all the information usually included in an `ORIG_SEND_ACCESS` mapping table probe.

Setting the MTA option `ACCESS_ORCPT` to 1 adds an additional vertical bar delimited field to the probe value passed to the `SEND_ACCESS`, `ORIG_SEND_ACCESS`, `MAIL_ACCESS`, and `ORIG_MAIL_ACCESS` mapping tables that contains the original recipient (`ORCPT`) address. If the message doesn't have an `ORCPT` address, the original unmodified `RCPT TO:` address is used instead. The default is 0, and the probe value is at the end.

Example:

port-access-probe-info | app-info | submit-type | send_access-probe-info | ORCPT_address

Having the incoming TCP/IP connection information available in the same mapping table as the channel and address information makes it more convenient to impose certain sorts of controls, such as enforcing what envelope `From:` addresses are allowed to appear in messages from particular IP addresses. This can be desirable to limit cases of email forgery, or to encourage users to configure their POP and IMAP clients' `From:` address appropriately. For example, a site that wishes

to allow the envelope `From: address vip@siroe.com` to appear only on messages coming from the IP address 1.2.3.1 and 1.2.3.2, and to ensure that the envelope `From: addresses` on messages from any systems in the 1.2.0.0 subnet are from `siroe.com`, might use a `MAIL_ACCESS` mapping table as shown in the example below.

Code Example 17-2 MAIL_ACCESS Mapping Table

```
MAIL_ACCESS

! Entries for vip's two systems
!
TCP|*|25|1.2.3.1|*|SMTP|MAIL|tcp_*|vip@siroe.com|*|* $Y
TCP|*|25|1.2.3.2|*|SMTP|MAIL|tcp_*|vip@siroe.com|*|* $Y
!
! Disallow attempts to use vip's From: address from other
! systems
!
TCP|*|25|*|*|SMTP|MAIL|tcp_*|vip@siroe.com|*|* \
    $N500$ Not$ authorized$ to$ use$ this$ From:$ address
!
! Allow sending from within our subnet with siroe.com From:
! addresses
!
TCP|*|25|1.2.*.*|*|SMTP|MAIL|tcp_*|*@siroe.com|*|* $Y
!
! Allow notifications through
!
TCP|*|25|1.2.*.*|*|SMTP|MAIL|tcp_*|*|* $Y
!
! Block sending from within our subnet with non-siroe.com
! addresses
!
TCP|*|25|1.2.*.*|*|SMTP|MAIL|tcp_*|*|* \
    $NOnly$ siroe.com$ From:$ addresses$ authorized
```


FROM_ACCESS Mapping Table

The `FROM_ACCESS` mapping table may be used to control who can send mail, or to override purported `From:` addresses with authenticated addresses, or both.

The input probe string to the `FROM_ACCESS` mapping table is similar to that for a `MAIL_ACCESS` mapping table, minus the destination channel and address, and with the addition of authenticated sender information, if available. Thus, if a `FROM_ACCESS` mapping table exists, then for each attempted message submission, Messaging Server will search the table with a string of the form (note the use of the vertical bar character, `|`):

port-access-probe-info | *app-info* | *submit-type* | *src-channel* | *from-address* | *auth-from*

Here *port-access-probe-info* consists of all the information usually included in a `PORT_ACCESS` mapping table probe in the case of incoming SMTP messages; otherwise, it is blank. *app-info* includes the system name claimed in the `HELO/EHLO` SMTP command. This name appears at the end of the string and is separated from the rest of the string (normally “SMTP”) by a slash. The claimed system name can be useful in blocking some worms and viruses. *submit-type* may be one of `MAIL`, `SEND`, `SAML`, or `SOML`, corresponding to how the message was submitted into the MTA. Normally the value is `MAIL`, meaning it was submitted as a message; `SEND`, `SAML`, or `SOML` can occur in the case of broadcast requests (or combined broadcast/message requests) submitted to the SMTP server. *src-channel* is the channel originating the message (that is, queueing the message); *from-address* is the address of the message's purported originator; and *auth-from* is the authenticated originator address, if such information is available, or blank if no authenticated information is available.

If the probe string matches a pattern (that is, the left-hand side of an entry in the table), the resulting output of the mapping is checked. If the output contains the flags `$Y` or `$y`, then the enqueue for that particular `To:` address is permitted. If the output contains any of the flags `$N`, `$n`, `$F`, or `$f`, then the enqueue to that particular address is rejected. In the case of a rejection, optional rejection text may be supplied in the mapping output. This string will be included in the rejection error Messaging Server issues. If no string is output (other than the `$N`, `$n`, `$F`, or `$f` flag), then default rejection text will be used. For descriptions of additional flags, see “[Access Control Mapping Table Flags](#)” on page 514.

Besides determining whether to allow a message to be submitted based on the originator, `FROM_ACCESS` can also be used to alter the envelope `From:` address via the `$J` flag, or to modify the effect of the `authrewrite` channel keyword (adding a `Sender:` header address on an accepted message) via the `$K` flag. For instance, this mapping table can be used to cause the original envelope `From:` address to simply be replaced by the authenticated address.

Code Example 17-3 FROM_ACCESS Mapping Table

```

FROM_ACCESS

* |SMTP|*|tcp_auth|*|      $Y
* |SMTP|*|tcp_auth|*|*    $Y$J$3

```

When using the `FROM_ACCESS` mapping table to modify the effect on having `authrewrite` set to a nonzero value on some source channel, it is not necessary to use `FROM_ACCESS` if the authenticated address is going to be used verbatim.

For example, with `authrewrite 2` set on the `tcp_local` channel, the following `FROM_ACCESS` mapping table would not be necessary because `authrewrite` alone is sufficient to get this effect (adding the authenticated address verbatim):

```

FROM_ACCESS

* |SMTP|*|tcp_auth|*|      $Y
* |SMTP|*|tcp_auth|*|*    $Y$K$3

```

However, the real purpose of `FROM_ACCESS` is to permit more complex and subtle alterations, as shown in the example below. The `authrewrite` keyword alone is appropriate if you want to add a `Sender:` header line (showing the SMTP AUTH authenticated submitter address) to incoming messages. However, suppose you want to force the addition of such a `Sender:` header line to incoming messages only if the SMTP AUTH authenticated submitter address differs from the envelope `From:` address (that is, not bother to add a `Sender:` header line if the addresses match), and suppose further that you wish the SMTP AUTH and envelope `From:` addresses will not be considered to differ merely because the envelope `From:` includes optional subaddress information.

```

FROM_ACCESS

! If no authenticated address is available, do nothing
*|SMTP|*|tcp_auth|*|                $Y
! If authenticated address matches envelope From:, do nothing
*|SMTP|*|tcp_auth|*|$2*              $Y
! If authenticated address matches envelope From: sans
! subaddress, do nothing
*|SMTP|*|tcp_auth|*+*@$2*$4*        $Y
! Fall though to...
! ...authenticated address present, but didn't match, so force
! Sender: header
*|SMTP|*|tcp_auth|*|*                $Y$K$3

```

PORT_ACCESS Mapping Table

The Dispatcher is able to selectively accept or reject incoming connections based on IP address and port number. At Dispatcher startup time, the Dispatcher will look for a mapping table named `PORT_ACCESS`. If present, the Dispatcher will format connection information in the following form:

```
TCP | server-address | server-port | client-address | client-port
```

The Dispatcher tries to match against all `PORT_ACCESS` mapping entries. If the result of the mapping contains `$N` or `$F`, the connection will be immediately closed. Any other result of the mapping indicates that the connection is to be accepted. `$N` or `$F` may optionally be followed by a rejection message. If present, the message will be sent back down the connection just prior to closure. Note that a CRLF terminator will be appended to the string before it is sent back down the connection.

NOTE The MMP does not make use of the `PORT_ACCESS` mapping table. If you wish to reject SMTP connections from certain IP addresses and you are using the MMP, you must use the `TCPAccess` option. See [“To Configure Mail Access with MMP” on page 172](#). If you want to control SMTP connections using mapping tables, use the `INTERNAL_IP` mapping table (see [“Allowing SMTP Relaying for External Sites” on page 530](#)).

The flag `$<` followed by an optional string causes Messaging Server to send the string to syslog (UNIX) or to the event log (NT) if the mapping probe matches. The flag `$>` followed by an optional string causes Messaging Server to send the string as to syslog (UNIX) or to the event log (NT) if access is rejected. If bit 1 of the `LOG_CONNECTION` MTA option is set and the `$N` flag is set so that the connection is rejected, then also specifying the `$T` flag will cause a “T” entry to be written to the connection log. If bit 4 of the `LOG_CONNECTION` MTA option is set, then site-supplied text may be provided in the `PORT_ACCESS` entry to include in the “C” connection log entries. To specify such text, include two vertical bar characters in the right-hand side of the entry, followed by the desired text. [Table 17-3](#) lists the available flags.

Table 17-3 `PORT_ACCESS` Mapping Flags

Flag	Description
<code>\$Y</code>	Allow access.
Flags with arguments, in argument reading order+	
<code>\$<</code> string	Send string to syslog (UNIX) or to the event log (NT) if probe matches.
<code>\$></code> string	Send string to syslog (UNIX) or to the event log (NT) if access is rejected.
<code>\$N</code> string	Reject access with the optional error text string
<code>\$F</code> string	Synonym for <code>\$N</code> string; that is, reject access with the optional error text string
<code>\$T</code> text	If bit 1 of the <code>LOG_CONNECTION</code> MTA option is set and the <code>\$N</code> flag is set so that the connection is rejected, then <code>\$T</code> causes a “T” entry to be written to the connection log; the optional text (which must appear subsequent to two vertical bar characters) may be included in the connection log entry.
+To use multiple flags with arguments, separate the arguments with the vertical bar character, , placing the arguments in the order listed in this table.	

For example, the following mapping will only accept SMTP connections (to port 25, the normal SMTP port) from a single network, except for a particular host singled out for rejection without explanatory text:

```
PORT_ACCESS

TCP|*|25|192.123.10.70|* $N500
TCP|*|25|192.123.10.*|* $Y
TCP|*|25|*|* $N500$ Bzzzt$ thank$ you$ for$ \
    playing.
```

Note that you will need to restart the Dispatcher after making any changes to the `PORT_ACCESS` mapping table so that the Dispatcher will see the changes. (If you are using a compiled MTA configuration, you will first need to recompile your configuration to get the change incorporated into the compiled configuration.)

The `PORT_ACCESS` mapping table is specifically intended for performing IP-based rejections. For more general control at the email address level, the `SEND_ACCESS` or `MAIL_ACCESS` mapping table, might be more appropriate.

To Limit Specified IP Address Connections to the MTA

A particular IP address can be limited to how often it connects to the MTA by using the shared library, `conn_throttle.so` in the Port Access mapping table. Limiting connections by particular IP addresses may be useful for preventing excessive connections used in denial-of-service attacks.

`conn_throttle.so` is a shared library used in a `PORT_ACCESS` mapping table to limit MTA connections made too frequently from particular IP addresses. All configuration options are specified as parameters to the connection throttle shared library as follows:

```
$(msg_svr_base/lib/conn_throttle.so,throttle,IP-address,max-rate]
```

IP-address is the dotted-decimal address of the remote system. *max-rate* is the connections per minute that shall be the enforced maximum rate for this IP-address.

The routine name `throttle_p` may be used instead of `throttle` for a penalizing version of the routine. `throttle_p` will deny connections in the future if they've connected too many times in the past. If the maximum rate is 100, and 250 connections have been attempted in the past minute, not only will the remote site be blocked after the first 100 connections in that minute, but they'll also be blocked during the second minute. In other words, after each minute, *max-rate* is deducted from the total number of connections attempted and the remote system is blocked as long as the total number of connections is greater than the maximum rate.

If the IP-address specified has not exceeded the maximum connections per minute rate, the shared library callout will fail.

If the rate has been exceeded, the callout will succeed, but will return nothing. This is done in a `$/SE` combination as in the example:

PORT_ACCESS

```
TCP|*|25|*|* \
%C$[msg_svr_base/lib/conn_throttle.so,throttle,$1,10] \
$N421$ Connection$ not$ accepted$ at$ this$ time$E
```

Where,

`%C` continues the mapping process starting with the next table entry; uses the output string of this entry as the new input string for the mapping process.

`[$msg_svr_base/lib/conn_throttle.so,throttle,$1,10]` is the library call with `throttle` as the library routine, `$1` as the server IP Address, and `10` the connections per minute threshold.

`$N421$ Connection$ not$ accepted$ at$ this$ time` rejects access and returns the 421 SMTP code (transient negative completion) along with the message “Connection not accepted at this time.”

`$E` ends the mapping process now. It uses the output string from this entry as the final result of the mapping process.

When Access Controls Are Applied

Messaging Server checks access control mappings as early as possible. Exactly when this happens depends upon the email protocol in use—when the information that must be checked becomes available.

For the SMTP protocol, a `FROM_ACCESS` rejection occurs in response to the `MAIL FROM:` command, before the sending side can send the recipient information or the message data. A `SEND_ACCESS` or `MAIL_ACCESS` rejection occurs in response to the `RCPT TO:` command, before the sending side gets to send the message data. If an SMTP message is rejected, Messaging Server never accepts or sees the message data, thus minimizing the overhead of performing such rejections.

If multiple access control mapping tables exist, Messaging Server checks them all. That is, a `FROM_ACCESS`, a `SEND_ACCESS`, an `ORIG_SEND_ACCESS`, a `MAIL_ACCESS`, and `ORIG_MAIL_ACCESS` mapping tables may all be in effect.

To Test Access Control Mappings

The `imsimta test -rewrite` utility—particularly with the `-from`, `-source_channel`, `-sender` and `-destination_channel` options—can be useful in testing access control mappings. See the *Sun Java System Messaging Server Administration Reference* (<http://docs.sun.com/doc/819-0106>) for details. The example below shows a sample `SEND_ACCESS` mapping table and the resulting probe.

MAPPING TABLE:

`SEND_ACCESS`

```
tcp_local|friendly@siroe.com|1|User@sesta.com    $Y
tcp_local|unwelcome@varrius.com|1|User@sesta.com $NGo$ away!
```

PROBE:

```
$ TEST/REWRITE/FROM="friendly@siroe.com" -
_ $ /SOURCE=tcp_local/DESTINATION=1 User@sesta.com
...
Submitted address list:
  1
    User (SESTA.COM) *NOTIFY FAILURES* *NOTIFY DELAYS* Submitted
notifications list:

$ TEST/REWRITE/FROM="unwelcome@varrius.com" -
_ $ /SOURCE=tcp_local/DESTINATION=1 User@sesta.com
...
Submitted address list:
Address list error -- 5.7.1 Go away! User@sesta.com

Submitted notifications list:
```

To Add SMTP Relaying

The Messaging Server is, by default, configured to block attempted SMTP relays; that is, it rejects attempted message submissions to external addresses from unauthenticated external sources (external systems are any other system than the host on which the server itself resides). This default configuration is quite aggressive in blocking SMTP relaying in that it considers all other systems to be external systems.

IMAP and POP clients that attempt to submit messages via the Messaging Server system's SMTP server destined for external addresses, and who do not authenticate using SMTP AUTH (SASL), will find their submission attempts rejected. Thus, you will likely want to modify your configuration so that it recognizes your own internal systems and subnets from which relaying should always be accepted.

Which systems and subnets are recognized as internal is normally controlled by the `INTERNAL_IP` mapping table, which may be found in `msg_svr_base/config/mappings`

For instance, on an Messaging Server system whose IP address is 123.45.67.89, the default `INTERNAL_IP` mapping table would appear as follows:

```
INTERNAL_IP

$(123.45.67.89/32)  $Y
127.0.0.1  $Y
*  $N
```

Here the initial entry, using the `$(IP-pattern/significant-prefix-bits)` syntax, is specifying that any IP address that matches all 32 bits of 123.45.67.89 should match and be considered internal. The second entry recognizes the loopback IP address 127.0.0.1 as internal. The final entry specifies that all other IP addresses should not be considered internal. Note that all entries must be preceded by at least one space.

You may add additional entries by specifying additional IP addresses or subnets before the final `$N` entry. These entries must specify an IP address or subnet (using the `$(.../...)` syntax to specify a subnet) on the left side and `$Y` on the right side. Or you may modify the existing `$(.../...)` entry to accept a more general subnet.

For instance, if this same sample site has a class-C network, that is, it owns all of the 123.45.67.0 subnet, then the site would want to modify the initial entry by changing the number of bits used in matching the address. In the mapping table below, we change from 32 bits to 24 bits. This allows all clients on the class-C network to relay mail through this SMTP relay server.

```
INTERNAL_IP

$(123.45.67.89/24)  $Y
127.0.0.1  $Y
*  $N
```

Or if the site owns only those IP addresses in the range 123.45.67.80-123.45.67.99, then the site would want to use:

```
INTERNAL_IP

! Match IP addresses in the range 123.45.67.80-123.45.67.95
$(123.45.67.80/28)  $Y
! Match IP addresses in the range 123.45.67.96-123.45.67.99
$(123.45.67.96/30)  $Y
127.0.0.1  $Y
*  $N
```

Note that the `imsimta test -match` utility can be useful for checking whether an IP address matches a particular `$(.../...)` test condition. The `imsimta test -mapping` utility can be more generally useful in checking that your `INTERNAL_IP` mapping table returns the desired results for various IP address inputs.

After modifying your `INTERNAL_IP` mapping table, be sure to issue the `imsimta restart` command (if you are not running with a compiled configuration) or the `imsimta refresh` command (if you are running with a compiled configuration) so that the changes take effect.

Further information on the mapping file and general mapping table format, as well as information on `imsimta` command line utilities, can be found in the *Messaging Server Reference Manual*.

Allowing SMTP Relaying for External Sites

All internal IP addresses should be added to the `INTERNAL_IP` mapping table as discussed above. If you have friendly or companion systems/sites from which you wish to allow SMTP relaying, the simplest approach is to include them along with your true internal IP addresses in your `INTERNAL_IP` mapping table.

If you don't wish to consider these as true internal systems/sites, (for instance, if for logging or other control purposes you wish to distinguish between *true internal systems* versus the *friendly non-internal systems with relay privileges*), there are other ways to configure the system.

One approach is to set up a special channel for receiving messages from such friendly systems. Do this by creating a `tcp_friendly` channel akin to your existing `tcp_internal` channel with official host name `tcp_friendly-daemon`, and a `FRIENDLY_IP` mapping table akin to your `INTERNAL_IP` mapping table that lists the friendly system IP addresses. Then right after the current rewrite rule:

```
! Do mapping lookup for internal IP addresses
[]    $E$R${INTERNAL_IP,$L}$U%[$L]@tcp_intranet-daemon
```

add a new rewrite rule:

```
! Do mapping lookup for "friendly", non-internal IP addresses []
$E$R${FRIENDLY_IP,$L}$U%[$L]@tcp_friendly-daemon
```

An alternate approach is to add to your `ORIG_SEND_ACCESS` mapping table above the final `$N` entry, new entries of the form

```
tcp_local|*@siroe.com|tcp_local|*    $Y
```

where `siroe.com` is the name of a friendly domain, and to add an `ORIG_MAIL_ACCESS` mapping table of the form:

```
ORIG_MAIL_ACCESS
```

```
TCP|*|25|$(match-siroe.com-IP-addresses)|*|SMTP|MAIL|    \
tcp_local|*@siroe.com|tcp_local|*    $Y
TCP|*|*|*|*|SMTP|MAIL|tcp_local|*|tcp_local|*    $N
```

table, where the `$(...)` IP address syntax is the same syntax described in the previous section. The `ORIG_SEND_ACCESS` check will succeed as long as the address is ok, so we can go ahead and also do the `ORIG_MAIL_ACCESS` check which is more stringent and will only succeed if the IP address also corresponds to an `siroe.com` IP address.

Configuring SMTP Relay Blocking

You can use access control mappings to prevent people from relaying SMTP mail through your Messaging Server system. For example, you can prevent people from using your mail system to relay junk mail to hundreds or thousands of Internet mailboxes.

By default, Messaging Server prevents all SMTP relaying activity, including relaying by local POP and IMAP users.

Blocking unauthorized relaying while allowing it for legitimate local users requires configuring Messaging Server to know how to distinguish between the two classes of users. For example, local users using POP or IMAP depend upon Messaging Server to act as an SMTP relay.

To prevent SMTP relay, you must be able to:

- Differentiate Between Internal and External Mail
- [“Differentiate Authenticated Users' Mail” on page 533](#)
- [“Prevent Mail Relay” on page 534](#)

To enable SMTP relay by internal hosts and clients, you must add your “internal” IP addresses or subnets to the `INTERNAL_IP` mapping table.

How the MTA Differentiates Between Internal and External Mail

In order to block mail relaying activities, the MTA must first be able to differentiate between internal mail originated at your site and external mail originated out on the Internet and passing through your system back out to the Internet. The former class of mail you want to permit; the latter class you want to block. This differentiation is achieved using the `switchchannel` keyword on your inbound SMTP channel, usually the `tcp_local` channel, and is set by default.

The `switchchannel` keyword works by causing the SMTP server to look at the actual IP address associated with the incoming SMTP connection. Messaging Server uses that IP address, in conjunction with your rewrite rules, to differentiate between an SMTP connection originated within your domain and a connection from outside of your domain. This information can then be used to segregate the message traffic between internal and external traffic.

The MTA configuration described below is setup by default so that the server can differentiate between your internal and external message traffic.

- In the configuration file, immediately before the local channel, is a defaults channel with the `noswitchchannel` keyword:

```
! final rewrite rules
defaults noswitchchannel
! Local store
ims-ms ...
```

- The incoming TCP/IP channel specifies the `switchchannel` and `remotehost` keywords; for example:

```
tcp_local smtp single_sys mx switchchannel remotehost
TCP-DAEMON
```

- After the incoming TCP/IP channel definition, is a similar channel with a different name; for example:

```
tcp_intranet smtp single_sys mx allowswitchchannel routelocal
tcp_intranet-daemon
```

The `routelocal` channel keyword causes the MTA, when rewriting an address to the channel, to attempt to “short circuit” any explicit routing in the address through this channel, thereby blocking possible attempts to relay by means of looping through internal SMTP hosts via explicitly source routed addresses.

With the above configuration settings, SMTP mail generated within your domain will come in via the `tcp_intranet` channel. All other SMTP mail will come in via the `tcp_local` channel. Mail is distinguished between internal and external based upon which channel it comes in on.

How does this work? The key is the `switchchannel` keyword. The keyword is applied to the `tcp_local` channel. When a message comes in your SMTP server, that keyword causes the server to look at the source IP address associated with the incoming connection. The server attempts a reverse-pointing envelope rewrite of the literal IP address of the incoming connection, looking for an associated channel. If the source IP address matches an IP address or subnet in your `INTERNAL_IP` mapping table, the rewrite rule which calls out to that mapping table causes the address to rewrite to the `tcp_intranet` channel.

Since the `tcp_intranet` channel is marked with the `allowswitchchannel` keyword, the message is switched to the `tcp_intranet` channel and comes in on that channel. If the message comes in from a system whose IP address is not in the `INTERNAL_IP` mapping table, the reverse-pointing envelope rewrite will either rewrite to the

`tcp_local` or, perhaps to some other channel. However, it will not rewrite to the `tcp_intranet` channel and since all other channels are marked `noswitchchannel` by default, the message will not switch to another channel and will remain with the `tcp_local` channel.

NOTE Note that any mapping table or conversion file entries which use the string “`tcp_local`” may need to be changed to either “`tcp_*`” or “`tcp_intranet`” depending upon the usage.

Differentiate Authenticated Users' Mail

Your site might have “local” client users who are not part of your physical network. When these users submit mail, the message submissions come in from an external IP address—for instance, arbitrary Internet Service Providers. If your users use mail clients that can perform SASL authentication, then their authenticated connections can be distinguished from arbitrary other external connections. The authenticated submissions you can then permit, while denying non-authenticated relay submission attempts. Differentiating between authenticated and non-authenticated connections is achieved using the `saslswitchchannel` keyword on your inbound SMTP channel, usually the `tcp_local` channel.

The `saslswitchchannel` keyword takes an argument specifying the channel to switch to; if an SMTP sender succeeds in authenticating, then their submitted messages are considered to come in the specified switched to channel.

To add distinguishing authenticated submissions:

1. In your configuration file, add a new TCP/IP channel definition with a distinct name; for example:

```
tcp_auth smtp single_sys mx mustsaslsrv noswitchchannel
TCP-INTERNAL
```

This channel should not allow regular channel switching (that is, it should have `noswitchchannel` on it either explicitly or implied by a prior defaults line). This channel should have `mustsaslsrv` on it.

2. Modify your `tcp_local` channel by adding `maysaslsrv` and `saslswitchchannel tcp_auth`, as shown in the following example:

```
tcp_local smtp mx single_sys maysaslsrv saslswitchchannel tcp_auth \
switchchannel
|TCP-DAEMON
```

With this configuration, SMTP mail sent by users who can authenticate with a local password will now come in the `tcp_auth` channel. Unauthenticated SMTP mail sent from internal hosts will still come in `tcp_internal`. All other SMTP mail will come in `tcp_local`.

Prevent Mail Relay

Now to the point of this example: preventing unauthorized people from relaying SMTP mail through your system. First, keep in mind that you want to allow local users to relay SMTP mail. For instance, POP and IMAP users rely upon using Messaging Server to send their mail. Note that local users may either be physically local, in which case their messages come in from an internal IP address, or may be physically remote but able to authenticate themselves as local users.

You want to prevent random people out on the Internet from using your server as a relay. With the configuration described in the following sections, you can differentiate between these classes of users and block the correct class. Specifically, you want to block mail from coming in your `tcp_local` channel and going back out that same channel. To that end, an `ORIG_SEND_ACCESS` mapping table is used.

An `ORIG_SEND_ACCESS` mapping table may be used to block traffic based upon the source and destination channel. In this case, traffic from and back to the `tcp_local` channel is to be blocked. This is realized with the following `ORIG_SEND_ACCESS` mapping table:

```
ORIG_SEND_ACCESS
```

```
tcp_local|*|tcp_local|*          $NRelaying$ not$ permitted
```

In this example, the entry states that messages cannot come in the `tcp_local` channel and go right back out it. That is, this entry disallows external mail from coming in your SMTP server and being relayed right back out to the Internet.

An `ORIG_SEND_ACCESS` mapping table is used rather than a `SEND_ACCESS` mapping table so that the blocking will not apply to addresses that originally match the `ims-ms` channel (but which may expand via an alias or mailing list definition back to an external address). With a `SEND_ACCESS` mapping table one would have to go to extra lengths to allow outsiders to send to mailing lists that expand back out to external users, or to send to users who forward their messages back out to external addresses.

alternative is to call out to `dns_verify` from a `PORT_ACCESS` mapping table or `ORIG_MAIL_ACCESS` mapping table. In the `PORT_ACCESS` mapping table, you can have an initial entry or entries that don't check for local internal IP addresses or message submitters and a later entry that does the desired check for everyone else. Or, in an `ORIG_MAIL_ACCESS` mapping table, if you only apply the check on messages coming in the `tcp_local` channel then you're skipping it for messages coming from your internal systems/clients. Examples using the entry points to `dns_verify` are shown below.

```
PORT_ACCESS
```

```
! Allow internal connections in unconditionally
*|*|*|*|* $C$|INTERNAL_IP;$3|$Y$E
! Check other connections against RBL list
TCP|*|25|*|* \
$C$[msg_svr_base/lib/dns_verify.so, \
dns_verify_domain,$1,rbl.maps.vix.com.]EXTERNAL$E
```

```
ORIG_MAIL_ACCESS
```

```
TCP|*|25|*|*|SMTP|*|tcp_local|*|*|*|* \
$C$[msg_svr_base/lib/dns_verify.so, \
dns_verify_domain,$1,rbl.maps.vix.com.],$E
```

Support for DNS-based Databases

The `dns_verify` program supports DNS-based databases used to determine incoming SMTP connections that might send unsolicited bulk mail. Some of the publicly available DNS databases do not contain TXT records that are typically used for this purpose. Instead, they only contain A records.

In a typical setup, the TXT record found in the DNS for a particular IP address contains an error message suitable to return to the SMTP client when refusing a message. But, if a TXT record is not found and an A record is found, then versions of `dns_verify` prior to Messaging Server 5.2 returned the message “*No error text available.*”

`dns_verify` now supports an option that specifies a default text that is used in the event that no TXT record is available. For example, the following `PORT_ACCESS` mapping table shows how to enable this option:

```
PORT_ACCESS
```

```
*|*|*|*|* $C$|INTERNAL_IP;$3|$Y$E \
TCP|*|25|*|* \
```



```

$C$[<msg_svr_base/lib/dns_verify.so \
,dns_verify_domain_port,$1,dnsblock.siroe.com,Your$ host$ ($1)$ \
found$ on$ dnsblock$ list]$E
* $YEXTERNAL

```

In this example, if the remote system is found in a query in the domain `dnsblock.siroe.com`, but no `TXT` record is available, then the following message is returned, “*Your host a.b.c.d found on dnsblock list.*”

Handling Large Numbers of Access Entries

Sites that use very large numbers of entries in mapping tables should consider organizing their mapping tables to have a few general wildcarded entries that call out to the general database for the specific lookups. It is much more efficient to have a few mapping table entries calling out to the general database for specific lookups than to have huge numbers of entries directly in the mapping table.

One case in particular is that some sites like to have per user controls on who can send and receive Internet email. Such controls are conveniently implemented using an access mapping table such as `ORIG_SEND_ACCESS`. For such uses, efficiency and performance can be greatly improved by storing the bulk of the specific information (e.g., specific addresses) in the general database with mapping table entries structured to call out appropriately to the general database.

For example, consider the `ORIG_SEND_ACCESS` mapping table shown below.

```

ORIG_SEND_ACCESS

! Users allowed to send to Internet
!
*|adam@siroe.com|tcp_local|*   $Y
*|betty@siroe.com|tcp_local|*  $Y
! ...etc...
!
! Users not allowed to send to Internet
!
*|norman@siroe.com|tcp_local|* $NInternet$ access$ not$ permitted
*|opal@siroe.com|tcp_local|*  $NInternet$ access$ not$ permitted
! ...etc...
!
! Users allowed to receive from the Internet
!
tcp_*|*|*|adam@siroe.com      $Y
tcp_*|*|*|betty@siroe.com     $Y
! ...etc...
!
! Users not allowed to receive from the Internet
!
tcp_*|*|*|norman@siroe.com    $NInternet$ e-mail$ not$ accepted
tcp_*|*|*|opal@siroe.com     $NInternet$ e-mail$ not$ accepted
! ...etc...

```

Rather than using such a mapping table with each user individually entered into the table, a more efficient setup (much more efficient if hundreds or thousands of user entries are involved) is shown in the example below, which shows sample source text file for a general database and a sample `ORIG_SEND_ACCESS` mapping table. To compile this source file into database format run the `imsimta crdb` command:

```
% imsimta crdb input-file-spec output-database-spec
```

for detailed information about the `imsimta crdb` utility, refer to the *Sun Java System Messaging Server Administration Reference*.

DATABASE ENTRIES

```
SEND|adam@domain.com      $Y
SEND|betty@domain.com     $Y
! ...etc...
SEND|norman@domain.com   $NInternet$ access$ not$ permitted
SEND|opal@domain.com     $NInternet$ access$ not$ permitted
! ...etc...
RECV|adam@domain.com     $Y
RECV|betty@domain.com    $Y
! ...etc...
RECV|norman@domain.com  $NInternet$ e-mail$ not$ accepted
RECV|opal@domain.com    $NInternet$ e-mail$ not$ accepted
```

MAPPING TABLE

```
ORIG_SEND_ACCESS

! Check if may send to Internet
!
*|*|*|tcp_local          $C${SEND|$1}$E
!
! Check if may receive from Internet
!
tcp_*|*|*|*              $C${RECV|$3}$E
```

In this example, the use of the arbitrary strings `SEND|` and `RECV|` in the general database left-hand sides (and hence in the general database probes generated by the mapping table) provides a way to distinguish between the two sorts of probes being made. The wrapping of the general database probes with the `$C` and `$E` flags, as shown, is typical of mapping table callouts to the general database.

The above example showed a case of simple mapping table probes getting checked against general database entries. Mapping tables with much more complex probes can also benefit from use of the general database.

PART 2. MAILBOX FILTERS

Mailbox filters, also called Sieve filters, filter messages containing specified strings found in the message headers and apply specified actions to these mail message. Administrators can filter mail streams going to a user, through a channel, or through an MTA. Messaging Server filters are stored on the server and evaluated by the server, hence, they are sometimes called server-side rules (SSR).

This part contains the following sections:

- [“Sieve Filtering Overview” on page 541](#)
- [“To Create User-level Filters” on page 542](#)
- [“To Create Channel-level Filters” on page 542](#)
- [“To Create MTA-Wide Filters” on page 544](#)
- [“To Debug User-level Filters” on page 545](#)

Sieve Filter Support

Messaging Server filters are based on the Sieve filtering language, Draft 9 of the Sieve Internet Draft. See RFC3028 for more information about Sieve syntax and semantics. In addition, Messaging Server also supports the following Sieve extensions:

- **jettison**. Similar to `discard` in that it causes messages to be silently discarded, but unlike `discard`, which does nothing but cancel the implicit `keep`, `jettison` forces a `discard` to be performed. The behavioral difference is only relevant when multiple Sieve filters are involved. For example, a system level `discard` can be overridden by a user Sieve filter explicitly specifying `keep`, whereas a system level `jettison` will override anything done by a user Sieve.
- **Head-of-household Sieve filters**. Provides a means by which one user can specify a Sieve filter for another user. Uses two LDAP attributes in a user entry controlled by these MTA options:
 - `LDAP_PARENTAL_CONTROLS` - Specifies an attribute containing a string value of either `Yes` or `No`. `Yes` means a head of household Sieve is to be applied to this entry, `No` means no such Sieve is to be applied. No default.
 - `LDAP_FILTER_REFERENCE` - Specifies an attribute containing a DN pointing to a directory entry where the head of household Sieve can be found. No default.

The entry containing the head of household Sieve must contain two attributes specified by the following MTA options:

- `LDAP_HOH_FILTER` - Specifies an attribute containing the head of household Sieve. The value of this option defaults to `mailSieveRuleSource`.
- `LDAP_HOH_OWNER` - Specifies an attribute containing the email address of the owner of the head of household. The value of this option defaults to `mail`.

Both of these attributes must be present for the head of household Sieve to work.

Sieve Filtering Overview

A Sieve filter consists of one or more conditional actions to apply to a mail message depending upon a string found in the message header. As an administrator, you can create channel-level filters and MTA-wide filters to prevent delivery of unwanted mail. Users can create per-user filters for their own mailboxes using Messenger Express. Specific instructions for this are described in the Messenger Express on-line help.

The server applies filters in the following priority:

1. User-level filters

If a personal mailbox filter explicitly accepts or rejects a message, then filter processing for that message finishes. But if the recipient user had no mailbox filter—or if the user's mailbox filter did not explicitly apply to the message in question—Messaging Server next applies the channel-level filter. Per-user filters are set

2. Channel-level filter

If the channel-level filter explicitly accepts or rejects a message, then filter processing for that message finishes. Otherwise, Messaging Server next applies the MTA-wide filter, if there is one.

3. MTA-wide filter

By default, each user has no mailbox filter. When a user uses the Messenger Express interface to create one or more filters, then their filters are stored in the Directory and retrieved by the MTA during the directory synchronization process.

To Create User-level Filters

Per-user mail filters apply to messages destined for a particular user's mailbox. Per-user mail filters can only be created using Messenger Express.

To Create Channel-level Filters

Channel-level filters apply to each message enqueued to a channel. A typical use for this type of filter is to block messages going through a specific channel.

To create a channel-level filter:

1. Write the filter using Sieve.
2. Store the filter in a file in the following directory:

```
../config/file.filter
```

The file must be world readable and owned by the MTA's uid.

3. Include the following in the channel configuration:

```
destinationfilter file:IMTA_TABLE:file.filter
```

4. Recompile the configuration and restart the Dispatcher.

Note that changes to the filter file do not require a recompile or restart of the Dispatcher.

The `destinationfilter` channel keyword enables message filtering on messages enqueued *to* the channel to which it is applied. The `sourcefilter` channel keyword enables message filtering on messages enqueued *by* (from) the channel to which it is applied. These keywords each have one required parameter which specifies the path to the corresponding channel filter file associated with the channel.

The syntax for the `destinationfilter` channel keyword is:

```
destinationfilter URL-pattern
```

The syntax for the `sourcefilter` channel keyword is:

```
sourcefilter URL-pattern
```

where *URL-pattern* is a URL specifying the path to the filter file for the channel in question. In the following example, *channel-name* is the name of the channel.

```
destinationfilter file:///usr/tmp/filters/channel-name.filter
```

The `filter` channel keyword enables message filtering on the channels to which it is applied. The keyword has one required parameter which specifies the path to the filter files associated with each envelope recipient who receives mail via the channel.

The syntax for the `filter` channel keyword is

```
filter URL-pattern
```

URL-pattern is a URL that, after processing special substitution sequences, yields the path to the filter file for a given recipient address. *URL-pattern* can contain special substitution sequences that, when encountered, are replaced with strings derived from the recipient address, `local-part@host.domain` in question. These substitution sequences are shown in [Table 17-4 on page 543](#).

The `fileinto` keyword specifies how to alter an address when a mailbox filter `fileinto` operator is applied. The following example specifies that the folder name should be inserted as a subaddress into the original address, replacing any originally present subaddress:

```
fileinto $U+$S@$D
```

Table 17-4 `filter` Channel Keyword *URL-pattern* Substitution Tags (Case-insensitive)

Tag	Meaning
*	Perform group expansion.
**	Expand the attribute <code>mailForwardingAddress</code> . This can be a multivalued attribute resulting in several delivery addresses being produced.
\$\$	Substitute in the \$ character
\$\	Force subsequent text to lower case
\$\$	Force subsequent text to upper case
\$_	Perform no case conversion on subsequent text
\$~	Substitute in the file path for the home directory associated with the local part of the address
\$1S	As \$\$S, but if no subaddress is available just insert nothing
\$2S	As \$\$S, but if no subaddress is available insert nothing and delete the preceding character
\$3S	As \$\$S, but if no subaddress is available insert nothing and ignore the following character
\$A	Substitute in the address, <code>local-part@ host.domain</code>
\$D	Substitute in <code>host.domain</code>
\$E	Insert the value of the second spare attribute, <code>LDAP_SPARE_1</code>

Table 17-4 filter Channel Keyword *URL-pattern* Substitution Tags (Case-insensitive)

Tag	Meaning
\$F	Insert the name of the delivery file (mailDeliveryFileURL attribute)
\$G	Insert the value of the second spare attribute, LDAP_SPARE_2
\$H	Substitute in host
\$I	Insert the hosted domain (part of UID to the right of the separator specified by domainUidSeparator). Fail if no hosted domain is available
\$1I	As \$I, but if no hosted domain is available just insert nothing
\$2I	As \$I, but if no hosted domain is available insert nothing and delete the preceding character
\$3I	As \$I, but if no hosted domain is available insert nothing and ignore the following character
\$L	Substitute in local-part
\$M	Insert the UID, stripped of any hosted domain
\$P	Insert the method name (mailProgramDeliveryInfo attribute)
\$S	Insert the subaddress associated with the current address. The subaddress is that part of the user part of the original address after the subaddress separator, usually +, but can be specified by the MTA option SUBADDRESS_CHAR. Fail if no subaddress is given
\$U	Insert the mailbox part of the current address. This is either the whole of the address to the left of the @ sign, or that part of the left hand side of the address before the subaddress separator, +.

To Create MTA-Wide Filters

MTA-wide filters apply to all messages enqueued to the MTA. A typical use for this type of filter is to block unsolicited bulk email or other unwanted messages regardless of the messages' destinations. To create an MTA-wide filter:

1. Write the filter using Sieve
2. Store the filter in the following file:

```
../imta/config/imta.filter
```

This filter file must be world readable. It is used automatically, if it exists.

3. Recompile the configuration and restart the Dispatcher

When using a compiled configuration, the MTA-wide filter file is incorporated into the compiled configuration.

Routing Discarded Messages Out the FILTER_DISCARD Channel

By default, messages discarded via a mailbox filter are immediately discarded (deleted) from the system. However, when users are first setting up mailbox filters (and perhaps making mistakes), or for debugging purposes, it can be useful to have the deletion operation delayed for a period.

To have mailbox filter discarded messages temporarily retained on the system for later deletion, first add a `filter_discard` channel to your MTA configuration with the `notices` channel keyword specifying the length of time (normally number of days) to retain the messages before deleting them, as shown in the following example:

```
filter_discard notices 7
FILTER-DISCARD
```

Then set the option `FILTER_DISCARD=2` in the MTA option file. Messages in the `filter_discard` queue area should be considered to be in an extension of users' personal wastebasket folders. As such, note that warning messages are never sent for messages in the `filter_discard` queue area, nor are such messages returned to their senders when a bounce or return is requested. Rather, the only action taken for such messages is to eventually silently delete them, either when the final `notices` value expires, or if a manual bounce is requested using a utility such as `imsimta return`.

Prior to Messaging Server 6 2004Q2, the use of the `filter_discard` channel by the `jettison` Sieve action was controlled by the `FILTER_DISCARD` MTA option. This is now controlled by the option `FILTER_JETTISON`, which takes its default from the `FILTER_DISCARD` setting. `FILTER_DISCARD` in turn defaults to 1 (discards go to the `bitbucket` channel).

To Debug User-level Filters

If a user complains that a Sieve filter is not behaving as expected, there are a number of steps you can take to debug the filters. These are described here.

1. For `fileinto` filtering to work, check that in the `imta.cnf` file that the `ims-ms` channel is marked as follows:

```
fileinto $u+$s@$d
```

2. Get the user level filters from the user's LDAP entry.

User level filters are stored in their LDAP entry under the `MailSieveRuleSource` attribute(s). To retrieve this with a `ldapsearch` command, remember they are base64 encoded so you will need to decode the output by using the `-Bo` switch.

```
./ldapsearch -D "cn=directory manager" -w password -b
"o=alcatraz.sesta.com,o=isp" -Bo uid=test
```

The `imsimta test -rewrite` command, described below, will also automatically decode them.

3. Verify that the user's filters are being seen by the MTA.

Issue the command:

```
# imsimta test -rewrite -filter -debug user@sesta.com
```

This should output the user's Sieve filters that you retrieve in the previous step. If you do not see the filters, then you need to figure out why the LDAP entry isn't returning them. If the `imsimta test -rewrite` output shows the filters, then you know that the user's filters are being seen by the MTA. The next step is to test the interpretation of the filters by using the `imsimta test -expression` command.

4. Use `imsimta test -exp` to debug the user's filter. The following information is required:
 - a. The user's Sieve language statements from their `mailSieveRuleSource` attribute. See the steps above.
 - b. The `rfc2822` message that was supposed to trigger the filter.
 - c. Description of what they expected the filter to do to the message.
5. Create a text file (example: `temp.filter`) containing the Sieve language statements based on the user's `mailSieveRuleSource` values. Example:

```
require "fileinto";
if anyof(header :contains
["To", "Cc", "Bcc", "Resent-to", "Resent-cc",
"Resent-bcc"] "commsqa") {
    fileinto "QMSG";
}
```

Expected result: if `commsqa` is a recipient for this message, then file the message into a folder called `QMSG`.

6. Create a text file called `test.msg` that contains the contents of the `rfc2822` message file supplied by user.

You can either use a `.msg` file from the user's message store area, or create a text file called `test_rfc2822.msg` that contains the contents of the `rfc2822` message file supplied by user.

7. Use the `imsimta test -exp` command:

```
# imsimta test -exp -mm -block -input=temp.filter -message=test_rfc2822.msg
```

8. Examine the output.

The last lines of the `imsimta test -exp` command will show the result of the Sieve interpretation. They will look like this:

```
Sieve Result: []
or this:
Sieve Result: [action]
```

where *action* is the action that would be done as a result of applying the Sieve filter on this message.

If the criteria of the filter matched, you will have some action displayed as the result. If nothing matched, then the Sieve result will be blank, and there is either a logic error in the Sieve filter or the `.msg` file doesn't contain matching information. If you get any other error, then there is a syntax error in the Sieve script file, and you need to debug it.

For more details on the output, see [“imsimta test -exp Output” on page 547](#).

9. If the filter is syntactically valid and results are correct, then the next step is to examine a `tcp_local_slave.log` debug log file.

It may be that the message file you're testing and the one being sent aren't identical. The only way to see what's being received is to examine a `tcp_local_slave.log` file. This log will show you the exact message being sent to the MTA and how the filter is being applied to that message.

For more information on getting a `tcp_local_slave.log` debug file, see the `slave_debug` keyword in [“Debugging Keywords” on page 396](#).

imsimta test -exp Output

The full command `imsimta test -exp` for is as follows:

```
# imsimta test -exp -mm -block -input=temp.filter -message=rfc2822.msg
```

An example of the output is as follows:

Code Example 17-4 imsimta test -exp Output

```
# imsimta test -exp -mm -block -input tmp.filter -message=rfc2822.msg
Expression: if header :contains ["to"] ["pamw"] (1)
Expression: {
Expression: redirect "usr3@sesta.com";
Expression: keep;
Expression: }
Expression:
Expression: Dump: header:2000114;0 3 1 :contains 1 "to" 1
"pamw" if 8 ;
Dump: redirect:2000121;0 1 1 "usr3@sesta.com" ; keep:2000117;0 (2)
Dump: 0
Result: 0
Filter result: [ redirect "usr3@sesta.com" keep ] (3)
```

1) The `Expression:` output lines show the filter being read and parsed from `tmp.filter` text file. These are not particularly useful in debugging the script.

2) The `Dump:` output lines are the result of the computer interpreting the Sieve statements. You should not see any errors and the output should seem to match your input. For example the dump shows the word `redirect`, `usr3@sesta.com` which is like the line in the filter file `redirect "usr3@sesta.com";`

If it didn't show this matching text, then you'd be concerned, otherwise, these also are not particularly useful in debugging the script.

3) At the bottom of the output you will get the `Filter result:` statement. As stated earlier there are two possible results:

Sieve Result: [] or this: Sieve Result: [*action*]

where *action* is the action taken by the Sieve script. Note that sometimes the results are expected to be empty. For example, for a discard filter, you should test that it doesn't always discard every `.msg` file you test it against. If there is some action between the brackets, for example:

```
Filter result: [ fileinto "QMSG" keep]
```

This means the text in the `rfc2822.msg` file matched the filter criteria. In this particular example, the filter will file the mail into folder `QMSG` and keep a copy in the inbox. The resulting actions in this case are `fileinto` and `keep`.

When testing filters you should test various `.msg` files for both results. You should always test that messages that match your filter are filtered, and messages that you do not want to match are not filtered.

Keep in mind that if for wildcard matches, you must use the `:matches` test and not `:contains`. For example, if you wish `from=*@sesta.com` to match, you must use `:matches` or the test will fail as it will not ever satisfy the test condition.

imsimta test -exp Syntax

`imsimta test -exp` tests Sieve language statements against a specified RFC2822 message and sends the results of the filter to standard output.

The syntax is as follows:

```
imsimta test -exp -mm -block -input=Sieve_language_scriptfile
-message=rfc2822_message_file
```

where,

`-block` treats the entire input as a single Sieve script. The default is to treat each line as a separate script and to evaluate it separately. The Sieve will only be evaluated once the end of file is reached.

`-input=Sieve_file` is a file containing the Sieve script. The default is to read the test script lines or script block from stdin.

`-message=message_file` is a text file containing the RFC 2822 message you want to test your Sieve script against. This has to be an RFC 2822 message only. It cannot be a queue file (not a `zz*.00` file).

Once activated, this command reads script information, evaluates it in the context of the test message, and writes out the result. The result shows what actions would be taken as well as the result of evaluating the final statement in the script.

Additional useful qualifiers are:

`-from=address` specifies the envelope `from:` address to be used in envelope tests. The default is to use the value specified by the `RETURN_ADDRESS` MTA option.

`-output=file` writes results to *file*. The default is to write the results of script evaluation to stdout. I think we can get all of these Verizon MTA Minor Features in the JES3 docs.

To Debug User-level Filters

Managing the Message Store

This chapter describes the message store and its administration interface. This chapter contains the following sections:

- “Overview” on page 552
- “Message Store Directory Layout” on page 553
- “How the Message Store Removes Messages” on page 556
- “Specifying Administrator Access to the Store” on page 557
- “About Shared Folders” on page 559
- “Shared Folder Tasks” on page 564
- “About Message Store Quotas” on page 570
- “Configuring Message Store Quotas” on page 573
- “To Set the Automatic Message Removal (Expire and Purge) Feature” on page 581
- “Configuring Message Store Partitions” on page 593
- “Performing Message Store Maintenance Procedures” on page 597
- “Backing Up and Restoring the Message Store” on page 610
- “Monitoring User Access” on page 624
- “Troubleshooting the Message Store” on page 625

Overview

The message store contains the user mailboxes for a particular Messaging Server instance. The size of the message store increases as the number of mailboxes, folders, and log files increase. You can control the size of the store by specifying limits on the size of mailboxes (disk quotas), by specifying limits on the total number of messages allowed, and by setting aging policies for messages in the store.

As you add more users to your system, your disk storage requirements increase. Depending on the number of users your server supports, the message store might require one physical disk or multiple physical disks. There are two ways to integrate this additional disk space into your system. The easiest way is to add additional message store partitions (see [“Configuring Message Store Partitions” on page 593](#)).

Likewise, if you are supporting multiple hosted domains, you might want to dedicate a server instance to a single, large domain. With this configuration, you can designate a store administrator for a particular domain. You can also expand the message store by adding more partitions.

To manage the message store, Messaging Server provides a set of command-line utilities in addition to the Sun Java System Console interface. [Table 18-1](#) describes these command-line utilities. For information about using these utilities, see [“Performing Message Store Maintenance Procedures” on page 597](#) and the *Messaging Server Reference Manual*.

Table 18-1 Message Store Command-line Utilities

Utility	Description
configutil	Sets and modifies configuration parameters for the store.
deliver	Delivers mail directly to the message store accessible by IMAP or POP mail clients.
hashdir	Identifies the directory that contains the message store for a particular user.
imsconnutil	Monitors user access of the message store.
imexpire	Automatically removes messages from the message store based on administrator-specified criteria like age.
iminitquota	Reinitializes the quota limit from the LDAP directory and recalculates the disk space being used.
imsasm	Handles the saving and recovering of user mailboxes.


Table 18-1 Message Store Command-line Utilities

Utility	Description
<code>imsbackup</code>	Backs up stored messages.
<code>imsexport</code>	Exports Certificate Management System mailboxes into UNIX <code>/var/mail</code> format folders.
<code>imsrestore</code>	Restores messages that have been backed up.
<code>imscripter</code>	The IMAP server protocol scripting tool. Executes a command or sequence of commands.
<code>mboxutil</code>	Lists, creates, deletes, renames, or moves mailboxes; reports quota usage.
<code>mkbackupdir</code>	Creates and synchronizes the backup directory with the information in the message store.
<code>MoveUser</code>	Moves a user's account from one messaging server to another.
<code>imquotacheck</code>	Calculates the total mailbox size for each user in the message store and compares the size with their assigned quota. Localized versions of <code>imquotacheck</code> notification incorrectly convert the % and the \$ signs. To correct the encoding, replace every \$ with \24 and replace every % with \25 in the message file.
<code>readership</code>	Collects readership information on shared IMAP folders.
<code>reconstruct</code>	Reconstructs mailboxes that have been damaged or corrupted.
<code>stored</code>	Performs background and daily tasks, expunges, and erases messages stored on disk.

Message Store Directory Layout

Figure 18-1 shows the message store directory layout for a server instance. The message store is designed to provide fast access to mailbox contents. The store directories are described in [Table 18-2](#).

Figure 18-1 Message Store Directory Layout



The message store consists of a number of mailbox databases and the user mailboxes. The mailbox databases consists of information about users, mailboxes, partitions, quotas and other message store related data. The user mailboxes contain the user's messages and folders. Mailboxes are stored in a *message store partition*, an area on a *disk* partition specifically devoted to storing the message store. See [“Configuring Message Store Partitions” on page 593](#) for details. Message store partitions are not the same as disk partitions, though for ease of maintenance, we recommend having one disk partition for each message store partition.

Mailboxes such as INBOX are located in the *store_root*. For example, a sample directory path might be:

```
store_root/partition/primary/=user/53/53/=mack1
```

The table below describe the message store directory.

Table 18-2 Message Store Directory Description

Location	Content/Description
<i>msg_svr_base</i>	Default: /opt/SUNWmsgsr The directory on the Messaging Server machine that holds the server program, configuration, maintenance, and information files.
<i>store_root</i>	<i>msg_svr_base</i> /data/store Top-level directory of the message store. Contains the <i>mboxlist</i> , <i>user</i> , and <i>partition</i> subdirectories.
<i>./store.expirerule</i>	Contains the automatic message removal rules (expire rules). This optional file can be at different locations. See “To Set the Automatic Message Removal (Expire and Purge) Feature” on page 581 .
<i>store_root</i> /dbdata/snapshots	Message store database backup snapshots.
<i>store_root</i> /mboxlist/	Contains mailbox database, database (Berkeley DB) that stores information about the mailboxes and quota information. <i>folder.db</i> contains information about mailboxes, including the name of the partition where the mailbox is stored, the ACL, and a copy of some of the information in <i>store.idx</i> . There is one entry in <i>folder.db</i> per mailbox <i>quota.db</i> contains information about quotas and quota usage. There is one entry in <i>quota.db</i> per user. <i>lright.db</i> - an index for the folders by acl lookup rights. <i>peruser.db</i> contains information about per-user flags. The flags indicate whether a particular user has seen or deleted a message. <i>subscr.db</i> contains information about user subscriptions.
<i>store_root</i> /session/	Contains active message store process information.
<i>store_root</i> /user/	Not used.

Table 18-2 Message Store Directory Description

Location	Content/Description
<code>store_root/partition/</code>	Contains the message store partitions. A default <code>primary</code> partition is created. Place any other partitions you define in this directory.
<code>store_root/partition/primary/ =user/</code>	Contains all the user mailboxes in the subdirectory of the partition. The mailboxes are stored in a hash structure for fast searching. To find the directory that contains a particular user's mailbox, use the <code>hashdir</code> utility.
<code>.../=user/hashdir/hashdir/ userid/</code>	The top-level mail folder for the user whose ID is <code>userid</code> . This is the user's INBOX. For the default domain, <code>userid</code> is <code>uid</code> . For hosted domains, <code>userid</code> is <code>uid@domain</code> . Incoming messages are delivered to this mail folder.
<code>.../userid/folder</code>	A user-defined mailbox on the messaging server.
<code>.../userid/store.idx</code>	An index that provides the following information about mail stored in the <code>/userid/</code> directory: number of messages, disk quota used by this mailbox, the time the mailbox was last appended, message flags, variable-length information for each message including the headers and the MIME structure, and the size of each message. The index also includes a backup copy of <code>mbxlist</code> information for each user and a backup copy of quota information for each user.
<code>.../userid/store.usr</code>	Contains a list of users who have accessed the folder. For each user listed, contains information about the last time the user accessed the folder, the list of messages the user has seen, and the list of messages the user has deleted.
<code>.../userid/store.sub</code>	Contains information about user subscriptions.
<code>.../userid/store.exp</code>	Contains a list of message files that have been expunged, but not removed from disk. This file appears only if there are expunged messages.
<code>.../userid/nn/ or .../userid/folder/nn/</code>	<code>nn</code> is a hash directory that contains messages in the format <code>message_id.msg</code> ; <code>nn</code> can be a number from 00 to 99. <code>message_id</code> is also a number. Example: messages 1 through 99 are stored in the <code>.../00</code> directory. The first message is <code>1.msg</code> , the second is <code>2.msg</code> , third <code>3.msg</code> , and so on. Messages 100 through 199 are stored in the <code>01</code> directory; messages 9990 through 9999 are stored in the <code>99</code> directory; messages 10000 through 10099 are in the <code>00</code> directory, and so on.

How the Message Store Removes Messages

Messages are removed from the message store in three stages:

1. **Delete.** A client sets a message flag to *delete*. At this point, the message is marked for removal, but client can still restore the message by removing the delete flag. If there is a second client, the deleted flag may not be recognized immediately by that second client. You can set the `configutil` parameter `local.imap.immediateflagupdate` to enable immediate flag update.
2. **Expunge.** Messages are removed from the mailbox. Technically, they are removed from the message store index file, `store.idx`. The message itself is still on disk, but once messages are expunged, clients can no longer restore them.

Expire is a special case of expunge. Messages that conform to a set of administrator-defined removal criteria such as message size, age and so forth, are expunged. See [“To Set the Automatic Message Removal \(Expire and Purge\) Feature” on page 581](#)
3. **Purge.** The `stored` utility purges from the disk any messages that have been expunged at 11PM everyday by default. This can be configured with `local.schedule.purge`, which controls the message purge schedule, and `store.cleanup`, which controls the purge grace period (period of time before which the message will not be purged).

Specifying Administrator Access to the Store

Message store administrators can view and monitor user mailboxes and specify access control for the message store. Store administrators have proxy authentication privileges to any service (POP, IMAP, HTTP, or SMTP), which means they can authenticate to any service using the privileges of any user. These privileges allow store administrators to run certain utilities for managing the store. For example, using `MoveUser`, store administrators can move user accounts and mailboxes from one system to another.

This section discusses how to grant store privileges to the message store for your Messaging Server installation.

NOTE Other users might also have administrator privileges to the store. For example, some administrators may have these privileges.

You can perform administrator tasks as described in the following subsections:

- [To Add an Administrator](#)
- [To Modify an Administrator Entry](#)
- [To Delete an Administrator Entry](#)

To Add an Administrator

Console To add an administrator entry at the Console:

1. From Console, open the Messaging Server you want to configure.
2. Click the Configuration tab and select Message Store in the left pane.
3. Click the Administrator tab.

The tab contains a list of existing administrator IDs.

4. Click the Add button beside the Administrator UID window.
5. In the Administrator UID field, type the user ID of the administrator you want to add.

The user ID you type must be known to the Sun Java System Directory Server.

6. Click OK to add the administrator ID to the list displayed in the Administrator tab.
7. Click Save in the Administrator tab to save the newly modified Administrator list.

Command Line To add an administrator entry at the command line:

```
configutil -o store.admins -v "adminlist"
```

where *adminlist* is a space-separated list of administrator IDs. If you specify more than one administrator, you must enclose the list in quotes. In addition, the administrator must be a member of the Service Administrator Group (in the LDAP user entry: `memberOf: cn=Service Administrators,ou=Groups,o=usergroup`).

To Modify an Administrator Entry

Console To modify an existing entry in the message store Administrator UID list at the Console:

1. Click the Administrator tab.
2. Click the Edit button beside the Administrator UID window.
3. Enter your changes to the Administrator UID field.
4. Click OK to submit your changes and dismiss the Edit Administrator window.

5. Click Save in the Administrator tab to submit and preserve the modified Administrator list.

Command Line To modify an existing entry in the message store Administrator UID list at the command line:

```
configutil -o store.admins -v "adminlist"
```

To Delete an Administrator Entry

Console To delete an entry from the message store Administrator UID list by using the Console:

1. Click the Administrator tab.
2. Select an item in the Administrator UID list.
3. Click Delete to delete the item.
4. Click Save to submit and preserve your changes to the Administrator list.


Command Line To delete store administrators at the command line, you can edit the administrator list as follows:

```
configutil -o store.admins -v "adminlist"
```

About Shared Folders

A *shared folder* is a folder that can be accessed and read by a group of users. In other words, access rights to shared folders are granted to multiple users. For example, a user can create a folder called `golf` and allow others to view the contents of that folder.

By default, Messaging Server creates a folder called `Shared Folders/Users` in all email accounts. Users create and access shared folders in this folder. An example of how shared folders would appear in a client is shown in [Figure 18-2](#). This example will be described further in [“To Set Up Distributed Shared Folders” on page 566](#).

Figure 18-2 Example of Ed's Client Shared Mail Folder List

Users can create private shared folders and provide access rights to those folders with their email client, if that client supports shared folders. These shared folders will appear in the `Shared Folders` of other users who are given access rights.

Shared folders are useful for starting, sharing, and archiving an ongoing conversation on a particular topic. For example, a group of software developers can create a shared folder for discussing development of a particular project. When a message is sent to the shared folder, everyone who is subscribed to the shared folder (subscribers can be added by individual address or by a group address) can open this mailbox and read the message.

There are two kinds of shared folders:

- **Private** – A private shared folder is a shared folder owned by a specific user. The owner of a folder grants access to others.
- **Public** – A public shared folder does not have an owner. Administrators create a public user account, which can be used to host public folders. The email address of a public folder looks like this:

`public+foldername@domain`

For example, you might want a folder, such as `public+software_dev@siroe.com` for posting information about a special interest group inside the company. Interested employees would be granted access to this public folder.

Normally shared folders are only available to users on a particular message store. Messaging Server, however, allows you to create special shared folders that can be accessed across multiple message stores. These are called *distributed shared folders*. See [“To Set Up Distributed Shared Folders” on page 566](#) for details.

Shared Folder Access Rights

Access rights are maintained in Access Control Lists (ACLs) stored in `folder.db`. Granting access rights is done by setting an ACL using either the IMAP `SETACL` command, the `-s` option with the `readership` command line utility (see [“To Change a Public Folder’s Access Control Rights” on page 565](#)), or using the Messenger Express interface.

ACL Identifiers

Each ACL entry has an identifier which specifies the user or group of users for which the entry applies. Identifiers starting with a dash (“-”) represent negative rights (those denied to the user or group).

`anyone` is a special identifier. The access rights for `anyone` apply to all users. Similarly, the access rights for `anyone@domain` apply to all users in the same domain.

Group identifiers start with `group=`.

ACL Rights Characters

Each ACL entry has a set of rights represented by a string of characters. The string of characters is defined by RFC 2086. To calculate the set of rights for a user, the server adds all the rights granted to this user and all of the groups this user belongs to, then it subtracts all of the rights denied the user and the groups this user belongs to.

The table that follows lists the characters recognized by Messaging Server and gives their names, a brief description of each, and shows the IMAP commands users with this permission are allowed to issue.

Table 18-3 ACL Rights Characters

Character	Description
l	lookup – User can see and subscribe to the shared folder. (IMAP commands allowed: LIST and LSUB)
r	read – Users can read the shared folder. (IMAP commands allowed: SELECT, CHECK, FETCH, PARTIAL, SEARCH, COPY from the folder)
s	seen – Directs the system to keep seen information across sessions. (Set IMAP STORE SEEN flag)
w	write – Users can mark as read, and delete messages. (Set IMAP STORE flags, other than SEEN and DELETED)
i	insert – Users can copy and move email from one folder to another. (IMAP commands allowed: APPEND, COPY into folder)
p	post – Users can send mail to the shared folder email address. (No IMAP command needed)
c	create – Users can create new sub-folders. (IMAP command allowed: CREATE)
d	delete – Users can delete entries from the shared folder. (IMAP commands allowed: EXPUNGE, set STORE DELETED flag)
a	administer – Users have administrative privileges. (IMAP command allowed: SETACL)

Group ACL

The identifier of an ACL entry can specify a group name. The access rights of this entry apply to all of the members of this group. The server determines group memberships by the `aclGroupAddr` attribute of the `inetMailUser` object class. A group is represented by a dynamic mailing list with a filter on the `aclGroupAddr` attribute. The following example shows an LDIF record that defines a group, including the `aclGroupAddr` attribute:

```
dn: cn=lee-staff,ou=Groups, o=sesta.com
cn: lee-staff
mailHost: mail.sesta.com
inetMailGroupStatus: active
mgrpErrorsTo: lee.jones@sesta.com
description: Dynamic Group of Lee's staff
objectClass: top
objectClass: groupofuniquenames
objectClass: inetmailgroup
objectClass: inetmailgroupmanagement
objectClass: inetlocalmailrecipient
objectClass: groupofurls
mail: lee-staff@sesta.com
memberURL: ldap:///o=sesta.com??sub?
(&(aclGroupAddr=lee-staff@sesta.com)(objectclass=inetmailuser))
```

It is not necessary for a group to be created for the group email address to be used in the folder's ACL. In practice, it makes sense to create such a dynamic group and set the `aclGroupAddr` attribute on user entries when adding members to the group. Once such a group is created, static external members can be added by using their email addresses in the attribute `mgrpRfc822MailMember`. Members should not be added using the `uniqueMember` attribute, nor by creating additional values of the `memberURL` attribute. Doing so would cause a disconnect between what the MTA sees as a member of the mailing list and what the IMAP server sees as a group member.

When a user logs in to an IMAP server or logs in with an HTTP access service client such as Messenger Express, the server fetches the `aclGroupAddr` attribute (along with other message store related attributes) and caches the group names in memory. The server uses this information to determine the user's access rights whenever the client issues a command (such as `LIST` or `SELECT`) that requires access right verification.

Shared Folder Tasks

This section describes the shared folder administrator tasks:

- [“To Create a Public Folder” on page 564](#)
- [“To Change a Public Folder’s Access Control Rights” on page 565](#)
- [“To Enable or Disable Listing of Shared Folders” on page 566](#)
- [“To Set Up Distributed Shared Folders” on page 566](#)
- [“To Monitor and Maintain Shared Folder Data” on page 568](#)

To Create a Public Folder

Because public folders require access to the LDAP database as well as the `readership` command, they must be created by system administrators.

1. Add an LDAP user entry that will act as a container for all public folders, for example, one called `public`:

```
dn: cn=public,ou=people,o=sesta.com,o=ISP
objectClass: person
objectClass: organizationalPerson
objectClass: inetOrgPerson
objectClass: inetUser
objectClass: ipUser
objectClass: inetMailUser
objectClass: inetLocalMailRecipient
objectClass: nsManagedPerson
objectClass: userPresenceProfile
cn: public
mail: public@sesta.com
mailDeliveryOption: mailbox
mailHost: manatee.siroe.com
uid: public
inetUserStatus: active
mailUserStatus: active
mailQuota: -1
mailMsgQuota: 100
```

2. Create folders within the public account by using the `mboxutil` command line utility. For example:

```
mboxutil -c user/public/golftournament
```

- Using the `readership` command line utility, set the appropriate ACL for this folder.

In order to make this folder public, it must be assigned a group of users that can access it. This is done by setting an ACL using the `readership` command. For instructions on how to set the ACL, see [“To Change a Public Folder’s Access Control Rights” on page 565](#) that follows.

To Change a Public Folder’s Access Control Rights

From time to time you might need to change the access control for a public folder, or you will need to set the access control for a public folder you have newly created.

To do this, use the `readership` command line utility. The command has the following form:

```
readership -s foldername identifier rights_chars
```

where *foldername* is the name of the public folder for which you are setting rights, *userid* is the person or group to whom you are assigning the rights, and *rights_chars* are the rights you are assigning (these are RFC 2086 compliant access rights characters). For the meaning of each character, see [“ACL Rights Characters” on page 561](#). You can also change the access control for a public folder using the Messenger Express interface.

Examples

For example, if you wish everyone at the `sesta` domain to have lookup, read and email marking (but not posting) access to the public folder, `golftournament`, issue the command as follows:

```
readership -s User/public/golftournament anyone@sesta lwr
```

To assign lookup, read, email marking and posting rights to a group, issue the command as follows:

```
readership -s User/public/golftournament group=golfinterest lwrp
```

If you want to assign administrator and posting rights for this folder to an individual, `jdoe`, issue the command as follows:

```
readership -s User/public/golftournament jdoe lwrpa
```

To deny an individual or group access to a public folder, prefix the `userid` with a dash. For example, to deny lookup, read and write rights to `jsmith`, issue the command as follows:

```
readership -s User/public/golftournament -jsmith lwr
```

To Enable or Disable Listing of Shared Folders

The server will or will not return shared folders when responding to a `LIST` command depending on the setting in the configuration option `local.store.sharedfolders`. Setting the option to `off` disables it. The setting is enabled by default (set to `on`).

`SELECT` and `LSUB` commands are not affected by this option. The `LSUB` command returns every subscribed folder, including shared folders. Users can `SELECT` the shared folders they own or are subscribed to.

To Set Up Distributed Shared Folders

Normally shared folders are only available to users on a particular message store. Messaging Server, however, allows you to create *distributed shared folders* that can be accessed across multiple message stores. That is, access rights to distributed shared folders can be granted to any users within the group of message stores. Note, however, that web mail clients (HTTP access clients like Messenger Express) do not support remote shared folders access. Users can list and subscribe to the folders, but they can't view or alter the contents.

Distributed shared folders require the following:

- The message store `userids` must be unique across the group of message stores.
- The directory data across the deployment must be identical.

The remote message stores (that is the message stores that do not hold the shared folder) must be configured as proxy servers by setting the configuration variables listed in [Table 18-4 on page 566](#).

Table 18-4 Variables for Configuring Distributed Shared Folders


Name	Value	Data Format
<code>local.service.proxy.serverlist</code>	message store server list	space-separated strings
<code>local.service.proxy.admin</code>	default store admin login name	string

Table 18-4 Variables for Configuring Distributed Shared Folders

Name	Value	Data Format
<code>local.service.proxy.adminpass</code>	default store admin password	string
<code>local.service.proxy.admin.hostname</code>	store admin login name for a specific host	string
<code>local.service.proxy.adminpass.hostname</code>	store admin password for a specific host	string

Setting Up Distributed Shared Folders—Example

[Figure 18-3](#) shows a distributed folder example of three message store servers called StoreServer1, StoreServer2, and StoreServer3.

Figure 18-3 Distributed Shared Folders—Example

These servers are connected to each other as peer proxy message stores by setting the variables shown in [Table 18-4](#). Each server has a private shared folder—*golf* (owned by Han), *tennis* (owned by Kat), and *hurling* (owned by Luke). In addition there are two public shared folders called *press_releases* and *Announcements*. Users on any of the three servers can access any of these three shared folders. [Figure 18-2 on page 560](#) shows Ed’s shared folder list. Below is an example of the ACLs for each server in this configuration.

```
$ StoreServer1 :> readership -l
Ed: user/Han/golf
Ian: user/Han/golf
anyone: user/public/press_releases
```

```
$ StoreServer2 :> readership -l
Jan: user/Kat/tennis
Ann: user/Kat/tennis
anyone: user/public+Announcements user/public+press_releases
```

```
$ StoreServer3 :> readership -l
Tuck: user/Ian/hurling
Ed: user/Ian/hurling
Jac: user/Ian/hurling
anyone: user/public/Announcements
```

To Monitor and Maintain Shared Folder Data

The `readership` command line utility allows you to monitor and maintain shared folder data which is held in the `folder.db`, `peruser.db`, and `lright.db` files. `folder.db` has a record for each folder that holds a copy of the ACLs. The `peruser.db` has an entry per user and mailbox that lists the various flags settings and the last date the user accessed any folders. The `lright.db` has a list of all the users and the shared folders for which they have lookup rights.

The `readership` command line utility takes the following options:

Table 18-5 `readership` Options

Options	Description
<code>-d days</code>	Returns a report, per shared folder, of the number of users who have selected the folder within the specified days.
<code>-p months</code>	Removes data from the <code>peruser.db</code> for those users who have not selected their shared folders within the specified months.
<code>-l</code>	List the data in <code>lright.db</code> .
<code>-s folder_identifier_rights</code>	Set access rights for the specified folder. This updates the <code>lright.db</code> as well as the <code>folder.db</code> .

Using the various options, you can perform the following functions:

- [“To Monitor Shared Folder Usage” on page 569](#)
- [“To List Users and Their Shared Folders” on page 569](#)
- [“To Remove Inactive Users” on page 570](#)
- [“To Set Access Rights” on page 570](#)

To Monitor Shared Folder Usage

To find out how many users are actively accessing shared folders, issue the command:

```
readership -d days
```

where *days* is the number of days to check. Note that this option returns the number of active users, not a list of the active users.

Example: To find out the number of users who have selected shared folders within the last 30 days, issue the following command:

```
readership -d 30
```

To List Users and Their Shared Folders

To list users and the shared folders to which they have access, issue the command:

```
readership -l
```

Example output:

```
$ readership -l
group=lee-staff@siroe.com: user/user2/lee-staff
richb: user/golf user/user10/Drafts user/user2/lee-staff user/user10/Trash
han1: user/public+hurling@siroe.com user/golf
gregk: user/public+hurling@siroe.com user/heaving user/tennis
```

To Remove Inactive Users

If you want to remove inactive users (those who have not accessed shared folders in a specified time period) issue the command:

```
readership -p months
```

where *months* is the number of months to check for.

Example: Remove users who have not accessed shared folders for the past six months:

```
readership -p 6
```

To Set Access Rights

You can assign access rights to a new public folder, or change access rights on a current public folder.

For an example of how to set access rights with this command, see [“To Change a Public Folder’s Access Control Rights” on page 565](#).

About Message Store Quotas

A message store quota is a way of setting a limit or *quota* for how much disk space or how many messages can be used by users or domains. This section contains information about the following:

- [“User Quotas” on page 571](#)
- [“Domain Quotas” on page 571](#)
- [“Exceptions for Telephony Application Servers” on page 572](#)

For further information, see [“To Monitor Quota Limits” on page 603](#)

User Quotas

You can specify user quotas by disk space or by number of messages. Disk space quotas specify, in bytes, the amount of disk space for each user. Disk quotas apply to the total size of all the user's messages, regardless of how many mail folders the user has or the total number of user messages. Message quotas allow you to limit the number of messages stored in a user's mailbox.

Quota information is stored in user LDAP attributes ([Table 18-6](#)) and `configutil` variables ([Table 18-7](#)). (See the *Sun Java System Communications Services Schema Reference Manual* (<http://docs.sun.com/doc/819-0113>) for latest and complete information.) In addition to setting the quota itself, Messaging Server allows you to control the following features:

- **Quota notification** sends users a warning message when they have reached a *disk quota threshold*.
- **Quota enforcement** halts delivery of messages into the message store once the quota is exceeded, or it allows message delivery even if the quota is exceeded.

If message delivery is halted due to over quota, incoming messages remain in the MTA queue until one of the following occurs:

- The size or number of the user's messages no longer exceeds the quota, at which time the MTA delivers the messages.
- The undelivered message remains in the MTA queue longer than the specified grace period, at which time messages are returned to sender. (See [“To Set a Grace Period” on page 579](#)).

Disk space becomes available when a user deletes and expunges messages or when the server deletes messages according to the aging policies you have established.

- **Quota Default** sets default quotas for all users or different quotas for specific users. To determine if a user is over quota, Messaging Server first checks to see if a quota has been set for the individual user. If no quota has been set, Messaging Server looks at the default quota set for all users.

Domain Quotas

As for users, quotas can also be set for domains by either number of bytes or number of messages. This quota is for all the cumulative bytes or messages of all the users in a particular domain.

Exceptions for Telephony Application Servers

To support unified messaging requirements, Messaging Server provides the ability to override quota limitations imposed by the message store. This guarantees the delivery of messages that have been accepted by certain agents, namely telephony application servers (TAS). Messages accepted by a TAS can be routed through a special MTA channel that ensures the message is delivered to the store regardless of quota limits. For more information about configuring the TAS channel, see [Chapter 12, “Configuring Channel Definitions”](#).

Table 18-6 shows quota user LDAP attributes see the *Sun Java System Communications Services Schema Reference Manual* (<http://docs.sun.com/doc/819-0113>) for latest and complete information.)

Table 18-6 Message Store Quota Attributes

Attribute	Description
mailQuota	Bytes of disk space allowed for the user's mailbox. Special values: 0 - No space allowed for user's mailbox. -1 - No limit on space usage allowed. -2 - Use system default quota. (<code>configutil</code> parameter <code>store.defaultmailboxquota</code>)
mailMsgQuota	Maximum number of messages permitted for a user. This is a cumulative count for all folders in the store. Special values: 0 - No message allowed for user's mailbox. -1 - No limit on number of messages allowed. -2 - Use system default quota. (<code>configutil</code> parameter <code>store.defaultmessage.quota</code> .)
mailUserStatus	Status of the mail user. Can be one of the following values: active - mail is processed as normal. Default is active. inactive - user's mail account is inactive. A transient failure is returned. deleted - Account marked deleted and ready for purge. Permanent failure returned. Access to mailbox blocked. hold - Mail sent to the hold queue and access to the mailbox is disallowed overquota - The MTA will not deliver mail to a mailbox with this status. This is the status set when the <code>configutil</code> parameter, <code>store.overquotastatus</code> is on.
mailDomainDiskQuota	Bytes of disk space allowed for the cumulative count of all the mailboxes in a domain. A value of -1 means no limit on space usage. (Default) To enforce the domain disk quota run the command: <code>imquotacheck -f -d domain</code>
mailDomainMsgQuota	Maximum number of messages permitted for a domain, that is, the total count for all mailboxes in the store. A value of -1 means no limit. (Default). To enforce the domain message quota run the command: <code>imquotacheck -f -d domain</code>
mailDomainStatus	Status of the mail domain. Values and default are the same as mailUserStatus .

Table 18-7 Message Store `configutil` parameters

Parameter	Description
<code>store.quotaenforcement</code>	Enable quota enforcement. When off, the quota database is still updated, but messages are always delivered. Default: On
<code>store.quotanotification</code>	Enable quota notification. Default: On
<code>store.defaultmailboxquota</code>	Store default quota by number of bytes. Default: -1 (unlimited)
<code>store.defaultmessagequota</code>	Store default quota by number of messages. Numeric. Default: -1 (unlimited)
<code>store.quotaexceededmsg</code>	Quota warning message. If none, notification is not sent. Default: None.
<code>store.quotaexceededmsginterval</code>	Interval, in days, for sending overquota notification. Default: 7
<code>store.quotagraceperiod</code>	Time, in hours, a mailbox has been overquota before messages to the mailbox will bounce back to the sender. Number of hours. Default: 120
<code>store.quotawarn</code>	Quota warning threshold. Percentage of quota exceeded before clients are sent an over quota warning. Default: 90
<code>local.store.quotaoverdraft</code>	Used to provide compatibility with systems that migrated from the Netscape Messaging Server. When ON, allow delivery of one message that puts disk usage over quota. After the user is over quota, messages are deferred or bounced, the quota warning message is sent, and the quota grace period timer starts. (The default is that the quota warning messages are sent when the message store reaches the threshold.) Default: Off, but is treated as on if <code>store.overquotastatus</code> is set, otherwise the user can never go over quota and the <code>overquotastatus</code> is never used.
<code>local.store.overquotastatus</code>	Enable quota enforcement before messages are enqueued in the MTA. This prevents the MTA queues from filling up. When set, and a user is not yet over quota, but an incoming message pushes the user over quota, then the message is delivered, but the <code>mailuserstatus</code> LDAP attribute is set to <code>overquota</code> so no more messages will be accepted by the MTA. Default: off

Configuring Message Store Quotas

This section describes the following tasks:

- [“To Specify a Default User Quota” on page 574](#)
- [“To Specify Individual User Quotas” on page 575](#)
- [“To Specify Domain Quotas” on page 575](#)
- [“To Deploy Quota Notification” on page 575](#)
- [“To Enable or Disable Quota Enforcement” on page 577](#)

- [“To Set a Grace Period” on page 579](#)

To Specify a Default User Quota

To set a default quota that applies to users who do not have individual quotas set, perform the following steps:

Console To specify a default user quota at the Console:

1. Click the Configuration tab and select Message Store in the left pane.
2. Click the Quota tab.
3. To specify a default user disk quota for the “Default user disk quota” field, select one of the following options:
 - Unlimited.** Select this option if you do not want to set a default disk quota.
 - Size specification.** Select this option if you want to restrict the default user disk quota to a specific size. In the field beside the button, type a number, and from the drop-down list, choose `Kbytes` or `Mbytes`.
4. To specify a message number quota, in the “Default user message quota” box, type a number.
5. Click Save.
6. Set the `Mbytes` attribute to `-1` in the user entries that use the default message store quota. See [Table 18-6](#).

Command Line To specify a default user quota at the command line:

To specify a default user disk quota for total message size:

```
configutil -o store.defaultmailboxquota -v [ -1 | number ]
```

where `-1` indicates no quota and *number* indicates a number of bytes.

To specify a default user quota for total number of messages:

```
configutil -o store.defaultmessagequota -v [ -1 | number ]
```

where `-1` indicates no quota and *number* indicates the number of messages.

Set the `mailQuota` attribute to `-2` in the user entries that use the default message store quota. See [Table 18-6](#).

To Specify Individual User Quotas

Each user can have individualized quotas. To set user-specific quotas, set the `mailQuota` or `mailmsgquota` attributes in the user's LDAP entry. (See [Table 18-6](#).) To enforce the quota, set the `configutil store.quotaenforcement` to on.

To Specify Domain Quotas

You can set disk space quotas or message quotas for particular domains. These quotas are for the cumulative bytes or messages of all users in a particular domain. To set domain quotas, set the `mailDomainDiskQuota` or `mailDomainMsgQuota` attributes in the user's LDAP entry (see [Table 18-6](#)) and run `imquotacheck -f`.

To Deploy Quota Notification

Quota notification is the process of sending users a warning message when they are getting close to their quota. Using this feature requires three procedures:

- [“Enabling Quota Notification” on page 575](#)
- [“Defining a Quota Warning Message” on page 576](#)
- [“Specifying a Quota Threshold” on page 577](#)

Enabling Quota Notification

Console To enable quota notification at the Console:

1. Click the Quota tab.
2. Check the “Enable quota notification” box. To disable quota notification, uncheck this box.
3. Define the quota warning messages. See [“Defining a Quota Warning Message” on page 576](#).
4. Click Save.

Command Line To enable or disable quota notification at the command line:

```
configutil -o store.quotanotification -v [ yes | no ]
```

If the message is not set, no quota warning message is sent to the user. See the next section for an example of quota warning message format.

Defining a Quota Warning Message

Define the message that will be sent to users who are close to exceeding their disk quota as follows. Messages are sent to the user's mailbox.

Console To define a quota warning message at the Console:

1. Click the Quota tab.
2. From the drop-down list, choose the language you want to use.
3. Type the message you want to send in the message text field below the drop-down list.
4. Click Save.

Command Line To define a quota warning message at the command line:

```
configutil -o store.quotaexceededmsg -v 'message'
```

The message must be in RFC 822 format. It must contain a header with at least a subject line, follow by \$\$, then the message body. '\$' represents a new line. Depending on the shell that you are using, it might be necessary to append a \ before \$ to escape the special meaning of \$. (\$ is often the escape character for the shell.) Example:

```
configutil -o store.quotaexceededmsg -v 'Subject: WARNING: User quota exceeded$$User quota threshold exceeded - reduce space used.'
```

In addition, there is support for the following variables:

[ID] - userid

[DISKUSAGE] - disk usage

[NUMMSG] - number of messages

[PERCENT] - store.quotawarn percentage

[QUOTA] - mailquota attribute

[MSGQUOTA] - mailmsgquota attribute

Here's an example, using these variables:

```
configutil -o store.quotaexceededmsg -v 'Subject: Overquota Warning$$[ID],$$Your mailbox size has exceeded [PERCENT] of its allotted quota.$Disk Usage: [DISKUSAGE]$$Number of Messages: [NUMMSG]$$Mailquota: [QUOTA]$$Message Quota: [MSGQUOTA]$$-Postmaster'
```

To define how often the warning message is sent:


```
configutil -o store.quotaexceededmsginterval -v number
```

where *number* indicates a number of days. For example, 3 would mean the message is sent every 3 days.

Specifying a Quota Threshold

A quota threshold is a percentage of a quota that is exceeded before clients are sent a warning. When a user's disk usage exceeds the specified threshold, the server sends a warning message to the user.

NOTE When `local.store.quotaoverdraft=on` email notifications are not triggered until the user's disk usage exceeds 100% of the quota regardless of the threshold set with `store.quotawarn`.

For IMAP users whose clients support the IMAP ALERT mechanism, the message is displayed on the user's screen each time the user selects a mailbox and a message is also written to the IMAP log.

Console To specify a quota threshold at the Console:

1. Click the Quota tab.
2. In the "Quota warning threshold" field, enter a number for the warning threshold.

This number represents a percentage of the allowed quota. For example, if you specify 90%, the user is warned after using 90% of the allowed disk quota. The default is 90%. To turn off this feature, enter 100%.

3. Click Save.

Command Line To specify a quota threshold at the command line:

```
configutil -o store.quotawarn -v number
```

where *number* indicates a percentage of the allowed quota.

To Enable or Disable Quota Enforcement

By default, users or domains can exceed their quotas with no effect except for receiving an over quota notification (if set). Quota enforcement locks the mailboxes from receiving further messages until the disk usage is reduced below the quota level.

Enabling Quota Enforcement at the User Level

Console To enable quota enforcement at the Console:

1. Click the Quota tab.
2. Check the “Enable quota enforcement” box. To disable quota enforcement, uncheck this box.
3. Click Save.

Command Line To enable or disable quota enforcement:

```
configutil -o store.quotaenforcement -v [ on | off]
```

Note that over quota messages are saved in the MTA queues and a notification is sent to the sender stating that their messages was not delivered but that a redelivery attempt will be made later. Delivery retries will continue until the grace period expires and all messages are sent back to the senders, or the disk usage falls below the quota and messages can be dequeued from the MTA and delivered to the message store. If you want to return messages that are over quota before they get to the message queues, use the following command line:

```
configutil -o store.overquotastatus -v on
```

Enabling Quota Enforcement at the Domain Level

To enforce quotas for a particular domain, use the command:

```
imquotacheck -f -d domain
```

To enable for all domains exclude the `-d` option. When a domain exceeds its quota, the `maildomainstatus` attribute is set to `overquota`, which halts all delivery to this domain. If a domain is not `overquota`, the value is set to `active`.

Disabling Quota Enforcement

If it appears that user quotas are being enforced, even when you have disabled them, check the following parameters:

These `configutil` parameters should be off or not set:

- `store.quotaenforcement`
- `local.store.overquotastatus`
- `local.store.quotaoverdraft`

Note that when `store.overquotastatus` is on, it always treats `store.quotaoverdraft` as on, otherwise the user will never go over quota to trigger the rejection. Also, when `store.quotaoverdraft` is on, the user is allowed one message which is smaller than the quota only. That is, it will never accept a message that is greater than the user's quota.

After making changes to these parameters, be sure to restart your messaging services.

These Message Store attributes should be active:

- `maildomainstatus`
- `mailuserstatus`

Note that messages will bounce if they are larger than the mailbox quota, regardless of quota enforcement configuration.

To Set a Grace Period

The grace period specifies how long the mailbox can be over the quota (disk space or number of messages) before messages are bounced back to sender. Messages are accepted by the MTA, but remain in the MTA queue and are not delivered to the message store until one of the following occurs:

- The mailbox no longer exceeds the quota, at which time messages are delivered to the mailbox.
- The user has remained over quota longer than the specified grace period, at which time the server bounces all messages including those in the queue. This time limit is controlled by the `quotagraceperiod` configuration parameter.
- The message has remained in the message queue longer than the maximum message queue time. This is controlled by the `notices` MTA channel keyword (see [“To Set Notification Message Delivery Intervals” on page 272](#)).

For example, if your grace period is set for two days, and you exceed quota for one day, new messages continue to be received and held in the message queue, and delivery attempts continue. After the second day, the messages bounce back to the sender.

NOTE The grace period is not how long the message is held in the message queue, it's how long the mailbox is over quota before all incoming messages, including those in the message queue, are bounced. The grace period starts when the user has reached the quota threshold. See [“Specifying a Quota Threshold” on page 577](#) and been warned.

Console To set a grace period for how long messages are held in the queue at the Console:

1. Click the Quota tab.
2. In the “Over quota grace period” field, enter a number.
3. From the drop-down list, specify *Day(s)* or *Hour(s)*.
4. Click Save.

Command Line To specify a quota grace period at the command line:

```
configutil -o store.quotagraceperiod -v number
```

where *number* indicates number of hours.

Netscape Messaging Server Quota Compatibility Mode

After disk usage exceeded the quota in the Netscape Messaging Server, the server deferred or bounced message delivery, sent an over quota notification, and started the grace period. Messaging Server provides a parameter, `local.store.quotaoverdraft`, which retains this behavior.

When set to `ON`, messages are delivered until disk usage is over quota. At that time, messages are deferred (messages stay in the MTA message queue but are not delivered to the message store), an over quota warning message is sent to the user, and a grace period starts. The grace period determines how long a mailbox is overquota before the overquota messages bounce. (The default is that the quota warning messages are sent when the message store reaches the threshold.) The default for this parameter is `Off`.

To Set the Automatic Message Removal (Expire and Purge) Feature

The automatic message removal feature (also known as expire and purge) automatically removes messages from the message store based on a set of administrator-defined criteria. This feature can automatically remove old or overly large messages, seen/deleted messages, messages with certain Subject: lines and so on. This feature allows the following removal criteria:

- By folder (mailboxes), users, domains, the entire message store, or specific partitions
- Number of messages in the mailbox
- Total size of the mailbox
- Age, in days, that a message has been in the mailbox
- Size of message and grace period (days that an oversized message will remain in the message store before purging)
- Whether a message has been flagged as *seen* or *deleted*
- Header strings

This feature is performed by the `imexpire` utility, which expunges and purges messages. See [“How the Message Store Removes Messages” on page 556](#) for details on the message removal process.

NOTE The server removes messages without warning, so it is important to inform users about automatic message removal policies. Unexpected message removal can be a source of consternation for users and administrators.

`imexpire` Theory of Operation

`imexpire` can be invoked from the command line or scheduled to run automatically by the `imsched` daemon. The administrator configures the global expiration rules (that is rules for the entire message store) with either Console or the `configutil` command line utility. Local expire rules (rules that apply to folders or users) can be configured by creating expire rule files (`store.expire`) in a message store partition, user or mailbox directories.

`imexpire` loads all of the expire rules at start up. By default, `imexpire` creates one thread per partition. Each thread goes through the list of user folders under its assigned partition and loads the local expire rule files as it goes. The expire function checks each folder against the expire rules applicable to this folder and expunges messages as needed. If there is a `store.exp` file that exists under the mailbox directory, and there are messages that have been expunged/expired for longer than the time specified by the `store.cleanupage` configuration parameter, the purge function will permanently remove the message files under the message hash directories and remove the UID records from the `store.exp` files.

It is also possible to exclude specified users from the expire rules by adding their user ID, one per line, in a file called `expire_exclude_list` in `msg_svr_base/config/`.

To Deploy the Automatic Message Removal Feature

Automatic message removal can be deployed by command line or by using the Console GUI. The process requires three steps:

1. Define automatic message removal policy: Which messages will be automatically removed? What users, domains and partitions will have messages automatically removed? What size, message age, headers will define the removal criteria. See [“To Define Automatic Message Removal Policy” on page 582](#).
2. Specify the `imexpire` rules to implement this policy. See [“To Set Rules Implementing Automatic Message Removal Policy” on page 583](#).
3. Specify the `imexpire` scheduling. See [“To Schedule Automatic Message Removal and Logging Level” on page 591](#).

To Define Automatic Message Removal Policy

Define your automatic message removal policy by specifying the criteria for removal. `imexpire` allows for removal using the following criteria:

Age of Message. Automatically remove messages older than *X* days. Attribute: `messagedays`.

Message Count. Automatically remove messages in a folder exceeding *X* messages. Attribute: `messagecount`.

Age of Oversized Message. Automatically remove messages that exceed *X* bytes after *Y* days grace period. Attributes: `messagesize` and `messagesizedays`.

Seen and Deleted Message Flag. Automatically remove messages with the *Seen* or *Deleted* flag set. These criteria can be set to “and” or “or.” If set to *or*, the message’s Seen/Delete flag will cause automatic deletion regardless of other criteria. If set to *and*, the message’s Seen/Delete flag must be set along with passing all other specified criteria. Attributes: *seen* and *deleted*.

Header Field of Message. Allows you specify a header and string as criteria for removing a message. For example, removing all messages with the header “Subject: Work from Home!”

Folder of Messages. Allows you to specify the folder on which to remove messages. Attribute: *folderpattern*

NOTE *imexpire* does not allow you to delete or preserve messages based on how long it has been since that message was read. For example, you cannot specify that messages that have not been read for 200 days will be removed.

Examples of Automatic Message Removal Policy

Example 1: Remove all messages 365 days old in a folder exceeding 1,000 messages.

Example 2: Remove messages in domain *siroe.com* that are older than 180 days.

Example 3: Remove all messages that have been marked as *deleted*.

Example 4: Remove messages in *sesta.com* that have been marked as *seen*, are older than 30 days, are larger than 100 kilobytes, from folders exceeding 1,000 messages, with the header *X-spam*.

To Set Rules Implementing Automatic Message Removal Policy

To implement the automatic message removal policy defined in the previous section, you must set the *imexpire* rules. Rules are set as follows:

- By GUI (see [Figure 18-4 on page 589](#))

- By putting them into a `store.expirerule` file. An example of two `store.expirerule` rules is shown below:

```
Rule1.folderpatter: user/.*/trash
Rule1.messagedays: 2
Rule2.folderpattern: user/.*
Rule2.messagedays: 14
```

In this example, Rule 1 specifies that all messages in the trash folder will be removed after two days. Rule 2 specifies that all messages in the message store will be removed after 14 days.

This section consists of the following subsections:

- [“Expiration Rules Guidelines” on page 584](#)
- [“Setting imexpire Rules Textually” on page 586](#)
- [“Setting imexpire Folder Patterns” on page 587](#)
- [“To Set Automatic Message Removal Rules with the Console” on page 588](#)

Expiration Rules Guidelines

This section sets the guidelines for the `store.expirerule` file rules.

NOTE In earlier Messaging Server releases, expiration rules could be set with `configutil` parameters `store.expirerule.attribute` (see *Sun Java System Messaging Server Administration Reference*.) This is still true, but expire rules using header constraints (example: expiring a message with a specific subject line) are not supported. For this reason, it may be better to use the Console GUI or `store.expirerule` file rules.

- Rules are specified in a file called `store.expirerule`.
- Multiple expiration criteria can be specified with the same rule. (Example above.)
- Rules can apply to the entire message store (global rules), a partition, a user, or a folder. Non-global rules can only be created with `store.expirerule` rules.
 - Global rules are created by using the `configutil` parameter `store.expirerule.rule.name.attribute` or by specifying rules in `msg_svr_base/config/store.expirerule`

- Partition rules can be created by specifying rules in `store_root/partition/partition_name/store.expirerule`.
- User rules can be created by specifying rules in `store_root/partition/partition_name/userid/store.expirerule` or by specifying the `folderpattern` rule to be `user/userid/.*`
- Folder rules can be created by specifying rules in `store_root/partition/partition_name/userid/folder/store.expirerule` or by specifying the `folderpattern` rule to be `user/userid/folder`

NOTE User and folder rules can also be placed in the global expire file (`msg_svr_base/config/store.expirerule`) by specifying the `folderpattern` attribute.

- Multiple expire rules can be applied to a mailbox at the same time. An expire policy for a mailbox consists of global rules and local rules. Local rules apply to the mailbox under the same directory and all of its sub-folders.
- `imexpire` unifies all of the expiration rules applying to a mailbox, unless there is an exclusive rule specified for this mailbox (see [Table 18-8](#)). The resulting rule set represents the most restrictive expiration policy based on all applicable rules. For example, if rule X expires messages such that the maximum message life is 10 days, and rule Y specifies 5 days, the union will be 5 days.

Table 18-8 `imexpire` Attributes

Attribute	Description (Attribute Value)
<code>exclusive</code>	Specifies whether or not this is an exclusive rule. If specified as <code>exclusive</code> , only this rule applies to the specified mailbox(s) and all other rules are ignored. If more than one exclusive rule exists, the last exclusive rule loaded will be used. For example, if a global and a local exclusive rule are specified, the local rule will be used. If there is more than one global exclusive rule, the last global rule listed by <code>configutil</code> is used. (<code>yes/no</code>)
<code>folderpattern</code>	Specifies the folders affected by this rule. The format must start with a <code>user/</code> , which represents the directory <code>store_root/partition/*/</code> . See Figure 18-4 on page 589 and Table 18-9 on page 587 . (POSIX regular expression)
<code>messagecount</code>	Maximum number of messages in a folder. Oldest messages are expunged as additional messages are delivered. (integer)
<code>foldersize</code>	Maximum size of folder before the oldest messages are expunged when additional messages are delivered. (integer in bytes)
<code>messagedays</code>	Age of message in days before being expunged. (integer)
<code>messagesize</code>	Maximum size of message in bytes before it is marked to be expunged. (integer)

Table 18-8 `imexpire` Attributes

Attribute	Description (Attribute Value)
<code>messagesizedays</code>	Grace period. Days an over-sized message should remain in a folder. (integer)
<i>message header field</i>	Specifies a header field and string that marks a message for removal. Values are not case-sensitive and regular expressions are not recognized. Example: <code>Rule1.Subject: Get Rich Now!</code> For the header <i>Expires</i> and <i>Expiry-Date</i> , <code>imexpire</code> will remove the message if the date value specified with these header fields is older than the <code>messagedays</code> attribute. If multiple expiration header fields are specified, the earliest expiration date will be used. (string).
<code>regexp</code>	Enable UNIX regular expressions in rules creation. (1 or 0). If not specified, IMAP expressions will be used.
<code>seen</code>	<code>seen</code> is a message status flag set by the system when the user opens a message. If the attribute <code>seen</code> is set to <code>and</code> , then the message must be seen and other criteria must be met before the rule is fulfilled. If the attribute <code>seen</code> is set to <code>or</code> , then the message only needs to be seen or another criteria be met before the rule is fulfilled. (<code>and/or</code>).
<code>deleted</code>	<code>deleted</code> is a message status flag set by the system when the user deletes a message. If the attribute <code>deleted</code> is set to <code>and</code> , then the message must be deleted and another criteria must be met before the rule is fulfilled. If the attribute <code>deleted</code> is set to <code>or</code> , then the message only needs to be seen or another criteria be met before the rule is fulfilled. (and/or)

Setting `imexpire` Rules Textually

Automatic message removal rules are set by specifying rules in a `store.expirerule` file. The `store.expirerule` file contains one expire criteria per line. An expire criteria of the global rule configuration file (`msg_svr_base/data/store/store.expirerule`) has the following format:

rule_name.attribute: value

Code Example 18-1 shows a set of expiration rules in `msg_svr_base/config/store.expirerule`.

Rule 1 sets the global expiration policy (that is, policy that applies to all messages), as follows:

- Enable UNIX regular expressions in rules creation.
- Removes messages larger than 100,000 bytes after 3 days.
- Removes messages deleted by the user.
- Removes any message with the strings “Vigara Now!” or “XXX Porn!” in the Subject: header.

- Limits all folders to 1,000 messages. After 1,000 messages, the system removes the oldest messages on a folder to keep the total to 1,000.
- Removes all messages older than 365 days.

Rule 2 sets the automatic message removal policy for users at the hosted domain `siroe.com`. It limits mailbox sizes to 1 megabyte, removes messages that have been deleted, and removes messages older than 14 days.

Rule 3 sets the automatic message removal policy for messages in the `inbox` folder of user `f.dostoevski`. It removes messages with a subject line having the expression “On-line Casino.”

Code Example 18-1 Example `imexpire` Rules

```
Rule1.regexp: 1
Rule1.folderpattern: user/. *
Rule1.messagesize: 100000
Rule1.messagesizedays: 3
Rule1.deleted: or
Rule1.Subject: Vigara Now!
Rule1.Subject: XXX Porn!
Rule1.messagecount: 1000
Rule1.messagedays: 365
Rule2.regexp: 1
Rule2.folderpattern: user/. *@siroe.com/. *
Rule2.exclusive: yes
Rule2.deleted: or
Rule2.messagedays: 14
Rule2.messagecount: 1000
Rule3.folderpattern: user/f.dostoevski/inbox
Rule3.Subject: *On-line Casino*
```

Setting `imexpire` Folder Patterns

Folder patterns can be specified using POSIX regular expressions by setting the `imexpire` attribute `regex` to 1. If not specified, IMAP expressions will be used. The format must start with a `user/` followed by a pattern. Table 18-9 shows the folder pattern for various folders.)

Table 18-9 `imexpire` Folder Patterns Using Regular Expressions

Folder Pattern	Scope
<code>user/userid/. *</code>	Apply rule to all messages in all folders of <code>userid</code> .
<code>user/userid/Sent</code>	Apply rule to messages of <code>userid</code> in folder <code>Sent</code> :
<code>user/. *</code>	Apply rule to entire message store.
<code>user/. */trash</code>	Apply rule to the <code>trash</code> folder of all users.

Table 18-9 imexpire Folder Patterns Using Regular Expressions

Folder Pattern	Scope
user/.*@siroe.com/.*	Apply rule to folders in hosted domain siroe.com:
user/[^@]*/.*	Apply rule to folders in default domain.

To Set Automatic Message Removal Rules with the Console

1. Bring up the automatic message removal GUI as follows:

Main Console > Server Group > Messaging Server (Open) > Messaging Server Console > Configuration Tab > Message Store > Expire/Purge > Add

A very rough drawing of the GUI is shown on [Figure 18-4](#).

Figure 18-4 Automatic Message Removal (Expire/Purge) GUI—Rough Drawing

Name:

Apply to folders matching the following pattern:

Exclusive
 Make this the exclusive rule for the folders matching the specified pattern

Folder size constraint
 Remove the oldest message until the following conditions are true:
 Message count:
 Folder Size:

Message age constraint
 Remove the oldest message until the following conditions are true:
 Number of days: Day(s)

Message size constraint
 Remove messages that are larger than the specified size and have been in the folder longer than the grace period:
 Message size limit:
 Grace period: Day(s)

Message flags constraint
 Remove messages based on the values of the following flags:
 Seen:
 Deleted:

Header constraint
 Enter custom header value(s) separated by commas.

OK
 Cancel
 Help

2. Enter a name for the new rule.
3. Enter the folders from which messages will be automatically removed.
 See [“Setting imexpire Folder Patterns” on page 587](#) above.

4. If this rule is the exclusive rule for folders matching the specified criteria, then check the *Exclusive* box.

If this box is checked, then this rule takes precedence over all other rules matching the specified pattern. See [Table 18-8 on page 585](#) for details on the exclusive checkbox.

5. To create a rule based on folder size, do the following:
 - Check the Folder Size constraint checkbox. In the Message count field, specify the maximum number of messages that will be retained in a folder before the oldest messages are removed. In the Folder size field, specify the maximum folder size, in bytes, before the oldest messages are removed.

6. To create a rule based on message age, check the Message age constraint checkbox:

In the Number of days field, specify the age, in days, of how long messages should remain in the folder.

7. To create a rule based on message size:
 - Check the Message size limit constraint checkbox. In the Message size limit field, enter the maximum size of a message allowed in the folder. In the “Grace period” field, enter the how long over-sized messages will remain in the folder before being removed.

8. To create a rule based on whether the Seen or Deleted message flags are set:

- Check the Message flags constraint checkbox.
- For the Seen: field, select “and” to specify that the message must be seen **and** another criteria must be met before the rule is fulfilled. Select “or” to specify that the message need only be seen **or** another criteria be met before the rule is fulfilled.
- For the Deleted: field, select “and” to specify that the message must be deleted **and** another criteria must be met before the rule is fulfilled. Select “or” to specify that the message need only be deleted **or** another criteria be met before the rule is fulfilled.

9. To create a rule based on a header fields and their values:

- Check the Header constraint checkbox.

- o Enter a comma separated list of headers and values in the following format:

header1: value1, header2: value2

Example: Subject: Work at Home!,From: virus@sesta.com

For the header *Expires* and *Expiry-Date*, the system will remove the message if their date value is older than the Message age constraint. If multiple expiration header fields are specified, the earliest expiration date will be used. (string).

10. Click OK to add the new rule to the Automatic Message Removal list.

To Schedule Automatic Message Removal and Logging Level

Automatic message removal is activated by the `imsched` scheduling daemon. By default, `imsched` invokes `imexpire` at 23:00 every day, and messages are both expunged and purged. This schedule can be customized by setting the `configutil` parameters `local.schedule.expire`, `local.schedule.purge`, and `store.cleanupage` described in [Table 18-10](#).

Expire and purge can take a long time to complete on a large message store, so you may wish to experiment and decide how often to run these processes. For example, if an expire/purge cycle takes 10 hours, you may not want the default schedule of running expire and purge once a day. Schedule expire and purge by using `local.schedule.purge` to specify a separate schedule for purge. If `local.schedule.purge` is not set, `imexpire` will perform purge after an expire.

Table 18-10 Expire and Purge configuration Log and Scheduling Parameters

Parameter	Description
local.schedule.expire	<p>Interval for running <code>imexpire</code>. Uses UNIX crontab format: <i>minute hour day-of-month month-of-year day-of-week</i></p> <p>The values are separated by a space or tab and can be 0-59, 0-23, 1-31, 1-12 or 0-6 (with 0=Sunday) respectively. Each time field can be either an asterisk (meaning all legal values), a list of comma-separated values, or a range of two values separated by a hyphen. Note that days can be specified by both day of the month and day of the week, however, it is not typical to use them both since the number of such occurrences are very small. If they are both specified, then both will be required. For example, setting the 17th day of the month and Tuesday will require both values to be true.</p> <p>Interval Examples:</p> <ol style="list-style-type: none"> 1) Run <code>imexpire</code> at 12:30am, 8:30am, and 4:30pm: <code>30 0,8,16 * * * /opt/SUNWmsgsr/lib/imexpire</code> 2) Run <code>imexpire</code> at weekday morning at 3:15 am: <code>15 3 * * 1-5 /opt/SUNWmsgsr/lib/imexpire</code> 3) Run <code>imexpire</code> only on Mondays: <code>0 0 * * 1 /opt/SUNWmsgsr/lib/imexpire</code> <p>Default: <code>0 23 * * * /opt/SUNWmsgsr/lib/imexpire</code></p>
local.schedule.purge	<p>Interval for running <code>purge</code>. Uses UNIX crontab format: <i>minute hour day-of-month month-of-year day-of-week</i></p> <p>Default: <code>0 0,4,8,12,16,20 * * * /opt/SUNWmsgsr/lib/purge -num=5</code> (Every four hours.)</p>
store.cleanupage	<p>Age (in hours) of expired or expunged message before <code>purge</code> will permanently remove it.</p> <p>Default: None</p>
local.store.expire.loglevel	<p>Specify a log level:</p> <p>1 = log summary for the entire expire session. 2 = log one message per mailbox expired. 3 = log one message per message expired.</p> <p>Default: 1</p>

imexpire Scheduling Using the Console

Bring up the automatic message removal GUI as follows:

Main Console > Server Group > Messaging Server (Open) > Messaging Server Console > Configuration Tab > Message Store > Expire/Purge

This Console page lists the expire rules on the top and the expire and purge schedule on the bottom. To schedule expire and purge, use the pull down menus in the Expire/Purge Schedule to set the month, day of month, day of week (with 0=Sunday), hours of day and minute of hours for both expire and purge.

NOTE The day value may be set by both day of the month and day of the week. Both are adhered to if both are set. If you set the 3rd day of the week (Wednesday) and the 17th day of the month, then a purge/expire will only occur on the 17th day of each month that falls on a Wednesday).

Setting *imexpire* Logging Levels

imexpire will log a summary to the default log file upon completion. If expire is invoked from the command line, the `-v` (verbose) and `-d` (debug) option can be used to instruct *imexpire* to log detail status/debug messages to stderr. If *imexpire* is invoked by *imsched*, the `configutil` parameter `local.store.expire.loglevel` can be set to 1,2 or 3 for different levels of logging. Loglevel 1 is the default, it will log a summary for the entire expire session. Loglevel 2 will log one message per mailbox expired. Loglevel 3 will log one message per message expired.

Excluding Specified Users from Automatic Message Remove

Exclude specified users from the expire rules by adding their user ID, one per line, in a file called `expire_exclude_list` in `msg_svr_base/config/`.

Configuring Message Store Partitions

Mailboxes are stored in message store partitions, an area on a disk partition specifically devoted to storing the message store. Message store partitions are not the same as disk partitions, though for ease of maintenance, it is recommended that you have one disk partition and one file system for each message store partition. Message store partitions are directories specifically designated as a message store.

User mailboxes are stored by default in the `store_root/partition/` directory (see [Figure 18-1 on page 554](#)). The `partition` directory is a logical directory that might contain a single partition or multiple partitions. At start-up time, the `partition` directory contains one subpartition called the `primary` partition.

You can add partitions to the `partition` directory as necessary. For example, you might want to partition a single disk to organize your users as follows:

store_root/partition/mkting/

store_root/partition/eng/

store_root/partition/sales/

As disk storage requirements increase, you might want to map these partitions to different physical disk drives.

You should limit the number of mailboxes on any one disk. Distributing mailboxes across disks improves message delivery time (although it does not necessarily change the SMTP accept rate). The number of mailboxes you allocate per disk depends on the disk capacity and the amount of disk space allocated to each user. For example, you can allocate more mailboxes per disk if you allocate less disk space per user.

If your message store requires multiple disks, you can use RAID (Redundant Array of Inexpensive Disks) technology to ease management of multiple disks. With RAID technology, you can spread data across a series of disks but the disks appear as one logical volume so disk management is simplified. You might also want to use RAID technology for redundancy purposes; that is, to duplicate the store for failure recovery purposes.

NOTE To improve disk access, the message store and the message queue should reside on separate disks.

To Add a Partition

When adding a partition, you specify both an absolute physical path where the partition is stored on disk and a logical name, called the partition nickname.

The partition nickname allows you to map users to a logical partition name regardless of the physical path. When setting up user accounts and specifying the message store for a user, you can use the partition nickname. The name you enter must be an alphanumeric name and must use lowercase letters.

To create and manage the partition, the user ID used to run the server must have permission to write to the location specified in the physical path.

NOTE After adding a partition, you must stop then restart the server to refresh the configuration information.

Console To add a partition to the store by using the Console:

1. From Console, open the Messaging Server you want to configure.

2. Click the Configuration tab and select Message Store in the left pane.
3. Click the Partition tab in the right pane.
4. Click the Add button.
5. Enter the Partition nickname.
This is the logical name for the specified partition.
6. Enter the Partition path.
This is the absolute path name for the specified partition.
7. To specify this as the *default message store partition*, click the selection box labeled Make This the Default Partition.

NOTE The default partition is the partition used when a user is created and the `mailMessageStore` LDAP attribute is not specified in the user entry. The `mailMessageStore` LDAP attribute should be specified in all user entries so that a default partition is not necessary.

8. Click OK to submit this partition configuration entry and dismiss the window.
9. Click Save to submit and preserve the current Partition list.

Command Line To add a partition to the store at the command line:

```
configutil -o store.partition.nickname.path -v path
```

where *nickname* is the logical name of the partition and *path* indicates the absolute path name where the partition is stored.

To specify the path of the default primary partition:

```
configutil -o store.partition.primary.path -v path
```

To Move Mailboxes to a Different Disk Partition

By default, mailboxes are created in the `primary` partition. If the partition gets full, additional messages cannot be stored. There are several ways to address the problem:

- Reduce the size of user mailboxes
- If you are using volume management software, add additional disks

- Create additional partitions (“[To Add a Partition](#)” on page 594) and move mailboxes to the new partitions

If possible, we recommend adding additional disk space to a system using volume management software since this procedure is the most transparent for the user. However, you may also move mailboxes to a different partition by doing the following:

1. Make sure user is disconnected from their mailbox during the migration process. This can be done by informing the user to log off and stay off during mailbox move, or, by setting the `mailAllowedServiceAccess` attribute so that POP, IMAP and HTTP services are disallowed after they are logged off. (See *Sun Java System Communications Services Schema Reference Manual*.)

NOTE Setting `mailAllowedServiceAccess` to disallow POP, IMAP, HTTP access does not disconnect any open connections to the mailbox. You must make sure that all connections are closed prior to the moving mailboxes.

2. Move the user mailbox with the following command:

```
mboxutil -r user/<userid>/INBOX user/<userid>/INBOX <partition_name>
```

Example:

```
mboxutil -r user/ofanning/INBOX user/ofanning/INBOX secondary
```

3. Set the `mailMessageStore` attribute in the moved user’s LDAP entry to the name of the new partition.

Example: `mailMessageStore: secondary`

4. Inform the user that message store connection is now allowed. If applicable, change the `mailAllowedServiceAccess` attribute to allow POP, IMAP and HTTP services.

Changing the Default Message Store Partition Definition

The default partition is the partition used when a user is created and the `mailMessageStore` LDAP attribute is not specified in the user entry. The `mailMessageStore` LDAP attribute, which specifies a user's message store partition, should be specified in all user entries so that a default partition is not necessary. In addition, the default partition should **not** be changed for load balancing or any other reason. It is invalid and dangerous to change the default partition while there are still users depending on the default partition definition.

If it is absolutely necessary to change the default partition, make sure that all users on the old default partition (the one being left behind) have their `mailMessageStore` attribute set to their current partition (which will no longer be the default), before changing the definition of default with the `configutil` parameter `store.defaultpartition`.

Performing Message Store Maintenance Procedures

This section provides information about the utilities you use to perform maintenance and recovery tasks for the message store. You should always read your postmaster mail for warnings and alerts that the server might send. You should also monitor the log files for information about how the server is performing. For more information about log files, see [Chapter 21, “Managing Logging”](#).

This section contains the following:

- [“To Manage Mailboxes” on page 597](#)
- [“To Monitor Quota Limits” on page 603](#)
- [“To Monitor Disk Space” on page 604](#)
- [“Using the stored Utility” on page 604](#)

To Manage Mailboxes

This section describes the following utilities for managing and monitoring mailboxes: `mboxutil`, `hashdir`, `readership`.

The mboxutil Utility

Use the `mboxutil` command to perform typical maintenance tasks on mailboxes. `mboxutil` tasks include the following:

- List mailboxes
- List and remove orphaned and inactive mailboxes
- Create mailboxes
- Rename mailboxes
- Move mailboxes from one partition to another
- Delete orphaned or inactive mailboxes
- You can also use the `mboxutil` command to view information about quotas. For more information, see [“To Monitor Quota Limits” on page 603](#).

NOTE Note that you should not to kill the `mboxutil` process in the middle of execution. If it is killed with `SIGKILL` (`kill -9`), it may potentially require that every server get restarted and a recovery be done.

[Table 18-11](#) lists the `mboxutil` commands. For detailed syntax and usage requirements, see the *Messaging Server Reference Manual*.

Table 18-11 `mboxutil` Options

Option	Description
<code>-a</code>	Obsolete. Used to list all user quota information. Use <code>imquotacheck</code>
<code>-c mailbox</code>	Creates the specified mailbox. Can be used with <code>-f</code> . A mailbox must exist before creating a secondary mailbox.
<code>-d mailbox</code>	Delete the specified mailbox. To delete a user from the message store, use the following value for <code>-d mailbox</code> : <code>user/userid/INBOX</code> For example, to delete the user <code>john</code> from the message store, use <code>-d user/john/INBOX</code> . To delete the <code>mm</code> folder in the user <code>john</code> 's mailbox, use <code>-d user/john/mm</code> . The recommended method to delete a user is to mark the user status as deleted in the LDAP directory (by using the Delegated Administrator utility <code>comadmin user delete</code> command or the Delegated Administrator console.) Next, use the <code>comadmin user purge</code> command to purge the users that have been marked as deleted for a period longer than the specified number of days. If you use the Delegated Administrator utility as described in the preceding paragraph, you do not have to use the <code>mboxutil -d</code> command to delete a mailbox.

Table 18-11 mboxutil Options

Option	Description
-e	Expunges all deleted messages in the message store. This option also can be used with the <code>-p pattern</code> option to expunge all deleted mailboxes with names that match <i>pattern</i> .
-f <i>file</i>	Specifies a file that stores mailbox names. The <code>-f</code> option can be used with the <code>-c</code> , <code>-d</code> , or <code>-r</code> options. The file contains a list of mailboxes on which the <code>mboxutil</code> command is executed. The following is an example of entries in a data file: user/daphne/INBOX user/daphne/projx user/daphne/mm
-k <i>mailbox cmd</i>	Obsolete. Locks the specified mailbox at the folder level; runs the specified command; after command completes, unlocks the mailbox.
-l	Lists all of the mailboxes on a server. If you create multi-byte folders for different language locales, you should edit: <code>msg_svr_base/bin/msg/bundles/encbylang.properties</code> to associate the appropriate character set with the LANG environment variable.
-o	Checks for orphaned accounts. This option searches for inboxes in the current messaging server host which do not have corresponding entries in LDAP. For example, the <code>-o</code> option finds inboxes of owners who have been deleted from LDAP or moved to a different server host. For each orphaned account it finds, <code>mboxutil</code> writes the following command to the standard output: mboxutil -d user/ <i>userid</i> /INBOX unless <code>-w</code> is specified
-p <i>MUTF7_IMAP_pattern</i>	When used with the <code>-l</code> option, lists only those mailboxes with names that match <i>MUTF7_IMAP_pattern</i> . Can also be used with the <code>-d</code> or <code>-e</code> option to delete or expunge mailboxes with names that match <i>MUTF7_IMAP_pattern</i> . You can use IMAP wildcards. This option expects a pattern in IMAP M-UTF-7 format. This is not the recommended way to search for non ascii mailboxes. To search for non ascii mailboxes, use the <code>-P</code> option.
-P <i>regex</i>	Lists only those mailboxes with names that match the specified POSIX regular expression. This option expects the <i>regex</i> in the local language
-q <i>domain</i>	Obsolete. Use <code>imquotacheck -d domain</code>

Table 18-11 `mboxutil` Options

Option	Description
<code>-r oldname newname [partition]</code>	<p>Renames the mailbox from <i>oldname</i> to <i>newname</i>. To move a folder from one partition to another, specify the new partition with the <i>partition</i> option. Can be used with the <code>-f</code> flag to use a file.</p> <p>This option can be used to rename a user. For example, <code>mboxutil -r user/user1/INBOX user/user2/INBOX</code> moves all mail and mailboxes from user1 to user2, and new messages will appear in the new INBOX. (If user2 already exists, this operation will fail.)</p>
<code>-R mailbox</code>	<p>Restores deleted messages that have not yet been purged.</p> <p>When a mailbox is expunged or expired, the uids of the deleted messages are stored in a <code>store.exp</code> file. The messages are physically removed by <code>imexpire</code> after the cleanup page has passed. When <code>expunge</code> or <code>expire</code> is issued by mistake, this option can be used to restore the deleted messages that have not been purged by <code>imexpire</code> into the original mailbox.</p>
<code>-s</code>	<p>When used with the <code>-l</code> option, displays only the mailbox name. No other data is displayed.</p>
<code>-t num</code>	<p>Lists the mailboxes that have not been accessed in a specified number of days (<i>num</i>). The <code>-t</code> option must be used with the <code>-o</code> option, which identifies orphaned mailboxes.</p> <p>Thus, the <code>-t</code> option identifies inactive mailboxes (based on last-accessed date) together with orphaned mailboxes (mailboxes that do not have corresponding user entries in the LDAP directory).</p> <p>To identify (list) the orphaned and inactive mailboxes, use <code>mboxutil -o -w file -t num</code>.</p> <p>To mark these orphaned and inactive mailboxes for deletion, use <code>mboxutil -d -f file</code>, where <i>file</i> is the same file as the one used in the preceding <code>-w file</code>.</p> <p>To use this feature, the config variable <code>local.enablelastaccess</code> must be enabled for at least the number of days specified with the <code>-t</code> option.</p>
<code>-u user</code>	<p>Obsolete. Used to list user information. Use <code>imquotacheck -u user</code></p>
<code>-w file</code>	<p>Used with the <code>-o</code> option. Writes to a file the mailbox names generated by the <code>-o</code> option (which identifies orphaned accounts).</p>
<code>-x</code>	<p>When used with the <code>-l</code> option, shows the path and access control for a mailbox.</p>

NOTE POSIX regular expressions can be used in the `mboxutil` command.

Mailbox Naming Conventions

You must specify mailbox names in the following format: `user/userid/mailbox`, where *userid* is the user that owns the mailbox and *mailbox* is the name of the mailbox. For hosted domains, *userid* is `uid@domain`.

For example, the following command creates the mailbox named `INBOX` for the user whose user ID is `crowe`. `INBOX` is the default mailbox for mail delivered to the user `crowe`.

```
mbxutil -c user/crowe/INBOX
```

Important: The name `INBOX` is reserved for each user's default mailbox. `INBOX` is the only folder name that is case-insensitive. All other folder names are case-sensitive.

Examples

To list all mailboxes for all users:

```
mbxutil -l
```

To list all mailboxes and also include path and ACL information:

```
mbxutil -l -x
```

To create the default mailbox named `INBOX` for the user `daphne`:

```
mbxutil -c user/daphne/INBOX
```

To delete a mail folder named `projx` for the user `delilah`:

```
mbxutil -d user/delilah/projx
```

To delete the default mailbox named `INBOX` and *all mail folders* for the user `druscilla`:

```
mbxutil -d user/druscilla/INBOX
```

To rename the mail folder `memos` to `memos-april` for the user `desdemona`:

```
mbxutil -r user/desdemona/memos user/desdemona/memos-april
```

To move the mail account for the user `dimitria` to a new partition:

```
mbxutil -r user/dimitria/INBOX user/dimitria/INBOX partition
```

where *partition* specifies the name of the new partition.

To move the mail folder named `personal` for the user `dimitria` to a new partition:

```
mbxutil -r user/dimitria/personal user/dimitria/personal partition
```

To Remove Orphan Accounts

To search for orphaned accounts (orphaned accounts are mailboxes that do not have corresponding entries in LDAP) use the following command:

```
mboxutil -o
```

Command output follows:

```
mboxutil: Start checking for orphaned mailboxes
user/annie/INBOX
user/oliver/INBOX
mboxutil: Found 2 orphaned mailbox(es)
mboxutil: Done checking for orphaned mailboxes
```

Use the following command to create a file listing orphaned mailboxes that can be turned into a script file that deletes the orphaned mailboxes (example filename is `orphans.cmd`):

```
mboxutil -o -w orphans.cmd
```

The command output is as follows:

```
mboxutil: Start checking for orphaned mailboxes
mboxutil: Found 2 orphaned mailbox(es)
mboxutil: Done checking for orphaned mailboxes
```

Delete the orphan files with the following command:

```
mboxutil -d -f orphans.cmd
```

The hashdir Utility

The mailboxes in the message store are stored in a hash structure for fast searching. Consequently, to find the directory that contains a particular user's mailbox, use the `hashdir` utility.

This utility identifies the directory that contains the message store for a particular account. This utility reports the relative path to the message store, such as `d1/a7/`. The path is relative to the directory level just before the one based on the user ID. The utility sends the path information to the standard output.

For example, to find the relative path to the mailbox for user `crowe`:

hashdir crowe

The readership Utility

The `readership` utility reports on how many users other than the mailbox owner have read messages in a shared IMAP folder.

An owner of a IMAP folder may grant permission for others to read mail in the folder. A folder that others are allowed to access is called a *shared folder*.

Administrators can use the `readership` utility to see how many users other than the owner are accessing a shared folder.

This utility scans all mailboxes and produces one line of output per shared folder, reporting the number of readers followed by a space and the name of the mailbox.

Each reader is a distinct authentication identity that has selected the shared folder within the past specified number of days. Users are not counted as reading their own personal mailboxes. Personal mailboxes are not reported unless there is at least one reader other than the folder's owner.

For example, the following command counts as a reader any identity that has selected the shared IMAP folder within the last 15 days:

```
readership -d 15
```

To Monitor Quota Limits

Monitor quota usage and limits by using `imquotacheck`, which generates a report listing defined quotas and limits, and provides information on quota usage. Quotas and usage figures are reported in kilobytes. This utility can also compare mailbox size with a user's assigned quota. As an option, you can email a notification to users who have exceeded a set percentage of their assigned quota.

NOTE Certain functions have changed in `imquotacheck`. (In Messaging Server 6.x, `imquotacheck` utility has superseded the `quotacheck` utility.) In Messaging Server 5.x, when you used the `quotacheck` utility to retrieve a list of users, `quotacheck` searched the local `mbxlist` database. This function duplicated the search function in the `mbxutil` utility.

In Messaging Server 6.x, this duplicate function was removed from the `imquotacheck` utility. If you perform a user search with `imquotacheck`, the search is performed against the LDAP directory, not the local `mbxlist` database. To retrieve a list of users from the local `mbxlist` database, use the `mbxutil` utility.

To list the usage of all users whose quota exceeds the least threshold in the rule file:

```
imquotacheck
```

List quota information for a the domain `siroe.com`:

```
imquotacheck -d siroe.com
```

To send a notification to all users in accordance to the default rule file:

```
imquotacheck -n
```

To send a notification to all users in accordance to a specified *rulefile*, *myrulefile*, and to a specified mail template file, *mytemplate.file* (for more information, refer to the *Sun Java System Messaging Server Administration Reference*):

```
imquotacheck -n -r myrulefile -t mytemplate.file
```

To list the usage of all users and (will ignore the rule file):

```
imquotacheck -i
```

To list per folder usages for users `user1` (will ignore the rule file):

```
imquotacheck -u user1 -e
```

To Monitor Disk Space

You can specify how often the system should monitor disk space and partition usage, and under what circumstances the system should send a warning. See [“Monitoring Disk Space” on page 804](#) for details.

Using the `stored` Utility

The `stored` utility performs the following monitoring and maintenance tasks for the server:

- Background and daily messaging tasks.
- Deadlock detection and rollback of deadlocked database transactions.
- Cleanup of temporary files on startup.
- Implementation of aging policies.
- Periodic monitoring of server state, disk space, service response times, and so on (see [“stored” on page 815](#)).
- Issuing of alarms if necessary.

- Database recovery as necessary (see [“Message Store Startup and Recovery” on page 629](#)).

The `stored` utility automatically performs cleanup and expiration operations once a day at 11 PM. You can choose to run additional cleanup and expiration operations.

Table 18-12 lists some of the `stored` options. Some common usage examples follow the table. For detailed syntax and usage requirements, see the *Messaging Server Reference Manual*.

Table 18-12 `stored` Options

Option	Description
-d	OBSOLETE. Use <code>start-msg store</code> to start up <code>stored</code> which will run as daemon, performing system checks and activating alarms, deadlock detection, and database repair.
-t	Checks the status of <code>stored</code> . The return code of this command indicates the status.
-v	Verbose output.
-v -v	More verbose output.

To print the status, enter:

```
stored -t -v
```

If you want to change the time of the automatic cleanup and expiration operations, use the `configutil` utility as follows:

```
configutil -o store.expirestart -v 21
```

Occasionally, you might need to restart the `stored` utility; for example, if the mailbox list database becomes corrupted. To restart `stored` on UNIX, use the following commands at the command line:

```
msg_svr_base/sbin/stop-msg store
msg_svr_base/sbin/start-msg store
```

If any server daemon crashes, you must stop all daemons and restart all daemons including `stored`.

Reducing Message Store Size Due to Duplicate Storage of Identical Messages

When a message is sent to multiple recipients, that message is placed in each recipient's mailbox. Some messaging systems store separate copies of the same message in each recipient's mailbox. By contrast, the Sun Java System Messaging Server strives to retain a single copy of a message regardless of the number of mailboxes in which that message resides. It does this by creating hard links to that message in the mailboxes containing that message.

When other messaging systems are migrated to the Sun Java Messaging Server, these multiple message copies may be copied over with the migration process. With a large message store, this means that a lot of messages are duplicated unnecessarily. In addition, multiple copies of the same message can be accumulated in normal server operation, for example, from IMAP `append` operations or other sources.


Messaging Server provides a new command called `relinker` that removes the excess message copies and replaces them with hard links to a single copy.

Relinker Theory of Operations

The relinking function can be run in the command or realtime mode. When the `relinker` command is run, it scans through the message store partitions, creates or updates the MD5 message digest repository (as hard links), deletes excess message files, and creates the necessary hard links.

The digest repository consists of hard links to the messages in the message store. It is stored in the directory hierarchy `partition_path/=md5`. This directory is parallel to the user mailbox hierarchy `partition_path/=user` (see [Figure 18-1 on page 554](#)). Messages in the digest repository are uniquely identified by their MD5 digest. For example, if the digest for `fredb/00/1.msg` is `4F92E5673E091B43415FFFA05D2E47`, then `partition/=user/hashdir/hashdir/=fredb/00/1.msg` is linked to `partition/=md5/hashdir/hashdir/4F92E5673E091B43415FFFA05D2E47EA.msg`. If another mailbox has this same message, for example, `partition_path/=user/hashdir/hashdir/gregk/00/17.msg`, that message will also be hard linked to `partition_path/=md5/4F/92/4F92E5673E091B43415FFFA05D2E47EA.msg`. This is shown in [Figure 18-5 on page 607](#).

Figure 18-5 Message Store Digest Repository



For this message, the link count will be three. If both messages are deleted from the mailboxes of fredb and gregk, then the link count will be one and the message can be purged.

The relinker process can also be run in the realtime mode for similar functionality. See [“Using Relinker in the Realtime Mode” on page 609](#) for details.

Using Relinker in the Command Line Mode

`relinker` scans through a message store partition, creates or updates the MD5 message repository (as hard links) and deletes excess message files. After `relinker` scans a store partition, it outputs statistics on the number of unique messages and size of the partition before and after relinking. To run more quickly on an already hashed store, `relinker` only computes the digest of the messages not yet present in `=md5`. It also has an option to erase the entire digest repository (which doesn't affect the user mailboxes).

The syntax for the command is as follows:

```
relinker [-p partitionname] [-d]
```

where *partitionname* specifies the partition to be processed (default: all partitions) and `-d` specifies that the digest repository be deleted. Sample output is shown below:

```
# relinker

Processing partition: primary
Scanning digest repository...
Processing user directories.....
-----
Partition statistics                Before      After
```

```

-----
Total messages                4531898      4531898
Unique messages              4327531      3847029
Message digests in repository      0      3847029
Space used                    99210Mb      90481Mb
Space savings from single-copy    3911Mb      12640Mb
-----

```

```
# relinker -d
```

```
Processing partition: primary
Purging digest repository...
```

```

-----
Partition statistics          Before      After
-----
Message digests in repository 3847029      0
-----

```

Relinker can take a long time to run, especially for the first time if there are no messages in the repository. This is because it has to calculate the digest for every message (if the `relinker` criteria is configured include all messages—see [“Configuring Relinker” on page 609](#) for information on configuring relinker criteria.) For example, it could take six hours to process a 100 Gigabyte message store. However, if run-time relinking is enabled (see [“Using Relinker in the Realtime Mode” on page 609](#)), it is not necessary to run the `relinker` command.

If the `relinker` command line mode is used exclusively, and not the run-time option, it is necessary to purge the digest repository (`=md5`), otherwise messages purged in the store (`=user`) will not become available disk space since they still have a link in the digest repository (they become orphaned). If you are just performing a one-time optimization of the store—for example after a migration—you can run `relinker` once, then delete the entire repository with `relinker -d`. For repeated purging—during migration—it is sufficient to just run the `relinker` command repeatedly, since each time it runs it also purges the expired or orphaned messages from the repository.

It is safe to run multiple instances of `relinker` in parallel with each processing a different partition (using the `-p` option). Messages are only relinked inside the same partition.

Using Relinker in the Realtime Mode

The relinker function can be enabled in the realtime mode by setting the `configutil` parameter `local.store.relinker.enabled` to `yes`. Using relinker in the realtime mode will compute the digest of every message delivered (or restored, IMAP appended, and so forth) which matches the configured relinker criteria (“[Configuring Relinker](#)” on page 609), then look in the repository to see if that digest is already present. If the digest is present, it creates a link to it in the destination mailbox instead of a creating new copy of the message. If there is no digest, it creates the message and adds a link to it in the repository afterwards.

`stored` scans the digest repositories of each partition and purges the messages having a link count of 1, or which don’t match the relinker criteria. The scan is done one directory at a time over a configurable time period. This is so that the I/O load is evenly distributed and doesn’t noticeably impact other server operations. By default the purge cycle is 24 hours, which means messages can still be present on the disk for up to 24 hours after they’ve been deleted from the store or have exceeded the configured maximum age. This task is enabled when the relinker realtime mode is enabled.

Configuring Relinker

[Table 18-13](#) shows the parameters used to set relinker criteria.

Table 18-13 `relinker configutil` Parameters

Parameter	Description
<code>local.store.relinker.enabled</code>	Enables real-time relinking of messages in the append code and <code>stored</code> purge. The <code>relinker</code> command-line tool may be run even if this option is off, however since <code>stored</code> will not purge the repository, <code>relinker -d</code> must be used for this task. Turning this option on affects message delivery performance in exchange for the disk space savings. Default: no
<code>local.store.relinker.maxage</code>	Maximum age in hours for messages to be kept in the repository, or considered by the relinker command-line. -1 means no age limit, that is, only purge orphaned messages from the repository. For <code>relinker</code> it means process existing messages regardless of age. Shorter values keep the repository smaller thus allow <code>relinker</code> or <code>stored</code> purge to run faster and reclaim disk space faster, while longer values allow duplicate message relinking over a longer period of time, for example, when users copy the same message to the store several days apart, or when running a migration over several days or weeks. Default: 24
<code>local.store.relinker.minsize</code>	Minimum size in kilobytes for messages to be considered by run-time or command-line relinker. Setting a non-zero value gives up the relinker benefits for smaller messages in exchange for a smaller repository. Default: 0

Table 18-13 `relinker configutil` Parameters

Parameter	Description
<code>local.store.relinker.purgecycle</code>	<p>Approximate duration in hours of an entire <code>stored</code> purge cycle. The actual duration depends on the time it takes to scan each directory in the repository. Smaller values will use more I/O and larger values will not reclaim disk space as fast. 0 means run purge continuously without any pause between directories. -1 means don't run purge in <code>stored</code> (then purge must be performed using the <code>relinker -d</code> command).</p> <p>Default: 24</p>

Backing Up and Restoring the Message Store

Message store backup and restore is one of the most common and important administrative tasks. It consists of backing up all the messages and folders on a message store. You must implement a backup and restore policy for your message store to ensure that data is not lost if problems such as the following occur:

- System crashes
- Hardware failure
- Accidental deletion of messages or mailboxes
- Problems when reinstalling or upgrading a system
- Natural disasters (for example, earthquakes, fire, hurricanes)
- Migrating users

You can do message store back up and restore using command-line utilities `imsbackup` and `imsrestore`, or the integrated solution that uses Legato Networker®. If your system is capable of instant

Messaging Server provides a single-copy backup procedure. Regardless of how many user folders contain a particular message, during backup, the message file is backed up only once using the first message file found. The second message copy is backed up as a link to the name of the first message file, and so on. `imsbackup` maintains a hash table of all messages using the device and inode of the message files as the index. This method does have implications when restoring data, however. For more information, see [“Considerations for Partial Restore” on page 616](#).

NOTE It is also possible to do message store backup and restore by backing up all the message files and directories. Refer to [“Message Store Disaster Backup and Recovery” on page 623](#).

This section contains the following subsections:

- [“Creating a Mailbox Backup Policy” on page 611](#)
- [“To Create Backup Groups” on page 612](#)
- [“Messaging Server Backup and Restore Utilities” on page 613](#)
- [“Considerations for Partial Restore” on page 616](#)
- [“To Restore Messages from a Mailbox that has Been Incrementally Backed-up” on page 617](#)
- [“To Use Legato Networker” on page 618](#)
- [“To Use a Third Party Backup Software \(Besides Legato\)” on page 622](#)
- [“Message Store Disaster Backup and Recovery” on page 623](#)
- [“Troubleshooting Backup and Restore Problems” on page 623](#)
- [“Message Store Disaster Backup and Recovery” on page 623](#)

Creating a Mailbox Backup Policy

Your backup policy will depend on several factors, such as:

- [Peak Business Loads](#)
- [Full and Incremental Backups](#)
- [Parallel or Serial Backups](#)

Peak Business Loads

You need to take into account peak business loads when scheduling backups for your system as this can reduce system load during peak hours. For example, backups are probably best scheduled for early morning hours such as 2:00 AM.

Full and Incremental Backups

Incremental backups (see [“Incremental Backup” on page 614](#)) will scan the store for changed data and back up only what has changed. Full backups will back up the entire message store. You need to determine how often the system should perform full as opposed to incremental backups. You’ll probably want to perform incremental backups as a daily maintenance procedure and full backups once a week.

Parallel or Serial Backups

When user data is stored on multiple disks, you can back up user groups in parallel if you wish. Depending on system resources, parallel backups can speed up the overall backup procedure. However, you might want to use serial backups if you want to reduce backup impact on the server's performance. Whether to use parallel or serial backups can depend on many factors, including system load, hardware configuration, how many tape drives are available, and so on.

To Create Backup Groups

A backup group is an arbitrary set of user mailboxes defined by regular expressions. By organizing user mailboxes into backup groups, you can define more flexible backup management.

For example, you could create three backup groups, the first containing user IDs starting with the letters A through L, the second with users whose user IDs begin with M-Z, and the third with users whose user IDs begin with a number. Administrators could use these backup groups to backup mailboxes in parallel, or perhaps only certain groups on one day and other groups on another.

There are several things to remember about backup groups:

1. These are arbitrary *virtual* groups of mail users. They do not precisely map to the message store directory ([Figure 18-1 on page 554](#)), although it may look like it.
2. They are defined by the administrator using UNIX regular expressions.
3. The regular expressions are defined in the configuration file `msg_svr_base/config/backup-groups.conf`
4. When backup groups are referenced in `imsbackup` and `imsrestore`, they use the path format: `/partition_name/backup_group`

The format of `backup-groups.conf` is as follows:

```
group_name=definition
group_name=definition
.
.
.
```

Using the example described in the paragraph above, the following definitions would be used to create the three backup groups:

```
groupA=[a-l].*
groupB=[m,-z].*
groupC=[0-9].*
```

You can now scope `imsbackup` and `imsrestore` at several levels. You can backup/restore the whole message store using the backup command:

```
imsbackup -f device /
```

To backup all mailboxes for all users in `groupA` use the following:

```
imsbackup -f device /partition/groupA
```

The default partition is called `primary`.

Pre-defined Backup Group

Messaging Server includes one predefined backup group that is available without creating the `backup-groups` configuration file. This group is called `user`; it includes all users. For example, the following will backup all users on the `primary` partition:

```
imsbackup -f backupfile /primary/user
```

Messaging Server Backup and Restore Utilities

To back up and restore your data, Messaging Server provides the `imsbackup` and `imsrestore` utilities. Note that the `imsbackup` and `imsrestore` utilities do not have the advanced features found in general purpose tools like Legato Networker. For example, the utilities have only very limited support for tape auto-changers, and they cannot write a single store to multiple concurrent devices. Comprehensive backup will be achieved via plug-ins to generalized tools like Legato Networker. For more information about using Legato Networker, see [“To Use Legato Networker” on page 618](#).

The `imsbackup` Utility

With `imsbackup`, you can write selected contents of the message store to any serial device, including magnetic tape, a UNIX pipe, or a plain file. The backup or selected parts of the backup may later be recovered by using the `imsrestore` utility. The output of `imsbackup` can be piped to `imsrestore`.

The following example backs up the entire message store to `/dev/rmt/0`:

```
imsbackup -f /dev/rmt/0 /
```

This backs up the mailboxes of user ID `joe` to `/dev/rmt/0`:

```
imsbackup -f /dev/rmt/0 /primary/user/joe
```

This example backs up all the mailboxes of all the users defined in the backup group `groupA` to `backupfile` (see [“To Create Backup Groups” on page 612](#)):

```
imsbackup -f- /primary/groupA > backupfile
```

Incremental Backup

The following example will back up messages stored from May 1, 2004 at 1:10 pm to the present. The default is to backup all the messages regardless of their dates:

```
imsbackup -d 20040501:13100
```

This command uses the default blocking factor of 20. For a complete syntax description of the `imsbackup` command, see the *Messaging Server Reference Manual*.

The `imsrestore` Utility

To restore messages from the backup device, use the `imsrestore` command. For example, the following command restores messages for `user1` from the file `backupfile`.

```
imsrestore -f backupfile /primary/user1
```

For a complete syntax description of the `imsbackup` command, see the *Messaging Server Reference Manual*.

Excluding Bulk Mail When You Perform Backups

When you perform a backup operation, you can specify mailboxes that will be excluded from being backed up. By excluding bulk or trash mailboxes that can accrue large numbers of unimportant messages, you can streamline the backup session, reduce the time to complete the operation, and minimize the disk space required to store the backup data.

To exclude mailboxes, specify a value for the `configutil` parameter `local.store.backup.exclude`.

You can specify a single mailbox or a list of mailboxes separated by the ‘%’ character. (‘%’ is an illegal character in a mailbox name.) For example, you could specify the following values:

```
Trash
```

```
Trash%Bulk Mail%Third Class Mail
```

In the first example, the folder `Trash` is excluded. In the second example, the folders `Trash`, `Bulk Mail`, and `Third Class Mail` are excluded.

The backup utility backs up all folders in a user mailbox except those folders specified in the `local.store.backup.exclude` parameter.

This feature works with the Messaging Server backup utility, Legato Networker, and third-party backup software.

You can override the `local.store.backup.exclude` setting and back up an excluded mailbox by specifying its full logical name during the operation. Suppose the `Trash` folder has been excluded. You can still back up `Trash` by specifying, for example:

```
/primary/user/user1/trash
```

However, if you specify

```
/primary/user/user1
```

the `Trash` folder is excluded.

Considerations for Partial Restore

A partial restore is when only a part of the message store is restored. A full restore is when the entire message store is restored. The message store uses a single-copy message system. That is, only a single copy of any message is saved in the store as a single file. Any other instances of that message (like when a message is sent to multiple mailboxes) are stored as links to that copy. Because of this, there are implications when restoring messages. For example:

- **Full Restore.** During a full restore, linked messages will still point to the same inode as the message file to which they are linked.
- **Partial Backup/Restore.** During a partial backup and partial restore, however, the single-copy characteristic of the message store might not be preserved.

The following examples demonstrate what happens to a message used by multiple users when a partial restore is performed. Assume there are three messages, all the same, belonging to three users A, B, and C, as follows:

```
A/INBOX/1
B/INBOX/1
C/INBOX/1
```

Example 1. In the first example, the system performs a partial backup and full restore procedure as follows:

1. Back up mailboxes for users B and C.
2. Delete mailboxes of users B and C.
3. Restore the backup data from step 1.

In this example, `B/INBOX/1` and `C/INBOX/1` are assigned a new inode number and the message data is written to a new place on the disk. Only one message is restored; the second message is a hard link to the first message.

Example 2. In this example, the system performs a full backup and a partial restore as follows:

1. Perform full backup.
2. Delete mailboxes for user A.
3. Restore mailboxes for user A.

`A/INBOX/1` is assigned a new inode number.

Example 3. In this example, partial restore might require more than one attempt:

1. Perform full backup.

`B/INBOX/1` and `C/INBOX/1` are backed up as links to `A/INBOX/1`.

2. Delete mailboxes for users A and B.
3. Restore mailboxes for user B.

The restore utilities ask the administrator to restore `A/INBOX` first.

4. Restore mailboxes for users A and B.
5. Delete mailboxes for user A (optional).

NOTE If you want to ensure that all messages are restored for a partial restore, you can run the `imsbackup` command with the `-i` option. The `-i` option backs up every message multiple times if necessary.

If the backup device is seekable (example: a drive or tape), `imsrestore` seeks to the position containing `A/INBOX/1` and restore it as `B/INBOX/1`. If the backup device is non-seekable example: a UNIX pipe), `imsrestore` logs the object ID and the ID of the depending (linked) object to a file, and the administrator must invoke `imsrestore` again with the `-r` option to restore the missing message references.

To Restore Messages from a Mailbox that has Been Incrementally Backed-up

If you are restoring messages from a mailbox that has been incrementally backed-up, and if that mailbox exists on the server on which you wish to restore the messages, then restoring the messages requires a straightforward `imesrestore`. However, if you wish to restore messages from a mailbox that has been incrementally backed-up, and if that mailbox no longer exists, you must follow different restore procedures.

Use one of the following procedures to restore messages to a mailbox that does not exist on the message store server:

- During the restore operation, disable delivery of messages to the user. Do this by setting the LDAP attribute `mailDeliveryOption` to `hold`.
- Before you use `imesrestore`, create the mailbox with the `mboxutil -c` command.

The reason why these instructions must be followed for restoring an incremental backup is as follows: When a mailbox has been deleted or is being migrated, the `imsrestore` utility recreates the mailbox with the mailbox unique identification validity and message unique identifications (UIDs) stored in the backup archive.

In the past, when `imsrestore` would recreate a deleted or migrated mailbox, it would assign a new UID validity to the mailbox and new UIDs to the messages. In that situation, a client with cached messages would have to resynchronize the mailbox UID validity and message UIDs. The client would have to download the new data again, increasing the workload on the server.

With the new `imsrestore` behavior, the client cache remains synchronized, and the restore process operates transparently with no negative impact on performance.

If a mailbox exists, `imsrestore` assigns new UIDs to the restored messages so that the new UIDs remain consistent with the UIDs already assigned to existing messages. To ensure UID consistency, `imsrestore` locks the mailbox during the restore operation. However, because `imsrestore` now uses the mailbox UID validity and message UIDs from the backup archive instead of assigning new UID values, UIDs could become inconsistent if you perform incremental backups and restores.

If you perform incremental backups with the `-d` date option of the `imsbackup` utility, you might have to invoke `imsrestore` multiple times to complete the restore operation. If incremental backups were performed, you must restore the latest full backup and all subsequent incremental backups.

New messages can be delivered to the mailbox between the restore operations, but in this case, the message UIDs can become inconsistent. To prevent inconsistency in the UIDs, you need to take one of the actions describe above.

To Use Legato Networker

Messaging Server includes a backup API that provides an interface with third-party backup tools, such as Legato Networker. The physical message store structure and data format are encapsulated within the backup API. The backup API interacts directly with the message store. It presents a logical view of the message store to the backup service. The backup service uses the conceptual representation of the message store to store and retrieve the backup objects.

Messaging Server provides an Application Specific Module (ASM) that can be invoked by the Legato Networker's `save` and `recover` commands to back up and restore the message store data. The ASM then invokes the Messaging Server `imsbackup` and `imsrestore` utilities.

NOTE This section provides information about how to use Legato Networker with the Messaging Server message store. To understand the Legato Networker interface, see your Legato documentation.

Backing Up Data Using Legato Networker

To perform backups of the Messaging Server message store using Legato Networker, you must perform the following preparatory steps before invoking the Legato interface:

1. Create a symbolic link from `/usr/lib/nsr/imsasm` to `msg_srv_base/lib/msg/imsasm`
2. From Sun or Legato, obtain a copy of the `nsrfile` binary and copy it to the following directory:

```
/usr/bin/nsr
```

Note that this is required only if you are using an older version of Networker (5.x). With Networker 6.0 and above, `nsrfile` is automatically installed under `/usr/bin/nsr`.

3. If you want to back up users by groups, perform the following steps:
 - a. Create a backup group file as described in [“To Create Backup Groups” on page 612](#).
 - b. To verify your configuration, run `mkbackupdir.sh`.

Look at the directory structure created by `mkbackupdir.sh`. The structure should look similar to that shown in [Table 18-4](#).

Note that if you do not specify a `backup-groups.conf` file, the backup process will use the default backup group `ALL` for all users.

4. In the directory `/nsr/res/`, create a `res` file for your save group to invoke the `mkbackupdir.sh` script before the backup. See [Table 18-4](#) for an example.

NOTE Earlier versions of Legato Networker have a limitation of 64 characters for the save set name. If the name of this directory plus the logical name of the mailbox (for example, `/primary/groupA/fred`) is greater than 64 characters, then you must run `mkbackupdir.sh -p`. Therefore, you should use a short path name for the `-p` option of `mkbackupdir.sh`. For example the following command will create the backup image under the directory `/backup`:

```
mkbackupdir.sh -p /backup
```

Important: The backup directory must be writable by the message store owner (example: `inetuser`).

[Figure 18-6](#) shows a sample backup groups directory structure.

Figure 18-6 Backup Group Directory Structure

```
/backup/primary/groupA/amy
                        /bob
                        /carly
/groupB/mary
                        /nancy
                        /zelda
/groupC/123go
                        /1bill
                        /354hut
```

The example below shows a sample `res` file named `IMS.res` in the `/nsr/res` directory:

```
type: savenpc;
precmd: "echo mkbackupdir started",
        "/usr/siroe/server5/msg-siroe/bin/mkbackupdir.sh -p /backup";
pstcmd: "echo imsbakup Completed";
timeout: "12:00 pm";
```

You are now ready to run the Legato Networker interface as follows:

1. Create the Messaging Server save group if necessary.
 - a. Run `nwadmin`.
 - b. Select **Customize | Group | Create**.
2. Create a backup client using `savepnpc` as the backup command:
 - a. Set the save set to the directory created by `mkbackupdir`.
 For a single session backup, use `/backup`
 For parallel backups, use `/backup/server/group`
 Be sure you've already created *group* as defined in [“To Create Backup Groups” on page 612](#).
 You must also set the parallelism to the number of backup sessions.
 See [“Example. Creating A Backup Client in Networker:” on page 621](#).
3. Select **Group Control | Start** to test your backup configuration.

Example. Creating A Backup Client in Networker:

To create a backup client in Networker. From `nwadmin`, select **Client | Client Setup | Create**:

```
Name: siroe
Group: IMS
Savesets: /backup/primary/groupA
          /backup/secondary/groupB
          /backup/tertiary/groupC
          .
          .
Backup Command: savepnpc
Parallelism: 4
```

Restoring Data Using Legato Networker

To recover data, you can use the Legato Networker `nwrecover` interface or the `recover` command-line utility. The following example recovers user `a1`'s INBOX:

```
recover -a -f -s siroe /backup/siroe/groupA/a1/INBOX
```

The next example recovers the entire message store:

```
recover -a -f -s siroe /backup/siroe
```

To Use a Third Party Backup Software (Besides Legato)

Messaging Server provides two message store backup solutions, the command line `imsbackup` and the Solstice Backup (Legato Networker). A large message store running a single `imsbackup` to backup the entire message store can take a significant amount of time. The Legato solution supports concurrent backup sessions on multiple backup devices. Concurrent backup can shorten backup time dramatically (backups of 25GB of data per hour have been achieved).

If you are using another third party concurrent backup software (for example, Netbackup), you may use the following method to integrate your backup software with the Messaging Server.

1. Divide your users into groups (see [“To Create Backup Groups” on page 612](#)) and create a `backup-groups.conf` file under the directory `msg_svr_base/config/`.

NOTE This backup solution requires additional disk space. To backup all the groups concurrently, the disk space requirement is 2 times the message store size. If you do not have that much disk space, divide your users into smaller groups, and then backup a set of groups at a time. For example `group1 - group5`, `group6 - group10`. Remove the group data files after backup.

2. Run `imsbackup` to backup each group into files under a staging area.

The command is `imsbackup -f <device> /<instance>/<group>`

You can run multiple `imsbackup` processes simultaneously. For example:

```
# imsbackup -f- /primary/groupA > /bkdata/groupA &
# imsbackup -f- /primary/groupB > /bkdata/groupB &
```

...

`imsbackup` does not support large files, if the backup data is larger than 2 GB, you need to use the `-f-` option to write the data to `stdout` and then pipe the output to a file.

3. Use your third party backup software to backup the group data files in the staging area (in our example that is `/bkdata`).

4. To restore a user, identify the group filename of the user, restore that file from tape, and then use `imsrestore` to restore the user from the data file.

Note that `imsrestore` does not support large files. If the data file is larger than 2GB. Use the following command:

```
# cat /bkdata/groupA | imsrestore -f- /primary/groupA/andy
```

Troubleshooting Backup and Restore Problems

This section describes common backup and restore problems and their solutions.

- **Problem:** When I do an restore of a folder or INBOX using `imsrestore` or `imsasm`, it appends all the messages in that folder onto the current folder. This results in multiple copies of the messages in that folder.
Solution: Make sure the `-i` flag of `imsrestore` is not set in the `imsasm` script.
- **Problem:** I want to do an incremental backup of just new messages added in a mail folder, but when I try, the entire folder gets backed up. How do I just back up the new messages?
Solution: Set the `-d datetime` flag on `imsbackup`. This will backup messages stored from the specified date and time to the present. The default is to backup all messages regardless of their dates.

Message Store Disaster Backup and Recovery

A disaster refers to a catastrophic failure of the entire message store. That is, a situation where all data on the message store servers are lost. A complete message store disaster restore will consist of restoring the following lost data:

- All message store data. These can be backed up using the procedures described in [“Backing Up and Restoring the Message Store” on page 610](#). If file system backup method is used, be sure to backup the following data:
 - All message store partitions
 - The message store database files at `msg_svr_base/data/store/mboxlist`.
- The message store database snapshots at `msg_svr_base/data/store/dbdata/snapshots` (note that the location of message store database snapshot files can be configured with the `configutil` parameter `local.store.snapshotpath`) (If file system backup is used, run `reconstruct -m` after these data are restored.)

- All configuration data. Including:
 - local configuration file at `msg_svr_base/data/config`
 - The Messaging Server configuration data in the LDAP Directory Server

Monitoring User Access

Messaging Server provides the command, `imsconnutil`, which allows you to monitor user's message store access via IMAP, POP and http. You can also determine the last log in and log out of users. This command works on a per message store basis and will not work across message stores.

NOTE Use of this function or other Messaging Server functions to monitor, read or otherwise access user's email may constitute a potential source of liability if used in violation of applicable laws or regulations or if used in violation of the customer's own policies or agreements.

This command requires root access by the system user (default: `inetuser`), and you must set the configuration variables `local.imap.enableuserlist`, `local.http.enableuserlist`, `local.enablelastaccess` to 1.

To list users currently logged on via IMAP or any web mail client, use the following command:

```
# imsconnutil -c
```

To list the last IMAP, POP, or Messenger Express access (log in and log out) of every user on the message store use:

```
# imsconnutil -a
```

The following command does two things: 1) it determines whether the specified user is currently logged on via IMAP or Messenger Express or any client that connects via `mshttp` (note that this does not work for POP because POP users generally do not stay connected), and 2) it lists the last time the users have logged on and off:

```
# imsconnutil -c -a -u user_ID
```

Note that a list of users can be input from a file, one user per line, using the following command:

```
# imsconnutil -c -a -f filename
```


You can also specify a particular service (`imap` or `http`) using the `-s` flag. For example, to list whether a particular user ID is logged onto IMAP or not, use the following command:

```
# imscnntutil -c -s imap -u user_ID
```

For a complete description of the `imscnntutil` syntax, refer to the *Sun Java System Messaging Server Administration Reference*.

Here is some example output:

```
$ ./imscnntutil -a -u soroork
UID IMAP last accessHTTP last accessPOP last access
=====
soroork 08/Jul/2003:10:49:0510/Jul/2003:14:55:52----NOT-RECORDED----
```

```
$ ./imscnntutil -c
IMAP
UID      TIME                AUTH                TO                FROM
=====
```

UID	TIME	AUTH	TO	FROM
ed	17/Jun/2003:11:24:03	plain	172.58.73.45:193	129.157.12.73:2631
bill	17/Jun/2003:04:28:43	plain	172.58.73.45:193	129.158.16.34:2340
mia	17/Jun/2003:09:36:54	plain	172.58.73.45:193	192.18.184.103:3744
jay	17/Jun/2003:05:38:46	plain	172.58.73.45:193	129.159.18.123:3687
paul	17/Jun/2003:12:23:28	plaintext	172.58.73.45:193	192.18.194.83:2943
tony	17/Jun/2003:05:38:46	plain	172.58.73.45:193	129.152.18.123:3688
anil	17/Jun/2003:12:26:40	plaintext	172.58.73.45:193	192.18.164.17:1767
anil	17/Jun/2003:12:25:17	plaintext	172.58.73.45:193	129.150.17.34:3117
jack	17/Jun/2003:12:26:32	plaintext	172.58.73.45:193	129.150.17.34:3119
toni	17/Jun/2003:12:25:32	plaintext	172.58.73.45:193	192.18.148.17:1764

```
=====
10 users were logged in to imap.
Feature is not enabled for http.
-----
```

Troubleshooting the Message Store

This section provides guidelines for actively maintaining your message store. In addition, this section describes other message store recovery procedures you can use if the message store becomes corrupted or unexpectedly shuts down. Note that the section on these additional message store recovery procedures is an extension of [“Repairing Mailboxes and the Mailboxes Database” on page 632](#).

Prior to reading this section, it is strongly recommended that you review this chapter as well as the command-line utility and `configutil` chapters in the *Sun Java System Messaging Server Administration Reference*. Topics covered in this section include:

- [“Standard Message Store Monitoring Procedures” on page 626](#)
- [“Common Problems and Solutions” on page 637](#)
- [“Message Store Startup and Recovery” on page 629](#)
- [“Repairing Mailboxes and the Mailboxes Database” on page 632](#)

Standard Message Store Monitoring Procedures

This section outlines standard monitoring procedures for the message store. These procedures are helpful for general message store checks, testing, and standard maintenance.

For additional information, see [“Monitoring the Message Store” on page 813](#).

Check Hardware Space

A message store should have enough additional disk space and hardware resources. When the message store is near the maximum limit of disk space and hardware space, problems might occur within the message store.

Inadequate disk space is one of the most common causes of the mail server problems and failure. Without space to write to the message store, the mail server will fail. In addition, when the available disk space goes below a certain threshold, there will be problems related to message delivery, logging, and so forth. Disk space can be rapidly depleted when the clean up function of the `stored` process fails and deleted messages are not expunged from the message store.

For information on monitoring disk space, see [“To Monitor Disk Space” on page 604](#) and [“Monitoring the Message Store” on page 813](#).

Check Log Files

Check the log files to make sure the message store processes are running as configured. Messaging Server creates a separate set of log files for each of the major protocols, or services, it supports: SMTP, IMAP, POP, and HTTP. You can look at the log files through the Console or in directory `msg_svr_base/log/`. You should monitor the log files on a routine basis.

Be aware that logging can impact server performance. The more verbose the logging you specify, the more disk space your log files will occupy for a given amount of time. You should define effective but realistic log rotation, expiration, and backup policies for your server. For information about defining logging policies for your server, see [Chapter 21, “Managing Logging”](#).

Check User IMAP/POP Session

Messaging Server provides a feature called telemetry that can capture a user’s entire IMAP or POP session into a file. This feature is useful for debugging client problems. For example, if a user complains that their message access client is not working as expected, this feature can be used to trace the interaction between the access client and Messaging Server.

To capture a session, simply create the following directory:

```
msg_svr_base/data/telemetry/pop_or_imap/userid
```

Messaging Server will create one file per session in that directory. Example output is shown below.

```
LOGIN redb 2003/11/26 13:03:21
>0.017>1 OK User logged in
<0.047<2 XSERVERINFO MANAGEACCOUNTURL MANAGELISTSURL MANAGEFILTERSURL
>0.003>* XSERVERINFO MANAGEACCOUNTURL {67}
http://redb@cuisine.blue.planet.com:800/bin/user/admin/bin/enduser
MANAGELISTSURL NIL MANAGEFILTERSURL NIL
2 OK Completed
<0.046<3 select "INBOX"
>0.236>* FLAGS (\Answered flagged $raft $eleted \Seen $MDNSent Junk)
* OK [PERMANENTFLAGS (\Answered flagged $raft $eleted \Seen $MDNSent Junk *)]
* 1538 EXISTS
* 0 RECENT
* OK [UNSEEN 23]
* OK [UIDVALIDITY 1046219200]
* OK [UIDNEXT 1968]
3 OK [READ-WRITE] Completed
<0.045<4 UID fetch 1:* (FLAGS)
>0.117>* 1 FETCH (FLAGS (\Seen) UID 330)
* 2 FETCH (FLAGS (\Seen) UID 331)
* 3 FETCH (FLAGS (\Seen) UID 332)
* 4 FETCH (FLAGS (\Seen) UID 333)
* 5 FETCH (FLAGS (\Seen) UID 334)
<etc>
```

Check stored Processes

The `stored` function performs a variety of important tasks such as deadlock and transaction operations of the message database, enforcing aging policies, and expunging and erasing messages stored on disk. If `stored` stops running, Messaging Server will eventually run into problems. If `stored` doesn't start when `start-msg` is run, no other processes will start.

- Check that the `stored` process is running. Run `stored -t -v`
- Check for the log file build up in `store_root/mboxlist`.
- Check for `stored` messages in the default log file
`msg_svr_base/log/default/default`
- Check that the time stamps of the following files (in directory `msg_svr_base/config/`) are updated whenever one of the following functions are attempted by the `stored` process:

Table 18-14 `stored` Operations

stored Operation	Function
<code>stored.ckp</code>	Touched when a database checkpoint was initiated. Stamped approximately every 1 minute.
<code>stored.lcu</code>	Touched at every database log cleanup. Time stamped approximately every 5 minutes.
<code>stored.per</code>	Touched at every spawn of peruser db write out. Time stamped once an hour.

For more information on the `stored` process, see [“Using the stored Utility” on page 604](#) and the `stored` utility in the Messaging Server Command-line Utilities chapter of the *Messaging Server Reference Manual*.

For additional information on monitoring the `stored` function, see [“Monitoring the Message Store” on page 813](#).

Check Database Log Files

Database log files refer to sleepycat transaction checkpointing log files (in directory `store_root/mboxlist`). If log files accumulate, then database checkpointing is not occurring. In general, there are two or three database log files during a single period of time. If there are more files, it could be a sign of a problem.

Check User Folders

If you want to check the user folders, you might run the command `reconstruct -r -n` (recursive no fix) which will review any user folder and report errors. For more information on the `reconstruct` command, see [“Repairing Mailboxes and the Mailboxes Database” on page 632](#).

Check for Core Files

Core files only exist when processes have unexpectedly terminated. It is important to review these files, particularly when you see a problem in the message store. On Solaris, use `coreadm` to configure `core` file location.

Message Store Startup and Recovery

Message store data consists of the messages, index data, and the message store database. While this data is fairly robust, on rare occasions there may be message store data problems in the system. These problems will be indicated in the default log file, and almost always will be fixed transparently. In rare cases an error message in the log file may indicate that you need to run the `reconstruct` utility. In addition, as a last resort, messages are protected by the backup and restore processes described in [“Backing Up and Restoring the Message Store” on page 610](#). This section will focus on the automatic startup and recovery process of `stored`.

The message store automates many recovery operations which were previously the responsibility of the administrator. These operations are performed by message store daemon `stored` during startup and include database snapshots and automatic fast recovery as necessary. `stored` thoroughly checks the message store’s database and automatically initiates repairs if it detects a problem.

`stored` also provides a comprehensive analysis of the state of the database via status messages to the default log, reporting on repairs done to the message store and automatic attempts to bring it into operation.

Automatic Startup and Recovery—Theory of Operations

The `stored` daemon starts before the other message store processes. It initializes and, if necessary, recovers the message store database. The message store database keeps folder, quota, subscription, and message flag information. The database is logging and transactional, so recovery is already built in. In addition, some database information is copied redundantly in the message index area for each folder.

Although the database is fairly robust, on the rare occasions that it breaks, in most cases `stored` recovers and repairs it transparently. However, whenever `stored` is restarted, you should check the default log files to make sure that additional administrative intervention is not required. Status messages in the log file will tell you to run `reconstruct` if the database requires further rebuilding.

Before opening the message store database, `stored` analyzes its integrity and sends status messages to the default log under the category of *warning*. Some messages will be useful to administrators and some messages will consist of coded data to be used for internal analysis. If `stored` detects any problems, it will attempt to fix the database and try starting it again.

When the database is opened, `stored` will signal that the rest of the services may start. If the automatic fixes failed, messages in the default log will specify what actions to take. See [“Error Messages Signifying that `reconstruct -m` is Needed” on page 630](#) for details.

In previous releases, `stored` could start a recovery process which would take a very long time leaving the administrator wondering if `stored` was “stuck.” This type of long recovery has been removed and `stored` should determine a final state in less than a minute. However, if `stored` needs to employ recovery techniques such as recovering from a snapshot, the process may take a few minutes.

After most recoveries, the database will usually be up-to-date and nothing else will be required. However, some recoveries will require a `reconstruct -m` in order to synchronize redundant data in the message store. Again, this will be stated in the default log, so it is important to monitor the default log after a startup. Even though the message store will seem to be up and running normally, it is important to run any requested operations such as `reconstruct`.

Another reason for reading the log file is to determine what caused damage to the database in the first place. Although `stored` is designed to bring up the message store regardless of any problem on the system, you will still want to try to ascertain cause of the database damage as this may be a sign of a larger hidden problem.

Error Messages Signifying that `reconstruct -m` is Needed

This section describes the type of error messages that require `reconstruct -m` to be run.

When the error message indicates mailbox error, run `reconstruct <mailbox>`.

Example:

```
"Invalid cache data for msg 102 in mailbox user/joe/INBOX. Needs reconstruct"
"Mailbox corrupted, missing fixed headers: user/joe/INBOX"
"Mailbox corrupted, start_offset beyond EOF: user/joe/INBOX"
```

When the error message indicates a database error, run `reconstruct -m`. Example:

```
"Removing extra database logs. Run reconstruct -m soon after startup to resync
redundant data"
```

```
"Recovering database from snapshot. Run reconstruct -m soon after startup to
resync redundant data"
```

Database Snapshots

A snapshot is a hot backup of the database and is used by `stored` to restore a broken database transparently in couple minutes. This is much quicker than using `reconstruct`, which relies on the redundant information stored in other areas.

Message Store Database Snapshot—Theory of Operations

Snapshots of the database, located in the `mboxlist` directory, are taken automatically, by default, once every 24 hours. Snapshots are copied by default into a subdirectory of the `store` directory. By default, there are five snapshots kept at any given time: one live database, three snapshots, and one database/removed copy. The database/removed copy is newer and is an emergency copy of the database which is thrown into a subdirectory `removed` of the `mboxlist` database directory.

If the recovery process decides to remove the current database because it is determined to be bad, `stored` will move it into the `removed` directory if it can. This allows the database to be analyzed if desired.

The data move will only happen once a week. If there is already a copy of the database there, `stored` will not replace it every time the store comes up. It will only replace it if the data in the `removed` directory is older than a week. This is to prevent the original database which had the problem of being replaced too soon by successive startups.

To Specify Message Store Database Snapshot Interval and Location

There should be five times as much space for the database and snapshots combined. It is highly recommended that the administrator reconfigure snapshots to run on a separate disk, and that it is tuned to the system's needs.

If `stored` detects a problem with the database on startup, the best snapshot will automatically be recovered. Three snapshot variables can set the following parameters: the location of the snapshot file, the interval for taking snapshots, number of snapshots saved. These `configutil` parameters are shown in [Table 18-15](#).

Having a snapshot interval which is too small will result in a frequent burden to the system and a greater chance that a problem in the database will be copied as a snapshot. Having a snapshot interval too large can create a situation where the database will hold the state it had back when the snapshot was taken.

A snapshot interval of a day is recommended and a week or more of snapshots can be useful if a problem remains on the system for a number of days and you wish to go back to a period prior to point at which the problem existed.

`stored` monitors the database and is intelligent enough to refuse the latest snapshot if it suspects the database is not perfect. It will instead retrieve the latest most reliable snapshot. Despite the fact that a snapshot may be retrieved from a day ago, the system will use more up to date redundant data and override the older snapshot data, if available.

Thus, the ultimate role the snapshot plays is to get the system as close to up-to-date and ease the burden of the rest of the system trying to rebuild the data on the fly.

Table 18-15 Message Store Database Snapshot Parameters

Parameter	Description
<code>local.store.snapshotpath</code>	Location of message store database snapshot files. Either existing absolute path or path relative to the <code>store</code> directory. Default: <code>dbdata/snapshots</code>
<code>local.store.snapshotinterval</code>	Minutes between snapshots. Valid values: 1 - 46080 Default: 1440 (1440 minutes = 1 day)
<code>local.store.snapshotdirs</code>	Number of different snapshots kept. Valid values: 2 -367 Default: 3

Repairing Mailboxes and the Mailboxes Database

If one or more mailboxes become corrupt, you can use the `reconstruct` utility to rebuild the mailboxes or the mailbox database and repair any inconsistencies.

The `reconstruct` utility rebuilds one or more mailboxes, or the master mailbox file, and repairs any inconsistencies. You can use this utility to recover from almost any form of data corruption in the mail store. See “[Error Messages Signifying that reconstruct -m is Needed](#)” on page 630.

NOTE Note that low-level database repair, such as completing transactions and rolling back incomplete transactions is performed by automatically on startup.

Table 18-16 lists the `reconstruct` options. For detailed syntax and usage requirements, see the *Sun Java System Messaging Server Administration Reference* (<http://docs.sun.com/doc/819-0106>).

Table 18-16 `reconstruct` Options

Option	Description
-e	Removes the <code>store.exp</code> file before reconstructing. This eliminates any internal store record of removed messages which have not been cleaned out by the store process. It would also be useful to use the <code>-f</code> option when using <code>-i</code> or <code>-e</code> , because these options only work if the folder is actually reconstructed. Similarly, if you use the <code>-n</code> option (which performs a check, not a reconstruction), the <code>-i</code> and <code>-e</code> options do not work. Running a <code>reconstruct -e</code> will not recover removed messages if <code>reconstruct</code> does not detect damage. An <code>-f</code> will force the reconstruct.
-i	Sets the <code>store.idx</code> file length to zero before reconstructing. It would also be useful to use the <code>-f</code> option when using <code>-i</code> or <code>-e</code> , because these options only work if the folder is actually reconstructed. Similarly, if you use the <code>-n</code> option (which performs a check, not a reconstruction), the <code>-i</code> and <code>-e</code> options do not work.
-f	Forces <code>reconstruct</code> to perform a fix on the mailbox or mailboxes.
-l	Reconstruct <code>lright.db</code> .
-m	Performs a consistency check and, if needed, repairs the mailboxes database. This option examines every mailbox it finds in the spool area, adding or removing entries from the mailbox's database as appropriate. The utility prints a message to the standard output file whenever it adds or removes an entry from the database. Specifically it fixes <code>folder.db</code> , <code>quota.db</code> , and <code>lright.db</code> .
-n	Checks the message store only, without performing a fix on the mailbox or mailboxes. The <code>-n</code> option cannot be used by itself unless a mailbox name is provided. When a mailbox name is not provided, the <code>-n</code> option must be used with the <code>-r</code> option. The <code>-r</code> option may be combined with the <code>-p</code> option. For example, any of the following commands are valid: <pre>reconstruct -n user/dulcinea/INBOX reconstruct -n -r reconstruct -n -r -p primary reconstruct -n -r user/dulcinea/</pre>

Table 18-16 `reconstruct` Options

Option	Description
<code>-o</code>	Obsolete, see <code>mboxutil -o</code>
<code>-o -d filename</code>	Obsolete, see <code>mboxutil -o</code>
<code>-p partition</code>	<p>The <code>-p</code> option is used with the <code>-m</code> option and limits the scope of the reconstruction to the specified partition. If the <code>-p</code> option is not specified, <code>reconstruct</code> defaults to all partitions. Specifically it fixes <code>folder.db</code> and <code>quota.db</code>, but not <code>lright.db</code>. This is because fixing the <code>lright.db</code> requires scanning the acls for every user in the message store. Performing this for every partition is not very efficient. To fix <code>lright.db</code> run <code>reconstruct -l</code>.</p> <p>Specify a partition name; do not use a full path name.</p>
<code>-q</code>	Fixes any inconsistencies in the quota subsystem, such as mailboxes with the wrong quota root or quota roots with the wrong quota usage reported. The <code>-q</code> option can be run while other server processes are running.
<code>-r [mailbox]</code>	Repairs and performs a consistency check of the partition area of the specified mailbox or mailboxes. The <code>-r</code> option also repairs all sub-mailboxes within the specified mailbox. If you specify <code>-r</code> with no mailbox argument, the utility repairs the spool areas of all mailboxes within the user partition directory.
<code>-u user</code>	<p>The <code>-u</code> option is used with the <code>-m</code> option and limits the scope of the reconstruction to the specified user. The <code>-u</code> option must be used with the <code>-p</code> option. If the <code>-u</code> option is not specified, <code>reconstruct</code> defaults to all partitions or to the partition specified with the <code>-p</code> option.</p> <p>Specify a user name; do not use a full path name.</p>

To Rebuild Mailboxes

To rebuild mailboxes, use the `-r` option. You should use this option when:

- Accessing a mailbox returns one of the following errors: “System I/O error” or “Mailbox has an invalid format”.
- Accessing a mailbox causes the server to crash.
- Files have been added to or removed from the spool directory.

`reconstruct -r` first runs a consistency check. It reports any consistencies and rebuilds only if it detects any problems. Consequently, performance of the `reconstruct` utility is improved with this release.

You can use `reconstruct` as described in the following examples:

To rebuild the spool area for the mailboxes belonging to the user `daphne`, use the following command:

```
reconstruct -r user/daphne
```

To rebuild the spool area for all mailboxes listed in the mailbox database:

```
reconstruct -r
```

You must use this option with caution, however, because rebuilding the spool area for all mailboxes listed in the mailbox database can take a very long time for large message stores. (See “[reconstruct Performance](#)” on page 636.) A better method for failure recovery might be to use multiple disks for the store. If one disk goes down, the entire store does not. If a disk becomes corrupt, you need only rebuild a portion of the store by using the `-p` option as follows:

```
reconstruct -r -p subpartition
```

To rebuild mailboxes listed in the command-line argument only if they are in the primary partition:

```
reconstruct -p primary mbox1 mbox2 mbox3
```

If you do need to rebuild all mailboxes in the primary partition:

```
reconstruct -r -p primary
```

If you want to force reconstruct to rebuild a folder without performing a consistency check, use the `-f` option. For example, the following command forces a reconstruct of the user folder `daphne`:

```
reconstruct -f -r user/daphne
```

To check all mailboxes without fixing them, use the `-n` option as follows:

```
reconstruct -r -n
```

Checking and Repairing Mailboxes

To perform a high-level consistency check and repair of the mailboxes database:

```
reconstruct -m
```

To perform a consistency check and repair of the primary partition:

```
reconstruct -p primary -m
```

NOTE Running `reconstruct` with the `-p` and `-m` flags together will not fix `lright.db`. This is because fixing the `lright.db` requires scanning the ACLs for every user in the message store. Performing this for every partition is not very efficient. To fix the `lright.db` run `reconstruct -l`

To perform a consistency check and repair of an individual user’s mailbox named `john`:

```
reconstruct -p primary -u john -m
```

You should use the `-m` option when:

- One or more directories were removed from the store spool area, so the mailbox database entries also need to be removed.
- One or more directories were restored to the store spool area, so the mailbox database entries also need to be added.
- The `stored -d` option is unable to make the database consistent.

If the `stored -d` option is unable to make the database consistent, you should perform the following steps in the order indicated:

- Shut down all servers.
- Remove all files in `store_root/mboxlist`.
- Restart the server processes.
- Run `reconstruct -m` to build a new mailboxes database from the contents of the spool area.

reconstruct Performance

The time it takes `reconstruct` to perform an operation depends on the following factors:

- The kind of operation being performed and the options chosen
- Disk performance
- The number of folders when running `reconstruct -m`
- The number of messages when running `reconstruct -r`
- The overall size of the message store
- What other processes the system is running and how busy the system is
- Whether or not there is ongoing POP, IMAP, HTTP, or SMTP activity

The `reconstruct -r` option performs an initial consistency check; this check improves `reconstruct` performance depending on how many folders must be rebuilt.

The following performance was found with a system with approximately 2400 users, a message store of 85GB, and concurrent POP, IMAP, or SMTP activity on the server:

- `reconstruct -m` took about 1 hour

- `reconstruct -r -f` took about 18 hours

NOTE A `reconstruct` operation may take significantly less time if the server is not performing ongoing POP, IMAP, HTTP, or SMTP activity.

Common Problems and Solutions

This section lists common message store problems and solutions:

- [“Messenger Express or Communications Express Not Loading Mail Page” on page 637](#)
- [“Command Using Wildcard Pattern Doesn’t Work” on page 637](#)
- [“Unknown/invalid Partition” on page 638](#)
- [“User Mailbox Directory Problems” on page 638](#)

Messenger Express or Communications Express Not Loading Mail Page

If the user cannot load any Messenger Express pages or Communications Express mail page, the problem may be that the data is getting corrupted after compression. This can sometimes happen if the system has deployed an outdated proxy server. To solve this problem, try setting `local.service.http.gzip.static` and `local.service.http.gzip.dynamic` to 0 to disable data compression. If this solves the problem, you may want to update the proxy server.

Command Using Wildcard Pattern Doesn’t Work

Some UNIX shells may require quotes around wildcard parameters and some will not. For example, the C shell tries to expand arguments containing wild cards (*, ?) as files and will fail if no match is found. These pattern matching arguments may need to be enclosed in quotes to be passed to commands like `mboxutil`.

For example:

```
mboxutil -l -p user/usr44*
```

will work in the Bourne shell, but will fail with `tsch` and the C shell. These shells would require the following:

```
mboxutil -l -p "user/usr44"
```

If a command using a wildcard pattern doesn’t work, verify whether or not you need to use quotes around wildcards for that shell.

Unknown/invalid Partition

A user can get the message “Unknown/invalid partition” in Messenger Express if their mailbox was moved to a new partition which was just created and Messaging Server was not refreshed or restarted. This problem only occurs on new partitions. If you now add additional user mailboxes to this new partition, you will not have to do a refresh/restart of Messaging Server.

User Mailbox Directory Problems

A user mailbox problem exists when the damage to the message store is limited to a small number of users and there is no global damage to the system. The following guidelines suggest a process for identifying, analyzing, and resolving a user mailbox directory problem:

1. Review the log files, the error messages, or any unusual behavior that the user observes.
2. To keep debugging information and history, copy the entire `store_root/mboxlist/` user directory to another location outside the message store.
3. To find the user folder that might be causing the problem, run the command `reconstruct -r -n`. If you are unable to find the folder using `reconstruct`, the folder might not exist in the `folder.db`.

If you are unable to find the folder using the `reconstruct -r -n` command, use the `hashdir` command to determine the location. For more information on `hashdir`, see “[The hashdir Utility](#)” on page 602 and the `hashdir` utility in the Messaging Server Command-line Utilities chapter of the *Messaging Server Reference Manual*.

4. Once you find the folder, examine the files, check permissions, and verify the proper file sizes.
5. Use `reconstruct -r` (without the `-n` option) to rebuild the mailbox.
6. If `reconstruct` does not detect a problem that you observe, you can force the reconstruction of your mail folders by using the `reconstruct -r -f` command.
7. If the folder does not exist in the `mboxlist` directory (`store_root/mboxlist`), but exists in the `partition` directory (`store_root/partition`), there might be a global inconsistency. In this case, you should run the `reconstruct -m` command.

8. If the previous steps do not work, you can remove the `store.idx` file and run the `reconstruct` command again.

CAUTION You should only remove the `store.idx` file if you are sure there is a problem in the file that the `reconstruct` command is unable to find.

9. If the issue is limited to a problematic message, you should copy the message file to another location outside of the message store and run the command `reconstruct -r` on the `mailbox/` directory.
10. If you determine the folder exists on the disk (`store_root/partition/` directory), but is apparently not in the database (`store_root/mbolist/` directory), run the command `reconstruct -m` to ensure message store consistency.

For more information on the `reconstruct` command, see [“Repairing Mailboxes and the Mailboxes Database”](#) on page 632.

Store Daemon Not Starting

If `stored` won't start with the following error message:

```
# msg_svr_base/sbin/start-msg
```

```
msg_svr_base: Starting STORE daemon ...Fatal error: Cannot find group in name
service
```

This indicates that the UNIX group configured in `local.servergid` cannot be found. `Stored` and others need to set their `gid` to that group. Sometimes the group defined by `local.servergid` gets inadvertently deleted. In this case, create the deleted group, add `inetuser` to the group, change ownership of the `instance_root` and its files to `inetuser` and the group.

Configuring Security and Access Control

Messaging Server supports a full range of flexible security features that allow you to keep messages from being intercepted, prevent intruders from impersonating your users or administrators, and permit only specific people access to specific parts of your messaging system.

The Messaging Server security architecture is part of the security architecture of Sun Java System servers as a whole. It is built on industry standards and public protocols for maximum interoperability and consistency. To implement Messaging Server security policies, therefore, you will need not only this chapter but several other documents as well. In particular, information in *Sun ONE Server Console 5.2 Server Management Guide* is required for setting up Messaging Server security.

This chapter contains the following sections:

- [“About Server Security” on page 642](#)
- [“About HTTP Security” on page 643](#)
- [“Configuring Authentication Mechanisms” on page 644](#)
- [“User Password Login” on page 647](#)
- [“Configuring Encryption and Certificate-Based Authentication” on page 649](#)
- [“Configuring Administrator Access to Messaging Server” on page 661](#)
- [“Configuring Client Access to POP, IMAP, and HTTP Services” on page 664](#)
- [“Enabling POP Before SMTP” on page 675](#)
- [“Configuring Client Access to SMTP Services” on page 679](#)

About Server Security

Server security encompasses a broad set of topics. In most enterprises, ensuring that only authorized people have access to the servers, that passwords or identities are not compromised, that people do not misrepresent themselves as others when communicating, and that communications can be held confidential when necessary are all important requirements for a messaging system.

Perhaps because the security of server communication can be compromised in many ways, there are many approaches to enhancing it. This chapter focuses on setting up encryption, authentication, and access control. It discusses the following security-related Messaging Server topics:

- **User ID and password login:** requiring users to enter their user IDs and passwords to log in to IMAP, POP, HTTP, or SMTP, and the use of SMTP password login to transmit sender authentication to message recipients.
- **Encryption and authentication:** setting up your server to use the TLS and SSL protocols to encrypt communication and authenticate clients.
- **Administrator access control:** using the access-control facilities of the Console to delegate access to a Messaging Server and some of its individual tasks.
- **TCP client access control:** using filtering techniques to control which clients can connect to your server's POP, IMAP, HTTP, and authenticated SMTP services.

Not all security and access issues related to Messaging Server are treated in this chapter. Security topics that are discussed elsewhere include the following:

- **Physical security:** Without provisions for keeping server machines physically secure, software security can be meaningless.
- **Message-store access:** You can define a set of message-store administrators for the Messaging Server. These administrators can view and monitor mailboxes and can control access to them. For details, see [Chapter 18, "Managing the Message Store"](#).
- **End-user account configuration:** End-user account information can be primarily maintained by using the Delegated Administrator product (valid only for Sun LDAP Schema 1). You can also manage end-user accounts by using the Console interface.
- **Filtering unsolicited bulk email (UBE):** See [Chapter 17, "Mail Filtering and Access Control"](#).

There are a large number of documents that cover a variety of security topics. For additional background on the topics mentioned here and for other security-related information, see documentation web site at <http://docs.sun.com>.

About HTTP Security

Messaging Server supports user ID/password authentication, client certificate authentication, and Access Manager. There are some differences, however, in how the protocols handle network connections between client and server.

When a POP, IMAP, or SMTP client logs in to Messaging Server, a connection is made and a session is established. The connection lasts for the duration of the session; that is, from login to logout. When establishing a new connection, the client must reauthenticate to the server.

When an HTTP client logs in to Messaging Server, the server provides a unique session ID to the client. The client uses the session ID to establish multiple connections during a session. The HTTP client need not reauthenticate for each connection; the client need only reauthenticate if the session is dropped and the client wants to establish a new session. (If an HTTP session remains idle for a specified time period, the server will automatically drop the HTTP session and the client is logged out; the default time period is 2 hours.)

The following techniques are used to improve the security of HTTP sessions:

- The session IDs are bound to a specific IP address.
- Each session ID has a timeout value associated with it; if the session ID is not used for a specified time period, the session ID becomes invalid.
- The server keeps a database of all open session IDs, so a client cannot forge an ID.
- The session ID is stored in the URL, but not in any cookie files.

For information about specifying configuration parameters for improved connection performance, see [Chapter 5, “Configuring POP, IMAP, and HTTP Services”](#).

For information on Access Manager see [Chapter 6, “Enabling Single Sign-On \(SSO\)”](#) on page 141.

Configuring Authentication Mechanisms

An authentication mechanism is a particular method for a client to prove its identity to a server. Messaging Server supports authentication methods defined by the Simple Authentication and Security Layer (SASL) protocol and it supports certificate-based authentication. The SASL mechanisms are described in this section. For more information about certificate-based authentication, see [“Configuring Encryption and Certificate-Based Authentication” on page 649](#).

Messaging Server supports the following SASL authentication methods for password-based authentication.

- **PLAIN** - This mechanism passes the user’s plaintext password over the network, where it is susceptible to eavesdropping.

Note that SSL can be used to alleviate the eavesdropping problem. For more information, see [“Configuring Encryption and Certificate-Based Authentication” on page 649](#).

- **DIGEST-MD5** - A challenge/response authentication mechanism defined in RFC 2831. (DIGEST-MD5 is not yet supported by Messaging Multiplexor.)
- **CRAM-MD5** - A challenge/response authentication mechanism similar to APOP, but suitable for use with other protocols as well. Defined in RFC 2195.
- **APOP** - A challenge/response authentication mechanism that can be used only with the POP3 protocol. Defined in RFC 1939.
- **LOGIN** - This is equivalent to PLAIN and exists only for compatibility with pre-standard implementations of SMTP authentication. By default the mechanism is only enabled for use by SMTP.

With a challenge/response authentication mechanism, the server sends a challenge string to the client. The client responds with a hash of that challenge and the user's password. If the client's response matches the server's own hash, the user is authenticated. The hash isn't reversible, so the user's password isn't exposed when sent over the network.

NOTE The POP, IMAP, and SMTP services support all SASL mechanisms. The HTTP service supports only the plaintext password mechanism.

[Table 19-1](#) shows some SALS and SASL-related `configutil` parameters. For the latest and most complete listing of `configutil` parameters, see the *Sun Java System Messaging Server Administration Reference*.

Table 19-1 Some SASL and SASL-related configuration Parameters

Parameter	Description
<code>sasl.default.ldap.has_plain_passwords</code>	Boolean to indicate that directory stores plaintext passwords which enables APOP, CRAM-MD5 and DIGEST-MD5. Default: False
<code>sasl.default.transition_criteria</code>	No longer supported or used. See <code>sasl.default.auto_transition</code> .
<code>sasl.default.auto_transition</code>	Boolean. When set and a user provides a plain text password, the password storage format will be transitioned to the default password storage method for the directory server. This can be used to migrate from plaintext passwords to APOP, CRAM-MD5 or DIGEST-MD5. Default: False
<code>service.imap.allowanonymouslogin</code>	This enables the SASL ANONYMOUS mechanism for use by IMAP. Default: False
<code>service.{imap pop http}.plaintextmincipher</code>	If this is > 0, then disable use of plaintext passwords unless a security layer (SSL or TLS) is activated. This forces users to enable SSL or TLS on their client to login which prevents exposure of their passwords on the network. The MMP has an equivalent option "RestrictPlainPasswords". NOTE: the 5.2 release of messaging server would actually check the value against the strength of the cipher negotiated by SSL or TLS. That feature has been eliminated to simplify this option and better reflect common-case usage. Default: 0
<code>sasl.default.mech_list</code>	A space-separated list of SASL mechanisms to enable. If non-empty, this overrides the <code>sasl.default.ldap.has_plain_passwords</code> option as well as the <code>service.imap.allowanonymouslogin</code> option. This option applies to all protocols (imap, pop, smtp). Default: False
<code>sasl.default.ldap.searchfilter</code>	This is the default search filter used to look up users when one is not specified in the <code>inetDomainSearchFilter</code> for the domain. The syntax is the same as <code>inetDomainSearchFilter</code> (see schema guide). Default: <code>(&(uid=%U)(objectclass=inetmailuser))</code>
<code>sasl.default.ldap.searchfordomain</code>	By default, the authentication system looks up the domain in LDAP following the rules for domain lookup (ref. needed) then looks up the user. However, if this option is set to "0" rather than the default value of "1", then the domain lookup does not happen and a search for the user (using the <code>sasl.default.ldap.searchfilter</code>) occurs directly under the LDAP tree specified by <code>local.ugldapbasedn</code> . This is provided for compatibility with legacy single-domain schemas, but use is not recommended for new deployments as even a small company may go through a merger or name change which requires support for multiple domains.

To Configure Access to Plaintext Passwords

To work, the CRAM-MD5, DIGEST-MD5, or APOP SASL authentication methods require access to the users' plaintext passwords. You need to perform the following steps:

1. Configure Directory Server to store passwords in cleartext.
2. Configure Messaging Server so that it knows Directory Server is using cleartext passwords.

To Configure Directory Server to Store Passwords

To enable CRAM-MD5, DIGEST-MD5, or APOP mechanisms, you must configure the Directory Server to store passwords in cleartext as follows:

1. In Console, open the Directory Server you want to configure.
2. Click the Configuration tab.
3. Open Data in the left pane.
4. Click Passwords in the right pane.
5. From the Password encryption drop-down list, choose "cleartext".

NOTE This change only impacts users created in the future. Existing users will have to transition or have their password reset after this change.

To Configure Messaging Server

You can now configure Messaging Server so that it knows the Directory Server is able to retrieve cleartext passwords. This makes it safe for Messaging Server to advertise APOP, CRAM-MD5, and DIGEST-MD5:

```
configutil -o sasl.default.ldap.has_plain_passwords -v 1
```

You can disable these challenge/response SASL mechanisms by setting the value to 0.

NOTE Existing users cannot use APOP, CRAM-MD5, or DIGEST-MD5 until their password is reset or migrated (see to Transition Users).

Note that MMP has an equivalent option: CRAMs.

To Transition Users

You can use `configutil` to specify information about transitioning users. An example would be if a user password changes or if a client attempts to authenticate with a mechanism for which they do not have a proper entry.

```
configutil -o sasl.default.auto_transition -v value
```

For `value`, you can specify one of the following:

- `no` or `0` - Don't transition passwords. This is the default.
- `yes` or `1` - Do transition passwords.

To successfully transition users, you must set up ACIs in the Directory Server that allow Messaging Server write access to the user password attribute. To do this, perform the following steps:

1. In Console, open the Directory Server you want to configure.
2. Click the Directory tab.
3. Select the base suffix for the user/group tree.
4. From the Object menu, select Access Permissions.
5. Select (double click) the ACI for "Messaging Server End User Administrator Write Access Rights".
6. Click ACI Attributes.
7. Add the `userpassword` attribute to the list of existing attributes.
8. Click OK.

`sasl.default.mech_list` can be used to enable a list of SASL mechanisms. If non-empty, this overrides the `sasl.default.ldap.has_plain_passwords` option as well as the `service.imap.allowanonymouslogin` option. This option applies to all protocols (imap, pop, smtp).

User Password Login

Requiring password submission on the part of users logging into Messaging Server to send or receive mail is a first line of defense against unauthorized access. Messaging Server supports password-based login for its IMAP, POP, HTTP, and SMTP services.

IMAP, POP, and HTTP Password Login

By default, internal users must submit a password to retrieve their messages from Messaging Server. You enable or disable password login separately for POP, IMAP, and HTTP services. For more information about password login for POP, IMAP, and HTTP Services, see [“Password-Based Login” on page 127](#).

User passwords can be transmitted from the user’s client software to your server as cleartext or in encrypted form. If both the client and your server are configured to enable SSL and both support encryption of the required strength (as explained in [“To Enable SSL and Selecting Ciphers” on page 656](#)), encryption occurs.

User IDs and passwords are stored in your installation’s LDAP user directory. Password security criteria, such as minimum length, are determined by directory policy requirements; they are not part of Messaging Server administration.

Certificate-based login is an alternative to password-based login. It is discussed in this chapter along with the rest of SSL; see [“To Set Up Certificate-Based Login” on page 658](#).

Challenge/response SASL mechanisms are another alternative to plaintext password login.

SMTP Password Login

By default, users need not submit a password when they connect to the SMTP service of Messaging Server to send a message. You can, however, enable password login to SMTP in order to enable authenticated SMTP.

Authenticated SMTP is an extension to the SMTP protocol that allows clients to authenticate to the server. The authentication accompanies the message. The primary use of authenticated SMTP is to allow local users who are travelling (or using their home ISP) to submit mail (relay mail) without creating an open relay that others can abuse. The “AUTH” command is used by the client to authenticate to the server.

For instructions on enabling SMTP password login (and thus Authenticated SMTP), see [“SMTP Authentication, SASL, and TLS” on page 351](#).

You can use Authenticated SMTP with or without SSL encryption.

Configuring Encryption and Certificate-Based Authentication

This section contains the following subsections:

- [“Obtaining Certificates through the Administration Console” on page 651](#)
- [“To Enable SSL and Selecting Ciphers” on page 656](#)
- [“To Set Up Certificate-Based Login” on page 658](#)
- [“How to Optimize SSL Performance Using the SMTP Proxy” on page 660](#)

Messaging Server uses the Transport Layer Security (TLS) protocol, otherwise known as the Secure Sockets Layer (SSL) protocol, for encrypted communications and for certificate-based authentication of clients and servers. Messaging Server supports SSL versions 3.0 and 3.1. TLS is fully compatible with SSL and includes all necessary SSL functionality.


For background information on SSL, see the *Introduction to SSL* (reproduced as an appendix to *Managing Servers with iPlanet Console*). SSL is based on the concepts of public-key cryptography, described in *Introduction to Public-Key Cryptography* (also reproduced as an appendix to *Managing Servers with iPlanet Console*).

If transmission of messages between a Messaging Server and its clients and between the server and other servers is encrypted, there is little chance for eavesdropping on the communications. If connecting clients are authenticated, there is little chance for intruders to impersonate (spoof) them.


SSL functions as a protocol layer beneath the application layers of IMAP4, HTTP, POP3, and SMTP. SMTP and SMTP/SSL use the same port; HTTP and HTTP/SSL require different ports; IMAP and IMAP/SSL, and POP and POP/SSL can use the same port or different ports. SSL acts at a specific stage of message communication, as shown in Figure 19-1, for both outgoing and incoming messages.

Figure 19-1 Encrypted Communications with Messaging Server

A. Outgoing message



B. Incoming message



SSL provides hop-to-hop encryption, but the message is not encrypted on each intermediate server.

NOTE To enable encryption for outgoing messages, you must modify the channel definition to include the `tls` channel keywords, such as `maytls`, `musttls`, and so on. For more information, see the *“Transport Layer Security”* on page 354 and the *Messaging Server Reference Manual*.

Keep in mind that the extra overhead in setting up an SSL connection can put a performance burden on the server. In designing your messaging installation and in analyzing performance, you may need to balance security needs against server capacity.

NOTE Because all Sun Java System servers support SSL, and the interface for enabling and configuring SSL through Console is nearly identical across many servers, several of the tasks described in this section are documented more completely in the SSL chapter of *Managing Servers with iPlanet Console*. For those tasks, this chapter gives summary information only.

Obtaining Certificates through the Administration Console

Whether you use SSL for encryption or for authentication, you need to obtain a server certificate for your Messaging Server. The certificate identifies your server to clients and to other servers. If you want to obtain certificates through the Administration Console, follow the steps in this section. If you want to create self-signed certificates in command-line mode, see [“To Create Self-signed Certificates” on page 655](#).

To Manage Internal and External Modules

A server certificate establishes the ownership and validity of a key pair, the numbers used to encrypt and decrypt data. Your server’s certificate and key pair represent your server’s identity. They are stored in a certificate database that can be either internal to the server or on an external, removable hardware card (smartcard).

Sun Java System servers access a key and certificate database using a module conforming to the Public-Key Cryptography System (PKCS) #11 API. The PKCS #11 module for a given hardware device is usually obtained from its supplier and must be installed into the Messaging Server before the Messaging Server can use that device. The pre-installed “Netscape Internal PKCS # 11 Module” supports a single internal software token that uses the certificate database that is internal to the server.

Setting up the server for a certificate involves creating a database for the certificate and its keys and installing a PKCS #11 module. If you do not use an external hardware token, you create an internal database on your server, and you use the internal, default module that is part of Messaging Server. If you do use an external token, you connect a hardware smartcard reader and install its PKCS #11 module.

You can manage PKCS #11 modules, whether internal or external, through Console. To install a PKCS #11 module:

1. Connect a hardware card reader to the Messaging Server host machine and install drivers.
2. Use the PKCS #11 Management interface in Console to install the PKCS #11 module for the installed driver.

(For more complete instructions, see the chapter on SSL in *Managing Servers with iPlanet Console*.)

Installing Hardware Encryption Accelerators If you use SSL for encryption, you may be able to improve server performance in encrypting and decrypting messages by installing a hardware encryption accelerator. An encryption accelerator typically consists of a hardware board, installed permanently in your server machine, plus a software driver. Messaging Server supports accelerator modules that follow the PKCS #11 API. (They are essentially hardware tokens that do not store their own keys; they use the internal database for that.) You install an accelerator by first installing the hardware and drivers as specified by the manufacturer, and then completing the installation—as with hardware certificate tokens—by installing the PKCS #11 module.

To Request a Server Certificate

You request a server certificate by opening your server in Console and running the Certificate Setup Wizard. You can access the Wizard from the Console menu or from the Messaging Server Encryption tab. Using the Wizard, you perform the following tasks:

1. Generate a certificate request.
2. Send the request by email to the certificate authority (CA) that is to issue the certificate.

When the email response from the CA arrives, you save it as a text file and install it using the Certificate Setup Wizard.

(For more complete instructions, see the chapter on SSL in *Managing Servers with iPlanet Console*.)

To Install the Certificate

Installing is a separate process from requesting. Once the email response to your request for a certificate has arrived from the CA and been saved as a text file, run the Certificate Setup Wizard once more to install the file as a certificate:

1. Specify that you are installing a certificate that you have already obtained.
2. Paste the text of your certificate into a field when prompted to do so.

3. Change the certificate nickname from `server-cert` to `Server-Cert`.

If you do not want to change the certificate nickname, you can change what the system wants the certificate nickname to be by setting the `configutil` parameter `encryption.rsa.nssslpersonalityssl`.

(For more complete instructions, see the chapter on SSL in *Managing Servers with iPlanet Console*.)

NOTE This is also the process you follow to install a CA certificate (described next), which your server uses to determine whether to trust the certificates presented by clients.

To Install Certificates of Trusted CAs

You also use the Certificate Setup Wizard to install the certificates of certificate authorities. A CA certificate validates the identity of the CA itself. Your server uses these CA certificates in the process of authenticating clients and other servers.

If, for example, you set up your enterprise for certificate-based client authentication in addition to password-based authentication (see “Setting Up Certificate-Based Login” on page 157), you need to install the CA certificates of all CAs that are trusted to issue the certificates that your clients may present. These CAs may be internal to your organization or they may be external, representing commercial or governmental authorities or other enterprises. (For more details on the use of CA certificates for authentication, see *Introduction to Public-Key Cryptography in Managing Servers with iPlanet Console*.)

When installed, Messaging Server initially contains CA certificates for several commercial CAs. If you need to add other commercial CAs or if your enterprise is developing its own CA for internal use (using Sun Java System Certificate Server), you need to obtain and install additional CA certificates.

NOTE The CA certificates automatically provided with Messaging Server are not initially marked as trusted for client certificates. You need to edit the trust settings if you want to trust client certificates issued by these CAs. For instructions, see “Managing Certificates and Trusted CAs” on page 153.

To request and install a new CA certificate, you:

1. Contact the certificate authority (possibly through the Web or by email) and download its CA certificate.
2. Save the received text of the certificate as a text file.

3. Use the Certificate Setup Wizard, as described in the previous section, to install the certificate.

For more complete instructions, see the chapter on SSL in *Managing Servers with iPlanet Console*.

Managing Certificates and Trusted CAs

Your server can have any number of certificates of trusted CAs that it uses for authentication of clients.

You can view, edit the trust settings of, or delete any of the certificates installed in your Messaging Server by opening your server in Console and choosing the Certificate Management Command in the Console menu. For instructions, see the chapter on SSL in *Managing Servers with iPlanet Console*.

Creating a Password File

On any Sun Java System server, when you use the Certificate Setup Wizard to request a certificate, the wizard creates a key pair to be stored in either the internal module's database or in an external database (on a smartcard). The wizard then prompts you for a password, which it uses to encrypt the private key. Only that same password can later be used to decrypt the key. The wizard does not retain the password nor store it anywhere.

On most Sun Java System servers for which SSL is enabled, the administrator is prompted at startup to supply the password required to decrypt the key pair. On Messaging Server, however, to alleviate the inconvenience of having to enter the password multiple times (it is needed by at least three server processes), and to facilitate unattended server restarts, the password is read from a password file.

The password file is named `sslpassword.conf` and is in the directory `msg_svr_base/config/`. Entries in the file are individual lines with the format

```
moduleName:password
```

where *moduleName* is the name of the (internal or external) PKCS #11 module to be used, and *password* is the password that decrypts that module's key pair. The password is stored as clear (unencrypted) text.

Messaging Server provides a default version of the password file, with the following single entry (for the internal module and default password):

```
Internal (Software) Token:netscape!
```

If you specify anything but the default password when you install an internal certificate, you need to edit the above line of the password file to reflect the password you specified. If you install an external module, you need to add a new line to the file, containing the module name and the password you specified for it.

CAUTION Because the administrator is not prompted for the module password at server startup, it is especially important that you ensure proper administrator access control to the server and proper physical security of the server host machine and its backups.

To Create Self-signed Certificates

If you want to create self-signed certificates in command-line mode, follow the instructions in this section. To create certificates with the certificate wizard, see [“Obtaining Certificates through the Administration Console” on page 651](#).

1. Log in as or become superuser (`root`).
2. Specify the certificate database password for `certutil` in `/opt/SUNWmsgsr/config/sslpassword`. For example:


```
# echo "password" > /opt/SUNWmsgsr/config/sslpassword
```

 where *password* is your specific password.
3. Move to the `sbin` directory and generate the certificate database (`cert8.db`) and key database (`key3.db`). For example:

```
# cd /opt/SUNWmsg/sbin
# ./certutil -N -d /opt/SUNWmsgsr/config -f
/opt/SUNWmsgsr/config/sslpassword
```

4. Generate a default self-signed root Certificate Authority certificate. Example:

```
# ./certutil -S -n SampleRootCA -x -t "CTu,CTu,CTu"
-s "CN=My Sample Root CA, O=sesta.com" -m 25000
-o /opt/SUNWmsgsr/config/SampleRootCA.crt
-d /opt/SUNWmsgsr/config
-f /opt/SUNWmsgsr/config/sslpassword -z /etc/passwd
```

5. Generate a certificate for the host. For example:

```

./certutil -S -n Server-Cert -c SampleRootCA -t "u,u,u"
-s "CN=hostname.sesta.com, o=sesta.com" -m 25001
-o /opt/SUNWmsgsr/config/SampleSSLServer.crt
-d /opt/SUNWmsgsr/config -f /opt/SUNWmsgsr/config/sslpassword
-z /etc/passwd

```

where *hostname.sesta.com* is the server host name.

6. Validate the certificates. For example:

```

# ./certutil -V -u V -n SampleRootCA -d /opt/SUNWmsgsr/config
# ./certutil -V -u V -n Server-Cert -d /opt/SUNWmsgsr/config

```

7. List the certificates. For example:

```

# ./certutil -L -d /opt/SUNWmsgsr/config
# ./certutil -L -n Server-Cert -d /opt/SUNWmsgsr/config

```

8. Use `modutil` to list the available security modules (`secmod.db`). For example:

```

# ./modutil -list -dbdir /opt/SUNWmsgsr/config

```

9. Change the owner of the certificate database files to the mail server user and group, as shown in the example.

```

chown mail:mailserv /opt/SUNWmsgsr/config/cert8.db
chown mail:mailserv /opt/SUNWmsgsr/config/key3.db

```

10. Restart the messaging services to enable the SSL.

NOTE Previously, certificates and key files were always located in the Messaging Server configuration directory. It is now possible to specify the location of these files using `local.sslbpath` (specifies the location of the certificate and key files) and `local.sslbprefix` (specifies the prefixes of the certificate and key files.)

To Enable SSL and Selecting Ciphers

You can use Console to enable SSL and to select the set of encryption ciphers that Messaging Server can use in its encrypted communications with clients.

About Ciphers

A *cipher* is the algorithm used to encrypt and decrypt data in the encryption process. Some ciphers are stronger than others, meaning that a message they have scrambled is more difficult for an unauthorized person to unscramble.

A cipher operates on data by applying a key—a long number—to the data. Generally, the longer the key the cipher uses during encryption, the harder it is to decrypt the data without the proper decryption key.

When a client initiates an SSL connection with a Messaging Server, the client lets the server know what ciphers and key lengths it prefers to use for encryption. In any encrypted communication, both parties must use the same ciphers. Because there are a number of cipher-and-key combinations in common use, a server should be flexible in its support for encryption. Messaging Server can support up to 6 combinations of cipher and key length.

Table 6.1 lists the ciphers that Messaging Server supports for use with SSL 3.0. The table summarizes information that is available in more detail in the *Introduction to SSL* section of *Managing Servers with iPlanet Console*.

Table 19-2 SSL Ciphers for Messaging Server

Cipher	Description
RC4 with 128-bit encryption and MD5 message authentication	The fastest encryption cipher (by RSA) and a very high-strength combination of cipher and encryption key.
Triple DES with 168-bit encryption and SHA message authentication	A slower encryption cipher (a U.S. government-standard) but the highest-strength combination of cipher and encryption key.
DES with 56-bit encryption and SHA message authentication	A slower encryption cipher (a U.S. government-standard) and a moderate-strength combination of cipher and encryption key.
RC4 with 40-bit encryption and MD5 message authentication	The fastest encryption cipher (by RSA) and a lower-strength combination of cipher and encryption key.
RC2 with 40-bit encryption and MD5 message authentication	A slower encryption cipher (by RSA) and a lower-strength combination of cipher and encryption key.
No encryption, only MD5 message authentication	No encryption; use of a message digest for authentication alone.

Unless you have a compelling reason for not using a specific cipher, you should support them all. However, note that export laws restrict the use of certain encryption ciphers in certain countries. Also, some client software produced before the relaxation of United States Export Control laws cannot use the higher strength encryption. Be aware that while the 40-bit ciphers might hinder the casual eavesdropper, they are not secure and therefore will not stop a motivated attack.

To enable SSL and select encryption ciphers, follow these command line steps:

To enable or disable SSL:

```
configutil -o nsserversecurity -v [ on | off ]
```

To enable or disable RSA ciphers:

```
configutil -o encryption.rsa.nssslactivation -v [ on | off ]
```

To specify a token:

```
configutil -o encryption.rsa.nsssltoken -v tokenname
```

To specify a certificate:

```
configutil -o encryption.rsa.nssslpersonalityssl -v certname
```

Note that if you enable RSA ciphers, you must also specify a token and a certificate.

To choose a cipher preference:

```
configutil -o encryption.nsssl3ciphers -v cipherlist
```

where *cipherlist* is a comma-separated list of ciphers.

NOTE To enable SSL encryption for outgoing messages, you must modify the channel definition to include the `tls` channel keywords, such as `maytls`, `musttls`, and so on. For more information, see the [“Transport Layer Security” on page 354](#) and the *Messaging Server Reference Manual*.

To Set Up Certificate-Based Login

In addition to password-based authentication, Sun Java System servers support authentication of users through examination of their digital certificates. In certificate-based authentication, the client establishes an SSL session with the server and submits the user’s certificate to the server. The server then evaluates whether the submitted certificate is genuine. If the certificate is validated, the user is considered authenticated.

To set up your Messaging Server for certificate-based login:

1. Obtain a server certificate for your server. (For details, see [“Obtaining Certificates through the Administration Console” on page 651.](#))
2. Run the Certificate Setup Wizard to install the certificates of any trusted certificate authorities that will issue certificates to the users your server will authenticate. (For details, see [“To Install Certificates of Trusted CAs” on page 653.](#))

Note that as long as there is at least one trusted CA in the server’s database, the server requests a client certificate from each connecting client.

3. Turn on SSL. (For details, see [“To Enable SSL and Selecting Ciphers” on page 656.](#))
4. (Optional) Edit your server’s `certmap.conf` file so that the server appropriately searches the LDAP user directory based on information in the submitted certificates.

Editing the `certmap.conf` file is not necessary if the email address in your users’ certificates matches the email address in your users’ directory entries, and you do not need to optimize searches or validate the submitted certificate against a certificate in the user entry.

For details of the format of `certmap.conf` and the changes you can make, see the SSL chapter of *Managing Servers with iPlanet Console*.

Once you have taken these steps, when a client establishes an SSL session so that the user can log in to IMAP or HTTP, the Messaging Server requests the user’s certificate from the client. If the certificate submitted by the client has been issued by a CA that the server has established as trusted, and if the identity in the certificate matches an entry in the user directory, the user is authenticated and access is granted (depending on access-control rules governing that user).

There is no need to disallow password-based login to enable certificate-based login. If password-based login is allowed (which is the default state), and if you have performed the tasks described in this section, both password-based and certificate-based login are supported. In that case, if the client establishes an SSL session and supplies a certificate, certificate-based login is used. If the client does not use SSL or does not supply a certificate, the server requests a password.

How to Optimize SSL Performance Using the SMTP Proxy

Most sites should not use the SMTP proxy as it adds additional latency to the SMTP protocol. However, a large-scale site which makes heavy use of SSL to protect SMTP connections may wish to maximize their investment in SSL accelerator hardware by performing all SSL operations for all protocols on a server which does nothing other than SSL and proxy. The SMTP proxy allows SSL to be processed by a front end proxy server while the mail queues are on a separate MTA machine. This way hardware optimized for each task can be separately configured and purchased.

See “[To Install the SMTP Proxy](#)” on page 675 for instructions on how to install the SMTP Proxy.

Network Security Services Tools

The Network Security Services are a set of open source libraries and tools used to implement and deploy applications for Internet security based on open standards. The security tools help to perform diagnostics, manage certificates, keys and cryptography modules, and debug SSL- and TLS-based applications. These tools are found in `/usr/sfw/bin`.

Managing Certificates and Keys

The tools described in this section store, retrieve and protect the keys and certificates on which encryption and identification rely.

certutil

The Certificate Database Tool, `certutil`, is a command-line utility that can create and modify the `cert8.db` and `key3.db` database files. The key and certificate management process generally begins with creating keys in the key database, then generating and managing certificates in the certificate database. More information on `certutil` can be found at:

<http://www.mozilla.org/projects/security/pki/nss/tools/certutil.html>

cmsutil

The `cmsutil` command-line utility uses the S/MIME Toolkit to perform basic operations, such as encryption and decryption, on Cryptographic Message Syntax (CMS) messages. It performs basic certificate management operations such as encrypting, decrypting, and signing messages. More information on `cmsutil` can be found at:

<http://www.mozilla.org/projects/security/pki/nss/tools/cmsutil.html>

modutil

The Security Module Database Tool, `modutil`, is a command-line utility for managing the database of PKCS #11 modules (`secmod.db` files). You can use the tool to add and delete PKCS #11 modules, change passwords, set defaults, list module contents, enable or disable slots, enable or disable FIPS-140-1 compliance, and assign default providers for cryptographic operations. More information on `modutil` can be found at:

<http://www.mozilla.org/projects/security/pki/nss/tools/modutil.html>

pk12util

The `pk12util` command-line utility imports and exports both keys and certificates, defined by the PKCS #12 standard, to and from their respective database and file formats. More information on `pk12util` can be found at:

<http://www.mozilla.org/projects/security/pki/nss/tools/pk12util.html>

ssltap

The SSL Debugging Tool, `ssltap`, is an SSL-aware command-line proxy. It can proxy requests for an SSL server and display the contents of the messages exchanged between the client and server. It watches TCP connections and displays the data going by. If a connection is SSL, the data display includes interpreted SSL records and handshaking. More information can be found at:

<http://www.mozilla.org/projects/security/pki/nss/tools/ssltap.html>

Configuring Administrator Access to Messaging Server

This section mostly pertains to the Sun Java System LDAP Schema v. 1. This section contains the following subsections:

- [“Hierarchy of Delegated Administration” on page 662](#)
- [“To Provide Access to the Server as a Whole” on page 663](#)
- [“To Restrict Access to Specific Tasks” on page 663](#)

This section describes how to control the ways in which server administrators can gain access to Messaging Server. Administrative access to a given Messaging Server and to specific Messaging Server tasks occurs within the context of delegated server administration.

Delegated server administration is a feature of most Sun Java System servers; it refers to the capability of an administrator to provide other administrators with selective access to individual servers and server features. This chapter briefly summarizes delegated server tasks. For more detailed information, see the chapter on delegating server administration in *Managing Servers with iPlanet Console*.

Hierarchy of Delegated Administration

When you install the first Sun Java System server on your network, the installation program automatically creates a group in the LDAP user directory called the Configuration Administrators group. By default, the members of the Configuration Administrators group have unrestricted access to all hosts and servers on your network.

The Configuration Administrators group is at the top of an access hierarchy, such as the following, that you can create to implement delegated administration (if Sun Java System LDAP Schema v. 1 is used) for Messaging Server:

1. **Configuration administrator.** The “super user” for the network of Sun Java System servers. Has complete access to all resources.
2. **Server administrator.** A domain administrator might create groups to administer each type of server. For example, a Messaging Administrators group might be created to administer all Messaging Servers in an administrative domain or across the whole network. Members of that group have access to all Messaging Servers (but no other servers) in that administrative domain.
3. **Task administrator.** Finally, any of the above administrators might create a group, or designate an individual user, with restricted access to a single Messaging Server or a set of Messaging Servers. Such a task administrator is permitted to perform only specific, limited server tasks (such as starting or stopping the server only, or accessing logs of a given service).

Console provides convenient interfaces that allow an administrator to perform the following tasks:

- Grant a group or an individual access to a specific Messaging Server, as described in “Providing Access to the Server as a Whole” (next).
- Restrict that access to specific tasks on a specific Messaging Server, as described in “[To Restrict Access to Specific Tasks](#)” on page 663.

To Provide Access to the Server as a Whole

To give a user or group permission to access a given instance of Messaging Server, you:

1. Log in to Console as an administrator with access to the Messaging Server you want to provide access to.
2. Select that server in the Console window.

From the Console menu, choose Object, then choose Set Access Permissions.

3. Add or edit the list of users and groups with access to the server.

(For more complete instructions, see the chapter on delegating server administration in *Managing Servers with iPlanet Console*.)

Once you have set up the list of individuals and groups that have access to the particular Messaging Server, you can then use ACIs, as described next, to delegate specific server tasks to specific people or groups on that list.

To Restrict Access to Specific Tasks

An administrator typically connects to a server to perform one or more administrative tasks. Common administrative tasks are listed in the Messaging Server Tasks form in Console.

By default, access to a particular Messaging Server means access to all of its tasks. However, each task in the Task form can have an attached set of access-control instructions (ACIs). The server consults those ACIs before giving a connected user (who must already be a user with access permissions to the server as a whole) access to any of the tasks. In fact, the server displays in the Tasks form only those tasks to which the user has permission.

If you have access to a Messaging Server, you can create or edit ACIs on any of the tasks (that is, on any of the tasks to which you have access), and thus restrict the access that other users or groups can have to them.

To restrict the task access that a connected user or group can have, you:

1. Log in to the Console as an administrator with access to the Messaging Server you want to provide restricted access to.
2. Open the server and select a task in the server's Tasks form by clicking on the Task text.
3. From the Edit menu, choose Set Access Permissions, and add or edit the list of access rules to give a user or group the kind of access you want them to have.
4. Repeat the process for other tasks, as appropriate.

(For more complete instructions, see the chapter on delegating server administration in *Managing Servers with iPlanet Console*.)

ACIs and how to create them are described more fully in the chapter on delegating server administration in *Managing Servers with iPlanet Console*.

Configuring Client Access to POP, IMAP, and HTTP Services

This section contains the following subsections:

- [“How Client Access Filters Work” on page 665](#)
- [“Filter Syntax” on page 666](#)
- [“Filter Examples” on page 671](#)
- [“To Create Access Filters for Services” on page 672](#)
- [“To Create Access Filters for HTTP Proxy Authentication” on page 673](#)
- [“How Client Access Filters Work” on page 665](#)

Messaging Server supports sophisticated access control on a service-by-service basis for its IMAP, POP, and HTTP services so that you can exercise far-ranging and fine-grained control over which clients can gain access to your server.

If you are managing messaging services for a large enterprise or an Internet service provider, these capabilities can help you to exclude spammers and DNS spoofers from your system and improve the general security of your network. For control of unsolicited bulk email specifically, see also [Chapter 17, “Mail Filtering and Access Control”](#).

NOTE If controlling access by IP address is *not* an important issue for your enterprise, you do not have to create any of the filters described in this section. If minimal access control is all you need, see the section [“Mostly Allowing” on page 671](#) for instructions on setting it up.

How Client Access Filters Work

The Messaging Server access-control facility is a program that listens at the same port as the TCP daemon it serves; it uses access filters to verify client identity, and it gives the client access to the daemon if the client passes the filtering process.

As part of its processing, the Messaging Server TCP client access-control system performs (when necessary) the following analyses of the socket end-point addresses:

- Reverse DNS lookups of both end points (to perform name-based access control)
- Forward DNS lookups of both end points (to detect DNS spoofing)
- `Identd` callback (to check that the user on the client end is known to the client host)

The system compares this information against access-control statements called *filters* to decide whether to grant or deny access. For each service, separate sets of Allow filters and Deny filters control access. Allow filters explicitly grant access; Deny filters explicitly forbid access.

When a client requests access to a service, the access-control system compares the client’s address or name information to each of that service’s filters—in order—using these criteria:

- The search stops at the first match. Because Allow filters are processed before Deny filters, Allow filters take precedence.
- Access is granted if the client information matches an Allow filter for that service.
- Access is denied if the client information matches a Deny filter for that service.

- If no match with any Allow or Deny filter occurs, access is granted—except in the case where there are Allow filters but no Deny filters, in which case lack of a match means that access is denied.

The filter syntax described here is flexible enough that you should be able to implement many different kinds of access-control policies in a simple and straightforward manner. You can use both Allow filters and Deny filters in any combination, even though you can probably implement most policies by using almost exclusively Allows or almost exclusively Denies.

The following sections describe filter syntax in detail and give usage examples. The section [“To Create Access Filters for Services” on page 672](#) gives the procedure for creating access filters.

Filter Syntax

Filter statements contain both service information and client information. The service information can include the name of the service, names of hosts, and addresses of hosts. The client information can include host names, host addresses, and user names. Both the server and client information can include wildcard names or patterns.

The very simplest form of a filter is:

```
service: hostSpec
```

where *service* is the name of the service (such as `smtp`, `pop`, `imap`, or `http`) and *hostSpec* is the host name, IP address, or wildcard name or pattern that represents the client requesting access. When a filter is processed, if the client seeking access matches *client*, access is either allowed or denied (depending on which type of filter this is) to the service specified by *service*. Here are some examples:

```
imap: roberts.newyork.siroe.com
```

```
pop: ALL
```

```
http: ALL
```

If these are Allow filters, the first one grants the host `roberts.newyork.siroe.com` access to the IMAP service, and the second and third grant all clients access to the POP and HTTP services, respectively. If they are Deny filters, they deny those clients access to those services. (For descriptions of wildcard names such as `ALL`, see [“Wildcard Names” on page 668](#).)

Either the server or the client information in a filter can be somewhat more complex than this, in which case the filter has the more general form of:

serviceSpec: *clientSpec*

where *serviceSpec* can be either *service* or *service@hostSpec*, and *clientSpec* can be either *hostSpec* or *user@hostSpec*. *user* is the user name (or a wildcard name) associated with the client host seeking access. Here are two examples:

```
pop@mailServer1.siroe.com: ALL
imap: srashad@xyz.europe.siroe.com
```

If these are Deny filters, the first filter denies all clients access to the SMTP service on the host `mailServer1.siroe.com`. The second filter denies the user `srashad` at the host `xyz.europe.siroe.com` access to the IMAP service. (For more information on when to use these expanded server and client specifications, see [“Server-Host Specification” on page 669](#) and [“Client User-Name Specification” on page 670](#).)

Finally, at its most general, a filter has the form:

serviceList: *clientList*

where *serviceList* consists of one or more *serviceSpec* entries, and *clientList* consists of one or more *clientSpec* entries. Individual entries within *serviceList* and *clientList* are separated by blanks and/or commas.

In this case, when a filter is processed, if the client seeking access matches any of the *clientSpec* entries in *clientList*, then access is either allowed or denied (depending on which type of filter this is) to all the services specified in *serviceList*. Here is an example:

```
pop, imap, http: .europe.siroe.com .newyork.siroe.com
```

If this is an Allow filter, it grants access to POP, IMAP, and HTTP services to all clients in either of the domains `europe.siroe.com` and `newyork.siroe.com`. For information on using a leading dot or other pattern to specify domains or subnet, see [“Wildcard Patterns” on page 668](#).

You can also use the following syntax:

"+" or "-" *serviceList*: *\$*next_rule*

+ (allow filter) means the daemon list services are being granted to the client list.

- (deny filter) means the services are being denied to the client list.

* (wildcard filter) allow all clients to used these services.

\$ separates rules.

This example enables multiple services on all clients.

```
+imap,pop,http:*
```

This example shows multiple rules, but each rule is simplified to have only one service name and uses wildcards for the client list. (This is the most commonly used method of specifying access control in LDIF files.)

```
+imap:ALL$+pop:ALL$+http:ALL
```

An example of how to disallow all services for a user is:

```
-imap:*$-pop:*$-http:*
```

Wildcard Names

You can use the following wildcard names to represent service names, host names or addresses, or user names:

Table 19-3 Wildcard Names for Service Filters

Wildcard Name	Explanation
ALL, *	The universal wildcard. Matches all names.
LOCAL	Matches any local host (one whose name does not contain a dot character). However, if your installation uses only canonical names, even local host names will contain dots and thus will not match this wildcard.
UNKNOWN	Matches any user whose name is unknown, or any host whose name or address is unknown. Use this wildcard name carefully: Host names may be unavailable due to temporary DNS server problems—in which case all filters that use <code>UNKNOWN</code> will match all client hosts. A network address is unavailable when the software cannot identify the type of network it is communicating with—in which case all filters that use <code>UNKNOWN</code> will match all client hosts on that network.
KNOWN	Matches any user whose name is known, or any host whose name and address are known. Use this wildcard name carefully: Host names may be unavailable due to temporary DNS server problems—in which case all filters that use <code>KNOWN</code> will fail for all client hosts. A network address is unavailable when the software cannot identify the type of network it is communicating with—in which case all filters that use <code>KNOWN</code> will fail for all client hosts on that network.
DNSSPOOFER	Matches any host whose DNS name does not match its own IP address.

Wildcard Patterns

You can use the following patterns in service or client addresses:

- A string that begins with a dot character (.). A host name is matched if the last components of its name match the specified pattern. For example, the wildcard pattern `.siroe.com` matches all hosts in the domain `siroe.com`.
- A string that ends with a dot character (.). A host address is matched if its first numeric fields match the specified pattern. For example, the wildcard pattern `123.45.` matches the address of any host in the subnet `123.45.0.0`.
- A string of the form `n.n.n.n/m.m.m.m`. This wildcard pattern is interpreted as a *net/mask* pair. A host address is matched if *net* is equal to the bitwise AND of the address and *mask*. For example, the pattern `123.45.67.0/255.255.255.128` matches every address in the range `123.45.67.0` through `123.45.67.127`.

EXCEPT Operator

The access-control system supports a single operator. You can use the `EXCEPT` operator to create exceptions to matching names or patterns when you have multiple entries in either *serviceList* or *clientList*. For example, the expression:

```
list1 EXCEPT list2
```

means that anything that matches *list1* is matched, *unless* it also matches *list2*.

Here is an example:

```
ALL: ALL EXCEPT issERVER.siroe.com
```

If this were a Deny filter, it would deny access to all services to all clients except those on the host machine `issERVER.siroe.com`.

`EXCEPT` clauses can be nested. The expression:

```
list1 EXCEPT list2 EXCEPT list3
```

is evaluated as if it were:

```
list1 EXCEPT (list2 EXCEPT list3)
```

Server-Host Specification

You can further identify the specific service being requested in a filter by including server host name or address information in the *serviceSpec* entry. In that case the entry has the form:

```
service@hostSpec
```

You might want to use this feature when your Messaging Server host machine is set up for multiple internet addresses with different internet host names. If you are a service provider, you can use this facility to host multiple domains, with different access-control rules, on a single server instance.

Client User-Name Specification

For client host machines that support the `identd` service as described in RFC 1413, you can further identify the specific client requesting service by including the client's user name in the *clientSpec* entry in a filter. In that case the entry has the form:

```
user@hostSpec
```

where *user* is the user name as returned by the client's `identd` service (or a wildcard name).

Specifying client user names in a filter can be useful, but keep these caveats in mind:

- The `identd` service is not authentication; the client user name it returns cannot be trusted if the client system has been compromised. In general, do not use specific user names; use only the wildcard names `ALL`, `KNOWN`, or `UNKNOWN`.
- `identd` is not supported by most modern client machines and thus provides little added value in modern deployments. We are considering removal of `identd` support in a future version, so please inform Sun Java System if this feature is of value to your site.
- User-name lookups take time; performing lookups on all users may slow access by clients that do not support `identd`. Selective user-name lookups can alleviate this problem. For example, a rule like:

```
serviceList: @xyzcorp.com ALL@ALL
```

would match users in the domain `xyzcorp.com` without doing user-name lookups, but it would perform user-name lookups with all other systems.

The user-name lookup capability can in some cases help you guard against attack from unauthorized users on the client's host. It is possible in some TCP/IP implementations, for example, for intruders to use `rsh` (remote shell service) to impersonate trusted client hosts. If the client host supports the `ident` service, you can use user-name lookups to detect such attacks.

Filter Examples

The examples in this section show a variety of approaches to controlling access. In studying the examples, keep in mind that Allow filters are processed before Deny filters, the search terminates when a match is found, and access is granted when no match is found at all.

The examples listed here use host and domain names rather than IP addresses. Remember that you can include address and netmask information in filters, which can improve reliability in the case of name-service failure.

Mostly Denying

In this case, access is denied by default. Only explicitly authorized hosts are permitted access.

The default policy (no access) is implemented with a single, trivial deny file:

```
ALL: ALL
```

This filter denies all service to all clients that have not been explicitly granted access by an Allow filter. The Allow filters, then, might be something like these:

```
ALL: LOCAL @netgroup1
```

```
ALL: .siroe.com EXCEPT externalserver.siroe.com
```

The first rule permits access from all hosts in the local domain (that is, all hosts with no dot in their host name) and from members of the group `netgroup1`. The second rule uses a leading-dot wildcard pattern to permit access from all hosts in the `siroe.com` domain, with the exception of the host `externalserver.siroe.com`.

Mostly Allowing

In this case, access is granted by default. Only explicitly specified hosts are denied access.

The default policy (access granted) makes Allow filters unnecessary. The unwanted clients are listed explicitly in Deny filters such as these:

```
ALL: externalserver.siroe1.com, .siroe.asia.com
```

```
ALL EXCEPT pop: contractor.siroe1.com, .siroe.com
```

The first filter denies all services to a particular host and to a specific domain. The second filter permits nothing but POP access from a particular host and from a specific domain.

Denying Access to Spoofed Domains

You can use the `DNSSPOOFER` wildcard name in a filter to detect host-name spoofing. When you specify `DNSSPOOFER`, the access-control system performs forward or reverse DNS lookups to verify that the client's presented host name matches its actual IP address. Here is an example for a Deny filter:

```
ALL: DNSSPOOFER
```

This filter denies all services to all remote hosts whose IP addresses don't match their DNS host names.

Controlling Access to Virtual Domains

If your messaging installation uses virtual domains, in which a single server instance is associated with multiple IP addresses and domain names, you can control access to each virtual domain through a combination of Allow and Deny filters. For example, you can use Allow filters like:

```
ALL@msgServer.siroe1.com: @.siroe1.com
```

```
ALL@msgServer.siroe2.com: @.siroe2.com
```

```
...
```

coupled with a Deny filter like:

```
ALL: ALL
```

Each Allow filter permits only hosts within `domainN` to connect to the service whose IP address corresponds to `msgServer.siroeN.com`. All other connections are denied.

To Create Access Filters for Services

You can create Allow and Deny filters for the IMAP, POP, or HTTP services. You can also create them for SMTP services, but they have little value because they only apply to authenticated SMTP sessions. See [Chapter 17, "Mail Filtering and Access Control"](#) for how to control access to unauthenticated SMTP sessions.

Console To create filters by using Console, follow these steps:

1. In Console, open the Messaging Server that you want to create access filters for.
2. Click the Configuration tab.
3. Open the Services folder in the left pane and select IMAP, POP, or HTTP beneath the Services folder.

4. Click the Access tab in the right pane.

The Allow and Deny fields in the tab show the existing Allow and Deny filters for that service. Each line in the field represents one filter. For either of the fields, you can specify the following actions:

- a. Click Add to create a new filter. An Allow Filter window or Deny filter window opens; enter the text of the new filter into the window, and click OK.
- b. Select a filter and click Edit to modify the filter. An Allow Filter window or Deny filter window opens; edit the text of the filter displayed in the window, and click OK.
- c. Select a filter and click Delete to remove the filter.

Note that if you need to rearrange the order of Allow or Deny filters, you can do so by performing a series of Delete and Add actions.

For a specification of filter syntax and a variety of examples, see [“Filter Syntax” on page 666](#). For additional examples, see [“Filter Examples” on page 671](#).

Command Line You can also specify access and deny filters at the command line as follows:

To create or edit access filters for services:

```
configutil -o service.service.domainallowed -v filter
```

where *service* is `pop`, `imap`, or `http` and *filter* follows the syntax rules described in [“Filter Syntax” on page 666](#).

To create or edit deny filters for services:

```
configutil -o service.service.domainnotallowed -v filter
```

where *service* is `pop`, `imap`, or `http` and *filter* follows the syntax rules described in [“Filter Syntax” on page 666](#).

To Create Access Filters for HTTP Proxy Authentication

Any store administrator can proxy authenticate to any service. (For more information about store administrators, see [“Specifying Administrator Access to the Store” on page 557](#).) For the HTTP service only, any user can proxy authenticate to the service if their client host is granted access via a proxy authentication access filter.

Proxy authentication allows other services, such as a portal site, to authenticate users and pass the authentication credentials to the HTTP login service. For example, assume a portal site offers several services, one of which is Messenger Express web-based email. By using the HTTP proxy authentication feature, end users need only authenticate once to the portal service; they need not authenticate again to access their email. The portal site must configure a login server that acts as the interface between the client and the service. To help configure the login server for Messenger Express authentication, Sun Java System offers an authentication SDK for Messenger Express.

This section describes how to create allow filters to permit HTTP proxy authentication by IP address. This section does not describe how to set up your login server or how to use the Messenger Express authentication SDK. For more information about setting up your login server for Messenger Express and using the authentication SDK, contact your Sun Java System representative.

Console To create access filters for proxy authentication to the HTTP service:

1. In Console, open the Messaging Server that you want to create access filters for.
2. Click the Configuration tab.
3. Open the Services folder in the left pane and select HTTP beneath the Services folder.
4. Click the Proxy tab in the right pane.

The Allow field in the tab shows the existing Allow filters for proxy authentication.

5. To create a new filter, click Add.

An Allow filter window opens. Enter the text of the new filter into the window and click OK.

6. To edit an existing filter, select the filter and click Edit.

An Allow filter window opens. Edit the text of the filter display in the window, and click OK.

7. To delete an existing filter, select a field from the Allow field, and click Delete.
8. When you are finished making changes to the Proxy tab, click Save.

For more information about allow filter syntax, see [“Filter Syntax” on page 666](#).

Command Line You can also specify access filters for proxy authentication to the HTTP service at the command line as follows:

```
configutil -o service.service.proxydomainallowed -v filter
```

where *filter* follows the syntax rules described in “[Filter Syntax](#)” on page 666.

Enabling POP Before SMTP

SMTP Authentication, or *SMTP Auth* (RFC 2554) is the preferred method of providing SMTP relay server security. SMTP Auth allows only authenticated users to send mail through the MTA. However, some legacy clients only provide support for *POP before SMTP*. If this is the case for your system, you may enable POP before SMTP as described below. If possible, however, encourage your users to upgrade their POP clients rather than using POP before SMTP. Once POP before SMTP is deployed at a site users will become dependent on clients which fail to follow Internet security standards, putting end users at greater risk of hacking and slowing your site with the unavoidable performance penalty because of the necessity of having to track and coordinate IP addresses of recent successful POP sessions.

The Messaging Server implementation of POP before SMTP is completely different from either SIMS or Netscape Messaging Server. POP before SMTP is supported by configuring a Messaging Multiplexor (MMP) to have both a POP and SMTP proxy. When an SMTP client connects to the SMTP proxy, the proxy will check an in-memory cache of recent POP authentications. If a POP authentication from the same client IP address is found, the SMTP proxy will inform the SMTP server that it should permit messages directed to both local and non-local recipients.

To Install the SMTP Proxy

1. Install a Messaging Multiplexor (MMP) as described in the *Sun Java Enterprise System Installation Guide*.

2. Enable the SMTP proxy on the MMP.

Add the string:

```
msg_svr_base/lib/SmtProxyAService@25|587
```

to the `ServiceList` option in the `msg_svr_base/config/AService.cfg` file. That option is one long line and can't contain line breaks.

NOTE When the MMP is upgraded, four new files which correspond to the existing four configuration files for the MMP. The new files are:

```
AService-def.cfg, ImapProxyAService-def.cfg,  
PopProxyAService-def.cfg, and SmtProxyAService-def.cfg
```

These files are created by the installer, the four configuration files described in the docs are not created or affected by the install process. When the MMP starts up, it will look for the normal configuration file (as currently documented). If it doesn't find the normal configuration file, it will attempt to copy the respective *AService-def.cfg file to the corresponding *AService.cfg file name.

3. Set the `PROXY_PASSWORD` option in the SMTP channel option file `tcp_local_option` at each SMTP relay server.

When the SMTP proxy connects to the SMTP server, it has to inform the SMTP server of the real client IP address and other connection information so that the SMTP server can correctly apply relay blocking and other security policy (including POP before SMTP authorization). This is a security sensitive operation and must be authenticated. The proxy password configured on both the MMP SMTP Proxy and the SMTP server assures that a third party cannot abuse the facility.

Example: `PROXY_PASSWORD=A_Password`

4. Make sure the IP address that the MMP uses to connect to the SMTP server is not treated as "internal" by the `INTERNAL_IP` mapping table.

See the ["To Add SMTP Relaying" on page 528 of the Chapter 17, "Mail Filtering and Access Control"](#) for information about the `INTERNAL_IP` mapping table.

5. Configure the SMTP proxy to Support POP before SMTP.

- a. Edit the `msg_svr_base/config/SmtProxyAService.cfg` configuration file.

The following SMTP proxy options operate identically to the same options for the IMAP and POP proxies (see Chapter 7, “Configuring and Administering Multiplexor Services” on page 155 and the description of these options in the Encryption (SSL) Option section in the *Sun Java System Messaging Server Administration Reference* (<http://docs.sun.com/doc/819-0106>).

LdapURL, LogDir, LogLevel, BindDN, BindPass, Timeout, Banner, SSLEnable, SSLSecmodFile, SSLCertFile, SSLKeyFile, SSLKeyPasswdFile, SSLCipherSpecs, SSLCertNicknames, SSLCacheDir, SSLPorts, CertMapFile, CertmapDN, ConnLimits, TCPAccess

Other MMP options not listed above (including the `BacksidePort` option) do not currently apply to the SMTP Proxy.

Add the following five options:

`SmtRelays` is a space-separated list of SMTP relay server hostnames (with optional port) to use for round-robin relay. These relays must support the `XPROXYEHLO` extension. This option is mandatory with no default. **Example:**
`default:SmtRelays manatee:485 gonzo mothra`

`SmtProxyPassword` is a password used to authorize source channel changes on the SMTP relay servers. This option is mandatory with no default and must match the `PROXY_PASSWORD` option on the SMTP servers. **Example:** `default:SmtProxyPassword A_Password`

`EhloKeywords` option provides a list of EHLO extension keywords for the proxy to pass through to the client, in addition to the default set. The MMP will remove any unrecognized EHLO keywords from the EHLO list returned by an SMTP relay. `EhloKeywords` specifies additional EHLO

keywords which should not be removed from the list. The default is empty, but the SMTP proxy will support the following keywords, so there is no need to list them in this option: 8BITMIME, PIPELINING, DSN, ENHANCEDSTATUSCODES, EXPN, HELP, XLOOP, ETRN, SIZE, STARTTLS, AUTH

The following is an example that might be used by a site which uses the rarely used “TURN” extension:

Example: default:EhloKeywords TURN

PopBeforeSmtpludgeChannel option is set to the name of an MTA channel to use for POP before SMTP authorized connections. The default is empty and the typical setting for users who want to enable POP before SMTP is tcp_intranet. This option is not required for optimizing SSL performance (see [“How to Optimize SSL Performance Using the SMTP Proxy” on page 660](#)).

Example: default:PopBeforeSmtpludgeChannel tcp_intranet

ClientLookup option defaults to no. If set to yes, a DNS reverse lookup on the client IP address will be performed unconditionally so the SMTP relay server doesn't have to do that work. This option may be set on a per hosted domain basis.

Example: default:ClientLookup yes

- b. Set the PreAuth option and the AuthServiceTTL option in PopProxyAService.cfg configuration file. This option is not required for optimizing SSL performance. (See [“How to Optimize SSL Performance Using the SMTP Proxy” on page 660](#).)

NOTE AuthServiceTTL must **not** be set in IMAP or SMTP proxy configuration files in order for POP before SMTP to work.

These options specify how long in seconds a user is authorized to submit mail after a POP authentication. The typical setting is 900 to 1800 (15-30 minutes).

Example:

```
default:PreAuth    yes
default:AuthServiceTTL  900
```

- c. You may optionally specify how many seconds the MMP will wait for an SMTP Relay to respond before trying the next one in the list.

The default is 10 (seconds). If a connection to an SMTP Relay fails, the MMP will avoid trying that relay for a number of minutes equivalent to the failover time-out (so if the failover time-out is 10 seconds, and a relay fails, the MMP won't try that relay again for 10 minutes).

Example: `default:FailoverTimeout 10`

Configuring Client Access to SMTP Services

For information about configuring client access to SMTP services, see [Chapter 17, “Mail Filtering and Access Control”](#).

User/Group Directory Lookups Over SSL

It is possible to do user/group directory lookups over SSL for MTA, MMP and IMAP/POP/HTTP services. The prerequisite is that Messaging Server must be configured in SSL mode. Set the following configutil parameters to enable this feature: `local.service.pab.ldapport to 636`, `local.ugldapport to 636`, `local.ugldapussl to 1`.

Administering S/MIME for Communications Express Mail

Secure/Multipurpose Internet Mail Extension (S/MIME) is available on Sun Java System Communications Express Mail. Communications Express Mail users who are set up to use S/MIME can exchange signed or encrypted messages with other users of Communications Express Mail, Microsoft Outlook Express, and Mozilla mail systems.

Information about using S/MIME in Communications Express Mail is part of the online help. Information to administer S/MIME is explained in this chapter. This chapter consists of the following sections:

- [“What is S/MIME?” on page 682](#)
- [“Required Software and Hardware Components” on page 683](#)
- [“Requirements for Using S/MIME” on page 684](#)
- [“Getting Started After Installing Messaging Server” on page 686](#)
- [“Parameters of the smime.conf File” on page 694](#)
- [“Messaging Server Options” on page 701](#)
- [“Securing Internet Links With SSL” on page 702](#)
- [“Key Access Libraries for the Client Machines” on page 703](#)
- [“Verifying Private and Public Keys” on page 705](#)
- [“Granting Permission to Use S/MIME Features” on page 711](#)
- [“Managing Certificates” on page 712](#)
- [“Communications Express S/MIME End User Information” on page 717](#)

What is S/MIME?

S/MIME provides a Communications Express Mail user with these features:

- Create a digital signature for an outgoing mail message to assure the message's recipient that the message was not tampered with and is from the person who sent it
- Encrypt an outgoing mail message to prevent anyone from viewing, changing or otherwise using the message's content before the message arrives in the recipient's mailbox
- Verify the digital signature of an incoming signed message with a process involving a certificate revocation list (CRL)
- Automatically decrypt an incoming encrypted message so the recipient can read the message's contents
- Exchange signed or encrypted messages with other users of an S/MIME compliant client such as Communications Express Mail and Mozilla mail systems

Concepts You Need to Know

To properly administer S/MIME, you need to be familiar with the following concepts:

- Basic administrative procedures for your platform
- Structure and use of a lightweight directory access protocol (LDAP) directory
- Addition or modification of entries in an LDAP directory
- Configuration process for the Sun Java System Directory Server
- Concepts and purpose of the following:
 - Secure Socket Layer (SSL) for a secured communications line
 - Digitally signed email messages
 - Encrypted email messages
 - Local key store of a browser
 - Smart cards and the software and hardware to use them
 - Private-public key pairs and their certificates

- Certificate authorities (CA)
- Verifying keys and their certificates
- Certificate revocation list (CRL). (See [“When is a Certificate Checked Against a CRL?”](#) on page 706 for an introduction.)

Required Software and Hardware Components

The required hardware and software for using Communications Express Mail with S/MIME is described in this section. Ensure that you install all the correct versions of the software on the server and client machines before attempting to configure for S/MIME.

[Table 20-1](#) lists the required software and hardware for the client machine where Communications Express Mail is accessed.

Table 20-1 Required Hardware and Software for Client Machine

Component	Description
Operating system	<ul style="list-style-type: none"> • Microsoft Windows 98, 2000, or XP
Browser	<ul style="list-style-type: none"> • Microsoft Internet Explorer, Version 6 SP2 on Windows • Microsoft Internet Explorer, Version 6 SP1 (with current patches as of December 1, 2004) on Windows 2000 and Windows 98 •
Sun software	Sun Java 2 Runtime Environment, Standard Edition, Version 1.4.2_03 or later, but not 1.5
Private-public keys with certificates	<p>One or more private-public key pair with certificates. Certificates are required and they must be in standard X.509 v3 format. Obtain keys and certificates from a CA for each Communications Express Mail user who will use the S/MIME features. The keys and their certificates are stored on the client machine or on a smart card. The public keys and certificates are also stored in an LDAP directory that can be accessed by Directory Server.</p> <p>A certificate revocation list (CRL), maintained by the CA, must be part of your system if you want key certificates checked against it to further ensure that the keys are valid. See “When is a Certificate Checked Against a CRL?” on page 706.</p>
Smart card software (only required when keys and certificates are stored on smart cards)	<ul style="list-style-type: none"> • ActivCard Gold, Version 2.1 or 3.0, or • NetSign, Version 3.1
Smart card reader	Any model of smart card reading device supported by the client machine and smart card software.

[Table 20-2](#) lists the required Sun Microsystems software for the server machine.

Table 20-2 Required Software for Server Machine

Sun Component	Description
Mail server	Sun Java System Messaging Server 6 2005Q1 Release on Solaris, Version 8 or 9, and Sun SPARC machine
LDAP server	Sun Java System Directory Server 5 2004Q2
Java	Java 2 Runtime Environment, Standard Edition, Version 1.4.2 and later
Access Manager	(If deployment is in Schema 2) - Sun Java System Access Manager 6 2005Q1 and Communications Express - Sun Java System Communications Express 6 2005Q1

Requirements for Using S/MIME

The signature and encryption features are not immediately available to Communications Express Mail users after you install Messaging Server. Before a user can take advantage of S/MIME, the requirements described in this section must be met.

Private and Public Keys

At least one private and public key pair, including a certificate in standard X.509 v3 format, must be issued to each Communications Express Mail user who will use S/MIME. The certificate, used in a verification process, assures other mail users that the keys really belong to the person who uses them. A user can have more than one key pair and associated certificate.

Keys and their certificates are issued from within your organization or purchased from a third-party vendor. Regardless of how the keys and certificates are issued, the issuing organization is referred to as a certificate authority (CA).

Key pairs and their certificates are stored in two ways:

- On a common access card (CACs), referred to as smart cards

These cards are similar to commercial credit cards and should be used and safeguarded by the mail user as they do their own credit cards. Smart cards require special card readers attached to the mail user's computer (client machine) to read the private key information. See [“Keys Stored on Smart Cards” on page 685](#) for more information.

- In a local key store on the mail user's computer (client machine)

A mail user's browser provides the key store. The browser also provides commands to download a key pair and certificate to the key store. See [“Keys Stored on the Client Machine” on page 685](#) for more information

Keys Stored on Smart Cards

If the private-public key pair, with its certificate, is stored on a smart card, a card reader must be properly attached to the mail user's computer. The card reading device also requires software; the device and its software are supplied by the vendor from whom you purchase this equipment.

When properly installed, a mail user inserts their smart card into the reading device when they want to create a digital signature for an outgoing message. After verification of their smart card password, the private key is accessible by Communications Express Mail to sign the message. See [“Required Software and Hardware Components” on page 683](#) for information on the supported smart cards and reading devices.

Libraries from the vendor of the smart card are required on the user's computer. See [“Key Access Libraries for the Client Machines” on page 703](#) for more information.

Keys Stored on the Client Machine

If key pairs and certificates are not stored on smart cards, they must be kept in a local key store on the mail user's computer (client machine). Their browser provides the key store and also has commands to download a key pair and certificate to the key store. The key store may be password-protected; this depends on the browser.

Libraries from the vendor of the browser are required on the user's computer to support a local key store. See [“Key Access Libraries for the Client Machines” on page 703](#) for more information.

Publish Public Keys in LDAP Directory

All public keys and certificates must also be stored to an LDAP directory, accessible by the Sun Java System Directory Server. This is referred to as publishing the public keys so they are available to other mail users who are creating S/MIME messages.

Public keys of the sender and receiver are used in the encrypting-decrypting process of an encrypted message. Public key certificates are used to validate private keys that were used for digital signatures.

See [“Managing Certificates” on page 712](#) for more information to use `ldapmodify` to publish the public keys and certificates.

Give Mail Users Permission to Use S/MIME

To create a signed or encrypted message, a valid Communications Express Mail user must have permission to do so. This involves using the `mailAllowedServiceAccess` or `mailDomainAllowedServiceAccess` LDAP attributes for a user’s LDAP entry. These attributes can be used to include or exclude mail users from S/MIME on an individual or domain basis.

See [“Granting Permission to Use S/MIME Features” on page 711](#) for more information.

Multi-language Support

A Communications Express Mail user who only uses English for their mail messages might not be able to read an S/MIME message which contains non-Latin language characters, such as Chinese. One reason for this situation is that the Java 2 Runtime Environment (JRE) installed on the user’s machine does not have the `charsets.jar` file in the `/lib` directory.

The `charsets.jar` file is not installed if the English version of JRE was downloaded using the default JRE installation process. However, `charsets.jar` is installed for all other language choices of a default installation.

To ensure that the `charsets.jar` file is installed in the `/lib` directory, alert your users to use the custom installation to install the English version of JRE. During the installation process, the user must select the “Support for Additional Languages” option.


Getting Started After Installing Messaging Server

This section explains what the S/MIME applet is and provides a basic configuration procedure to set up S/MIME for Communications Express Mail. The configuration process involves setting parameters for the S/MIME applet and options for Messaging Server.

The S/MIME Applet

The process of signing a message, encrypting a message, or decrypting a message, along with the various procedures to verify private and public keys, are handled by a special applet, referred to as the S/MIME applet. The configuration of the S/MIME features is done with parameters in the `smime.conf` file and options of Messaging Server. [Figure 20-1](#) shows the S/MIME Applet in relation to other system components.

Figure 20-1 S/MIME Applet



Logging In for the First Time

When a Communications Express Mail user who has permission to use S/MIME logs in to the Messaging Server for the first time, a series of special prompts displays about the S/MIME applet. After answering the prompts with Yes or Always, the S/MIME applet is downloaded to their computer. The applet remains on their machine until they log out of Communications Express Mail.

Refer to [“Managing Certificates” on page 712](#) for more information.

Downloading the S/MIME Applet

The S/MIME applet is downloaded each time a user logs in to Communications Express Mail unless caching is enabled for the Java 2 Runtime Environment (JRE) on the user's machine. When caching is enabled, a copy of the S/MIME applet is saved on the user's machine after the initial download which prevents downloading the applet every time the user logs in.

Caching can improve performance so you might direct your users to do the following steps to enable caching for Java 2 Runtime Environment, Version 1.4.x:

1. Navigate to the Windows Control Panel.
2. Double click the Java Plug-in icon (Java 2 Runtime Environment).
3. Click the Cache tab.
4. Check the Enable Caching checkbox.
5. Click Apply.

After downloading, a user is not aware of the S/MIME applet. It appears that signing, encrypting, or decrypting a message is done by Communications Express Mail. Unless an error message pops up, the user also is unaware of the processes to verify a private or public key. Refer to [“Verifying Private and Public Keys” on page 705](#) for more information.

A Basic S/MIME Configuration

The configuration file for S/MIME, `smime.conf`, contains descriptive comments and an example of each S/MIME parameter. The `smime.conf` file is included with Messaging Server, located in the directory `msg-svr-base/config/`, where `msg-svr-base` is the directory where Messaging Server is installed.

The following procedure contains the minimum required steps to configure the S/MIME features:

1. Verify that the basic features of Communications Express Mail are working after you install Messaging Server.
2. If you haven't already, create or obtain private-public key pairs, with certificates in standard X.509 v3 format, for all your mail users who have permission to use the S/MIME features.
3. If smart cards are used for keys and certificates:
 - a. Distribute the smart cards to your mail users.

- b. Ensure that the smart card reading devices and software are properly installed on each client machine where Communications Express Mail is accessed.
- 4. If local key stores of the browsers are used to store keys and certificates, instruct your mail users how to download their key pairs and certificate to the local key store.
- 5. Ensure that the correct libraries are on the client machines to support smart cards or local key stores. See [“Key Access Libraries for the Client Machines” on page 703](#) for more information.
- 6. Set up your LDAP directory to support S/MIME:

- a. Store all certificates for the CAs in the LDAP directory, accessible by Directory Server, under the distinguished name for certificate authorities. The LDAP attribute for these certificates is `cacertificate;binary`. Write down the directory information where you store them. You’ll need this information for a later step.

See [“trustedurl” on page 700](#) for an example of specifying LDAP directory information and [“Managing Certificates” on page 712](#) for information to search an LDAP directory.

- b. Store the public keys and certificates in the LDAP directory accessible by Directory Server. The LDAP attribute for public keys and certificates is `usercertificate;binary`. Write down the directory information where you store them. You’ll need this information for a later step.

See [“certurl” on page 695](#) for an example of specifying LDAP directory information and [“Managing Certificates” on page 712](#) for information to search an LDAP directory.

- c. Ensure that all users who send or receive S/MIME messages are given permission to use S/MIME with an LDAP filter in their user entries. A filter is defined with the `mailAllowedServiceAccess` or `mailDomainAllowedServiceAccess` LDAP attributes.

Note: By default, if you do not use `mailAllowedServiceAccess` or `mailDomainAllowedServiceAccess`, all services including `smime`, are allowed. If you explicitly specify services with these attributes, then the services `http` and `smtp`, as well as `smime`, must be specified to give mail users permission to use the S/MIME features.

See [“Granting Permission to Use S/MIME Features” on page 711](#) for more information.

7. Edit the `smime.conf` file with any available text editor. See comments at the beginning of the file for parameter syntax.

All text and example parameters in `smime.conf` are preceded with a comment character (`#`). You can add the parameters you need to `smime.conf` or copy a parameter example to another part of the file and change its value. If you copy and edit an example, be sure to remove the `#` character at the beginning of its line.

Add these parameters to the file, each on its own line:

- a. `trustedurl` -- set to the LDAP directory information to locate the certificates of the CAs. Use the information you saved from [6a](#).
- b. `certurl` -- set to the LDAP directory information to locate the public keys and certificates. Use the information you saved from [6b](#).
- c. `usercertfilter` -- set to the value of the example in the `smime.conf` file. The example value is almost always the filter you want. Copy the example and delete the `#` character at the beginning of the line.

This parameter specifies a filter definition for the primary, alternate, and equivalent email addresses of a Communications Express Mail user to ensure that all of a user's private-public key pairs are found when the key pairs are assigned to different mail addresses.

- d. `sslrootcacertsurl` -- if you are using SSL for the communications link between the S/MIME applet and Messaging Server, set `sslrootcacertsurl` with the LDAP directory information to locate the certificates of CAs that are used to verify the Messaging Server's SSL certificates. See "[Securing Internet Links With SSL](#)" on [page 702](#) for more information.

`checkoverssl` -- set to `0` if you are not using SSL for the communications link between the S/MIME applet and Messaging Server.
- e. `crlenable` -- set to `0` to disable CRL checking for now because doing CRL checking might require adding other parameters to the `smime.conf` file.
- f. `logindn` and `loginpw` -- if the LDAP directory that contains the public keys and CA certificates requires authentication to access it, set these parameters to the distinguished name and password of the LDAP entry that has read permission.

Note: The values of `logindn` and `loginpw` are used whenever the LDAP directory is accessed with the LDAP information specified by the `certurl`, `crlmappingurl`, `sslrootcacertsurl`, or `trustedurl` parameters. See “Accessing LDAP for Public Keys, CA certificates and CRLs Using Credentials” on page 693 for more information.

Do not set `logindn` and `loginpw` if authentication is not required to access the LDAP directory.

8. Set the Messaging Server options with `configutil`:
 - a. `local.webmail.smime.enable` -- set to 1.
 - b. `local.webmail.cert.enable` -- set to 1 if you want to verify certificates against a CRL.

See “Messaging Server Options” on page 701 for more information.
9. Communications Express Mail is now configured for the S/MIME features. Verify that the S/MIME features are working with the following steps:
 - a. Restart the Messaging Server.
 - b. Check the Messaging Server log file, `msg-svr-base/log/http`, for diagnostic messages relating to S/MIME.
 - c. If any problems were detected for S/MIME, the diagnostic messages help you determine how to correct the problem with the configuration parameters.
 - d. Correct the necessary configuration parameters.
 - e. Repeat Steps a. through d. until there are no more diagnostic messages for S/MIME in the Messaging Server’s log file.
 - f. Check that the S/MIME features are working with the following steps:
 - I. Log in to Messaging Server from a client machine. Answer the special prompts for the S/MIME applet with Yes or Always. See “Managing Certificates” on page 712 for more information.
 - II. Compose a short message, addressed to yourself.
 - III. Encrypt your message by checking the Encrypt checkbox at the bottom of the Compose window if it is not already checked.
 - IV. Click Send to send the encrypted message to yourself. This should exercise most of the mechanisms for keys and certificates.

- V. If you find problems with the encrypted message, the most likely causes are the values you used for LDAP directory information in the `smime.conf` file and/or the way keys and certificates are stored in the LDAP directory. Check the Messaging Server log for more diagnostic messages.

The remaining S/MIME parameters, summarized in [Table 20-3](#), provide many options you might want to use to further configure your S/MIME environment. See [“Parameters of the `smime.conf` File” on page 694](#) for more information about the parameters.

Table 20-3 Summary of `smime.conf` Parameters

Required Parameters for S/MIME	Parameters for Smart Cards and Local Key Stores	Parameters for CRL Checking	Parameters for Initial Settings and Secured Links
<code>certurl*</code>	<code>platformwin</code>	<code>checkoverssl</code>	<code>alwaysencrypt</code>
<code>logindn</code>		<code>crlaccessfail</code>	<code>alwaysign</code>
<code>loginpw</code>		<code>crlidir</code>	<code>sslrootcacertsurl</code>
<code>trustedurl*</code>		<code>crlenable</code>	
<code>usercertfilter*</code>		<code>crlmappingurl</code>	
		<code>crlurllogindn</code>	
		<code>crlurlloginpw</code>	
		<code>crlusepastnextupdate</code>	
		<code>readsigncert</code>	
		<code>revocationunknown</code>	
		<code>sendencryptcert</code>	
		<code>sendencryptcertrevoked</code>	
		<code>readsigncert</code>	
		<code>sendsigncertrevoked</code>	
		<code>timestampdelta</code>	

* You must specify a value for these parameters because they have no default value.

Accessing LDAP for Public Keys, CA certificates and CRLs Using Credentials

Public keys, CA certificates, and CRLs required for S/MIME may be stored in an LDAP directory (see previous section). The keys, certificates, and CRLs may be accessible from a single URL or multiple URLs in LDAP. For example, CRLs may be stored in one URL and public keys and certificates may be stored in another. Messaging Server allows you to specify which URL contains the desired CRL or certificate information, as well as the DN and password of the entry that has access to these URLs. These DN/password credentials are optional; if none are specified, LDAP access first tries the HTTP server credentials, and if that fails, it tries accessing it as anonymous.

Two pairs of `smime.conf` credential parameters may be set to access the desired URLs: `logindn` and `loginpw`, and `crlurllogindn` and `crlurlloginpw`.

`logindn` and `loginpw` are the credentials used for all URLs in `smime.conf`. They specify the DN and password of the LDAP entry that has read permission for the public keys, their certificates, and the CA certificates as specified by the `certurl` and `trustedurl` parameters.

`crlurllogindn` and `crlurlloginpw` specifies the DN and password of the LDAP entry that has read permission for the resulting URL from the mapping table (see “[Accessing a CRL](#)” on page 706 for more information). If these credentials are NOT accepted, LDAP access is denied and no retry with other credentials is attempted. Either both parameters must be specified, or both must be empty. These parameters do not apply to the URLs that come directly from the certificate.

Setting Passwords for Specific URLs

Messaging Server allows you to specifically define the DN/password pairs for accessing the following `smime.conf` URLs: `certUrl`, `trustedUrl`, `crlmappingUrl`, `sslrootcacertsUrl`.

The syntax is as follows:

```
url_type URL[ | URL_DN | URL_password]
```

Example:

```
trustedurl==ldap://mail.siroe.com:389/cn=Directory Manager, ou=people,
o=siroe.com,o=ugroot?cacertificate?sub?(objectclass=certificationauthority) |
cn=Directory manager | boomshakalaka
```

Summary of Using LDAP credentials

This section summarizes the use of LDAP credentials.

- All LDAP credentials are optional; if none are specified, LDAP access first tries the HTTP server credentials, and if that fails, tries `anonymous`.

Two pairs of `smime.conf` parameters are used as credentials for the two sets of URLs that may be specified:

`logindn` & `loginpw` - all URLs in `smime.conf`

`crlurllogindn` & `crlurlloginpw` - all URLs from mapping table

These are known as the default LDAP credential pair.

- Any URL specified in `smime.conf` or via mapping CRL URLs can have an optional local LDAP credential pair specified.
- Credentials are checked in order in which each is specified:
 - 1) Local LDAP credential pair - if specified, only one tried
 - 2) Default LDAP Credential Pair - if specified, and no Local LDAP credential pair, only one tried
 - 3) Server - if neither Local LDAP credential pair nor default LDAP credential pair specified, first tried
 - 4) `anonymous` - last tried only if server fails or none specified
- If a URL has a Local LDAP credential pair specified, it is used first; if the access fails, access is denied.
- If a URL has no Local LDAP credential pair specified, the corresponding default LDAP credential pair is used; if access fails, then access is denied.

Parameters of the smime.conf File

The `smime.conf` file is included with the Messaging Server, located in the directory `msg-svr-base/config/`, where `msg-svr-base` is the directory where Messaging Server is installed. All text and parameter examples in the file are preceded with a comment character (`#`).

You can add parameters with your values to the `smime.conf` file or you can edit the parameter examples. If using an example, copy the example to another part of the file, edit the parameter's value, and remove the `#` character at the beginning of the line.

Edit `smime.conf` with any available text editor after you install Messaging Server. The parameters, described in [Table 20-4](#), are not case sensitive and unless otherwise stated, are not required to be set.

Table 20-4 S/MIME Configuration Parameters in `smime.conf` File

Parameter	Purpose
<code>alwaysencrypt</code>	<p>Controls the initial setting for whether all outgoing messages are automatically encrypted for all Communications Express Mail users with permission to use S/MIME. Each Communications Express Mail user can override this parameter's value for their messages by using the checkboxes described in Table 20-6 on page 720.</p> <p>Choose one of these values:</p> <p>0 - do not encrypt messages. The encryption checkboxes within Communications Express Mail are displayed as unchecked. This is the default.</p> <p>1 - always encrypt messages. The encryption checkboxes within Communications Express Mail are displayed as checked.</p> <p>Example:</p> <pre>alwaysencrypt==1</pre>
<code>alwaysign</code>	<p>Controls the initial setting for whether all outgoing messages are automatically signed for all Communications Express Mail users with permission to use S/MIME. Each Communications Express Mail user can override this parameter's value for their messages by using the checkboxes described in Table 20-6 on page 720.</p> <p>Choose one of these values:</p> <p>0 - do not sign messages. The signature checkboxes within Communications Express Mail are displayed as unchecked. This is the default.</p> <p>1 - always sign messages. The signature checkboxes within Communications Express Mail are displayed as checked.</p> <p>Example:</p> <pre>alwaysensign==1</pre>
<code>certurl</code>	<p>Specifies the LDAP directory information to locate the public keys and certificates of Communications Express Mail users (the LDAP attribute for public keys is <code>usercertificate;binary</code>). See "Managing Certificates" on page 712 for more information about certificates.</p> <p>This parameter must point to the highest node in the user/group of the LDAP directory information tree (DIT) that includes all users that are being served by the Messaging Server. This is particularly important for sites with more than one domain; the distinguished name must be the root distinguished name of the user/group tree instead of the subtree that contains users for a single domain.</p> <p>This is a required parameter that you must set.</p> <p>Example:</p> <pre>certurl==ldap://mail.siroe.com:389/ou=people, o=siroe.com, o=ugroot</pre>

Table 20-4 S/MIME Configuration Parameters in smime.conf File

Parameter	Purpose
checkoverssl	<p>Controls whether an SSL communications link is used when checking a key's certificate against a CRL. See “Securing Internet Links With SSL” on page 702 for more information.</p> <p>Choose one of these values:</p> <p>0 - do not use an SSL communications link.</p> <p>1 - use an SSL communications link. This is the default.</p> <p>A problem can occur when a proxy server is used with CRL checking in effect. See “Proxy Server and CRL Checking” on page 708 for more information.</p>
crlaccessfail	<p>Specifies how long to wait before the Messaging Server attempts to access a CRL after it has failed to do so after multiple attempts. This parameter has no default values.</p> <p>Syntax:</p> <pre>crlaccessfail==number_of_failures:time_period_for_failures:wait_time_before_retry</pre> <p>where:</p> <p><i>number_of_failures</i> is the number of times that the Messaging Server can fail to access a CRL during the time interval specified by <i>time_period_for_failures</i>. The value must be greater than zero.</p> <p><i>time_period_for_failures</i> is the number of seconds over which the Messaging Server counts the failed attempts to access a CRL. The value must be greater than zero.</p> <p><i>wait_time_before_retry</i> is the number of seconds that the Messaging Server waits, once it detects the limit on failed attempts over the specified time interval, before trying to access the CRL again. The value must be greater than zero.</p> <p>Example:</p> <pre>crlaccessfail==10:60:300</pre> <p>In this example, Messaging Server fails 10 times within a minute to access the CRL. It then waits 5 minutes before attempting to access the CRL again. See “Trouble Accessing a CRL” on page 710 for more information.</p>
crlidir	<p>Specifies the directory information where the Messaging Server downloads a CRL to disk. The default is <i>msg-svr-base/data/store/mboxlist</i>, where <i>msg-svr-base</i> is the directory where Messaging Server is installed. See “Using a Stale CRL” on page 708 for more information.</p>
crlenable	<p>Controls whether a certificate is checked against a CRL. If there is a match, the certificate is considered revoked. The values of the <i>send*revoked</i> parameters in the <i>smime.conf</i> file determine whether a key with a revoked certificate is rejected or used by Communications Express Mail. See “Verifying Private and Public Keys” on page 705 for more information.</p> <p>Choose one of these values:</p> <p>0- each certificate is not checked against a CRL.</p> <p>1- each certificate is checked against a CRL. This is the default. Ensure that the <i>local.webmail.cert.enable</i> option of the Messaging Server is set to 1, otherwise CRL checking is not done even if <i>crlenable</i> is set to 1.</p>

Table 20-4 S/MIME Configuration Parameters in smime.conf File

Parameter	Purpose
crlmappingurl	<p>Specifies the LDAP directory information to locate the CRL mapping definitions. This parameter is only required when you have mapping definitions. See “Accessing a CRL” on page 706 for more information. This parameter has no default value. You can also optionally add the DN and password that has access to the URL.</p> <p>Syntax:</p> <pre>crlmappingurl URL[URL_DN URL_password]</pre> <p>Example:</p> <pre>crlmappingurl=ldap://mail.siroe.com:389/cn=XYZ Messaging, ou=people, o=mail.siroe.com,o=isp?msgCRLMappingRecord?sub?(objectclass=msgCRLMappingTable) cn=Directory Manager pAsSwOrD</pre>
crlurllogindn	<p>Specifies the distinguished name of the LDAP entry that has read permission for the CRL mapping definitions (not if the entry is directly from the certificate, see “Accessing a CRL” on page 904 for more information).</p> <p>If values for <code>crllogindn</code> and <code>crlloginpw</code> are not specified, the Messaging Server uses the log in values for the HTTP server to gain entry to the LDAP directory. If that fails, Messaging Server attempts to access the LDAP directory anonymously.</p> <p>Example:</p> <pre>crllogindn==cn=Directory Manager</pre>
crlurlloginpw	<p>Specifies the password, in ASCII text, for the distinguished name of the <code>crllogindn</code> parameter.</p> <p>If values for <code>crllogindn</code> and <code>crlloginpw</code> are not specified, Messaging Server uses the log in values for the HTTP server to gain entry to the LDAP directory. If that fails, Messaging Server attempts to access the LDAP directory anonymously.</p> <p>Example:</p> <pre>crlloginpw==zippy</pre>
crlusepastnextupdate	<p>Controls whether a CRL is used when the current date is past the date specified in the CRL's next-update field. See “Using a Stale CRL” on page 708 for more information.</p> <p>Choose one of these values:</p> <p>0 - do not use the stale CRL.</p> <p>1 - use the stale CRL. This is the default.</p>

Table 20-4 S/MIME Configuration Parameters in smime.conf File

Parameter	Purpose
logindn	<p>Specifies the distinguished name of the LDAP entry that has read permission for the public keys and their certificates, and the CA certificates located in the LDAP directory specified by the <code>certurl</code> and <code>trustedurl</code> parameters.</p> <p>If values for <code>logindn</code> and <code>loginpw</code> are not specified, the Messaging Server uses the log in values for the HTTP server to gain entry to the LDAP directory. If that fails, Messaging Server attempts to access the LDAP directory anonymously.</p> <p>Example:</p> <pre>logindn==cn=Directory Manager</pre>
loginpw	<p>Specifies the password, in ASCII text, for the distinguished name of the <code>logindn</code> parameter.</p> <p>If values for <code>logindn</code> and <code>loginpw</code> are not specified, Messaging Server uses the log in values for the HTTP server to gain entry to the LDAP directory. If that fails, Messaging Server attempts to access the LDAP directory anonymously.</p> <p>Example:</p> <pre>loginpw==SkyKing</pre>
platformwin	<p>Specifies one or more library names that are necessary when using smart cards or a local key store on a Windows platform. Change this parameter only if the default value does not work for your client machines. The default is:</p> <pre>platformwin==CAPI:library=capibridge.dll;</pre> <p>See “Key Access Libraries for the Client Machines” on page 703 for more information.</p>
readsigncert	<p>Controls whether a public key’s certificate is checked against a CRL to verify an S/MIME digital signature when the message is read. (A private key is used to create a digital signature for a message but it cannot be checked against a CRL, so the certificate of the public key associated with the private key is checked against the CRL.) See “Verifying Private and Public Keys” on page 705 for more information.</p> <p>Choose one of these values:</p> <ul style="list-style-type: none"> 0 - do not check the certificate against a CRL. 1 - check the certificate against a CRL. This is the default.
revocationunknown	<p>Determines the action to take when an ambiguous status is returned when checking a certificate against a CRL. In this case, it is not certain whether the certificate is valid or has a revoked status. See “Verifying Private and Public Keys” on page 705 for more information.</p> <p>Choose one of these values:</p> <ul style="list-style-type: none"> ok - treat the certificate as valid. revoked - treat the certificate as revoked. This is the default.

Table 20-4 S/MIME Configuration Parameters in smime.conf File

Parameter	Purpose
sendencryptcert	<p>Controls whether the certificate of a public key that is used to encrypt an outgoing message is checked against a CRL before using it. See “Verifying Private and Public Keys” on page 705 for more information.</p> <p>Choose one of these values:</p> <p>0 - do not check the certificate against a CRL.</p> <p>1 - check the certificate against a CRL. This is the default.</p>
sendencryptcertrevoked	<p>Determines the action to take if the certificate of a public key that is used to encrypt an outgoing message is revoked. See “Verifying Private and Public Keys” on page 705 for more information.</p> <p>Choose one of these values:</p> <p>allow - use the public key.</p> <p>disallow - do not use the public key. This is the default.</p>
sendsigncert	<p>Controls whether a public key’s certificate is checked against a CRL to determine if a private key can be used to create a digital signature for an outgoing message. (A private key is used for a digital signature but it cannot be checked against a CRL, so the certificate of the public key associated with the private key is checked against the CRL.) See “Verifying Private and Public Keys” on page 705 for more information.</p> <p>Choose one of these values:</p> <p>0 - do not check the certificate against a CRL.</p> <p>1 - check the certificate against a CRL. This is the default.</p>
sendsigncertrevoked	<p>Determines the action to take when it is determined that a private key has a revoked status. (A private key is used to create a digital signature for a message but it cannot be checked against a CRL, so the certificate of the public key associated with the private key is checked against the CRL. If the public key certificate is revoked, then its corresponding private key is also revoked.) See “Verifying Private and Public Keys” on page 705 for more information.</p> <p>Choose one of these values:</p> <p>allow - use the private key with a revoked status.</p> <p>disallow - do not use the private key with a revoked status. This is the default.</p>

Table 20-4 S/MIME Configuration Parameters in smime.conf File

Parameter	Purpose
sslrootcacertsurl	<p>Specifies the distinguished name and the LDAP directory information to locate the certificates of valid CAs which are used to verify the Messaging Server's SSL certificates. This is a required parameter when SSL is enabled in the Messaging Server. See "Securing Internet Links With SSL" on page 702 for more information.</p> <p>If you have SSL certificates for a proxy server that receives all requests from client application, the CA certificates for those SSL certificates must also be located in the LDAP directory pointed to by this parameter.</p> <p>You can also optionally add the DN and password that has access to the URL.</p> <p>Syntax:</p> <pre>clrmappingurl URL[URL_DN URL_password]</pre> <p>Example:</p> <pre>sslrootcacertsurl==ldap://mail.siroe.com:389/cn=SSL Root CA Certs, ou=people, o=siroe.com, o=isp? cacertificate;binary?base? (objectclass=certificationauthority) cn=Directory Manager pAsSwOrD</pre>
timestampdelta	<p>Specifies a time interval, in seconds, that is used to determine whether a message's sent time or received time is used when checking a public key's certificate against a CRL.</p> <p>The parameter's default value of zero directs Communications Express Mail to always use the received time. See "Determining Which Message Time to Use" on page 709 for more information.</p> <p>Example:</p> <pre>timestampdelta==360</pre>
trustedurl	<p>Specifies the distinguished name and LDAP directory information to locate the certificates of valid CAs. This is a required parameter.</p> <p>You can also optionally add the DN and password that has access to the URL.</p> <p>Syntax:</p> <pre>clrmappingurl URL[URL_DN URL_password]</pre> <p>Example:</p> <pre>trustedurl==ldap://mail.siroe.com:389/cn=Directory Manager, ou=people, o=siroe.com,o=ugroot?cacertificate?sub?(objectclass=certificationauthority) cn=Directory Manager pAsSwOrD</pre>
usercertfilter	<p>Specifies a filter definition for the primary, alternate, and equivalent email addresses of a Communications Express Mail user to ensure that all of a user's private-public key pairs are found when they are assigned to different mail addresses.</p> <p>This parameter is required and has no default values.</p>

Messaging Server Options

To set the three Messaging Server options that apply to S/MIME, do the following on the machine where the Messaging Server is installed:

1. Log in as root. Then enter:

```
# cd msg-svr-base/sbin
```

where *msg-svr-base* is the directory where Messaging Server is installed.

2. Set the Messaging Server options, described in the following table, as desired for your system. Use the `configutil` utility to set them. Unless stated otherwise, an option is not required to be set.

Parameter	Purpose
<code>local.webmail.cert.enable</code>	<p>Controls whether the process that handles CRL checking should do CRL checking.</p> <p>0 - the process does not check a certificate against a CRL. This is the default.</p> <p>1 - the process checks a certificate against a CRL. When set to 1, ensure that the <code>crlenable</code> parameter in the <code>smime.conf</code> file is set to 1.</p>
<code>local.webmail.cert.port</code>	<p>Specifies a port number on the machine where the Messaging Server runs to use for CRL communication. This port is used locally for that machine only. The value must be greater than 1024. The default is 55443.</p> <p>This is a required option if the default port number is already in use.</p>
<code>local.webmail.smime.enable</code>	<p>Controls whether the S/MIME features are available to Communications Express Mail users. Choose one of these values:</p> <p>0 - the S/MIME features are unavailable for Communications Express Mail users even though the system is configured with the correct software and hardware components. This is the default.</p> <p>1 - the S/MIME features are available to Communications Express Mail users who have permission to use them.</p> <p>Example:</p> <pre>configutil -o local.webmail.smime.enable -v 1</pre>

Securing Internet Links With SSL

The Messaging Server supports the use of the Secure Socket Layer (SSL) for Internet links affecting Communications Express Mail, as summarized in the following table.

Link Between:	Description
Messaging Server and Communications Express Mail	Securing this link with SSL requires administrative work for the Messaging Server. The Communications Express Mail user must use the HTTPS protocol, rather than HTTP, when entering the URL information for the Messaging Server in their browser. See “ Securing the Link Between Messaging Server and Communications Express Mail ” on page 702 for more information.
Messaging Server and S/MIME applet	When checking public keys certificates against a CRL, the S/MIME applet must communicate directly with the Messaging Server. Securing this link with SSL requires administrative work for the Messaging Server in addition to setting <code>sslrootcacertsurl</code> and <code>checkoverssl</code> in the <code>smime.conf</code> file. See “ Securing the Link Between the Messaging Server and S/MIME Applet ” on page 703 for more information.

Securing the Link Between Messaging Server and Communications Express Mail

The Messaging Server supports the use of Secure Socket Layer (SSL) for the Internet link between it and Communications Express Mail. Once you have set up Messaging Server for SSL, configure Communications Express for SSL. See *Communications Express Administration Guide* (<http://docs.sun.com/doc/819-0115>). A Communications Express Mail user specifies the Communications Express URL in their browser with the HTTPS protocol:

```
HTTPS://hostname.domain:secured_port
```

instead of the HTTP protocol (`HTTP://hostname.domain:unsecure_port`). When the Communications Express login window displays, the user sees a lock icon in a locked position at the bottom of their window to indicate they have a secure link.

See “[Configuring Encryption and Certificate-Based Authentication](#)” on page 649 for SSL configuration information for Messaging Server, as well as the *Communications Express Administration Guide* (<http://docs.sun.com/doc/819-0115>).

Securing the Link Between the Messaging Server and S/MIME Applet

When checking the certificate of a public key against a CRL, the S/MIME applet must communicate directly with the Messaging Server. To secure this communications link with SSL:

1. Do the administrative tasks to configure the Messaging Server for SSL. See [“Configuring Encryption and Certificate-Based Authentication” on page 649](#).
2. Set the `sslrootcacertsurl` parameter in the `smime.conf` file to specify the information to locate the root SSL CA certificates. These CA certificates are used to verify the Messaging Server’s SSL certificates when the SSL link is established between the Messaging Server and the S/MIME applet.
3. Set the `checkoverssl` parameter in the `smime.conf` file to 1. This Messaging Server option determines whether SSL is used for the link between the Messaging Server and the S/MIME applet. Regardless of how a Communications Express Mail user specifies the URL for the Messenger Server (HTTP or HTTPS), the link between the Messaging Server and the S/MIME applet is secured with SSL when `checkoverssl` is set to 1.

NOTE A proxy server can be used between the Messaging Server and client applications such as Communications Express Mail. See [“Proxy Server and CRL Checking” on page 708](#) for more information about using a proxy server with and without a secured communications link.

Key Access Libraries for the Client Machines

Whether your mail users keep their private-public key pairs and certificates on a smart card or in a local key store of their browsers, key access libraries must be present on the client machines to support the storage methods.

The libraries are supplied by vendors of the smart cards and browsers. You must ensure that the correct libraries are on the client machines and specify the library name or names with the appropriate platform parameter in the `smime.conf` file. The parameters choices are:

- `platformwin` for Microsoft Windows running on a PC.

You can specify only the libraries you know are installed on the client machines or you can specify all the library names for a given platform and vendor if you are not sure what is installed. If the S/MIME applet does not find the library it needs among the names you specify, the S/MIME features do not work.

The syntax to specify one or more library filenames is:

```
platform_parameter==vendor:library=library_name;...
```

where:

platform_parameter is the parameter name for the platform of the client machine where Communications Express Mail is accessed. Choose one of these names: `platformwin`

vendor specifies the vendor of the smart card or browser. Choose one of these literals:

`cac` (for an ActivCard or NetSign smart card)

`capi` (for Internet Explorer with CAPI)

`mozilla` (for Mozilla with Network Security Services)

library_name specifies the library filename. See [Table 20-5](#) for the library name for your vendor and operating system.

Table 20-5 Special Libraries for the Client Machines

Smart Card or Browser Vendor	Operating System	Library Filename
	Windows	acpkcs211.dll
Internet Explorer with Cryptographic Application Programming Interface (CAPI)	Windows	capibridge.dll
	Windows	softokn3.dll
	Windows	core32.dll

Example


The following example specifies one smart card library and one Internet Explorer library, and one Mozilla library for a Windows platform:

```
platformwin==CAC:library=acpkcs211.dll;CAPI:library=capibridge.dll;
MOZILLA:library=softokn3.dll;
```


Verifying Private and Public Keys

Before Communications Express Mail uses a private or public key, it must pass the verification tests shown in [Figure 20-2](#). The remainder of this section describes the details of checking a public key's certificate against a CRL.

Figure 20-2 Verifying Private and Public Keys.



Finding a User's Private or Public Key

When a Communications Express Mail user has multiple private-public key pairs and multiple email addresses (primary, alternate, or alias addresses), it is possible that their keys are associated among their addresses. In this case, it is important that the S/MIME applet finds all the keys for verification purposes. Use the `usercertfilter` parameter in the `smime.conf` file to define a filter that creates a list of mail addresses for a key's owner at the time the public key's certificate is checked against a CRL. See [“usercertfilter” on page 700](#) for more information.

When is a Certificate Checked Against a CRL?

A certificate revocation list, or CRL, is a list of revoked certificates maintained by the CA who issues the key pairs and certificates. When CRL checking is enabled, it causes the system to check the CRL whenever a certificate request has been made to see whether or not that certificate has been revoked.

When `crlenable` is set to 1 in the `smime.conf` file, a CRL test is performed after an unexpired key is found. The public key's certificate is checked against a CRL. There can only be one CRL for each CA, however the same CRL can be located in different places.

Checking a certificate against a CRL is done by the Messaging Server after the S/MIME applet sends it a request to do so. A public key certificate is used to validate a public key. Because a private key is kept secret, only used by the person who owns it, a private key cannot be checked directly against a CRL. To determine if a private key is good, the public key certificate of the key pair is used. When the public key's certificate passes the CRL test, the associated private key passes the test too.

Revocation of a certificate can happen for a variety of reasons, such as its owner has left your organization or lost the smart card.

There are three situations for checking a certificate against a CRL:

- When an outgoing message is signed
The S/MIME applet always does this check unless you set `sendsigncert` to 0 or `crlenable` to 0.
- When an incoming signed message is read
The S/MIME applet always does this check unless you set `readsigncert` to 0 or `crlenable` to 0.
- When an outgoing message is encrypted
The S/MIME applet always does this check unless you set `sendencryptcert` to 0 or `crlenable` to 0.

Accessing a CRL

A certificate contains zero or more URLs, known as distribution points, that are used by Messaging Server to locate a CRL. If the certificate does not have a CRL URL, it cannot be checked against a CRL and the private or public key is used to sign or encrypt a message without knowing its true status.

If Messaging Server fails to locate or gain access to a CRL after trying all the URLs available to it, the status of the certificate is treated as unknown. Whether a private or public key with an unknown status is used is determined by the setting of `revocationunknown`.

While only one CRL for each CA is supported, there can be multiple copies of the same CRL in different locations, reflected in different URLs among a user's public key certificates. Messaging Server tries all the URL locations for a certificate until it gains access to the CRL.

You can manage multiple copies of a CRL for optimum access by periodically downloading the current CRL from the CA to a place where you want it. While you cannot change the URLs embedded in the certificates, you can redirect Messaging Server to use new CRL locations by mapping the URLs in a certificate to a new URL containing the CRL information. Create a list of one or more mapping definitions in the LDAP directory (see [crlmappingurl](#)) with this syntax:

```
msgCRLMappingRecord=url_in_certificate==new_url[ |url_login_DN|url_login_password]
```

url_in_certificate is the URL in the certificate containing the old information to locate the CRL. *new_url* is the new URL containing the new CRL information. *url_login_DN* and *url_login_password* are the DN and password of the entry allowed access to *new_url*. Both are optional, and if specified, will be used for the new URL access only.

If the DN and password fails, LDAP access is denied and no retry with other credentials is attempted. These login credentials are only valid for LDAP URLs. If you use `crlurllogindn` and `crlurlloginpw` in `smmime.conf`, then you don't need to specify the login DN and password in the mapping record. See [“Accessing LDAP for Public Keys, CA certificates and CRLs Using Credentials” on page 693](#).

Only one layer of mapping is allowed. Different URLs in the certificates can be mapped to the same new URL, but you cannot assign a certificate URL to multiple new URLs. For example, the following mapping list is not valid:

```
msgCRLMappingRecord=URL12==URL45
msgCRLMappingRecord=URL12==URL66
msgCRLMappingRecord=URL12==URL88
msgCRLMappingRecord=URL20==URL90
msgCRLMappingRecord=URL20==URL93
```

The next example is a correct mapping list:

```
msgCRLMappingRecord=URL12==URL45
msgCRLMappingRecord=URL14==URL66
msgCRLMappingRecord=URL88==URL66
msgCRLMappingRecord=URL201==URL90
msgCRLMappingRecord=URL202==URL93
```

Once you have created the mapping definitions in your LDAP directory, use `crlmappingurl` in the `smime.conf` file to specify the directory information to locate them. See [“crlmappingurl” on page 697](#).

Proxy Server and CRL Checking

If your system uses a proxy server between client applications and the Messaging Server, CRL checking can be blocked despite the fact that you correctly configured the S/MIME applet to perform CRL checking. When this problem occurs, users of Communications Express Mail receive error messages alerting them to revoked or unknown status for valid key certificates.

The following conditions cause the problem:

- CRL checking is requested with these configuration values:
 - `crlenable` parameter in the `smime.conf` file is set to 1
 - `local.webmail.cert.enable` option of Messaging Server is set to 1
- The communications link between the S/MIME applet and the proxy server is not secured with SSL, but the S/MIME applet is expecting a secured link because the `checkoverssl` parameter in the `smime.conf` file is set to 1

To solve this problem, you can:

1. Set up the communications link between the client machines and proxy server as a secured link with SSL and leave all the configuration values as they are.

Or,

2. Leave the communications link unsecured and set `checkoverssl` to 0.

For more information see [“Securing Internet Links With SSL” on page 702](#).

Using a Stale CRL

Checking a certificate against a CRL is done by the Messaging Server after the S/MIME applet sends it a request to do so. Rather than download a CRL to memory each time a certificate is checked, Messaging Server downloads a copy of the CRL to disk and uses that copy for certificate checking. Every CRL has a next-update field which specifies the date after which a newer CRL version should

be used. The next-update date can be viewed as an expiration date or time limit for using the CRL. A CRL that is past its next-update date is considered old or stale and triggers Messaging Server to download the latest version of the CRL the next time a certificate is checked.

Every time the S/MIME applet requests that a certificate be checked against a CRL, the Messaging Server does the following:

1. Compares the current date to the next-update date of the CRL.
2. If the CRL is stale, the Messaging Server downloads the latest version of the CRL to replace the stale CRL on disk and checking proceeds. However, if a newer CRL cannot be found or cannot be downloaded, the value of `crlusepastnextupdate` in the `smime.conf` file is used to determine what to do.
3. If `crlusepastnextupdate` is set to 0, the stale CRL is not used and the certificate in question has an ambiguous status. The S/MIME applet uses the value of `revocationunknown` in `smime.conf` to determine what to do next:
 - a. If `revocationunknown` is set to `ok`, the certificate is treated as valid and the private or public key is used to sign or encrypt a message.
 - b. If `revocationunknown` is set to `revoked`, the certificate is treated as invalid, the private or public key is not used to sign or encrypt a message, and a pop-up error message alerts the mail user that the key cannot be used.

If `crlusepastnextupdate` is set to 1, the S/MIME applet continues to use the stale CRL which causes no interruption of processing within Communications Express Mail, however a message is written to the Messaging Server log file to alert you to the situation.

This sequence of events continues to occur as certificates are checked against the CRL. As long as the Messaging Server can download a newer version of the CRL in a timely manner, and depending on the settings in the `smime.conf` file, mail processing proceeds without interruption. Check the Messaging Server log periodically for repeated messages that indicate a stale CRL is in use. If a newer CRL cannot be downloaded, you need to investigate why it is inaccessible.

Determining Which Message Time to Use

The `timestampdelta` parameter is used primarily for these purposes:

1. To handle the situation of a message that takes a long time to arrive at its destination. For this case, the sender's key might be treated as an invalid key despite the fact that the key was valid when the message was sent.

2. To limit the trust in a message's sent time because sent times can be faked.

There are two times associated with every message:

- The time when the message was sent, as found in the Date line of the message header detail
- The time when the message arrives at its destination, as found in the last Received line of the message header detail

NOTE View the message header detail by clicking the triangle icon at the right hand side of a message's From field.

A certificate that was valid when a message was sent can be revoked or expired by the time the message reaches its destination. When this happens, which time should be used when checking the validity of the certificate, the sent time or the received time? Using the sent time would verify that the certificate was valid when the message was sent. But always using the sent time does not take into account the fact that it might take a long time for a message to arrive at its destination, in which case it would be better to use the received time.

You can influence which time to use for CRL checking by using the `timestampdelta` parameter in the `smime.conf` file. Set this parameter to a positive integer, representing seconds. If the received time minus the value of `timestampdelta` is a time before the sent time, the sent time is used. Otherwise, the received time is used. The smaller the value of `timestampdelta`, the more often the received time is used. When `timestampdelta` is not set, the received time is always used. See "[timestampdelta](#)" on page 700.

Trouble Accessing a CRL

For a variety of reasons, such as network or server problems, a CRL might be unavailable when Messaging Server attempts to check a certificate against it. Rather than let the Messaging Server spend its time constantly trying to gain access to the CRL, you can use the `crlaccessfail` parameter in the `smime.conf` file to manage how often it attempts to access the CRL, freeing up the Messaging Server for other tasks.

Define the following with `crlaccessfail`:

- How many failed attempts are counted (an error message is written to the Messaging Server log after each failed attempt)

- Over what period of time the failed attempts are counted
 - How long to wait before attempting a new cycle of accessing the CRL
- See “[crlaccessfail](#)” on page 692 for the parameter’s syntax and an example.

When a Certificate is Revoked

When a public key’s certificate does not match any entry on the CRL, the private or public key is used to sign or encrypt an outgoing message. When a certificate matches an entry on the CRL or the certificate’s status is unknown, a private or public key is considered revoked. By default Communications Express Mail does not use a key with a revoked certificate to sign or encrypt an outgoing message. If the private key of a signed message is revoked by the time the recipient reads the message, the recipient receives a warning message indicating that the signature should not be trusted.

If desired, you can change the various default policies for all revoked certificates with the following parameters in the `smime.conf` file:

- Set `sendsigncertrevoked` to allow to sign an outgoing message with a private key that is considered revoked because its public key’s certificate is revoked
- Set `sendencryptcertrevoked` to allow to encrypt an outgoing message with a public key that has a revoked certificate
- Set `revocationunknown` to `ok` to treat a certificate as valid whose status is unknown; the private or public key is used to sign or encrypt an outgoing message

Granting Permission to Use S/MIME Features

Permission to use the various mail services available through Communications Express Mail can be given or denied with LDAP filters. A filter is defined with the `mailAllowedServiceAccess` or `mailDomainAllowedServiceAccess` LDAP attributes. Generally speaking, a filter works in one of three ways:

- Permission to given to all users for all services when no filter is used
- Permission is explicitly given to a list of users for specified service names (a plus sign (+) precedes the service name list)
- Permission is explicitly denied to a list of users for specified service names (a minus sign (-) precedes the service name list)

The required mail service names for S/MIME are `http`, `smime`, and `smtp`. If you need to restrict the use of S/MIME among Communications Express Mail users, use the appropriate LDAP attribute syntax and service names to create a filter. The attributes are created or modified with LDAP commands.

S/MIME Permission Examples

1. The following examples block access to the S/MIME features for one Communications Express Mail user:

```
mailAllowedServiceAccess: -smime:*$+imap,pop,http,smtp:*
```

or

```
mailAllowedServiceAccess: +imap,pop,http,smtp:*
```

2. The following examples block access to the S/MIME features for all Communications Express Mail users in a domain:

```
mailDomainAllowedServiceAccess: -smime:*$+imap:*$+pop:*$+smtp:*$+http:*
```

or

```
mailDomainAllowedServiceAccess: +imap:*$+pop:*$+smtp:*$+http:*
```

See [“Filter Syntax” on page 666](#) for more information.

Managing Certificates

Most of the following examples use the `ldapsearch` and `ldapmodify` commands to search an LDAP directory for user keys and certificates. These commands are provided with Directory Server. See the *Sun ONE Directory Server Resource Kit Tools Reference*, Release 5.2, for more information about the commands.

CA Certificates in an LDAP Directory

This example adds a certificate for a certificate authority to an LDAP directory. The directory structure for these certificates already exists. The certificate and the LDAP entries where it belongs are entered into an `.ldif` file named `add-root-CA-cert.ldif`. All text is entered into the file in ASCII text except for the certificate information, which must be entered as Base64 encoded text:


```

dn: cn=SMIME Admin,ou=people,o=demo.siroe.com,o=demo
objectClass: top
objectClass: person
objectClass: organizationalPerson
objectClass: inetOrgPerson
objectClass: certificationAuthority
cn: RootCACerts
sn: CA
authorityRevocationList: novalue
certificateRevocationList: novalue
cacertificate;binary:: MFU01JTUUEjaQBgNVBAsTCU1zZ1NlcnZlcjcmBoGA1UEAxMTYdG
QGEwJVUzEOMAwGA1UEMFUJTUUEjaQBgNVBAsTCU1zZ1NlcnZlcjcmBoGA1UEAxMTQ2Vydg
aFw0wNjAxMwODAwMdBaM267hgbX9FEExCzAJByrjgNVBAK9STklBMQwCgYDVQQVHR8EgaQwg
YTA1VMRMQYDVQIQIEwpDQUxJRk9STklBMQwwCgYDVQQKEwww3ltgYz111zAdBgNVBpYSE9Vc
5yZQWaddWlm899XBsYW5ldC5jb20wgZ8wDQYJOGBAK1mUTy8vvnOFg4mlHjkgghytQUR1k8l
5mvWRf77ntm5mGXRd3XMu40ciUq6zUfIg3ngvxlLyERTIqjUS8HQU4R5pvj+rrVgsAGjggE
+FNAJmtOV2A3wMyghqkVPNDP3Aqq2fkcn4va3C5nRNAYxNNVE84J0H3jyPDXhMB1QU6vQn
weMBAAjggEXMIIBEzARBglghkgBhCAQEEBApq1Sai4mfuvjh02SQkoPMNDAGTwMB8GA1UdI
QYMBAAED38IK05AHreiU9OYc6vNMOWZMIGsBgNVHR8EgaQwgaEwb6BtoGuGaWxkYXA6Lyht
bmcucmVklmlbGFuZXQuY29tL1VJd1DXJ0aWZpY2F0ZSBNYW5hZ2VyLE9VPVBlb3BsZSxPPW
aWxxYT9jZXJ0aZpY2jdu2medXRllkghytQURYFNrkuoCygKoYoaHR0cDovL3Blal2kghytQU
Zy5yZWQuaXBsYW5lC5jb20vcGVranLmNybdAeBgNVHREEFzAVgRNwb3J0aWEuc2hhb0BzdW
4uY29tMAOGCXLm78freCxS3Pp078jyTaDcilAudBL8+RrRUQvxsMJfZeFED+Uuf10Ilt6kw
Tc6W5UekbirfEZGAVQIzlt6DQJfgpifGLvtQ60Kw==

```

The CA's certificate is added to the LDAP directory with an ldapmodify command:

```
# ldapmodify -a -h demo.siroe.com -D "cn=Directory Manager" -w mypasswd -v
-f add-root-CA-cert.ldif
```

The value of the trustedurl parameter in smime.conf specifies the location of the CA certificates in the LDAP directory. For Example 1, trustedurl is set to:

```
trustedurl==ldap://demo.siroe.com:389/cn=SMIME Admin, ou=people,
o=demo.siroe.com,o=demo?cacertificate;binary?sub?(objectclass=certificatio
nAuthority)
```

Public Keys and Certificates in an LDAP Directory

This example demonstrates adding a mail user's public key and certificate to the LDAP directory. It assumes the mail user already exists in the LDAP directory. The key and certificate, and the LDAP entries where it belongs, are entered into an `.ldif` file named `add-public-cert.ldif`. All text is entered into the file as ASCII text except for the key and certificate information, which must be entered as Base64 encoded text.

```
dn: uid=JohnDoe,ou=People, o=demo.siroe.com,o=demo
changetype: modify
replace: usercertificate
usercertificate;binary:: MFU01JTUUxEjAQBgNVBAsT1zZ1NlcnZlcjMBoGA1UEAxMTydg
QGEwJVUzEAWGAlhMFU01JTUUxEjAQBgNVBAsTCU1zZ1NlcnZlcjEcmBoGA1UEAxMTQ2VydG
aFw0wNjAxMTODAwM267hgbX9FExCzAJBgwyrjgNVBAk9STklBMQwwCgYDVQQVHR8EgaQwg
AlVzMRMwEQYDVQQIDQxJRk9STklBMQwwCgYDVQQKEwww3ltgoOYz111zAdBgNVBpYSE9Vc
5yZWaddiiWlm899XBsYW5ldB20wgZ8wDQYJoGBAKlmUTy8vv02nOfg4mlHjkgghytQUR1k8l
5mvgcWL77ntm5mGXRd3XMu40cizUfIg3ngvxlLkLyERTIqjUS8HQU4R5pvj+rrVgsAGjggE
+FG9NAqtOV2A3wMyghgkVPNDP3Aqq2BYfkcN4va3RNAYxNNVE84JJ0H3jyPDXhMB1QU6vQn
1NAGMBGjggEXMIIBEzARBglghkgBhvhCAQEEBApp1Sai4mfuvjh02SQMNDAGTwmB8GA1UdI
QYMBaEd38IK05AHreiU90Yc6v+ENMOwZMIGsBgNVHR8EgaQwgaEwb6BuGaWxkYXA6Lyht74
tpbmcMvKlmlwbGFuZXQuY29tL1VJRd1DZXJ0aWZpY2F0ZSBNYW5hZ2V9VPVBlb3BsZSxPPW
1haWxT9jZXJ0aWZpY2Jdu2medXRllHjkgghytQURYFNrkuoCygKoYoaHDovL3Bla2kgghytQU
luZy5WQuaXBSYW5ldC5jb20vcGVraW5nLmNybdAeBgNVHREEFzAVGRNw0aWEuc2hhb0BzdW
4uY29A0GCxLm78UfreCxS3Pp078jyTaDv2cilAudBL8+RrRUQvxsMjFzD+Uuf10Ilt6kwhm
Tc6w5UekbirfEZGAVQIzlt6DQJfgpifGLvtQ60Kw==
```

The `ldapmodify` command is used to add the public key and certificate to the LDAP directory:

```
# ldapmodify -a -h demo.siroe.com -D "cn=Directory Manager" -w mypasswd -v
-f add-public-cert.ldif
```

The value of the `certurl` parameter in `smime.conf` specifies the location of the public keys and their certificates in the LDAP directory. For Example 2, `certurl` is set to:

```
certurl==ldap://demo.siroe.com:389/ou=people, o=demo.siroe.com,
o=demo?userCertificate;binary?sub?
```

Verifying That Keys and Certificates Exist in the LDAP Directory

The following examples demonstrate searching an LDAP directory for CA certificates and public keys and their certificates.

Searching for One CA Certificate

In the following example, the base DN defined by the `-b` option, `cn=SMIME admin, ou=people, o=demo.siroe.com, o=demo` `objectclass=*`, describes one CA certificate in the LDAP directory. If found in the directory, `ldapsearch` returns information about the certificate to the `ca-cert.ldif` file.

```
# ldapsearch -L -h demo.siroe.com -D "cn=Directory Manager" -w mypasswd
-b "cn=SMIME admin, ou=people, o=demo.siroe.com, o=demo"
"objectclass=*" > ca-cert.ldif
```

The example below shows the search results in the `ca-cert.ldif` file. The format of the file's contents is a result of using the `-L` option of `ldapsearch`.

```
# more ca-cert.ldif
dn: cn=SMIME admin,ou=people,o=demo.siroe.com,o=demo
objectClass: top
objectClass: person
objectClass: organizationalPerson
objectClass: inetOrgPerson
objectClass: certificationAuthority
cn: RootCACerts
cn: SMIME admin
sn: CA
authorityRevocationList: novalue
certificateRevocationList: novalue
cacertificate;binary:: MFU01JTUUxEjAQBgNVBAsTCU1zZlNlcnZlcjEjCMB0GAlUEEAMTYdG
QGEwJVEOMAwGAlUEChMFU0UUxEjAQBgNVBAsTCU1zZlNlcnZlcjEjCMB0GAlUEEAMTYdG
aFw0jAxMTIwODAwMDBaM267X9FExCzAJBgwyrjgNVBAk9STklBMQwwCgYDVQQVHR8EgaQwg
YlVzMRMwEQYDVQIQIExpDQUx9STklBMQwwCgYDVQQKEwww3ltgoOYz11lZAdBgNVBpYSE9Vc
5yQuaddiiWlm899XBsYW51jb20wgZ8wDQYJcGBAK1mUTy8vv02nOFg4mlHjkghytQUR1k81
5mcWRfL77ntm5mGXRd3XMciUq6zUfIg3ngvx1LLkLYERTIqjUS8HQU4R5pvj+rrVgsAGjggE
+FNAJmqtOV2A3wMyghqkDP3Aqq2BYfkcn4va3C5nRNAYxNnVE84JJ0H3jyPDXhMB1QU6vQn
1NABAAGjggEXMIIBEzglghkgBhvhCAQEEBAPq1Sai4mfuvjh02SQkOPMNDagTwMB8GAlUdI
QYMAFEd38IK05AHreOYc6v+ENMOWZMIGsBgNVHR8EgaQwgaEwb6BtoGuGaWxkYXA6Lyht74
tpbucmVklmlwbGFuZyZy29tL1VJRd1DZXJ0aWZpY2F0ZSBNYW5hZ2VyLE9VPVBlb3BsZSxPPW
1haWYt9jZXJ0aWZpdu2medXRllHjkghytQURYFNrkuoCygKoYoahr0cDovL3Bl2kghytQU
luZyZWQuaXBsYW51db20vcGVraW5nLmNybDaeBgNVHR8EgaQwgaEwb6BtoGuGaWxkYXA6Lyht74
4uYtMAOGCxLm78Ufre3Pp078jyTaDv2ci1AudBL8+RrRUQvxsMJfZeFED+Uuf101lt6kwhm
Tc6W5UekbirfEZGAVQIzlt6DQJfgpifGLvtQ60Kw==
```

Searching for a Several Public Keys

In the following example, the base DN defined by the `-b` option, `o=demo.siroe.com,o=demo objectclass=*`, is such that all public keys and certificates found at and below the base DN in the LDAP directory are returned to the file `usergroup.ldif`:

```
# ldapsearch -L -h demo.siroe.com -D "cn=Directory Manager" -w mypasswd
-b "o=demo.siroe.com,o=demo" "objectclass=*" > usergroup.ldif
```

Searching for One Public Key

In the following example, the base DN defined by the `-b` option, `uid=JohnDoe, ou=people,o=demo.siroe.com,o=demo objectclass=*`, describes one public key and its certificate in the LDAP directory:

```
# ldapsearch -L -h demo.siroe.com -D "cn=Directory Manager" -w mypasswd
-b "uid=JohnDoe, ou=people,o=demo.siroe.com,o=demo" "objectclass=*" >
public-key.ldif
```

The example below shows the search results in the `public-key.ldif` file. The format of the file's contents is the result of using the `-L` option of `ldapsearch`.

```
# more public-key.ldif
dn: uid=sdemol, ou=people, o=demo.siroe.com, o=demo
objectClass: top
objectClass: person
objectClass: organizationalPerson
objectClass: siroe-am-managed-person
objectClass: inetOrgPerson
objectClass: inetUser
objectClass: ipUser
objectClass: userPresenceProfile
objectClass: inetMailUser
objectClass: inetLocalMailRecipient
objectClass: icsCalendarUser
objectClass: sunUCPreferences
mail: JohnDoe@demo.siroe.com
mailHost: demo.siroe.com
.
.
uid: JohnDoe
.
.
```

```

mailUserStatus: active
inetUserStatus: active
.
.

usercertificate;binary:: MFU01JTUUXEjAQBgNBAsTCU1zZ1N1cnZjcMBoGAlUEAxMTydG
QGEwJEOwGAlUEChMFU01JTUUXEjAQBgNVBAsTCU1zZ1N1cnZlcjEcmBoGAlUEAxMTQ2VydG
aFw0MTIwODAwMDBaM267hgbX9FExCzAJBgwyrjgNVBAk9STklBMQwwCgYDVQQVHR8EgaQwg
YTA1VEQYDVQQIEWpDQUxJRk9STklBMQwwCgYDVQQKEwww3ltgoOYz111zAdBgNVBpYSE9Vc
5yZWQdWlm899XBsYW5ldC5jb20wgZ8wDQYJOGBAK1mUTy8vv02nOfg4mlHjkgghytQUR1k8l
5mvgc7ntm5mGXRd3XMU40ciUq6zUfIg3ngvx1LLLyERTIqjUS8HQU4R5pvj+rrVgsAGjggE
+FG9NmV2A3wMyghqkVPNDP3Aqq2BYfkc4va3C5nRNAYxNNVE84JJ0H3jyPDXhMB1QU6vQn
1NAGMAGEXMIIBEzARBglghkgBhvhCAQEEBAPq1Sai4mfuvjh02SQkoPMNDAGTwMB8GAlUdI
QYMBaEdK05AhrefiU9OYc6v+ENMOwZMIGsBgNVHR8EgaQwgEwb6BtoGuGaWxkYXA6Lyht74
tpbucmVkbGFuZlZlY29tL1VJRd1DZXJ0aWZpY2F0ZSBNYW5hZ2VYLe9VPVBlb3BsZSxPPW
lhaxYT9jZaWZpY2Jdu2medXR1lHjkgghytQURYFNrkuoCygKoYoaHR0cDovL3Bla2kgghytQU
luZyZWQuaYW5ldC5jb20vcGVraW5nLmNybDAeBgNVHREEFzAVGRNwb3J0aWEuc2hhb0BzdW
4u9tMA0GC78UfreCxS3Pp078jyTaDv2cilAudBL8+RrRUQvxsmJfZeFED+Uuf10Ilt6kwhm
Tc6W5UekbirfEZGAVQIzlt6DQJfgpifGLvtQ60Kw==
.
.

```

Network Security Services Certificates

Various certificates used for Network Security Services (NSS) are stored in their own database, which is not an LDAP database. Two utilities, `certutil` and `crlutil`, are provided with Messaging Server to store the certificates and associated CRLs in the database. You can also use these utilities to search the database.

See the *Sun Java System Directory Server Administration Guide*

(<http://docs.sun.com/doc/817-7613>) for more information about `certutil`. Use the help text that comes with `crlutil` for more information about that utility (view the online help of both utilities by executing them without arguments).

Communications Express S/MIME End User Information

This section consists of information intended for the end user. It contains the following subsections:

- [“Logging In for the First Time” on page 718](#)
- [“Signature and Encryption Settings” on page 719](#)
- [“Enabling the Java Console” on page 721](#)

Logging In for the First Time

When mail users log in to Communications Express Mail for the first time, they encounter special prompts relating to the S/MIME applet.

Prompts for Windows

When logging in to Communications Express Mail for the first time on Windows 98, 2000 or XP, the following prompts display:

1. If the Java 2 Runtime Environment (JRE) is not installed on your computer (client machine), you receive a prompt looking something like this:

```
Do you want to install and run "Java Plug-in 1.4.2_03 signed on
11/20/03 and distributed by Sun Microsystems, Inc."?
Publisher authenticity verified by: VeriSign Class 3 Code Signing
2001 CA
```

Click Yes and follow the subsequent prompts to install JRE.

NOTE If you desire English language support and also want to read incoming S/MIME messages that contain non-Latin characters, such as Chinese, the `charsets.jar` file must be in the `/lib` directory on your computer.

To ensure that the `charsets.jar` file is installed in the `/lib` directory, use the custom installation to install the English version of JRE. During the installation process, select the “Support for Additional Languages” option.

See [“Multi-language Support” on page 686](#) for more information.

Click Finish at the last installation prompt. Restart your computer and log in to Communications Express Mail again.

2. A prompt asking you:

Do you want to trust the signed applet distributed by "Sun Microsystems, Inc."?

Publisher authenticity verified by: Thawte Consulting cc

Click one of the following responses:

- Yes, to accept the S/MIME applet for this Communications Express Mail session. The prompt displays each time you log in.
- No, to reject the S/MIME applet. You cannot use the S/MIME features.
- Always, to accept the S/MIME applet for this and all subsequent Communications Express Mail sessions. You will not see the prompt again.

3. A prompt asking you:

Do you want to trust the signed applet distributed by "sun microsystems, inc."?

Publisher authenticity verified by: VeriSign, Inc.

Click one of the following responses:

- Yes, to accept the S/MIME applet for this Communications Express Mail session. The prompt displays each time you log in.
- No, to reject the S/MIME applet. You cannot use the S/MIME features.
- Always, to accept the S/MIME applet for this and all subsequent Communications Express Mail sessions. You will not see the prompt again.

Signature and Encryption Settings

There are initial signature and encryption settings that you can set to control whether all users' outgoing messages are:

- automatically signed, or
- automatically encrypted, or
- automatically signed and encrypted

The initial settings also control whether the signature and encryption checkboxes located at the bottom of a Communications Express Mail window and in the Options - Settings window are displayed as checked (feature turned on) or unchecked (feature turned off). Use the `alwaysencrypt` and `alwaysign` parameters in the `smime.conf` file to specify the initial settings.

Let your mail users know that they can change the initial settings for their mail messages. After they log in to Communications Express Mail, a user can temporarily override a setting for one message, or for all their messages on an on-going basis.

Table 20-6 summarizes the use of the checkboxes.

Table 20-6 Signature and Encryption Checkboxes of Communications Express Mail

Text for Checkbox	Location	What Communications Express Mail User Does
Sign Message	At the bottom of the Communications Express Mail window used for composing, forwarding, or replying to a message.	<ul style="list-style-type: none"> • Check the box to sign the current message. • Uncheck the box not to sign the current message.
Encrypt Message	At the bottom of the Communications Express Mail window used for composing, forwarding, or replying to a message.	<ul style="list-style-type: none"> • Check the box to encrypt the current message. • Uncheck the box not to encrypt the current message.
Sign all outgoing Messages	In the Communications Express Mail Options - Settings window, under the Secure Messaging option.	<ul style="list-style-type: none"> • Check the box to sign all your messages automatically. • Uncheck the box not to sign all your messages automatically. <p>Note: You can override the setting of "Sign all outgoing messages" on a message-by-message basis with the "Sign Message" checkbox.</p>
Encrypt all outgoing Messages	In the Communications Express Mail Options - Settings window, under the Secure Messaging option.	<ul style="list-style-type: none"> • Check the box to encrypt all your messages automatically • Uncheck the box not to encrypt all your messages automatically. <p>Note: You can override the setting of "Encrypt all outgoing messages" on a message-by-message basis with the "Encrypt Message" checkbox.</p>

Enabling the Java Console

A variety of operating messages can be written to the Java Console by the S/MIME applet as a Communications Express Mail user processes signed and encrypted messages. The Java Console messages can be helpful when troubleshooting a problem reported by a mail user. However, operating messages are only generated when the Java Console is enabled for the user by adding a `nswmExtendedUserPrefs` attribute to the `inetMailUser` object class of their LDAP entry. For example:

```
nswmExtendedUserPrefs: meSMIMEDebug=on
```

Do not enable the Java Console for all mail users all the time because this significantly decreases the performance of Communications Express Mail.

Managing Logging

This chapter provides overview information on the logging facilities for the Messaging Server MTA, the Message Store, and services. This chapter also provides procedures for how to manage these logging facilities.

This chapter contains the following sections:

- [Overview of Logging](#)
- [Tools for Managing Logging](#)
- [Managing MTA Message and Connection Logs](#)
- [Managing Service Logs](#)

Overview of Logging

Logging is the means by which a system provides you with time-stamped and labeled information about the system's services. Logging provides both a current snapshot of the system as well as a historical view.

By understanding and using Messaging Server log files, you can:

- Gather message statistics, such as message size, rate of message delivery, and how many messages are passing through the MTA
- Perform trend determination
- Correlate capacity planning
- Troubleshoot problems

For example, if your site needs to add more disk storage due to an increase in the number of users, you can use the Messaging Server log files to see what percentage your system demand has increased by and plan for the amount of new disk storage you need.

You can also use Messaging Server logs to understand what your messaging pattern looks like across one day. Understanding when your daily peak loads occur helps you conduct capacity planning.

Logging is also helpful for troubleshooting user problems. For example, if a user isn't receiving expected mail messages, you can use the Messaging Server logging facilities to trace the user's mail messages. In so doing, you might find out that the messages didn't arrive because they were automatically filtered and sent to a SPAM folder.

Types of Logging Data

In general, logging provides you with two types of information:

- Operational data
- Error conditions, also known as event logging

For the most part, Messaging Server logging provides operational data. This operational data contains information such as: the date and time a message entered the system; the sender and recipient of the message; when the message was written to disk; and at a later point in time, when the message was removed from disk and inserted into user's mailbox.

However, Messaging Server logging does also provide some event logging data. To obtain event logging data, you need to pull together multiple items from different log files. You could then use a unique constant, such as message ID, to search and correlate the lifecycle of a message as it passed from point to point through the system.

Types of Messaging Server Log Files

Messaging Server logging consists of three types of log files:

1. **MTA logs.** These logs provide operational data previously described for the Message Transfer Agent.
2. **Error logs.** These are the MTA debug logs, and the MTA subcomponent logs (that is, job controller, dispatcher and so on).

- 3. Message Store and Service logs.** These logs provide messages from the http server, mshttpd, imap, and pop services, as well as the Admin service. The format of these logs differs from that of the first two types of logs.

The following table lists the different types of log files. By default, log files are located in the *msg_svr_base/data/log* directory. You can customize and view each type of log file individually.

Table 21-1 Messaging Server Log Files

Type of Log File	Log File description	Default Name
Message Transfer Agent	Show information about message traffic through the MTA including date and time information, enqueue and dequeue information, and so on.	mail.log, mail.log_current, mail.log_yesterday
Connections	Contains remote machines (MTAs) that connect to this system to send email.	connection.log
Counters	Contains message trends in terms of messages sent and received on a per channel basis.	counters
Job Controller	Contains data on the master, job controller, sender, and dequeue channel programs.	job_controller.log
Dispatcher	Contains errors pertaining to the dispatcher. Turning on dispatcher debugging will increase the information.	dispatcher.log
Channel	Records errors pertaining to the channel. Keywords master_debug and slave_debug turns on channel debugging, which increases the verbosity of the channel log files. Level and type of information is controlled with the various *_DEBUG MTA options in option.dat.	<i>channelname_master.log*</i> (example: tcp_local_master.log*) <i>channelname_slave.log*</i> (example, tcp_local_slave.log*)
Admin	Contains logged events related to communication between Console and Messaging Server (mostly through several CGI processes), by way of its Administration Server	admin, admin. <i>sequenceNum.timeStamp</i>
IMAP	Contains logged events related to IMAP4 activity of this server	imap, imap. <i>sequenceNum.timeStamp</i>
POP	Contains logged events related to POP3 activity of this server	pop, pop. <i>sequenceNum.timeStamp</i>
HTTP	Contains logged events related to HTTP activity of this server	http, http. <i>sequenceNum.timeStamp</i>
Default	Contains logged events related to other activity of this server, such as command-line utilities and other processes	default, default. <i>sequenceNum.timeStamp</i>

Table 21-1 Messaging Server Log Files

Type of Log File	Log File description	Default Name
msgtrace	Contains trace information for the Message Store. File can grow very large very quickly. Monitor accordingly.	msgtrace
watcher	monitor process failures and unresponsive services (see Table 4-4 on page 111) and will log error messages indicating specific failures.	watcher

where:

sequenceNum - specifies an integer that specifies the order of creation of this log file compared to others in the log-file directory. Log files with higher sequence numbers are more recent than those with lower numbers. Sequence numbers do not roll over; they increase monotonically for the life of the server (beginning at server installation).

timeStamp - Specifies a large integer that specifies the date and time of file creation. (Its value is expressed in standard UNIX time: the number of seconds since midnight January 1, 1970.)

For example, a log file named `imap.63.915107696` would be the 63rd log file created in the directory of IMAP log files, created at 12:34:56 PM on December 31, 1998.

The combination of open-ended sequence numbering with a timestamp gives you more flexibility in rotating, expiring, and selecting files for analyzing. For more specific suggestions, see [“Defining and Setting Service Logging Options” on page 757](#).

Tracking a Message Across the Various Log Files

The following describes how a message flows through the system, and at what point information gets written to the various log files. This description is meant to aid you in your understanding of how to use Message Server’s log files to troubleshoot and resolve problems. See [Table 8-2 on page 184](#) to follow along.

1. A remote host makes a connection to the TCP socket on your messaging host, requesting SMTP service.

2. The MTA dispatcher responds to the request, and hands off the connection to your messaging host's SMTP service.

As the MTA is modular in design, it consists of a set of processes, including the job controller and the SMTP service dispatcher. The dispatcher takes the incoming TCP connection and sends it to the SMTP service. The SMTP service writes the message to disk to a channel area. The SMTP service understands the message's envelope parameters, such as sender and recipient. Configuration entries in the system tell what destination channel it belongs to.

3. The dispatcher writes to the `dispatcher.log` file that it forked a thread and made the thread available to incoming connection from a certain IP address.
4. The SMTP server writes to its `tcp_smtp_server.log` file, recording the dialog of what happens when the remote host connected to it and sent a message. This log file gets created when dispatcher hands off to SMTP server on the host's IP.
5. The SMTP server writes the message to a queue area on disk for a channel program such as `tcp_intranet`, and informs the job controller.
6. The job controller contacts the channel program.
7. The channel program delivers the message.

Each channel has its own log file. However, these logs usually show the starting and stopping of the channel. To get more information, you need to enable debug level for the channel. However, as this can slow down your system and actually make problems more obscure if left on, you should only enable debug level when an actual problem is occurring.

NOTE For efficiency, if a channel is already running for an existing process, and a new message comes in, the system does not spawn a new channel process. The currently running process picks up the new message.

8. The message is delivered to its next hop, which could be another host, another TCP connection, and so forth. This information is written in the `connection.log` file.

At the same time that the SMTP server writes the message to a queue area on disk, the channel responsible for the message writes a record in the `mail.log_current`, or `mail.log` file. The record shows such information as the date and time the message was enqueued, the sender, the recipient, so forth. See [“MTA Message Logging Examples” on page 735](#) for more information. The most useful file for tracing the message is the `mail.log_current` file.

Tools for Managing Logging

You can customize the policies for creating and managing Messaging Server log files by using Console and the `configutil` command.

For Message Store logs, you can use Console to specify log settings and to view logs. The settings you specify affect which and how many events are logged. You can use those settings and other characteristics to refine searches for logged events when you are analyzing log files.

Because the MTA uses a separate logging facility, you cannot use Console to configure MTA logging services and view logs. Instead, you configure MTA logging by specifying information in configuration files.

For log analyses and report generation beyond the capabilities of Messaging Server, you need to use other tools. You can manipulate log files on your own with text editors or standard system tools.

With a scriptable text editor supporting regular-expression parsing, you can potentially search for and extract log entries based on any of the criteria discussed in this chapter, and possibly sort the results or even generate sums or other statistics.

In UNIX environments you might also be able to modify and use existing report-generation tools that were developed to manipulate UNIX `syslog` files. If you wish to use a public-domain `syslog` manipulation tool, remember that you might need to modify it to account for the different date/time format and for the two extra components (*facility* and *logLevel*) that appear in Messaging Server log entries but not in `syslog` entries.

Managing MTA Message and Connection Logs

The MTA provides facilities for logging each message as it is enqueued and dequeued. It also provides dispatcher error and debugging output.

You can control logging on a per-channel basis or you can specify that message activity on all channels be logged. In the initial configuration, logging is disabled on all channels.

See [“Enabling MTA Logging” on page 733](#) for more information.

Enabling logging causes the MTA to write an entry to the `msg_svr_base/data/log/mail*` file each time a message passes through an MTA channel. Such log entries can be useful for gathering statistics on how many messages are passing through the MTA (or through particular channels). You can also use these log entries to investigate other issues, such as whether and when a message was sent or delivered.

The message return job, which runs every night around midnight, appends any existing `mail.log_yesterday` to the cumulative log file, `mail.log`, renames the current `mail.log_current` file to `mail.log_yesterday`, and then begins a new `mail.log_current` file. The message return job also performs the analogous operations for any `connection.log*` files.

While the MTA performs automatic rollovers to maintain the current file, you must manage the cumulative `mail.log` file by determining policies for tasks such as backing up the file, truncating the file, deleting the file, and so on.

When considering how to manage the log files, note that the MTA periodic return job will execute a site-supplied `msg_svr_base/bin/daily_cleanup` procedure, if one exists. Thus some sites might choose to supply their own cleanup procedure that, for instance, renames the old `mail.log` file once a week (or once a month), and so on.

CAUTION With logging is enabled, the `mail.log` file steadily grows and, if left unchecked, consumes all available disk space. Monitor the size of this file and periodically delete unnecessary contents. You can also delete the entire file as another version will be created as needed.

Understanding the MTA Log Entry Format

The MTA log file is written as ASCII text. By default, each log file entry contains eight or nine fields as shown in the example below.

```
19-Jan-1998 19:16:57.64 1 tcp_local E 1 adam@sesta.com
rfc822:marlowe@siroe.com marlowe@siroe.com
```

The log entry shows:

1. The date and time the entry was made (in the example, 19-Jan-1998 19:16:57.64).
2. The channel name for the source channel (in the example, 1).

3. The channel name for the destination channel (in the example, `tcp_local`). (For SMTP channels, when `LOG_CONNECTION` is enabled, a plus (+) indicates inbound to the SMTP server; a minus (-) indicates outbound via the SMTP client.)
4. The type of entry (in the example, `E`); see [Table 21-2 on page 730](#).
5. The size of the message (in the example, `1`). This is expressed in kilobytes by default, although this default can be changed by using the `BLOCK_SIZE` keyword in the MTA option file.
6. The envelope From: address (in the example, `adam@sesta.com`). Note that for messages with an empty envelope From: address, such as notification messages, this field is blank.
7. The original form of the envelope To: address (in the example, `marlowe@siroe.com`).
8. The active (current) form of the envelope To: address (in the example, `marlowe@siroe.com`).
9. The delivery status (SMTP channels only).

The following table describes the logging entry codes.

Table 21-2 Logging Entry Codes

Entry	Description
B	Bad command sent to the SMTP server. The recipient address field will contain the command that was rejected while the diagnostic field will contain the response the SMTP server gave. MTA channel option, <code>MAX_B_ENTRIES</code> , controls how many bad commands will be logged in a given session. Default is 10.
BA	Bad command after authentication successfully performed earlier in transaction.
BS	Bad command after TLS successfully started up.
BSA	Bad command with TLS and AUTH.
D	Successful dequeue
DA	Successful dequeue with SASL (authentication)
DS	Successful dequeue with TLS (security)
DSA	Successful dequeue with TLS and SASL (security and authentication)
E	Enqueue
EA	Successful enqueue with SASL (authentication)
ES	Successful enqueue with TLS (security)

Table 21-2 Logging Entry Codes

Entry	Description
ESA	Successful enqueue with TLS and SASL (security and authentication)
J	Rejection of attempted enqueue (rejection by slave channel program)
K	<p>Recipient message rejected. If the sender requests <code>NOTIFY=NEVER</code> DSN flag set or if the message times out or if the message is manually returned (for example: <code>imsimta qm "delete"</code> command always generates a "K" record for each recipient, while a <code>qm "return"</code> command will generate a "K" record rather than an "R" record). This indicates that there was no notification sent to the sender per the sender's own request.</p> <p>This can be compared with "R" records, which are the same sort of rejection/time-out, but where a new notification message (back to the original sender) is also generated regarding this failed message.</p>
Q	Temporary failure to dequeue
R	Recipient address rejected on attempted dequeue (rejection by master channel program), or generation of a failure/bounce message
W	Warning message sent to notify original sender that the message has not been delivered yet, but it is still in the queue being retried.
Z	Some successful recipients, but this recipient was temporarily unsuccessful; the original message file of all recipients was dequeued, and in its place a new message file for this and other unsuccessful recipients will be immediately enqueued
SMTP channels' LOG_CONNECTION + or - entries	
C	Connection closed. A diagnostic field will follow. Written to <code>connection.log_current</code> (or <code>mail.log_current</code> if a single log file is being used). Used to record the reason why the connection was closed. In particular, if the connection was closed due to some session disconnect limit being reached, that fact will show up in the diagnostics field.
O	Connection opened
U	Logs SMTP authentication successes and failures. Format is the same as other O and C entries. In particular, the same application and transport information fields appear in same order. The username will be logged in the username field if it is known. Bit 7 (value 128) of the <code>LOG_CONNECTION</code> MTA option controls this.
X	Connection rejected
Y	Connection attempt failed before being established
I	ETRN command received

With LOG_CONNECTION, LOG_FILENAME, LOG_MESSAGE_ID, LOG_NOTARY, LOG_PROCESS, and LOG_USERNAME all enabled in the MTA Option file, the format becomes as shown in the example below. (The sample log entry line has been wrapped for typographic reasons; the actual log entry would appear on one physical line.)

```
19-Jan-1998 13:13:27.10 HOSTA  2e2d.2.1 tcp_local  1
E 1 service@siroe.com rfc822;adam@sesta.com
adam 276 /imta/queue/1/ZZ01IWFY9ELGWM00094D.00
<01IWFVYLGTS499EC9Y@siroe.com> inetmail
siroe.com (siroe.com [192.160.253.66])
```

Where the additional fields, beyond those already discussed above, are:

1. The name of the node on which the channel process is running (in the example, HOSTA).
2. The process ID (expressed in hexadecimal), followed by a period (dot) character and a count. If this had been a multithreaded channel entry (that is, a tcp_* channel entry), there would also be a thread ID present between the process ID and the count. In the example, the process ID is 2e2d.2.1.
3. The NOTARY (delivery receipt request) flags for the message, expressed as an integer (in the example, 276).
4. The file name in the MTA queue area (in the example, /imta/queue/1/ZZ01IWFY9ELGWM00094D.00).
5. The message ID (in the example, <01IWFVYLGTS499EC9Y@siroe.com>).
6. The name of the executing process (in the example, inetmail). On UNIX, for dispatcher processes such as the SMTP server, this will usually be inetmail (unless SASL was used).
7. The connection information (in the example, siroe.com (siroe.com [192.160.253.66])). The connection information consists of the sending system or channel name, such as the name presented by the sending system on the HELO/EHLO line (for incoming SMTP messages), or the enqueueing channel's official host name (for other sorts of channels). In the case of TCP/IP channels, the sending system's "real" name, that is, the symbolic name as reported by a DNS reverse lookup and/or the IP address, can also be reported within

parentheses as controlled by the `ident*` channel keywords; see [“IDENT Lookups” on page 347](#). This sample assumes use of one of these keywords, for instance us of the default `identnone` keyword, that selects display of both the name found from the DNS and IP address.

Enabling MTA Logging

To gather statistics for just a few particular MTA channels, enable the logging channel keyword on just those MTA channels of interest. Many sites prefer to enable logging on all MTA channels. In particular, if you are trying to track down problems, the first step in diagnosing some problems is to notice that messages are not going to the channel you expected or intended, and having logging enabled for all channels can help you investigate such problems.

► To Enable MTA Logging on a Specific Channel

1. Edit the `imta.cnf` file.

The file is located in the `/opt/SUNWmsgsr/config` directory.

2. To enable logging for a particular channel, add the `logging` keyword to the channel definition. For example:

```
channel-name keyword1 keyword2 logging
```

In addition, you can also set a number of configuration parameters such as directory path for log files, log levels, and so on. See [“Managing Service Logs” on page 753](#).

► To Enable MTA Logging on All Channels

1. Edit the `imta.cnf` file.

The file is located in the `/opt/SUNWmsgsr/config` directory.

2. Add the `logging` keyword to your defaults channel (see [“Configuring Channel Defaults” on page 332](#)) of the channel block section of your MTA configuration file. For example:

```
defaults logging notices 1 2 4 7 copywarnpost copysendpost postheadonly  
noswitchchannel immnonurgent maxjobs 7 defaulthost siroe.com
```

```
1 defragment charset7 us-ascii charset8 iso-8859-01  
siroe.com
```

Specifying Additional MTA Logging Options

In addition to the basic information always provided when logging is enabled, you can specify that additional, optional information fields be included by setting various `LOG_*` MTA options in the MTA Option file. The file specified with the `IMTA_OPTION_FILE` option in the IMTA tailor file (`msg_svr_base/config/imta_tailor`) specifies the MTA Option file. By default, this is the `msg_svr_base/config/option.dat` file.

For complete details about the MTA Option file, see the *Sun Java System Messaging Server Reference* at <http://docs.sun.com/doc/819-0106>

➤ To Send MTA Logs to syslog

1. Edit the MTA Option file.
2. Set the `LOG_MESSAGES_SYSLOG` option to 1.

A value of 0 is the default and indicates that syslog (event log) logging is not performed.

➤ To Correlate Log Message Entries

1. Edit the MTA Option file.
2. Set the `LOG_MESSAGE_ID` option to 1.

A value of 0 is the default and indicates that message IDs are not saved in the `mail.log` file.

➤ To Identify Message Delivery Retries

1. Edit the MTA Option file.
2. Set the `LOG_FILENAME` option to 1.

This option makes it easier to immediately spot how many times the delivery of a particular message file has been retried. This option can also be useful in understanding when the MTA does or does not split a message to multiple recipients into separate message file copies on disk.

➤ To Log TCP/IP Connections

1. Edit the MTA Option file.

2. Set the `LOG_CONNECTION` option.

This option causes the MTA to log TCP/IP connections, as well as message traffic. The connection log entries are written to the `mail.log*` files by default. Optionally, the connection log entries can be written to `connection.log*` files. See the `SEPARATE_CONNECTION_LOG` option for more information.

► **To Write Entries to the `connection.log` File**

1. Edit the MTA Option file.
2. Set the `SEPARATE_CONNECTION_LOG` option to 1.

Use this option to specify that connection log entries instead be written to `connection.log` files. The default value of 0 causes the connection logging to be stored in the MTA log files.

► **To Correlate Log Messages by Process ID**

1. Edit the MTA Option file.
2. Set the `LOG_PROCESS` option.

When used in conjunction with `LOG_CONNECTION`, this option enables correlation by process ID of which connection entries correspond to which message entries.

► **To Save User Names Associated with a Process That Enqueues Mail to the `mail.log` File**

1. Edit the MTA Option file.
2. Set the `LOG_USERNAME` option.

This option controls whether or not the user name associated with a process that enqueues mail is saved in the `mail.log` file. For SMTP submissions where SASL (SMTP AUTH) is used, the user name field will be the authenticated user name (prefixed with an asterisk character).

MTA Message Logging Examples

The exact field format and list of fields logged in the MTA message files vary according to the logging options set. This section shows a few examples of interpreting typical sorts of log entries. For a description of additional, optional fields, see [“Specifying Additional MTA Logging Options” on page 734](#).

NOTE For typographic reasons, log file entries will be shown folded onto multiple lines—actual log file entries are one line per entry.

When reviewing a log file, keep in mind that on a typical system many messages are being handled at once. Typically, the entries relating to a particular message will be interspersed among entries relating to other messages being processed during that same time. The basic logging information is suitable for gathering a sense of the overall numbers of messages moving through the MTA.

If you wish to correlate particular entries relating to the same message to the same recipient(s), enable `LOG_MESSAGE_ID`. To correlate particular messages with particular files in the MTA queue area, or to see from the entries how many times a particular not-yet-successfully-dequeued message has had delivery attempted, enable `LOG_FILENAME`. For SMTP messages (handled via a TCP/IP channel), if you want to correlate TCP connections to and from remote systems with the messages sent, enable `LOG_PROCESS` and some level of `LOG_CONNECTION`.

MTA Logging Example: User Sends an Outgoing Message

The example below shows a fairly basic example of the sorts of log entries one might see if a local user sends a message out an outgoing TCP/IP channel, for example, to the Internet. In this example, `LOG_CONNECTION` is enabled. The lines marked with (1) and (2) are one entry—they would appear on one physical line in an actual log file. Similarly, the lines marked with (3) - (7) are one entry and would appear on one physical line.

Code Example 21-1 Logging: A Local User Sends An Outgoing Message

```
19-Jan-1998 19:16:57.64 l                tcp_local    E 1 (1)
adam@sesta.com rfc822;marlowe@siroe.com marlowe@siroe.com (2)

19-Jan-1998 19:17:01.16 tcp_local                D 1 (3)
adam@sesta.com rfc822;marlowe@siroe.com marlowe@siroe.com (4)
dns;thor.siroe.com
(TCP|206.184.139.12|2788|192.160.253.66|25) (5)
(THOR.SIROE.COM -- Server ESMTP [iMS V5.0 #8694]) (6)
smtp;250 2.1.5 marlowe@siroe.com and options OK. (7)
```

1. This line shows the date and time of an enqueue (E) from the `l` channel to the `tcp_local` channel of a one (1) block message.

2. This is part of the same physical line of the log file as (1), presented here as a separate line for typographical convenience. It shows the envelope From: address, in this case `adam@sesta.com`, and the original version and current version of the envelope To: address, in this case `marlowe@siroe.com`.
3. This shows the date and time of a dequeue (D) from the `tcp_local` channel of a one (1) block message—that is, a successful send by the `tcp_local` channel to some remote SMTP server.
4. This shows the envelope From: address, the original envelope To: address, and the current form of the envelope To: address.
5. This shows that the actual system to which the connection was made is named `thor.siroe.com` in the DNS, that the local sending system has IP address `206.184.139.12` and is sending from port `2788`, that the remote destination system has IP address `192.160.253.66` and the connection port on the remote destination system is port `25`.
6. This shows the SMTP banner line of the remote SMTP server.
7. This shows the SMTP status code returned for this address; `250` is the basic SMTP success code and in addition, this remote SMTP server responds with extended SMTP status codes and some additional text.

MTA Logging Example: Optional Logging Fields

[Code Example 21-2](#) shows a logging entry similar to that shown in [Code Example 21-3](#), but with the additional information logged by setting `LOG_FILENAME=1` and `LOG_MESSAGE_ID=1` showing the file name and message ID; see (1) and (2). The message ID in particular can be used to correlate which entries relate to which message.

Code Example 21-2 Logging: Including Optional Logging Fields

```
19-Jan-1998 19:16:57.64 1          tcp_local    E 1
adam@sesta.com rfc822;marlowe@siroe.com marlowe@siroe.com
/imta/queue/tcp_local/ZZ01ISKLSK LZLI90N15M.00
<01ISKLSKC2QC90N15M@sesta.com> (1)

19-Jan-1998 19:17:01.16 tcp_local          D 1
adam@sesta.com rfc822;marlowe@siroe.com marlowe@siroe.com
/imta/queue/tcp_local/Z01ISKLSK LZLI90N15M.00
<01ISKLSKC2QC90N15M@sesta.com> (2)
dns;thor.siroe.com (TCP|206.184.139.12|2788|192.160.253.66|25)
(THOR.SIROE.COM -- Server ESMTP [iMS V5.0 #8694])
smtp;250 2.1.5 marlowe@siroe.com and options OK.
```

MTA Logging Example: Sending to a List

Code Example 21-3 on page 739 illustrates sending to multiple recipients with `LOG_FILENAME=1`, `LOG_MESSAGE_ID=1`, and `LOG_CONNECTION=1` enabled. Here user `adam@sesta.com` has sent to the MTA mailing list `test-list@sesta.com`, which expanded to `bob@sesta.com`, `carol@varrius.com`, and `david@varrius.com`. Note that the original envelope `To:` address is `test-list@sesta.com` for each recipient, though the current envelope `To:` address is each respective address. Note how the message ID is the same throughout, though two separate files (one for the `1` channel and one going out the `tcp_local` channel) are involved.

Code Example 21-3 Logging: Sending to a List

```

19-Jan-1998 20:01:44.10 1      1      E 1
adam@sesta.com rfc822;test-list@sesta.com bob
imta/queue/1/ZZ01ISKND3DE1K90N15M.00
<01ISKND2H8MS90N15M@sesta.com>

19-Jan-1998 20:01:44.81 1      tcp_local  E 1
adam@sesta.com rfc822;test-list@sesta.com carol@varrius.com
imta/queue/tcp_local/ZZ01ISKND2WS1I90N15M.00
<01ISKND2H8MS90N15M@sesta.com>

19-Jan-1998 20:01:44.81 1      tcp_local  E 1
adam@sesta.com rfc822;test-list@sesta.com david@varrius.com
imta/queue/tcp_local/ZZ01ISKND2WS1I90N15M.00
<01ISKND2H8MS90N15M@sesta.com>

19-Jan-1998 20:01:50.69 1      D 1
adam@sesta.com rfc822;test-list@sesta.com bob
imta/queue/1/ZZ01ISKND3DE1K90N15M.00
<01ISKND2H8MS90N15M@sesta.com>

19-Jan-1998 20:01:57.36 tcp_local  D 1
adam@sesta.com rfc822;test-list@sesta.com carol@varrius.com
imta/queue/tcp_local/ZZ01ISKND2WS1I90N15M.00
<01ISKND2H8MS90N15M@sesta.com>
dns;gw.varrius.com (TCP|206.184.139.12|2788|192.160.253.66|25)
(gw.varrius.com -- SMTP Sendmail)
smtp;250 OK.

19-Jan-1998 20:02:06.14 tcp_local  D 1
adam@sesta.com rfc822;test-list@sesta.com david@varrius.com
imta/queue/tcp_local/ZZ01ISKND2WS1I90N15M.00
<01ISKND2H8MS90N15M@sesta.com>
dns;gw.varrius.com (TCP|206.184.139.12|2788|192.160.253.66|25)
(gw.varrius.com -- SMTP Sendmail)
smtp;250 OK.

```

MTA Logging Example: Sending to a Nonexistent Domain

Code Example 21-4 on page 741 illustrates an attempt to send to a non-existent domain (here `very.bogus.com`); that is, sending to a domain name that is not noticed as non-existent by the MTA's rewrite rules and that the MTA matches to an outgoing TCP/IP channel. This example assumes the MTA option settings of `LOG_FILENAME=1` and `LOG_MESSAGE_ID=1`.

When the TCP/IP channel runs and checks for the domain name in the DNS, the DNS returns an error that no such name exists. Note the “rejection” entry (R), as seen in (5), with the DNS returning an error that this is not a legal domain name, as seen in (6).

Because the address is rejected after the message has been submitted, the MTA generates a bounce message to the original sender. The MTA enqueues the new rejection message to the original sender (1), and sends a copy to the postmaster (4) before deleting the original outbound message (the R entry shown in (5)).

Notification messages, such as bounce messages, have an empty envelope From: address—as seen, for instance, in (2) and (8)—in which the envelope From: field is shown as an empty space. The initial enqueue of a bounce message generated by the MTA shows the message ID for the new notification message followed by the message ID for the original message (3). (Such information is not always available to the MTA, but when it is available to be logged, it allows correlation of the log entries corresponding to the outbound failed message with the log entries corresponding to the resulting notification message.) Such notification messages are enqueued to the process channel, which in turn enqueues them to an appropriate destination channel (7).

Code Example 21-4 Logging: Sending to a Non-existent Domain

```

19-JAN-1998 20:49:04 l          tcp_local    E 1
adam@sesta.com rfc822;user@very.bogus.com user@very.bogus.com
imta/queue/tcp_local/ZZ01ISKP0S0LVQ94DU0K.00
<01ISKP0RYMAS94DU0K@SESTA.COM>

19-JAN-1998 20:49:33 tcp_local    process    E 1          (1)
rfc822;adam@sesta.com adam@sesta.com          (2)
imta/queue/process/ZZ01ISKP0S0LVQ94DTZB.00
<01ISKP22MW8894DTAS@SESTA.COM>, <01ISKP0RYMAS94DU0K@SESTA.COM> (3)

19-JAN-1998 20:49:33 tcp_local    process    E 1          (4)
rfc822;postmaster@sesta.com postmaster@sesta.com
imta/queue/process/ZZ01ISKP0S0LVQ94DTZB.00
<01ISKP22MW8894DTAS@SESTA.COM>, <01ISKP0RYMAS94DU0K@SESTA.COM>

19-JAN-1998 20:50:07 tcp_local          R 1          (5)
adam@sesta.com rfc822;user@very.bogus.com user@very.bogus.com
imta/queue/tcp_local/ZZ01ISKP0S0LVQ94DU0K.00
<01ISKP0RYMAS94DU0K@SESTA.COM>
Illegal host/domain name found          (6)

19-JAN-1998 20:50:08 process    1          E 3          (7)
rfc822;adam@sesta.com adam
imta/queue/l/ZZ01ISKP23BUQS94DTYL.00
<01ISKP22MW8894DTAS@SESTA.COM>          (8)

19-JAN-1998 20:50:08 process    1          E 3
rfc822;postmaster@sesta.com postmaster
imta/queue/l/ZZ01ISKP23BUQS94DTYL.00
<01ISKP22MW8894DTAS@SESTA.COM>

19-JAN-1998 20:50:12 l          D 3
rfc822;adam@sesta.com adam
imta/queue/l/ZZ01ISKP23BUQS94DTYL.00
<01ISKP22MW8894DTAS@SESTA.COM>

19-JAN-1998 20:50:12 l          D 3
rfc822;postmaster@sesta.com postmaster
imta/queue/l/ZZ01ISKP23BUQS94DTYL.00
<01ISKP22MW8894DTAS@SIROE.COM>

```

MTA Logging Example: Sending to a Nonexistent Remote User

[Code Example 21-5 on page 743](#) illustrates an attempt to send to a bad address on a remote system. This example assumes MTA option settings of `LOG_FILENAME=1` and `LOG_MESSAGE_ID=1`, and channel option settings of `LOG_BANNER=1` and `LOG_TRANSPORTINFO=1`. Note the rejection entry (R), seen in (1). But in contrast to the rejection entry in [Code Example 21-4 on page 741](#), note that the rejection entry here shows that a connection to a remote system was made, and shows the SMTP error code issued by the remote SMTP server, (2) and (3). The inclusion of the information shown in (2) is due to setting the channel options `LOG_BANNER=1` and `LOG_TRANSPORTINFO=1`.

Code Example 21-5 Logging: Sending to a Non-existent Remote User

```

20-JAN-1998 13:11:05 l          tcp_local      E 1
adam@sesta.com rfc822;nonesuch@siroe.com nonesuch@siroe.com
imta/queue/tcp_local/ZZ01ISLNBBIJOE94DUWH.00
<01ISLNBABWV3094DUWH@sesta.com>

20-JAN-1998 13:11:08 tcp_local      process    E 1
rfc822;adam@sesta.com adam@sesta.com
imta/queue/process/ZZ01ISLNBBIJOE94DSGB.00
<01ISLNBFKIDS94DUJ8@sesta.com>, <01ISLNBABWV3094DUWH@sesta.com>

20-JAN-1998 13:11:08 tcp_local      process    E 1
rfc822;postmaster@sesta.com postmaster@sesta.com
imta/queue/process/ZZ01ISLNBBIJOE94DSGB.00
<01ISLNBFKIDS94DUJ8@sesta.com>, <01ISLNBABWV3094DUWH@sesta.com>

20-JAN-1998 13:11:11 tcp_local          R 1      (1)
adam@sesta.com rfc822;nonesuch@siroe.com nonesuch@siroe.com
imta/queue/tcp_local/ZZ01ISLNBBIJOE94DUWH.00
<01ISLNBABWV3094DUWH@sesta.com>
dns;thor.siroe.com
(TCP|206.184.139.12|2788|192.160.253.66|25)      (2)
(THOR.SIROE.COM -- Server ESMTP [iMS V5.0 #8694])
smtp; 553 unknown or illegal user: nonesuch@siroe.com      (3)

20-JAN-1998 13:11:12 process          1          E 3
rfc822;adam@sesta.com adam
imta/queue/1/ZZ01ISLNBGND1094DQDP.00
<01ISLNBFKIDS94DUJ8@sesta.com>

20-JAN-1998 13:11:12 process          1          E 3
rfc822;postmaster@sesta.com postmaster
imta/queue/1/ZZ01ISLNBGND1094DQDP.00
<01ISLNBFKIDS94DUJ8@sesta.com>

20-JAN-1998 13:11:13 l                D 3
rfc822;adam@sesta.com adam@sesta.com
imta/queue/1/ZZ01ISLNBGND1094DQDP.00
<01ISLNBFKIDS94DUJ8@sesta.com>

20-JAN-1998 13:11:13 l                D 3
rfc822;postmaster@sesta.com postmaster@sesta.com
imta/queue/1/ZZ01ISLNBGND1094DQDP.00
<01ISLNBFKIDS94DUJ8@sesta.com>

```

MTA Logging Example: Rejecting a Remote Side's Attempt to Submit a Message

Code Example 21-6 illustrates the sort of log file entry resulting when the MTA rejects a remote side's attempt to submit a message. (This example assumes that no optional LOG_* options are enabled, so only the basic fields are logged in the entry. Note that enabling the LOG_CONNECTION option, in particular, would result in additional informative fields in such J entries.) In this case, the example is for an MTA that has set up SMTP relay blocking (see “[Configuring SMTP Relay Blocking](#)” on page 531) with an ORIG_SEND_ACCESS mapping including:

```
ORIG_SEND_ACCESS
```

```
! ...numerous entries omitted...
```

```
!
```

```
tcp_local|*|tcp_local|* $NRelaying$ not$ permitted
```

and where alan@very.bogus.com is not an internal address. Hence the attempt of the remote user harold@varrius.com to relay through the MTA system to the remote user alan@very.bogus.com is rejected.

Code Example 21-6 Logging: Rejecting a Remote Side's Attempt to Submit a Message

28-May-1998 12:02:23 tcp_local	J 0	(1)
harold@varrius.com rfc822; alan@very.bogus.com		(2)
550 5.7.1 Relaying not permitted: alan@very.bogus.com		(3)

1. This log shows the date and time the MTA rejects a remote side's attempt to submit a message. The rejection is indicated by a J record. (Cases where an MTA channel is attempting to send a message which is rejected is indicated by R records, as shown in [Code Example 21-4](#) and [Code Example 21-5](#)).

NOTE The last J record written to the log will have an indication stating that it is the last for a given session. Also, the current version of Messaging Server does not place a limit on the number of J records.

2. The attempted envelope From: and To: addresses are shown. In this case, no original envelope To: information was available so that field is empty.
3. The entry includes the SMTP error message the MTA issued to the remote (attempted sender) side.

MTA Logging Example: Multiple Delivery Attempts

Code Example 21-7 illustrates the sort of log file entries resulting when a message cannot be delivered upon the first attempt, so the MTA attempts to send the message several times. This example assumes option settings of `LOG_FILENAME=1` and `LOG_MESSAGE_ID=1`.

Code Example 21-7 Logging: Multiple Delivery Attempts

```

15-Jan-1998 10:31:05.18 tcp_internal tcp_local E 3 (1)
adam@hosta.sesta.com rfc822;user@some.org user@some.org
imta/queue/tcp_local/ZZ01IS3D2ZP7FQ9UN54R.00
<01IRUD7SVA3Q9UN2D4@sesta.com>

15-Jan-1998 10:31:10.37 tcp_local Q 3 (2)
adam@hosta.sesta.com rfc822;user@some.org user@some.org
imta/queue/tcp_local/ZZ01IS3D2ZP7FQ9UN54R.00 (3)
<01IRUD7SVA3Q9UN2D4@sesta.com>
TCP active open: Failed connect() Error: no route to host (4)

...several hours worth of entries...

15-Jan-1998 12:45:39.48 tcp_local Q 3 (5)
adam@hosta.sesta.com rfc822;user@some.org user@some.org
imta/queue/tcp_local/ZY01IS3D2ZP7FQ9UN54R.00 (6)
<01IRUD7SVA3Q9UN2D4@sesta.com>
TCP active open: Failed connect() Error: no route to host

...several hours worth of entries...

15-Jan-1998 16:45:24.72 tcp_local Q 3
adam@hosta.sesta.com rfc822;user@some.org user@some.org
imta/queue/tcp_local/ZX01IS67NY4RRK9UN7GP.00 (7)
<01IRUD7SVA3Q9UN2D4@sesta.com>
TCP active open: Failed connect() Error: connection refused (8)

...several hours worth of entries...

15-Jan-1998 20:45:51.55 tcp_local D 3 (9)
adam@hosta.sesta.com rfc822;user@some.org user@some.org
imta/queue/tcp_local/ZX01IS67NY4RRK9UN7GP.00
<01IRUD7SVA3Q9UN2D4@sesta.com>
dns;host.some.org (TCP|206.184.139.12|2788|192.1.1.1|25)
(All set, fire away)
smtp; 250 Ok

```

1. The message comes in the `tcp_internal` channel—perhaps from a POP or IMAP client, or perhaps from another host within the organization using the MTA as an SMTP relay; the MTA enqueues it to the outgoing `tcp_local` channel.
2. The first delivery attempt fails, as indicated by the Q entry.
3. That this is a first delivery attempt can be seen from the `zz*` filename.
4. This delivery attempt failed when the TCP/IP package could not find a route to the remote side. As opposed to [Code Example 21-4 on page 741](#), the DNS did not object to the destination domain name, `some.org`; rather, the “no route to host” error indicates that there is some network problem between the sending and receiving side.
5. The next time the MTA periodic job runs it reattempts delivery, again unsuccessfully.
6. The file name is now `zy*`, indicating that this is a second attempt.
7. The file name is `zx*` for this third unsuccessful attempt.
8. The next time the periodic job reattempts delivery the delivery fails, though this time the TCP/IP package is not complaining that it cannot get through to the remote SMTP server, but rather the remote SMTP server is not accepting connections. (Perhaps the remote side fixed their network problem, but has not yet brought their SMTP server back up—or their SMTP server is swamped handling other messages and hence was not accepting connections at the moment the MTA tried to connect.)
9. Finally the message is dequeued.

MTA Logging Example: Incoming SMTP Messages Routed Through the Conversion Channel

[Code Example 21-8 on page 747](#) illustrates the case of a message routed through the conversion channel. The site is assumed to have a CONVERSIONS mapping table such as:

```
CONVERSIONS
```

```
IN-CHAN=tcp_local;OUT-CHAN=l;CONVERT    Yes
```

This example assumes option settings of `LOG_FILENAME=1` and `LOG_MESSAGE_ID=1`.

Code Example 21-8 Logging: Incoming SMTP Message Routed Through the Conversion Channel

```

04-Feb-1998 00:06:26.72 tcp_local    conversion    E 9 (1)
amy@siroe.edu rfc822;bert@sesta.com bert@sesta.com
imta/queue/conversion/ZZ01IT5UAMZ4QW985180.00
<01IT5UALL144985180@siroe.edu>

04-Feb-1998 00:06:29.06 conversion    1                E 9 (2)
amy@siroe.edu rfc822;bert@sesta.com bert
imta/queue/1/ZZ01IT5UAOXLDW98509E.00 <01IT5STUMUFO984Z8L@siroe.edu>

04-Feb-1998 00:06:29.31 conversion                                D 9 (3)
amy@siroe.edu rfc822;bert@sesta.com bert
imta/queue/conversion/ZZ01IT5UAMZ4QW985180.00
<01IT5UALL144985180@siroe.edu>

04-Feb-1998 00:06:32.62 1                                D 9 (4)
amy@siroe.edu rfc822;bert@siroe.com bert
imta/queue/1/ZZ01IT5UAOXLDW98509E.00
<01IT5STUMUFO984Z8L@siroe.edu>

```

1. The message from external user amy@siroe.edu comes in addressed to the 1 channel recipient bert@sesta.com. The CONVERSIONS mapping entry, however, causes the message to be initially enqueued to the conversion channel (rather than directly to the 1 channel).
2. The conversion channel runs and enqueues the message to the 1 channel.
3. Then the conversion channel can dequeue the message (delete the old message file).
4. And finally the 1 channel dequeues (delivers) the message.

MTA Logging Example: Outbound Connection Logging

Code Example 21-9 on page 748 illustrates log output for an outgoing message when connection logging is enabled, via LOG_CONNECTION=3. LOG_PROCESS=1, LOG_MESSAGE_ID=1 and LOG_FILENAME=1 are also assumed in this example. The example shows the case of user adam@sesta.com sending the same message (note that the message ID is the same for each message copy) to three recipients, bobby@hosta.sesta.com, carl@hosta.sesta.com, and dave@hostb.sesta.com. This example assumes that the message is going out a tcp_local channel marked (as such channels usually are) with the single_sys channel keyword. Therefore, a

separate message file on disk will be created for each set of recipients to a separate host name, as seen in (1), (2), and (3), where the bobby@hosta.sesta.com and carl@hosta.sesta.com recipients are stored in the same message file, but the dave@hostb.sesta.com recipient is stored in a different message file.

Code Example 21-9 Logging: Outbound Connection Logging

```

19-Feb-1998 10:52:05.41 1e488.0 1          tcp_local    E 1
adam@sesta.com rfc822;bobby@hosta.sesta.com bobby@hosta.sesta.com
imta/queue/tcp_local/ZZ01ITRF7B0388000FCN.00          (1)
<01ITRF7BDHS6000FCN@SESTA.COM>

19-Feb-1998 10:52:05.41 1e488.0 1          tcp_local    E 1
adam@sesta.com rfc822;carl@hosta.sesta.com carl@hosta.sesta.com
imta/queue/tcp_local/ZZ01ITRF7B0388000FCN.00          (2)
<01ITRF7BDHS6000FCN@SESTA.COM>

19-Feb-1998 10:52:05.74 1e488.1 1          tcp_local    E 1
adam@sesta.com rfc822;dave@hostb.sesta.com dave@hostb.sesta.com
imta/queue/tcp_local/ZZ01ITRF7C11FU000FCN.00          (3)
<01ITRF7BDHS6000FCN@SESTA.COM>

19-Feb-1998 10:52:10.79 1f625.2.0 tcp_local    -              O (4)
TCP|206.184.139.12|5900|206.184.139.66|25
SMTP/hostb.sesta.com/mailhub.sesta.com                (5)

19-Feb-1998 10:52:10.87 1f625.3.0 tcp_local    -              O (6)
TCP|206.184.139.12|5901|206.184.139.70|25
SMTP/hosta.sesta.com/hosta.sesta.com                  (7)

19-Feb-1998 10:52:12.28 1f625.3.1 tcp_local    D 1
adam@sesta.com rfc822;bobby@hosta.sesta.com bobby@hosta.sesta.com
imta/queue/tcp_local/ZZ01ITRF7B0388000FCN.00
<01ITRF7BDHS6000FCN@SESTA.COM>
hosta.sesta.com dns;hosta.sesta.com                  (8)
(TCP|206.184.139.12|5901|206.184.139.70|25)
(hosta.sesta.com -- Server ESMTTP [ims V5.0 #8790])
(TCP|206.184.139.12|5901|206.184.139.70|25)
smtp;250 2.1.5 bobby@hosta.sesta.com and options OK.

19-Feb-1998 10:52:12.28 1f625.3.1 tcp_local    D 1
adam@sesta.com rfc822;carl@hosta.sesta.com carl@hosta.sesta.com
imta/queue/tcp_local/ZZ01ITRF7B0388000FCN.00
<01ITRF7BDHS6000FCN@SESTA.COM>
hosta.sesta.com dns;hosta.sesta.com
(TCP|206.184.139.12|5901|206.184.139.70|25)
(hosta.sesta.com -- Server ESMTTP [ims V5.0 #8790])
(TCP|206.184.139.12|5901|206.184.139.70|25)
smtp;250 2.1.5 carl@hosta.sesta.com and options OK.

19-Feb-1998 10:52:12.40 1f625.3.2 tcp_local    -              C (9)
TCP|206.184.139.12|5901|206.184.139.70|25
SMTP/hosta.sesta.com/hosta.sesta.com

```

```

19-Feb-1998 10:52:13.01 1f625.2.1 tcp_local          D 1
adam@sesta.com rfc822;dave@hostb.sesta.com dave@hostb.sesta.com
imta/queue/tcp_local/ZZ01ITRF7C11FU000FCN.00
<01ITRF7BDHS6000FCN@SESTA.COM>
mailhub.sesta.com dns;mailhub.sesta.com
(TCP|206.184.139.12|5900|206.184.139.66|25)
(MAILHUB.SESTA.COM -- Server ESMTP [iMS V5.0 #8694])
(TCP|206.184.139.12|5900|206.184.139.66|25)
smtp;250 2.1.5 dave@hostb.sesta.com and options OK.

19-Feb-1998 10:52:13.05 1f625.2.2 tcp_local          -          C (10)
TCP|206.184.139.12|5900|206.184.139.66|25
SMTP/hostb.sesta.com/mailhub.sesta.com

```

1. The message is enqueued to the first recipient...
2.and to the second recipient...
3.and to the third recipient.
4. Having `LOG_CONNECTION=3` set causes the MTA to write this entry. The minus, `-`, indicates that this entry refers to an outgoing connection. The `o` means that this entry corresponds to the opening of the connection. Also note that the process ID here is the same, `1f625`, since the same process is used for the multithreaded TCP/IP channel for these separate connection opens, though this open is being performed by thread 2 vs. thread 3.
5. As there are two separate remote systems to which to connect, the multithreaded SMTP client in separate threads opens up a connection to each—the first in this entry, and the second shown in 7. This part of the entry shows the sending and destination IP numbers and port numbers, and shows both the initial host name, and the host name found by doing a DNS lookup. In the `SMTP/initial-host/dns-host` clauses, note the display of both the initial host name, and that used after performing a DNS record lookup on the initial host name: `mailhub.sesta.com` is apparently an MX server for `hostb.sesta.com`.
6. The multithreaded SMTP client opens up a connection to the second system in a separate thread (though the same process).
7. As there are two separate remote systems to which to connect, the multithreaded SMTP client in separate threads opens up a connection to each—the second in this entry, and the first shown above in 5. This part of the entry shows the sending and destination IP numbers and port numbers, and shows both the initial host name, and the host name found by doing a DNS lookup. In this example, the system `hosta.sesta.com` apparently receives mail directly itself.

8. Besides resulting in specific connection entries, `LOG_CONNECTION=3` also causes inclusion of connection related information in the regular message entries, as seen here for instance.
9. Having `LOG_CONNECTION=3` causes the MTA to write this entry. After any messages are dequeued, (the bobby and carl messages in this example), the connection is closed, as indicated by the `c` in this entry.
10. Having `LOG_CONNECTION=3` causes the MTA to write this entry. After any messages are dequeued, (the dave message in this example), the connection is closed, as indicated by the `c` in this entry.

MTA Logging Example: Inbound Connection Logging

[Code Example 21-10](#) illustrates log output for an incoming SMTP message when connection logging is enabled, via `LOG_CONNECTION=3`.

Code Example 21-10 Logging: Inbound Connection Logging

```

19-Feb-1998 17:02:08.70 tcp_local  +          O  (1)
TCP|206.184.139.12|25|192.160.253.66|1244 SMTP (2)

19-Feb-1998 17:02:26.65 tcp_local  l          E 1
service@siroe.com rfc822;adam@sesta.com adam
THOR.SIROE.COM (THOR.SIROE.COM [192.160.253.66]) (3)

19-Feb-1998 17:02:27.05 tcp_local  +          C  (4)
TCP|206.184.139.12|25|192.160.253.66|1244 SMTP

19-Feb-1998 17:02:31.73 l          D 1
service@siroe.com rfc822;adam@sesta.com adam
    
```

1. The remote system opens a connection. The `o` character indicates that this entry regards the opening of a connection; the `+` character indicates that this entry regards an incoming connection.
2. The IP numbers and ports for the connection are shown. In this entry, the receiving system (the system making the log file entry) has IP address 206.184.139.12 and the connection is being made to port 25; the sending system has IP address 192.160.253.66 and is sending from port 1244.

3. In the entry for the enqueue of the message from the incoming TCP/IP channel (`tcp_local`) to the `l` channel recipient, note that information beyond the default is included since `LOG_CONNECTION=3` is enabled. Specifically, the name that the sending system claimed on its HELO or EHLO line, the sending system's name as found by a DNS reverse lookup on the connection IP number, and the sending system's IP address are all logged; see [Chapter 12, "Configuring Channel Definitions"](#) for a discussion of channel keywords affecting this behavior.
4. The inbound connection is closed. The `c` character indicates that this entry regards the closing of a connection; the `+` character indicates that this entry regards an incoming connection.

Enabling Dispatcher Debugging

Dispatcher error and debugging output (if enabled) are written to the file `dispatcher.log` in the MTA log directory. The dispatcher configuration information is specified in the `msg_svr_base/imta/dispatcher.cnf` file. A default configuration file is created at installation time and can be used without any changes made. However, if you want to modify the default configuration file for security or performance reasons, you can do so by editing the `dispatcher.cnf` file.

► To Enable Dispatcher Error Debugging Output

1. Edit the `dispatcher.cnf` file.
2. Set the `DEBUG` option to `-1`.

You can also set the logical or environmental variable `IMTA_DISPATCHER_DEBUG` (UNIX), which defines a 32-bit debug mask in hexadecimal, to the value `FFFFFFFF`. The following table describes the meaning of each bit.

Table 21-3 Dispatcher Debugging Bits

Bit	Hexadecimal value	Decimal value	Usage
0	x 00001	1	Basic Service Dispatcher main module debugging.
1	x 00002	2	Extra Service Dispatcher main module debugging.
2	x 00004	4	Service Dispatcher configuration file logging.
3	x 00008	8	Basic Service Dispatcher miscellaneous debugging.
4	x 00010	16	Basic service debugging.

Table 21-3 Dispatcher Debugging Bits (*Continued*)

Bit	Hexadecima l value	Decimal value	Usage
5	x 00020	32	Extra service debugging.
6	x 00040	64	Process related service debugging.
7	x 00080	128	Not used.
8	x 00100	256	Basic Service Dispatcher and process communication debugging.
9	x 00200	512	Extra Service Dispatcher and process communication debugging.
10	x 00400	1024	Packet level communication debugging.
11	x 00800	2048	Not used.
12	x 01000	4096	Basic Worker Process debugging.
13	x 02000	8192	Extra Worker Process debugging.
14	x 04000	16384	Additional Worker Process debugging, particularly connection hand-offs.
15	x 08000	32768	Not used.
16	x 10000	65536	Basic Worker Process to Service Dispatcher I/O debugging.
17	x 20000	131072	Extra Worker Process to Service Dispatcher I/O debugging.
20	x 100000	1048576	Basic statistics debugging.
21	x 200000	2097152	Extra statistics debugging.
24	x 1000000	16777216	Log PORT_ACCESS denials to the dispatcher.log file.

► To Set Dispatcher Parameters (Solaris)

The dispatcher services offered in the dispatcher configuration file affects requirements for various system parameters. The system's heap size (`datasize`) must be enough to accommodate the dispatcher's thread stack usage.

1. To display the heap size (that is, default `datasize`), use one of the following:

The `cs`h command:

```
# limit
```

The `ksh` command

```
# ulimit -a
```

The Solaris utility

```
# sysdef
```


2. For each dispatcher service compute $STACKSIZE * MAX_CONNS$, and then add up the values computed for each service. The system's heap size needs to be at least twice this number.

Managing Service Logs

This section describes logging for the Message Store (POP, IMAP, and HTTP), Admin, and Default services. (see [Table 21-1 on page 725](#)).

For these services, you can use Console to specify log settings and to view logs. The settings you specify affect which and how many events are logged. You can use those settings and other characteristics to refine searches for logged events when you are analyzing log files.

This section contains the following subsections:

- [Understanding Service Log Characteristics](#)
- [Understanding Service Log File Format](#)
- [Defining and Setting Service Logging Options](#)
- [Searching and Viewing Service Logs](#)
- [Using Message Tracing for Message Store Logging](#)
- [Message Store Logging Examples](#)

Understanding Service Log Characteristics

This section describes the following log characteristics for the message store and administration services: logging levels, categories of logged events, filename conventions for logs, and log-file directories.

Logging Levels

The level, or priority, of logging defines how detailed, or verbose, the logging activity is to be. A higher priority level means less detail; it means that only events of high priority (high severity) are logged. A lower level means greater detail; it means that more events are recorded in the log file.

You can set the logging level separately for each service—POP, IMAP, HTTP, Admin, and Default by setting the `logfile.service.logLevel` configuration parameter (see “[Defining and Setting Service Logging Options](#)” on page 757). You can also use logging levels to filter searches for log events. Table 21-4 describes the available levels. These logging levels are a subset of those defined by the UNIX `syslog` facility.

Table 21-4 Logging Levels for Store and Administration Services

Level	Description
Critical	The minimum logging detail. An event is written to the log whenever a severe problem or critical condition occurs—such as when the server cannot access a mailbox or a library needed for it to run.
Error	An event is written to the log whenever an error condition occurs—such as when a connection attempt to a client or another server fails.
Warning	An event is written to the log whenever a warning condition occurs—such as when the server cannot understand a communication sent to it by a client.
Notice	An event is written to the log whenever a notice (a normal but significant condition) occurs—such as when a user login fails or when a session closes. This is the default log level.
Information	An event is written to the log with every significant action that takes place—such as when a user successfully logs on or off or creates or renames a mailbox.
Debug	The most verbose logging. Useful only for debugging purposes. Events are written to the log at individual steps within each process or task, to pinpoint problems.

When you select a particular logging level, events corresponding to that level and to all higher (less verbose) levels are logged. The default level of logging is `Notice`.

NOTE The more verbose the logging you specify, the more disk space your log files will occupy; for guidelines, see “[Defining and Setting Service Logging Options](#)” on page 757.

Categories of Logged Events

Within each supported service or protocol, Messaging Server further categorizes logged events by the facility, or functional area, in which they occur. Every logged event contains the name of the facility that generated it. These categories aid in filtering events during searches. Table 21-5 lists the categories that Messaging Server recognizes for logging purposes.

Table 21-5 Categories in Which Log Events Occur

Facility	Description
General	Undifferentiated actions related to this protocol or service
LDAP	Actions related to Messaging Server accessing the LDAP directory database
Network	Actions related to network connections (socket errors fall into this category)
Account	Actions related to user accounts (user logins fall into this category)
Protocol	Protocol-level actions related to protocol-specific commands (errors returned by POP, IMAP, or HTTP functions fall into this category)
Stats	Actions related to the gathering of server statistics
Store	Low-level actions related to accessing the message store (read/write errors fall into this category)

For examples of using categories as filters in log searches, see [“Searching and Viewing Service Logs” on page 760](#).

Service Log File Directories

Every logged service is assigned a single directory, in which its log files are stored. All IMAP log files are stored together, as are all POP log files, and log files of any other service. You define the location of each directory, and you also define how many log files of what maximum size are permitted to exist in the directory.

Make sure that your storage capacity is sufficient for all your log files. Log data can be voluminous, especially at lower (more verbose) logging levels.

It is important also to define your logging level, log rotation, log expiration, and server-backup policies appropriately so that all of your log-file directories are backed up and none of them become overloaded; otherwise, you may lose information. See [“Defining and Setting Service Logging Options” on page 757](#).

Understanding Service Log File Format

All message store and administration service log files created by Messaging Server have identical content formats. Log files are multiline text files, in which each line describes one logged event. All event descriptions, for each of the supported services, have the general format:

```
dateTime hostName processName[pid]: category logLevel: eventMessage
```

Table 21-6 lists the log file components. Note that this format of event descriptions is identical to that defined by the UNIX `syslog` facility, except that the date/time format is different and the format includes two additional components (*category* and *logLevel*).

Table 21-6 Store and Administration Log File Components

Component	Definition
<i>dateTime</i>	The date and time at which the event was logged, expressed in <i>dd/mm/yyyy hh:mm:ss</i> format, with a time-zone field expressed as <i>+/-hhmm</i> from GMT. For example: 02/Jan/1999:13:08:21 -0700
<i>hostName</i>	The name of the host machine on which the server is running: for example, <code>showshoe</code> . Note: If there is more than one instance of Messaging Server on the host, you can use the process ID (<i>pid</i>) to separate logged events of one instance from another.
<i>processName</i>	The name of the process that generated the event: for example, <code>cgi_store</code> .
<i>pid</i>	The process ID of the process that generated the event: for example, <code>18753</code> .
<i>category</i>	The category that the event belongs to: for example, <code>General</code> (see Table 21-5 on page 755).
<i>logLevel</i>	The level of logging that the event represents: for example, <code>Notice</code> (see Table 21-4 on page 754).
<i>eventMessage</i>	An event-specific explanatory message that may be of any length: for example, <code>Log created (894305624)</code> .

Here are three examples of logged events as viewed using Console:

```
02/May/1998:17:37:32 -0700 showshoe cgi_store[18753]:
General Notice:
  Log created (894155852)
```

```
04/May/1998:11:07:44 -0400 xyzmail cgi_service[343]: General Error:
function=getserverhello|port=2500|error=failed to connect
03/Dec/1998:06:54:32 +0200 SiroePost imapd[232]: Account Notice:
close [127.0.0.1] [unauthenticated] 1998/12/3 6:54:32
0:00:00 0 115 0
```

IMAP and POP event entries may end with three numbers. The example above has 0 115 0. The first number is bytes sent by client, the second number is the bytes sent by the server, and third number is mailboxes selected (always 1 for POP).

When viewing a log file in the Log Viewer window, you can limit the events displayed by searching for any specific component in an event, such as a specific logging level or category, or a specific process ID. For more information, see [“Searching and Viewing Service Logs” on page 760](#).

The event message of each log entry is in a format specific to the type of event being logged, that is, each service defines what content appears in any of its event messages. Many event messages are simple and self-evident; others are more complex.

Defining and Setting Service Logging Options

You can define the message store and administration service logging configurations that best serve your administration needs. This section discusses issues that may help you decide on the best configurations and policies, and it explains how to implement them.

Flexible Logging Architecture

The naming scheme for log files (*service.sequenceNum.timeStamp*) helps you to design a flexible log-rotation and backup policy. The fact that events for different services are written to different files makes it easier for you to isolate problems quickly. Also, because the sequence number in a filename is ever-increasing and the timestamp is always unique, later log files do not simply overwrite earlier ones after a limited set of sequence numbers is exhausted. Instead, older log files are overwritten or deleted only when the more flexible limits of age, number of files, or total storage are reached.

Messaging Server supports automatic rotation of log files, which simplifies administration and facilitates backups. You are not required to manually retire the current log file and create a new one to hold subsequent logged events. You can back up all but the current log file in a directory at any time, without stopping the server or manually notifying the server to start a new log file.

In setting up your logging policies, you can set options (for each service) that control limits on total log storage, maximum number of log files, individual file size, maximum file age, and rate of log-file rotation.

Planning the Options You Want

Keep in mind that you must set several limits, more than one of which might cause the rotation or deletion of a log file. Whichever limit is reached first is the controlling one. For example, if your maximum log-file size is 3.5 MB, and you specify that a new log be created every day, you may actually get log files created faster than one per day if log data builds up faster than 3.5 MB every 24 hours. Then, if your maximum number of log files is 10 and your maximum age is 8 days, you may never reach the age limit on log files because the faster log rotation may mean that 10 files will have been created in less than 8 days.

The following default values, provided for Messaging Server administration logs, may be a reasonable starting point for planning:

Maximum number of log files in a directory: 10
Maximum log-file size: 2 MB
Total maximum size permitted for all log files: 20 MB
Minimum free disk space permitted: 5 MB
Log rollover time: 1 day
Maximum age before expiration: 7 days
Level of logging: Notice

You can see that this configuration assumes that server-administration log data is predicted to accumulate at about 2 MB per day, backups are weekly, and the total space allotted for storage of admin logs is at least 25 MB. (These settings may be insufficient if the logging level is more verbose.)

For POP, IMAP or HTTP logs, the same values might be a reasonable start. If all services have approximately the same log-storage requirements as the defaults shown here, you might expect to initially plan for about 150 MB of total log-storage capacity. (Note that this is meant only as a general indication of storage requirements; your actual requirements may be significantly different.)

Understanding Logging Options

You can set options that control the message store logging configuration by using Console or the command line.

The optimal settings for these options depend on the rate at which log data accumulates. It may take between 4,000 and 10,000 log entries to occupy 1 MB of storage. At the more verbose levels of logging (such as Notice), a moderately busy server may generate hundreds of megabytes of log data per week. Here is one approach you can follow:

- Set a level of logging that is consistent with your storage limits—that is, a level that you estimate will cause log-data accumulation at approximately the rate you used to estimate the storage limit.
- Define the log file size so that searching performance is not impacted. Also, coordinate it with your rotation schedule and your total storage limit. Given the rate at which log entries accumulate, you might set a maximum that is slightly larger than what you expect to accumulate by the time a rotation automatically occurs. And your maximum file size times your maximum number of files might be roughly equivalent to your total storage limit.

For example, if your IMAP log rotation is daily, your expected accumulation of IMAP log data is 3 MB per day, and your total storage limit for IMAP logs is 25 MB, you might set a maximum IMAP log-file size of 3.5 MB. (In this example, you could still lose some log data if it accumulated so rapidly that all log files hit maximum size and the maximum number of log files were reached.)

- If server backups are weekly and you rotate IMAP log files daily, you might specify a maximum number of IMAP log files of about 10 (to account for faster rotation if the individual log-size limit is exceeded), and a maximum age of 7 or 8 days.
- Pick a total storage limit that is within your hardware capacity and that coordinates with the backup schedule you have planned for the server. Estimate the rate at which you anticipate that log data will accumulate, add a factor of safety, and define your total storage limit so that it is not exceeded over the period between server backups.

For example, if you expect to accumulate an average of 3 MB of IMAP log-file data per day, and server backups are weekly, you might specify on the order of 25 - 30 MB as the storage limit for IMAP logs (assuming that your disk storage capacity is sufficient).

- For safety, pick a minimum amount of free disk space that you will permit on the volume that holds the log files. That way, if factors other than log-file size cause the volume to fill up, old log files will be deleted before a failure occurs from attempting to write log data to a full disk.

Searching and Viewing Service Logs

Console provides a basic interface for viewing message store and administration log data. It allows for selecting individual log files and for performing flexible filtered searches of log entries within those files.

For a given service, log files are listed in chronological order. Once you have chosen a log file to search, you can narrow the search for individual events by specifying search parameters.

Search Parameters

These are the search parameters you can specify for viewing log data:

- **A time period.** You can specify the beginning and end of a specific time period to retrieve events from, or you can specify a number of days (before the present) to search. You might typically specify a range to look at logged events leading up to a server crash or other occurrence whose time you know of. Alternatively, you might specify a day range to look at only today's events in the current log file.
- **A level of logging.** You can specify the logging level (see [“Logging Levels” on page 753](#)). You might select a specific level to uncover a specific problem; for example, Critical to see why the server went down, or Error to locate failed protocol calls.
- **A facility.** You can specify the facility (see [“Categories of Logged Events” on page 755](#)). You might select a specific facility if you know the functional area that contains the problem; for example, Store if you believe a server crash involved a disk error, or Protocol if the problem lies in an IMAP protocol command error.
- **A text search pattern.** You can provide a text search pattern to further narrow the search. You can include any component of the event (see [“Understanding Service Log File Format” on page 756](#)) that can be expressed in a wildcard-type search, such as event time, process name, process ID, and any part of the event message (such as remote host name, function name, error number, and so on) that you know defines the event or events you want to retrieve.

Your search pattern can include the following special and wildcard characters:

- * Any set of characters (example: *.com)
- ? Any single character (example: 199?)
- [*nnn*] Any character in the set *nnn* (example: [aeiou])
- [^*nnn*] Any character not in the set *nnn* (example: [^aeiou])
- [*n-m*] Any character in the range *n-m* (example: [A-Z])
- [^*n-m*] Any character not in the range *n-m* (example: [^0-9])
- \ Escape character: place before *, ?, [, or] to use them as literals

Note: Searches are case-sensitive.

Examples of combining logging level and facility in viewing logs might include the following:

- Specifying Account facility (and Notice level) to display failed logins, which may be useful when investigating potential security breaches
- Specifying Network facility (and all logging levels) to investigate connection problems
- Specifying all facilities (and Critical logging level) to look for basic problems in the functioning of the server

Working With Service Logs

This section describes how to work with service logs by using the `configutil` command, and Console for searching and viewing logs.

► To Send Service Logs to syslog

- Run the `configutil` command with the `syslogfacility` option:

```
configutil -o logfile.service.syslogfacility -v value
```

where *service* is `admin`, `pop`, `imap`, `imta`, or `http` and *value* is `user`, `mail`, `daemon`, `local0` to `local7`, or `none`.

Once the value is set, messages are logged to the `syslog` facility corresponding to the set value and all the other log file service options are ignored. When the option is not set or the value is `none`, logging uses the Messaging Server log files.

► To Set Logging Options Using Console

1. Open the Messaging Server whose log file options you want to set.
2. Click the Configuration tab, open the Log Files folder in the left pane, and select the log files of a service (such as IMAP, HTTP, or Admin).
3. From the “Levels of detail” drop-down list, choose a logging level.

4. In the “Directory path for log files” field, enter the name of the directory to hold your log files.
5. In the “File size for each log” field, enter your maximum log-file size.
6. In the “Create new log every” field, enter a number for the log-rotation schedule.
7. In the “Number of logs per directory” and the “When a log is older than” fields, enter the maximum number of log files and a maximum age to coordinate with your backup schedule.
8. In the “When total log size exceeds” field, enter the total storage limit you want.
9. In the “When free disk space is less than” field, enter the minimum amount of free disk space you want to reserve.

➤ **To Disable HTTP Logging**

If your system does not support HTTP message access, that is, Webmail, you can disable HTTP logging by setting the following variables. Do not set these variables if your system requires Webmail support (for example, Messenger Express).

- Run the following `configutil` commands:

```
configutil -o service.http.enable -v no
configutil -o service.http.enablesslport -v no
```

➤ **To Set the Server Log Level**

- Run the following `configutil` command:

```
configutil -o logfile.service.loglevel -v level
```

where *service* is `admin`, `pop`, `imap`, `imta`, or `http` and *loglevel* is `Nolog`, `Critical`, `Error`, `Warning`, `Notice`, `Information`, or `Debug`.

➤ **To Specify a Directory Path for Server Log Files**

- Run the following `configutil` command:

```
configutil -o logfile.service.logdir -v dirpath
```

➤ **To Specify a Maximum File Size for Each Service Log**

- Run the following `configutil` command:

```
configutil -o logfile.service.maxlogfilesize -v size
```

where *size* specifies a number of bytes.

➤ **To Specify a Service Log Rotation Schedule**

- Run the following `configutil` command:

```
configutil -o logfile.service.rollovertime -v number
```

where *number* specifies a number of seconds.

➤ **To Specify a Maximum Number of Service Log Files Per Directory**

- Run the following `configutil` command:

```
configutil -o logfile.service.maxlogfiles -v number
```

➤ **To Specify a Storage Limit**

- Run the following `configutil` command:

```
configutil -o logfile.service.maxlogsize -v number
```

where *number* specifies a number in bytes.

➤ **To Specify the Minimum Amount of Free Disk Space to Reserve**

- Run the following `configutil` command:

```
configutil -o logfile.service.minfreediskspace -v number
```

where *number* specifies a number in bytes.

➤ **To Specify an Age for Logs at Which They Expire**

```
configutil -o logfile.service.expirytime -v number
```

where *number* specifies a number in seconds.

➤ **To Specify a Search and View Results**

Follow these steps to search for logged events with specific characteristics belonging to a given service:

1. In Console, open the Messaging Server whose log files you want to inspect.
2. Follow either of these steps to display the Log Files Content tab for a given logged service:
 - Click the Tasks tab, then click “View *service* logs”, where *service* is the name of the logged service (such as “IMAP service” or “administration”).
 - Click the Configuration tab, then open the Log Files folder in the left pane and select the log files of a service (such as IMAP or Admin). Then click the Content tab in the right pane.
3. The Content tab for that logged service is displayed.

4. In the Log filename field, select the log file you want to examine.
5. Click the View selected log button to open the Log Viewer window.
6. In the Log Viewer window, specify your desired search parameters (described in the previous section, “Search Parameters”).
7. Click Update to perform the search and display the results in the Log entry field.

Using Message Tracing for Message Store Logging

You can use Message Store logging to trace messages by message ID in a way similar to how the MTA traces messages. Tracing messages in this fashion enables you to track the critical events of a message’s life cycle.

To trace messages in the Message Store logs, you need to configure message tracing in addition to the normal logging configuration. By default, message tracing is not enabled.

NOTE Message tracing will fill up a large amount of disk space. Do not enable this feature unless you have adequate disk space.

Message Store logging can track the following operations:

- **append** - The primary way the Message Store library adds a message to a folder. Tracing append shows messages entering the Message Store.
- **fetch** - The IMAP command that retrieves a message or part of a message for the end user. For message tracing, its meaning is extended to when any service retrieves a message for the end user to read.

In message tracing, you might sometimes like to avoid tracking when the header of a message is read, so a body fetch is in reference to when some part of the body of a message is retrieved.

- **Expunge**: An IMAP term that is extended in this case to reference when any service removes a message from a user’s folder.

► To Enable Message Tracing

- Run the following `configutil` command:

```
configutil -o local.msgrace.active -v "yes"
```

Message trace information is written to the default log for each process. The IMAP fetches appear in the `imap` log file. The `ims_master` appends appear in the `ims_master` channel log file.

► To Redirect Message Tracing to a Single Log File

- To redirect message trace logging to a single “msgtrace” log file, you must use the `configutil` command to configure the log file parameters. The `msgtrace` log file, unlike the other log files, is configured locally. For example:

```
configutil -o "local.logfile.msgtrace.buffersize" -v "0"
configutil -o "local.logfile.msgtrace.expirytime" -v "604800"
configutil -o "local.logfile.msgtrace.flushinterval" -v "60"
configutil -o "local.logfile.msgtrace.logdir" -v "/opt/SUNWmsgsr/data/log"
configutil -o "local.logfile.msgtrace.loglevel" -v "Information"
configutil -o "local.logfile.msgtrace.logtype" -v "NscpLog"
configutil -o "local.logfile.msgtrace.maxlogfiles" -v "10"
configutil -o "local.logfile.msgtrace.maxlogfilesize" -v "2097152"
configutil -o "local.logfile.msgtrace.maxlogsize" -v "20971520"
configutil -o "local.logfile.msgtrace.minfreediskspace" -v "5242880"
configutil -o "local.logfile.msgtrace.rollovertime" -v "86400"
```

► To Unconfigure Message Trace Logging

- To unconfigure the `msgtrace` log file, use the `configutil` command to remove all references to its configuration. For example:

```
configutil -o "local.logfile.msgtrace.buffersize" -v ""
configutil -o "local.logfile.msgtrace.expirytime" -v ""
configutil -o "local.logfile.msgtrace.flushinterval" -v ""
configutil -o "local.logfile.msgtrace.logdir" -v ""
configutil -o "local.logfile.msgtrace.loglevel" -v ""
configutil -o "local.logfile.msgtrace.logtype" -v ""
configutil -o "local.logfile.msgtrace.maxlogfiles" -v ""
configutil -o "local.logfile.msgtrace.maxlogfilesize" -v ""
configutil -o "local.logfile.msgtrace.maxlogsize" -v ""
configutil -o "local.logfile.msgtrace.minfreediskspace" -v ""
configutil -o "local.logfile.msgtrace.rollovertime" -v ""
```

► To Configure LMTP Logging

- If you are using LMTP, and not using a single “msgtrace” log file, then you must also locally configure the `tcp_lmtp_server` log file. If you are not using LMTP, or are not using message trace, or are using message trace in the “msgtrace” log file, you do not need to initialize the LMTP Message Store side log. (LMTP already logs MTA information separately.) For example:

```
configutil -o "local.logfile.tcp_lmtp_server.buffersize" -v "0"
configutil -o "local.logfile.tcp_lmtp_server.expirytime" -v "604800"
configutil -o "local.logfile.tcp_lmtp_server.flushinterval" -v "60"
configutil -o "local.logfile.tcp_lmtp_server.logdir" -v "/opt/SUNWmsgsr/data/log"
configutil -o "local.logfile.tcp_lmtp_server.loglevel" -v "Information"
configutil -o "local.logfile.tcp_lmtp_server.logtype" -v "NscpLog"
configutil -o "local.logfile.tcp_lmtp_server.maxlogfiles" -v "10"
configutil -o "local.logfile.tcp_lmtp_server.maxlogfilesize" -v "2097152"
configutil -o "local.logfile.tcp_lmtp_server.maxlogsize" -v "20971520"
configutil -o "local.logfile.tcp_lmtp_server.minfreediskspace" -v "5242880"
configutil -o "local.logfile.tcp_lmtp_server.rollovertime" -v "86400"
```

Message Store Logging Examples

The exact field format and list of fields logged in the Message Store log files vary according to the logging options set. This section shows a few examples of interpreting typical sorts of log entries.

Message Store Logging Example: Bad Password

When a user types an invalid password, “authentication” failure is logged, as opposed to a “user not found” message. The message “user not found” is the text passed to the client for security reasons, but the real reason (invalid password) is logged.

Code Example 21-11 Message Store Logging: Invalid Password

```
[30/Aug/2004:16:53:05 -0700] vadar imapd[13027]: Account Notice: badlogin:
[192.18.126.64:40718] plaintext user1 authentication failure
```

Message Store Logging Example: Account Disabled

The following example shows why a user cannot log in due to a disabled account. Furthermore, the disabled account is clarified as “(inactive)” or “(hold).”

Code Example 21-12 Message Store Logging: Account Disabled

```
[30/Aug/2004:16:53:31 -0700] vadar imapd[13027]: Account Notice: badlogin:
[192.18.126.64:40720] plaintext user3 account disabled (hold)
```

Message Store Logging Example: Message Appended

The following example shows an append message, which occurs when whenever a message is appended to a folder. The Message Store log records all messages entering the Message Store through the `ims_master` and `lmtp` channels. Records the “append” of user ID, folder, message size, and message ID.

Code Example 21-13 Message Store Logging: Append

```
[31/Aug/2004:16:33:14 -0700] vadar ims_master[13822]: Store Information:
append:user1:user/user1:659:<Roam.SIMC.2.0.6.1093995286.11265.user1@vadar.siroe.com>
```

Message Store Logging Example: Message Retrieved by a Client

The Message Store log writes a “fetch” message when a client retrieves a message. The Message Store log records all client fetches of at least one body part. Records the “fetch” of user ID, folder, and message-ID.

Code Example 21-14 Message Store Logging: Message Retrieved by a Client

```
[31/Aug/2004:15:55:26 -0700] vadar imapd[13729]: Store Information:
fetch:user1:user/user1:<Roam.SIMC.2.0.6.1093051161.3655.user1@vadar.siroe.com>
```

Message Store Logging Example: Message Removed from a Folder

The Message Store writes an “expunge” message when an IMAP or POP message is removed from a folder (but not removed from the system). It is logged whether it is expunged by the user or a utility. Records the “expunge” of folder and message ID.

Code Example 21-15 Message Store Logging: Message Removed from a Folder

```
31/Aug/2004:16:57:36 -0700] vadar imexpire[13923]: Store Information:
expunge:user/user1:<Roam.SIMC.2.0.6.1090458838.2929.user1@vadar.siroe.com>
```

Message Store Logging Example: Duplicate Login Messages

If you configure message trace for one msgtrace log file, the normal “login” messages, which appear in the imap and pop log files, are duplicated in the msgtrace file.

Code Example 21-16 Message Store Logging: Login

```
[30/Aug/2004:16:53:13 -0700] vadar imapd[13027]: Account Information: login  
[192.18.126.64:40718] user1 plaintext
```


Troubleshooting the MTA

This chapter describes common tools, methods, and procedures for troubleshooting the Message Transfer Agent (MTA). It consists of the following sections:

- [“Troubleshooting Overview” on page 770](#)
- [“Standard MTA Troubleshooting Procedures” on page 770](#)
- [“Common MTA Problems and Solutions” on page 781](#)
- [“General Error Messages” on page 793](#)
- [“Repairing Mailboxes and the Mailboxes Database” on page 632](#) (different chapter)

A related topic, monitoring procedures can be found in [Chapter 23, “Monitoring the Messaging Server”](#)

NOTE Prior to reading this chapter, you should review Chapters 5 through 10 in this guide and the MTA configuration and command-line utility chapters in the *Sun Java System Messaging Server Administration Reference*.

Troubleshooting Overview

One of the first steps in troubleshooting the MTA is to determine where to begin the diagnosis. Depending on the problem, you might look for error messages in log files. In other situations, you might check all of the standard MTA processes, review the MTA configuration, or start and stop individual channels. Whatever approach you use, consider the following questions when troubleshooting the MTA:

- Did configuration or environmental problems prevent messages from being accepted (for example, disk space or quota problems)?
- Were MTA services such as the Dispatcher and the Job Controller present at the time the message entered the message queue?
- Did network connectivity or routing problems cause messages to be stuck or misrouted on a remote system?
- Did the problem occur before or after a message entered into the message queue?

This chapter will address these questions in the subsequent sections.

Standard MTA Troubleshooting Procedures

This section outlines standard troubleshooting procedures for the MTA. Follow these procedures if a problem does not generate an error message, if an error message does not provide enough diagnostic information, or if you want to perform general wellness checks, testing, and standard maintenance of the MTA.

- [“Check the MTA Configuration” on page 771](#)
- [“Check the Message Queue Directories” on page 771](#)
- [“Check the Ownership of Critical Files” on page 771](#)
- [“Check that the Job Controller and Dispatcher are Running” on page 772](#)
- [“Check the Log Files” on page 774](#)
- [“Run a Channel Program Manually” on page 775](#)
- [“Starting and Stopping Individual Channels” on page 775](#)
- [“An MTA Troubleshooting Example” on page 777](#)

Check the MTA Configuration

Test your address configuration by using the `imsimta test -rewrite` utility. With this utility, you can test the MTA's address rewriting and channel mapping without actually having to send a message. Refer to the MTA Command-line Utilities chapter in the *Sun Java System Messaging Server Administration Reference* for more information.

The utility will normally show address rewriting that will be applied as well as the channel to which messages will be queued. However, syntax errors in the MTA configuration will cause the utility to issue an error message. If the output is not what you expect, you may need to correct your configuration.

Check the Message Queue Directories

Check if messages are present in the MTA message queue directory, typically `msg_svr_base/data/queue/`. Use command-line utilities like `imsimta qm` to check for the presence of expected message files under the MTA message queue directory. For more information on `imsimta qm`, refer to the MTA command-line utilities chapter in the *Sun Java System Messaging Server Administration Reference* and [“imsimta qm counters” on page 822](#).

If the `imsimta test -rewrite` output looks correct, check that messages are actually being placed in the MTA message queue subdirectories. To do so, enable message logging (For more information on MTA logging, see [“Managing MTA Message and Connection Logs” on page 728](#)). You should then look at the `mail.log_current` file in the directory `/msg_svr_base/log/`. You can track a specific message by its message ID to ensure that it is being placed in the MTA message queue subdirectories. If you are unable to find the message, you may have a problem with file disk space or directory permissions.

Check the Ownership of Critical Files

You should have selected a mail server user account (`nobody` by default) when you installed Messaging Server. The following directories, subdirectories, and files should be owned by this account:

```
/msg_svr_base/data/queue/  
/msg_svr_base/log/  
/tmp
```

Commands, like the ones in the following UNIX system example, may be used to check the protection and ownership of these directories:

```
ls -l -p -d /opt/SUNWmsgsr/data/queue
drwx----- 6 inetuser bin 512 Feb 7 09:32 /opt/SUNWmsgsr/data/queue

ls -l -p -d /opt/SUNWmsgsr/log/imta
drwx----- 2 inetuser bin 1536 Mar 10 09:00 /opt/SUNWmsgsr/log/imta

ls -l -p -d /opt/SUNWmsgsr/imta/tmp
drwx----- 2 inetuser bin 512 Feb 7 10:00 /opt/SUNWmsgsr/imta/tmp
```

Check that the files in `/msg_svr_base/data/queue` are owned by the MTA account by using commands like in the following UNIX system example:

```
ls -l -p -R /opt/SUNWmsgsr/data/queue
```

Check that the Job Controller and Dispatcher are Running

The MTA Job Controller handles the execution of the MTA processing jobs, including most outgoing (master) channel jobs.

Some MTA channels, such as the MTA's multi-threaded SMTP channels, include resident server processes that process incoming messages. These servers handle the slave (incoming) direction for the channel. The MTA Dispatcher handles the creation of such MTA servers. Dispatcher configuration options control the availability of the servers, the number of created servers, and how many connections each server can handle.

To check that the Job Controller and Dispatcher are present, and to see if there are MTA servers and processing jobs running, use the command `imsimta process`. Under idle conditions the command should result in `job_controller` and `dispatcher` processes. For example:

```
imsimta process
```

USER	PID	S	VSZ	RSS	STIME	TIME	COMMAND
inetuser	9567	S	18416	9368	02:00:02	0:00	/opt/SUNWmsgsr/lib/tcp_smtp_server
inetuser	6573	S	18112	5720	Jul_13	0:00	/opt/SUNWmsgsr/lib/job_controller
inetuser	9568	S	18416	9432	02:00:02	0:00	/opt/SUNWmsgsr/lib/tcp_smtp_server
inetuser	6574	S	17848	5328	Jul_13	0:00	/opt/SUNWmsgsr/lib/dispatcher

If the Job Controller is not present, the files in the `/msg_svr_base/data/queue` directory will get backed up and messages will not be delivered. If you do not have a Dispatcher, then you will be unable to receive any SMTP connections.

For more information on `imsimta process`, refer to the *Sun Java System Messaging Server Administration Reference*.

If neither the Job Controller nor the Dispatcher is present, you should review the `dispatcher.log-*` or `job_controller.log-*` file in `/msg_svr_base/data/log`

If the log files do not exist or do not indicate an error, start the processes by using the `msg-start` command. For more information, refer to the MTA command-line utilities chapter in the *Sun Java System Messaging Server Administration Reference*.

NOTE You should not see multiple instances of the Dispatcher or Job Controller when you run `imsimta process`, unless the system is in the process of forking (`fork()`) child processes before it executes (`exec()`) the program that needs to run. However, the time frame during such duplication is very small.

Check the Log Files

If MTA processing jobs run properly but messages stay in the message queue directory, you can examine the log files to see what is happening. All MTA log files are created in the directory `/msg_svr_base/log`. Log file name formats for various MTA processing jobs are shown in [Table 22-1](#).

Table 22-1 MTA Log Files

File Name	Log File Contents
<code>channel_master.log-uniqueid</code>	Output of master program (usually client) for <i>channel</i> .
<code>channel_slave.log-uniqueid</code>	Output of slave program (usually server) for <i>channel</i> .
<code>dispatcher.log-uniqueid</code>	Dispatcher debugging. This log is created regardless if the Dispatcher <code>DEBUG</code> option is set. However, to get detailed debugging information, you should set the <code>DEBUG</code> option to a non-zero value.
<code>imta</code>	<code>ims-ms</code> channel error messages when there is a problem in delivery.
<code>job_controller.log-uniqueid</code>	Job controller logging. This log is created regardless if the Job Controller <code>DEBUG</code> option is set. However, to get detailed debugging information, you should set the <code>DEBUG</code> option to a non-zero value.
<code>tcp_smtp_server.log-uniqueid</code>	Debugging for the <code>tcp_smtp_server</code> . The information in this log is specific to the server, not to messages.
<code>return.log-uniqueid</code>	Debug output for the periodic MTA message bouncer job; this log file is created if the <code>return_debug</code> option is used in the <code>option.dat</code>

NOTE Each log file is created with a unique ID (*uniqueid*) to avoid overwriting an earlier log created by the same channel. To find a specific log file, you can use the `imsimta view` utility. You can also purge older log files by using the `imsimta purge` command. For more information, see the MTA command-line utilities chapter in the *Sun Java System Messaging Server Administration Reference*.

The `channel_master.log-uniqueid` and `channel_slave.log-uniqueid` log files will be created in any of the following situations:

- There are errors in your current configuration.
- The `master_debug` or `slave_debug` keywords are set on the channel in the `imta.cnf` file.

- If `mm_debug` is set to a non-zero value (`mm_debug > 0`) in your `option.dat` file (in the directory: `/msg_svr_base/config/`).

For more information on debugging channel master and slave programs, see the *Sun Java System Messaging Server Administration Reference*.

Run a Channel Program Manually

When diagnosing an MTA delivery problem it is helpful to manually run an MTA delivery job, particularly after you enable debugging for one or more channels.

The command `imsimta submit` will notify the MTA Job Controller to run the channel. If debugging is enabled for the channel in question, `imsimta submit` will create a log file in directory `/msg_svr_base/log` as shown in [Table 22-1](#).

The command `imsimta run` will perform outbound delivery for the channel under the currently active process, with output directed to your terminal. This may be more convenient than submitting a job, particularly if you suspect problems with job submission itself.

NOTE In order to manually run channels, the Job Controller must be running.

For information on syntax, options, parameters, examples of `imsimta submit` and `imsimta run` commands, refer to the MTA command-line utility chapter in the *Sun Java System Messaging Server Administration Reference*.

Starting and Stopping Individual Channels

In some cases, stopping and starting individual channels may make message queue problems easier to diagnose and debug. Stopping a message queue allows you to examine queued messages to determine the existence of loops or spam attacks.

To Stop Outbound Processing (dequeuing) for a Specific Channel

1. Use the `imsimta qm stop` command to stop a specific channel. Doing so prevents you from having to stop the Job Controller and having to recompile the configuration. In the following example, the `conversion` channel is stopped:

```
imsimta qm stop conversion
```

2. To resume processing, use the `imsimta qm start` command to restart the channel. In the following example, the `conversion` channel is started:

```
imsimta qm start conversion
```

For more information on the `imsimta qm start` and `imsimta qm stop` commands, see the chapter on MTA command-line utilities in the *Sun Java System Messaging Server Administration Reference*.

To Stop Inbound Processing from a Specific Domain or IP Address (enqueueing to a channel)

You can run one of the following processes if you want to stop inbound message processing for a specific domain or IP address, while returning temporary SMTP errors to client hosts. By doing so, messages will not be held on your system. Refer to the [“PART 1. MAPPING TABLES” on page 511](#).

- To stop inbound processing for a specific host or domain name, add the following access rule to the `ORIG_SEND_ACCESS` mapping table in the MTA mappings file (typically `/msg_svr_base/config/mappings`):

```
ORIG_SEND_ACCESS

*|*@sesta.com|*|*                $X4.2.1|$NHost$ blocked
```

By using this process, the sender's remote MTA will hold messages on their systems, continuing to resend them periodically until you restart inbound processing.

- To stop inbound processing for a specific IP address, add the following access rule to the `PORT_ACCESS` mapping table in the MTA mappings file (typically `/msg_svr_base/config/mappings`):

```
PORT_ACCESS

TCP|*|25|IP_address_to_block|*    $N500$ unable$ to$ \
connect$ at$ this$ time
```


When you want to restart inbound processing from the domain or IP address, be sure to remove these rules from the mapping tables and recompile your configuration. In addition, you may want to create unique error messages for each mapping table. Doing so will enable you to determine which mapping table is being used.

An MTA Troubleshooting Example

This section explains how to troubleshoot a particular MTA problem step-by-step. In this example, a mail recipient did not receive an attachment to an email message. Note: In keeping with MIME protocol terminology, the “attachment” is referred to as a “message part” in this section. The aforementioned troubleshooting techniques are used to identify where and why the message part disappeared (See “[Standard MTA Troubleshooting Procedures](#)” on page 770). By using the following steps, you can determine the path the message took through the MTA. In addition, you can determine if the message part disappeared before or after the message entered the message queue. To do so, you will need to manually stop and run channels, capturing the relevant files.

NOTE The Job Controller must be running when you manually run messages through the channels.

Identify the Channels in the Message Path

By identifying which channels are in the message path, you can apply the `master_debug` and `slave_debug` keywords to the appropriate channels. These keywords generate debugging output in the channels’ master and slave log files; in turn, the master and slave debugging information will assist in identifying the point where the message part disappeared.

1. Add `log_message_id=1` in the `option.dat` file in directory `/msg_svr_base/config`. With this parameter, you will see message ID: header lines in the `mail.log_current` file.
2. Run `imsimta cnbuild` to recompile the configuration.
3. Run `imsimta restart dispatcher` to restart the SMTP server.
4. Have the end user resend the message with the message part.
5. Determine the channels that the message passes through.

While there are different approaches to identifying the channels, the following approach is recommended:

- a. On UNIX platforms, use the `grep` command to search for message ID: header lines in the `mail.log_current` file in directory `/msg_svr_base/log`.
- b. Once you find the message ID: header lines, look for the E (enqueue) and D (dequeue) records to determine the path of the message. Refer to [“Understanding the MTA Log Entry Format” on page 729](#) for more information on logging entry codes. See the following E and D records for this example:

```
29-Aug-2001 10:39:46.44 tcp_local conversion      E 2 ...
29-Aug-2001 10:39:46.44 conversion tcp_intranet  E 2 ...
29-Aug-2001 10:39:46.44 tcp_intranet          D 2 ...
```

The channel on the left is the source channel, and the channel on the right is the destination channel. In this example, the E and D records indicate that the message’s path went from the `tcp_local` channel to the `conversion` channel and finally to the `tcp_intranet` channel.

Manually Start and Stop Channels to Gather Data

This section describes how to manually start and stop channels. See [“Starting and Stopping Individual Channels” on page 775](#) for more information. By manually starting and stopping the channels in the message’s path, you are able to save the message and log files at different stages in the MTA process. These files are later used to [“Identify the Point of Message Breakdown” on page 780](#).

1. Set the `mm_debug=5` in the `option.dat` file in directory `/msg_svr_base/config` in order to provide substantial debugging information.
2. Add the `slave_debug` and `master_debug` keywords to the appropriate channels in the `imta.cnf` file in directory `/msg_svr_base/config`.
 - a. Use the `slave_debug` keyword on the inbound channel (or any channel where the message is switched to during the initial dialog) from the remote system that is sending the message with the message part. In this example, the `slave_debug` keyword is added to the `tcp_local` channel.
 - b. Add the `master_debug` keyword to the other channels that the message passed through and were identified in [“Identify the Channels in the Message Path” on page 777](#). In this example, the `master_debug` keyword would be added to the `conversion` and `tcp_intranet` channels.

- c. Run the command `imsimta restart dispatcher` to restart the SMTP server.
- 3. Use the `imsimta qm stop` and `imsimta qm start` commands to manually start and stop specific channels. For more on information by using these keywords, see “Starting and Stopping Individual Channels” on page 775.
- 4. To start the process of capturing the message files, have the end user resend the message with the message part.
- 5. When the message enters a channel, the message will stop in the channel if it has been stopped with the `imsimta qm stop` command. For more information, see Step 3.

- a. Copy and rename the message file before you manually run the next channel in the message’s path. See the following UNIX platform example:

```
# cp ZZ01K7LXW76T7O9TD0TB.00 ZZ01K7LXW76T7O9TD0TB.KEEP1
```

The message file typically resides in directory similar to `/msg_svr_base/data/queue/destination_channel/001`. The *destination_channel* is the next channel that the message passes through (such as: `tcp_intranet`). If you want to create subdirectories (like `001`, `002`, and so on) in the *destination_channel* directory, add the `subdirs` keyword to the channels.

- b. It is recommended that you number the extensions of the message each time you trap and copy the message in order to identify the order in which the message is processed.
- 6. Resume message processing in the channel and enqueue to the next destination channel in the message’s path. To do so, use the `imsimta qm start` command.
- 7. Copy and save the corresponding channel log file (for example: `tcp_intranet_master.log-*`) located in directory `/msg_svr_base/log`. Choose the appropriate log file that has the data for the message you are tracking. Make sure that the file you copy matches the timestamp and the subject header for the message as it comes into the channel. In the example of the `tcp_intranet_master.log-*`, you might save the file as `tcp_intranet_master.keep` so the file is not deleted.
- 8. Repeat steps 5 - 7 until the message has reached its final destination.

The log files you copied in Step 7 should correlate to the message files that you copied in Step 5. If, for example, you stopped all of the channels in the missing message part scenario, you would save the `conversion_master.log-*` and the `tcp_intranet_master.log-*` files. You would also save the source

channel log file `tcp_local_slave.log-*`. In addition, you would save a copy of the corresponding message file from each destination channel:

`ZZ01K7LXW76T709TD0TB.KEEP1` from the conversion channel and
`ZZ01K7LXW76T709TD0TB.KEEP2` from the `tcp_intranet` channel.

9. Remove debugging options once the message and log files have been copied.
 - a. Remove the `slave_debug` and the `master_debug` keywords from the appropriate channels in the `imta.cnf` file in directory `/msg_svr_base/config`.
 - b. Reset the `mm_debug=0`, and remove `log_message_id=1` in the `option.dat` file in directory `/msg_svr_base/config`.
 - c. Recompile the configuration by using `imsimta cnbuild`.
 - d. Run the command `imsimta restart dispatcher` to restart the SMTP server.

Identify the Point of Message Breakdown

1. By the time you have finished starting and stopping the channel programs, you should have the following files with which you can use to troubleshoot the problem:
 - a. All copies of the message file (for example: `ZZ01K7LXW76T709TD0TB.KEEP1`) from each channel program
 - b. A `tcp_local_slave.log-*` file
 - c. A set of `channel_master.log-*` files for each destination channel
 - d. A set of `mail.log_current` records that show the path of the message

All files should have timestamps and message ID values that match the message ID: header lines in the `mail.log_current` records. Note that the exception is when messages are bounced back to the sender; these bounced messages will have a different message ID value than the original message.

2. Examine the `tcp_local_slave.log-*` file to determine if the message had the message part when it entered the message queue.

Look at the SMTP dialog and data to see what was sent from the client machine.

If the message part did not appear in the `tcp_local_slave.log-*` file, then the problem occurred before the message entered the MTA. As a result, the message was enqueued without the message part. If this the case, the problem could have occurred on the sender's remote SMTP server or in the sender's client machine.

3. Investigate the copies of the message files to see where the message part was altered or missing.

If any message file showed that the message part was altered or missing, examine the previous channel's log file. For example, you should look at the `conversion_master.log-*` file if the message part in the message entering the `tcp_intranet` channel was altered or missing.

4. Look at the final destination of the message.

If the message part looks unaltered in the `tcp_local_slave.log`, the message files (for example: `ZZ01K7LXW76T709TD0TB.KEEP1`), and the `channel_master.log-*` files, then the MTA did not alter the message and the message part is disappearing at the next step in the path to its final destination.

If the final destination is the `ims-ms` channel (the Message Store), then you might download the message from the server to a client machine to determine if the message part is being dropped during or after this transfer. If the destination channel is a `tcp_*` channel, then you need to go to the MTA in the message's path. Assuming it is an Messaging Server MTA, you will need to repeat the entire troubleshooting process (See [“Identify the Channels in the Message Path” on page 777](#), [“Manually Start and Stop Channels to Gather Data” on page 778](#), and this section). If the other MTA is not under your administration, then the user who reported the problem should contact that particular site.

Common MTA Problems and Solutions

This sections lists common problems and solutions for MTA configuration and operation.

- [“Changes to Configuration Files or MTA Databases Do Not Take Effect” on page 782](#)
- [“The MTA Sends Outgoing Mail but Does Not Receive Incoming Mail” on page 783](#)
- [“Dispatcher \(SMTP Server\) Won't Start Up” on page 783](#)
- [“Timeouts on Incoming SMTP connections” on page 784](#)
- [“Messages are Not Dequeued” on page 785](#)
- [“MTA Messages are Not Delivered” on page 787](#)
- [“Messages are Looping” on page 789](#)

- [“Received Message is Encoded” on page 791](#)
- [“Server-Side Rules \(SSR\) Are Not Working” on page 792](#)

TLS Problems

If, during SMTP dialog, the `STARTTLS` command returns the following error:

```
454 4.7.1 TLS library initialization failure
```

and if you have certificates installed and working for pop/imap access, check the following:

- Protections/ownerships of the certificates have to be set so `mailsrv` account can access the files
- The directory where the certificates are stored need to have protections/ownerships set such that the `mailsrv` account can access the files within that directory.

After changing protections and installing certificates, you must run:

```
stop-msg dispatcher  
start-msg dispatcher
```

Restarting should work, but it is better to shut it down completely, install the certificates, and then start things back up.

Changes to Configuration Files or MTA Databases Do Not Take Effect

If changes to your configuration, mapping, conversion, security, option, or alias files are not taking effect, check to see if you have performed the following steps:

1. Recompile the configuration (by running `imsimta cnbuild`).
2. Restart the appropriate processes (like `imsimta restart dispatcher`).
3. Re-establish any client connections.

The MTA Sends Outgoing Mail but Does Not Receive Incoming Mail

Most MTA channels depend upon a slave or channel program to receive incoming messages. For some transport protocols that are supported by the MTA (like TCP/IP and UUCP), you need to make sure that the transport protocol activates the MTA slave program rather than its standard server. Replacing the native `sendmail` SMTP server with the MTA SMTP server is performed as a part of the Messaging Server installation. Refer to the *Sun Java Enterprise System Installation Guide* for more information.

For the multi-threaded SMTP server, the startup of the SMTP server is controlled by the Dispatcher. If the Dispatcher is configured to use a `MIN_PROCS` value greater than or equal to one for the SMTP service, then there should always be at least one SMTP server process running (and potentially more, according to the `MAX_PROCS` value for the SMTP service). The `imsimta process` command may be used to check for the presence of SMTP server processes. See the chapter on MTA command-line utilities in the *Sun Java System Messaging Server Administration Reference* for more information.

Dispatcher (SMTP Server) Won't Start Up

If the dispatcher won't start up, first check the `dispatcher.log-*` for relevant error messages. If the log indicates problems creating or accessing the `/tmp/.SUNWmsgsr.dispatcher.socket` file, then verify that the `/tmp` protections are set to 1777. This would show up in the permissions as follows:

```
drwxrwxrwt  8 root  sys           734 Sep 17 12:14  tmp/
```

.

Also do an `ls -l` of the `.SUNWmsgsr.dispatcher.socket` file and confirm the proper ownership. For example, if this is created by `root`, then it is inaccessible by `inetmail`.

Do not remove the `.SUNWmsgsr.dispatcher.file` and do not create it if it's missing. The dispatcher will create the file. If protections are not set to 1777, the dispatcher will not start or restart because it won't be able to create/access the socket file. In addition, there may be other problems occurring not related to the Messaging Server.

Timeouts on Incoming SMTP connections

Timeouts on incoming SMTP connections are most often related to system resources and their allocation. The following techniques can be used to identify the causes of timeouts on incoming SMTP connections:

1. Check how many simultaneous incoming SMTP connections you allow. This is controlled by the `MAX_PROCS` and `MAX_CONNS` Dispatcher settings for the SMTP service; the number of simultaneous connections allowed is `MAX_PROCS*MAX_CONNS`. If you can afford the system resources, consider raising this number if it is too low for your usage.
2. Another technique you can use is to open a TELNET session. In the following example, the user connects to 127.0.0.1 port 25. Once connected, 220 banner is returned. For example:

```
telnet 127.0.0.1 25
Trying 127.0.0.1...
Connected to 127.0.0.1.
Escape character is '^]'.
220 budgie.sesta.com -- Server ESMTP (Sun Java System Messaging Server 6.1
(built May 7 2001))
```

If you are connected and receive a 220 banner, but additional commands (like `ehlo` and `mail from`) do not illicit a response, then you should run `imsimta test -rewrite` to ensure that the configuration is correct.

3. If the response time of the 220 banner is slow, and if running the `pstack` command on the SMTP server shows the following `iii_res*` functions (these functions indicate that a name resolution lookup is being performed):

```
febe2c04 iii_res_send (fb7f4564, 28, fb7f4de0, 400, fb7f458c, fb7f4564) + 142c
febdfdcc iii_res_query (0, fb7f4564, c, fb7f4de0, 400, 7f) + 254
```

then it is likely that the host has to do reverse name resolution lookups, even on a common pair like `localhost/127.0.0.1`. To prevent such a performance slowdown, you should reorder your host's lookups in the `/etc/nsswitch.conf` file. To do so, change the following line in the `/etc/nsswitch.conf` file from:

```
hosts: dns nis [NOTFOUND=return] files
```


to:

```
hosts: files dns nis [NOTFOUND=return]
```

Making this change in the `/etc/nsswitch.conf` file can improve performance as fewer SMTP servers have to handle messages instead of multiple SMTP servers having to perform unnecessary lookups.

4. You can also put the `slave_debug` keyword on the channels handling incoming SMTP over TCP/IP mail, usually `tcp_local` and `tcp_intranet`. After doing so, review the most recent `tcp_local_slave.log-uniqueid` files to identify any particular characteristics of the messages that time out. For example, if incoming messages with large numbers of recipients are timing out, consider using the `expandlimit` keyword on the channel.

Remember that if your system is overloaded and overextended, timeouts will be difficult to avoid entirely.

Messages are Not Dequeued

Errors encountered during TCP/IP delivery are often transient; the MTA will generally retain messages when problems are encountered and retry them periodically. It is normal on large networks to experience periodic outages on certain hosts while other host connections work fine. To verify the problem, examine the log files for errors relating to delivery attempts. You may see error messages such as, “Fatal error from smtp_open.” Such errors are not uncommon and are usually associated with a transient network problem. To debug TCP/IP network problems, use utilities like PING, TRACEROUTE, and NSLOOKUP.

The following example shows the steps you might use to see why a message is sitting in the queue awaiting delivery to `xtel.co.uk`. To determine why the message is not being dequeued, you can recreate the steps the MTA uses to deliver SMTP mail on TCP/IP.

```
% nslookup -query=mx xtel.co.uk (Step 1)

Server: LOCALHOST
Address: 127.0.0.1

Non-authoritative answer:
XTEL.CO.UK preference = 10, mail exchanger = nsfnet-relay.ac.uk (Step 2)

% telnet nsfnet-relay.ac.uk 25 (Step 3)
Trying... [128.86.8.6]
telnet: Unable to connect to remote host: Connection refused
```

1. Use the NSLOOKUP utility to see what MX records, if any, exist for this host. If no MX records exist, then you should try connecting directly to the host. If MX records do exist, then you must connect to the designated MX relays. The MTA honors MX information preferentially, unless explicitly configured not to do so. See also [“TCP/IP MX Record Support”](#) on page 348.
2. In this example, the DNS (Domain Name Service) returned the name of the designated MX relay for `xtel.co.uk`. This is the host to which the MTA will actually connect. If more than one MX relay is listed, the MTA will try each MX record in succession, with the lowest preference value tried first.

3. If you do have connectivity to the remote host, you should check if it is accepting inbound SMTP connections by using TELNET to the SMTP server port 25.

NOTE If you use TELNET without specifying the port, you will discover that the remote host accepts normal TELNET connections. This does not indicate that it accepts SMTP connections; many systems accept regular TELNET connections but refuse SMTP connections and vice versa. Consequently, you should always do your testing against the SMTP port.

In the previous example, the remote host is refusing connections to the SMTP port. This is why the MTA fails to deliver the message. The connection may be refused due to a misconfiguration of the remote host or some sort of resource exhaustion on the remote host. In this case, nothing can be done to locally to resolve the problem. Typically, you should let the MTA continue to retry the message.

If you are running Messaging Server on a TCP/IP network that does not use DNS, you can skip steps (Step 1) and (Step 2). Instead, you can use TELNET to directly access the host in question. Be careful to use the same host name that the MTA would use. Look at the relevant log file from the MTA's last attempt to determine the host name. If you are using host files, you should make sure that the host name information is correct. It is strongly recommended that you use DNS instead of host names.

Note that if you test connectivity to a TCP/IP host and encounter no problems using interactive tests, it is quite likely that the problem has simply been resolved since the MTA last tried to deliver the message. You can re-run the `imsimta submit tcp_channel` on the appropriate channel to see if messages are being dequeued.

MTA Messages are Not Delivered

In addition to message transport problems, there are two common problems which can result in unprocessed messages in the message queues:

1. The queue cache is not synchronized with the messages in the queue directories. Message files in the MTA queue subdirectories that are awaiting delivery are entered into an in-memory queue cache. When channel programs run, they consult this queue cache to determine which messages to deliver in their queues. There are circumstances where there are message files in the queue, but there is no corresponding queue cache entry.

- a. To check if a particular file is in the queue cache, you can use the `imsimta cache -view` utility; if the file is not in the queue cache, then the queue cache needs to be synchronized.

The queue cache is normally synchronized every four hours. If required, you can manually resynchronize the cache by using the command `imsimta cache -sync`. Once synchronized, the channel programs will process the originally unprocessed messages after new messages are processed. If you want to change the default (4 hours), you should modify the `job_controller.cnf` file in directory `/msg_svr_base/config` by adding `sync_time=timeperiod` where *timeperiod* reflects how often the queue cache is synchronized. Note that the *timeperiod* must be greater than 30 minutes. In the following example, the queue cache synchronization is modified to 2 hours by adding the `sync_time=02:00` to the global defaults section of the `job_controller.cnf`:

```
! VERSION=5.0
!IMTA job controller configuration file
!
!Global defaults
tcp_port=27442
secret=N1Y9[HzQKW
slave_command=NULL
sync_time=02:00
```

You can run `imsimta submit channel` to clear out the backlog of messages after running `imsimta cache -sync`. It is important to note that clearing out the channel may take a long time if the backlog of messages is large (greater than 1000).

For summarized queue cache information, run `imsimta qm -maint dir -database -total`.

- b. If after synchronizing the queue cache, messages are still not being delivered, you should restart the Job Controller. To do so, use the `imsimta restart job_controller` command.

Restarting the Job Controller will cause the message data structure to be rebuilt from the message queues on disk.

CAUTION Restarting the Job Controller is a drastic step and should only be performed after all other avenues have been thoroughly exhausted.

Refer [“The Job Controller” on page 194](#) for more information on the Job Controller.

2. Channel processing programs fail to run because they cannot create their processing log file. Check the access permissions, disk space and quotas.

Messages are Looping

If the MTA detects that a message is looping, that message will be sidlined as a .HELD file. See [“Diagnosing and Cleaning up .HELD Messages” on page 790](#). Certain cases can lead to message loops which the MTA can not detect.

The first step is to determine why the messages are looping. You should look at a copy of the problem message file while it is in the MTA queue area, MTA mail log entries (if you have the `logging` channel keyword enabled in your MTA configuration file for the channels in question) relating to the problem message, and MTA channel debug log files for the channels in question. Determining the From: and To: addresses for the problem message, seeing the Received: header lines, and seeing the message structure (type of encapsulation of the message contents), can all help pinpoint which sort of message loop case you are encountering.

Some of the more common cases include:

1. A postmaster address is broken.

The MTA requires that the postmaster address be a functioning address that can receive email. If a message to the postmaster is looping, check that your configuration has a proper postmaster address pointing to an account that can receive messages.

2. Stripping of Received: header lines is preventing the MTA from detecting the message loop.

Normal detection of message loops is based on Received: header lines. If Received: header lines are being stripped (either explicitly on the MTA system itself, or on another system like a firewall), it can interfere with proper detection of message loops. In these scenarios, check that no undesired stripping of Received: header lines is occurring. Also, check for the underlying reason why the messages are looping. Possible reasons include: a problem in the assignment of system names or a system not configured to recognize a variant of its own name, a DNS problem, a lack of authoritative addressing information on the system in question, or a user address forwarding error.

3. Incorrect handling of notification messages by other messaging systems are generating reencapsulated messages in response to notification messages.

Internet standards require that notification messages (reports of messages being delivered, or messages bouncing) have an empty envelope From: address to prevent message loops. However, some messaging systems do not correctly handle such notification messages. When forwarding or bouncing notification messages, these messaging systems may insert a new envelope From: address. This can then lead to message loops. The solution is to fix the messaging system that is incorrectly handling the notification messages.

Diagnosing and Cleaning up .HELD Messages

If the MTA detects that messages are bouncing between servers or channels, delivery is halted and the messages are stored in a file with the suffix `.HELD` in `/msg_svr_base/data/queue/channel`. Typically, a message loop occurs because each server or channel thinks the other is responsible for delivery of the message.

For example, an end user may set an option to forward messages on two separate mail hosts to one another. On his `sesta.com` account, the end-user enables mail forwarding to his `varrius.com` account. And, forgetting that he has enabled this setting, he sets mail forwarding on his `varrius.com` account to his `sesta.com` account.

A loop can also occur with a faulty MTA configuration. For example, MTA Host X thinks that messages for `mail.sesta.com` go to Host Y. However, Host Y thinks that Host X should handle messages for `mail.sesta.com`; as a result, Host Y returns the mail to Host X.

In these cases, the message is ignored by the MTA and no further delivery is attempted. When such a problem occurs, look at the header lines in the message to determine which server or channel is bouncing the message. Fix the entry as needed.

You can also retry the `.HELD` message by running `imsimta qm release` or following these steps:

1. Rename the `.HELD` extension to any 2 digit number other than `00`. For example, `.HELD` to `.06`.

NOTE Before renaming the `.HELD` file, be sure that the message has stopped looping.

2. Run `imsimta cache -sync`. Running this command will update the cache.
3. Run `imsimta submit channel` or `imsimta run channel`.

It may be necessary to perform these steps multiple times, since the message may again be marked as .HELD, because the Received: header lines accumulate.

Received Message is Encoded

Messages sent by the MTA are received in an encoded format. For example:

```
Date: Wed, 04 Jul 2001 11:59:56 -0700 (PDT)
From: "Desdemona Vilalobos" <Desdemona@sesta.com>
To: santosh@varrius.com
Subject: test message with 8bit data
MIME-Version: 1.0
Content-type: TEXT/PLAIN; CHARSET=ISO-8859-1
Content-transfer-encoding: QUOTED-PRINTABLE

2=00So are the Bo=F6tes Void and the Coal Sack the same?=-
```

These messages appear unencoded when read with the MTA decoder command `imsimta decode`. Refer to the *Sun Java System Messaging Server Administration Reference* for more information.

The SMTP protocol only allows the transmission of ASCII characters (a seven-bit character set) as set forth by RFC 821. In fact, the unnegotiated transmission of eight-bit characters is illegal via SMTP, and it is known to cause a variety of problems with some SMTP servers. For example, SMTP servers can go into compute bound loops. Messages are sent over and over again. Eight-bit characters can crash SMTP servers. Finally, eight-bit character sets can wreak havoc with browsers and mailboxes that cannot handle eight-bit data.

An SMTP client used to only have three options when handling a message containing eight-bit data: return the message to the sender as undeliverable, encode the message, or send it in direct violation of RFC 821. But with the advent of MIME and the SMTP extensions, there are now standard encodings which may be used to encode eight-bit data by using the ASCII character set.

In the previous example, the recipient received an encoded message with a MIME content type of TEXT/PLAIN. The remote SMTP server (to which the MTA SMTP client transferred the message) did not support the transfer of eight-bit data. Since the original message contained eight-bit characters, the MTA had to encode the message.

Server-Side Rules (SSR) Are Not Working

A filter consists of one or more conditional actions to apply to a mail message. Since the filters are stored and evaluated on the server, they are often referred to as server-side rules (SSR).

This section includes information on the following SSR topics:

- [“Testing Your SSR Rules” on page 792](#)
- [“Common Syntax Problems” on page 792](#)

See also [“To Debug User-level Filters” on page 545](#).

Testing Your SSR Rules

- To check the MTA’s user filters, use the command:

```
# imsimta test -rewrite -debug -filter user@domain
```

In the output, look for the following information:

```
mmc_open_url called to open ssrf:user@ims-ms
  URL with quotes stripped: ssrd:user@ims-ms
Determined to be a SSRD URL.
  Identifier: user@ims-ms-daemon
Filter successfully obtained.
```

- In addition, you can add the `slave_debug` keyword to the `tcp_local` channel to see how a filter is applied. The results are displayed in the `tcp_local_slave.log` file. Be sure to add `mm_debug=5` in the `option.dat` file in directory `/msg_svr_base/config` in order to get sufficient debugging information.

Common Syntax Problems

- If there is a syntax problem with the filter, then look for the following message in the `tcp_local_slave.log-*` file:


```
Error parsing filter expression:...
```

 - If the filter is good, then filter information will be at the end of the output.

- If the filter is bad, then the following error will be at the end of the output:
Address list error -- 4.7.1 Filter syntax error:
desdaemona@sesta.com

Also, if the filter is bad, then the SMTP RCPT TO command will return a temporary error response code:

```
RCPT TO: user@domain
452 4.7.1 Filter syntax error
```

Asterisks in the Local Parts of Addresses or Received Fields

The MTA now checks for 8-bit characters (instead of just ASCII characters) in the local parts of addresses as well as the received fields it constructs and replaces them with asterisks.

General Error Messages

When the MTA fails to start, general error messages appear at the command line. In this section, common general error messages will be described and diagnosed.

NOTE To diagnose your own MTA configuration, use the `imsimta test -rewrite -debug` utility to examine your MTA's address rewriting and channel mapping process. By using this utility allows you to check the configuration without actually sending a message. See [“Check the MTA Configuration” on page 771](#).

MTA subcomponents might also issue other error messages that are not described in this chapter. You should refer to the chapters on MTA command-line utilities and configuration in the *Sun Java System Messaging Server Administration Reference* and chapters 5 through 10 for more information on each subcomponent. This section includes the following types of errors:

- [“Errors in mm_init” on page 794](#)
- [“Compiled Configuration Version Mismatch” on page 797](#)
- [“Swap Space Errors” on page 798](#)

- “File open or create errors” on page 798
- “Illegal Host/Domain Errors” on page 799
- “Errors in SMTP channels: os_smtp_* errors” on page 800

Errors in mm_init

An error in mm_init generally indicates an MTA configuration problem. If you run the `imsimta test -rewrite` utility, these errors will be displayed. Other utilities like `imsimta cnbuild`, a channel, a server, or a browser might also return such an error.

Commonly encountered mm_init errors include:

- “bad equivalence for alias. . .” on page 794
- “cannot open alias include file. . .” on page 794
- “duplicate aliases found. . .” on page 795
- “duplicate host in channel table. . .” on page 795
- “duplicate mapping name found. . .” on page 795
- “mapping name is too long. . .” on page 795
- “error initializing ch_ facility: compiled character set version mismatch” on page 796
- “error initializing ch_ facility: no room in. . .” on page 796
- “local host alias or proper name too long for system. . .” on page 796
- “no equivalence addresses for alias. . .” on page 796
- “no official host name for channel. . .” on page 796
- “official host name is too long” on page 797

bad equivalence for alias. . .

The right hand side of an alias file entry is improperly formatted.

cannot open alias include file. . .

A file included into the alias file cannot be opened.

duplicate aliases found. . .

Two alias file entries have the same left hand side. You will need to find and eliminate the duplication. Look for an error message that says `error line #XXX` where `xxx` is a line number. You can fix the duplicated alias on the line.

duplicate host in channel table. . .

This error message indicates that you have two channel definitions in the MTA configuration that both have the same official host name.

Note that an extraneous blank line in the rewrite rules (upper portion) of your MTA configuration file (`imta.cnf`) causes the MTA to interpret the remainder of the configuration file as channel definitions. Make sure that the very first line of the file is not a blank. Since there are often multiple rewrite rules with the same pattern (left-hand side), this then causes MTA to interpret them as channel definitions with non-unique official host names. Check your MTA configuration for any channel definitions with duplicate official host names and for any improper blank lines in the upper (rewrite rules) portion of the file.

duplicate mapping name found. . .

This message indicates that two mapping tables have the same name, and one of the duplicate mapping tables needs to be removed. However, formatting errors in the mapping file may cause the MTA to wrongly interpret something as a mapping table name. For example, failure to properly indent a mapping table entry will cause the MTA to think that the left hand side of the entry is actually a mapping table name. Check your mapping file for general form and check the mapping table names.

NOTE A blank line should precede and follow any line with a mapping table name. However, no blank lines should be interspersed among the entries of a mapping table.

mapping name is too long. . .

This error means that a mapping table name is too long and needs to be shortened. Formatting errors in the mapping file may cause the MTA to wrongly interpret something as a mapping table name. For example, failure to properly indent a mapping table entry will cause the MTA to think that the left hand side of the entry is actually a mapping table name. Check your mapping file and mapping table names.

error initializing ch_ facility: compiled character set version mismatch

If you see this message, you need to recompile and reinstall your compiled character set tables through the command `imsimta chbuild`. See the *Sun Java System Messaging Server Administration Reference* for more information.

error initializing ch_ facility: no room in. . .

This error message generally means that you need to resize your MTA character set internal tables and then rebuild the compiled character set tables with the following commands:

```
imsimta chbuild -noimage -maximum -option
imsimta chbuild
```

Verify that nothing else needs to be recompiled or restarted before making this change. Refer to the MTA command-line utilities chapter in the *Sun Java System Messaging Server Administration Reference* for more information on `imsimta chbuild`.

local host alias or proper name too long for system. . .

This error indicates that a local host alias or proper name is too long (the optional right hand side in the second or subsequent names in a channel block). However, certain syntax errors earlier in the MTA configuration file (an extraneous blank line in the rewrite rules, for instance) may cause MTA to wrongly interpret something as a channel definition. Aside from checking the indicated line of the configuration file, also check above that line for other syntax errors. In particular, if the line in which MTA issues this error is intended as a rewrite rule, then be sure to check for extraneous blank lines above it.

no equivalence addresses for alias. . .

An entry in the alias file is missing a right hand side (translation value).

no official host name for channel. . .

This error indicates that a channel definition block is missing the required second line (the official host name line). See the chapters on MTA configuration and command-line utilities in the *Sun Java System Messaging Server Administration Reference* and [Chapter 12, “Configuring Channel Definitions”](#) for more information on channel definition blocks. A blank line is required before and after each channel definition block, but a blank line must not be present between the channel name and official host name lines of the channel definition. Also note that blank lines are not permitted in the rewrite rules portion of the MTA configuration file.

official host name is too long

The official host name for a channel (second line of the channel definition block) is limited to 128 octets in length. If you are trying to use a longer official host name on a channel, shorten it to a place holder name, and then use a rewrite rule to match the longer name to the short official host name. You may see this scenario if you work with the `1` (local) channel host name. For example:

```
Original 1 Channel:
!delivery channel to local /var/mail store
1 subdirs 20 viaaliasrequired maxjobs 7 pool LOCAL_POOL
walleroo.pocofronitas.thisnameismuchtoolongandreallymakesnosense
butitisanexample.monkey.gorilla.orangutan.antidisestablimentari
anism.newt.salamander.lizard.gecko.komododragon.com

Create Place Holder:
!delivery channel to local /var/mail store
1 subdirs 20 viaaliasrequired maxjobs 7 pool LOCAL_POOL
newt

Create Rewrite Rule:
newt.salamander.lizard.gecko.komododragon.com    $U%$D@newt
```

Note that when using the `1` (local) channel, you will need to use a REVERSE mapping table. Refer to the MTA configuration chapter in the *Sun Java System Messaging Server Administration Reference* for information on usage and syntax.

Certain syntax errors earlier in the MTA configuration file (for example, an extraneous blank line in the rewrite rules) may cause the MTA to wrongly interpret something as a channel definition. This could result in an intended rewrite rule being interpreted as an official host name. Besides checking the indicated line of the configuration file, also check above that line for other syntax errors. In particular, if the line on which the MTA issues this error is intended as a rewrite rule, be sure to check for extraneous blank lines above it.

Compiled Configuration Version Mismatch

One of the functions of the `imsimta cnbuild` utility is to compile MTA configuration information into an image that can be quickly loaded. The compiled format is quite rigidly defined and often changes substantially between different versions of the MTA. Minor changes might occur as part of patch releases.

When such changes occur, an internal version field is also changed so that incompatible formats can be detected. The MTA components will halt with the above error when an incompatible format is detected. The solution to this problem is to generate a new, compiled configuration with the command `imsimta cnbuild`.

It is also a good idea to use the `imsimta restart` command to restart any resident MTA server processes, so they can obtain updated configuration information.

Swap Space Errors

To ensure proper operation, it is important to configure enough swap space on your messaging system. The amount of required swap space will vary depending on your configuration. A general tuning recommendation is that the amount of swap space should be at least three times the amount of main memory.

An error message such as the following indicates a lack of swap space:

```
jbc_channels: chan_execute [1]: fork failed: Not enough space
```

You might see this error in the Job Controller log file. Other swap space errors will vary depending on your configuration.

Use the following commands to determine how much swap space you have left and determine how much you have used:

- Solaris systems: `swap -s` (at the time MTA processes are busy), `ps -elf`, or `tail /var/adm/messages`
- HP-UX systems: `swapinfo` or `tail /var/adm/syslog/syslog.log`

File open or create errors

In order to send a message, the MTA reads configuration files and creates message files in the MTA message queue directories. Configuration files must be readable by the MTA or any program written against the MTA's SDKs. During installation, proper permissions are assigned to these files. The MTA utilities and procedures which create configuration files also assign permissions. If the files are protected by the system manager, other privileged user, or through some site-specific procedure, the MTA may not be able to read configuration information. This will result in "File open" errors or unpredictable behavior. The `imsimta test -rewrite` utility reports additional information when it encounters problems reading configuration files. See the `imsimta test -rewrite` documentation in the MTA chapters of the *Sun Java System Messaging Server Administration Reference*.

If the MTA appears to function from privileged accounts but not from unprivileged accounts, then file permissions in the MTA table directory are likely the cause of the problem. Check the permissions on configuration files and their directories. See [“Check the Ownership of Critical Files” on page 771](#).

“File create” errors usually indicate a problem while creating a message file in an MTA message queue directory. See [“Check the Message Queue Directories” on page 771](#) to diagnose file creation problems.

Illegal Host/Domain Errors

You may see this error when an address is provided to the MTA through a browser. Or, the error may be deferred and returned as part of an error return mail message. In both cases, this error message indicates that the MTA is not able to deliver mail to the specified host. To determine why the mail is not being sent to the specified host, you should follow these troubleshooting procedures:

- Verify that the address in question is not misspelled, is not transcribed incorrectly, or does not use the name of a host or domain that no longer exists.
- Run the address in question through the `imsimta test -rewrite` utility. If this utility also returns an “illegal host/domain” error on the address, then MTA has no rules in the `imta.cnf` file and related files to handle the address. Verify that you have configured MTA correctly, that you answered all configuration questions appropriately, and that you have kept your configuration information up to date.
- If `imsimta test -rewrite` does not encounter an error on the address, then MTA is able to determine how to handle the address, but the network transport will not accept it. You can examine the appropriate log files from the delivery attempt for additional details. Transient network routing or name service errors should not result in returned error messages, though it is possible for badly misconfigured domain name servers to cause these problems.
- If you are on the Internet, check that you have properly configured your TCP/IP channel to support MX record lookups. Many domain addresses are not directly accessible on the Internet and require that your mail system correctly resolve MX entries. If you are on the Internet and your TCP/IP is configured to support MX records, you should have configured the MTA to enable MX support; see [TCP/IP Connection and DNS Lookup Support “TCP/IP Connection and DNS Lookup Support” on page 343](#) for more information. If your TCP/IP package is not configured to support MX record lookups, then you will not be able to reach MX-only domains.

Errors in SMTP channels: os_smtp_* errors

Errors such as the following are not necessarily MTA errors: os_smtp_* errors like os_smtp_open, os_smtp_read, and os_smtp_write errors. These errors are generated when the MTA reports a problem encountered at the network layer. For example, an os_smtp_open error means that the network connection to the remote side could not be opened. The MTA may be configured to connect to an invalid system because of addressing errors or channel configuration errors. The os_smtp_* errors are commonly due to DNS or network connectivity problems, particularly if this was a previously working channel or address. os_smtp_read or os_smtp_write errors are usually an indication that the connection was aborted by the other side or due to network problems.

Network and DNS problems are often transient in nature. The occasional os_smtp_* error is usually nothing to be concerned about. However, if you are consistently seeing these errors, it may be an indication of an underlying network problem.

To obtain more information about a particular os_smtp_* error, enable debugging on the channel in question. Investigate the debug channel log file that will show details of the attempted SMTP dialogue. In particular, look at the timing of when a network problem occurred during the SMTP dialogue. The timing may suggest the type of network or remote side issue. In some cases, you may also want to perform network level debugging (for example, TCP/IP packet tracing) to determine what was sent or received.

Monitoring the Messaging Server

In most cases, a well-planned, well-configured server will perform without extensive intervention from an administrator. As an administrator, however, it is your job to monitor the server for signs of problems. This chapter describes the monitoring of the Messaging Server. It consists of the following sections:

- [“Daily Monitoring Tasks” on page 802](#)
- [“Monitoring System Performance” on page 803](#)
- [“Monitoring the MTA” on page 807](#)
- [“Monitoring Message Access” on page 810](#)
- [“Monitoring LDAP Directory Server” on page 810](#)
- [“Monitoring the Message Store” on page 813](#)
- [“Utilities and Tools for Monitoring” on page 815](#)

Troubleshooting procedures can be found in [Chapter 22, “Troubleshooting the MTA”](#).

Automatic Monitoring and Restart

Messaging Server provides a way to transparently monitor services and automatically restart them if they crash or become unresponsive (the services hangs or freeze up). It can monitor all message store, MTA, and MMP services including the IMAP, POP, HTTP, job controller, dispatcher, and MMP servers. It does not monitor other services such as SMS or TCP/SNMP servers. (TCP/SNMP is monitored by the job controller.) Refer to [“Automatic Restart of Failed or Unresponsive Services” on page 110](#) and [“Monitoring Using msprobe and watcher Functions” on page 824](#) for details.

Daily Monitoring Tasks

The most important tasks you should perform on a daily basis are checking postmaster mail, monitoring the log files, and setting up the `stored` utility. These tasks are described below.

Checking postmaster Mail

Messaging Server has a predefined administrative mailing list set up for postmaster email. Any users who are part of this mailing list will automatically receive mail addressed to postmaster.

The rules for postmaster mail are defined in RFC822, which requires every email site to accept mail addressed to a user or mailing list named postmaster and that mail sent to this address be delivered to a real person. All messages sent to `postmaster@host.domain` are sent to a postmaster account or mailing list.

Typically, the postmaster address is where users should send email about their mail service. As postmaster, you might receive mail from local users about server response time, from other server administrators who are encountering problems sending mail to your server, and so on. You should check postmaster mail daily.

You can also configure the server to send certain error messages to the postmaster address. For example, when the MTA cannot route or deliver a message, you can be notified via email sent to the postmaster address. You can also send exception condition warnings (low disk space, poor server response) to postmaster.

Monitoring and Maintaining the Log Files

Messaging Server creates a separate set of log files for each of the major protocols or services it supports including SMTP, IMAP, POP, and HTTP. These are located in `msg_svr_base/data/log`. You should monitor the log files on a routine basis--especially if you are having problems with the server.

Be aware that logging can impact server performance. The more verbose the logging you specify, the more disk space your log files will occupy for a given amount of time. You should define effective but realistic log rotation, expiration, and backup policies for your server. For information about defining logging policies for your server, see [Chapter 21, “Managing Logging”](#).

Setting Up the `msprobe` Utility

The `msprobe` utility automatically performs monitoring and restart functions. For further information see [“Monitoring Using `msprobe` and `watcher` Functions” on page 824](#).

Monitoring System Performance

This chapter focuses on Messaging Server monitoring, however, you will also need to monitor the system on which the server resides. A well-configured server cannot perform well on a poorly-tuned system, and symptoms of server failure may be an indication that the hardware is not powerful enough to serve the email load. This chapter does not provide all the details for monitoring system performance as many of these procedures are platform specific and may require that you refer to the platform specific system documentation. The following procedures are described here for performance monitoring:

- [“Monitoring End-to-“stored” on page 816-end Message Delivery Times” on page 803](#)
- [“Monitoring Disk Space” on page 804](#)
- [“Monitoring CPU Usage” on page 806](#)

Monitoring End-to-“stored” on page 816-end Message Delivery Times

Email needs to be delivered on time. This may be a service agreement requirement, but also it is good policy to have mail delivered as quickly as possible. Slow end-to-end times could indicate a number of things. It may be that the server is not working properly, or that certain times of the day experience overwhelming message loads, or that the existing hardware resources are being pushed beyond their capacity.

Symptoms of Poor End-to-end Message Delivery Times

Mail takes a longer period of time to be delivered than normal.

To Monitor End-to-end Message Delivery Times

- Use any facility that sends a message and receives it. Compare the headers times between server hops, and times between point of origin and retrieval. See “[immonitor-access](#)” on page 815.

Monitoring Disk Space

Inadequate disk space is one of the most common causes of the mail server problems and failure. Without space to write to the MTA queues or to the message store, the mail server will fail. In addition, unless log files are monitored and cleaned up, they can grow uncontrollably filling up all disk space.

Message store partitions grow as new messages are delivered to the mailboxes; for example, if message store quotas are not enforced, the message store can outgrow the disk space available for a partition. Another cause of running out of disk space are the MTA message queues growing too large. A third area of concern is if a problem occurs with the log file monitoring facilities and the log files growing uncontrollably. (Note that there are a number of log files such as LDAP, MTA, and Message Access, and that each of these log files can be stored on different disks.)

Symptoms of Disk Space Problems

Different symptoms can occur depending on which disk or partition is running out of space. MTA queues can overflow and reject SMTP connections, messages might remain in the `ims_master` queue and not be delivered to the message store, and log files can overflow.

If a message store partition fills up, message access daemons can fail, and message store data can be corrupted. Message store maintenance utilities such as `imexpire` and `reconstruct` can repair the damage and reduce disk usage. However, these utilities require additional disk space, and repairing a partition that has filled an entire disk can potentially cause down time.

To Monitor Disk Space

Depending upon the system configuration you may need to monitor various disks and partitions. For example, MTA queues may reside on one disk/partition, message stores may reside on another, and log files may reside on yet another. Each of these spaces will require monitoring and the methods to monitor these spaces may differ.

Messaging Server provides specific methods for monitoring message store disk usage and preventing partitions from filling up all available disk space.

You can take the following steps to monitor the message store's use of disk space:

- Set parameters to monitor message store disk usage
- Lock message store partitions when a disk-usage threshold is reached

For details, see the sections that follow: “[Monitoring the Message Store](#)” and “[Monitoring Message Store Partitions](#)”.

Monitoring the Message Store

It is recommended that message store disk usage not exceed 75% capacity. You can monitor message store disk usage by configuring the following alarm attributes using the `configutil` utility:

- `alarm.diskavail.msgalarmstatinterval`
- `alarm.diskavail.msgalarmthreshold`
- `alarm.diskavail.msgalarmwarninginterval`
- `alarm.diskavail.msgalarmdescription`

By setting these parameters, you can specify how often the system should monitor disk space and under what circumstances the system should send a warning. For example, if you want the system to monitor disk space every 600 seconds, specify the following command:

```
configutil -o alarm.diskavail.msgalarmstatinterval -v 600
```

If you want to receive a warning whenever available disk space falls below 20%, specify the following command:

```
configutil -o alarm.diskavail.msgalarmthreshold -v 20
```

Refer to [Table 23-6 on page 827](#) for more information on these parameters.

Monitoring Message Store Partitions

You can halt messages from being delivered to a message store partition when the partition fills more than a specified percentage of available disk space. This is done by setting two `configutil` parameters to enable the feature and specify the disk-usage threshold.

With this feature, the message store daemon monitors the partition's disk usage. As disk usage increases, the store daemon dynamically checks the partition more frequently (ranging from once every 100 minutes to once a minute).

If disk usage goes higher than the specified threshold, the store daemon:

- Locks the partition. Incoming messages are held in the MTA message queue, but not delivered to the mailboxes in the message store partition.

- Logs a message to the default log file.
- Sends an email notification to the postmaster. (You can change the recipient of the email by setting the `configutil` parameter `alarm.msgalarmnoticercpt`.)

When disk usage falls below the threshold, the partition is unlocked, and messages are again delivered to the store.

The `configutil` parameters are as follows:

- `local.store.checkdiskusage` enables the partition-monitoring feature.

Allowable values: yes, no

Default value: yes

- `local.store.diskusagethreshold` specifies the disk-usage threshold. The value of `local.store.diskusagethreshold` is a percentage from 1 to 99.

Default value: 99

You should set the disk-usage threshold to a percentage low enough to give you time to repartition or assign more disk space to the local message store.

For example, suppose a partition fills up disk space at a rate of 2 percent per hour, and it takes an hour to allocate additional disk space for the local message store. In this case, you should set the disk-usage threshold to a value lower than 98 percent.

Monitoring the MTA Queues and Logging Space

You will need to monitor MTA queue disk and logging space disk usage.

For information on managing logging space, see [Chapter 21, “Managing Logging.”](#) For example, to learn how to monitor the `mail.log` file, see [“Managing MTA Message and Connection Logs” on page 728.](#)

Monitoring CPU Usage

High CPU usage is either a sign that there is not enough CPU capacity for the level of usage or some process is using up more CPU cycles than is appropriate.

Symptoms of CPU Usage Problems

Poor system response time. Slow logging in of users. Slow rate of delivery.

To Monitor CPU Usage

Monitoring CPU usage is a platform specific task. Refer to the relevant platform documentation.

Monitoring the MTA

This section consists of the following subsections:

- [“Monitoring the Size of the Message Queues” on page 807](#)
- [“Monitoring Rate of Delivery Failure” on page 808](#)
- [“Monitoring Inbound SMTP Connections” on page 808](#)
- [“Monitoring the Dispatcher and Job Controller Processes” on page 809](#)

Monitoring the Size of the Message Queues

Excessive message queue growth may indicate that messages are not being delivered, are being delayed in their delivery, or are coming in faster than the system can deliver them. This may be caused by a number of reasons such as a denial of service attack caused by huge numbers of messages flooding your system, or the Job Controller not running.

See [“Channel Message Queues” on page 192](#), [“Messages are Not Dequeued” on page 785](#), and [“MTA Messages are Not Delivered” on page 787](#) for more information on message queues. [“stored” on page 816](#)

Symptoms of Message Queue Problems

- Disk space usage grows.
- User not receiving messages in a reasonable time.
- Message queue sizes are abnormally high.

To Monitor the Size of the Message Queues

Probably the best way to monitor the message queues is to use `imsimta qm`. Refer to [“imsimta qm counters” on page 822](#).

You can also monitor the number of files in the queue directories (*msg_svr_base*/data/queue/). The number of files will be site-specific, and you'll need to build a baseline history to find out what is "too many." This can be done by recording the size of the queue files over a two week period to get an approximate average.

Monitoring Rate of Delivery Failure

A delivery failure is a failed attempt to deliver a message to an external site. A large increase in rate of delivery failure can be a sign of a network problem such as a dead DNS server or a remote server timing out on responding to connections.

Symptoms of Rate of Delivery Failure

There are no outward symptoms. Lots of Q records will appear in to *mail.log_current*.

To Monitor the Rate of Delivery Failure

Delivery failures are recorded in the MTA logs with the logging entry code Q. Look at the record in the file *msg_svr_base*/data/log/mail.log_current. Example:

```
mail.log:06-Oct-2003 00:24:03.66 501d.0b.9 ims-ms Q 5
durai.balusamy@Sun.COM rfc822;durai.balusamy@Sun.COM durai@ims-ms-daemon
<00ce01c38bda$c7e2b240$6501a8c0@guindy> Mailbox is busy
```

Monitoring Inbound SMTP Connections

An unusual increase in the number of inbound SMTP connections from a given IP address may indicate:

- An external user is trying to relay mail.
- An external user is trying to do a service denial attack.

Symptoms of Unauthorized SMTP Connections

- **External user relaying mail:** No outward symptoms.
- **Service denial attack:** External attempt to overload the SMTP servers with message requests.

To Monitor Inbound SMTP Connections

- **External user relaying mail:** Look in *msg_svr_base*/log/mail.log_current for records with the logging entry code \mathcal{J} (rejected relays). To turn on logging of remote IP addresses add the following line to the *option.dat* file:

```
log_connection=1
```

Note that there is a slight performance trade-off when this feature is enabled.

- **Service denial attack:** To find out who and how many users are connecting to the SMTP servers, you can run the command *netstat* and check for connections at the SMTP port (default: 25). Example:

Local address	Remote address					State
192.18.79.44.25	192.18.78.44.56035	32768	0	32768	0	CLOSE_WAIT
192.18.79.44.25	192.18.136.54.57390	8760	0	24820	0	ESTABLISHED
192.18.79.44.25	192.18.26.165.48508	33580	0	24820	0	TIME_WAIT

Note that you will first need to determine the appropriate number of SMTP connections and their states (ESTABLISHED, CLOSE_WAIT, etc.) for your system to determine if a particular reading is out of the ordinary.

If you find many connections staying in the s“stored” on page 816^{YN_RECEIVED} state this might be caused by a broken network or a denial of service attack. In addition, the lifetime of an SMTP server process is limited. This is controlled by the MTA configuration variable *MAX_LIFE_TIME* in the *dispatcher.cnf* file. The default is 86,400 seconds (one day). Similarly, *MAX_LIFE_CONNS* specifies the maximum number of connections a server process can handle in its lifetime. If you find a particular SMTP server that has around for a long time you may wish to investigate.

Monitoring the Dispatcher and Job Controller Processes

The Dispatcher and Job Controller Processes must be operating for MTA to work. You should have one process of each kind.

Symptoms of Dispatcher and Job Controller Processes Down

If the Dispatcher is down or does not have enough resources, SMTP connections are refused.

If the Job Controller is down, queue size will grow.

To Monitor Dispatcher and Job Controller Processes

Check to see that the processes called `dispatcher` and `job_controller` exist. See [“Check that the Job Controller and Dispatcher are Running” on page 772](#).

Monitoring LDAP Directory Server

This section consists of the following subsection:

- [“Monitoring slapd” on page 810](#)

Monitoring `slapd`

The LDAP directory server (`slapd`) provides directory information for the messaging system. If `slapd` is down, the system will not work properly. If `slapd` response time is too slow, this will affect login speed and any other transaction that requires LDAP lookups.

Symptoms of `slapd` Problems

- Client POP, IMAP, or Webmail Authentication fails or slower than expected.
- MTA not working properly

To Monitor `slapd`

- Check that `ns-slapd` process is running.
- Check `slapd` log files access and errors in `slapd-instance/logs/`
- Check the `ns-slapd` response time while searching for a user.
- View the Console to monitor `slapd`.
- See also [“immonitor-access” on page 815](#)

Monitoring Message Access

This section consists of the following subsections:

- [“Monitoring imapd, popd and httpd” on page 811](#)
- [“Monitoring stored” on page 812](#)

Monitoring imapd, popd and httpd

These processes provide access to IMAP, POP and Webmail services. If any of these is not running or not responding, the service will not function appropriately. If the service is running, but is over loaded, monitoring will allow you to detect this and configure it more appropriately.

Symptoms of imapd, popd and httpd Problems

Connections are refused or system is too slow to connect. For example, if IMAP is not running and you try to connect to IMAP directly you will see something like this:

```
telnet 0 143
Trying 0.0.0.0...
telnet: Unable to connect to remote host: Connection refused
```

If you try to connect with a client, you will get a message such as:

```
Client is unable to connect to the server at the location you have
specified. The server may be down or busy.
```

To Monitor imapd, popd and httpd

- Can be monitored with `watcher` and `msprobe`. See [“Automatic Restart of Failed or Unresponsive Services” on page 110](#) and [“Monitoring Using msprobe and watcher Functions” on page 824](#)
- Can be monitored with SNMP.

If you have the SNMP set up, this is a very good way to monitor these processes. See [Appendix A, “SNMP Support”](#). The server information is in the Network Services Monitoring MIB.

- Check log files.

Look in the directory `msg_svr_base/log/service` where *service* can be http or IMAP or POP. In that directory you will find a number of log files. One filename is the name of the *service* (imap, pop, http) and the others are the name of the service plus a sequence number and a date concatenated to the service name. For example:

```
imap imap.29.1010221593 imap.31.1010394412 imap.33.1010567224
```

The file with just the service name is the latest log. The other ones are ordered by the sequence number (here 29, 31, 33) and the one with the highest sequence number is the next newest one. (See [Chapter 21, “Managing Logging”](#).)

If a server was shut down you might see something like this:

```
imap.12.1065431243:[07/Oct/2003:01:15:43 -0700] gotmail-2
imapd[20525]: General Warning: Sun Java System Messaging Server
IMAP4 6.1 (built Sep 24 2003) shutting down
```

- Can be checked with `counterutil`. See [“counterutil” on page 816](#) and the *Sun Java System Messaging Server Administration Reference*.
- Run the platform-specific command to verify that the `imapd`, `popd` and `httpd` processes are running. For example, in Solaris you can use the `ps` command and look for `imapd`, `popd` and `mshttpd`.
- You can set alarms for specified server performance thresholds by setting the server response configuration parameters described in [“Alarm Messages” on page 826](#).
- See [“immonitor-access” on page 815](#).

Monitoring `stored`

`stored` performs a variety of important tasks such as deadlock and transaction operations of the message database, enforcing aging policies, and expunging and erasing messages stored on disk. If `stored` stops running, the messaging server will eventually run into problems. If `stored` doesn't start when `start-msg` is run, no other processes will start. For more information about `stored` see the *Sun Java System Messaging Server Administration Reference*.

Symptoms of `stored` Problems

There are no outward symptoms.

To Monitor stored

- Check that the `stored` process is running. `stored` creates and updates a `pid` file in `msg_svr_base/config` called `pidfile.store`. The `pid` file shows an `init` state when recovering and a `ready` state when ready. For example:

```
231: cat pidfile.store
28250
ready
```

The number on the first line is the process ID of `stored`.

```
232: ps -eaf | grep stored
inetuser 28250 1 0 Jan 05 ? 8:44 /opt/SUNWmsgsr/lib/stored -d
```

- Check for log file build up in `msg_svr_base/store/mboxlist`. Note that not every log file build up is caused by direct `stored` problems. Log files may also build up if `imapd` dies or there is a database problem.
- Check the timestamp on the following files in `msg_svr_base/config`:
 - `stored.ckp` - Touched when attempt at checkpointing is made. Should get time stamped every 1 minute
 - `stored.lcu` - Touched at every db log cleanup. Should get time stamped every 5 minutes
 - `stored.per` - Touched at every spawn of peruser db writeout. Should get time stamped every 60 minutes
- Check for `stored` messages in the default log file
`msg_svr_base/log/default/default`
- Can be monitored with `watcher` and `msprobe`. See [“Automatic Restart of Failed or Unresponsive Services” on page 110](#) and [“Monitoring Using `msprobe` and `watcher` Functions” on page 824](#)

Monitoring the Message Store

Messages are stored in a database. The distribution of users on disks, the size of their mailbox, and disk requirements affect the store performance. These are described in the following subsections:

- [“To Monitor Disk Space” on page 804](#)
- [“Monitoring the State of Message Store Database Locks” on page 814](#)
- [“Monitoring the Number of Database Log Files in the `mboxlist` Directory” on page 814](#)

- [“To Monitor Quota Limits” on page 603](#)

Monitoring the State of Message Store Database Locks

The state of database-locks is held by different server processes. These database locks can affect the performance of the message store. In case of deadlocks, messages will not be getting inserted into the store at reasonable speeds and the `ims-ms` channel queue will grow larger as a result. There are legitimate reasons for a queue to back up, so it is useful to have a history of the queue length in order to diagnose problems.

Symptoms of Message Store Database Lock Problems

Number of transactions are accumulating and not resolving.

To Monitor Message Store Database Locks

Use the command `counterutil -o db_lock`

Monitoring the Number of Database Log Files in the mboxlist Directory

Database log files refer to sleepycat transaction checkpointing log files (`msg_svr_base/store/mboxlist`). Log file build up is a symptom of database checkpointing not happening. Log file build up can also be due to `stored` problems.

Symptoms of Database Log File Problems

There should be 2 or 3 log files. If there are more, it is a sign of a potentially serious problem. The message store uses a few databases for messages and quotas, and a problem with those can lead to problems for all of the mail server.

To Monitor Database Log Files

Look in the `msg_svr_base/store/mboxlist` directory and make sure there are only 2 or 3 files.

Utilities and Tools for Monitoring

The following tools are available in for monitoring:

- [“stored” on page 815](#)
- [“counterutil” on page 816](#)
- [“Log Files” on page 819](#)
- [“imsimta counters” on page 819](#)
- [“imsimta qm counters” on page 822](#)
- [“MTA Monitoring Using SNMP” on page 823](#)
- [“imquotacheck for Mailbox Quota Checking” on page 823](#)
- [“Monitoring Using msprobe and watcher Functions” on page 824](#)

`immonitor-access`

`immonitor-access` monitors the status of the following Messaging Server components/processes: Mail Delivery (SMTP server), Message Access and Store (POP and IMAP servers), Directory Service (LDAP server) and HTTP server. This utility measures the response times of the various services and the total round trip time taken to send and retrieve a message. The Directory Service is monitored by looking up a specified user in the directory and measuring the response time. Mail Delivery is monitored by sending a message (SMTP) and the Message Access and Store is monitored by retrieving it. Monitoring the HTTP server is limited to finding out whether or not it is up and running.

For complete instructions, refer to *Sun Java System Messaging Server Administration Reference*.

`stored`

The `stored` utility performs maintenance tasks on the server and also can do monitoring. However, the monitoring tasks are now better handled by `msprobe`. See [“Monitoring Using msprobe and watcher Functions” on page 824](#).

counterutil

This utility provides statistics acquired from different system counters. Here is a current list of available counter objects:

```
# /opt/SUNWmsgsr/sbin/counterutil -l
Listing registry (/opt/SUNWmsgsr/data/counter/counter)
numobjects = 11
refcount = 1
created = 25/Sep/2003:02:04:55 -0700
modified = 02/Oct/2003:22:48:55 -0700
    entry = alarm
    entry = diskusage
    entry = serverresponse
    entry = db_lock
    entry = db_log
    entry = db_mpool
    entry = db_txn
    entry = imapstat
    entry = httpstat
    entry = popstat
    entry = cgimsg
```

Each entry represents a counter object and supplies a variety of useful counts for this object. In this section we will only be discussing the `alarm`, `diskusage`, `serverresponse`, `db_lock`, `popstat`, `imapstat`, and `httpstat` counter objects. For details on `counterutil` command usage, refer to the *Sun Java System Messaging Server Administration Reference*.

counterutil Output

`counterutil` has a variety of flags. A command format for this utility may be as follows:

```
counterutil -o CounterObject -i 5 -n 10
```

where,

-o *CounterObject* represents the counter object `alarm`, `diskusage`, `serverresponse`, `db_lock`, `popstat`, `imapstat`, and `httpstat`.

-i 5 specifies a 5 second interval.

-n 10 represents the number of iterations (default: infinity).

An example of `counterutil` usage is as follows:


```
# counterutil -o imapstat -i 5 -n 10
Monitor counterobject (imapstat)
registry /gotmail/iplanet/server5/msg-gotmail/counter/counter opened
counterobject imapstat opened

count = 1 at 972082466 rh = 0xc0990 oh = 0xc0968

global.currentStartTime [4 bytes]: 17/Oct/2000:12:44:23 -0700
global.lastConnectionTime [4 bytes]: 20/Oct/2000:15:53:37 -0700
global.maxConnections [4 bytes]: 69
global.numConnections [4 bytes]: 12480
global.numCurrentConnections [4 bytes]: 48
global.numFailedConnections [4 bytes]: 0
global.numFailedLogins [4 bytes]: 15
global.numGoodLogins [4 bytes]: 10446
...
```

Alarm Statistics Using counterutil

These alarm statistics refer to the alarms sent by `stored`. The alarm counter provides the following statistics:

Table 23-1 counterutil alarm Statistics

Suffix	Description
alarm.countoverthreshold	Number of times crossing threshold.
alarm.countwarningsent	Number of warnings sent.
alarm.current	Current monitored valued.
alarm.high	Highest ever recorded value.
alarm.low	Lowest ever recorded value.
alarm.timelastset	The last time current value was set.
alarm.timelastwarning	The last time warning was sent.
alarm.timereset	The last time reset was performed.
alarm.timestatechanged	The last time alarm state changed.
alarm.warningstate	Warning state (yes(1) or no(0)).

IMAP, POP, and HTTP Connection Statistics Using `counterutil`

To get information on the number of current IMAP, POP, and HTTP connections, number of failed logins, total connections from the start time, and so forth, you can use the command `counterutil -o CounterObject -i 5 -n 10`, where *CounterObject* represents the counter object `popstat`, `imapstat`, or `httpstat`. The meaning of the `imapstat` suffixes is shown in [Table 23-2](#). The `popstat` and `httpstat` objects provide the same information in the same format and structure.

Table 23-2 `counterutil imapstat` Statistics

Suffix	Description
<code>currentStartTime</code>	Start time of the current IMAP server process.
<code>lastConnectionTime</code>	The last time a new client was accepted.
<code>maxConnections</code>	Maximum number of concurrent connections handled by IMAP server.
<code>numConnections</code>	Total number of connections served by the current IMAP server.
<code>numCurrentConnections</code>	Current number of active connections.
<code>numFailedConnections</code>	Number of failed connections served by the current IMAP server.
<code>numFailedLogins</code>	Number of failed logins served by the current IMAP server.
<code>numGoodLogins</code>	Number of successful logins served by the current IMAP server.

Disk Usage Statistics Using `counterutil`

The command: `counterutil -o diskusage` generates following information:

Table 23-3 `counterutil diskstat` Statistics

Suffix	Description
<code>diskusage.availSpace</code>	Total space available in the disk partition.
<code>diskusage.lastStatTime</code>	The last time statistic was taken.
<code>diskusage.mailPartitionPath</code>	Mail partition path.
<code>diskusage.percentAvail</code>	Disk partition space available percentage.
<code>diskusage.totalSpace</code>	Total space in the disk partition.

Server Response Statistics

The command: `counterutil -o serverresponse` generates following information. This information is useful for checking if the servers are running, and how quickly they're responding.

Table 23-4 `counterutil serverresponse` Statistics

Suffix	Description
<code>http.laststattime</code>	Last time http server response was checked.
<code>http.responsetime</code>	Response time for the http.
<code>imap.laststattime</code>	Last time imap server response was checked.
<code>imap.responsetime</code>	Response time for the imap.
<code>pop.laststattime</code>	Last time pop server response was checked.
<code>pop.responsetime</code>	Response time for the pop.
<code>ldap_host1_389.laststattime</code>	Last time ldap_host1_389 server response was checked.
<code>ldap_host1_389.responsetime</code>	Response time for the ldap_host1_389.
<code>ugldap_host2_389.laststattime</code>	Last time ugldap_host2_389 server response was checked.
<code>ugldap_host2_389.responsetime</code>	Response time for the ugldap_host2_389.

Log Files

Messaging server logs event records for SMTP, IMAP, POP, and HTTP. The policies for creating and managing the Messaging Server log files are customizable.

Since logging can affect the server performance, logging should be considered very carefully before the burden is put on the server. Refer to [Chapter 21, “Managing Logging”](#) for more information.

imsimta counters

The MTA accumulates message traffic counters based upon the Mail Monitoring MIB, RFC 1566 for each of its active channels. The channel counters are intended to help indicate the trend and health of your e-mail system. Channel counters are not designed to provide an accurate accounting of message traffic. For precise accounting, instead see MTA logging as discussed in [Chapter 21, “Managing Logging”](#).

The MTA channel counters are implemented using the lightest weight mechanisms available so that they cause as little impact as possible on actual operation. Channel counters do not try harder: if an attempt to map the section fails, no information is recorded; if one of the locks in the section cannot be obtained almost immediately, no information is recorded; when a system is shut down, the information contained in the in-memory section is lost forever.

The `imsimta counters -show` command provides MTA channel message statistics (see below). These counters need to be examined over time noting the minimum values seen. The minimums may actually be negative for some channels. A negative value means that there were messages queued for a channel at the time that its counters were zeroed (for example, the cluster-wide database of counters created). When those messages were dequeued, the associated counters for the channel were decremented and therefore leading to a negative minimum. For such a counter, the correct “absolute” value is the current value less the minimum value that counter has ever held since being initialized.

Channel	Messages	Recipients	Blocks	
-----	-----	-----	-----	
tcp_local				
Received	29379	79714	982252	(1)
Stored	61	113	-2004	(2)
Delivered	29369	79723	983903 (29369 first time)	(3)
Submitted	13698	13699	18261	(4)
Attempted	0	0	0	(5)
Rejected	1	10	0	(6)
Failed	104	104	4681	(7)
Queue time/count		16425/29440 = 0.56		(8)
Queue first time/count		16425/29440 = 0.56		(9)
Total In Assocs		297637		
Total Out Assocs		28306		

1) Received is the number of messages enqueued to the channel named `tcp_local`. That is, the messages enqueued (E records in the `mail.log*` file) to the `tcp_local` channel by any other channel.

2) Stored is the number of messages stored in the channel queue to be delivered.

3) Delivered is the number of messages which have been processed (dequeued) by the channel `tcp_local`. (That is, `D` records in the `mail.log*` file.) A dequeue operation may either correspond to a successful delivery (that is, an enqueue to another channel), or to a dequeue due to the message being returned to the sender. This will generally correspond to the number `Received` minus the number `Stored`.

The MTA also keeps track of how many of the messages were dequeued upon first attempt; this number is shown in parentheses.

4) Submitted is the number of messages enqueued (`E` records in the `mail.log` file) by the channel `tcp_local` to any other channel.

5) Attempted is the number of messages which have experienced temporary problems in dequeuing, that is, `Q` or `Z` records in the `mail.log*` file.

6) Rejected is the number of attempted enqueues which have been rejected, that is, `J` records in the `mail.log*` file.

7) Failed is the number of attempted dequeues which have failed, that is, `R` records in the `mail.log*` file.

8) Queue time/count is the average time-spent-in-queue for the delivered messages. This includes both the messages delivered upon the first attempt, see (9), and the messages that required additional delivery attempts (hence typically spent noticeable time waiting fallow in the queue).

9) Queue first time/count is the average time-spent-in-queue for the messages delivered upon the first attempt.

Note that the number of messages submitted can be greater than the number delivered. This is often the case, since each message the channel dequeues (delivers) will result in at least one new message enqueued (submitted) but possibly more than one. For example, if a message has two recipients reached via different channels, then two enqueues will be required. Or if a message bounces, a copy will go back to the sender and another copy may be sent to the postmaster. Usually that will be two submissions (unless both are reached through the same channel).

More generally, the connection between `Submitted` and `Delivered` varies according to type of channel. For example, in the conversion channel, a message would be enqueued by some other arbitrary channel, and then the conversion channel would process that message and enqueue it to a third channel and mark the message as dequeued from its own queue. Each individual message takes a path:

```
elsewhere -> conversion   E record   Received
conversion -> elsewhere   E record   Submitted
conversion                D record   Delivered
```

However, for a channel such as `tcp_local` which is not a “pass through,” but rather has two separate pieces (slave and master), there is no connection between Submitted and Delivered. The Submitted counter has to do with the SMTP server portion of the `tcp_local` channel, whereas the Delivered counter has to do with the SMTP client portion of the `tcp_local` channel. Those are two completely separate programs, and the messages travelling through them may be completely separate.

Messages submitted to the SMTP server:

```
tcp_local -> elsewhere E record Submitted
```

Messages sent out to other SMTP hosts via the SMTP client:

```
elsewhere -> tcp_local E record Received
tcp_local      D record Delivered
```

Channel dequeues (delivers) will result in at least one new message enqueued (submitted) but possibly more than one. For example, if a message has two recipients reached via different channels, then two enqueues will be required. Or if a message bounces, a copy will go back to the sender and another copy may be sent to the postmaster. Usually that will be reached through the same channel.

Implementation on UNIX and NT

For performance reasons, a node running the MTA keeps a cache of channel counters in memory using a shared memory section (UNIX) or shared file-mapping object (NT). As processes on the node enqueue and dequeue messages, they update the counters in this in-memory cache. If the in-memory section does not exist when a channel runs, the section will be created automatically. (The `imta start` command also creates the in-memory section, if it does not exist.)

The command `imta counters -clear` or the `imta qm counters clear` may be used to reset the counters to zero.

imsimta qm counters

The `imsimta qm counters` utility displays MTA channel queue message counters. You must be root or `inetuser` to run this utility. The output fields are the same as those described in “[imsimta counters](#)” on page 819. See also *Sun Java System Messaging Server Administration Reference* for usage details.

Example:

```
# imsimta counters -create
# imsimta qm counters show
```

Channel	Messages	Recipients	Blocks
tcp_intranet			
Received	13077	13859	264616
Stored	92	91	-362
Delivered	12985	13768	264978
Submitted	2594	2594	3641
...			

Every time you restart the MTA, you must run: `# imsimta counters -create`

MTA Monitoring Using SNMP

Messaging Server supports system monitoring through the Simple Network Management Protocol (SNMP). Using an SNMP client (sometimes called a *network manager*) such as Sun Net Manager or HP OpenView (not provided with this product), you can monitor certain parts of the Messaging Server. Refer to [Appendix A, “SNMP Support”](#) for details.

imquotacheck for Mailbox Quota Checking

You can monitor mailbox quota usage and limits by using the `imquotacheck` utility. The `imquotacheck` utility generates a report that lists defined quotas and limits, and provides information on quota usage.

For example, the following command lists all user quota information:

```
% imquotacheck
-----
Domain red.siroe.com (diskquota = not set msgquota = not set) quota usage
-----
diskquota      size(K)    %use    msgquota    msgs    %use    user
# of domains = 1
# of users = 705

no quota       50418          no quota    4392      ajonkish
no quota       5              no quota    2         andrewt
no quota       355518        no quota    2500     aniksri
...
```

The following example shows the quota usage for user sorook:

```
% imquotacheck -u sorook
-----
quota usage for user sorook
-----
diskquota      size(K)      %use      msgquota      msgs      %use      user
no quota       1487                no quota      305                sorook
```

Monitoring Using msprobe and watcher Functions

Messaging Server provides two processes, `watcher` and `msprobe` to monitor various system services. `watcher` watches for server crashes and restarts them as necessary. `msprobe` monitors server hangs (unresponsiveness). Specifically `msprobe` monitors the following:

- **Server Response Time.** `msprobe` connects to the enabled servers using their protocol commands and measures their response times. If the response time exceeds the alarm warning threshold, an alarm message is sent (see “[Alarm Messages](#)” on page 826). If autorestart is enabled, and `msprobe` cannot connect to a server, or the server response time exceeds a specified timeout period, the server is restarted. Server response times are recorded in a counter database and is logged to the default log file. `counterutil` can be used to display the server response time statistics (“[counterutil](#)” on page 816).

The following servers are monitored by `msprobe`: `imap`, `pop`, `http`, `cert`, `job_controller`, `smtp`, `lmt`, `mmp` and `ens`. When `smtp` or `lmt` are not responding, the dispatcher is restarted. `ens` cannot be automatically restarted.

- **Disk usage.** `msprobe` checks the disk availability and usage for every message store partition. Specifically it checks the message store `mbxlist` database directory and the MTA queue directory. If disk usage exceeds a configured threshold, an alarm message is sent. The disk sizes and usages are recorded in a counter database and is logged to the default log file. Administrators can use the `counterutil` utility (see “[counterutil](#)” on page 816) to display the disk usage statistics.

- **Message Store mboxlist Database Log File Accumulation.** Log file accumulation is an indication of an `mboxlist` database error. `msprobe` counts the number of active log files and if the number of active log files is larger than the threshold, `msprobe` logs a critical error message to the default log file to inform the admin to restart the server. If the autorestart is enabled (`local.autorestart` to `yes`), the store daemon is restarted.

`watcher` and `msprobe` are controlled by the `configutil` options shown in [Table 23-5](#). Further information can be found in “[Automatic Restart of Failed or Unresponsive Services](#)” on page 110

Table 23-5 `msprobe` and `watcher` `configutil` Options

Options	Description
<code>local.watcher.enable</code>	Enable <code>watcher</code> which monitors service failures. (IMAP, POP, HTTP, job controller, dispatcher, message store (<code>stored</code>), <code>imsched</code> , and MMP. (LMTP/SMTP servers are monitored by the dispatcher and LMTP/SMTP clients are monitored by the <code>job_controller</code> .) Logs error messages to the default log file for specific failures. Default: <code>on</code>
<code>local.autorestart</code>	Enable automatic server restart. Automatically restarts failed or hung services. Default: <code>no</code>
<code>local.autorestart.timeout</code>	Failure retry time-out. If a server fails more than twice in this designated amount of time, then the system stops trying to restart the server. The value (set in seconds) should be set to a period value longer than the <code>msprobe</code> interval (<code>local.schedule.msprobe</code>). Default: 600 seconds
<code>local.schedule.msprobe</code>	<code>msprobe</code> run schedule. A crontab style schedule string (see Table 18-10 on page 592). Default is 600 seconds.
<code>service.readtimeout</code>	Default server timeout before restart. Default: (120 secs for <code>smtp/lmtp</code> , 30 secs for other protocols)
<code>local.probe.service.timeout</code>	Timeout for a specific server before restart. <code>service</code> can be <code>imap</code> , <code>pop</code> , <code>http</code> , <code>cert</code> , <code>job_controller</code> , <code>smtp</code> , <code>lmtp</code> , <code>mmp</code> or <code>ens</code> . Default: use <code>service.readtimeout</code>
<code>local.probe.warningthreshold</code>	Number of seconds of server non-response before a warning message is logged to default log file. Default: 5 secs
<code>local.probe.service.warningthreshold</code>	Number of seconds of a specific server's non-response before a warning message is logged to default log file. <code>service</code> can be <code>imap</code> , <code>pop</code> , <code>http</code> , <code>cert</code> , <code>job_controller</code> , <code>smtp</code> , <code>lmtp</code> , <code>mmp</code> or <code>ens</code> . Default: Use <code>local.probe.warningthreshold</code>

Table 23-5 `msprobe` and `watcher` `configutil` Options

Options	Description
<code>local.queuedir</code>	MTA queue directory to check if queue size exceeded threshold defined by <code>alarm.diskavail.msgalarmthreshold</code> . Default: none
<code>local.schedule.msprobe</code>	<code>msprobe</code> run schedule. The value is a crontab-style schedule string. Default: 600 seconds
<code>service.readtimeout</code>	Period of server non-response before restarting that server. See <code>local.schedule.msprobe</code> . Default: 10 seconds

Alarm Messages

`msprobe` can issue alarms in the form of email messages to the postmaster (see [page 812](#)) warning of a specified condition. A sample email alarm sent when a certain threshold is exceeded is shown below:

```
Subject:  ALARM: server response time in seconds of "ldap_siroe.com_389" is 10
Date:    Tue, 17 Jul 2001 16:37:08 -0700 (PDT)
From:    postmaster@siroe.com
To:      postmaster@siroe.com

Server instance: /opt/SUNWmsgsr
Alarmid:  serverresponse
Instance:  ldap_siroe_europa.com_389
Description: server response time in seconds
Current measured value (17/Jul/2001:16:37:08 -0700): 10
Lowest recorded value: 0
Highest recorded value: 10
Monitoring interval: 600 seconds
Alarm condition is when over threshold of 10
Number of times over threshold: 1
```

You can specify how often `msprobe` monitors disk and server performance, and under what circumstances it sends alarms. This is done by using the `configutil` command to set the alarm parameters. [Table 23-6](#) shows useful alarm parameters along with their default setting. See the *Sun Java System Messaging Server Administration Reference* for a complete list.

Table 23-6 Useful Alarm Message `configutil` Parameters

Parameter	Description (Default in parenthesis)
<code>alarm.msgalarmnoticehost</code>	(localhost) Machine to which you send warning messages.
<code>alarm.msgalarmnoticeport</code>	(25) The SMTP port to which to connect when sending alarm message.
<code>alarm.msgalarmnoticercpt</code>	(Postmaster@localhost) Whom to send alarm notice.
<code>alarm.msgalarmnoticesender</code>	(Postmaster@localhost) Address of sender the alarm.
<code>alarm.diskavail.msgalarmdescription</code>	(percentage mail partition disk space available.) Text for description field for disk availability alarm.
<code>alarm.diskavail.msgalarmstatinterval</code>	(3600) Interval in seconds between disk availability checks. Set to 0 to disable checking of disk usage.
<code>alarm.diskavail.msgalarmthreshold</code>	(10) Percentage of disk space availability below which an alarm is sent.
<code>alarm.diskavail.msgalarmthresholddirection</code>	(-1) Specifies whether the alarm is issued when disk space availability goes below threshold (-1) or above it (1).
<code>alarm.diskavail.msgalarmwarninginterval</code>	(24). Interval in hours between subsequent repetition of disk availability alarms.
<code>alarm.serverresponse.msgalarmdescription</code>	(server response time in seconds.) Text for description field for servers response alarm.
<code>alarm.serverresponse.msgalarmstatinterval</code>	(600) Interval in seconds between server response checks. Set to 0 to disable checking of server response.
<code>alarm.serverresponse.msgalarmthreshold</code>	(10) If server response time in seconds exceeds this value, alarm issued.
<code>alarm.serverresponse.msgalarmthresholddirection</code>	(1) Specifies whether alarm is issued when server response time is greater that (1) or less than (-1) the threshold.
<code>alarm.serverresponse.msgalarmwarninginterval</code>	(24) Interval in hours between subsequent repetition of server response alarm.

SNMP Support

The Messaging Server supports system monitoring through the Simple Network Management Protocol (SNMP). Using an SNMP client (sometimes called a *network manager*) such as Sun Net Manager or HP OpenView (not provided with the this product), you can monitor certain parts of the Messaging Server. For more information on monitoring the Messaging Server refer to [Chapter 23, “Monitoring the Messaging Server”](#)

This chapter describes how to enable SNMP support for the Messaging Server. It also gives an overview of the type of information provided by SNMP. Note that it does not describe how to view this information from an SNMP client. Please refer to your SNMP client documentation for details on how to use it to view SNMP-based information. This document also describes some of the data available from the Messaging Server SNMP implementation, but complete MIB details are available from RFC 2788 and RFC 2789.

This chapter consists of the following sections:

- [“SNMP Implementation” on page 830](#)
- [“Configuring SNMP Support for the Messaging Server on Solaris 8” on page 831](#)
- [“Monitoring from an SNMP Client” on page 832](#)
- [“Co-existence with Other Sun Java System Products on Unix Platforms” on page 833](#)
- [“SNMP Information from the Messaging Server” on page 833](#)

SNMP Implementation

The Messaging Server implements two standardized MIBs, the Network Services Monitoring MIB (RFC 2788) and the Mail Monitoring MIB (RFC 2789). The Network Services Monitoring MIB provides for the monitoring of network services such as POP, IMAP, HTTP, and SMTP servers. The Mail Monitoring MIB provides for the monitoring of MTAs. The Mail Monitoring MIB allows for monitoring both the active and historical state of each MTA channel. The active information focuses on currently queued messages and open network connections (for example, counts of queued messages, source IP addresses of open network connections), while the historical information provides cumulative totals (for example, total messages processed, total inbound connections).

NOTE For a complete listing of Messaging Server SNMP monitoring information, refer to RFC 2788 and RFC 2789.


SNMP is supported on platforms running Solaris 8 and 9 as well as all versions of Microsoft Windows supported by the Java Enterprise System. Support on other platforms will appear in a later release. The SNMP support on Solaris makes use of the native Solaris SNMP technology, Solstice Enterprise Agents (SEA). Customers do not need to install SEA on Solaris 8 systems: the necessary run-time libraries are already present.

Limitations of the Messaging Server SNMP support are as follows:

- Only one instance of Messaging Server per host computer can be monitored via SNMP.
- The SNMP support is for monitoring only. No SNMP management is supported.
- No SNMP traps are implemented. (RFC 2788 provides similar functionality without using traps.)

SNMP Operation in the Messaging Server

On Solaris platforms, the Messaging Server SNMP process is an SNMP subagent which, upon startup, registers itself with the platform's native SNMP master agent. SNMP requests from clients go to the master agent. The master agent then forwards any requests destined for the Messaging Server to the Messaging Server subagent process. The Messaging Server subagent process then processes the request and relays the response back to the client via the master agent. This process is shown in [Figure A-1](#).

Figure A-1 SNMP Information Flow

Configuring SNMP Support for the Messaging Server on Solaris 8

Although the overhead imposed by SNMP monitoring is very small, the Messaging Server nonetheless ships with SNMP support disabled. To enable the SNMP support, run the following commands:

```
# su user-id-for-ims
# configutil -o local.snmp.enable -v 1
# start-msg snmp
```

Once you have enabled SNMP, the `start-msg` command, without any parameters specified, will automatically start the SNMP subagent process along with the other Messaging Server processes.

Note that the Solaris native SNMP master agent must be running in order for the Messaging Server SNMP subagent to operate. The Solaris native SNMP master agent is the `snmpd` daemon which is normally started as part of the Solaris boot procedure.

The SNMP subagent will automatically select a UDP port on which to listen. Should you require, you can assign a fixed UDP port to the subagent with the following command:

```
# configutil -o local.snmp.port -v port-number
```

You may later undo this setting by specifying a value of zero for the port number. A value of zero, the default setting, tells Messaging Server to allow the subagent to automatically select any available UDP port.

Two SNMP subagent configuration files are placed in the `/etc/snmp/conf` directory: `ims.acl` which contains SNMP access control information, and `ims.reg` which contains SNMP MIB OID registration information.

Normally, there should be no reason to edit either of these files. The MIBs served out by Messaging Server are read-only and there's no need to specify a port number in the `ims.reg` file. If you do specify a port number, then it will be honored unless you also set a port number with the `configutil` utility. In that case, the port number set with `configutil` is the port number which will be used by the subagent. If you do edit the files, then you will need to stop and restart the SNMP subagent in order for your changes to take effect:

```
# stop-msg snmp
# start-msg snmp
```

Monitoring from an SNMP Client

The base OIDs for RFC 2788 and RFC 2789 are

`mib-2.27 = 1.3.6.1.2.1.27`

`mib-2.28 = 1.3.6.1.2.1.28`

Point your SNMP client at those two OIDs and access as the "public" SNMP community.

If you wish to load copies of the MIBs into your SNMP client, ASCII copies of the MIBs are located in the `msg_svr_base/lib/config-templates` directory under the file names `rfc2788.mib` and `rfc2789.mib`. For directions on loading those MIBs into your SNMP client software, consult the SNMP client software documentation. The `SnmpAdminString` data type used in those MIBs may not be recognized by some older SNMP clients. In that case, use the equivalent files `rfc2248.mib` and `rfc2249.mib` also found in the same directory.

Co-existence with Other Sun Java System Products on Unix Platforms

Other Netscape or Sun Java System products which provide SNMP support may do so by displacing the platform's native SNMP master agent. If you will be running such Sun Java System products on the same host as Messaging Server and wish to monitor both via SNMP, then configure the Sun Java System Proxy SNMP Agent as described in Chapter 11 of *Managing Servers with iPlanet Console* (http://docs.sun.com/source/816-5572-10/11_snmp.htm). This allows the Messaging Server SNMP subagent—a native SNMP subagent—to co-exist with the non-native Sun Java System SNMP subagents in the other Sun Java System products.

SNMP Information from the Messaging Server

This section summarizes the Messaging Server information provided via SNMP. For detailed information refer to the individual MIB tables in RFC 2788 and RFC 2789. Note that the RFC/MIB terminology refers to the messaging services (MTA, HTTP, etc.) as *applications* (`appl`), Messaging Server network connections as *associations* (`assoc`), and MTA channels as *MTA groups* (`mtaGroups`).

Note that on platforms where more than one instance of Messaging Server may be concurrently monitored, there may then be multiple sets of MTAs and servers in the `applTable`, and multiple MTAs in the other tables.

NOTE The cumulative values reported in the MIBs (e.g., total messages delivered, total IMAP connections, etc.) are reset to zero after a reboot.

Each site will have different thresholds and significant monitoring values. A good SNMP client will allow you to do trend analysis and then send alerts when sudden deviations from historical trends occur.

applTable

The `applTable` provides server information. It is a one-dimensional table with one row for the MTA and an additional row for each of the following servers, if enabled: WebMail HTTP, IMAP, POP, SMTP, and SMTP Submit. This table provides version information, uptime, current operational status (up, down, congested), number of current connections, total accumulated connections, and other related data.

Below is an example of data from `applTable` (`mib-2.27.1.1`).

applTable:

```

applName.11 = mailsrv-12 MTA on mailsrv-1.west.sesta.com
applVersion.1 = 5.1
applUptime.1 = 73223
applOperStatus.1 = up4
applLastChange.1 = 74223
applInboundAssociations.1 = 5
applOutboundAssociations.1 = 2
applAccumulatedInboundAssociations.1 = 873
applAccumulatedOutboundAssociations.1 = 234
applLastInboundActivity.1 = 10548223
applLastOutboundActivity.1 = 10542223
applRejectedInboundAssociations.1 = 05
applFailedOutboundAssociations.1 = 17
applDescription.1 = Sun Java System Messaging Server 6.1
applName.21 = mailsrv-1 HTTP WebMail server on mailsrv-1.west.sesta.com
...
applName.3 = mailsrv-1 IMAP server on mailsrv-1.west.sesta.com
...
applName.4 = mailsrv-1 POP server on mailsrv-1.west.sesta.com
...
applName.5 = mailsrv-1 SMTP server on mailsrv-1.west.sesta.com
...
applName.6 = mailsrv-1 SMTP Submit server on mailsrv-1.west.sesta.com
...

```

Notes:

1. The `.1`, `.2`, etc. suffixes here are the row numbers, `applIndex`. `applIndex` has the value 1 for the MTA, value 2 for the HTTP server, etc. Thus, in this example, the first row of the table provides data on the MTA, the second on the POP server, etc.
2. The name of the Messaging Server instance being monitored. In this example, the instance name is `mailsrv-1`.

3. These are SNMP TimeStamp values and are the value of `sysUpTime` at the time of the event. `sysUpTime`, in turn, is the count of hundredths of seconds since the SNMP master agent was started.
4. The operational status of the HTTP, IMAP, POP, SMTP, and SMTP Submit servers is determined by actually connecting to them via their configured TCP ports and performing a simple operation using the appropriate protocol (for example, a HEAD request and response for HTTP, a HELO command and response for SMTP, and so on). From this connection attempt, the status—up (1), down (2), or congested (4)—of each server is determined.

Note that these probes appear as normal inbound connections to the servers and contribute to the value of the `applAccumulatedInboundAssociations` MIB variable for each server.

For the MTA, the operational status is taken to be that of the Job Controller. If the MTA is shown to be up, then the Job Controller is up. If the MTA is shown to be down, then the Job Controller is down. This MTA operational status is independent of the status of the MTA's Service Dispatcher. The operational status for the MTA only takes on the value of up or down. Although the Job Controller does have a concept of "congested," it is not indicated in the MTA status.

5. For the HTTP, IMAP, and POP servers the `applRejectedInboundAssociations` MIB variable indicates the number of failed login attempts and not the number of rejected inbound connection attempts.

applTable Usage

Monitoring server status (`applOperStatus`) for each of the listed applications is key to monitoring each server.

If it's been a long time since the MTA last inbound activity as indicated by `applLastInboundActivity`, then something may be broken preventing connections. If `applOperStatus=2` (down), then the monitored service is down. If `applOperStatus=1` (up), then the problem may be elsewhere.

assocTable

This table provides network connection information to the MTA. It is a two-dimensional table providing information about each active network connection. Connection information is not provided for other servers.

Below is an example of data from `applTable` (mib-2.27.2.1).

assocTable:

```

assocRemoteApplication.1.11 = 129.146.198.1672
assocApplicationProtocol.1.11 = applTCPProtoID.253
assocApplicationType.1.1 = peerinitiator(3)4
assocDuration.1.1 = 4005
...

```

Notes:

1. In the `.x.y` suffix, `x` is the application index, `applIndex`, and indicates which application in the `applTable` is being reported on. In this case, the MTA. The `y` serves to enumerate each of the connections for the application being reported on.
2. The source IP address of the remote SMTP client.
3. This is an OID indicating the protocol being used over the network connection. `aplTCPProtoID` indicates the TCP protocol. The `.n` suffix indicates the TCP port in use and `.25` indicates SMTP which is the protocol spoken over TCP port 25.
4. It is not possible to know if the remote SMTP client is a user agent (UA) or another MTA. As such, the subagent always reports `peer-initiator`; `ua-initiator` is never reported.
5. This is an SNMP `TimeInterval` and has units of hundredths of seconds. In this example, the connection has been open for 4 seconds.

assocTable Usage

This table is used to diagnose active problems. For example, if you suddenly have 200,000 inbound connections, this table can let you know where they are coming from.

mtaTable

This is a one-dimensional table with one row for each MTA in the `applTable`. Each row gives totals across all channels (referred to as groups) in that MTA for select variables from the `mtaGroupTable`.

Below is an example of data from `applTable` (mib-2.28.1.1).

mtaTable:

```

mtaReceivedMessages.11 = 172778
mtaStoredMessages.1 = 19
mtaTransmittedMessages.1 = 172815
mtaReceivedVolume.1 = 3817744
mtaStoredVolume.1 = 34
mtaTransmittedVolume.1 = 3791155
mtaReceivedRecipients.1 = 190055
mtaStoredRecipients.1 = 21
mtaTransmittedRecipients.1 = 3791134
mtaSuccessfulConvertedMessages.1 = 02
mtaFailedConvertedMessages.1 = 0
mtaLoopsDetected.1 = 03

```

Notes:

1. The `.x` suffix provides the row number for this application in the `applTable`. In this example, `.1` indicates this data is for the first application in the `applTable`. Thus, this is data on the MTA.
2. Only takes on non-zero values for the conversion channel.
3. Counts the number of `.HELD` message files currently stored in the MTA's message queues.

mtaTable Usage

If `mtaLoopsDetected` is not zero, then there is a looping mail problem. Locate and diagnose the `.HELD` files in the MTA queue to resolve the problem.

If the system does virus scanning with a conversion channel and rejects infected messages, then `mtaSuccessfulConvertedMessages` will give a count of infected messages in addition to other conversion failures.

mtaGroupTable

This two-dimensional table provides channel information for each MTA in the `applTable`. This information includes such data as counts of stored (that is, queued) and delivered mail messages. Monitoring the count of stored messages, `mtaGroupStoredMessages`, for each channel is critical: when the value becomes abnormally large, mail is backing up in your queues.

Below is an example of data from `mtaGroupTable` (mib-2.28.2.1).

mtaGroupTable:

```

mtaGroupName.1.11 = tcp_intranet2
...
mtaGroupName.1.21 = ims-ms
...
mtaGroupName.1.31 = tcp_local
  mtaGroupDescription.1.3 = mailsrv-1 MTA tcp_local channel
  mtaGroupReceivedMessages.1.3 = 12154
  mtaGroupRejectedMessages.1.3 = 0
  mtaGroupStoredMessages.1.3 = 2
  mtaGroupTransmittedMessages.1.3 = 12148
  mtaGroupReceivedVolume.1.3 = 622135
  mtaGroupStoredVolume.1.3 = 7
  mtaGroupTransmittedVolume.1.3 = 619853
  mtaGroupReceivedRecipients.1.3 = 33087
  mtaGroupStoredRecipients.1.3 = 2
  mtaGroupTransmittedRecipients.1.3 = 32817
  mtaGroupOldestMessageStored.1.3 = 1103
  mtaGroupInboundAssociations.1.3 = 5
  mtaGroupOutboundAssociations.1.3 = 2
  mtaGroupAccumulatedInboundAssociations.1.3 = 150262
  mtaGroupAccumulatedOutboundAssociations.1.3 = 10970
  mtaGroupLastInboundActivity.1.3 = 1054822
  mtaGroupLastOutboundActivity.1.3 = 1054222
  mtaGroupRejectedInboundAssociations.1.3 = 0
  mtaGroupFailedOutboundAssociations.1.3 = 0
  mtaGroupInboundRejectionReason.1.3 =
  mtaGroupOutboundConnectFailureReason.1.3 =
  mtaGroupScheduledRetry.1.3 = 0
  mtaGroupMailProtocol.1.3 = applTCPProtoID.25
  mtaGroupSuccessfulConvertedMessages.1.3 = 03
  mtaGroupFailedConvertedMessages.1.3 = 0
  mtaGroupCreationTime.1.3 = 0
  mtaGroupHierarchy.1.3 = 0
  mtaGroupOldestMessageId.1.3 = <01IFBV8AT8HYB4T6UA@red.ipplanet.com>
  mtaGroupLoopsDetected.1.3 = 04
  mtaGroupLastOutboundAssociationAttempt.1.3 = 1054222

```

Notes:

1. In the `.x.y` suffix, `x` is the application index, `applIndex`, and indicates which application in the `applTable` is being reported on. In this case, the MTA. The `y` serves to enumerate each of the channels in the MTA. This enumeration index, `mtaGroupIndex`, is also used in the `mtaGroupAssociationTable` and `mtaGroupErrorTable` tables.
2. The name of the channel being reported on. In this case, the `tcp_intranet` channel.

3. Only takes on non-zero values for the conversion channel.
4. Counts the number of .HELD message files currently stored in this channel's message queue.

mtaGroupTable Usage

Trend analysis on **Rejected** and **Failed** might be useful in determining potential channel problems.

A sudden jump in the ratio of `mtaGroupStoredVolume` to `mtaGroupStoredMessages` could mean that a large junk mail is bouncing around the queues.

A large jump in `mtaGroupStoredMessages` could indicate unsolicited bulk email is being sent or that delivery is failing for some reason.

If the value of `mtaGroupOldestMessageStored` is greater than the value used for the undeliverable message notification times (`notices` channel keyword) this may indicate a message which cannot be processed even by bounce processing. Note that bounces are done nightly so you will want to use `mtaGroupOldestMessageStored > (maximum age + 24 hours)` as the test.

If `mtaGroupLoopsDetected` is greater than 0, a mail loop has been detected.

mtaGroupAssociationTable

This is a three-dimensional table whose entries are indices into the `assocTable`. For each MTA in the `applTable`, there is a two-dimensional sub-table. This two-dimensional sub-table has a row for each channel in the corresponding MTA. For each channel, there is an entry for each active network connection which that channel has currently underway. The value of the entry is the index into the `assocTable` (as indexed by the entry's value and the `applIndex` index of the MTA being looked at). This indicated entry in the `assocTable` is a network connection held by the channel.

In simple terms, the `mtaGroupAssociationTable` table correlates the network connections shown in the `assocTable` with the responsible channels in the `mtaGroupTable`.

Below is an example of data from `mtaGroupAssociationTable` (`mib-2.28.3.1`).

mtaGroupAssociationTable:

```
mtaGroupAssociationIndex.1.3.11 = 12
mtaGroupAssociationIndex.1.3.2 = 2
```

```

mtaGroupAssociationIndex.1.3.3 = 3
mtaGroupAssociationIndex.1.3.4 = 4
mtaGroupAssociationIndex.1.3.5 = 5
mtaGroupAssociationIndex.1.3.6 = 6
mtaGroupAssociationIndex.1.3.7 = 7

```

Notes:

1. In the `.x.y.z` suffix, `x` is the application index, `applIndex`, and indicates which application in the `applTable` is being reported on. In this case, the MTA. The `y` indicates which channel of the `mtaGroupTable` is being reported on. In this example, 3 indicates the `tcp_local` channel. The `z` serves to enumerate the associations open to or from the channel.
2. The value here is an index into the `assocTable`. Specifically, `x` and this value become, respectively, the values of the `applIndex` and `assocIndex` indices into the `assocTable`. Or, put differently, this is saying that (ignoring the `applIndex`) the first row of the `assocTable` describes a network connection controlled by the `tcp_local` channel.

mtaGroupErrorTable

This is another three-dimensional table which gives the counts of temporary and permanent errors encountered by each channel of each MTA while attempting delivery of messages. Entries with index values of 4000000 are temporary errors while those with indices of 5000000 are permanent errors. Temporary errors result in the message being re-queued for later delivery attempts; permanent errors result in either the message being rejected or otherwise returned as undeliverable.

Below is an example of data from `mtaGroupErrorTable` (mib-2.28.5.1).

mtaGroupErrorTable:

```

mtaGroupInboundErrorCount.1.1.40000001 = 0
mtaGroupInboundErrorCount.1.1.5000000 = 0
mtaGroupInternalErrorCount.1.1.4000000 = 0
mtaGroupInternalErrorCount.1.1.5000000 = 0
mtaGroupOutboundErrorCount.1.1.4000000 = 0
mtaGroupOutboundErrorCount.1.1.5000000 = 0

mtaGroupInboundErrorCount.1.2.40000001 = 0
...

```



```
mtaGroupInboundErrorCount.1.3.40000001 = 0
...
```

Notes:

1. In the `.x.y.z` suffix, `x` is the application index, `applIndex`, and indicates which application in the `applTable` is being reported on. In this case, the MTA. The `y` indicates which channel of the `mtaGroupTable` is being reported on. In this example, 1 specifies the `tcp_intranet` channel, 2 the `ims-ms` channel, and 3 the `tcp_local` channel. Finally, the `z` is either 4000000 or 5000000 and indicates, respectively, counts of temporary and permanent errors encountered while attempting message deliveries for that channel.

mtaGroupErrorTable Usage

A large jump in error count may likely indicate an abnormal delivery problem. For instance, a large jump for a `tcp_` channel may indicate a DNS or network problem. A large jump for the `ims_ms` channel may indicate a delivery problem to the message store (for example, a partition is full, `stored` problem, and so on).

Administering Event Notification Service in Messaging Server

This appendix describes what you need to do to enable the Event Notification Service Publisher (ENS Publisher) and administer Event Notification Service (ENS) in Messaging Server.

This chapter/appendix contains these sections:

- Loading the ENS Publisher in Messaging Server
- Running Sample Event Notification Service Programs
- Administering Event Notification Service

For more information on ENS and ENS APIs, see the *Event Service Notification Manual for Sun Java System Communications Services* at the Sun Java System Calendar Server at http://docs.sun.com/db/coll/CalendarServer_05q1 and Messaging Server Documentation web page at http://docs.sun.com/db/coll/MessagingServer_05q1.

Loading the ENS Publisher in Messaging Server

The Event Notification Service (ENS) is the underlying publish-and-subscribe service. ENS acts as a dispatcher used by Sun Java System applications as a central point of collection for certain types of *events* that are of interest to them. Events are changes to the value of one or more properties of a resource. Any application that wants to know when these types of events occur registers with ENS, which identifies events in order and matches notifications with subscriptions.

ENS and iBiff (the ENS publisher for Messaging Server) are bundled starting with Messaging Server. By default ENS is enabled, however, iBIFF is not loaded. (See [“To Load the ENS Publisher on Messaging Server.”](#))

In order to subscribe to notifications in Messaging Server, you need to load the `libibiff` file on the Messaging Server host then stop and restart the messaging server.

To Load the ENS Publisher on Messaging Server

Perform the following steps from the command line. In these steps, the location of the Messaging Server installation directory is `msg_svr_base`, and the Messaging Server user is `inetuser`. Typical values for these variables are `/opt/SUNWmsgsr`, and `inetuser`, respectively.

1. As `inetuser`, run the `configutil` utility to load the `libibiff` file.

```
cd msg_svr_base
./configutil -o "local.store.notifyplugin" -v "msg_svr_base/lib/libibiff"
```

2. As `root`, stop then restart the messaging server.

```
cd msg_svr_base/sbin
./stop-msg
./start-msg
```

3. You are now ready to receive notifications through ENS. See [“Running Sample Event Notification Service Programs”](#) for more information.

Running Sample Event Notification Service Programs

Messaging Server contains sample programs to help you learn how to receive notifications. These sample programs are located in the `msg_svr_base/examples` directory.

To Run the Sample ENS Programs

1. Change to the `msg_svr_base/examples` directory.
2. Using a C compiler, compile the `apub` and `asub` examples using the `Makefile.sample` file. Set your library search path to include the `msg_svr_base/examples` directory.
3. Once the programs have been compiled, you can run them as follows in separate windows:

```
apub localhost 7997
```

```
asub localhost 7997
```

Whatever is typed in the `apub` window should appear on the `asub` window. Also, if you use the default settings, all iBiff notifications should appear in the `asub` window.

4. To receive notifications published by iBiff, write a program similar to `asub.c`

For more information on the sample programs, and writing your own programs for ENS, see the *iPlanet Event Notification Service for Messaging and Collaboration Manual*.

NOTE Once you set your library search path to include the `msg_svr_base/lib` directory, you can no longer stop and start the directory server. The workaround is to remove the entry from the library search path.

Administering Event Notification Service

Administering ENS consists of starting and stopping the service, and changing the configuration parameters to control the behavior of the iBiff publisher for ENS.

Starting and Stopping ENS

You use the `start-msg ens` and `stop-message ens` commands to start and stop the ENS server. You must be `root` to run these commands.

To Start and Stop ENS

- To start ENS:
`msg_svr_base/sbin/start-msg ens`
- To stop ENS:
`msg_svr_base/sbin/stop-msg ens`

iPlanet Event Notification Service Configuration Parameters

Several configuration parameters control the behavior of iBiff. Use the `configutil` utility program to set these parameters.

Table B-1 iBiff Configuration Parameters

Parameter	Description
<code>local.store.notifyplugin.maxHeaderSize</code>	Specifies the maximum size (in bytes) of the header that will be transmitted with the notification. The default is 0 bytes.
<code>local.store.notifyplugin.maxBodySize</code>	Specifies the maximum size (in bytes) of the body that will be transmitted with the notification. The default is 0 bytes.
<code>local.store.notifyplugin.eventType.enable</code>	Specifies if the given event type will generate a notification. See the <i>Messaging Server for Messaging and Collaboration Manual</i> for the various <i>eventTypes</i> such as <code>ReadMsg</code> , <code>NewMsg</code> , and so on. The legal values are 1 (to enable) and 0 (to disable). The default value is 1; that is, setting <code>local.store.notifyplugin.ReadMsg.enable</code> to 0 will disable <code>ReadMsg</code> notifications.
<code>local.store.notifyplugin.ensHost</code>	Specifies the hostname of the ENS server. The default is <code>127.0.0.1</code> .
<code>local.store.notifyplugin.ensPort</code>	Specifies the TCP port of the ENS server. The default is 7997.
<code>local.store.notifyplugin.ensEventKey</code>	Specifies the event key to use for ENS notifications. The default is <code>enp://127.0.0.1/store</code> . The hostname portion of the event key is not used to determine the ENS host. It is simply a unique identifier used by ENS. This key is what the subscriber should subscribe to in order to be notified of events matching this key.

Managing Mail Users and Mailing Lists with the Console Interface (NOT RECOMMENDED)

This appendix is for reference purposes only. **DO NOT use the Console interface as described in this appendix for creating and managing user and mailing lists.** Use another approved provisioning tool such as the User Management Utility.

CAUTION Using the Console interface to create users and groups will cause a variety of problems. Use another approved provisioning tool such as the Delegated Administrator. (Refer to the *Sun Java System Messaging Server Administration Guide* (<http://docs.sun.com/doc/819-0105>).

This appendix is for reference purposes only. We recommend that you **do not** use the Console interface to create and manage your users' mail accounts and mailing lists.

Managing Mail Users

To Access Mail Users

This section describes how to open the mail administration interface for your users. Messaging Server mail accounts are stored as attributes of user entries in your enterprise's central LDAP user directory. Therefore, to manage mail accounts, you modify user entries in that directory.

To Create a New User

To create a new mail account, you create a new user in the directory. You must also install a mail account for that user; if you do not install the mail account, the mail-administration portion of Console is not available for that user. (The full process of creating a user and specifying other kinds of user information is described in more detail in the chapter on User and Group Administration, of the *Sun ONE Server Console 5.2 Server Management Guide*.)

To create a new mail user:

1. In the Console main window, click the Users and Groups tab.
2. From the drop-down list, choose New User and click Create.
3. Select an organizational unit for the user and click OK. The Create User window opens.
4. Enter information about the user as described in the chapter on User and Group Administration, of the *Sun ONE Server Console 5.2 Server Management Guide*.
5. Leave the Create User window open and click the Account tab. A list of installed products for the new user's account appears in the right pane.
6. Click the Mail Account Install box. The Mail tab becomes visible in the Create User window.
7. Click the Mail tab in the Create User window, then click the tab you want in the right pane.
8. Enter your changes, then click OK at the bottom of the Create User window.

NOTE Make sure you complete all setup procedures in the relevant tabs before clicking OK.

To Access an Existing User

To modify an existing mail account or to add mail capabilities to an existing user, you access the appropriate user in the user directory and then add or modify that user's mail-account attributes.

To access mail information for an existing user:

1. In the Console main window, click the Users and Groups tab.
2. In the Users and Groups main window, Click Search or Advanced Search.

3. Enter your search criteria (such as the user's last name) in the Search window, and perform the search of the user directory.
4. Return to the Users and Groups main window, select a user from the search results and click Edit.
5. If the Mail tab is not visible in the Edit Entry window, do this:
 - a. Click the Account tab. A list of installed accounts appears in the right pane.
 - b. Check the Mail Account box. The Mail tab displays in the Edit Entry window.
6. Click the Mail tab in the Edit Entry window, then click the tab you want in the right pane.
7. Enter your changes, then click OK at the bottom of the Edit Entry window.

To Specify User Email Addresses

Before mail can be delivered successfully to a user, you must specify the mail addressing information for that user. This consists of the Messaging Server host name, the user's primary address, and any alternate addresses. The host name and primary address information is mandatory; alternate address information is optional.

To specify a user's mail addressing information:

1. In Console, access the Create User or Edit Entry window, as described in [“To Access Mail Users” on page 847](#).
2. Click the Mail tab.
3. Click the Settings tab, if it is not already active.
4. (Required) Enter the Messaging Server host name.

This is the machine hosting the Messaging Server that will process this user's mail. This must be the fully-qualified domain name (FQDN) known to the Messaging Server on that machine.

5. (Required) Enter the user's primary email address.

This is the publicized address to which this user's mail is sent. There can be only one primary address for a user, which must be a valid, correctly formatted SMTP address conforming to RFC 821 specifications.

If you want to implement host name hiding (the host name in the user's address is not shown in the outgoing mail header), do not specify the host name in the Primary email address field. Instead, enter an alternate address that includes the host name as described in the next step.

6. (Optional) Add an address to the Alternate Address list.

An alternate address is essentially an alias for the user's primary address. You can use this feature to:

- Ensure proper delivery of frequently misspelled addresses (such as "Smith" as an alias for "Smythe").
- Enable host name hiding in outgoing mail headers. To do so, supply an alternate address that includes the host name and do not include the host name in the user's Primary email address. For example, enter `jsmith@siroe.com` as a Primary email address and then enter `jsmith@sesta.com` as an Alternate address. When this user sends mail, the outgoing header will show `jsmith@siroe.com`, but all mail sent to that address (including replies) are actually routed to `jsmith@sesta.com` (assuming that `sesta.com` is a valid host name).

You can specify any number of alternate addresses for a particular user, as long as each address is unique. Messages that arrive for any of these aliases are directed to the primary address.

To add an alternate address:

- a. Click the Add button beneath the Alternate Addresses field.
 - b. In the Alternate Addresses window, enter an alternate address. (You can add as many alternate addresses as you like, but you can enter only one address each time you open this window.)
 - c. Click OK to add the alternate address and close the Alternate Addresses window. (To enter another alternate address, click Add again to re-open the Alternate Addresses window.)
7. Click OK at the bottom of the Edit Entry window if you have finished making changes to this user's mail information. Otherwise, click other tabs to continue making changes.

To Configure Delivery Options

Messaging Server supports three principal mail-delivery options that you can enable and configure, in any combination, for each user. You can provide regular POP/IMAP delivery, program delivery, and UNIX delivery (for clients of a UNIX Messaging Server host).

If the iPlanet Delegated Administrator for Messaging is used, it also provides an end-user HTML interface through which users can themselves enable and configure these options. The Console interface and the iPlanet Delegated Administrator interface both manipulate the same directory attributes; when opened, each shows the current settings, whether they were set by the administrator or by the user.

NOTE The Delegated Administrator for Messaging only supports Sun Java System LDAP Schema v. 1, not v.2

To configure delivery options for a user:

1. In Console, access the Create User or Edit Entry window, as described in [“To Access Mail Users” on page 847](#).
2. Click the Mail tab.
3. Click the Delivery tab.
4. Select the delivery method or methods you want to enable for this user:
 - To specify POP/IMAP delivery, follow the instructions in [“Specifying POP/IMAP Delivery” on page 851](#).
 - To specify program delivery, follow the instructions in [“Specifying Program Delivery” on page 852](#).
 - To specify UNIX delivery, follow the instructions in [“To Specify UNIX Delivery” on page 853](#).
5. Click OK at the bottom of the Edit Entry window if you have finished making changes to this user’s mail information. Otherwise, click other tabs to continue making changes.

Specifying POP/IMAP Delivery

Specifying this option enables mail delivery to the user’s regular POP3 or IMAP4 mailboxes. To enable POP/IMAP delivery for this user:

1. Click the Delivery tab.

2. Check the POP/IMAP box, and click the Properties button to open the POP/IMAP Delivery window.
3. (Optional) Enter the nickname (not the path name or absolute physical path) of the message-store partition to which the user's messages will be delivered and stored for processing. If you leave this field blank, the current primary partition is used. For more information, see [“Managing the Message Store” on page 551](#).
4. (Optional) Enter the storage limit, or disk quota, to be allotted to the user. The quota can be the default specified (see [“Configuring Message Store Quotas” on page 573](#)), unlimited (no maximum storage limit), or you can specify a limit (in KB or MB).
5. (Optional) Enter the message number limit to be allotted to the user. The limit can be the default specified (see [“Configuring Message Store Quotas” on page 573](#)), unlimited (no maximum storage limit), or you can specify a limit (in numbers).

Specifying Program Delivery

Specifying this option provides a mechanism for forwarding messages to an external application for processing before delivery to the user.

NOTE This section describes only how to make the program delivery option available to an individual user. Before you can make it available to a user, you must first enable the program delivery module as a whole, which requires performing several other administrative tasks.

To enable program delivery for this user:

1. Click the Delivery tab.
2. Check the Program delivery box, and click the Properties button to open the Program Delivery window.
3. Enter the external application command(s) to be used for processing this user's mail.
4. Click OK.

To Specify UNIX Delivery

Specifying this option selects UNIX delivery for this user. The UNIX delivery feature allows messages to be delivered to the user's designated UNIX mailbox. UNIX delivery is available only to users whose Messaging Server runs on a UNIX host machine.

To enable UNIX delivery for this user:

1. Click the Delivery tab.
2. Check the UNIX delivery box.

NOTE To provide UNIX delivery to Messaging Server users, you must also perform normal UNIX mail administrative tasks

To Specify Forwarding Addresses

The mail-forwarding feature of Messaging Server enables a user's mail to be forwarded to another address instead of or in addition to the primary address for that user.

Delegated Administrator for Messaging provides an end-user HTML interface through which users can themselves specify forwarding addresses. The Console interface and the Delegated Administrator interface both manipulate the same directory attributes; when opened, each shows the current settings, whether they were set by the administrator or by the user.

NOTE The Delegated Administrator for Messaging only supports Sun Java System LDAP Schema v. 1, not v.2

To specify forwarding-address information for a user:

1. In Console, access the Create User or Edit Entry window, as described in [“To Access Mail Users” on page 847](#).
2. Click the Mail tab.
3. Click the Forwarding tab.

The Forwarding Address field shows the current set of forwarding addresses, if any, for the user.

4. To add a forwarding address, Click Add.
5. In the Forwarding Address window, enter a forwarding address.

6. Click OK to add the address to the Forwarding address field in the Mail Forwarding tab and close the Forwarding Address window.
7. Click OK at the bottom of the Edit Entry window if you have finished making changes to this user's mail information. Otherwise, click other tabs to continue making changes.

NOTE Do not set up forwarding address for two users on the same Messaging Server to point to each other if both user accounts have no other delivery type enabled. Doing so can cause mail delivery problems.

To Configure Auto-Reply Settings

The auto-reply feature of Messaging Server lets you specify an automatic response to incoming mail for a user. You can specify two different auto-reply modes: vacation mode and auto-reply mode.

The Delegated Administrator for Messaging also provides an end-user HTML interface through which users can themselves enable and configure auto-reply settings. The Console interface and the Delegated Administrator interface both manipulate the same directory attributes; when opened, each shows the current settings, whether they were set by the administrator or by the user.

NOTE The Delegated Administrator for Messaging only supports Sun Java System LDAP Schema v. 1, not v.2

To enable an auto-reply service for a user:

1. In Console, access the Create User or Edit Entry window, as described in [“To Access Mail Users” on page 847](#).
2. Click the Mail tab.
3. Click the Auto-Reply tab.

4. Select one of the auto-reply modes:
 - Off:** Disables auto-reply for this user.
 - Vacation:** The first message received by this user from a given sender generates an automatic response; subsequent messages from that sender do not generate a response until the automatic reply time-out is reached. When the time-out is reached, a new message is sent, once, until the next time-out is reached, and so on. If you select this mode, you use the Vacation start/end date options and enter a reply message in the Reply text field.
5. If you selected vacation mode, supply dates and times to determine when the auto-reply message should start and end:
 - Check the Vacation start/end date checkbox.
 - Click the Edit buttons for Start and End then use the calendar that displays to specify a date and time.
6. Specify an automatic reply time-out value in hours or days.
7. If you selected vacation mode, type an auto-reply subject line, then type a reply message to be returned to the sender.

You can type a reply message for internal senders and a reply message for external senders. If you type a reply only for internal senders, only senders within your domain will receive an automatic reply.

You can create one message in each of several available languages that you select with the drop-down list located above the message text area.
8. Click OK at the bottom of the Edit Entry window if you have finished making changes to this user's mail information. Otherwise, click other tabs to continue making changes.

To Configure Authorized Services

To enable the mail services for which this user can access mail:

1. In Console, access the Create User or Edit Entry window, as described in [“To Access Mail Users” on page 847](#).
2. Click the Mail tab.
3. Click the Authorized Services tab.

The Authorized Services window shows the services that apply to a particular domain.

4. You can Add, Edit, or Delete services by clicking the associated button. The “Modify rule for authorized services” window appears.
5. From the service drop-down list, choose the service you wish to create a rule for (IMAP, POP, SMTP, HTTP, All).
6. Specify Allow or Deny and specify the domain to which this rule applies.
7. Click OK to submit your changes.

Managing Mailing Lists

To Access Mailing Lists

This section describes how to get to the administration interface for your mailing lists. Because Messaging Server mailing lists are stored as attributes of group entries in an LDAP user directory, managing mailing lists means accessing and modifying directory groups.

To Create a New Group

To create a new mailing list, you create a new group in the directory. You must also install a mail account for that group; if you do not install the mail account, the mail-administration portion of Console is not available for that group. (The full process of creating a directory group and specifying other kinds of group information is described in more detail in the chapter on User and Group Administration, of the *Sun ONE Server Console 5.2 Server Management Guide*.)

To create a new mailing list:

1. In the Console main window, click the Users and Groups tab.
2. From the drop-down list, choose New Group and click Create.
3. Select an organizational unit for the group and click OK.
4. In the Create Group window, enter the information required to create the group entry as described in the chapter on User and Group Administration, of the *Sun ONE Server Console 5.2 Server Management Guide*.

Note that For mailing-list purposes only, you do *not* have to add members using the Users and Groups Members tab; you can instead add them using the Mail account Email-Only Members tab:

- Regular group members have full mailing-list privileges, but they also have any other privileges that their group membership indicates. You add regular members (either static or dynamic) through the Members tab.
 - Mailing-list members have group privileges limited to those provided by the mailing-list component of the group (which may or may not be the only purpose for the group's existence). Mailing-list members are called *email-only members*, and you add them through the Mail tab.
5. Leave the Create Group window open and click the Account tab.
A list of installed products for the group account appears in the right pane.
 6. Click the Mail Account box.
The Mail tab becomes visible in the Create Group window.
 7. Click the Mail tab in the Create Group window, then click the appropriate tab in the right pane.
 8. Enter your changes, then click OK at the bottom of the Create Group window.
This action submits your entries and dismisses the Create Group window.

NOTE Clicking OK at the bottom of any mail administration window submits all of the current mail configuration information entered in all of the mail administration tabs. Make sure you complete all setup procedures in the relevant windows before clicking OK.

To Access an Existing Group

To modify an existing mailing list, or to add mailing-list capabilities to an existing group, you access the appropriate group in the user directory and then add or modify its mail-account attributes.

To access mailing-list information for an existing group:

1. In the Console main window, click the Users and Groups tab.
2. In the Users and Groups main window, Click Search or Advanced Search.
3. Enter your search criteria (such as the group's name) in the Search window, and perform the search of the user directory.
4. Return to the Users and Groups main window, select a group from the search results and click Edit.
5. If the Mail tab is not visible in the Edit Entry window, do this:

- Click the Account tab. A list of installed accounts appears in the right pane.
 - Check the Mail Account box. The Mail tab displays in the Edit Entry window.
6. In the Edit Entry window, click the Mail tab, then click the tab you want in the right pane.
- (These tabs are identical to those you access through the Create Group window.)
7. Enter your changes, then click OK at the bottom of the Edit Entry window to submit your modifications.

To Specify Mailing List Settings

Before mail can be delivered successfully to your mailing list, you must specify its mail-addressing information. This consists of the primary address for the group and any alternate addresses you want to accept as aliases to the primary address. You can also specify the owner(s) of the list, optional descriptive information, members, attributes, restrictions, and actions (email responses) of the mailing list.

To specify mailing-list information:

1. In Console, access the Create Group or Edit Entry window, as described in [“To Access Mailing Lists” on page 856](#).
2. Click the Mail tab.
3. Click the Settings tab, if it is not already the active tab.
4. (Required) Enter the mailing list’s primary email address.

This is the publicized address to which this list’s mail will be delivered. There can be only one primary address for a list. It must be a correctly formatted SMTP address that conforms to RFC 821 specifications.

5. (Optional) Specify an alternate address for the mailing list.

An alternate address is an alias for the group’s primary address. You can use this feature to:

- Ensure proper delivery of a frequently misspelled address.

- Enable host name hiding in outgoing mail headers. To do so, supply an alternate address that includes the host name and do not include the host name in the group's Primary email address.

You can specify any number of alternate addresses for a group, as long as each address is unique. Messages that arrive for any of these aliases are directed to the primary address.

To add an alternate email address:

- a. Click the Add button beneath the Alternative email addresses field.
 - b. In the Alternative Email Addresses window, enter an alternate address. (You can add as many alternate addresses as you like, but you can enter only one address each time you open this window.)
 - c. Click OK to add the alternate address and close the Alternative Email Addresses window. (To enter another alternate address, click Add again to re-open the Alternative Email Addresses window.)
6. (Optional) In the "Errors to" field, enter the email address of a person to whom errors delivering messages posted to the list should be sent.
 7. (Optional) In the "Messaging Server hostname" field, enter the host name of the machine hosting this mailing list.

If the "Primary email address" field for this mailing list includes a host name, you can leave this field blank. If you implement host-name hiding by having no host name in the primary email address, specify the host name in this field.

Unlike a user mail account, if you do not specify a host name for a mailing list, any host that has access to the list's LDAP entry will be able to process the list (which, in most cases, is what you want). If you want to restrict processing of the list to one or more specific hosts, you should specify one or more host names. For example, you may want to force a large group to be processed on an under-utilized server to reduce stress on a server that is more heavily used.

Note that this window lets you enter only one host name at a time. To enter multiple host names, use the `ldapmodify` command line utility.

8. (Optional) Enter a mailing list owner.

A list owner has administrative privileges for adding or removing users, modifying configuration settings, or deleting the list.

To specify a new mailing list owner, click the Owners tab and then either:

- Click Add, then enter the distinguished name (DN) of a new mailing list owner (such as `uid=jsmith, ou=people, o=siroe.com`) in the Enter List Owner's DN window and click OK.
- Click Search to open the Search Users and Group window to locate an owner.

Note that selecting an owner from the Search Users and Group window automatically adds the correct syntax of the DN for you. For more details on the Search Users and Groups window, see the chapter on User and Group Administration, of the *Sun ONE Server Console 5.2 Server Management Guide*.

9. (Optional) Add descriptive information.

To add text or a URL for information purposes (not for use by Messaging Server), click the Descriptions tab, then use one or both of the following options:

- Enter a description of the purpose or nature of the mailing list.
- Enter a URL to an HTML page providing additional information about the mailing list. This is for informational purposes only; the URL is not used by Messaging Server.

10. Click OK at the bottom of the Edit Entry window if you have finished making changes to this mailing list. Otherwise, click other tabs to continue making changes.

To Specify List Members

To add email-only members to your mailing list, use one or both of the following methods:

- Explicitly add each member to the mailing list.
- Define dynamic criteria to be applied to the user directory as a filter for determining group membership.

The mailing-list members described here are called *email-only members* in the Users and Groups interface of Console because they have group privileges limited to those provided by the mailing-list component of the group. “Regular” group members, which you add using a different part of the interface (described in the chapter on User and Group Administration of the *Sun ONE Server Console 5.2*

Server Management Guide), might have additional privileges or responsibilities beyond those of mailing-list members. For more information on groups, see the chapter on User and Group Administration of the *Sun ONE Server Console 5.2 Server Management Guide*.

To Define Dynamic Membership Criteria

Dynamic criteria consist of LDAP search URLs that are used as filters in searching the user directory for determining membership. This mechanism is dynamic in that, when a message arrives for the group, the individuals that receive it are determined by a directory search rather than by consulting a static list of names. You can thus create and maintain very large or complex groups without having to track each member explicitly.

LDAP search filters must be formatted in LDAP URL syntax. For more detailed information on constructing LDAP filters, see the chapter on User and Group Administration of the *Sun ONE Server Console 5.2 Server Management Guide*. See also the Sun Java System Directory Server documentation and RFC 1959.

An LDAP URL has the following syntax:

```
ldap://hostname:port/base_dn?attributes?scope?filter
```

where the options of the URL have the following meanings:

Table C-1 LDAP URL Options

option	Description
<i>hostname</i>	Host name of the Directory Server (Defaults to the Directory server host name used by Messaging Server).
<i>port</i>	Port number for the LDAP server. If no port is specified, it defaults to the standard LDAP port used by Messaging Server.
<i>base_dn</i>	Distinguished name of an entry in the directory, to be used as the search base. This component is required.
<i>attributes</i>	The attributes to be returned. These attributes are supplied by Messaging Server.
<i>scope</i>	Scope of search: A scope of <i>base</i> retrieves information only on the search base (<i>base_dn</i>) itself. A scope of <i>one</i> retrieves information one level below the search base (the search-base level is not included). A scope of <i>sub</i> retrieves information on the search base and all entries below the search base.
<i>filter</i>	Search filter to apply to entries within the specified scope of the search. If no filter is specified, (<i>objectclass=*</i>) is used.

The following is an example of an LDAP search URL that filters for users who have Sunnyvale as their mail host:

```
ldap:///o=Siroe Corp,c=US??sub?(&(mailHost=sunnyvale.siroe.com)
(objectClass=inetLocalMailRecipient))
```

The above URL filters for users who are members of the organization of Siroe (o=Siroe), in the United States (c=US), and have a mail host of Sunnyvale (mailHost=sunnyvale). The objectClass attribute defines the type of entry for which to search, in this case inetLocalMailRecipient (objectClass=inetLocalMailRecipient).

Note that when you create a search filter using Console, all group names are ignored; that is, only user names are included in the search results whereas group members are not. The purpose of this setting is to avoid duplicating users that are also group members in the search results. This setting can be overridden using the command line configuration utility (configutil), but it is not recommended.

As noted in the next section, Console provides a template window (the Construct LDAP Search URL window) that you can use as an aid in building a search URL.

To Add Mailing-List Members

To add (email-only) members to a mailing list:

1. In Console, access the Create Group or Edit Entry window, as described in [“To Access Mailing Lists” on page 856](#).
2. Click the Mail tab.
3. Click the Email-only Members tab.
 - (Optional) To specify an LDAP Search URL for determining membership, click the Add button beneath the “Dynamic criteria for email-only membership” field, then in the Add Dynamic Criterion window:
 - Enter an LDAP Search URL in the field or click the Construct button to open the Construct LDAP Search URL window, a template that aids construction of the search URL.
 - Click OK to add your entry to the “Dynamic criteria for email-only membership” field and dismiss the Add Dynamic Criterion window.

For instructions on creating an LDAP Search URL, see [“To Define Dynamic Membership Criteria” on page 861](#).

4. (Optional) To add an individual member to the mailing list, click the Add button beneath the “Members with email only membership” field, then in the Add Email-Only Member window:

- Enter the primary address for the new member in the field. The primary address must be a correctly-formatted SMTP address that conforms to RFC 821 specifications. You should not enter an alternate address—especially if you specify restrictions for the group. You can add only one new member each time you open this window; the field cannot hold more than one address.
 - Click OK to add the user to the members list and dismiss the Add Email-Only Member window. To enter another address, click Add again to re-open the Add Email-Only Member window.
5. Click OK at the bottom of the Edit Entry window if you have finished making changes to this mailing list. Otherwise, click other tabs to continue making changes.

To Define Message-Posting Restrictions

You can impose various kinds of restrictions on messages sent to a mailing list. You can define the set of people allowed to post messages, you can require authentication of senders, you can restrict where posted messages can come from, and you can limit the size of a posted message. Messages that violate the restrictions are rejected.

NOTE Although these restrictions are useful for controlling several aspects of the incoming messages for a group, they are not intended to provide high-security access control.

To define message-posting restrictions for a group:

1. In Console, access the Create Group or Edit Entry window, as described in [“To Access Mailing Lists” on page 856](#).
2. Click the Mail tab.
3. Click the Restrictions tab.
4. (Optional) Define the allowed senders by choosing one of the following options:
 - **Anyone:** No restrictions on senders. (This is the default.) Note that if you choose this option, you cannot select SMTP authentication described in the next step.
 - **Anyone in the mailing list:** Only mailing-list members (including group members that are not email-only members) can post messages.

- **Anyone in the following list:** Only those users explicitly listed in the following field can post messages.

If you choose “Anyone in the following list”, to add a sender click Add below the Allowed Senders field—or you can click Search to open the Search Users and Groups window. If you click Add, the Add Allowed Sender window opens. Enter the email address or distinguished name (DN) of the allowed sender into the field. Click OK to add the sender to the Allowed Senders field and dismiss the Add Allowed Sender window. Repeat this step for all other allowed senders you want to add.

For a description of the Search Users and Groups window, see the chapter on User and Group Administration, of the *Sun ONE Server Console 5.2 Server Management Guide*.

5. (Optional) Define the allowed sender domains to restrict where senders can post messages from:
 - Click the Add button beneath the Allowed sender domains field.
 - In the Add Allowed Sender Domain window, enter a domain name, then click OK to add the domain to the list.

Note that a domain automatically includes any of its subdomains. For example, `siroe.com` includes `sales.siroe.com`.

6. (Optional) Define the maximum permitted message size.
Enter the size (in bytes).
7. Click OK at the bottom of the Edit Entry window if you have finished making changes to this mailing list. Otherwise, click other tabs to continue making changes.

To Define Moderators

You can add one or more moderators for a mailing list.

When a moderator receives the forwarded message, that person decides how to process the message. (In the case of multiple moderators, processing of the message is determined by the action taken by the first moderator.) Processing might include approving the message and forwarding it back to the list (perhaps with a password) or deleting it.

To define moderators for a mailing list:

1. In Console, access the Create Group or Edit Entry window, as described in [“To Access Mailing Lists”](#) on page 856.
2. Click the Mail tab.
3. Click the Moderators tab.
4. Click the Add button beneath the List moderators field.
5. In the Add Moderator window, enter a moderator’s primary email address or distinguished name (DN) in the field. You can enter the address explicitly or you can click Search to use the Search Users and Groups window to locate an address. Note that you can add only one moderator each time you open the Add Moderator window.

For a description of the Search Users and Groups window, see the chapter on User and Group Administration, of the *Sun ONE Server Console 5.2 Server Management Guide*.

6. Click OK to add the moderator to the List Moderators list and dismiss the Add Moderator window. (To enter another address, click Add again to re-open the Add Moderator window.)
7. Click OK at the bottom of the Edit Entry window if you have finished making changes to this mailing list. Otherwise, click other tabs to continue making changes.

Short Message Service (SMS)

This chapter describes how to implement the Short Message Service (SMS) on the Sun™ ONE Messaging Server. It covers the following topics:


- [“Introduction” on page 867](#)
- [“SMS Channel Theory of Operation” on page 870](#)
- [“SMS Channel Configuration” on page 886](#)
- [“SMS Gateway Server Theory of Operation” on page 915](#)
- [“SMS Gateway Server Configuration” on page 920](#)
- [“SMS Gateway Server Storage Requirements” on page 944](#)

Introduction

Sun Java System Messaging Server implements email-to-mobile and mobile-to-email messaging using a Short Message Service (SMS). SMS can be configured to be either one-way (email-to-mobile only) or two-way (both email-to-mobile and mobile-to-email). To enable one-way service only, you must add and configure the SMS channel. To enable two-way service, you must add and configure the SMS channel, and in addition, configure the SMS Gateway Server.

For both one- and two-way SMS, the generated SMS messages are submitted to a Short Message Service Center (SMSC) using the Short Message Peer to Peer (SMPP) protocol. Specifically, the SMSC must provide a V3.4 or later SMPP server that supports TCP/IP.

[Figure D-1](#) illustrates the logical flow of messages for both one-way and two-way SMS.

Figure D-1 Logical Flow For One-Way and Two-Way SMS

One-Way SMS

To enable one-way service, the Messaging Server implements an SMPP client (the MTA SMS channel) that communicates with remote SMSCs. The SMS channel converts enqueued email messages to SMS messages as described in [“The Email to SMS Conversion Process”](#) on page 872. This conversion process includes handling of multipart MIME messages as well as character set translation issues.

Operating in this capacity, the SMS channel functions as an (SMPP) External Short Message Entity (ESME).

Two-Way SMS

Two-Way SMS enables the mail server not only to send email to remote devices, but allows for receiving replies from the remote devices and for remote device email origination.

Enabling two-way SMS service requires both the MTA SMS channel (SMPP client), as explained in the previous topic, and the SMS Gateway Server. Sun Java System Messaging Server installs an SMS Gateway Server as part of its general installation process, which you must then configure. The SMS Gateway Server performs two functions:

- SMPP relay

The SMS Gateway Server acts as a transparent SMPP client between the MTA SMS channel and SMSCs. However, in addition, while acting as a relay, the SMS Gateway Server generates unique SMS source addresses for relayed messages, and saves the message IDs returned by the remote SMSCs for later correlation with SMS notification messages.

- SMPP server

The SMS Gateway Server acts as an SMPP server to receive mobile originated SMS messages, replies to prior email messages, and SMS notifications. The SMS Gateway Server extracts destination email addresses from the SMS messages using profiles that define the conversion process. Profiles also describe how to handle notification messages returned by remote SMSCs in response to previously sent email-to-mobile messages.

NOTE Sun Java System Messaging Server does not support the two-way SMS on the Windows platform.

Requirements

This manual assumes that you have read LogicaCMG's SMPP specification, and the SMPP documentation for your SMSC.

In order to implement SMS, you must have the following:

- Sun Java System Messaging Server 6 or greater. (One-way SMS is also implemented in iPlanet Messaging Server 5.2.)
- The SMSC must support SMPP V3.4, or later, over TCP/IP and there must be TCP/IP connectivity between the host running Messaging Server and the SMSC.

For storage planning information for the SMS Gateway Server, see [“SMS Gateway Server Storage Requirements” on page 944](#).

SMS Channel Theory of Operation

The SMS channel is a multi-threaded channel which converts queued email messages to SMS messages and then submits them for delivery to an SMSC.

The following channel operation topics are covered in this section:

- [“Directing Email to the Channel” on page 870](#).
- [“The Email to SMS Conversion Process” on page 872](#).
- [“The SMS Message Submission Process” on page 876](#).
- [“Site-defined Address Validity Checks and Translations” on page 880](#)
- [“Site-defined Text Conversions” on page 881](#)

Directing Email to the Channel

When the SMS channel is configured as per [“SMS Channel Configuration” on page 886](#), one or more host names will be associated with the channel. For purposes of discussion, let us assume that the host name `sms.siroe.com` is a host name associated with the channel. In that case, email is directed to the channel with an address of the form:

```
local-part@sms.siroe.com
```

in which `local-part` is either the SMS destination address (for example, a wireless phone number, pager ID, etc.) or an attribute-value pair list in the format:

```
/attribute1=value1/attribute2=value2/.../@sms.siroe.com
```

The recognized attribute names and their usages are given in [Table D-1](#). These attributes allow for per-recipient control over some channel options.

Table D-1 SMS Attributes

Attribute Name	Attribute Value and Usage
ID	SMS destination address (for example, wireless phone number, pager ID, etc.) to direct the SMS message to. This attribute and associated value must be present.
FROM	SMS source address. Ignored when option <code>USE_HEADER_FROM=0</code> .

Table D-1 SMS Attributes

Attribute Name	Attribute Value and Usage
FROM_NPI	NPI. Use the specified NPI value. Ignored when option <code>USE_HEADER_FROM=0</code> .
FROM_TON	TON. Use the specified TON value. Ignored when option <code>USE_HEADER_FROM=0</code> .
MAXLEN	The maximum, total bytes (that is, eight bit bytes) to place into the generated SMS message or messages for this recipient. The lower value of either <code>MAXLEN</code> and the value specified by the <code>MAX_MESSAGE_SIZE</code> channel option is used.
MAXPAGES	The maximum number of SMS messages to split the email message into for this recipient. The lower value of either <code>MAXPAGES</code> and the value specified by the <code>MAX_PAGES_PER_MESSAGE</code> channel option is used.
NPI	Specify a Numeric Plan Indicator (NPI) value for the destination SMS address specified with the <code>ID</code> attribute. See the description of the <code>DEFAULT_DESTINATION_NPI</code> channel option for information on the accepted values for this attribute. When this attribute is used, its value overrides the value given by the <code>DEFAULT_DESTINATION_NPI</code> channel option.
PAGELEN	Maximum number of bytes to place into a single SMS message for this recipient. The minimum of this value and that specified with the <code>MAX_PAGE_SIZE</code> channel option is used.
TO	Synonym for <code>ID</code> .
TO_NPI	Synonym for <code>NPI</code> .
TO_TON	Synonym for <code>TON</code> .
TON	Specify a Type of Number (TON) value for the destination SMS address given with the <code>ID</code> attribute. See the description of the <code>DEFAULT_DESTINATION_TON</code> channel option for information on the accepted values for this attribute. When this attribute is used, its value overrides the value given by the <code>DEFAULT_DESTINATION_TON</code> channel option.

Some example addresses:

```
123456@sms.siroe.com
/id=123456/@sms.siroe.com
/id=123456/maxlen=100/@sms.siroe.com
/id=123456/maxpages=1/@sms.siroe.com
```

For information on performing translations, validity checks, and other operations on the SMS destination address portion of the email address, see [“Site-defined Address Validity Checks and Translations” on page 880](#).


The Email to SMS Conversion Process

In order for email to be sent to a remote site, email must be converted to SMS messages that can be understood by the remote SMSCs. This section describes the process of converting an email message queued to the SMS channel to one or more SMS messages. As described below, options allow control over the maximum number of SMS messages generated, the maximum total length of those SMS messages, and the maximum size of any single SMS message. Only text parts (that is, MIME text content types) from the email message are used and the maximum number of parts converted may also be controlled.

Character sets used in the email message's header lines and text parts are all converted to Unicode and then converted to an appropriate SMS character set.


When there is no `SMS_TEXT` mapping table (see [“Site-defined Text Conversions” on page 881](#)), an email message queued to the SMS channel receives the processing illustrated in [Figure D-2](#).

Figure D-2 SMS Channel Email Processing



Continued On Next Page!

Figure D-3 SMS Channel Email Processing (*continued*)



The following steps correspond to the numbered boxes in [Figure D-2](#):

1. An empty output buffer is started. The character set used for the buffer is Unicode.

2. The email message's originator address is taken from one of the following five sources, shown in decreasing order of preference:

1. Resent-from:
2. From:
3. Resent-sender:
4. Sender:
5. Envelope From:

If the originator address is an empty string, then the value of the `FROM_NONE` channel option is instead appended to the buffer.

If, however, the originator address is a non-empty string, then the result of processing the `FROM_FORMAT` channel option, and the value of the `LINE_STOP` channel option are appended to the output buffer.

Note that the `Resent-from:` and `Resent-sender:` header lines are only considered if the `USE_HEADER_RESENT` option has the value 1. Otherwise, `Resent-` header lines are ignored.

3. If a `Subject:` header line is not present or is empty, then the value of the `SUBJECT_NONE` option is appended to the output buffer.

Otherwise, the result of processing the `SUBJECT_FORMAT` option, and the value of the `LINE_STOP` channel option are appended to the output buffer.

4. If there are no text message parts, then the value of the `NO_MESSAGE` channel option is appended to the output buffer.

If there are text message parts, then the value of the `CONTENT_PREFIX` channel option is appended to the output buffer.

Non-text message parts are discarded.

5. For each text part, while the `MAX_MESSAGE_PARTS` limit has not been reached, the text part is decoded to Unicode and appended to the buffer, along with the value of the `LINE_STOP` channel option.
6. The resulting output buffer is then converted from Unicode to either the SMSC's default character set or UCS2 (UTF-16). The SMSC's default character set is specified with the `SMSC_DEFAULT_CHARSET` option.
7. After being converted, it is then truncated to not exceed `MAX_MESSAGE_SIZE` bytes.

8. The converted string from [Step 6](#) is then broken into one or more SMS messages, no single SMS message longer than `MAX_PAGE_SIZE` bytes. At most, `MAX_PAGES_PER_MESSAGE` SMS messages will be generated.

NOTE As an email message may have multiple recipients, Step 6 through Step 8 may need to be done for each recipient address which makes use of the `MAXLEN`, `MAXPAGES`, or `PAGELEN` attributes described in “Directing Email to the Channel,” on page 4.

Sample Email Message Processing

For example, with the channel’s default settings, the email message:

```
From: John Doe
To: 1234567@sms.siroe.com
Subject: Today’s meeting
Date: Fri, 26 March 2001 08:17
```

The staff meeting is at 14:30 today in the big conference room.

Would be converted to the SMS message:

```
jdoe@siroe.com (Today’s meeting) The staff meeting is at 14:30 today in the big
conference room.
```

A different set of option settings, that follows:

```
CONTENT_PREFIX=Msg:
FROM_FORMAT=From:${pa}
SUBJECT_FORMAT=Subj:${s}
```

would instead produce:

```
From:John Doe Subj:Today’s meeting Msg:The staff meeting is at 14:30 today in
the big conference room.
```

The SMS Message Submission Process

Once an email message has been converted to one or more SMS messages, with possibly different sets for each recipient, the SMS messages are then submitted to the destination SMSC. The submissions are effected using SMPP V3.4 over TCP/IP. The hostname (`SMPP_SERVER`) of the SMPP server is taken to be the official host name associated with the SMS channel; the TCP port (`SMPP_PORT`) to use is specified with the `port` channel keyword.

When there are messages to process, the channel is started. The channel binds to the SMPP server as a transmitter, presenting the credentials specified with the `ESME_channel` options described in “SMPP Options” on page 904. Table D-2 lists the fields set in a `BIND_TRANSMITTER` PDU (Protocol Data Unit), and gives their values:

Table D-2 Fields in Generated in a `BIND_TRANSMITTER` PDU

Field	Value
<code>system_id</code>	<code>ESME_SYSTEM_ID</code> channel option; default value is an empty string
<code>password</code>	<code>ESME_PASSWORD</code> channel option; default value is an empty string
<code>system_type</code>	<code>ESME_SYSTEM_TYPE</code> channel option; default value is an empty string
<code>interface_version</code>	0x34 indicating SMPP V3.4
<code>addr_ton</code>	<code>ESME_ADDRESS_TON</code> ; default value is 0x00 indicating an unknown TON
<code>addr_npi</code>	<code>ESME_ADDRESS_NPI</code> ; default value is 0x00 indicating an unknown NPI
<code>addr_range</code>	<code>ESME_IP_ADDRESS</code> channel option; default value is an empty string

Note that the channel is multithreaded. Depending on how much mail there is to send, the channel may have multiple dequeue thread running. (There can even be multiple channel processes running.) Each thread does a `BIND_TRANSMITTER` and then on that TCP/IP connection, sends all of the SMS messages it has to send, and then sends an `UNBIND`, and then closes the connection. No attempt is made to hold a connection open for a period of idle time for potential reuse. If the remote SMPP server sends back a throttle error, then an `UNBIND` is issued, the TCP/IP connection is closed, and a new connection and `BIND` established. It behaves similarly if the remote SMPP server sends an `UNBIND` before it is finished sending its SMS messages.

The SMS messages are then submitted using SMPP `SUBMIT_SM` PDUs. If a permanent error is returned (for example, `ESME_RINVSTADR`), then the email message is returned as undeliverable. If a temporary error is returned, then the email message is re-enqueued for a later delivery attempt. To clarify, a permanent error is one for which the condition is likely to exist indefinitely and for which repeated delivery attempts will have no positive effect, such as invalid SMS destination addresses. Whereas, a temporary error is one for which the condition is likely to not exist in the near future, such as a server down or server congested condition.

If the `USE_HEADER_FROM` option has the value 1, then the source address for the submitted SMS message is set. The value used is derived from the originating email message and is chosen to be the most likely (email) address to which any replies should be directed. Accordingly, the source address taken from one of the following seven sources, shown in decreasing order of preference:

1. Resent-reply-to:
2. Resent-from:
3. Reply-to:
4. From:
5. Resent-sender:
6. Sender:
7. Envelope From:

Note that the Resent-reply-to: and Reply-to: header lines are only considered if the [USE_HEADER_REPLY_TO](#) option has the value 1. Moreover, the Resent-reply-to:, Resent-from:, and Resent-sender: header lines are only considered if the [USE_HEADER_RESENT](#) option has the value 1. (Note that this means that both of those options must have the value 1 for the Resent-reply-to: header line to be considered.) The default value for both of these options is the value 0. As such, only items 4, 6, and 7 are considered by the default configuration. Finally, since the source address in an SMS message is limited to 20 bytes, the source address chosen will be truncated if it exceeds that limit.

[Table D-3](#) shows the mandatory fields set in a `SUBMIT_SM` PDU:

Table D-3 Mandatory Fields in Generated `SUBMIT_SM` PDUs

Field	Value
<code>service_type</code>	DEFAULT_SERVICE_TYPE channel option; default value is an empty string.
<code>source_addr_ton</code>	DEFAULT_SOURCE_TON channel option; if USE_HEADER_FROM =1, then this field is usually forced to the value 0x05 indicating an alphanumeric TON; otherwise, the default value is 0x01 indicating an international TON.
<code>source_addr_npi</code>	DEFAULT_SOURCE_NPI channel option; default value is 0x00.
<code>source_addr</code>	DEFAULT_SOURCE_ADDRESS channel option if USE_HEADER_FROM =0; otherwise, an alphanumeric string representing the originator of the email message.
<code>dest_addr_ton</code>	TON addressing attribute or DEFAULT_DESTINATION_TON channel option; default value is 0x01 indicating an international TON.
<code>dest_addr_npi</code>	NPI addressing attribute or DEFAULT_SOURCE_NPI channel option; default value is 0x00 indicating an unknown NPI.
<code>dest_addr</code>	Destination SMS address derived from the local part of the email envelope To: address; see “Directing Email to the Channel” on page 870.
<code>esm_class</code>	For one-way SMS, set to 0x03, indicating store and forward mode, default SMSC message type, and do not set reply path. For a two-way MSM message, set to 0x83.
<code>protocol_id</code>	0x00; unused for CDMA and TDMA; for GSM, 0x00 indicates no Internet, but SME-to-SME protocol.
<code>priority_flag</code>	0x00 for GSM & CDMA and 0x01 for TDMA, all indicating normal priority; See the description of the DEFAULT_PRIORITY channel option.

Table D-3 Mandatory Fields in Generated `SUBMIT_SM` PDUs

Field	Value
<code>schedule_delivery_time</code>	Empty string indicating immediate delivery.
<code>validity_period</code>	DEFAULT_VALIDITY_PERIOD channel option; default value is an empty string indicating that the SMSC's default should be used.
<code>registered_delivery</code>	0x00 indicating no registered delivery.
<code>replace_if_present_flag</code>	0x00 indicating that any previous SMS messages should not be replaced.
<code>data_coding</code>	0x00 for the SMSC's default character set; 0x08 for the UCS2 character set.
<code>sm_default_msg_id</code>	0x00 indicating not to use a pre-defined message.
<code>sm_length</code>	Length and content of the SMS message; see "The Email to SMS Conversion Process" on page 872 for details.
<code>short_message</code>	Length and content of the SMS message; see "The Email to SMS Conversion Process" on page 872 for details.

[Table D-4](#) shows the optional fields in a `SUBMIT_SM` PDU:

Table D-4 Optional Fields in Generated `SUBMIT_SM` PDUs

Field	Value
<code>privacy</code>	See the description of the DEFAULT_PRIVACY channel keyword; default is to not provide this field unless the email message has a <code>Sensitivity:</code> header line
<code>sar_refnum</code>	See the description of the USE_SAR channel keyword; default is to not provide these fields
<code>sar_total</code>	See <code>sar_refnum</code> above.
<code>sar_seqnum</code>	See <code>sar_refnum</code> above.

The channel remains bound to the SMPP server until either it has no more SMS messages to submit (the message queue is empty), or [MAX_PAGES_PER_BIND](#) has been exceeded. In the latter case, a new connection is made and bind operation performed if there remain further SMS messages to send.

Note that the SMS channel is multithreaded. Each processing thread in the channel maintains its own TCP connection with the SMPP server. For example, if there are three processing threads each with SMS messages to submit, then the channel will have three open TCP connections to the SMPP server. Each connection will bind to

the SMPP server as a transmitter. Moreover, any given processing thread will only have one outstanding SMS submission at a time. That is, a given thread will submit an SMS message, then wait for the submission response (that is, `SUBMIT_SM_RESP` PDU) before submitting another SMS message.

Site-defined Address Validity Checks and Translations

Sites may wish to apply validity checks or translations to SMS destination addresses encoded in the recipient email addresses described in [“Directing Email to the Channel” on page 870](#). For example, sites may wish to:

- Strip non-numeric characters (for example, translating 800.555.1212 to 8005551212)
- Prepend a prefix (for example, translating 8005551212 to +18005551212)
- Validate for correctness (for example, 123 is too short)

The first two tasks can be done specifically with the `DESTINATION_ADDRESS_NUMERIC` and `DESTINATION_ADDRESS_PREFIX` channel options. In general, all three of these tasks, and others can be implemented using mapping tables: either mapping table callouts in the rewrite rules or by means of a `FORWARD` mapping table. Using a mapping table callout in the rewrite rules will afford the most flexibility, including the ability to reject the address with a site-defined error response. The remainder of this section will focus on just such an approach -- using a mapping table callout from the rewrite rules.

Let us suppose that destination addresses need to be numeric only, be 10 or 11 digits long, and be prefixed with the string “+1”. This can be accomplished with the following rewrite rule

```
sms.siroe.com    ${X-REWRITE-SMS-ADDRESS,$U}@sms.siroe.com
sms.siroe.com    $?Invalid SMS address
```

The first rewrite rule above calls out to the site-define mapping table named `X-REWRITE-SMS-ADDRESS`. That mapping table is passed the local part of the email address for inspection. If the mapping process decides that the local part is acceptable, then the address is accepted and rewritten to the SMS channel. If the mapping process does not accept the local part, then the next rewrite rule is applied. Since it is a `$?` rewrite rule, the address is rejected with the error text “Invalid SMS address”.

The X-REWRITE-SMS-ADDRESS mapping table is shown below. It performs the necessary validation steps for local parts in either attribute-value pair list format or just a raw SMS destination address.

```
X-VALIDATE-SMS-ADDRESS
! Iteratively strip any non-numeric characters
  $_*${$ -/:-~}%*  $0$2$R
! Accept the address if it is of the form lnnnnnnnnnn or nnnnnnnnnnn
! In accepting it, ensure that we output +lnnnnnnnnnnn
  1%#####          +1$0$1$2$3$4$5$6$7$8$9$Y
  %#####          +1$0$1$2$3$4$5$6$7$8$9$Y
! We didn't accept it and consequently it's invalid
  *                  $N

X-REWRITE-SMS-ADDRESS
  */id=$_*/*        $C$0/id=$|X-VALIDATE-SMS-ADDRESS;$1|/$2$Y$E
  */id=$_*/*        $N
  *                  $C$|X-VALIDATE-SMS-ADDRESS;$0|$Y$E
  *                  $N
```

With the above set up, be sure that `DESTINATION_ADDRESS_NUMERIC` option has the value 0 (the default). Otherwise, the “+” will be stripped from the SMS destination address.

Site-defined Text Conversions

Sites may customize Steps 1 - 6 described in “[The Email to SMS Conversion Process](#)” on page 872 with a table of conversion rules. These rules are specified via a mapping table in the MTA’s mapping file.

The name of the mapping table should be `SMS_Channel_TEXT` where `SMS_Channel` is the name of the SMS channel; for example, `SMS_TEXT` if the channel is named `sms` or `SMS_MWAY_TEXT` if the channel is named `sms_mway`.

Two types of entries may be made in this mapping table. However, before explaining the format of those entries, let it be made clear that an understanding of how to use the mapping file is essential in order to understand how to construct and use these entries. An example mapping table is given after the description of these two types of entries.

Now, the two types of entries are:

- [Message Header Entries](#)
- [Message Body Entries](#)

Message Header Entries

These entries specify which message header lines should be included in an SMS message and how they should be abbreviated or otherwise converted. Only if a header line is successfully mapped to a string of non-zero length by one of these entries will it be included in the SMS message being generated. Each entry has the format

`H|pattern replacement-text`

If a message header line matches the pattern then it will be replaced with the replacement text *replacement-text* using the mapping file's pattern matching and string substitution facilities. The final result of mapping the header line will then be included in the SMS message provided that the metacharacter `$Y` was specified in the replacement text. If a header line does not match any pattern string, if it maps to a string of length zero, or if the `$Y` metacharacter is not specified in the replacement text, then the header line will be omitted from the SMS message. The two entries

```
H|From:*    F:$0$Y
H|Subject:*    S:$0$Y
```

cause the `From:` and `Subject:` header lines to be included in SMS messages with `From:` and `Subject:` abbreviated as `F:` and `S:`. The entries:

```
H|Date:*    H|D:$0$R$Y
H|D:*,*%19%*:*:*    H|D:$0$ $5:$6$R$Y
```

cause the `Date:` header line to be accepted and mapped such that, for instance, the header line

```
Date: Wed, 16 Dec 1992 16:13:27 -0700 (PDT)
```

will be converted to

```
D: Wed 16:13
```

Very complicated, iterative mappings may be built. Sites wishing to set up custom filters will first need to understand how the mapping file works. The `H|` in the right-hand-side of the entry may be omitted, if desired. The `H|` is allowed in that side so as to cut down on the number of table entries required by sets of iterative mappings.

Message Body Entries

These entries establish mappings to be applied to each line of the message body. Each line of the message body will be passed through these mappings before being incorporated into the SMS message being built. These entries take the form:

`B|pattern B|replacement-text`

If a line of the message body matches a *pattern* pattern then it will be replaced with the replacement text *replacement-text*. Again, very complicated, iterative mappings may be constructed using this facility. The B | in the right-hand-side of the entry may be omitted, if desired.

Example SMS Mapping Table

An example SMS_TEXT mapping table is shown in [Code Example D-1](#). The numbers inside parentheses at the end of each line correspond to the item numbers in the section titled “Explanatory Text” that follows this table.

Code Example D-1 Example SMS_TEXT Mapping Table.

SMS_TEXT	
H From:*	H F:\$0\$R\$Y (1.)
H Subject:*	H S:\$0\$R\$Y (1.)
H F:*<*>*	H F:\$1\$R\$Y (0)
H F:*(*)*	H F:\$0\$2\$R\$Y (2.)
H F:*****	H F:\$0\$2\$R\$Y (3.)
H F:*@*	H F:\$0\$R\$Y (4.)
H %:\$ *	H \$0:\$1\$R\$Y (5.)
H %:*\$	H \$0:\$1\$R\$Y (5.)
H %:*\$ \$ *	H \$0:\$1\$ \$2\$R\$Y (6.)
B *--*	B \$0-\$1\$R (7.)
B *..*	B \$0.\$1\$R (7.)
B *!!*	B \$0!\$1\$R (7.)
B *??*	B \$0?\$1\$R (7.)
B *\$ \$ *	B \$0\$ \$1\$R (6.)
B \$ *	B \$0\$R (5.)
B *\$	B \$0\$R (5.)

Explanatory Text

The entries in the example SMS_TEXT mapping table above are explained below:

In the example above, the metacharacter \$R is used to implement and control iterative application of the mappings. By iterating on these mappings, powerful filtering is achieved. For instance, the simple mappings to remove a single leading or trailing space (6) or reduce two spaces to a single space (7) become, when taken as a whole, a filter which strips all leading and trailing spaces and reduces all consecutive multiple spaces to a single space. Such filtering helps reduce the size of each SMS message.

1. These two entries cause `From:` and `Subject:` header lines to be included in an SMS message. `From:` and `Subject:` are abbreviated as, respectively, `F:` and `S:`. Some of the other entries may have further effects on `From:` and `Subject:` header lines.

This entry will reduce a `From:` header line containing a `<...>` pattern to only the text within the angle brackets. For example:

```
F: "John C. Doe" <jdoe@siroe.com> (Hello)
```

will be replaced with:

```
F: jdoe@siroe.com
```

2. This entry will remove, inclusively, everything inside of a `(...)` pattern in a `From:` header line. For example:

```
F: "John C. Doe" <jdoe@siroe.com> (Hello)
```

will be replaced with:

```
F: "John C. Doe" <jdoe@siroe.com>
```

3. This entry will remove, inclusively, everything inside of a `"..."` pattern in a `From:` header line. For example:

```
F: "John C. Doe" <jdoe@siroe.com> (Hello)
```

will be replaced with:

```
F: <jdoe@siroe.com> (Hello)
```

4. This entry will remove, inclusively, everything to the right of an at-sign, `@`, in a `From:` header line. For example:

```
F: "John C. Doe" <jdoe@siroe.com> (Hello)
```

will be replaced with:

```
F: "John C. Doe" <jdoe@
```

5. These four entries remove leading and trailing spaces from lines in the message header and body.
6. These two entries reduce two spaces to a single space in lines of the message header and body.
7. These four entries reduce double dashes, periods, exclamation and question marks to single occurrences of the matching character. Again, this helps save bytes in an SMS message.

The order of the entries is very important. For instance, with the given ordering, the body of the message `From:` header line:

From: "John C. Doe" (Hello)

will be reduced to:

jdoe

The steps taken to arrive at this are as follows:

1. We begin with the From: header line:

From: "John C. Doe" (Hello)

The pattern in the first mapping entry matches this and produces the result:

F: "John C. Doe" (Hello)

The \$R metacharacter in the result string causes the result string to be remapped.

2. The mapping is applied to the result string of the last step. This produces:

F: jdoe@siroe.com

The \$R in the mapping causes the entire set of mappings to be re-applied to the result of this step.

3. Next, the mapping is applied producing:

F: jdoe

The \$R in the mapping causes the entire set of mappings to be re-applied to the result of this step.

4. Next, the mapping is applied producing:

F: jdoe

The \$R in the mapping causes the entire set of mappings to be re-applied to the result of this step.

5. Since no other entries match, the final result string:

F: jdoe

is incorporated into the SMS message.

NOTE The `imsimta` test-mapping utility may be used to test a mapping table. For instance,

```
# imsimta test -mapping -noimage_file -mapping_file=test.txt
Enter table name: SMS_TEXT
Input string: H|From: "John C. Doe" (Hello)
Output string: H|F:jdoe
Output flags: [0,1,2,89]
Input string: ^D
#
```

For further details on the `imsimta` utility, see the *Sun Java System Messaging Server Administration Guide* (<http://docs.sun.com/doc/819-0105>).

SMS Channel Configuration

This section gives directions on how to set up the SMS channel for both one-way (email-to-mobile) and two-way (email-to-mobile and mobile-to-email) functionality. The SMS channel is set up the same for both one-way and two-way functionality, with the exceptions noted in the topic “[Configuring the SMS Channel for Two-Way SMS](#)” on page 914.

This section includes the following topics:

- “[Adding an SMS Channel](#)” on page 886
- “[Creating an SMS Channel Option File](#)” on page 889
- “[Available Options](#)” on page 890
- “[Adding Additional SMS Channels](#)” on page 911
- “[Adjusting the Frequency of Delivery Retries](#)” on page 912
- “[Sample One-Way Configuration \(MobileWay\)](#)” on page 912
- “[Configuring the SMS Channel for Two-Way SMS](#)” on page 914

Adding an SMS Channel

Two steps are required to add an SMS channel to a Messaging Server configuration:

1. [“Adding the Channel Definition and Rewrite Rules” on page 887.](#)
2. [“Creating an SMS Channel Option File” on page 889.](#)

While there are no channel options which must be set in all situations, it is likely that one or more of the following options may need to be set: [ESME_PASSWORD](#), [ESME_SYSTEM_ID](#), [MAX_PAGE_SIZE](#), [DEFAULT_SOURCE_TON](#), and [DEFAULT_DESTINATION_TON](#). And, as described, the SMPP server’s hostname or IP address and TCP port must be set either through the channel definition in the `imta.cnf` file or the channel option file.

You may configure more than one SMS channel, giving different characteristics to different SMS channels. See [“Adding Additional SMS Channels” on page 911](#) for further information on the use of multiple SMS channels.

Note for the instructions that follow: if you change the `imta.cnf` file you must recompile. if you change just a channel option file, there is no need to recompile.

Note also that the time before a channel change takes effect can differ depending on what the change is. Many channel option changes take effect in all channels started since the change was made, which may seem almost instantaneous since the Job Controller is often starting new channels. Some of the changes don’t take effect until you recompile and restart the SMTP server. These options are processed as a message is enqueued to the channel and not when the channel itself runs.

Adding the Channel Definition and Rewrite Rules

To add the channel definition and rewrite rules, do the following:

1. Before adding an SMS channel to the MTA’s configuration, you need to pick a name for the channel. The name of the channel may be either `sms` or `sms_x` where `x` is any case-insensitive string whose length is between one and thirty-six bytes. For example, `sms_mway`.
2. To add the channel definition, edit the `imta.cnf` file located in the `installation-directory/config/` directory. At the bottom of the file add a blank line followed by the two lines:

```
channel-name port p threaddepth t \
  backoff pt2m pt5m pt10m pt30m notices 1
smpp-host-name
```

where `channel-name` is the name you chose for the channel, `p` is the TCP port the SMPP server listens on, `t` is the maximum simultaneous number of SMPP server connections per delivery process, and `smpp-host-name` is the host name of the system running the SMPP server.

For example, you might specify a channel definition as follows:

```
sms_mway port 55555 threaddepth 20 \
  backoff pt2m pt5m pt10m pt30m notices 1
smpp.siroe.com
```

For instructions on how to calculate `threaddepth`, see [“Controlling the Number of Simultaneous Connections” on page 889](#).

See [“Adjusting the Frequency of Delivery Retries” on page 912](#) for a discussion of the `backoff` and `notices` channel keywords.

If you wish to specify an IP address rather than a host name, for `smpp-host-name`, specify a domain literal. For example, if the IP address is 127.0.0.1, then specify `[127.0.0.1]` for `smpp-host-name`. Alternatively, consider using the `SMPP_SERVER` channel option.

NOTE For Sun Java System Messaging Server 6.1, the use of the `master` channel keyword has been deprecated. It is ignored if present.

- Once the channel definition has been added, go to the top half of the file and add a rewrite rule in this format:

```
smpp-host-name $u@smpp-host-name
```

For example,

```
smpp.siroe.com $u@smpp.siroe.com
```

- Save the `imta.cnf` file.
- Recompile the configuration with the `imsimta cnbuild` command.
- Restart the SMTP server with the `imsimta restart dispatcher` command.
- With the above configuration, email messages are directed to the channel by addressing them to `id@smpp-host-name` (for example, `123456@smpp.siroe.com`). See [“The Email to SMS Conversion Process” on page 872](#) for further information on addressing.

8. Optionally, if you wish to hide the SMPP server's host name from users or associate other host names with the same channel, then add additional rewrite rules. For instance, to associate `host-name-1` and `host-name-2` with the channel, add the following to rewrite rules:

```
host-name-1 $U%host-name-1@smpp-host-name
host-name-2 $U%host-name-2@smpp-host-name
```

For example, if the SMPP server's host name is `smpp.siroe.com` but you want users to address email to `id@sms.sesta.com`, then add the rewrite rule:

```
sms.sesta.com $U%sms.sesta.com@smpp.siroe.com
```

Note that the `SMPP_SERVER` and `SMPP_PORT` channel options will override the channel's official host name and `port` channel keyword settings. When the `SMPP_PORT` option is used, it is not necessary to also use the `port` keyword. The advantage of using these two options is that they can be put into effect and subsequently changed without needing to recompile the configuration. An additional use of the `SMPP_SERVER` option is described in [“Adding Additional SMS Channels” on page 911](#).

Controlling the Number of Simultaneous Connections

The `threaddepth` channel keyword controls the number of messages to assign to each delivery thread within a delivery process. To calculate the total number of concurrent connections allowed, multiply the values of the two following options: `SMPP_MAX_CONNECTIONS` and `job_limit` (`SMPP_MAX_CONNECTIONS * job_limit`). The `SMPP_MAX_CONNECTIONS` option controls the maximum number of delivery threads in a delivery process. And, the `job_limit` option, for the Job Controller processing pool in which the channel is run, controls the maximum number of simultaneous delivery processes.

To limit the total number of concurrent connections, you must adjust appropriately either or both of these options. For instance, if the remote SMPP server allows only a single connection, then both `SMPP_MAX_CONNECTIONS` and `job_limit` must be set to 1. When adjusting the values, it's preferable to allow `job_limit` to exceed 1.

Creating an SMS Channel Option File

In general, a channel option file contains site-specific parameters required for the operation of the channel. A channel option file is not required for SMS. If you determine that one is necessary for your installation, store it in a text file in the `installation-directory/config/` directory. As with other channel option files, the name of the file takes the form:

```
channel_name_option
```

For instance, if the channel is named `sms_mway` then the channel option file is:

```
installation-directory/config/sms_mway_option
```

Each option is placed on a single line in the file using the format:

```
option_name=option_value
```

For example,

```
PROFILE=GSM
SMSC_DEFAULT_CHARSET=iso-8859-1
USE_UCS2=1
```

For a list of available SMS channel options and a description of each, see “[Available Options](#)” that follows.

Available Options

The SMS channel contains a number of options which divide into six broad categories:

- *Email to SMS conversion*: Options which control the email to SMS conversion process.
- *SMS Gateway Server Option*: Gateway profile option.
- *SMS fields*: Options which control SMS-specific fields in generated SMS messages.
- *SMPP protocol*: Options associated with the use of the SMPP protocol over TCP/IP.
- *Localization*: Options which allow for localization of text fields inserted into SMS messages.
- *Miscellaneous*: Debug option.

These options are summarized in the table below, and described more fully in the sections which follow.

Table D-5 SMS Channel Options

Email to SMS Conversion Options

Table D-5 SMS Channel Options (*Continued*)

Option (Page number)	Description	Default
GATEWAY_NOTIFICATIONS	Specify whether or not to convert email notification messages to SMS messages.	0
MAX_MESSAGE_PARTS	Max. number of message parts to extract from an email message	2
MAX_MESSAGE_SIZE	Maximum number of bytes to extract from an email message	960
MAX_PAGE_SIZE	Maximum number of bytes to put into a single SMS message	160
MAX_PAGES_PER_MESSAGE	Max. number of SMS messages to break an email message into	6
ROUTE_TO	Route SMS messages to the specified IP host name.	
SMSC_DEFAULT_CHARSET	The default character set used by the SMSC.	US-ASCII
USE_HEADER_FROM	Set the SMS source address	0
USE_HEADER_PRIORITY	Control the use of priority information from the email message's header	1
USE_HEADER_REPLY_TO	Control the use of Reply-to: header lines when generating SMS source addresses	0
USE_HEADER_RESENT	Control the use of Resent-*: header lines when generating originator information	0
USE_HEADER_SENSITIVITY	Control the use of privacy information from the email message's header	1
USE_UCS2	Use the UCS2 character set in SMS messages when applicable	1
SMS Gateway Server Option		
GATEWAY_PROFILE	Match the gateway profile name configured in the SMS Gateway Server's configuration file, <code>sms_gateway.cnf</code>	N/A
SMS Fields Options		
DEFAULT_DESTINATION_NPI	Default NPI for SMS destination addresses	0x00
DEFAULT_DESTINATION_TON	Default TON for SMS destination addresses	0x01
DEFAULT_PRIORITY	Default priority setting for SMS messages	0=GSM, CDMA 1=TDMA
DEFAULT_PRIVACY	Default privacy value flag for SMS messages	-1
DEFAULT_SERVICE_TYPE	SMS application service associated with submitted SMS messages	N/A

Table D-5 SMS Channel Options (*Continued*)

<code>DEFAULT_SOURCE_ADDRESS</code>	Default SMS source address	0
<code>DEFAULT_SOURCE_NPI</code>	Default NPI for SMS source addresses	0x00
<code>DEFAULT_SOURCE_TON</code>	Default TON for SMS source addresses	0x01
<code>DEFAULT_VALIDITY_PERIOD</code>	Default validity period for SMS messages	N/A
<code>DESTINATION_ADDRESS_NUMERIC</code>	Reduce the destination SMS address to only the characters 0 - 9	0
<code>DESTINATION_ADDRESS_PREFIX</code>	Text string to prefix destination SMS addresses with	N/A
<code>PROFILE</code>	SMS profile to use	GSM
<code>USE_SAR</code>	Sequence multiple SMS messages using the SMS <code>sar_</code> fields	0

SMPP Protocol Options

<code>ESME_ADDRESS_NPI</code>	ESME NPI to specify when binding to the SMPP server	0x00
<code>ESME_ADDRESS_TON</code>	ESME TON to specify when binding to the SMPP server	0x00
<code>ESME_IP_ADDRESS</code>	IP address of the host running Sun Java System Messaging Server	N/A
<code>ESME_PASSWORD</code>	Password to present when binding to the SMPP server	N/A
<code>ESME_SYSTEM_ID</code>	System identification to present to the SMSC when binding	N/A
<code>ESME_SYSTEM_TYPE</code>	System type to present to the SMSC when binding	N/A
<code>MAX_PAGES_PER_BIND</code>	Maximum number of SMS messages to submit during a single session with an SMPP server	1024
<code>REVERSE_ORDER</code>	Transmission sequence of multi-part SMS messages	0
<code>SMPP_MAX_CONNECTIONS</code>	Maximum number of simultaneous SMPP server connections	20
<code>SMPP_PORT</code>	For one-way SMS, TCP port the SMPP server listens on. For two-way SMS, same TCP port used for the <code>LISTEN_PORT</code> for the SMPP relay.	N/A
<code>SMPP_SERVER</code>	For one-way SMS, host name of the SMPP server to connect to. For two-way SMS, set to point to the host name or IP address of the SMS Gateway server. If using the SMPP relay's <code>LISTEN_INTERFACE_ADDRESS</code> option, then be sure to use the host name or IP address associated with the specified network interface address.	N/A
<code>TIMEOUT</code>	Timeout for completion of reads and writes with the SMPP server	30

Table D-5 SMS Channel Options (*Continued*)

Localization Options		
<code>CONTENT_PREFIX</code>	Text to introduce the content of the email message	Msg:
<code>DSN_DELAYED_FORMAT</code>	Formatting string for delivery delay notifications	an empty string
<code>DSN_FAILED_FORMAT</code>	Formatting string for delivery failure notifications	see description
<code>DSN_RELAYED_FORMAT</code>	Formatting string for relay notifications.	see description
<code>DSN_SUCCESS_FORMAT</code>	Formatting string to successful delivery notifications.	see description
<code>FROM_FORMAT</code>	Text to display indicating the originator of the email message	\$a
<code>FROM_NONE</code>	Text to display when there is no originator	N/A
<code>LANGUAGE</code>	(i-default) Language group to select text fields from	i-default
<code>LINE_STOP</code>	Text to place at the end of each line extracted from the email message	space character
<code>NO_MESSAGE</code>	Text to indicate that the message had no content]no message]
<code>SUBJECT_FORMAT</code>	Text to display indicating the subject of the email message	\$s
<code>SUBJECT_NONE</code>	Text to display when there is no subject for the email message	N/A
Miscellaneous Option		
<code>DEBUG</code>	Enable verbose debug output	-1

Email to SMS Conversion Options

The following options control the conversion of email messages to SMS messages. The value range for the options are in parenthesis. In general, a given email message may be converted into one or more SMS messages. See [“The Email to SMS Conversion Process” on page 872](#) for a description of this conversion process.

`GATEWAY_NOTIFICATIONS`

(0 or 1) Specifies whether or not to convert email notifications to SMS notifications. Email notification messages must conform to RFCs 1892, 1893, 1894. The default value is 0.

When `GATEWAY_NOTIFICATIONS=0`, such notifications are discarded and are not converted to SMS notifications.

To enable the notifications to be converted to SMS notifications, set `GATEWAY_NOTIFICATIONS=1`. When the option set to 1, the localization options (`DSN_*_FORMAT`) control which notification types (success, failure, delay, relayed) are converted into SMS messages and sent through the gateway. (If the notification type has a value of an empty string, then that type notification is not converted into SMS messages.)

MAX_MESSAGE_PARTS

(*integer*) When converting a multi-part email message to an SMS message, only the first `MAX_MESSAGE_PARTS` number of text parts will be converted. The remaining parts are discarded. By default, `MAX_MESSAGE_PARTS` is 2. To allow an unlimited number of message parts, specify a value of -1. When a value of 0 is specified, then no message content will be placed into the SMS message. This has the effect of using only header lines from the email message (for example, `Subject:`) to generate the SMS message.

Note that an email message containing both text and an attachment will typically consist of two parts. Note further that only plain text message parts are converted. All other MIME content types are discarded.

MAX_MESSAGE_SIZE

(*integer, >= 10*) With this option, an upper limit may be placed on the total number of bytes placed into the SMS messages generated from an email message. Specifically, a maximum of `MAX_MESSAGE_SIZE` bytes will be used for the one or more generated SMS messages. Any additional bytes are discarded.

By default, an upper limit of 960 bytes is imposed. This corresponds to `MAX_MESSAGE_SIZE=960`. To allow any number of bytes, specify a value of zero.

The count of bytes used is made after converting the email message from Unicode to either the SMSC's default character set or UCS2. This means, in the case of UCS2, that a `MAX_MESSAGE_SIZE` of 960 bytes will yield, at most, 480 characters since each UCS2 character is at least two bytes long.

Note that the `MAX_MESSAGE_SIZE` and `MAX_PAGES_PER_MESSAGE` options both serve the same purpose: to limit the overall size of the resulting SMS messages. Indeed, `MAX_PAGE_SIZE=960` and `MAX_PAGE_SIZE=160` implies `MAX_PAGES_PER_MESSAGE=6`. So why are there two different options? So as to allow control of the overall size or number of pages without having to consider the maximal size of a single SMS message, `MAX_PAGE_SIZE`. While this may not be important in the channel option file, it is important when using the `MAXPAGES` or `MAXLEN` addressing attributes described in [“Directing Email to the Channel” on page 870](#).

Finally, note that the smaller of the two limits of `MAX_MESSAGE_SIZE` and `MAX_PAGE_SIZE * MAX_PAGES_PER_MESSAGE` is used.

MAX_PAGE_SIZE

(integer, >= 10) The maximum number of bytes to allow in a single SMS message is controlled with the `MAX_PAGE_SIZE` option. By default, a value of 160 bytes is used. This corresponds to `MAX_PAGE_SIZE=160`.

MAX_PAGES_PER_MESSAGE

(integer, 1 - 255) The maximum number of SMS messages to generate for a given email message is controlled with this option. In effect, this option truncates the email message, only converting to SMS messages that part of the email message which fits into `MAX_PAGES_PER_MESSAGE` SMS messages. See the description of the `MAX_PAGE_SIZE` option for further discussion.

By default, `MAX_PAGES_PER_MESSAGE` is set to the larger of 1 or `MAX_MESSAGE_SIZE` divided by `MAX_PAGE_SIZE`.

ROUTE_TO

(string, IP host name, 1-64 bytes) All SMS messages targeted to the profile will be rerouted to the specified IP host name using an email address of the form:

```
SMS-destination-address@route-to
```

where `SMS-destination-address` is the SMS message's destination address and the `route-to` is the IP host name specified with this option. The entire content of the SMS message is sent as the content of the resulting email message. The `PARSE_RE_*` options are ignored.

NOTE Use of `PARSE_RE_*` and `ROUTE_TO` options are mutually exclusive. Use of both in the same gateway profile is a configuration error.

SMSC_DEFAULT_CHARSET

(string) With this option, the SMSC's default character set may be specified. Use the character set names given in the file

```
installation-directory/config/charsets.txt
```

When this option is not specified, then US-ASCII is assumed. Note that the mnemonic names used in `charsets.txt` are defined in `charnames.txt` in the same directory.

When processing an email message, the header lines and text message parts are first decoded and then converted to Unicode. Next, the data is then converted to either the SMSC's default character set or UCS2, depending on the value of the `USE_UCS2` option and whether or not the SMS message contains at least one glyph not found in the default SMSC character set. Note that the UCS2 character set is a 16-bit encoding of Unicode and is often referred to as UTF-16.

USE_HEADER_FROM

(*integer, 0-2*) Set this option to allow the `From:` address to be passed to the SMSC. The value indicates where the `From:` address is taken from and what format it will have. [Table D-6](#) shows the allowable values and their meaning.

Table D-6 `USE_HEADER_FROM` Values

Value	Description
0	SMS source address never set from the <code>From:</code> address. Use attribute-value pair found
1	SMS source address set to <code>from-local@from-domain</code> , where the <code>From:</code> address is: <code>@from-route:from-local@from-domain</code>
2	SMS source address set to <code>from-local</code> , where the <code>From:</code> address is: <code>@from-route:from-local@from-domain</code>

USE_HEADER_PRIORITY

(*0 or 1*) This option controls handling of RFC 822 `Priority:` header lines. By default, information from the `Priority:` header line is used to set the resulting SMS message's priority flag, overriding the default SMS priority specified with the `DEFAULT_PRIORITY` option. This case corresponds to `USE_HEADER_PRIORITY=1`. To disable use of the RFC 822 `Priority:` header line, specify `USE_HEADER_PRIORITY=0`.

See the description of the `DEFAULT_PRIORITY` option for further information on the handling the SMS priority flag.

USE_HEADER_REPLY_TO

(*0 or 1*) When `USE_HEADER_FROM =1`, this option controls whether or not a `Reply-to:` or `Resent-reply-to:` header line is considered for use as the SMS source address. By default, `Reply-to:` and `Resent-reply-to:` header lines are ignored. This corresponds to an option value of 0. To enable consideration of these header lines, use an option value of 1.

Note that RFC 2822 has deprecated the use of `Reply-to:` and `Resent-reply-to:` header lines.

USE_HEADER_RESENT

(0 or 1) When `USE_HEADER_FROM = 1`, this option controls whether or not `Resent-` header lines are considered for use as the SMS source address. By default, `Resent-` header lines are ignored. This corresponds to an option value of 0. To enable consideration of these header lines, use an option value of 1.

Note that RFC 2822 has deprecated the use of `Resent-` header lines.

USE_HEADER_SENSITIVITY

(0 or 1) The `USE_HEADER_SENSITIVITY` option controls handling of RFC 822 `Sensitivity: header` lines. By default, information from the `Sensitivity: header` line is used to set the resulting SMS message's privacy flag, overriding the default SMS privacy specified with the `DEFAULT_PRIVACY` option. This case, which is the default, corresponds to `USE_HEADER_SENSITIVITY=1`. To disable use of RFC 822 `Sensitivity: header` lines, specify `USE_HEADER_SENSITIVITY=0`.

See the description of the `DEFAULT_PRIVACY` option for further information on the handling the SMS privacy flag.

USE_UCS2

(0 or 1) When appropriate, the channel will use the UCS2 character set in the SMS messages it generates. This is the default behavior and corresponds to `USE_UCS2=1`. To disable the use of the UCS2 character set, specify `USE_UCS2=0`. See the description of the `SMSC_DEFAULT_CHARSET` option for further information on character set issues.

Table D-7 Valid Values for `USE_UCS2`

USE_UCS2 Value	Result
1 (default)	The SMSC default character set will be used whenever possible. When the originating email message contains glyphs not in the SMSC default character set, then the UCS2 character set will be used.
0	The SMSC default character set will always be used. Glyphs not available in that character set will be represented by mnemonics (for example, "AE" for AE-ligature).

SMS Gateway Server Option

GATEWAY_PROFILE

The name of the gateway profile in the SMS Gateway Server configuration file, `sms_gateway.cnf`.

SMS Options

The following options allow for specification of SMS fields in generated SMS messages.

DEFAULT_DESTINATION_NPI

(*integer, 0 - 255*) By default, destination addresses will be assigned an NPI (Numeric Plan Indicator) value of zero. With this option, an alternate integer value in the range 0 to 255 may be assigned. Typical NPI values include those found in [Table D-8](#) that follows:

Table D-8 Numeric Plan Indicator Values

Value	Description
0	Unknown
1	ISDN (E.163, E.164)
3	Data (X.121)
4	Telex (F.69)
6	Land Mobile (E.212)
8	National
9	Private
10	ERMES
14	IP address (Internet)
18	WAP client ID
>= 19	Undefined

Values for this option may be specified in one of three ways:

- A decimal value (for example, 10).
- A hexadecimal value prefixed by “0x” (for example, 0x0a).
- One of the following case-insensitive text strings (the associated decimal value is shown in parentheses): data (3), default (0), e.163 (1), e.164 (1), e.212 (6), ermes (10), f.69 (4), Internet (14), ip (14), isdn (1), land-mobile (6), national (8), private (9), telex (4), unknown (0), wap (18), x.121 (3).

DEFAULT_DESTINATION_TON

(integer, 0 - 255) By default, destination addresses will be assigned a TON (Type of Number) designator value of zero. With this option, an alternate integer value in the range 0 to 255 may be assigned. Typical TON values include those found in [Table D-9](#) that follows:

Table D-9 Typical TON Values

Value	Description
0	Unknown
1	International
2	National
3	Network specific
4	Subscriber number
5	Alphanumeric
6	Abbreviated
>=7	Undefined

Values for this option may be specified in one of three ways:

- A decimal value (for example, 10)
- A hexadecimal value prefixed by “0x” (for example, 0x0a)
- One of the following case-insensitive text strings (the associated decimal value is shown in parentheses): abbreviated (6), alphanumeric (5), default (0), international (1), national (2), network-specific (3), subscriber (4), unknown (0).

DEFAULT_PRIORITY

(integer, 0 - 255) SMS messages have a mandatory priority field. The interpretation of SMS priority values is shown in [Table D-10](#) that follows:

Table D-10 SMS Priority Values Interpreted for Each SMS Profile Type

Value	GSM	TDMA	CDMA
0	Non-priority	Bulk	Normal
1	Priority	Normal	Interactive
2	Priority	Urgent	Urgent
3	Priority	Very urgent	Emergency

With this option, the default priority to assign to SMS messages may be specified. When not specified, a default priority of 0 is used for `PROFILE=GSM` and `CDMA`, and a priority of 1 for `PROFILE=TDMA`.

Note that if `USE_HEADER_PRIORITY=1` and an email message has an RFC 822 `Priority:` header line, then the priority specified in that header line will instead be used to set the priority of the resulting SMS message. Specifically, if `USE_HEADER_PRIORITY=0`, then the SMS priority flag is always set in accord with the `DEFAULT_PRIORITY` option and the RFC 822 `Priority:` header line is always ignored. If `USE_HEADER_PRIORITY=1`, then the originating email message's RFC 822 `Priority:` header line is used to set the SMS message's priority flag. If that header line is not present, then the SMS priority flag is set using the `DEFAULT_PRIORITY` option.

The mapping used to translate RFC 822 `Priority:` header line values to SMS priority flags is shown in table that follows:

Table D-11 Mapping for Translating `Priority:` Header to SMS Priority Flags

RFC 822	SMS priority flag		
Priority: value	GSM	TDMA	CDMA
Third	Non-priority (0)	Bulk (0)	Normal (0)
Second	Non-priority (0)	Bulk (0)	Normal (0)
Non-urgent	Non-priority (0)	Bulk (0)	Normal (0)
Normal	Non-priority (0)	Normal (1)	Normal (0)
Urgent	Priority (1)	Urgent (2)	Urgent (2)

DEFAULT_PRIVACY

(*integer, -1, 0 - 255*) Whether or not to set the privacy flag in an SMS message, and what value to use is controlled with the `DEFAULT_PRIVACY` and `USE_HEADER_SENSITIVITY` options. By default, a value of -1 is used for `DEFAULT_PRIVACY`. [Table D-12](#) that follows shows the result of setting the `DEFAULT_PRIVACY` and `USE_HEADER_SENSITIVITY` options to various values.

Table D-12 Result of Values for `DEFAULT_PRIVACY` and `USE_HEADER_SENSITIVITY`

DEFAULT_PRIVACY	USE_HEADER_SENSITIVITY	Result
-1	0	The SMS privacy flag is never set in SMS messages.
n >= 0	0	The SMS privacy flag is always set to the value n. RFC 822 <code>Sensitivity:</code> header lines are always ignored.

Table D-12 Result of Values for `DEFAULT_PRIVACY` and `USE_HEADER_SENSITIVITY`

<code>DEFAULT_PRIVACY</code>	<code>USE_HEADER_SENSITIVITY</code>	Result
-1 (default)	1 (default)	The SMS message's privacy flag is only set when the originating email message has an RFC 822 <code>Sensitivity: header</code> line. In that case, the SMS privacy flag is set to correspond to the <code>Sensitivity: header</code> line's value. This is the default.
$n \geq 0$	1	The SMS message's privacy flag is set to correspond to the originating email message's RFC 822 <code>Sensitivity: header</code> line. If the email message does not have a <code>Sensitivity: header</code> line, then the value of the SMS privacy flag is set to n .

The SMS interpretation of privacy values is shown in [Table D-13](#) that follows:

Table D-13 SMS Interpretation of Privacy Values

Value	Description
0	Unrestricted
1	Restricted
2	Confidential
3	Secret
≥ 4	Undefined

The mapping used to translate RFC 822 `Sensitivity: header` line values to SMS privacy values is shown in [Table D-14](#) that follows:

Table D-14 Mapping Translation of `Sensitivity: Headers` to SMS Privacy Values

RFC 822 <code>Sensitivity: value</code>	SMS privacy value
Personal	1 (Restricted)
Private	2 (Confidential)
Company confidential	3 (Secret)

DEFAULT_SERVICE_TYPE

(*string, 0 - 5 bytes*) Service type to associate with SMS messages generated by the channel. By default, no service type is specified (that is, a zero length string). Some common service types are: CMT (cellular messaging), CPT (cellular paging), VMN (voice mail notification), VMA (voice mail alerting), WAP (wireless application protocol), and USSD (unstructured supplementary data services).

DEFAULT_SOURCE_ADDRESS

(*string, 0 - 20 bytes*) Source address to use for SMS messages generated from email messages. Note that the value specified with this option is overridden by the email message's originator address when USE_HEADER_FROM=1. By default, the value is disabled, that is, has a value of 0.

DEFAULT_SOURCE_NPI

(*integer, 0 - 255*) By default, source addresses will be assigned an NPI value of zero. With this option, an alternate integer value in the range 0 to 255 may be assigned. See the description of the [DEFAULT_DESTINATION_NPI](#) option for a table of typical NPI values.

DEFAULT_SOURCE_TON

(*integer, 0 - 255*) By default, source addresses will be assigned a TON designator value of zero. With this option, an alternate integer value in the range 0 to 255 may be assigned. See the description of the [DEFAULT_DESTINATION_TON](#) option for a table of typical TON values.

DEFAULT_VALIDITY_PERIOD

(*string, 0 - 252 bytes*) By default, SMS messages are not given a relative validity period; instead, they use the SMSC's default value. Use this option to specify a different relative validity period. Values may be specified in units of seconds, minutes, hours, or days. [Table D-15](#) that follows specifies the format and description of the various values for this option:

Table D-15 DEFAULT_VALIDITY_PERIOD Format and Values

Format	Description
<i>nnn</i>	Implicit units of seconds; for example, 604800
<i>nnns</i>	Units of seconds; for example, 604800s
<i>nnnm</i>	Units of minutes; for example, 10080m
<i>nnnh</i>	Units of hours; for example, 168h
<i>nnnd</i>	Units of days; for example, 7d

A specification of 0, 0s, 0m, 0h, or 0d may be used to select the SMSC's default validity period. That is, when a specification of 0, 0s, 0m, 0h, or 0d is used, an empty string is specified for the validity period in generated SMS messages.

Note that this option does not accept values in UTC format.

DESTINATION_ADDRESS_NUMERIC

(0 or 1) Use this option to strip all non-numeric characters from the SMS destination address extracted from the email envelope `To:` address. For instance, if the envelope `To:` address is:

```
"(800) 555-1212"@sms.siroe.com
```

then it will be reduced to:

```
8005551212@sms.siroe.com
```

To enable this stripping, specify a value of 1 for this option. By default, this stripping is disabled which corresponds to an option value of 0. Note that when enabled, the stripping is done before any destination address prefix is added via the [DESTINATION_ADDRESS_PREFIX](#) option.

DESTINATION_ADDRESS_PREFIX

(string) In some instances, it may be necessary to ensure that all SMS destination addresses are prefixed with a fixed text string; for example, "+". This option may be used to specify just such a prefix. The prefix will then be added to any SMS destination address which lacks the specified prefix. To prevent being stripped by the [DESTINATION_ADDRESS_NUMERIC](#) option, this option is applied after the [DESTINATION_ADDRESS_NUMERIC](#) option.

PROFILE

(string) Specify the SMS profiling to be used with the SMSC. Possible values are GSM, TDMA, and CDMA. When not specified, GSM is assumed. This option is only used to select defaults for other channel options such as [DEFAULT_PRIORITY](#) and [DEFAULT_PRIVACY](#).

USE_SAR

(0 or 1) Sufficiently large email messages may need to be broken into multiple SMS messages. When this occurs, the individual SMS messages can optionally have sequencing information added using the SMS `sar_` fields. This produces a "segmented" SMS message which can be re-assembled into a single SMS message by the receiving terminal. Specify `USE_SAR=1` to indicate that this sequencing information is to be added when applicable. The default is to not add sequencing information and corresponds to `USE_SAR=0`.

When `USE_SAR=1` is specified, the `REVERSE_ORDER` option is ignored.

SMPP Options

The following options allow for specification of SMPP protocol parameters. The options with names beginning with the string “`ESME_`” serve to identify the MTA when it acts as an External Short Message Entity (ESME); that is, when the MTA binds to an SMPP server in order to submit SMS messages to the server’s associated SMSC.

ESME_ADDRESS_NPI

(integer, 0 - 255) By default, bind operations will specify an ESME NPI value of zero indicating an unknown NPI. With this option, an alternate integer value in the range 0 to 255 may be assigned. See the description of the `DEFAULT_DESTINATION_NPI` option for a table of typical NPI values.

ESME_ADDRESS_TON

(integer, 0 - 255) By default, bind operations will specify an ESME TON value of 0. With this option, an alternate integer value in the range 0 to 255 may be assigned. See the description of the `DEFAULT_DESTINATION_TON` option for a table of typical TON values.

ESME_IP_ADDRESS

(string, 0 - 15 bytes) When binding to the SMPP server, the `BIND` PDU indicates that the client’s (that is, ESME’s) address range is an IP address. This is done by specifying a TON of 0x00 and an NPI of 0x0d. The value of the address range field is then set to be the IP address of the host running the SMS channel. Specify the IP address in dotted decimal format; for example, 127.0.0.1.

ESME_PASSWORD

(string, 0 - 8 bytes) When binding to the SMPP server, a password may be required. If so, then specify that password with this option. By default, a zero-length password string is presented.

ESME_SYSTEM_ID

(string, 0 - 15 bytes) When binding to the SMPP server, a system ID for the MTA may be supplied. By default, no system ID is specified (that is, a zero-length string is used). To specify a system ID, use this option.

ESME_SYSTEM_TYPE

(string, 0 - 12 bytes) When binding to the SMPP server, a system type for the MTA may be supplied. By default, no system type is specified (that is, a zero-length string is used).

MAX_PAGES_PER_BIND

(*integer, >= 0*) Some SMPP servers may limit the maximum number of SMS messages submitted during a single, bound session. In recognition of this, this option allows specification of the maximum number of SMS messages to submit during a single session. Once that limit is reached, the channel will unbind, close the TCP/IP connection, re-connect, and then rebind.

By default, a value of 1024 is used for `MAX_PAGES_PER_BIND`. Note that the channel will also detect `ESME_RTHROTTLED` errors and adjust `MAX_PAGES_PER_BIND` during a single run of the channel accordingly.

REVERSE_ORDER

(*0 or 1*) When an email message generates more than one SMS message, those SMS messages can be submitted to the SMSC in sequential order (`REVERSE_ORDER=0`), or reverse sequential order (`REVERSE_ORDER=1`). Reverse sequential order is useful for situations where the receiving terminal displays the last received message first. In such a case, the last received message will be the first part of the email message rather than the last. By default, `REVERSE_ORDER=1` is used.

Note that this option is ignored when `USE_SAR=1` is specified.

SMPP_MAX_CONNECTIONS

(*integer, 1 - 50*) This option controls the maximum number of simultaneous SMPP connections per process. As each connection has an associated thread, this option also places a limit on the maximum number of “worker” threads per process. By default, `SMPP_MAX_CONNECTIONS=20`.

SMPP_PORT

(*integer, 1 - 65535*) The TCP port which the SMPP server listens on may be specified with either this option or the `port` channel keyword. This port number must be specified through either of these two mechanisms. If it is specified with both mechanisms, then the setting made with the `SMPP_PORT` option takes precedence. Note that there is no default value for this option.

For two-way SMS, make sure its the same port as the `LISTEN_PORT` for the SMPP relay.

SMPP_SERVER

(*string, 1 - 252 bytes*) For one-way SMS, by default, the IP host name of the SMPP server to connect to is the official host name associated with the channel; that is, the host name shown on the second line of the channel’s definition in MTA’s configuration. This option may be used to specify a different host name or IP address which will override that specified in the channel definition. When specifying an IP address, use dotted decimal notation; for example, 127.0.0.1.

For two-way SMS, set to point to the host name or IP address of the SMS Gateway Server. If using the SMPP relay's `LISTEN_INTERFACE_ADDRESS` option, then be sure to use the host name or IP address associated with the specified network interface address.

TIMEOUT

(*integer*, ≥ 2) By default, a timeout of 30 seconds is used when waiting for data writes to the SMPP server to complete or for data to be received from the SMPP server. Use the `TIMEOUT` option to specify, in units of seconds, a different timeout value. The specified value should be at least 1second.

Localization Options

In constructing SMS messages, the SMS channel has a number of fixed text strings it puts into those messages. These strings, for example, introduce the email's `From:` address and `Subject:` header line. With the channel options described in this section, versions of these strings may be specified for different languages and a default language for the channel then specified. [Code Example D-2](#) shows the language part of the option file:

Code Example D-2 Language Specification Part of Channel Option File

```
LANGUAGE=default-language

[language=i-default]
FROM_PREFIX=From:
SUBJECT_PREFIX=Subj:
CONTENT_PREFIX=Msg:
LINE_STOP=
NO_MESSAGE=[no message]
REPLY_PREFIX=Re:

[language=en]
FROM_PREFIX=From:
SUBJECT_PREFIX=Subj:
CONTENT_PREFIX=Msg:
LINE_STOP=
NO_MESSAGE=[no message]
REPLY_PREFIX=Re:
...
```

Within each `[language=x]` block, the localization options relevant to that language may be specified. If a particular option is not specified within the block, then the global value for that option is used. A localization option specified outside of a `[language=x]` block sets the global value for that option.

For the options listed below, the string values must be specified using either the US-ASCII or UTF-8 character sets. Note that the US-ASCII character set is a special case of the UTF-8 character set.

CONTENT_PREFIX

(string, 0 - 252 bytes) Text string to place in the SMS message before the content of the email message itself. Default global value is the US-ASCII string “Msg:”.

DSN_DELAYED_FORMAT

(string, 0-256 characters) Formatting string for delivery delay notifications. By default, an empty string is used for this option, thereby inhibiting the conversion to SMS of delay notifications. Note that [GATEWAY_NOTIFICATIONS](#) must be set to 1 for this option to be in effect. This option is ignored when [GATEWAY_NOTIFICATIONS](#)=0.

DSN_FAILED_FORMAT

(string, 0-256 characters) Formatting string for permanent delivery failure notifications. The default value of this option is the string:

Unable to deliver your message to \$a; no further delivery attempts will be made.

To inhibit conversion of failure notifications, specify an empty string for this option. Note that [GATEWAY_NOTIFICATIONS](#) must be set to 1 for this option to be in effect. This option is ignored when [GATEWAY_NOTIFICATIONS](#)=0.

DSN_RELAYED_FORMAT

(string, 0-256 characters) Formatting string for relay notifications. The default value is the string:

Your message to \$a has been relayed to a messaging system which may not provide a final delivery confirmation

To inhibit conversion of relay notifications, specify an empty string for this option. Note that [GATEWAY_NOTIFICATIONS](#) must be set to 1 for this option to be in effect. This option is ignored when [GATEWAY_NOTIFICATIONS](#)=0.

DSN_SUCCESS_FORMAT

(string, 0-256 characters) Formatting string for successful delivery notifications. The default value is the string:

Your message to \$a has been delivered

To inhibit conversion of successful delivery notifications, specify an empty string for this option. Note that [GATEWAY_NOTIFICATIONS](#) must be set to 1 for this option to be in effect. This option is ignored when [GATEWAY_NOTIFICATIONS](#)=0.

FROM_FORMAT

(*string, 0 - 252 bytes*) Formatting template to format the originator information to insert into the SMS message. The default global value is the US-ASCII string “\$a” which substitutes in the originator’s email address. See [“Formatting Templates” on page 909](#) for further details.

FROM_NONE

(*string, 0 - 252 bytes*) Text string to place in the SMS message when there is no originator address to display. The default global value is an empty string.

Note that normally, this option will never be used as sites will typically reject email messages which lack any originator address.

LANGUAGE

(*string, 0 - 40 bytes*) The default language group to select text strings from. If not specified, then the language will be derived from the host’s default locale specification. If the host’s locale specification is not available or corresponds to “C”, then i-default will be used. (i-default corresponds to “English text intended for an international audience.”)

LINE_STOP

(*string, 0 - 252 bytes*) Text string to place in the SMS message between lines extracted from the email message. The default global value is the US-ASCII space character, “ ”.

NO_MESSAGE

(*string, 0 - 252 bytes*) Text string to place in the SMS message to indicate that the email message had no content. The default global value is the US-ASCII string “[no message]”.

SUBJECT_FORMAT

(*string, 0 - 252 bytes*) Formatting template to format the content of the `Subject:` header line for display in the SMS message. The global default value for this option is the US-ASCII string “(\$s)”. See [“Formatting Templates” on page 909](#) for further details.

See the `SUBJECT_NONE` option for a description of the handling when there is no `Subject:` header line or the content of that header line is an empty string.

SUBJECT_NONE

(*string, 0 - 252 bytes*) Text string to display when the originating email message either has no `Subject:` header line, or the `Subject:` header line’s value is an empty string. The default global value for this option is the empty string.

DEBUG

(*integer, bitmask*) Enable debug output. The default value is 6 which selects warning and error messages. Any non-zero value enables debug output for the channel itself, the same as specifying `master_debug` on the channel definition. [Table D-16](#) defines the bit values of the `DEBUG` bitmask.

Table D-16 DEBUG Bitmask

Bit	Value	Description
0-31	-1	Extremely verbose output
0	1	Informational messages
1	2	Warning messages
3	4	Error messages
3	8	Subroutine call tracing
4	16	Hash table diagnostics
5	32	I/O diagnostics, receive
6	64	I/O diagnostics, transmit
7	128	SMS to email conversion diagnostics (mobile originate and SMS notification)
8	256	PDU diagnostics, header data
9	512	PDU diagnostics, body data
10	1024	PDU diagnostics, type-length-value data
11	2048	Option processing; sends all option settings to the log file.

Formatting Templates

The formatting templates specified with the `FROM_FORMAT`, `SUBJECT_FORMAT`, and all the `DSN_*` channel options are UTF-8 strings which may contain a combination of literal text and substitution sequences. Assuming the sample email address of

Jane Doe <user@siroe>

The recognized substitution sequences are shown in [Table D-17](#) that follows:

Table D-17 Substitution Sequences

Sequence	Description
<code>\$a</code>	Replace with the local and domain part of the originator's email address (for example, "user@siroe")

Table D-17 Substitution Sequences

Sequence	Description
\$d	Replace with the domain part of the originator's email address (for example, "domain")
\$p	Replace with the phrase part, if any, of the originator's email address (for example, "Jane Doe")
\$s	Replace with the content of the <code>Subject:</code> header line
\$u	Replace with the local part of the originator's email address (for example, "user")
\x	Replace with the literal character "x"

For example, the formatting template

```
From: $a
```

produces the text string

```
From: user@siroe
```

The construct,

```
${xy:alternate text}
```

may be used to substitute in the text associated with the sequence `x`. If that text is the empty string, the text associated with the sequence `y` is instead used. And, if that text is the empty string, to then substitute in the alternate text. For example, consider the formatting template

```
From: ${pa:unknown sender}
```

For the originator email address

```
John Doe <jdoe@siroe.com>
```

which has a phrase part, the template produces:

```
From: John Doe
```

However, for the address

```
jdoe@siroe.com
```

which lacks a phrase, it produces

```
From: jdoe@siroe.com
```

And for an empty originator address, it produces

From: unknown sender

Adding Additional SMS Channels

You may configure the MTA to have more than one SMS channel. There are two typical reasons to do this:

1. To communicate with different SMPP servers.

This is quite straightforward: just add an additional SMS channel to the configuration, being sure to (a) give it a different channel name, and (b) associate different host names with it. For example,

```

sms_mway port 55555 threaddepth 20
smpp.siroe.com

sms_ace port 777 threaddepth 20
sms.ace.net

```

Note that no new rewrite rule is needed. If there is no directly matching rewrite rule, Messaging Sever looks for a channel with the associated host name. For example, if the server is presented with `user@host.domain`, it would look for a channel of the name “host.domain”. If it finds such a channel, it routes the message there. Otherwise, it starts looking for a rewrite rule for the “.domain” and if none is there, then for the dot (“.”) rule. For more information on rewrite rules, see [Chapter 11, “Configuring Rewrite Rules” on page 281](#).

2. To communicate with the same SMPP server but using different channel options.

To communicate with the same SMPP server, using different channel options, specify the same SMPP server in the `SMPP_SERVER` channel option for each channel definition.

Using this mechanism is necessary since two different channels cannot have the same official host name (that is, the host name listed in the second line of the channel definition). To allow them to communicate with the same SMPP server, define two separate channels, with each specifying the same SMPP server in their `SMPP_SERVER` in their channel option files.

For example, you could have the following channel definitions,

```

sms_mway_1 port 55555 threaddepth 20
SMS-DAEMON-1

sms_mway_2 port 55555 threaddepth 20
SMS-DAEMON-2

```

and rewrite rules,

```
sms-1.siroe.com $u%sms-1.siroe.com@SMS-DAEMON-1
sms-2.siroe.com $U%sms-2.siroe.com@SMS-DAEMON-2
```

Then, to have them both use the same SMPP server, each of these two channels would specify `SMPP_SERVER=smpp.siroe.com` in their channel option file.

Adjusting the Frequency of Delivery Retries

When an SMS message cannot be delivered owing to temporary errors (for example, the SMPP server is not reachable), the email message is left in the delivery queue and retried again later. Unless configured otherwise, the Job Controller will not re-attempt delivery for an hour. For SMS messaging, that is likely too long to wait. As such, it is recommended that the `backoff` channel keyword be used with the SMS channel to specify a more aggressive schedule for delivery attempts. For example,

```
sms_mway port 55555 threaddepth 20 \
  backoff pt2m pt5m pt10m pt30m notices 1
smpp.siroe.com
```

With the above settings, a redelivery attempt will be made at two minutes after the first attempt. If that then fails, then five minutes after the second attempt. Then ten minutes later and finally every thirty minutes. The `notices 1` channel keyword causes the message to be returned as undeliverable if it cannot be delivered after a day.

Sample One-Way Configuration (MobileWay)

The MTA SMS channel may be used with any SMPP V3.4 compatible SMPP server. For purposes of illustrating an example configuration, this section explains how to configure the SMS channel for use with a MobileWay SMPP server. MobileWay (<http://www.mobileway.com/>) is a leading provider of global data and SMS connectivity. By routing your SMS traffic through MobileWay, you can reach SMS subscribers on most of the major SMS networks throughout the world.

When requesting an SMPP account with MobileWay, you may be asked to answer the following questions:

- IP address of your SMPP client: Supply the IP address of your Messaging Server system as seen by other domains on the Internet.

- **Default validity period:** This is the SMS validity period which MobileWay will use should a validity period not be specified in the SMS messages you submit. SMS messages which cannot be delivered before this validity period expires will be discarded. Supply a reasonable value (for example, 2 days, 7 days, etc.).
- **Window size:** This is the maximum number of SMS messages your SMPP client will submit before it will stop and wait for responses from the SMPP server before submitting any further SMS messages. You must supply a value of 1 message.
- **Timezone:** Specify the timezone in which your Messaging Server system operates. The timezone should be specified as an offset from GMT.
- **Timeout:** Not relevant to one-way SMS messaging.
- **IP address and TCP port for outbound requests:** Not relevant for one-way SMS messaging.

After supplying MobileWay with the answers to the above questions, they will provide you with an SMPP account and information necessary to communicate with their SMPP servers. This information includes

```
Account Address: a.b.c.d:p
Account Login: system-id
Account Passwd: secret
```

The Account Address field is the IP address, a.b.c.d, and TCP port number, p, of the MobileWay SMPP server you will be connecting to. Use these values for the [SMPP_SERVER](#) and [SMPP_PORT](#) channel options. The Account Login and Passwd are, respectively, the values to use for the [ESME_SYSTEM_ID](#) and [ESME_PASSWORD](#) channel options. Using this information, your channel's option file should include

```
SMPP_SERVER=a.b.c.d
SMPP_PORT=p
ESME_SYSTEM_ID=system-id
ESME_PASSWORD=secret
```

Now, to interoperate with MobileWay you need to make two additional option settings

```
ESME_ADDRESS_TON=0x01
DEFAULT_DESTINATION_TON=0x01
```

The rewrite rule in the `imta.cnf` file can appear as

```
sms.your-domain $u@sms.your-domain
```

And, the channel definition in the `imta.cnf` file can appear as

```
sms_mobileway
sms.your-domain
```

Once the channel option file, rewrite rule, and channel definition are in place, a test message may be sent. MobileWay requires International addressing of the form

```
+<country-code><subscriber-number>
```

For instance, to send a test message to the North American subscriber with the subscriber number (800) 555-1212, you would address your email message to

```
+18005551212@sms.your-domain
```

Debugging

To debug the channel, specify the `master_debug` channel keyword in the channel's definition. For example,

```
sms_mway port 55555 threaddepth 20 \
  backoff pt2m pt5m pt10m pt30m notices 1 master_debug
```

With the `master_debug` channel keyword, basic diagnostic information about the channel's operation will be output to the channel's log file. For verbose diagnostic information about the SMPP transactions undertaken by the channel, also specify

```
DEBUG=-1
```

in the channel's option file.

Configuring the SMS Channel for Two-Way SMS

For general directions on configuring the SMS channel, refer to earlier topics starting with [“SMS Channel Configuration” on page 886](#). Configure the SMS channel as though it will be talking directly to the remote SMSC, with the exceptions listed in [Table D-18](#) that follows:

Table D-18 Two-Way Configuration Exceptions

Exception	Explanation
<code>master</code> channel keyword	Remove the <code>master</code> channel keyword, if present. It is no longer needed for SMS channel configuration.
<code>SMPP_SERVER</code>	Set to point to the host name of IP address of the SMS Gateway Server. If using the SMPP relay's <code>LISTEN_INTERFACE_ADDRESS</code> option (see “Configuration Options” on page 927), then be sure to use the host name or IP address associated with the specified network interface address.

Table D-18 Two-Way Configuration Exceptions

Exception	Explanation
SMPP_PORT	Same TCP port as used for the <code>LISTEN_PORT</code> setting used to instantiate the SMPP relay (see “An SMPP Relay” on page 924).
DEFAULT_SOURCE_ADDRESS	Pick a value and then configure the remote SMSC to route this address back to the Gateway SMPP server. In the SMS channel's option file, specify the chosen value with this option.
GATEWAY_PROFILE	Set to match the gateway profile name. See “A Gateway Profile” on page 923 .
USE_HEADER_FROM	Set to 0.

All other channel configurations should be done as described in the SMS Channel documentation.

As mentioned in [“Setting Up Bidirectional SMS Routing” on page 921](#), the remote SMSC needs to be configured to route the SMS address, defined in the `DEFAULT_SOURCE_ADDRESS` channel option, to the Gateway's SMPP server using the TCP port number specified with the `LISTEN_PORT` option. (For how to specify the `LISTEN_PORT`, see [“An SMPP Server” on page 925](#).)

Note that multiple SMS channels may use the same SMPP relay. Similarly, there need be only one SMPP server or gateway profile to handle SMS replies and notifications for multiple SMS channels. The ability to configure multiple relays, servers, and gateway profiles exists to effect different usage characteristics through configuration options.

SMS Gateway Server Theory of Operation

The SMS Gateway Server facilitates two-way SMS through mechanisms that allow mobile originated SMS messages to be matched to the correct email address. The following SMS Gateway Server topics are covered in this section:

- [“Function of the SMS Gateway Server” on page 916](#)
- [“Behavior of the SMPP Relay and Server” on page 916](#)
- [“SMS Reply and Notification Handling” on page 918](#)

Function of the SMS Gateway Server

The SMS Gateway Server simultaneously functions as both an SMPP relay and server. It may be configured to have multiple “instantiations” of each function. For instance, it may be configured to have three different SMPP relays, each listening on different TCP ports or network interfaces and relaying to different remote SMPP servers. Similarly, it may be configured to have four different SMPP servers, each listening on different combinations of TCP ports and network interfaces.

The SMS Gateway Server may be configured with zero or more gateway profiles for sending SMS messages to email. Each gateway profile describes which destination SMS addresses match the profile, how to extract the destination email addresses from SMS messages, and various characteristics of the SMS to email conversion process. Each SMS message presented to the SMS Gateway Server through either its SMPP relay or server are compared to each profile. If a match is found, then the message is routed to email.

Finally, the gateway profiles also describe how to handle notification messages returned by remote SMSCs in response to previous email-to-mobile messages.

Behavior of the SMPP Relay and Server

When acting as an SMPP relay, the SMS Gateway Server attempts to be as transparent as possible, relaying all requests from local SMPP clients on to a remote SMPP server and then relaying back the remote server’s responses. There are two exceptions:

- When a local SMPP client submits a message whose SMS destination address matches one of the configured gateway profiles, the submitted SMS message is sent directly back to email; the SMS message is not relayed to a remote SMPP server.
- When a local or remote SMPP client submits a message whose SMS destination address matches a unique SMS source address previously generated by the SMPP relay, the SMS message is a reply to a previously relayed message. This reply is directed back to the originator of the original message.

Note that typically the SMS Gateway Server will be configured such that the unique SMS source addresses which it generates match one of the gateway profiles.

NOTE The SMS Gateway Server's SMPP relay is only intended for use with qualified, Sun Java System SMPP clients, that is, the Sun Java System Messaging Server's SMS channel. It is not intended for use with arbitrary SMPP clients.

When acting as an SMPP server, the SMS Gateway Server directs SMS messages to email for three circumstances:

- The SMS messages are mobile originated and match a gateway profile.
- The SMS messages are mobile originated and the SMS destination address matches a previously generated unique SMS source address.
- The SMS messages are SMS notifications which correspond to email-to-mobile messages previously relayed by the SMS Gateway Server's SMPP relay.

All other SMS messages are rejected by the SMPP server.

Remote SMPP to Gateway SMPP Communication

Remote SMPP clients communicate to the Gateway SMPP server with Protocol Data Units (PDUs). Remote SMPP clients emit request PDUs to which the Gateway SMPP server responds. The Gateway SMPP server operates synchronously. It completes the response to a request PDU before it processes the next request PDU from the connected remote SMPP client.

[Table D-19](#) that follows lists the request PDUs the Gateway SMPP server handles, and specifies the Gateway SMPP server's response.

Table D-19 SMPP Server Protocol Data Units

Request PDU	SMPP Server Response
BIND_TRANSMITTER BIND_TRANSCEIVER UNBIND	Responded to with the appropriate response PDU. Authentication credentials are ignored.
OUTBIND	Gateway SMPP server sends back a BIND_RECEIVER PDU. Authentication credentials presented are ignored.

Table D-19 SMPP Server Protocol Data Units

Request PDU	SMPP Server Response
SUBMIT_SM DATA_SM	Attempts to match the destination SMS address with either a unique SMS source address or the SELECT_RE setting of a Gateway profile. If neither is matched, the PDU is rejected with an ESME_RINVDSTADR error.
DELIVER_SM	Attempts to find either the destination SMS address or the receipted message ID in the historical record. If neither is matched, returns the error ESME_RINVMMSGID.
BIND_RECEIVER	Not supported. Returns a GENERIC_NAK PDU with an ESME_RINVCMDID error.
SUBMIT_MULTIM	Not supported. Returns a GENERIC_NAK PDU with an ESME_RINVCMDID error.
REPLACE_SM	Not supported. Returns a GENERIC_NAK PDU with an ESME_RINVCMDID error.
CANCEL_SM	Not supported. Returns a GENERIC_NAK PDU with an ESME_RINVCMDID error.
QUERY_SM	Not supported. Returns a GENERIC_NAK PDU with an ESME_RINVCMDID error.
QUERY_LAST_MSGS	Not supported. Returns a GENERIC_NAK PDU with an ESME_RINVCMDID error.
QUERY_MSG_DETAILS	Not supported. Returns a GENERIC_NAK PDU with an ESME_RINVCMDID error.
ENQUIRE_LINK	Returns ENQUIRE_LINK_RESP PDU.
ALERT_NOTIFICATION	Accepted but ignored.

SMS Reply and Notification Handling

The SMS Gateway Server maintains a historical record of each SMS message relayed through its SMPP relays. The need to use historical data arises from the fact that when submitting an email message to SMS it is generally not possible to convert the email address of the message's originator to an SMS source address. Since any SMS replies and notifications will be directed to this SMS source address, a problem arises. This is resolved by using automatically generated, unique SMS source addresses in relayed messages. The remote SMSCs are then configured to route these SMS source addresses back to the Gateway SMPP server.

The historical data is represented as an in-memory hash table of message IDs and generated, unique SMS source addresses. This data along with the associated email origination data are also stored on disk. The disk based storage is a series of files, each file representing `HASH_FILE_ROLLOVER_PERIOD` seconds of transactions (the default is 30 minutes). Each file is retained for `RECORD_LIFETIME` seconds (the default is 3 days). See the *Sun Java System Messaging Server Deployment Planning Guide* (<http://docs.sun.com/doc/819-0063>) for a discussion of the in-memory and on-disk resource requirements of the historical data.

Each record has three components:

- Email origination data (such as, envelope From: and To: addresses). This data is supplied by the MTA SMS channel when it submits a message.
- The unique SMS source address generated by the SMPP relay and inserted into the relayed SMS message.
- The resulting receipted message ID returned by the remote SMSC's SMPP server when it accepts a submission.

Routing Process for SMS Replies

The Gateway SMPP relays and servers use historical records to handle SMS replies, notifications and mobile originated messages. When an SMS message is presented to the SMPP relay or server, the following routing process is followed:

1. The SMS destination address is compared against the historical record to see if there is a matching, unique SMS source address that the SMPP relay previously generated. If a match is found, see [Step 6](#).
2. If there is no match, but the message is an SMS notification (SMPP `DELIVER_SM` PDU), then the receipted message ID, if present, is compared against the historical record. If a match is found, go to [Step 8](#). [The SMS Gateway Server actually allows these to be presented to either the SMPP relay or SMPP server.]
3. If there is no match, then the destination SMS address is compared against the `SELECT_RE` option expressions for each configured gateway profile. If a match is found, then go to [Step 9](#).
4. If there is no match and the SMS message was presented to the Gateway SMPP relay, then the message is relayed to the remote SMPP server.
5. If there is no match and the SMS message was presented to the Gateway SMPP server, then the message is determined to be an invalid message and an error response is returned in the SMPP response PDU. For email to SMS, a Non Delivery Notification (NDN) is eventually generated.

6. If a matching unique SMS source address was found, then the SMS message is further inspected to see if it is a reply or a notification message. To be a notification message it must be a `SUBMIT_SM` PDU with a received message ID. Otherwise, it is considered to be a reply.
7. If it is a reply then the SMS message is converted to an email message using the origination email information from the historical record.
8. If it is a notification, then the SMS message is converted to an email Delivery Status Notification (DSN) as per RFC 1892-1894. Note that the ESMTP `NOTIFY` flags (RFC 1891) of the original email message will be honored (For example, if the SMS message is a “success” DSN but the original email message requested only “failure” notifications, then the SMS notification will be discarded).
9. If the destination SMS address matches a `SELECT_RE` option in a configured gateway profile, then the SMS message is treated as a mobile originated message and converted back to email message as per the `PARSE_RE_n` rules for that gateway profile. If the conversion fails, then the SMS message is invalid and an error response is returned.

SMS Gateway Server Configuration

This section gives directions on how to set up the SMS Gateway Server for both email-to-mobile and mobile-to-email functionality. This section includes the following topics:

- [“Setting Up Bidirectional SMS Routing” on page 921](#)
- [“Enabling and Disabling the SMS Gateway Server” on page 922](#)
- [“Starting and Stopping the SMS Gateway Server” on page 922](#)
- [“SMS Gateway Server Configuration File” on page 923](#)
- [“Configuring Email-To-Mobile on the Gateway Server” on page 923](#)
- [“Configuring Mobile-to-Email Operation” on page 926](#)
- [“Configuration Options” on page 927](#)
- [“Configuration Example for Two-Way SMS” on page 941](#)

Setting Up Bidirectional SMS Routing

The recommended way to set up bidirectional email and SMS routing between the MTA and SMSC is a three step process:

- **Set the SMS Address Prefix** – Choose an SMS address prefix. Any prefix may be used, so long as it is ten characters or less.
- **Set the Gateway Profile** – Reserve the prefix for use with the SMS Gateway Server (by setting the gateway profile).
- **Configure the SMSC** – Configure the SMSC to route SMS destination addresses to the SMS Gateway SMPP server that start with the prefix. Mobile originated email will have only the prefix. Replies and notifications will have the prefix followed by exactly ten decimal digits.

Set the SMS Address Prefix

The source SMS addresses generated by the MTA SMS channel should be set to match the selected SMS address prefix. Do this by setting the following:

- MTA SMS channel options:

```
USE_HEADER_FROM=0
```

```
DEFAULT_SOURCE_ADDRESS=prefix
```

The first setting causes the channel to not attempt to set the SMS source address from information contained in the email message. The second setting causes the SMS source address to be set (to the selected prefix) when it is not set from any other source.

- Recognize the prefix as an SMS destination address to accept and route to email. Do this by specifying the `SELECT_RE` gateway profile option as follows:

```
SELECT_RE=prefix
```

Set the Gateway Profile

The SMS Gateway Server's gateway profile should then be set to make all relayed SMS source addresses unique. This is the default setting but may be explicitly set by specifying the gateway profile option `MAKE_SOURCE_ADDRESSES_UNIQUE=1`. This will result in relayed SMS source addresses of the form:

```
prefixnnnnnnnnnn
```

where *nnnnnnnnnn* will be a unique, ten digit decimal number.

Configure the SMSC

Finally, the SMSC should be configured to route all SMS destination addresses matching the prefix (either just the prefix, or the prefix plus a ten digit number) to the SMS Gateway Server's SMPP server. The regular expression for such a routing will be similar to:

```
prefix([0-9]{10,10}){0,1}
```

where *prefix* is the value of `DEFAULT_SOURCE_ADDRESS`, `[0-9]` specifies the allowed values for the ten digit number, `{10, 10}` specifies that there will be a minimum of ten digits and a maximum of ten digits, and `{0, 1}` specifies that there can be zero or one of the 10-digit numbers.

Enabling and Disabling the SMS Gateway Server

- To enable the SMS Gateway Server, the `configutil` parameter `local.msggateway.enable` must be set to the value 1. Use the following configuration utility command to set it:

```
# configutil -o local.msggateway.enable -v 1
```

- To disable the gateway server, set `local.msggateway.enable` to the value 0, using the following command:

```
# configutil -o local.msggateway.enable -v 0
```

Starting and Stopping the SMS Gateway Server

After the SMS Gateway Server is enabled, it may be started and stopped with the following commands:

```
# start-msg sms
```

and

```
# stop-msg sms
```

SMS Gateway Server Configuration File

In order to operate, the SMS Gateway Server requires a configuration file. The configuration file is a Unicode text file encoded using UTF-8. The file can be an ASCII text file. The name of the file must be:

```
installation-directory/config/sms_gateway.cnf
```

Each option setting in the file has the following format:

```
option-name=option-value
```

Options that are part of an option group appear in the following format:

```
[group-type=group-name]  
option-name-1=option-value-1  
option-name-2=option-value-2  
...  
option-name-n=option-value-n
```

Configuring Email-To-Mobile on the Gateway Server

To implement the email-to-mobile part of two-way SMS, you must configure the following:

- [“A Gateway Profile” on page 923](#)
- [“An SMPP Relay” on page 924](#)
- [“An SMPP Server” on page 925](#)

A Gateway Profile

To configure an email-to-mobile gateway profile, follow these steps:

1. Add a gateway profile to the SMS Gateway Server configuration file.

To add an option group, use the following format:

```
[GATEWAY_PROFILE=profile_name]
option-name-1=option-value-1
option-name-2=option-value-2a
...
option-name-n=option-value-n
```

The length of the gateway profile name, `profile_name` in the preceding format, must not exceed 11 bytes. The name must be the same as the name for the `GATEWAY_PROFILE` channel option in the SMS channel option file. The name is case insensitive. For a list of the valid channel options, see [“Available Options” on page 890](#).

2. Set the gateway profile options (for example, `SMSC_DEFAULT_CHARSET`) to match characteristics of the remote SMSC.
3. Set the other gateway profile options to match the SMS channel’s email characteristics.

A complete description of gateway profile options, see [“Gateway Profile Options” on page 936](#).

4. Set the `CHANNEL` option.

Set its value to the name of the MTA SMS channel.

When a notification is sent to email through the gateway, the resulting email message will be enqueued to the MTA using this channel name.

An SMPP Relay

To configure an SMPP Relay, complete the following steps:

1. Add an SMPP relay instantiation (option group) to the SMS Gateway Server’s configuration file.

To add an option group, use the following format:

```
[SMPP_RELAY=relay_name]
option-name-1=option-value-1
option-name-2=option-value-2
...
option-name-n=option-value-n
```

Any name may be used for the relay’s name. All that matters is that the name not be used for any other SMPP relay instantiation within the same configuration file.

2. Set the `LISTEN_PORT` option.

The value used for the SMS channel's `SMPP_PORT` option must match that used for the relay's `LISTEN_PORT` option. For the `LISTEN_PORT`, select a TCP port number which is not used by any other SMPP relay or server instantiation nor by any other server running on the same computer.

3. Set the `SERVER_HOST` option.

The relay's `SERVER_HOST` option should give the host name for the remote SMSC's SMPP server. An IP address may be used in place of a host name.

4. Set the `SERVER_PORT` option.

The relay's `SERVER_PORT` option should give the TCP port for the remote SMSC's SMPP server.

For a complete description of all SMPP relay options, see [“SMPP Relay Options” on page 931](#).

An SMPP Server

To configure an SMPP server, complete the following steps:

1. Add an SMPP server instantiation (option group) to the SMS Gateway Server's configuration file.

To add an option group, use the following format:

```
[SMPP_SERVER=server_name]
option-name-1=option-value-1
option-name-2=option-value-2
...
option-name-n=option-value-n
```

Any name may be used for the server's name. All that matters is that the name not be used for any other SMPP server instantiation within the same configuration file.

2. Set `LISTEN_PORT` option.

Select a TCP port number which is not being used by any other server or relay instantiation. Additionally, the port number must not be being used by any other server on the same computer.

The remote SMSC needs to be configured to route notifications via SMPP to the SMS Gateway Server system using this TCP port.

For a complete description of all SMPP server options, see [“SMPP Server Options” on page 934](#).

Configuring Mobile-to-Email Operation

To configure mobile-to-email functionality, two configuration steps must be performed:

- [“Configure a Mobile-to-Email Gateway Profile” on page 926](#)
- [“Configure a Mobile-to-Email SMPP Server” on page 927](#)

Note that multiple gateway profiles may use the same SMPP server instantiation. Indeed, the same SMPP server instantiation may be used for both email-to-mobile and mobile-to-email applications.

Configure a Mobile-to-Email Gateway Profile

For mobile origination, a gateway profile provides two key pieces of information: how to identify SMS messages intended for that profile and how to convert those messages to email messages. Note that this profile can be the same one used for email-to-mobile with the addition of the `SELECT_RE` option.

To configure the gateway profile, follow these steps:

1. Add a gateway profile (option group) to the SMS Gateway Server’s configuration file.

To add an option group, use the following format:

```
[GATEWAY_PROFILE=profile_name]
option-name-1=option-value-1
option-name-2=option-value-2
...
option-name-n=option-value-n
```

Any name of 11 characters or less may be used for the profile’s name. All that matters is that it is not already used for another gateway profile within the same configuration file.

2. Set the `SELECT_RE` option must be specified for each gateway profile.

The value of this option is an ASCII regular expression with which to compare SMS destination addresses. If an SMS destination address matches the regular expression, then the SMS message is sent through the gateway to email using the characteristics described by the matching profile.

It is important to note that it is possible to configure multiple gateway profiles which have overlapping sets of SMS addresses (for example, a profile which matches the address 000 and another which matches any other three-digit address). However, so doing should be avoided as an SMS message will be passed off to only one gateway profile: the first one which matches. And, moreover, the order in which they are compared is undefined.

3. Set the `CHANNEL` option.

Its value should be the name of the MTA's SMS channel.

For a complete description of all mobile origination options, see [“Gateway Profile Options” on page 936](#).

Configure a Mobile-to-Email SMPP Server

Adding an SMPP server is the same as for the email-to-mobile SMPP server (see [“An SMPP Server” on page 925](#)).

The remote SMSC needs to be configured to route SMS traffic to the gateway SMPP server. To do this, the SMS destination address used by the SMSC to route mobile-to-email traffic should be the value set for the gateway profile option `SELECT_RE`.

For example, if the SMS address 000 is to be used for mobile-to-email traffic, then the SMSC needs to be configured to route traffic for the SMS destination address 000 to the gateway SMPP server. The gateway profile should use the option setting `SELECT_RE=000`.

Configuration Options

The SMS Gateway Server configuration file options are detailed in this section. The tables that follow list all the available configuration options with a brief description of each. There is a table each for global options, SMPP relay options, SMPP server options, and SMS Gateway Server profile options.

In the subsections that follow, complete descriptions are given for all the available configuration options. The subsections are:

- [“Global Options” on page 928](#)

Global options must be placed at the top of the configuration file, before any option groups. The remaining options must appear within option groups.

- [“SMPP Relay Options” on page 931](#)
- [“SMPP Server Options” on page 934](#)
- [“Gateway Profile Options” on page 936](#)

Global Options

The SMS Gateway Server presently has three categories of global options:

- [Thread Tuning Options](#)
- [Historical Data Tuning](#)
- [Miscellaneous](#)

All global options must be specified at the top of the configuration file, before any option groups are specified. [Table D-20](#) lists all global configuration options.

Table D-20 Global Options

Options	Default	Description
<code>DEBUG</code>	6	Selects the types of diagnostic output generated
<code>HISTORY_FILE_DIRECTORY</code>		Absolute directory path for files of historical data
<code>HISTORY_FILE_MODE</code>	0770	Permissions for files of historical data
<code>HISTORY_FILE_ROLLOVER_PERIOD</code>	30 mins	Maximum length of time to write to the same file of historical data
<code>LISTEN_CONNECTION_MAX</code>		Maximum number of concurrent inbound connections across all SMPP relay and server instantiations
<code>RECORD_LIFETIME</code>	3 days	Lifetime of a record in the historical data archive
<code>THREAD_COUNT_INITIAL</code>	10 threads	Initial number of worker threads
<code>THREAD_COUNT_MAXIMUM</code>	50 threads	Maximum number of worker threads
<code>THREAD_STACK_SIZE</code>	64 Kb	Stack size for each worker thread

Thread Tuning Options

Each inbound TCP connection represents an SMPP session. The processing for a session is handled by a worker thread from a pool of threads. When the session processing needs to wait for completion of an I/O request, the worker thread parks the session and is given other work to perform. When the I/O request completes, the session is resumed by an available worker thread from the pool.

The following options allow for tuning of this pool of worker thread processes:

[THREAD_COUNT_INITIAL](#), [THREAD_COUNT_MAXIMUM](#), [THREAD_STACK_SIZE](#).

THREAD_COUNT_INITIAL

(integer, > 0) Number of threads to initially create for the pool of worker threads. This count does not include the dedicated threads used to manage the in-memory historical data (2 threads) nor the dedicated threads used to listen for incoming TCP connections (one thread per TCP port/interface address pair the SMS Gateway Server listens on). The default value is for `THREAD_COUNT_INITIAL` is 10 threads.

THREAD_COUNT_MAXIMUM

(integer, >= `THREAD_COUNT_INITIAL`) Maximum number of threads to allow for the pool of worker threads. The default value is 50 threads.

THREAD_STACK_SIZE

(integer, > 0) Stack size in bytes for each worker thread in the pool of worker threads. The default value is 65,536 bytes (64 Kb).

Historical Data Tuning

When an SMS message is relayed, the message ID generated by the receiving, remote SMPP server is saved in an in-memory hash table. Along with this message ID, information about the original email message is also saved. Should that message ID subsequently be referenced by an SMS notification, this information may be retrieved. The retrieved information can then be used to send the SMS notification to the appropriate email recipient.

The in-memory hash table is backed to disk by a dedicated thread. The resulting disk files are referred to as “history files”. These history files serve two purposes: to save, in nonvolatile form, the data necessary to restore the in-memory hash table after a restart of the SMS Gateway Server, and to conserve virtual memory by storing potentially lengthy data on disk. Each history file is only written to for `HASH_FILE_ROLLOVER_PERIOD` seconds after which time it is closed and a new history file created. When a history file exceeds an age of `RECORD_LIFETIME` seconds, it is deleted from disk.

The following options allow for tuning historical files: [HISTORY_FILE_DIRECTORY](#), [HISTORY_FILE_MODE](#), [HISTORY_FILE_ROLLOVER_PERIOD](#), [RECORD_LIFETIME](#).

HISTORY_FILE_DIRECTORY

(string, absolute directory path) Absolute path to the directory to which to write the history files. The directory path will be created if it does not exist. The default value for this option is:

```
msg_svr_base/data/sms_gateway_cache/
```

The directory used should be on a reasonably fast disk system and have more than sufficient free space for the anticipated storage; see “[SMS Gateway Server Storage Requirements](#)” on page 944 for storage planning information. Sites are encouraged to change this option to a more appropriate value.

HISTORY_FILE_MODE

(integer, octal value) File permissions to associated with the history files. By default, a value of 0770 (octal) is used.

HISTORY_FILE_ROLLOVER_PERIOD

(integer, seconds) The current history file is closed and a new one created every `HISTORY_FILE_ROLLOVER_PERIOD` seconds. By default, a value of 1800 seconds (30 minutes) is used.

RECORD_LIFETIME

(integer, seconds > 0) Lifetime in seconds of a historical record. Records older than this lifetime will be purged from memory; history files older than this lifetime will be deleted from disk. By default, a value of 259,200 seconds (3 days) is used. Records stored in memory are purged in sweeps by a thread dedicated to managing the in-memory data. These sweeps occur every `HISTORY_FILE_ROLLOVER_PERIOD` seconds. Files on disk are purged when it becomes necessary to open a new history file.

Miscellaneous

There are two miscellaneous options: [DEBUG](#) and [LISTEN_CONNECTION_MAX](#).

DEBUG

(integer, bitmask) Enable debug output. The default value is 6 which selects warning and error messages.

Table D-21 defines the bit values of the `DEBUG` bitmask.

Table D-21 DEBUG Bitmask

Bit	Value	Description
0-31	-1	Extremely verbose output
0	1	Informational messages
1	2	Warning messages
3	4	Error messages
3	8	Subroutine call tracing
4	16	Hash table diagnostics
5	32	I/O diagnostics, receive
6	64	I/O diagnostics, transmit
7	128	SMS to email conversion diagnostics (mobile originate and SMS notification)
8	256	PDU diagnostics, header data
9	512	PDU diagnostics, body data
10	1024	PDU diagnostics, type-length-value data
11	2048	Option processing; sends all option settings to the log file.

LISTEN_CONNECTION_MAX

(*integer, >= 0*) The maximum number of concurrent, inbound TCP connections to allow across all SMPP relay and server instantiations. A value of 0 (zero) indicates that there is no global limit on the number of connections. There may, however, be per relay or server limits imposed by a given relay or server instantiation.

SMPP Relay Options

The SMS Gateway Server can have multiple instantiations of its SMPP relay, each with different characteristics chief of which will be the TCP port and interface listened on. Put differently, for each network interface and TCP port pair the SMPP relay listens on, distinct characteristics may be ascribed. These characteristics are specified using the options described in this section.

Each instantiation should be placed within an option group of the form:

```
[SMPP_RELAY=relay-name]
option-name-1=option-value-1
option-name-2=option-value-2
...
option-name-n=option-value-n
```

The string `relay-name` merely serves to differentiate this instantiation from other instantiations.

Table D-22 lists the SMPP relay configuration options.

Table D-22 SMPP Relay Options

Options	Default	Description
<code>LISTEN_BACKLOG</code>	255	Connection backlog for inbound SMPP client connections
<code>LISTEN_CONNECTION_MAX</code>		Maximum number of concurrent inbound connections
<code>LISTEN_INTERFACE_ADDRESS</code>		Network interface for inbound SMPP client connections
<code>LISTEN_PORT</code>		TCP port for inbound SMPP client connections
<code>LISTEN_RECEIVE_TIMEOUT</code>	600 s	Read timeout for inbound connections from SMPP clients
<code>LISTEN_TRANSMIT_TIMEOUT</code>	120 s	Write timeout for inbound connections from SMPP clients
<code>MAKE_SOURCE_ADDRESSES_UNIQUE</code>	1	Make relayed SMS source addresses unique and able to be replied to
<code>SERVER_HOST</code>		Host name or IP address of the SMPP server to relay to
<code>SERVER_PORT</code>		TCP port of the SMPP server to relay to
<code>SERVER_RECEIVE_TIMEOUT</code>	600 s	Read timeout for outbound SMPP server connections
<code>SERVER_TRANSMIT_TIMEOUT</code>	120 s	Write timeout for outbound SMPP server connections

`LISTEN_BACKLOG`

(*integer, in [0,255]*) Connection backlog allowed by the TCP stack for inbound SMPP client connections. The default value is 255.

LISTEN_CONNECTION_MAX

(integer, >= 0) The maximum number of concurrent, inbound TCP connections to allow for this SMPP relay instantiation. Note that this value will be ignored if it exceeds the global `LISTEN_CONNECTION_MAX` setting.

LISTEN_INTERFACE_ADDRESS

(string, "INADDR_ANY" or dotted decimal IP address) The IP address of the network interface to listen to for inbound SMPP client connections. May be either the string "INADDR_ANY" (all available interfaces) or an IP address in dotted decimal form. (For example, 193.168.100.1) The default value is "INADDR_ANY". Clustered HA configurations will need to set this value to correspond to the HA logical IP address.

LISTEN_PORT

(integer, TCP port number) TCP port to bind to for accepting inbound SMPP client connections. Specification of this option is mandatory; there is no default value for this option. Note also that there is no Internet Assigned Numbers Authority (IANA) assignment for this service.

LISTEN_RECEIVE_TIMEOUT

(integer, seconds > 0) Timeout to allow when waiting to read data from an SMPP client. The default value is 600 seconds (10 minutes).

LISTEN_TRANSMIT_TIMEOUT

(integer, seconds > 0) Timeout to allow when sending data to an SMPP client. The default value is 120 seconds (2 minutes).

MAKE_SOURCE_ADDRESSES_UNIQUE

(0 or 1) By default, the SMPP relay will append to each SMS source address a unique, ten digit string. The resulting SMS source address is then saved along with the other historical data. The result is a unique SMS address which may then be replied to by SMS users. The SMPP server will detect this address when used as an SMS destination address and will then send the SMS message to the correct email originator.

To disable this generating of unique SMS source addresses (for one-way SMS), specify a value of 0 (zero) for this option.

SERVER_HOST

(string, TCP hostname or dotted decimal IP address) SMPP server to relay SMPP client traffic to. Either a hostname or IP address may be specified. Specification of this option is mandatory; there is no default value for this option.

SERVER_PORT

(*integer, TCP port number*) TCP port for the remote SMPP server to which to relay. Specification of this option is mandatory; there is no default value for this option. There is no IANA assignment for this service; do not confuse with the IANA assignment for SNPP.

SERVER_RECEIVE_TIMEOUT

(*integer, seconds > 0*) Timeout to allow when waiting to read data from the SMPP server. The default value is 600 seconds (10 minutes).

SERVER_TRANSMIT_TIMEOUT

(*integer, seconds > 0*) Timeout to allow when sending data to the SMPP server. The default value is 120 seconds (2 minutes).

SMPP Server Options

The SMS Gateway Server can have multiple instantiations of its SMPP server, each with different characteristics chief of which will be the TCP port and interface listened on. Put differently, for each network interface and TCP port pair the SMPP server listens on, distinct characteristics may be ascribed. These characteristics are specified using the options described in this section.

Each instantiation should be placed within an option group of the form:

```
[SMPP_SERVER=server-name]
option-value-1=option-value-1
option-value-2=option-value-2
...
option-name-n=option-value-n
```

The string `server-name` merely serves to differentiate the instantiation from other instantiations.

[Table D-23](#) lists the SMPP server configuration options.

Table D-23 SMPP Server Options

Options	Default	Description
LISTEN_BACKLOG	255	Connection backlog for inbound SMPP server connections
LISTEN_CONNECTION_MAX		Maximum number of concurrent inbound connections
LISTEN_INTERFACE_ADDRESS		Network interface for inbound SMPP server connections

Table D-23 SMPP Server Options (*Continued*)

Options	Default	Description
<code>LISTEN_PORT</code>		TCP port for inbound SMPP server connections
<code>LISTEN_RECEIVE_TIMEOUT</code>	600 s	Read timeout for inbound SMPP server connections
<code>LISTEN_TRANSMIT_TIMEOUT</code>	120 s	Write timeout for inbound SMPP server connections

`LISTEN_BACKLOG`

(*integer in [0,255]*) Connection backlog allowed by the TCP stack for inbound SMPP client connections. The default value is 255.

`LISTEN_CONNECTION_MAX`

(*integer >= 0*) The maximum number of concurrent, inbound TCP connections to allow for this SMPP server instantiation. Note that this value will be ignored if it exceeds the global `LISTEN_CONNECTION_MAX` setting.

`LISTEN_INTERFACE_ADDRESS`

(*string, "INADDR_ANY" or dotted decimal IP address*) The IP address of the network interface to listen to for inbound SMPP client connections on. May be either the string "INADDR_ANY" (all available interfaces) or an IP address in dotted decimal form. (For example, 193.168.100.1.) The default value is "INADDR_ANY".

`LISTEN_PORT`

(*integer, TCP port number*) TCP port to bind to for accepting inbound SMPP client connections. Specification of this option is mandatory; there is no default value for this option. Note that there is no IANA assignment for this service.

`LISTEN_RECEIVE_TIMEOUT`

(*integer, seconds > 0*) Timeout to allow when waiting to read data from an SMPP client. The default value is 600 seconds (10 minutes).

`LISTEN_TRANSMIT_TIMEOUT`

(*integer, seconds > 0*) Timeout to allow when sending data to an SMPP client. The default value is 120 seconds (2 minutes).

Gateway Profile Options

There may be zero or more gateway profiles. In the SMS Gateway Server's configuration file, each gateway profile is declared within an option group in the following format:

```
[GATEWAY_PROFILE=profile-name]
option-name-1=option-value-1
option-name-2=option-value-2
...
option-name-n=option-value-n
```

The string `profile-name` merely serves to differentiate the profile from other origination profiles.

[Table D-24](#) lists the SMS Gateway Server profile options.

Table D-24 SMS Gateway Server Profile Options

Options	Default	Description
<code>CHANNEL</code>	sms	Channel to enqueue message as
<code>EMAIL_BODY_CHARSET</code>	US-ASCII	Character set for email message bodies
<code>EMAIL_HEADER_CHARSET</code>	US-ASCII	Character set for email message headers
<code>FROM_DOMAIN</code>		Domain name for routing email back to SMS
<code>PARSE_RE_0</code> , <code>PARSE_RE_1</code> , ..., <code>PARSE_RE_9</code>		Regular expressions for parsing SMS message text
<code>PROFILE</code>	GSM	SMS profile to operate under: GSM, TDMA, or CDMA
<code>SELECT_RE</code>		Regular expression for selecting the plugin
<code>SMSC_DEFAULT_CHARSET</code>	US-ASCII	SMSC's default character set
<code>USE_SMS_PRIORITY</code>	0	Gateway SMS priority flags to email
<code>USE_SMS_PRIVACY</code>	0	Gateway SMS privacy indicators to email

CHANNEL

(*string, 1-40 characters*) Name of the MTA channel used to enqueue email messages. If not specified, then “sms” is assumed. The specified channel must be defined in the MTA's configuration.

EMAIL_BODY_CHARSET

(string, character set name) The character set to translate SMS text to prior to insertion into an email message's body. If necessary, the translated text will be MIME encoded. The default value is US-ASCII. If the SMS message contains glyphs not available in the charset, they will be converted to mnemonic characters, which may or may not be meaningful to the recipient.

A list of the character sets known to the MTA may be found in the following file:

installation-directory/config/charsets.txt

EMAIL_HEADER_CHARSET

(string, character set name) The character set to translate SMS text to prior to insertion into an RFC 822 `Subject:` header line. If necessary, the translated string will be MIME encoded. The default value is US-ASCII. If the SMS message contains glyphs not available in the charset, they will be converted to mnemonic characters, which may or may not be meaningful to the recipient

FROM_DOMAIN

(string, IP host name, 1-64 characters) Domain name to append to SMS source addresses when constructing envelope `From:` addresses for email messages. The name specified should be the correct name for routing email back to SMS. (For example, the host name associated with the MTA SMS channel.) If not specified, then the official host name of the channel specified with the `CHANNEL` option will be used.

PARSE_RE_0, PARSE_RE_1, ..., PARSE_RE_9

(string, UTF-8 regular expression) For mobile origination of email, the gateway profile needs to extract a destination email address from the text of the SMS message. This is done by means of one or more POSIX-compliant regular expressions (REs). The text of the SMS message will be evaluated by each regular expression until either a match producing a destination email address is found or the list of regular expressions exhausted.

NOTE Use of `PARSE_RE_*` and `ROUTE_TO` options are mutually exclusive. Use of both in the same gateway profile is a configuration error.

Each regular expression must be POSIX compliant and encoded in the UTF-8 character set. The regular expressions must output as string 0 the destination address. They may optionally output text to use in a `Subject:` header line as string 1, and text to use in the message body as string 2. Any text not “consumed” by the regular expression will also be used in the message body, following any text output as string 2.

The regular expressions will be tried in the order `PARSE_RE_0`, `PARSE_RE_1`, ..., up to `PARSE_RE_9`. If no regular expressions are specified, then the following default regular expression is used:

```
[ \t]*([^\( ]*)[ \t]*(?:\(((^\))*\))?[ \t]*(.*)
```

This default regular expression breaks into the following components:

```
[ \t]*
```

Ignore leading white space characters (`SPACE` and `TAB`).

```
([^\( ]*)
```

Destination email address. This is the first reported string.

```
[ \t]*
```

Ignore white space characters.

```
(?:\(((^\))*\))?
```

Optional subject text enclosed in parentheses. This is the second reported string. The leading `?:` causes the outer parentheses to not report a string. They are being used merely for grouping their contents together into a single RE for the trailing `?`. The trailing `?` causes this RE component to match only zero or one time and is equivalent to the expression `{0,1}`.

```
[ \t]*
```

Ignore white space characters.

```
(.*)
```

Remaining text to message body. This is the third reported string.

For example, with the above regular expression, the sample SMS message:

```
dan@sesta.com(Testing)This is a test
```

yields the email message:

```
To: dan@sesta.com
Subject: Testing
```

```
This is a test
```

As a second example, the SMS message:

```
sue@sesta.com This is another test
```

would yield:

```
To: sue@sesta.com
```

```
This is another test
```

Note that the SMS message, prior to evaluation with these regular expressions, will be translated to the UTF-16 encoding of Unicode. The translated text is then evaluated with the regular expressions which were previously converted from UTF-8 to UTF-16. The results of the evaluation are then translated to US-ASCII for the destination email address, `EMAIL_HEADER_CHARSET` for the `Subject: text`, if any, and `EMAIL_BODY_CHARSET` for the message body, if any.

PROFILE

(string, "GSM", "TDMA", or "CDMA") SMS profile to assume. Presently this information is only used to map SMS priority flags to RFC 822 `Priority: header` lines. Consequently, this option has no effect when `USE_SMS_PRIORITY=0` which is the default setting for that option.

SELECT_RE

(string, US-ASCII regular expression) A US-ASCII POSIX-compliant regular expression to compare against each SMS message's SMS destination address. If an SMS message's destination address matches this RE, then the SMS message will be sent through the gateway to email in accord with this gateway profile.

Note that since an SMS message's destination address is specified in the US-ASCII character set, this regular expression must also be expressed in US-ASCII.

SMSC_DEFAULT_CHARSET

(string, character set name) The name of the default character set used by the remote SMSC. The two common choices for this option are US-ASCII and UTF-16-BE (USC2). If not specified, US-ASCII is assumed.

USE_SMS_PRIORITY

(integer, 0 or 1) By default (with `USE_SMS_PRIORITY=0`), priority flags in SMS messages are ignored and not sent with the email messages. To have the priority flags passed with the email, specify `USE_SMS_PRIORITY=1`. When passed with the email, the mapping from SMS to email is as shown in [Table D-25](#):

Table D-25 Priority Flag Mapping from SMS to Email

SMS Profile	SMS Priority Flag	Email Priority: Header Line
GSM	0 (Non-priority)	No header line (implies Normal)
	1, 2, 3 (Priority)	Urgent
TDMA	0 (Bulk)	Nonurgent
	1 (Normal)	No header line (implies Normal)
	2 (Urgent)	Urgent
	3 (Very Urgent)	Urgent
CDMA	0 (Normal)	No header line (implies Normal)
	1 (Interactive)	Urgent
	2 (Urgent)	Urgent
	3 (Emergency)	Urgent

Note that the email `Priority: header line` values are Nonurgent, Normal, and Urgent.

USE_SMS_PRIVACY

(integer, 0 or 1) By default (with `USE_SMS_PRIVACY=0`), SMS privacy indications are ignored and not sent with the email messages. To have this information passed with the email, specify `USE_SMS_PRIVACY=1`. When passed along with email, the mapping from SMS to email is as shown in [Table D-26](#):

Table D-26 Privacy Flags Mapping from SMS to Email

SMS Privacy Flag	Email Sensitivity: Header Line
0 (Not restricted)	No header line
1 (Restricted)	Personal
2 (Confidential)	Private
3 (Secret)	Company-confidential

Note that the values of the email Sensitivity: header line are Personal, Private, and Company-confidential.

Configuration Example for Two-Way SMS

Assumptions on Behavior

For the sake of this example, let us assume that the following behavior is desired:

- Email messages addressed to `sms-id@sms.domain.com` are to be sent to the SMS address `sms-id` and given a unique SMS source address in the range `000nnnnnnnnnn`.
- Mobile SMS messages addressed to the SMS address `000` are to be sent through the gateway to email with the email address extracted from the start of the SMS message text.

For example, if the SMS message text is:

```
jdoe@domain.com Interested in a movie?
```

then the message “Interested in a movie?” is to be sent to `jdoe@domain.com`.

- SMS notifications sent to `000nnnnnnnnnn` are to be sent through the gateway to email and directed to the originator of the message being received.

In order to bring about this behavior, the following assumptions and assignments are made

Further Assumptions and Assignments

- The MTA's SMS channel uses the domain name `sms.domain.com`.
- The SMS Gateway Server runs on the host `gateway.domain.com` and uses:
 - TCP port 503 for its SMPP relay
 - TCP port 504 for its SMPP server
- The remote SMSC's SMPP server runs on the host `smpp.domain.com` and listens on TCP port 377.
- The remote SMSC's default character set is UCS2 (aka, UTF-16).

SMS Channel Configuration

To effect the above behavior, the following SMS channel configuration may be used in the `imta.cnf` file (add these lines to the bottom of the file):

```
(blank line)
sms
sms.domain.com
```

SMS Channel Option File

The channel's option file, `sms_option`, would then contain the following settings:

```
SMPP_SERVER=gateway.domain.com
SMPP_PORT=503
USE_HEADER_FROM=0
DEFAULT_SOURCE_ADDRESS=000
GATEWAY_PROFILE=sms1
SMSC_DEFAULT_CHARSET=UCS2
```

SMS Gateway Server Configuration

Finally, the Gateway Server configuration file, `sms_gateway.cnf`, should look like the following:

```
HISTORY_FILE_DIRECTORY=/sms_gateway_cache/
```

```
[SMPP_RELAY=relay1]
LISTEN_PORT=503
SERVER_HOST=smpp.domain.com
SERVER_PORT=377

[SMPP_SERVER=server1]
LISTEN_PORT=504

[GATEWAY_PROFILE=sms1]
SELECT_RE=000([0-9]{10,10}){0,1}
SMSC_DEFAULT_CHARSET=UCS2
```

Testing This Configuration

If you do not have an SMSC to test on, you may want to perform some loopback tests. With some additional settings in the `sms_option` file, some simple loop back tests may be performed for the above configuration.

Additional sms_option File Settings

The additional settings for the `sms_option` file are:

```
! So that we don't add text to the body of the SMS message
FROM_FORMAT=
SUBJECT_FORMAT=
CONTENT_PREFIX=
```

Without these settings, an email containing:

```
user@domain.com (Sample subject) Sample text
```

would get converted into the SMS message:

```
From:user@domain.com Subject:Sample Subject Msg:Sample text
```

That, in turn, would not be in the format expected by the mobile-to-email code, which wants to see:

```
user@domain.com (Sample subject) Sample text
```

Hence the need (for loopback testing) to specify empty strings for the `FROM_FORMAT`, `SUBJECT_FORMAT`, and `CONTENT_PREFIX` options.

Performing the Loopback Test

Send test email messages addressed to `000@sms.domain.com`, such as:

```
user@domain.com (Test message) This is a test message which should loop back
```

The result is that this email message should be routed back to the email recipient `user@domain.com`. Be sure to have added `sms.domain.com` to your DNS or host tables for the test.

SMS Gateway Server Storage Requirements

To determine the amount of resources you will need for the SMS Gateway Server, use the numbers you generate from the requirements in [Table D-27](#) along with your expected number of relayed messages per second and the `RECORD_LIFETIME` setting.

[Table D-27](#) covers the requirements for the historical records, the SMPP relay, and SMPP server.

Table D-27 SMS Gateway Server Storage Requirements

Component	Requirements
In-memory historical record	<p>Each relayed message requires $33+m+s$ bytes of virtual memory, where m is the length of the message's SMS message ID ($1 \leq m \leq 64$) and s is the length of the message's SMS source address ($1 \leq s \leq 20$).</p> <p>When <code>MAKE_SOURCE_ADDRESS_UNIQUE=0</code>, then only $16+m$ bytes are used. For 64 bit operating systems, $49+m+s$ bytes of virtual memory are consumed per record [$24+m$ when <code>MAKE_SOURCE_ADDRESS_UNIQUE=0</code>].</p> <p>Note also, that the heap allocator may actually allocate larger size pieces of virtual memory for each record.</p> <p>The maximum number of records is 43 billion ($2^{32}-1$). For less than 16.8 million records (2^{24}), the hash table consumes approximately 16 Mb; for less than 67.1 million records (2^{26}), the hash table consumes approximately 64 Mb; for more than 67.1 million records, the hash table consumes approximately 256 Mb.</p> <p>Double the memory consumptions for 64 bit operating systems.</p> <p>These consumptions are in addition to the memory consumption required for each record itself.</p>

Table D-27 SMS Gateway Server Storage Requirements *(Continued)*

Component	Requirements
On-disk historical record	<p>Each relayed message requires on average the following number of bytes:</p> $81+m+2s+3a+S+2i$ <p>where:</p> <ul style="list-style-type: none"> • m is the average length of SMS message IDs, and $1 \leq m \leq 64$ • s is the average length of SMS source addresses, and $1 \leq s \leq 20$ • a is the average length of email addresses, and $3 \leq a \leq 129$ • S is the average length of <code>Subject</code>: header lines, and $0 \leq S \leq 80$ • i is the average length of email message envelope IDs, and $0 \leq i \leq 129$ <p>The size for any specific record is influenced by the length of the message's envelope <code>From</code>: and <code>To</code>: addresses, envelope and message IDs, and the length of the <code>Subject</code>: header line.</p> <p>The maximum record length is 910 bytes.</p> <p>When <code>MAKE_SOURCE_ADDRESS_UNIQUE=0</code> is used, the size of each record in bytes is:</p> $78+m+3a+S+2i.$
SMPP relay	<p>Each relayed SMPP session consumes two TCP sockets: one with the local SMPP client and another with the remote SMPP server. Approximately 1 Kb of virtual memory is consumed per connection on 32 bit operating systems; 2 Kb on 64 bit operating systems.</p>
SMPP server	<p>Each incoming connection consumes a TCP socket. Approximately 1 Kb of virtual memory is consumed per connection on 32 bit operating systems; 2 Kb on 64 bit operating systems.</p>

For instance, if on average 50 messages per second are expected to be relayed, SMS source addresses are 13 bytes long, SMS message IDs have a typical length of 12 bytes, email addresses 24 bytes, `Subject`: lines 40 bytes, email message and envelope IDs 40 bytes each, and historical data is retained for 7 days, then:

- There will be 30.24 million historical records to store, each on average 58 bytes in memory and 311 bytes long on disk;
- The in-memory consumption of the historical records will be about 1.70 Gb (1.63 Gb + 64 Mb); and
- The on-disk storage will be approximately 8.76 Gb.

While a sufficiency of disk may be supplied to handle any on disk requirements, the virtual memory requirement on a 32-bit machine will be a hard limit of approximately 2 Gb. To reduce the amount of virtual memory or disk storage required, use the `RECORD_LIFETIME` option to reduce the length of time records are retained.

Installation Worksheets

This appendix provides worksheets by which you can plan your installation. The following worksheets are included:

- [Directory Server Installation](#)
- [Administration Server Initial Runtime Configuration](#)
- [Directory Server Setup Script \(comm_dssetup.pl\)](#)
- [Messaging Server Initial Runtime Configuration](#)

Directory Server Installation

You installed Directory Server through the Java Enterprise System installer or through a previous installation. Record your Directory Server installation and configuration parameters in [Table E-1](#) (this is a replica of the worksheet shown in the *Messaging Server Deployment Planning Guide*). You will need these parameters when you install and configure the Administration and Messaging servers.

Table E-1 Directory Server Installation Parameters

Parameter:	Description:	Example:	Used in:	Your Answers:
Directory Installation Root	A directory on the directory server machine dedicated to holding the server program, configuration, maintenance, and information files.	<code>/var/mps/server root/</code>	<code>comm_dssetup.pl</code> Perl script	
Host	The host name is the IP host name, which might be either a "short-form" host name (for example, <code>fiddle</code>) or a fully qualified host name. The fully qualified host name consists of two parts: the host name and the domain name.	<code>fiddle.west.ses ta.com</code>	Administration Server Configuration	See "To Prepare Directory Server for Messaging Server Configuration" on page 41.
LDAP Directory Port Number	The default for and LDAP directory server is 389.	389	Administration Server Configuration and Messaging Server Configuration	See "To Prepare Directory Server for Messaging Server Configuration" on page 41 and "To Create the Initial Messaging Server Runtime Configuration" on page 51

Parameter:	Description:	Example:	Used in:	Your Answers:
Administrator ID and Password	Administrator in charge or responsible for configuration information. Password for the Administrator	Admin PaSsWoRd	Administration Server Configuration See "To Prepare Directory Server for Messaging Server Configuration" on page 41.	
User and Group Tree Suffix	The distinguished name of the LDAP entry at the top of the directory tree, below which user and group data is stored.	o=usergroup	comm_dssetup.pl Perl script See "To Prepare Directory Server for Messaging Server Configuration" on page 41.	
Directory Manager DN and Password	The privileged directory administrator, comparable to the superuser user in UNIX. Typically, this administrator is responsible for user and group data. Password for the Directory Manager.	cn=Directory Manager pAsSwOrD	comm_dssetup.pl Perl script and Messaging Server Configuration See "To Prepare Directory Server for Messaging Server Configuration" on page 41 and "To Create the Initial Messaging Server Runtime Configuration" on page 51.	
Administration Domain	A region of administrative control.	System Lab	Administration Server Configuration See "To Prepare Directory Server for Messaging Server Configuration" on page 41.	

Administration Server Initial Runtime Configuration

When you run the Administration Server initial runtime configuration program through the Java Enterprise System installer, record your installation parameters in [Table E-2](#) (this is a replica of the worksheet shown in the *Messaging Server Deployment Planning Guide*). You will need some of these parameters for the Messaging Server initial runtime configuration. You might also refer to your [“Directory Server Installation” on page 948](#) checklist to answer certain questions.

Table E-2 Administration Server Initial Runtime Configuration Program Parameters

Parameter	Description	Example	Your Answers:
Fully Qualified Domain Name	Fully Qualified domain for the host machine.	fiddle.west.sesta.com	
Server Root Definition	Installation Root of the Administration Server dedicated to holding the server program, configuration, maintenance, and information files.	/var/mps/serverroot	
UNIX System User	Certain privileges designated to system users to ensure they have appropriate permissions for the processes they are running.	inetuser	
UNIX System Group	The group to which certain UNIX System users belong.	inetgroup	
Configuration Directory Server	Host and Port specified during “Directory Server Installation” on page 948 .	Host fiddle.west.sesta.com Port 389	
Configuration Directory Server Administrator and Password	Administrator ID specified during “Directory Server Installation” on page 948 . Password of Administrator ID	Admin PaSsWoRd	

Table E-2 Administration Server Initial Runtime Configuration Program Parameters

Parameter	Description	Example	Your Answers:
Administration Domain	A region of administrative control. If you have installed Messaging Server and Directory Server on the same machine, then you should choose the same Administration Domain in "Directory Server Installation" on page 948.	System Lab2	
Administrative Server Port	A unique port number dedicated to the Administration Server.	5555	

Directory Server Setup Script (comm_dssetup.pl)

When you run the Directory Server Setup script (`comm_dssetup.pl`) to prepare Directory Server for Messaging Server configuration, record your installation parameters in [Table E-3](#). You will need some of these parameters for the Messaging Server initial runtime configuration.

Table E-3 `comm_dssetup.pl` Script Parameters

Parameter	Description	Example	Your Answers:
Server Root	Installation Root of the Directory Server dedicated to holding the server program, configuration, maintenance, and information files.	<code>/var/mps/serverroot/</code>	
Server Instance	LDAP Directory Server daemon or service that is responsible for most functions. In certain deployments, you might dedicate an instance for maintaining users and groups and maintain a separate instance for configuration.	<code>slapd-varrius</code>	
DC Root	If you want to have a two-tree DIT provisioning model (Sun LDAP Schema 1 or Sun ONE LDAP Schema.2 (compatibility mode), the DC Tree mirrors the local DNS structure and is used by the system as an index to the Organization Tree that contain the user and group data entries.	<code>o=internet</code>	
User and Group Base Suffix	Top entry in the Organization Tree which holds the namespace for user and group entries.	<code>o=usergroup</code>	

Table E-3 comm_dssetup.pl Script Parameters (*Continued*)

Parameter	Description	Example	Your Answers:
Directory Manager DN and Password	Administrator who is responsible for the user and group data in the Organization Tree. Should be the same as what was specified in the Sun Java Enterprise System Installer. Password of Directory Manager DN	cn=Directory Manager pAsSwOrD	

Messaging Server Initial Runtime Configuration

When you run the Messaging Server initial runtime configuration program, record your installation parameters in [Table E-4](#). You might also refer to your “[Directory Server Installation](#)” on page 948 checklist to answer certain questions.

Table E-4 Messaging Server Initial Runtime Configuration Program Parameters

Parameter	Description	Example	Your Answers:
Configuration and Data Directory	Contains all of the Messaging Server configuration files. The <code>msg_svr_base/data</code> directory is symbolically linked to this directory.	<code>/var/opt/SUNWmsgsr</code>	
UNIX System User	Certain privileges designated to system users to ensure they have appropriate permissions for the processes they are running. This system user should not be the same user that you specified in the Administration Server Initial Runtime Configuration.	<code>mailsrv</code>	
UNIX System Group	The group to which certain UNIX System users belong. This system group should not be the same group that you specified in the Administration Server Initial Runtime Configuration.	<code>mail</code>	
Configuration Directory LDAP URL, Directory Manager, and Password	Configuration Directory Server, LDAP URL, Bind DN, and Password	<code>ldap://fiddle.west.sesta.com:389</code> <code>cn=Directory Manager</code> <code>PaSsWoRd</code>	
User and Group Directory LDAP URL, Directory Manager, and Password	User and Group Directory Server, LDAP URL, Bind DN, and Password. It is recommended that you have a separate User and Group directory from your Configuration directory.	<code>ldap://fiddle.west.sesta.com:389</code> <code>cn=Directory Manager</code> <code>PaSsWoRd</code>	

Table E-4 Messaging Server Initial Runtime Configuration Program Parameters

Parameter	Description	Example	Your Answers:
Postmaster Email Address	Email address of the administrator who will monitor postmaster mail. Address must be a fully qualified address, and must be valid, in that there is a mailbox associated with the address.	pma@siroe.com	
Password for Administrator Accounts	Password that will be used for service administrator, user/group administrator, end user administrator privileges as well as PAB administrator and SSL passwords.	paSSwoRD	
Default Email Domain	The email default that is used if no domain is specified	siroe.com	
Organization Name for Default Email Domain	An organization name under which your organization will reside and is used to construct the organization tree.	For example if your organization name is Engineering, all the users for siroe.com (your default email domain) will be placed under the LDAP DN o=Engineering, o=usergroup Your user and group directory suffix was specified in comm_dssetup.pl.	

Glossary

Refer to the Sun Java Enterprise System Glossary (<http://docs.sun.com/doc/816-6873>) for a complete list of terms that are used in this documentation set.

SYMBOLS

- ! (exclamation point)
 - as a comment indicator [227](#)
 - in addresses [292](#)
- \$? [308](#)
- \$A [307](#)
- \$B [306](#)
- \$C [305, 308](#)
- \$E [306](#)
- \$F [306](#)
- \$M [305, 308](#)
- \$N [305, 308](#)
- \$P [307](#)
- \$Q [305, 308](#)
- \$R [204, 306](#)
- \$S [307](#)
- \$T [308](#)
- \$U substitution sequence [296](#)
- \$V [198](#)
- \$V Metacharacter [202](#)
- \$X [307](#)
- \$Z [198](#)
- % (percent sign) [305](#)
- (A!B)%oC [368](#)
- * [637](#)
- *.CHANGES files [75](#)
- *.MERGED files [75](#)
- + [126](#)
- .HELD messages [790](#)

- / matching [234](#)
- /etc/nsswitch.conf [784](#)
- < (less than sign)
 - including files with [228](#)
- | vertical bar [287](#)
- ^ (at sign) [308](#)

NUMERICS

- 220 banner [784](#)
- 733 [367](#)
- 822 [366](#)
- 8-bit characters [793](#)

A

- A!(B%oC) [368](#)
- A!B%C [368](#)
- A!B^C [368](#)
- A@B@C [369](#)
- access control
 - access to TCP services, overview [664](#)
 - client access [132](#)
 - creating access filters [672](#)
 - filter syntax [666](#)
 - HTTP service [132, 664](#)
 - IMAP service [132, 664](#)
 - mapping tables [512](#)

- message store 557
 - monitoring users 624
 - POP service 132, 664
 - SMTP service 512
 - testing mappings 527
 - when applied 526
- access control, *See Also* mapping tables
- Access Manager 141
- access Messenger Express client
- Messenger Express Multiplexor 177
- ACCESS_ORCPT 517, 519
- ACLs 561
- addheader 466
- address
- ! and % usage 367
 - blank envelope return 274
 - destination 394
 - handling 365
 - incomplete 370
 - interpretation 367, 368
 - multiple destination 394
 - rewriting 370
 - routing information 368
- address changing 257
- Address in Received:header 374
- address mapping, FORWARD 261
- address message headers
- comments in 374
 - personal names 375
- address reversal 221
- address reverse controls 259
- address reverse, channel-specific 260
- address rewriting 370
- addresses
- backward-pointing 369
 - envelope To: 306
 - From: 369
 - interpreting 368
 - invalid 273
- addressing information
- alternate addresses 850, 858
 - for mail users 849
 - for mailing lists 858
 - forwarding addresses 853
 - primary address 850, 858
- Address-Reversal database 257
- address-reversal database 257
- addrreturnpath 373
- addrspfile 393
- administration
- Messenger Express Multiplexor 178
- Administration Server
- worksheet 950
- administrative topology 118
- administrator access control
- configuring 661
 - to message store 557
 - to server as a whole 663
 - to server tasks 663
- after channel keyword 356
- aging policies
- message store 581
 - number of messages 581
 - size of mailbox 581
 - specifying 581
- aging policies, *See* automatic message removal
- alarm attributes
- disk space 604
- alarm.diskavail 827
- alarm.diskavail.msgalarmdescription 805
- alarm.diskavail.msgalarmstatinterval 805, 827
- alarm.diskavail.msgalarmthreshold 805, 827
- alarm.diskavail.msgalarmthresholddirection 827
- alarm.diskavail.msgalarmwarninginterval 805, 827
- alarm.msgalarmnoticehost 827
- alarm.msgalarmnoticeport 827
- alarm.msgalarmnoticercpt 806, 827
- alarm.msgalarmnoticesender 827
- alarm.serverresponse 827
- alarm.serverresponse.msgalarmstatinterval 827
- alarm.serverresponse.msgalarmthreshold 827
- alarm.serverresponse.msgalarmthresholddirection 827
- alarm.serverresponse.msgalarmwarninginterval 827
- alias database 376
- alias expansion 202
- alias file 376

- ALIAS_DOMAINS 376
- ALIAS_ENTRY_CACHE_SIZE 221
- ALIAS_ENTRY_CACHE_TIMEOUT 221
- ALIAS_MAGIC 202, 224
- ALIAS_URL0 202, 224
- ALIAS_URL1 202, 224
- ALIAS_URL2 202, 224
- aliasdetourhost 399
- aliasedObjectName 200
- Aliases 254
- aliases
 - alias database 255
 - alias file 244, 255
 - including other files in aliases file 256
- aliases file 263
- aliaslocal 376
- aliaspostmaster 275
- ALLOW_RECIPIENTS_PER_TRANSACTION 334
- ALLOW_REJECTIONS_BEFORE_DEFERRAL 403
- ALLOW_TRANSACTIONS_PER_SESSION 334
- allowetrn 338
- allowetrn channel keyword 339
- allowswitchchannel channel keyword 350
- altered addresses in notification messages 272
- alternate channel for incoming mail 350
- alternate conversion channel 399
- alternate email addresses 850, 858
- alternateblocklimit 389
- alternatchannel 389
- alternatelinelimit 389
- alternaterecipientlimit 389
- alwaysencrypt 695
- alwaysign 695
- AMSDK 143
- anti-spam 389, 441, 473, 511
 - actions 451
 - Brightmail, *See* Brightmail
 - Channel-level Filtering 448, 449
 - Client Library 443
 - deploying 3rd-party software 442
 - Domain-level Filtering 446
 - Library Paths 444
 - limiting recipients 392
 - messages to filter 444
 - multiple programs 444
 - scanner 399
 - Sieve 451
 - spam score 441, 473
 - SpamAssassin, *See* SpamAssassin
 - Theory of Operations 442
 - User-level Filtering 445
- anti-virus 441, 455, 473
 - scanner 399
- APOP 646
- appid 152
- Application ID 145
- Arabic Character Detection 425
- associatedDomain 200
- asterisks 793
- asterisks, in addresses 187
- at sign 292, 305, 308
- attachments 384
 - opening 421
- authenticated addresses 352
- authentication
 - certificate-based 644, 649
 - HTTP 126
 - IMAP 126
 - mechanisms 644
 - Messaging Multiplexor 159
 - password 647
 - POP 126
 - SASL 644
 - SMTP 648
- authorized services 855
- authrewrite 352
- auto_ef 425
- automatic fragmentation of large messages 386
- automatic message removal 581
 - deployment 582
 - exclude users 582, 593
 - GUI 588
 - policy definition 582, 586
 - rule setting 583
 - scheduling 591
 - scheduling GUI 592
- automatic reply

- settings 854
- automatic restart 110
- automatic restart, high availability 112
- autoreply 503

B

- backoff 358
- backoff channel keyword 356
- backup groups 612
- backup procedure for message store
 - backup utilities 613
 - creating a policy 611
 - creating backup groups 612
 - description 610
 - full backup 611
 - incremental backup 611
 - parallel backups 612
 - peak business loads 611
 - serial backups 612
 - single copy procedure 610
 - using Legato Networker 618
 - using third party software 622
- backward-pointing addresses 369
- bad equivalence for alias
 - MTA error messages 794
- bangoverpercent 367
- bangoverpercent keyword 292
- bangstyle 367
- bang-style (UUCP) addresses 286
- bang-style address conventions 292
- banners
 - IMAP 126
 - POP 126
- bidirectional 357
- bit flags 274, 277
- blank envelope addresses 274, 277
- blank envelope return addresses 274
- blank lines
 - in a configuration file 228
- BLOCK_SIZE 386, 388
- blocketrn 338

- blocketrn channel keyword 339
- blocklimit 388
- blSWClientDesintationForeign 459
- blSWClientDestinationDefault 458
- blSWClientDestinationLocal 459
- blswcServerAddress 459
- blSWLocalDomain 458
- blSWPrecedence 458
- blSWUseClientOptin 459
- Brightmail
 - architecture 455
 - Configuration File options 458
 - deployment 457
 - MTA channel keywords 449
 - requirements and performance 457
- bulk mail 615

C

- CA certificates
 - installing 653
 - managing 654
- cacheeverything channel keyword 346
- cachefailures channel keyword 346
- cachesuccesses channel keyword 346
- cannot open alias include file
 - MTA error messages 794
- cert8.db 159, 167
- certificate-based login 128, 658
- Certificates 660
- certificates
 - installing, server 652
 - installing, trusted CA 653
 - managing 654
 - obtaining 651
 - requesting, server 652
- certmap.conf 659
- certurl 695
- certutil 660
- changing your configuration 782
- channel block 193
- channel host table 228

- channel l 228
- channel processing
 - simultaneous requests 248
- channel programs
 - troubleshooting 775
- channel protocol selection 337
- channel/host table 193
- channel-by-channel size limits 386
- channels
 - alternates 350
 - channel-specific rule checks 305
 - character set labeling 341
 - comment lines in definitions 192
 - configuring 313, 405
 - connection caching 346
 - defaults, setting 332
 - definitions 192
 - description 186, 189
 - directionality 357
 - eight-bit data 342
 - IDENT lookups 347
 - interpreting names of 305
 - job processing pools 360
 - keywords for 335
 - master programs 190
 - message queues 192
 - nameserver lookups 349
 - predefined 405
 - protocol selection and line terminators 337
 - protocol streaming 343
 - reverse DNS lookups 347
 - SASL support 352
 - slave programs 190
 - SMTP authentication 352
 - SMTP option files 244
 - structure of 192
 - submit only 398
 - target host choice 350
 - TCP/IP MX record support 349
 - TCP/IP port selection 346
 - TLS keywords 354
- character set labeling 341
- charset7 channel keyword 341
- charset8 channel keyword 341
- CHARSET-CONVERSION 385
- charsetesc channel keyword 341
- checkehlo 337
- checkehlo channel keyword 338
- checkoverssl 696
- ciphers
 - about 657
- cluster agent 86
- cmsutil 661
- comm_dssetup.pl 41
 - interactive mode 43
 - requirements 42
 - silent mode 49
 - worksheet 43, 952
- commadmin domain delete 106
- commadmin domain purge 105, 106
- commadmin user delete 105
- command-line utilities
 - mboxutil 598
 - MTA 256
 - reconstruct 603
 - stored 604
- COMMENT_STRINGS mapping table 374
- commentinc 374
- commentomit 374
- comments
 - in address message headers 374
- commentstrip 374
- commenttotal 374
- Communications Express
 - troubleshooting 637
- Communications Express Mail 681
- Communications Services
 - documentation 35
- compiled configuration version mismatch 797
- Compiling, MTA Configuration 226
- components
 - configure 53
- config files 69, 582, 593
- configuration
 - components 53
 - high availability 93
 - initial runtime 51
 - optional flags 52
 - passwords 104
 - port numbers 70

- Veritas Cluster Server 88
- configuration directory 118, 120
- configuration files
 - aliases 244
 - blank lines in 228
 - conversion 244
 - Dispatcher 245
 - imta.cnf
 - structure 227
 - Job Controller 247
 - mapping 246
 - MTA 226
 - nsswitch.conf 349
 - options 246
 - sslpasword.conf 654
 - tailor 247
- configurations files
 - dispatcher.cnf 751
- configuring SMTP blocking 62
- configutil
 - alarm.diskavail 827
 - alarm.msgalarmnoticehost 827
 - alarm.msgalarmnoticeport 827
 - alarm.msgalarmnoticercpt 827
 - alarm.msgalarmnoticesender 827
 - alarm.serverresponse 827
 - encryption.nsssl3ciphers 658
 - encryption.rsa 658
 - gen.newuserforms 115
 - gen.sitelanguage 118
 - local.service.http.proxy 176
 - local.service.pab 121
 - local.sso 152
 - local.store.notifyplugin 846
 - local.ugldapbasedn 121
 - local.ugldapbindcred 175
 - local.ugldapbinddn 121, 175
 - local.ugldaphost 121, 175
 - local.ugldapport 121
 - local.ugldapuselocal 121
 - local.webmail.sso 153
 - logfile.service 761
 - nserversecurity 658
 - sasl.default 647
 - sasl.default.ldap 646
 - service.dcroot 176
 - service.defaultdomai 176
 - service.http 139
 - service.http.plaintextmincipher 135
 - service.imap 135
 - service.imap.banner 126
 - service.loginseparator 126, 176
 - service.pop 133
 - service.pop.banner 126
 - service.service 673
 - store.admins 558
 - store.defaultmailboxquota 574
 - store.partition 595
 - store.quotaenforcement 578
 - store.quotaexceedmsginterval 577
 - store.quotagraceperiod 580
 - store.quotanotification 575
 - store.quotawarn 577
- conflicts
 - port numbers 70
- conn_throttle.so 525
- connectalias 370
- connectcanonical 370
- connection caching 346
- connections, simultaneous 889
- Console 106
- controlling error messages associated with
 - rewriting 308
- conversion channel 410
 - alternative 399
 - bouncing messages 423
 - configuration of 410, 413
 - control parameters 427
 - conversion control 244
 - deleting messages 423
 - example 425
 - header management 421
 - holding messages 423
 - information flow 416
 - mapping table 421
 - output options 420
 - passing directives 420
 - processing 414
 - traffic for conversion processing 413
- conversion control 244
- conversion file 244
- conversion tags 419

- conversions file 414
- converting addresses 257
- copysendpost 273
- copywarnpost 273
- core files
 - troubleshooting the message store 629
- correcting incomplete addresses 370
- corresponding channel characteristics 350
- counterutil 816, 824
 - alarm statistics 817
 - db_lock 814
 - diskusage 818
 - output 816
 - POP, IMAP, HTTP 818
 - serverresponse 819
- counterutil -l 816
- CRAM-MD5 646
- crdb 241, 538
- crlaccessfail 696
- crl_dir 696
- crlenable 696
- crlmappingurl 697
- crlurllogindn 697
- crlurlloginpw 697
- crlusepastnextupdate 697
- crontab 113

D

- daemon channel keyword 350
- data files 69
- database
 - general 241
- database log files
 - troubleshooting the message store 628
- database, general 538
- date conversion 381
- date fields 381
- date specification
 - day of week 381
- datefour 381
- dates
 - two-digit 381
- datetwo 381
- day of week
 - date specification 381
- dayofweek 381
- dcroot
 - Messenger Express Multiplexor 176
- debug 471, 478
- debugging 396
 - dispatcher 751
- debugging tools
 - channel_master.log-* files 780
 - imsimta cache -view 788
 - imsimta process 773
 - imsimta qm 771, 807
 - imsimta qm start and stop 775
 - imsimta run 775
 - imsimta test -rewrite 771, 799
 - log_message_id 777
 - mail.log_current 778
 - mail.log_current records 780
 - mapping tables 776
 - master_debug 778
 - message file 780
 - slave_debug 778
 - subdirs 779
 - TCP/IP network
 - PING, TRACEROUTE, and NSLOOKUP 785
 - tcp_local_slave.log-* file 780
- default datasize 752
- default domain
 - Messenger Express Multiplexor 176
- default error messages
 - rewrite and channel matching failures 308
- defaultmx channel keyword 349
- defaultnameservers channel keyword 349
- defaults channel 332
 - in a configuration file 194, 228
- DEFER_GROUP_PROCESSING 217
- deferralrejectlimit 403
- deferred 356, 358
- deferred delivery dates 370
- deferred message processing 358
- defragment 385

- defragmentation of message 385
- delegated administration 105, 662
- Delegated Administrator 59
- Delegated Administrator for Messaging 105
- delete domain 106
- delete user 105
- deleted 586
- deleting messages 556
- Delivery Failure 808
- delivery options
 - mail users 851
 - POP/IMAP delivery 851
 - program delivery 852
 - UNIX delivery 853
- delivery reports, *See* notification messages
- delivery retry frequency 358
- delivery status notifications, *See* notification messages 264
- DELIVERY_OPTIONS 213, 504, 505
- dequeue_removertime 378
- destination address 394
- destinationfilter 398, 542
- destinationnosolicit 403
- destinationspamfilterXoptin 314, 399, 449
- DIAGNOSTIC_CODE 270
- DIGEST-MD5 646
- direct LDAP, *See also* MTA 197
- direct LDAP, settings 224
- direction-specific rewrites 306
- directories
 - for log files 755
 - message store 553
- directory 194
- directory layout 68
- Directory Lookups Over SSL 679
- Directory Server 118
 - configuration directory 118
 - configuration settings 119
 - requirement 118
 - user directory 105, 118
 - worksheet 948
- directory server replica 58
- dirsync 197
- disableetrn 338
- Discarded Messages 545
 - holding 545
- disconnectbadauthlimit 388
- disconnectbadcommandlimit 395
- disconnectrecipientlimit 395
- disconnectrejectlimit 395
- disconnecttransactionlimit 395
- Disk Space 804
- disk space
 - monitoring 604
 - quotas for 570
 - reducing 606
- Disk usage 824
- Dispatcher
 - configuration file 245
 - controlling 188
 - debugging and log files 751
 - description 187
 - MAX_CONNS option 188
 - MIN_CONNS option 188
 - MIN_PROCS option 187
 - restarting 188
 - starting 188
 - stopping 188
- dispatcher
 - troubleshooting 783
- dispatcher configuration file 245, 751
- dispatcher.cnf file 751
- disposition_option.dat 270
- dispositionchannel 397
- DNS
 - domain verification 340
 - IDENTprotocol 347
 - MX records 349
 - reverse lookups 347
- DNS Lookups 535
- DNS problems
 - MTA troubleshooting 800
- dns_verify 535
- do_the_upgrade.sh 78
- documentation
 - overview 34

- where to find Communications Services documentation 35
 - where to find Messaging Server documentation 34
 - domain
 - database 309
 - DNS verification 340
 - literals 295
 - removing 106
 - specification in an address 290
 - stopping inbound processing 776
 - domain preferred language 117
 - DOMAIN_FAILURE 201
 - DOMAIN_MATCH_URL 199, 224
 - DOMAIN_UPLEVEL 198, 203, 205
 - domaintrn 338
 - domaintrn channel keyword 339
 - domainUIdSeparator 203
 - domainvrfy 340
 - dropblank 372
 - duplicate aliases found
 - MTA error messages 795
 - duplicate host in channel table
 - MTA error messages 795
 - duplicate mapping name found
 - MTA error messages 795
- E**
- EHLO 335
 - ehlo 337
 - ehlo channel keyword 338
 - EHLO command 337
 - eightbit channel keyword 342
 - Eight-Bit Data 342
 - eight-bit data 342
 - eightnegotiate channel keyword 342
 - eightstrict channel keyword 342
 - email-only members (of a group) 857
 - enable Messenger Express Multiplexor 176
 - Encoded messages 791
 - encoded received message 791
 - encoding 387
 - encoding header 381
 - encryption
 - accelerators for 652
 - encryption settings 122
 - encryption.nsssl3ciphers 658
 - encryption.rsa 658
 - ENS 843
 - administering 845
 - configuration parameters 846
 - enable 844
 - sample programs 844
 - starting and stopping 845
 - envelope to Address in Received: header 374
 - envelope To: address 306
 - error initializing ch_facility
 - compiled character set version mismatch 796
 - no room in 796
 - error messages
 - cannot open alias include file 794
 - error initializing ch_facility 796
 - Messenger Express Multiplexor 177
 - MTA 793
 - bad equivalence for alias 794
 - duplicate aliases found 795
 - duplicate host in channel table 795
 - duplicate mapping name found 795
 - local host too long 796
 - mapping name is too long 795
 - no equivalence addresses 796
 - no official host name for channel 796
 - official host name is too long 797
 - error notification messages, localizing
 - errors in mm_init 794
 - errsendpost 273
 - errwarnpost 273
 - establishing connection with Messenger Express Multiplexor 174
 - ETRN command 338
 - ETRN Command Support 338
 - Event Notification Service 843
 - Event Notification Service, *See* ENS
 - examples files 69

- exclamation point (!) [292](#)
- exclusive [585](#)
- expandchannel [364](#)
- expandchannel channel keyword [357](#)
- expandlimit [364](#)
- expandlimit channel keyword [357](#)
- expansion of multiple addresses [364](#)
- expire
- expire_exclude_list [582, 593](#)
- explicit routing [369](#)
- explicit routing, disable [369](#)
- expnallow [340](#)
- expndefault [340](#)
- expndisable [340](#)
- exproute [368](#)
- EXPROUTE_FORWARD option [369](#)
- expunge [557](#)
- expunging messages [556](#)
- external modules (PKCS #11) [651](#)

F

- failed delivery [358](#)
- failed delivery attempts [274](#)
- failed messages [273](#)
- failure of rewrite rules [295](#)
- field [471, 478](#)
- file
 - including in configuration files [228](#)
- file layout [68](#)
- file open or create errors [798](#)
- fileinto [398](#)
- files
 - header options [380](#)
- filesperjob [360](#)
- filesperjob channel keyword [357](#)
- filter [398](#)
- FILTER_DISCARD Channel [545](#)
- FILTER_JETTISON [545](#)
- filters [511, 541](#)

- channel level [541](#)
- debugging user-level [545](#)
- IP Address [525](#)
- Messenger Express [67](#)
- MTA-wide [541, 544](#)
- per-user [541, 542](#)
- Sieve [217](#)
- Sieve Extensions [480](#)
- filters, *See also*
 - mail filtering
- folderpattern [585](#)
- foldersize [585](#)
- FORWARD address mapping [261](#)
- Forward Database [261](#)
- forwardcheckdelete channel keyword [347](#)
- forwardchecknone channel keyword [347](#)
- forwardchecktag channel keyword [347](#)
- forwarding addresses [853](#)
- four-digit dates [381](#)
- fragmentation
 - of long messages [386](#)
- From: address [369](#)
- FROM_ACCESS mapping table [513, 521](#)
- fully qualified domain name (FQDN) [291](#)

G

- gen.newuserforms [115](#)
- gen.sitelanguage [118](#)
- general database [241, 302, 537, 538](#)
- general MTA error messages [793](#)
- generating character set labels [341](#)
- greeting message [114](#)
 - Per-Domain [115](#)
- group Expansion Attributes [218](#)
- groups
 - See also mailing lists
 - email-only members of [857](#)
 - Members tab [856](#)
- groups, creation [105](#)
- groups, theory of operations [218](#)

H

- hardware space
 - troubleshooting the message store 626
- hashdir 602
- HASStoragePlus 92
- header
 - handling keywords 378
 - language 384
 - maximum length 383
 - removing 379
 - Return-path 373
 - splitting long lines 382
 - stripping illegal blank recipient 372
 - X-Envelope-to 381
- header alignment 382
- header options files 380
- header trimming 380
- header_733 367
- header_822 367
- HEADER_LIMIT 393
- header_uucp 367
- headerlabelalign 382
- headerlimit 393
- headerlinelength 382
- headerread 379
- headerread keyword 380
- headers, definitions 411
- headertrim 379
- heap size 752
- HELD message queue files 790
- HIDE_VERIFY 340
- High Availability
 - auto restart 112
- high availability
 - additional configuration notes 97
 - binding IP address 97
 - cluster agent 86
 - Sun Cluster 93
 - Sun Cluster prerequisites 92
 - unconfiguring 99
 - useconfig 86
- hold channel 409
- holdexquota 391
- holdlimit 364
- holdlimit channel keyword 357
- host 471, 478
- host location-specific rewrites 307
- host name
 - extracting 291
 - hiding 850, 859
- host/domain specifications 291
- hosted domains
 - Messenger Express Multiplexor 173
- how to manually run a channel program 775
- http
 - //www.cyrusoft.com/sieve 451
 - //www.mozilla.org/projects/security/pki/nss/tools/certutil.html 660
 - //www.spamassassin.org 461
- http logging, disable 762
- HTTP message access, *See* message access
- HTTP service
 - access control filters 672
 - certificate-based login 128
 - client access control 132
 - configuring 136
 - connection settings 138
 - connections per process 129
 - disabling 138
 - dropping idle connections 131
 - enabling 138
 - logging out clients 131
 - login requirements 126
 - message settings 137
 - MTA settings 137
 - number of processes 129
 - password-based login 138
 - performance parameters 128
 - port numbers 124
 - process settings 138
 - proxy authentication 673
 - security 643
 - session ID 643
 - specialized web server 136
 - SSL port 125
 - starting and stopping 107
 - threads per process 130

- I**
- iBiffconfiguration parameters 846
- ICAP 442
 - option file 478
- iddenttcpsymbolic channel keyword 347
- IDENT lookups 347
- identd 670
- identify channels in message path
 - how to 777
- identnone channel keyword 348
- identnonelimited channel keyword 348
- identnonenumeric channel keyword 348
- identnon symbolic channel keyword 348
- identtcp channel keyword 347
- identtcplimited channel keyword 348
- identtcpnumeric channel keyword 347
- idle connections, dropping 131
- ignoreencoding 384
- iii_res* functions
 - slow SMTP server 784
- illegal host/domain errors 799
 - MX record lookups 799
- IMAP service
 - access control filters 672
 - banner 126, 135
 - certificate-based login 128, 658
 - client access control 132
 - client debug 627
 - configuring 134
 - connection settings 134
 - connections per process 129
 - disabling 134
 - dropping idle connections 131
 - enabling 134
 - login requirements 126
 - monitoring user access 624
 - number of processes 129
 - password-based login 648
 - password-based long 134
 - performance parameters 128
 - port numbers 124, 125
 - process settings 135
 - readership utility 603
 - shared folders 603
 - SSL 125, 649
 - SSL port 125
 - starting and stopping 107
 - threads per process 130
- IMAP, *See*
 - message access
- imsrestore 617
- imexpire
 - deploying 582
 - theory of operation 581
- imexpire, *See* automatic message removal
- immonurgent 315, 325, 358
- immonurgent channel keyword 356
- immonitor-access 815
- implicit routing 369
- improute 368
- IMPROUTE_FORWARD 369
- imquotacheck 553, 578, 823
- imquotacheck 603
- ims50 204, 207
- imsbackup utility 613
- imsched 113, 581, 591
- imsconnutil 624
- imsimta cache -view 788
- imsimta counters 820
- imsimta crdb 538
- imsimta process 773
- imsimta qm 771, 807
 - imsimta qm 409
- imsimta qm counters 822
- imsimta qm stop and start 775
- imsimta refresh 226, 243
- imsimta reload 226
- imsimta run 775
- imsimta test -exp 546, 547, 549
- imsimta test -rewrite 546, 771, 799
 - MTA troubleshooting 771
- imsimta test -rewrite -filter 546
- imsrestore utility 613, 614
- imta.cnf 201, 226
 - imta.cnf configuration file
 - structure 227
- IMTA_LANG 264

- IMTA_MAPPING_FILE option 229
- IMTA_QUEUE 192
- IMTA_REVERSE_DATABASE 257
- INBOX, default mailbox 601
- include files 69
- includefinal 272, 277
- incoming connection 350
- incoming mail 783
- incorrect handling of notification messages
 - looping messages 789
- inetCanonicalDomainName 202
- inetDomainStatus 203
- initial runtime configuration 51
 - silent 57
- inner 379
- inner header
 - rewriting 373
- inner header rewriting 373
- innertrim 379
- install files 70
- installer
 - silent 57
- installing messaging server and directory server
 - replica 58
- interactive mode 43
- INTERFACE_ADDRESS 346
- interfaceaddress channel keyword 346
- internal modules (PKCS #11) 651
- INTERNAL_IP mapping table 62
- Internet Content Adaptation Protocol 441
- interpretencoding 384
- interpreting addresses 368
- invalid address 273
- IP address
 - stopping inbound processing 776
- IP Address filtering 525
- iPlanetDirectoryPro 143
- IPv4 matching 234

J

- jettison 545
- Job Controller
 - commands 248
 - configuration file 247
 - examples of use 248
 - JOB_LIMIT option 251
 - JOB_LIMIT pool option 194
 - limits keywords 360
 - MAX_MESSAGES option 195
 - maxjobs channel option 194
 - restarting 196
 - SLAVE_COMMAND option 251
 - starting 195
 - stopping 195
- job controller
 - concepts 194
 - start and stop 195
- JOB_LIMIT 361
- JOB_LIMIT Job Controller option 194, 251
- junk email
 - removal

K

- keywords
 - table 314, 317

L

- language 384
 - site 118
- languages
 - server site 118
 - user-preferred 117
- last resort host 349
- lastresort channel keyword 349
- LDAP
 - MTA interface 197
- LDAP directory

- configuration directory [118](#)
- configuring lookups in user directory [118](#)
- customizing lookups [118](#)
- MTA [194](#)
- requirements [118](#)
- user directory [105, 118](#)
- viewing settings in configuration directory [120](#)
- LDAP Errors, handling [205](#)
- LDAP parameters
 - Messenger Express Multiplexor [175](#)
- LDAP Provisioning Tools [61](#)
- LDAP Server Failover [122](#)
- LDAP_ADD_HEADER [220](#)
- LDAP_ADD_TAG [220](#)
- LDAP_ALIAS_ADDRESSES [210](#)
- LDAP_ATTR_DOMAIN1_SCHEMA2 [200](#)
- LDAP_ATTR_DOMAIN2_SCHEMA2 [200](#)
- LDAP_ATTR_MAXIMUM_MESSAGE_SIZE [219](#)
- LDAP_AUTH_DOMAIN [218](#)
- LDAP_AUTH_PASSWORD [219](#)
- LDAP_AUTH_POLICY [218](#)
- LDAP_AUTH_URL [219](#)
- LDAP_AUTOREPLY_TEXT [509](#)
- LDAP_CANT_DOMAIN [219](#)
- LDAP_CANT_URL [219](#)
- LDAP_CONVERSION_TAG [213, 419](#)
- LDAP_DELIVERY_FILE [212](#)
- LDAP_DELIVERY_OPTION [213](#)
- LDAP_DISK_QUOTA [212](#)
- LDAP_DOMAIN_ATTR_ALIAS [200](#)
- LDAP_DOMAIN_ATTR_AUTOREPLY_TIMEOUT [204](#)
- LDAP_DOMAIN_ATTR_BASEDN [199](#)
- LDAP_DOMAIN_ATTR_BLOCKLIMIT [203, 211](#)
- LDAP_DOMAIN_ATTR_CANONICAL [203](#)
- LDAP_DOMAIN_ATTR_CATCHALL_ADDRESS [203, 205](#)
- LDAP_DOMAIN_ATTR_CONVERSION_TAG [203, 419](#)
- LDAP_DOMAIN_ATTR_DISK_QUOTA [203](#)
- LDAP_DOMAIN_ATTR_FILTER [203](#)
- LDAP_DOMAIN_ATTR_MAIL_STATUS [203](#)
- LDAP_DOMAIN_ATTR_MESSAGE_QUOTA [204](#)
- LDAP_DOMAIN_ATTR_OPTIN [204](#)
- LDAP_domain_attr_optinX [453](#)
- LDAP_DOMAIN_ATTR_RECIPIENTCUTOFF [204, 393](#)
- LDAP_DOMAIN_ATTR_RECIPIENTLIMIT [204, 393](#)
- LDAP_DOMAIN_ATTR_REPORT_ADDRESS [203](#)
- LDAP_DOMAIN_ATTR_ROUTING_HOSTS [198](#)
- LDAP_DOMAIN_ATTR_SMARTHOST [203, 205](#)
- LDAP_DOMAIN_ATTR_SOURCE_CONVERSION_TAG [419](#)
- LDAP_DOMAIN_ATTR_SOURCEBLOCKLIMIT [204, 389](#)
- LDAP_DOMAIN_ATTR_STATUS [203](#)
- LDAP_DOMAIN_ATTR_UID_SEPARATOR [203](#)
- LDAP_DOMAIN_FILTER_SCHEMA1 [199](#)
- LDAP_DOMAIN_ROOT [199](#)
- LDAP_END_DATE [216](#)
- LDAP_ERRORS_TO [220](#)
- LDAP_EXPANDABLE [220](#)
- LDAP_GROUP_DN [220](#)
- LDAP_GROUP_OBJECT_CLASSES [207](#)
- LDAP_GROUP_RFC822 [220](#)
- LDAP_GROUP_URL1 [220](#)
- LDAP_GROUP_URL2 [220](#)
- LDAP_HOST_ALIAS_LIST [198](#)
- LDAP_LOCAL_HOST [198](#)
- LDAP_MAIL_REVERSES [221](#)
- LDAP_MESSAGE_QUOTA [212](#)
- LDAP_MODERATOR_URL [219](#)
- LDAP_OPTIN [217, 445](#)
- LDAP_optinX [453](#)
- LDAP_PERSONAL_NAME [508](#)
- LDAP_PREFIX_TEXT [220](#)
- LDAP_PRESENCE [217](#)
- LDAP_PROGRAM_INFO [212](#)
- LDAP_RECIPIENTCUTOFF [393](#)
- LDAP_RECIPIENTLIMIT [393](#)
- LDAP_REJECT_ACTION [218](#)
- LDAP_REJECT_TEXT [218](#)
- LDAP_REMOVE_HEADER [220](#)
- LDAP_REPROCESS [217](#)

- LDAP_SCHEMATAG 204
- LDAP_SOURCE_CONVERSION_TAG 419
- LDAP_SOURCEBLOCKLIMIT 389
- LDAP_SPARE_1 212
- LDAP_SPARE_2 212
- LDAP_START_DATE 216
- LDAP_SUFFIX_TEXT 220
- LDAP_USE_ASYNC 223
- LDAP_USER_OBJECT_CLASSES 207
- LDAP_USER_ROOT 199
- Legato 618
- less than sign (228
- lib files 69
- libspamass.so 460
- line length reduction 387
- line length restrictions 387
- linelength 387
- linelimit 388
- link count 607
- Linux, default base directory for 34
- LMTP 483
 - back end stores, no MTA 494, 496
 - configuring 488
 - configuring the relays 488
 - delivery features 484
 - protocol 498
- local channel
 - options 408
- local host too long
 - MTA error messages 796
- Local Mail Transfer Protocol, *See* LMTP
- local.auto.restart 111, 825
- local.autorestart.timeout 113, 825
- local.enablelastaccess 624
- local.ens.enable 110
- local.hostname 198
- local.http.enableuserlist 624
- local.imap.enableuserlist 624
- local.imta.enable 110
- local.imta.hostnamealiases 198
- local.imta.mailaliases 204
- local.imta.schematag 204
- local.ldaphost 122
- local.mmp.enable 110
- local.probe.service.timeout 825
- local.probe.service.warningthreshold 825
- local.probe.warningthreshold 825
- local.queuedir 826
- local.sched.enable 110
- local.schedule.expire 592
- local.schedule.msprobe 113, 825, 826
- local.schedule.purge 592
- local.schedule.taskname 113
- local.service.http.proxy 176
- local.service.http.proxy.port.hostname 179
- local.service.pab 121
- local.smsgateway.enable 110
- local.snmp.enable 110
- local.sso 152
- local.store.checkdiskusage 806
- local.store.expire.loglevel 592, 593
- local.store.notifyplugin 846
- local.store.overquotastatus 573, 578
- local.store.quotaoverdraft 573, 578, 580
- local.store.relinker.enabled 609
- local.store.relinker.maxage 609
- local.store.relinker.minsize 609
- local.store.relinker.purgecycle 610
- local.store.sharedfolders 566
- local.store.snapshotinterval 632
- local.store.snapshotpath 632
- local.ugldapbasedn 121
- local.ugldapbasedn configutil 199
- local.ugldapbindcred 175
- local.ugldapbinddn 121, 175
- local.ugldaphost 121, 122, 175
- local.ugldapport 121
- local.ugldapuselocal 121, 122
- local.watcher.enable 111, 112, 825
- local.webmail.cert.enable 701
- local.webmail.cert.port 701
- local.webmail.smime.enable 701
- local.webmail.sso 153
- local.webmail.sso.amcookieiname 143, 180

- local.webmail.sso.amloglevel 143
- local.webmail.sso.amnamingurl 143, 180
- local.webmail.sso.id 153
- local.webmail.sso.prefix 153
- local.webmail.sso.singlesignoff 143
- localizing, notification messages
- localvrfy channel keyword 340
- location-specific rewrites 306
- log files 69
 - troubleshooting the message store 626
 - troubleshooting the MTA 774
- LOG_CONNECTION 732
- LOG_CONNECTION option 735
- LOG_FILENAME 732
- LOG_FILENAME option 734
- LOG_MESSAGE_ID 732
- log_message_id 777
- LOG_MESSAGE_ID option 734
- LOG_MESSAGES_SYSLOG option 734
- LOG_NOTARY 732
- LOG_PROCESS 732
- LOG_PROCESS option 735
- LOG_TRANSPORTINFO 334
- LOG_USERNAME option 735
- logfile.service 761
- logfile.service.loglevel 762
- logging 395, 723
 - analyzing logs 728
 - architecture of 757
 - categories 755
 - channels 728
 - directories for log files 755
 - file format 756
 - files 724
 - levels of 753
 - LOG_CONNECTION option 735
 - LOG_FILENAME option 734
 - LOG_MESSAGE_ID option 734
 - LOG_MESSAGES_SYSLOG option 734
 - LOG_PROCESS option 735
 - LOG_USERNAME option 735
 - managing service logs 753
 - Message Store 766
 - message store and administration server 753

- MTA 728, 733
- MTA entry codes 730
- MTA Examples 735
- MTA Message and Connection 728
- Options 757
- options 758
- SEPARATE_CONNECTION_LOG option 735
- severity levels 753
- tools for Managing 728
- types 724
- viewing logs 760
- logheader 395
- login
 - certificate-based 128, 658
 - password-based 647
- login separator
 - Messenger Express Multiplexor 176
- login separator, for POP 126
- login service
 - password-based login 127
- logindn 698
- loginpw 698
- long-term service failures 273
- loopcheck 396
- looping messages 789
 - incorrect handling of notification messages 789
 - postmaster address is broken 789

M

- Mail conversion tag 419
- mail filtering
 - channel-level filters 541
 - description 511
 - mapping tables 512
 - MTA-wide filters 541
 - per-user filters 541
 - server-side rules 541
- mail forwarding 349
- Mail tab 848, 849, 857
- mail users
 - accessing an existing user 848
 - address (primary) 850

- addresses, specifying 849
- alternate addresses 850
- auto-reply settings 854
- creating a new user 848
- delivery-options configuration 851
- forwarding addresses for 853
- host name hiding 850
- Mail tab 848, 849
- Netscape Console access to 847
- POP/IMAP delivery option 851
- program delivery option 852
- UNIX delivery option 853
- vacation mode 855
- mail.log_current 778
- MAIL_ACCESS mapping table 513, 519
- mailAllowedServiceAccess 712
- mailAlternateAddress 204
- mailAutoReplyMode 508
- mailAutoReplyText 509
- mailAutoReplyTextInternal 509
- mailAutoReplyTimeOut 509
- mailbox encoding
 - restricted 373
- mailbox specifications 373
- mailboxes
 - automatic message removal 581
 - default mailbox for delivery 601
 - INBOX 601
 - managing 597
 - mboxutil utility 598
 - naming conventions for 601
 - reconstruct utility 632
 - reconstructing 633
 - repairing 632
- mailConversionTag 213
- mailDeferProcessing 217
- mailDeliveryOption 213, 504
- mailDomainCatchallAddress 203
- MailDomainConversionTag 419
- mailDomainConversionTag 203
- mailDomainDiskQuota 572
- mailDomainMsgMaxBlocks 203
- mailDomainMsgQuota 572
- mailDomainReportAddress 203
- mailDomainSieveRuleSource 203
- mailDomainStatus 203, 572
- maildomainstatus 579
- mailEquivalentAddress 204
- mailfromdnsverify channel keyword 340
- mailing lists
 - accessing an existing group 857
 - adding list (email-only) members 862
 - address (primary) 858
 - creating a new group 856
 - dynamic membership criteria 861
 - email-only members 857
 - host name hiding 859
 - LDAP search URLs 861
 - list members 860
 - list owners 859
 - Mail tab 857
 - Members tab (of group) 856
 - message-rejection actions 864
 - moderators for 864
 - Netscape Console access to 856
 - restrictions on message posting 863
- mailinglist, creation 105
- mailMessageStore 597
- mailMsgMaxBlocks 211
- mailMsgQuota 572
- mailQuota 212, 572
- mailRejectText 218
- mailRoutingAddress 210
- mailRoutingHosts 198
- mailRoutingSmartHost 203
- MailSieveRuleSource 546
- mailSieveRuleSource 217
- mailUserStatus 572
- mailuserstatus 579
- make_backup_config_changes.sh 80
- make_configutil_changes.sh 79
- make_mboxlistdb_changes.sh 80
- make_mta_config_changes.sh 79
- manually running a channel program 775
- mapping
 - / matching 234
- mapping entry patterns 232
- mapping entry templates 235

- mapping file 229, 246
 - file format 230
 - locating and loading 229
- mapping name is too long
 - MTA error messages 795
- mapping operations 232
- mapping pattern wildcards 232
- mapping probes 238
- mapping table
 - COMMENT_STRINGS 374
 - NOTIFICATION_LANGUAGE 265
- mapping tables 229, 776
 - description 512
 - FROM_ACCESS 513
 - handling large numbers of entries 537
 - list of them all 229
 - MAIL_ACCESS 513
 - ORIG_MAIL_ACCESS 513
 - ORIG_SEND_ACCESS 513
 - PORT_ACCESS 513, 525
 - SEND_ACCESS 513
 - SMS_Channel_TEXT 881
 - X-REWRITE-SMS-ADDRESS 881
- mapping tables, *See Also* access control
- mapping template substitutions and metacharacters 235
- master 357
- master program 248, 249, 358
- master_command 251
- master_debug 396, 778
- matching any address 287
- matching procedure, rewrite rules 293
- MAX_CLIENT_THREADS 334
- max_client_threads 361
- MAX_CONNS 495
- MAX_CONNS Dispatcher option 188
- MAX_HEADER_BLOCK_USE 386
- MAX_HEADER_LINE_USE 386
- MAX_LIFE_CONNS 495
- MAX_LIFE_TIME 495
- MAX_MESSAGES Job Controller option 195
- MAX_PROCS 495
- MAX_PROCS Dispatcher option
 - Dispatcher
 - MAX_PROCS option 187
- MAX_PROCS*MAX_CONNS 784
- maxblocks 386
- maxheaderaddrs 382
- maxheaderchars 382
- maximum length header 383
- maxjobs 360
- maxjobs channel keyword 194, 357
- maxlines 386
- maxprocchars 383
- maysaslserver 351
- maytls 658
- maytls channel keyword 354
- maytlsclient channel keyword 354
- maytlsserver channel keyword 354
- mboxutil 598
- MD5 607
- MDN 277
- MEM. *See* Messenger Express Multiplexor 172
- Members tab 856
- memberURL 220
- message
 - automatic removal
 - dequeue 370
 - fragmentation 388
 - purge
 - removal 556
 - size limits 387
 - without recipient header 371
- message access 123
 - general configuration 124
 - HTTP
 - HTTP Services 123
 - IMAP
 - log In w/o Domain Name 127
 - login requirements 126
 - password-based 127
 - POP
 - POP, IMAP, or HTTP 124
 - ports, encrypted 125
 - service port numbers 124
- message breakdown 780
- message defragmentation 385
- Message Disposition Notifications 277, 503

- Message Disposition Notifications,
 - customizing/localizing 278
- message disposition notification, *See also*,
 - notifications
- message expiration 581
- message header
 - date fields 381
- message header lines
 - trimming 381
- message queue directories
 - troubleshooting 771
- message queues 192, 807
- message queues, monitoring 807
- message rejection 389
- Message Store 53
 - mbxlist Database Log file 825
- message store
 - access control 557
 - administrator access 557
 - aging policies 581
 - automatic message removal
 - backup groups 612
 - backup policies 611
 - backup, excluding trash 615
 - checking and repairing mailboxes 635
 - command-line utilities 552
 - common problems and solutions 637
 - configuring disk quotas 570
 - configuring partitions 593
 - default partition 595
 - deleting messages 557
 - directory layout 553
 - disk space reduction 606
 - expunging messages 557
 - grace period 579
 - imsbackup utility 613
 - imsrestore utility 614
 - incremental backup 614
 - logging 723, 753
 - logging examples 766
 - maintenance and recovery procedures 597
 - message tracing 764
 - overview 552
 - partition 594
 - partition, changing default 597
 - partitions 579
 - primary partition 593
 - purging messages 557
 - quotas (see also, quotas) 573
 - RAID technology 594
 - Rebuild Mailboxes 634
 - reconstruct utility 633
 - Remove Orphan Accounts 602
 - restoring data 614
 - stored utility 604
 - troubleshooting 625
 - using Legato Networker for backup 618
 - using third party software 622
- Message Transfer Agent. *See also* MTA
- messagecount 585
- messagedays 585
- messages not delivered 787
- messages not dequeued 785
- messagesize 585
- messagesizedays 586
- Messaging Multiplexor
 - certificate-based authentication 160
 - certmap plugins 160
 - configuration 164, 171
 - description 157
 - DNComps 160
 - encryption 159
 - example topology 168
 - features 157
 - FilterComps 160
 - how it works 158
 - IMAP example 169
 - POP example 171
 - pre-authentication 160
 - pre-configuration 163
 - set up 163
 - SSL, to use with 166
 - starting/stopping/refresh 166
 - store administrator 160
 - vdmap 161
 - virtual domains 161
- Messaging Multiplexor, *See also* MMP
- Messaging Server
 - documentation 34
 - worksheet 52, 954
- Messenger Express 53, 123
 - debug 627

- monitoring user access 624
 - troubleshooting 637
 - unknown/invalid partition 638
- Messenger Express Mail Filters 67
- Messenger Express Multiplexor
 - access Messenger Express client 177
 - administration 178
 - configuring 174
 - dcroot 176
 - default domain 176
 - enable 176
 - enabling 176
 - error messages 177
 - hosted domains 173
 - how it works 173
 - LDAP parameters 175
 - login separator 176
 - managing product versions 178
 - multiple proxy server setup 178
 - overview 172
 - setup 174
 - similarities to MMP 172
 - Single Sign-on 179
 - SSL 172, 178
 - steps to establish connection 174
 - testing 177
- metacharacters in mapping templates 235
- mgmanMemberVisibility 220
- mgrpAddHeader 220
- mgrpAllowedBroadcaster 219
- mgrpAllowedDomain 218
- mgrpAuthPassword 219
- mgrpBroadcasterPolicy 218
- mgrpDeliverTo 220
- mgrpDisallowedBroadcaster 219
- mgrpDisallowedDomain 219
- mgrpErrorsTo 220
- mgrpModerator 218, 219
- mgrpMsgMaxSize 219
- mgrpMsgPrefixText 220
- mgrpMsgRejectAction 218
- mgrpMsgSuffixText 220
- mgrpRemoveHeader 220
- mgrpRFC822MailMember 220
- Microsoft Exchange 353
- migrating users 409
- migration
 - mailboxes 80
 - message store size 606
- MIME
 - Headers 411
 - message construction 411
 - overview 411
 - processing 384
- MIN_CONNS Dispatcher option 188
- MIN_PROCS Dispatcher option 187
- MISSING_RECIPIENT_POLICY 372
- missingrecipientpolicy 371
- mm_debug 778
 - debugging tools
 - mm_debug 775
- mm_init 794
- MMP 54, 675
 - AService.cfg file 165
 - AService-def.cfg 165
 - ImapMMP.config 165
 - ImapProxyAService.cfg file 165
 - ImapProxyAService-def.cfg 165
 - LDAP Server failover 172
 - modifying an existing instance 166
 - PopProxyAService.cfg file 165
 - PopProxyAService-def.cfg 165
 - SMTP Proxy 162
 - SmtProxyAService.cfg 165
 - SmtProxyAService-def.cfg 165
- MMP and Messenger Express Multiplexor
 - similarities 172
- MMP. See also Messaging Multiplexor
- MobileWay 912
- mode 472, 479
- moderators
 - defining 864
 - for mailing lists 864
- modifying passwords 104
- modutil 661
- monitoring 801
 - automatic restart 110
 - CPU usage 806
 - database log files 814

- delivery failure rate 808
- delivery times 803
- disk space 804
- dispatcher 809
- httpd 811
- imapd 811
- job controller 809
- LDAP Directory Server 810
- LDAP server 815
- log files 802
- mboxlist directory 814
- message access 810
- message queues 807
- message store 813
- message store database locks 814
- msprobe 803, 824
- MTA 807
- POP and IMAP servers 815
- popd 811
- postmaster Mail 802
- SMTP connections 808
- stored 812, 815
- system performance 803
- tools & utilities 815
- user access 624
- watcher 801, 824
- Webmail services 811
- move user mailbox 610
- moving mailboxes 595
- msexchange 353
- msg_svr_base 68, 555
- msprobe 110, 824
- MTA 53, 793
 - adding relaying 528
 - alias expansion 202
 - architecture 185
 - channels 186, 189
 - command-line utilities 256
 - concepts 181
 - Configuration File 226
 - configuration files 226, 243
 - data flow 197
 - directory information 194
 - Dispatcher 187
 - error handling 200
 - Error Messages 793
 - imta.cnf rewrite rule 201
 - LDAP interface 197
 - logging 723, 728
 - message flow 185
 - message queues 192
 - Problems and Solutions 781
 - relay blocking 531
 - rewrite rules 189, 198
 - server processes 187
 - setting global options 246
 - theory of operations 197
 - troubleshooting 770
- MTA channels
 - starting and stopping 775
- MTA configuration
 - troubleshooting 771
- MTA configuration file 226
- MTA error messages 793
 - bad equivalence for alias 794
 - cannot open alias include file 794
 - duplicate aliases found 795
 - duplicate host in channel table 795
 - duplicate mapping name found 795
 - error initializing ch_facility
 - compiled character set version mismatch 796
 - no room in 796
 - local host too long 796
 - mapping name is too long 795
 - no equivalence addresses 796
 - no official host name for channel 796
 - official host name is too long 797
- MTA example
 - message breakdown 780
 - start and stop channels 778
- MTA functionality
- MTA mapping file 229
- MTA queues 807
- MTA troubleshooting
 - network and DNS problems 800
- MTA troubleshooting example 777
- multiple 393
- multiple \$M clauses 305
- multiple addresses 393
- multiple destination addresses 394
- multiple outgoing channels 350

- multiple proxy servers
 - Messenger Express Multiplexor 178
- Multiplexor. See Messaging Multiplexor.
- mustsaslserver 351
- musttls 658
- musttls channel keyword 354
- musttlsclient channel keyword 354
- musttlsserver channel keyword 354
- mx channel keyword 349
- MX record lookups 799
- MX record support 349
- myprocmail, with the Pipe channel 407

N

- nameparameterlengthlimit 392
- nameserver lookups 349
- nameservers channel keyword 349
- NDAAuth-applicationID 152
- netstat 809
- network problem 808
- Network Security Services 660
- network services 249
- nms41 204, 207
- no equivalence addresses
 - MTA error messages 796
- no official host name for channel
 - MTA error messages 796
- noaddrreturnpath 373
- nobangoverpercent 367
- nobangoverpercent keyword 292
- noblocklimit 388
- nocache channel keyword 346
- nodayofweek 381
- nodeferred 356, 358
- nodefragment 385
- nodeestinationfilter 398
- nodropblank 372
- noehlo 337
- noehlo channel keyword 338
- noexproute 368
- noexquota 391
- nofileinto 398
- nofilter 398
- noheaderread 379
- noheadertrim 379
- noimproute 368
- noinner 379
- noinnertrim 379
- nolinelimit 388
- nologging 395
- noloopcheck 396
- nomailfromdnsverify channel keyword 340
- nomaster_debug 396
- nomsexchange 353
- nomx channel keyword 349
- non-ASCII characters 793
- non-delivery reports, *See* notification messages
- nonrandommx channel keyword 349
- nonstandard message formats
 - converting 385
- nonurgentbackoff channel keyword 356, 358
- nonurgentblocklimit 363
- nonurgentblocklimit channel keyword 356
- nonurgentnotices 272
- nonurgentnotices channel keyword 357
- noreceivedfor 374
- noreceivedfrom 374
- noremotehost 370
- noreturnpersonal 275
- noreverse 259, 372
- normalbackoff 358
- normalbackoff channel keyword 356
- normalblocklimit 363
- normalblocklimit channel keyword 356
- normalnotices 272
- normalnotices channel keyword 357
- norules 377
- norules channel keyword 305
- nosasl 351
- nosaslserver 351
- nosaslswitchchannel 351

- nosendetrn 338, 339
- nosendpost 273
- noservice 365
- noslave_debug 396
- nosmtp channel keyword 337
- nosourcefilter 398
- noswitchchannel keyword 350
- notaries
- notary
 - See notification messages
- notices 272, 358
- notices channel keyword 357
- notification message 273
- Notification Messages 276
- notification messages 272
 - additional features 271
 - blocking content return 271
 - constructing & modifying 265
 - customizing and localizing 267
 - internationalizing 270
 - removing non-US-ASCII characters from
 - headers 271
 - sending/blocking to postmaster 273
 - setting delivery intervals for undeliverable
 - mail 272
- NOTIFICATION_LANGUAGE mapping table 265, 267
- notificationchannel 397
- notls channel keyword 354
- notlsclient channel keyword 354
- notlsserver channel keyword 354
- novrfy 338
- nowarnpost 273
- nox_env_to 381
- nsserversecurity 658
- nsswitch.conf file 349

O

- official host name is too long
 - MTA error messages 797
- ooptin_user_carryover 454

- optional flags 52
- options
 - SLAVE_COMMAND 254
- options file 246
- OR_CLAUSES 218
- ORCPT 517
- ORIG_MAIL_ACCESS mapping table 513, 519
- ORIG_SEND_ACCESS mapping table 513, 517
- original recipient 517
- ORIGINAL_ADDRESS 270
- orphaned accounts 602
- os_smtp_* errors 800
- os_smtp_open errors 800
- os_smtp_read errors 800
- os_smtp_write errors 800
- overview of Messenger Express Multiplexor 172
- ownership of files
 - troubleshooting 771

P

- parameterlengthlimit 392
- partial messages 385
- partition, invalid 638
- partitions
 - adding 594
 - configuring for message store 593
 - default 595
 - full 595
 - message store 579
 - moving mailboxes between 595
 - nicknames 595
 - pathnames 595
 - primary 593
 - RAID technology 594
- password authentication
 - See also login
 - HTTP service 127
 - IMAP service 127
 - POP service 127
 - SMTP service 648
 - to LDAP user directory 121

- password file (for SSL) 654
- password login 647
- passwords 104
- PDU 877
- percent hack 291
- percent hack rules 286
- percent sign (%) 305, 308
- percentonly 367
- percents 367
- Performance and Tuning 68
- performance enhancement
 - LMTP 483
- performance parameters
 - connections per process 129
 - number of processes 129
 - threads per process 130
- performance, relays 483
- periodic message return job 275
- personal names in address message headers 375
- personalinc 375
- personalomit 375
- personalstrip 375
- pipe channel 398, 407
- pk12util 661
- PKCS #11
 - internal and external modules 651
- platformwin 698
- pool 360
- pool channel keyword 356
- POP Before SMTP 675
- POP over SSL 133
- POP service
 - access control filters 672
 - banner 126
 - certificate-based login 658
 - client access control 132
 - client debug 627
 - configuring 132
 - connections per process 129
 - dropping idle connections 131
 - login requirements 126
 - monitoring user access 624
 - number of processes 129
 - password-based login 648
 - performance parameters 128
 - port numbers 124
 - SSL 649
 - starting and stopping 107
 - threads per process 130
- POP, *See*
 - message access
- PORT 346
- port 472, 479
- port channel keyword 346
- port numbers 70
- PORT_ACCESS 495, 523
- PORT_ACCESS Mapping Table 523
- PORT_ACCESS mapping table 513, 525
- postheadbody 274
- postheadbody channel keyword 276
- postheadonly 274
- postheadonly channel keyword 276
- post-install directory layout 68
- post-install port numbers 70
- post-installation configuration
 - configuration
 - SMTP blocking 62
 - port numbers 70
 - start-up across reboots 64
- postmaster
 - addresses 275
- pre-authentication (Messaging Multiplexor) 160
- preferred language, domain 117
- preferredLanguage 117
- preparing LDAP Directory for Messaging Server 41
- primary email address 850, 858
- processes
 - number of 129
- processing messages 410
- product versions
 - Messenger Express Multiplexor 178
- program delivery
 - pipe channel 407
 - setting up 407
 - specifying 852
- program, sending a message to 410
- programs

- master 248
- slave 249
- protocol streaming 343
- provisioning 59
- provisioning options
 - LDAP Provisioning Tools 61
- publish-and-subscribe 843
- purge 557

Q

- Q records 808
- queues 807
- queues, message 192
- quota checking report 823
- quotas
 - attributes 572
 - configuring 570
 - configutil parameters 573
 - Default 571
 - default 574
 - disabling 578
 - disk 571
 - disk space 570
 - Domain 575
 - domain 571, 578
 - enabling enforcement 578
 - Enforcement 577
 - enforcement 571, 577
 - family groups 578
 - grace period 579
 - message 571
 - Netscape Messaging Server 580
 - notification 571, 575, 577
 - threshold, setting 577
 - usage 603
 - user 571
 - users 575
 - warning message 576
 - warning messages 576
 - warnings 575
- quoted local-parts 373

R

- RAID technology
 - for message store 594
- randommx channel keyword 349
- RBL Checking 535
- readership 565, 603
- readsigncert 698
- received message
 - encoded 791
- receivedfor 374
- receivedfrom 374
- RECIPIENT_ADDRESS 271
- recipientcutoff 392
- recipientlimit 392
- recompile, MTA 226, 243
- reconstruct 633, 634
 - performance 636
- reconstruct command-line utility 603
- recovery tasks
 - mailboxes 632
 - reconstruct utility 603
- rejectsmtplonglines 392
- relay blocking 531
- relay blocking, removal of 528
- relaying
 - adding 528
- relaying mail 808
- relinker 606, 607
 - command line mode 607
 - Realtime Mode 609
 - Theory of Operations 606
- reload 226
- remote system 350
- remotehost 370
- remove domain 106
- remove user 105
- removing messages 556
- repeated percent signs 292
- replica 58
- requirements
 - comm_dssetup.pl 42
 - Sun Cluster 92

- resource.properties 152
- restoring incremental back-ups 617
- restoring the message store 610
- restoring the message store, considerations 616
- restoring, using Legato Networker 621
- restricted 373
- restricted channel keyword 373
- restricted mailbox encoding 373
- restrictions
 - line length 387
- return 270
- return_option.dat 270
- RETURN_PERSONAL 271
- returnaddress 275
- returned message
 - content 274
- returnenvelope 274, 277
- returnpersonal 275
- Reversal Cache 210
- reverse 372
- reverse channel keyword 259
- reverse database 257
 - channel-specific 372
- Reverse Mapping 260
- reverse mapping 257
- REVERSE mapping table 257
- REVERSE mapping table flags 258
- REVERSE_ADDRESS_CACHE_SIZE 223
- REVERSE_ENVELOPE 259
- REVERSE_URL 221, 224
- revocationunknown 698
- rewrite
 - inner header 373
- rewrite process failure 290
- rewrite rules 198, 228
 - bang-style 286
 - blank lines 192, 228
 - case sensitivity in templates 289
 - checks 378
 - control sequences 296
 - description 189
 - direction-specific 306
 - domain literals 295
 - example 310
 - failure 295
 - Finishing the Rewriting Process 294
 - handling large numbers 309
 - host location-specific 307
 - location-specific 306
 - match any address 287
 - operation 290
 - ordinary templates A%B@C 288
 - pattern matching 290
 - patterns and tags 284
 - percent hacks 286
 - repeated templates A%B 288
 - scanning 293
 - specified route templates A@B@C 289
 - structure 282
 - substitution, username and subaddress 299
 - substitutions, customer-supplied routine 303
 - substitutions, general database 302
 - substitutions, host/domain and IP Literal 300
 - substitutions, LDAP Query URL 300
 - substitutions, literal character 300
 - substitutions, single field 304
 - substitutions, specified mapping 302
 - syntax checks after rewriting 295
 - tagged rule sets 287
 - template substitutions 296
 - templates 287, 294
 - testing 309
 - UUCP addresses 286
- rewriting
 - inner header 373
- rewriting an address
 - extracting the first host/domain specification 291
- rewriting error messages 308
- RFC 2476 398
- RFC 3507 441
- rfc822MailMember 220
- ROUTE_TO_ROUTING_HOST 198
- routelocal 369
- routing
 - explicit 369
 - implicit 369
- Routing Address 210
- routing information in addresses 368
- rules 377

rules channel keyword 305
runtime configuration 51

S

- S/MIME 681
 - Apple 687
 - Basic Configuration 688
 - common access card 684
 - conceptual prerequisites 682
 - defined 682
 - downloading applet 688
 - Getting Started 686
 - key pairs 685
 - LDAP credentials 694
 - LDAP directory 693
 - LDAP password pairs 693
 - Multi-language Support 686
 - options 701
 - private and public keys 684
 - Public Keys in LDAP Directory 685
 - required software/hardware 683
 - smart cards 685
 - smime.conf File 694
 - SSL 702
 - User Permissions 686
- SASL
 - channel keywords 352
 - description 644
- sasl.default.auto_transition 645, 647
- sasl.default.ldap 646
- sasl.default.ldap.has_plain_passwords 645
- sasl.default.ldap.searchfilter 645
- sasl.default.ldap.searchfordomain 645
- sasl.default.mech_list 645, 647
- sasl.default.transition_criteria 645
- saslswitchchannel 350, 351
- SASVE
 - configuration example 475
 - deploying 475
- SAVSE
 - deploying 474, 475
 - Options 478
- overview 474
- Requirements and Usage Considerations 474
- sbin files 69
- scheduling tasks 113
- Secure/Multipurpose Internet Mail Extension, *See* S/MIME
- security
 - about 642
 - authentication mechanisms 644
 - certificate-based login 128, 658
 - client access controls 132
 - client access to TCP services 664
 - HTTP service 132, 643
 - IMAP service 132
 - password-based login 127
 - POP service 132
 - S/MIME, *See* S/MIME
 - SASL 644
 - SMTP service 648
 - SSL 649
 - TLS 649
- See* notification messages
- seen 586
- SEND_ACCESS mapping table 513, 517
- sendcryptcert 699
- sendcryptcertrevoked 699
- sendetrn 338, 339
- sendmail
 - clients 65
- sendpost 273
- sendsigncert 699
- sendsigncertrevoked 699
- sensitivitycompanyconfidential 383
- sensitivitynormal 383
- sensitivitypersonal 383
- sensitivityprivate 383
- SEPARATE_CONNECTION_LOG option 735
- separator, setting 126
- server certificates
 - installing 652
 - managing 654
 - requesting 652

- Server Response Time. 824
- Server-Side Rules
 - not working 792
- server-side rules 541
 - troubleshooting 792
- service 365
 - service banners 126
 - Service Conversions 365
 - service denial attack 808
 - service.{imap|pop|http}.plaintextmncipher 645
 - service.dcroot 176
 - service.defaultdomain 176, 203
 - service.http 139
 - service.http.enable 110, 762
 - service.http.enablesslport 139, 762
 - service.http.idletimeout 139
 - service.http.maxmessagesize 139
 - service.http.maxsessions 139
 - service.http.maxthreads 139
 - service.http.numprocesses 139
 - service.http.plaintextmncipher 135, 139
 - service.http.port 139
 - service.http.sessiontimeout 139
 - service.http.smtphost 140
 - service.http.smtpport 140
 - service.http.spooldir 139
 - service.http.sslport 139
 - service.imap 135
 - service.imap.allowanonymouslogin 645
 - service.imap.banner 126, 136
 - service.imap.enable 110
 - service.imap.enablesslport 135
 - service.imap.idletimeout 135
 - service.imap.maxthreads 136
 - service.imap.numprocesses 136
 - service.imap.port 135
 - service.imap.sslport 135
 - service.loginseparator 126, 176
 - service.pop 133
 - service.pop.banner 126, 134
 - service.pop.enable 110, 133
 - service.pop.enablesslport 134
 - service.pop.idletimeout 133
 - service.pop.maxsessions 133
 - service.pop.maxthreads 133
 - service.pop.numprocesses 133
 - service.pop.sslport 134
 - service.readtimeout 825, 826
 - services
 - enabling and disabling 124
 - HTTP 123
 - IMAP 123
 - MTA 181, 225
 - POP 123
 - SMTP 181, 225
 - starting and stopping 107
- sevenbit channel keyword 342
- severity levels (of logging) 753
- shared folders 559
 - Access Control Rights 565
 - ACLs 565
 - distributed 561, 566
 - enable or disable 566
 - monitor & maintain data 568
 - public folders 564
- shared folders, IMAP 603
- Short Message Service, defined 867
- Sieve 545
 - Sieve filtering language 540
 - Sieve *See also*
 - filters, user-level
- silent installation 57
- silent mode 49
- silentetrn 338
- silentetrn channel keyword 339
- sims40 207
- sims401 204
- simultaneous connections, controlling 889
- single 350, 393
 - single channel keyword 351
 - single destination system per message copy 394
 - single sign-on
 - Messenger Express configuration parameters 152
 - single sign-on, *See* SSO 141
 - single_sys 248, 350, 393

- single_sys channel keyword 351
- Site Language 118
- slapd 810
- slapd Problems 810
- slave 357
- slave program 249, 358
- SLAVE_COMMAND Job Controller option 251
- SLAVE_COMMAND option 254
- slave_debug 396, 778
- smart cards 685
- SMIME
 - CA Certificates in LDAP 712
 - certificate revocation 711
 - Communications Express S/MIME End User Information 717
 - CRL access 706
 - CRL access trouble 710
 - CRL checking 706
 - CRL checking and proxy servers 708
 - Enabling the Java Console 721
 - finding user's private/public key 705
 - logging in, first time 718
 - managing certificates 712
 - Message Time 709
 - Network Security Services (NSS 717 permissions 711
 - public keys and certificates in LDAP 714
 - signature & encryption settings 719
 - Stale CRL 708
 - verifying key/certificates in LDAP 715
 - verifying Private and Public Keys 705
- SMPP V3.4 876
- SMS 867
 - adding more channels 911
 - address validity checks 880
 - Channel Definition and Rewrite Rules 887
 - channel option file 889
 - channel options 890
 - configuration 886
 - converting email to SMS 872
 - debugging 914
 - delivery retries 912
 - email conversion options 893
 - formatting templates 909
 - Localization Options 906
 - site-defined text conversions 881
 - SMS options 898
 - SMS channel 867
 - attributes 870
 - operation 870
 - requirements 869
 - SMS channel, adding 886
 - SMS Channel, sample configuration 912
 - SMS_Channel_TEXT mapping table 881
 - SMTP AUTH 528
 - SMTP Authentication 675
 - SMTP blocking
 - post-installation configuration 62
 - SMTP Channel 333
 - smtp channel keyword 337
 - SMTP channel option file 676
 - SMTP Channel Threads 363
 - SMTP Command and Protocol Support 335
 - SMTP connections 784, 808
 - SMTP errors
 - os_smtp_* errors 800
 - SMTP MAIL TO command 340
 - SMTP Proxy 660, 675
 - MMP 162
 - SMTP Relaying
 - adding 528
 - SMTP Relaying for External Sites, allowing in NMS 530
 - SMTP relays 483
 - SMTP server slowdown 784
 - SMTP service
 - access control 511
 - adding relaying 528
 - authenticated SMTP 648
 - login requirements 648
 - password-based login 648
 - port number 649
 - relay blocking 531
 - starting and stopping 107
 - smtp_client process 485
 - smtp_cr channel keyword 337
 - smtp_crlf channel keyword 337
 - smtp_crorlf channel keyword 337
 - smtp_lf channel keyword 337

- SNMP 829
 - applTable 834
 - applTable Usage 835
 - assocTable 835
 - assocTable Usage 836
 - channel errors 840
 - channel information 837
 - channel network connection 839
 - co-existence with other iPlanet products 833
 - configuring for Messaging Server 831
 - implementation 830
 - information provided 833
 - limitations 830
 - MIBs supported 830
 - MTA information 836
 - mtaGroupAssociationTable 839
 - mtaGroupErrorTable 840
 - mtaGroupErrorTable Usage 841
 - mtaGroupTable 837
 - mtaGroupTable Usage 839
 - mtaTable 836
 - mtaTable Usage 837
 - network connection information 835
 - operation 830
 - server information 834
- SOCKS_HOST 479
- SOCKS_PASSWORD 479
- SOCKS_PORT 479
- SOCKS_USERNAME 479
- Solaris
 - patches 36
 - support 36
- source channel-specific
 - rewriting 305
- source files
 - including 228
- source routes 378
- sourceblocklimit 388
- sourcecommentinc 374
- sourcecommentmap 374
- sourcecommentomit 374
- sourcecommentstrip 374
- sourcecommenttota 374
- sourcefilter 398, 542
- sourcenosolicit 403
- sourcepersonalinc 375
- sourcepersonalmap 375
- sourcepersonalomit 375
- sourcepersonalstrip 375
- sourceroute 366
- source-routed address 291
- sourcespamfilterXoptin 399, 449
- Spam filter 541
- Spam Filter options 452
- Spam, *See* anti-spam
- spam, *See*
 - anti-spam, Brightmail and SpamAssassin
- spamadjust 480
- SpamAssassin 460
 - deploying 462
 - examples 462
 - file spam 463
 - locating the server 462
 - mode 473
 - options (spamassassin.opt) 471
 - Requirements and Performance 461
 - result 460
 - score 460
 - Theory of Operations 460
 - verdict 460
- spamd 460
- spamfilterX_action_n 454
- SpamfilterX_config_file 452
- spamfilterX_final 454
- SpamfilterX_library 452
- SpamfilterX_null_action 453
- SpamfilterX_null_optin 453
- SpamfilterX_optional 453
- SpamfilterX_string_action 453
- spamfilterX_verdict_n 454, 465
- spamtest 480
- special directives 423
- specify 248
- SSL
 - certificates 651
 - ciphers 657
 - enabling 656
 - hardware encryption accelerators 652
 - installing CA certificates 653

- installing server certificates 652
- internal and external modules 651
- managing certificates 654
- Messenger Express Multiplexor 172, 178
- optimizing performance 660
- overview 649
- password file for 654
- POP over 133
- requesting server certificates 652
- sslpassword.conf file 654
- sslrootcacertsurl 700
- ssltap 661
- SSO 141
 - configuring 142
 - Cookie 145
 - limitations 142
 - Messenger Express configuration parameters 142
 - Messenger Express Multiplexor 179
 - troubleshooting 144
 - trusted circle 144, 146
- SSR 792
 - syntax problems 792
- standard procedures
 - MTA troubleshooting 770
- starting individual channels 775
- starting/stopping
 - automatic server restart 110
 - HA servers 107, 110
 - non-HA servers 108
- starting/stopping servers 107
- start-msg 109, 110
- start-up across reboots 64
- status messages
- status notifications, *See* notification messages
- sticky error message 308
- stop-msg 109
- stopping inbound processing from a domain or IP address 776
- stopping individual channels 775
- stopping/starting servers 107
- store.admins 558
- store.cleanuppage 592
- store.defaultmailboxquota 573, 574
- store.defaultmessagequota 573
- store.defaultpartition 597
- store.expirerule 584
- store.quotaenforcement 573, 578
- store.quotaexceededmsg 573, 576
- store.quotaexceededmsginterval 573, 577
- store.quotagraceperiod 573
- store.quotanotification 573, 575
- store.quotawarn 573, 577
- store_root 555
- stored 812
- stored operations 628
- stored processes
 - troubleshooting the message store 628
- streaming channel keyword 343
- stripped Received
 - header lines 789
- subaddresses 376
- subaddressexact 376
- subaddressrelaxed 376
- subaddresswild 376
- subdirs 394
 - how to use 779
- subdirs channel keyword 395
- submit channel keyword 397, 398
- substitutions in mapping templates 235
- substitutions, rewrite rules
 - unique string 304
- Sun Cluster 85
- Sun ONE Console 106
- sunManagedOrganization 200
- SunPreferredDomain 203
- sunPreferredDomain 200
- support
 - Solaris 36
- suppressfinal 272, 277
- swap space
 - commands 798
 - errors 798
- switchchannel 371, 531
- switchchannel channel keyword 350
- Symantec Anti-Virus Scanning Engine, *See* SASVE
- syntax checks after rewriting 295

syntax problems
 SSR 792

T

tagged rewrite rule sets 287

tailor file 247

TCP client access control

address-spoofing detection 672

examples 671

EXCEPT operator 669

filter syntax 666

host specification 669

how access filters work 665

identd service 670

Netscape Console interface for 672

overview 664

username lookup 670

virtual domains 672

wildcard names 668

wildcard patterns 668

TCP/IP

channels 244, 334

connections 343

IDENT lookups 347

interface address 346

MX record support 348, 349

port number 345, 346

reverse DNS lookups 347

TCP/IP channels 333

TCP/IP nameserver lookups 349

tcp_lmtp channel 487

tcp_lmtpnative channel 487

tcp_smtp_server process 485

telemetry 627

testing installation

Messenger Express Multiplexor 177

TEXT_CHARSET 271

threaddepth 363

threaddepth channel keyword 357

threads per process 130

throttle 525

timestampdelta 700

TLS 134, 354

channel keywords 354

description 649

tls channel keywords 658

TLS Problems 782

tlsswitchchannel keyword 354

traffic for conversion processing 413

transactionlimit 362

Transport Layer Security (TLS) 649

trimming message header lines 381

troubleshooting

login failure, POP 126

message store 637

wildcards & commands 637

troubleshooting the message store 625, 626

common problems and solutions

user mailbox directory problems 638

core files 629

database log files 628

hardware space 626

monitoring 626

stored operations 628

stored processes 628

user folders 629

troubleshooting the MTA

.HELD messages 790

checking configuration 771

checking the message queue directories 771

common problems

changes to configuration files 782

looping messages 789

messages are not dequeued 785

messages not delivered 787

MTA does not receive incoming mail 783

received message is encoded 791

server-side rules 792

timeouts on SMTP connections 784

example 777

general error messages 793

file open or create errors 798

illegal host/domain errors 799

mm_init 794

os_smtp_* errors 800

swap space 798

version mismatch 797

how to manually run a channel program 775

- how to stop and start individual channels 775, 778
- how to stop inbound processing from a domain or IP address 776
- identify channels in message path 777
- identifying the point of message breakdown 780
- imsimta qm start 775
- imsimta qm stop 775
- imsimta test -rewrite 771
- Job Controller and Dispatcher 772
- log files 774
- overview 770
- ownership of files 771
- standard procedures 770
- truncatesmtplonglines 392
- Trusted applications 145
- Trusted circle 145
- trustedurl 700
- two-digit dates 381
- two-digit years 381

U

- Unauthorized Bulk Email 535
- unconfiguring high availability 99
- undelivered messages 358
- uninstallation
 - high availability 99
- uniqueMember 220
- UNIX delivery 853
- unix system users and groups 40
- unrecognized
 - domain specification 309
 - host specification 309
- unrestricted 373
- unrestricted channel keyword 373
- unsolicited bulk email, See anti-spam
- update
 - configuration 74
- upgrade 73
 - migrating mailboxes 80
- UpgradeMsg5toMsg6.pl 74, 76

- upgrading from 5.2 73
- urgentbackoff 358
- urgentbackoff channel keyword 356
- urgentblocklimit 363
- urgentblocklimit channel keyword 356
- urgentnotices 272
- urgentnotices channel keyword 357
- use 241
- USE_CHECK 472
- USE_DOMAIN_DATABASE 224
- USE_FORWARD_DATABASE 262, 263, 264
- USE_REVERSE_DATABASE 221, 224, 259, 263
- USE_TEXT_DATABASES 489
- use_text_databases 241
- useconfig utility 86
- useintermediate 277
- user
 - access monitoring 624
 - removing 105
- user directory 118
- user folders
 - troubleshooting the message store 629
- user login. See login
- user mailbox directory problems
 - troubleshooting the message store 638
- user mailboxes
 - migration 80
- User Management Utilities, See Delegated Administrator
- usercertfilter 700
- users and groups
 - unix system 40
- users, creation 105
- using native sendmail configuration file 65
- uucp 367
- UUCP address rewrite rules 286

V

- vacation messages 503
- vacation mode 855

VACATION_CLEANUP 507
VACATION_TEMPLATE 506, 507
vacationEndDate 508
vacationStartDate 508
Vanity domain 199
vanity domains 224
vdmap (Messaging Multiplexor) 161
verbosity (of logging) 753
verdict 472, 479
VerifySSO 152
verifyurl 152
Veritas Cluster Server 85, 87
 configuration 88
 version 3.5 88
version mismatch 797
vertical bar (|) 287
viaaliasoptional 378
viaaliasrequired 378
virtual domains
 controlling access to 672
virus filtering 441
virus scanning 410
VRFY command 339
VRFY Command Support 339
vrfyallow channel keyword 340
vrfydefault channel keyword 340
vrfyhide channel keyword 340

W

warnpost 273
watcher 110, 824
webmail
 HTTP service 136
 Messenger Express 123
wild cards 637
wildcard characters, in mapping 232
wildcardfield substitutions 237
worksheet 947
 Administration Server 950
 comm_dssetup.pl 43, 952

Directory Server 948
Messaging Server 52, 954
wrapsmtplonglines 392

X

x_env_to 381
X-Envelope-to
 header lines
 generating 381
X-REWRITE-SMS-ADDRESS mapping table 881