

Installing and Uninstalling Sun Java System Portal Server 7.1 Sample Desktops

2007

This article contains instructions for uninstalling the Sun Java™ System Portal Server 7.1 software sample desktops.

Installing Sun Java System Portal Server 7.1 Sample Desktops

This section contains the following:

- “To Install the Java System Portal Server 7.1 Sample Desktops” on page 2
- “To Uninstall Sun Java System Portal Server 7.1 Sample Desktops” on page 2

▼ To Install the Java System Portal Server 7.1 Sample Desktops

- Detailed instructions for deploying sample portals such as Community Sample, Enterprise Sample, and Developer Sample to the portal are available in the “Deploying Sample Content to a New Portal” in *Sun Java System Portal Server 7.1 Configuration Guide*.

▼ To Uninstall Sun Java System Portal Server 7.1 Sample Desktops

- 1 **Copy the `PortalServer-base/SUNWportal/samples/portals/shared/input.properties.template` file to the `/var/opt/SUNWportal/tmp/input.properties` file where the default value for `PortalServer-base` is `/opt/SUNWportal`.**

In the Linux platform, copy to the `/var/opt/sun/portal/tmp/input.properties` file.

Note – You can copy the `input.properties` file to any directory. The `input.properties` file and the `password.properties` file must, however, exist in the same directory.

- 2 **Edit the `input.properties` file with the following values.**

<code>ps.config.location</code>	The portal configuration directory. For example, <code>/etc/opt/SUNWportal</code>
<code>ps.portal.id</code>	Portal ID. For example, <code>portal1</code>
<code>ps.access.url</code>	Access URL of the portal. For example, <code>http://host:port/portal</code>
<code>ps.webapp.uri</code>	Access URI of the portal. For example, <code>/portal</code>
<code>ps.profiler.email</code>	<code>admin@domain.com</code> . Note that this value is optional. You can leave this value empty.
<code>ps.profiler.smtp.host</code>	<code>host.domain</code> . Note that this value is optional. You can leave this value empty.
<code>search.access.url</code>	Access URL of the search server. For example, <code>http://host.domain:port/search1/search</code>
<code>search.id</code>	Search server ID. For example, <code>search1</code>
<code>am.admin.dn</code>	Access Manager top-level administrator distinguished name (DN). For example, <code>uid=amAdmin,ou=People,dc=domain,dc=com</code>
<code>default.org.dn</code>	Default organization DN. For example, <code>dc=domain,dc=com</code>

- 3 **Copy the `PortalServer-base/SUNWportal/samples/portals/shared/password.properties.template` file to the `/var/opt/SUNWportal/tmp/password.properties` file.**

In the Linux platform, copy the file to the `/var/opt/sun/portal/tmp/password.properties` directory.

Note – You can copy the `password.properties` file to any directory. However, the `password.properties` file and the `input.properties` file must exist in the same directory.

- 4 **Edit the `password.properties` file to set proper passwords.**

amadminPassword %AMADMIN_PASSWORD%
amldapuserPassword %AMLDAUSER_PASSWORD%

5 Run the following command.

```
export JAVA_HOME=/usr/jdk/entsys-j2se
```

6 Run the following command.

To uninstall all of the sample portals	<pre>/usr/sfw/bin/ant uninstall_samples -buildfile PortalServer-base/SUNWportal/samples/portals/build.xml -Dconfig.location /var/opt/SUNWportal/tmp/ -logfile /var/opt/SUNWportal/tmp/log-file.txt</pre>
To uninstall only the Developer portal	<pre>/usr/sfw/bin/ant uninstall -buildfile PortalServer-base/SUNWportal/samples/portals/developer/build.xml -Dconfig.location /var/opt/SUNWportal/tmp/ -logfile /var/opt/SUNWportal/tmp/log-file.txt</pre>
To uninstall only the Enterprise portal	<pre>/usr/sfw/bin/ant uninstall -buildfile PortalServer-base/SUNWportal/samples/portals/enterprise/build.xml -Dconfig.location /var/opt/SUNWportal/tmp/ -logfile /var/opt/SUNWportal/tmp/log-file.txt</pre>
To uninstall only the Community portal	<pre>/usr/sfw/bin/ant uninstall -buildfile PortalServer-base/SUNWportal/samples/portals/community/build.xml -Dconfig.location /var/opt/SUNWportal/tmp/ -logfile /var/opt/SUNWportal/tmp/log-file.txt</pre>
To uninstall only the Welcome portal	<pre>/usr/sfw/bin/ant uninstall -buildfile PortalServer-base/SUNWportal/samples/portals/welcome/build.xml -Dconfig.location /var/opt/SUNWportal/tmp/ -logfile /var/opt/SUNWportal/tmp/log-file.txt</pre>

7 Restart the web container.

Copyright 2007 Sun Microsystems, Inc. All rights reserved. Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in the product that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more U.S. patents or pending patent applications in the U.S. and in other countries.

U.S. Government Rights – Commercial software. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

This distribution may include materials developed by third parties.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, the Solaris logo, the Java Coffee Cup logo, docs.sun.com, Java, and Solaris are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

The OPEN LOOK and SunTM Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

Products covered by and information contained in this publication are controlled by U.S. Export Control laws and may be subject to the export or import laws in other countries. Nuclear, missile, chemical or biological weapons or nuclear maritime end uses or end users, whether direct or indirect, are strictly prohibited. Export or reexport to countries subject to U.S. embargo or to entities identified on U.S. export exclusion lists, including, but not limited to, the denied persons and specially designated nationals lists is strictly prohibited.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Part No: 820-2405

Sun Microsystems, Inc. 4150 Network Circle, Santa Clara, CA 95054 U.S.A.

